



US00D562267S

(12) **United States Design Patent** (10) **Patent No.:** **US D562,267 S**
Renner (45) **Date of Patent:** **** Feb. 19, 2008**

(54) **COVER FOR CONTROL CENTER**

(75) Inventor: **Reinhard Renner**, Esslingen (DE)

(73) Assignee: **Siemens Schweiz AG**, Zurich (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/268,759**

(22) Filed: **Nov. 13, 2006**

(30) **Foreign Application Priority Data**

May 11, 2006 (EM) 000528856
May 11, 2006 (EM) 000528989

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/177**

(58) **Field of Classification Search** D13/125,
D13/158-177, 184, 199; D8/353; 174/66;
D10/40, 50; D14/126, 341, 374

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D291,086 S * 7/1987 Price D14/450
D319,630 S * 9/1991 Hudson et al. D13/184
D393,636 S * 4/1998 Jones et al. D14/450
D400,186 S * 10/1998 Jones D13/177
D402,648 S * 12/1998 Jones D14/450
D408,416 S * 4/1999 Fennier et al. D14/239
D431,028 S * 9/2000 Monaco et al. D13/162
D438,091 S * 2/2001 Davis et al. D8/349
6,247,768 B1 * 6/2001 Yamaguchi 312/223.2
6,505,898 B1 * 1/2003 Buchanan et al. 312/7.2

* cited by examiner

Primary Examiner—Selina Sikder

Assistant Examiner—Thomas J Johannes

(74) *Attorney, Agent, or Firm*—Staas & Halsey LLP

(57) **CLAIM**

The ornamental design for the cover for control center, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the cover;

FIG. 2 is a right perspective view of the cover of FIG. 1;

FIG. 3 is a left perspective view of the cover of FIG. 1;

FIG. 4 is a bottom view of the cover of FIG. 1;

FIG. 5 is a right perspective view of the cover of FIG. 1 showing how the cover attaches to the control center;

FIG. 6 is a right side view of the cover of FIG. 1 showing how the cover attaches to the control center;


FIG. 7 is a left side view of the cover of FIG. 1 showing how the cover attaches to the control center;

FIG. 8 is a right perspective view of the cover of FIG. 1 showing an alternate embodiment, which uses two covers for the control center, FIG. 8 showing one of the two covers attached to the control center; and,

FIG. 9 is a right perspective view of the cover of FIG. 1 showing an alternate embodiment, which uses two covers for the control center, FIG. 9 showing both covers attached to the control center.

The broken line showing in the figure drawings is included for illustrative purposes only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9