


(19)



INTELLECTUAL PROPERTY
OFFICE OF SINGAPORE

(11) Publication number:

SG 176123 A1

(43) Publication date:

29.12.2011

(51) Int. Cl:

;

(12)

Patent Application

(21) Application number: 2011084704

(71) Applicant:

AMADEUS S.A.S. 485 ROUTE DU PIN
MONTARD SOPHIA ANTIOPOLIS F-06410
BIOT FR

(22) Date of filing: 04.05.2010

(72) Inventor:

PATOUREAUX, MARC 273 ROUTE DE
SAINT MATHIEU F-06130 GRASSE FR
DUFRESNE, THIERRY 17 CHEMIN DU
POUDEIRAC F-06650 OPIO FR
PAUCHET, DAVID 11 RUE DES PETITS
PONTS F-06250 MOUGINS FR

(30) Priority: EP 09305452.6 18.05.2009

(54) Title:

**METHOD AND SYSTEM FOR DETERMINING AN OPTIMAL
LOW FARE FOR A TRIP**

(57) Abstract:

A method for determining an optimal fare for a trip comprising a departure location, an arrival location, the method comprises the following steps: sending a request for the trip wherein the request comprises a departure location, an arrival location and a corresponding fare for the trip; automatically modifying the request by searching in a predetermined database to determine a set of additional requests wherein each comprises at least one of the departure location, the arrival location or one or more additional locations which may form at least a part of the requested route wherein the predetermined database comprises said additional requests and a corresponding fare for each additional request; selecting one or more additional requests to form one or more alternative requests which include at least one of the departure location or the arrival location as the request; calculating the up to date fares for each alternative request in order to determine a resulting fare for each alternative request; comparing the fare and the resulting fares in order to determine the lowest resulting fare for the trip.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
25 November 2010 (25.11.2010)

(10) International Publication Number
WO 2010/133447 A1

(51) International Patent Classification:
G06Q 10/00 (2006.01) *G06Q 50/00* (2006.01)
G06Q 30/00 (2006.01)

(21) International Application Number:
PCT/EP2010/056015

(22) International Filing Date:
4 May 2010 (04.05.2010)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09305452.6 18 May 2009 (18.05.2009) EP

(71) Applicant (for all designated States except US):
AMADEUS S.A.S. [FR/FR]; 485 Route du Pin Montard,
Sophia Antipolis, F-06410 Biot (FR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): PATOUREAUX,
Marc [FR/FR]; 273 Route de Saint Mathieu, F-06130
Grasse (FR). DUFRESNE, Thierry [FR/FR]; 17 Chemin
du Poudeirac, F-06650 Opio (FR). PAUCHET, David
[FR/FR]; 11 Rue des Petits Ponts, F-06250 Mougins
(FR).

(74) Agent: ANDERSON, Angela; Murgitroyd & Company,
Immeuble Atlantis, 55 Allée Pierre Ziller, Sophia Antipolis,
F-06560 Valbonne (FR).


(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))

(54) Title: METHOD AND SYSTEM FOR DETERMINING AN OPTIMAL LOW FARE FOR A TRIP



(57) Abstract: A method for determining an optimal fare for a trip comprising a departure location, an arrival location, the method comprises the following steps: sending a request for the trip wherein the request comprises a departure location, an arrival location and a corresponding fare for the trip; automatically modifying the request by searching in a predetermined database to determine a set of additional requests wherein each comprises at least one of the departure location, the arrival location or one or more additional locations which may form at least a part of the requested route wherein the predetermined database comprises said additional requests and a corresponding fare for each additional request; selecting one or more additional requests to form one or more alternative requests which include at least one of the departure location or the arrival location as the request; calculating the up to date fares for each alternative request in order to determine a resulting fare for each alternative request; comparing the fare and the resulting fares in order to determine the lowest resulting fare for the trip.

Method and System for determining an optimal low fare for a trip**Field of the invention**

5 The present invention relates to a method and system for determining an optimal fare for a specific trip, particularly but not exclusively in the travel industry domain.

Background of the invention

10 Nowadays, when a user wants to search for and book a trip comprising an airline flight, the user can request fares through a specific process. Thus, the user can search for fares in airlines databases which comprise such fares. The user may alternatively use on an airline website or an online travel agency. Before booking, the user can then compare the different 15 fares displayed on each website for a specific flight from a departure point A to an arrival point C. Often, for the same airline, a fare for a direct flight from a point A to a point C is higher than a fare for a flight from a point A to a connection C and from the connection C to the point B. Therefore, when the user wants to fly from A to C only, the user books the cheapest flight 20 which is the one from A to B comprising the connection C. Of course, the user only flies from A to C and does not use the flight from C to B. Thus, the airline books one seat on each flight for the user whereas the user only uses one seat for the flight from A to C. The airline notices the non-use of the seat for the flight from C to B only at the time of the flight. The airline 25 cannot anticipate such a situation. Therefore, the airline cannot generally resell the non-used seat to another user before the flight from C to B departs. This type of situation happens regularly and airlines may wish to change these uncertain circumstances. Typically this situation is brought about by incorrect management of travel fares rules from airlines.

30 Inconsistencies may arise when the airlines add new fares. The new fares

are not always compared with previous fares relating to the same city pair or to other city pairs in combination with the requested trip.

Therefore, as previously mentioned, a combination of two indirect flights
5 from A to C and from C to B is often cheaper than a direct flight from A to C. As a consequence, the user may wish to choose the A-C-B trip i.e. the cheapest one rather than the more expensive A-C flight. When a substantial number of users choose this cheapest solution, the number of no-shows on the C-B flight increases, which induces an important
10 economic negative impact for the corresponding airline(s).

Object of the invention

An object of the present invention is to alleviate at least some of the problems associated with the prior art systems.

15 According to one aspect of the present invention there is provided a method for determining an optimal fare for a trip comprising a departure location, an arrival location, the method comprises the steps of sending a request for the trip wherein the request comprises a departure location, an
20 arrival location and a corresponding fare for the trip; automatically modifying the request by searching in a predetermined database to determine a set of additional requests wherein each comprises at least one of the departure location, the arrival location or one or more additional locations which may form at least a part of the requested route wherein
25 the predetermined database comprises said additional requests and a corresponding fare for each additional request; selecting one or more additional requests to form one or more alternative requests which include at least one of the departure location or the arrival location as the request; calculating the up to date fares for each alternative request in order to
30 determine a resulting fare for each alternative request; comparing the fare

and the resulting fares in order to determine the lowest resulting fare for the trip.

According to a second aspect of the present invention there is provided a
5 system for determining an optimal fare for a trip comprising a departure
location, an arrival location; wherein the system comprises a request
search module for receiving a request for a trip, wherein the request
comprises a departure location, an arrival location and a corresponding
fare for the trip; a predetermined database for determining a set of
10 additional requests wherein each comprises at least one of the departure
location, the arrival location or one or more additional locations which may
form at least a part of the requested route wherein the predetermined
database comprises said additional requests and a corresponding fare for
each additional request; an encompassing engine for receiving the request
15 and the one or more alternative requests and for calculating up to date
fares for each additional request and for determining a resulting fare for
each alternative request and for comparing the fare and the resulting fare
for determining the lowest resulting fare for the trip.

20 **Brief description of drawings**

Reference will now be made, by way of example, to the accompanying
drawings, in which:

25 Figure 1 is a diagram of the process for determining an optimal fare for a
trip by way of example, in accordance with one embodiment of the present
invention;

30 Figure 2 is a diagram of a table from a learning entity module in figure 1 by
way of example, in accordance with one embodiment of the present
invention;

Figure 3 is a diagram of another table from a learning entity module in figure 1 by way of example, in accordance with one embodiment of the present invention;

5

Figure 4 is a flow chart of the method steps of a part 1 of the process of the Figure 1 by way of example, in accordance with one embodiment of the present invention;

10 Figure 5 is a flow chart of the method steps of another part 2 of the process of the Figure 1 by way of example, in accordance with one embodiment of the present invention.

Detailed description of the embodiments

15 Figure 1 shows a production traffic database 90 which relates to one or more airlines. This database 90 stores data relating to trips such as flights or routes, for example. The database 90 comprises a first database relating to fares and associated rules for each airline. A fare refers to the price of one or more flights including fees and taxes such as airport taxes
20 and insurance fees. The database 90 also comprises a second database relating to the flights and their corresponding availabilities, for each airline. The first and the second databases provide data which include criteria such as a departure location and/or an arrival location and corresponding fare information where appropriate. The database 90 is connected to a
25 production traffic engine 100. The production traffic engine 100 may support one or many travel suppliers or vendors. As shown in figure 1, users such as travellers, travel agents or airlines can send a first type request 80 to the production traffic engine 100 in order to find the lowest fare for a specific trip. Thus, the production traffic engine 100 regularly
30 downloads data from the production traffic database 90 in order to find the

lowest matching fares for a specific trip request. Thus, the production traffic engine 100 handles a significant amount of data relating to flights and fares.

5 Each first type request 80 comprises several criteria for a trip such as at least one departure location and arrival location. The result from the production traffic engine 100 comprises one flight or a combination of flights in order to identify the lowest available fare for the first type request.

10 When the result is one flight, this means that the lowest fare found by the production traffic engine 100 refers to a direct flight. When the result is a combination of flights, the combined flight resulting from the combination of the flights must have the same departure location and the same arrival location as these indicated in the request. In the situation where the result 15 is a combination of flights, the combination of flights provides the lowest fare for the requested trip. Thus, the corresponding fare associated with the combined flight is lower than the fare associated with the direct flight.

20 In the example where the first type request 80 refers to a direct flight from a location A to a location B, the optimal result may relate to a combination of flights such as a flight from the location A to the location C and then another flight from the location C to the location B. In this case, this means that the combined flight comprising both flights from A to C and from C to B is cheaper than the direct flight from A to B.

25

As shown in Figure 1, the production traffic engine 100 is connected to a learning entity module 102. The module 102 analyses and parses the results of the production traffic engine 100. The module 102 identifies each first type request from users and the corresponding result from the

production traffic engine 100 in order to create specific tables for associating each first type request with a corresponding result.

As indicated in Figure 2, each table 200 and 300 relates to a first type
5 request, the possible corresponding result, which each comprises one flight or a combination of flights and a corresponding fare for the flight or the combined flight.

In addition, the first type request comprises elements which refer to a
10 specific departure location, a specific arrival location and the corresponding fares at a specific date. Thus, for example in figure 2, the table relates to the departure location A and the arrival location B. The table 200 gathers possible first type requests and results as found in the production traffic engine 100. The table 200 does not only provide the
15 lowest fare for the first type request for A to B but also indicates a number of possible first type requests for which the result includes a flight from A to B.. The possible results in this example are: a round trip A to B; a combination of flights from A to B and from B to C to obtain a combined flight from A to C or a direct flight as requested from A to B. Each possible
20 result is stored with its associated fare and its associated first type request.

The module 102 of figure 1 comprises a table for each departure location and arrival location encountered in the results of the production traffic
25 engine 100. Thus, the module 102 also comprises another table 300 as indicated in figure 3 for example. The table 300 relates to another first type request of departure location B and arrival location C. The table 300 indicates two possible results: a direct flight from B to C; or a combination of flights from A to B and from B to C which includes the flight from B to C.

Returning to figure 1, the module 102 is connected to an encompassing request database 104. The module 102 stores the tables in the database 104. For example, the tables 200 and 300 are stored in database 104.

- 5 The encompassing request database 104 is connected to an encompassing request search module 106. The database 104 and the search module 106 can communicate with each other, i.e. the search module 106 can send a request to database 104 which can send additional requests 109 back to the search module 106. An airline
- 10 company (not shown) can send an airline request 105 to the encompassing request search module 106. The airline request 105 is the input request which is required for the process to take place in accordance with the present invention. The airline request 105 comprises a trip including a departure location, an arrival location and a corresponding fare such as for example a departure location A, an arrival location C and a fare of € 200. The function of the search module 106 is to determine the lowest alternative requests associated with the trip as indicated in the airline request 105 from the airline company. Thus, the search module 106 has to launch a second type request 107 to the encompassing
- 15 request database 104. The second type request 107 only comprises the indication of the departure location and the arrival location from the airline request 105. The database 104 broadens the second type request 107 to search among the stored first type request and their corresponding results and fares for all the possibilities matching the second type request 107.
- 20 Then, the database 104 returns the additional requests with expected fares and results to the search module 106.
- 25
- 30

In case the trip from the airline request 105 is made of several departure and arrival locations, then the encompassing request search module 106

builds a list of alternative requests by assembling together additional

requests from each couple of departure location and arrival location from the airline request.

The encompassing request search module 106 is connected to an
5 encompassing engine 108. The engine 108 calculates in real time the optimal fares associated with each alternative request received from the encompassing request search module 106. The engine 108 also compares the fare indicated in the airline request 105 from the airline and the resulting fares as calculated for the alternative requests found from the
10 encompassing request search module 106.

Thus the engine 108 determines the optimal fare between the fares indicated in the airline request 105 and the fares found from the alternative requests.

15 The method of the system as described above will be now explained by the following steps. As shown in figure 4, in the step 400, the production traffic engine 100 receives first type requests from clients, travel agents or airlines. Then, in a step 402, the learning entity module 102 sorts and analyses the first type requests and the corresponding first type results
20 stored in the production traffic engine 100. The learning entity module 102 creates tables in order to associate each first type request with a corresponding first type result and fare. Then, in a step 404, the database stores the first type results and the corresponding fare as selected from the learning entity module 102 for each first type request.

25 The process steps then continue as shown in figure 5. In step 500 the airline sends an airline request 105 to the encompassing request search module 106. The airline request 105 relates to a trip and comprises a departure location and an arrival location with a corresponding fare. For
30 example, an airline request 105 may occur when the airline has

determined that the flights for a specific trip were consistently under booked over recent months. In this situation, the airline may wish to determine if such a decrease in the bookings is caused by the fare being more costly than other fares found from an encompassing request. As a 5 result, the airline may launch a request to determine if a lower fare exists among the fares already proposed by the same or other airlines.

In step 502, the encompassing request search module 106 then modifies the content of the airline request 105 in order to provide a second type 10 request 107. The modification comprises the removal of the or each fare from the request 105. Thus, the second type request 107 does not comprise the fare or fares as indicated in the first type request 105. In case of multiple origins and destinations in the airline request, the step 502 will build several second type request associated to each pair of origin 15 and destination. In step 504, the encompassing request database launches the second type request 107 to the encompassing request database 104. In step 506, the encompassing request database 104 uses the stored first type results in order to encompass the second type request 107. The use of the first type results provides one or more additional 20 requests which may form at least a part of the second type request 107. Thus, the encompassing request database 104 builds one or more additional requests whose result comprises the departure location and arrival location of the second type request 107. The encompassing request database 104 retrieves only a predetermined number (n) of the 25 optimal first type requests and associated result. The predetermined number (n) can be specified in the encompassing request database 104.

The encompassing request database 104 then sends additional requests to the encompassing request search module 106. In Step 507, the 30 encompassing request search module builds alternative requests 110 by

combining the additional requests 109 received from encompassing request database 104. The encompassing request search module 106 sends both request 105 and alternative requests to the encompassing engine 108 in step 508. In step 510, the encompassing engine 108 5 calculates in real time the fares associated with the alternative requests. Subsequently in step 512, the encompassing engine 108 compares fares and determines the optimal fare and the corresponding trip. The corresponding trip can be more expensive than the fare specified in request 105 which means that the airline presently provides the lowest 10 price for this trip. Alternatively, the corresponding trip can be cheaper than the fare specified in the request 105 which means that the airline provides a less favourable fare for the requested trip. In order to solve the inconsistency, the airline can for example lower the fare of the requested trip or increase the fare of the alternative trip. Thus, users will preferably 15 book the trip of the airline request.

The modification of the request 105 can be calculated in an exhaustive manner. For example, in a situation where the airline request deals with a direct flight, the calculation for the broadening of the airline request to 20 obtain the possible corresponding round trips or combined trips will deal with many possible results. This calculation does not take into account the comparison of fares for each possible and may result in at least 1 million separate requests. This number of requests represents a significant amount of computing time. The present invention provides a broadening 25 of the request by using a predetermined database which stores the possible additional requests with their corresponding lowest fares. Thus, in the present invention, the broadening of the airline requests only deals with possible first type results which are already relevant in terms of the fare level, destination etc. Therefore, the present invention provides a

search in an improved manner by significantly reducing the computing time.

It will be appreciated that various combinations of method steps in
5 combination of alone may be carried out for different elements of the overall process. The various combinations are not limited to those described above. It will be appreciated that this invention may be varied, in many different ways and still remained with the entirely scope and spirit of the invention. Furthermore, the person skilled in the art will understand
10 that some or all of the functional entities as well as the processes themselves may be embodied in software or one or more software enable to modules and/or devices.

Claims

1. A method for determining an optimal fare for a trip comprising a
5 departure location, an arrival location, the method comprises the following
steps:
 - sending a request (105) for the trip wherein the request (105) comprises
a departure location, an arrival location and a corresponding fare for the
trip;
 - 10 - automatically modifying the request by searching in a predetermined
database (104) to determine a set of additional requests wherein each
comprises at least one of the departure location, the arrival location or one
or more additional locations which may form at least a part of the
requested route wherein the predetermined database (104) comprises
15 said additional requests and a corresponding fare for each additional
request;
 - selecting one or more additional requests to form one or more
alternative requests which include at least one of the departure location or
the arrival location as the request (105);
 - 20 - calculating the up to date fares for each alternative request in order to
determine a resulting fare for each alternative request;
 - comparing the fare and the resulting fares in order to determine the
lowest resulting fare for the trip.
- 25 2. A method of claim 1, wherein the step of sending a request (105)
comprises sending a request to a request search module (106).
- 30 3. A method of any of claims 1 or 2, wherein the step of automatically
modifying the request (105) comprises a step of removing a fare from the
request (105) to obtain a modified request (107).

4. A method of any of preceding claims, wherein the step of automatically modifying the request comprises sending the modified request (107) to the predetermined request database (104).

5

5. A method of any preceding claims, wherein the method further comprises the step of sending the one or more alternative requests to the request search module (106).

10

6. A method of any preceding claims, wherein the method further comprises the step of sending the request (105) and the one or more alternative requests to an encompassing engine (108).

15

7. A system for determining an optimal fare for a trip comprising a departure location, an arrival location; wherein the system comprises:

- a request search module (106) for receiving a request (105) for a trip, wherein the request (105) comprises a departure location, an arrival location and a corresponding fare for the trip;

- a predetermined database (104) for determining a set of additional

20

requests wherein each comprises at least one of the departure location, the arrival location or one or more additional locations which may form at least a part of the requested route wherein the predetermined database (104) comprises said additional requests and a corresponding fare for each additional request;

25

- an encompassing engine (108) for receiving the request (105) and the one or more alternative requests and for calculating up to date fares for each additional request and for determining a resulting fare for each alternative request and for comparing the fare and the resulting fare for determining the lowest resulting fare for the trip.

30

8. A computer program comprising instructions for carrying out method of any of claims 1 to 6 when said computer program is executed on a programmable apparatus.