



US00D804578S

(12) **United States Design Patent** (10) **Patent No.:** **US D804,578 S**
Loew (45) **Date of Patent:** **** Dec. 5, 2017**

(54) **ILLUMINATED SIGN**

(71) Applicant: **BOT HOME AUTOMATION, INC.,**
Santa Monica, CA (US)

(72) Inventor: **Christopher Loew, Palo Alto, CA (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/571,280**

(22) Filed: **Jul. 15, 2016**

(51) **LOC (10) Cl.** **20-02**

(52) **U.S. Cl.**
USPC **D20/41**

(58) **Field of Classification Search**

USPC D3/10, 207, 219, 318; D20/10, 22, 27,
D20/28, 41, 99; D10/109.1, 113.4
CPC G09F 1/00; G09F 1/02; G09F 2003/023;
G09F 2003/0261; G09F 2003/0264; G09F
7/00; G09F 3/206; G09F 2007/1807;
G09F 13/00; G09F 13/04; G09F
2013/0427; G09F 2013/0495; G09D 3/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D59,626	S	*	11/1921	Dunlapp		D10/109.1
D60,872	S	*	4/1922	Minoff		D10/109.1
3,102,352	A	*	9/1963	White		G09F 7/18
						248/219.2
D213,907	S	*	4/1969	Woother		D3/207
D307,213	S	*	4/1990	Scungio		D3/207
D315,695	S	*	3/1991	DeCaro		D10/109.1
D330,686	S	*	11/1992	Campagna		D10/114.9
D382,218	S	*	8/1997	Hall		D10/114.9
D397,364	S	*	8/1998	Barrett		D10/109.1
D399,260	S	*	10/1998	Thimote		D10/109.1
D407,987	S	*	4/1999	Dittmore		D10/109.1
D410,861	S	*	6/1999	De Winter		D10/109.1

D425,812	S	*	5/2000	Bodo		D10/113.4
D438,134	S	*	2/2001	Sloven		D10/109.1
D440,512	S	*	4/2001	Mugleston		D10/109.1
D446,379	S	*	8/2001	Taylor		D99/29
6,519,884	B1	*	2/2003	Duhamel		G09F 7/00
						40/606.19
D479,561	S	*	9/2003	Meyer		D20/22
D487,406	S	*	3/2004	Anderson		D10/109.1
D498,162	S	*	11/2004	Evans		D10/109.1
D561,260	S	*	2/2008	Ferry		D20/19
D664,055	S	*	7/2012	Call		D10/109.1
D754,014	S	*	4/2016	Hart		D10/109.1

(Continued)

Primary Examiner — Mary Ann Calabrese

Assistant Examiner — Sloan Rozin

(57) **CLAIM**

The ornamental design for an illuminated sign, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the illuminated sign according to the present design;

FIG. 2 is a front elevational view of the illuminated sign of FIG. 1;

FIG. 3 is a rear elevational view of the illuminated sign of FIG. 1;

FIG. 4 is a right-side elevational view of the illuminated sign of FIG. 1, the left-side elevational view being a mirror image thereof;


FIG. 5 is a top plan view of the illuminated sign of FIG. 1;

FIG. 6 is a bottom plan view of the illuminated sign of FIG. 1; and,

FIG. 7 is a front perspective view of the illuminated sign of FIG. 1, showing the illuminated sign in a manner of use.

The broken line showing of elements on the illuminated sign illustrate portions of the article and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0165437 A1* 6/2014 Barker G09F 7/00
40/607.01

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7