

(51) **International Patent Classification:**
G01R 33/00 (2006.01) *G01D 5/14* (2006.01)
G01R 33/07 (2006.01)

(21) International Application Number: PCT/US2014/011580

(22) International Filing Date: 15 January 2014 (15.01.2014)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

13//66,327 13 February 2013 (13.02.2013) US

(71) **Applicant:** ALLEGRO MICROSYSTEMS, LLC
[US/US]; 115 Northeast Cutoff, Worcester, MA 01606
(US)

(72) Inventors: ROMERO, Hernan, D.; Mariano Moreno

2131, Vicente Lopez, Olivos, Buenos Aires, 1030 (AR).
SCHEINKERMAN, Ricardo; Parera 36 5 C, Ciudad Autonoma De Buenos Aires, C1014ABB (AR). **MONREAL, Gerardo, A.;** Haras Del Pilar, La Pradera 1144, Pilar, Buenos Aires, 1631 (AR).

(74) **Agents:** ROBINSON, Kermit et al.; Daly, Crowley, Mof-
ford & Durkee, LLP, Suite 301a, 354a Turnpike Street,
Canton, MA 02021 (US).

(81) **Designated States** (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) **Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*
- *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))*

[Continued on next page]

(54) Title: MAGNETIC FIELD SENSOR COMPRISING ANGLE CORRECTION MODULE




FIG. 3

(57) Abstract: A magnetic field sensor (100) comprising a plurality of magnetic field sensing elements (102), an angle error correction module (138) and a combining module (126) to reduce the error component of a measured magnetic field angle value. An associated method is described.



Published:

— *with international search report (Art. 21(3))*

— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))*

MAGNETIC FIELD SENSOR COMPRISING ANGLE CORRECTION MODULE

FIELD

5 This invention relates generally to magnetic field sensors and, more particularly, to a magnetic field sensor that can provide an output signal representative of an angle of rotation of a target object, for which angular errors are reduced.

BACKGROUND

10 Magnetic field sensing elements can be used in a variety of applications. In one application, a magnetic field sensing element can be used to detect a direction of a magnetic field, i.e., and angle of the direction of the magnetic field.

15 Planar Hall elements and vertical Hall elements are known types of magnetic field sensing elements. A planar Hall element tends to be responsive to magnetic field perpendicular to a surface of a substrate on which the planar Hall element is formed. A vertical Hall element tends to be responsive to magnetic field parallel to a surface of a substrate on which the vertical Hall element is formed.

20 Other types of magnetic field sensing elements are known. For example, a so-called “circular vertical Hall” (CVH) sensing element, which includes a plurality of vertical Hall elements, is known and described in PCT Patent Application No. PCT/EP2008/056517, entitled “Magnetic Field Sensor for Measuring Direction of a Magnetic Field in a Plane,” filed May 28, 2008, and published in the English language as 25 PCT Publication No. WO 2008/145662, which application and publication thereof are incorporated by reference herein in their entirety. The CVH sensing element is a circular arrangement of vertical Hall elements arranged over a common circular implant and diffusion region in a substrate. The common implant and diffusion region can be a common epi (epitaxial) region (e.g., layer) upon a substrate, bounded by semiconductor 30 isolation structures. The CVH sensing element can be used to sense a direction (i.e., an angle) (and optionally a strength) of a magnetic field in a plane of the substrate.

Various parameters characterize the performance of magnetic field sensing elements and magnetic field sensors that use magnetic field sensing elements. These

parameters include sensitivity, which is a change in an output signal of a magnetic field sensing element in response to a change of magnetic field experienced by the magnetic sensing element, and linearity, which is a degree to which the output signal of the magnetic field sensing element varies in direct proportion to the magnetic field. These 5 parameters also include an offset, which is characterized by an output signal from the magnetic field sensing element not representative of a zero magnetic field when the magnetic field sensing element experiences a zero magnetic field.

10 The above-described CVH sensing element is operable, with associated circuits, to provide an output signal representative of an angle of a direction of a magnetic field. Therefore, as described below, if a magnet is disposed upon or otherwise coupled to a so-called "target object," for example, a camshaft in an engine, the CVH sensing element can be used to provide an output signal representative of an angle of rotation of the target object.

15

The CVH sensing element is but one element that can provide an output signal representative of an angle of a magnetic field, i.e., an angle sensor. For example, an angle sensor can be provided from a plurality of separate vertical Hall elements or a plurality of magnetoresistance elements. Collectively, magnetic field sensing element(s) that generate 20 an output signal related to an angle of a magnetic field are referred to herein "angle sensing elements."

25 More parameters can characterize the performance of and angle sensing element(s), e.g., a CVH sensing element. One such parameter is an angular accuracy of the output signal generated by the angle sensing element(s). Angular accuracy can have both an average angle error that is the same at all magnetic field pointing angles, and also an angle error that is different at different magnetic field angles (i.e. a non-linearity error). Another parameter is the speed with which the angle sensing element(s) can convey the 30 angle of the magnetic field. It will be understood that the speed is particularly important for applications in which the angle of the magnetic field may be rapidly changing.

It is known that some parameters that can characterize an angle sensing element tend to change with temperature.

It would be desirable to provide circuits and techniques that can process output signals from an angle sensing element to provide an output signal that has a high degree of angle accuracy and a relatively high speed.

5

SUMMARY

The present invention provides circuits and techniques that can process output signals from an angle sensing element to provide an output signal that has a high degree of angle accuracy and a relatively high speed.

10

In accordance with one aspect, a magnetic field sensor includes a plurality of magnetic field sensing elements, each one of the plurality of magnetic field sensing elements is configured to generate a respective x-y output signal responsive to a magnetic field in an x-y plane. The magnetic field sensor also includes an angle processing circuit 15 coupled to receive the x-y output signals and configured to generate an uncorrected x-y angle value representative of an angle of the magnetic field in an x-y plane. The uncorrected x-y angle value has a first angle error component. The magnetic field sensor also includes an angle error correction module coupled to the angle processing circuit and configured to generate an x-y angle value indicative of an error in the uncorrected x-y 20 angle value. The magnetic field sensor also includes a combining module configured to combine the uncorrected x-y angle value with the x-y angle error value to generate a corrected x-y angle value having a second angle error component smaller than the first angle error component.

25

In some embodiments, the above magnetic field sensor can include one or more of the flowing aspects, in any combination.

In some embodiments, the above magnetic field sensor further includes: 30 a coefficient table memory configured to store a plurality of correction coefficients, associated with respective boundaries of a plurality of temperature segments, each temperature segment bounded by a pair of temperatures; and a temperature sensor configured to generate a temperature signal representative of a temperature; wherein the angle error correction module comprises:

a segment identification module coupled to receive a temperature value representative of the temperature signal and configured to identify a temperature segment in which the temperature value falls;

5 an interpolation module coupled to receive a plurality of the correction coefficients associated with the identified temperature segment, coupled to receive the temperature value, and configured to interpolate between pairs of the correction coefficients in accordance with the temperature value to generate a plurality of interpolated correction coefficients; and

10 an algorithm module coupled to receive the plurality of interpolated correction coefficients and configured to apply an algorithm using the plurality of interpolated correction coefficients to generate an x-y angle error value.

15 In some embodiments of the above magnetic field sensor, the plurality of magnetic field sensing elements comprises a plurality of vertical Hall Effect elements arranged as a circular vertical Hall (CVH) element, wherein each one of the plurality of vertical Hall Effect elements is arranged upon a common circular implant and diffusion region in a first major surface of a semiconductor substrate, wherein the plurality of vertical Hall Effect 20 elements is configured to generate a respective plurality of x-y output signals responsive to a magnetic field having a direction component in an x-y plane parallel to the first surface of the semiconductor substrate, the x-y plane having an x-direction and a y-direction orthogonal to the x-direction, wherein the plurality of x-y output signals is generated in a plurality of cycle periods, each cycle period corresponding to one cycle around the CVH 25 sensing element, the cycle periods occurring at a cycle rate.

In some embodiments, the above magnetic field sensor further includes a sine lookup table for storing a plurality of sine values, wherein the algorithm module is coupled to receive a sine value selected from among the plurality of sine values and to apply the 30 algorithm also using the selected sine value.

In some embodiments of the above magnetic field sensor, the selected sine value is selected in accordance with the uncorrected x-y angle value.

In some embodiments of the above magnetic field sensor, the selected sine value is selected in accordance with the x-y angle value and in accordance with an interpolated phase coefficient.

5

In some embodiments of the above magnetic field sensor, the angle error correction module is configured to use a temperature-dependent sinusoidal error relationship to describe the first angle error component, sinusoidal with respect to the angle of the magnetic field, and wherein the plurality of correction coefficients comprises:

10 a plurality of correction coefficients representative of respective magnitudes and phases of one or more harmonics of the sinusoidal error relationship at a corresponding plurality of different temperatures.

15 In some embodiments of the above magnetic field sensor, the plurality of correction coefficients further comprises a plurality of correction coefficients representative of respective magnitudes and phases of first and second harmonics of the sinusoidal error relationship at a corresponding plurality of different temperatures.

20 In some embodiments of the above magnetic field sensor, the plurality of correction coefficients further comprises a plurality of correction coefficients representative of respective magnitudes of average angle errors of the sinusoidal error relationship at a corresponding plurality of different temperatures.

25 In some embodiments, the above magnetic field sensor further includes a program control register coupled to receive a program control value, wherein the interpolation module is coupled to receive a value representative of the program control value, and, in response to the program control value, the interpolation module is configured to select the sinusoidal error relationship from among a plurality of sinusoidal error relationships.

30 In some embodiments, the above magnetic field sensor further includes a program control register coupled to receive a program control value, wherein the interpolation module is coupled to receive a value representative of the program control value, and, in response to the program control value, the interpolation module is configured to select an

interpolation type from among a plurality of interpolation types.

In some embodiments of the above magnetic field sensor, the interpolation module is configured to generate linear interpolations.

5

In some embodiments of the above magnetic field sensor, the interpolation module is configured to generate non-linear interpolations.

10 In some embodiments of the above magnetic field sensor, boundaries of the plurality of temperature segments are unequally spaced in temperature.

In some embodiments, the above magnetic field sensor further includes:

15 a temperature change detection module coupled to the temperature sensor and configured to detect a change in temperature and to generate a temperature change signal indicative of a change in temperature or indicative of no change in temperature, wherein the interpolation module is coupled to the temperature change module and configured to change the plurality of interpolated correction coefficients when the temperature change signal is indicative of a change in temperature and to hold the plurality of interpolated correction coefficients when the temperature change signal is indicative of no change in 20 temperature.

In some embodiments, the above magnetic field sensor further includes:

25 a correction versus rate module coupled to receive a control signal related to the cycle rate and configured to generate a cycle rate correction value in accordance with the cycle rate; and

a second combining module configured to combine the cycle rate correction value with the x-y angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

30 In some embodiments, the above magnetic field sensor further includes:

a correction versus current spin sequence module coupled to receive a control signal related to a current spin sequence of the CVH sensing element and configured to generate a current spin sequence correction value in accordance with the current spin

sequence; and

5 a second combining module configured to combine the current spin sequence correction value with the angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

In some embodiments, the above magnetic field sensor further includes:

10 a correction versus magnetic field strength module coupled to receive a control signal related to a magnitude of the magnetic field and configured to generate a magnetic field strength correction value in accordance with the magnitude of the magnetic field; and

15 a second combining module configured to combine the magnetic field strength correction value with the angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

20 In accordance with another aspect, a method of reducing an error in a magnetic field sensor includes providing a plurality of magnetic field sensing elements. Each one of the plurality of magnetic field sensing elements is configured to generate a respective x-y output signal responsive to a magnetic field in an x-y plane. The method also includes using the x-y output signals to generate an uncorrected x-y angle value representative of an angle of the magnetic field in an x-y plane. The uncorrected x-y angle value comprises a first angle error component. The method also includes correcting the uncorrected x-y angle value to provide a corrected x-y angle value having a second angle error component smaller than the first angle error component.

25 In some embodiments, the above method can include one or more of the following aspects in any combination.

30 In some embodiments of the above method, the correcting the uncorrected x-y angle value comprises:

storing a plurality of correction coefficients associated with respective boundaries of a plurality of temperature segments, each temperature segment bounded by a pair of temperatures;

generating a temperature signal representative of a temperature;

identifying a temperature segment in which the temperature value falls;

interpolating between pairs of the correction coefficients in accordance with the temperature value to generate a plurality of interpolated correction coefficients; and

applying an algorithm using the plurality of interpolated correction coefficients to generate an x-y angle error value, wherein the combining comprises:

5 combining the uncorrected x-y angle value with the x-y angle error value to generate the corrected x-y angle value.

In some embodiments of the above method, the plurality of magnetic field sensing elements comprises a plurality of vertical Hall Effect elements arranged as a circular 10 vertical Hall (CVH) element, wherein each one of the plurality of vertical Hall Effect elements is arranged upon a common circular implant and diffusion region in a first major surface of a semiconductor substrate, wherein the plurality of vertical Hall Effect elements is configured to generate a respective plurality of x-y output signals responsive to a magnetic field having a direction component in an x-y plane parallel to the first surface of 15 the semiconductor substrate, the x-y plane having an x-direction and a y-direction orthogonal to the x-direction, wherein the plurality of x-y output signals is generated in a plurality of cycle periods, each cycle period corresponding to one cycle around the CVH sensing element, the cycle periods occurring at a cycle rate.

20 In some embodiments, the above method further includes storing a plurality of sine values, wherein applying the algorithm further comprises:

selecting a sine value from among the plurality of sine values; and
applying the algorithm using the selected sine value.

25 In some embodiments of the above method, the selected sine value is selected in accordance with the uncorrected x-y angle value.

In some embodiments of the above method, the selected sine value is selected in accordance with the uncorrected x-y angle value and in accordance with an interpolated 30 phase coefficient.

In some embodiments of the above method, the applying the algorithm comprises: using a temperature dependent sinusoidal error relationship to describe the first

angle error component, sinusoidal with respect to the angle of the magnetic field, and wherein the plurality of correction coefficients comprises:

5 a plurality of correction coefficients representative of respective magnitudes and phases of one or more harmonics of the sinusoidal error relationship at a corresponding plurality of different temperatures.

In some embodiments of the above method, the plurality of correction coefficients further comprises a plurality of correction coefficients representative of respective magnitudes and phases of first and second harmonics of the sinusoidal error relationship at 10 a corresponding plurality of different temperatures.

In some embodiments of the above method, the plurality of correction coefficients further comprises a plurality of correction coefficients representative of respective magnitudes of average angle errors of the sinusoidal error relationship at a corresponding 15 plurality of different temperatures.

In some embodiments, the above method further includes:
receiving a program control value; and
selecting the sinusoidal error relationship from among a plurality of sinusoidal 20 error relationships.

In some embodiments, the above method further includes:
receiving a program control value; and
selecting an interpolation type from among a plurality of interpolation types.

25 In some embodiments of the above method, the interpolation module is configured to generate linear interpolations.

30 In some embodiments of the above method, the interpolation module is configured to generate non-linear interpolations

In some embodiments of the above method, boundaries of the plurality of temperature segments are unequally spaced in temperature.

In some embodiments, the above method further includes:

detecting a change in temperature;

generating a temperature change signal indicative of a change in temperature or

5 indicative of no change in temperature; and

changing the plurality of interpolated correction coefficients when the temperature change signal is indicative of a change in temperature and holding the plurality of interpolated correction coefficients when the temperature change signal is indicative of no change in temperature.

10

In some embodiments, the above method further includes:

generating a cycle rate correction value in accordance with the cycle rate; and

combining the cycle rate correction value with the angle error value and with the

uncorrected angle value to generate a further corrected x-y angle value comprising a third

15 angle error component smaller than the second angle error component.

In some embodiments, the above method further includes:

generating a current spin sequence correction value in accordance with the current spin sequence; and

20 combining the current spin sequence correction value with the angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

In some embodiments, the above method further includes:

25 generating a magnetic field strength correction value in accordance with the magnitude of the magnetic field; and

combining the magnetic field strength correction value with the angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

30

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing features of the invention, as well as the invention itself may be more fully understood from the following detailed description of the drawings, in which:

FIG. 1 is a pictorial showing a circular vertical Hall (CVH) sensing element having a plurality of vertical Hall elements arranged in a circle over a common implant region upon a substrate, and a two pole magnet disposed close to the CVH sensing element;

5 FIG. 1A is pictorial showing a plurality of magnetic field sensing elements;

FIG. 2 is a graph showing an output signal as may be generated by the CVH sensing element of FIG. 1 or by the plurality of magnetic field sensing elements of FIG. 1A;

10 FIG. 3 is a block diagram of an exemplary magnetic field sensor having a CVH sensing element, having a current spinning sequence selection module configured to provide current spinning of vertical Hall elements within the CVH sensing element with variations of current spinning phase sequences, and also having an angle error correction module configured to estimate an angle error value that can be applied to reduce an angular error;

15 FIGS. 4-4C are block diagrams showing a vertical Hall element of the CVH sensing element of FIG. 3 when coupled into four current spinning phases, each phase associated with operation of one of the vertical Hall elements of the CVH sensing element of FIG. 3;

20 FIG. 5 is a graph showing ideal and non-ideal operation of the magnetic field sensor of FIG. 3;

FIG. 6 is a block diagram showing further details of the angle error correction module of FIG. 3;

25 FIG. 7 is a block diagram of a magnetic field sensor that has but one planar Hall element, and that has a current spinning/filter control module to control current spinning phases;

FIG. 8 is a graph showing a frequency domain of operation of the magnetic field sensor of FIG. 7, when operated in a with repeating current spinning phase sequences; and

30 FIG. 9 is a graph showing a frequency domain of operation of the magnetic field sensor of FIG. 7 when operated with varying current spinning phase sequences.

DETAILED DESCRIPTION

As used herein, the term "magnetic field sensing element" is used to describe a variety of electronic elements that can sense a magnetic field. The magnetic field sensing

element can be, but is not limited to, a Hall Effect element, a magnetoresistance element, or a magnetotransistor. As is known, there are different types of Hall Effect elements, for example, a planar Hall element, a vertical Hall element, and a circular vertical Hall (CVH) element. As is also known, there are different types of magnetoresistance elements, for example, a semiconductor magnetoresistance element such as Indium Antimonide (InSb), a giant magnetoresistance (GMR) element, an anisotropic magnetoresistance element (AMR), a tunneling magnetoresistance (TMR) element, and a magnetic tunnel junction (MTJ). The magnetic field sensing element may be a single element or, alternatively, may include two or more magnetic field sensing elements arranged in various configurations, e.g., a half bridge or full (Wheatstone) bridge. Depending on the device type and other application requirements, the magnetic field sensing element may be a device made of a type IV semiconductor material such as Silicon (Si) or Germanium (Ge), or a compound, e.g., type III-V, semiconductor material like Gallium-Arsenide (GaAs) or an Indium compound, e.g., Indium-Antimonide (InSb).

As is known, some of the above-described magnetic field sensing elements tend to have an axis of maximum sensitivity parallel to a substrate that supports the magnetic field sensing element, and others of the above-described magnetic field sensing elements tend to have an axis of maximum sensitivity perpendicular to a substrate that supports the magnetic field sensing element. In particular, planar Hall elements tend to have axes of sensitivity perpendicular to a substrate, while metal based or metallic magnetoresistance elements (e.g., GMR, TMR, AMR) and vertical Hall elements tend to have axes of sensitivity parallel to a substrate.

As used herein, the term “magnetic field sensor” is used to describe a circuit that uses a magnetic field sensing element, generally in combination with other circuits. Magnetic field sensors are used in a variety of applications, including, but not limited to, an angle sensor that senses an angle of a direction of a magnetic field, a current sensor that senses a magnetic field generated by a current carried by a current-carrying conductor, a magnetic switch that senses the proximity of a ferromagnetic object, a rotation detector that senses passing ferromagnetic articles, for example, magnetic domains of a ring magnet or a ferromagnetic target (e.g., gear teeth) where the magnetic field sensor is used in combination with a back-biased or other magnet, and a magnetic field sensor that senses

a magnetic field density of a magnetic field.

5 While a circular vertical Hall (CVH) element, which has a plurality of vertical Hall elements, is described in examples below, it should be appreciated that the same or similar techniques and circuits apply to any type of magnetic field sensing element(s) arranged in a manner to detect an angle of a pointing direction of a magnetic field, i.e., a rotation angle of a target object to which a magnet is attached.

10 Referring to FIG. 1, a circular vertical Hall (CVH) element 12 includes a circular implant and diffusion region 18 in a substrate (not shown). The CVH sensing element 12 has a plurality of vertical Hall elements, of which a vertical Hall element 12a is but one example. In some embodiments, the common implant and diffusion region 18 can be characterized as a common epitaxial region upon a substrate, bounded by semiconductor isolation structures.

15

Each vertical Hall element has a plurality of Hall element contacts (e.g., four or five contacts), e.g., 12aa. Each vertical Hall element contact can be comprised of a metal contact over a contact diffusion region (a pickup) diffused into the common implant and diffusion region 18.

20

25 A particular vertical Hall element (e.g., 12a) within the CVH sensing element 12, which, for example, can have five adjacent contacts, can share some, for example, four, of the five contacts with a next vertical Hall element (e.g., 12b). Thus, a next vertical Hall element can be shifted by one contact from a prior vertical Hall element. For such shifts by one contact, it will be understood that the number of vertical Hall elements is equal to the number of vertical Hall element contacts, e.g., 32 or 64. However, it will also be understood that a next vertical Hall element can be shifted by more than one contact from the prior vertical Hall element, in which case, there are fewer vertical Hall elements than there are vertical Hall element contacts in the CVH sensing element.

30

As shown, a center of a vertical Hall element 0 can positioned along an x-axis 20 and a center of vertical Hall element 8 can be positioned along a y-axis 22. In the exemplary CVH sensing element 12, there are thirty-two vertical Hall elements and thirty-

two vertical Hall element contacts. However, a CVH can have more than or fewer than thirty-two vertical Hall elements and more than or fewer than thirty-two vertical Hall element contacts.

5 In some applications, a circular magnet 14 having a north side 14b and a south side 14a can be disposed over the CVH 12. The circular magnet 14 tends to generate a magnetic field 16 having a direction from the north side 14b to the south side 14a, here shown to be pointed to a direction of about forty-five degrees relative to x-axis 20.

10 In some applications, the circular magnet 14 is mechanically coupled to a rotating target object, for example, an automobile steering shaft of an automobile camshaft, and is subject to rotation relative to the CVH sensing element 12. With this arrangement, the CVH sensing element 12, in combination with an electronic circuit described below, can generate a signal related to the angle of rotation of the magnet 14, i.e., an angle of rotation 15 of the target object to which the magnet is coupled.

20 Referring now to FIG. 1A, a plurality of magnetic field sensing elements 30a-30h, in a general case, can be any type of magnetic field sensing elements. The magnetic field sensing elements 30a-30h can be, for example, separate vertical Hall elements or separate magnetoresistance elements, each having an axis of maximum response parallel to a surface of a substrate 34. These magnetic field sensing elements can be coupled to an electronic circuit the same as or similar to electronic circuits described below in conjunction with FIGS. 3 and 6. There can also be a magnet the same as or similar to the magnet 14 of FIG. 1 disposed proximate to the magnetic field sensing elements 30a-30h.

25

Referring now to FIG. 2, a graph 50 has a horizontal axis with a scale in units of CVH vertical Hall element position, n, around a CVH sensing element, for example, the CVH sensing element 12 of FIG. 1. The graph 50 also has a vertical axis with a scale in amplitude in units of millivolts. The vertical axis is representative of output signal levels 30 from the plurality of vertical Hall elements of the CVH sensing element taken sequentially, one at a time, about the ring of contacts of the CVH sensing element.

The graph 50 includes a signal 52 representative of output signal levels from the

plurality of vertical Hall elements of the CVH taken with the magnetic field of FIG. 1 pointing in a direction of forty-five degrees.

Referring briefly to FIG. 1, as described above, vertical Hall element 0 is centered along the x-axis 20 and vertical Hall element 8 is centered along the y-axis 22. In the exemplary CVH sensing element 12, there are thirty-two vertical Hall element contacts and a corresponding thirty-two vertical Hall elements, each vertical Hall element having a plurality of vertical Hall element contacts, for example, five contacts. In other embodiments, there are sixty-four vertical Hall element contacts and a corresponding sixty-four vertical Hall elements.

In FIG. 2, for the magnetic field 16 pointing at positive forty-five degrees, a maximum positive signal is achieved from a vertical Hall element centered at position 4, which is aligned with the magnetic field 16 of FIG. 1, such that a line drawn between the vertical Hall element contacts (e.g., five contacts) of the vertical Hall element at position 4 is perpendicular to the magnetic field. A maximum negative signal is achieved from a vertical Hall element centered at position 20, which is also aligned with the magnetic field 16 of FIG. 1, such that a line drawn between the vertical Hall element contacts (e.g., five contacts) of the vertical Hall element at position 20 is also perpendicular to the magnetic field.

A sine wave 54 is provided to more clearly show ideal behavior of the signal 52. The signal 52 has variations due to vertical Hall element offsets, which tend to cause corresponding variations of output signals causing them to be too high or too low relative to the sine wave 54, in accordance with offset errors for each element. The offset signal errors are undesirable.

Full operation of the CVH sensing element 12 of FIG. 1 and generation of the signal 52 of FIG. 2 are described in more detail in the above-described PCT Patent Application No. PCT/EP2008/056517, entitled "Magnetic Field Sensor for Measuring Direction of a Magnetic Field in a Plane," filed May 28, 2008, which is published in the English language as PCT Publication No. WO 2008/145662.

Groups of contacts of each vertical Hall element can be used in a chopped arrangement (also referred to herein as current spinning) to generate chopped output signals from each vertical Hall element. Thereafter, a new group of adjacent vertical Hall element contacts can be selected (i.e., a new vertical Hall element), which can be offset by 5 one element from the prior group. The new group can be used in the chopped arrangement to generate another chopped output signal from the next group, and so on.

Each step of the signal 52 is representative of an unchopped output signal, i.e., from one respective group of vertical Hall element contacts, i.e., from one respective 10 vertical Hall element. Thus, for a CVH sensing element having 32 vertical Hall elements taken sequentially, there are thirty-two steps in the signal 52 when current spinning is not used. However, for embodiments in which current spinning is used, each step of the signal 52 can be comprised of several sub-steps (not shown, e.g., four sub-steps), each sub-step indicative of a current spinning "phase."

15

Current spinning and current spinning phases are described more fully below in conjunction with FIGS. 4-4D.

It will be understood that a phase of the signal 52 is related to an angle of the 20 magnetic field 16 of FIG. 1 relative to position zero of the CVH sensing element 12. It will also be understood that a peak amplitude of the signal 52 is generally representative of a strength of the magnetic field 16. Using electronic circuit techniques described above in PCT Patent Application No. PCT/EP2008/056517, or using other techniques described below, a phase of the signal 52 (e.g., a phase of the signal 54) can be found and can be 25 used to identify the pointing direction of the magnetic field 16 of FIG. 1 relative to the CVH sensing element 12.

Referring now to FIG. 3, a magnetic field sensor 100 includes a CVH sensing element 102 having a plurality of vertical Hall elements, each vertical Hall element 30 comprising a group of vertical Hall element contacts (e.g., five vertical Hall element contacts). In some embodiments, the CVH sensing element 102 can be the same as or similar to the CVH sensing element 12 described above in conjunction with FIG. 1, and can be disposed proximate to a two pole magnet 144 coupled to a target object 146, which

magnet 144 can be the same as or similar to the magnet 14 of FIG. 1.. However, in some embodiments, the CVH sensing element 102 can be replaced by a group of magnetic field sensing elements the same as or similar to those described above in conjunction with FIG. 1A.

5

The CVH sensing element 102 can be coupled to sequence switches 104 that sequence through the vertical Hall elements of the CVH sensing element 102 to provide an output signal 104a, which can be the same as or similar to the sequenced signal 52 of FIG. 2.

10

The CVH sensing element 102 can also be coupled to current spinning switches 105, which can be coupled to the CVH sensing element 102 via the sequence switches 104.

15

Current sources 103 can be configured to generate one or more current signals 103a. The current spinning switches 105 can be coupled to receive the one or more current signals 103a and to provide the current signals as signals 104b to the selected vertical Hall elements within the CVH sensing element 102.

20

As described above, current spinning, also referred to as chopping, is also process by which current sources, e.g., current sources 103, are sequentially coupled to different selected nodes of a selected vertical Hall element (selected via the sequence switches 104) within the CVH sensing element 102 using the current spinning switches 105. At the same time, and synchronously, the current spinning switches 105 provide couplings to selected output nodes of the selected vertical Hall element in accordance with so-called current spinning phase. Current spinning is further described below in conjunction with FIGS. 4-4D.

30

A current spinning sequence selection module 119 can generate a current spinning sequence control signal 119a received by an oscillator and logic module 120. The oscillator and logic module 120 can be coupled to provide a control signal 120b to the current spinning switches 105 to control current spinning phase sequences of selected ones of the vertical Hall elements of the CVH sensing element 102. The oscillator and logic

120 can also be coupled to provide a control signal 120a to the sequence switches 104, to provide sequential selections of the vertical Hall elements within the CVH sensing element 102 and to provide the sequential output signal 104a from the vertical Hall elements of the CVH sensing element 102 in accordance with the selection.

5

In some embodiments, current spinning is not used.

10 A multiplexer 106 can be coupled to receive a signal 105a, with or without current spinning, from the CVH sensing element 102 via the sequences switches 104 and current spinning switches 105. The signal 105a can be the same as or similar to the sequential signal 52 of FIG. 2, or a similar signal that has current spinning, i.e., the above-described sub-steps.

15 The multiplexer 106 can also be coupled to receive a clock signal 102c from the oscillator and logic module 120.

20 The multiplexer is configured to generate a multiplexed output signal 106a, which, at some times, is representative of the signal 105a, and, at other times, is representative of the clock signal 120c.

25 For reasons that will be apparent from discussion above, a relative phase between the clock signal 120c and the signal 105a is representative of an angle of the magnetic field generated by the magnet 144 and sensed by the CVH sensing element 102.

30 A dual differential amplifier (DDA) 108 can be coupled to receive the multiplexed signal 106a and configured to generate an amplified signal 108a. A bandpass filter 110 can be coupled to receive the amplified signal 108a and configured to generate a filtered signal 110a. An analog-to-digital converter 112 can be coupled to receive the filtered signal 110a and configured to generate a converted signal 112a, a digital signal. An angle calculation module 118 can be coupled to receive the converted signal 112a and configured to generate an uncorrected x-y angle value 118a indicative of the angle of the magnetic field generated by the magnet 144, but with angle error more fully described below.

5 The angle calculation module 118 can also be coupled to receive clock signals 120c, 120d from the oscillator and logic module 120. The clock signal 120d can be a high speed clock signal.

10 The angle calculation module 118 is configured to compare relative phases of the signal 112a, which, at some times, is representative of an amplified and filtered version of the signal 105a, and, at other times, is representative of an amplified and filtered version of the clock signal 120c.

15 In operation, the uncorrected x-y angle value 118a can have a first angle error component. The first angle error component is described more fully below in conjunction with FIG. 5. Let it suffice here to say that the first angle error component is an angle error component that causes the uncorrected x-y angle value 118a to not be perfectly 20 representative of the true angle of the magnetic field generated by the magnet 144.

An angle error correction module 138 is coupled to receive the uncorrected x-y angle value 118a and configured to generate an angle error value 138a indicative of the first error component within the uncorrected x-y angle value 118a. A combining module 20 126, here shown to be a summing node, can be coupled to receive the uncorrected x-y angle value 118a, coupled to receive the angle error value 138a, and configured to generate a corrected x-y angle value 126a. The corrected x-y angle value 126a can have a second angle error component that is smaller than the first angle error component of the uncorrected x-y angle value 118a. Thus, the corrected x-y angle value 126a is more 25 accurately representative of the true angle of the magnetic field generated by the magnet 144.

The angle correction module 138 can also be coupled to receive a temperature signal 136a generated by a temperature sensor 136. The angle correction module 138 can 30 also be coupled to receive sine values, here shown as two sine values 148a, 148b, from a sine look up table (LUT) 148. In some embodiments, the sine value 148a is representative of a sine value at a fundamental frequency the same as or related to a frequency of the signal 52 of FIG. 2, i.e., a frequency of the signal 104a and the signal 105a. In some

embodiments, the sine value 148b is representative of a sine value at a second harmonic of the fundamental frequency. However, the sine look up table 148 can provide any number of sine values representative of any number of harmonics of the fundamental frequency. Sine values are described more fully below in conjunction with FIGS. 5 and 6.

5

The sine lookup table 148 can be coupled to receive, and can be indexed in accordance with, the uncorrected x-y angle value 118a and in accordance with so-called interpolated phase values 138b generated by angle error correction module 138. Interpolated phase values are further described below in conjunction with FIG. 6.

10

The magnetic field sensor 100 can be coupled to receive a control signal 142 from outside of the magnetic field sensor 100. In particular, an electrically erasable programmable read-only memory (EEPROM) can be coupled to receive the control signal 142 having one or more correction coefficients, and can be configured to supply the one or 15 more correction coefficients to the angle correction module 138 as correction coefficients 140a.

The angle correction module 138 is described in greater detail in conjunction with FIG. 6. However, let it suffice here to say that the angle correction module 138 is 20 configured to use the temperature signal 136a to adjust the angle error value 138a according to the sensed temperature signal 136a.

The magnetic field sensor 100 can also include a rotation speed module 130 and/or a rotation direction module 132, each coupled to receive the corrected x-y angle value 126a. It will be understood that the corrected x-y angle value 126a can change, and 25 therefore, can be representative of a rotating magnetic field when the magnet 144 rotates.

The rotation speed module 130 is configured to generate a rotation speed signal or value 130a indicative of a rotation speed of the magnet. The rotation direction module 30 132 is configured to generate a direction signal or value 132a indicative of a rotation direction of the magnet 144.

An output protocol module 134 is coupled to receive the corrected x-y angle value

126a, the ring rotation speed value 130a, and the rotation direction value 132a. The output protocol module 134 is configured to generate an output signal 134a representative of the angle of the magnetic field generated by the magnet 144, representative of the speed of rotation of the magnet 144, and representative of the direction of rotation of the magnet 144. The output signal 134a can be provided with the hope one of a variety of conventional formats, for example, an SPI format, a CAN format, an I2C format, or a Manchester format.

10 In some embodiments, the angle error correction module 138 can be coupled to receive one or more other control signals 150. The other control signals 150 are described more fully below in conjunction with FIG. 6. However, it will be appreciated that, by way of the one or more other control signals 150, the angle error correction module 138 can make adjustments to the angle error value 138a according to other characteristics of the magnetic field sensor 100.

15

FIGS. 4-4C are representative of a four phase current spinning or chopping that can be used for a vertical Hall element having five contacts. Thus, it should be appreciated that such current spinning can be used for each selected vertical Hall element within the CVH sensing element 12 of FIG. 1 and the CVH sensing element 102 of FIG. 3. 20 It should also be appreciated that such current spinning can also be used for separate magnetic field sensing elements, for example, the magnetic field sensing elements 30a-30h of FIG. 1A, where the magnetic field sensing elements 30a-30h are selected and chopped one of the time.

25 Referring now to FIG. 4, a vertical Hall element 200 of the CVH sensing element 102 of FIG. 3 is comprised of five vertical Hall element contacts, namely, first, second, third, fourth, and fifth vertical Hall element contacts, 202a, 202b, 202c, 202d, 202e, respectively. In a first chopping or current spinning phase, a current source 208, which can be the same as or similar to the current sources 103 of FIG. 3, can be coupled to the first and fifth vertical Hall element contacts 202a, 202e, respectively, which are coupled together, and can provide a total current of I , half of the current, $I/2$, flowing to the first vertical a Hall element contact 202a and half of the current, $I/2$, flowing to the fifth vertical Hall element contact 202e. The third vertical Hall element contact 202c is

coupled to a voltage reference 210, for example, ground. Currents from the current source 208 flow from the first and fifth vertical Hall element contacts 202a, 202e, respectively, through a substrate 206 (e.g., through an epitaxial layer upon a substrate) of the CVH sensing element 200 to the third vertical Hall element contact 202c, as represented by 5 dashed lines.

A signal, V_m , responsive to an external magnetic field, results between the second and fourth vertical Hall element contacts 202b, 202d, respectively. Thus, in the first current spinning phase, the current spinning switches 105 of FIG. 3 can select the second 10 and fourth vertical Hall element contacts 202b, 202d to provide the output signal 105a, and can select the first, fifth, and third vertical Hall element contacts 202a, 202e, 202c, respectively, as those contacts coupled to the current sources 103 of FIG. 3. Couplings during other current spinning phases described below will be apparent.

15 Referring now to FIG. 4A, in which like elements of FIG. 4 are shown having like reference designations, in a second current spinning phase of the same vertical Hall element 200 (same five vertical Hall element contacts) of the CVH sensing element 102, 20 couplings are changed by the current spinning switches 105 of FIG. 3. In the second phase, the current source 208 is coupled to the third vertical Hall element contact 202c, and the first and fifth vertical Hall element contacts 202a, 202e, respectively, are coupled together and to the reference voltage 210. Thus, the currents flow through the substrate 206 in opposite directions from those shown in FIG. 4.

As in FIG. 4, a signal, V_m , responsive to an external magnetic field, results 25 between the second and fourth vertical Hall element contacts, 202b, 202d, respectively. The signal, V_m , of FIG. 4A is like the signal, V_m , of FIG. 4. However, the offset voltage within the signals can be different, e.g., different in sign.

Referring now to FIG. 4B, in which like elements of FIGS. 4 and 4A are shown 30 having like reference designations, in a third current spinning phase upon the same vertical Hall element 200 (same five vertical Hall element contacts) of the CVH sensing element 102, couplings are again changed by the current spinning switches 105. In the third phase, the current source 208 is coupled to the second vertical Hall element contact 202b,

and the fourth vertical Hall element contact 202d is coupled to the reference voltage 210. Thus, a current flows from the second vertical Hall element contact 202b through the substrate 206 to the fourth vertical Hall element contact 202d.

5 The first and fifth vertical Hall element contacts 202a, 202e, respectively, are coupled together. Some current also flows from the second vertical Hall element contact 202b through the substrate 206 to the first vertical Hall element contact 202a and through the mutual coupling to the fifth vertical Hall element contact 202e. Some current also flows from the fifth vertical Hall element contact 202e through the substrate 206 to the
10 fourth vertical Hall element contact 202d.

A signal, V_m , responsive to an external magnetic field, results between the first vertical Hall element contact 202a first (and the fifth vertical Hall element contact 202e) and the third vertical Hall element contact 202c. The signal, V_m , of FIG. 4B is like the
15 signal, V_m , of FIGS. 4 and 4A. However, the offset voltage within the signal can be different.

Referring now to FIG. 4C, in which like elements of FIGS. 4-4B are shown having like reference designations, in a fourth chopping phase upon the same vertical Hall
20 element 200 (same five vertical Hall element contacts) of the CVH sensing element 102, couplings are again changed by the current spinning switches 105. In the fourth phase, the current is reversed from that shown in FIG. 4B. The current source 208 is coupled to the fourth vertical Hall element contact 202d, and the second vertical Hall element contact 202b is coupled to the reference voltage 210. Thus, a current flows from the fourth
25 vertical Hall element contact 202d through the substrate 206 to the second vertical Hall element contact 202b.

The first and fifth vertical Hall element contacts 202a, 202e, respectively, are coupled together. Some current also flows from the fourth vertical Hall element contact 202d through the substrate 206 to the fifth vertical Hall element contact 202e, through the mutual coupling to the first vertical Hall element contact 202a. Some current also flows from the first vertical Hall element contact 202a through the substrate 206 to the second vertical Hall element contact 202b.

5 A signal, V_m , responsive to an external magnetic field, results between the first vertical Hall element contact 202a (and the fifth vertical Hall element contact 202e) and the third vertical Hall element contact 202c. The signal, V_m , of FIG. 4C is like the signal, V_m , of FIGS. 4-4B. However, the offset voltage within the signal can be different.

The signals, V_m , provided by the four phases of chopping of FIGS. 4-4C are responsive to an external magnetic field.

10 As described above, after generating the four current spinning phases on any one vertical Hall element within the CVH sensing element 102, by sequencing operation of the sequence switches 104 of FIG. 3, the current spinning arrangements of FIGS. 4-4C can move to a next vertical Hall element, e.g., five vertical Hall element contacts offset by one vertical Hall element contact from those shown in FIGS. 4-4C, and the four current 15 spinning phases can be performed on the new vertical Hall element by operation of the current spinning switches 105 of FIG. 3.

20 However, in some embodiments, a sequence of phases (A, B, C, D) represented by the four current spinning phases of FIGS. 4-4C, can be changed in one of a variety of ways. For example, in some embodiments, the sequence of the (A, B, C, D) phases can be randomly selected for each one of the selected vertical Hall elements within the CVH 25 sensing element 102. In some embodiments the random selection is fully random, and in some other embodiments, the random selection is a pseudo-random selection. In some embodiments, the random or pseudo random selection is within each rotation around the CVH sensing element, and in other embodiments, the random or pseudo random selection is among a plurality of rotations around the CVH sensing element.

30 In some other embodiments, the vertical Hall elements within the CVH sensing element 102 can be partitioned into at least two groups or sets of vertical Hall elements, wherein a first set of the vertical Hall elements uses a first sequence of current spinning phases, e.g., ABCD, and a second set of the vertical Hall elements uses a second different sequence of current spinning phases, e.g., CDAB each time the sequence switches 104 sequence around the CVH sensing element 102. There can be one or more vertical Hall

elements within each one of the at least two sets of vertical Hall elements. Other variations of phase sequences are also possible, for example, using different phase sequences for any possible number of sets of vertical Hall elements, for example, three, four, five, or more, including twenty-four respective sets of vertical Hall elements, each 5 time the sequence switches 104 sequence around the CVH sensing element 102.

In some embodiments, the above-described different sets of vertical Hall elements receive the above-described randomly or pseudo randomly selected phase sequences selected within each rotation around the CVH sensing element, and in other embodiments, 10 the random or pseudo random selection is among a plurality of rotations around the CVH sensing element.

Thus, in general, there can be variations in, or differences in, the current spinning phase sequences among the plurality of vertical Hall elements within the CVH sensing 15 element 102.

Reasons for selection of a different phase sequences among the vertical Hall elements of the CVH sensing element 102 are described more fully below in conjunction with FIG. 5.

20

Referring now to FIG. 5, a graph 280 has a horizontal axis with a scale in units of angular degrees and a vertical axis with a scale in units of value of an x-y angle value magnitude, for example, a magnitude of the uncorrected x-y angle value 118a of FIG. 3.

25

A line 282 is representative of an x-y angle value that has no angle error. When the x-y angle value has no angle error, the x-y angle value is perfectly linear with respect to actual angle, i.e., the x-y angle value is a perfect and true representation of the angle of the magnetic field generated by the magnet 144 of FIG. 3, and the line 282 passes through zero.

30

A line 284 is representative of an x-y angle value that has only an average or DC angle error, such that all angles represented by the x-y angle value are offset by a fixed number of degrees. The line 284 does not pass through zero.

A curve 286 is representative of an x-y angle value that has errors in representation of the true angle of the magnetic field generated by the magnet 14, average or DC errors and also an error that has a sinusoidal appearance.

5

A curve 288 is representative of an x-y angle value that has other errors in representation of the true angle of the magnetic field generated by the magnet 14.

10 A variety of circuit characteristics of the magnetic field sensor 100 contribute to the errors, i.e., to both the DC (or average) angle error represented by the curves 286, 288, and to the sinusoidal shapes of the curves 286, 288. One factor that contributes to the errors is switching noise generated by the sequence switches 104 and/or by the current spinning switches 105 of FIG. 3.

15 First, regarding the sequence switches 104, it will be understood that charge injection or switching spikes (together referred to as noise) generated by the sequence switches 104 are not necessarily exactly the same as each sequential vertical Hall element is selected in the CVH sensing element 102. When the noise generated by the sequence switches 104 is not the same as each vertical Hall element is selected, a DC (or average) angle error is generated and also a sinusoidal type error such as that represented by the curves 286, 288. The sinusoidal error characteristic can be, in part, a result of the noise generated by the sequence switches being repetitive for each cycle around the CVH sensing element 102, and thus, the noise will have an angle error frequency component at a frequency of the signal 52 of FIG. 2, and will add to the signal 52 (104a of FIG. 3). The 20 angle error frequency component is essentially fixed in phase relative the signal 104a, and therefore, the addition of the angle error causes different phase shift errors in the summed signal depending on the phase of the signal 104a. Higher harmonics can also result from the noise.

25 Next, regarding the current spinning switches 105, it will be understood that charge injection or switching spikes (together referred to as noise) generated by the current spinning switches 105 are not necessarily exactly the same as each sequential vertical Hall element is selected in the CVH sensing element 102. When the noise generated by the

current spinning switches 105 is not the same as each vertical Hall element is selected, a DC (or average) angle error is generated and also a sinusoidal type error such as that represented by the curves 286, 288. The sinusoidal error characteristic can, in part, result from the noise generated by the current spinning switches 105 being repetitive for each 5 cycle around the CVH sensing element. However, by techniques described herein, phase sequences of the vertical Hall elements within the CVH sensing element 102 can be varied, and thus, the noise generated by the current spinning switches 105 need not be repetitive for each cycle around the CVH sensing element, and corresponding angle error is reduced.

10

Other circuit characteristics can also contribute to the angle errors, i.e., to both the DC (or average) angle error represented by the error curves 286, 288, and to the sinusoidal shapes of the error curves 286, 288. Namely, a speed with which the dual differential amplifier 108 of FIG. 3, and also other circuit elements of FIG. 3, are unable to settle to 15 final values as the sequence switches 104 switch among the vertical Hall elements of the CVH sensing element 102, and also as the current spinning switches 105 switch among the various current spinning phases, contribute to the errors.

The above-described circuit characteristics, including, but not limited to, switching 20 noise and lack of circuit elements settling to final values, tend to be influenced by (i.e., changed by) a variety factors including, but not limited to, temperature of the magnetic field sensor 100 of FIG. 2, rate of sequencing around the CVH sensing element 102, peak magnitude of the magnetic field experience by the CVH sensing element 102 as the magnet 144 rotates, and selected current spinning sequence(s) among the various vertical 25 Hall elements.

Differences between the curves 286, 288 can be attributed to changes in the same factors, namely, changes in the temperature, changes in or differences in peak amplitude of the magnetic field experience by the CVH sensing element 102 as the magnet 144 30 rotates, changes in or differences in rates of sequencing around the CVH sensing element 102, and changes in or differences in selected current spinning sequence(s) among the various vertical Hall elements within the CVH sensing element 102. Among these factors, it will be understood that the changes in the temperature can occur at any time. The

changes in the peak amplitude of the magnetic field can be influenced by positional changes, i.e., air gap changes, between the magnet 144 and the CVH sensing element 102 of FIG. 3. The changes in the peak amplitude of the magnetic field can also be influenced by mechanical considerations, for example, wear of a bearing or a shaft upon which the magnet 144 rotates. However, the changes in sequencing rates and the changes in current spinning sequences can be fixed, and changed only for different applications of the magnetic field sensor 100.

In general, it has been determined that the dominant angle error frequency components occur at first and second harmonics of the frequency of the signal 52 (i.e., 104a or 105a). The curves 286, 288 are representative of angle error functions dominated by first and second harmonics of the frequency of the signal 52 (104a).

The angle error correction module 138 of FIG. 3 is configured to make changes to angle error corrections it applies according to at least the temperature contribution to the angle error represented by the curves 286, 288. In some embodiments, the angle error correction module 138 is also configured to make changes to the angle error corrections according to one or more of the other above-described factors that contribute to the difference between the curves 286, 288.

20

As described herein, angle errors represented by the curves 286, 288 are referred to as first error characteristics, each influenced by the above factors.

As also described herein, the angle correction module 138 of FIG. 3 can be used to generate the angle error value 138a, which can be used to generate the corrected x-y angle value 126a. Accordingly, other angle error curves (not shown) with lower peak to peak variation than the error curves 286, 288 are representative of second error characteristics that are smaller than the first error characteristics.

30

The error curves 286, 288 can be mathematically described in the following way.

Mathematically, the angle error represented by the curves 286, 288 can be represented as:

$$\alpha_{err} = OFF + DC(T) + \sum_{n=1}^{\infty} H_{nA}(T) \cdot \sin(n\alpha + H_{nP}(T)) \quad (1)$$

where:

α = measured angle with error (see uncorrected x-y angle value 118a of FIG. 3);

5 n = a variable indicative of an nth harmonic;

T = temperature measured by temperature sensor 136;

OFF = a magnetic target positioning error, i.e., a mechanical misalignment of the CVH sensing element 102 in relation to the magnet 144 of FIG. 3, which is usually independent of the temperature, T ;

10 $DC(T)$ = an average of DC angle error, which is a function of the temperature, T ;

$H_{nA}(T)$ = an amplitude of an nth-harmonic component of the error, which is a function of the temperature, T , and

$H_{nP}(T)$ = a phase of the nth-harmonic component, which is a function of the temperature, T .

15

Other factors described above, other than temperature, which affect the angle error, are not taken into account in equation 1. Namely, the rate of sequencing around the CVH sensing element 102 is not taken into account, the peak amplitude of the magnetic field experienced by the CVH sensing element 102 and generated by the magnet 144 is not taken into account, and the current spinning phase sequence generated by the current spinning sequence selection module 119 is not taken into account in the above expression.

20 An estimated and quantized angle error (rather than non-quantized error of equation (1)) can be mathematically expressed as:

25

$$\alpha'_{err} = OFF + DC_q(T) + \sum_{n=1}^{\infty} H_{nA_q}(T) \cdot \sin(n\alpha + H_{nP_q}(T)) \quad (2)$$

where:

30 q stands for quantized values.

It is described below in conjunction with FIG. 6 that the angle error correction

module 138 of FIG. 3 can use a set of programmable average correction coefficients, programmable amplitude correction coefficients, and programmable phase correction coefficients stored within the EEPROM 140 of FIG. 3 in an expression the same as or similar to the expression of equation (2). As described below, in some embodiments, the 5 misalignment correction coefficient, OFF , can also be stored and used.

The angle error correction module 138 of FIG. 3 can digitally weight, in accordance with the correction coefficients, one or more normalized sine waveforms (values) (i.e., one or more harmonic values) provided by the sine LUT 148, the results of 10 which are summed together in order to approximate the angle error according to equation (2). Thus, in some embodiments, the angle error correction module 138 of FIG. 3 can generate the angle error value 138a according to equation (2).

In some embodiments, the error correction module 138 evaluates equation (2) 15 using two harmonics, first and second. In some other embodiments, the error correction module 138 evaluates equation (2) with one harmonic, first or second. In some other embodiments, the error correction module 138 evaluates equation (2) with more than two harmonics, for example, first, second, third, fourth, and fifth harmonics. In some other embodiments, the error correction module 138 evaluates equation (2) also using also the 20 average value, $DC_g(T)$. In some other embodiments, the error correction module 138 evaluates equation (2) using only the average value, $DC_g(T)$, without any sine functions or harmonics, and with or without the misalignment correction coefficient, OFF . In some embodiments, the error correction module 138 evaluates an equation different from 25 equation (2), but having correction coefficients that can be stored in the coefficient table EEPROM 310.

As described above in conjunction with FIG. 3, the combining module 126 is operable to combine the angle error value (i.e., the estimated error according to equation 30 (2)), which is temperature dependent, with the uncorrected x-y angle value 118a. Thus, for each temperature T_i , the estimated error, α'_{err} , for measured angle α according to equation (2) can be digitally subtracted from (or added to) the sensed (i.e., measured) angle, α , (i.e., the uncorrected x-y angle value 118a of FIG. 2), which contains an error

represented by the curves 286, 288 of FIG. 5.

As temperature varies, each harmonic component of the angle error represented by equation (2) can change independently in amplitude and phase. As described below in conjunction with FIG. 6, in some embodiments, angle error variations as a function of temperature of each parameter (average, and also amplitude and phase of each harmonic component) are approximated between pairs of stored average, amplitude, and phase values using a piecewise-linear interpolation.

10 Variation in current spinning phase sequences is described above in conjunction with FIG. 3. An angle error correction module is also described above in conjunction with FIGS. 3 and 5. It should be apparent that both a proper selection of the variation of the current spinning phase sequences and the use of the angle error correction module tend to reduce a magnitude of the angle error represented by the curves 286, 288. It should be
15 appreciated that the two techniques can be used separately or together to achieve a reduction in angle error of the magnetic field sensor 100.

20 Referring now to FIG. 6, in which like elements of FIG. 3 are shown having like reference designations, the angle error correction module 138 can be coupled to a coefficient table EEPROM 310. The coefficient table EEPROM 310 is configured to store a plurality of correction coefficients of values associated with the above equation (2), and associated with so-called temperature segments. The coefficient table EEPROM 310 can be part of the EEPROM 140 of FIG. 3.

25 As used herein, the term "temperature segment" is used to describe one of a plurality of temperature ranges, each temperature range bounded by a pair of temperatures. Examples shown herein and described below use four such temperature segments, a first temperature segment adjacent to the second temperature segment, the second temperature segment adjacent to a third temperature segment, and a fourth temperature segment
30 adjacent to the third temperature segment, in ascending order of temperatures. In some embodiments the temperature segments overlap, and, in other embodiments, there are temperature spaces between the temperature segments. In some embodiments, each temperature segment spans the same number of degrees of temperature, and in other

embodiments the temperature segments span different numbers of degrees of temperature. For example, in some embodiments the second and third temperature segments can each have wider temperature span than the first and fourth segments.

5 The coefficient table EEPROM 310 can store therein a plurality of temperature values, e.g., T0, T1, T2, T3, T4, T5, representative of boundaries of four temperature segments.

10 The coefficient table EEPROM 310 can also store therein a plurality of correction coefficients. For example, the coefficient table EEPROM 310 can store five average correction coefficients, Coeff A0, Coeff A1, Coeff A2, Coeff A3, Coeff A4. Each of the five average correction coefficients is representative of an average value, $DC_s(T)$, in equation (2), at a different respective temperature corresponding to temperatures at the boundaries of the four temperature segments.

15 In some embodiments, the coefficient table EEPROM 310 can also store five first harmonic amplitude correction coefficients, Coeff B0, Coeff B1, Coeff B2, Coeff B3, Coeff B4. Each of the five first harmonic amplitude correction coefficients is representative of the amplitude value, $H_{nA_s}(T)$, in equation (2) for n=1, i.e., for the first harmonic of the error signals 286, 288 of FIG. 5, at a different respective temperature corresponding to temperatures at the boundaries of the four temperature segments.

20 In some embodiments, the coefficient table EEPROM 310 can also store five first harmonic phase correction coefficients, Coeff C0, Coeff C1, Coeff C2, Coeff C3, Coeff C4. Each of the five first harmonic phase correction coefficients is representative of the phase value, $(H_{nP_s}(T))$, in equation (2) for n=1, i.e., for the first harmonic of the error signals 286, 288 of FIG. 5, at a different respective temperature corresponding to temperatures at the boundaries of the four temperature segments.

30 In some embodiments, the coefficient table EEPROM 310 can also store five second harmonic amplitude correction coefficients, Coeff D0, Coeff D1, Coeff D2, Coeff D3, Coeff D4. Each of the five second harmonic amplitude correction coefficients is

representative of the amplitude value, $H_{n=2}(T)$, in equation (2) for n=2, i.e., for the second harmonic of the error signals 286, 288 of FIG. 5, at a different respective temperature corresponding to temperatures at the boundaries of the four temperature segments.

5

In some embodiments, the coefficient table EEPROM 310 can also store five second harmonic phase correction coefficients, Coeff E0, Coeff E1, Coeff E2, Coeff E3, Coeff E4. Each of the five second harmonic phase correction coefficients is representative of the phase value, $(H_{n=2}(T))$, in equation (2) for n=2, i.e., for the second harmonic of the 10 error signals 286, 288 of FIG. 5, at a different respective temperature corresponding to temperatures at the boundaries of the four temperature segments.

In some embodiments, the coefficient table EEPROM 310 can also store the 15 misalignment correction coefficient, *OFF*, (not shown) representative of the above described mechanical misalignment of the CVH sensing element 102 with the magnetic field generated by the magnet 144 of FIG. 3.

In some embodiments, all of the stored correction coefficients and values can be 20 programmed into the coefficient table EEPROM 310, for example, by way of the control signal 142.

As described above, while four temperature segments and associated temperatures and coefficients are shown, in other embodiments, there can be more than or fewer than four temperature segments, and more than or fewer than thirty stored coefficients in 25 accordance with a number of temperature segments. Also, in accordance with that described above, while coefficients representative of temperatures, coefficients representative of average values, coefficients representative of amplitude and phase values of the first harmonic, and coefficients representative of amplitude and phase values of the second harmonic of the error curves 286, 288 of FIG. 5 are shown, in other embodiments, 30 fewer than those coefficients can be stored and used. However, in still other embodiments coefficients representative of even higher harmonics can be stored and used, for example, by way of equation (2).

5 The angle error correction module 138 can include an analog-to-digital converter 300 coupled to receive the temperature signal 136a from the temperature sensor 136. The analog-to-digital converter 300 is configured to generate a converted signal 300a, which is a digital signal representative of the temperature of the magnetic field sensor 100.

10 The angle error correction module 138 can include a segment identification module 302 coupled to receive the digital temperature signal 300a and configured to identify one of a plurality of temperature segments in which the digital temperature signal 300a lies. 15 To this end, the segment identification module 302 can receive information 310a about the stored temperature segments, e.g., temperature boundaries T0, T1, T2, T3, T4, T5 of four stored temperature segments, from the coefficient table EEPROM 310. The segment identification module 302 is operable to identify between which two adjacent temperatures the digital temperature signal 300a lies, i.e., within which one of the four temperature segments the digital temperature signal 300a lies. In accordance with the identified temperature segment, the segment identification module is operable to generate a segment identifier signal 302b representative of the identified temperature segment.

20 The angle error correction module 138 can also include an interpolation module 304 coupled to receive the digital temperature signal 300a and coupled to receive the segment identifier signal 302b. The interpolation module 304 is also coupled to receive identified coefficients 310b, identified by the segment identification module 302.

25 In accordance with the segment identifier signal 302b, the interpolation module is configured to generate a correction coefficient request signal 304b received by the coefficient table EEPROM 310. In response to the correction coefficient request signal 304b, the coefficient table EEPROM provides a plurality of correction coefficients 310b associated with the temperature boundaries of the identified temperature segment. It will be understood that identification of the temperature segment results in selection of ten 30 correction coefficients, five correction coefficients at the temperature of each one of the boundaries of the identified temperature sites.

The interpolation module 304 is operable to interpolate between pairs of the

identified and received correction coefficients 310b. For example, if the digital temperature signal 300a is representative of a temperature of two hundred fifty degrees, and if the pair of average value correction coefficients, e.g., Coeff A2, Coeff A3 are correction coefficients associated with a temperature segment spanning from two hundred 5 degrees to three hundred degrees (i.e., a third temperature segment in which the digital temperature signal 300a lies), then it should be apparent that the interpolation module can interpolate between the two correction coefficients, Coeff A2, Coeff A3, to arrive at an interpolated correction coefficient. Similar interpolations can be performed by the interpolation module 304 between other ones of the pairs of correction coefficients 10 associated with the third temperature segment to generate a plurality of interpolated correction coefficients 304a

In some embodiments, the interpolation module 304 can perform linear interpolations. In other embodiments the interpolation module 314 can perform nonlinear interpolations. In some embodiments, the interpolation module 304 can perform a type of interpolation appropriate for a width of a temperature segment. For example, if a width of 15 the identified temperature segment is relatively wide, then the interpolation module 304 can perform a linear interpolation where the digital temperature signal 300a falls within that wide temperature segment. Conversely, if a width of the identified temperature 20 segment is narrow, which may be indicative of a rapidly changing error characteristic, and the interpolation module 304 can perform a nonlinear interpolation where the digital temperature signal 300a falls within that narrower temperatures segment.

The angle error correction module 138 can also include an algorithm module 306 25 coupled to receive the interpolated correction coefficients 304a and configured to use the interpolated correction coefficients 304a in an algorithm, for example, an algorithm that uses equation (2) above. As described above, the algorithm module 306 can employ equation (2) with any number of harmonics and with or without the average or DC correction coefficients.

30

The algorithm module 306 is configured to generate an x-y angle error value 306a. In some embodiments, the x-y angle error value 306a bypasses an optional combining module 313, and becomes the x-y angle error value 138a described above in conjunction

with FIG. 3.

As described above in conjunction with FIG. 3, a combining module 126 can be coupled to receive the x-y angle error value 138a, coupled to receive the uncorrected x-y angle value 124a, and configured to combine the two values to generate the corrected x-y angle value 126a that is more accurate and has a smaller (i.e., a second) error component smaller than the first error component of the uncorrected x-y angle value 124a.

The sine look up table 148 is described above in conjunction with FIG. 3. The sine lookup table 148 can provide first and second harmonics sine values 148a, 148b, respectively, to the algorithm module 306 for use in evaluating equation (2) above.

A sine lookup controller 318 can be coupled to receive the uncorrected x-y angle value 124a, and coupled to receive interpolated phase values 304b from the interpolation module. It will be apparent from equation (2) that both of these values are required in order to know how to index into the sine lookup table 148. In particular, the parameter $\sin(n\alpha + H_{n\alpha}(T))$ of equation (2) requires an index including both the measured (i.e., uncorrected) angle, α , and an interpolated phase, $H_{n\alpha}(T)$. Recall that the parameter n is a harmonic number.

20

In some embodiments, the angle error correction module 138 can optionally include a temperature change detection module 315 coupled to receive the digital temperature signal 300a and configured to identify if the digital temperature signal 300a is representative of a change in temperature or representative of no change temperature. The temperature change detection module can be configured to generate a control signal 315a also indicative of a change in temperature or indicative of no change in temperature. Accordingly, in some embodiments, the interpolation module 304 can perform the above described interpolations and provide new interpolated correction coefficients 304a only when the control signal 315a is indicative of a change in temperature. At other times, the algorithm module can use interpolated correction coefficients that were previously calculated.

In some embodiments, the angle error correction module 138 can include one or more of a correction versus current spinning sequence module 311, a correction versus magnetic field amplitude module 309, or a correction versus sequence rate module 307.

5 In response to a clock signal 120b, the correction versus current spinning sequence module 311 is configured to identify a correction factor related to the selected sequence of current spinning phase sequence groups that can be applied to further improve the x-y angle error value 138a. In response to the signal 112a from the analog-to-digital converter 112 of FIG. 3, the correction versus magnetic field amplitude module 309 is configured to
10 identify a correction factor related to the amplitude of the magnetic field experience by the CVH sensing element 102 and can be applied to further improve the x-y angle error value 138a. In response to the clock signal 120d, the correction versus sequence rate module 307 is configured to identify a correction factor related to the rate at which a vertical Hall elements within the CVH sensing element 102 of FIG. 3 are sequenced, which correction
15 factor can be applied to further improve the x-y angle error value 138a.

Collectively, a correction value 307a includes one or more of the above correction factors. The correction value 307a can be received by a combining module 313, and can be applied to the x-y angle error value 306a, so that the corrected x-y angle value 126a
20 will have a third error component, which is smaller than the above-described first and second error components. In other words, the corrected x-y angle value 126a is still more truly representative of an actual angle.

In some embodiments a program control EEPROM 308 can be coupled to receive
25 the control signal 142. The program control EEPROM 308 can be coupled to one or more of the interpolation module 304 or the algorithm module 306. In some embodiments, by way of the control signal 142, a user can program the magnetic field sensor 100 of FIG. 3 to use a selected type of interpolation within the interpolation module. In some
embodiments, by way of the control signal 142, a user can program the magnetic field
30 sensor 100 of FIG. 3 to use a selected type of algorithm within the algorithm module 306. Thus, in some embodiments, the magnetic field sensor 100 uses equation (2) as the algorithm, and in other embodiments, the magnetic field sensor uses a different algorithm.

Returning again to the subject of variations or changes of current spinning phase sequences first described above in conjunction with FIG. 3 with respect to a the CVH sensing element 102, FIGS. 7-9 show the advantages of similar current spinning phase sequence variations applied to a simple planar Hall Effect element.

5

Referring to FIG. 7, a simple magnetic field sensor 400 includes a planar Hall Effect element 402. The Hall element 402 is coupled to receive a current signal 412a at different selected ones of four contacts in accordance with a plurality of current spinning phases determined by current spinning switches 412. A current source 410 supplies a 10 current signal 410a to the current spinning switches 412.

A differential output 402a, 402b of the Hall effect element 402 is coupled to current spinning switches 404, which select different ones of the four terminals as the output terminals as current spinning progresses through the plurality of phases.

15

Specific couplings for two or four phase current spinning of the four terminal planar Hall element are not shown herein but are well understood. Taking an example where the current spinning is done in four phases and labeling the phases with letters, a conventional arrangement would repeat the same phase sequence periodically, e.g., 20 ABCD, where each sequence of phases occurs in a respective current spinning cycle having a cycle period. However, the magnetic field sensor 400 can include a current spinning and filter control module 408 coupled to the current spinning switches 404, 412, which can be configured to vary or change the sequence of phases from time to time or upon each cycle through a set of four phases. The variations can be fully random or 25 pseudo-random. However, in other arrangements the variations can select between two or more current spinning phase sequences from time to time.

In one non-limiting example, current spinning phases can take on the following four sequences and then repeat: ABCD, BCDA, CDAB, DABC. In this particular 30 example, only four current spinning phase sequences are used, each having four phases. However, it will be understood that four current spinning phases can result in twenty-four combinations of the four phases in twenty-four current spinning phase sequences. The twenty-four current spinning phase sequences can be randomly selected, pseudo-randomly

selected, or periodically selected.

In a basic and non-limiting embodiment, there are only two current spinning phase sequences, e.g., ABCD and CDAB, and the current spinning phase sequence applied to the

5 Hall element 402 can be changed from time to time between the two phase sequences.

There can also be more than two phase sequences and the current spinning phase sequence applied to the Hall element 402 can be changed from time to time between the more than two phase sequences.

10 The current spinning switches 404 are configured to provide a differential output signal 404a, 404b. A filter 406 is coupled to receive the differential signal from the current spinning switches 404 and is configured to provide a differential output signal 406a, 406b.

15 It will be understood that, in the frequency domain, a result of a particular type of current spinning, referred to herein as an offset current spinning, the differential signal 404a, 404b appearing at the current spinning switches has two frequency components. A baseband component is responsive to a magnetic field and remains at baseband. However, an offset signal component with the differential signal 404a, 404b is shifted to a higher 20 frequency according to a frequency at which the current spinning sequences through the phases, i.e., a chopping frequency.

In operation, the filter 406 can remove the offset signal component of the differential signal 404a, 404b, leaving only the magnetically responsive signal component 25 in the differential output signal 406a, 406b.

Referring now to FIG. 8, a graph 450 has a horizontal axis with a scale in units of frequency in arbitrary units and a vertical axis with a scale in amplitude in arbitrary units.

30 The graph 450 is representative of operation of a magnetic field sensor like the magnetic field sensor 400 of FIG. 7, but without any variation of the current spinning phase sequences applied to the Hall element 402. In other words, for example, the phase sequence ABCD repeats over and over without variation.

A spectral line 454 is representative of the magnetically responsive signal component of the differential signal 404a, 404b of FIG. 7. A spectral line 458 is representative of the offset signal component of the differential signal 404a, 404b of FIG.

5 7 after the current spinning operation of the current spinning switches 404, 412, but without variation of the current spinning phase sequences. A spectral line 460 is representative of a third harmonic of the offset signal component represented by the spectral line 456.

10 It will be understood that the spectral line 454 is representative of the magnetic field sensing element 402 being responsive to a DC magnetic field. However, the magnetic field sensing element 402 can be responsive to AC magnetic fields. Thus, a baseband bandwidth 456 is representative of a region in which the magnetic field sensing element 402 can provide signal information responsive to a magnetic field.

15 A transfer function 452 is representative of a transfer function of one of particular embodiment of the filter 406 of FIG. 7. In particular, the transfer function 452 is representative of a digital filter having transfer function notches. In some embodiments, it is advantageous to design the filter 406 and control the filter 406 with control signal 408c 20 such that the notches appear at the same positions as the offset component spectral lines 458, 460. Thus, with such a filter, the differential output signal 406a, 406b will have content only within the baseband 456.

25 It will be recognized that use of a filter tends to slow down operation of the magnetic field sensor 400. Also, because the passband 456 must roll off below the frequency f_c , the operational bandwidth or the magnetic field sensor 400 tends to be restricted.

30 Referring now to FIG. 9, a graph 500 has a horizontal axis with a scale in units of frequency in arbitrary units and a vertical axis with a scale in amplitude in arbitrary units.

The graph 500 is representative of operation of a magnetic field sensor like the magnetic field sensor 400, including variations or changes of the current spinning phase

sequences. It will become apparent from discussion below that, using variation of the current spinning phase sequences, in some embodiments, the filter 406 of FIG. 7 can be eliminated.

5 A spectral line 502 is representative of the magnetically responsive signal component of the differential signal 404a, 404b. A spectral line 506 is representative of the offset signal component of the differential signal 404a, 404b after the varied current spinning operation of the current spinning switches 404, 412. A spectral line 508 is representative of a third harmonic of the offset signal component represented by the
10 spectral line 506.

It will be understood that the spectral line 502 is representative of the magnetic field sensing element 402 being responsive to a DC magnetic field. However, the magnetic field sensing element 402 can be responsive to an AC magnetic field. Thus, a
15 baseband bandwidth 504 is representative of a region in which the magnetic field sensing element 402 can provide signal information responsive to a magnetic field.

Other low amplitude spectral lines as shown may result from the variation of the current spinning phase sequences, depending upon the exact nature of the variation. There
20 can be additional spectral lines that are not shown, but which are also at low amplitude.

It will be appreciated that the spectral lines 506, 508, and all other extraneous spectral lines have a much lower amplitude than the spectral lines 458, 460 of FIG. 8. In some applications, the various low amplitude spectral lines have a low enough amplitude
25 that the filter 406 of FIG. 7 is not required in all. Having no filter at all results in a faster magnetic field sensing element and a wider bandwidth magnetic field sensing element. Accordingly, in some such embodiments, the baseband passband 504 can be substantially wider than that shown, and can be wider than the baseband passband 456 of FIG. 8. In some embodiments, the baseband passband 504 can extend well beyond the frequency 3fc.
30

All references cited herein are hereby incorporated herein by reference in their entirety.

Having described preferred embodiments, which serve to illustrate various concepts, structures and techniques, which are the subject of this patent, it will now become apparent to those of ordinary skill in the art that other embodiments incorporating these concepts, structures and techniques may be used. Accordingly, it is submitted that 5 that scope of the patent should not be limited to the described embodiments but rather should be limited only by the spirit and scope of the following claims.

What is claimed is:

10

CLAIMS

1. A magnetic field sensor, comprising:

5 a plurality of magnetic field sensing elements, wherein each one of the plurality of magnetic field sensing elements is configured to generate a respective x-y output signal responsive to a magnetic field in an x-y plane;

10 an angle processing circuit coupled to receive the x-y output signals and configured to generate an uncorrected x-y angle value representative of an angle of the magnetic field in an x-y plane, wherein the uncorrected x-y angle value comprises a first angle error component; and

15 an angle error correction module coupled to the angle processing circuit and configured to generate an x-y angle value indicative of an error in the uncorrected x-y angle value; and

20 a combining module configured to combine the uncorrected x-y angle value with the x-y angle error value to generate a corrected x-y angle value having a second angle error component smaller than the first angle error component.

2. The magnetic field sensor of Claim 1, further comprising:

25 a coefficient table memory configured to store a plurality of correction coefficients, associated with respective boundaries of a plurality of temperature segments, each temperature segment bounded by a pair of temperatures; and

30 a temperature sensor configured to generate a temperature signal representative of a temperature; wherein the angle error correction module comprises:

35 a segment identification module coupled to receive a temperature value representative of the temperature signal and configured to identify a temperature segment in which the temperature value falls;

40 an interpolation module coupled to receive a plurality of the correction coefficients associated with the identified temperature segment, coupled to receive the temperature value, and configured to interpolate between pairs of the correction coefficients in accordance with the temperature value to generate a plurality of interpolated correction coefficients; and

45 an algorithm module coupled to receive the plurality of interpolated

correction coefficients and configured to apply an algorithm using the plurality of interpolated correction coefficients to generate an x-y angle error value.

5 3. The magnetic field sensor of Claim 2, wherein the plurality of magnetic field sensing elements comprises a plurality of vertical Hall Effect elements arranged as a circular vertical Hall (CVH) element, wherein each one of the plurality of vertical Hall Effect elements is arranged upon a common circular implant and diffusion region in a first major surface of a semiconductor substrate, wherein the plurality of vertical Hall Effect elements is configured to generate a respective plurality of x-y output signals responsive to a magnetic field having a direction component in an x-y plane parallel to the first surface of the semiconductor substrate, the x-y plane having an x-direction and a y-direction orthogonal to the x-direction, wherein the plurality of x-y output signals is generated in a plurality of cycle periods, each cycle period corresponding to one cycle around the CVH sensing element, the cycle periods occurring at a cycle rate.

4. The magnetic field sensor of Claim 3, further comprising a sine lookup table for storing a plurality of sine values, wherein the algorithm module is coupled to receive a sine value selected from among the plurality of sine values and to apply the algorithm also using the selected sine value.

5. The magnetic field sensor of Claim 4, wherein the selected sine value is selected in accordance with the uncorrected x-y angle value.

25 6. The magnetic field sensor of Claim 4, wherein the selected sine value is selected in accordance with the x-y angle value and in accordance with an interpolated phase coefficient.

7. The magnetic field sensor of Claim 3, wherein the angle error correction module is configured to use a temperature-dependent sinusoidal error relationship to describe the first angle error component, sinusoidal with respect to the angle of the magnetic field, and wherein the plurality of correction coefficients comprises:

a plurality of correction coefficients representative of respective magnitudes and

phases of one or more harmonics of the sinusoidal error relationship at a corresponding plurality of different temperatures.

8. The magnetic field sensor of Claim 7, wherein the plurality of correction
5 coefficients further comprises a plurality of correction coefficients representative of
respective magnitudes and phases of first and second harmonics of the sinusoidal error
relationship at a corresponding plurality of different temperatures.

9. The magnetic field sensor of Claim 7, wherein the plurality of correction
10 coefficients further comprises a plurality of correction coefficients representative of
respective magnitudes of average angle errors of the sinusoidal error relationship at a
corresponding plurality of different temperatures.

10. The magnetic field sensor of Claim 7, further comprising a program control
15 register coupled to receive a program control value, wherein the interpolation module is
coupled to receive a value representative of the program control value, and, in response to
the program control value, the interpolation module is configured to select the sinusoidal
error relationship from among a plurality of sinusoidal error relationships.

20 11. The magnetic field sensor of Claim 3, further comprising a program control
register coupled to receive a program control value, wherein the interpolation module is
coupled to receive a value representative of the program control value, and, in response to
the program control value, the interpolation module is configured to select an interpolation
type from among a plurality of interpolation types.

25 12. The magnetic field sensor of Claim 3, wherein the interpolation module is
configured to generate linear interpolations.

13. The magnetic field sensor of Claim 3, wherein the interpolation module is
30 configured to generate non-linear interpolations.

14. The magnetic field sensor of Claim 3, wherein boundaries of the plurality of
temperature segments are unequally spaced in temperature.

15. The magnetic field sensor of Claim 3, further comprising:

a temperature change detection module coupled to the temperature sensor and configured to detect a change in temperature and to generate a temperature change signal indicative of a change in temperature or indicative of no change in temperature, wherein the interpolation module is coupled to the temperature change module and configured to change the plurality of interpolated correction coefficients when the temperature change signal is indicative of a change in temperature and to hold the plurality of interpolated correction coefficients when the temperature change signal is indicative of no change in temperature.

10 16. The magnetic field sensor of Claim 3, further comprising:

a correction versus rate module coupled to receive a control signal related to the cycle rate and configured to generate a cycle rate correction value in accordance with the cycle rate; and

15 a second combining module configured to combine the cycle rate correction value with the x-y angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

20 17. The magnetic field sensor of Claim 3, further comprising:

a correction versus current spin sequence module coupled to receive a control signal related to a current spin sequence of the CVH sensing element and configured to generate a current spin sequence correction value in accordance with the current spin sequence; and

25 a second combining module configured to combine the current spin sequence correction value with the angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

18. The magnetic field sensor of Claim 3, further comprising:

30 a correction versus magnetic field strength module coupled to receive a control signal related to a magnitude of the magnetic field and configured to generate a magnetic field strength correction value in accordance with the magnitude of the magnetic field; and a second combining module configured to combine the magnetic field strength

correction value with the angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

19. A method of reducing an error in a magnetic field sensor, comprising:

5 providing a plurality of magnetic field sensing elements, wherein each one of the plurality of magnetic field sensing elements is configured to generate a respective x-y output signal responsive to a magnetic field in an x-y plane;

10 using the x-y output signals to generate an uncorrected x-y angle value representative of an angle of the magnetic field in an x-y plane, wherein the uncorrected x-y angle value comprises a first angle error component; and

15 correcting the uncorrected x-y angle value to provide a corrected x-y angle value having a second angle error component smaller than the first angle error component.

20. The method of Claim 19, wherein the correcting the uncorrected x-y angle value comprises:

15 storing a plurality of correction coefficients associated with respective boundaries of a plurality of temperature segments, each temperature segment bounded by a pair of temperatures;

20 generating a temperature signal representative of a temperature;

25 identifying a temperature segment in which the temperature value falls;

interpolating between pairs of the correction coefficients in accordance with the temperature value to generate a plurality of interpolated correction coefficients; and

applying an algorithm using the plurality of interpolated correction coefficients to generate an x-y angle error value, wherein the combining comprises:

25 combining the uncorrected x-y angle value with the x-y angle error value to generate the corrected x-y angle value.

21. The method of Claim 20, wherein the plurality of magnetic field sensing elements comprises a plurality of vertical Hall Effect elements arranged as a circular vertical Hall (CVH) element, wherein each one of the plurality of vertical Hall Effect elements is arranged upon a common circular implant and diffusion region in a first major surface of a semiconductor substrate, wherein the plurality of vertical Hall Effect elements is configured to generate a respective plurality of x-y output signals responsive to a magnetic

field having a direction component in an x-y plane parallel to the first surface of the semiconductor substrate, the x-y plane having an x-direction and a y-direction orthogonal to the x-direction, wherein the plurality of x-y output signals is generated in a plurality of cycle periods, each cycle period corresponding to one cycle around the CVH sensing element, the cycle periods occurring at a cycle rate.

22. The method of Claim 21, further comprising storing a plurality of sine values, wherein applying the algorithm further comprises:

selecting a sine value from among the plurality of sine values; and

10 applying the algorithm using the selected sine value.

23. The method of Claim 22, wherein the selected sine value is selected in accordance with the uncorrected x-y angle value.

15 24. The method of Claim 22, wherein the selected sine value is selected in accordance with the uncorrected x-y angle value and in accordance with an interpolated phase coefficient.

25. The method of Claim 21, wherein the applying the algorithm comprises:

20 using a temperature dependent sinusoidal error relationship to describe the first angle error component, sinusoidal with respect to the angle of the magnetic field, and wherein the plurality of correction coefficients comprises:

25 a plurality of correction coefficients representative of respective magnitudes and phases of one or more harmonics of the sinusoidal error relationship at a corresponding plurality of different temperatures.

26. The method of Claim 25, wherein the plurality of correction coefficients further comprises a plurality of correction coefficients representative of respective magnitudes and phases of first and second harmonics of the sinusoidal error relationship at a corresponding plurality of different temperatures.

30 27. The method of Claim 25, wherein the plurality of correction coefficients further comprises a plurality of correction coefficients representative of respective magnitudes of

average angle errors of the sinusoidal error relationship at a corresponding plurality of different temperatures.

28. The method of Claim 25, further comprising:

5 receiving a program control value; and

selecting the sinusoidal error relationship from among a plurality of sinusoidal error relationships.

29. The method of Claim 21, further comprising

10 receiving a program control value; and

selecting an interpolation type from among a plurality of interpolation types.

30. The method of Claim 21, wherein the interpolation module is configured to generate linear interpolations.

15

31. The method of Claim 21, wherein the interpolation module is configured to generate non-linear interpolations

32. The method of Claim 21, wherein boundaries of the plurality of temperature 20 segments are unequally spaced in temperature.

33. The method of Claim 21, further comprising:

detecting a change in temperature;

generating a temperature change signal indicative of a change in temperature or

25 indicative of no change in temperature; and

changing the plurality of interpolated correction coefficients when the temperature change signal is indicative of a change in temperature and holding the plurality of interpolated correction coefficients when the temperature change signal is indicative of no change in temperature.

30

34. The method of Claim 21, further comprising:

generating a cycle rate correction value in accordance with the cycle rate; and

combining the cycle rate correction value with the angle error value and with the

uncorrected angle value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

35. The method of Claim 21, further comprising:

5 generating a current spin sequence correction value in accordance with the current spin sequence; and

combining the current spin sequence correction value with the angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.



10

36. The method of Claims 21, further comprising:

generating a magnetic field strength correction value in accordance with the magnitude of the magnetic field; and

15 combining the magnetic field strength correction value with the angle error value to generate a further corrected x-y angle value comprising a third angle error component smaller than the second angle error component.

1/9



2/9




FIG. 2

3/9








FIG. 3


4/9



5/9



6/9



7/9




FIG. 6

8/9




FIG. 7

9/9




FIG. 8




FIG. 9

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2014/011580

A. CLASSIFICATION OF SUBJECT MATTER
INV. G01R33/00 G01R33/07
ADD. G01D5/14

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
G01R G01D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2005/278137 A1 (HAMMERSCHMIDT DIRK [AT] ET AL) 15 December 2005 (2005-12-15)	1,19
Y	paragraphs [0004], [0005], [0011];	2,20
A	figure 1	3-18,
	paragraph [0057] - paragraph [0062]	21-36
X	-----	
A	US 2012/095712 A1 (KOMASAKI YOSUKE [JP] ET AL) 19 April 2012 (2012-04-19)	1,19
	figures 1,3,4	3-18,
	paragraph [0137] - paragraph [0145]	21-36
	paragraphs [0065], [0070]	
X	-----	
Y	WO 98/02721 A2 (INTEGRATED SENSOR SOLUTIONS [US]; CRISPIE FINBARR J [US]; YUNUS MOHAMM) 22 January 1998 (1998-01-22)	2,20
	figures 1,2,5	

	-/-	

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance
"E" earlier application or patent but published on or after the international filing date
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
"O" document referring to an oral disclosure, use, exhibition or other means
"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
11 June 2014	24/06/2014

Name and mailing address of the ISA/
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Hof, Klaus-Dieter

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2014/011580

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 2012/086442 A1 (HAAS DAVID J [US] ET AL) 12 April 2012 (2012-04-12) figures 1,2 paragraphs [0012], [0022] paragraph [0031] - paragraph [0044] -----	2,20
A	US 4 327 416 A (JERRIM JOHN W) 27 April 1982 (1982-04-27) abstract; figure 5 -----	2
A	DE 10 2005 024879 A1 (INFINEON TECHNOLOGIES AG [DE]) 7 December 2006 (2006-12-07) paragraph [0178]; figure 13 paragraph [0187] - paragraph [0190] paragraph [0254] -----	1-36
A	US 2012/262155 A1 (DONOVAN MARK J [US] ET AL) 18 October 2012 (2012-10-18) figure 3 -----	3,21

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No PCT/US2014/011580

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
US 2005278137	A1 15-12-2005	DE 102004024398 A1 US 2005278137 A1		15-12-2005 15-12-2005
US 2012095712	A1 19-04-2012	CN 102445221 A DE 102011083249 A1 JP 5177197 B2 JP 2012083257 A US 2012095712 A1		09-05-2012 19-04-2012 03-04-2013 26-04-2012 19-04-2012
WO 9802721	A2 22-01-1998	AU 3645297 A CA 2259378 A1 EP 0909378 A2 JP 3415631 B2 JP 2000512020 A US 5902925 A WO 9802721 A2		09-02-1998 22-01-1998 21-04-1999 09-06-2003 12-09-2000 11-05-1999 22-01-1998
US 2012086442	A1 12-04-2012	EP 2609441 A1 JP 2013545085 A KR 20130100317 A US 2012086442 A1 US 2013093416 A1 WO 2012050711 A1		03-07-2013 19-12-2013 10-09-2013 12-04-2012 18-04-2013 19-04-2012
US 4327416	A 27-04-1982	CA 1160295 A1 US 4327416 A		10-01-1984 27-04-1982
DE 102005024879 A1	07-12-2006	DE 102005024879 A1 US 2006290545 A1		07-12-2006 28-12-2006
US 2012262155	A1 18-10-2012	DE 112012001676 T5 KR 20140013030 A US 2012262155 A1 WO 2012141950 A2		13-03-2014 04-02-2014 18-10-2012 18-10-2012