



(12) **United States Design Patent**
Licitra et al.

(10) **Patent No.:** **US D720,790 S**
(45) **Date of Patent:** **** Jan. 6, 2015**

(54) **REAR VIEW VISION SYSTEM FOR BICYCLES AND THE LIKE**

(75) Inventors: **Philip Licitra**, Glastonbury, CT (US);
Joseph Licitra, Glastonbury, CT (US);
David Colbourne, Lebanon, CT (US)

(73) Assignee: **The Owl 360, LLC**, Glastonbury, CT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/423,535**

(22) Filed: **Jun. 1, 2012**

(51) **LOC (10) Cl.** **16-01**

(52) **U.S. Cl.**
USPC **D16/208; D12/400**

(58) **Field of Classification Search**
USPC D12/89, 114, 187, 188, 192, 203, 314,
D12/400-405; D28/36, 92; 280/5.3, 163,
280/164.2, 166, 169, 291; D16/202, 206,
D16/208, 217, 221, 239, 241; D14/314,
D14/315, 317, 322, 448

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,243,417 A 9/1993 Pollard
D423,546 S * 4/2000 Wilson et al. D16/221
(Continued)

Primary Examiner — Deanna L Pratt

Assistant Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — McCormick, Paulding & Huber LLP

(57) **CLAIM**

The ornamental design for a rear view vision system for bicycles and the like, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my rear view vision system for bicycles and the like with a camera and display device in a first embodiment;

FIG. 2 is a front view of the display device in the embodiment of FIG. 1;

FIG. 3 is a top view of the display device in the embodiment of FIG. 1;

FIG. 4 is a bottom view of the display device in the embodiment of FIG. 1;

FIG. 5 is a right side view of the display device in the embodiment of FIG. 1;

FIG. 6 is a left side view of the display device in the embodiment of FIG. 1;

FIG. 7 is a rear view of the display device in the embodiment of FIG. 1;

FIG. 8 is a front view of the camera in the embodiment of FIG. 1;

FIG. 9 is a top view of the camera in the embodiment of FIG. 1;

FIG. 10 is a bottom view of the camera in the embodiment of FIG. 1;

FIG. 11 is a right side view of the camera in the embodiment of FIG. 1;

FIG. 12 is a left side view of the camera in the embodiment of FIG. 1;

FIG. 13 is a rear view of the camera in the embodiment of FIG. 1;

FIG. 14 is a perspective view of my rear view vision system for bicycles and the like in a second embodiment utilizing the same display device as in the first embodiment;

FIG. 15 is a front view of the camera in the embodiment of FIG. 14;

FIG. 16 is a top view of the camera in the embodiment of FIG. 14;



FIG. 17 is a bottom view of the camera in the embodiment of FIG. 14;

FIG. 18 is a right side view of the camera in the embodiment of FIG. 14;

FIG. 19 is a left side view of the camera in the embodiment of FIG. 14; and,

FIG. 20 is a rear view of the camera in the embodiment of FIG. 14.

1 Claim, 20 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,141,052	A *	10/2000	Fukumitsu et al.	D16/202	7,996,890	B2 *	8/2011	Sucher et al.	726/9
D464,666	S *	10/2002	Salapow et al.	D16/206	D647,934	S *	11/2011	Raken et al.	D16/202
D467,954	S *	12/2002	Suzuki et al.	D16/208	D652,779	S *	1/2012	Richter	D12/407
7,353,086	B2	4/2008	Ennis		D659,733	S *	5/2012	Chen	D16/202
7,714,704	B1	5/2010	Mellen		D667,040	S *	9/2012	Holmes	D16/206
D628,611	S *	12/2010	Lewis	D16/208	D676,075	S *	2/2013	Ku	D16/208
					D682,332	S *	5/2013	Wang et al.	D16/202
					D696,708	S *	12/2013	Clark et al.	D16/208
					2010/0171832	A1	7/2010	Solida	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20