





(86) Date de dépôt PCT/PCT Filing Date: 2008/01/17
(87) Date publication PCT/PCT Publication Date: 2008/07/24
(85) Entrée phase nationale/National Entry: 2009/06/26
(86) N° demande PCT/PCT Application No.: EP 2008/050494
(87) N° publication PCT/PCT Publication No.: 2008/087182
(30) Priorité/Priority: 2007/01/19 (EP07100851.0)

(51) Cl.Int./Int.Cl. *A01N 43/56* (2006.01),
A01N 43/90 (2006.01), *A01P 3/00* (2006.01)
(71) Demandeur/Applicant:
BASF SE, DE
(72) Inventeurs/Inventors:
DIETZ, JOCHEN, DE;
SCHOFEL, ULRICH, DE;
HADEN, EGON, DE
(74) Agent: ROBIC

(54) Titre : MELANGES FONGICIDES CONSTITUES D'ANILIDES DE L'ACIDE 1-METHYLPYRAZOL-4-YL
CARBOXYLIQUE ET D'AZOLOPYRIMIDINYLAMINES
(54) Title: FUNGICIDAL MIXTURES OF 1-METHYLPYRAZOL-4-YLCARBOXANILIDES AND
AZOLOPYRIMIDINYLAMINES



I



II

(57) **Abrégé/Abstract:**

Disclosed are fungicidal mixtures containing, as active components: 1) at least one 1-methylpyrazole-4-ylcarboxylic acid anilide of formula (I) in which the substituents are defined as indicated in the description; and 2) at least one azolopyrimidinylamine of formula (II) in which the substituents are defined as indicated in the description, at a synergistically effective amount. Also disclosed are a method for controlling harmful fungi by means of mixtures of compound (I) and compound (II), the use of compound (I) and compound (II) for producing such mixtures, and agents containing said mixtures.



(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES
PATENTWESENS (PCT) VERÖFFENTLICHTE INTERNATIONALE ANMELDUNG(19) Weltorganisation für geistiges Eigentum
Internationales Büro(43) Internationales Veröffentlichungsdatum
24. Juli 2008 (24.07.2008)

PCT

(10) Internationale Veröffentlichungsnummer
WO 2008/087182 A3

(51) Internationale Patentklassifikation:

A01N 43/56 (2006.01) *A01P 3/00* (2006.01)
A01N 43/90 (2006.01)

(21) Internationales Aktenzeichen: PCT/EP2008/050494

(22) Internationales Anmeldedatum:

17. Januar 2008 (17.01.2008)

(25) Einreichungssprache: Deutsch

(26) Veröffentlichungssprache: Deutsch

(30) Angaben zur Priorität:


07100851.0 19. Januar 2007 (19.01.2007) EP

(71) Anmelder (für alle Bestimmungsstaaten mit Ausnahme von
US): BASF SE [DE/DE]; 67056 Ludwigshafen (DE).


(72) Erfinder; und

(75) Erfinder/Anmelder (nur für US): DIETZ, Jochen
[DE/DE]; Spelzenstr. 2a, 68167 Mannheim (DE).
SCHÖFL, Ulrich [DE/DE]; Erlenstr. 8, 68782 Brühl
(DE). HADEN, Egon [DE/DE]; Römerstr.1, 67259 Klein-
niedesheim (DE).(74) Gemeinsamer Vertreter: BASF SE; 67056 Lud-
wigshafen (DE).(81) Bestimmungsstaaten (soweit nicht anders angegeben, für
jede verfügbare nationale Schutzrechtsart): AE, AG, AL,
AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY,
BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,
HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ,
LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK,
MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM,
SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
VN, ZA, ZM, ZW.(84) Bestimmungsstaaten (soweit nicht anders angegeben, für
jede verfügbare regionale Schutzrechtsart): ARIPO (BW,
GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG,
ZM, ZW), eurasisches (AM, AZ, BY, KG, KZ, MD, RU,
TJ, TM), europäisches (AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF,
BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN,
TD, TG).

Veröffentlicht:

— mit internationalem Recherchenbericht
— vor Ablauf der für Änderungen der Ansprüche geltenden
Frist; Veröffentlichung wird wiederholt, falls Änderungen
eintreffen(88) Veröffentlichungsdatum des internationalen
Recherchenberichts: 22. Januar 2009(54) Title: FUNGICIDAL MIXTURES OF 1-METHYLPYRAZOLE-4-YLCARBOXYLIC ACID ANILIDES AND AZOLOGY-
RIMIDINYLAMINES(54) Bezeichnung: FUNGIZIDE MISCHUNGEN AUS 1-METHYLPYRAZOL-4-YLCARBONSÄUREANILIDEN UND AZO-
LOPYRIMIDINYLAMINEN

(I)



(II)

synergistically effective amount. Also disclosed are a method for controlling harmful fungi by means of mixtures of compound (I) and compound (II), the use of compound (I) and compound (II) for producing such mixtures, and agents containing said mixtures.

(57) Zusammenfassung: Fungizide Mischungen, enthaltend als aktive Komponenten: 1) mindestens ein 1-Methylpyrazol-4-yl-carbonsäureanilid der Formel (I) in der die Substituenten gemäß der Beschreibung definiert sind und 2) mindestens ein Azolopyrimidinylamin der Formel (II) in der die Substituenten gemäß der Beschreibung definiert sind in einer synergistisch wirksamen Menge. Verfahren zur Bekämpfung von Schadpilzen mit Mischungen der Verbindung (I) mit Verbindung (II) sowie die Verwendung der Verbindung (I) und der Verbindung (II) zur Herstellung derartiger Mischungen sowie Mittel, die diese Mischungen enthalten.

(57) Abstract: Disclosed are fungicidal mixtures containing, as active components: 1) at least one 1-methylpyrazole-4-ylcarboxylic acid anilide of formula (I) in which the substituents are defined as indicated in the description; and 2) at least one azolopyrimidinylamine of formula (II) in which the substituents are defined as indicated in the description, at a

WO 2008/087182 A3

1

Fungicidal mixtures of 1-methylpyrazol-4-ylcarboxanilides and azolopyrimidinylamines


Fungicidal mixtures

5 Description

The present invention relates to fungicidal mixtures comprising:

A) at least one 1-methylpyrazol-4-ylcarboxanilide of the formula I

10




in which the substituents have the following meanings:

- 15 X is oxygen or sulfur;
 R¹ is C₁-C₄-alkyl or C₁-C₄-haloalkyl;
 R² is hydrogen or halogen;
 R³, R⁴ and R⁵ independently of one another are cyano, nitro, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy or C₁-C₄-alkylthio;

20 and

B) at least one azolopyrimidinylamine of the formula II



25

in which the substituents have the following meaning:

- E¹ is C₃-C₁₂-alkyl, C₂-C₁₂-alkenyl, C₅-C₁₂-alkoxyalkyl, C₃-C₆-cycloalkyl, phenyl or phenyl-C₁-C₄-alkyl;
 E² C₁-C₁₂-alkyl, C₂-C₁₂-alkenyl, C₁-C₄-haloalkyl or C₁-C₄-alkoxy-C₁-C₄-alkyl;
 30

where the aliphatic chains in E¹ and/or E² may be substituted by one to four identical or different groups R^a:

- R^a is halogen, cyano, hydroxyl, mercapto, C₁-C₁₀-alkyl, C₁-C₁₀-haloalkyl, C₃-C₈-cycloalkyl, C₂-C₁₀-alkenyl, C₂-C₁₀-alkynyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₁-C₆-alkoxy-C₁-C₆-alkyl or NR^AR^B;
 35

2

R^A , R^B independently of one another are hydrogen or C_1 - C_6 -alkyl; where the cyclic groups in E^1 and/or R^a may be substituted by one to four groups R^b :

5 R^b is halogen, cyano, hydroxyl, mercapto, nitro, $NR^A R^B$, C_1 - C_{10} -alkyl, C_1 - C_6 -haloalkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl or C_1 - C_6 -alkoxy;

10 E^3 is hydrogen, halogen, cyano, $NR^A R^B$, hydroxyl, mercapto, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_3 - C_8 -cycloalkyl, C_1 - C_6 -alkoxy, C_1 - C_6 -alkylthio, C_3 - C_8 -cycloalkoxy, C_3 - C_8 -cycloalkylthio, carboxyl, formyl, C_1 - C_{10} -alkyl-carbonyl, C_1 - C_{10} -alkoxycarbonyl, C_2 - C_{10} -alkenyloxycarbonyl, C_2 - C_{10} -alkynyloxycarbonyl, phenyl, phenoxy, phenylthio, benzyloxy, benzylthio or C_1 - C_6 -alkyl- $S(O)_m$;

15 m is 0, 1 or 2;

A is CH or N;

in a synergistically effective amount.

20 Moreover, the invention relates to a process for controlling harmful fungi using a mixture comprising at least one compound I and at least one compound II, to a process for preparing such mixtures and to compositions and seed comprising these mixtures.

25 The 1-methylpyrazol-4-ylcarboxanilides of the formula I, referred to above as component A, and their action against harmful fungi, and also their preparation, are known from WO 06/087343 and PCT/EP2006/064907 and the literature cited therein, or they can be prepared in the manner described therein.

30 Mixtures of compounds of the formula I with other active compounds are described in a general manner in PCT/EP2006/064907.

35 The azolopyrimidin-7-ylamines of the formula II, referred to above as component B, and their action against harmful fungi, and also their preparation, are known from PCT/EP2006/064463 and the literature cited therein, or they can be prepared in the manner described therein.

Mixtures of compounds of the formula II with other active compounds are described in a general manner in PCT/EP2006/064463.

40 It was an object to increase further the fungicidal activity of the known compounds of the formula I or the formula II, in particular at low application rates. With a view to reducing the application rates and broadening the activity spectrum of the compounds of the formulae I and II, it was therefore an object of the present invention to provide

mixtures having, at a reduced total amount of active compounds applied, an improved activity against harmful fungi, in particular for certain indications.

We have found that this object is achieved by the mixtures defined at the outset comprising the compounds of the formulae I and II. Moreover, we have found that simultaneous, that is joint or separate, application of at least one compound I and at least one compound II, or at least one compound I and at least one compound II applied in succession, allows a superadditive control of harmful fungi that is better than with the individual compounds (synergistic mixtures).

10

In the definitions of the symbols given in the formulae above, collective terms are used which are generally representative for the substituents below:

In the context of the present invention, terms of the form C_a-C_b refer to chemical compounds or substituents having a certain number of carbon atoms. The number of carbon atoms can be chosen from the entire range of a to b, including a and b; a is at least 1 and b is always greater than a. The chemical compounds or substituents are further specified by terms of the form C_a-C_b-V. Here, V denotes a class of chemical compounds or a class of substituents, for example alkyl compounds or alkyl substituents.

20

halogen: fluorine, chlorine, bromine or iodine;

alkyl: saturated, straight-chain or branched hydrocarbon radicals having 1 to 4, 1 to 6, 1 to 10, 1 to 12 or 3 to 12 carbon atoms, for example C₁-C₆-alkyl, such as methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, 1,1-dimethylethyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 2,2-dimethylpropyl, 1-ethylpropyl, hexyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 1-methylpentyl, 2-methylpentyl, 3-methylpentyl, 4-methylpentyl, 1,1-dimethylbutyl, 1,2-dimethylbutyl, 1,3-dimethylbutyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, 3,3-dimethylbutyl, 1-ethylbutyl, 2-ethylbutyl, 1,1,2-trimethylpropyl, 1,2,2-trimethylpropyl, 1-ethyl-1-methylpropyl and 1-ethyl-2-methylpropyl;

30

haloalkyl: straight-chain or branched alkyl radicals having 1 to 4, 1 to 6 or 1 to 10 carbon atoms (as mentioned above), where some or all of the hydrogen atoms in these radicals may be replaced by halogen atoms as mentioned above: in particular C₁-C₂-haloalkyl such as chloromethyl, bromomethyl, dichloromethyl, trichloromethyl, fluoromethyl, difluoromethyl, trifluoromethyl, chlorofluoromethyl, dichlorofluoromethyl, chlorodifluoromethyl, 1-chloroethyl, 1-bromoethyl, 1-fluoroethyl, 2-fluoroethyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, 2-chloro-2-fluoroethyl, 2-chloro-2,2-difluoroethyl, 2,2-dichloro-2-fluoroethyl, 2,2,2-trichloroethyl, pentafluoroethyl or 1,1,1-trifluoroprop-2-yl;

40

alkenyl: unsaturated straight-chain or branched hydrocarbon radicals having 2 to 6, 2 to 10 or 2 to 12 carbon atoms and one or two double bonds in any position, for example C₂-C₆-alkenyl, such as ethenyl, 1-propenyl, 2-propenyl, 1-methylethenyl, 1-butenyl, 2-butenyl, 3-butenyl, 1-methyl-1-propenyl, 2-methyl-1-propenyl, 1-methyl-2-propenyl, 2-methyl-2-propenyl, 1-pentenyl, 2-pentenyl, 3-pentenyl, 4-pentenyl, 1-methyl-1-butenyl, 2-methyl-1-butenyl, 3-methyl-1-butenyl, 1-methyl-2-butenyl, 2-methyl-2-butenyl, 3-methyl-2-butenyl, 1-methyl-3-butenyl, 2-methyl-3-butenyl, 3-methyl-3-butenyl, 1,1-dimethyl-2-propenyl, 1,2-dimethyl-1-propenyl, 1,2-dimethyl-2-propenyl, 1-ethyl-1-propenyl, 1-ethyl-2-propenyl, 1-hexenyl, 2-hexenyl, 3-hexenyl, 4-hexenyl, 5-hexenyl, 1-methyl-1-pentenyl, 2-methyl-1-pentenyl, 3-methyl-1-pentenyl, 4-methyl-1-pentenyl, 1-methyl-2-pentenyl, 2-methyl-2-pentenyl, 3-methyl-2-pentenyl, 4-methyl-2-pentenyl, 1-methyl-3-pentenyl, 2-methyl-3-pentenyl, 3-methyl-3-pentenyl, 4-methyl-3-pentenyl, 1-methyl-4-pentenyl, 2-methyl-4-pentenyl, 3-methyl-4-pentenyl, 4-methyl-4-pentenyl, 1,1-dimethyl-2-butenyl, 1,1-dimethyl-3-butenyl, 1,2-dimethyl-1-butenyl, 1,2-dimethyl-2-butenyl, 1,2-dimethyl-3-butenyl, 1,3-dimethyl-1-butenyl, 1,3-dimethyl-2-butenyl, 1,3-dimethyl-3-butenyl, 2,2-dimethyl-3-butenyl, 2,3-dimethyl-1-butenyl, 2,3-dimethyl-2-butenyl, 2,3-dimethyl-3-butenyl, 3,3-dimethyl-1-butenyl, 3,3-dimethyl-2-butenyl, 1-ethyl-1-butenyl, 1-ethyl-2-butenyl, 1-ethyl-3-butenyl, 2-ethyl-1-butenyl, 2-ethyl-2-butenyl, 2-ethyl-3-butenyl, 1,1,2-trimethyl-2-propenyl, 1-ethyl-1-methyl-2-propenyl, 1-ethyl-2-methyl-1-propenyl or 1-ethyl-2-methyl-2-propenyl;

alkynyl: straight-chain or branched hydrocarbon radicals having 2 to 6 or 2 to 10 carbon atoms and one or two triple bonds in any position, for example C₂-C₆-alkynyl, such as ethynyl, 1-propynyl, 2-propynyl, 1-butyne, 2-butyne, 3-butyne, 1-methyl-2-propynyl, 1-pentyne, 2-pentyne, 3-pentyne, 4-pentyne, 1-methyl-2-butyne, 1-methyl-3-butyne, 2-methyl-3-butyne, 3-methyl-1-butyne, 1,1-dimethyl-2-propynyl, 1-ethyl-2-propynyl, 1-hexynyl, 2-hexynyl, 3-hexynyl, 4-hexynyl, 5-hexynyl, 1-methyl-2-pentyne, 1-methyl-3-pentyne, 1-methyl-4-pentyne, 2-methyl-3-pentyne, 2-methyl-4-pentyne, 3-methyl-1-pentyne, 3-methyl-4-pentyne, 4-methyl-1-pentyne, 4-methyl-2-pentyne, 1,1-dimethyl-2-butyne, 1,1-dimethyl-3-butyne, 1,2-dimethyl-3-butyne, 2,2-dimethyl-3-butyne, 3,3-dimethyl-1-butyne, 1-ethyl-2-butyne, 1-ethyl-3-butyne, 2-ethyl-3-butyne or 1-ethyl-1-methyl-2-propynyl;

cycloalkyl: mono- or bicyclic saturated hydrocarbon radicals having 3 to 6 or 3 to 8 carbon ring members, for example C₃-C₈-cycloalkyl, such as cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl or cyclooctyl;

cycloalkoxy: mono- or bicyclic saturated hydrocarbon radicals which are attached via an oxygen atom (-O-);

40

cycloalkylthio: mono- or bicyclic, saturated hydrocarbon radicals which are attached via a sulfur atom (-S-);

alkylthio: saturated, straight-chain or branched hydrocarbon radicals which are attached via a sulfur atom (-S-);

5 alkylcarbonyl: straight-chain or branched alkyl radicals which have 1 to 10 carbon atoms and are attached via a carbonyl group (-CO-);

alkoxy: straight-chain or branched alkyl radicals which are attached via an oxygen atom (-O-);

10 alkoxyalkyl: straight-chain or branched alkoxy radicals which are attached to an alkyl radical;

haloalkoxy: straight-chain or branched alkoxy radicals, where some or all of the hydrogen atoms in these radicals may be replaced by halogen;

15 alkoxy carbonyl: alkoxy radicals which have 1 to 10 carbon atoms and are attached via a carbonyl group (-CO-);

20 alkenyloxycarbonyl: alkenyl radicals which are attached via an oxygen atom (-O-) to a carbonyl group (-CO-);

alkynyloxycarbonyl: alkynyl radicals which are attached via an oxygen atom (-O-) to a carbonyl group (-CO-);

25 phenylalkyl: a phenyl group which is attached via saturated, straight-chain or branched alkyl radicals.

30 With a view to the fungicidal mixtures according to the invention comprising the compounds of the formulae I and II, to methods for controlling phytopathogenic harmful fungi, to seed comprising fungicidal mixtures, to fungicidal mixtures and to processes for preparing these compositions, particular preference is given to the following meanings of the substituents, in each case on their own or in combination:

35 One embodiment of the formula I relates to those compounds in which X is oxygen.

A further embodiment of the formula I relates to those compounds in which X is sulfur.

40 For the mixtures according to the invention, preference is given to compounds of the formula I in which R¹ is methyl or halomethyl, such as CH₃, CHF₂, CH₂F, CF₃, CHFCl or CF₂Cl, in particular CHF₂ or CF₃.

Preference is furthermore given to compounds I in which R² is hydrogen, fluorine or chlorine, in particular hydrogen.

- Furthermore, preference is given to those compounds I in which R³ is halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy or C₁-C₄-alkylthio, preferably halogen, methyl, halomethyl, methoxy, halomethoxy or methylthio, in particular F, Cl, CH₃, CF₃, OCH₃, OCHF₂, OCF₃ or SCH₃, particularly preferably fluorine.

Moreover, preference is given to those compounds I in which R⁴ is halogen, in particular fluorine.

- 10 Preference is furthermore given to those compounds I in which R⁵ is halogen, in particular fluorine.

In addition, preference is given to compounds of the formula I listed in Table 1 below:

15 Table 1: Compounds I where X = oxygen

No.	R ¹	R ²	R ³	R ⁴	R ⁵
1-1	CH ₃	H	2-F	3-F	4-F
1-2	CH ₃	H	2-F	3-F	5-F
1-3	CH ₃	H	2-F	4-F	5-F
1-4	CH ₃	H	2-F	4-F	6-F
1-5	CH ₃	H	3-F	4-F	5-F
1-6	CH ₃	H	3-F	5-F	6-F
1-7	CH ₂ F	H	2-F	3-F	4-F
1-8	CH ₂ F	H	2-F	3-F	5-F
1-9	CH ₂ F	H	2-F	4-F	5-F
1-10	CH ₂ F	H	2-F	4-F	6-F
1-11	CH ₂ F	H	3-F	4-F	5-F
1-12	CH ₂ F	H	3-F	5-F	6-F
1-13	CHF ₂	H	2-F	3-F	4-F
1-14	CHF ₂	H	2-F	3-F	5-F
1-15	CHF ₂	H	2-F	4-F	5-F
1-16	CHF ₂	H	2-F	4-F	6-F
1-17	CHF ₂	H	3-F	4-F	5-F
1-18	CHF ₂	H	3-F	5-F	6-F
1-19	CF ₃	H	2-F	3-F	4-F
1-20	CF ₃	H	2-F	3-F	5-F
1-21	CF ₃	H	2-F	4-F	5-F
1-22	CF ₃	H	2-F	4-F	6-F
1-23	CF ₃	H	3-F	4-F	5-F
1-24	CF ₃	H	3-F	5-F	6-F
1-25	CHFCI	H	2-F	3-F	4-F
1-26	CHFCI	H	2-F	3-F	5-F

No.	R ¹	R ²	R ³	R ⁴	R ⁵
1-27	CHFCI	H	2-F	4-F	5-F
1-28	CHFCI	H	2-F	4-F	6-F
1-29	CHFCI	H	3-F	4-F	5-F
1-30	CHFCI	H	3-F	5-F	6-F
1-31	CF ₂ Cl	H	2-F	3-F	4-F
1-32	CF ₂ Cl	H	2-F	3-F	5-F
1-33	CF ₂ Cl	H	2-F	4-F	5-F
1-34	CF ₂ Cl	H	2-F	4-F	6-F
1-35	CF ₂ Cl	H	3-F	4-F	5-F
1-36	CF ₂ Cl	H	3-F	5-F	6-F
1-37	CH ₃	F	2-F	3-F	4-F
1-38	CH ₃	F	2-F	3-F	5-F
1-39	CH ₃	F	2-F	4-F	5-F
1-40	CH ₃	F	2-F	4-F	6-F
1-41	CH ₃	F	3-F	4-F	5-F
1-42	CH ₃	F	3-F	5-F	6-F
1-43	CH ₂ F	F	2-F	3-F	4-F
1-44	CH ₂ F	F	2-F	3-F	5-F
1-45	CH ₂ F	F	2-F	4-F	5-F
1-46	CH ₂ F	F	2-F	4-F	6-F
1-47	CH ₂ F	F	3-F	4-F	5-F
1-48	CH ₂ F	F	3-F	5-F	6-F
1-49	CHF ₂	F	2-F	3-F	4-F
1-50	CHF ₂	F	2-F	3-F	5-F
1-51	CHF ₂	F	2-F	4-F	5-F
1-52	CHF ₂	F	2-F	4-F	6-F

PF 58791


7

No.	R ¹	R ²	R ³	R ⁴	R ⁵
1-53	CHF ₂	F	3-F	4-F	5-F
1-54	CHF ₂	F	3-F	5-F	6-F
1-55	CF ₃	F	2-F	3-F	4-F
1-56	CF ₃	F	2-F	3-F	5-F
1-57	CF ₃	F	2-F	4-F	5-F
1-58	CF ₃	F	2-F	4-F	6-F
1-59	CF ₃	F	3-F	4-F	5-F
1-60	CF ₃	F	3-F	5-F	6-F
1-61	CHFCI	F	2-F	3-F	4-F
1-62	CHFCI	F	2-F	3-F	5-F
1-63	CHFCI	F	2-F	4-F	5-F
1-64	CHFCI	F	2-F	4-F	6-F
1-65	CHFCI	F	3-F	4-F	5-F
1-66	CHFCI	F	3-F	5-F	6-F
1-67	CF ₂ Cl	F	2-F	3-F	4-F
1-68	CF ₂ Cl	F	2-F	3-F	5-F
1-69	CF ₂ Cl	F	2-F	4-F	5-F
1-70	CF ₂ Cl	F	2-F	4-F	6-F
1-71	CF ₂ Cl	F	3-F	4-F	5-F
1-72	CF ₂ Cl	F	3-F	5-F	6-F
1-73	CH ₃	Cl	2-F	3-F	4-F
1-74	CH ₃	Cl	2-F	3-F	5-F
1-75	CH ₃	Cl	2-F	4-F	5-F
1-76	CH ₃	Cl	2-F	4-F	6-F
1-77	CH ₃	Cl	3-F	4-F	5-F
1-78	CH ₃	Cl	3-F	5-F	6-F
1-79	CH ₂ F	Cl	2-F	3-F	4-F
1-80	CH ₂ F	Cl	2-F	3-F	5-F
1-81	CH ₂ F	Cl	2-F	4-F	5-F

No.	R ¹	R ²	R ³	R ⁴	R ⁵
1-82	CH ₂ F	Cl	2-F	4-F	6-F
1-83	CH ₂ F	Cl	3-F	4-F	5-F
1-84	CH ₂ F	Cl	3-F	5-F	6-F
1-85	CHF ₂	Cl	2-F	3-F	4-F
1-86	CHF ₂	Cl	2-F	3-F	5-F
1-87	CHF ₂	Cl	2-F	4-F	5-F
1-88	CHF ₂	Cl	2-F	4-F	6-F
1-89	CHF ₂	Cl	3-F	4-F	5-F
1-90	CHF ₂	Cl	3-F	5-F	6-F
1-91	CF ₃	Cl	2-F	3-F	4-F
1-92	CF ₃	Cl	2-F	3-F	5-F
1-93	CF ₃	Cl	2-F	4-F	5-F
1-94	CF ₃	Cl	2-F	4-F	6-F
1-95	CF ₃	Cl	3-F	4-F	5-F
1-96	CF ₃	Cl	3-F	5-F	6-F
1-97	CHFCI	Cl	2-F	3-F	4-F
1-98	CHFCI	Cl	2-F	3-F	5-F
1-99	CHFCI	Cl	2-F	4-F	5-F
1-100	CHFCI	Cl	2-F	4-F	6-F
1-101	CHFCI	Cl	3-F	4-F	5-F
1-102	CHFCI	Cl	3-F	5-F	6-F
1-103	CF ₂ Cl	Cl	2-F	3-F	4-F
1-104	CF ₂ Cl	Cl	2-F	3-F	5-F
1-105	CF ₂ Cl	Cl	2-F	4-F	5-F
1-106	CF ₂ Cl	Cl	2-F	4-F	6-F
1-107	CF ₂ Cl	Cl	3-F	4-F	5-F
1-108	CF ₂ Cl	Cl	3-F	5-F	6-F

Preference is furthermore given to compounds of the formula I in which X = O, R¹ = CF₃ and R² = H and in which the variables R³ to R⁵ are defined as for formula I. They correspond to the formula Ia


5




Ia

Preferred compounds Ia are listed in Table 2 (compounds 2-1 to 2-1029). Furthermore, particular preference is given to the compounds of the formulae Ib to If, in particular:


- 5 - the compounds Ib-1 to Ib-1029 which differ from the corresponding compounds 2-1 to 2-1029 in that R² is fluorine:



- 10 - the compounds Ic-1 to Ic-1029 which differ from the corresponding compounds 2-1 to 2-1029 in that R² is chlorine:




the compounds Id-1 to Id-1029 which differ from the corresponding compounds 2-1 to 2-1029 in that R¹ is difluoromethyl:



Compound	m.p. [°C]
Id-344	156-158
Id-687	122-125
Id-739	120-122
Id-741	150-152


- 20 - the compounds Ie-1 to Ie-1029 which differ from the corresponding compounds 2-1 to 2-1029 in that R¹ is difluoromethyl and R² is fluorine:

9



le


- the compounds lf-1 to lf-1029 which differ from the corresponding compounds 2-1 to 2-1029 in that R¹ is difluoromethyl and R² is chlorine:



lf

5

- the compounds lg-1 to lg-1029 which differ from the corresponding compounds 2-1 to 2-1029 in that R¹ is fluoromethyl:




lg

10

Compound	m.p. [°C]
lg-1	126-129
lg-344	152-156

- 15 - the compounds lh-1 to lh-1029 which differ from the corresponding compounds ll-1 to ll-1029 in that R¹ is CF₂Cl:




lh

20

Compound	m.p. [°C]
lh-344	158-161

- the compounds Ij-1 to Ij-1029 which differ from the corresponding compounds 2-1 to 2-1029 in that R¹ is chlorofluoromethyl:



Ij

5

Compound	m.p. [°C]
Ij-344	154-157

Table 2: (Formulae Ia to Ij)

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-1	CF ₃	H	2-F	3-F	4-F
2-2	CF ₃	H	2-F	3-Cl	4-F
2-3	CF ₃	H	2-F	3-CN	4-F
2-4	CF ₃	H	2-F	3-CH ₃	4-F
2-5	CF ₃	H	2-F	3-CF ₃	4-F
2-6	CF ₃	H	2-F	3-OCH ₃	4-F
2-7	CF ₃	H	2-F	3-OCF ₃	4-F
2-8	CF ₃	H	2-Cl	3-F	4-F
2-9	CF ₃	H	2-Cl	3-Cl	4-F
2-10	CF ₃	H	2-Cl	3-CN	4-F
2-11	CF ₃	H	2-Cl	3-CH ₃	4-F
2-12	CF ₃	H	2-Cl	3-CF ₃	4-F
2-13	CF ₃	H	2-Cl	3-OCH ₃	4-F
2-14	CF ₃	H	2-Cl	3-OCF ₃	4-F
2-15	CF ₃	H	2-CN	3-F	4-F
2-16	CF ₃	H	2-CN	3-Cl	4-F
2-17	CF ₃	H	2-CN	3-CN	4-F
2-18	CF ₃	H	2-CN	3-CH ₃	4-F
2-19	CF ₃	H	2-CN	3-CF ₃	4-F
2-20	CF ₃	H	2-CN	3-OCH ₃	4-F
2-21	CF ₃	H	2-CN	3-OCF ₃	4-F
2-22	CF ₃	H	2-CH ₃	3-F	4-F
2-23	CF ₃	H	2-CH ₃	3-Cl	4-F
2-24	CF ₃	H	2-CH ₃	3-CN	4-F
2-25	CF ₃	H	2-CH ₃	3-CH ₃	4-F
2-26	CF ₃	H	2-CH ₃	3-CF ₃	4-F

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-27	CF ₃	H	2-CH ₃	3-OCH ₃	4-F
2-28	CF ₃	H	2-CH ₃	3-OCF ₃	4-F
2-29	CF ₃	H	2-CF ₃	3-F	4-F
2-30	CF ₃	H	2-CF ₃	3-Cl	4-F
2-31	CF ₃	H	2-CF ₃	3-CN	4-F
2-32	CF ₃	H	2-CF ₃	3-CH ₃	4-F
2-33	CF ₃	H	2-CF ₃	3-CF ₃	4-F
2-34	CF ₃	H	2-CF ₃	3-OCH ₃	4-F
2-35	CF ₃	H	2-CF ₃	3-OCF ₃	4-F
2-36	CF ₃	H	2-OCH ₃	3-F	4-F
2-37	CF ₃	H	2-OCH ₃	3-Cl	4-F
2-38	CF ₃	H	2-OCH ₃	3-CN	4-F
2-39	CF ₃	H	2-OCH ₃	3-CH ₃	4-F
2-40	CF ₃	H	2-OCH ₃	3-CF ₃	4-F
2-41	CF ₃	H	2-OCH ₃	3-OCH ₃	4-F
2-42	CF ₃	H	2-OCH ₃	3-OCF ₃	4-F
2-43	CF ₃	H	2-OCF ₃	3-F	4-F
2-44	CF ₃	H	2-OCF ₃	3-Cl	4-F
2-45	CF ₃	H	2-OCF ₃	3-CN	4-F
2-46	CF ₃	H	2-OCF ₃	3-CH ₃	4-F
2-47	CF ₃	H	2-OCF ₃	3-CF ₃	4-F
2-48	CF ₃	H	2-OCF ₃	3-OCH ₃	4-F
2-49	CF ₃	H	2-OCF ₃	3-OCF ₃	4-F
2-50	CF ₃	H	2-F	3-F	4-Cl
2-51	CF ₃	H	2-F	3-Cl	4-Cl
2-52	CF ₃	H	2-F	3-CN	4-Cl

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-53	CF ₃	H	2-F	3-CH ₃	4-Cl
2-54	CF ₃	H	2-F	3-CF ₃	4-Cl
2-55	CF ₃	H	2-F	3-OCH ₃	4-Cl
2-56	CF ₃	H	2-F	3-OCF ₃	4-Cl
2-57	CF ₃	H	2-Cl	3-F	4-Cl
2-58	CF ₃	H	2-Cl	3-Cl	4-Cl
2-59	CF ₃	H	2-Cl	3-CN	4-Cl
2-60	CF ₃	H	2-Cl	3-CH ₃	4-Cl
2-61	CF ₃	H	2-Cl	3-CF ₃	4-Cl
2-62	CF ₃	H	2-Cl	3-OCH ₃	4-Cl
2-63	CF ₃	H	2-Cl	3-OCF ₃	4-Cl
2-64	CF ₃	H	2-CN	3-F	4-Cl
2-65	CF ₃	H	2-CN	3-Cl	4-Cl
2-66	CF ₃	H	2-CN	3-CN	4-Cl
2-67	CF ₃	H	2-CN	3-CH ₃	4-Cl
2-68	CF ₃	H	2-CN	3-CF ₃	4-Cl
2-69	CF ₃	H	2-CN	3-OCH ₃	4-Cl
2-70	CF ₃	H	2-CN	3-OCF ₃	4-Cl
2-71	CF ₃	H	2-CH ₃	3-F	4-Cl
2-72	CF ₃	H	2-CH ₃	3-Cl	4-Cl
2-73	CF ₃	H	2-CH ₃	3-CN	4-Cl
2-74	CF ₃	H	2-CH ₃	3-CH ₃	4-Cl
2-75	CF ₃	H	2-CH ₃	3-CF ₃	4-Cl
2-76	CF ₃	H	2-CH ₃	3-OCH ₃	4-Cl
2-77	CF ₃	H	2-CH ₃	3-OCF ₃	4-Cl
2-78	CF ₃	H	2-CF ₃	3-F	4-Cl
2-79	CF ₃	H	2-CF ₃	3-Cl	4-Cl
2-80	CF ₃	H	2-CF ₃	3-CN	4-Cl
2-81	CF ₃	H	2-CF ₃	3-CH ₃	4-Cl
2-82	CF ₃	H	2-CF ₃	3-CF ₃	4-Cl
2-83	CF ₃	H	2-CF ₃	3-OCH ₃	4-Cl
2-84	CF ₃	H	2-CF ₃	3-OCF ₃	4-Cl
2-85	CF ₃	H	2-OCH ₃	3-F	4-Cl
2-86	CF ₃	H	2-OCH ₃	3-Cl	4-Cl
2-87	CF ₃	H	2-OCH ₃	3-CN	4-Cl
2-88	CF ₃	H	2-OCH ₃	3-CH ₃	4-Cl
2-89	CF ₃	H	2-OCH ₃	3-CF ₃	4-Cl
2-90	CF ₃	H	2-OCH ₃	3-OCH ₃	4-Cl
2-91	CF ₃	H	2-OCH ₃	3-OCF ₃	4-Cl

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-92	CF ₃	H	2-OCF ₃	3-F	4-Cl
2-93	CF ₃	H	2-OCF ₃	3-Cl	4-Cl
2-94	CF ₃	H	2-OCF ₃	3-CN	4-Cl
2-95	CF ₃	H	2-OCF ₃	3-CH ₃	4-Cl
2-96	CF ₃	H	2-OCF ₃	3-CF ₃	4-Cl
2-97	CF ₃	H	2-OCF ₃	3-OCH ₃	4-Cl
2-98	CF ₃	H	2-OCF ₃	3-OCF ₃	4-Cl
2-99	CF ₃	H	2-F	3-F	4-CN
2-100	CF ₃	H	2-F	3-Cl	4-CN
2-101	CF ₃	H	2-F	3-CN	4-CN
2-102	CF ₃	H	2-F	3-CH ₃	4-CN
2-103	CF ₃	H	2-F	3-CF ₃	4-CN
2-104	CF ₃	H	2-F	3-OCH ₃	4-CN
2-105	CF ₃	H	2-F	3-OCF ₃	4-CN
2-106	CF ₃	H	2-Cl	3-F	4-CN
2-107	CF ₃	H	2-Cl	3-Cl	4-CN
2-108	CF ₃	H	2-Cl	3-CN	4-CN
2-109	CF ₃	H	2-Cl	3-CH ₃	4-CN
2-110	CF ₃	H	2-Cl	3-CF ₃	4-CN
2-111	CF ₃	H	2-Cl	3-OCH ₃	4-CN
2-112	CF ₃	H	2-Cl	3-OCF ₃	4-CN
2-113	CF ₃	H	2-CN	3-F	4-CN
2-114	CF ₃	H	2-CN	3-Cl	4-CN
2-115	CF ₃	H	2-CN	3-CN	4-CN
2-116	CF ₃	H	2-CN	3-CH ₃	4-CN
2-117	CF ₃	H	2-CN	3-CF ₃	4-CN
2-118	CF ₃	H	2-CN	3-OCH ₃	4-CN
2-119	CF ₃	H	2-CN	3-OCF ₃	4-CN
2-120	CF ₃	H	2-CH ₃	3-F	4-CN
2-121	CF ₃	H	2-CH ₃	3-Cl	4-CN
2-122	CF ₃	H	2-CH ₃	3-CN	4-CN
2-123	CF ₃	H	2-CH ₃	3-CH ₃	4-CN
2-124	CF ₃	H	2-CH ₃	3-CF ₃	4-CN
2-125	CF ₃	H	2-CH ₃	3-OCH ₃	4-CN
2-126	CF ₃	H	2-CH ₃	3-OCF ₃	4-CN
2-127	CF ₃	H	2-CF ₃	3-F	4-CN
2-128	CF ₃	H	2-CF ₃	3-Cl	4-CN
2-129	CF ₃	H	2-CF ₃	3-CN	4-CN
2-130	CF ₃	H	2-CF ₃	3-CH ₃	4-CN

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-131	CF ₃	H	2-CF ₃	3-CF ₃	4-CN
2-132	CF ₃	H	2-CF ₃	3-OCH ₃	4-CN
2-133	CF ₃	H	2-CF ₃	3-OCF ₃	4-CN
2-134	CF ₃	H	2-OCH ₃	3-F	4-CN
2-135	CF ₃	H	2-OCH ₃	3-Cl	4-CN
2-136	CF ₃	H	2-OCH ₃	3-CN	4-CN
2-137	CF ₃	H	2-OCH ₃	3-CH ₃	4-CN
2-138	CF ₃	H	2-OCH ₃	3-CF ₃	4-CN
2-139	CF ₃	H	2-OCH ₃	3-OCH ₃	4-CN
2-140	CF ₃	H	2-OCH ₃	3-OCF ₃	4-CN
2-141	CF ₃	H	2-OCF ₃	3-F	4-CN
2-142	CF ₃	H	2-OCF ₃	3-Cl	4-CN
2-143	CF ₃	H	2-OCF ₃	3-CN	4-CN
2-144	CF ₃	H	2-OCF ₃	3-CH ₃	4-CN
2-145	CF ₃	H	2-OCF ₃	3-CF ₃	4-CN
2-146	CF ₃	H	2-OCF ₃	3-OCH ₃	4-CN
2-147	CF ₃	H	2-OCF ₃	3-OCF ₃	4-CN
2-148	CF ₃	H	2-F	3-F	4-CH ₃
2-149	CF ₃	H	2-F	3-Cl	4-CH ₃
2-150	CF ₃	H	2-F	3-CN	4-CH ₃
2-151	CF ₃	H	2-F	3-CH ₃	4-CH ₃
2-152	CF ₃	H	2-F	3-CF ₃	4-CH ₃
2-153	CF ₃	H	2-F	3-OCH ₃	4-CH ₃
2-154	CF ₃	H	2-F	3-OCF ₃	4-CH ₃
2-155	CF ₃	H	2-Cl	3-F	4-CH ₃
2-156	CF ₃	H	2-Cl	3-Cl	4-CH ₃
2-157	CF ₃	H	2-Cl	3-CN	4-CH ₃
2-158	CF ₃	H	2-Cl	3-CH ₃	4-CH ₃
2-159	CF ₃	H	2-Cl	3-CF ₃	4-CH ₃
2-160	CF ₃	H	2-Cl	3-OCH ₃	4-CH ₃
2-161	CF ₃	H	2-Cl	3-OCF ₃	4-CH ₃
2-162	CF ₃	H	2-CN	3-F	4-CH ₃
2-163	CF ₃	H	2-CN	3-Cl	4-CH ₃
2-164	CF ₃	H	2-CN	3-CN	4-CH ₃
2-165	CF ₃	H	2-CN	3-CH ₃	4-CH ₃
2-166	CF ₃	H	2-CN	3-CF ₃	4-CH ₃
2-167	CF ₃	H	2-CN	3-OCH ₃	4-CH ₃
2-168	CF ₃	H	2-CN	3-OCF ₃	4-CH ₃
2-169	CF ₃	H	2-CH ₃	3-F	4-CH ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-170	CF ₃	H	2-CH ₃	3-Cl	4-CH ₃
2-171	CF ₃	H	2-CH ₃	3-CN	4-CH ₃
2-172	CF ₃	H	2-CH ₃	3-CH ₃	4-CH ₃
2-173	CF ₃	H	2-CH ₃	3-CF ₃	4-CH ₃
2-174	CF ₃	H	2-CH ₃	3-OCH ₃	4-CH ₃
2-175	CF ₃	H	2-CH ₃	3-OCF ₃	4-CH ₃
2-176	CF ₃	H	2-CF ₃	3-F	4-CH ₃
2-177	CF ₃	H	2-CF ₃	3-Cl	4-CH ₃
2-178	CF ₃	H	2-CF ₃	3-CN	4-CH ₃
2-179	CF ₃	H	2-CF ₃	3-CH ₃	4-CH ₃
2-180	CF ₃	H	2-CF ₃	3-CF ₃	4-CH ₃
2-181	CF ₃	H	2-CF ₃	3-OCH ₃	4-CH ₃
2-182	CF ₃	H	2-CF ₃	3-OCF ₃	4-CH ₃
2-183	CF ₃	H	2-OCH ₃	3-F	4-CH ₃
2-184	CF ₃	H	2-OCH ₃	3-Cl	4-CH ₃
2-185	CF ₃	H	2-OCH ₃	3-CN	4-CH ₃
2-186	CF ₃	H	2-OCH ₃	3-CH ₃	4-CH ₃
2-187	CF ₃	H	2-OCH ₃	3-CF ₃	4-CH ₃
2-188	CF ₃	H	2-OCH ₃	3-OCH ₃	4-CH ₃
2-189	CF ₃	H	2-OCH ₃	3-OCF ₃	4-CH ₃
2-190	CF ₃	H	2-OCF ₃	3-F	4-CH ₃
2-191	CF ₃	H	2-OCF ₃	3-Cl	4-CH ₃
2-192	CF ₃	H	2-OCF ₃	3-CN	4-CH ₃
2-193	CF ₃	H	2-OCF ₃	3-CH ₃	4-CH ₃
2-194	CF ₃	H	2-OCF ₃	3-CF ₃	4-CH ₃
2-195	CF ₃	H	2-OCF ₃	3-OCH ₃	4-CH ₃
2-196	CF ₃	H	2-OCF ₃	3-OCF ₃	4-CH ₃
2-197	CF ₃	H	2-F	3-F	4-CF ₃
2-198	CF ₃	H	2-F	3-Cl	4-CF ₃
2-199	CF ₃	H	2-F	3-CN	4-CF ₃
2-200	CF ₃	H	2-F	3-CH ₃	4-CF ₃
2-201	CF ₃	H	2-F	3-CF ₃	4-CF ₃
2-202	CF ₃	H	2-F	3-OCH ₃	4-CF ₃
2-203	CF ₃	H	2-F	3-OCF ₃	4-CF ₃
2-204	CF ₃	H	2-Cl	3-F	4-CF ₃
2-205	CF ₃	H	2-Cl	3-Cl	4-CF ₃
2-206	CF ₃	H	2-Cl	3-CN	4-CF ₃
2-207	CF ₃	H	2-Cl	3-CH ₃	4-CF ₃
2-208	CF ₃	H	2-Cl	3-CF ₃	4-CF ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-209	CF ₃	H	2-Cl	3-OCH ₃	4-CF ₃
2-210	CF ₃	H	2-Cl	3-OCF ₃	4-CF ₃
2-211	CF ₃	H	2-CN	3-F	4-CF ₃
2-212	CF ₃	H	2-CN	3-Cl	4-CF ₃
2-213	CF ₃	H	2-CN	3-CN	4-CF ₃
2-214	CF ₃	H	2-CN	3-CH ₃	4-CF ₃
2-215	CF ₃	H	2-CN	3-CF ₃	4-CF ₃
2-216	CF ₃	H	2-CN	3-OCH ₃	4-CF ₃
2-217	CF ₃	H	2-CN	3-OCF ₃	4-CF ₃
2-218	CF ₃	H	2-CH ₃	3-F	4-CF ₃
2-219	CF ₃	H	2-CH ₃	3-Cl	4-CF ₃
2-220	CF ₃	H	2-CH ₃	3-CN	4-CF ₃
2-221	CF ₃	H	2-CH ₃	3-CH ₃	4-CF ₃
2-222	CF ₃	H	2-CH ₃	3-CF ₃	4-CF ₃
2-223	CF ₃	H	2-CH ₃	3-OCH ₃	4-CF ₃
2-224	CF ₃	H	2-CH ₃	3-OCF ₃	4-CF ₃
2-225	CF ₃	H	2-CF ₃	3-F	4-CF ₃
2-226	CF ₃	H	2-CF ₃	3-Cl	4-CF ₃
2-227	CF ₃	H	2-CF ₃	3-CN	4-CF ₃
2-228	CF ₃	H	2-CF ₃	3-CH ₃	4-CF ₃
2-229	CF ₃	H	2-CF ₃	3-CF ₃	4-CF ₃
2-230	CF ₃	H	2-CF ₃	3-OCH ₃	4-CF ₃
2-231	CF ₃	H	2-CF ₃	3-OCF ₃	4-CF ₃
2-232	CF ₃	H	2-OCH ₃	3-F	4-CF ₃
2-233	CF ₃	H	2-OCH ₃	3-Cl	4-CF ₃
2-234	CF ₃	H	2-OCH ₃	3-CN	4-CF ₃
2-235	CF ₃	H	2-OCH ₃	3-CH ₃	4-CF ₃
2-236	CF ₃	H	2-OCH ₃	3-CF ₃	4-CF ₃
2-237	CF ₃	H	2-OCH ₃	3-OCH ₃	4-CF ₃
2-238	CF ₃	H	2-OCH ₃	3-OCF ₃	4-CF ₃
2-239	CF ₃	H	2-OCF ₃	3-F	4-CF ₃
2-240	CF ₃	H	2-OCF ₃	3-Cl	4-CF ₃
2-241	CF ₃	H	2-OCF ₃	3-CN	4-CF ₃
2-242	CF ₃	H	2-OCF ₃	3-CH ₃	4-CF ₃
2-243	CF ₃	H	2-OCF ₃	3-CF ₃	4-CF ₃
2-244	CF ₃	H	2-OCF ₃	3-OCH ₃	4-CF ₃
2-245	CF ₃	H	2-OCF ₃	3-OCF ₃	4-CF ₃
2-246	CF ₃	H	2-F	3-F	4-OCH ₃
2-247	CF ₃	H	2-F	3-Cl	4-OCH ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-248	CF ₃	H	2-F	3-CN	4-OCH ₃
2-249	CF ₃	H	2-F	3-CH ₃	4-OCH ₃
2-250	CF ₃	H	2-F	3-CF ₃	4-OCH ₃
2-251	CF ₃	H	2-F	3-OCH ₃	4-OCH ₃
2-252	CF ₃	H	2-F	3-OCF ₃	4-OCH ₃
2-253	CF ₃	H	2-Cl	3-F	4-OCH ₃
2-254	CF ₃	H	2-Cl	3-Cl	4-OCH ₃
2-255	CF ₃	H	2-Cl	3-CN	4-OCH ₃
2-256	CF ₃	H	2-Cl	3-CH ₃	4-OCH ₃
2-257	CF ₃	H	2-Cl	3-CF ₃	4-OCH ₃
2-258	CF ₃	H	2-Cl	3-OCH ₃	4-OCH ₃
2-259	CF ₃	H	2-Cl	3-OCF ₃	4-OCH ₃
2-260	CF ₃	H	2-CN	3-F	4-OCH ₃
2-261	CF ₃	H	2-CN	3-Cl	4-OCH ₃
2-262	CF ₃	H	2-CN	3-CN	4-OCH ₃
2-263	CF ₃	H	2-CN	3-CH ₃	4-OCH ₃
2-264	CF ₃	H	2-CN	3-CF ₃	4-OCH ₃
2-265	CF ₃	H	2-CN	3-OCH ₃	4-OCH ₃
2-266	CF ₃	H	2-CN	3-OCF ₃	4-OCH ₃
2-267	CF ₃	H	2-CH ₃	3-F	4-OCH ₃
2-268	CF ₃	H	2-CH ₃	3-Cl	4-OCH ₃
2-269	CF ₃	H	2-CH ₃	3-CN	4-OCH ₃
2-270	CF ₃	H	2-CH ₃	3-CH ₃	4-OCH ₃
2-271	CF ₃	H	2-CH ₃	3-CF ₃	4-OCH ₃
2-272	CF ₃	H	2-CH ₃	3-OCH ₃	4-OCH ₃
2-273	CF ₃	H	2-CH ₃	3-OCF ₃	4-OCH ₃
2-274	CF ₃	H	2-CF ₃	3-F	4-OCH ₃
2-275	CF ₃	H	2-CF ₃	3-Cl	4-OCH ₃
2-276	CF ₃	H	2-CF ₃	3-CN	4-OCH ₃
2-277	CF ₃	H	2-CF ₃	3-CH ₃	4-OCH ₃
2-278	CF ₃	H	2-CF ₃	3-CF ₃	4-OCH ₃
2-279	CF ₃	H	2-CF ₃	3-OCH ₃	4-OCH ₃
2-280	CF ₃	H	2-CF ₃	3-OCF ₃	4-OCH ₃
2-281	CF ₃	H	2-OCH ₃	3-F	4-OCH ₃
2-282	CF ₃	H	2-OCH ₃	3-Cl	4-OCH ₃
2-283	CF ₃	H	2-OCH ₃	3-CN	4-OCH ₃
2-284	CF ₃	H	2-OCH ₃	3-CH ₃	4-OCH ₃
2-285	CF ₃	H	2-OCH ₃	3-CF ₃	4-OCH ₃
2-286	CF ₃	H	2-OCH ₃	3-OCH ₃	4-OCH ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-287	CF ₃	H	2-OCH ₃	3-OCF ₃	4-OCH ₃
2-288	CF ₃	H	2-OCF ₃	3-F	4-OCH ₃
2-289	CF ₃	H	2-OCF ₃	3-Cl	4-OCH ₃
2-290	CF ₃	H	2-OCF ₃	3-CN	4-OCH ₃
2-291	CF ₃	H	2-OCF ₃	3-CH ₃	4-OCH ₃
2-292	CF ₃	H	2-OCF ₃	3-CF ₃	4-OCH ₃
2-293	CF ₃	H	2-OCF ₃	3-OCH ₃	4-OCH ₃
2-294	CF ₃	H	2-OCF ₃	3-OCF ₃	4-OCH ₃
2-295	CF ₃	H	2-F	3-F	4-OCF ₃
2-296	CF ₃	H	2-F	3-Cl	4-OCF ₃
2-297	CF ₃	H	2-F	3-CN	4-OCF ₃
2-298	CF ₃	H	2-F	3-CH ₃	4-OCF ₃
2-299	CF ₃	H	2-F	3-CF ₃	4-OCF ₃
2-300	CF ₃	H	2-F	3-OCH ₃	4-OCF ₃
2-301	CF ₃	H	2-F	3-OCF ₃	4-OCF ₃
2-302	CF ₃	H	2-Cl	3-F	4-OCF ₃
2-303	CF ₃	H	2-Cl	3-Cl	4-OCF ₃
2-304	CF ₃	H	2-Cl	3-CN	4-OCF ₃
2-305	CF ₃	H	2-Cl	3-CH ₃	4-OCF ₃
2-306	CF ₃	H	2-Cl	3-CF ₃	4-OCF ₃
2-307	CF ₃	H	2-Cl	3-OCH ₃	4-OCF ₃
2-308	CF ₃	H	2-Cl	3-OCF ₃	4-OCF ₃
2-309	CF ₃	H	2-CN	3-F	4-OCF ₃
2-310	CF ₃	H	2-CN	3-Cl	4-OCF ₃
2-311	CF ₃	H	2-CN	3-CN	4-OCF ₃
2-312	CF ₃	H	2-CN	3-CH ₃	4-OCF ₃
2-313	CF ₃	H	2-CN	3-CF ₃	4-OCF ₃
2-314	CF ₃	H	2-CN	3-OCH ₃	4-OCF ₃
2-315	CF ₃	H	2-CN	3-OCF ₃	4-OCF ₃
2-316	CF ₃	H	2-CH ₃	3-F	4-OCF ₃
2-317	CF ₃	H	2-CH ₃	3-Cl	4-OCF ₃
2-318	CF ₃	H	2-CH ₃	3-CN	4-OCF ₃
2-319	CF ₃	H	2-CH ₃	3-CH ₃	4-OCF ₃
2-320	CF ₃	H	2-CH ₃	3-CF ₃	4-OCF ₃
2-321	CF ₃	H	2-CH ₃	3-OCH ₃	4-OCF ₃
2-322	CF ₃	H	2-CH ₃	3-OCF ₃	4-OCF ₃
2-323	CF ₃	H	2-CF ₃	3-F	4-OCF ₃
2-324	CF ₃	H	2-CF ₃	3-Cl	4-OCF ₃
2-325	CF ₃	H	2-CF ₃	3-CN	4-OCF ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-326	CF ₃	H	2-CF ₃	3-CH ₃	4-OCF ₃
2-327	CF ₃	H	2-CF ₃	3-CF ₃	4-OCF ₃
2-328	CF ₃	H	2-CF ₃	3-OCH ₃	4-OCF ₃
2-329	CF ₃	H	2-CF ₃	3-OCF ₃	4-OCF ₃
2-330	CF ₃	H	2-OCH ₃	3-F	4-OCF ₃
2-331	CF ₃	H	2-OCH ₃	3-Cl	4-OCF ₃
2-332	CF ₃	H	2-OCH ₃	3-CN	4-OCF ₃
2-333	CF ₃	H	2-OCH ₃	3-CH ₃	4-OCF ₃
2-334	CF ₃	H	2-OCH ₃	3-CF ₃	4-OCF ₃
2-335	CF ₃	H	2-OCH ₃	3-OCH ₃	4-OCF ₃
2-336	CF ₃	H	2-OCH ₃	3-OCF ₃	4-OCF ₃
2-337	CF ₃	H	2-OCF ₃	3-F	4-OCF ₃
2-338	CF ₃	H	2-OCF ₃	3-Cl	4-OCF ₃
2-339	CF ₃	H	2-OCF ₃	3-CN	4-OCF ₃
2-340	CF ₃	H	2-OCF ₃	3-CH ₃	4-OCF ₃
2-341	CF ₃	H	2-OCF ₃	3-CF ₃	4-OCF ₃
2-342	CF ₃	H	2-OCF ₃	3-OCH ₃	4-OCF ₃
2-343	CF ₃	H	2-OCF ₃	3-OCF ₃	4-OCF ₃
2-344	CF ₃	H	3-F	4-F	5-F
2-345	CF ₃	H	3-Cl	4-F	5-F
2-346	CF ₃	H	3-CN	4-F	5-F
2-347	CF ₃	H	3-CH ₃	4-F	5-F
2-348	CF ₃	H	3-CF ₃	4-F	5-F
2-349	CF ₃	H	3-OCH ₃	4-F	5-F
2-350	CF ₃	H	3-OCF ₃	4-F	5-F
2-351	CF ₃	H	3-F	4-F	5-Cl
2-352	CF ₃	H	3-Cl	4-F	5-Cl
2-353	CF ₃	H	3-CN	4-F	5-Cl
2-354	CF ₃	H	3-CH ₃	4-F	5-Cl
2-355	CF ₃	H	3-CF ₃	4-F	5-Cl
2-356	CF ₃	H	3-OCH ₃	4-F	5-Cl
2-357	CF ₃	H	3-OCF ₃	4-F	5-Cl
2-358	CF ₃	H	3-F	4-F	5-CN
2-359	CF ₃	H	3-Cl	4-F	5-CN
2-360	CF ₃	H	3-CN	4-F	5-CN
2-361	CF ₃	H	3-CH ₃	4-F	5-CN
2-362	CF ₃	H	3-CF ₃	4-F	5-CN
2-363	CF ₃	H	3-OCH ₃	4-F	5-CN
2-364	CF ₃	H	3-OCF ₃	4-F	5-CN

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-365	CF ₃	H	3-F	4-F	5-CH ₃
2-366	CF ₃	H	3-Cl	4-F	5-CH ₃
2-367	CF ₃	H	3-CN	4-F	5-CH ₃
2-368	CF ₃	H	3-CH ₃	4-F	5-CH ₃
2-369	CF ₃	H	3-CF ₃	4-F	5-CH ₃
2-370	CF ₃	H	3-OCH ₃	4-F	5-CH ₃
2-371	CF ₃	H	3-OCF ₃	4-F	5-CH ₃
2-372	CF ₃	H	3-F	4-F	5-CF ₃
2-373	CF ₃	H	3-Cl	4-F	5-CF ₃
2-374	CF ₃	H	3-CN	4-F	5-CF ₃
2-375	CF ₃	H	3-CH ₃	4-F	5-CF ₃
2-376	CF ₃	H	3-CF ₃	4-F	5-CF ₃
2-377	CF ₃	H	3-OCH ₃	4-F	5-CF ₃
2-378	CF ₃	H	3-OCF ₃	4-F	5-CF ₃
2-379	CF ₃	H	3-F	4-F	5-OCH ₃
2-380	CF ₃	H	3-Cl	4-F	5-OCH ₃
2-381	CF ₃	H	3-CN	4-F	5-OCH ₃
2-382	CF ₃	H	3-CH ₃	4-F	5-OCH ₃
2-383	CF ₃	H	3-CF ₃	4-F	5-OCH ₃
2-384	CF ₃	H	3-OCH ₃	4-F	5-OCH ₃
2-385	CF ₃	H	3-OCF ₃	4-F	5-OCH ₃
2-386	CF ₃	H	3-F	4-F	5-OCF ₃
2-387	CF ₃	H	3-Cl	4-F	5-OCF ₃
2-388	CF ₃	H	3-CN	4-F	5-OCF ₃
2-389	CF ₃	H	3-CH ₃	4-F	5-OCF ₃
2-390	CF ₃	H	3-CF ₃	4-F	5-OCF ₃
2-391	CF ₃	H	3-OCH ₃	4-F	5-OCF ₃
2-392	CF ₃	H	3-OCF ₃	4-F	5-OCF ₃
2-393	CF ₃	H	3-F	4-Cl	5-F
2-394	CF ₃	H	3-Cl	4-Cl	5-F
2-395	CF ₃	H	3-CN	4-Cl	5-F
2-396	CF ₃	H	3-CH ₃	4-Cl	5-F
2-397	CF ₃	H	3-CF ₃	4-Cl	5-F
2-398	CF ₃	H	3-OCH ₃	4-Cl	5-F
2-399	CF ₃	H	3-OCF ₃	4-Cl	5-F
2-400	CF ₃	H	3-F	4-Cl	5-Cl
2-401	CF ₃	H	3-Cl	4-Cl	5-Cl
2-402	CF ₃	H	3-CN	4-Cl	5-Cl
2-403	CF ₃	H	3-CH ₃	4-Cl	5-Cl

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-404	CF ₃	H	3-CF ₃	4-Cl	5-Cl
2-405	CF ₃	H	3-OCH ₃	4-Cl	5-Cl
2-406	CF ₃	H	3-OCF ₃	4-Cl	5-Cl
2-407	CF ₃	H	3-F	4-Cl	5-CN
2-408	CF ₃	H	3-Cl	4-Cl	5-CN
2-409	CF ₃	H	3-CN	4-Cl	5-CN
2-410	CF ₃	H	3-CH ₃	4-Cl	5-CN
2-411	CF ₃	H	3-CF ₃	4-Cl	5-CN
2-412	CF ₃	H	3-OCH ₃	4-Cl	5-CN
2-413	CF ₃	H	3-OCF ₃	4-Cl	5-CN
2-414	CF ₃	H	3-F	4-Cl	5-CH ₃
2-415	CF ₃	H	3-Cl	4-Cl	5-CH ₃
2-416	CF ₃	H	3-CN	4-Cl	5-CH ₃
2-417	CF ₃	H	3-CH ₃	4-Cl	5-CH ₃
2-418	CF ₃	H	3-CF ₃	4-Cl	5-CH ₃
2-419	CF ₃	H	3-OCH ₃	4-Cl	5-CH ₃
2-420	CF ₃	H	3-OCF ₃	4-Cl	5-CH ₃
2-421	CF ₃	H	3-F	4-Cl	5-CF ₃
2-422	CF ₃	H	3-Cl	4-Cl	5-CF ₃
2-423	CF ₃	H	3-CN	4-Cl	5-CF ₃
2-424	CF ₃	H	3-CH ₃	4-Cl	5-CF ₃
2-425	CF ₃	H	3-CF ₃	4-Cl	5-CF ₃
2-426	CF ₃	H	3-OCH ₃	4-Cl	5-CF ₃
2-427	CF ₃	H	3-OCF ₃	4-Cl	5-CF ₃
2-428	CF ₃	H	3-F	4-Cl	5-OCH ₃
2-429	CF ₃	H	3-Cl	4-Cl	5-OCH ₃
2-430	CF ₃	H	3-CN	4-Cl	5-OCH ₃
2-431	CF ₃	H	3-CH ₃	4-Cl	5-OCH ₃
2-432	CF ₃	H	3-CF ₃	4-Cl	5-OCH ₃
2-433	CF ₃	H	3-OCH ₃	4-Cl	5-OCH ₃
2-434	CF ₃	H	3-OCF ₃	4-Cl	5-OCH ₃
2-435	CF ₃	H	3-F	4-Cl	5-OCF ₃
2-436	CF ₃	H	3-Cl	4-Cl	5-OCF ₃
2-437	CF ₃	H	3-CN	4-Cl	5-OCF ₃
2-438	CF ₃	H	3-CH ₃	4-Cl	5-OCF ₃
2-439	CF ₃	H	3-CF ₃	4-Cl	5-OCF ₃
2-440	CF ₃	H	3-OCH ₃	4-Cl	5-OCF ₃
2-441	CF ₃	H	3-OCF ₃	4-Cl	5-OCF ₃
2-442	CF ₃	H	3-F	4-CN	5-F

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-443	CF ₃	H	3-Cl	4-CN	5-F
2-444	CF ₃	H	3-CN	4-CN	5-F
2-445	CF ₃	H	3-CH ₃	4-CN	5-F
2-446	CF ₃	H	3-CF ₃	4-CN	5-F
2-447	CF ₃	H	3-OCH ₃	4-CN	5-F
2-448	CF ₃	H	3-OCF ₃	4-CN	5-F
2-449	CF ₃	H	3-F	4-CN	5-Cl
2-450	CF ₃	H	3-Cl	4-CN	5-Cl
2-451	CF ₃	H	3-CN	4-CN	5-Cl
2-452	CF ₃	H	3-CH ₃	4-CN	5-Cl
2-453	CF ₃	H	3-CF ₃	4-CN	5-Cl
2-454	CF ₃	H	3-OCH ₃	4-CN	5-Cl
2-455	CF ₃	H	3-OCF ₃	4-CN	5-Cl
2-456	CF ₃	H	3-F	4-CN	5-CN
2-457	CF ₃	H	3-Cl	4-CN	5-CN
2-458	CF ₃	H	3-CN	4-CN	5-CN
2-459	CF ₃	H	3-CH ₃	4-CN	5-CN
2-460	CF ₃	H	3-CF ₃	4-CN	5-CN
2-461	CF ₃	H	3-OCH ₃	4-CN	5-CN
2-462	CF ₃	H	3-OCF ₃	4-CN	5-CN
2-463	CF ₃	H	3-F	4-CN	5-CH ₃
2-464	CF ₃	H	3-Cl	4-CN	5-CH ₃
2-465	CF ₃	H	3-CN	4-CN	5-CH ₃
2-466	CF ₃	H	3-CH ₃	4-CN	5-CH ₃
2-467	CF ₃	H	3-CF ₃	4-CN	5-CH ₃
2-468	CF ₃	H	3-OCH ₃	4-CN	5-CH ₃
2-469	CF ₃	H	3-OCF ₃	4-CN	5-CH ₃
2-470	CF ₃	H	3-F	4-CN	5-CF ₃
2-471	CF ₃	H	3-Cl	4-CN	5-CF ₃
2-472	CF ₃	H	3-CN	4-CN	5-CF ₃
2-473	CF ₃	H	3-CH ₃	4-CN	5-CF ₃
2-474	CF ₃	H	3-CF ₃	4-CN	5-CF ₃
2-475	CF ₃	H	3-OCH ₃	4-CN	5-CF ₃
2-476	CF ₃	H	3-OCF ₃	4-CN	5-CF ₃
2-477	CF ₃	H	3-F	4-CN	5-OCH ₃
2-478	CF ₃	H	3-Cl	4-CN	5-OCH ₃
2-479	CF ₃	H	3-CN	4-CN	5-OCH ₃
2-480	CF ₃	H	3-CH ₃	4-CN	5-OCH ₃
2-481	CF ₃	H	3-CF ₃	4-CN	5-OCH ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-482	CF ₃	H	3-OCH ₃	4-CN	5-OCH ₃
2-483	CF ₃	H	3-OCF ₃	4-CN	5-OCH ₃
2-484	CF ₃	H	3-F	4-CN	5-OCF ₃
2-485	CF ₃	H	3-Cl	4-CN	5-OCF ₃
2-486	CF ₃	H	3-CN	4-CN	5-OCF ₃
2-487	CF ₃	H	3-CH ₃	4-CN	5-OCF ₃
2-488	CF ₃	H	3-CF ₃	4-CN	5-OCF ₃
2-489	CF ₃	H	3-OCH ₃	4-CN	5-OCF ₃
2-490	CF ₃	H	3-OCF ₃	4-CN	5-OCF ₃
2-491	CF ₃	H	3-F	4-CH ₃	5-F
2-492	CF ₃	H	3-Cl	4-CH ₃	5-F
2-493	CF ₃	H	3-CN	4-CH ₃	5-F
2-494	CF ₃	H	3-CH ₃	4-CH ₃	5-F
2-495	CF ₃	H	3-CF ₃	4-CH ₃	5-F
2-496	CF ₃	H	3-OCH ₃	4-CH ₃	5-F
2-497	CF ₃	H	3-OCF ₃	4-CH ₃	5-F
2-498	CF ₃	H	3-F	4-CH ₃	5-Cl
2-499	CF ₃	H	3-Cl	4-CH ₃	5-Cl
2-500	CF ₃	H	3-CN	4-CH ₃	5-Cl
2-501	CF ₃	H	3-CH ₃	4-CH ₃	5-Cl
2-502	CF ₃	H	3-CF ₃	4-CH ₃	5-Cl
2-503	CF ₃	H	3-OCH ₃	4-CH ₃	5-Cl
2-504	CF ₃	H	3-OCF ₃	4-CH ₃	5-Cl
2-505	CF ₃	H	3-F	4-CH ₃	5-CN
2-506	CF ₃	H	3-Cl	4-CH ₃	5-CN
2-507	CF ₃	H	3-CN	4-CH ₃	5-CN
2-508	CF ₃	H	3-CH ₃	4-CH ₃	5-CN
2-509	CF ₃	H	3-CF ₃	4-CH ₃	5-CN
2-510	CF ₃	H	3-OCH ₃	4-CH ₃	5-CN
2-511	CF ₃	H	3-OCF ₃	4-CH ₃	5-CN
2-512	CF ₃	H	3-F	4-CH ₃	5-CH ₃
2-513	CF ₃	H	3-Cl	4-CH ₃	5-CH ₃
2-514	CF ₃	H	3-CN	4-CH ₃	5-CH ₃
2-515	CF ₃	H	3-CH ₃	4-CH ₃	5-CH ₃
2-516	CF ₃	H	3-CF ₃	4-CH ₃	5-CH ₃
2-517	CF ₃	H	3-OCH ₃	4-CH ₃	5-CH ₃
2-518	CF ₃	H	3-OCF ₃	4-CH ₃	5-CH ₃
2-519	CF ₃	H	3-F	4-CH ₃	5-CF ₃
2-520	CF ₃	H	3-Cl	4-CH ₃	5-CF ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-521	CF ₃	H	3-CN	4-CH ₃	5-CF ₃
2-522	CF ₃	H	3-CH ₃	4-CH ₃	5-CF ₃
2-523	CF ₃	H	3-CF ₃	4-CH ₃	5-CF ₃
2-524	CF ₃	H	3-OCH ₃	4-CH ₃	5-CF ₃
2-525	CF ₃	H	3-OCF ₃	4-CH ₃	5-CF ₃
2-526	CF ₃	H	3-F	4-CH ₃	5-OCH ₃
2-527	CF ₃	H	3-Cl	4-CH ₃	5-OCH ₃
2-528	CF ₃	H	3-CN	4-CH ₃	5-OCH ₃
2-529	CF ₃	H	3-CH ₃	4-CH ₃	5-OCH ₃
2-530	CF ₃	H	3-CF ₃	4-CH ₃	5-OCH ₃
2-531	CF ₃	H	3-OCH ₃	4-CH ₃	5-OCH ₃
2-532	CF ₃	H	3-OCF ₃	4-CH ₃	5-OCH ₃
2-533	CF ₃	H	3-F	4-CH ₃	5-OCF ₃
2-534	CF ₃	H	3-Cl	4-CH ₃	5-OCF ₃
2-535	CF ₃	H	3-CN	4-CH ₃	5-OCF ₃
2-536	CF ₃	H	3-CH ₃	4-CH ₃	5-OCF ₃
2-537	CF ₃	H	3-CF ₃	4-CH ₃	5-OCF ₃
2-538	CF ₃	H	3-OCH ₃	4-CH ₃	5-OCF ₃
2-539	CF ₃	H	3-OCF ₃	4-CH ₃	5-OCF ₃
2-540	CF ₃	H	3-F	4-CF ₃	5-F
2-541	CF ₃	H	3-Cl	4-CF ₃	5-F
2-542	CF ₃	H	3-CN	4-CF ₃	5-F
2-543	CF ₃	H	3-CH ₃	4-CF ₃	5-F
2-544	CF ₃	H	3-CF ₃	4-CF ₃	5-F
2-545	CF ₃	H	3-OCH ₃	4-CF ₃	5-F
2-546	CF ₃	H	3-OCF ₃	4-CF ₃	5-F
2-547	CF ₃	H	3-F	4-CF ₃	5-Cl
2-548	CF ₃	H	3-Cl	4-CF ₃	5-Cl
2-549	CF ₃	H	3-CN	4-CF ₃	5-Cl
2-550	CF ₃	H	3-CH ₃	4-CF ₃	5-Cl
2-551	CF ₃	H	3-CF ₃	4-CF ₃	5-Cl
2-552	CF ₃	H	3-OCH ₃	4-CF ₃	5-Cl
2-553	CF ₃	H	3-OCF ₃	4-CF ₃	5-Cl
2-554	CF ₃	H	3-F	4-CF ₃	5-CN
2-555	CF ₃	H	3-Cl	4-CF ₃	5-CN
2-556	CF ₃	H	3-CN	4-CF ₃	5-CN
2-557	CF ₃	H	3-CH ₃	4-CF ₃	5-CN
2-558	CF ₃	H	3-CF ₃	4-CF ₃	5-CN
2-559	CF ₃	H	3-OCH ₃	4-CF ₃	5-CN

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-560	CF ₃	H	3-OCF ₃	4-CF ₃	5-CN
2-561	CF ₃	H	3-F	4-CF ₃	5-CH ₃
2-562	CF ₃	H	3-Cl	4-CF ₃	5-CH ₃
2-563	CF ₃	H	3-CN	4-CF ₃	5-CH ₃
2-564	CF ₃	H	3-CH ₃	4-CF ₃	5-CH ₃
2-565	CF ₃	H	3-CF ₃	4-CF ₃	5-CH ₃
2-566	CF ₃	H	3-OCH ₃	4-CF ₃	5-CH ₃
2-567	CF ₃	H	3-OCF ₃	4-CF ₃	5-CH ₃
2-568	CF ₃	H	3-F	4-CF ₃	5-CF ₃
2-569	CF ₃	H	3-Cl	4-CF ₃	5-CF ₃
2-570	CF ₃	H	3-CN	4-CF ₃	5-CF ₃
2-571	CF ₃	H	3-CH ₃	4-CF ₃	5-CF ₃
2-572	CF ₃	H	3-CF ₃	4-CF ₃	5-CF ₃
2-573	CF ₃	H	3-OCH ₃	4-CF ₃	5-CF ₃
2-574	CF ₃	H	3-OCF ₃	4-CF ₃	5-CF ₃
2-575	CF ₃	H	3-F	4-CF ₃	5-OCH ₃
2-576	CF ₃	H	3-Cl	4-CF ₃	5-OCH ₃
2-577	CF ₃	H	3-CN	4-CF ₃	5-OCH ₃
2-578	CF ₃	H	3-CH ₃	4-CF ₃	5-OCH ₃
2-579	CF ₃	H	3-CF ₃	4-CF ₃	5-OCH ₃
2-580	CF ₃	H	3-OCH ₃	4-CF ₃	5-OCH ₃
2-581	CF ₃	H	3-OCF ₃	4-CF ₃	5-OCH ₃
2-582	CF ₃	H	3-F	4-CF ₃	5-OCF ₃
2-583	CF ₃	H	3-Cl	4-CF ₃	5-OCF ₃
2-584	CF ₃	H	3-CN	4-CF ₃	5-OCF ₃
2-585	CF ₃	H	3-CH ₃	4-CF ₃	5-OCF ₃
2-586	CF ₃	H	3-CF ₃	4-CF ₃	5-OCF ₃
2-587	CF ₃	H	3-OCH ₃	4-CF ₃	5-OCF ₃
2-588	CF ₃	H	3-OCF ₃	4-CF ₃	5-OCF ₃
2-589	CF ₃	H	3-F	4-OCH ₃	5-F
2-590	CF ₃	H	3-Cl	4-OCH ₃	5-F
2-591	CF ₃	H	3-CN	4-OCH ₃	5-F
2-592	CF ₃	H	3-CH ₃	4-OCH ₃	5-F
2-593	CF ₃	H	3-CF ₃	4-OCH ₃	5-F
2-594	CF ₃	H	3-OCH ₃	4-OCH ₃	5-F
2-595	CF ₃	H	3-OCF ₃	4-OCH ₃	5-F
2-596	CF ₃	H	3-F	4-OCH ₃	5-Cl
2-597	CF ₃	H	3-Cl	4-OCH ₃	5-Cl
2-598	CF ₃	H	3-CN	4-OCH ₃	5-Cl

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-599	CF ₃	H	3-CH ₃	4-OCH ₃	5-Cl
2-600	CF ₃	H	3-CF ₃	4-OCH ₃	5-Cl
2-601	CF ₃	H	3-OCH ₃	4-OCH ₃	5-Cl
2-602	CF ₃	H	3-OCF ₃	4-OCH ₃	5-Cl
2-603	CF ₃	H	3-F	4-OCH ₃	5-CN
2-604	CF ₃	H	3-Cl	4-OCH ₃	5-CN
2-605	CF ₃	H	3-CN	4-OCH ₃	5-CN
2-606	CF ₃	H	3-CH ₃	4-OCH ₃	5-CN
2-607	CF ₃	H	3-CF ₃	4-OCH ₃	5-CN
2-608	CF ₃	H	3-OCH ₃	4-OCH ₃	5-CN
2-609	CF ₃	H	3-OCF ₃	4-OCH ₃	5-CN
2-610	CF ₃	H	3-F	4-OCH ₃	5-CH ₃
2-611	CF ₃	H	3-Cl	4-OCH ₃	5-CH ₃
2-612	CF ₃	H	3-CN	4-OCH ₃	5-CH ₃
2-613	CF ₃	H	3-CH ₃	4-OCH ₃	5-CH ₃
2-614	CF ₃	H	3-CF ₃	4-OCH ₃	5-CH ₃
2-615	CF ₃	H	3-OCH ₃	4-OCH ₃	5-CH ₃
2-616	CF ₃	H	3-OCF ₃	4-OCH ₃	5-CH ₃
2-617	CF ₃	H	3-F	4-OCH ₃	5-CF ₃
2-618	CF ₃	H	3-Cl	4-OCH ₃	5-CF ₃
2-619	CF ₃	H	3-CN	4-OCH ₃	5-CF ₃
2-620	CF ₃	H	3-CH ₃	4-OCH ₃	5-CF ₃
2-621	CF ₃	H	3-CF ₃	4-OCH ₃	5-CF ₃
2-622	CF ₃	H	3-OCH ₃	4-OCH ₃	5-CF ₃
2-623	CF ₃	H	3-OCF ₃	4-OCH ₃	5-CF ₃
2-624	CF ₃	H	3-F	4-OCH ₃	5-OCH ₃
2-625	CF ₃	H	3-Cl	4-OCH ₃	5-OCH ₃
2-626	CF ₃	H	3-CN	4-OCH ₃	5-OCH ₃
2-627	CF ₃	H	3-CH ₃	4-OCH ₃	5-OCH ₃
2-628	CF ₃	H	3-CF ₃	4-OCH ₃	5-OCH ₃
2-629	CF ₃	H	3-OCH ₃	4-OCH ₃	5-OCH ₃
2-630	CF ₃	H	3-OCF ₃	4-OCH ₃	5-OCH ₃
2-631	CF ₃	H	3-F	4-OCH ₃	5-OCF ₃
2-632	CF ₃	H	3-Cl	4-OCH ₃	5-OCF ₃
2-633	CF ₃	H	3-CN	4-OCH ₃	5-OCF ₃
2-634	CF ₃	H	3-CH ₃	4-OCH ₃	5-OCF ₃
2-635	CF ₃	H	3-CF ₃	4-OCH ₃	5-OCF ₃
2-636	CF ₃	H	3-OCH ₃	4-OCH ₃	5-OCF ₃
2-637	CF ₃	H	3-OCF ₃	4-OCH ₃	5-OCF ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-638	CF ₃	H	3-F	4-OCF ₃	5-F
2-639	CF ₃	H	3-Cl	4-OCF ₃	5-F
2-640	CF ₃	H	3-CN	4-OCF ₃	5-F
2-641	CF ₃	H	3-CH ₃	4-OCF ₃	5-F
2-642	CF ₃	H	3-CF ₃	4-OCF ₃	5-F
2-643	CF ₃	H	3-OCH ₃	4-OCF ₃	5-F
2-644	CF ₃	H	3-OCF ₃	4-OCF ₃	5-F
2-645	CF ₃	H	3-F	4-OCF ₃	5-Cl
2-646	CF ₃	H	3-Cl	4-OCF ₃	5-Cl
2-647	CF ₃	H	3-CN	4-OCF ₃	5-Cl
2-648	CF ₃	H	3-CH ₃	4-OCF ₃	5-Cl
2-649	CF ₃	H	3-CF ₃	4-OCF ₃	5-Cl
2-650	CF ₃	H	3-OCH ₃	4-OCF ₃	5-Cl
2-651	CF ₃	H	3-OCF ₃	4-OCF ₃	5-Cl
2-652	CF ₃	H	3-F	4-OCF ₃	5-CN
2-653	CF ₃	H	3-Cl	4-OCF ₃	5-CN
2-654	CF ₃	H	3-CN	4-OCF ₃	5-CN
2-655	CF ₃	H	3-CH ₃	4-OCF ₃	5-CN
2-656	CF ₃	H	3-CF ₃	4-OCF ₃	5-CN
2-657	CF ₃	H	3-OCH ₃	4-OCF ₃	5-CN
2-658	CF ₃	H	3-OCF ₃	4-OCF ₃	5-CN
2-659	CF ₃	H	3-F	4-OCF ₃	5-CH ₃
2-660	CF ₃	H	3-Cl	4-OCF ₃	5-CH ₃
2-661	CF ₃	H	3-CN	4-OCF ₃	5-CH ₃
2-662	CF ₃	H	3-CH ₃	4-OCF ₃	5-CH ₃
2-663	CF ₃	H	3-CF ₃	4-OCF ₃	5-CH ₃
2-664	CF ₃	H	3-OCH ₃	4-OCF ₃	5-CH ₃
2-665	CF ₃	H	3-OCF ₃	4-OCF ₃	5-CH ₃
2-666	CF ₃	H	3-F	4-OCF ₃	5-CF ₃
2-667	CF ₃	H	3-Cl	4-OCF ₃	5-CF ₃
2-668	CF ₃	H	3-CN	4-OCF ₃	5-CF ₃
2-669	CF ₃	H	3-CH ₃	4-OCF ₃	5-CF ₃
2-670	CF ₃	H	3-CF ₃	4-OCF ₃	5-CF ₃
2-671	CF ₃	H	3-OCH ₃	4-OCF ₃	5-CF ₃
2-672	CF ₃	H	3-OCF ₃	4-OCF ₃	5-CF ₃
2-673	CF ₃	H	3-F	4-OCF ₃	5-OCH ₃
2-674	CF ₃	H	3-Cl	4-OCF ₃	5-OCH ₃
2-675	CF ₃	H	3-CN	4-OCF ₃	5-OCH ₃
2-676	CF ₃	H	3-CH ₃	4-OCF ₃	5-OCH ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-677	CF ₃	H	3-CF ₃	4-OCF ₃	5-OCH ₃
2-678	CF ₃	H	3-OCH ₃	4-OCF ₃	5-OCH ₃
2-679	CF ₃	H	3-OCF ₃	4-OCF ₃	5-OCH ₃
2-680	CF ₃	H	3-F	4-OCF ₃	5-OCF ₃
2-681	CF ₃	H	3-Cl	4-OCF ₃	5-OCF ₃
2-682	CF ₃	H	3-CN	4-OCF ₃	5-OCF ₃
2-683	CF ₃	H	3-CH ₃	4-OCF ₃	5-OCF ₃
2-684	CF ₃	H	3-CF ₃	4-OCF ₃	5-OCF ₃
2-685	CF ₃	H	3-OCH ₃	4-OCF ₃	5-OCF ₃
2-686	CF ₃	H	3-OCF ₃	4-OCF ₃	5-OCF ₃
2-687	CF ₃	H	2-F	4-F	5-F
2-688	CF ₃	H	2-F	4-F	5-Cl
2-689	CF ₃	H	2-F	4-F	5-CN
2-690	CF ₃	H	2-F	4-F	5-CH ₃
2-691	CF ₃	H	2-F	4-F	5-CF ₃
2-692	CF ₃	H	2-F	4-F	5-OCH ₃
2-693	CF ₃	H	2-F	4-F	5-OCF ₃
2-694	CF ₃	H	2-Cl	4-F	5-F
2-695	CF ₃	H	2-Cl	4-F	5-Cl
2-696	CF ₃	H	2-Cl	4-F	5-CN
2-697	CF ₃	H	2-Cl	4-F	5-CH ₃
2-698	CF ₃	H	2-Cl	4-F	5-CF ₃
2-699	CF ₃	H	2-Cl	4-F	5-OCH ₃
2-700	CF ₃	H	2-Cl	4-F	5-OCF ₃
2-701	CF ₃	H	2-CN	4-F	5-F
2-702	CF ₃	H	2-CN	4-F	5-Cl
2-703	CF ₃	H	2-CN	4-F	5-CN
2-704	CF ₃	H	2-CN	4-F	5-CH ₃
2-705	CF ₃	H	2-CN	4-F	5-CF ₃
2-706	CF ₃	H	2-CN	4-F	5-OCH ₃
2-707	CF ₃	H	2-CN	4-F	5-OCF ₃
2-708	CF ₃	H	2-CH ₃	4-F	5-F
2-709	CF ₃	H	2-CH ₃	4-F	5-Cl
2-710	CF ₃	H	2-CH ₃	4-F	5-CN
2-711	CF ₃	H	2-CH ₃	4-F	5-CH ₃
2-712	CF ₃	H	2-CH ₃	4-F	5-CF ₃
2-713	CF ₃	H	2-CH ₃	4-F	5-OCH ₃
2-714	CF ₃	H	2-CH ₃	4-F	5-OCF ₃
2-715	CF ₃	H	2-CF ₃	4-F	5-F

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-716	CF ₃	H	2-CF ₃	4-F	5-Cl
2-717	CF ₃	H	2-CF ₃	4-F	5-CN
2-718	CF ₃	H	2-CF ₃	4-F	5-CH ₃
2-719	CF ₃	H	2-CF ₃	4-F	5-CF ₃
2-720	CF ₃	H	2-CF ₃	4-F	5-OCH ₃
2-721	CF ₃	H	2-CF ₃	4-F	5-OCF ₃
2-722	CF ₃	H	2-OCH ₃	4-F	5-F
2-723	CF ₃	H	2-OCH ₃	4-F	5-Cl
2-724	CF ₃	H	2-OCH ₃	4-F	5-CN
2-725	CF ₃	H	2-OCH ₃	4-F	5-CH ₃
2-726	CF ₃	H	2-OCH ₃	4-F	5-CF ₃
2-727	CF ₃	H	2-OCH ₃	4-F	5-OCH ₃
2-728	CF ₃	H	2-OCH ₃	4-F	5-OCF ₃
2-729	CF ₃	H	2-OCF ₃	4-F	5-F
2-730	CF ₃	H	2-OCF ₃	4-F	5-Cl
2-731	CF ₃	H	2-OCF ₃	4-F	5-CN
2-732	CF ₃	H	2-OCF ₃	4-F	5-CH ₃
2-733	CF ₃	H	2-OCF ₃	4-F	5-CF ₃
2-734	CF ₃	H	2-OCF ₃	4-F	5-OCH ₃
2-735	CF ₃	H	2-OCF ₃	4-F	5-OCF ₃
2-736	CF ₃	H	2-F	4-Cl	5-F
2-737	CF ₃	H	2-F	4-Cl	5-Cl
2-738	CF ₃	H	2-F	4-Cl	5-CN
2-739	CF ₃	H	2-F	4-Cl	5-CH ₃
2-740	CF ₃	H	2-F	4-Cl	5-CF ₃
2-741	CF ₃	H	2-F	4-Cl	5-OCH ₃
2-742	CF ₃	H	2-F	4-Cl	5-OCF ₃
2-743	CF ₃	H	2-Cl	4-Cl	5-F
2-744	CF ₃	H	2-Cl	4-Cl	5-Cl
2-745	CF ₃	H	2-Cl	4-Cl	5-CN
2-746	CF ₃	H	2-Cl	4-Cl	5-CH ₃
2-747	CF ₃	H	2-Cl	4-Cl	5-CF ₃
2-748	CF ₃	H	2-Cl	4-Cl	5-OCH ₃
2-749	CF ₃	H	2-Cl	4-Cl	5-OCF ₃
2-750	CF ₃	H	2-CN	4-Cl	5-F
2-751	CF ₃	H	2-CN	4-Cl	5-Cl
2-752	CF ₃	H	2-CN	4-Cl	5-CN
2-753	CF ₃	H	2-CN	4-Cl	5-CH ₃
2-754	CF ₃	H	2-CN	4-Cl	5-CF ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-755	CF ₃	H	2-CN	4-Cl	5-OCH ₃
2-756	CF ₃	H	2-CN	4-Cl	5-OCF ₃
2-757	CF ₃	H	2-CH ₃	4-Cl	5-F
2-758	CF ₃	H	2-CH ₃	4-Cl	5-Cl
2-759	CF ₃	H	2-CH ₃	4-Cl	5-CN
2-760	CF ₃	H	2-CH ₃	4-Cl	5-CH ₃
2-761	CF ₃	H	2-CH ₃	4-Cl	5-CF ₃
2-762	CF ₃	H	2-CH ₃	4-Cl	5-OCH ₃
2-763	CF ₃	H	2-CH ₃	4-Cl	5-OCF ₃
2-764	CF ₃	H	2-CF ₃	4-Cl	5-F
2-765	CF ₃	H	2-CF ₃	4-Cl	5-Cl
2-766	CF ₃	H	2-CF ₃	4-Cl	5-CN
2-767	CF ₃	H	2-CF ₃	4-Cl	5-CH ₃
2-768	CF ₃	H	2-CF ₃	4-Cl	5-CF ₃
2-769	CF ₃	H	2-CF ₃	4-Cl	5-OCH ₃
2-770	CF ₃	H	2-CF ₃	4-Cl	5-OCF ₃
2-771	CF ₃	H	2-OCH ₃	4-Cl	5-F
2-772	CF ₃	H	2-OCH ₃	4-Cl	5-Cl
2-773	CF ₃	H	2-OCH ₃	4-Cl	5-CN
2-774	CF ₃	H	2-OCH ₃	4-Cl	5-CH ₃
2-775	CF ₃	H	2-OCH ₃	4-Cl	5-CF ₃
2-776	CF ₃	H	2-OCH ₃	4-Cl	5-OCH ₃
2-777	CF ₃	H	2-OCH ₃	4-Cl	5-OCF ₃
2-778	CF ₃	H	2-OCF ₃	4-Cl	5-F
2-779	CF ₃	H	2-OCF ₃	4-Cl	5-Cl
2-780	CF ₃	H	2-OCF ₃	4-Cl	5-CN
2-781	CF ₃	H	2-OCF ₃	4-Cl	5-CH ₃
2-782	CF ₃	H	2-OCF ₃	4-Cl	5-CF ₃
2-783	CF ₃	H	2-OCF ₃	4-Cl	5-OCH ₃
2-784	CF ₃	H	2-OCF ₃	4-Cl	5-OCF ₃
2-785	CF ₃	H	2-F	4-CN	5-F
2-786	CF ₃	H	2-F	4-CN	5-Cl
2-787	CF ₃	H	2-F	4-CN	5-CN
2-788	CF ₃	H	2-F	4-CN	5-CH ₃
2-789	CF ₃	H	2-F	4-CN	5-CF ₃
2-790	CF ₃	H	2-F	4-CN	5-OCH ₃
2-791	CF ₃	H	2-F	4-CN	5-OCF ₃
2-792	CF ₃	H	2-Cl	4-CN	5-F
2-793	CF ₃	H	2-Cl	4-CN	5-Cl

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-794	CF ₃	H	2-Cl	4-CN	5-CN
2-795	CF ₃	H	2-Cl	4-CN	5-CH ₃
2-796	CF ₃	H	2-Cl	4-CN	5-CF ₃
2-797	CF ₃	H	2-Cl	4-CN	5-OCH ₃
2-798	CF ₃	H	2-Cl	4-CN	5-OCF ₃
2-799	CF ₃	H	2-CN	4-CN	5-F
2-800	CF ₃	H	2-CN	4-CN	5-Cl
2-801	CF ₃	H	2-CN	4-CN	5-CN
2-802	CF ₃	H	2-CN	4-CN	5-CH ₃
2-803	CF ₃	H	2-CN	4-CN	5-CF ₃
2-804	CF ₃	H	2-CN	4-CN	5-OCH ₃
2-805	CF ₃	H	2-CN	4-CN	5-OCF ₃
2-806	CF ₃	H	2-CH ₃	4-CN	5-F
2-807	CF ₃	H	2-CH ₃	4-CN	5-Cl
2-808	CF ₃	H	2-CH ₃	4-CN	5-CN
2-809	CF ₃	H	2-CH ₃	4-CN	5-CH ₃
2-810	CF ₃	H	2-CH ₃	4-CN	5-CF ₃
2-811	CF ₃	H	2-CH ₃	4-CN	5-OCH ₃
2-812	CF ₃	H	2-CH ₃	4-CN	5-OCF ₃
2-813	CF ₃	H	2-CF ₃	4-CN	5-F
2-814	CF ₃	H	2-CF ₃	4-CN	5-Cl
2-815	CF ₃	H	2-CF ₃	4-CN	5-CN
2-816	CF ₃	H	2-CF ₃	4-CN	5-CH ₃
2-817	CF ₃	H	2-CF ₃	4-CN	5-CF ₃
2-818	CF ₃	H	2-CF ₃	4-CN	5-OCH ₃
2-819	CF ₃	H	2-CF ₃	4-CN	5-OCF ₃
2-820	CF ₃	H	2-OCH ₃	4-CN	5-F
2-821	CF ₃	H	2-OCH ₃	4-CN	5-Cl
2-822	CF ₃	H	2-OCH ₃	4-CN	5-CN
2-823	CF ₃	H	2-OCH ₃	4-CN	5-CH ₃
2-824	CF ₃	H	2-OCH ₃	4-CN	5-CF ₃
2-825	CF ₃	H	2-OCH ₃	4-CN	5-OCH ₃
2-826	CF ₃	H	2-OCH ₃	4-CN	5-OCF ₃
2-827	CF ₃	H	2-OCF ₃	4-CN	5-F
2-828	CF ₃	H	2-OCF ₃	4-CN	5-Cl
2-829	CF ₃	H	2-OCF ₃	4-CN	5-CN
2-830	CF ₃	H	2-OCF ₃	4-CN	5-CH ₃
2-831	CF ₃	H	2-OCF ₃	4-CN	5-CF ₃
2-832	CF ₃	H	2-OCF ₃	4-CN	5-OCH ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-833	CF ₃	H	2-OCF ₃	4-CN	5-OCF ₃
2-834	CF ₃	H	2-F	4-CH ₃	5-F
2-835	CF ₃	H	2-F	4-CH ₃	5-Cl
2-836	CF ₃	H	2-F	4-CH ₃	5-CN
2-837	CF ₃	H	2-F	4-CH ₃	5-CH ₃
2-838	CF ₃	H	2-F	4-CH ₃	5-CF ₃
2-839	CF ₃	H	2-F	4-CH ₃	5-OCH ₃
2-840	CF ₃	H	2-F	4-CH ₃	5-OCF ₃
2-841	CF ₃	H	2-Cl	4-CH ₃	5-F
2-842	CF ₃	H	2-Cl	4-CH ₃	5-Cl
2-843	CF ₃	H	2-Cl	4-CH ₃	5-CN
2-844	CF ₃	H	2-Cl	4-CH ₃	5-CH ₃
2-845	CF ₃	H	2-Cl	4-CH ₃	5-CF ₃
2-846	CF ₃	H	2-Cl	4-CH ₃	5-OCH ₃
2-847	CF ₃	H	2-Cl	4-CH ₃	5-OCF ₃
2-848	CF ₃	H	2-CN	4-CH ₃	5-F
2-849	CF ₃	H	2-CN	4-CH ₃	5-Cl
2-850	CF ₃	H	2-CN	4-CH ₃	5-CN
2-851	CF ₃	H	2-CN	4-CH ₃	5-CH ₃
2-852	CF ₃	H	2-CN	4-CH ₃	5-CF ₃
2-853	CF ₃	H	2-CN	4-CH ₃	5-OCH ₃
2-854	CF ₃	H	2-CN	4-CH ₃	5-OCF ₃
2-855	CF ₃	H	2-CH ₃	4-CH ₃	5-F
2-856	CF ₃	H	2-CH ₃	4-CH ₃	5-Cl
2-857	CF ₃	H	2-CH ₃	4-CH ₃	5-CN
2-858	CF ₃	H	2-CH ₃	4-CH ₃	5-CH ₃
2-859	CF ₃	H	2-CH ₃	4-CH ₃	5-CF ₃
2-860	CF ₃	H	2-CH ₃	4-CH ₃	5-OCH ₃
2-861	CF ₃	H	2-CH ₃	4-CH ₃	5-OCF ₃
2-862	CF ₃	H	2-CF ₃	4-CH ₃	5-F
2-863	CF ₃	H	2-CF ₃	4-CH ₃	5-Cl
2-864	CF ₃	H	2-CF ₃	4-CH ₃	5-CN
2-865	CF ₃	H	2-CF ₃	4-CH ₃	5-CH ₃
2-866	CF ₃	H	2-CF ₃	4-CH ₃	5-CF ₃
2-867	CF ₃	H	2-CF ₃	4-CH ₃	5-OCH ₃
2-868	CF ₃	H	2-CF ₃	4-CH ₃	5-OCF ₃
2-869	CF ₃	H	2-OCH ₃	4-CH ₃	5-F
2-870	CF ₃	H	2-OCH ₃	4-CH ₃	5-Cl
2-871	CF ₃	H	2-OCH ₃	4-CH ₃	5-CN

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-872	CF ₃	H	2-OCH ₃	4-CH ₃	5-CH ₃
2-873	CF ₃	H	2-OCH ₃	4-CH ₃	5-CF ₃
2-874	CF ₃	H	2-OCH ₃	4-CH ₃	5-OCH ₃
2-875	CF ₃	H	2-OCH ₃	4-CH ₃	5-OCF ₃
2-876	CF ₃	H	2-OCF ₃	4-CH ₃	5-F
2-877	CF ₃	H	2-OCF ₃	4-CH ₃	5-Cl
2-878	CF ₃	H	2-OCF ₃	4-CH ₃	5-CN
2-879	CF ₃	H	2-OCF ₃	4-CH ₃	5-CH ₃
2-880	CF ₃	H	2-OCF ₃	4-CH ₃	5-CF ₃
2-881	CF ₃	H	2-OCF ₃	4-CH ₃	5-OCH ₃
2-882	CF ₃	H	2-OCF ₃	4-CH ₃	5-OCF ₃
2-883	CF ₃	H	2-F	4-CF ₃	5-F
2-884	CF ₃	H	2-F	4-CF ₃	5-Cl
2-885	CF ₃	H	2-F	4-CF ₃	5-CN
2-886	CF ₃	H	2-F	4-CF ₃	5-CH ₃
2-887	CF ₃	H	2-F	4-CF ₃	5-CF ₃
2-888	CF ₃	H	2-F	4-CF ₃	5-OCH ₃
2-889	CF ₃	H	2-F	4-CF ₃	5-OCF ₃
2-890	CF ₃	H	2-Cl	4-CF ₃	5-F
2-891	CF ₃	H	2-Cl	4-CF ₃	5-Cl
2-892	CF ₃	H	2-Cl	4-CF ₃	5-CN
2-893	CF ₃	H	2-Cl	4-CF ₃	5-CH ₃
2-894	CF ₃	H	2-Cl	4-CF ₃	5-CF ₃
2-895	CF ₃	H	2-Cl	4-CF ₃	5-OCH ₃
2-896	CF ₃	H	2-Cl	4-CF ₃	5-OCF ₃
2-897	CF ₃	H	2-CN	4-CF ₃	5-F
2-898	CF ₃	H	2-CN	4-CF ₃	5-Cl
2-899	CF ₃	H	2-CN	4-CF ₃	5-CN
2-900	CF ₃	H	2-CN	4-CF ₃	5-CH ₃
2-901	CF ₃	H	2-CN	4-CF ₃	5-CF ₃
2-902	CF ₃	H	2-CN	4-CF ₃	5-OCH ₃
2-903	CF ₃	H	2-CN	4-CF ₃	5-OCF ₃
2-904	CF ₃	H	2-CH ₃	4-CF ₃	5-F
2-905	CF ₃	H	2-CH ₃	4-CF ₃	5-Cl
2-906	CF ₃	H	2-CH ₃	4-CF ₃	5-CN
2-907	CF ₃	H	2-CH ₃	4-CF ₃	5-CH ₃
2-908	CF ₃	H	2-CH ₃	4-CF ₃	5-CF ₃
2-909	CF ₃	H	2-CH ₃	4-CF ₃	5-OCH ₃
2-910	CF ₃	H	2-CH ₃	4-CF ₃	5-OCF ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-911	CF ₃	H	2-CF ₃	4-CF ₃	5-F
2-912	CF ₃	H	2-CF ₃	4-CF ₃	5-Cl
2-913	CF ₃	H	2-CF ₃	4-CF ₃	5-CN
2-914	CF ₃	H	2-CF ₃	4-CF ₃	5-CH ₃
2-915	CF ₃	H	2-CF ₃	4-CF ₃	5-CF ₃
2-916	CF ₃	H	2-CF ₃	4-CF ₃	5-OCH ₃
2-917	CF ₃	H	2-CF ₃	4-CF ₃	5-OCF ₃
2-918	CF ₃	H	2-OCH ₃	4-CF ₃	5-F
2-919	CF ₃	H	2-OCH ₃	4-CF ₃	5-Cl
2-920	CF ₃	H	2-OCH ₃	4-CF ₃	5-CN
2-921	CF ₃	H	2-OCH ₃	4-CF ₃	5-CH ₃
2-922	CF ₃	H	2-OCH ₃	4-CF ₃	5-CF ₃
2-923	CF ₃	H	2-OCH ₃	4-CF ₃	5-OCH ₃
2-924	CF ₃	H	2-OCH ₃	4-CF ₃	5-OCF ₃
2-925	CF ₃	H	2-OCF ₃	4-CF ₃	5-F
2-926	CF ₃	H	2-OCF ₃	4-CF ₃	5-Cl
2-927	CF ₃	H	2-OCF ₃	4-CF ₃	5-CN
2-928	CF ₃	H	2-OCF ₃	4-CF ₃	5-CH ₃
2-929	CF ₃	H	2-OCF ₃	4-CF ₃	5-CF ₃
2-930	CF ₃	H	2-OCF ₃	4-CF ₃	5-OCH ₃
2-931	CF ₃	H	2-OCF ₃	4-CF ₃	5-OCF ₃
2-932	CF ₃	H	2-F	4-OCH ₃	5-F
2-933	CF ₃	H	2-F	4-OCH ₃	5-Cl
2-934	CF ₃	H	2-F	4-OCH ₃	5-CN
2-935	CF ₃	H	2-F	4-OCH ₃	5-CH ₃
2-936	CF ₃	H	2-F	4-OCH ₃	5-CF ₃
2-937	CF ₃	H	2-F	4-OCH ₃	5-OCH ₃
2-938	CF ₃	H	2-F	4-OCH ₃	5-OCF ₃
2-939	CF ₃	H	2-Cl	4-OCH ₃	5-F
2-940	CF ₃	H	2-Cl	4-OCH ₃	5-Cl
2-941	CF ₃	H	2-Cl	4-OCH ₃	5-CN
2-942	CF ₃	H	2-Cl	4-OCH ₃	5-CH ₃
2-943	CF ₃	H	2-Cl	4-OCH ₃	5-CF ₃
2-944	CF ₃	H	2-Cl	4-OCH ₃	5-OCH ₃
2-945	CF ₃	H	2-Cl	4-OCH ₃	5-OCF ₃
2-946	CF ₃	H	2-CN	4-OCH ₃	5-F
2-947	CF ₃	H	2-CN	4-OCH ₃	5-Cl
2-948	CF ₃	H	2-CN	4-OCH ₃	5-CN
2-949	CF ₃	H	2-CN	4-OCH ₃	5-CH ₃

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-950	CF ₃	H	2-CN	4-OCH ₃	5-CF ₃
2-951	CF ₃	H	2-CN	4-OCH ₃	5-OCH ₃
2-952	CF ₃	H	2-CN	4-OCH ₃	5-OCF ₃
2-953	CF ₃	H	2-CH ₃	4-OCH ₃	5-F
2-954	CF ₃	H	2-CH ₃	4-OCH ₃	5-Cl
2-955	CF ₃	H	2-CH ₃	4-OCH ₃	5-CN
2-956	CF ₃	H	2-CH ₃	4-OCH ₃	5-CH ₃
2-957	CF ₃	H	2-CH ₃	4-OCH ₃	5-CF ₃
2-958	CF ₃	H	2-CH ₃	4-OCH ₃	5-OCH ₃
2-959	CF ₃	H	2-CH ₃	4-OCH ₃	5-OCF ₃
2-960	CF ₃	H	2-CF ₃	4-OCH ₃	5-F
2-961	CF ₃	H	2-CF ₃	4-OCH ₃	5-Cl
2-962	CF ₃	H	2-CF ₃	4-OCH ₃	5-CN
2-963	CF ₃	H	2-CF ₃	4-OCH ₃	5-CH ₃
2-964	CF ₃	H	2-CF ₃	4-OCH ₃	5-CF ₃
2-965	CF ₃	H	2-CF ₃	4-OCH ₃	5-OCH ₃
2-966	CF ₃	H	2-CF ₃	4-OCH ₃	5-OCF ₃
2-967	CF ₃	H	2-OCH ₃	4-OCH ₃	5-F
2-968	CF ₃	H	2-OCH ₃	4-OCH ₃	5-Cl
2-969	CF ₃	H	2-OCH ₃	4-OCH ₃	5-CN
2-970	CF ₃	H	2-OCH ₃	4-OCH ₃	5-CH ₃
2-971	CF ₃	H	2-OCH ₃	4-OCH ₃	5-CF ₃
2-972	CF ₃	H	2-OCH ₃	4-OCH ₃	5-OCH ₃
2-973	CF ₃	H	2-OCH ₃	4-OCH ₃	5-OCF ₃
2-974	CF ₃	H	2-OCF ₃	4-OCH ₃	5-F
2-975	CF ₃	H	2-OCF ₃	4-OCH ₃	5-Cl
2-976	CF ₃	H	2-OCF ₃	4-OCH ₃	5-CN
2-977	CF ₃	H	2-OCF ₃	4-OCH ₃	5-CH ₃
2-978	CF ₃	H	2-OCF ₃	4-OCH ₃	5-CF ₃
2-979	CF ₃	H	2-OCF ₃	4-OCH ₃	5-OCH ₃
2-980	CF ₃	H	2-OCF ₃	4-OCH ₃	5-OCF ₃
2-981	CF ₃	H	2-F	4-OCF ₃	5-F
2-982	CF ₃	H	2-F	4-OCF ₃	5-Cl
2-983	CF ₃	H	2-F	4-OCF ₃	5-CN
2-984	CF ₃	H	2-F	4-OCF ₃	5-CH ₃
2-985	CF ₃	H	2-F	4-OCF ₃	5-CF ₃
2-986	CF ₃	H	2-F	4-OCF ₃	5-OCH ₃
2-987	CF ₃	H	2-F	4-OCF ₃	5-OCF ₃
2-988	CF ₃	H	2-Cl	4-OCF ₃	5-F

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-989	CF ₃	H	2-Cl	4-OCF ₃	5-Cl
2-990	CF ₃	H	2-Cl	4-OCF ₃	5-CN
2-991	CF ₃	H	2-Cl	4-OCF ₃	5-CH ₃
2-992	CF ₃	H	2-Cl	4-OCF ₃	5-CF ₃
2-993	CF ₃	H	2-Cl	4-OCF ₃	5-OCH ₃
2-994	CF ₃	H	2-Cl	4-OCF ₃	5-OCF ₃
2-995	CF ₃	H	2-CN	4-OCF ₃	5-F
2-996	CF ₃	H	2-CN	4-OCF ₃	5-Cl
2-997	CF ₃	H	2-CN	4-OCF ₃	5-CN
2-998	CF ₃	H	2-CN	4-OCF ₃	5-CH ₃
2-999	CF ₃	H	2-CN	4-OCF ₃	5-CF ₃
2-1000	CF ₃	H	2-CN	4-OCF ₃	5-OCH ₃
2-1001	CF ₃	H	2-CN	4-OCF ₃	5-OCF ₃
2-1002	CF ₃	H	2-CH ₃	4-OCF ₃	5-F
2-1003	CF ₃	H	2-CH ₃	4-OCF ₃	5-Cl
2-1004	CF ₃	H	2-CH ₃	4-OCF ₃	5-CN
2-1005	CF ₃	H	2-CH ₃	4-OCF ₃	5-CH ₃
2-1006	CF ₃	H	2-CH ₃	4-OCF ₃	5-CF ₃
2-1007	CF ₃	H	2-CH ₃	4-OCF ₃	5-OCH ₃
2-1008	CF ₃	H	2-CH ₃	4-OCF ₃	5-OCF ₃
2-1009	CF ₃	H	2-CF ₃	4-OCF ₃	5-F

No.	R ¹	R ²	R ³	R ⁴	R ⁵
2-1010	CF ₃	H	2-CF ₃	4-OCF ₃	5-Cl
2-1011	CF ₃	H	2-CF ₃	4-OCF ₃	5-CN
2-1012	CF ₃	H	2-CF ₃	4-OCF ₃	5-CH ₃
2-1013	CF ₃	H	2-CF ₃	4-OCF ₃	5-CF ₃
2-1014	CF ₃	H	2-CF ₃	4-OCF ₃	5-OCH ₃
2-1015	CF ₃	H	2-CF ₃	4-OCF ₃	5-OCF ₃
2-1016	CF ₃	H	2-OCH ₃	4-OCF ₃	5-F
2-1017	CF ₃	H	2-OCH ₃	4-OCF ₃	5-Cl
2-1018	CF ₃	H	2-OCH ₃	4-OCF ₃	5-CN
2-1019	CF ₃	H	2-OCH ₃	4-OCF ₃	5-CH ₃
2-1020	CF ₃	H	2-OCH ₃	4-OCF ₃	5-CF ₃
2-1021	CF ₃	H	2-OCH ₃	4-OCF ₃	5-OCH ₃
2-1022	CF ₃	H	2-OCH ₃	4-OCF ₃	5-OCF ₃
2-1023	CF ₃	H	2-OCF ₃	4-OCF ₃	5-F
2-1024	CF ₃	H	2-OCF ₃	4-OCF ₃	5-Cl
2-1025	CF ₃	H	2-OCF ₃	4-OCF ₃	5-CN
2-1026	CF ₃	H	2-OCF ₃	4-OCF ₃	5-CH ₃
2-1027	CF ₃	H	2-OCF ₃	4-OCF ₃	5-CF ₃
2-1028	CF ₃	H	2-OCF ₃	4-OCF ₃	5-OCH ₃
2-1029	CF ₃	H	2-OCF ₃	4-OCF ₃	5-OCF ₃

Alternatively to or in combination with at least one compound 2-1 to 2-1029, it is also possible to use at least one compound Ib-1 to Ib-1029, Ic-1 to Ic-1029, Id-1 to Id-1029, Ie-1 to Ie-1029, If-1 to If-1029, Ig-1 to Ig-1029, Ih-1 to Ih-1029 or Ij-1 to Ij-1029 in the preferred methods according to the invention for controlling phytopathogenic harmful fungi. In addition, methods according to the invention are used for preparing the inventive compositions and seed comprising at least one compound 2-1 to 2-1029.

As component A, preferred embodiments of the mixtures according to the invention comprise at least one, preferably one, compound selected from Table 3:

Table 3:

No.	Compound
3-1	N-(2'-fluoro-4'-chloro-5'-methoxybiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-2	N-(2'-fluoro-4'-chloro-5'-methylbiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-3	N-(3',4',5'-trifluorobiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide

No.	Compound
3-4	N-(2',4',5'-trifluorobiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-5	N-(2',4',5'-trifluorobiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-6	N-(2'-fluoro-4'-chloro-5'-methoxybiphenyl-2-yl)-3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-7	N-(2',3',4'-trifluorobiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-8	N-(2'-fluoro-4'-chloro-5'-methylbiphenyl-2-yl)-3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-9	N-(3',4',5'-trifluorobiphenyl-2-yl)-3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-10	N-(2',4',5'-trifluorobiphenyl-2-yl)-3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-11	N-(3',4',5'-trifluorobiphenyl-2-yl)-3-fluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-12	N-(3',4',5'-trifluorobiphenyl-2-yl)-3-chlorodifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-13	N-(3',4',5'-trifluorobiphenyl-2-yl)-3-chlorofluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-14	N-(2',3',4'-trifluorobiphenyl-2-yl)-3-fluoromethyl-1-methyl-1H-pyrazole-4-carboxamide
3-15	N-(2',4',5'-trifluorobiphenyl-2-yl)-3-fluoromethyl-1-methyl-1H-pyrazole-4-carboxamide

The mixtures according to the invention comprise, as componente B, at least one azolopyrimidinylamine of the formula II, or the latter is used in the methods according to the invention.

5

With a view to the intended use of the compounds of the formula II, particular preference is given to the following meanings of the substituents, in each case on their own or in combination:

- 10 Especially suitable for the mixtures according to the invention are compounds of the formula II in which E¹ is straight-chain or branched C₃-C₁₂-alkyl or phenyl which may be substituted by one to three halogen or C₁-C₄-alkyl groups.

- 15 In one embodiment of the compounds of the formula II, the aliphatic chains in E¹ and E² or in E¹ or E² are not substituted by R^a.


25

A preferred embodiment relates to compounds of the formula II in which E¹ is straight-chain or branched C₅-C₁₀-alkyl, in particular ethyl, 3,5,5-trimethylhexyl, n-heptyl, n-octyl, n-nonyl or n-decyl.

- 5 A further embodiment relates to compounds of the formula II in which E¹ is phenyl which is unsubstituted or substituted by one to four radicals R^b.

Preferred compounds of the formula II are those in which E¹ is a substituted phenyl group which corresponds to a group G

10



in which

- 15 L¹ to L³ are halogen, cyano, hydroxyl, mercapto, nitro, NR^AR^B, C₁-C₁₀-alkyl, C₁-C₆-haloalkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl or C₁-C₆-alkoxy; r and q independently of one another may be 0 or 1 sein, where NR^AR^B is as defined in formula II and # denotes the bond to the azolopyrimidine skeleton.

- 20 In a further embodiment of the compounds of the formula II, L¹ is halogen, cyano, hydroxyl, mercapto, nitro, NR^AR^B, C₁-C₆-alkyl, halomethyl and C₁-C₂-alkoxy, preferably halogen, cyano, C₁-C₆-alkyl, halomethyl or C₁-C₂-alkoxy.

In a further embodiment of the compounds of the formula II, q is 0 or L² is one of the groups mentioned above and q is 1.

25

In a further embodiment of the compounds of the formula II, r is 0 or L³ is halogen, cyano, hydroxyl, mercapto, nitro, NR^AR^B, C₁-C₆-alkyl, halomethyl or C₁-C₂-alkoxy and r is 1. Preferably, r is 0.


- 30 Preference is given to compounds of the formula II in which E² is straight-chain or branched C₁-C₁₂-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl or C₁-C₄-haloalkyl.

- 35 In a particularly preferred embodiment of the compounds of the formula II, E² is methyl, ethyl, n-propyl, n-octyl, trifluoromethyl or methoxymethyl, in particular methyl, ethyl, trifluoromethyl or methoxymethyl.


Preference is furthermore given to compounds of the formula II in which E³ is hydrogen.

- 40 In a further embodiment of the compounds of the formula II, E³ is amino.

One embodiment of the compounds of the formula II relates to those in which A is N. These compounds correspond to formula IIa in which the variables are as defined for formula II:



Another embodiment of the compounds of the formula II relates to those in which A is CH. These compounds correspond to formula IIb in which the variables are as defined for formula II:



In a further embodiment of preferred compounds II, the sum of the carbon atoms in the carbon radicals of E¹ and E² is not more than 12.

In particular with a view to their intended use, preference is given to the compounds II compiled in the tables below. Moreover, the groups mentioned for a substituent in the tables are per se, independently of the combination in which they are mentioned, a particularly preferred embodiment of the substituent in question.

Table 4

Compounds of the formula IIa in which the combination of E¹, E² and E³ for a compound corresponds in each case to one row of Table 6 (compounds 4a-1 to 4a-298)

Table 5

Compounds of the formula IIb in which the combination of E¹, E² and E³ for a compound corresponds in each case to one row of Table 6 (compounds 5b-1 to 5b-298)

Table 6:

No.	E ¹	E ²	E ³
6-1	C ₆ H ₅	CH ₃	H
6-2	2-Cl-C ₆ H ₄	CH ₃	H
6-3	3-Cl-C ₆ H ₄	CH ₃	H
6-4	4-Cl-C ₆ H ₄	CH ₃	H
6-5	2-F-C ₆ H ₄	CH ₃	H
6-6	3-F-C ₆ H ₄	CH ₃	H

No.	E ¹	E ²	E ³
6-7	4-F-C ₆ H ₄	CH ₃	H
6-8	2,4-Cl ₂ -C ₆ H ₃	CH ₃	H
6-9	3,4-Cl ₂ -C ₆ H ₃	CH ₃	H
6-10	2,4-F ₂ -C ₆ H ₃	CH ₃	H
6-11	3,4-F ₂ -C ₆ H ₃	CH ₃	H
6-12	4-CH ₃ -C ₆ H ₄	CH ₃	H
6-13	4-CH ₂ CH ₃ -C ₆ H ₄	CH ₃	H
6-14	4-CH ₂ CH ₂ CH ₃ -C ₆ H ₄	CH ₃	H
6-15	4-CH(CH ₃) ₂ -C ₆ H ₄	CH ₃	H
6-16	4-CH ₂ CH ₂ CH ₂ CH ₃ -C ₆ H ₄	CH ₃	H
6-17	4-C(CH ₃)CH ₂ CH ₃ -C ₆ H ₄	CH ₃	H
6-18	4-C(CH ₃) ₃ -C ₆ H ₄	CH ₃	H
6-19	CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-20	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-21	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-22	CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₃	CH ₃	H
6-23	CH ₂ CH(CH ₂ CH ₃) ₂	CH ₃	H
6-24	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-25	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-26	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-27	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-28	CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₃	CH ₃	H
6-29	CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	NH ₂
6-30	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	NH ₂
6-31	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	NH ₂
6-32	CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₃	CH ₃	NH ₂
6-33	CH ₂ CH(CH ₂ CH ₃) ₂	CH ₃	NH ₂
6-34	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	NH ₂
6-35	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	NH ₂
6-36	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	NH ₂
6-37	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	NH ₂
6-38	CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₃	CH ₃	NH ₂
6-39	CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-40	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-41	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-42	CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-43	CH ₂ CH(CH ₂ CH ₃) ₂	CH ₃	CH ₃
6-44	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-45	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-46	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-47	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃

No.	E ¹	E ²	E ³
6-48	CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₃	CH ₃	CH ₃
6-49	(CH ₂) ₃ -O-CH ₃	CH ₃	H
6-50	(CH ₂) ₃ -O-CH ₂ CH ₃	CH ₃	H
6-51	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₃	CH ₃	H
6-52	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-53	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-54	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-55	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-56	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-57	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	H
6-58	(CH ₂) ₃ -O-CH(CH ₃) ₂	CH ₃	H
6-59	(CH ₂) ₃ -O-C(CH ₃) ₃	CH ₃	H
6-60	(CH ₂) ₃ -O-CH ₂ C(CH ₃) ₃	CH ₃	H
6-61	(CH ₂) ₃ -O-CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₃	H
6-62	(CH ₂) ₃ -O-CH(CH ₂ CH ₃)CH ₂ C(CH ₃) ₃	CH ₃	H
6-63	(CH ₂) ₃ -O-CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₃	H
6-64	(CH ₂) ₃ -O-CH ₂ CH(CH ₂ CH ₃)CH ₂ CH ₂ CH ₃	CH ₃	H
6-65	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₃	H
6-66	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₃	H
6-67	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH(CH ₃) ₂	CH ₃	H
6-68	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₂ CH(CH ₃) ₂	CH ₃	H
6-69	(CH ₂) ₃ -O-CH ₃	CH ₃	CH ₃
6-70	(CH ₂) ₃ -O-CH ₂ CH ₃	CH ₃	CH ₃
6-71	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-72	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-73	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-74	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-75	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-76	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-77	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-78	(CH ₂) ₃ -O-CH(CH ₃) ₂	CH ₃	CH ₃
6-79	(CH ₂) ₃ -O-C(CH ₃) ₃	CH ₃	CH ₃
6-80	(CH ₂) ₃ -O-CH ₂ C(CH ₃) ₃	CH ₃	CH ₃
6-81	(CH ₂) ₃ -O-CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₃	CH ₃
6-82	(CH ₂) ₃ -O-CH(CH ₂ CH ₃)CH ₂ C(CH ₃) ₃	CH ₃	CH ₃
6-83	(CH ₂) ₃ -O-CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₃	CH ₃
6-84	(CH ₂) ₃ -O-CH ₂ CH(CH ₂ CH ₃)CH ₂ CH ₂ CH ₃	CH ₃	CH ₃
6-85	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₃	CH ₃
6-86	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₃	CH ₃
6-87	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH(CH ₃) ₂	CH ₃	CH ₃
6-88	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₂ CH(CH ₃) ₂	CH ₃	CH ₃

No.	E ¹	E ²	E ³
6-89	CH ₂ -C ₆ H ₅	CF ₃	H
6-90	CH ₂ -(4-Cl-C ₆ H ₄)	CF ₃	H
6-91	CH ₂ CH ₂ CH ₃	CF ₃	H
6-92	CH ₂ CH ₂ CH ₂ CH ₃	CF ₃	H
6-93	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CF ₃	H
6-94	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CF ₃	H
6-95	CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₃	CF ₃	H
6-96	CH ₂ CH(CH ₂ CH ₃) ₂	CF ₃	H
6-97	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CF ₃	H
6-98	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CF ₃	H
6-99	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CF ₃	H
6-100	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CF ₃	H
6-101	CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₃	CF ₃	H
6-102	cyclo-C ₅ H ₉	CF ₃	H
6-103	cyclo-C ₆ H ₁₁	CF ₃	H
6-104	CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-105	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-106	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-107	CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-108	CH ₂ CH(CH ₂ CH ₃) ₂	CH ₂ CH ₃	H
6-109	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-110	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-111	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-112	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-113	CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₃	CH ₂ CH ₃	H
6-114	CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	NH ₂
6-115	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	NH ₂
6-116	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	NH ₂
6-117	CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	NH ₂
6-118	CH ₂ CH(CH ₂ CH ₃) ₂	CH ₂ CH ₃	NH ₂
6-119	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	NH ₂
6-120	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	NH ₂
6-121	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	NH ₂
6-122	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	NH ₂
6-123	CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₃	CH ₂ CH ₃	NH ₂
6-124	CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-125	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-126	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-127	CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-128	CH ₂ CH(CH ₂ CH ₃) ₂	CH ₂ CH ₃	CH ₃
6-129	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃

No.	E ¹	E ²	E ³
6-130	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-131	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-132	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-133	CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₃	CH ₂ CH ₃	CH ₃
6-134	(CH ₂) ₃ -O-CH ₃	CH ₂ CH ₃	H
6-135	(CH ₂) ₃ -O-CH ₂ CH ₃	CH ₂ CH ₃	H
6-136	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-137	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-138	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-139	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-140	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-141	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-142	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-143	(CH ₂) ₃ -O-CH(CH ₃) ₂	CH ₂ CH ₃	H
6-144	(CH ₂) ₃ -O-C(CH ₃) ₃	CH ₂ CH ₃	H
6-145	(CH ₂) ₃ -O-CH ₂ C(CH ₃) ₃	CH ₂ CH ₃	H
6-146	(CH ₂) ₃ -O-CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₃	H
6-147	(CH ₂) ₃ -O-CH(CH ₂ CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₃	H
6-148	(CH ₂) ₃ -O-CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₂ CH ₃	H
6-149	(CH ₂) ₃ -O-CH ₂ CH(CH ₂ CH ₃)CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	H
6-150	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₂ CH ₃	H
6-151	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₃	H
6-152	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH(CH ₃) ₂	CH ₂ CH ₃	H
6-153	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₂ CH(CH ₃) ₂	CH ₂ CH ₃	H
6-154	(CH ₂) ₃ -O-CH ₃	CH ₂ CH ₃	CH ₃
6-155	(CH ₂) ₃ -O-CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-156	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-157	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-158	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-159	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-160	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-161	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-162	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-163	(CH ₂) ₃ -O-CH(CH ₃) ₂	CH ₂ CH ₃	CH ₃
6-164	(CH ₂) ₃ -O-C(CH ₃) ₃	CH ₂ CH ₃	CH ₃
6-165	(CH ₂) ₃ -O-CH ₂ C(CH ₃) ₃	CH ₂ CH ₃	CH ₃
6-166	(CH ₂) ₃ -O-CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₃	CH ₃
6-167	(CH ₂) ₃ -O-CH(CH ₂ CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₃	CH ₃
6-168	(CH ₂) ₃ -O-CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₂ CH ₃	CH ₃
6-169	(CH ₂) ₃ -O-CH ₂ CH(CH ₂ CH ₃)CH ₂ CH ₂ CH ₃	CH ₂ CH ₃	CH ₃
6-170	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₂ CH ₃	CH ₃

No.	E ¹	E ²	E ³
6-171	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₃	CH ₃
6-172	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH(CH ₃) ₂	CH ₂ CH ₃	CH ₃
6-173	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₂ CH(CH ₃) ₂	CH ₂ CH ₃	CH ₃
6-174	CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-175	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-176	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-177	CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-178	CH ₂ CH(CH ₂ CH ₃) ₂	CH ₂ CH ₂ CH ₃	H
6-179	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-180	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-181	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-182	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-183	CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-184	CH ₂ -O-CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-185	CH ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-186	CH ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-187	CH ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-188	CH ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-189	CH ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-190	CH ₂ -O-C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-191	CH ₂ -O-CH ₂ C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-192	CH ₂ -O-CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-193	CH ₂ -O-CH(CH ₂ CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-194	CH ₂ -O-CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₂ CH ₂ CH ₃	H
6-195	CH ₂ -O-CH ₂ CH(CH ₂ CH ₃)CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-196	CH ₂ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₂ CH ₂ CH ₃	H
6-197	CH ₂ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-198	CH ₂ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH(CH ₃) ₂	CH ₂ CH ₂ CH ₃	H
6-199	CH ₂ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₂ CH(CH ₃) ₂	CH ₂ CH ₂ CH ₃	H
6-200	(CH ₂) ₂ -O-CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-201	(CH ₂) ₂ -O-CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-202	(CH ₂) ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-203	(CH ₂) ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-204	(CH ₂) ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-205	(CH ₂) ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-206	(CH ₂) ₂ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ CH ₂ CH ₃	H
6-207	(CH ₂) ₂ -O-CH(CH ₃) ₂	CH ₂ CH ₂ CH ₃	H
6-208	(CH ₂) ₂ -O-C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-209	(CH ₂) ₂ -O-CH ₂ C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-210	(CH ₂) ₂ -O-CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H
6-211	(CH ₂) ₂ -O-CH(CH ₂ CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ CH ₂ CH ₃	H

No.	E ¹	E ²	E ³
6-253	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ OCH ₃	H
6-254	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ OCH ₃	H
6-255	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ OCH ₃	H
6-256	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ OCH ₃	H
6-257	(CH ₂) ₃ -O-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	CH ₂ OCH ₃	H
6-258	(CH ₂) ₃ -O-CH(CH ₃) ₂	CH ₂ OCH ₃	H
6-259	(CH ₂) ₃ -O-C(CH ₃) ₃	CH ₂ OCH ₃	H
6-260	(CH ₂) ₃ -O-CH ₂ C(CH ₃) ₃	CH ₂ OCH ₃	H
6-261	(CH ₂) ₃ -O-CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ OCH ₃	H
6-262	(CH ₂) ₃ -O-CH(CH ₂ CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ OCH ₃	H
6-263	(CH ₂) ₃ -O-CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₂ OCH ₃	H
6-264	(CH ₂) ₃ -O-CH ₂ CH(CH ₂ CH ₃)CH ₂ CH ₂ CH ₃	CH ₂ OCH ₃	H
6-265	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH(CH ₃) ₂	CH ₂ OCH ₃	H
6-266	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ C(CH ₃) ₃	CH ₂ OCH ₃	H
6-267	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH(CH ₃) ₂	CH ₂ OCH ₃	H
6-268	(CH ₂) ₃ -O-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ CH ₂ CH(CH ₃) ₂	CH ₂ OCH ₃	H
6-269	CH ₃	(CH ₂) ₃ CH ₃	H
6-270	CH ₂ CH ₃	(CH ₂) ₃ CH ₃	H
6-271	CH ₂ CH ₂ CH ₃	(CH ₂) ₃ CH ₃	H
6-272	CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₃ CH ₃	H
6-273	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₃ CH ₃	H
6-274	CH ₃	(CH ₂) ₄ CH ₃	H
6-275	CH ₂ CH ₃	(CH ₂) ₄ CH ₃	H
6-276	CH ₂ CH ₂ CH ₃	(CH ₂) ₄ CH ₃	H
6-277	CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₄ CH ₃	H
6-278	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₄ CH ₃	H
6-279	CH ₃	(CH ₂) ₅ CH ₃	H
6-280	CH ₂ CH ₃	(CH ₂) ₅ CH ₃	H
6-281	CH ₂ CH ₂ CH ₃	(CH ₂) ₅ CH ₃	H
6-282	CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₅ CH ₃	H
6-283	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₅ CH ₃	H
6-284	CH ₃	(CH ₂) ₆ CH ₃	H
6-285	CH ₂ CH ₃	(CH ₂) ₆ CH ₃	H
6-286	CH ₂ CH ₂ CH ₃	(CH ₂) ₆ CH ₃	H
6-287	CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₆ CH ₃	H
6-288	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₆ CH ₃	H
6-289	CH ₃	(CH ₂) ₇ CH ₃	H
6-290	CH ₂ CH ₃	(CH ₂) ₇ CH ₃	H
6-291	CH ₂ CH ₂ CH ₃	(CH ₂) ₇ CH ₃	H
6-292	CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₇ CH ₃	H
6-293	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₇ CH ₃	H

No.	E ¹	E ²	E ³
6-294	CH ₃	(CH ₂) ₈ CH ₃	H
6-295	CH ₂ CH ₃	(CH ₂) ₈ CH ₃	H
6-296	CH ₂ CH ₂ CH ₃	(CH ₂) ₈ CH ₃	H
6-297	CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₈ CH ₃	H
6-298	CH ₂ CH ₂ CH ₂ CH ₂ CH ₃	(CH ₂) ₈ CH ₃	H

Alternatively to or in combination with at least one compound 4a-1 to 4a-298, it is also possible to use at least one compound 5b-1 to 5b-298 in the preferred methods according to the invention for controlling phytopathogenic harmful fungi. In addition, methods according to the invention are used for preparing the inventive compositions and seed comprising at least one compound of Tables 4 or 5.

As component B, preferred embodiments of the mixtures according to the invention comprise at least one, preferably one, compound of formula II selected from Table 7:

Table 7:

No.	Compound
7-1	6-(3,4-dichlorophenyl)-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-2	6-(4-tert-butylphenyl)-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-3	5-methyl-6-(3,5,5-trimethylhexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-4	5-methyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-5	5-ethyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-2,7-diamine
7-6	6-ethyl-5-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-7	5-ethyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-8	5-ethyl-6-(3,5,5-trimethylhexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-9	6-octyl-5-propyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-10	5-methoxymethyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-11	6-octyl-5-trifluoromethyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine
7-12	5-trifluoromethyl-6-(3,5,5-trimethylhexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine

According to a further preferred embodiment, the mixtures according to the invention comprise, as component A, at least one compound I, selected from Table 3, and as component B at least one compound II, selected from Table 7. Preferred mixtures according to the invention comprise in each case one compound I and one compound II (binary combination) as components A and B. These binary combinations are listed in Table 8 below:

Table 8:

Binary combination	Compound I	Compound II	Binary combination	Compound I	Compound II
8-1	3-1	7-1	8-2	3-1	7-2

Binary combination	Compound I	Compound II
8-3	3-1	7-3
8-4	3-1	7-4
8-5	3-1	7-5
8-6	3-1	7-6
8-7	3-1	7-7
8-8	3-1	7-8
8-9	3-1	7-9
8-10	3-1	7-10
8-11	3-1	7-11
8-12	3-1	7-12
8-13	3-2	7-1
8-14	3-2	7-2
8-15	3-2	7-3
8-16	3-2	7-4
8-17	3-2	7-5
8-18	3-2	7-6
8-19	3-2	7-7
8-20	3-2	7-8
8-21	3-2	7-9
8-22	3-2	7-10
8-23	3-2	7-11
8-24	3-2	7-12
8-25	3-3	7-1
8-26	3-3	7-2
8-27	3-3	7-3
8-28	3-3	7-4
8-29	3-3	7-5
8-30	3-3	7-6
8-31	3-3	7-7
8-32	3-3	7-8
8-33	3-3	7-9
8-34	3-3	7-10
8-35	3-3	7-11
8-36	3-3	7-12
8-37	3-4	7-1
8-38	3-4	7-2
8-39	3-4	7-3
8-40	3-4	7-4
8-41	3-4	7-5
8-42	3-4	7-6

Binary combination	Compound I	Compound II
8-43	3-4	7-7
8-44	3-4	7-8
8-45	3-4	7-9
8-46	3-4	7-10
8-47	3-4	7-11
8-48	3-4	7-12
8-49	3-5	7-1
8-50	3-5	7-2
8-51	3-5	7-3
8-52	3-5	7-4
8-53	3-5	7-5
8-54	3-5	7-6
8-55	3-5	7-7
8-56	3-5	7-8
8-57	3-5	7-9
8-58	3-5	7-10
8-59	3-5	7-11
8-60	3-5	7-12
8-61	3-6	7-1
8-62	3-6	7-2
8-63	3-6	7-3
8-64	3-6	7-4
8-65	3-6	7-5
8-66	3-6	7-6
8-67	3-6	7-7
8-68	3-6	7-8
8-69	3-6	7-9
8-70	3-6	7-10
8-71	3-6	7-11
8-72	3-6	7-12
8-73	3-7	7-1
8-74	3-7	7-2
8-75	3-7	7-3
8-76	3-7	7-4
8-77	3-7	7-5
8-78	3-7	7-6
8-79	3-7	7-7
8-80	3-7	7-8
8-81	3-7	7-9
8-82	3-7	7-10

Binary combination	Compound I	Compound II
8-83	3-7	7-11
8-84	3-7	7-12
8-85	3-8	7-1
8-86	3-8	7-2
8-87	3-8	7-3
8-88	3-8	7-4
8-89	3-8	7-5
8-90	3-8	7-6
8-91	3-8	7-7
8-92	3-8	7-8
8-93	3-8	7-9
8-94	3-8	7-10
8-95	3-8	7-11
8-96	3-8	7-12
8-97	3-9	7-1
8-98	3-9	7-2
8-99	3-9	7-3
8-100	3-9	7-4
8-101	3-9	7-5
8-102	3-9	7-6
8-103	3-9	7-7
8-104	3-9	7-8
8-105	3-9	7-9
8-106	3-9	7-10
8-107	3-9	7-11
8-108	3-9	7-12
8-109	3-10	7-1
8-110	3-10	7-2
8-111	3-10	7-3
8-112	3-10	7-4
8-113	3-10	7-5
8-114	3-10	7-6
8-115	3-10	7-7
8-116	3-10	7-8
8-117	3-10	7-9
8-118	3-10	7-10
8-119	3-10	7-11
8-120	3-10	7-12
8-121	3-11	7-1
8-122	3-11	7-2

Binary combination	Compound I	Compound II
8-123	3-11	7-3
8-124	3-11	7-4
8-125	3-11	7-5
8-126	3-11	7-6
8-127	3-11	7-7
8-128	3-11	7-8
8-129	3-11	7-9
8-130	3-11	7-10
8-131	3-11	7-11
8-132	3-11	7-12
8-133	3-12	7-1
8-134	3-12	7-2
8-135	3-12	7-3
8-136	3-12	7-4
8-137	3-12	7-5
8-138	3-12	7-6
8-139	3-12	7-7
8-140	3-12	7-8
8-141	3-12	7-9
8-142	3-12	7-10
8-143	3-12	7-11
8-144	3-12	7-12
8-145	3-13	7-1
8-146	3-13	7-2
8-147	3-13	7-3
8-148	3-13	7-4
8-149	3-13	7-5
8-150	3-13	7-6
8-151	3-13	7-7
8-152	3-13	7-8
8-153	3-13	7-9
8-154	3-13	7-10
8-155	3-13	7-11
8-156	3-13	7-12
8-157	3-14	7-1
8-158	3-14	7-2
8-159	3-14	7-3
8-160	3-14	7-4
8-161	3-14	7-5
8-162	3-14	7-6

Binary combination	Compound I	Compound II	Binary combination	Compound I	Compound II
8-163	3-14	7-7	8-172	3-15	7-4
8-164	3-14	7-8	8-173	3-15	7-5
8-165	3-14	7-9	8-174	3-15	7-6
8-166	3-14	7-10	8-175	3-15	7-7
8-167	3-14	7-11	8-176	3-15	7-8
8-168	3-14	7-12	8-177	3-15	7-9
8-169	3-15	7-1	8-178	3-15	7-10
8-170	3-15	7-2	8-179	3-15	7-11
8-171	3-15	7-3	8-180	3-15	7-12

In combination with at least one binary combination 8-1 to 8-180, it is also possibly to use at least one further active component C, selected from Table 9, in the preferred methods according to the invention for controlling phytopathogenic harmful fungi. In addition, methods according to the invention are used for preparing the inventive compositions and seed comprising at least one binary combination 8-1 to 8-180 and, as further active component C, at least one further active compound from Table 9.

According to a further preferred embodiment, the mixtures according to the invention comprise, as component A, at least one compound I, selected from Table 3, and as component B at least one compound II, selected from Table 7, and as further active component C at least one further active compound from Table 9.



Table 9:

Group of active compounds	Examples
azoles	bitertanol, bromuconazole, cyproconazole, difenoconazole, diniconazole, enilconazole, epoxiconazole, fluquinconazole, fenbuconazole, flusilazole, flutriafol, hexaconazole, imibenconazole, ipconazole, metconazole, myclobutanil, penconazole, propiconazole, prothioconazole, simeconazole, triadimefon, triadimenol, tebuconazole, tetraconazole, triticonazole, prochloraz, pefurazoate, imazalil, triflumizole, cyazofamid, benomyl, carbendazim, thiabendazole, fuberidazole, ethaboxam, etridiazole, hymexazole
strobilurins	azoxystrobin, dimoxystrobin, enestroburin, fluoxastrobin, kresoxim-methyl, metominostrobin, orysastrobin, picoxystrobin, pyraclostrobin, trifloxystrobin, or methyl (2-chloro-5-[1-(3-methylbenzyloxyimino)ethyl]benzyl)carbamate, methyl (2-chloro-5-[1-(6-methylpyridin-2-ylmethoxyimino)ethyl]benzyl)carbamate, methyl 2-(ortho-((2,5-dimethylphenyloxymethylene)phenyl)-3-methoxyacrylate

Group of active compounds	Examples
carboxamides	carboxin, benalaxyl, boscalid, fenhexamid, flutolanil, furametpyr, mepronil, metalaxyl, mefenoxam, ofurace, oxadixyl, oxycarboxin, penthiopyrad, thifluzamide, tiadinil, N-(4'-bromobiphenyl-2-yl)-4-difluoromethyl-2-methylthiazole-5-carboxamide, N-(4'-trifluoromethylbiphenyl-2-yl)-4-difluoromethyl-2-methylthiazole-5-carboxamide, N-(4'-chloro-3'-fluorobiphenyl-2-yl)-4-difluoromethyl-2-methylthiazole-5-carboxamide, N-(3',4'-dichloro-4-fluorobiphenyl-2-yl)-3-difluoromethyl-1-methyl-pyrazol-4-carboxamide, N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-difluoromethyl-1-methylpyrazole-4-carboxamide, 3,4-dichloro-N-(2-cyanophenyl)isothiazole-5-carboxamide, dimethomorph, flumorph, flumetover, fluopicolide (picobenzamide), zoxamide, carpropamid, diclocymet, mandipropamid, N-(2-{4-[3-(4-chlorophenyl)prop-2-ynyloxy]-3-methoxyphenyl}ethyl)-2-methanesulfonylamino-3-methylbutyramide, N-(2-{4-[3-(4-chlorophenyl)-prop-2-ynyloxy]-3-methoxyphenyl}ethyl)-2-ethanesulfonylamino-3-methylbutyramide
heterocyclic compounds	fluazinam, pyrifenoх, bupirimate, cyprodinil, fenarimol, ferimzone, mepanipyrim, nuarimol, pyrimethanil, triforine, fenpiclonil, fludioxonil, aldimorph, dodemorph, fenpropimorph, tridemorph, fenpropidin, iprodione, procymidone, vinclozolin, famoxadone, fenamidone, octhilinone, probenazole, amisulbrom, anilazine, diclomezine, pyroquilon, proquinazid, tricyclazole, 5-chloro-7-(4-methylpiperidin-1-yl)-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-a]pyrimidine [AC1]; 2-butoxy-6-iodo-3-propylchromen-4-on, acibenzolar-S-methyl, captafol, captan, clazomet, folpet, fenoxanil, quinoxifen, 3-[5-(4-chlorophenyl)-2,3-dimethylisoxazolidin-3-yl]pyridine
carbamates	mancozeb, maneb, metam, metiram, ferbam, propineb, thiram, zineb, ziram, diethofencarb, iprovalicarb, flubenthiavalicarb, propamocarb, methyl 3-(4-chlorophenyl)-3-(2-isopropoxycarbonylamino-3-methylbutyrylamino)propanate
other active compounds	guanidines: dodine, iminoctadine, guazatine antibiotics: kasugamycin, streptomycin, polyoxins, validamycin A; nitrophenyl derivatives: binapacryl, dinocap, dinobuton, sulfur-containing heterocyclyl compounds: dithianon, isoprothiolane;

Group of active compounds	Examples
	organometal compounds: fentin salts, such as fentin acetate; organophosphorus compounds: edifenphos, iprobenfos, fosetyl, fosetyl-aluminum, phosphorous acid and its salts, pyrazophos, tolclofosmethyl; organochlorine compounds: chlorothalonil, dichlofluanid, flusulfamide, hexachlorobenzene, phthalide, pencycuron, quintozone, thiophanate-methyl, tolylfluanid; inorganic active compounds: sulfur or Cu salts, such as Bordeaux liquor, copper acetate, copper hydroxide, copper oxychloride or basic copper sulfate; growth-retarding substances: prohexadione and its salts, trinexapac-ethyl, chlormequat, mepiquat-chloride and diflufenzopyr; others: cyflufenamid, cymoxanil, dimethirimol, ethirimol, furalaxyl, metrafenone and spiroxamine, N-(cyclopropylmethoxyimino-(6-difluoromethoxy-2,3-difluorophenyl)methyl)-2-phenylacetamide, N'-(4-(4-chloro-3-trifluoromethylphenoxy)-2,5-dimethylphenyl)-N-ethyl-N-methyl formamidine, N'-(4-(4-fluoro-3-trifluoromethylphenoxy)-2,5-dimethylphenyl)-N-ethyl-N-methyl formamidine, N'-(2-methyl-5-trifluoromethyl-4-(3-trimethylsilylpropoxy)phenyl)-N-ethyl-N-methyl formamidine and N'-(5-difluoromethyl-2-methyl-4-(3-trimethylsilylpropoxy)phenyl)-N-ethyl-N-methyl formamidine;
organophosphates	acephate, azamethiphos, azinphos-methyl, chlorpyrifos, chlorpyrifos-methyl, chlorfenvinphos, diazinon, dichlorvos, dicrotophos, dimethoate, disulfoton, ethion, fenitrothion, fenthion, isoxathion, malathion, methamidophos, methidathion, methyl-parathion, mevinphos, monocrotophos, oxydemeton-methyl, paraoxon, parathion, phenthoate, phosalone, phosmet, phosphamidon, phorate, phoxim, pirimiphos-methyl, profenofos, prothiofos, sulprophos, tetrachlorvinphos, terbufos, triazophos, trichlorfon;
carbamates (II)	alanycarb, aldicarb, bendiocarb, benfuracarb, carbaryl, carbofuran, carbosulfan, fenoxycarb, furathiocarb, methiocarb, methomyl, oxamyl, pirimicarb, propoxur, thiodicarb, triazamate;
pyrethroids	allethrin, bifenthrin, cyfluthrin, cyhalothrin, cyphenothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, zeta-cypermethrin, deltamethrin, esfenvalerate, etofenprox, fenpropathrin, fenvalerate, imiprothrin, lambda-cyhalothrin, permethrin, prallethrin, pyrethrin I and II, resmethrin, silafluofen,

Group of active compounds	Examples
	tau-fluvalinate, tefluthrin, tetramethrin, tralomethrin, transfluthrin, profluthrin, dimefluthrin;
arthropod growth regulators	a) chitin synthesis inhibitors: benzoylureas: chlorfluazuron, diflubenzuron, flucyclohexuron, flufenoxuron, hexaflumuron, lufenuron, novaluron, teflubenzuron, triflumuron; buprofezin, diofenolan, hexythiazox, etoxazole, clofentazine; b) ecdysis antagonists: halofenozide, methoxyfenozide, tebufenozide, azadirachtin; c) juvenoids: pyriproxyfen, methoprene, fenoxycarb; d) lipid biosynthesis inhibitors: spirotetramat, spiromesifen, spirotetramat;
neonicotinoids	clothianidin, dinotefuran, imidacloprid, thiamethoxam, nitenpyram, acetamiprid, thiacloprid; the thiazole derivative of the formula Γ^1
various	acetoprole, endosulfan, ethiprole, fipronil, vaniliprole, pyrafluprole, pyriprole, 5-amino-1-(2,6-dichloro-4-trifluoromethyl-phenyl)-4-trifluoromethanesulfinyl-1H-pyrazole-3-carbothionamide; abamectin, emamectin, milbemectin, lepimectin, spinosad; fenazaquin, pyridaben, tebufenpyrad, tolfenpyrad, flufenimer; acequinocyl, fluacyprim, hydramethylnon; chlorfenapyr; cyhexatin, diafenthiuron, fenbutatin oxide, propargite; cyromazine; piperonyl butoxide; indoxacarb, metaflumizone, benclothiaz, bifentazate, cartap, flonicamid, pyridalyl, pymetrozine, sulfur, thiocyclam, flubendiamide, cyenopyrafen, flupyrzofos, cyflumetofen, amidoflumet, anthranilamides of the formula Γ^2



in which A¹ is CH₃, Cl, Br, I; X is C-H, C-Cl, C-F or N; Y' is F, Cl or Br; Y'' is hydrogen, F, Cl, CF₃; B¹ is hydrogen, Cl, Br, I, CN; B² is Cl, Br, CF₃, OCH₂CF₃, OCF₂H and R^B is hydrogen, CH₃ or CH(CH₃)₂;
CF₂HCF₂CF₂CF₂CH₂C(CN)₂CH₂CH₂CF₃;

Group of active compounds	Examples
	$\text{CF}_3(\text{CH}_2)_2\text{C}(\text{CN})_2\text{CH}_2(\text{CF}_2)_5\text{CF}_2\text{H}$; $\text{CF}_3(\text{CH}_2)_2\text{C}(\text{CN})_2(\text{CH}_2)_2\text{C}(\text{CF}_3)_2\text{F}$; $\text{CF}_3(\text{CH}_2)_2\text{C}(\text{CN})_2(\text{CH}_2)_2(\text{CF}_2)_3\text{CF}_3$; $\text{CF}_2\text{H}(\text{CF}_2)_3\text{CH}_2\text{C}(\text{CN})_2\text{CH}_2(\text{CF}_2)_3\text{CF}_2\text{H}$; $\text{CF}_3(\text{CH}_2)_2\text{C}(\text{CN})_2\text{CH}_2(\text{CF}_2)_3\text{CF}_3$; $\text{CF}_3(\text{CF}_2)_2\text{CH}_2\text{C}(\text{CN})_2\text{CH}_2(\text{CF}_2)_3\text{CF}_2\text{H}$; and $\text{CF}_3\text{CF}_2\text{CH}_2\text{C}(\text{CN})_2\text{CH}_2(\text{CF}_2)_3\text{CF}_2\text{H}$

Suitable phosphorous acid salts are, for example, Mn, Zn, Fe, Cu or NH_4 salts. The salts can be present as phosphites or hydrogen phosphites or as hydrates thereof.

5

Ternary mixtures according to the invention comprise in each case one compound I (as component A), one compound II (as component B) and a further component C. In one embodiment the ternary mixtures according to the invention comprise a fungicidal active compound as component C. In another embodiment they comprise an active compound against animal pests as component C. A number of ternary combinations are listed in Table 10 below:

10

Table 10:

No.	Binary combination	Active compound
10-1	8-1	epoxiconazole
10-2	8-2	epoxiconazole
10-3	8-3	epoxiconazole
10-4	8-4	epoxiconazole
10-5	8-5	epoxiconazole
10-6	8-6	epoxiconazole
10-7	8-7	epoxiconazole
10-8	8-8	epoxiconazole
10-9	8-9	epoxiconazole
10-10	8-10	epoxiconazole
10-11	8-11	epoxiconazole
10-12	8-12	epoxiconazole
10-13	8-13	epoxiconazole
10-14	8-14	epoxiconazole
10-15	8-15	epoxiconazole
10-16	8-16	epoxiconazole
10-17	8-17	epoxiconazole
10-18	8-18	epoxiconazole
10-19	8-19	epoxiconazole

No.	Binary combination	Active compound
10-20	8-20	epoxiconazole
10-21	8-21	epoxiconazole
10-22	8-22	epoxiconazole
10-23	8-23	epoxiconazole
10-24	8-24	epoxiconazole
10-25	8-25	epoxiconazole
10-26	8-26	epoxiconazole
10-27	8-27	epoxiconazole
10-28	8-28	epoxiconazole
10-29	8-29	epoxiconazole
10-30	8-30	epoxiconazole
10-31	8-31	epoxiconazole
10-32	8-32	epoxiconazole
10-33	8-33	epoxiconazole
10-34	8-34	epoxiconazole
10-35	8-35	epoxiconazole
10-36	8-36	epoxiconazole
10-37	8-37	epoxiconazole
10-38	8-38	epoxiconazole

No.	Binary combination	Active compound
10-39	8-39	epoxiconazole
10-40	8-40	epoxiconazole
10-41	8-41	epoxiconazole
10-42	8-42	epoxiconazole
10-43	8-43	epoxiconazole
10-44	8-44	epoxiconazole
10-45	8-45	epoxiconazole
10-46	8-46	epoxiconazole
10-47	8-47	epoxiconazole
10-48	8-48	epoxiconazole
10-49	8-49	epoxiconazole
10-50	8-50	epoxiconazole
10-51	8-51	epoxiconazole
10-52	8-52	epoxiconazole
10-53	8-53	epoxiconazole
10-54	8-54	epoxiconazole
10-55	8-55	epoxiconazole
10-56	8-56	epoxiconazole
10-57	8-57	epoxiconazole
10-58	8-58	epoxiconazole
10-59	8-59	epoxiconazole
10-60	8-60	epoxiconazole
10-61	8-61	epoxiconazole
10-62	8-62	epoxiconazole
10-63	8-63	epoxiconazole
10-64	8-64	epoxiconazole
10-65	8-65	epoxiconazole
10-66	8-66	epoxiconazole
10-67	8-67	epoxiconazole
10-68	8-68	epoxiconazole
10-69	8-69	epoxiconazole
10-70	8-70	epoxiconazole
10-71	8-71	epoxiconazole
10-72	8-72	epoxiconazole
10-73	8-73	epoxiconazole
10-74	8-74	epoxiconazole
10-75	8-75	epoxiconazole
10-76	8-76	epoxiconazole
10-77	8-77	epoxiconazole
10-78	8-78	epoxiconazole

No.	Binary combination	Active compound
10-79	8-79	epoxiconazole
10-80	8-80	epoxiconazole
10-81	8-81	epoxiconazole
10-82	8-82	epoxiconazole
10-83	8-83	epoxiconazole
10-84	8-84	epoxiconazole
10-85	8-85	epoxiconazole
10-86	8-86	epoxiconazole
10-87	8-87	epoxiconazole
10-88	8-88	epoxiconazole
10-89	8-89	epoxiconazole
10-90	8-90	epoxiconazole
10-91	8-91	epoxiconazole
10-92	8-92	epoxiconazole
10-93	8-93	epoxiconazole
10-94	8-94	epoxiconazole
10-95	8-95	epoxiconazole
10-96	8-96	epoxiconazole
10-97	8-97	epoxiconazole
10-98	8-98	epoxiconazole
10-99	8-99	epoxiconazole
10-100	8-100	epoxiconazole
10-101	8-101	epoxiconazole
10-102	8-102	epoxiconazole
10-103	8-103	epoxiconazole
10-104	8-104	epoxiconazole
10-105	8-105	epoxiconazole
10-106	8-106	epoxiconazole
10-107	8-107	epoxiconazole
10-108	8-108	epoxiconazole
10-109	8-109	epoxiconazole
10-110	8-110	epoxiconazole
10-111	8-111	epoxiconazole
10-112	8-112	epoxiconazole
10-113	8-113	epoxiconazole
10-114	8-114	epoxiconazole
10-115	8-115	epoxiconazole
10-116	8-116	epoxiconazole
10-117	8-117	epoxiconazole
10-118	8-118	epoxiconazole

No.	Binary combination	Active compound
10-119	8-119	epoxiconazole
10-120	8-120	epoxiconazole
10-121	8-121	epoxiconazole
10-122	8-122	epoxiconazole
10-123	8-123	epoxiconazole
10-124	8-124	epoxiconazole
10-125	8-125	epoxiconazole
10-126	8-126	epoxiconazole
10-127	8-127	epoxiconazole
10-128	8-128	epoxiconazole
10-129	8-129	epoxiconazole
10-130	8-130	epoxiconazole
10-131	8-131	epoxiconazole
10-132	8-132	epoxiconazole
10-133	8-133	epoxiconazole
10-134	8-134	epoxiconazole
10-135	8-135	epoxiconazole
10-136	8-136	epoxiconazole
10-137	8-137	epoxiconazole
10-138	8-138	epoxiconazole
10-139	8-139	epoxiconazole
10-140	8-140	epoxiconazole
10-141	8-141	epoxiconazole
10-142	8-142	epoxiconazole
10-143	8-143	epoxiconazole
10-144	8-144	epoxiconazole
10-145	8-145	epoxiconazole
10-146	8-146	epoxiconazole
10-147	8-147	epoxiconazole
10-148	8-148	epoxiconazole
10-149	8-149	epoxiconazole
10-150	8-150	epoxiconazole
10-151	8-151	epoxiconazole
10-152	8-152	epoxiconazole
10-153	8-153	epoxiconazole
10-154	8-154	epoxiconazole
10-155	8-155	epoxiconazole
10-156	8-156	epoxiconazole
10-157	8-157	epoxiconazole
10-158	8-158	epoxiconazole

No.	Binary combination	Active compound
10-159	8-159	epoxiconazole
10-160	8-160	epoxiconazole
10-161	8-161	epoxiconazole
10-162	8-162	epoxiconazole
10-163	8-163	epoxiconazole
10-164	8-164	epoxiconazole
10-165	8-165	epoxiconazole
10-166	8-166	epoxiconazole
10-167	8-167	epoxiconazole
10-168	8-168	epoxiconazole
10-169	8-169	epoxiconazole
10-170	8-170	epoxiconazole
10-171	8-171	epoxiconazole
10-172	8-172	epoxiconazole
10-173	8-173	epoxiconazole
10-174	8-174	epoxiconazole
10-175	8-175	epoxiconazole
10-176	8-176	epoxiconazole
10-177	8-177	epoxiconazole
10-178	8-178	epoxiconazole
10-179	8-179	epoxiconazole
10-180	8-180	epoxiconazole
10-181	8-1	metconazole
10-182	8-2	metconazole
10-183	8-3	metconazole
10-184	8-4	metconazole
10-185	8-5	metconazole
10-186	8-6	metconazole
10-187	8-7	metconazole
10-188	8-8	metconazole
10-189	8-9	metconazole
10-190	8-10	metconazole
10-191	8-11	metconazole
10-192	8-12	metconazole
10-193	8-13	metconazole
10-194	8-14	metconazole
10-195	8-15	metconazole
10-196	8-16	metconazole
10-197	8-17	metconazole
10-198	8-18	metconazole

No.	Binary combination	Active compound
10-199	8-19	metconazole
10-200	8-20	metconazole
10-201	8-21	metconazole
10-202	8-22	metconazole
10-203	8-23	metconazole
10-204	8-24	metconazole
10-205	8-25	metconazole
10-206	8-26	metconazole
10-207	8-27	metconazole
10-208	8-28	metconazole
10-209	8-29	metconazole
10-210	8-30	metconazole
10-211	8-31	metconazole
10-212	8-32	metconazole
10-213	8-33	metconazole
10-214	8-34	metconazole
10-215	8-35	metconazole
10-216	8-36	metconazole
10-217	8-37	metconazole
10-218	8-38	metconazole
10-219	8-39	metconazole
10-220	8-40	metconazole
10-221	8-41	metconazole
10-222	8-42	metconazole
10-223	8-43	metconazole
10-224	8-44	metconazole
10-225	8-45	metconazole
10-226	8-46	metconazole
10-227	8-47	metconazole
10-228	8-48	metconazole
10-229	8-49	metconazole
10-230	8-50	metconazole
10-231	8-51	metconazole
10-232	8-52	metconazole
10-233	8-53	metconazole
10-234	8-54	metconazole
10-235	8-55	metconazole
10-236	8-56	metconazole
10-237	8-57	metconazole
10-238	8-58	metconazole

No.	Binary combination	Active compound
10-239	8-59	metconazole
10-240	8-60	metconazole
10-241	8-61	metconazole
10-242	8-62	metconazole
10-243	8-63	metconazole
10-244	8-64	metconazole
10-245	8-65	metconazole
10-246	8-66	metconazole
10-247	8-67	metconazole
10-248	8-68	metconazole
10-249	8-69	metconazole
10-250	8-70	metconazole
10-251	8-71	metconazole
10-252	8-72	metconazole
10-253	8-73	metconazole
10-254	8-74	metconazole
10-255	8-75	metconazole
10-256	8-76	metconazole
10-257	8-77	metconazole
10-258	8-78	metconazole
10-259	8-79	metconazole
10-260	8-80	metconazole
10-261	8-81	metconazole
10-262	8-82	metconazole
10-263	8-83	metconazole
10-264	8-84	metconazole
10-265	8-85	metconazole
10-266	8-86	metconazole
10-267	8-87	metconazole
10-268	8-88	metconazole
10-269	8-89	metconazole
10-270	8-90	metconazole
10-271	8-91	metconazole
10-272	8-92	metconazole
10-273	8-93	metconazole
10-274	8-94	metconazole
10-275	8-95	metconazole
10-276	8-96	metconazole
10-277	8-97	metconazole
10-278	8-98	metconazole

No.	Binary combination	Active compound
10-279	8-99	metconazole
10-280	8-100	metconazole
10-281	8-101	metconazole
10-282	8-102	metconazole
10-283	8-103	metconazole
10-284	8-104	metconazole
10-285	8-105	metconazole
10-286	8-106	metconazole
10-287	8-107	metconazole
10-288	8-108	metconazole
10-289	8-109	metconazole
10-290	8-110	metconazole
10-291	8-111	metconazole
10-292	8-112	metconazole
10-293	8-113	metconazole
10-294	8-114	metconazole
10-295	8-115	metconazole
10-296	8-116	metconazole
10-297	8-117	metconazole
10-298	8-118	metconazole
10-299	8-119	metconazole
10-300	8-120	metconazole
10-301	8-121	metconazole
10-302	8-122	metconazole
10-303	8-123	metconazole
10-304	8-124	metconazole
10-305	8-125	metconazole
10-306	8-126	metconazole
10-307	8-127	metconazole
10-308	8-128	metconazole
10-309	8-129	metconazole
10-310	8-130	metconazole
10-311	8-131	metconazole
10-312	8-132	metconazole
10-313	8-133	metconazole
10-314	8-134	metconazole
10-315	8-135	metconazole
10-316	8-136	metconazole
10-317	8-137	metconazole
10-318	8-138	metconazole

No.	Binary combination	Active compound
10-319	8-139	metconazole
10-320	8-140	metconazole
10-321	8-141	metconazole
10-322	8-142	metconazole
10-323	8-143	metconazole
10-324	8-144	metconazole
10-325	8-145	metconazole
10-326	8-146	metconazole
10-327	8-147	metconazole
10-328	8-148	metconazole
10-329	8-149	metconazole
10-330	8-150	metconazole
10-331	8-151	metconazole
10-332	8-152	metconazole
10-333	8-153	metconazole
10-334	8-154	metconazole
10-335	8-155	metconazole
10-336	8-156	metconazole
10-337	8-157	metconazole
10-338	8-158	metconazole
10-339	8-159	metconazole
10-340	8-160	metconazole
10-341	8-161	metconazole
10-342	8-162	metconazole
10-343	8-163	metconazole
10-344	8-164	metconazole
10-345	8-165	metconazole
10-346	8-166	metconazole
10-347	8-167	metconazole
10-348	8-168	metconazole
10-349	8-169	metconazole
10-350	8-170	metconazole
10-351	8-171	metconazole
10-352	8-172	metconazole
10-353	8-173	metconazole
10-354	8-174	metconazole
10-355	8-175	metconazole
10-356	8-176	metconazole
10-357	8-177	metconazole
10-358	8-178	metconazole

No.	Binary combination	Active compound
10-359	8-179	metconazole
10-360	8-180	metconazole
10-361	8-1	tebuconazole
10-362	8-2	tebuconazole
10-363	8-3	tebuconazole
10-364	8-4	tebuconazole
10-365	8-5	tebuconazole
10-366	8-6	tebuconazole
10-367	8-7	tebuconazole
10-368	8-8	tebuconazole
10-369	8-9	tebuconazole
10-370	8-10	tebuconazole
10-371	8-11	tebuconazole
10-372	8-12	tebuconazole
10-373	8-13	tebuconazole
10-374	8-14	tebuconazole
10-375	8-15	tebuconazole
10-376	8-16	tebuconazole
10-377	8-17	tebuconazole
10-378	8-18	tebuconazole
10-379	8-19	tebuconazole
10-380	8-20	tebuconazole
10-381	8-21	tebuconazole
10-382	8-22	tebuconazole
10-383	8-23	tebuconazole
10-384	8-24	tebuconazole
10-385	8-25	tebuconazole
10-386	8-26	tebuconazole
10-387	8-27	tebuconazole
10-388	8-28	tebuconazole
10-389	8-29	tebuconazole
10-390	8-30	tebuconazole
10-391	8-31	tebuconazole
10-392	8-32	tebuconazole
10-393	8-33	tebuconazole
10-394	8-34	tebuconazole
10-395	8-35	tebuconazole
10-396	8-36	tebuconazole
10-397	8-37	tebuconazole
10-398	8-38	tebuconazole

No.	Binary combination	Active compound
10-399	8-39	tebuconazole
10-400	8-40	tebuconazole
10-401	8-41	tebuconazole
10-402	8-42	tebuconazole
10-403	8-43	tebuconazole
10-404	8-44	tebuconazole
10-405	8-45	tebuconazole
10-406	8-46	tebuconazole
10-407	8-47	tebuconazole
10-408	8-48	tebuconazole
10-409	8-49	tebuconazole
10-410	8-50	tebuconazole
10-411	8-51	tebuconazole
10-412	8-52	tebuconazole
10-413	8-53	tebuconazole
10-414	8-54	tebuconazole
10-415	8-55	tebuconazole
10-416	8-56	tebuconazole
10-417	8-57	tebuconazole
10-418	8-58	tebuconazole
10-419	8-59	tebuconazole
10-420	8-60	tebuconazole
10-421	8-61	tebuconazole
10-422	8-62	tebuconazole
10-423	8-63	tebuconazole
10-424	8-64	tebuconazole
10-425	8-65	tebuconazole
10-426	8-66	tebuconazole
10-427	8-67	tebuconazole
10-428	8-68	tebuconazole
10-429	8-69	tebuconazole
10-430	8-70	tebuconazole
10-431	8-71	tebuconazole
10-432	8-72	tebuconazole
10-433	8-73	tebuconazole
10-434	8-74	tebuconazole
10-435	8-75	tebuconazole
10-436	8-76	tebuconazole
10-437	8-77	tebuconazole
10-438	8-78	tebuconazole

No.	Binary combination	Active compound
10-439	8-79	tebuconazole
10-440	8-80	tebuconazole
10-441	8-81	tebuconazole
10-442	8-82	tebuconazole
10-443	8-83	tebuconazole
10-444	8-84	tebuconazole
10-445	8-85	tebuconazole
10-446	8-86	tebuconazole
10-447	8-87	tebuconazole
10-448	8-88	tebuconazole
10-449	8-89	tebuconazole
10-450	8-90	tebuconazole
10-451	8-91	tebuconazole
10-452	8-92	tebuconazole
10-453	8-93	tebuconazole
10-454	8-94	tebuconazole
10-455	8-95	tebuconazole
10-456	8-96	tebuconazole
10-457	8-97	tebuconazole
10-458	8-98	tebuconazole
10-459	8-99	tebuconazole
10-460	8-100	tebuconazole
10-461	8-101	tebuconazole
10-462	8-102	tebuconazole
10-463	8-103	tebuconazole
10-464	8-104	tebuconazole
10-465	8-105	tebuconazole
10-466	8-106	tebuconazole
10-467	8-107	tebuconazole
10-468	8-108	tebuconazole
10-469	8-109	tebuconazole
10-470	8-110	tebuconazole
10-471	8-111	tebuconazole
10-472	8-112	tebuconazole
10-473	8-113	tebuconazole
10-474	8-114	tebuconazole
10-475	8-115	tebuconazole
10-476	8-116	tebuconazole
10-477	8-117	tebuconazole
10-478	8-118	tebuconazole

No.	Binary combination	Active compound
10-479	8-119	tebuconazole
10-480	8-120	tebuconazole
10-481	8-121	tebuconazole
10-482	8-122	tebuconazole
10-483	8-123	tebuconazole
10-484	8-124	tebuconazole
10-485	8-125	tebuconazole
10-486	8-126	tebuconazole
10-487	8-127	tebuconazole
10-488	8-128	tebuconazole
10-489	8-129	tebuconazole
10-490	8-130	tebuconazole
10-491	8-131	tebuconazole
10-492	8-132	tebuconazole
10-493	8-133	tebuconazole
10-494	8-134	tebuconazole
10-495	8-135	tebuconazole
10-496	8-136	tebuconazole
10-497	8-137	tebuconazole
10-498	8-138	tebuconazole
10-499	8-139	tebuconazole
10-500	8-140	tebuconazole
10-501	8-141	tebuconazole
10-502	8-142	tebuconazole
10-503	8-143	tebuconazole
10-504	8-144	tebuconazole
10-505	8-145	tebuconazole
10-506	8-146	tebuconazole
10-507	8-147	tebuconazole
10-508	8-148	tebuconazole
10-509	8-149	tebuconazole
10-510	8-150	tebuconazole
10-511	8-151	tebuconazole
10-512	8-152	tebuconazole
10-513	8-153	tebuconazole
10-514	8-154	tebuconazole
10-515	8-155	tebuconazole
10-516	8-156	tebuconazole
10-517	8-157	tebuconazole
10-518	8-158	tebuconazole

No.	Binary combination	Active compound
10-519	8-159	tebuconazole
10-520	8-160	tebuconazole
10-521	8-161	tebuconazole
10-522	8-162	tebuconazole
10-523	8-163	tebuconazole
10-524	8-164	tebuconazole
10-525	8-165	tebuconazole
10-526	8-166	tebuconazole
10-527	8-167	tebuconazole
10-528	8-168	tebuconazole
10-529	8-169	tebuconazole
10-530	8-170	tebuconazole
10-531	8-171	tebuconazole
10-532	8-172	tebuconazole
10-533	8-173	tebuconazole
10-534	8-174	tebuconazole
10-535	8-175	tebuconazole
10-536	8-176	tebuconazole
10-537	8-177	tebuconazole
10-538	8-178	tebuconazole
10-539	8-179	tebuconazole
10-540	8-180	tebuconazole
10-541	8-1	fluquinconazole
10-542	8-2	fluquinconazole
10-543	8-3	fluquinconazole
10-544	8-4	fluquinconazole
10-545	8-5	fluquinconazole
10-546	8-6	fluquinconazole
10-547	8-7	fluquinconazole
10-548	8-8	fluquinconazole
10-549	8-9	fluquinconazole
10-550	8-10	fluquinconazole
10-551	8-11	fluquinconazole
10-552	8-12	fluquinconazole
10-553	8-13	fluquinconazole
10-554	8-14	fluquinconazole
10-555	8-15	fluquinconazole
10-556	8-16	fluquinconazole
10-557	8-17	fluquinconazole
10-558	8-18	fluquinconazole

No.	Binary combination	Active compound
10-559	8-19	fluquinconazole
10-560	8-20	fluquinconazole
10-561	8-21	fluquinconazole
10-562	8-22	fluquinconazole
10-563	8-23	fluquinconazole
10-564	8-24	fluquinconazole
10-565	8-25	fluquinconazole
10-566	8-26	fluquinconazole
10-567	8-27	fluquinconazole
10-568	8-28	fluquinconazole
10-569	8-29	fluquinconazole
10-570	8-30	fluquinconazole
10-571	8-31	fluquinconazole
10-572	8-32	fluquinconazole
10-573	8-33	fluquinconazole
10-574	8-34	fluquinconazole
10-575	8-35	fluquinconazole
10-576	8-36	fluquinconazole
10-577	8-37	fluquinconazole
10-578	8-38	fluquinconazole
10-579	8-39	fluquinconazole
10-580	8-40	fluquinconazole
10-581	8-41	fluquinconazole
10-582	8-42	fluquinconazole
10-583	8-43	fluquinconazole
10-584	8-44	fluquinconazole
10-585	8-45	fluquinconazole
10-586	8-46	fluquinconazole
10-587	8-47	fluquinconazole
10-588	8-48	fluquinconazole
10-589	8-49	fluquinconazole
10-590	8-50	fluquinconazole
10-591	8-51	fluquinconazole
10-592	8-52	fluquinconazole
10-593	8-53	fluquinconazole
10-594	8-54	fluquinconazole
10-595	8-55	fluquinconazole
10-596	8-56	fluquinconazole
10-597	8-57	fluquinconazole
10-598	8-58	fluquinconazole

No.	Binary combination	Active compound
10-599	8-59	fluquinconazole
10-600	8-60	fluquinconazole
10-601	8-61	fluquinconazole
10-602	8-62	fluquinconazole
10-603	8-63	fluquinconazole
10-604	8-64	fluquinconazole
10-605	8-65	fluquinconazole
10-606	8-66	fluquinconazole
10-607	8-67	fluquinconazole
10-608	8-68	fluquinconazole
10-609	8-69	fluquinconazole
10-610	8-70	fluquinconazole
10-611	8-71	fluquinconazole
10-612	8-72	fluquinconazole
10-613	8-73	fluquinconazole
10-614	8-74	fluquinconazole
10-615	8-75	fluquinconazole
10-616	8-76	fluquinconazole
10-617	8-77	fluquinconazole
10-618	8-78	fluquinconazole
10-619	8-79	fluquinconazole
10-620	8-80	fluquinconazole
10-621	8-81	fluquinconazole
10-622	8-82	fluquinconazole
10-623	8-83	fluquinconazole
10-624	8-84	fluquinconazole
10-625	8-85	fluquinconazole
10-626	8-86	fluquinconazole
10-627	8-87	fluquinconazole
10-628	8-88	fluquinconazole
10-629	8-89	fluquinconazole
10-630	8-90	fluquinconazole
10-631	8-91	fluquinconazole
10-632	8-92	fluquinconazole
10-633	8-93	fluquinconazole
10-634	8-94	fluquinconazole
10-635	8-95	fluquinconazole
10-636	8-96	fluquinconazole
10-637	8-97	fluquinconazole
10-638	8-98	fluquinconazole

No.	Binary combination	Active compound
10-639	8-99	fluquinconazole
10-640	8-100	fluquinconazole
10-641	8-101	fluquinconazole
10-642	8-102	fluquinconazole
10-643	8-103	fluquinconazole
10-644	8-104	fluquinconazole
10-645	8-105	fluquinconazole
10-646	8-106	fluquinconazole
10-647	8-107	fluquinconazole
10-648	8-108	fluquinconazole
10-649	8-109	fluquinconazole
10-650	8-110	fluquinconazole
10-651	8-111	fluquinconazole
10-652	8-112	fluquinconazole
10-653	8-113	fluquinconazole
10-654	8-114	fluquinconazole
10-655	8-115	fluquinconazole
10-656	8-116	fluquinconazole
10-657	8-117	fluquinconazole
10-658	8-118	fluquinconazole
10-659	8-119	fluquinconazole
10-660	8-120	fluquinconazole
10-661	8-121	fluquinconazole
10-662	8-122	fluquinconazole
10-663	8-123	fluquinconazole
10-664	8-124	fluquinconazole
10-665	8-125	fluquinconazole
10-666	8-126	fluquinconazole
10-667	8-127	fluquinconazole
10-668	8-128	fluquinconazole
10-669	8-129	fluquinconazole
10-670	8-130	fluquinconazole
10-671	8-131	fluquinconazole
10-672	8-132	fluquinconazole
10-673	8-133	fluquinconazole
10-674	8-134	fluquinconazole
10-675	8-135	fluquinconazole
10-676	8-136	fluquinconazole
10-677	8-137	fluquinconazole
10-678	8-138	fluquinconazole

No.	Binary combination	Active compound
10-679	8-139	fluquinconazole
10-680	8-140	fluquinconazole
10-681	8-141	fluquinconazole
10-682	8-142	fluquinconazole
10-683	8-143	fluquinconazole
10-684	8-144	fluquinconazole
10-685	8-145	fluquinconazole
10-686	8-146	fluquinconazole
10-687	8-147	fluquinconazole
10-688	8-148	fluquinconazole
10-689	8-149	fluquinconazole
10-690	8-150	fluquinconazole
10-691	8-151	fluquinconazole
10-692	8-152	fluquinconazole
10-693	8-153	fluquinconazole
10-694	8-154	fluquinconazole
10-695	8-155	fluquinconazole
10-696	8-156	fluquinconazole
10-697	8-157	fluquinconazole
10-698	8-158	fluquinconazole
10-699	8-159	fluquinconazole
10-700	8-160	fluquinconazole
10-701	8-161	fluquinconazole
10-702	8-162	fluquinconazole
10-703	8-163	fluquinconazole
10-704	8-164	fluquinconazole
10-705	8-165	fluquinconazole
10-706	8-166	fluquinconazole
10-707	8-167	fluquinconazole
10-708	8-168	fluquinconazole
10-709	8-169	fluquinconazole
10-710	8-170	fluquinconazole
10-711	8-171	fluquinconazole
10-712	8-172	fluquinconazole
10-713	8-173	fluquinconazole
10-714	8-174	fluquinconazole
10-715	8-175	fluquinconazole
10-716	8-176	fluquinconazole
10-717	8-177	fluquinconazole
10-718	8-178	fluquinconazole

No.	Binary combination	Active compound
10-719	8-179	fluquinconazole
10-720	8-180	fluquinconazole
10-721	8-1	flutriafol
10-722	8-2	flutriafol
10-723	8-3	flutriafol
10-724	8-4	flutriafol
10-725	8-5	flutriafol
10-726	8-6	flutriafol
10-727	8-7	flutriafol
10-728	8-8	flutriafol
10-729	8-9	flutriafol
10-730	8-10	flutriafol
10-731	8-11	flutriafol
10-732	8-12	flutriafol
10-733	8-13	flutriafol
10-734	8-14	flutriafol
10-735	8-15	flutriafol
10-736	8-16	flutriafol
10-737	8-17	flutriafol
10-738	8-18	flutriafol
10-739	8-19	flutriafol
10-740	8-20	flutriafol
10-741	8-21	flutriafol
10-742	8-22	flutriafol
10-743	8-23	flutriafol
10-744	8-24	flutriafol
10-745	8-25	flutriafol
10-746	8-26	flutriafol
10-747	8-27	flutriafol
10-748	8-28	flutriafol
10-749	8-29	flutriafol
10-750	8-30	flutriafol
10-751	8-31	flutriafol
10-752	8-32	flutriafol
10-753	8-33	flutriafol
10-754	8-34	flutriafol
10-755	8-35	flutriafol
10-756	8-36	flutriafol
10-757	8-37	flutriafol
10-758	8-38	flutriafol

No.	Binary combination	Active compound
10-759	8-39	flutriafol
10-760	8-40	flutriafol
10-761	8-41	flutriafol
10-762	8-42	flutriafol
10-763	8-43	flutriafol
10-764	8-44	flutriafol
10-765	8-45	flutriafol
10-766	8-46	flutriafol
10-767	8-47	flutriafol
10-768	8-48	flutriafol
10-769	8-49	flutriafol
10-770	8-50	flutriafol
10-771	8-51	flutriafol
10-772	8-52	flutriafol
10-773	8-53	flutriafol
10-774	8-54	flutriafol
10-775	8-55	flutriafol
10-776	8-56	flutriafol
10-777	8-57	flutriafol
10-778	8-58	flutriafol
10-779	8-59	flutriafol
10-780	8-60	flutriafol
10-781	8-61	flutriafol
10-782	8-62	flutriafol
10-783	8-63	flutriafol
10-784	8-64	flutriafol
10-785	8-65	flutriafol
10-786	8-66	flutriafol
10-787	8-67	flutriafol
10-788	8-68	flutriafol
10-789	8-69	flutriafol
10-790	8-70	flutriafol
10-791	8-71	flutriafol
10-792	8-72	flutriafol
10-793	8-73	flutriafol
10-794	8-74	flutriafol
10-795	8-75	flutriafol
10-796	8-76	flutriafol
10-797	8-77	flutriafol
10-798	8-78	flutriafol

No.	Binary combination	Active compound
10-799	8-79	flutriafol
10-800	8-80	flutriafol
10-801	8-81	flutriafol
10-802	8-82	flutriafol
10-803	8-83	flutriafol
10-804	8-84	flutriafol
10-805	8-85	flutriafol
10-806	8-86	flutriafol
10-807	8-87	flutriafol
10-808	8-88	flutriafol
10-809	8-89	flutriafol
10-810	8-90	flutriafol
10-811	8-91	flutriafol
10-812	8-92	flutriafol
10-813	8-93	flutriafol
10-814	8-94	flutriafol
10-815	8-95	flutriafol
10-816	8-96	flutriafol
10-817	8-97	flutriafol
10-818	8-98	flutriafol
10-819	8-99	flutriafol
10-820	8-100	flutriafol
10-821	8-101	flutriafol
10-822	8-102	flutriafol
10-823	8-103	flutriafol
10-824	8-104	flutriafol
10-825	8-105	flutriafol
10-826	8-106	flutriafol
10-827	8-107	flutriafol
10-828	8-108	flutriafol
10-829	8-109	flutriafol
10-830	8-110	flutriafol
10-831	8-111	flutriafol
10-832	8-112	flutriafol
10-833	8-113	flutriafol
10-834	8-114	flutriafol
10-835	8-115	flutriafol
10-836	8-116	flutriafol
10-837	8-117	flutriafol
10-838	8-118	flutriafol

No.	Binary combination	Active compound
10-839	8-119	flutriafol
10-840	8-120	flutriafol
10-841	8-121	flutriafol
10-842	8-122	flutriafol
10-843	8-123	flutriafol
10-844	8-124	flutriafol
10-845	8-125	flutriafol
10-846	8-126	flutriafol
10-847	8-127	flutriafol
10-848	8-128	flutriafol
10-849	8-129	flutriafol
10-850	8-130	flutriafol
10-851	8-131	flutriafol
10-852	8-132	flutriafol
10-853	8-133	flutriafol
10-854	8-134	flutriafol
10-855	8-135	flutriafol
10-856	8-136	flutriafol
10-857	8-137	flutriafol
10-858	8-138	flutriafol
10-859	8-139	flutriafol
10-860	8-140	flutriafol
10-861	8-141	flutriafol
10-862	8-142	flutriafol
10-863	8-143	flutriafol
10-864	8-144	flutriafol
10-865	8-145	flutriafol
10-866	8-146	flutriafol
10-867	8-147	flutriafol
10-868	8-148	flutriafol
10-869	8-149	flutriafol
10-870	8-150	flutriafol
10-871	8-151	flutriafol
10-872	8-152	flutriafol
10-873	8-153	flutriafol
10-874	8-154	flutriafol
10-875	8-155	flutriafol
10-876	8-156	flutriafol
10-877	8-157	flutriafol
10-878	8-158	flutriafol

No.	Binary combination	Active compound
10-879	8-159	flutriafol
10-880	8-160	flutriafol
10-881	8-161	flutriafol
10-882	8-162	flutriafol
10-883	8-163	flutriafol
10-884	8-164	flutriafol
10-885	8-165	flutriafol
10-886	8-166	flutriafol
10-887	8-167	flutriafol
10-888	8-168	flutriafol
10-889	8-169	flutriafol
10-890	8-170	flutriafol
10-891	8-171	flutriafol
10-892	8-172	flutriafol
10-893	8-173	flutriafol
10-894	8-174	flutriafol
10-895	8-175	flutriafol
10-896	8-176	flutriafol
10-897	8-177	flutriafol
10-898	8-178	flutriafol
10-899	8-179	flutriafol
10-900	8-180	flutriafol
10-901	8-1	triticonazole
10-902	8-2	triticonazole
10-903	8-3	triticonazole
10-904	8-4	triticonazole
10-905	8-5	triticonazole
10-906	8-6	triticonazole
10-907	8-7	triticonazole
10-908	8-8	triticonazole
10-909	8-9	triticonazole
10-910	8-10	triticonazole
10-911	8-11	triticonazole
10-912	8-12	triticonazole
10-913	8-13	triticonazole
10-914	8-14	triticonazole
10-915	8-15	triticonazole
10-916	8-16	triticonazole
10-917	8-17	triticonazole
10-918	8-18	triticonazole

No.	Binary combination	Active compound
10-919	8-19	triticonazole
10-920	8-20	triticonazole
10-921	8-21	triticonazole
10-922	8-22	triticonazole
10-923	8-23	triticonazole
10-924	8-24	triticonazole
10-925	8-25	triticonazole
10-926	8-26	triticonazole
10-927	8-27	triticonazole
10-928	8-28	triticonazole
10-929	8-29	triticonazole
10-930	8-30	triticonazole
10-931	8-31	triticonazole
10-932	8-32	triticonazole
10-933	8-33	triticonazole
10-934	8-34	triticonazole
10-935	8-35	triticonazole
10-936	8-36	triticonazole
10-937	8-37	triticonazole
10-938	8-38	triticonazole
10-939	8-39	triticonazole
10-940	8-40	triticonazole
10-941	8-41	triticonazole
10-942	8-42	triticonazole
10-943	8-43	triticonazole
10-944	8-44	triticonazole
10-945	8-45	triticonazole
10-946	8-46	triticonazole
10-947	8-47	triticonazole
10-948	8-48	triticonazole
10-949	8-49	triticonazole
10-950	8-50	triticonazole
10-951	8-51	triticonazole
10-952	8-52	triticonazole
10-953	8-53	triticonazole
10-954	8-54	triticonazole
10-955	8-55	triticonazole
10-956	8-56	triticonazole
10-957	8-57	triticonazole
10-958	8-58	triticonazole

No.	Binary combination	Active compound
10-959	8-59	triticonazole
10-960	8-60	triticonazole
10-961	8-61	triticonazole
10-962	8-62	triticonazole
10-963	8-63	triticonazole
10-964	8-64	triticonazole
10-965	8-65	triticonazole
10-966	8-66	triticonazole
10-967	8-67	triticonazole
10-968	8-68	triticonazole
10-969	8-69	triticonazole
10-970	8-70	triticonazole
10-971	8-71	triticonazole
10-972	8-72	triticonazole
10-973	8-73	triticonazole
10-974	8-74	triticonazole
10-975	8-75	triticonazole
10-976	8-76	triticonazole
10-977	8-77	triticonazole
10-978	8-78	triticonazole
10-979	8-79	triticonazole
10-980	8-80	triticonazole
10-981	8-81	triticonazole
10-982	8-82	triticonazole
10-983	8-83	triticonazole
10-984	8-84	triticonazole
10-985	8-85	triticonazole
10-986	8-86	triticonazole
10-987	8-87	triticonazole
10-988	8-88	triticonazole
10-989	8-89	triticonazole
10-990	8-90	triticonazole
10-991	8-91	triticonazole
10-992	8-92	triticonazole
10-993	8-93	triticonazole
10-994	8-94	triticonazole
10-995	8-95	triticonazole
10-996	8-96	triticonazole
10-997	8-97	triticonazole
10-998	8-98	triticonazole

No.	Binary combination	Active compound
10-999	8-99	triticonazole
10-1000	8-100	triticonazole
10-1001	8-101	triticonazole
10-1002	8-102	triticonazole
10-1003	8-103	triticonazole
10-1004	8-104	triticonazole
10-1005	8-105	triticonazole
10-1006	8-106	triticonazole
10-1007	8-107	triticonazole
10-1008	8-108	triticonazole
10-1009	8-109	triticonazole
10-1010	8-110	triticonazole
10-1011	8-111	triticonazole
10-1012	8-112	triticonazole
10-1013	8-113	triticonazole
10-1014	8-114	triticonazole
10-1015	8-115	triticonazole
10-1016	8-116	triticonazole
10-1017	8-117	triticonazole
10-1018	8-118	triticonazole
10-1019	8-119	triticonazole
10-1020	8-120	triticonazole
10-1021	8-121	triticonazole
10-1022	8-122	triticonazole
10-1023	8-123	triticonazole
10-1024	8-124	triticonazole
10-1025	8-125	triticonazole
10-1026	8-126	triticonazole
10-1027	8-127	triticonazole
10-1028	8-128	triticonazole
10-1029	8-129	triticonazole
10-1030	8-130	triticonazole
10-1031	8-131	triticonazole
10-1032	8-132	triticonazole
10-1033	8-133	triticonazole
10-1034	8-134	triticonazole
10-1035	8-135	triticonazole
10-1036	8-136	triticonazole
10-1037	8-137	triticonazole
10-1038	8-138	triticonazole

No.	Binary combination	Active compound
10-1039	8-139	triticonazole
10-1040	8-140	triticonazole
10-1041	8-141	triticonazole
10-1042	8-142	triticonazole
10-1043	8-143	triticonazole
10-1044	8-144	triticonazole
10-1045	8-145	triticonazole
10-1046	8-146	triticonazole
10-1047	8-147	triticonazole
10-1048	8-148	triticonazole
10-1049	8-149	triticonazole
10-1050	8-150	triticonazole
10-1051	8-151	triticonazole
10-1052	8-152	triticonazole
10-1053	8-153	triticonazole
10-1054	8-154	triticonazole
10-1055	8-155	triticonazole
10-1056	8-156	triticonazole
10-1057	8-157	triticonazole
10-1058	8-158	triticonazole
10-1059	8-159	triticonazole
10-1060	8-160	triticonazole
10-1061	8-161	triticonazole
10-1062	8-162	triticonazole
10-1063	8-163	triticonazole
10-1064	8-164	triticonazole
10-1065	8-165	triticonazole
10-1066	8-166	triticonazole
10-1067	8-167	triticonazole
10-1068	8-168	triticonazole
10-1069	8-169	triticonazole
10-1070	8-170	triticonazole
10-1071	8-171	triticonazole
10-1072	8-172	triticonazole
10-1073	8-173	triticonazole
10-1074	8-174	triticonazole
10-1075	8-175	triticonazole
10-1076	8-176	triticonazole
10-1077	8-177	triticonazole
10-1078	8-178	triticonazole

PF 58791

55

No.	Binary combination	Active compound
10-1079	8-179	triticonazole
10-1080	8-180	triticonazole
10-1081	8-1	prochloraz
10-1082	8-2	prochloraz
10-1083	8-3	prochloraz
10-1084	8-4	prochloraz
10-1085	8-5	prochloraz
10-1086	8-6	prochloraz
10-1087	8-7	prochloraz
10-1088	8-8	prochloraz
10-1089	8-9	prochloraz
10-1090	8-10	prochloraz
10-1091	8-11	prochloraz
10-1092	8-12	prochloraz
10-1093	8-13	prochloraz
10-1094	8-14	prochloraz
10-1095	8-15	prochloraz
10-1096	8-16	prochloraz
10-1097	8-17	prochloraz
10-1098	8-18	prochloraz
10-1099	8-19	prochloraz
10-1100	8-20	prochloraz
10-1101	8-21	prochloraz
10-1102	8-22	prochloraz
10-1103	8-23	prochloraz
10-1104	8-24	prochloraz
10-1105	8-25	prochloraz
10-1106	8-26	prochloraz
10-1107	8-27	prochloraz
10-1108	8-28	prochloraz
10-1109	8-29	prochloraz
10-1110	8-30	prochloraz
10-1111	8-31	prochloraz
10-1112	8-32	prochloraz
10-1113	8-33	prochloraz
10-1114	8-34	prochloraz
10-1115	8-35	prochloraz
10-1116	8-36	prochloraz
10-1117	8-37	prochloraz
10-1118	8-38	prochloraz

No.	Binary combination	Active compound
10-1119	8-39	prochloraz
10-1120	8-40	prochloraz
10-1121	8-41	prochloraz
10-1122	8-42	prochloraz
10-1123	8-43	prochloraz
10-1124	8-44	prochloraz
10-1125	8-45	prochloraz
10-1126	8-46	prochloraz
10-1127	8-47	prochloraz
10-1128	8-48	prochloraz
10-1129	8-49	prochloraz
10-1130	8-50	prochloraz
10-1131	8-51	prochloraz
10-1132	8-52	prochloraz
10-1133	8-53	prochloraz
10-1134	8-54	prochloraz
10-1135	8-55	prochloraz
10-1136	8-56	prochloraz
10-1137	8-57	prochloraz
10-1138	8-58	prochloraz
10-1139	8-59	prochloraz
10-1140	8-60	prochloraz
10-1141	8-61	prochloraz
10-1142	8-62	prochloraz
10-1143	8-63	prochloraz
10-1144	8-64	prochloraz
10-1145	8-65	prochloraz
10-1146	8-66	prochloraz
10-1147	8-67	prochloraz
10-1148	8-68	prochloraz
10-1149	8-69	prochloraz
10-1150	8-70	prochloraz
10-1151	8-71	prochloraz
10-1152	8-72	prochloraz
10-1153	8-73	prochloraz
10-1154	8-74	prochloraz
10-1155	8-75	prochloraz
10-1156	8-76	prochloraz
10-1157	8-77	prochloraz
10-1158	8-78	prochloraz

No.	Binary combination	Active compound
10-1159	8-79	prochloraz
10-1160	8-80	prochloraz
10-1161	8-81	prochloraz
10-1162	8-82	prochloraz
10-1163	8-83	prochloraz
10-1164	8-84	prochloraz
10-1165	8-85	prochloraz
10-1166	8-86	prochloraz
10-1167	8-87	prochloraz
10-1168	8-88	prochloraz
10-1169	8-89	prochloraz
10-1170	8-90	prochloraz
10-1171	8-91	prochloraz
10-1172	8-92	prochloraz
10-1173	8-93	prochloraz
10-1174	8-94	prochloraz
10-1175	8-95	prochloraz
10-1176	8-96	prochloraz
10-1177	8-97	prochloraz
10-1178	8-98	prochloraz
10-1179	8-99	prochloraz
10-1180	8-100	prochloraz
10-1181	8-101	prochloraz
10-1182	8-102	prochloraz
10-1183	8-103	prochloraz
10-1184	8-104	prochloraz
10-1185	8-105	prochloraz
10-1186	8-106	prochloraz
10-1187	8-107	prochloraz
10-1188	8-108	prochloraz
10-1189	8-109	prochloraz
10-1190	8-110	prochloraz
10-1191	8-111	prochloraz
10-1192	8-112	prochloraz
10-1193	8-113	prochloraz
10-1194	8-114	prochloraz
10-1195	8-115	prochloraz
10-1196	8-116	prochloraz
10-1197	8-117	prochloraz
10-1198	8-118	prochloraz

No.	Binary combination	Active compound
10-1199	8-119	prochloraz
10-1200	8-120	prochloraz
10-1201	8-121	prochloraz
10-1202	8-122	prochloraz
10-1203	8-123	prochloraz
10-1204	8-124	prochloraz
10-1205	8-125	prochloraz
10-1206	8-126	prochloraz
10-1207	8-127	prochloraz
10-1208	8-128	prochloraz
10-1209	8-129	prochloraz
10-1210	8-130	prochloraz
10-1211	8-131	prochloraz
10-1212	8-132	prochloraz
10-1213	8-133	prochloraz
10-1214	8-134	prochloraz
10-1215	8-135	prochloraz
10-1216	8-136	prochloraz
10-1217	8-137	prochloraz
10-1218	8-138	prochloraz
10-1219	8-139	prochloraz
10-1220	8-140	prochloraz
10-1221	8-141	prochloraz
10-1222	8-142	prochloraz
10-1223	8-143	prochloraz
10-1224	8-144	prochloraz
10-1225	8-145	prochloraz
10-1226	8-146	prochloraz
10-1227	8-147	prochloraz
10-1228	8-148	prochloraz
10-1229	8-149	prochloraz
10-1230	8-150	prochloraz
10-1231	8-151	prochloraz
10-1232	8-152	prochloraz
10-1233	8-153	prochloraz
10-1234	8-154	prochloraz
10-1235	8-155	prochloraz
10-1236	8-156	prochloraz
10-1237	8-157	prochloraz
10-1238	8-158	prochloraz

No.	Binary combination	Active compound
10-1239	8-159	prochloraz
10-1240	8-160	prochloraz
10-1241	8-161	prochloraz
10-1242	8-162	prochloraz
10-1243	8-163	prochloraz
10-1244	8-164	prochloraz
10-1245	8-165	prochloraz
10-1246	8-166	prochloraz
10-1247	8-167	prochloraz
10-1248	8-168	prochloraz
10-1249	8-169	prochloraz
10-1250	8-170	prochloraz
10-1251	8-171	prochloraz
10-1252	8-172	prochloraz
10-1253	8-173	prochloraz
10-1254	8-174	prochloraz
10-1255	8-175	prochloraz
10-1256	8-176	prochloraz
10-1257	8-177	prochloraz
10-1258	8-178	prochloraz
10-1259	8-179	prochloraz
10-1260	8-180	prochloraz
10-1261	8-1	carbendazim
10-1262	8-2	carbendazim
10-1263	8-3	carbendazim
10-1264	8-4	carbendazim
10-1265	8-5	carbendazim
10-1266	8-6	carbendazim
10-1267	8-7	carbendazim
10-1268	8-8	carbendazim
10-1269	8-9	carbendazim
10-1270	8-10	carbendazim
10-1271	8-11	carbendazim
10-1272	8-12	carbendazim
10-1273	8-13	carbendazim
10-1274	8-14	carbendazim
10-1275	8-15	carbendazim
10-1276	8-16	carbendazim
10-1277	8-17	carbendazim
10-1278	8-18	carbendazim

No.	Binary combination	Active compound
10-1279	8-19	carbendazim
10-1280	8-20	carbendazim
10-1281	8-21	carbendazim
10-1282	8-22	carbendazim
10-1283	8-23	carbendazim
10-1284	8-24	carbendazim
10-1285	8-25	carbendazim
10-1286	8-26	carbendazim
10-1287	8-27	carbendazim
10-1288	8-28	carbendazim
10-1289	8-29	carbendazim
10-1290	8-30	carbendazim
10-1291	8-31	carbendazim
10-1292	8-32	carbendazim
10-1293	8-33	carbendazim
10-1294	8-34	carbendazim
10-1295	8-35	carbendazim
10-1296	8-36	carbendazim
10-1297	8-37	carbendazim
10-1298	8-38	carbendazim
10-1299	8-39	carbendazim
10-1300	8-40	carbendazim
10-1301	8-41	carbendazim
10-1302	8-42	carbendazim
10-1303	8-43	carbendazim
10-1304	8-44	carbendazim
10-1305	8-45	carbendazim
10-1306	8-46	carbendazim
10-1307	8-47	carbendazim
10-1308	8-48	carbendazim
10-1309	8-49	carbendazim
10-1310	8-50	carbendazim
10-1311	8-51	carbendazim
10-1312	8-52	carbendazim
10-1313	8-53	carbendazim
10-1314	8-54	carbendazim
10-1315	8-55	carbendazim
10-1316	8-56	carbendazim
10-1317	8-57	carbendazim
10-1318	8-58	carbendazim

No.	Binary combination	Active compound
10-1319	8-59	carbendazim
10-1320	8-60	carbendazim
10-1321	8-61	carbendazim
10-1322	8-62	carbendazim
10-1323	8-63	carbendazim
10-1324	8-64	carbendazim
10-1325	8-65	carbendazim
10-1326	8-66	carbendazim
10-1327	8-67	carbendazim
10-1328	8-68	carbendazim
10-1329	8-69	carbendazim
10-1330	8-70	carbendazim
10-1331	8-71	carbendazim
10-1332	8-72	carbendazim
10-1333	8-73	carbendazim
10-1334	8-74	carbendazim
10-1335	8-75	carbendazim
10-1336	8-76	carbendazim
10-1337	8-77	carbendazim
10-1338	8-78	carbendazim
10-1339	8-79	carbendazim
10-1340	8-80	carbendazim
10-1341	8-81	carbendazim
10-1342	8-82	carbendazim
10-1343	8-83	carbendazim
10-1344	8-84	carbendazim
10-1345	8-85	carbendazim
10-1346	8-86	carbendazim
10-1347	8-87	carbendazim
10-1348	8-88	carbendazim
10-1349	8-89	carbendazim
10-1350	8-90	carbendazim
10-1351	8-91	carbendazim
10-1352	8-92	carbendazim
10-1353	8-93	carbendazim
10-1354	8-94	carbendazim
10-1355	8-95	carbendazim
10-1356	8-96	carbendazim
10-1357	8-97	carbendazim
10-1358	8-98	carbendazim

No.	Binary combination	Active compound
10-1359	8-99	carbendazim
10-1360	8-100	carbendazim
10-1361	8-101	carbendazim
10-1362	8-102	carbendazim
10-1363	8-103	carbendazim
10-1364	8-104	carbendazim
10-1365	8-105	carbendazim
10-1366	8-106	carbendazim
10-1367	8-107	carbendazim
10-1368	8-108	carbendazim
10-1369	8-109	carbendazim
10-1370	8-110	carbendazim
10-1371	8-111	carbendazim
10-1372	8-112	carbendazim
10-1373	8-113	carbendazim
10-1374	8-114	carbendazim
10-1375	8-115	carbendazim
10-1376	8-116	carbendazim
10-1377	8-117	carbendazim
10-1378	8-118	carbendazim
10-1379	8-119	carbendazim
10-1380	8-120	carbendazim
10-1381	8-121	carbendazim
10-1382	8-122	carbendazim
10-1383	8-123	carbendazim
10-1384	8-124	carbendazim
10-1385	8-125	carbendazim
10-1386	8-126	carbendazim
10-1387	8-127	carbendazim
10-1388	8-128	carbendazim
10-1389	8-129	carbendazim
10-1390	8-130	carbendazim
10-1391	8-131	carbendazim
10-1392	8-132	carbendazim
10-1393	8-133	carbendazim
10-1394	8-134	carbendazim
10-1395	8-135	carbendazim
10-1396	8-136	carbendazim
10-1397	8-137	carbendazim
10-1398	8-138	carbendazim

No.	Binary combination	Active compound
10-1399	8-139	carbendazim
10-1400	8-140	carbendazim
10-1401	8-141	carbendazim
10-1402	8-142	carbendazim
10-1403	8-143	carbendazim
10-1404	8-144	carbendazim
10-1405	8-145	carbendazim
10-1406	8-146	carbendazim
10-1407	8-147	carbendazim
10-1408	8-148	carbendazim
10-1409	8-149	carbendazim
10-1410	8-150	carbendazim
10-1411	8-151	carbendazim
10-1412	8-152	carbendazim
10-1413	8-153	carbendazim
10-1414	8-154	carbendazim
10-1415	8-155	carbendazim
10-1416	8-156	carbendazim
10-1417	8-157	carbendazim
10-1418	8-158	carbendazim
10-1419	8-159	carbendazim
10-1420	8-160	carbendazim
10-1421	8-161	carbendazim
10-1422	8-162	carbendazim
10-1423	8-163	carbendazim
10-1424	8-164	carbendazim
10-1425	8-165	carbendazim
10-1426	8-166	carbendazim
10-1427	8-167	carbendazim
10-1428	8-168	carbendazim
10-1429	8-169	carbendazim
10-1430	8-170	carbendazim
10-1431	8-171	carbendazim
10-1432	8-172	carbendazim
10-1433	8-173	carbendazim
10-1434	8-174	carbendazim
10-1435	8-175	carbendazim
10-1436	8-176	carbendazim
10-1437	8-177	carbendazim
10-1438	8-178	carbendazim

No.	Binary combination	Active compound
10-1439	8-179	carbendazim
10-1440	8-180	carbendazim
10-1441	8-1	kresoxim-methyl
10-1442	8-2	kresoxim-methyl
10-1443	8-3	kresoxim-methyl
10-1444	8-4	kresoxim-methyl
10-1445	8-5	kresoxim-methyl
10-1446	8-6	kresoxim-methyl
10-1447	8-7	kresoxim-methyl
10-1448	8-8	kresoxim-methyl
10-1449	8-9	kresoxim-methyl
10-1450	8-10	kresoxim-methyl
10-1451	8-11	kresoxim-methyl
10-1452	8-12	kresoxim-methyl
10-1453	8-13	kresoxim-methyl
10-1454	8-14	kresoxim-methyl
10-1455	8-15	kresoxim-methyl
10-1456	8-16	kresoxim-methyl
10-1457	8-17	kresoxim-methyl
10-1458	8-18	kresoxim-methyl
10-1459	8-19	kresoxim-methyl
10-1460	8-20	kresoxim-

No.	Binary combination	Active compound
		methyl
10-1461	8-21	kresoxim-methyl
10-1462	8-22	kresoxim-methyl
10-1463	8-23	kresoxim-methyl
10-1464	8-24	kresoxim-methyl
10-1465	8-25	kresoxim-methyl
10-1466	8-26	kresoxim-methyl
10-1467	8-27	kresoxim-methyl
10-1468	8-28	kresoxim-methyl
10-1469	8-29	kresoxim-methyl
10-1470	8-30	kresoxim-methyl
10-1471	8-31	kresoxim-methyl
10-1472	8-32	kresoxim-methyl
10-1473	8-33	kresoxim-methyl
10-1474	8-34	kresoxim-methyl
10-1475	8-35	kresoxim-methyl
10-1476	8-36	kresoxim-methyl
10-1477	8-37	kresoxim-methyl
10-1478	8-38	kresoxim-methyl
10-1479	8-39	kresoxim-methyl
10-1480	8-40	kresoxim-methyl

No.	Binary combination	Active compound
10-1481	8-41	kresoxim-methyl
10-1482	8-42	kresoxim-methyl
10-1483	8-43	kresoxim-methyl
10-1484	8-44	kresoxim-methyl
10-1485	8-45	kresoxim-methyl
10-1486	8-46	kresoxim-methyl
10-1487	8-47	kresoxim-methyl
10-1488	8-48	kresoxim-methyl
10-1489	8-49	kresoxim-methyl
10-1490	8-50	kresoxim-methyl
10-1491	8-51	kresoxim-methyl
10-1492	8-52	kresoxim-methyl
10-1493	8-53	kresoxim-methyl
10-1494	8-54	kresoxim-methyl
10-1495	8-55	kresoxim-methyl
10-1496	8-56	kresoxim-methyl
10-1497	8-57	kresoxim-methyl
10-1498	8-58	kresoxim-methyl
10-1499	8-59	kresoxim-methyl
10-1500	8-60	kresoxim-methyl
10-1501	8-61	kresoxim-

No.	Binary combination	Active compound
		methyl
10-1502	8-62	kresoxim-methyl
10-1503	8-63	kresoxim-methyl
10-1504	8-64	kresoxim-methyl
10-1505	8-65	kresoxim-methyl
10-1506	8-66	kresoxim-methyl
10-1507	8-67	kresoxim-methyl
10-1508	8-68	kresoxim-methyl
10-1509	8-69	kresoxim-methyl
10-1510	8-70	kresoxim-methyl
10-1511	8-71	kresoxim-methyl
10-1512	8-72	kresoxim-methyl
10-1513	8-73	kresoxim-methyl
10-1514	8-74	kresoxim-methyl
10-1515	8-75	kresoxim-methyl
10-1516	8-76	kresoxim-methyl
10-1517	8-77	kresoxim-methyl
10-1518	8-78	kresoxim-methyl
10-1519	8-79	kresoxim-methyl
10-1520	8-80	kresoxim-methyl
10-1521	8-81	kresoxim-methyl

No.	Binary combination	Active compound
10-1522	8-82	kresoxim-methyl
10-1523	8-83	kresoxim-methyl
10-1524	8-84	kresoxim-methyl
10-1525	8-85	kresoxim-methyl
10-1526	8-86	kresoxim-methyl
10-1527	8-87	kresoxim-methyl
10-1528	8-88	kresoxim-methyl
10-1529	8-89	kresoxim-methyl
10-1530	8-90	kresoxim-methyl
10-1531	8-91	kresoxim-methyl
10-1532	8-92	kresoxim-methyl
10-1533	8-93	kresoxim-methyl
10-1534	8-94	kresoxim-methyl
10-1535	8-95	kresoxim-methyl
10-1536	8-96	kresoxim-methyl
10-1537	8-97	kresoxim-methyl
10-1538	8-98	kresoxim-methyl
10-1539	8-99	kresoxim-methyl
10-1540	8-100	kresoxim-methyl
10-1541	8-101	kresoxim-methyl
10-1542	8-102	kresoxim-

No.	Binary combination	Active compound
		methyl
10-1543	8-103	kresoxim-methyl
10-1544	8-104	kresoxim-methyl
10-1545	8-105	kresoxim-methyl
10-1546	8-106	kresoxim-methyl
10-1547	8-107	kresoxim-methyl
10-1548	8-108	kresoxim-methyl
10-1549	8-109	kresoxim-methyl
10-1550	8-110	kresoxim-methyl
10-1551	8-111	kresoxim-methyl
10-1552	8-112	kresoxim-methyl
10-1553	8-113	kresoxim-methyl
10-1554	8-114	kresoxim-methyl
10-1555	8-115	kresoxim-methyl
10-1556	8-116	kresoxim-methyl
10-1557	8-117	kresoxim-methyl
10-1558	8-118	kresoxim-methyl
10-1559	8-119	kresoxim-methyl
10-1560	8-120	kresoxim-methyl
10-1561	8-121	kresoxim-methyl
10-1562	8-122	kresoxim-methyl

No.	Binary combination	Active compound
10-1563	8-123	kresoxim-methyl
10-1564	8-124	kresoxim-methyl
10-1565	8-125	kresoxim-methyl
10-1566	8-126	kresoxim-methyl
10-1567	8-127	kresoxim-methyl
10-1568	8-128	kresoxim-methyl
10-1569	8-129	kresoxim-methyl
10-1570	8-130	kresoxim-methyl
10-1571	8-131	kresoxim-methyl
10-1572	8-132	kresoxim-methyl
10-1573	8-133	kresoxim-methyl
10-1574	8-134	kresoxim-methyl
10-1575	8-135	kresoxim-methyl
10-1576	8-136	kresoxim-methyl
10-1577	8-137	kresoxim-methyl
10-1578	8-138	kresoxim-methyl
10-1579	8-139	kresoxim-methyl
10-1580	8-140	kresoxim-methyl
10-1581	8-141	kresoxim-methyl
10-1582	8-142	kresoxim-methyl
10-1583	8-143	kresoxim-

No.	Binary combination	Active compound
		methyl
10-1584	8-144	kresoxim-methyl
10-1585	8-145	kresoxim-methyl
10-1586	8-146	kresoxim-methyl
10-1587	8-147	kresoxim-methyl
10-1588	8-148	kresoxim-methyl
10-1589	8-149	kresoxim-methyl
10-1590	8-150	kresoxim-methyl
10-1591	8-151	kresoxim-methyl
10-1592	8-152	kresoxim-methyl
10-1593	8-153	kresoxim-methyl
10-1594	8-154	kresoxim-methyl
10-1595	8-155	kresoxim-methyl
10-1596	8-156	kresoxim-methyl
10-1597	8-157	kresoxim-methyl
10-1598	8-158	kresoxim-methyl
10-1599	8-159	kresoxim-methyl
10-1600	8-160	kresoxim-methyl
10-1601	8-161	kresoxim-methyl
10-1602	8-162	kresoxim-methyl
10-1603	8-163	kresoxim-methyl

No.	Binary combination	Active compound
10-1604	8-164	kresoxim-methyl
10-1605	8-165	kresoxim-methyl
10-1606	8-166	kresoxim-methyl
10-1607	8-167	kresoxim-methyl
10-1608	8-168	kresoxim-methyl
10-1609	8-169	kresoxim-methyl
10-1610	8-170	kresoxim-methyl
10-1611	8-171	kresoxim-methyl
10-1612	8-172	kresoxim-methyl
10-1613	8-173	kresoxim-methyl
10-1614	8-174	kresoxim-methyl
10-1615	8-175	kresoxim-methyl
10-1616	8-176	kresoxim-methyl
10-1617	8-177	kresoxim-methyl
10-1618	8-178	kresoxim-methyl
10-1619	8-179	kresoxim-methyl
10-1620	8-180	kresoxim-methyl
10-1621	8-1	pyraclostrobin
10-1622	8-2	pyraclostrobin
10-1623	8-3	pyraclostrobin
10-1624	8-4	pyraclostrobin
10-1625	8-5	pyraclostrobin
10-1626	8-6	pyraclostrobin
10-1627	8-7	pyraclostrobin

No.	Binary combination	Active compound
10-1628	8-8	pyraclostrobin
10-1629	8-9	pyraclostrobin
10-1630	8-10	pyraclostrobin
10-1631	8-11	pyraclostrobin
10-1632	8-12	pyraclostrobin
10-1633	8-13	pyraclostrobin
10-1634	8-14	pyraclostrobin
10-1635	8-15	pyraclostrobin
10-1636	8-16	pyraclostrobin
10-1637	8-17	pyraclostrobin
10-1638	8-18	pyraclostrobin
10-1639	8-19	pyraclostrobin
10-1640	8-20	pyraclostrobin
10-1641	8-21	pyraclostrobin
10-1642	8-22	pyraclostrobin
10-1643	8-23	pyraclostrobin
10-1644	8-24	pyraclostrobin
10-1645	8-25	pyraclostrobin
10-1646	8-26	pyraclostrobin
10-1647	8-27	pyraclostrobin
10-1648	8-28	pyraclostrobin
10-1649	8-29	pyraclostrobin
10-1650	8-30	pyraclostrobin
10-1651	8-31	pyraclostrobin
10-1652	8-32	pyraclostrobin
10-1653	8-33	pyraclostrobin
10-1654	8-34	pyraclostrobin
10-1655	8-35	pyraclostrobin
10-1656	8-36	pyraclostrobin
10-1657	8-37	pyraclostrobin
10-1658	8-38	pyraclostrobin
10-1659	8-39	pyraclostrobin
10-1660	8-40	pyraclostrobin
10-1661	8-41	pyraclostrobin
10-1662	8-42	pyraclostrobin
10-1663	8-43	pyraclostrobin
10-1664	8-44	pyraclostrobin
10-1665	8-45	pyraclostrobin
10-1666	8-46	pyraclostrobin
10-1667	8-47	pyraclostrobin

No.	Binary combination	Active compound
10-1668	8-48	pyraclostrobin
10-1669	8-49	pyraclostrobin
10-1670	8-50	pyraclostrobin
10-1671	8-51	pyraclostrobin
10-1672	8-52	pyraclostrobin
10-1673	8-53	pyraclostrobin
10-1674	8-54	pyraclostrobin
10-1675	8-55	pyraclostrobin
10-1676	8-56	pyraclostrobin
10-1677	8-57	pyraclostrobin
10-1678	8-58	pyraclostrobin
10-1679	8-59	pyraclostrobin
10-1680	8-60	pyraclostrobin
10-1681	8-61	pyraclostrobin
10-1682	8-62	pyraclostrobin
10-1683	8-63	pyraclostrobin
10-1684	8-64	pyraclostrobin
10-1685	8-65	pyraclostrobin
10-1686	8-66	pyraclostrobin
10-1687	8-67	pyraclostrobin
10-1688	8-68	pyraclostrobin
10-1689	8-69	pyraclostrobin
10-1690	8-70	pyraclostrobin
10-1691	8-71	pyraclostrobin
10-1692	8-72	pyraclostrobin
10-1693	8-73	pyraclostrobin
10-1694	8-74	pyraclostrobin
10-1695	8-75	pyraclostrobin
10-1696	8-76	pyraclostrobin
10-1697	8-77	pyraclostrobin
10-1698	8-78	pyraclostrobin
10-1699	8-79	pyraclostrobin
10-1700	8-80	pyraclostrobin
10-1701	8-81	pyraclostrobin
10-1702	8-82	pyraclostrobin
10-1703	8-83	pyraclostrobin
10-1704	8-84	pyraclostrobin
10-1705	8-85	pyraclostrobin
10-1706	8-86	pyraclostrobin
10-1707	8-87	pyraclostrobin

No.	Binary combination	Active compound
10-1708	8-88	pyraclostrobin
10-1709	8-89	pyraclostrobin
10-1710	8-90	pyraclostrobin
10-1711	8-91	pyraclostrobin
10-1712	8-92	pyraclostrobin
10-1713	8-93	pyraclostrobin
10-1714	8-94	pyraclostrobin
10-1715	8-95	pyraclostrobin
10-1716	8-96	pyraclostrobin
10-1717	8-97	pyraclostrobin
10-1718	8-98	pyraclostrobin
10-1719	8-99	pyraclostrobin
10-1720	8-100	pyraclostrobin
10-1721	8-101	pyraclostrobin
10-1722	8-102	pyraclostrobin
10-1723	8-103	pyraclostrobin
10-1724	8-104	pyraclostrobin
10-1725	8-105	pyraclostrobin
10-1726	8-106	pyraclostrobin
10-1727	8-107	pyraclostrobin
10-1728	8-108	pyraclostrobin
10-1729	8-109	pyraclostrobin
10-1730	8-110	pyraclostrobin
10-1731	8-111	pyraclostrobin
10-1732	8-112	pyraclostrobin
10-1733	8-113	pyraclostrobin
10-1734	8-114	pyraclostrobin
10-1735	8-115	pyraclostrobin
10-1736	8-116	pyraclostrobin
10-1737	8-117	pyraclostrobin
10-1738	8-118	pyraclostrobin
10-1739	8-119	pyraclostrobin
10-1740	8-120	pyraclostrobin
10-1741	8-121	pyraclostrobin
10-1742	8-122	pyraclostrobin
10-1743	8-123	pyraclostrobin
10-1744	8-124	pyraclostrobin
10-1745	8-125	pyraclostrobin
10-1746	8-126	pyraclostrobin
10-1747	8-127	pyraclostrobin

No.	Binary combination	Active compound
10-1748	8-128	pyraclostrobin
10-1749	8-129	pyraclostrobin
10-1750	8-130	pyraclostrobin
10-1751	8-131	pyraclostrobin
10-1752	8-132	pyraclostrobin
10-1753	8-133	pyraclostrobin
10-1754	8-134	pyraclostrobin
10-1755	8-135	pyraclostrobin
10-1756	8-136	pyraclostrobin
10-1757	8-137	pyraclostrobin
10-1758	8-138	pyraclostrobin
10-1759	8-139	pyraclostrobin
10-1760	8-140	pyraclostrobin
10-1761	8-141	pyraclostrobin
10-1762	8-142	pyraclostrobin
10-1763	8-143	pyraclostrobin
10-1764	8-144	pyraclostrobin
10-1765	8-145	pyraclostrobin
10-1766	8-146	pyraclostrobin
10-1767	8-147	pyraclostrobin
10-1768	8-148	pyraclostrobin
10-1769	8-149	pyraclostrobin
10-1770	8-150	pyraclostrobin
10-1771	8-151	pyraclostrobin
10-1772	8-152	pyraclostrobin
10-1773	8-153	pyraclostrobin
10-1774	8-154	pyraclostrobin
10-1775	8-155	pyraclostrobin
10-1776	8-156	pyraclostrobin
10-1777	8-157	pyraclostrobin
10-1778	8-158	pyraclostrobin
10-1779	8-159	pyraclostrobin
10-1780	8-160	pyraclostrobin
10-1781	8-161	pyraclostrobin
10-1782	8-162	pyraclostrobin
10-1783	8-163	pyraclostrobin
10-1784	8-164	pyraclostrobin
10-1785	8-165	pyraclostrobin
10-1786	8-166	pyraclostrobin
10-1787	8-167	pyraclostrobin

No.	Binary combination	Active compound
10-1788	8-168	pyraclostrobin
10-1789	8-169	pyraclostrobin
10-1790	8-170	pyraclostrobin
10-1791	8-171	pyraclostrobin
10-1792	8-172	pyraclostrobin
10-1793	8-173	pyraclostrobin
10-1794	8-174	pyraclostrobin
10-1795	8-175	pyraclostrobin
10-1796	8-176	pyraclostrobin
10-1797	8-177	pyraclostrobin
10-1798	8-178	pyraclostrobin
10-1799	8-179	pyraclostrobin
10-1800	8-180	pyraclostrobin
10-1801	8-1	orysastrobin
10-1802	8-2	orysastrobin
10-1803	8-3	orysastrobin
10-1804	8-4	orysastrobin
10-1805	8-5	orysastrobin
10-1806	8-6	orysastrobin
10-1807	8-7	orysastrobin
10-1808	8-8	orysastrobin
10-1809	8-9	orysastrobin
10-1810	8-10	orysastrobin
10-1811	8-11	orysastrobin
10-1812	8-12	orysastrobin
10-1813	8-13	orysastrobin
10-1814	8-14	orysastrobin
10-1815	8-15	orysastrobin
10-1816	8-16	orysastrobin
10-1817	8-17	orysastrobin
10-1818	8-18	orysastrobin
10-1819	8-19	orysastrobin
10-1820	8-20	orysastrobin
10-1821	8-21	orysastrobin
10-1822	8-22	orysastrobin
10-1823	8-23	orysastrobin
10-1824	8-24	orysastrobin
10-1825	8-25	orysastrobin
10-1826	8-26	orysastrobin
10-1827	8-27	orysastrobin

No.	Binary combination	Active compound
10-1828	8-28	orysastrobin
10-1829	8-29	orysastrobin
10-1830	8-30	orysastrobin
10-1831	8-31	orysastrobin
10-1832	8-32	orysastrobin
10-1833	8-33	orysastrobin
10-1834	8-34	orysastrobin
10-1835	8-35	orysastrobin
10-1836	8-36	orysastrobin
10-1837	8-37	orysastrobin
10-1838	8-38	orysastrobin
10-1839	8-39	orysastrobin
10-1840	8-40	orysastrobin
10-1841	8-41	orysastrobin
10-1842	8-42	orysastrobin
10-1843	8-43	orysastrobin
10-1844	8-44	orysastrobin
10-1845	8-45	orysastrobin
10-1846	8-46	orysastrobin
10-1847	8-47	orysastrobin
10-1848	8-48	orysastrobin
10-1849	8-49	orysastrobin
10-1850	8-50	orysastrobin
10-1851	8-51	orysastrobin
10-1852	8-52	orysastrobin
10-1853	8-53	orysastrobin
10-1854	8-54	orysastrobin
10-1855	8-55	orysastrobin
10-1856	8-56	orysastrobin
10-1857	8-57	orysastrobin
10-1858	8-58	orysastrobin
10-1859	8-59	orysastrobin
10-1860	8-60	orysastrobin
10-1861	8-61	orysastrobin
10-1862	8-62	orysastrobin
10-1863	8-63	orysastrobin
10-1864	8-64	orysastrobin
10-1865	8-65	orysastrobin
10-1866	8-66	orysastrobin
10-1867	8-67	orysastrobin

No.	Binary combination	Active compound
10-1868	8-68	orysastrobin
10-1869	8-69	orysastrobin
10-1870	8-70	orysastrobin
10-1871	8-71	orysastrobin
10-1872	8-72	orysastrobin
10-1873	8-73	orysastrobin
10-1874	8-74	orysastrobin
10-1875	8-75	orysastrobin
10-1876	8-76	orysastrobin
10-1877	8-77	orysastrobin
10-1878	8-78	orysastrobin
10-1879	8-79	orysastrobin
10-1880	8-80	orysastrobin
10-1881	8-81	orysastrobin
10-1882	8-82	orysastrobin
10-1883	8-83	orysastrobin
10-1884	8-84	orysastrobin
10-1885	8-85	orysastrobin
10-1886	8-86	orysastrobin
10-1887	8-87	orysastrobin
10-1888	8-88	orysastrobin
10-1889	8-89	orysastrobin
10-1890	8-90	orysastrobin
10-1891	8-91	orysastrobin
10-1892	8-92	orysastrobin
10-1893	8-93	orysastrobin
10-1894	8-94	orysastrobin
10-1895	8-95	orysastrobin
10-1896	8-96	orysastrobin
10-1897	8-97	orysastrobin
10-1898	8-98	orysastrobin
10-1899	8-99	orysastrobin
10-1900	8-100	orysastrobin
10-1901	8-101	orysastrobin
10-1902	8-102	orysastrobin
10-1903	8-103	orysastrobin
10-1904	8-104	orysastrobin
10-1905	8-105	orysastrobin
10-1906	8-106	orysastrobin
10-1907	8-107	orysastrobin

No.	Binary combination	Active compound
10-1908	8-108	orysastrobin
10-1909	8-109	orysastrobin
10-1910	8-110	orysastrobin
10-1911	8-111	orysastrobin
10-1912	8-112	orysastrobin
10-1913	8-113	orysastrobin
10-1914	8-114	orysastrobin
10-1915	8-115	orysastrobin
10-1916	8-116	orysastrobin
10-1917	8-117	orysastrobin
10-1918	8-118	orysastrobin
10-1919	8-119	orysastrobin
10-1920	8-120	orysastrobin
10-1921	8-121	orysastrobin
10-1922	8-122	orysastrobin
10-1923	8-123	orysastrobin
10-1924	8-124	orysastrobin
10-1925	8-125	orysastrobin
10-1926	8-126	orysastrobin
10-1927	8-127	orysastrobin
10-1928	8-128	orysastrobin
10-1929	8-129	orysastrobin
10-1930	8-130	orysastrobin
10-1931	8-131	orysastrobin
10-1932	8-132	orysastrobin
10-1933	8-133	orysastrobin
10-1934	8-134	orysastrobin
10-1935	8-135	orysastrobin
10-1936	8-136	orysastrobin
10-1937	8-137	orysastrobin
10-1938	8-138	orysastrobin
10-1939	8-139	orysastrobin
10-1940	8-140	orysastrobin
10-1941	8-141	orysastrobin
10-1942	8-142	orysastrobin
10-1943	8-143	orysastrobin
10-1944	8-144	orysastrobin
10-1945	8-145	orysastrobin
10-1946	8-146	orysastrobin
10-1947	8-147	orysastrobin

No.	Binary combination	Active compound
10-1948	8-148	orysastrobin
10-1949	8-149	orysastrobin
10-1950	8-150	orysastrobin
10-1951	8-151	orysastrobin
10-1952	8-152	orysastrobin
10-1953	8-153	orysastrobin
10-1954	8-154	orysastrobin
10-1955	8-155	orysastrobin
10-1956	8-156	orysastrobin
10-1957	8-157	orysastrobin
10-1958	8-158	orysastrobin
10-1959	8-159	orysastrobin
10-1960	8-160	orysastrobin
10-1961	8-161	orysastrobin
10-1962	8-162	orysastrobin
10-1963	8-163	orysastrobin
10-1964	8-164	orysastrobin
10-1965	8-165	orysastrobin
10-1966	8-166	orysastrobin
10-1967	8-167	orysastrobin
10-1968	8-168	orysastrobin
10-1969	8-169	orysastrobin
10-1970	8-170	orysastrobin
10-1971	8-171	orysastrobin
10-1972	8-172	orysastrobin
10-1973	8-173	orysastrobin
10-1974	8-174	orysastrobin
10-1975	8-175	orysastrobin
10-1976	8-176	orysastrobin
10-1977	8-177	orysastrobin
10-1978	8-178	orysastrobin
10-1979	8-179	orysastrobin
10-1980	8-180	orysastrobin
10-1981	8-1	dimethomorph
10-1982	8-2	dimethomorph
10-1983	8-3	dimethomorph
10-1984	8-4	dimethomorph
10-1985	8-5	dimethomorph
10-1986	8-6	dimethomorph
10-1987	8-7	dimethomorph

No.	Binary combination	Active compound
10-1988	8-8	dimethomorph
10-1989	8-9	dimethomorph
10-1990	8-10	dimethomorph
10-1991	8-11	dimethomorph
10-1992	8-12	dimethomorph
10-1993	8-13	dimethomorph
10-1994	8-14	dimethomorph
10-1995	8-15	dimethomorph
10-1996	8-16	dimethomorph
10-1997	8-17	dimethomorph
10-1998	8-18	dimethomorph
10-1999	8-19	dimethomorph
10-2000	8-20	dimethomorph
10-2001	8-21	dimethomorph
10-2002	8-22	dimethomorph
10-2003	8-23	dimethomorph
10-2004	8-24	dimethomorph
10-2005	8-25	dimethomorph
10-2006	8-26	dimethomorph
10-2007	8-27	dimethomorph
10-2008	8-28	dimethomorph
10-2009	8-29	dimethomorph
10-2010	8-30	dimethomorph
10-2011	8-31	dimethomorph
10-2012	8-32	dimethomorph
10-2013	8-33	dimethomorph
10-2014	8-34	dimethomorph
10-2015	8-35	dimethomorph
10-2016	8-36	dimethomorph
10-2017	8-37	dimethomorph
10-2018	8-38	dimethomorph
10-2019	8-39	dimethomorph
10-2020	8-40	dimethomorph
10-2021	8-41	dimethomorph
10-2022	8-42	dimethomorph
10-2023	8-43	dimethomorph
10-2024	8-44	dimethomorph
10-2025	8-45	dimethomorph
10-2026	8-46	dimethomorph
10-2027	8-47	dimethomorph

No.	Binary combination	Active compound
10-2028	8-48	dimethomorph
10-2029	8-49	dimethomorph
10-2030	8-50	dimethomorph
10-2031	8-51	dimethomorph
10-2032	8-52	dimethomorph
10-2033	8-53	dimethomorph
10-2034	8-54	dimethomorph
10-2035	8-55	dimethomorph
10-2036	8-56	dimethomorph
10-2037	8-57	dimethomorph
10-2038	8-58	dimethomorph
10-2039	8-59	dimethomorph
10-2040	8-60	dimethomorph
10-2041	8-61	dimethomorph
10-2042	8-62	dimethomorph
10-2043	8-63	dimethomorph
10-2044	8-64	dimethomorph
10-2045	8-65	dimethomorph
10-2046	8-66	dimethomorph
10-2047	8-67	dimethomorph
10-2048	8-68	dimethomorph
10-2049	8-69	dimethomorph
10-2050	8-70	dimethomorph
10-2051	8-71	dimethomorph
10-2052	8-72	dimethomorph
10-2053	8-73	dimethomorph
10-2054	8-74	dimethomorph
10-2055	8-75	dimethomorph
10-2056	8-76	dimethomorph
10-2057	8-77	dimethomorph
10-2058	8-78	dimethomorph
10-2059	8-79	dimethomorph
10-2060	8-80	dimethomorph
10-2061	8-81	dimethomorph
10-2062	8-82	dimethomorph
10-2063	8-83	dimethomorph
10-2064	8-84	dimethomorph
10-2065	8-85	dimethomorph
10-2066	8-86	dimethomorph
10-2067	8-87	dimethomorph

No.	Binary combination	Active compound
10-2068	8-88	dimethomorph
10-2069	8-89	dimethomorph
10-2070	8-90	dimethomorph
10-2071	8-91	dimethomorph
10-2072	8-92	dimethomorph
10-2073	8-93	dimethomorph
10-2074	8-94	dimethomorph
10-2075	8-95	dimethomorph
10-2076	8-96	dimethomorph
10-2077	8-97	dimethomorph
10-2078	8-98	dimethomorph
10-2079	8-99	dimethomorph
10-2080	8-100	dimethomorph
10-2081	8-101	dimethomorph
10-2082	8-102	dimethomorph
10-2083	8-103	dimethomorph
10-2084	8-104	dimethomorph
10-2085	8-105	dimethomorph
10-2086	8-106	dimethomorph
10-2087	8-107	dimethomorph
10-2088	8-108	dimethomorph
10-2089	8-109	dimethomorph
10-2090	8-110	dimethomorph
10-2091	8-111	dimethomorph
10-2092	8-112	dimethomorph
10-2093	8-113	dimethomorph
10-2094	8-114	dimethomorph
10-2095	8-115	dimethomorph
10-2096	8-116	dimethomorph
10-2097	8-117	dimethomorph
10-2098	8-118	dimethomorph
10-2099	8-119	dimethomorph
10-2100	8-120	dimethomorph
10-2101	8-121	dimethomorph
10-2102	8-122	dimethomorph
10-2103	8-123	dimethomorph
10-2104	8-124	dimethomorph
10-2105	8-125	dimethomorph
10-2106	8-126	dimethomorph
10-2107	8-127	dimethomorph

No.	Binary combination	Active compound
10-2108	8-128	dimethomorph
10-2109	8-129	dimethomorph
10-2110	8-130	dimethomorph
10-2111	8-131	dimethomorph
10-2112	8-132	dimethomorph
10-2113	8-133	dimethomorph
10-2114	8-134	dimethomorph
10-2115	8-135	dimethomorph
10-2116	8-136	dimethomorph
10-2117	8-137	dimethomorph
10-2118	8-138	dimethomorph
10-2119	8-139	dimethomorph
10-2120	8-140	dimethomorph
10-2121	8-141	dimethomorph
10-2122	8-142	dimethomorph
10-2123	8-143	dimethomorph
10-2124	8-144	dimethomorph
10-2125	8-145	dimethomorph
10-2126	8-146	dimethomorph
10-2127	8-147	dimethomorph
10-2128	8-148	dimethomorph
10-2129	8-149	dimethomorph
10-2130	8-150	dimethomorph
10-2131	8-151	dimethomorph
10-2132	8-152	dimethomorph
10-2133	8-153	dimethomorph
10-2134	8-154	dimethomorph
10-2135	8-155	dimethomorph
10-2136	8-156	dimethomorph
10-2137	8-157	dimethomorph
10-2138	8-158	dimethomorph
10-2139	8-159	dimethomorph
10-2140	8-160	dimethomorph
10-2141	8-161	dimethomorph
10-2142	8-162	dimethomorph
10-2143	8-163	dimethomorph
10-2144	8-164	dimethomorph
10-2145	8-165	dimethomorph
10-2146	8-166	dimethomorph
10-2147	8-167	dimethomorph

No.	Binary combination	Active compound
10-2148	8-168	dimethomorph
10-2149	8-169	dimethomorph
10-2150	8-170	dimethomorph
10-2151	8-171	dimethomorph
10-2152	8-172	dimethomorph
10-2153	8-173	dimethomorph
10-2154	8-174	dimethomorph
10-2155	8-175	dimethomorph
10-2156	8-176	dimethomorph
10-2157	8-177	dimethomorph
10-2158	8-178	dimethomorph
10-2159	8-179	dimethomorph
10-2160	8-180	dimethomorph
10-2161	8-1	pyrimethanil
10-2162	8-2	pyrimethanil
10-2163	8-3	pyrimethanil
10-2164	8-4	pyrimethanil
10-2165	8-5	pyrimethanil
10-2166	8-6	pyrimethanil
10-2167	8-7	pyrimethanil
10-2168	8-8	pyrimethanil
10-2169	8-9	pyrimethanil
10-2170	8-10	pyrimethanil
10-2171	8-11	pyrimethanil
10-2172	8-12	pyrimethanil
10-2173	8-13	pyrimethanil
10-2174	8-14	pyrimethanil
10-2175	8-15	pyrimethanil
10-2176	8-16	pyrimethanil
10-2177	8-17	pyrimethanil
10-2178	8-18	pyrimethanil
10-2179	8-19	pyrimethanil
10-2180	8-20	pyrimethanil
10-2181	8-21	pyrimethanil
10-2182	8-22	pyrimethanil
10-2183	8-23	pyrimethanil
10-2184	8-24	pyrimethanil
10-2185	8-25	pyrimethanil
10-2186	8-26	pyrimethanil
10-2187	8-27	pyrimethanil

No.	Binary combination	Active compound
10-2188	8-28	pyrimethanil
10-2189	8-29	pyrimethanil
10-2190	8-30	pyrimethanil
10-2191	8-31	pyrimethanil
10-2192	8-32	pyrimethanil
10-2193	8-33	pyrimethanil
10-2194	8-34	pyrimethanil
10-2195	8-35	pyrimethanil
10-2196	8-36	pyrimethanil
10-2197	8-37	pyrimethanil
10-2198	8-38	pyrimethanil
10-2199	8-39	pyrimethanil
10-2200	8-40	pyrimethanil
10-2201	8-41	pyrimethanil
10-2202	8-42	pyrimethanil
10-2203	8-43	pyrimethanil
10-2204	8-44	pyrimethanil
10-2205	8-45	pyrimethanil
10-2206	8-46	pyrimethanil
10-2207	8-47	pyrimethanil
10-2208	8-48	pyrimethanil
10-2209	8-49	pyrimethanil
10-2210	8-50	pyrimethanil
10-2211	8-51	pyrimethanil
10-2212	8-52	pyrimethanil
10-2213	8-53	pyrimethanil
10-2214	8-54	pyrimethanil
10-2215	8-55	pyrimethanil
10-2216	8-56	pyrimethanil
10-2217	8-57	pyrimethanil
10-2218	8-58	pyrimethanil
10-2219	8-59	pyrimethanil
10-2220	8-60	pyrimethanil
10-2221	8-61	pyrimethanil
10-2222	8-62	pyrimethanil
10-2223	8-63	pyrimethanil
10-2224	8-64	pyrimethanil
10-2225	8-65	pyrimethanil
10-2226	8-66	pyrimethanil
10-2227	8-67	pyrimethanil

No.	Binary combination	Active compound
10-2228	8-68	pyrimethanil
10-2229	8-69	pyrimethanil
10-2230	8-70	pyrimethanil
10-2231	8-71	pyrimethanil
10-2232	8-72	pyrimethanil
10-2233	8-73	pyrimethanil
10-2234	8-74	pyrimethanil
10-2235	8-75	pyrimethanil
10-2236	8-76	pyrimethanil
10-2237	8-77	pyrimethanil
10-2238	8-78	pyrimethanil
10-2239	8-79	pyrimethanil
10-2240	8-80	pyrimethanil
10-2241	8-81	pyrimethanil
10-2242	8-82	pyrimethanil
10-2243	8-83	pyrimethanil
10-2244	8-84	pyrimethanil
10-2245	8-85	pyrimethanil
10-2246	8-86	pyrimethanil
10-2247	8-87	pyrimethanil
10-2248	8-88	pyrimethanil
10-2249	8-89	pyrimethanil
10-2250	8-90	pyrimethanil
10-2251	8-91	pyrimethanil
10-2252	8-92	pyrimethanil
10-2253	8-93	pyrimethanil
10-2254	8-94	pyrimethanil
10-2255	8-95	pyrimethanil
10-2256	8-96	pyrimethanil
10-2257	8-97	pyrimethanil
10-2258	8-98	pyrimethanil
10-2259	8-99	pyrimethanil
10-2260	8-100	pyrimethanil
10-2261	8-101	pyrimethanil
10-2262	8-102	pyrimethanil
10-2263	8-103	pyrimethanil
10-2264	8-104	pyrimethanil
10-2265	8-105	pyrimethanil
10-2266	8-106	pyrimethanil
10-2267	8-107	pyrimethanil

No.	Binary combination	Active compound
10-2268	8-108	pyrimethanil
10-2269	8-109	pyrimethanil
10-2270	8-110	pyrimethanil
10-2271	8-111	pyrimethanil
10-2272	8-112	pyrimethanil
10-2273	8-113	pyrimethanil
10-2274	8-114	pyrimethanil
10-2275	8-115	pyrimethanil
10-2276	8-116	pyrimethanil
10-2277	8-117	pyrimethanil
10-2278	8-118	pyrimethanil
10-2279	8-119	pyrimethanil
10-2280	8-120	pyrimethanil
10-2281	8-121	pyrimethanil
10-2282	8-122	pyrimethanil
10-2283	8-123	pyrimethanil
10-2284	8-124	pyrimethanil
10-2285	8-125	pyrimethanil
10-2286	8-126	pyrimethanil
10-2287	8-127	pyrimethanil
10-2288	8-128	pyrimethanil
10-2289	8-129	pyrimethanil
10-2290	8-130	pyrimethanil
10-2291	8-131	pyrimethanil
10-2292	8-132	pyrimethanil
10-2293	8-133	pyrimethanil
10-2294	8-134	pyrimethanil
10-2295	8-135	pyrimethanil
10-2296	8-136	pyrimethanil
10-2297	8-137	pyrimethanil
10-2298	8-138	pyrimethanil
10-2299	8-139	pyrimethanil
10-2300	8-140	pyrimethanil
10-2301	8-141	pyrimethanil
10-2302	8-142	pyrimethanil
10-2303	8-143	pyrimethanil
10-2304	8-144	pyrimethanil
10-2305	8-145	pyrimethanil
10-2306	8-146	pyrimethanil
10-2307	8-147	pyrimethanil

No.	Binary combination	Active compound
10-2308	8-148	pyrimethanil
10-2309	8-149	pyrimethanil
10-2310	8-150	pyrimethanil
10-2311	8-151	pyrimethanil
10-2312	8-152	pyrimethanil
10-2313	8-153	pyrimethanil
10-2314	8-154	pyrimethanil
10-2315	8-155	pyrimethanil
10-2316	8-156	pyrimethanil
10-2317	8-157	pyrimethanil
10-2318	8-158	pyrimethanil
10-2319	8-159	pyrimethanil
10-2320	8-160	pyrimethanil
10-2321	8-161	pyrimethanil
10-2322	8-162	pyrimethanil
10-2323	8-163	pyrimethanil
10-2324	8-164	pyrimethanil
10-2325	8-165	pyrimethanil
10-2326	8-166	pyrimethanil
10-2327	8-167	pyrimethanil
10-2328	8-168	pyrimethanil
10-2329	8-169	pyrimethanil
10-2330	8-170	pyrimethanil
10-2331	8-171	pyrimethanil
10-2332	8-172	pyrimethanil
10-2333	8-173	pyrimethanil
10-2334	8-174	pyrimethanil
10-2335	8-175	pyrimethanil
10-2336	8-176	pyrimethanil
10-2337	8-177	pyrimethanil
10-2338	8-178	pyrimethanil
10-2339	8-179	pyrimethanil
10-2340	8-180	pyrimethanil
10-2341	8-1	AC1
10-2342	8-2	AC1
10-2343	8-3	AC1
10-2344	8-4	AC1
10-2345	8-5	AC1
10-2346	8-6	AC1
10-2347	8-7	AC1

No.	Binary combination	Active compound
10-2348	8-8	AC1
10-2349	8-9	AC1
10-2350	8-10	AC1
10-2351	8-11	AC1
10-2352	8-12	AC1
10-2353	8-13	AC1
10-2354	8-14	AC1
10-2355	8-15	AC1
10-2356	8-16	AC1
10-2357	8-17	AC1
10-2358	8-18	AC1
10-2359	8-19	AC1
10-2360	8-20	AC1
10-2361	8-21	AC1
10-2362	8-22	AC1
10-2363	8-23	AC1
10-2364	8-24	AC1
10-2365	8-25	AC1
10-2366	8-26	AC1
10-2367	8-27	AC1
10-2368	8-28	AC1
10-2369	8-29	AC1
10-2370	8-30	AC1
10-2371	8-31	AC1
10-2372	8-32	AC1
10-2373	8-33	AC1
10-2374	8-34	AC1
10-2375	8-35	AC1
10-2376	8-36	AC1
10-2377	8-37	AC1
10-2378	8-38	AC1
10-2379	8-39	AC1
10-2380	8-40	AC1
10-2381	8-41	AC1
10-2382	8-42	AC1
10-2383	8-43	AC1
10-2384	8-44	AC1
10-2385	8-45	AC1
10-2386	8-46	AC1
10-2387	8-47	AC1

No.	Binary combination	Active compound
10-2388	8-48	AC1
10-2389	8-49	AC1
10-2390	8-50	AC1
10-2391	8-51	AC1
10-2392	8-52	AC1
10-2393	8-53	AC1
10-2394	8-54	AC1
10-2395	8-55	AC1
10-2396	8-56	AC1
10-2397	8-57	AC1
10-2398	8-58	AC1
10-2399	8-59	AC1
10-2400	8-60	AC1
10-2401	8-61	AC1
10-2402	8-62	AC1
10-2403	8-63	AC1
10-2404	8-64	AC1
10-2405	8-65	AC1
10-2406	8-66	AC1
10-2407	8-67	AC1
10-2408	8-68	AC1
10-2409	8-69	AC1
10-2410	8-70	AC1
10-2411	8-71	AC1
10-2412	8-72	AC1
10-2413	8-73	AC1
10-2414	8-74	AC1
10-2415	8-75	AC1
10-2416	8-76	AC1
10-2417	8-77	AC1
10-2418	8-78	AC1
10-2419	8-79	AC1
10-2420	8-80	AC1
10-2421	8-81	AC1
10-2422	8-82	AC1
10-2423	8-83	AC1
10-2424	8-84	AC1
10-2425	8-85	AC1
10-2426	8-86	AC1
10-2427	8-87	AC1

No.	Binary combination	Active compound
10-2428	8-88	AC1
10-2429	8-89	AC1
10-2430	8-90	AC1
10-2431	8-91	AC1
10-2432	8-92	AC1
10-2433	8-93	AC1
10-2434	8-94	AC1
10-2435	8-95	AC1
10-2436	8-96	AC1
10-2437	8-97	AC1
10-2438	8-98	AC1
10-2439	8-99	AC1
10-2440	8-100	AC1
10-2441	8-101	AC1
10-2442	8-102	AC1
10-2443	8-103	AC1
10-2444	8-104	AC1
10-2445	8-105	AC1
10-2446	8-106	AC1
10-2447	8-107	AC1
10-2448	8-108	AC1
10-2449	8-109	AC1
10-2450	8-110	AC1
10-2451	8-111	AC1
10-2452	8-112	AC1
10-2453	8-113	AC1
10-2454	8-114	AC1
10-2455	8-115	AC1
10-2456	8-116	AC1
10-2457	8-117	AC1
10-2458	8-118	AC1
10-2459	8-119	AC1
10-2460	8-120	AC1
10-2461	8-121	AC1
10-2462	8-122	AC1
10-2463	8-123	AC1
10-2464	8-124	AC1
10-2465	8-125	AC1
10-2466	8-126	AC1
10-2467	8-127	AC1

No.	Binary combination	Active compound
10-2468	8-128	AC1
10-2469	8-129	AC1
10-2470	8-130	AC1
10-2471	8-131	AC1
10-2472	8-132	AC1
10-2473	8-133	AC1
10-2474	8-134	AC1
10-2475	8-135	AC1
10-2476	8-136	AC1
10-2477	8-137	AC1
10-2478	8-138	AC1
10-2479	8-139	AC1
10-2480	8-140	AC1
10-2481	8-141	AC1
10-2482	8-142	AC1
10-2483	8-143	AC1
10-2484	8-144	AC1
10-2485	8-145	AC1
10-2486	8-146	AC1
10-2487	8-147	AC1
10-2488	8-148	AC1
10-2489	8-149	AC1
10-2490	8-150	AC1
10-2491	8-151	AC1
10-2492	8-152	AC1
10-2493	8-153	AC1
10-2494	8-154	AC1
10-2495	8-155	AC1
10-2496	8-156	AC1
10-2497	8-157	AC1
10-2498	8-158	AC1
10-2499	8-159	AC1
10-2500	8-160	AC1
10-2501	8-161	AC1
10-2502	8-162	AC1
10-2503	8-163	AC1
10-2504	8-164	AC1
10-2505	8-165	AC1
10-2506	8-166	AC1
10-2507	8-167	AC1

No.	Binary combination	Active compound
10-2508	8-168	AC1
10-2509	8-169	AC1
10-2510	8-170	AC1
10-2511	8-171	AC1
10-2512	8-172	AC1
10-2513	8-173	AC1
10-2514	8-174	AC1
10-2515	8-175	AC1
10-2516	8-176	AC1
10-2517	8-177	AC1
10-2518	8-178	AC1
10-2519	8-179	AC1
10-2520	8-180	AC1
10-2521	8-1	dodemorph
10-2522	8-2	dodemorph
10-2523	8-3	dodemorph
10-2524	8-4	dodemorph
10-2525	8-5	dodemorph
10-2526	8-6	dodemorph
10-2527	8-7	dodemorph
10-2528	8-8	dodemorph
10-2529	8-9	dodemorph
10-2530	8-10	dodemorph
10-2531	8-11	dodemorph
10-2532	8-12	dodemorph
10-2533	8-13	dodemorph
10-2534	8-14	dodemorph
10-2535	8-15	dodemorph
10-2536	8-16	dodemorph
10-2537	8-17	dodemorph
10-2538	8-18	dodemorph
10-2539	8-19	dodemorph
10-2540	8-20	dodemorph
10-2541	8-21	dodemorph
10-2542	8-22	dodemorph
10-2543	8-23	dodemorph
10-2544	8-24	dodemorph
10-2545	8-25	dodemorph
10-2546	8-26	dodemorph
10-2547	8-27	dodemorph

No.	Binary combination	Active compound
10-2548	8-28	dodemorph
10-2549	8-29	dodemorph
10-2550	8-30	dodemorph
10-2551	8-31	dodemorph
10-2552	8-32	dodemorph
10-2553	8-33	dodemorph
10-2554	8-34	dodemorph
10-2555	8-35	dodemorph
10-2556	8-36	dodemorph
10-2557	8-37	dodemorph
10-2558	8-38	dodemorph
10-2559	8-39	dodemorph
10-2560	8-40	dodemorph
10-2561	8-41	dodemorph
10-2562	8-42	dodemorph
10-2563	8-43	dodemorph
10-2564	8-44	dodemorph
10-2565	8-45	dodemorph
10-2566	8-46	dodemorph
10-2567	8-47	dodemorph
10-2568	8-48	dodemorph
10-2569	8-49	dodemorph
10-2570	8-50	dodemorph
10-2571	8-51	dodemorph
10-2572	8-52	dodemorph
10-2573	8-53	dodemorph
10-2574	8-54	dodemorph
10-2575	8-55	dodemorph
10-2576	8-56	dodemorph
10-2577	8-57	dodemorph
10-2578	8-58	dodemorph
10-2579	8-59	dodemorph
10-2580	8-60	dodemorph
10-2581	8-61	dodemorph
10-2582	8-62	dodemorph
10-2583	8-63	dodemorph
10-2584	8-64	dodemorph
10-2585	8-65	dodemorph
10-2586	8-66	dodemorph
10-2587	8-67	dodemorph

No.	Binary combination	Active compound
10-2588	8-68	dodemorph
10-2589	8-69	dodemorph
10-2590	8-70	dodemorph
10-2591	8-71	dodemorph
10-2592	8-72	dodemorph
10-2593	8-73	dodemorph
10-2594	8-74	dodemorph
10-2595	8-75	dodemorph
10-2596	8-76	dodemorph
10-2597	8-77	dodemorph
10-2598	8-78	dodemorph
10-2599	8-79	dodemorph
10-2600	8-80	dodemorph
10-2601	8-81	dodemorph
10-2602	8-82	dodemorph
10-2603	8-83	dodemorph
10-2604	8-84	dodemorph
10-2605	8-85	dodemorph
10-2606	8-86	dodemorph
10-2607	8-87	dodemorph
10-2608	8-88	dodemorph
10-2609	8-89	dodemorph
10-2610	8-90	dodemorph
10-2611	8-91	dodemorph
10-2612	8-92	dodemorph
10-2613	8-93	dodemorph
10-2614	8-94	dodemorph
10-2615	8-95	dodemorph
10-2616	8-96	dodemorph
10-2617	8-97	dodemorph
10-2618	8-98	dodemorph
10-2619	8-99	dodemorph
10-2620	8-100	dodemorph
10-2621	8-101	dodemorph
10-2622	8-102	dodemorph
10-2623	8-103	dodemorph
10-2624	8-104	dodemorph
10-2625	8-105	dodemorph
10-2626	8-106	dodemorph
10-2627	8-107	dodemorph

No.	Binary combination	Active compound
10-2628	8-108	dodemorph
10-2629	8-109	dodemorph
10-2630	8-110	dodemorph
10-2631	8-111	dodemorph
10-2632	8-112	dodemorph
10-2633	8-113	dodemorph
10-2634	8-114	dodemorph
10-2635	8-115	dodemorph
10-2636	8-116	dodemorph
10-2637	8-117	dodemorph
10-2638	8-118	dodemorph
10-2639	8-119	dodemorph
10-2640	8-120	dodemorph
10-2641	8-121	dodemorph
10-2642	8-122	dodemorph
10-2643	8-123	dodemorph
10-2644	8-124	dodemorph
10-2645	8-125	dodemorph
10-2646	8-126	dodemorph
10-2647	8-127	dodemorph
10-2648	8-128	dodemorph
10-2649	8-129	dodemorph
10-2650	8-130	dodemorph
10-2651	8-131	dodemorph
10-2652	8-132	dodemorph
10-2653	8-133	dodemorph
10-2654	8-134	dodemorph
10-2655	8-135	dodemorph
10-2656	8-136	dodemorph
10-2657	8-137	dodemorph
10-2658	8-138	dodemorph
10-2659	8-139	dodemorph
10-2660	8-140	dodemorph
10-2661	8-141	dodemorph
10-2662	8-142	dodemorph
10-2663	8-143	dodemorph
10-2664	8-144	dodemorph
10-2665	8-145	dodemorph
10-2666	8-146	dodemorph
10-2667	8-147	dodemorph

No.	Binary combination	Active compound
10-2668	8-148	dodemorph
10-2669	8-149	dodemorph
10-2670	8-150	dodemorph
10-2671	8-151	dodemorph
10-2672	8-152	dodemorph
10-2673	8-153	dodemorph
10-2674	8-154	dodemorph
10-2675	8-155	dodemorph
10-2676	8-156	dodemorph
10-2677	8-157	dodemorph
10-2678	8-158	dodemorph
10-2679	8-159	dodemorph
10-2680	8-160	dodemorph
10-2681	8-161	dodemorph
10-2682	8-162	dodemorph
10-2683	8-163	dodemorph
10-2684	8-164	dodemorph
10-2685	8-165	dodemorph
10-2686	8-166	dodemorph
10-2687	8-167	dodemorph
10-2688	8-168	dodemorph
10-2689	8-169	dodemorph
10-2690	8-170	dodemorph
10-2691	8-171	dodemorph
10-2692	8-172	dodemorph
10-2693	8-173	dodemorph
10-2694	8-174	dodemorph
10-2695	8-175	dodemorph
10-2696	8-176	dodemorph
10-2697	8-177	dodemorph
10-2698	8-178	dodemorph
10-2699	8-179	dodemorph
10-2700	8-180	dodemorph
10-2701	8-1	fenpropimorph
10-2702	8-2	fenpropimorph
10-2703	8-3	fenpropimorph
10-2704	8-4	fenpropimorph
10-2705	8-5	fenpropimorph
10-2706	8-6	fenpropimorph
10-2707	8-7	fenpropimorph

No.	Binary combination	Active compound
10-2708	8-8	fenpropimorph
10-2709	8-9	fenpropimorph
10-2710	8-10	fenpropimorph
10-2711	8-11	fenpropimorph
10-2712	8-12	fenpropimorph
10-2713	8-13	fenpropimorph
10-2714	8-14	fenpropimorph
10-2715	8-15	fenpropimorph
10-2716	8-16	fenpropimorph
10-2717	8-17	fenpropimorph
10-2718	8-18	fenpropimorph
10-2719	8-19	fenpropimorph
10-2720	8-20	fenpropimorph
10-2721	8-21	fenpropimorph
10-2722	8-22	fenpropimorph
10-2723	8-23	fenpropimorph
10-2724	8-24	fenpropimorph
10-2725	8-25	fenpropimorph
10-2726	8-26	fenpropimorph
10-2727	8-27	fenpropimorph
10-2728	8-28	fenpropimorph
10-2729	8-29	fenpropimorph
10-2730	8-30	fenpropimorph
10-2731	8-31	fenpropimorph
10-2732	8-32	fenpropimorph
10-2733	8-33	fenpropimorph
10-2734	8-34	fenpropimorph
10-2735	8-35	fenpropimorph
10-2736	8-36	fenpropimorph
10-2737	8-37	fenpropimorph
10-2738	8-38	fenpropimorph
10-2739	8-39	fenpropimorph
10-2740	8-40	fenpropimorph
10-2741	8-41	fenpropimorph
10-2742	8-42	fenpropimorph
10-2743	8-43	fenpropimorph
10-2744	8-44	fenpropimorph
10-2745	8-45	fenpropimorph
10-2746	8-46	fenpropimorph
10-2747	8-47	fenpropimorph

No.	Binary combination	Active compound
10-2748	8-48	fenpropimorph
10-2749	8-49	fenpropimorph
10-2750	8-50	fenpropimorph
10-2751	8-51	fenpropimorph
10-2752	8-52	fenpropimorph
10-2753	8-53	fenpropimorph
10-2754	8-54	fenpropimorph
10-2755	8-55	fenpropimorph
10-2756	8-56	fenpropimorph
10-2757	8-57	fenpropimorph
10-2758	8-58	fenpropimorph
10-2759	8-59	fenpropimorph
10-2760	8-60	fenpropimorph
10-2761	8-61	fenpropimorph
10-2762	8-62	fenpropimorph
10-2763	8-63	fenpropimorph
10-2764	8-64	fenpropimorph
10-2765	8-65	fenpropimorph
10-2766	8-66	fenpropimorph
10-2767	8-67	fenpropimorph
10-2768	8-68	fenpropimorph
10-2769	8-69	fenpropimorph
10-2770	8-70	fenpropimorph
10-2771	8-71	fenpropimorph
10-2772	8-72	fenpropimorph
10-2773	8-73	fenpropimorph
10-2774	8-74	fenpropimorph
10-2775	8-75	fenpropimorph
10-2776	8-76	fenpropimorph
10-2777	8-77	fenpropimorph
10-2778	8-78	fenpropimorph
10-2779	8-79	fenpropimorph
10-2780	8-80	fenpropimorph
10-2781	8-81	fenpropimorph
10-2782	8-82	fenpropimorph
10-2783	8-83	fenpropimorph
10-2784	8-84	fenpropimorph
10-2785	8-85	fenpropimorph
10-2786	8-86	fenpropimorph
10-2787	8-87	fenpropimorph

No.	Binary combination	Active compound
10-2788	8-88	fenpropimorph
10-2789	8-89	fenpropimorph
10-2790	8-90	fenpropimorph
10-2791	8-91	fenpropimorph
10-2792	8-92	fenpropimorph
10-2793	8-93	fenpropimorph
10-2794	8-94	fenpropimorph
10-2795	8-95	fenpropimorph
10-2796	8-96	fenpropimorph
10-2797	8-97	fenpropimorph
10-2798	8-98	fenpropimorph
10-2799	8-99	fenpropimorph
10-2800	8-100	fenpropimorph
10-2801	8-101	fenpropimorph
10-2802	8-102	fenpropimorph
10-2803	8-103	fenpropimorph
10-2804	8-104	fenpropimorph
10-2805	8-105	fenpropimorph
10-2806	8-106	fenpropimorph
10-2807	8-107	fenpropimorph
10-2808	8-108	fenpropimorph
10-2809	8-109	fenpropimorph
10-2810	8-110	fenpropimorph
10-2811	8-111	fenpropimorph
10-2812	8-112	fenpropimorph
10-2813	8-113	fenpropimorph
10-2814	8-114	fenpropimorph
10-2815	8-115	fenpropimorph
10-2816	8-116	fenpropimorph
10-2817	8-117	fenpropimorph
10-2818	8-118	fenpropimorph
10-2819	8-119	fenpropimorph
10-2820	8-120	fenpropimorph
10-2821	8-121	fenpropimorph
10-2822	8-122	fenpropimorph
10-2823	8-123	fenpropimorph
10-2824	8-124	fenpropimorph
10-2825	8-125	fenpropimorph
10-2826	8-126	fenpropimorph
10-2827	8-127	fenpropimorph

No.	Binary combination	Active compound
10-2828	8-128	fenpropimorph
10-2829	8-129	fenpropimorph
10-2830	8-130	fenpropimorph
10-2831	8-131	fenpropimorph
10-2832	8-132	fenpropimorph
10-2833	8-133	fenpropimorph
10-2834	8-134	fenpropimorph
10-2835	8-135	fenpropimorph
10-2836	8-136	fenpropimorph
10-2837	8-137	fenpropimorph
10-2838	8-138	fenpropimorph
10-2839	8-139	fenpropimorph
10-2840	8-140	fenpropimorph
10-2841	8-141	fenpropimorph
10-2842	8-142	fenpropimorph
10-2843	8-143	fenpropimorph
10-2844	8-144	fenpropimorph
10-2845	8-145	fenpropimorph
10-2846	8-146	fenpropimorph
10-2847	8-147	fenpropimorph
10-2848	8-148	fenpropimorph
10-2849	8-149	fenpropimorph
10-2850	8-150	fenpropimorph
10-2851	8-151	fenpropimorph
10-2852	8-152	fenpropimorph
10-2853	8-153	fenpropimorph
10-2854	8-154	fenpropimorph
10-2855	8-155	fenpropimorph
10-2856	8-156	fenpropimorph
10-2857	8-157	fenpropimorph
10-2858	8-158	fenpropimorph
10-2859	8-159	fenpropimorph
10-2860	8-160	fenpropimorph
10-2861	8-161	fenpropimorph
10-2862	8-162	fenpropimorph
10-2863	8-163	fenpropimorph
10-2864	8-164	fenpropimorph
10-2865	8-165	fenpropimorph
10-2866	8-166	fenpropimorph
10-2867	8-167	fenpropimorph

No.	Binary combination	Active compound
10-2868	8-168	fenpropimorph
10-2869	8-169	fenpropimorph
10-2870	8-170	fenpropimorph
10-2871	8-171	fenpropimorph
10-2872	8-172	fenpropimorph
10-2873	8-173	fenpropimorph
10-2874	8-174	fenpropimorph
10-2875	8-175	fenpropimorph
10-2876	8-176	fenpropimorph
10-2877	8-177	fenpropimorph
10-2878	8-178	fenpropimorph
10-2879	8-179	fenpropimorph
10-2880	8-180	fenpropimorph
10-2881	8-1	tridemorph
10-2882	8-2	tridemorph
10-2883	8-3	tridemorph
10-2884	8-4	tridemorph
10-2885	8-5	tridemorph
10-2886	8-6	tridemorph
10-2887	8-7	tridemorph
10-2888	8-8	tridemorph
10-2889	8-9	tridemorph
10-2890	8-10	tridemorph
10-2891	8-11	tridemorph
10-2892	8-12	tridemorph
10-2893	8-13	tridemorph
10-2894	8-14	tridemorph
10-2895	8-15	tridemorph
10-2896	8-16	tridemorph
10-2897	8-17	tridemorph
10-2898	8-18	tridemorph
10-2899	8-19	tridemorph
10-2900	8-20	tridemorph
10-2901	8-21	tridemorph
10-2902	8-22	tridemorph
10-2903	8-23	tridemorph
10-2904	8-24	tridemorph
10-2905	8-25	tridemorph
10-2906	8-26	tridemorph
10-2907	8-27	tridemorph

No.	Binary combination	Active compound
10-2908	8-28	tridemorph
10-2909	8-29	tridemorph
10-2910	8-30	tridemorph
10-2911	8-31	tridemorph
10-2912	8-32	tridemorph
10-2913	8-33	tridemorph
10-2914	8-34	tridemorph
10-2915	8-35	tridemorph
10-2916	8-36	tridemorph
10-2917	8-37	tridemorph
10-2918	8-38	tridemorph
10-2919	8-39	tridemorph
10-2920	8-40	tridemorph
10-2921	8-41	tridemorph
10-2922	8-42	tridemorph
10-2923	8-43	tridemorph
10-2924	8-44	tridemorph
10-2925	8-45	tridemorph
10-2926	8-46	tridemorph
10-2927	8-47	tridemorph
10-2928	8-48	tridemorph
10-2929	8-49	tridemorph
10-2930	8-50	tridemorph
10-2931	8-51	tridemorph
10-2932	8-52	tridemorph
10-2933	8-53	tridemorph
10-2934	8-54	tridemorph
10-2935	8-55	tridemorph
10-2936	8-56	tridemorph
10-2937	8-57	tridemorph
10-2938	8-58	tridemorph
10-2939	8-59	tridemorph
10-2940	8-60	tridemorph
10-2941	8-61	tridemorph
10-2942	8-62	tridemorph
10-2943	8-63	tridemorph
10-2944	8-64	tridemorph
10-2945	8-65	tridemorph
10-2946	8-66	tridemorph
10-2947	8-67	tridemorph

No.	Binary combination	Active compound
10-2948	8-68	tridemorph
10-2949	8-69	tridemorph
10-2950	8-70	tridemorph
10-2951	8-71	tridemorph
10-2952	8-72	tridemorph
10-2953	8-73	tridemorph
10-2954	8-74	tridemorph
10-2955	8-75	tridemorph
10-2956	8-76	tridemorph
10-2957	8-77	tridemorph
10-2958	8-78	tridemorph
10-2959	8-79	tridemorph
10-2960	8-80	tridemorph
10-2961	8-81	tridemorph
10-2962	8-82	tridemorph
10-2963	8-83	tridemorph
10-2964	8-84	tridemorph
10-2965	8-85	tridemorph
10-2966	8-86	tridemorph
10-2967	8-87	tridemorph
10-2968	8-88	tridemorph
10-2969	8-89	tridemorph
10-2970	8-90	tridemorph
10-2971	8-91	tridemorph
10-2972	8-92	tridemorph
10-2973	8-93	tridemorph
10-2974	8-94	tridemorph
10-2975	8-95	tridemorph
10-2976	8-96	tridemorph
10-2977	8-97	tridemorph
10-2978	8-98	tridemorph
10-2979	8-99	tridemorph
10-2980	8-100	tridemorph
10-2981	8-101	tridemorph
10-2982	8-102	tridemorph
10-2983	8-103	tridemorph
10-2984	8-104	tridemorph
10-2985	8-105	tridemorph
10-2986	8-106	tridemorph
10-2987	8-107	tridemorph

No.	Binary combination	Active compound
10-2988	8-108	tridemorph
10-2989	8-109	tridemorph
10-2990	8-110	tridemorph
10-2991	8-111	tridemorph
10-2992	8-112	tridemorph
10-2993	8-113	tridemorph
10-2994	8-114	tridemorph
10-2995	8-115	tridemorph
10-2996	8-116	tridemorph
10-2997	8-117	tridemorph
10-2998	8-118	tridemorph
10-2999	8-119	tridemorph
10-3000	8-120	tridemorph
10-3001	8-121	tridemorph
10-3002	8-122	tridemorph
10-3003	8-123	tridemorph
10-3004	8-124	tridemorph
10-3005	8-125	tridemorph
10-3006	8-126	tridemorph
10-3007	8-127	tridemorph
10-3008	8-128	tridemorph
10-3009	8-129	tridemorph
10-3010	8-130	tridemorph
10-3011	8-131	tridemorph
10-3012	8-132	tridemorph
10-3013	8-133	tridemorph
10-3014	8-134	tridemorph
10-3015	8-135	tridemorph
10-3016	8-136	tridemorph
10-3017	8-137	tridemorph
10-3018	8-138	tridemorph
10-3019	8-139	tridemorph
10-3020	8-140	tridemorph
10-3021	8-141	tridemorph
10-3022	8-142	tridemorph
10-3023	8-143	tridemorph
10-3024	8-144	tridemorph
10-3025	8-145	tridemorph
10-3026	8-146	tridemorph
10-3027	8-147	tridemorph

No.	Binary combination	Active compound
10-3028	8-148	tridemorph
10-3029	8-149	tridemorph
10-3030	8-150	tridemorph
10-3031	8-151	tridemorph
10-3032	8-152	tridemorph
10-3033	8-153	tridemorph
10-3034	8-154	tridemorph
10-3035	8-155	tridemorph
10-3036	8-156	tridemorph
10-3037	8-157	tridemorph
10-3038	8-158	tridemorph
10-3039	8-159	tridemorph
10-3040	8-160	tridemorph
10-3041	8-161	tridemorph
10-3042	8-162	tridemorph
10-3043	8-163	tridemorph
10-3044	8-164	tridemorph
10-3045	8-165	tridemorph
10-3046	8-166	tridemorph
10-3047	8-167	tridemorph
10-3048	8-168	tridemorph
10-3049	8-169	tridemorph
10-3050	8-170	tridemorph
10-3051	8-171	tridemorph
10-3052	8-172	tridemorph
10-3053	8-173	tridemorph
10-3054	8-174	tridemorph
10-3055	8-175	tridemorph
10-3056	8-176	tridemorph
10-3057	8-177	tridemorph
10-3058	8-178	tridemorph
10-3059	8-179	tridemorph
10-3060	8-180	tridemorph
10-3061	8-1	iprodione
10-3062	8-2	iprodione
10-3063	8-3	iprodione
10-3064	8-4	iprodione
10-3065	8-5	iprodione
10-3066	8-6	iprodione
10-3067	8-7	iprodione

No.	Binary combination	Active compound
10-3068	8-8	iprodione
10-3069	8-9	iprodione
10-3070	8-10	iprodione
10-3071	8-11	iprodione
10-3072	8-12	iprodione
10-3073	8-13	iprodione
10-3074	8-14	iprodione
10-3075	8-15	iprodione
10-3076	8-16	iprodione
10-3077	8-17	iprodione
10-3078	8-18	iprodione
10-3079	8-19	iprodione
10-3080	8-20	iprodione
10-3081	8-21	iprodione
10-3082	8-22	iprodione
10-3083	8-23	iprodione
10-3084	8-24	iprodione
10-3085	8-25	iprodione
10-3086	8-26	iprodione
10-3087	8-27	iprodione
10-3088	8-28	iprodione
10-3089	8-29	iprodione
10-3090	8-30	iprodione
10-3091	8-31	iprodione
10-3092	8-32	iprodione
10-3093	8-33	iprodione
10-3094	8-34	iprodione
10-3095	8-35	iprodione
10-3096	8-36	iprodione
10-3097	8-37	iprodione
10-3098	8-38	iprodione
10-3099	8-39	iprodione
10-3100	8-40	iprodione
10-3101	8-41	iprodione
10-3102	8-42	iprodione
10-3103	8-43	iprodione
10-3104	8-44	iprodione
10-3105	8-45	iprodione
10-3106	8-46	iprodione
10-3107	8-47	iprodione

No.	Binary combination	Active compound
10-3108	8-48	iprodione
10-3109	8-49	iprodione
10-3110	8-50	iprodione
10-3111	8-51	iprodione
10-3112	8-52	iprodione
10-3113	8-53	iprodione
10-3114	8-54	iprodione
10-3115	8-55	iprodione
10-3116	8-56	iprodione
10-3117	8-57	iprodione
10-3118	8-58	iprodione
10-3119	8-59	iprodione
10-3120	8-60	iprodione
10-3121	8-61	iprodione
10-3122	8-62	iprodione
10-3123	8-63	iprodione
10-3124	8-64	iprodione
10-3125	8-65	iprodione
10-3126	8-66	iprodione
10-3127	8-67	iprodione
10-3128	8-68	iprodione
10-3129	8-69	iprodione
10-3130	8-70	iprodione
10-3131	8-71	iprodione
10-3132	8-72	iprodione
10-3133	8-73	iprodione
10-3134	8-74	iprodione
10-3135	8-75	iprodione
10-3136	8-76	iprodione
10-3137	8-77	iprodione
10-3138	8-78	iprodione
10-3139	8-79	iprodione
10-3140	8-80	iprodione
10-3141	8-81	iprodione
10-3142	8-82	iprodione
10-3143	8-83	iprodione
10-3144	8-84	iprodione
10-3145	8-85	iprodione
10-3146	8-86	iprodione
10-3147	8-87	iprodione

No.	Binary combination	Active compound
10-3148	8-88	iprodione
10-3149	8-89	iprodione
10-3150	8-90	iprodione
10-3151	8-91	iprodione
10-3152	8-92	iprodione
10-3153	8-93	iprodione
10-3154	8-94	iprodione
10-3155	8-95	iprodione
10-3156	8-96	iprodione
10-3157	8-97	iprodione
10-3158	8-98	iprodione
10-3159	8-99	iprodione
10-3160	8-100	iprodione
10-3161	8-101	iprodione
10-3162	8-102	iprodione
10-3163	8-103	iprodione
10-3164	8-104	iprodione
10-3165	8-105	iprodione
10-3166	8-106	iprodione
10-3167	8-107	iprodione
10-3168	8-108	iprodione
10-3169	8-109	iprodione
10-3170	8-110	iprodione
10-3171	8-111	iprodione
10-3172	8-112	iprodione
10-3173	8-113	iprodione
10-3174	8-114	iprodione
10-3175	8-115	iprodione
10-3176	8-116	iprodione
10-3177	8-117	iprodione
10-3178	8-118	iprodione
10-3179	8-119	iprodione
10-3180	8-120	iprodione
10-3181	8-121	iprodione
10-3182	8-122	iprodione
10-3183	8-123	iprodione
10-3184	8-124	iprodione
10-3185	8-125	iprodione
10-3186	8-126	iprodione
10-3187	8-127	iprodione

No.	Binary combination	Active compound
10-3188	8-128	iprodione
10-3189	8-129	iprodione
10-3190	8-130	iprodione
10-3191	8-131	iprodione
10-3192	8-132	iprodione
10-3193	8-133	iprodione
10-3194	8-134	iprodione
10-3195	8-135	iprodione
10-3196	8-136	iprodione
10-3197	8-137	iprodione
10-3198	8-138	iprodione
10-3199	8-139	iprodione
10-3200	8-140	iprodione
10-3201	8-141	iprodione
10-3202	8-142	iprodione
10-3203	8-143	iprodione
10-3204	8-144	iprodione
10-3205	8-145	iprodione
10-3206	8-146	iprodione
10-3207	8-147	iprodione
10-3208	8-148	iprodione
10-3209	8-149	iprodione
10-3210	8-150	iprodione
10-3211	8-151	iprodione
10-3212	8-152	iprodione
10-3213	8-153	iprodione
10-3214	8-154	iprodione
10-3215	8-155	iprodione
10-3216	8-156	iprodione
10-3217	8-157	iprodione
10-3218	8-158	iprodione
10-3219	8-159	iprodione
10-3220	8-160	iprodione
10-3221	8-161	iprodione
10-3222	8-162	iprodione
10-3223	8-163	iprodione
10-3224	8-164	iprodione
10-3225	8-165	iprodione
10-3226	8-166	iprodione
10-3227	8-167	iprodione

No.	Binary combination	Active compound
10-3228	8-168	iprodione
10-3229	8-169	iprodione
10-3230	8-170	iprodione
10-3231	8-171	iprodione
10-3232	8-172	iprodione
10-3233	8-173	iprodione
10-3234	8-174	iprodione
10-3235	8-175	iprodione
10-3236	8-176	iprodione
10-3237	8-177	iprodione
10-3238	8-178	iprodione
10-3239	8-179	iprodione
10-3240	8-180	iprodione
10-3241	8-1	vinclozolin
10-3242	8-2	vinclozolin
10-3243	8-3	vinclozolin
10-3244	8-4	vinclozolin
10-3245	8-5	vinclozolin
10-3246	8-6	vinclozolin
10-3247	8-7	vinclozolin
10-3248	8-8	vinclozolin
10-3249	8-9	vinclozolin
10-3250	8-10	vinclozolin
10-3251	8-11	vinclozolin
10-3252	8-12	vinclozolin
10-3253	8-13	vinclozolin
10-3254	8-14	vinclozolin
10-3255	8-15	vinclozolin
10-3256	8-16	vinclozolin
10-3257	8-17	vinclozolin
10-3258	8-18	vinclozolin
10-3259	8-19	vinclozolin
10-3260	8-20	vinclozolin
10-3261	8-21	vinclozolin
10-3262	8-22	vinclozolin
10-3263	8-23	vinclozolin
10-3264	8-24	vinclozolin
10-3265	8-25	vinclozolin
10-3266	8-26	vinclozolin
10-3267	8-27	vinclozolin

No.	Binary combination	Active compound
10-3268	8-28	vinclozolin
10-3269	8-29	vinclozolin
10-3270	8-30	vinclozolin
10-3271	8-31	vinclozolin
10-3272	8-32	vinclozolin
10-3273	8-33	vinclozolin
10-3274	8-34	vinclozolin
10-3275	8-35	vinclozolin
10-3276	8-36	vinclozolin
10-3277	8-37	vinclozolin
10-3278	8-38	vinclozolin
10-3279	8-39	vinclozolin
10-3280	8-40	vinclozolin
10-3281	8-41	vinclozolin
10-3282	8-42	vinclozolin
10-3283	8-43	vinclozolin
10-3284	8-44	vinclozolin
10-3285	8-45	vinclozolin
10-3286	8-46	vinclozolin
10-3287	8-47	vinclozolin
10-3288	8-48	vinclozolin
10-3289	8-49	vinclozolin
10-3290	8-50	vinclozolin
10-3291	8-51	vinclozolin
10-3292	8-52	vinclozolin
10-3293	8-53	vinclozolin
10-3294	8-54	vinclozolin
10-3295	8-55	vinclozolin
10-3296	8-56	vinclozolin
10-3297	8-57	vinclozolin
10-3298	8-58	vinclozolin
10-3299	8-59	vinclozolin
10-3300	8-60	vinclozolin
10-3301	8-61	vinclozolin
10-3302	8-62	vinclozolin
10-3303	8-63	vinclozolin
10-3304	8-64	vinclozolin
10-3305	8-65	vinclozolin
10-3306	8-66	vinclozolin
10-3307	8-67	vinclozolin

No.	Binary combination	Active compound
10-3308	8-68	vinclozolin
10-3309	8-69	vinclozolin
10-3310	8-70	vinclozolin
10-3311	8-71	vinclozolin
10-3312	8-72	vinclozolin
10-3313	8-73	vinclozolin
10-3314	8-74	vinclozolin
10-3315	8-75	vinclozolin
10-3316	8-76	vinclozolin
10-3317	8-77	vinclozolin
10-3318	8-78	vinclozolin
10-3319	8-79	vinclozolin
10-3320	8-80	vinclozolin
10-3321	8-81	vinclozolin
10-3322	8-82	vinclozolin
10-3323	8-83	vinclozolin
10-3324	8-84	vinclozolin
10-3325	8-85	vinclozolin
10-3326	8-86	vinclozolin
10-3327	8-87	vinclozolin
10-3328	8-88	vinclozolin
10-3329	8-89	vinclozolin
10-3330	8-90	vinclozolin
10-3331	8-91	vinclozolin
10-3332	8-92	vinclozolin
10-3333	8-93	vinclozolin
10-3334	8-94	vinclozolin
10-3335	8-95	vinclozolin
10-3336	8-96	vinclozolin
10-3337	8-97	vinclozolin
10-3338	8-98	vinclozolin
10-3339	8-99	vinclozolin
10-3340	8-100	vinclozolin
10-3341	8-101	vinclozolin
10-3342	8-102	vinclozolin
10-3343	8-103	vinclozolin
10-3344	8-104	vinclozolin
10-3345	8-105	vinclozolin
10-3346	8-106	vinclozolin
10-3347	8-107	vinclozolin

No.	Binary combination	Active compound
10-3348	8-108	vinclozolin
10-3349	8-109	vinclozolin
10-3350	8-110	vinclozolin
10-3351	8-111	vinclozolin
10-3352	8-112	vinclozolin
10-3353	8-113	vinclozolin
10-3354	8-114	vinclozolin
10-3355	8-115	vinclozolin
10-3356	8-116	vinclozolin
10-3357	8-117	vinclozolin
10-3358	8-118	vinclozolin
10-3359	8-119	vinclozolin
10-3360	8-120	vinclozolin
10-3361	8-121	vinclozolin
10-3362	8-122	vinclozolin
10-3363	8-123	vinclozolin
10-3364	8-124	vinclozolin
10-3365	8-125	vinclozolin
10-3366	8-126	vinclozolin
10-3367	8-127	vinclozolin
10-3368	8-128	vinclozolin
10-3369	8-129	vinclozolin
10-3370	8-130	vinclozolin
10-3371	8-131	vinclozolin
10-3372	8-132	vinclozolin
10-3373	8-133	vinclozolin
10-3374	8-134	vinclozolin
10-3375	8-135	vinclozolin
10-3376	8-136	vinclozolin
10-3377	8-137	vinclozolin
10-3378	8-138	vinclozolin
10-3379	8-139	vinclozolin
10-3380	8-140	vinclozolin
10-3381	8-141	vinclozolin
10-3382	8-142	vinclozolin
10-3383	8-143	vinclozolin
10-3384	8-144	vinclozolin
10-3385	8-145	vinclozolin
10-3386	8-146	vinclozolin
10-3387	8-147	vinclozolin

No.	Binary combination	Active compound
10-3388	8-148	vinclozolin
10-3389	8-149	vinclozolin
10-3390	8-150	vinclozolin
10-3391	8-151	vinclozolin
10-3392	8-152	vinclozolin
10-3393	8-153	vinclozolin
10-3394	8-154	vinclozolin
10-3395	8-155	vinclozolin
10-3396	8-156	vinclozolin
10-3397	8-157	vinclozolin
10-3398	8-158	vinclozolin
10-3399	8-159	vinclozolin
10-3400	8-160	vinclozolin
10-3401	8-161	vinclozolin
10-3402	8-162	vinclozolin
10-3403	8-163	vinclozolin
10-3404	8-164	vinclozolin
10-3405	8-165	vinclozolin
10-3406	8-166	vinclozolin
10-3407	8-167	vinclozolin
10-3408	8-168	vinclozolin
10-3409	8-169	vinclozolin
10-3410	8-170	vinclozolin
10-3411	8-171	vinclozolin
10-3412	8-172	vinclozolin
10-3413	8-173	vinclozolin
10-3414	8-174	vinclozolin
10-3415	8-175	vinclozolin
10-3416	8-176	vinclozolin
10-3417	8-177	vinclozolin
10-3418	8-178	vinclozolin
10-3419	8-179	vinclozolin
10-3420	8-180	vinclozolin
10-3421	8-1	mancozeb
10-3422	8-2	mancozeb
10-3423	8-3	mancozeb
10-3424	8-4	mancozeb
10-3425	8-5	mancozeb
10-3426	8-6	mancozeb
10-3427	8-7	mancozeb

No.	Binary combination	Active compound
10-3428	8-8	mancozeb
10-3429	8-9	mancozeb
10-3430	8-10	mancozeb
10-3431	8-11	mancozeb
10-3432	8-12	mancozeb
10-3433	8-13	mancozeb
10-3434	8-14	mancozeb
10-3435	8-15	mancozeb
10-3436	8-16	mancozeb
10-3437	8-17	mancozeb
10-3438	8-18	mancozeb
10-3439	8-19	mancozeb
10-3440	8-20	mancozeb
10-3441	8-21	mancozeb
10-3442	8-22	mancozeb
10-3443	8-23	mancozeb
10-3444	8-24	mancozeb
10-3445	8-25	mancozeb
10-3446	8-26	mancozeb
10-3447	8-27	mancozeb
10-3448	8-28	mancozeb
10-3449	8-29	mancozeb
10-3450	8-30	mancozeb
10-3451	8-31	mancozeb
10-3452	8-32	mancozeb
10-3453	8-33	mancozeb
10-3454	8-34	mancozeb
10-3455	8-35	mancozeb
10-3456	8-36	mancozeb
10-3457	8-37	mancozeb
10-3458	8-38	mancozeb
10-3459	8-39	mancozeb
10-3460	8-40	mancozeb
10-3461	8-41	mancozeb
10-3462	8-42	mancozeb
10-3463	8-43	mancozeb
10-3464	8-44	mancozeb
10-3465	8-45	mancozeb
10-3466	8-46	mancozeb
10-3467	8-47	mancozeb

No.	Binary combination	Active compound
10-3468	8-48	mancozeb
10-3469	8-49	mancozeb
10-3470	8-50	mancozeb
10-3471	8-51	mancozeb
10-3472	8-52	mancozeb
10-3473	8-53	mancozeb
10-3474	8-54	mancozeb
10-3475	8-55	mancozeb
10-3476	8-56	mancozeb
10-3477	8-57	mancozeb
10-3478	8-58	mancozeb
10-3479	8-59	mancozeb
10-3480	8-60	mancozeb
10-3481	8-61	mancozeb
10-3482	8-62	mancozeb
10-3483	8-63	mancozeb
10-3484	8-64	mancozeb
10-3485	8-65	mancozeb
10-3486	8-66	mancozeb
10-3487	8-67	mancozeb
10-3488	8-68	mancozeb
10-3489	8-69	mancozeb
10-3490	8-70	mancozeb
10-3491	8-71	mancozeb
10-3492	8-72	mancozeb
10-3493	8-73	mancozeb
10-3494	8-74	mancozeb
10-3495	8-75	mancozeb
10-3496	8-76	mancozeb
10-3497	8-77	mancozeb
10-3498	8-78	mancozeb
10-3499	8-79	mancozeb
10-3500	8-80	mancozeb
10-3501	8-81	mancozeb
10-3502	8-82	mancozeb
10-3503	8-83	mancozeb
10-3504	8-84	mancozeb
10-3505	8-85	mancozeb
10-3506	8-86	mancozeb
10-3507	8-87	mancozeb

No.	Binary combination	Active compound
10-3508	8-88	mancozeb
10-3509	8-89	mancozeb
10-3510	8-90	mancozeb
10-3511	8-91	mancozeb
10-3512	8-92	mancozeb
10-3513	8-93	mancozeb
10-3514	8-94	mancozeb
10-3515	8-95	mancozeb
10-3516	8-96	mancozeb
10-3517	8-97	mancozeb
10-3518	8-98	mancozeb
10-3519	8-99	mancozeb
10-3520	8-100	mancozeb
10-3521	8-101	mancozeb
10-3522	8-102	mancozeb
10-3523	8-103	mancozeb
10-3524	8-104	mancozeb
10-3525	8-105	mancozeb
10-3526	8-106	mancozeb
10-3527	8-107	mancozeb
10-3528	8-108	mancozeb
10-3529	8-109	mancozeb
10-3530	8-110	mancozeb
10-3531	8-111	mancozeb
10-3532	8-112	mancozeb
10-3533	8-113	mancozeb
10-3534	8-114	mancozeb
10-3535	8-115	mancozeb
10-3536	8-116	mancozeb
10-3537	8-117	mancozeb
10-3538	8-118	mancozeb
10-3539	8-119	mancozeb
10-3540	8-120	mancozeb
10-3541	8-121	mancozeb
10-3542	8-122	mancozeb
10-3543	8-123	mancozeb
10-3544	8-124	mancozeb
10-3545	8-125	mancozeb
10-3546	8-126	mancozeb
10-3547	8-127	mancozeb

No.	Binary combination	Active compound
10-3548	8-128	mancozeb
10-3549	8-129	mancozeb
10-3550	8-130	mancozeb
10-3551	8-131	mancozeb
10-3552	8-132	mancozeb
10-3553	8-133	mancozeb
10-3554	8-134	mancozeb
10-3555	8-135	mancozeb
10-3556	8-136	mancozeb
10-3557	8-137	mancozeb
10-3558	8-138	mancozeb
10-3559	8-139	mancozeb
10-3560	8-140	mancozeb
10-3561	8-141	mancozeb
10-3562	8-142	mancozeb
10-3563	8-143	mancozeb
10-3564	8-144	mancozeb
10-3565	8-145	mancozeb
10-3566	8-146	mancozeb
10-3567	8-147	mancozeb
10-3568	8-148	mancozeb
10-3569	8-149	mancozeb
10-3570	8-150	mancozeb
10-3571	8-151	mancozeb
10-3572	8-152	mancozeb
10-3573	8-153	mancozeb
10-3574	8-154	mancozeb
10-3575	8-155	mancozeb
10-3576	8-156	mancozeb
10-3577	8-157	mancozeb
10-3578	8-158	mancozeb
10-3579	8-159	mancozeb
10-3580	8-160	mancozeb
10-3581	8-161	mancozeb
10-3582	8-162	mancozeb
10-3583	8-163	mancozeb
10-3584	8-164	mancozeb
10-3585	8-165	mancozeb
10-3586	8-166	mancozeb
10-3587	8-167	mancozeb

No.	Binary combination	Active compound
10-3588	8-168	mancozeb
10-3589	8-169	mancozeb
10-3590	8-170	mancozeb
10-3591	8-171	mancozeb
10-3592	8-172	mancozeb
10-3593	8-173	mancozeb
10-3594	8-174	mancozeb
10-3595	8-175	mancozeb
10-3596	8-176	mancozeb
10-3597	8-177	mancozeb
10-3598	8-178	mancozeb
10-3599	8-179	mancozeb
10-3600	8-180	mancozeb
10-3601	8-1	metiram
10-3602	8-2	metiram
10-3603	8-3	metiram
10-3604	8-4	metiram
10-3605	8-5	metiram
10-3606	8-6	metiram
10-3607	8-7	metiram
10-3608	8-8	metiram
10-3609	8-9	metiram
10-3610	8-10	metiram
10-3611	8-11	metiram
10-3612	8-12	metiram
10-3613	8-13	metiram
10-3614	8-14	metiram
10-3615	8-15	metiram
10-3616	8-16	metiram
10-3617	8-17	metiram
10-3618	8-18	metiram
10-3619	8-19	metiram
10-3620	8-20	metiram
10-3621	8-21	metiram
10-3622	8-22	metiram
10-3623	8-23	metiram
10-3624	8-24	metiram
10-3625	8-25	metiram
10-3626	8-26	metiram
10-3627	8-27	metiram

No.	Binary combination	Active compound
10-3628	8-28	metiram
10-3629	8-29	metiram
10-3630	8-30	metiram
10-3631	8-31	metiram
10-3632	8-32	metiram
10-3633	8-33	metiram
10-3634	8-34	metiram
10-3635	8-35	metiram
10-3636	8-36	metiram
10-3637	8-37	metiram
10-3638	8-38	metiram
10-3639	8-39	metiram
10-3640	8-40	metiram
10-3641	8-41	metiram
10-3642	8-42	metiram
10-3643	8-43	metiram
10-3644	8-44	metiram
10-3645	8-45	metiram
10-3646	8-46	metiram
10-3647	8-47	metiram
10-3648	8-48	metiram
10-3649	8-49	metiram
10-3650	8-50	metiram
10-3651	8-51	metiram
10-3652	8-52	metiram
10-3653	8-53	metiram
10-3654	8-54	metiram
10-3655	8-55	metiram
10-3656	8-56	metiram
10-3657	8-57	metiram
10-3658	8-58	metiram
10-3659	8-59	metiram
10-3660	8-60	metiram
10-3661	8-61	metiram
10-3662	8-62	metiram
10-3663	8-63	metiram
10-3664	8-64	metiram
10-3665	8-65	metiram
10-3666	8-66	metiram
10-3667	8-67	metiram

No.	Binary combination	Active compound
10-3668	8-68	metiram
10-3669	8-69	metiram
10-3670	8-70	metiram
10-3671	8-71	metiram
10-3672	8-72	metiram
10-3673	8-73	metiram
10-3674	8-74	metiram
10-3675	8-75	metiram
10-3676	8-76	metiram
10-3677	8-77	metiram
10-3678	8-78	metiram
10-3679	8-79	metiram
10-3680	8-80	metiram
10-3681	8-81	metiram
10-3682	8-82	metiram
10-3683	8-83	metiram
10-3684	8-84	metiram
10-3685	8-85	metiram
10-3686	8-86	metiram
10-3687	8-87	metiram
10-3688	8-88	metiram
10-3689	8-89	metiram
10-3690	8-90	metiram
10-3691	8-91	metiram
10-3692	8-92	metiram
10-3693	8-93	metiram
10-3694	8-94	metiram
10-3695	8-95	metiram
10-3696	8-96	metiram
10-3697	8-97	metiram
10-3698	8-98	metiram
10-3699	8-99	metiram
10-3700	8-100	metiram
10-3701	8-101	metiram
10-3702	8-102	metiram
10-3703	8-103	metiram
10-3704	8-104	metiram
10-3705	8-105	metiram
10-3706	8-106	metiram
10-3707	8-107	metiram

No.	Binary combination	Active compound
10-3708	8-108	metiram
10-3709	8-109	metiram
10-3710	8-110	metiram
10-3711	8-111	metiram
10-3712	8-112	metiram
10-3713	8-113	metiram
10-3714	8-114	metiram
10-3715	8-115	metiram
10-3716	8-116	metiram
10-3717	8-117	metiram
10-3718	8-118	metiram
10-3719	8-119	metiram
10-3720	8-120	metiram
10-3721	8-121	metiram
10-3722	8-122	metiram
10-3723	8-123	metiram
10-3724	8-124	metiram
10-3725	8-125	metiram
10-3726	8-126	metiram
10-3727	8-127	metiram
10-3728	8-128	metiram
10-3729	8-129	metiram
10-3730	8-130	metiram
10-3731	8-131	metiram
10-3732	8-132	metiram
10-3733	8-133	metiram
10-3734	8-134	metiram
10-3735	8-135	metiram
10-3736	8-136	metiram
10-3737	8-137	metiram
10-3738	8-138	metiram
10-3739	8-139	metiram
10-3740	8-140	metiram
10-3741	8-141	metiram
10-3742	8-142	metiram
10-3743	8-143	metiram
10-3744	8-144	metiram
10-3745	8-145	metiram
10-3746	8-146	metiram
10-3747	8-147	metiram

No.	Binary combination	Active compound
10-3748	8-148	metiram
10-3749	8-149	metiram
10-3750	8-150	metiram
10-3751	8-151	metiram
10-3752	8-152	metiram
10-3753	8-153	metiram
10-3754	8-154	metiram
10-3755	8-155	metiram
10-3756	8-156	metiram
10-3757	8-157	metiram
10-3758	8-158	metiram
10-3759	8-159	metiram
10-3760	8-160	metiram
10-3761	8-161	metiram
10-3762	8-162	metiram
10-3763	8-163	metiram
10-3764	8-164	metiram
10-3765	8-165	metiram
10-3766	8-166	metiram
10-3767	8-167	metiram
10-3768	8-168	metiram
10-3769	8-169	metiram
10-3770	8-170	metiram
10-3771	8-171	metiram
10-3772	8-172	metiram
10-3773	8-173	metiram
10-3774	8-174	metiram
10-3775	8-175	metiram
10-3776	8-176	metiram
10-3777	8-177	metiram
10-3778	8-178	metiram
10-3779	8-179	metiram
10-3780	8-180	metiram
10-3781	8-1	chlorothalonil
10-3782	8-2	chlorothalonil
10-3783	8-3	chlorothalonil
10-3784	8-4	chlorothalonil
10-3785	8-5	chlorothalonil
10-3786	8-6	chlorothalonil
10-3787	8-7	chlorothalonil

No.	Binary combination	Active compound
10-3788	8-8	chlorothalonil
10-3789	8-9	chlorothalonil
10-3790	8-10	chlorothalonil
10-3791	8-11	chlorothalonil
10-3792	8-12	chlorothalonil
10-3793	8-13	chlorothalonil
10-3794	8-14	chlorothalonil
10-3795	8-15	chlorothalonil
10-3796	8-16	chlorothalonil
10-3797	8-17	chlorothalonil
10-3798	8-18	chlorothalonil
10-3799	8-19	chlorothalonil
10-3800	8-20	chlorothalonil
10-3801	8-21	chlorothalonil
10-3802	8-22	chlorothalonil
10-3803	8-23	chlorothalonil
10-3804	8-24	chlorothalonil
10-3805	8-25	chlorothalonil
10-3806	8-26	chlorothalonil
10-3807	8-27	chlorothalonil
10-3808	8-28	chlorothalonil
10-3809	8-29	chlorothalonil
10-3810	8-30	chlorothalonil
10-3811	8-31	chlorothalonil
10-3812	8-32	chlorothalonil
10-3813	8-33	chlorothalonil
10-3814	8-34	chlorothalonil
10-3815	8-35	chlorothalonil
10-3816	8-36	chlorothalonil
10-3817	8-37	chlorothalonil
10-3818	8-38	chlorothalonil
10-3819	8-39	chlorothalonil
10-3820	8-40	chlorothalonil
10-3821	8-41	chlorothalonil
10-3822	8-42	chlorothalonil
10-3823	8-43	chlorothalonil
10-3824	8-44	chlorothalonil
10-3825	8-45	chlorothalonil
10-3826	8-46	chlorothalonil
10-3827	8-47	chlorothalonil

No.	Binary combination	Active compound
10-3828	8-48	chlorothalonil
10-3829	8-49	chlorothalonil
10-3830	8-50	chlorothalonil
10-3831	8-51	chlorothalonil
10-3832	8-52	chlorothalonil
10-3833	8-53	chlorothalonil
10-3834	8-54	chlorothalonil
10-3835	8-55	chlorothalonil
10-3836	8-56	chlorothalonil
10-3837	8-57	chlorothalonil
10-3838	8-58	chlorothalonil
10-3839	8-59	chlorothalonil
10-3840	8-60	chlorothalonil
10-3841	8-61	chlorothalonil
10-3842	8-62	chlorothalonil
10-3843	8-63	chlorothalonil
10-3844	8-64	chlorothalonil
10-3845	8-65	chlorothalonil
10-3846	8-66	chlorothalonil
10-3847	8-67	chlorothalonil
10-3848	8-68	chlorothalonil
10-3849	8-69	chlorothalonil
10-3850	8-70	chlorothalonil
10-3851	8-71	chlorothalonil
10-3852	8-72	chlorothalonil
10-3853	8-73	chlorothalonil
10-3854	8-74	chlorothalonil
10-3855	8-75	chlorothalonil
10-3856	8-76	chlorothalonil
10-3857	8-77	chlorothalonil
10-3858	8-78	chlorothalonil
10-3859	8-79	chlorothalonil
10-3860	8-80	chlorothalonil
10-3861	8-81	chlorothalonil
10-3862	8-82	chlorothalonil
10-3863	8-83	chlorothalonil
10-3864	8-84	chlorothalonil
10-3865	8-85	chlorothalonil
10-3866	8-86	chlorothalonil
10-3867	8-87	chlorothalonil

No.	Binary combination	Active compound
10-3868	8-88	chlorothalonil
10-3869	8-89	chlorothalonil
10-3870	8-90	chlorothalonil
10-3871	8-91	chlorothalonil
10-3872	8-92	chlorothalonil
10-3873	8-93	chlorothalonil
10-3874	8-94	chlorothalonil
10-3875	8-95	chlorothalonil
10-3876	8-96	chlorothalonil
10-3877	8-97	chlorothalonil
10-3878	8-98	chlorothalonil
10-3879	8-99	chlorothalonil
10-3880	8-100	chlorothalonil
10-3881	8-101	chlorothalonil
10-3882	8-102	chlorothalonil
10-3883	8-103	chlorothalonil
10-3884	8-104	chlorothalonil
10-3885	8-105	chlorothalonil
10-3886	8-106	chlorothalonil
10-3887	8-107	chlorothalonil
10-3888	8-108	chlorothalonil
10-3889	8-109	chlorothalonil
10-3890	8-110	chlorothalonil
10-3891	8-111	chlorothalonil
10-3892	8-112	chlorothalonil
10-3893	8-113	chlorothalonil
10-3894	8-114	chlorothalonil
10-3895	8-115	chlorothalonil
10-3896	8-116	chlorothalonil
10-3897	8-117	chlorothalonil
10-3898	8-118	chlorothalonil
10-3899	8-119	chlorothalonil
10-3900	8-120	chlorothalonil
10-3901	8-121	chlorothalonil
10-3902	8-122	chlorothalonil
10-3903	8-123	chlorothalonil
10-3904	8-124	chlorothalonil
10-3905	8-125	chlorothalonil
10-3906	8-126	chlorothalonil
10-3907	8-127	chlorothalonil

No.	Binary combination	Active compound
10-3908	8-128	chlorothalonil
10-3909	8-129	chlorothalonil
10-3910	8-130	chlorothalonil
10-3911	8-131	chlorothalonil
10-3912	8-132	chlorothalonil
10-3913	8-133	chlorothalonil
10-3914	8-134	chlorothalonil
10-3915	8-135	chlorothalonil
10-3916	8-136	chlorothalonil
10-3917	8-137	chlorothalonil
10-3918	8-138	chlorothalonil
10-3919	8-139	chlorothalonil
10-3920	8-140	chlorothalonil
10-3921	8-141	chlorothalonil
10-3922	8-142	chlorothalonil
10-3923	8-143	chlorothalonil
10-3924	8-144	chlorothalonil
10-3925	8-145	chlorothalonil
10-3926	8-146	chlorothalonil
10-3927	8-147	chlorothalonil
10-3928	8-148	chlorothalonil
10-3929	8-149	chlorothalonil
10-3930	8-150	chlorothalonil
10-3931	8-151	chlorothalonil
10-3932	8-152	chlorothalonil
10-3933	8-153	chlorothalonil
10-3934	8-154	chlorothalonil
10-3935	8-155	chlorothalonil
10-3936	8-156	chlorothalonil
10-3937	8-157	chlorothalonil
10-3938	8-158	chlorothalonil
10-3939	8-159	chlorothalonil
10-3940	8-160	chlorothalonil
10-3941	8-161	chlorothalonil
10-3942	8-162	chlorothalonil
10-3943	8-163	chlorothalonil
10-3944	8-164	chlorothalonil
10-3945	8-165	chlorothalonil
10-3946	8-166	chlorothalonil
10-3947	8-167	chlorothalonil

No.	Binary combination	Active compound
10-3948	8-168	chlorothalonil
10-3949	8-169	chlorothalonil
10-3950	8-170	chlorothalonil
10-3951	8-171	chlorothalonil
10-3952	8-172	chlorothalonil
10-3953	8-173	chlorothalonil
10-3954	8-174	chlorothalonil
10-3955	8-175	chlorothalonil
10-3956	8-176	chlorothalonil
10-3957	8-177	chlorothalonil
10-3958	8-178	chlorothalonil
10-3959	8-179	chlorothalonil
10-3960	8-180	chlorothalonil
10-3961	8-1	metrafenone
10-3962	8-2	metrafenone
10-3963	8-3	metrafenone
10-3964	8-4	metrafenone
10-3965	8-5	metrafenone
10-3966	8-6	metrafenone
10-3967	8-7	metrafenone
10-3968	8-8	metrafenone
10-3969	8-9	metrafenone
10-3970	8-10	metrafenone
10-3971	8-11	metrafenone
10-3972	8-12	metrafenone
10-3973	8-13	metrafenone
10-3974	8-14	metrafenone
10-3975	8-15	metrafenone
10-3976	8-16	metrafenone
10-3977	8-17	metrafenone
10-3978	8-18	metrafenone
10-3979	8-19	metrafenone
10-3980	8-20	metrafenone
10-3981	8-21	metrafenone
10-3982	8-22	metrafenone
10-3983	8-23	metrafenone
10-3984	8-24	metrafenone
10-3985	8-25	metrafenone
10-3986	8-26	metrafenone
10-3987	8-27	metrafenone

No.	Binary combination	Active compound
10-3988	8-28	metrafenone
10-3989	8-29	metrafenone
10-3990	8-30	metrafenone
10-3991	8-31	metrafenone
10-3992	8-32	metrafenone
10-3993	8-33	metrafenone
10-3994	8-34	metrafenone
10-3995	8-35	metrafenone
10-3996	8-36	metrafenone
10-3997	8-37	metrafenone
10-3998	8-38	metrafenone
10-3999	8-39	metrafenone
10-4000	8-40	metrafenone
10-4001	8-41	metrafenone
10-4002	8-42	metrafenone
10-4003	8-43	metrafenone
10-4004	8-44	metrafenone
10-4005	8-45	metrafenone
10-4006	8-46	metrafenone
10-4007	8-47	metrafenone
10-4008	8-48	metrafenone
10-4009	8-49	metrafenone
10-4010	8-50	metrafenone
10-4011	8-51	metrafenone
10-4012	8-52	metrafenone
10-4013	8-53	metrafenone
10-4014	8-54	metrafenone
10-4015	8-55	metrafenone
10-4016	8-56	metrafenone
10-4017	8-57	metrafenone
10-4018	8-58	metrafenone
10-4019	8-59	metrafenone
10-4020	8-60	metrafenone
10-4021	8-61	metrafenone
10-4022	8-62	metrafenone
10-4023	8-63	metrafenone
10-4024	8-64	metrafenone
10-4025	8-65	metrafenone
10-4026	8-66	metrafenone
10-4027	8-67	metrafenone

No.	Binary combination	Active compound
10-4028	8-68	metrafenone
10-4029	8-69	metrafenone
10-4030	8-70	metrafenone
10-4031	8-71	metrafenone
10-4032	8-72	metrafenone
10-4033	8-73	metrafenone
10-4034	8-74	metrafenone
10-4035	8-75	metrafenone
10-4036	8-76	metrafenone
10-4037	8-77	metrafenone
10-4038	8-78	metrafenone
10-4039	8-79	metrafenone
10-4040	8-80	metrafenone
10-4041	8-81	metrafenone
10-4042	8-82	metrafenone
10-4043	8-83	metrafenone
10-4044	8-84	metrafenone
10-4045	8-85	metrafenone
10-4046	8-86	metrafenone
10-4047	8-87	metrafenone
10-4048	8-88	metrafenone
10-4049	8-89	metrafenone
10-4050	8-90	metrafenone
10-4051	8-91	metrafenone
10-4052	8-92	metrafenone
10-4053	8-93	metrafenone
10-4054	8-94	metrafenone
10-4055	8-95	metrafenone
10-4056	8-96	metrafenone
10-4057	8-97	metrafenone
10-4058	8-98	metrafenone
10-4059	8-99	metrafenone
10-4060	8-100	metrafenone
10-4061	8-101	metrafenone
10-4062	8-102	metrafenone
10-4063	8-103	metrafenone
10-4064	8-104	metrafenone
10-4065	8-105	metrafenone
10-4066	8-106	metrafenone
10-4067	8-107	metrafenone

No.	Binary combination	Active compound
10-4068	8-108	metrafenone
10-4069	8-109	metrafenone
10-4070	8-110	metrafenone
10-4071	8-111	metrafenone
10-4072	8-112	metrafenone
10-4073	8-113	metrafenone
10-4074	8-114	metrafenone
10-4075	8-115	metrafenone
10-4076	8-116	metrafenone
10-4077	8-117	metrafenone
10-4078	8-118	metrafenone
10-4079	8-119	metrafenone
10-4080	8-120	metrafenone
10-4081	8-121	metrafenone
10-4082	8-122	metrafenone
10-4083	8-123	metrafenone
10-4084	8-124	metrafenone
10-4085	8-125	metrafenone
10-4086	8-126	metrafenone
10-4087	8-127	metrafenone
10-4088	8-128	metrafenone
10-4089	8-129	metrafenone
10-4090	8-130	metrafenone
10-4091	8-131	metrafenone
10-4092	8-132	metrafenone
10-4093	8-133	metrafenone
10-4094	8-134	metrafenone
10-4095	8-135	metrafenone
10-4096	8-136	metrafenone
10-4097	8-137	metrafenone
10-4098	8-138	metrafenone
10-4099	8-139	metrafenone
10-4100	8-140	metrafenone
10-4101	8-141	metrafenone
10-4102	8-142	metrafenone
10-4103	8-143	metrafenone
10-4104	8-144	metrafenone
10-4105	8-145	metrafenone
10-4106	8-146	metrafenone
10-4107	8-147	metrafenone

No.	Binary combination	Active compound
10-4108	8-148	metrafenone
10-4109	8-149	metrafenone
10-4110	8-150	metrafenone
10-4111	8-151	metrafenone
10-4112	8-152	metrafenone
10-4113	8-153	metrafenone
10-4114	8-154	metrafenone
10-4115	8-155	metrafenone
10-4116	8-156	metrafenone
10-4117	8-157	metrafenone
10-4118	8-158	metrafenone
10-4119	8-159	metrafenone
10-4120	8-160	metrafenone
10-4121	8-161	metrafenone
10-4122	8-162	metrafenone
10-4123	8-163	metrafenone
10-4124	8-164	metrafenone
10-4125	8-165	metrafenone
10-4126	8-166	metrafenone
10-4127	8-167	metrafenone
10-4128	8-168	metrafenone
10-4129	8-169	metrafenone
10-4130	8-170	metrafenone
10-4131	8-171	metrafenone
10-4132	8-172	metrafenone
10-4133	8-173	metrafenone
10-4134	8-174	metrafenone
10-4135	8-175	metrafenone
10-4136	8-176	metrafenone
10-4137	8-177	metrafenone
10-4138	8-178	metrafenone
10-4139	8-179	metrafenone
10-4140	8-180	metrafenone
10-4141	8-1	H ₃ PO ₃
10-4142	8-2	H ₃ PO ₃
10-4143	8-3	H ₃ PO ₃
10-4144	8-4	H ₃ PO ₃
10-4145	8-5	H ₃ PO ₃
10-4146	8-6	H ₃ PO ₃
10-4147	8-7	H ₃ PO ₃

No.	Binary combination	Active compound
10-4148	8-8	H ₃ PO ₃
10-4149	8-9	H ₃ PO ₃
10-4150	8-10	H ₃ PO ₃
10-4151	8-11	H ₃ PO ₃
10-4152	8-12	H ₃ PO ₃
10-4153	8-13	H ₃ PO ₃
10-4154	8-14	H ₃ PO ₃
10-4155	8-15	H ₃ PO ₃
10-4156	8-16	H ₃ PO ₃
10-4157	8-17	H ₃ PO ₃
10-4158	8-18	H ₃ PO ₃
10-4159	8-19	H ₃ PO ₃
10-4160	8-20	H ₃ PO ₃
10-4161	8-21	H ₃ PO ₃
10-4162	8-22	H ₃ PO ₃
10-4163	8-23	H ₃ PO ₃
10-4164	8-24	H ₃ PO ₃
10-4165	8-25	H ₃ PO ₃
10-4166	8-26	H ₃ PO ₃
10-4167	8-27	H ₃ PO ₃
10-4168	8-28	H ₃ PO ₃
10-4169	8-29	H ₃ PO ₃
10-4170	8-30	H ₃ PO ₃
10-4171	8-31	H ₃ PO ₃
10-4172	8-32	H ₃ PO ₃
10-4173	8-33	H ₃ PO ₃
10-4174	8-34	H ₃ PO ₃
10-4175	8-35	H ₃ PO ₃
10-4176	8-36	H ₃ PO ₃
10-4177	8-37	H ₃ PO ₃
10-4178	8-38	H ₃ PO ₃
10-4179	8-39	H ₃ PO ₃
10-4180	8-40	H ₃ PO ₃
10-4181	8-41	H ₃ PO ₃
10-4182	8-42	H ₃ PO ₃
10-4183	8-43	H ₃ PO ₃
10-4184	8-44	H ₃ PO ₃
10-4185	8-45	H ₃ PO ₃
10-4186	8-46	H ₃ PO ₃
10-4187	8-47	H ₃ PO ₃

No.	Binary combination	Active compound
10-4188	8-48	H ₃ PO ₃
10-4189	8-49	H ₃ PO ₃
10-4190	8-50	H ₃ PO ₃
10-4191	8-51	H ₃ PO ₃
10-4192	8-52	H ₃ PO ₃
10-4193	8-53	H ₃ PO ₃
10-4194	8-54	H ₃ PO ₃
10-4195	8-55	H ₃ PO ₃
10-4196	8-56	H ₃ PO ₃
10-4197	8-57	H ₃ PO ₃
10-4198	8-58	H ₃ PO ₃
10-4199	8-59	H ₃ PO ₃
10-4200	8-60	H ₃ PO ₃
10-4201	8-61	H ₃ PO ₃
10-4202	8-62	H ₃ PO ₃
10-4203	8-63	H ₃ PO ₃
10-4204	8-64	H ₃ PO ₃
10-4205	8-65	H ₃ PO ₃
10-4206	8-66	H ₃ PO ₃
10-4207	8-67	H ₃ PO ₃
10-4208	8-68	H ₃ PO ₃
10-4209	8-69	H ₃ PO ₃
10-4210	8-70	H ₃ PO ₃
10-4211	8-71	H ₃ PO ₃
10-4212	8-72	H ₃ PO ₃
10-4213	8-73	H ₃ PO ₃
10-4214	8-74	H ₃ PO ₃
10-4215	8-75	H ₃ PO ₃
10-4216	8-76	H ₃ PO ₃
10-4217	8-77	H ₃ PO ₃
10-4218	8-78	H ₃ PO ₃
10-4219	8-79	H ₃ PO ₃
10-4220	8-80	H ₃ PO ₃
10-4221	8-81	H ₃ PO ₃
10-4222	8-82	H ₃ PO ₃
10-4223	8-83	H ₃ PO ₃
10-4224	8-84	H ₃ PO ₃
10-4225	8-85	H ₃ PO ₃
10-4226	8-86	H ₃ PO ₃
10-4227	8-87	H ₃ PO ₃

No.	Binary combination	Active compound
10-4228	8-88	H ₃ PO ₃
10-4229	8-89	H ₃ PO ₃
10-4230	8-90	H ₃ PO ₃
10-4231	8-91	H ₃ PO ₃
10-4232	8-92	H ₃ PO ₃
10-4233	8-93	H ₃ PO ₃
10-4234	8-94	H ₃ PO ₃
10-4235	8-95	H ₃ PO ₃
10-4236	8-96	H ₃ PO ₃
10-4237	8-97	H ₃ PO ₃
10-4238	8-98	H ₃ PO ₃
10-4239	8-99	H ₃ PO ₃
10-4240	8-100	H ₃ PO ₃
10-4241	8-101	H ₃ PO ₃
10-4242	8-102	H ₃ PO ₃
10-4243	8-103	H ₃ PO ₃
10-4244	8-104	H ₃ PO ₃
10-4245	8-105	H ₃ PO ₃
10-4246	8-106	H ₃ PO ₃
10-4247	8-107	H ₃ PO ₃
10-4248	8-108	H ₃ PO ₃
10-4249	8-109	H ₃ PO ₃
10-4250	8-110	H ₃ PO ₃
10-4251	8-111	H ₃ PO ₃
10-4252	8-112	H ₃ PO ₃
10-4253	8-113	H ₃ PO ₃
10-4254	8-114	H ₃ PO ₃
10-4255	8-115	H ₃ PO ₃
10-4256	8-116	H ₃ PO ₃
10-4257	8-117	H ₃ PO ₃
10-4258	8-118	H ₃ PO ₃
10-4259	8-119	H ₃ PO ₃
10-4260	8-120	H ₃ PO ₃
10-4261	8-121	H ₃ PO ₃
10-4262	8-122	H ₃ PO ₃
10-4263	8-123	H ₃ PO ₃
10-4264	8-124	H ₃ PO ₃
10-4265	8-125	H ₃ PO ₃
10-4266	8-126	H ₃ PO ₃
10-4267	8-127	H ₃ PO ₃

No.	Binary combination	Active compound
10-4268	8-128	H ₃ PO ₃
10-4269	8-129	H ₃ PO ₃
10-4270	8-130	H ₃ PO ₃
10-4271	8-131	H ₃ PO ₃
10-4272	8-132	H ₃ PO ₃
10-4273	8-133	H ₃ PO ₃
10-4274	8-134	H ₃ PO ₃
10-4275	8-135	H ₃ PO ₃
10-4276	8-136	H ₃ PO ₃
10-4277	8-137	H ₃ PO ₃
10-4278	8-138	H ₃ PO ₃
10-4279	8-139	H ₃ PO ₃
10-4280	8-140	H ₃ PO ₃
10-4281	8-141	H ₃ PO ₃
10-4282	8-142	H ₃ PO ₃
10-4283	8-143	H ₃ PO ₃
10-4284	8-144	H ₃ PO ₃
10-4285	8-145	H ₃ PO ₃
10-4286	8-146	H ₃ PO ₃
10-4287	8-147	H ₃ PO ₃
10-4288	8-148	H ₃ PO ₃
10-4289	8-149	H ₃ PO ₃
10-4290	8-150	H ₃ PO ₃
10-4291	8-151	H ₃ PO ₃
10-4292	8-152	H ₃ PO ₃
10-4293	8-153	H ₃ PO ₃
10-4294	8-154	H ₃ PO ₃
10-4295	8-155	H ₃ PO ₃
10-4296	8-156	H ₃ PO ₃
10-4297	8-157	H ₃ PO ₃
10-4298	8-158	H ₃ PO ₃
10-4299	8-159	H ₃ PO ₃
10-4300	8-160	H ₃ PO ₃
10-4301	8-161	H ₃ PO ₃
10-4302	8-162	H ₃ PO ₃
10-4303	8-163	H ₃ PO ₃
10-4304	8-164	H ₃ PO ₃
10-4305	8-165	H ₃ PO ₃
10-4306	8-166	H ₃ PO ₃
10-4307	8-167	H ₃ PO ₃

No.	Binary combination	Active compound
10-4308	8-168	H ₃ PO ₃
10-4309	8-169	H ₃ PO ₃
10-4310	8-170	H ₃ PO ₃
10-4311	8-171	H ₃ PO ₃
10-4312	8-172	H ₃ PO ₃
10-4313	8-173	H ₃ PO ₃
10-4314	8-174	H ₃ PO ₃
10-4315	8-175	H ₃ PO ₃
10-4316	8-176	H ₃ PO ₃
10-4317	8-177	H ₃ PO ₃
10-4318	8-178	H ₃ PO ₃
10-4319	8-179	H ₃ PO ₃
10-4320	8-180	H ₃ PO ₃
10-4321	8-1	dithianon
10-4322	8-2	dithianon
10-4323	8-3	dithianon
10-4324	8-4	dithianon
10-4325	8-5	dithianon
10-4326	8-6	dithianon
10-4327	8-7	dithianon
10-4328	8-8	dithianon
10-4329	8-9	dithianon
10-4330	8-10	dithianon
10-4331	8-11	dithianon
10-4332	8-12	dithianon
10-4333	8-13	dithianon
10-4334	8-14	dithianon
10-4335	8-15	dithianon
10-4336	8-16	dithianon
10-4337	8-17	dithianon
10-4338	8-18	dithianon
10-4339	8-19	dithianon
10-4340	8-20	dithianon
10-4341	8-21	dithianon
10-4342	8-22	dithianon
10-4343	8-23	dithianon
10-4344	8-24	dithianon
10-4345	8-25	dithianon
10-4346	8-26	dithianon
10-4347	8-27	dithianon

No.	Binary combination	Active compound
10-4348	8-28	dithianon
10-4349	8-29	dithianon
10-4350	8-30	dithianon
10-4351	8-31	dithianon
10-4352	8-32	dithianon
10-4353	8-33	dithianon
10-4354	8-34	dithianon
10-4355	8-35	dithianon
10-4356	8-36	dithianon
10-4357	8-37	dithianon
10-4358	8-38	dithianon
10-4359	8-39	dithianon
10-4360	8-40	dithianon
10-4361	8-41	dithianon
10-4362	8-42	dithianon
10-4363	8-43	dithianon
10-4364	8-44	dithianon
10-4365	8-45	dithianon
10-4366	8-46	dithianon
10-4367	8-47	dithianon
10-4368	8-48	dithianon
10-4369	8-49	dithianon
10-4370	8-50	dithianon
10-4371	8-51	dithianon
10-4372	8-52	dithianon
10-4373	8-53	dithianon
10-4374	8-54	dithianon
10-4375	8-55	dithianon
10-4376	8-56	dithianon
10-4377	8-57	dithianon
10-4378	8-58	dithianon
10-4379	8-59	dithianon
10-4380	8-60	dithianon
10-4381	8-61	dithianon
10-4382	8-62	dithianon
10-4383	8-63	dithianon
10-4384	8-64	dithianon
10-4385	8-65	dithianon
10-4386	8-66	dithianon
10-4387	8-67	dithianon

No.	Binary combination	Active compound
10-4388	8-68	dithianon
10-4389	8-69	dithianon
10-4390	8-70	dithianon
10-4391	8-71	dithianon
10-4392	8-72	dithianon
10-4393	8-73	dithianon
10-4394	8-74	dithianon
10-4395	8-75	dithianon
10-4396	8-76	dithianon
10-4397	8-77	dithianon
10-4398	8-78	dithianon
10-4399	8-79	dithianon
10-4400	8-80	dithianon
10-4401	8-81	dithianon
10-4402	8-82	dithianon
10-4403	8-83	dithianon
10-4404	8-84	dithianon
10-4405	8-85	dithianon
10-4406	8-86	dithianon
10-4407	8-87	dithianon
10-4408	8-88	dithianon
10-4409	8-89	dithianon
10-4410	8-90	dithianon
10-4411	8-91	dithianon
10-4412	8-92	dithianon
10-4413	8-93	dithianon
10-4414	8-94	dithianon
10-4415	8-95	dithianon
10-4416	8-96	dithianon
10-4417	8-97	dithianon
10-4418	8-98	dithianon
10-4419	8-99	dithianon
10-4420	8-100	dithianon
10-4421	8-101	dithianon
10-4422	8-102	dithianon
10-4423	8-103	dithianon
10-4424	8-104	dithianon
10-4425	8-105	dithianon
10-4426	8-106	dithianon
10-4427	8-107	dithianon

No.	Binary combination	Active compound
10-4428	8-108	dithianon
10-4429	8-109	dithianon
10-4430	8-110	dithianon
10-4431	8-111	dithianon
10-4432	8-112	dithianon
10-4433	8-113	dithianon
10-4434	8-114	dithianon
10-4435	8-115	dithianon
10-4436	8-116	dithianon
10-4437	8-117	dithianon
10-4438	8-118	dithianon
10-4439	8-119	dithianon
10-4440	8-120	dithianon
10-4441	8-121	dithianon
10-4442	8-122	dithianon
10-4443	8-123	dithianon
10-4444	8-124	dithianon
10-4445	8-125	dithianon
10-4446	8-126	dithianon
10-4447	8-127	dithianon
10-4448	8-128	dithianon
10-4449	8-129	dithianon
10-4450	8-130	dithianon
10-4451	8-131	dithianon
10-4452	8-132	dithianon
10-4453	8-133	dithianon
10-4454	8-134	dithianon
10-4455	8-135	dithianon
10-4456	8-136	dithianon
10-4457	8-137	dithianon
10-4458	8-138	dithianon
10-4459	8-139	dithianon
10-4460	8-140	dithianon
10-4461	8-141	dithianon
10-4462	8-142	dithianon
10-4463	8-143	dithianon
10-4464	8-144	dithianon
10-4465	8-145	dithianon
10-4466	8-146	dithianon
10-4467	8-147	dithianon

No.	Binary combination	Active compound
10-4468	8-148	dithianon
10-4469	8-149	dithianon
10-4470	8-150	dithianon
10-4471	8-151	dithianon
10-4472	8-152	dithianon
10-4473	8-153	dithianon
10-4474	8-154	dithianon
10-4475	8-155	dithianon
10-4476	8-156	dithianon
10-4477	8-157	dithianon
10-4478	8-158	dithianon
10-4479	8-159	dithianon
10-4480	8-160	dithianon
10-4481	8-161	dithianon
10-4482	8-162	dithianon
10-4483	8-163	dithianon
10-4484	8-164	dithianon
10-4485	8-165	dithianon
10-4486	8-166	dithianon
10-4487	8-167	dithianon
10-4488	8-168	dithianon
10-4489	8-169	dithianon
10-4490	8-170	dithianon
10-4491	8-171	dithianon
10-4492	8-172	dithianon
10-4493	8-173	dithianon
10-4494	8-174	dithianon
10-4495	8-175	dithianon
10-4496	8-176	dithianon
10-4497	8-177	dithianon
10-4498	8-178	dithianon
10-4499	8-179	dithianon
10-4500	8-180	dithianon
10-4501	8-1	Cu salts
10-4502	8-2	Cu salts
10-4503	8-3	Cu salts
10-4504	8-4	Cu salts
10-4505	8-5	Cu salts
10-4506	8-6	Cu salts
10-4507	8-7	Cu salts

No.	Binary combination	Active compound
10-4508	8-8	Cu salts
10-4509	8-9	Cu salts
10-4510	8-10	Cu salts
10-4511	8-11	Cu salts
10-4512	8-12	Cu salts
10-4513	8-13	Cu salts
10-4514	8-14	Cu salts
10-4515	8-15	Cu salts
10-4516	8-16	Cu salts
10-4517	8-17	Cu salts
10-4518	8-18	Cu salts
10-4519	8-19	Cu salts
10-4520	8-20	Cu salts
10-4521	8-21	Cu salts
10-4522	8-22	Cu salts
10-4523	8-23	Cu salts
10-4524	8-24	Cu salts
10-4525	8-25	Cu salts
10-4526	8-26	Cu salts
10-4527	8-27	Cu salts
10-4528	8-28	Cu salts
10-4529	8-29	Cu salts
10-4530	8-30	Cu salts
10-4531	8-31	Cu salts
10-4532	8-32	Cu salts
10-4533	8-33	Cu salts
10-4534	8-34	Cu salts
10-4535	8-35	Cu salts
10-4536	8-36	Cu salts
10-4537	8-37	Cu salts
10-4538	8-38	Cu salts
10-4539	8-39	Cu salts
10-4540	8-40	Cu salts
10-4541	8-41	Cu salts
10-4542	8-42	Cu salts
10-4543	8-43	Cu salts
10-4544	8-44	Cu salts
10-4545	8-45	Cu salts
10-4546	8-46	Cu salts
10-4547	8-47	Cu salts

No.	Binary combination	Active compound
10-4548	8-48	Cu salts
10-4549	8-49	Cu salts
10-4550	8-50	Cu salts
10-4551	8-51	Cu salts
10-4552	8-52	Cu salts
10-4553	8-53	Cu salts
10-4554	8-54	Cu salts
10-4555	8-55	Cu salts
10-4556	8-56	Cu salts
10-4557	8-57	Cu salts
10-4558	8-58	Cu salts
10-4559	8-59	Cu salts
10-4560	8-60	Cu salts
10-4561	8-61	Cu salts
10-4562	8-62	Cu salts
10-4563	8-63	Cu salts
10-4564	8-64	Cu salts
10-4565	8-65	Cu salts
10-4566	8-66	Cu salts
10-4567	8-67	Cu salts
10-4568	8-68	Cu salts
10-4569	8-69	Cu salts
10-4570	8-70	Cu salts
10-4571	8-71	Cu salts
10-4572	8-72	Cu salts
10-4573	8-73	Cu salts
10-4574	8-74	Cu salts
10-4575	8-75	Cu salts
10-4576	8-76	Cu salts
10-4577	8-77	Cu salts
10-4578	8-78	Cu salts
10-4579	8-79	Cu salts
10-4580	8-80	Cu salts
10-4581	8-81	Cu salts
10-4582	8-82	Cu salts
10-4583	8-83	Cu salts
10-4584	8-84	Cu salts
10-4585	8-85	Cu salts
10-4586	8-86	Cu salts
10-4587	8-87	Cu salts

No.	Binary combination	Active compound
10-4588	8-88	Cu salts
10-4589	8-89	Cu salts
10-4590	8-90	Cu salts
10-4591	8-91	Cu salts
10-4592	8-92	Cu salts
10-4593	8-93	Cu salts
10-4594	8-94	Cu salts
10-4595	8-95	Cu salts
10-4596	8-96	Cu salts
10-4597	8-97	Cu salts
10-4598	8-98	Cu salts
10-4599	8-99	Cu salts
10-4600	8-100	Cu salts
10-4601	8-101	Cu salts
10-4602	8-102	Cu salts
10-4603	8-103	Cu salts
10-4604	8-104	Cu salts
10-4605	8-105	Cu salts
10-4606	8-106	Cu salts
10-4607	8-107	Cu salts
10-4608	8-108	Cu salts
10-4609	8-109	Cu salts
10-4610	8-110	Cu salts
10-4611	8-111	Cu salts
10-4612	8-112	Cu salts
10-4613	8-113	Cu salts
10-4614	8-114	Cu salts
10-4615	8-115	Cu salts
10-4616	8-116	Cu salts
10-4617	8-117	Cu salts
10-4618	8-118	Cu salts
10-4619	8-119	Cu salts
10-4620	8-120	Cu salts
10-4621	8-121	Cu salts
10-4622	8-122	Cu salts
10-4623	8-123	Cu salts
10-4624	8-124	Cu salts
10-4625	8-125	Cu salts
10-4626	8-126	Cu salts
10-4627	8-127	Cu salts

No.	Binary combination	Active compound
10-4628	8-128	Cu salts
10-4629	8-129	Cu salts
10-4630	8-130	Cu salts
10-4631	8-131	Cu salts
10-4632	8-132	Cu salts
10-4633	8-133	Cu salts
10-4634	8-134	Cu salts
10-4635	8-135	Cu salts
10-4636	8-136	Cu salts
10-4637	8-137	Cu salts
10-4638	8-138	Cu salts
10-4639	8-139	Cu salts
10-4640	8-140	Cu salts
10-4641	8-141	Cu salts
10-4642	8-142	Cu salts
10-4643	8-143	Cu salts
10-4644	8-144	Cu salts
10-4645	8-145	Cu salts
10-4646	8-146	Cu salts
10-4647	8-147	Cu salts
10-4648	8-148	Cu salts
10-4649	8-149	Cu salts
10-4650	8-150	Cu salts
10-4651	8-151	Cu salts
10-4652	8-152	Cu salts
10-4653	8-153	Cu salts
10-4654	8-154	Cu salts
10-4655	8-155	Cu salts
10-4656	8-156	Cu salts
10-4657	8-157	Cu salts
10-4658	8-158	Cu salts
10-4659	8-159	Cu salts
10-4660	8-160	Cu salts
10-4661	8-161	Cu salts
10-4662	8-162	Cu salts
10-4663	8-163	Cu salts
10-4664	8-164	Cu salts
10-4665	8-165	Cu salts
10-4666	8-166	Cu salts
10-4667	8-167	Cu salts

No.	Binary combination	Active compound
10-4668	8-168	Cu salts
10-4669	8-169	Cu salts
10-4670	8-170	Cu salts
10-4671	8-171	Cu salts
10-4672	8-172	Cu salts
10-4673	8-173	Cu salts
10-4674	8-174	Cu salts

No.	Binary combination	Active compound
10-4675	8-175	Cu salts
10-4676	8-176	Cu salts
10-4677	8-177	Cu salts
10-4678	8-178	Cu salts
10-4679	8-179	Cu salts
10-4680	8-180	Cu salts

The mixtures according to the invention, in particular those comprising a compound I and a compound II, are distinguished by an outstanding effectiveness against a broad spectrum of phytopathogenic fungi from the classes of the Ascomycetes,

- 5 Basidiomycetes, Deuteromycetes and Peronosporomycetes (syn. Oomycetes). Some are systemically effective and they can be used in plant protection as foliar fungicides, as fungicides for seed dressing and as soil fungicides. In addition, they can also be used for treating seed.
- 10 They are particularly important in the control of a multitude of fungi on various cultivated plants, such as wheat, rye, barley, oats, rice, corn, grass, bananas, cotton, soybeans, coffee, sugar cane, vines, fruits and ornamental plants, and vegetables, such as cucumbers, beans, tomatoes, potatoes and cucurbits, and on the seeds of these plants. They may also be used in crops which are tolerant to insect or fungal
- 15 attack by means of breeding, including genetic engineering methods.

The mixtures according to the invention are of particular importance for controlling Botryosphaeria species, Cylindrocarpon species, Eutypa lata, Neonectria liriodendri and Stereum hirsutum, which inter alia attack the wood or the roots of grapevines.

20

The mixtures according to the invention are especially suitable for controlling the following plant diseases:

- Alternaria species on vegetables, oilseed rape, sugar beet, fruit, rice, soybeans, and also on potatoes (for example A. solani or A. alternata) and tomatoes (for example
- 25 A. solani or A. alternata) and Alternaria ssp. (black head) on wheat,
- Aphanomyces species on sugar beet and vegetables,
- Ascochyta species on cereals and vegetables, for example Ascochyta tritici (leaf spot) on wheat,
- Bipolaris and Drechslera species on corn, cereals, rice and corn (for example D.
- 30 maydis),
- Blumeria graminis (powdery mildew) on cereals (for example wheat or barley),
- Botrytis cinerea (gray mold) on strawberries, vegetables, flowers, grapevines and wheat (ear mold),
- Bremia lactucae on lettuce,

- Cercospora species on corn, rice, sugar beet and, for example, *Cercospora soja* (leaf blotch) or *Cercospora kikuchii* (leaf blotch) on soybeans,
Cladosporium herbarum (black mold) on wheat,
Cochliobolus species on corn, cereals (for example *Cochliobolus sativus*) and rice (for
5 example *Cochliobolus miyabeanus*),
Colletotricum species on cotton and, for example, *Colletotrichum truncatum*
(antracnose) on soybeans,
Corynespora cassiicola (leaf blotch) on soybeans,
Dematophora necatrix (root/stem rot) on soybeans,
10 *Diaporthe phaseolorum* (stem disease) on soybeans,
Drechslera species, *Pyrenophora* species on corn, cereals, rice and lawn, on barley
(for example *D. teres*) and on wheat (for example *D. tritici-repentis*),
Esca on grapevines, caused by *Phaeoacremonium chlamydosporium*, *Ph. Aleophilum*,
and *Formitipora punctata* (syn. *Phellinus punctatus*),
15 *Elsinoe ampelina* on grapevines,
Epicoccum spp. (black head) on wheat,
Exserohilum species on corn,
Erysiphe cichoracearum and *Sphaerotheca fuliginea* on cucumbers,
Fusarium and *Verticillium* species on various plants: for example *F. graminearum* or *F.*
20 *culmorum* (root rot) on cereals (for example wheat or barley) or, for example,
F. oxysporum on tomatoes and *Fusarium solani* (stem disease) on soybeans,
Gaeumanomyces graminis (take-all) on cereals (for example wheat or barley),
Gibberella species on cereals and rice (for example *Gibberella fujikuroi*),
Glomerella cingulata on grapevines and other plants,
25 Grainstaining complex on rice,
Guignardia budwelli on grapevines,
Helminthosporium species on corn and rice,
Isariopsis clavispora on grapevines,
Macrophomina phaseolina (root/stem rot) on soybeans,
30 *Microdochium nivale* (pink snow mold) on cereals (for example wheat or barley),
Microsphaera diffusa (powdery mildew) on soybeans,
Mycosphaerella species on cereals, bananas and peanuts, such as, for example,
M. graminicola on wheat or *M. fijiensis* on bananas,
Peronospora species on cabbage (for example *P. brassicae*), bulbous plants (for
35 example *P. destructor*) and, for example, *Peronospora manshurica* (downy mildew) on
soybeans,
Phakopsara pachyrhizi (soybean rust) and *Phakopsara meibomia* (soybean rust) on
soybeans,
Phialophora gregata (stem disease) on soybeans,
40 *Phomopsis* species on sunflowers, grapevines (for example *P. viticola*) and soybeans
(for example *Phomopsis phaseoli*),
Phytophthora species on various plants, for example *P. capsici* on bell peppers,
Phytophthora megasperma (leaf/stem rot) on soybeans, *Phytophthora infestans* on

- potatoes and tomatoes,
Plasmopara viticola on grapevines,
Podosphaera leucotricha on apples,
Pseudocercospora herpotrichoides (strawbreaker) on cereals (wheat or barley),
5 *Pseudoperonospora* on various plants, for example *P. cubensis* on cucumbers or
P. humili on hops,
Pseudopezicula tracheiphilae on grapevines,
Puccinia species on various plants, for example *P. tritici*, *P. striiformis*, *P. hordei* or
P. graminis on cereals (for example wheat or barley) or on asparagus (for example *P.*
10 *asparagi*),
Pyricularia oryzae, *Corticium sasakii*, *Sarocladium oryzae*, *S. attenuatum*,
Pyrenophora tritici-repentis (leaf spot) on wheat or *Pyrenophora teres* (net blotch) on
barley,
Entyloma oryzae on rice,
15 *Pyricularia grisea* on lawn and cereals,
Pythium spp. on lawn, rice, corn, cotton, oilseed rape, sunflowers, sugar beet,
vegetables and other plants (for example *P. ultimum* or *P. aphanidermatum*),
Ramularia collo-cygni (physiological leaf spots) on barley,
Rhizoctonia species on cotton, rice, potatoes, lawn, corn, oilseed rape, potatoes, sugar
20 beet, vegetables and on various other plants, for example *Rhizoctonia solani* (root/stem
rot) on soybeans or *Rhizoctonia cerealis* (yellow patch) on wheat or barley,
Rhynchosporium secalis on barley (scald), rye and triticale,
Sclerotinia species on oilseed rape, sunflowers and, for example, *Sclerotinia*
sclerotiorum (stem disease) or *Sclerotinia rolfsii* (stem disease) on soybeans,
25 *Septoria glycines* (brown spot) on soybeans,
Septoria tritici (leaf spot) and *Stagonospora nodorum* on wheat,
Erysiphe (syn. *Uncinula*) *necator* on grapevines,
Setosphaeria species on corn and lawn,
Sphacelotheca reilina on corn,
30 *Stagonospora nodorum* (glume blotch) on wheat,
Thievaliopsis species on soybeans and cotton,
Tilletia species on cereals,
Typhula incarnata (snow mold) on wheat or barley,
Ustilago species on cereals, corn (for example *U. maydis*) and sugar cane,
35 *Venturia* species (scab) on apples (for example *V. inaequalis*) and pears.

The mixtures according to the invention, in particular those comprising a compound I
and a compound II, are particularly suitable for controlling harmful fungi from the class
of the Peronosporomycetes (syn. Oomycetes), such as *Peronospora* species,
40 *Phytophthora* species, *Plasmopara viticola* and *Pseudoperonospora* species, in
particular those mentioned above.

The mixtures according to the invention, in particular those comprising a compound I
and a compound II, are furthermore suitable for controlling harmful fungi in the

protection of materials (for example wood, paper, paint dispersions, fibers or fabrics) and in the protection of stored products. In the protection of wood, particular attention is paid to the following harmful fungi: Ascomycetes, such as *Ophiostoma* spp., *Ceratocystis* spp., *Aureobasidium pullulans*, *Sclerophoma* spp., *Chaetomium* spp.,
5 *Humicola* spp., *Petriella* spp., *Trichurus* spp.; Basidiomycetes, such as *Coniophora* spp., *Coriolus* spp., *Gloeophyllum* spp., *Lentinus* spp., *Pleurotus* spp., *Poria* spp., *Serpula* spp. and *Tyromyces* spp., Deuteromycetes, such as *Aspergillus* spp., *Cladosporium* spp., *Penicillium* spp., *Trichoderma* spp., *Alternaria* spp., *Paecilomyces* spp. and Zygomycetes, such as *Mucor* spp., additionally in the protection of materials
10 the following yeasts: *Candida* spp. and *Saccharomyces cerevisiae*.

The manner in which the mixtures according to the invention may be applied can be varied widely. Thus, the compounds I and the compounds II can be applied simultaneously, that is jointly or separately, or in succession, the order in the case of
15 separate application generally not having any effect on the control results.

Usually, what is applied are mixtures of a compound I and a compound II. However, mixtures of a compound I and a compound II and a further component C against harmful fungi or against other pests such as insects, arachnids or nematodes or else
20 herbicidally active compound or growth regulators or fertilizers may also offer particular advantages.

Suitable further components C in the above sense are in particular the active compounds mentioned in Table 9. Here, it is possible to use one or more of the active
25 compounds mentioned.

Mixtures according to the invention consisting of three active compounds (ternary combinations) comprise, for example, a compound of the formula I, in particular N-(2'-fluoro-4'-chloro-5'-methylbiphenyl-2-yl)-1-methyl-3-trifluoromethyl-1H-pyrazole-4-
30 carboxamide, N-(3',4',5'-trifluorobiphenyl-2-yl)-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxamide, N-(3',4',5'-trifluorobiphenyl-2-yl)-1-methyl-3-difluoromethyl-1H-pyrazole-4-carboxamide, N-(2',4',5'-trifluorobiphenyl-2-yl)-1-methyl-3-difluoromethyl-1H-pyrazole-4-carboxamide or N-(3',4',5'-trifluorobiphenyl-2-yl)-3-chlorofluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, a compound of the formula II, in particular 6-(3,4-
35 dichlorophenyl)-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 6-(4-tert-butylphenyl)-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-methyl-6-(3,5,5-trimethylhexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-methyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-ethyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidine-2,7-diamine, 6-ethyl-5-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-ethyl-6-octyl-
40 [1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-ethyl-6-(3,5,5-trimethylhexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 6-octyl-5-propyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-methoxymethyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 6-octyl-5-trifluoromethyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine and 5-trifluoromethyl-6-(3,5,5-

trimethyl-hexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, and an active compound of Table 9.

Compounds I and compounds II are usually employed in a weight ratio of from 100:1 to 1:100, preferably from 20:1 to 1:20, in particular from 10:1 to 1:10.

If the mixture according to the invention comprises a further component C, the latter is preferably employed in a ratio of from 20:1 to 1:20, based on the compound I.

Depending on the nature of the compound and the desired effect, the application rates of the mixtures according to the invention are in the range of from 5 g/ha to 2000 g/ha, preferably from 50 to 900 g/ha, in particular from 50 to 750 g/ha.

The application rates for the compounds I and II and, if appropriate, the component C are in the range of from 1 to 1000 g/ha, preferably from 10 to 900 g/ha, in particular from 20 to 750 g/ha.

In the treatment of seed, for example by dusting, coating or drenching seed, application rates of mixture are generally from 1 to 1000g/100 kg of seed, preferably from 1 to 750g/100 kg, in particular from 5 to 500g/100 kg of seed.

According to the invention, the method for controlling harmful fungi is carried out by separate or joint application of at least one compound I and at least one compound II by spraying or dusting the seeds, the plants or the soils before or after sowing of the plants or before or after emergence of the plants.

A further embodiment of the method according to the invention for controlling harmful fungi is carried out by application of a mixture according to the invention comprising in particular components A and B and also a further active compound of Table 9 as component C, by spraying or dusting the seeds, the plants or the soils before or after sowing of the plants or before or after emergence of the plants.

The mixtures according to the invention, in particular those comprising a compound I and a compound II, can be converted into the customary formulations, for example solutions, emulsions, suspensions, dusts, powders, pastes or granules. The use form depends on the particular intended purpose; in each case, it should ensure a fine and even distribution of the mixture according to the invention.

The formulations are prepared in a known manner, for example by extending the active compound with solvents and carriers or solvents or carriers, if desired using further auxiliaries such as emulsifiers and dispersants. Here, individual compounds may also have various functions. Solvents, carriers and auxiliaries suitable for this purpose are essentially:

- water, aromatic solvents (for example Solvesso® products, xylene), paraffins (for example mineral oil fractions), alcohols (for example methanol, butanol, pentanol, benzyl alcohol), ketones (for example cyclohexanone, gamma-butyrolactone), pyrrolidones (NMP, NOP), acetates (glycol diacetate), glycols, fatty acid
- 5 dimethylamides, fatty acids and fatty acid esters. In principle, solvent mixtures may also be used.
- carriers such as ground natural minerals (for example kaolins, clays, talc, chalk) and ground synthetic minerals (for example highly disperse silica, silicates); emulsifiers such as nonionogenic and anionic emulsifiers (for example polyoxyethylene
- 10 fatty alcohol ethers, alkylsulfonates and arylsulfonates) and dispersants such as lignosulfite waste liquors and methylcellulose.

The preparations according to the invention can be formulated in solid form or in liquid form. Depending on the embodiment, the preparations according to the invention may

15 also comprise auxiliaries and/or carriers customary in crop protection compositions or in compositions for the protection of materials. The auxiliaries include in particular conventional surface-active substances and other additives and carriers customary in crop protection and in the protection of materials, which compounds may be solid or liquid. The surface-active substances include in particular surfactants, especially those

20 having wetting agent properties. The other auxiliaries (additives) include in particular thickeners, antifoams, preservatives, antifreeze agents, stabilizers, anticaking agents or powder-flow aids and buffers.

Conventional surface-active substances which are suitable in principle are anionic,

25 nonionic and amphoteric surfactants including polymer surfactants, and the molecular weight of the surfactants will typically not exceed a value of 2000 Dalton and in particular 1000 Dalton (number-average).

The anionic surfactants include, for example, carboxylates, in particular alkali metal,

30 alkaline earth metal, and ammonium salts of fatty acids, for example potassium stearate, which are usually also referred to as soaps; acyl glutamates; sarcosinates, for example sodium lauroyl sarcosinate; taurates; methylcelluloses; alkyl phosphates, in particular alkyl esters of mono- and diphosphoric acid; sulfates, in particular alkyl sulfates and alkyl ether sulfates; sulfonates, furthermore alkyl sulfonates and alkylaryl

35 sulfonates, in particular alkali metal, alkaline earth metal and ammonium salts of arylsulfonic acids and of alkyl-substituted arylsulfonic acids, alkylbenzenesulfonic acids, such as, for example, lignol and phenolsulfonic acid, naphthalene- and dibutyl naphthalenesulfonic acids, or dodecylbenzenesulfonates, alkyl naphthalene-sulfonates, alkyl methyl ester sulfonates, condensates of sulfonated naphthalene and

40 derivatives thereof with formaldehyde, condensates of naphthalene sulfonic acids, phenol- and/or phenolsulfonic acids with formaldehyde or with formaldehyde and urea, mono- or dialkyl sulfosuccinates; and also protein hydrolysates and lignosulfite waste liquors. The abovementioned sulfonic acids are advantageously used in the form of

their neutral or, if appropriate, basic salts.

The nonionic surfactants include, for example:

- fatty alcohol alkoxylates and oxoalcohol alkoxylates, in particular ethoxylates and propoxylates having degrees of alkoxylation of usually from 2 to 100 and in particular from 3 to 50, for example alkoxylates of C₈-C₃₀-alkanols or alk(adi)enols, for example of isotridecyl alcohol, lauryl alcohol, oleyl alcohol or stearyl alcohol, and their C₁-C₄-alkyl ethers and C₁-C₄-alkyl esters, for example their acetates;
- alkoxyated animal and/or vegetable fats and/or oils, for example corn oil ethoxylates, castor oil ethoxylates, tallow fat ethoxylates,
- glycerol esters, such as, for example, glycerol monostearate,
- alkylphenol alkoxylates, such as, for example, ethoxylated isooctylphenol, octylphenol or nonylphenol, tributylphenol polyoxyethylene ether,
- fatty amine alkoxylates, fatty acid amide alkoxylates and fatty acid diethanolamide alkoxylates, in particular their ethoxylates,
- sugar surfactants, sorbitol esters, such as, for example, sorbitan fatty acid esters (sorbitan monooleate, sorbitan tristearate), polyoxyethylene sorbitan fatty acid esters, alkyl polyglycosides, N-alkylgluconamides,
- alkyl methyl sulfoxides,
- alkyldimethylphosphine oxides, such as, for example, tetradecyldimethylphosphine oxide.

The amphoteric surfactants include, for example, sulfobetaines, carboxybetaines and alkyldimethylamine oxides, for example tetradecyldimethylamine oxide.

Other surfactants which may be mentioned here by way of example are perfluoro surfactants, silicone surfactants, phospholipids, such as, for example, lecithin or chemically modified lecithins, amino acid surfactants, for example N-lauroylglutamate.

Suitable for the preparation of directly sprayable solutions, emulsions, pastes or oil dispersions are mineral oil fractions of medium to high boiling point, such as kerosene or diesel oil, furthermore coal tar oils and oils of vegetable or animal origin, aliphatic, cyclic and aromatic hydrocarbons, for example toluene, xylene, paraffin, tetrahydronaphthalene, alkylated naphthalenes or their derivatives, methanol, ethanol, propanol, butanol, cyclohexanol, cyclohexanone, isophorone, strongly polar solvents, for example dimethyl sulfoxide, N-methylpyrrolidone and water.

Powders, materials for spreading and dustable products can be prepared by mixing or concomitantly grinding the active components A and B and, if present further actives with at least one solid carrier.

Granules, for example coated granules, impregnated granules and homogeneous

granules, can be prepared by binding the active compounds to at least one solid carrier. Examples of solid carriers are mineral earths such as silica gels, silicates, talc, kaolin, attaclay, limestone, lime, chalk, bole, loess, clay, dolomite, diatomaceous earth, calcium sulfate, magnesium sulfate, magnesium oxide, ground synthetic materials, fertilizers, such as, for example, ammonium sulfate, ammonium phosphate, ammonium nitrate, ureas, and products of vegetable origin, such as cereal meal, tree bark meal, wood meal and nutshell meal, cellulose powders and other solid carriers.

The formulations of the mixtures according to the invention generally comprise from 0.01 to 95% by weight, preferably from 0.1 to 90% by weight, of the compounds I and II. Here, the active compounds are preferably employed in a purity of from 90% to 100%, preferably from 95% to 100%.

For the treatment of seed, the formulations in question give, after two-to-tenfold dilution, active compound concentrations of from 0.01 to 60% by weight, preferably from 0.1 to 40% by weight, in the ready-to-use preparations.

The following are examples of formulations:

1. Products for dilution with water

F1) Water-soluble concentrates (SL)

10 parts by weight of a mixture according to the invention are dissolved in 90 parts by weight of water or in a water-soluble solvent. As an alternative, wetters or other auxiliaries are added. The active compound dissolves upon dilution with water. In this way, a formulation having a content of 10% by weight of active compound is obtained.

F2) Dispersible concentrates (DC)

20 parts by weight of a mixture according to the invention are dissolved in 70 parts by weight of cyclohexanone with addition of 10 parts by weight of a dispersant, for example polyvinylpyrrolidone. Dilution with water gives a dispersion. The formulation has an active compound content of 20% by weight.

F3) Emulsifiable concentrates (EC)

15 parts by weight of a mixture according to the invention are dissolved in 75 parts by weight of xylene with addition of calcium dodecylbenzenesulfonate and castor oil ethoxylate (in each case 5 parts by weight). Dilution with water gives an emulsion. The formulation has an active compound content of 15% by weight.

F4) Emulsions (EW, EO)

25 parts by weight of a mixture according to the invention are dissolved in 35 parts by weight of xylene with addition of calcium dodecylbenzenesulfonate and castor oil ethoxylate (in each case 5 parts by weight). This mixture is introduced into 30 parts by

weight of water by means of an emulsifying machine (Ultraturrax) and made into a homogeneous emulsion. Dilution with water gives an emulsion. The formulation has an active compound content of 25% by weight.

5 F5) Suspensions (SC, OD)

In an agitated ball mill, 20 parts by weight of a mixture according to the invention are comminuted with addition of 10 parts by weight of dispersants and wetters and 70 parts by weight of water or an organic solvent to give a fine active compound suspension. Dilution with water gives a stable suspension of the active compound. The formulation
10 has an active compound content of 20% by weight.

F6) Water-dispersible granules and water-soluble granules (WG, SG)

50 parts by weight of a mixture according to the invention are ground finely with addition of 50 parts by weight of dispersants and wetters and prepared as water-
15 dispersible or water-soluble granules by means of technical appliances (for example extrusion, spray tower, fluidized bed). Dilution with water gives a stable dispersion or solution of the active compound. The formulation has an active compound content of 50% by weight.

20 F7) Water-dispersible powders and water-soluble powders (WP, SP)

75 parts by weight of a mixture according to the invention are ground in a rotor-stator mill with addition of 25 parts by weight of dispersants, wetters and silica gel. Dilution with water gives a stable dispersion or solution of the active compound. The
25 formulation has an active compound content of 75% by weight.

2. Products to be applied undiluted

F8) Dustable powders (DP)

5 parts by weight of a mixture according to the invention are ground finely and mixed
30 intimately with 95 parts by weight of finely divided kaolin. This gives a dustable product having an active compound content of 5% by weight.

F9) Granules (GR, FG, GG, MG)

0.5 part by weight of a mixture according to the invention is ground finely and
35 associated with 99.5 parts by weight of carriers. Current methods are extrusion, spray-drying or the fluidized bed. This gives granules to be applied undiluted having an active compound content of 0.5% by weight.

F10) ULV solutions (UL)

40 10 parts by weight of a mixture according to the invention are dissolved in 90 parts by weight of an organic solvent, for example xylene. This gives a product to be applied undiluted having an active compound content of 10% by weight.

For seed treatment, use is usually made of water-soluble concentrates (LS), suspensions (FS), dustable powders (DS), water-dispersible and water-soluble powders (WS, SS), emulsions (ES), emulsifiable concentrates (EC) and gel formulations (GF). These formulations can be applied to the seed in undiluted form or, preferably, diluted. Application can be carried out prior to sowing.

Preference is given to using formulations in suspensions for seed treatment. Usually, such formulations comprise from 1 to 800 g of active compound/l, from 1 to 200 g of surfactants/l, from 0 to 200 g of antifreeze agents/l, from 0 to 400 g of binder/l, from 0 to 200 g of colorants/l and solvents, preferably water.

Analogous formulations F1 to F10 of the mixtures according to the invention comprising compounds I and II or, if appropriate, a further active compound comprise the respective amount of the individual active compounds. They are usually mixed directly before application during dilution to the ready-to-use active compound concentration (tank mix).

The active compound concentrations in the ready-to-use preparations can be varied within relatively wide ranges. In general, they are from 0.0001 to 10%, preferably from 0.01 to 1%.

The active compounds can be used as such, in the form of their formulations or the use forms prepared therefrom, for example in the form of directly sprayable solutions, powders, suspensions or dispersions, emulsions, oil dispersions, pastes, dustable products, materials for spreading, or granules, by means of spraying, atomizing, dusting, spreading or pouring. The use forms depend entirely on the intended purposes; they are intended to ensure in each case the finest possible distribution of the active compounds according to the invention.

Aqueous use forms can be prepared from emulsion concentrates, pastes or wettable powders (wetable powders, oil dispersions) by adding water. To prepare emulsions, pastes or oil dispersions, the substances, as such or dissolved in an oil or solvent, can be homogenized in water by means of a wetter, tackifier, dispersant or emulsifier. However, it is also possible to prepare concentrates composed of active substance, wetter, tackifier, dispersant or emulsifier and, if appropriate, solvent or oil, and such concentrates are suitable for dilution with water.

The active components and, if appropriate, further active compounds may also be used successfully in the ultra-low-volume process (ULV), it being possible to apply formulations comprising over 95% by weight of active compound, or even to apply the active compound without additives.

Oils of various types, wetting agents, adjuvants, herbicides, other pesticides, or bactericides may be added to the active compounds, even, if appropriate, not until immediately prior to use (tank mix). These agents may be admixed with the compositions according to the invention in a weight ratio of from 1:100 to 100:1, preferably from 1:10 to 10:1.

Suitable adjuvants in this sense are in particular: organically modified polysiloxanes, for example Break Thru S 240®; alcohol alkoxylates, for example Atplus 245®, Atplus MBA 1303®, Plurafac LF 300® and Lutensol ON 30®; EO/PO block polymers, for example Pluronic RPE 2035® and Genapol B®; alcohol ethoxylates, for example Lutensol XP 80®; and sodium dioctylsulfosuccinate, for example Leophen RA®.

The mixtures according to the invention comprising the compounds I and II or the corresponding formulations are applied by treating the harmful fungi, the plants, seeds, soils, areas, materials or spaces to be kept free from them with a fungicidally effective amount of the mixture of the compounds of the invention. Application can be carried out before or after infection by the harmful fungi.

Use examples

The fungicidal effect of the individual compounds and the mixtures according to the invention was demonstrated by the following tests.

The expected efficacies of active compound combinations were determined using Colby's formula (Colby, S.R. "Calculating synergistic and antagonistic responses of herbicide combinations", Weeds, 15, 20-22, 1967) and compared with the observed efficacies.

Colby's formula: $E = x + y - x \cdot y / 100$

E expected efficacy, expressed in % of the untreated control, when using the mixture of the active compounds A and B at the concentrations a and b;
x efficacy, expressed in % of the untreated control, when using the active compound A at the concentration a;
y efficacy, expressed in % of the untreated control, when using the active compound B at the concentration b.

Micro tests

The active compounds were formulated separately as a stock solution having a concentration of 10 000 ppm in DMSO.

Use example 1 – Activity against the late blight pathogen *Phytophthora infestans* in the microtiter test

- 5 The stock solution is pipetted onto a microtiter plate (MTP) and diluted to the stated active compound concentration using a pea juice-based aqueous nutrient medium for fungi. An aqueous zoospore suspension of *Phytophthora infestans* was then added. The plates were placed in a water vapor-saturated chamber at temperatures of 18°C. Using an absorption photometer, the MTPs were measured at 405 nm on day 7 after the inoculation.
- 10 The measured parameters were compared to the growth of the active compound-free control variant and the fungus- and active compound-free blank value to determine the relative growth in % of the pathogens in the individual active compounds.

No.	Active compound/active compound combination	Conc. [ppm]	Ratio	Observed effect (%)	Effect calculated according to Colby (%)
1	3-1	16 4 1		4 0 0	
2	3-3	4 1 0.25		0 0 0	
3	3-6	16 4 1		18 3 0	
4	3-7	4 1		4 1	
5	3-8	16 4		20 10	
6	3-9	4		9	
7	3-10	4 1		6 1	
8	3-11	16 1		9 7	
9	3-12	1		11	
10	3-13	16 4 1		4 4 1	
11	3-14	16 4 1		18 11 3	
12	7-3	1		31	

No.	Active compound/active compound combination	Conc. [ppm]	Ratio	Observed effect (%)	Effect calculated according to Colby (%)
13	7-4	4		45	
14	7-5	4 0.25		73 27	
15	7-9	4 1		58 20	
16	7-12	16		66	
17	3-1 + 7-3	1 + 1	1 : 1	67	31
18	3-3 + 7-3	1 + 1	1 : 1	74	31
19	3-6 + 7-3	1 + 1	1 : 1	51	31
20	3-10 + 7-3	1 + 1	1 : 1	56	32
21	3-11 + 7-3	1 + 1	1 : 1	62	36
22	3-13 + 7-3	1 + 1	1 : 1	64	32
23	3-14 + 7-3	1 + 1	1 : 1	75	34
24	3-1 + 7-4	4 + 4	1 : 1	98	45
25	3-3 + 7-4	4 + 4	1 : 1	80	45
26	3-6 + 7-4	4 + 4	1 : 1	88	46
27	3-7 + 7-4	4 + 4	1 : 1	84	47
28	3-8 + 7-4	4 + 4	1 : 1	75	50
29	3-9 + 7-4	4 + 4	1 : 1	76	49
30	3-10 + 7-4	4 + 4	1 : 1	68	48
31	3-12 + 7-4	4 + 4	1 : 1	74	47
32	3-13 + 7-4	4 + 4	1 : 1	75	47
33	3-14 + 7-4	4 + 4	1 : 1	82	51
34	3-1 + 7-5	4 + 4	1 : 1	94	73
35	3-3 + 7-5	0.25 + 0.25	1 : 1	26	0
36	3-14 + 7-5	4 + 4	1 : 1	97	76
37	3-1 + 7-9	4 + 4	1 : 1	85	58
38	3-3 + 7-9	1 + 1	1 : 1	89	20
39	3-6 + 7-9	1 + 1	1 : 1	81	20
40	3-7 + 7-9	1 + 1	1 : 1	57	21
41	3-8 + 7-9	4 + 4	1 : 1	87	62
42	3-10 + 7-9	1 + 1	1 : 1	56	32
43	3-12 + 7-9	1 + 1	1 : 1	48	29
44	3-13 + 7-9	1 + 1	1 : 1	53	21

No.	Active compound/active compound combination	Conc. [ppm]	Ratio	Observed effect (%)	Effect calculated according to Colby (%)
45	3-14 + 7-9	1 + 1	1 : 1	48	23
46	3-1 + 7-12	16 + 16	1 : 1	35	7
47	3-6 + 7-12	16 + 16	1 : 1	100	72
48	3-8 + 7-12	16 + 16	1 : 1	100	72
49	3-11 + 7-12	16 + 16	1 : 1	100	69
50	3-12 + 7-12	16 + 16	1 : 1	100	68
51	3-13 + 7-12	16 + 16	1 : 1	100	67
52	3-14 + 7-12	16 + 16	1 : 1	100	72

Greenhouse

5 The active compounds were separately or jointly prepared as a stock solution comprising 25 mg of active compound which was made up to 10 ml using a mixture of acetone and/or dimethyl sulfoxide and the emulsifier Uniperol® EL (wetting agent having emulsifying and dispersing action based on ethoxylated alkylphenols) in a volume ratio of solvent/emulsifier of 99 to 1. The mixture was then made up with water to 100 ml. This stock solution was diluted with the solvent/emulsifier/water mixture
10 described to the concentration of active compound stated below.

Use example 2 - Curative activity against brown rust of wheat caused by *Puccinia recondita*

15 Leaves of potted wheat seedlings were inoculated with a spore suspension of brown rust (*Puccinia recondita*). The pots were then placed in a chamber with high atmospheric humidity (90 to 95%) and 20 to 22°C for 24 hours. During this time, the spores germinated and the germ tubes penetrated into the leaf tissue. The next day, the infected plants were
20 sprayed to runoff point with the active compound solution described above at the active compound concentration stated below. After the spray coating had dried on, the test plants were cultivated in a greenhouse at temperatures between 20 and 22°C and at 65 to 70% relative atmospheric humidity for 7 days. The extent of the rust fungus development on the leaves was then determined.

25 The visually determined percentages of infected leaf areas were converted into efficacies in % of the untreated control.

The efficacy (E) is calculated as follows using Abbot's formula:

30 Abbot's formula:
$$E = (1 - \alpha/\beta) \cdot 100$$

- α
- corresponds to the fungicidal infection of the treated plants in % and
- β
- corresponds to the fungicidal infection of the untreated (control) plants in %

5 An efficacy of 0 means that the infection level of the treated plants corresponds to that of the untreated control plants; an efficacy of 100 means that the treated plants were not infected.

No.	Active com- pound/active compound combination	Conc. [ppm]	Ratio	Observed effect (%)	Effect calculated according to Colby (%)
53	- (control)	-		0 (90% infecti- on)	
54	3-9	0.25		0	
55	7-5	1		0	
56	7-6	1		0	
57	7-8	1		0	
58	3-9 + 7-5	0.25 + 1	1 : 4	67	0
59	3-9 + 7-6	0.25 + 1	1 : 4	72	0
60	3-9 + 7-8	0.25 + 1	1 : 4	44	0

10 Use example 3 - Protective activity against *Puccinia recondita* on wheat (brown rust of wheat)

15 Leaves of potted wheat seedlings were sprayed to runoff point with an aqueous suspen-
sion having the active compound concentration stated below. The next day, the treated
plants were inoculated with a spore suspension of brown rust of wheat (*Puccinia recon-
dita*). The plants were then placed in a chamber with high atmospheric humidity (90 to
95%) at 20 to 22°C for 24 hours. During this time, the spores germinated and the germ
tubes penetrated into the leaf tissue. The next day, the test plants were returned to the
greenhouse and cultivated at temperatures between 20 and 22°C and at 65 to 70% rela-
20 tive atmospheric humidity for a further 7 days. The extent of the rust fungus development
on the leaves was then determined visually.

No.	Active com- pound/active compound com- bination	Conc. [ppm]	Ratio	Observed effect (%)	Effect calculated according to Colby (%)
61	- (control)	-		0 (80% infecti- on)	

No.	Active compound/active compound combination	Conc. [ppm]	Ratio	Observed effect (%)	Effect calculated according to Colby (%)
62	3-9	0.25		50	
63	7-1	1		0	
64	3-9 + 7-1	0.25 + 1	1 : 4	88	50

Use example 4 – Activity against early blight on tomatoes caused by *Alternaria solani*

- 5 Leaves of potted tomato plants are sprayed to runoff point with an aqueous suspension having the concentration of active compounds stated below. The next day, the leaves are infected with an aqueous spore suspension of *Alternaria solani* in a 2% biomalt solution having a density of 0.17×10^6 spores/ml. The plants are then placed in a water vapor-saturated chamber at temperatures between 20 and 22°C. After 5 days, the disease on
- 10 the untreated, but infected control plants had developed to such an extent that the infection could be determined visually in %.

Use example 5 – Activity against gray mold on bell pepper leaves caused by *Botrytis cinerea*, 1 day protective application

15


- Bell pepper seedlings of the cultivar "Neusiedler Ideal Elite" are, after 2 - 3 leaves are well developed, sprayed to runoff point with an aqueous suspension in the active compound concentration stated below. The next day, the treated plants are inoculated with a spore suspension of *Botrytis cinerea* which comprises 1.7×10^6 spores/ml in a
- 20 2% strength aqueous biomalt solution. The test plants are then placed in a dark climatized chamber at 22 to 24°C and high atmospheric humidity. After 5 days, the extent of the fungal infection on the leaves can be determined visually in %.

- The test results show that, by virtue of the synergism, the mixtures according to the
- 25 invention are considerably more active than had been predicted using Colby's formula.

Claims

5 1. A fungicidal mixture comprising:

A) at least one 1-methylpyrazol-4-ylcarboxanilide of the formula I



10

in which the substituents have the following meanings:

X is oxygen or sulfur;


R¹ is C₁-C₄-alkyl or C₁-C₄-haloalkyl;

R² is hydrogen or halogen;

15 R³, R⁴ and R⁵ independently of one another are cyano, nitro, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy or C₁-C₄-alkylthio;

and

20 B) at least one azolopyrimidinylarnine of the formula II



in which the substituents have the following meaning:

25 E¹ is C₃-C₁₂-alkyl, C₂-C₁₂-alkenyl, C₅-C₁₂-alkoxyalkyl, C₃-C₆-cycloalkyl, phenyl or phenyl-C₁-C₄-alkyl;

E² is C₁-C₁₂-alkyl, C₂-C₁₂-alkenyl, C₁-C₄-haloalkyl or C₁-C₄-alkoxy-C₁-C₄-alkyl;

30 where the aliphatic chains in E¹ and/or E² may be substituted by one to four identical or different groups R^a:

R^a is halogen, cyano, hydroxyl, mercapto, C₁-C₁₀-alkyl, C₁-C₁₀-haloalkyl, C₃-C₈-cycloalkyl, C₂-C₁₀-alkenyl, C₂-C₁₀-alkynyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₁-C₆-alkoxy-C₁-C₆-alkyl or NR^AR^B;

35 R^A, R^B independently of one another are hydrogen or C₁-C₆-alkyl;

where the cyclic groups in E¹ and/or R^a may be substituted by one to four groups R^b:

R^b is halogen, cyano, hydroxyl, mercapto, nitro, NR^AR^B, C₁-C₁₀-alkyl, C₁-C₆-haloalkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl or C₁-C₆-alkoxy;

E³ is hydrogen, halogen, cyano, NR^AR^B, hydroxyl, mercapto, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₃-C₈-cycloalkyl, C₁-C₆-alkoxy, C₁-C₆-alkylthio, C₃-C₈-cycloalkoxy, C₃-C₈-cycloalkylthio, carboxyl, formyl, C₁-C₁₀-alkyl-carbonyl, C₁-C₁₀-alkoxycarbonyl, C₂-C₁₀-alkenyloxycarbonyl, C₂-C₁₀-alkynyloxycarbonyl, phenyl, phenoxy, phenylthio, benzyloxy, benzylthio or C₁-C₆-alkyl-S(O)_m;
m is 0, 1 or 2;

A is CH or N;

in a synergistically effective amount.

2. The fungicidal mixture according to claim 1 comprising component A and component B in a weight ratio of from 100:1 to 1:100.


3. The fungicidal mixture according to claim 1 or 2 comprising, as component A, at least one 1-methylpyrazol-4-ylcarboxanilide of the formula I where R¹ is methyl or halomethyl, R² is hydrogen, fluorine or chlorine and R³, R⁴ and R⁵ are each halogen.

4. The fungicidal mixture according to claim 1 or 2 comprising, as component A, at least one compound I selected from the following group:

N-(2'-fluoro-4'-chloro-5'-methoxybiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(2'-fluoro-4'-chloro-5'-methylbiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(3',4',5'-trifluorobiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(2',4',5'-trifluorobiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(2',3',4'-trifluorobiphenyl-2-yl)-3-trifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(2'-fluoro-4'-chloro-5'-methoxybiphenyl-2-yl)-3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(2'-fluoro-4'-chloro-5'-methylbiphenyl-2-yl)-3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(3',4',5'-trifluorobiphenyl-2-yl)-3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(2',4',5'-trifluorobiphenyl-2-yl)-3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(3',4',5'-trifluorobiphenyl-2-yl)-3-fluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(3',4',5'-trifluorobiphenyl-2-yl)-3-chlorodifluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(3',4',5'-trifluorobiphenyl-2-yl)-3-chlorofluoromethyl-1-methyl-1H-pyrazole-4-carboxamide, N-(2',3',4'-

trifluorobiphenyl-2-yl)-3-fluoromethyl-1-methyl-1H-pyrazole-4-carboxamide and N-(2',4',5'-trifluorobiphenyl-2-yl)-3-fluoromethyl-1-methyl-1H-pyrazole-4-carboxamide.

5. The fungicidal mixture according to any of claims 1 to 4 comprising, as component B, at least one compound of the formula II in which group A is nitrogen (formula IIa)



in which the substituents have the following meanings:

E¹ is C₃-C₁₂-alkyl, C₅-C₁₂-alkoxyalkyl, phenyl or phenyl-C₁-C₄-alkyl, where phenyl may be substituted by one to three groups R^b;

E² is C₁-C₁₂-alkyl, C₁-C₄-haloalkyl or C₁-C₄-alkoxy-C₁-C₄-alkyl;


E³ is hydrogen or NH₂.

6. The fungicidal mixture according to any of claims 1 to 5 comprising, as component B, at least one compound II selected from the group consisting of 6-(3,4-dichlorophenyl)-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 6-(4-tert-butylphenyl)-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-methyl-6-(3,5,5-trimethylhexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-methyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 6-methyl-5-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 6-ethyl-5-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-ethyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-ethyl-6-(3,5,5-trimethylhexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 6-octyl-5-propyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 5-methoxymethyl-6-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine, 6-octyl-5-trifluoromethyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine and 5-trifluoromethyl-6-(3,5,5-trimethylhexyl)-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine.


7. A fungicidal composition comprising at least one liquid or solid carrier and a mixture according to any of claims 1 to 6.

8. A method for controlling phytopathogenic harmful fungi wherein the fungi, their habitat or the plants, the soil, seed, areas, materials or spaces to be protected against fungal attack are treated with a synergistically effective amount of at least one compound I and at least one compound II according to any of claims 1 to 6.

9. The method according to claim 8 wherein the compounds I and II according to any of claims 1 to 6 are applied simultaneously, that is jointly or separately, or in succession.
- 5 10. The method according to claim 8 or 9 wherein the compounds I and II or the mixtures according to claims 1 to 6 are applied in an amount of from 5 g/ha to 2000 g/ha.
- 10 11. The method according to claim 8 or 9 wherein the compounds I and II or the mixtures according to claims 1 to 6 are applied in an amount of from 1 g to 1000 g per 100 kg of seed.
12. The method according to any of claims 8 to 11 wherein harmful fungi from the class of the Oomycetes are controlled.
- 15 13. Seed comprising a mixture according to any of claims 1 to 6 in an amount of from 1 g to 1000 g per 100 kg of seed.
- 20 14. A process for preparing a composition according to claim 7 by extending at least one compound I and at least one compound II according to any of claims 1 to 6 with at least one solid or liquid carrier.



I



II