



US010633715B2

(12) **United States Patent**
Singh et al.

(10) **Patent No.:** **US 10,633,715 B2**

(45) **Date of Patent:** ***Apr. 28, 2020**

(54) **GENE CONTROLLING SHELL PHENOTYPE
IN PALM**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Malaysian Palm Oil Board**, Kajang
Selangor (MY)

(72) Inventors: **Rajinder Singh**, Kuala Lumpur (MY);
Leslie Low Eng Ti, Kuala Lumpur
(MY); **Leslie Ooi Cheng Li**, Kuala
Lumpur (MY); **Meilina Ong Abdullah**,
Seremban (MY); **Rajanaidu Nookiah**,
Kuala Lumpur (MY); **Ravigadevi**
Sambanthamurthi, Selangor (MY);
Steven W. Smith, Fitchburg, WI (US);
Nathan D. Lakey, Chesterfield, MO
(US); **Rob Martienssen**, Cold Spring
Harbor, NY (US); **Jared Ordway**, St.
Louis, MO (US); **Michael Hogan**,
Ballwin, MO (US)

5,310,893	A	5/1994	Erlich et al.
5,451,512	A	9/1995	Apple et al.
5,468,613	A	11/1995	Erlich et al.
5,604,099	A	2/1997	Erlich et al.
6,307,123	B1	10/2001	Kriz et al.
6,646,264	B1	11/2003	Modiano et al.
6,880,771	B2	4/2005	Deppermann
7,367,155	B2	5/2008	Kotyk et al.
7,402,731	B2	7/2008	Penner et al.
7,454,989	B2	11/2008	Deppermann
7,600,642	B2	10/2009	Deppermann
7,673,572	B2	3/2010	Deppermann et al.
7,685,768	B2	3/2010	Deppermann
7,909,276	B2	3/2011	Deppermann et al.
7,998,669	B2	8/2011	Deppermann et al.
8,076,076	B2	12/2011	Osborn et al.
8,221,968	B2	7/2012	Becker et al.
8,237,016	B2	8/2012	Ye et al.
8,241,914	B2	8/2012	Durack et al.
8,281,935	B2	10/2012	Deppermann
8,312,672	B2	11/2012	Deppermann et al.
8,362,317	B2	1/2013	Calabotta et al.
8,401,271	B2	3/2013	Deppermann et al.
8,443,545	B2	5/2013	Deppermann et al.
2004/0110142	A1	6/2004	Bennett et al.
2008/0000815	A1	1/2008	Deppermann
2008/0289061	A1	11/2008	Penner et al.
2009/0070891	A1	3/2009	Foley et al.
2009/0070899	A1	3/2009	Apuya et al.
2009/0144847	A1	6/2009	Shaikh et al.
2010/0143906	A1	6/2010	Becker et al.
2011/0079544	A1	4/2011	Hunger et al.
2011/0132721	A1	6/2011	Kevin et al.
2011/0195866	A1	8/2011	Deppermann et al.
2012/0117865	A1	5/2012	Deppermann et al.
2012/0180386	A1	7/2012	Deppermann et al.
2013/0079917	A1	3/2013	Deppermann et al.
2013/0104454	A1	5/2013	Deppermann et al.

(73) Assignee: **The Malaysian Palm Oil Board**,
Kajang, Selangor (MY)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 264 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **15/264,344**

(22) Filed: **Sep. 13, 2016**

(65) **Prior Publication Data**

US 2016/0376669 A1 Dec. 29, 2016

Related U.S. Application Data

(62) Division of application No. 13/800,652, filed on Mar.
13, 2013, now Pat. No. 9,481,889.

(60) Provisional application No. 61/612,885, filed on Mar.
19, 2012.

(51) **Int. Cl.**
C12Q 1/6827 (2018.01)
C12Q 1/6895 (2018.01)
C12N 15/82 (2006.01)
C07K 14/415 (2006.01)
A01H 1/04 (2006.01)

(52) **U.S. Cl.**
CPC **C12Q 1/6895** (2013.01); **A01H 1/04**
(2013.01); **C07K 14/415** (2013.01); **C12N**
15/8261 (2013.01); **C12Q 2600/13** (2013.01);
C12Q 2600/156 (2013.01); **C12Q 2600/158**
(2013.01)

(58) **Field of Classification Search**
None

See application file for complete search history.

FOREIGN PATENT DOCUMENTS

EP	235726	A2	9/1987
WO	89/11548	A1	11/1989
WO	95/00119	A1	1/1995

(Continued)

OTHER PUBLICATIONS

Supplementary European Search Report from EP Application No.
13763862.3 dated Nov. 5, 2015, 4 pages.

Cheng-Li, et al., "SNP Markers for Genetic Studies and Prediction
of Monogenic Traits in Oil Palm," MPOB Information Series, Jun.
2011, retrieved from Internet: URL: [http://palmoilis.mpob.gov.my/
publications/TOT/TT-482.pdf](http://palmoilis.mpob.gov.my/publications/TOT/TT-482.pdf).

(Continued)

Primary Examiner — Charles Logsdon

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend &
Stockton LLP

(57) **ABSTRACT**

Nucleic acid sequences for predicting and controlling shell
phenotype in palm.

10 Claims, 7 Drawing Sheets

Specification includes a Sequence Listing.

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2003/040369	A2	5/2003
WO	WO 2010/039750	A2	4/2010
WO	2010/056107	A2	5/2010
WO	WO 2010/056107	A2 *	5/2010
WO	2010/146357	A1	12/2010
WO	2011/119390	A1	9/2011
WO	2011/119394	A1	9/2011

OTHER PUBLICATIONS

Sathish, D. K., et al., "RAPD Markers for Identifying Oil Palm (*Elaeis guineensis* Jacq.) Parental Varieties (dura & pisifera) and the Hybrid Tenera," Indian Journal of Biotechnology, National Institute of Science Communication and Information Resources, New Delhi, IN, vol. 6, No. 3, Jul. 2007, pp. 354-358.

Adam et al., "MADS Box Genes in Oil Palm (*Elaeis guineensis*): Patterns in the Evolution of the Squamosa, Deficiens, Globosa, Agamous and Sepallata Subfamilies"; *J. Mol. Evol.*; 62:15-31 (2006).

Arias, "Genetic Similarity Among Commercial Oil Palm Materials Based on Microsatellite Markers", *Agronomia Colombiana*, vol. 30, No. 2, pp. 188-195 (2012). Retrieved from <http://www.bdigital.unai.edu.co/30352/1/29152-156322-2-PB.pdf>.

Barcelos et al., "Genetic diversity and relationship in American and African oil palm as revealed by RFLP and AFLP molecular markers", *Pesq. agropec. bras.*, Brasilia, v. 37, n. 8., 2002, pp. 1105-1114.

Billotte et al., "Microsatellite-based high density linkage map in oil palm (*Elaeis guineensis* Jacq.)"; *Theor. Appl. Genet.*; 110(4):754-765 (2005).

Billotte et al., "QTL detection by multi-parent linkage mapping in oil palm (*Elaeis guineensis* Jacq.)"; *Theor. Appl. Genet.*; 120:1673-7687 (2010).

Conner et al., "Detection of sickle cell beta S-globin allele by hybridization with synthetic oligonucleotides", *Proc. Natl. Acad. Sci. USA*, 80:278-282 (1983).

Gill et al., "Nucleic Acid Isothermal Amplification Technologies—A Review", *Nucleosides, Nucleotides, and Nucleic Acids*, 27: 224-43 (2008).

Mayes et al., "The use of Molecular Markers to Investigate the Genetic Structure of an Oil Palm Breeding Programme", *Heredity* (edinb) vol. 85, Part 3, pp. 288-293, PMID: 11012733 (2000).

Moertzsohn et al., "RAPD linkage mapping of the shell thickness locus in palm oil (*Elaeis guineensis* Jacq.)"; *Theor. Appl. Genet.*; 100:63-70 (2000).

Notomi et al., "Loop-mediated isothermal amplification of DNA", *Nucleic Acids Research*, 28(12), e63 i-vii, (2000).

Saiki et al., "Analysis of enzymatically amplified beta-globin and HLA-DQ alpha DNA with allele-specific oligonucleotide probes", *Nature* 324: 163-166, (1986).

Seng et al., "Genetic Linkage Map of a High Yielding FELDS Deli x Yangambi Oil Palm Cross", *Plos One*, vol. 6, No. 11, e26593 (2011).

Singh et al., "Identification of cDNA-RFLP Markers and Their Use for Molecular Mapping Oil Palm (*Elaeis guineensis*)"; *Asia Pacific Journal of Molecular Biology and Biotechnology*; 16(3):53-63 (2008).

Singh et al., "Mapping Quantitative Trait Loci (QTLs) for Fatty Acid Composition in an Interspecific Cross of Oil Palm", *BMC Plant Biol.*, vol. 9, pp. 114 (2009).

Stoneking et al., "Population variation of human mtDNA control region sequences detected by enzymatic amplification and sequence-specific oligonucleotide probes", *Am. J. Hum. Genet.* 48:370-382, 1991.

Walbot, Genomic Sequences Found Using Engineered RescueMu Transposon, National Center for Biotechnology Information, Genbank accession BH891314 (2001). Retrieved from <http://www.ncbi.nlm.nih.gov/nucgss/222227?report=genbank>.

International Search Report and Written Opinion dated Dec. 12, 2014 for International Patent Application No. PCT/US2014/047171, 11 pages.

Copy of the International Search Report and Written Opinion from PCT/US2013/030803, dated Jun. 14, 2013.

* cited by examiner

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5

<u>Oil Palm - Dura Allele:</u>		
Angola (0.311/368)	1	50
Congo (0.212/70)		
Madagascar (0.240/01)		
Nigeria (FK7/005)		
Tanzania (0.256/235)		
<u>Oil Palm - Pisifera Allele:</u>		
Angola (0.311/191)		
Congo (0.182/77)		
Nigeria (FK7/104)		
Madagascar (0.240/34)		
<u>Oil Palm - Tenera Allele:</u>		
Angola (0.311/415)		
Madagascar (0.240/05)		
Nigeria (Palm T128)		
Nigeria (371)		
Nigeria (88)		
Tanzania (0.256/238)		

Out Groups:

<i>A. thaliana</i>	(P29381.1)	G R G K I E K R I E N T T N Q V T F C K R R N G L I K A Y E L S V L C D A E A L V I F S T R G L Y E Y A N	.	.	.	.	:	58
<i>A. thaliana</i>	(AEE82818.1)	S.....IV.....	.	.	.	.	:	
Poplar	(XP_002327282.1)	S.IV..S.....	.	.	.	.	:	
Grape	(XP_002281890.1)	IV..S...V...S.	.	.	.	.	:	
Tomato	(AAM33101.2)	S.IV..S.....	.	.	.	.	:	
Peach	(ABG75908.1)	IV.....IV.....	.	.	.	.	:	


Oil Palm - Dura Allele:

<i>E. oleifera</i>	(0.211/2460)	S	IV . S
<i>E. guineensis</i>	(0.212/70)	S	IV . S
Nigeria	(FK7/005 - T128)	S	IV . S
Nigeria	(GGN23 - other)	S	IV . S
Congo	(0.212/70)	S	IV . S
Angola	(0.311/368)	S	IV . S
Madagascar	(0.240/01)	S	IV . S
Tanzania	(0.256/235)	S	IV . S

Oil Palm - Pisifera Allele:

Nigeria	(UP0323 - T128)	S	P	IV	S
Nigeria	(GGN37 - Other)	S	P	IV	S
Angola	(0.311/460)	S	P	IV	S
Angola	(0.311/191)	S	N	IV	S
Congo	(0.182/77)	S	N	IV	S
Madagascar	(0.240/34)	S	N	IV	S
Tanzania	(0.256/238)	S	N	IV	S

Figure 7



GENE CONTROLLING SHELL PHENOTYPE IN PALM

CROSS-REFERENCE TO RELATED PATENT APPLICATIONS

The present patent application is a Divisional application of U.S. patent application Ser. No. 13/800,652, filed Mar. 13, 2013, which claims benefit of priority to U.S. Provisional Patent Application No. 61/612,885, filed Mar. 19, 2012, which is incorporated by reference for all purposes.

REFERENCE TO SEQUENCE LISTING

This application includes a Sequence Listing as a text file named "096380-1022544-000120US-SEQLIST.txt" created Sep. 12, 2016, and containing 7,082,975 bytes. The material contained in this text file is incorporated by reference in its entirety for all purposes.

BACKGROUND OF THE INVENTION

The oil palm (*E. guineensis* and *E. oleifera*) can be classified into separate groups based on its fruit characteristics, and has three naturally occurring fruit types which vary in shell thickness and oil yield. Dura type palms are homozygous for a wild type allele of the shell gene (sh^+/sh^+), have a thick seed coat or shell (2-8 mm) and produce approximately 5.3 tons of oil per hectare per year. *Tenera* type palms are heterozygous for a wild type and mutant allele of the shell gene (sh^+/sh^-), have a relatively thin shell surrounded by a distinct fiber ring, and produce approximately 7.4 tons of oil per hectare per year. Finally, *pisifera* type palms are homozygous for a mutant allele of the shell gene (sh^-/sh^-), have no seed coat or shell, and are usually female sterile (Hartley, 1988) (Table 1). Therefore, the inheritance of the single gene controlling shell phenotype is a major contributor to palm oil yield.

Tenera palms are hybrids between the *dura* and *pisifera* palms. Whitmore (1973) described the various fruit forms as different varieties of oil palm. However, Latiff (2000) was in agreement with Purseglove (1972) that varieties or cultivars as proposed by Whitmore (1973), do not occur in the strict sense in this species. As such, Latiff (2000) proposed the term "race" to differentiate *dura*, *pisifera* and *tenera*. Race was considered an appropriate term as it reflects a permanent microspecies, where the different races are capable of exchanging genes with one another, which has been adequately demonstrated in the different fruit forms observed in oil palm (Latiff, 2000). In fact, the characteristics of the three different races turn out to be controlled simply by the inheritance of a single gene. Genetic studies revealed that the shell gene shows co-dominant monogenic inheritance, which is exploitable in breeding programmes (Beirnaert and Vanderweyen, 1941).

The shell gene responsible for this phenotype was first reported in the Belgian Congo in the 1940's (Beirnaert and Vanderweyen, 1941). However, *tenera* fruit forms were recognized and exploited in Africa well before then (Devuyt, 1953; Godding, 1930; Sousa et al., 2011). Given the central role played by the shell gene, oil palm breeding utilizes reciprocal recurrent selection of maternal (*dura*) and paternal (*pisifera*) pools using the North Carolina Model 1 maize breeding design (Rajanaidu et al., 2000). The Deli *dura* population, direct descendants of the four original African palms planted in Bogor Botanical Garden, Indonesia (1848), has excellent combining ability with the AVROS

(Algemene Vereniging van Rubberplanters ter Oostkust van Sumatra) and other *pisifera* parental palms. AVROS *pisifera* palms were derived from the famous "Djongo" palm from Congo, but more recently several different accessions of *dura* and *pisifera* have also been sourced from Africa (Rajanaidu et al., 2000).

Tenera fruit types have a higher mesocarp to fruit ratio, which directly translates to significantly higher oil yield than either the *dura* or *pisifera* palm (as illustrated in Table 1).

TABLE 1

Comparison of dura, tenera and pisifera fruit forms			
Characteristic	Fruit Form		
	Dura	Tenera	Pisifera*
Shell thickness (mm)	2-8	0.5-3	Absence of shell
Fibre Ring**	Absent	Present	Absent
Mesocarp Content (% fruit weight)	35-55	60-96	95
Kernel Content (% fruit weight)	7-20	3-15	3-5
Oil to Bunch (%)	16	26	—
Oil Yield (t/ha/yr)	5.3	7.4	—

*usually female sterile, bunches rot prematurely

**fibre ring is present in the mesocarp and often used as diagnostic tool to differentiate *dura* and *tenera* palms. (Source: Hardon et al., 1985; Hartley, 1988)

Since the crux of the breeding programmes in oil palm is to produce planting materials with higher oil yield, the *tenera* palm is the preferred choice for commercial planting. It is for this reason that substantial resources are invested by commercial seed producers to cross selected *dura* and *pisifera* palms in hybrid seed production. And despite the many advances which have been made in the production of hybrid oil palm seeds, two significant problems remain in the seed production process. First, batches of *tenera* seeds, which will produce the high oil yield *tenera* type palm, are often contaminated with *dura* seeds (Donough and Law, 1995). Today, it is estimated that *dura* contamination of *tenera* seeds can reach rates of approximately 5% (reduced from as high as 20-30% in the early 1990's as the result of improved quality control practices). Seed contamination is due in part to the difficulties of producing pure *tenera* seeds in open plantation conditions, where workers use ladders to manually pollinate tall trees, and where palm flowers for a given bunch mature over a period time, making it difficult to pollinate all flowers in a bunch with a single manual pollination event. Some flowers of the bunch may have matured prior to manual pollination and therefore may have had the opportunity to be wind pollinated from an unknown tree, thereby producing contaminant seeds in the bunch. Alternatively premature flowers may exist in the bunch at the time of manual pollination, and may mature after the pollination occurred allowing them to be wind pollinated from an unknown tree thereby producing contaminant seeds in the bunch. Prior to the invention described herein, it was not possible to identify the fruit type of a given seed of a given plant arising from a seed until it matured enough to produce a first batch of fruit, which typically takes approximately six years after germination. Notably, in the four to five years interval from germination to fruit production, significant land, labor, financial and energy resources are invested into what are believed to be *tenera* trees, some of which will ultimately be of the unwanted low yielding contaminant fruit types. By the time these suboptimal trees are identified, it is impractical to remove them from the field and replace them with *tenera* trees, and thus growers achieve

lower palm oil yields for the 25 to 30 year production life of the contaminant trees. Therefore, the issue of contamination of batches of *tenera* seeds with *dura* or *pisifera* seeds is a problem for oil palm breeding, underscoring the need for a method to predict the fruit type of seeds and nursery plantlets with high accuracy.

A second problem in the seed production process is the investment seed producers make in maintaining *dura* and *pisifera* lines, and in the other expenses incurred in the hybrid seed production process. Prior to the present invention, there was no known way to produce a tree with an optimal shell phenotype which when crossed to itself or to another tree with optimal shell phenotype would produce seeds which would only generate optimal shell phenotypes. Therefore, there is a need to engineer trees to breed true from one generation to the next for optimal shell phenotype.

The genetic mapping of the shell gene was initially attempted by Mayes et al. (1997). A second group in Brazil, using a combination of bulked segregation analysis (BSA) and genetic mapping, reported two random amplified polymorphic DNA (RAPD) markers flanking the shell locus (Moretzsohn et al., 2000). More recently, Billotte et al., (2005) reported a simple sequence repeat (SSR)-based high density linkage map for oil palm, involving a cross between a thin shelled *E. guineensis* (*tenera*) palm and a thick shelled *E. guineensis* (*dura*) palm. A patent filed by the Malaysian Palm Oil Board (MPOB) describes the identification of a marker using restriction fragment technology, in particular a Restriction Fragment Length Polymorphism (RFLP) marker linked to the shell gene for plant identification and breeding purposes (RAJINDER SINGH, LESLIE OOI CHENG-LI, RAHIMAH A. RAHMAN AND LESLIE LOW ENG TI. 2008. Method for identification of a molecular marker linked to the shell gene of oil palm. Patent Application No. PI 20084563. Patent Filed on 13 Nov. 2008). The RFLP marker (SFB 83) was identified by way of generation or construction of a genetic map for a *tenera* fruit type palm.

BRIEF SUMMARY OF THE INVENTION

In this patent, we describe the genetic mapping and identification of the shell gene responsible for the different fruit forms and methods for determining the shell phenotype of a palm plant (including but not limited to a whole palm plant or palm seed). We used homozygosity mapping by sequencing to overcome challenges posed by phenotyping experimental populations, and we found two independent mutations in the DNA binding domain of an oil palm MADS-box gene substantially similar to *Arabidopsis* SEEDSTICK (STK), also referred to as AGAMOUS-like 11 (AGL11), as well as to *Arabidopsis* SHATTERPROOF (SHP1), also referred to as AGAMOUS-like 1 (AGL1). For brevity, herein we refer to the shell gene as SHELL. We demonstrate that SHELL is responsible for the shell phenotype in both cultivated and wild palms from sub-Saharan Africa. Furthermore, our findings provide a genetic explanation for the single gene heterosis attributed to SHELL. This is the first demonstration of a gene mutation explaining an economic trait in oil palm, and has important implications for the competing interests of global edible oil production, biofuels and rainforest conservation (Danielsen et al., 2009).

In some embodiments, methods for determining the shell phenotype of a palm (e.g., oil palm) plant (including but not limited to a whole palm plant or palm seed) are provided. In some embodiments, the method comprises, providing a sample from the plant or seed; and determining from the sample the genotype of at least one polymorphic marker in

the genomic region corresponding to SEQ ID NO:8218, wherein heterozygosity within the region indicates the presence of the *tenera* shell phenotype. In some embodiments, the plant or seed is generated from i) a cross between a plant having the *dura* shell phenotype and a plant having the *pisifera* shell phenotype, ii) the selfing of a *tenera* palm, iii) a cross between two plants having the *tenera* shell phenotype, iv) a cross between a plant having the *dura* shell phenotype and a plant having the *tenera* shell phenotype, or v) a cross between a plant having the *tenera* shell phenotype and a plant having the *pisifera* shell phenotype. In some embodiments, the plant is less than 5 years old. In some embodiments, the plant is less than one year old.

In some embodiments, the polymorphic marker is within a position in the genomic region corresponding to SEQ ID NO:8219. In some embodiments, the polymorphic marker is within 1, 10, 20, 50, 100, 200, 500, 1000, 200, 3000 kb from a position in the genomic region corresponding to SEQ ID NO:8219. In some embodiments, the polymorphic marker is at least 86, 88, 90, 92, 94, 96, 97, 98, or 99% predictive of the *tenera* phenotype.

In some embodiments, the method further comprises selecting the seed or plant for cultivation if the plant is heterozygous for the polymorphic marker. In some embodiments, the plants or seeds are discarded if the plants or seeds do not have a genotype predictive of the *tenera* shell phenotype.

Also provided is a method for segregating a plurality of palm (e.g., oil palm) plants into different categories based on predicted shell phenotype. In some embodiments, the method comprises, providing a sample from each plant in the plurality of plants; determining from the samples the genotype of at least one polymorphic marker in the genetic region corresponding to SEQ ID NO:8218; and segregating the plants into groups based on the genotype of the polymorphic marker, wherein the groups correspond to plants predicted to have the *tenera* shell phenotype, plants predicted to have the *dura* shell phenotype, and plants predicted to have the *pisifera* shell phenotype.

Also provided are kits for determining the shell phenotype of a palm seed or plant. In some embodiments, the kit comprises, one or more oligonucleotide primer or probe that comprises:

a sequence of at least, e.g., 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, or 18 (or 20, 22, 24, or more) nucleotides of SEQ ID NO:8218; or;

a sequence 100% complementary to at least e.g., 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, or 18 (or 20, 22, 24, or more) nucleotides of SEQ ID NO:8218.

In some embodiments, the primer or probe specifically hybridizes to palm plant DNA or RNA.

In some embodiments, the primer or probe comprises: a sequence of at least, e.g., 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, or 18 (or 20, 22, 24, or more) nucleotides of SEQ ID NO:8219; or;

a sequence 100% complementary to at least, e.g., 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, or 18 (or 20, 22, 24, or more) nucleotides of SEQ ID NO:8219.

In some embodiments, a detectable label is linked to the oligonucleotide. In some embodiments, the detectable label is fluorescent.

In some embodiments, the kit further comprises a polynucleotide encoding a polypeptide comprising a sequence substantially (e.g., at least 80, 85, 90, 95, 97, 98, 99%) identical or identical to SEQ ID NO:8220, 8221, or 8222.

Also provided is an isolated nucleic acid comprising a polynucleotide encoding a polypeptide comprising a

sequence substantially (e.g., a least 80, 85, 90, 95, 97, 98, 99%) identical or identical to SEQ ID NO:8220, 8221, or 8222.

Also provided is a cell or seed or plant comprising a heterologous expression cassette, the expression cassette comprising a heterologous promoter operably linked to a polynucleotide encoding a polypeptide comprising a sequence substantially (e.g., a least 80, 85, 90, 95, 97, 98, 99%) identical or identical to SEQ ID NO:8220, 8221, or 8222. In some embodiments, the seed or plant is a palm (e.g., oil palm) seed or palm (e.g., oil palm) plant. In some embodiments, the polypeptide comprises SEQ ID NO:8220, 8221, or 8222. In some embodiments, the heterologous promoter results in expression level of an RNA encoding the polypeptide in the seed or plant that is less than, equal to, or more than expression of an endogenous SHELL RNA in the seed or plant. In some embodiments, the seed or plant comprises two *pisifera* alleles of an endogenous SHELL gene. In some embodiments, the seed or plant makes mature shells that are on average less than 2 mm thick.

Also provided is a cell or seed or plant comprising a heterologous expression cassette, the expression cassette comprising a promoter operably linked to a polynucleotide, which polynucleotide, when expressed in the seed or plant, reduces expression of a SHELL polypeptide in the seed or plant (compared to a control plant lacking the expression cassette), wherein reduced expression of the SHELL polypeptide results in reduced shell thickness of the future seeds produced by the plant.

In some embodiments, the polynucleotide comprises at least 20 contiguous nucleotides, or the complement thereof, of an endogenous nucleic acid encoding a SHELL polypeptide substantially (e.g., a least 80, 85, 90, 95, 97, 98, 99%) identical or identical to SEQ ID NO:8220, 8221, or 8222, such that expression of the polynucleotide inhibits expression of the endogenous SHELL gene. In some embodiments, the polynucleotide comprises a sequence at least 80% identical to at least 100 contiguous nucleotides, or the complement thereof, of an endogenous nucleic acid encoding a SHELL polypeptide substantially (e.g., a least 80, 85, 90, 95, 97, 98, 99%) identical or identical to SEQ ID NO:8220, 8221, or 8222, such that expression of the polynucleotide inhibits expression of the endogenous SHELL gene. In some embodiments, the polynucleotide encodes an siRNA, antisense polynucleotide, a microRNA, or a sense suppression nucleic acid, thereby suppressing expression of an endogenous SHELL gene. In some embodiments, the seed or plant makes mature shells that are on average less than 2 mm thick.

Also provided is a plant comprising a heterologous expression cassette, the expression cassette comprising a promoter operably linked to a polynucleotide encoding a polypeptide comprising a SHELL M, I, and K domain but lacks a functional C domain. In some embodiments, the polypeptide comprises an amino acid sequence substantially (e.g., a least 80, 85, 90, 95, 97, 98, 99%) identical or identical to the palm SHELL polypeptide. In some embodiments, the polypeptide comprises a non-functional C domain. In some embodiments, the plant is a palm plant. In some embodiments, the palm plant is in the *dura* background.

Also provided is a method of making a plant as described above or elsewhere herein, comprising introducing the expression cassette into a plant.

Also provided is a method of cultivating the plants described herein.

Other embodiments will be evident from reading the rest of the disclosure.

DEFINITIONS

A “shell phenotype” refers to the three fruit forms of *E. guineensis-dura*, *tenera* and *pisifera* caused by the presence or absence of the shell or the thickness of the shell.

A “polymorphic marker” refers to a genetic marker that distinguishes between two alleles.

A genomic region “corresponding to” a test sequence refers to a genomic DNA that aligns with the test sequence. It is generally expected that a plant genome will have only one genomic region (i.e., a locus represented by two alleles in a diploid plant) corresponding to the test sequence. To the extent more than one genomic region from a plant can be aligned to the test sequence, the “corresponding” genomic region is the genomic region with the highest percent of identical nucleotides. Sequence comparisons can be performed using any BLAST™ including BLAST 2.2 algorithm with default parameters, described in Altschul et al., *Nuc. Acids Res.* 25:3389 3402 (1997) and Altschul et al., *J. Mol. Biol.* 215:403 410 (1990), respectively.

As used herein, the terms “nucleic acid,” “polynucleotide” and “oligonucleotide” refer to nucleic acid regions, nucleic acid segments, primers, probes, amplicons and oligomer fragments. The terms are not limited by length and are generic to linear polymers of polydeoxyribonucleotides (containing 2-deoxy-D-ribose), polyribonucleotides (containing D-ribose), and any other N-glycoside of a purine or pyrimidine base, or modified purine or pyrimidine bases. These terms include double- and single-stranded DNA, as well as double- and single-stranded RNA.

A nucleic acid, polynucleotide or oligonucleotide can comprise, for example, phosphodiester linkages or modified linkages including, but not limited to phosphotriester, phosphoramidate, siloxane, carbonate, carboxymethylester, acetamidate, carbamate, thioether, bridged phosphoramidate, bridged methylene phosphonate, phosphorothioate, methylphosphonate, phosphorodithioate, bridged phosphorothioate or sulfone linkages, and combinations of such linkages.

A nucleic acid, polynucleotide or oligonucleotide can comprise the five biologically occurring bases (adenine, guanine, thymine, cytosine and uracil) and/or bases other than the five biologically occurring bases.

Optimal alignment of sequences for comparison may be conducted by the local homology algorithm of Smith and Waterman *Add. APL. Math.* 2:482 (1981), by the homology alignment algorithm of Needleman and Wunsch *J. Mol. Biol.* 48:443 (1970), by the search for similarity method of Pearson and Lipman *Proc. Natl. Acad. Sci. (U.S.A.)* 85: 2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, BLAST™, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group (GCG), 575 Science Dr., Madison, Wis.), or by inspection.

“Percentage of sequence identity” is determined by comparing two optimally aligned sequences over a comparison window, wherein the portion of the polynucleotide sequence in the comparison window may comprise additions or deletions (i.e., gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid base or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total

number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity.

The term “substantial identity” of polypeptide sequences means that a polypeptide comprises a sequence that has at least 75% sequence identity. Alternatively, percent identity can be any integer from 75% to 100%. Exemplary embodiments include at least: 75%, 80%, 85%, 90%, 95%, or 99% compared to a reference sequence using the programs described herein; preferably BLAST™ using standard parameters, as described below. One of skill will recognize that these values can be appropriately adjusted to determine corresponding identity of proteins encoded by two nucleotide sequences by taking into account codon degeneracy, amino acid similarity, reading frame positioning and the like. Polypeptides which are “substantially similar” share sequences as noted above except that residue positions which are not identical may differ by conservative amino acid changes. Conservative amino acid substitutions refer to the interchangeability of residues having similar side chains. For example, a group of amino acids having aliphatic side chains is glycine, alanine, valine, leucine, and isoleucine; a group of amino acids having aliphatic-hydroxyl side chains is serine and threonine; a group of amino acids having amide-containing side chains is asparagine and glutamine; a group of amino acids having aromatic side chains is phenylalanine, tyrosine, and tryptophan; a group of amino acids having basic side chains is lysine, arginine, and histidine; and a group of amino acids having sulfur-containing side chains is cysteine and methionine. Preferred conservative amino acids substitution groups are: valine-leucine-isoleucine, phenylalanine-tyrosine, lysine-arginine, alanine-valine, aspartic acid-glutamic acid, and asparagine-glutamine.

Another indication that nucleotide sequences are substantially identical is if two molecules hybridize to each other, or a third nucleic acid, under stringent conditions. Stringent conditions are sequence dependent and will be different in different circumstances. Generally, stringent conditions are selected to be about 5° C. lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Typically, stringent conditions will be those in which the salt concentration is about 0.02 molar at pH 7 and the temperature is at least about 60° C.

The term “promoter” or “regulatory element” refers to a region or sequence determinants located upstream or downstream from the start of transcription and which are involved in recognition and binding of RNA polymerase and other proteins to initiate transcription. Promoters need not be of plant origin, for example, promoters derived from plant viruses, such as the CaMV35S promoter, can be used.

The term “plant” includes whole plants, shoot vegetative organs/structures (e.g. leaves, stems and tubers), roots, flowers and floral organs/structures (e.g. bracts, sepals, petals, stamens, carpels, anthers and ovules), seed (including embryo, endosperm, and seed coat) and fruit (the mature ovary), plant tissue (e.g. vascular tissue, ground tissue, and the like) and cells (e.g. guard cells, egg cells, trichomes and the like), and progeny of same. The class of plants that can be used in the method of the invention is generally as broad as the class of higher and lower plants amenable to transformation techniques, including angiosperms (monocotyledonous and dicotyledonous plants), gymnosperms, ferns,

and multicellular algae. It includes plants of a variety of ploidy levels, including aneuploid, polyploid, diploid, haploid and hemizygous.

An “expression cassette” refers to a nucleic acid construct, which when introduced into a host cell, results in transcription and/or translation of a RNA or polypeptide, respectively. Antisense constructs or sense constructs that are not or cannot be translated are expressly included by this definition.

The term “operably linked” refers to a functional linkage between a nucleic acid expression control sequence (such as a promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

A polynucleotide sequence is “heterologous to” an organism or a second polynucleotide sequence if it originates from a foreign species, or, if from the same species, is modified from its original form. For example, a heterologous promoter operably linked to a coding sequence refers to a promoter from a species different from that from which the coding sequence was derived, or, if from the same species, a promoter which is different from any naturally occurring allelic variants.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1. Genomic scaffolds corresponding to linkage group 7 and resulting homozygosity profile. Based on genetic mapping, the Shell gene (Sh) was placed at 39.7 cM on linkage group 7. Once markers from this region were compared to the reference genomic sequence for *Pisifera*, the gene was localized to scaffold 43 (SEQ ID NO:8218). SNP frequency was greatly reduced in this region for AVROS palms with *Pisifera* fruit type (pool 1) as compared to Nigerian palms with *Pisifera* fruit (pool2), and to Dura and *Tenera* palms (pool3). Because it is known that in the AVROS line the *Pisifera* trait came from a single progenitor, this homozygous region is indicative of carrying the Shell gene.

FIG. 2. Linkage Group 7 containing SHELL. A map of the SHELL chromosome (Linkage Group 7) derived from the T128 population. Arrows denote the SSR markers. The SHELL gene is marked by (SH and an asterisk). All other markers are SNP markers.

FIG. 3. The AVROS pedigree for homozygosity mapping. Palms heterozygous (*tenera*: 1107, 3, 2, 27, 10, 8, 36, 28, 13, 31, 20, 27, 45, 149, 116, 364, 263, 286, 374, 445, 575, 577, 196, 213, 630, 776, 732, 628, 720, 42, 1111, 0102) and homozygous (*pisifera*: 10/119, 593, 160, 307, 207, 112, 655, 498, 304, 30, 480, 77, 413, 417, TP10, TP9, TP1, TP3) for the SHELL gene are indicated, linked to parents and progeny planted over 5 decades. Eleven of the individually sequenced palms are: 498, 304, 30, 480, 77, 413, 417, TP10, TP9, TP1, TP3. Three additional *pisifera* palms from this extended pedigree were also individually sequenced (not shown) while the remaining *pisifera* palms were sequenced as a pool.

FIG. 4. Homozygosity mapping of the shell trait in oil palm. a, The SHELL locus was mapped onto scaffold p3-sc00043 (3.4 Mb) and SNP density was determined in 14 individual and 29 pooled *pisifera* palms from the AVROS pedigree and plotted along the scaffold (upper panel). Markers surrounding the SHELL gene are plotted against the % of *pisifera* palms with the SNP haplotype in the Nigerian T128 F1 mapping population. The SHELL gene was mapped to between flanking markers, (denoted by dia-

monds) at 400 Kb and 1 Mb. A local diversity minima of 200 Kb was found within this interval (inset). b, The local diversity minima contained 5 homozygous genes (boxes), only one of which was located between the flanking markers (SHELL). Unshaded ovals denote repetitive elements.

FIG. 5. Sequence conservation at the SHELL locus. Sequence conservation at the SHELL gene extends for 200 bp (not shown) either side of the shell phenotype causative SNPs (highlighted in grey) found in Nigerian (C/T=Y) and other African palms (A/T=W). Oil Palm—Dura Allele=SEQ ID NO:8223; *Pisifera* Allele Angola, Congo, Madagascar=SEQ ID NO:8224, Nigeria=SEQ ID NO:8225; *Tenera* Allele Angola, Madagascar, Nigeria (371), Tanzania=SEQ ID NO:8226, Nigeria (Palm T128)=SEQ ID NO:8227, Nigeria (88)=SEQ ID NO:8228.

FIG. 6. Protein sequence of the MADS domain, amino acid substitutions in *pisifera* palms and expression of shell. a, Multiple sequence alignment of *Arabidopsis* SHP (P29381.1; SEQ ID NO:8229) and STK (AEE82818.1; SEQ ID NO:8230) proteins, poplar predicted protein (XP_002327282.1; SEQ ID NO:8231), grape MADS-box protein 5 (XP_002281890.1; SEQ ID NO:8232), tomato TAGL1 (AAM33101.2; SEQ ID NO:8231) and peach SHATTERPROOF-like (ABG75908.1; SEQ ID NO:8233) (Out Groups), *E. oleifera*, *E. guineensis* and exemplars of Deli *dura* (Oil Palm—Dura Allele) (SEQ ID NO:8234), and exemplars of *pisifera* from T128—Nigerian and AVROS—Congo (Oil Palm—*Pisifera* Allele). The *pisifera* fruit form is caused by two disruptive SNPs (SEQ ID NOS:8235 and 8236) that affect a highly conserved amino acid motif in the MADS box DNA binding and dimerization domain. Sequence accession numbers (out group examples) or sample identifiers (oil palm examples) are in parentheses.

FIG. 7. SHELL gene model. Exons (boxes) and introns (horizontal lines) were validated by RNA-seq. A diagram of protein domains encoded by the indicated exons is provided below the gene diagram. MADS box, I, K and C domains of the SHELL protein are indicated. The locations of mutated amino acids (L to P and K to N) in the MADS box domain are highlighted. The location of conserved residues involved in DNA binding and/or MADS box protein homo- or heterodimerization are indicated by vertical marks below the MADS box and I domains.

DETAILED DESCRIPTION OF THE INVENTION

I. Introduction

The present disclosure describes the construction of a dense genetic map for a selfed *tenera* palm, designated T128 from MPOB's Nigerian germplasm collection. The position of the shell locus was determined on the genetic map. The markers located on the linkage group containing the shell gene were used to pull out the genome scaffolds generated from whole genome DNA sequencing of *pisifera* corresponding to the linkage group. The gene linked to the shell locus was subsequently identified in the genome scaffold. Disclosed herein, the gene responsible for fruit shell type is substantially similar to *Arabidopsis* SEEDSTICK (STK), also referred to as AGAMOUS-like 11 (AGL11), as well as to *Arabidopsis* SHATTERPROOF (SHP1), also referred to as AGAMOUS-like 1 (AGL1). For brevity, herein we refer to the shell gene as SHELL. Two independent mutations in the DNA binding domain of this type II MADS-box transcription factor gene were identified and validated in 336 individual oil palms, one occurring in the *pisifera* collected from Nigeria and the other occurring in the *pisifera* collected

from Zaire. The genotype at either of these two positions explains 96.7% of the fruit shell phenotypes of the 336 sample population (148 *tenera*, 100 *pisifera*, 86 *dura* and 2 with unknown phenotypes). In total, the SHELL genotype was discordant with the fruit type phenotype in only 11 palms (3 *tenera*, 2 *pisifera* and 6 *dura*) of the 334 that had phenotypes. The 3.3% discordance rate is within the range of the rate of incorrect phenotyping or genotyping based on either questionable fruit type classification or collection of samples from unintended trees in the field, respectively (approximately 5%). This represents the first demonstration of a gene mutation explaining an important economic trait in oil palm. Furthermore, the findings provide a genetic explanation for the single gene heterosis characteristic of the fruit shell phenotype, and they have implications in oil palm breeding and commercial seed production.

A polymorphic marker closely linked to the shell gene character, or the identification of the shell gene itself and the use of a polymorphic marker located within the gene itself, is of significant commercial importance, as it can be used by seed producers as a quality control tool to i) reduce or eliminate *dura* or *pisifera* contamination of *tenera* seed or plantlets, and ii) positively identify *tenera* seeds or plantlets which are then selected as suitable planting material for commercial palm oil production. The identification of the shell gene or a marker genetically linked to shell trait is also of importance in breeding programmes. The marker or the alleles of the gene responsible for the trait can be used to separate the *dura*, *tenera* and *pisifera* plants in the nursery; the advantage here being that they could be planted separately based on shell phenotype. This is of interest as the *pisifera* palms usually show very vigorous vegetative growth, so in a trial consisting of all three types, distortion of results could occur due to intra-cross competition. Furthermore, separating out the *pisifera* palms and planting them in high density encourages male inflorescence and this facilitates pollen production which is used in breeding programmes (Jack et al., 1998). Accordingly, following detection of the presence or absence of *dura*, *pisifera*, or *tenera* SHELL genotype, or a linked marker as described below, a further step of: (1) reduction elimination of *dura* or *pisifera* contamination of *tenera* seed or plantlets, (2) positive identification of *tenera* seeds or plantlets which are then selected as suitable planting material for commercial palm oil production, or (3) separating *dura*, *tenera* and *pisifera* plants into two or more groups (e.g., plants predicted to be *tenera* in one group and plants predicted to be *dura* or *pisifera* in a second group; plants predicted to be *dura* in one group and plants predicted to be *tenera* or *pisifera* in a second group; plants predicted to be *pisifera* in one group and plants predicted to be *dura* or *tenera* in a second group, or separating into three groups: *dura*, *pisifera*, and *tenera*) with can be achieved.

Any marker that exists that is polymorphic between the parent *dura* and *pisifera* trees in a cross and is linked to the shell locus has the potential to serve as a molecular signal to identify *tenera* trees in a cross. For example, if a *dura* tree, which is homozygous for "T" (ie., T/T) at a given SNP position near the shell locus is crossed with a *pisifera* tree that is homozygous for "A" (ie., A/A) at the same SNP position, then one could genotype seeds of the cross, or one could genotype plantlets arising from seeds of the cross, at the SNP position to track and identify contaminant seeds or plantlets. Seeds that are determined to be heterozygous at the SNP position, (i.e., A/T) are very likely to be *tenera*, unless a recombination between the marker and the shell gene had occurred in the individual being genotyped. Similarly, seeds

which are homozygous at the SNP position for “A” or “T”, (ie., A/A or T/T), are *pisifera* or *dura* contaminant trees respectively, and when these trees become sexually mature in several years, they will produce suboptimal fruit types. Additionally, seeds or plantlets which have a “C” or “G” in the SNP position, neither of which is present in paternal palm of the cross, are likely trees arising from a different pollen donor than the one intended in the cross, and therefore can be discarded as contaminant seeds or plantlets. Markers that are in closer proximity to the shell locus would have higher predictive accuracy than markers that are farther away from the shell locus, because the closer the marker is to the shell gene, the less likely a recombination could occur which would break the linkage between the marker and the shell gene. Consequently, polymorphic markers within the shell gene itself are expected to have the strongest predictive power, and analysis of multiple markers closely linked to or within the shell gene may be advantageous.

II. Determination of Shell Phenotype Based on Nucleic Acid Detection

In view of the discovery that the SHELL genotype segregates with the *tenera/pisifera/dura* shell phenotype, genotyping a plant or seed at the SHELL locus or at adjacent genomic regions can be used to predict the shell phenotype of a palm plant.

SEQ ID NO:8220 represents the predicted amino acid sequence of the N-terminal 181 amino acids of the protein expressed in oil palm of the *dura* fruit type. The endogenous protein includes additional C-terminal amino acids not included in SEQ ID NO:8220. In oil palm of the *dura* fruit type, the proteins derived from both alleles of the gene include a leucine (L) amino acid at the 28th amino acid position and a lysine (K) amino acid at the 30th amino acid position.

SEQ ID NO:8221 represents the predicted amino acid sequence of the N-terminal 181 amino acids of the protein expressed in oil palm of the *pisifera* fruit type that is derived from the Zaire line. The endogenous protein includes additional C-terminal amino acids not included in SEQ ID NO:8221. This polypeptide includes a leucine (L) amino acid at the 28th amino acid position and an asparagine (N) amino acid at the 30th amino acid position.

SEQ ID NO:8222 represents the predicted amino acid sequence of the N-terminal 181 amino acids of the protein expressed in oil palm of the *pisifera* fruit type that is derived from the Nigerian line. The endogenous protein includes additional C-terminal amino acids not included here. This polypeptide includes a proline (P) amino acid at the 28th amino acid position and a lysine (K) at the 30th amino acid position.

Oil palm trees of the *pisifera* fruit type are the result of one of at least three possibilities: i) both alleles coding for the SEQ ID NO:8221 protein sequence, ii) both alleles coding for the SEQ ID NO:8222 protein sequence, or iii) one allele coding for the SEQ ID NO:8221 protein sequence and the other allele coding for the SEQ ID NO:8222 protein sequence.

Oil palm trees of the *tenera* fruit type are the result of one of at least two possibilities: i) one allele coding for the SEQ ID NO:8220 protein sequence and the other allele coding for the SEQ ID NO:8221 protein sequence, or ii) one allele coding for the SEQ ID NO:8220 protein sequence and the other allele coding for the SEQ ID NO:8222 protein sequence.

It will be appreciated that SEQ ID NOS:8220, 8221, and 8222 are representative sequences and that different individual palms may have an amino acid sequence having one

or more amino acid changes relative to SEQ ID NOS:8220, 8221, and 8222 due, for example, to natural variation.

One or more polymorphism(s) between *pisifera* and *dura* SHELL alleles can be used to determine the shell phenotype of a palm or other plant. For example, when the polymorphism is co-dominant (detectable independent of the other allele) then:

the presence of only a *dura* SHELL allele indicates that the plant has or will have a *dura* shell phenotype;

the presence of only a *pisifera* SHELL allele indicates that the plant has or will have a *pisifera* shell phenotype; and

the presence of a *pisifera* SHELL allele and a *dura* SHELL allele indicates that the plant has or will have a *tenera* shell phenotype.

SEQ ID NO:922 and 923 represent SNPs (single nucleotide polymorphisms) corresponding to those within the SHELL gene sequence itself.

However, genomic regions adjacent to the SHELL gene are also useful to determining whether a palm plant will likely manifest a particular shell phenotype. Because of genetic linkage to the SHELL gene, polymorphisms adjacent to the SHELL locus are predictive of shell phenotype, albeit with reduced accuracy as a function of increased distance from the SHELL locus. SEQ ID NO:8218 provides an approximately 3.4 MB genomic region of the palm genome that comprises the SHELL gene. Table A provides a listing of more than 8200 SNPs identified within SEQ ID NO:8218. A small selection of the SNPs in Table A have been genetically mapped relative to the SHELL locus. Table A provides an estimated predictive value for each SNP provided based on the selection of markers mapped. Thus, as an example, SEQ ID NO:1 represents a SNP that is accurate in predicting shell phenotype 83% of the time. Said another way, using the SNP of SEQ ID NO:1 as a genetic marker, one can correctly predict shell phenotype of palm plants 83 out of 100 times. Thus, even at a significant physical distance from the SHELL locus on the palm chromosome, polymorphic markers allow for relatively accurate prediction of shell phenotype of plants. In some embodiments, the polymorphic marker is within 1, 10, 20, 50, 100, 200, 500, 1000 kb from the SHELL gene (e.g., the gene corresponding to SEQ ID NO:8219).

Accordingly, methods of detecting one or more polymorphic marker within a region of the palm genome corresponding to SEQ ID NO:8218 are provided. Such methods are useful for predicting shell phenotype of palm plants for example. While over 8200 specific polymorphisms are provided in Table A, it should be appreciated that the polymorphisms represented in Table A are merely an example of polymorphisms within the genomic region corresponding to SEQ ID NO:8218. Additional polymorphisms can be identified as desired and also be used to predict shell phenotype of a palm plant. Such additional polymorphisms are intended to be encompassed in the methods described herein. Moreover, it will be appreciated that SEQ ID NO:8218 is a representative sequence and that different individual palms may have a corresponding genomic region having one or more nucleotide changes relative to SEQ ID NO:8218 due, for example, to natural variation. As noted elsewhere herein, nevertheless, identifying the region of a genome corresponding to SEQ ID NO:8218 can be readily determined using alignment programs, etc.

The nucleic acid sequences provided herein were generated by nucleotide sequencing and on occasion, include one or more stretches of “N’s.” These stretches of N’s represent gaps in assembly of sequences of an estimated size. The precise number of N’s in a sequence is an estimate (for

example, 100 N's may only represent 30 bases). N's can be any base, and are likely repetitive sequence in the genome.

Detecting specific polymorphic markers can be accomplished by methods known in the art for detecting sequences at polymorphic sites. For example, standard techniques for genotyping for the presence of SNPs and/or microsatellite markers can be used, such as fluorescence-based techniques (Chen, X. et al., *Genome Res.* 9(5): 492-98 (1999)), utilizing PCR, LCR, Nested PCR and other techniques for nucleic acid amplification. Specific commercial methodologies available for SNP genotyping include, but are not limited to, TaqMan™ genotyping assays and SNPlex platforms (Applied Biosystems), gel electrophoresis (Applied Biosystems), mass spectrometry (e.g., MassARRAY system from Sequenom), minisequencing methods, real-time PCR, BioPlex system (BioRad), CEQ and SNPstream systems (Beckman), array hybridization technology (e.g., Affymetrix GeneChip; Perlegen), BeadArray Technologies (e.g., Illumina GoldenGate and Infinium assays), array tag technology (e.g., Parallele), and endonuclease-based fluorescence hybridization technology (Invader; Third Wave). Some of the available array platforms, including Affymetrix SNP Array 6.0 and Illumina CNV370-Duo and 1M BeadChips, include SNPs that tag certain copy number variants.

In certain embodiments, polymorphic markers are detected by sequencing technologies. Obtaining sequence information about an individual plant identifies particular nucleotides in the context of a sequence. For SNPs, sequence information about a single unique sequence site is sufficient to identify alleles at that particular SNP. For markers comprising more than one nucleotide, sequence information about the nucleotides of the individual that contain the polymorphic site identifies the alleles of the individual for the particular site.

Various methods for obtaining nucleic acid sequence are known to the skilled person, and all such methods are useful for practicing the invention. Sanger sequencing is a well-known method for generating nucleic acid sequence information. Recent methods for obtaining large amounts of sequence data have been developed, and such methods are also contemplated to be useful for obtaining sequence information of a plant, if desired. These include pyrosequencing technology (Ronaghi, M. et al. *Anal Biochem* 267:65-71 (1999); Ronaghi, et al., *Biotechniques* 25:876-878 (1998)), e.g. 454 pyrosequencing (Nyren, P., et al. *Anal Biochem* 208:171-175 (1993)), Illumina/Solexa sequencing technology (Strausberg, R L, et al *Drug Disc Today* 13:569-577 (2008)), and Supported Oligonucleotide Ligation and Detection Platform (SOLiD) technology; Strausberg, R L, et al *Drug Disc Today* 13:569-577 (2008).

Methods of polymorphism detection can be performed on any type of biological sample from the plant that contains nucleic acids (e.g., DNA, RNA). As one particular advantage of the methods is to predict the shell phenotype of young plants before cultivation in the field, in some embodiments, the samples are obtained from a plant that has been germinated less than 1, 2, 4, 6, months or less than 1, 2, 3, 4, or 5 years. In some embodiments, the plants are generated from i) a cross between *dura* and *pisifera* palms ii) the selfing of a *tenera* palm, iii) a cross between two plants having the *tenera* shell phenotype, iv) a cross between *dura* and *tenera* palms, and v) a cross between *tenera* and *pisifera* palms. Because such crosses are not 100% efficient, such crosses result in some percentage of seeds or plants that will not in the future produce seeds or plants with the *tenera* shell phenotype, (in case of i) and the observed number of *tenera* palms observed do not follow the expected Mendellian

segregation (ii, iii & iv). By testing seeds or plants resulting from the attempted crosses, one can reduce or eliminate non-*tenera* contaminant seeds or plants from material planted for cultivation (optionally discarding those plants that are predicted to be *dura* and/or *pisifera*). Alternatively, one can identify and segregate plants based on their predicted shell genotype, allowing for selection and cultivation of fields of pure *pisifera* and *dura* trees, if desired, e.g., for later breeding purposes.

III. Transgenic Plants

As discussed above, the SHELL gene of palm has been discovered to control shell phenotype. Thus in some embodiments, plants having modulated expression of a SHELL polypeptide are provided. The more desirable shell phenotype (*tenera*, having a shell less than 2 mm thick) occurs naturally as a heterozygote of the between the *dura* and *pisifera* allele.

It has been discovered that *pisifera* SHELL alleles contain missense mutations in portions of the gene encoding the MADS box domain of the protein, which plays a role in transcription regulation. Thus, it is possible that the *tenera* phenotype results from a reduced level of SHELL protein compared to *dura* plants, which have two copies of the active protein. Accordingly, in some embodiments, plants having reduced level of active SHELL protein compared to a *dura* plant are provided. Such plants can be generated, for example, using gene inhibition technology, including but not limited to siRNA technology, to reduce, but not eliminate, endogenous SHELL gene expression of an active SHELL protein (e.g., in a *dura* or *tenera* background).

Alternatively, a heterologous expression cassette (i.e., a transgene) can be introduced into a *pisifera* background where the expression cassette controls expression of SHELL at a reduced level compared to the native SHELL promoter. This can be achieved, for example, by operably linking a mutated SHELL promoter to a polynucleotide encoding a SHELL polypeptide, thereby weakening the "strength" of the promoter, or by operably linking a heterologous promoter that is weaker than the native SHELL promoter to a polynucleotide encoding a SHELL polypeptide.

Alternatively, it is possible that the *tenera* phenotype results from a mechanism involving the protein:protein interaction of non-DNA binding *pisifera* types of SHELL proteins with fully functional types of SHELL (homodimers) or other MADS-box family members (heterodimers). Thus, in some embodiments, plants that heterologously express a SHELL polypeptide with a functional M, I, and K domain and a non-function C-(MADSbox) domain are provided. M, I, K, and C domains are described in, e.g., Gramzow and Theissen, 2010 *Genome Biology* 11: 214-224 and the corresponding domains can be identified in the palm sequences described herein. By expressing such a protein having active protein:protein interaction domains but a non-functional DNA binding domain, proteins that interact with the modified SHELL protein will be removed from biological action, thereby resulting in a reduced shell thickness. Thus, for example, one can express either of the *pisifera* alleles described herein under control of a heterologous promoter in the plant (e.g., a palm plant, e.g., a *dura* background), thereby resulting in the reduced shell thickness.

A. Inhibition or Suppression of Gene Expression

The invention provides methods for controlling shell trait in a palm (e.g., oil palm, coconut, or date palm) or other plant by reducing expression of an endogenous nucleic acid molecule encoding a SHELL polypeptide. For example, in a transgenic plant, a nucleic acid molecule, or antisense,

siRNA, microRNA, or dsRNA constructs thereof, targeting a SHELL gene product, or fragment thereof, or a SHELL mRNA, or fragment thereof can be operatively linked to an exogenous regulatory element, wherein expression of the construct suppresses endogenous SHELL expression.

A number of methods can be used to inhibit gene expression in plants. For instance, antisense technology can be conveniently used. To accomplish this, a nucleic acid segment from the desired gene is cloned and operably linked to a promoter such that the antisense strand of RNA will be transcribed. The expression cassette is then transformed into plants and the antisense strand of RNA is produced. In plant cells, it has been suggested that antisense RNA inhibits gene expression by preventing the accumulation of mRNA which encodes the protein of interest, see, e.g., Sheehy et al., *Proc. Nat. Acad. Sci. USA*, 85:8805-8809 (1988); Pnueli et al., *The Plant Cell* 6:175-186 (1994); and Hiatt et al., U.S. Pat. No. 4,801,340.

The antisense nucleic acid sequence transformed into plants will be substantially identical to at least a portion of the endogenous gene or genes to be repressed. The sequence, however, does not have to be perfectly identical to inhibit expression. Thus, an antisense or sense nucleic acid molecule encoding only a portion of a SHELL-encoding sequence can be useful for producing a plant in which SHELL expression is suppressed. The vectors of the present invention can be designed such that the inhibitory effect applies to other proteins within a family of genes exhibiting homology or substantial homology to the target gene, or alternatively such that other family members are not substantially inhibited.

For antisense suppression, the introduced sequence also need not be full length relative to either the primary transcription product or fully processed mRNA. Generally, higher homology can be used to compensate for the use of a shorter sequence. Furthermore, the introduced sequence need not have the same intron or exon pattern, and homology of non-coding segments may be equally effective. In some embodiments, a sequence of at least, e.g., 15, 20, 25, 30, 50, 100, 200, or more continuous nucleotides (up to mRNA full length) substantially identical to an endogenous SHELL mRNA, or a complement thereof, can be used.

Catalytic RNA molecules or ribozymes can also be used to inhibit expression of SHELL genes. It is possible to design ribozymes that specifically pair with virtually any target RNA and cleave the phosphodiester backbone at a specific location, thereby functionally inactivating the target RNA. In carrying out this cleavage, the ribozyme is not itself altered, and is thus capable of recycling and cleaving other molecules, making it a true enzyme. The inclusion of ribozyme sequences within antisense RNAs confers RNA-cleaving activity upon them, thereby increasing the activity of the constructs.

A number of classes of ribozymes have been identified. One class of ribozymes is derived from a number of small circular RNAs that are capable of self-cleavage and replication in plants. The RNAs replicate either alone (viroid RNAs) or with a helper virus (satellite RNAs). Examples include RNAs from avocado sunblotch viroid and the satellite RNAs from tobacco ringspot virus, lucerne transient streak virus, velvet tobacco mottle virus, *Solanum nodiflorum* mottle virus and subterranean clover mottle virus. The design and use of target RNA-specific ribozymes is described in Haseloff et al. *Nature*, 334:585-591 (1988).

Another method of suppression is sense suppression (also known as co-suppression). Introduction of expression cassettes in which a nucleic acid is configured in the sense

orientation with respect to the promoter has been shown to be an effective means by which to block the transcription of target genes. For an example of the use of this method to modulate expression of endogenous genes see, Napoli et al., *The Plant Cell* 2:279-289 (1990); Flavell, *Proc. Natl. Acad. Sci., USA* 91:3490-3496 (1994); Kooter and Mol, *Current Opin. Biol.* 4:166-171 (1993); and U.S. Pat. Nos. 5,034,323, 5,231,020, and 5,283,184.

Generally, where inhibition of expression is desired, some transcription of the introduced sequence occurs. The effect may occur where the introduced sequence contains no coding sequence per se, but only intron or untranslated sequences homologous to sequences present in the primary transcript of the endogenous sequence. The introduced sequence generally will be substantially identical to the endogenous sequence intended to be repressed. This minimal identity will typically be greater than about 65%, but a higher identity might exert a more effective repression of expression of the endogenous sequences. In some embodiments, the level of identity is more than about 80% or about 95%. As with antisense regulation, the effect can apply to any other proteins within a similar family of genes exhibiting homology or substantial homology and thus which area of the endogenous gene is targeted will depend whether one wished to inhibit, or avoid inhibition, of other gene family members.

For sense suppression, the introduced sequence in the expression cassette, needing less than absolute identity, also need not be full length, relative to either the primary transcription product or fully processed mRNA. This may be preferred to avoid concurrent production of some plants that are overexpressers. A higher identity in a shorter than full length sequence compensates for a longer, less identical sequence. Furthermore, the introduced sequence need not have the same intron or exon pattern, and identity of non-coding segments will be equally effective. Normally, a sequence of the size ranges noted above for antisense regulation is used.

Endogenous gene expression may also be suppressed by way of RNA interference (RNAi), which uses a double-stranded RNA having a sequence identical or similar to the sequence of the target gene. RNAi is the phenomenon in which when a double-stranded RNA having a sequence identical or similar to that of the target gene is introduced into a cell, the expressions of both the inserted exogenous gene and target endogenous gene are suppressed. The double-stranded RNA may be formed from two separate complementary RNAs or may be a single RNA with internally complementary sequences that form a double-stranded RNA. Although details of the mechanism of RNAi are still unknown, it is considered that the introduced double-stranded RNA is initially cleaved into small fragments, which then serve as indexes of the target gene in some manner, thereby degrading the target gene. RNAi is known to be also effective in plants (see, e.g., Chuang, C. F. & Meyerowitz, E. M., *Proc. Natl. Acad. Sci. USA* 97: 4985 (2000); Waterhouse et al., *Proc. Natl. Acad. Sci. USA* 95:13959-13964 (1998); Tabara et al. *Science* 282:430-431 (1998)). For example, to achieve suppression of the expression of a DNA encoding a protein using RNAi, a double-stranded RNA having the sequence of a DNA encoding the protein, or a substantially similar sequence thereof (including those engineered not to translate the protein) or fragment thereof, is introduced into a plant of interest. The resulting plants may then be screened for a phenotype associated with the target protein and/or by monitoring steady-state RNA levels for transcripts encoding the protein. Although the

genes used for RNAi need not be completely identical to the target gene, they may be at least 70%, 80%, 90%, 95% or more identical to the target gene sequence. See, e.g., U.S. Patent Publication No. 2004/0029283. The constructs encoding an RNA molecule with a stem-loop structure that is unrelated to the target gene and that is positioned distally to a sequence specific for the gene of interest may also be used to inhibit target gene expression. See, e.g., U.S. Patent Publication No. 2003/0221211.

The RNAi polynucleotides may encompass the full-length target RNA or may correspond to a fragment of the target RNA. In some cases, the fragment will have fewer than 100, 200, 300, 400, 500 600, 700, 800, 900 or 1,000 nucleotides corresponding to the target sequence. In addition, in some embodiments, these fragments are at least, e.g., 50, 100, 150, 200, or more nucleotides in length. In some cases, fragments for use in RNAi will be at least substantially similar to regions of a target protein that do not occur in other proteins in the organism or may be selected to have as little similarity to other organism transcripts as possible, e.g., selected by comparison to sequences in analyzing publicly-available sequence databases.

Expression vectors that continually express siRNA in transiently- and stably-transfected have been engineered to express small hairpin RNAs, which get processed in vivo into siRNAs molecules capable of carrying out gene-specific silencing (Brummelkamp et al., *Science* 296:550-553 (2002), and Paddison, et al., *Genes & Dev.* 16:948-958 (2002)). Post-transcriptional gene silencing by double-stranded RNA is discussed in further detail by Hammond et al. *Nature Rev Gen* 2: 110-119 (2001), Fire et al. *Nature* 391: 806-811 (1998) and Timmons and Fire *Nature* 395: 854 (1998).

One of skill in the art will recognize that using technology based on specific nucleotide sequences (e.g., antisense or sense suppression, siRNA, microRNA technology, etc.), families of homologous genes can be suppressed with a single sense or antisense transcript. For instance, if a sense or antisense transcript is designed to have a sequence that is conserved among a family of genes, then multiple members of a gene family can be suppressed. Conversely, if the goal is to only suppress one member of a homologous gene family, then the sense or antisense transcript should be targeted to sequences with the most variance between family members.

Yet another way to suppress expression of an endogenous plant gene is by recombinant expression of a microRNA that suppresses a target (e.g., a SHELL gene). Artificial microRNAs are single-stranded RNAs (e.g., between 18-25 mers, generally 21 mers), that are not normally found in plants and that are processed from endogenous miRNA precursors. Their sequences are designed according to the determinants of plant miRNA target selection, such that the artificial microRNA specifically silences its intended target gene(s) and are generally described in Schwab et al, *The Plant Cell* 18:1121-1133 (2006) as well as the internet-based methods of designing such microRNAs as described therein. See also, US Patent Publication No. 2008/0313773.

B. Use of Nucleic Acids of the Invention to Enhance Gene Expression

Nucleic acid sequences encoding all or an active part of a SHELL polypeptide (including but not limited to polypeptides substantially identical to SEQ ID NO:8220, 8221, or 8222, or SHELL polypeptides having a functional M, I, and K domain and a non-function C, which when expressed control shell thickness) can be used to prepare expression cassettes that enhance, or increase SHELL gene expression.

Where overexpression of a gene is desired, the desired SHELL gene from a different species may be used to decrease potential sense suppression effects.

Any of a number of means well known in the art can be used to increase SHELL activity in plants. Any organ can be targeted, such as shoot vegetative organs/structures (e.g. leaves, stems and tubers), roots, flowers and floral organs/structures (e.g. bracts, sepals, petals, stamens, carpels, anthers and ovules), seed (including embryo, endosperm, and seed coat) and fruit. Alternatively, a SHELL gene can be expressed constitutively (e.g., using the CaMV 35S promoter).

One of skill will recognize that the polypeptides encoded by the genes of the invention, like other proteins, have different domains which perform different functions. Thus, the gene sequences need not be full length, so long as the desired functional domain of the protein is expressed.

III. Preparation of Recombinant Vectors

In some embodiments, to use isolated sequences in the above techniques, recombinant DNA vectors suitable for transformation of plant cells are prepared. Techniques for transforming a wide variety of higher plant species are well known and described in the technical and scientific literature. See, for example, Weising et al. *Ann. Rev. Genet.* 22:421-477 (1988). A DNA sequence coding for the desired polypeptide, for example a cDNA sequence encoding a full length protein, will preferably be combined with transcriptional and translational initiation regulatory sequences which will direct the transcription of the sequence from the gene in the intended tissues of the transformed plant.

For example, for overexpression, a plant promoter fragment may be employed which will direct expression of the gene in all tissues of a regenerated plant. Such promoters are referred to herein as "constitutive" promoters and are active under most environmental conditions and states of development or cell differentiation. Examples of constitutive promoters include the cauliflower mosaic virus (CaMV) 35S transcription initiation region, the 1'- or 2'-promoter derived from T-DNA of *Agrobacterium tumefaciens*, and other transcription initiation regions from various plant genes known to those of skill.

Alternatively, the plant promoter may direct expression of the polynucleotide of the invention in a specific tissue (tissue-specific promoters) or may be otherwise under more precise environmental control (inducible promoters). Examples of tissue-specific promoters under developmental control include promoters that initiate transcription only in certain tissues, such as fruit, seeds, or flowers. Examples of environmental conditions that may affect transcription by inducible promoters include anaerobic conditions, elevated temperature, or the presence of light.

If proper polypeptide expression is desired, a polyadenylation region at the 3'-end of the coding region should be included. The polyadenylation region can be derived from the natural gene, from a variety of other plant genes, or from T-DNA.

The vector comprising the sequences (e.g., promoters or coding regions) from genes of the invention can optionally comprise a marker gene that confers a selectable phenotype on plant cells. For example, the marker may encode biocide resistance, particularly antibiotic resistance, such as resistance to kanamycin, G418, bleomycin, hygromycin, or herbicide resistance, such as resistance to chlorosulfuron or Basta.

SHELL nucleic acid operably linked to a promoter is provided that, in some embodiments, is capable of driving the transcription of the SHELL coding sequence in plants.

The promoter can be, e.g., derived from plant or viral sources. The promoter can be, e.g., constitutively active, inducible, or tissue specific. In construction of recombinant expression cassettes, vectors, transgenics, of the invention, a different promoters can be chosen and employed to differentially direct gene expression, e.g., in some or all tissues of a plant or animal. In some embodiments, as discussed above, desired promoters are identified by analyzing the 5' sequences of a genomic clone corresponding to a SHELL gene as described here.

V. Production of Transgenic Plants

DNA constructs of the invention may be introduced into the genome of the desired plant host by a variety of conventional techniques. For example, the DNA construct may be introduced directly into the genomic DNA of the plant cell using techniques such as electroporation and microinjection of plant cell protoplasts, or the DNA constructs can be introduced directly to plant tissue using ballistic methods, such as DNA particle bombardment. Alternatively, the DNA constructs may be combined with suitable T-DNA flanking regions and introduced into a conventional *Agrobacterium tumefaciens* host vector. The virulence functions of the *Agrobacterium tumefaciens* host will direct the insertion of the construct and adjacent marker into the plant cell DNA when the cell is infected by the bacteria.

Various palm transformation methods have been described. See, e.g., Masani and Parveez, *Electronic Journal of Biotechnology* Vol. 11 No. 3, Jul. 15, 2008; Chowdury et al., *Plant Cell Reports*, Volume 16, Number 5, 277-281 (1997).

Microinjection techniques are known in the art and well described in the scientific and patent literature. The introduction of DNA constructs using polyethylene glycol precipitation is described in Paszkowski et al. *EMBO J.* 3:2717-2722 (1984). Electroporation techniques are described in Fromm et al. *Proc. Natl. Acad. Sci. USA* 82:5824 (1985). Ballistic transformation techniques are described in Klein et al. *Nature* 327:70-73 (1987).

Agrobacterium tumefaciens-mediated transformation techniques, including disarming and use of binary vectors, are well described in the scientific literature. See, for example Horsch et al. *Science* 233:496-498 (1984), and Fraley et al. *Proc. Natl. Acad. Sci. USA* 80:4803 (1983).

Transformed plant cells that are derived from any transformation technique can be cultured to regenerate a whole plant that possesses the transformed genotype and thus the desired phenotype. Such regeneration techniques rely on manipulation of certain phytohormones in a tissue culture growth medium, optionally relying on a biocide and/or herbicide marker that has been introduced together with the desired nucleotide sequences. Plant regeneration from cultured protoplasts is described in Evans et al., *Protoplasts Isolation and Culture*, Handbook of Plant Cell Culture, pp. 124-176, MacMillan Publishing Company, New York, 1983; and Binding, *Regeneration of Plants*, Plant Protoplasts, pp. 21-73, CRC Press, Boca Raton, 1985. Regeneration can also be obtained from plant callus, explants, organs, or parts thereof. Such regeneration techniques are described generally in Klee et al. *Ann. Rev. of Plant Phys.* 38:467-486 (1987).

The nucleic acids of the invention can be used to confer desired traits on essentially any plant. Thus, the invention has use over a broad range of plants, including species from the genera *Asparagus*, *Atropa*, *Avena*, *Brassica*, *Citrus*, *Citrullus*, *Capsicum*, *Cucumis*, *Cucurbita*, *Daucus*, *Fragaria*, *Glycine*, *Gossypium*, *Helianthus*, *Heterocallis*, *Hor-*

deum, *Hyoscyamus*, *Lactuca*, *Linum*, *Lolium*, *Lycopersicon*, *Malus*, *Manihot*, *Majorana*, *Medicago*, *Nicotiana*, *Oryza*, *Panicum*, *Pannisetum*, *Persea*, *Pisum*, *Pyrus*, *Prunus*, *Raphanus*, *Secale*, *Senecio*, *Sinapis*, *Solanum*, *Sorghum*, *Trigonella*, *Triticum*, *Vitis*, *Vigna*, and, *Zea*. Plants having a shell, and thus those that have use in the present invention, include but are not limited to dicotyledons and monocotyledons including but not limited to palm.

EXAMPLES

The following examples are offered to illustrate, but not to limit the claimed invention.

Example 1. Plant Materials, DNA Extraction and Restriction Enzyme Digestion

The mapping family used for generating the genetic linkage map was derived from the selfing of the high iodine value (IV) *tenera* palm, T128, from MPOB's Nigerian germplasm collection (Rajanaidu, 1990). Controlled self-pollination was used to generate the mapping family. A total of 241 palms were originally planted at several locations in Malaysia, including the MPOB-UKM Research Station at Bangi, Selangor, Ulu Paka Research Station at Terengganu, Keratong Research Station at Pahang, Lahad Datu Research Station at Sabah, United Plantations, Teluk Intan, Perak and FELDA Research Station at Jerantut, Pahang. Of the 241 palms, 240 were still available for both marker and phenotype analysis.

Unopened leaf samples (spear leaf) were collected from individual palms and immediately frozen under liquid nitrogen and then stored at -80°C . until DNA preparation. DNA from the leaf samples was extracted and purified using the method described by Doyle and Doyle (1990).

Standard RFLP analysis was performed as described by Singh et al., 2009. The RFLP probes used in this study were complementary DNA (cDNA) clones obtained from various cDNA libraries (young etiolated seedling, mesocarp, kernel and root) constructed previously as described by Cheah et al. (1996). cDNA clones from a subtracted flower library (Cheah and Rajinder, 1998) were also used to screen the mapping population.

The cDNA clones were picked at random from the various libraries. Plasmid DNA was prepared from individual clones by using column purification, with Qiagen-tip 20 (Qiagen) as described by the manufacturer. The concentration of the prepared plasmids was determined by using ethidium bromide plates (Sambrook et al. 1989).

The presence of DNA insert was examined by restriction digestion of μg plasmid DNA with 10 U of the appropriate restriction enzyme for 3 hours, to release the insert DNA. One fifth ($1/5$) volume of loading buffer, FOG, was added to the digestion mix and the fragments were separated by electrophoresis through a 1.5% agarose gel. cDNA clones with insert size larger than 500 base-pairs (bp) were selected to screen for their ability to detect RFLP in the mapping population.

Probes for mapping were derived from the selected plasmids as polymerase chain reaction (PCR) amplified DNA fragments. Bacterial clones containing selected probes were maintained as frozen glycerol stocks at -80°C .

The DNA probes were labeled for RFLP analysis as described by Singh et al., 2009.

Example 2. Simple Sequence Repeat (SSR) Analysis and SNP Analysis

SSR analysis was carried out essentially as described by Singh et al., 2009. The SSR primers were sourced as

21

follows: i) A SSR enriched library described by Singh et al., 2007, ii) the published microsatellite primer pairs (Billotte et al., 2005) were also tested on the mapping populations, and iii) SSR primers derived from MPOB's in-house expressed sequence tag (EST) collection) and genomic sequences were also used in map construction.

The OPSNP3 SNP set comprising 4,451 SNPs was interrogated using the Illumina iSelect Infinium II assay. The automatic allele calling for each SNP locus was accomplished with the GenCall software (Illumina San Diego, Calif.). The Genome Studio software (version 2010.3) was used to analyze the SNP genotyping data.

The individual RFLP, SSR and SNP loci were scored as co-dominant markers and, for this selfed cross, loci segregating in the 1:2:1 ratios were scored. Some RFLP probes and SSR primers revealed complex patterns, for which the alleles were difficult to determine. For such cases, segregating bands were individually scored as being absent or present.

Table 2 below illustrates the 2 different types of segregation patterns observed in the mapping family from RFLP, SSR, SNP and AFLP markers.

TABLE 2

iii. Illustration of the two different types of segregation patterns observed in the mapping family from RFLP, SSR, SNP and AFLP markers.			
	Parent phenotype	Progeny phenotype	Phenotype ratio in the progeny
Loci defined by a single band	—	—	3:1
Loci defined by 2 allelic bands	—	—	1:2:1

Example 3: Determining and Evaluating Fruit Form in the Mapping Family

In the present study, the identification of the shell gene was of interest. The monogenic trait scored was the fruit form. The trait was evaluated on ripened bunches in the field. All 240 F1 progeny, derived by controlled self-pollination of the Nigerian *tenera* accession T128 and grown over two decades in plantations throughout Malaysia, were scored for fruit form phenotype (Rajanaidu et al., 1989). Oil palm trees were grown to maturity in open plantations, making accurate phenotyping of fruit form for some samples difficult due to variation in fertility, yield and environment. Several fruits were harvested from each palm, and shell thickness and fruit form was determined using established criteria.

In order to determine the fruit form, the individual fruits were cut into two equal halves using a sharp knife. A visual observation was made of the shell and classified according to Corley & Tinker, 2003 and Hartley 1988, as follows:

dura: thick shelled (2-8 mm), with no fibre ring

tenera: thin shelled (0.5-3 mm), with a fibre ring surrounding the shell

pisifera: shell-less

In most cases, the presence of the fibre ring was sufficient to distinguish between *dura* and *tenera* fruit forms. An experienced oil palm breeder assisted with the evaluation of the traits.

22

To assess the accuracy of the fruit form phenotypic data used in the study, we reviewed 460 phenotype calls which were made between 2003 and 2012. In this period, up to three independent attempts were made to visually determine the fruit form phenotypes of 339 palms, 240 of which were from the T-128 selfed population used to map SHELL, and 99 from a different population for which re-phenotyping data were available. In the data, ambiguous calls were made 26 times (or 5.7% of total phenotype determinations) where breeders were unsure of the fruit form phenotype.

The segregation data for the phenotypic characters observed in the mapping family is listed in Table 3.

TABLE 3

iv. Analysis of palms for fruit form								
Number of palms	Fruit Type							
	Expected Ratio			Observed Number				
geno-type [#]	<i>Dura</i>	<i>Tenera</i>	<i>Pisifera</i>	<i>Dura</i>	<i>Tenera</i>	<i>Pisifera</i>	Total [#]	χ^2
240	1	2	1	68	124	46	238	1.63

[#]There was a discrepancy between the total number of palms genotyped and that observed for fruit type because two palms could not be phenotyped accurately.

The shell gene trait in the mapping family used in this study met the expected Mendelian ratio (1:2:1 for the *dura*, *tenera* and *pisifera* fruit forms, respectively). The other three reports to date on mapping of the shell gene locus (Mayes et al., 1997; Moretzsohn et al., 2000 and Bilotte et al., 2005) did not indicate if the trait met the expected Mendelian ratio in the mapping families employed in their study.

Example 4. Map Construction and Evaluation of Monogenic Traits

In constructing the genetic map, apart from the 200 RFLP and SSR markers, the progeny consisting of 240 palms was genotyped for 4,451 SNP markers derived from the oil palm genome sequence by the Infinium iSelect® Assay (Illumina). Map construction for the 240 available progeny palms obtained from self-pollination of the Nigerian *tenera* palm T128 was carried out by using the Joinmap ver. 4.0 computer programme (Ooij en, 2006). The oil palm is an out-breeding species, and as such, a high degree of heterozygosity can be expected in its genome. The progeny palms from the selfed cross can thus be expected to behave like an F₂ population.

However, in map construction, it is useful to first determine the "phases" of the markers, either in coupling or repulsion. For this reason, two sets of the genotype data were then created, whereby one set is the converse of the other to account for phase differences in the T128 selfed F₂ population. Markers that exhibited severe distortion ($p < 0.0001$) and markers having more than 10% missing data were excluded. Both sets of genotype data were then grouped at a recombination frequency of ≤ 0.2 . Eighteen nodes were selected to create 18 initial groups for calculating the linkage groups.

The linkages were calculated and loci ordered based on the maximum likelihood algorithm. None of the markers showed severe distortion ($p < 0.0001$). The few distorted markers observed were significant at $p < 0.05-0.1$. These markers were removed from further analysis when necessary. Markers exhibiting nearest neighbour stress (N.N. Stress) value > 2 (cM) were identified and excluded from the

analysis. Markers contributing to insufficient linkages were also determined and removed. The T128 co-dominant map constructed consisted of 16 groups. The number of linkage groups observed matched the haploid chromosome number of oil palm (Maria et al. 1995).

After construction of the consensus map, shell was placed on linkage group 7 (FIG. 1) and comparison of the linkage group to that published by Billotte et al., (2005) indicated shell was located within the expected region. More importantly the shell gene was flanked by two SSR markers, sPSc00119 (about 10 cM) on one side, and sPSc00091 (about 5 cM) on the other side.

The SHELL gene had been previously mapped 4.7 cM and 9.8 cM away from the closest molecular marker (Billotte et al., 2005; Mayes et al., 1997; Moretzsohn et al., 2000) but has proven extremely challenging to identify given the large genome, long generation times and difficulty of phenotyping in experimental populations of oil palm, which are widely distributed among different plantations. To help with identification of the shell gene, great care was taken to phenotype the monogenic trait carefully as described above. Subsequently we took advantage of the oil palm genome sequence to identify the shell gene.

Example 5: Whole Genome Sequencing and Assembly, Comparison of Linkage Group with Genome Scaffolds, Homozygosity Mapping and the Evaluation of Candidate Genes

An AVROS Pisifera palm was sequenced to high coverage on the 454 XL next generation sequencing platform (454/Roche). Sequence reads were generated from DNA fragment libraries and from a complex series of linker libraries (or jumping libraries) where read ends span fragment sizes ranging from 0.75 kb to >30 kb. Sequence reads were assembled with the Newbler assembler (Roche 454, Bradford, Conn.) producing a reference sequence of the oil palm genome. Scaffolds from the reference assembly containing markers genetically mapped in the shell interval were identified. A BAC physical map was constructed from a 10 fold BAC library constructed from the same AVROS Pisifera used to generate the reference sequence. BAC end sequences were also generated from each BAC in the library using standard Sanger sequencing on the 3730 sequencing platform (Life Technologies). BAC end sequences were assembled into the reference genome with the Newbler assembler. A minimum tiling path of BAC clones spanning the SHELL interval was selected, and BAC clones in the tiling path were sequenced in pools to high coverage with 454 XL technology. The reference genome was reassembled including the original 454 whole genome shotgun sequence data, the BAC pool sequence data and all BAC end sequences. Improved scaffold coverage and scaffold length spanning the shell interval was produced. Two pedigrees were used in homozygosity mapping studies. A total of 43

individual AVROS *pisifera* palms (originating from Zaire, Africa) were the first pedigree used. Additionally, a total of 14 of the AVROS Pisifera palms were independently sequenced while the DNA from the remaining 29 palms were pooled together for deep sequencing (Pool 1). The second pedigree was the progeny palms from the selfing of the Nigerian *tenera* palm T128. The DNA of thirty (30) *pisifera* palms from the Nigerian selfed palm were also pooled and sequenced (Pool 2). In Pool 3, DNA from 17 Nigerian *dura* palms and 20 Nigerian *tenera* palms were pooled and sequenced. Whole genome shotgun sequence data was generated on the HISEQ 2000 (Illumina). Individual trees and pools of trees were sequenced to 20 and 40 fold raw sequence coverage respectively. Individual reads from each tree and from each pool were read mapped to sequence scaffolds from the reference genome assembly described above.

The SNP markers on linkage group 7 were subsequently mapped by sequence similarity to a 3.4 Mb assembly Scaffold 43 (p3-sc00043). The scaffolds corresponding to linkage group 7 containing the SHELL gene is presented in FIG. 1. The order of the markers on the linkage group corresponded to the physical order of the markers on the scaffolds, providing confidence on the genetic map constructed. We predicted that the shell gene is most likely contained in Scaffold 43 (p3_sc00043), the scaffold containing the highest probability interval. A tiling path of BAC contigs corresponding to Scaffold 43 was selected from a high-information content physical map of *pisifera* and sequenced. Additional 50 SNP assays were designed from an improved assembly corresponding to Scaffold 43.

Thirty additional SNP markers were also designed from the scaffolds p3-sc00191, p3-sc00203 and p3-sc02216, which were also associated with linkage Group 7. These 80 SNP markers (designated as SNPE) were also genotyped on the 240 palms from the Nigerian T128 selfed population using the Sequenom MassArray® iPLEX platform. Of the 80 SNPE SNP markers tested, 63 (78%) were polymorphic.

The additional 63 SNP genotypes were incorporated into the map as above giving a final co-dominant genetic linkage map consisting of 828 markers [722 SNP (inclusive of SNPE), 103 SSR, 2 RFLP markers and shell in 16 linkage groups (FIG. 2).

Shell remained in linkage group 7 (FIG. 2), together with the 63 SNPE markers developed from the selected scaffolds. The final size of linkage group 7 is 172.2 cM with an average of 1.2 cM between two adjacent markers.

The shell gene locus was successfully mapped in Group 7, this time flanked by two SNP markers, namely SNPE00039, SNPE00037 (about 3 cM) on either side (FIG. 2). Table 4 shows that the predictability of the markers for the trait in the mapping family was about 95% for both markers. In a review of single marker data, recombinant breakpoints were identified indicating the gene lay in a 450 kb interval in Scaffold 43.

TABLE 4

Linkage of SNP markers to the shell gene locus in the mapping family					
Marker	No. of palms with genotype & phenotype	No. palms matching expected profile	No. of recombinants	Position in Linkage Group 7	% predictability
SNPE00047	234	217	17	16.60	92.74
SNPE00048	234	217	17	16.60	92.74

TABLE 4-continued

Linkage of SNP markers to the shell gene locus in the mapping family					
	No. of palms with genotype & phenotype	No. palms matching expected profile	No. of recombinants	Position in Linkage Group 7	% predictability
SNPE00049	234	217	17	16.60	92.74
SNPE00044	235	219	16	16.85	93.19
SNPE00046	235	219	16	16.85	93.19
SNPE00045	234	218	16	16.85	93.16
sPSc00128	234	217	17	16.85	92.74
SNPE00042	234	222	12	18.11	94.87
sPSc00125	233	216	17	18.86	92.70
SNPE00039	235	224	11	19.87	95.32
Shell Locus					
SNPE00037	235	224	11	24.46	95.32
SNPE00035	235	224	11	24.71	95.32
SNPE00028	235	223	12	24.71	94.89
SNPE00036	233	220	13	25.46	94.42
SNPE00090	233	216	17	26.47	92.70
SNPE00087	233	216	17	27.22	92.70

Next, we employed homozygosity mapping using the AVROS pedigree (FIG. 3) and whole genome re-sequencing. In this technique, candidate genes appear as regions with low diversity in homozygous inbred individuals (Gschwend et al., 1996; Lander and Botstein, 1987). Fourteen individual *pisifera* palm genomes were sequenced at 20× genomic coverage (Illumina HISEQ 2000) and 29 additional *pisifera* palms were sequenced as a pool at 40× coverage (pool 1). Individual reads were mapped to sequence scaffolds from the *pisifera* reference genome assembly, and highest probability SNPs were located on scaffold 43 of the *pisifera* Build 3 (p3-sc00043). In each of the 14 genome sequences, SNPs were summed over 10 Kb windows along the scaffold and plotted against map location. This scaffold was computationally annotated for genes by comparing to public databases for the *A. thaliana* and rice genomes using the NCBI BLAST™ similarity searching tool. The genes with the highest homozygosity within the predicted interval from the genetic map were screened for putative function and for nucleic and amino acid changes between the *pisifera* and *dura* lines, as well as for amino acid differences in other species. SNPs were called throughout the genome, and those in Scaffold 43 were scored. The resulting homozygosity plot had a local minima of 200 kb (centered around 400,000 bp in p3-sc00043, FIG. 4A). This 200 kb region contained about 30 annotated genes, only five of which were fully homozygous, and only one of which lay in the genetic interval containing SHELL (FIG. 4B). This gene encodes an ortholog of *Arabidopsis* SHP1, SHP2 and STK known to impact fruit development (Ferrandiz et al., 2000; Liljegren et al., 2000).

Arabidopsis SHP1, SHP2 and FRUITFULL (FUL), for example, are Type II MADS-box proteins of the MIKC^c class, and form a network of transcription factors that controls differentiation of the endocarp. In Brassicaceae, the endocarp comprises lignified cells that separate the valve from the replum and control shattering of the seedpod (Dinnyeny and Yanofsky, 2005). Failure to differentiate the endocarp in *shp1 shp2* double mutants in *Arabidopsis* results in indehiscent fruit pods that do not shatter (Liljegren et al. 2000; Pinyopich et al., 2003), while mesophyll cells in full carpels become lignified due to ectopic SHP expression, and burst randomly when full of seed (Dinnyeny and Yanofsky, 2005; Gu et al., 1998). Interestingly, the ortholog of SHP in tomato controls fleshy fruit expansion in the endocarp

(Vrebalov et al., 2009) while homologs of FUL and SHP have been implicated in split-pit formation in peaches, which are also drupes (Tani et al., 2007). SHP proteins bind to DNA as homodimers or as heterodimers (Huang et al., 1996), and the highly conserved MADS domain is involved in both DNA binding and in dimerization (Immink et al., 2010).

Analysis of 10,916,126 RNA-seq reads from 22 different oil palm libraries revealed only 159 reads matching oil palm SHELL, all of which were found in just four libraries: whole florets one day after anthesis, kernels 10 and 15 weeks after anthesis, and mesocarp 15 weeks after anthesis. These libraries correspond to the stages of shell development (Hartley, 1988; Bhasker and Mohankumar, 2001). PCR Amplicon sequencing (see Example 6) identified allelic differences between the SHELL orthologs in *Deli dura* (*sh^{DeliDura}*), and those in the AVROS (*sh^{AVROS}*) and T128 (*sh^{MPOB}*) *pisifera* haplotypes derived from Congo and Nigeria, respectively (FIG. 5). The DNA sequence change associated with the *pisifera* fruit form in *sh^{MPOB}* results in a leucine to proline amino acid change in the conserved DNA binding and dimerization domain, while the DNA sequence change associated with the *pisifera* fruit form in *sh^{AVROS}* results in a lysine to asparagine amino acid change only two amino acids removed (FIG. 6). This highly conserved lysine residue is involved in nuclear localization, and in direct DNA binding by MADS-box proteins (Huang et al, 1996; Immink et al., 2010) while the substitution by a proline only two amino acid residues N-terminal to this position would disrupt the alpha helix structure that is involved in MADS dimerization and DNA binding (Immink et al., 2010) (FIG. 7). Analysis of an additional 336 palms was used to validate these alleles within established phenotyping norms. These included four *pisifera* palms from introgression trials of *sh^{MPOB}* into *tenera* carrying the *sh^{AVROS}* allele. Sequencing confirmed that these four palms were heteroallelic, indicating that the two alleles failed to complement, and confirmed the identity of the gene. Transgenic complementation experiments are not possible in oil palm, but similar experiments in tomato have confirmed the importance of the SHP gene, for example, in regulating mesocarp thickness in fleshy fruits (Vrebalov et al., 2009). Therefore, the DNA sequence changes in the oil palm SHELL gene disclosed in this invention would have apparent effects on the function of the SHELL protein, thereby leading to the fruit type phenotype.

To further explore segregation in *E. guineensis* populations, SHELL Exon 1 sequence was generated from a diversity panel of 379 palms representing nine distinct wild oil palm populations collected from Angola (Rajanaidu et al., 2000), Madagascar (Rajanaidu et al., 2000), Nigeria (Hartley, 1988) and Tanzania (Rajanaidu et al., 2000), and a subset of a 110,000-accession seed bank collected over the past five decades (Rajanaidu et al., 2000) (see also Example 5). We found that all palms carried either the Sh^{DeliDura}, sh^{AVROS} or sh^{MPOB} alleles in exon 1 (FIG. 5). *Tenera* palms are thought to have been selected by pre-colonial cultures in West Africa due to their higher oil yields, and are the basis for modern oil palm breeding (Rajanaidu et al., 2000). The mutations we have detected in SHELL could account for these higher yields and for the remarkable single gene heterosis exhibited in *tenera* palms (Beirmaert and Vanderweyen, 1941). This is because the alleles would disrupt not only DNA binding, but also dimerization (Huang et al., 1996). Dimerization of the non-functional SHELL protein from shell-less AVROS (sh^{AVROS}) and T128 (sh^{MPOB}) *pisifera* fruit forms with the functional SHELL or other MADs box proteins from thick-shelled *Deli dura* (Sh^{DeliDura}) would be expected to reduce functional activity of the hetero- as well as the homo-dimer (Huang et al., 1996), resulting in the observed thin shell *tenera* phenotype in heterozygotes. Overdominance at a single locus accounts for similarly remarkable increases in hybrid yield in tomato (Krieger et al., 2010), and heterodimerization between transcription factors has been proposed to account for hybrid vigor in maize (Birchler et al., 2003).

Example 6. SHELL Gene Sequencing

DNA sequencing of the eight exons of the SHELL gene was carried out initially for 12 palms from the T128 selfed mapping population. Exon 1 of the gene was sequenced from all palms of the mapping family as well as the AVROS *pisifera* palms used in homozygosity mapping. In addition, Exon 1 from the palms listed in Table 5 was also sequenced.

TABLE 5

Additional palm samples used in SHELL Exon 1 DNA sequencing.

No	Cross Type	Trial No.	Location	No. of Palms tested	Genetic Background
1	Tenera (T) x Tenera (T)	0.305	MPOB-UKM Station, Bangi, Selangor	21	0.151/128 x AAR 0.127/13
2	Tenera (T) x Tenera (T)	TT108	United Plantations, Teluk Intan, Perak	15	Jenderata TT-Yocoubue x Nigerian Tenera
3	Tenera (T) x Tenera (T)	GGN	FFELDA, Jerantut, Pahang	10	T1791 (Nigerian selfed)
4	Tenera x Tenera	AA	FFELDA, Jerantut, Pahang	9	ML180Tx0.149/11525T (Yangambi x Nigerian origin)

¹Palms on the left of the symbol 'x' denote the female parent, while the palm on the right is the male parent.

²In the populations listed above, the female parent of population 1 is palm T128, which was self-pollinated to generate the population used for map construction in this study.

³Populations 1-5 above were segregating for the shell gene

PCR primers were designed based on the reference *pisifera* genome sequence to amplify the entirety of SHELL exon 1 (SEQ ID NO:8237):

TTTTGATCTATGGAAATTAATAAGTCAATATGTCAGTATGTGAAGGTCT

AGGCCATGTTAGTCCCATCATTTTCATTATAGTTTATGATGATGATTTTT

-continued

CTTTTGTTCTTGGCAATATTCTAGACCACTTCAGCAGACAGAGGTGAA
 AGAGAGATCATGGGTAGAGGAAAGATTGAGATCAAGAGGATCGAGAACAA
 CCACAAGCCGGCAGGTCACTTTCTGCAACGCCGAATGGACTGCTGAA
 GAATGCTTATGAGTTGTCTGTCTTTGTGATGCTGAGGTGCCCCATTATT
 GTCTTCTCCAGCCGGGGCCCTCTATGAGTACGCCAATAACAGGTATG
 CTTTGTGACGCCCTTCTCTCCTTCGCTCATATCAAGTTAATTTTATGG
 CTTCATTTGTTCTATGGCCAAGCCAAATCTTTTAAAGTTCTAGAATG
 TTAATGATGGTAGTTTTGCTCCTCTTCAATTTATTT

Primer sequences were confirmed to be unique in the reference *pisifera* genome, and to avoid any identified polymorphic nucleotides. A 5' M13 forward sequence tag was added to the Exon 1 forward PCR primer (TTGCTTT-TAATTTTGCTTGAATACC; SEQ ID NO: 8238). A 5' M13 reverse sequence tag was added to the Exon 1 reverse primer (TTTGGATCAGGGATAAAAGGGAAGC; SEQ ID NO: 8239). SHELL exon 1 was amplified from genomic DNA initially from DNA from 12 oil palm trees, and subsequently from a total of 336 oil palm samples (148 *tenera*, 100 *pisifera* and 86 *dura* and two palms where phenotype calls could not be made). PCR amplification was performed on 20 ng of genomic DNA under standard PCR amplification conditions. Amplicons were treated with exonuclease I and shrimp alkaline phosphatase to remove unincorporated primers and deoxynucleotides. An aliquot of each amplicon was sequenced using M13 forward as primer on an ABI 3730 instrument using standard conditions. Each amplicon was sequenced twice in the forward direction. An aliquot of each amplicon was additionally sequenced using M13 reverse as primer. Each amplicon was sequenced twice in the reverse direction.

All sequencing data was aligned to the reference *pisifera* genome sequence. Data were analyzed to determine the

genotype at each of the two SNP positions identified to be associated with the *pisifera* fruit type.

At the SNP position of SEQ ID NO:922, *dura* trees were found to be homozygous for T (T/T), encoding a leucine amino acid at the corresponding position of the SHELL protein. At the same nucleotide position, *pisifera* trees were either homozygous T/T (if derived from the Zaire line) or homozygous C/C (if derived from the Nigerian line), encoding either a leucine or proline amino acid at the correspond-

ing position of the SHELL protein, respectively. Therefore, *tenera* trees derived from a cross including Congo-derived *pisifera* should be homozygous T/T at the same position, while *tenera* trees derived from a cross including Nigerian-derived *pisifera* will be heterozygous C/T at the same position.

At the SNP position of SEQ ID NO:923, *dura* trees are homozygous A/A, encoding a lysine amino acid at the corresponding position of the SHELL protein. At the same position, *pisifera* trees are either homozygous A/A (if derived from the Nigerian line) or homozygous T/T (if derived from the Zaire line), encoding either a lysine or asparagine amino acid at the corresponding position of the SHELL protein, respectively. In addition, *pisifera* trees may be heterozygous C/T at the SNP position of SEQ ID NO:922, and heterozygous A/T at the SNP position of SEQ ID NO:923 as a result of having contribution from both Zaire and Nigerian derived lines. Therefore, *tenera* trees derived from a cross including Nigerian-derived *pisifera* should be homozygous A/A at the SNP position of SEQ ID NO: 923, while *tenera* trees derived from a cross including Zaire-derived *pisifera* will be heterozygous A/T at the same position.

Therefore, if derived from a cross involving Nigerian derived *pisifera*, *tenera* palms are heterozygous at the SNP position of SEQ ID NO:922 (T/C, where the *dura* derived T allele codes for leucine at the corresponding amino acid position and the *pisifera* derived C allele codes for proline at the same amino acid position), and they are homozygous (A/A) at the SNP position of SEQ ID NO:923 (where both alleles code for lysine). Conversely, if derived from a cross involving Zaire derived *pisifera*, *tenera* palms are homozygous T/T at the SNP position of SEQ ID NO:922 (where both alleles "T" code for leucine), and they are heterozygous at the SNP position of SEQ ID NO:923 (A/T, where the *dura* derived "A" allele codes for lysine and the *pisifera* derived "T" allele codes for asparagine at the same amino acid position).

DNA sequencing of the eight exons of SHELL was carried out for all palms of the mapping family as well as the AVROS *pisifera* palms used in homozygosity mapping. One of the 14 sequenced *pisifera* palms (TP10) proved to be heterozygous for the Zaire (sh^{AVROS}) and Nigerian (sh^{MPOB}) haplotypes, due to contamination in a breeding trial, and was not used for the homozygosity analysis. PCR primers were designed based on the reference *pisifera* genome sequence to amplify the entirety of SHELL exon 1. SHELL-specific primer sequences were TTGCTTTTAATTTTGCTTGAATACC (forward primer upstream of exon 1; SEQ ID NO:8238) and TTTGGATCAGGGATAAAAGGGAAGC (reverse primer downstream of exon 1; SEQ ID NO:8239). Primer sequences were confirmed to be unique in the reference *pisifera* genome, and to avoid any identified polymorphic nucleotides. A 5' M13 forward sequence tag (GTTTTCCAGTCACGACGTGTGTA; SEQ ID NO:8240) was added to the Exon 1 forward PCR primer. A 5' M13 reverse sequence tag (AGGAAACAGCTATGACCAT; SEQ ID NO:8241) was added to the Exon 1 reverse primer. SHELL exon 1 was amplified from genomic DNA and PCR amplification was performed using 20 ng of purified genomic DNA under standard PCR amplification conditions. Amplicons were treated with exonuclease I and shrimp alkaline phosphatase to remove unincorporated primers and deoxynucleotides. An aliquot of each amplicon was sequenced using M13 forward as primer on an ABI 3730 instrument using standard conditions. Each amplicon was sequenced twice in the forward direction. An aliquot of each

amplicon was additionally sequenced using M13 reverse as primer. Each amplicon was sequenced twice in the reverse direction. All sequencing data was aligned to the reference *pisifera* genome sequence. Data were analyzed to determine the genotype at each of the two SNP positions identified to be associated with the *pisifera* fruit form.

We sequenced SHELL Exon 1 from 336 individual palms from the T-128 mapping population, the samples used to construct homozygosity maps, and a collection of palms in crosses with advanced lines (100 *pisifera*, 148 *tenera*, 86 *dura* and 2 with ambiguous phenotype). 323 (96.7%) had SHELL genotypes concordant with their phenotype, and 11 (3.3%) had discordant phenotypes, reflecting the accuracy of phenotyping in the plantation (see above). SHELL exon 1 was also sequenced from all 4 *pisifera* palms derived from TxT crosses between Nigerian (sh^{MPOB}) and Zaire (sh^{AVROS}) (Felda AA and MPOB 0.305), and proved to be heteroallelic as predicted. An additional 3 *pisifera* palms were also found to be heteroallelic, including TP10 which was sequenced completely and proved to be a contaminant in the AVROS pedigree (see above). The other 2 heteroallelic palms were likely similarly contaminated.

A second attempt was made to phenotype and re-sequence the 11 apparently discordant trees, enabling the re-evaluation of 9 trees for fruit type. The second phenotype call of 1 palm was concordant with the genotype prediction, while the second phenotype calls of 7 palms were ambiguous, and 1 palm retained the original phenotype. This palm was re-genotyped and proved to have a consistent genotype. It is plausible that the 9 palms remaining (or 2.7% of the genotyped population) had been misphenotyped originally, given that fruit form phenotyping error is believed to be in excess of 5% (see above), highlighting the need for a molecular assay which more accurately predicts fruit form. This assumption was confirmed in 6 of the 9 palms for which haplotypes were available, as haplotypes were consistent with genotype not phenotype, ruling out recombination as an explanation for discrepancy. The map expansion immediately around SHELL is similarly explained by misphenotyped palms. That is, the 4 SNP markers closest to the mapped shell locus (see FIG. 2) surround the gene we have identified as SHELL, but all have 9/238 "recombinants" including 6 of the 9 mis-phenotyped palms.

Overall, a 2 to 3% discordance rate is within the range of the rate of incorrect phenotyping or genotyping based on either questionable fruit type classification or collection of samples from unintended trees in the field, respectively (approximately 5%). Furthermore, the two palms where the phenotype call could not be made were predicted as *pisifera*, by the SHELL genotype. This is in line with reports describing some *pisifera* palms as not being able to produce mature bunches—a trait observed for these two palms and the reason why fruit form could not be assigned.

In situ hybridization was performed on fruits between 1 and 5 WAA, at the earliest stages of shell formation (Singh et al., submitted). Uniform but weak hybridization signals were detected in the mesocarp of both the thick-shelled (*Dura*) and shell-less (*pisifera*) fruit forms, but very strong signals were detected in the outer layers of the developing kernel in only the *Dura* type, consistent with the function of Shell.

Therefore, the DNA sequence changes in the oil palm SHELL gene disclosed in this invention would clearly have effects on the function of the SHELL protein, thereby leading to the fruit type phenotype.

TABLE A

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1.	GCAAGGTTTGAAGTACTAAAGTAT[G, A]GGGAGTCCTGTTCAAGTTTCGGCAC	94,205	83
2.	CGGACAGCACATGGTACTTGCTGC[G, A]GGACATACCTTAGTATGCCTCATGA	94,307	83
3.	AGCACTCGAGTTGGCCCTTAGTCT[G, C]TCACTTATAGTGGTAACTTTGGGC	94,566	83
4.	CAAGTGATTGTGATGAATAGTTGA[C, T]CCCATGCATTTTAGGATCTTGTGG	94,744	83
5.	GGCAAACCTTGAAAATTAGGAGTT[G, T]GGgAAGGTCTGGTTGGTGCACTCAC	95,576	83
6.	GTAGGCTATCAAAGTAACATTGTC[T, C]GTAGACTCCGTACTTTATATGAAAG	96,098	83
7.	CTTTGAAATTTACCATTCATTATT[A, T]TAGGGTTAACATTTTCTTCCAAAAa	96,236	83
8.	TTGTCTCCGCTGTAGCCACTATCA[G, A]ACACACTATGATCAAAGTTCACCTT	97,720	83
9.	ATGTTTGGAGGTACCCCGGAACGG[A, G]CGCATACCAGTCACATACTGACATG	98,326	83
10.	CTACTTGGACCTGGGTAAATTGGC[A, G]AaTGTGAAGCTGGCCCATCTATTGC	99,241	83
11.	GGGGAACAGGGGAGGGCGAGGAAT[T, A]tGTGTAGTTTGTATTCTTGGGGAA	99,333	83
12.	GTAAATAGGGAGAGGTGGAGGGA[C, A]GGAGAGGAGAAGAGGTGGGAGGAT	100,485	83
13.	ATAAAATAATGTGTTTTACATTGA[C, T]CcAATGCATATCATCCAAACTTCA	102,416	83
14.	TGTTACCTTGATGGTTTTTTCAG[C, T]GTTCAAAGAAGATAATTCCTTTGT	103,291	83
15.	TAGCAGGCTTAGTGAAACCAATGA[G, T]TATCCAATTACTGTGGGCAATCAA	103,497	83
16.	TTGTCTTAAATCTTACCATCTCA[A, G]TGTGTGGGAAGGATCCTTCCTTCT	104,201	83
17.	TATGGTTTGGCCAACTGCCCCAA[T, C]GGTACTGGTGGCCAACTGGCGATGG	105,803	83
18.	TATGTATGCACACACACACACA[T, C]ATATATACATACTTATATATAGG	110,017	83
19.	GAGAAAAATAGAAGGGCTTATGGG[A, C]TTTGGCTGGGATTCCTAAATTGAAG	111,511	83
20.	TGTTTAAGAGTACTATTTTGTAGT[C, A]TAACGAACTAATTACGGAAGAGTG	111,781	83
21.	GGTGGCCACCGCCGATGCCTCTAC[C, T]GGTCTCCCTTTCTTCTCCCTCT	116,728	83
22.	TCTTAACAGTTTGGAATTTTtCTT[T, C]CTATATTTTAATAAGCTCACCTAA	117,200	83
23.	TATAGGGTTGGTTTTCAGCATATGGA[T, C]GCTCGATATGTTGCACGTACTGAGT	117,367	83
24.	CAGTTATGTACTCGTGAGGAATT[G, C]CCATTAGGATAAACAAGGTTTCAT	118,689	83
25.	ATTCAGTCTAAGTGTCTTTTATCC[A, G]TTTCTTCCTGTTATCCAATGCTAT	120,124	83
26.	GCACTGCATGTATGTTAGCATGGC[A, G]CAAAATGTTCTTGCCGGCCTTTGG	120,464	83
27.	AGCATGGCaCAAAATGTTCTTGC[C, T]GGCCTTTGGCCAGAACGCTTCATGC	120,480	83
28.	GGCCAGTCCAAGAATGTAGTTCCC[A, T]aTTGGTATAGTGGGAAGAATACAAA	121,782	83
29.	TCTCGTTTCAAGAATAAGTCACTA[T, C]GATGATTAGATATGAAATATGGTGA	122,461	83
30.	ACGCCCACGACTAAGTTCTTCGCC[T, A]GTGCCTCAGACTTCGAGAAGACCAG	122,933	83
31.	GTCTAGATGTCCCTCTTTGAGACA[C, T]CGCATCTCGGCAGAGACTTGTGAT	123,051	83
32.	GTTACTGTTGCTGAGATAGCTCCT[C, T]AGTCTGTTGTCGAAGTGGCTCCTCA	123,865	83
33.	TCAGTCTGTTGTGCAAGTGGCTCC[T, C]CAACCCTGATCGAAGTGGCCCCCTC	123,888	83
34.	TTTTtATCCGATCTCACCTAACCC[G, A]ATCTTGGTTTAATTGTCATATATAG	124,168	83
35.	TCCTCATTTGGTCGGACTATATGA[C, T]cTTATTGGACAATTATTTTATATC	124,799	83
36.	AATTCTCAATTCTATATGCTCCCA[A, G]GCGGATTACTTCGGTAACCTGGTAG	125,025	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
37.	ATTATCAGTGATAATGATTTGAGG[C, T]AAATCAAAGTGGCAGACAATTGATT	125,609	83
38.	GAAGAGTTTCGATGCTGGATTTT[T, C]GAGGTAGTAGATAAGAATTTTAGT	126,221	83
39.	TCAAAAaTAGGCTGAACCTGGACC[A, G]AaCCAGTGGGTTCGGTATGGTATCA	126,634	83
40.	TATGATATCGGTTGGCAATCGATA[T, C]GGGTTTGGTATCAAgTCCGCAAA	126,840	83
41.	AATCGATatGGGTTTTGGTATCAa[G, T]TCCGCAAACTTGGTTGAAGTATT	126,856	83
42.	GGACATTCAGGGACAATACCTTCA[A, G]GATTAGCTAAAATTAACCAGCTCC	126,920	83
43.	ACTTTAGAGTTGATCATTTAAGA[C, T]GACGATTGAGTGGCTTGAAATAA	127,203	83
44.	ACTTCAACTGGTTTGGACAATAAT[T, G]GGGGTGAATCGAGATATTTCTTAAG	127,436	83
45.	CGGTGTAATCAATACAAATCCTCC[A, G]GTTGTCAATTTGCATTTTGACCATA	128,135	83
46.	GCTCCGAATCAACATTCAATTTAT[C, G]TACAATAACATTGGCAGAAATCCA	128,316	83
47.	TGAAGAAAAGATATCGGTTATTTT[T, C]TtAAATCAGTCCTTAATTGAGATCC	128,408	83
48.	GTGGTTATAGGCAAAGTGATTTCT[C, T]cTTCAGCAGCTACGGGATTTTCAGA	128,816	83
49.	GAGGAGTTTGGACTTCTTGAACAT[C, T]AGTATCAGAAAAAAaTAACATTG	129,023	83
50.	GCCTGAGCATACTTTTGGATTCGG[G, A]TTAGCATTTGATCGTAGGTGCCGA	129,583	83
51.	GTTGTCCGATCCCATCTCAACAGC[C, T]ATTTTCGATCATGCATTCGGATAGAT	129,695	83
52.	CTGCTCCCTTCTTTTATTTCTTTC[A, C]TTTTCTTTtCTTCTTCTCCCA	129,891	83
53.	GACTCATTTGAAATTTTGAAGTTCA[A, C]GCATGACGTATTGAAGTCACTGTA	130,161	83
54.	AAAATTTCTTGAGAAAAaGGGAT[C, T]GTAGGTCAAAATCTTGCTTATCTTG	130,535	83
55.	TATCTTGGGAATGATTTCCCAAGTT[A, G]TACTTCCATCAGCCGTTTTTCAAGA	130,578	83
56.	GGATCTTGATGGATTGGCTGATGA[T, C]TGTGTTGGGACAGAACTTTTGAGG	130,733	83
57.	TTGAGGAATTGCCTCTCATTTGCTG[T, C]TTTATGGTACATTGGAGTTGTTGTA	130,777	83
58.	TGAAGGTGAATAGCTTCTGGTCC[G, A]CCTCTTGGAGAAGATGGTGAAGGCA	130,890	83
59.	GAATTATTGTGCTTTCTAATTAC[C, T]ATTTTCAACAATCTTTGGGCAAGC	130,942	83
60.	TTTATGGTTTTTAACTATGGCTT[G, T]GATGTTAACAGATAATGAAGCTGCC	132,949	83
61.	TTCATTTTTTGACTCCTTTTTTAA[G, C]CCAGGTTTGCTCATCATTCACTTAT	133,628	83
62.	ATCTAACGGGGCTAGCCAAACCA[T, C]GCTCCATCTGAGCTATCTGATCCCT	134,691	83
63.	TGCAGAAATAAGGTTGGAGTTGGA[C, A]AAAGTCAGAAAGGTGGCACAAGA	135,827	83
64.	CACCATGGCTCAATCGAAGCGCC[G, A]CGTGCTGAAGCTTTTGAGGTCGAT	135,896	83
65.	TTTGTGTTGTAATTGGATTGGCC[A, G]aTCTTTTGTACCAGAGTAATATTAA	137,583	83
66.	AACCTTGTTGTATGATGAGCTGAC[T, C]tGTTAGTAGAAAGATTCTTAAGTTC	137,652	83
67.	CAGCTTGGCTCGACTTGGGTATA[G, A]CTCCAAGCTTATTGAAGGGTTCTC	138,012	83
68.	TACATCCCGTACCAACCATACCA[A, G]TGGGGAGCTGGTCCGATTTAGACTG	138,124	83
69.	GATTGAACCGATCGGTTCACTACG[G, A]TATTGGCCGAACCGTCCGATGTCA	138,199	83
70.	GTTTGATCCAATTTCGGTATGGTTC[G, A]AAGCTGGTTTGATTTCGGTTCGGTCT	138,253	83
71.	GTGGATTGAGTTGGCTTTGCCGAT[A, C]TATGGAGCTTCCGAGGATCCTCTTA	138,568	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
72.	TCAAATGATTAAGATTTT TAGCTC[A]GCCATCAGGGATAAGGGGCTATTTCG	138,637	83
73.	GATTTTGGAGCTTCCAAGGATCCT[T,C]TTATGGGGTTATGCCTCACTTTTTTG	138,927	83
74.	CATCCGCTCAAGATCCATTGGCCC[G,A]ATCCAACCTTGTCTTTAGGCCCTTGC	139,645	83
75.	TATGTTTGTATATCTCCTGCTTTAT[T,C]tGGTGAGATATGTTTGTATCTCCT	145,595	83
76.	GTGAGATATGTTTGTATCTCCTG[T,C]CTTATTTACTCGTGGCAGGTGTTTG	145,622	83
77.	TTCTGGCTGCATCAACCTTTT CAGT[G,A]AAGTACTATTGCTTTTTtAGTTTC	146,302	83
78.	TTCTAATTATTTTAGTTTTTACAGC[C,T]GCACGGATGTACCTTTGTTGTTTT	146,487	83
79.	GTTATTTGCCACTCTTGACCGAC[C,T]GTCAGTTTCCATAGTTTCTAGACA	146,576	83
80.	TCTGTTAGGACTGTTTATGAGCAA[T,A]GATATTTTCTGTGCATTGTCAATAT	147,611	83
81.	TGGCATTGCGCATGCCCAATTTTC[G,A]TATCCACATGGGCCTCTCTTGAAAG	147,666	83
82.	AAGTTTGGAAGCTACTTATGGCTA[G,A]GATGTTCCAAATGGCTGTAGCCACT	147,923	83
83.	ATGGCTAGGATGTTCCAAATGGCT[G,T]TAGCCACTCTGTTTCATGTTAGAAT	147,940	83
84.	CTGCAGGAATCAGGTGCATATAAT[A,C]aTTATTGAAAGAAGACAGAAAAAC	148,413	83
85.	CATTGATTTAGATGAAGATGAAGA[T,A]GACTGCTCAACTGCCTTAAAGGAAA	149,495	83
86.	ACTTCTTAGAGTATAAATTTGAG[C,T]GAGTTGTTTTCTCTCGGGAGATAG	156,804	83
87.	GGATTATGAAGGAATATGTGATGA[T,G]CTGTTTCTTTGAAGGTGTTTTCTC	158,166	83
88.	TGCGAGCTGCTTATCAGGTTCCAC[A,C]TGTGAGCCACAAAGTTAGGTACACT	158,405	83
89.	GCAAGTGTTTAGATCTACAGAATC[T,A]TGCATCTCTAGCATGTGTCTGGGTT	158,473	83
90.	ATTGTTGGAATTTTGCTACTGGAA[C,G]TTTTGCTAGaTGCACGGTCTGATTC	161,181	83
91.	TTTTGCTACTGGAAcTTTTGCTAG[A,T]TGCACGGTCTGATTCAGTATG	161,191	83
92.	TAGTTTATTCAATATAATAAATTC[C,T]ACGACTTCAACTTCTGCACCTGTAT	181,615	83
93.	CCACCAAACTAGAAATTTGAGC[C,T]ATTTATTTTCATTCTCCTTCTACAG	182,673	83
94.	CTAGGCCTTGGGGACTCTAACTCA[A,G]ACGAGACTGGGATCCCGTATTAGGC	186,051	83
95.	TACCCCTATTGGCCCAAGAAATC[A,G]ATAGTTGGCTTATTTATGAGTAACA	186,644	83
96.	AAAAGGCACAAGCACGTCATAGTC[G,A]TAATAGAGCGTGTCTTCTGCAATC	186,787	83
97.	CTAGGGTAACGCTCGAACATCAGA[C,T]GCAGATCCAAAAaGACTTGAGCC	187,294	83
98.	TCTTTCCTCACTACTTACTGGCTA[C,A]CGCATTTGGGAGAGTCAACTCCCAT	187,401	83
99.	CATCGGATAAGATGACGTCCGCCA[C,T]CAAGGTCCAAATAGGGAGGAATGGT	187,557	83
100.	TTCTCTCAGAAATCAACTTCGATCG[G,A]AACTTATTTGTAGATCACACTGCT	187,872	83
101.	TTAACTTGGAATTTTTTATGTTAG[C,T]AAAAGCAACAAATTTTTCTCTCGA	188,731	83
102.	TCTCTTCTGCCCCCTTTGATCCT[C,T]TTGTGTGCTTGCAATCTCTATCAA	201,006	83
103.	TTACTTCTTCCATCAACTTGAGC[T,G]GTTGTCGATCGGTATTTTGCTATCG	201,220	83
104.	GCATTTCAAATCTAAATATGATC[C,T]GCAGCGTATACCAACAATGGTTGCA	202,350	83
105.	GGAATGAATGATTGTTGCTTTTTt[C,T]TTTTtGCATCTAACTTGCAATTC	202,626	83
106.	GTGATCAGGGAGGAATTATTCTGA[C,G]ACTACCACCAGGGCATCCTTGCTGC	203,394	83
107.	ATGAATTCATCATTCGTTTTGTCA[T,C]TTTAAGTTCAACAATGCCATTGGGT	203,652	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
108.	TTAAGTTCACAATGCCATTGGGT[T, C]TTTATCTCCTCGATGTTGGTAGCAG	203,678	83
109.	GGGTTTTTATCTCCTCGATGTTGG[T, G]AGCAGCTTAAATATTTCTTTTCATG	203,698	83
110.	AGCTTAAATATTTCTTTTCATGCC[T, G]TGAAAGTGGTTGGCAGTGTGGTG	203,726	83
111.	GAAACATGTTCTATGTTTCTAT[G, A]TCAGGTTTATTAGTGAAGAGAAA	203,943	83
112.	GGACATCAACTCAGAATGCCAGT[G, T]GAAGGTTAATGCTTCTAATAAGCC	204,699	83
113.	CCCTAAAGATGAAGGCATGACTC[A, G]GTACAGGATTCATAGACCTTCTTAA	213,142	83
114.	TGAGCCCTAAAAGATGAAGGCAT[G, T]ACTCAGTACAGGATTCATAGACCTT	213,147	83
115.	TTTAAGTGACTTGATTGAAGAAAT[A, G]TGAAGCACAGATTAAATCAAGATCA	213,308	83
116.	ATAAGGAAAGATGACTGTTGTCTG[C, G]ATGTGTCGGACCATCCAGATACCGG	213,390	83
117.	TCAATCATCATTAATTTCTATTT[T, C]ATGAATATAATAAGATTAAATCATA	213,437	83
118.	TTACCTCGTTTCATTTTAGATCTTC[A, T]GACTTCGTTAGAAGAATCAACTAAT	213,500	83
119.	TGATTATTTAAAAATAAAATAAGA[A, G]CGTAAGATCCACTTACCTCGTTCAT	213,537	83
120.	TTTTTCATATCACACGTGCTGATC[C, T]TTATTTTATAAAAAATATGATTTCA	213,615	83
121.	AAATATATTCTATAAAATCAATGCT[C, T]ATAATAAAATATAATTTTCATATC	213,654	83
122.	TTTATATCTTTTTTTtAAAGCATA[C, T]ATATACATAAAATAAAAAaTAATAA	213,736	83
123.	ATACCCGTTGGCAGGGCTATGTTT[C, T]GTGTGGATGCTAGCTCTGGATGTCG	213,834	83
124.	CTATTATACCTGTGATAGGGCCAT[A, G]TTTCTTAATCGACAGAGTTCTTAAT	213,899	83
125.	GATATATTGCTCCAGATATTCGT[T, G]CTAAGATCACTATTATACCTGTGAT	213,933	83
126.	AATCATGAATCATAAATCATTTCTT[A, G]TCATGTATTTCATGTCAAGTTTGTAT	213,980	83
127.	ATATAAAATAAAATATTTTCATAGA[A, G]CATATAATAAAATAAATTATAAAC	214,063	83
128.	ATATTTAAAAaTAACAGATAATA[T, C]AAAATAAAATATTTTCATAGAACATA	214,084	83
129.	ATCTAAACCTCATCTACAAAATTT[C, T]CAAGCTTGATCGCAGATCTCTAAA	214,264	83
130.	CTAAATCCAAAATCAAATATAAAT[T, C]CATATATCAAATCCATAATTACTT	214,338	83
131.	AGCATCTAAATCCAAAATCAAATA[T, C]AAATTCATATATCAAATCCATAAT	214,343	83
132.	CCATGATAACACGAAGCCAATCCA[A, T]CATAATCATCCAAAATCCATCAAAT	214,444	83
133.	ACATAACACGACCATGCTACCGAA[G, A]GATGGAGCCCATGATAACACGAAGC	214,477	83
134.	AGGGTTGATCTGAGTACGAGAAGT[G, A]TTAACTCTGGAATGAAGTGGGAGGT	215,375	83
135.	AAGGACATGATACTTTGCTGATT[T, G]TGATGTTAATTTTTtGCAAAAAa	215,483	83
136.	AAGCATGATGGTCTGAATTAATTA[A, G]AAaTATTAATCTTTTAAATTAAG	215,843	83
137.	AATACGTTAGTTATAAATAAGGAA[G, A]GATTTTACTGATAATAAAGAATGC	215,902	83
138.	GAAGGATTTTACTGATAATAAAG[A, G]ATGCTAGAGAGAAATCTATCTGAT	215,923	83
139.	AGTCAACGATATATTAGACCTTTT[G, A]AAATTTTAAGCCGAGTAGGAGATGT	216,121	83
140.	CACAATGCTTTTCATGTTTCATCA[C, T]TGAGAAAAATTTATACCTGATCCAAA	216,211	83
141.	ATGTCTTTCATGTTTCATCACTGA[G, A]AAAATTTATACCTGATCCAAATAAT	216,215	83
142.	CATGTTTCATCACTGAGAAAATTT[A, G]TACCTGATCCAAATAATGTGGTAAA	216,223	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
143.	TAAATTTTAAATAAAAAaTATC[T, C]TTCTTATTCTGAAAAaTTATGACA	221,260	83
144.	CTTTATGACTTTTGAAAGAAAAaT[T, C]AAGACATTCTGCATGTAAAAAGTCA	221,443	83
145.	AAACCATAGATCATCTCATGACTC[C, A]ATGTGAATACTCTATCTCACATAA	221,900	83
146.	CATGACTCCATGTGAATACTCCTA[T, A]CTCACATAAAAAACATCTGCTACAAC	221,916	83
147.	TTAAACTTAATTTAATACCCCCCTC[G, T]TGACAGCCTCTAGGCTCTTTCCTCA	226,490	83
148.	TCTAGGCTCTTTCCTCAATTTCTT[A, T]ACTTATTGTTTTtTATTCTTCTTTA	226,523	83
149.	AGCTTCTGTATTGGCCACTCTG[T, C]CTCCTCTAAGCTTCCATATTGGCC	229,627	83
150.	CATTATTTTTTCAGAGATCTGCAG[G, A]AAGGAGAGCACTTGAAAGAGATTA	229,844	83
151.	TTTAGCAGTTATTTTTTCGATATA[A, G]TCTCAATGCTACAGACTCTTTAGTT	230,883	83
152.	CAGTTATTTTTTCGATATAATCTC[A, G]ATGCTACAGACTCTTTAGTTTATGT	230,888	83
153.	AGCCTAGTAAATTATCGAAGTTAT[C, A]TATAATGATGTGGGATGACAACATG	230,950	83
154.	TGCTTAGTTGTCTTCCTTCTGTAA[T, G]GACCACACATGAAGCACTCCAGACC	235,235	83
155.	ACATCTGCTCTTCTATCATGGAC[C, T]GAAAAATTGTGACATAAAGACATA	235,370	83
156.	TCAAGAAAAATCCAGCAAATACAG[T, C]TTTTCTGAAACAATCATAAGATACA	236,194	83
157.	GAGGAAATGGCTCGACCGAACAGG[G, A]TAGAACAGGGTCTCGCCTTTTCATC	238,549	83
158.	AGGAAATGGCTCGACCGAACAGG[T, C]AGAACAGGGTCTCGCCTTTTCATCA	238,550	83
159.	GAACAGGGTAGAACAGGGTCTCGC[C, T]TTTTCATCAATTTTCCAACGATCC	238,566	83
160.	AAGCCATGGGAAGGAGGGGAAGGA[G, A]GAGAGGAAGGAGGCCGGGCTTAC	238,638	83
161.	TTGAGATTCGAGGAAATTTAACTG[A, G]AGTCTGAATTCTAATAAGATGTGAA	239,157	83
162.	TTATTGCAGTTGTATTTGTTGGAG[C, A]CATTGGGGTATATTTGGAAGCTCA	239,926	83
163.	TTGTTGTCATTCTTGGATTGTGTT[G, T]ATATACTCTAGACATTAGCTTAAAT	240,051	83
164.	GTTTCTGACAGGGTCTAATTATT[G, T]CAGGAAAGGTGCACCTTTCAAGATC	240,153	83
165.	TCTTGGTCTCCATGAGCACTGTCC[T, C]ACCGTTGGCCGCTCAGGCAACTTCA	240,283	83
166.	CAACTTCAAGAACTTTCAATGCC[C, A]CAAGGTCATTACAATGACCTTGCTT	240,325	83
167.	TATTGAAACAATGTCTCTAGCCAA[G, A]GCTGCAGTGTCTTCAGAGAGCTTG	241,225	83
168.	ACTAAAAAaTCTTGACCCAAACC[C, T]GAGCCAGATGCGAAAAGATGTAAAA	242,216	83
169.	GTTAAATGAAGTGTCATGTCTT[A, C]TGAAACCTGAAATCTGTTTTCTTGC	242,494	83
170.	TtCTTCTTTTAAGCTATCAAAGAG[C, G]CCCCCTCCACAGATTGTTGAGGCT	244,290	83
171.	ATTCTCCACCAGATAGCTGCATGA[T, C]ATTTCTTGTGTTTCTGCTTATTGC	244,369	83
172.	GGACAACAAATTACAAGGTAGAAC[T, A]AGCAAAATGACTCGACGACTGCCA	244,511	83
173.	AACCTTCTCAGCTAAGAAAGCAAT[G, A]TTTTTTACCGCCCTAATTTGCCAGA	244,560	83
174.	CATGCATTTCCAGGTATTTAGATC[C, T]GGAACGGTGGCAGGCACTGCCATCC	244,685	83
175.	ATTTCCAGGTATTTAGATCCGAA[C, T]GGTGGCAGGCACTGCCATCCATCAA	244,690	83
176.	AAAACATAAAGCATATTTGATTCA[T, C]GATCGAAATTAGAATCAGAATCGAA	244,802	83
177.	CAACCAAACATGCCCTTATAGGAG[C, A]AGGCAGAGAGAAATTCAGTGA TAG	245,088	83
178.	TCATCTCTCTCTCAAACACCCAT[A, C]TCTCTCTCCGTTTTGCTGCTTTC	245,235	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
179.	CCGTTTTGCTGCTTTCCTCCAAA[G, C]TACAACCTTCATCATTTAGTAAATTG	245,269	83
180.	TATTTTAGAGAGAGTAAGCTTAAG[T, C]GAGAAAGTCTCTTGACTAAAAAGAT	245,406	83
181.	ATGGAGCTTGATCCTAAGGGGTCC[A, G]ACTGAACAAGTCTCTCATGACTAAT	245,516	83
182.	GGGGTCCAACGAACAAGTCTCTC[A, G]TGACTAATCTTCATGAGGATTCGAA	245,533	83
183.	CAATTTTTGCTCGTGGTCCCTT[C, T]CTTTGGCCAATTAAGTATAGCTCT	245,964	83
184.	CCTTTCCTTTGGCCAATTAAGTAT[A, T]AGCTCTCCAAGATGATGATCTAAT	245,983	83
185.	ACCAGGTAGAAATACTATTATCA[A, G]GTAGCCATTTGGTTGTGGATGCCTG	246,038	83
186.	TAAGAGTTTGTATAAAGAGTTA[C, T]CGAATCTCTGCTAGCCATGTAACCA	246,277	83
187.	CTATGCTTCCTGTAAAAATCATGA[A, T]CTGGATAGCTCCTTGCCCAAGCCTA	246,339	83
188.	ACCAGATCATCGTCTATTGGTGT[G, A, T]CTCTTTTGTGTTTCAAGCTTCGAC	246,448	83
189.	CTCCAAAGACTCTAAAAAATCAA[C, T]AGATCAAATGATTGATTACCCAC	246,722	83
190.	GTTACAAGTTGAGTTGGGCCTAGA[A, G]CACACCTTGATTGAGCAGTATGTCA	246,993	83
191.	TCTGAAGCTTTTAGTGCCAGACT[C, T]AATCTCAAATAGCTCTATAGGGGC	247,056	83
192.	CTCAATCTCAAATAAGCTCTATAG[G, A]GGCGTCTGTTCCATATCTTAGTAT	247,078	83
193.	CATATGCATTGTCTAGATATTTGT[T, A]GTATCCTAGAAATATATTTGTCTAA	247,199	83
194.	GGGTTTTCAAGACCTATGTTTAC[C, T]TGGTGAATAATCAACTAGGATCTA	247,649	83
195.	TCTGAGCTCATGGCCGTCATTTT[G, T]CTTCTAATCATGTCTTCATTGAT	247,758	83
196.	TAGGCCTAAACCTTTTTGGTTTGA[G, A]AAATTTTGACTCTCCGAGCACATAT	247,831	83
197.	ACAAGGAACCATTTCTGTGTG[C, T]GACTTTCTATTGTTCTACATAACAC	247,912	83
198.	GCCTTAGTTGATGAAATCATGT[C, G]CTTAGGTAACCTTTTCAAGTTGGT	247,970	83
199.	CTTAATAATAAGTTGGAGTATCTT[C, T]AGTTGAAGGAAGTCTCTTATAGTGG	248,026	83
200.	TATCTTCAGTTGAAGGAAGTCTCT[T, G]ATAGTGGTTGCCTCATTAGATCA	248,044	83
201.	AGTGGTTTGCTCATTAAAGATCAT[A, T]AGGATTTACTGCACACCTTAGGCT	248,071	83
202.	AAGGATTTACTGCACACCTTAGG[C, G]TTTATAATCTTGACTTGAATCAATA	248,095	83
203.	CACACCTTAGGCTTTATAATCTT[G, A]ACTTGAATCAATAAGAAATCTTCTG	248,107	83
204.	TAGAATTTCTGGCTTAAGGAAGA[A, T]AATAGTAGTACTAAATTTTTCGCT	248,169	83
205.	AAATAGTAGTACTAAATTTTTC[G, A]CTACTCTACTATACAGAAGAGAAGA	248,192	83
206.	TTTTTTCGCTACTCTACTATACAG[A, C]AGAGAAGAGCTACTAAATTAATAA	248,209	83
207.	ATTAGATGGATCTAAAGTTGACGA[C, T]GATGTTATGATTCATCAATTTGTAT	248,268	83
208.	TAAAGTTGACGACGATGTTATGAT[T, G]CATCAATTTGTATTCACTTATTTTA	248,280	83
209.	CTTAAATGAACCTTAGCAGATTGAG[C, T]CACTTTTGTATTGGTTATGTTGGT	248,332	83
210.	ATTGAGCCACTTTTGTATTGGTTA[T, G]GTTTGTATTACCCATTTTATCTTC	248,350	83
211.	CAACATGAGCAACTAGTATGCGCA[G, A]TCACTAACCAATGAAATTAAGGAAGT	248,404	83
212.	GATGTTGTTCTTATTGTGAAGGAT[A, G]CTTCAATATATATCTATGCCATG	248,543	83
213.	ACAACTTTTATTACTTGAATCTC[A, T]AAAAAGAATAATCTTATTTTAATTT	248,602	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
214.	TATTACTTGAATCTCAAAAAAGAA[T, G]AATCTTATTTTAATTTTGGATCCAT	248,611	83
215.	TAATACAACCTTAATCATTGCAAAT[T, G]TTTTTACAAACAACTACTTATCAT	248,670	83
216.	ATCATGTCTTCCCTTAATCCATCCT[G, A]TGCAAGGTGCCTTTTTTCCTACATA	248,715	83
217.	ATATGTTTTGATTACCCAAAAGAT[T, C]ATGCATTCTTGATGCATGCACCTG	248,777	83
218.	CATTTTGGCTTTCAACTTGGATT[C, G]TAAAGTGGGTACAACCTCCGTGTCAA	248,913	83
219.	ACTTGGATTGATAAGTGGGTACA[A, G]CTCCGTGTCAACTTTATTAATAAAT	248,927	83
220.	TAATAAATGATAAGCTATCTTCTT[G, A]GTATCAAACACTATGGGCTTAACA	248,969	83
221.	TCGGCTAGAAATGATCCAACCTCTT[G, A]CTCATATTTTTTCTAATTTATATTG	249,120	83
222.	CAATGGAAGACTCTTTCAATTGCA[T, C]GAAGAGCAATCTTAATGCAATCGAT	249,387	83
223.	CATTTGCATGAAGAGCAATCTTAA[T, C]GCAATCGATCTTAACCTCTATCCCC	249,403	83
224.	TTCATTTCCCTTCTCCATTCTAC[A, G]TATATTAGAGAAGTACTTTTGTGCC	249,472	83
225.	TCTATTGATTGGCATGGTCTACAC[G, A]TTCTTGCTCAGAGTATTGTTTGTGC	249,537	83
226.	ATGGTCTACACGTTCTTGCTCAGA[G, A]TATTGTTTGTGCCTCCAAATCAAAA	249,550	83
227.	AATATTCAGGTCGATATCAGGAGG[T, G]TCAGCTTGTTAAGTTTATTACACCT	249,903	83
228.	TCAGTCTCTTTGCATAATGTTTCA[G, T]CTACCATATCCTCTTCTACCTCATC	250,081	83
229.	ATACTATTTGGAGACTTTTCGATT[T, C]TATGAATGTCAAGACTTTTGTGTTG	250,148	83
230.	AGACTTTTCGATTTGTATGAATGTC[A, C]AGACTTTTGTGTTGAAACCGATTG	250,159	83
231.	CTTTTGTGTTGGAACCGATTGTGT[T, C]GAAGCTCCCGACCAAGAATATCTA	250,187	83
232.	TATATCATGACAGGAAGGAGATT[T, G]ACAGTATATTTTCTCAGTTGCAAG	250,280	83
233.	ATATTTTCTCAGTTGCAAGCTTT[C, T]ACTCCTTTGTTGGACACATGTAGTC	250,310	83
234.	GTAGGAATTTGACAACCTACATCG[G, A]ATACTTGCTCAAGTTTCACCTCTTC	250,576	83
235.	TAAGTTTGCTAACTCTCTTTGGGA[C, T]CTTTGTGTGCCTCTCAAATTAAGTT	250,717	83
236.	CTTCTTCGGAAGAAGACTGGAAA[A, G]ATCTAGGTGGTTGTGTGCTTTGTGG	250,816	83
237.	GGAAAAATCTAGGTGGTTGTGTG[C, T]TTTGTGGCCATGGAGAAGAGTCAGT	250,834	83
238.	CTCAACTTGTTTTTCTTCTCATC[C, T]ATCTAGAAAGCTGTTGTTCCCTTAC	250,896	83
239.	CATCTAGAAAGCTGTTTGTTCCTT[A, G]CTTGGGATACTACACCGACAGCTCT	250,920	83
240.	ACAGTCTTCCTTTGAGGATCAATG[T, C]CTTTCATGGAGAAGAAGGACCTTCT	250,962	83
241.	AAGAAGGACCTTCTCAAAATATT[A, G]CAACCAATTATTTTGATGCTATACT	250,998	83
242.	CCAAGGATGCTTGCTGATGACTGA[T, A]ATGGTGAACAATGCAAACAAATGAG	251,223	83
243.	GAAGGGGCAATGGATATGACATT[A, C]CCACTTATGCAGATGGGTTCTCTAA	251,313	83
244.	AGATGAAAAATTCAGAATAGCCTT[A, C]CAGGTTTACGTGACTTCAGTAACT	251,538	83
245.	TTCAGTAAACTAAAAACAGTTTGC[A, G]GCTATCCAAAAGCGAACCAATGG	251,577	83
246.	GATGAGAACAACATCTTAGTTTC[T, C]CTATTCAATAGTTTCGATCCCAAGG	251,627	83
247.	ATCCTCAGTGATTGCAGACCAGCT[A, T]GTGAGCATTTGAATAATTCTTAGAA	251,725	83
248.	TTGAATAATTCTTAGAATCAGGGT[C, T]TTTGCTGTTAGAGCTTCAAACCTGA	251,758	83
249.	TATCTTCAGCCGAAGATGAGGTAT[A, C]CAAAATACCTAGCTTTTGAGTGATT	251,919	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
250.	ATAGATGCAGATGGTGAAAAGATG[G, C]CTTATGGATTCTGGATGTAAACAAC	251,989	83
251.	AGATGGCTTATGGATTCTGGATGT[A, T]AACAACACATTGGACAAACATGAGA	252,008	83
252.	TCTGTAGTAAGGATTTTGTGTTT[T, A]GCAGCAACCAAGTAAAAATTTAAT	252,086	83
253.	TTTTCTTTGCAAAGATAGACCTGA[T, G]ACTGCCGTCACTGAAGAATTGATAA	252,161	83
254.	TGCAAAGATAGACCTGATACTGCC[G, A]TCACTGAAGAATTGATAATATTTTC	252,168	83
255.	GATACTGCCGTCACTGAAGAATTG[A, T]TAATATTTTCTAACAGAGAATTTTC	252,183	83
256.	TAAAGATTTCTCCATGTTCAAA[G, T]ATATATCTTCCCTGAAAGTCATCTC	252,310	83
257.	GAAAAGATGAAAAAGAATTGAAA[A, T]TTGGATTTCAGTGGCATAATTCCAA	252,408	83
258.	GGATTTTCAGTGGCATAATTCCAAG[C, T]CATTTGGTCATCCAAAATGAGATATT	252,435	83
259.	CATTGCCCGATTTAAATAAATGC[T, C]TTGATGGAAGATCATGCCTGTTTTTC	252,490	83
260.	AGCCCTTCCTTTTGTCTGTTTAG[C, G]AGTCTGTTATGATAGTGCAGCTGTG	252,575	83
261.	GGAAGACATCTAATATATTGGTAT[C, A]CTACTGAGAACGTGATTAATAAGAG	252,851	83
262.	AAGTGAAGTCCCAGGTAAGTAGT[G, A]GGCAATGTTGATAGCTTACAACCAA	253,007	83
263.	GTGGAAGTCCCAGGTAAGTAGTGG[G, A]CAATGTTGATAGCTTACAACCAATA	253,009	83
264.	TTGTATCCCAAAAGTCTGGTAAA[A, G]TGATATTGGAAATCCCTCTGGTCCT	253,454	83
265.	ATCCCTCTGCTCCTGGTGATTTAT[A, C]CTTGGCCATACTGAAAAGGCGTTT	253,490	83
266.	GGCATAGCAAGCTGAAAAAATTTG[G, A]CAACAGAAGTTTAATTTATTTTATA	261,788	83
267.	CAGAAGTTTAATTTATTTTATAAT[C, T]ATGGATTTGTAGTTATTCATAAATG	261,816	83
268.	AATCATGGATTTGTAGTTATTCAT[A, G]AATGTTGAGATTCGGGTTAGTACTT	261,837	83
269.	GTTATTCTATAAATGTTGAGATTCTG[G, A]GTTAGTACTTACTTTTGGATTTAGA	261,852	83
270.	ATGTTGAGATTCGGGTTAGTACTT[A, G]CTTTTGGATTTAGATGCTCTGAACC	261,863	83
271.	CCCATATTGGTTCGATTATTTGAT[A, G]AATAATAGAATTGAATCTTTTATT	261,911	83
272.	AATATGGGTTTCAGAGCATCTAAAT[C, T]CAAAAGTAAGTACTAACCCGAATCT	261,919	83
273.	AATTTGGTGTAGATTGCCGATGAT[C, T]CTCCCTTGGTCTCTATCCAAGCGA	262,136	83
274.	TGAAAAAATTTGGTATTTTGTCC[G, C]CATATTTTAACCAATTTGCTCTGGA	262,221	83
275.	AACTTGCTCTGATTCCAACTTAA[C, T]TTCTCTCTTGGCTCTTCTCCTCGT	262,304	83
276.	CTCCCATCTTTTCTATTACTTTTC[C, T]GCCTTTACTTTGTGGATCAACACTT	262,735	83
277.	TGAGCAACCTTCTGTAAATACCTT[A, G]GACTTCAATAAAAACCGGATGGCAG	262,794	83
278.	ATAAAAACCGGATGGCAGAATTCT[A, G, C]CAGCTCCCTTATCCTCAAACAAAa	262,826	83
279.	AAAAACCGGATGGCAGAATTCTAC[A, T]GCCTCCCTTATCCTCAAACAAAaAA	262,828	83
280.	TCTACAGCCTCCCTTATCCTCAA[C, A]AAAAAaAaTGAAGAAAGGCTAG	262,847	83
281.	ACTGGGATAGCTCAGCTTTtTTAT[T, C]TTTtACATCACCATTCTTCCCTCT	263,020	83
282.	AGCTTtTTTATTTTtACATCACC[A, C]TTCTTTCCCTCTGTTAGATGGCTTC	263,033	83
283.	CTCACTTTGCAGTAGTCAAAATAA[T, A]TTTGTAGCTTAGTTAAGCAAGGA	263,086	83
284.	CTATCAGAATAAAATAAACTTCTA[C, T]TCCTATTGCAGGTTGGTACTTGGGC	263,195	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
285.	AATCCAACAGATTGACTAGCTGGC[C, T]ATGCTTGTGACTTCAATCCTTTGGA	263,429	83
286.	TCTTTCACCTCTATATGCCAAAGAT[A, C]TTGCCCTTTTAAATGACTATATTCAT	263,737	83
287.	CCACTCTTTATTGCAGATGGGCTG[C, T]GTGTTATGGAATATATATTGCAGAT	263,820	83
288.	TATTACATGGTCCTAATTTTACCT[A, T]ATTATGTTTCGTTATACTTTCAGCA	264,095	83
289.	TCCGCATTATACCAAATCAGCTTG[A, C]CAATCGTTCGACATTTATTCTTATT	264,218	83
290.	CGTTCGACATTTATTCTTATTGCG[C, G]TGTGAGCAACTTGTCTCATATTTA	264,247	83
291.	TTATTCTTATTGCGCTGTTGAGCA[A, G]CTTGTCTCATATTTATCTTGCTGCA	264,257	83
292.	TAATTTTGTAGCTTATCTAGTGTCA[T, G]CATTCCTACGTTTACATGTATGCACT	265,482	83
293.	TCTCTCTCTCTGTATGTGTGTG[C, T]GCGCGTGC GCGCGCATGCAATCC	265,826	83
294.	AGATGGACCATGGAGACTGTTCCCT[T, A]CTCTTTCCCTATTTCATGTTGATA	265,968	83
295.	ATAGTTATTTATCTGTTCATCCCAT[T, C]TGGTGGTTCTGTCAGATTAACACC	266,057	83
296.	GATTCTGTCTATAAAGCATGGATA[C, T]GGATGTGACACGATACAGATGTGCC	266,188	83
297.	GTGACACGATACAGATGTGCCGAT[G, A]TGACAAGTTTGGAGAAGTATGTTAC	266,217	83
298.	TATGTTTTAAAGAGTGATAGCACG[T, C]ATTATTTGATAAACATAGAGTGATA	266,461	83
299.	ATTTGAAGTTGAGCTTGACCAGAC[C, T]CAGGCTTGATTAACGTCAGTTAATC	266,811	83
300.	TTGCTTTTGAGCTCTGACTGATAT[T, G]CTTATTTCTATTGGAAGGGTTTCAT	267,210	83
301.	AGCTCTGACTAGGTGCAAAACAAA[T, G]TTATTTATCCAAATGCCTGTGCTT	267,441	83
302.	TACACATAGTAGTCTGCCATAAAG[T, C]ATCATGGGCTTTGCCAGTATAATGG	267,784	83
303.	CATGTGCTAGTATATTAATGAAGA[G, A]CAGATGGTCTCATGCAGGTGGCGAA	268,130	83
304.	CTGAACCGGGCTCCAGTGGCTTG[G, T]CAAAAGGAGATAAACATTTGGCTAT	268,605	83
305.	GAACCGGGCTCCAGTGGCTTG[C, A]AAAGGAGATAAACATTTGGCTATGA	268,607	83
306.	CAACAAAATAAAAaTAAaAaAaT[A, C]AAATAAAATAAGATCCTTGAATTCA	268,934	83
307.	AAAATAAAAaTAAaAaAaTAAAT[A, C]AAATAAGATCCTTGAATTCAGCTGC	268,939	83
308.	TGCTGTGAGAGTCCATTCTACTCA[A, T]CAAGGAAATTACAGTAGATGAATCT	269,103	83
309.	ATTCTACTCAACAAGGAAATTACA[G, A]TAGATGAATCTCCTCTCCATATTGC	269,117	83
310.	CTCCATATTGCAGATGCCCTTTCAA[A, G]CCCGTGTGACAATCATAATCCCTTT	269,156	83
311.	AGATGCCCTTTCAAACCCGTGTGAC[A, C]ATCATAATCCCTTTCCAAGCAACAT	269,167	83
312.	CCGGCCACCACTGTAACAGCTCCA[C, T]CCATATTTCTAATCATATAAATTAG	269,258	83
313.	CTAAGAGTTAAGTCATCTATAATG[G, T]GGGATTTGGTGAATTGAAGGAGGA	269,359	83
314.	GGAAAAATGCAAGAGTGCAATAAAA[C, T]GTCATAAAGATGATAATTGAGGTGG	269,733	83
315.	AAGATGATAATTGAGGTGGAAT[T, C]TTTGTAGAGAGTTGATGCTGTTG	269,764	83
316.	ACTCTTTGGTTACGTGGCCTTCTA[A, C]AAGGCTATCGAAAGATGTGTCTCGA	270,299	83
317.	TCATTTTCTGGTCAGGCTGAAATG[T, C]CAATGCCCTCAGTTGTTTCTTCTTT	270,358	83
318.	AAGCTAAGCGCCATATGTTTCCTT[C, T]CTGGATGAACAAAAGTACTGGAATA	272,395	83
319.	CATCTTGCTTCGGCTTCGGCTCA[T, A]TTCTGAATACTGCCCCCATCAGC	273,088	83
320.	GCAAAATCTCTGCCACAGATTAG[T, A]TGAAGAATCTGCTAGGGCACTACTA	273,139	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
321.	TCTATCAAACCTGCTTACCCATC[A, G]AGCTTCTCAGTTGCAACTAACAAGC	273,602	83
322.	TTCAAGATACAAGGATGGACAAGA[T, G]TATTCTGAAGCTAACTAAATGATCA	273,906	83
323.	AACTTAGCCTCTTATCATTATAT[G, C]AAATGCCAACTTAGCCTCGCCGTT	274,316	83
324.	GATTCTCTAATGGAATGATATGCT[T, A]CTCTATTTCGACTAGTCAACTCACC	274,376	83
325.	AAAAaCAAGTACAATTACCACTAC[T, C]TAATCAATTCAAGAGTACATAGCAT	274,586	83
326.	ACAGTAGTTAGAAaTTAAAAAGT[G, A]CAATTCTGGATGCTAGGTCAATTTCT	274,696	83
327.	AAAGTGCAATTCTGGATGCTAGGT[C, T]ATTTCTGATGTTTGATGATTATATA	274,715	83
328.	GTGCATATATAAATTTTTTAAACAA[A, C]ACTAGCGAAAATGAAATTAAGAAG	274,981	83
329.	ACCTTATCAACCTTAACCTACCTAC[A, G]TTTAAATCCTTATAAGAGCAGGAT	275,070	83
330.	TTTAAGCCCCATACTAATTTCTCT[G, A]TGTCGTTTATAAACCCATAACCTGA	275,155	83
331.	TTGAGGTTTATCCTGTGTCACTTC[G, A]TATAGGAGATTATGTTATGCACAAA	275,692	83
332.	AGCTTAATCACTATACCTCAAGGC[A, G]GATTTATAACAAATGGATTATCAGA	275,815	83
333.	AACACCAAAAATAAACCATGGGAA[G, A]AAGCGCAGCATCTACAGCCTCAA	275,916	83
334.	TTATGCATATCTAGGTCTTTGATT[A, G]TACAATAACCTATAAAGTATCATAG	276,097	83
335.	TATAAAGTATCATAGAAGTCCCAA[C, A]ATCATGAATTGAATTGTCTACGAGT	276,132	83
336.	CCCGATTTTTGTGTAACTGCAAA[A, G]AAaGGAAATGCTCCCTGATCCTCCA	276,667	83
337.	ATAGCTAGACATTTGGCGATCTAT[G, A]GTCGGAATTTGAAATCTATTTTGAC	276,971	83
338.	GAACAGTCTTATCGGCTGTAAAG[T, G]GGCATGATGCTGTGCTCCTAACAAT	277,896	83
339.	GTACTCACACATTTAAAGAGAAGA[T, C]AAGATGGGAAATATGAGAGGAAGT	278,554	83
340.	GAGAGATAAGAGAGATAGGGTGG[A, G]AAGAGTAGAGATACAAAGCCACTTG	278,613	83
341.	AAAAaGAAGAATAAAAGGGAGAC[G, A]AGAGAGGGATAGGAGGTGAGAGAGA	278,666	83
342.	ACCCCTATTTCGAATTGGAGTTCA[A, G]AGGTCTCTCCGGCCTCAGCCGCC	278,867	83
343.	TCCTCCGGCCTCAGCCGCCCTCCG[C, T]TCCTTGACGCTGGCTCGCCGTTG	278,898	83
344.	CATCTGAAGGCCTCCGATGATCCA[A, G]TGAGGTCTCCCCCGCTTTTCTTCCC	278,976	83
345.	CGATGATCCAATGAGGTCTCCCC[G, T]CTTTCTTCCCTCCCTCCACCCTTA	278,990	83
346.	CTTCCCTCCCTCCACCCTTAGCAA[G, C]CTCAGAAAGAGCTCCGACAGCCACC	279,020	83
347.	TCGATATGGTTCGACATGGCCTGC[G, A]TCGTCCGATTTGGGATAGTTCAGCG	279,185	83
348.	ATGATATCAACATGGTGGACTCT[G, A]AAGTATTTCAAGGAAAGAAAATA	279,747	83
349.	AGTATTTCAAGGAAAGAAAATA[T, A]AGAGAAATTCACCAAATCTTGAATG	279,773	83
350.	TTCAAATAGTTTTCAAGCAAGGTA[T, A]GACACTAGCAAGAAGAATCTCGCAA	280,334	83
351.	CGGGTCTTGAATTAAGCTTTTAAAT[C, G]AACTGCTTAAATGCCCAAATGGAT	280,447	83
352.	CTCAACGCCAAACCATGCAGCAC[C, T]GTGCCGAAGTAGTTTGTCAGGTTG	280,840	83
353.	AGTAAAGATATAACTGTTAAAGA[C, T]CAGACAAGTTTCACGGTAATTCTAT	281,259	87
354.	GTTTCCGATGGGGAGCGAGAAAGA[G, A]GCCAGGATTGGGAAGCTACAAGAG	282,139	87
355.	GGATTGGGAAGCTACAAGAGCGAG[T, C]TACCGGAGTGGGAGGAAACCTTGG	282,169	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
356.	GATTGGGAAGCTACAAGAGCGAGT[T, G]ACCGGAGTGGGGAGGAACCTTGGG	282,170	87
357.	TACTATATTTAGTTGGAGGTGATC[G, A]TATATAGAAATATGATAAAATTTAT	282,989	87
358.	GATAAAATTTATAAATATATTTTT[C, T]AATATAAAATAATTTAAAAAaTT	283,027	87
359.	TTAAAAAaTTATACAGATATCTC[C, T]TTAAGTTTATTTCAATTCATTAT	283,066	87
360.	TAAATTTAAATCGTCTCAATTAGA[C, T]CTTCCAAATTATCGAAGTGTATCGA	283,123	87
361.	TTATCGAAGTGTATCGATGTGCTC[C, T]TTCCGTTTCATCTTCGTTAACCAAAT	283,156	87
362.	ATTTTTTTAAAAATAATAAAATAT[T, C]CTTGATTTCATCTCAGTCGAGCA	283,235	87
363.	CGAGCATTAGCCAAAGCGTCAAAA[G, A]GTAAATCACATGCCTCACGTGAGC	283,279	87
364.	CAAAAGGTAAATCACATGCCTCA[C, T]GTGAGCCATTATTTTGGATGCCCTA	283,298	87
365.	GAGAGAGATCTTCGATCAAGCTAG[C, T]CGTGGTAGAGAAGGAGTCGCCATGT	283,390	87
366.	AGATCTTCGATCAAGCTAGCCGTG[G, A]TAGAGAAGGAGTCGCCATGTACGCC	283,395	87
367.	CCGAGGTGGAGAAGAAAAATTC[A, G]TGAAAGAAAAaGAAGGTTACCGATA	283,443	87
368.	TGAAAGAAAAaGAAGGTTACCGAT[A, G]GAGAAAAAGCAATGAAGGTTTCC	283,468	87
369.	GTGGAACCAGATTGCTACTGAGAA[C, T]CTTTGGGACCACCGCAATCCTGGT	283,569	87
370.	ACCAGATTGCTACTGAGAACCTTT[G, A]GGACCACCGCAATCCTGGTCGGCA	283,574	87
371.	CTTTGGGACCACCGCAATCCTGG[T, C]CGGCATTTCTTTAGATGCAGAATGT	283,594	87
372.	TGTTTAACTTCGAATTGTTTGTCA[A, G]GTAAATGGGGCTCTGGGTTCTTCC	283,696	87
373.	CTGGATTGTTATGCTTTTTTATAT[A, T]ATCGATTTCTATTTTAAATATACT	283,883	87
374.	AATCTTTATGAAATGAAAAAa[T, A]TTCTCTAGTTGTTAGCAATGATGGT	284,020	87
375.	AGTGCTACATTGTTAATGGTACAG[T, C]ATACTTATAAGTTTCGATGAACACC	284,077	87
376.	ATTGTTAATGGTACAGTATACTTA[T, C]AAGTTTCGATGAACACCCCTGATAT	284,085	87
377.	TATACTTATAAGTTTCGATGAACA[C, T]CCCTGATATTTATTGCTATTACGC	284,101	87
378.	CCTATAAGAATTTTTTTtGTCACA[C, T]GCATCAAAATATCACAACTTTTAAT	284,245	87
379.	TACAAAAATATAAAAAATTTGAC[T, G]GACAAATCACAATGTATCAGTGCAT	284,302	87
380.	ACATACAAAATACAATGAAGTCCC[A, G]AATATATCTAAAATGGCCTTGATAC	284,392	87
381.	TCTGAGACAAATAACCTACTGCTG[A, G]CTGGAAGGGAGCTGGTTGGGAGAAA	284,514	87
382.	GACAAATAACCTACTGCTGACTGG[A, G]AGGGAGCTGGTTGGGAGAAAGATG	284,519	87
383.	TAGTAGCTTCTGGCTGGGAGGACA[G, A]ATGCTGGGAGGGAGCTGGCTAGGAG	284,583	87
384.	GCTGTAAGGACAGAGGTTGGGAGG[A, G]AACTGGTTGGGAGAAATGTACCCACT	284,646	87
385.	GGACAGAGGTTGGGAGGAACTGG[T, C]TGGGAGAATGTACCCACTGAAGTTG	284,653	87
386.	TTTGGTCTATAAAAAaTACAAAA[T, A]GATAAGTAAATATTTATTAATTTTA	284,728	87
387.	TAAATATTTATTAATTTTAATATT[A, G]AATATAAATGTACCAAGTATCTCTC	284,759	87
388.	GCAAGCCCTGGAGTTATGGACCCA[T, C]TGTTGACAATTCTTGACCTTAAGG	284,893	87
389.	AAGCCCTGGAGTTATGGACCCATT[G, A]TTGACAATTCTTGACCTTAAGGAT	284,895	87
390.	GCCTATGTTGCTTTAGTGTACCAT[G, A]TACTAACAAAATATTCTGCTTCCTT	285,123	87
391.	ATACATAATAGCTATTACAGCATG[G, A]CAGCATGGGATGCCAGTTAAATCTT	285,179	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
392.	CAACAAATCTATCATTGTGATGCT[T, C]AATTTCAATTTTGTAGCCTCCTCCC	285,265	87
393.	CCATGGCCTCTAAGTTTCTTTT[C, T]CAATTTCTTTTGAATCTTAGGACAT	285,331	87
394.	CAATAATATACTTGTGTAATGACT[C, T]GCATATGTTGTTCAAAAGCATGCTA	285,487	87
395.	AAAGCATGCTAGACTTCTCTCTAT[C, T]GCTGAAAGCATGCCTCGCCCATAGC	285,526	87
396.	GCCCATAGCTCTGGTGGATGTTGT[C, T]GAAGCCACTGCCATGTTGTCTCATC	285,567	87
397.	ATAACACTCTTGAAGGTCTCCACA[G, A]GACCCAATAAAAGAATTGAAAAAa	285,774	87
398.	TCCACAGGACCCAATAAAAGAATT[G, A]AAAAAaTAAATTACGTATAAAATC	285,792	87
399.	AAGAGAATTGAACAAGTTTTTTAA[T, C]AAGATAAATAAACCTTCTGTCTGTC	285,851	87
400.	TAATAAGATAAATAAACCTTCTGT[C, T]TGTCAGACATAAAGATCCATCCATG	285,872	87
401.	TCTCTACAACAGCCCATGCAACAG[A, G]AAAAATATTTTCATTTCTATCCTTC	285,983	87
402.	CCAAAAGAGCCCTTCAAGTGGCAA[C, T]TGTCACCAATGATAGATCTGCA	286,057	87
403.	TAGATCTGCAACCTTTGATAAAGC[C, T]CTGCTTGTATGCTGCAAGACAACAG	286,097	87
404.	AACAGTATAACCTTCTAAAAATGG[G, A]CTGGCTACTCTCATCGACCTACTAA	286,142	87
405.	CTTCTAAAAATGGGCTGGCTACT[C, C]CATCGACCTACTAACATCCAACAAC	286,153	87
406.	CCCTGTGGCTGTCTAAATAATCT[C, T]CAATGCTCTACTTTTGGCCCTATAA	286,267	87
407.	TTATTTGATAGGTAAGCTCGCTCT[G, A]TACAGAAAAAGTATGAATCTTCCAC	286,492	87
408.	CCTCTATATGCTATAAAGCCACA[G, A]CACTTTCTTAACTGTGTGACATTC	286,609	87
409.	ATTGAATTCAGGATATTCAGAACC[T, C]CGAATACCAGCATCTGAATCACTAT	286,712	87
410.	TAGGCTGCTCTCTCCAAAAAAT[C, T]AACTCCCTCATGAGGTAGAGAATGA	286,816	87
411.	GGCTGCTCTCTCCAAAAAATCA[A, G]CTCCCTCATGAGGTAGAGAATGATG	286,818	87
412.	CAGGCAACCGTAGGATTTGAAGTG[A, G]CAGCTTCAATCCCTTTCAATTTCTT	286,980	87
413.	TTTTTATTACCAATCTCTTTACCC[A, G]AGTTCTTGGTGTGATGCATTGTAT	287,059	87
414.	ATACACACCAACAAGCTTTGTTT[G, C]CTGTTTCAGATAAAGGAACATCACC	287,143	87
415.	CACCAGCATTTGCTTGGTGTCTAA[C, T]ATATACCTCAACCATATCAGCACCT	287,189	87
416.	GCATGACATCTTAATTTCTCTCAAG[C, T]CATTTTGTATGTCTGTCTATGGCAT	287,269	87
417.	TCAAGCCATTTTGTAAATGTCTGTC[A, C]TGGCATTAGGTAATAAAATGGTTA	287,288	87
418.	CTGTCATGGCATTAGGTAATAAAA[A, G]TGGTTACAATTTGTGTATCCTAACT	287,307	87
419.	ATTAGGTAATAAAATGGTTACAA[T, A]TTGTGTATCCTAACTAGCTCATCAT	287,317	87
420.	TTAGATGGTATTTAAAAGATCTAC[T, C]ATAATGAATTTGTACAGTAAATAAG	287,447	87
421.	AAGTTAGAGTCTATCTCTGCACAA[T, C]GAATAAGAGACATAGAATACTAAAA	287,494	87
422.	AGAAGAGAATCTGATCTTTTCTT[A, G]ATAATTGGGTTAATCTGATATAACA	287,626	87
423.	ACATGTACAAAAGATAAAGGACAC[T, A]AAAAATACTAAGTTAATCAGAGTC	287,685	87
424.	GTGGATCCTATCTGTCTATGCTCAC[G, A]TATATCAAAAATAGGACCACAAAAT	287,840	87
425.	TGGATCCTATCTGTCTATGCTCACG[T, C]ATATCAAAAATAGGACCACAAAATA	287,841	87
426.	CAAAATATATGAGGACAAAGGGAC[C, A]ACAAAAATCAAGAAAAAaTCCTA	287,884	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
427.	GTATCGGTTTACAACCATAAAATC[C, T]TAAACTATCGGTTGGCCACTAAAG	287,937	87
428.	AGATGTATTATCGGCAAAAGAAGA[T, C]ATAAGGCTCATCCACAGATAAAAAAT	288,049	87
429.	CACAGATAAAAAATAAGGTATTCAA[G, A]AGGCTATCACGCTCGTGCACAAGGG	288,086	87
430.	TAAAAATAAGGTATTCAAGAGGCT[A, G]TCACGCTCGTGCACAAGGGAGGAGA	288,092	87
431.	GGATAGCATTATCATTTCATTA[A, G]TTTTTATATAATGAATATAATCACA	288,461	87
432.	ATGAATATAATCACATAACTCTT[G, A]CATAATGCTATCTTCATCTTAATTT	288,496	87
433.	AAAGCTCTTTATTGAATAAATTT[G, A]GATAGACATTAAACAAATTTAATA	288,552	87
434.	GATAGACATTAAACAAATTTAAT[A, G]ATTACATATGTAGCTTTATTGAAGA	288,577	87
435.	TGTAGCTTTATTGAAGATATTTCT[G, A]TCAGGTATAGATTATCATCATTTAG	288,610	87
436.	AATTTTTTtATCATTTTTTtATT[C, T]ATTTTTATACTAAATATTATAATT	288,726	87
437.	TGATCACATTTATCAACTTTAAAA[A, C]GTGATTATTTTAGGTATCAAAAATT	288,915	87
438.	ATTTAAGGATTGAAAGACTTCACC[T, A]TTATTTtGTTTTGATCAAGCTTG	289,120	87
439.	TTTGACTGATTGAATTGGAACCG[G, A]TTATCTATCCAAAATAATATGAAAA	289,258	87
440.	AAAAATAATCAAACTTGGTCAAA[T, C]AGGATGAATCGGATGAACCAATCAG	289,314	87
441.	GTCTAAATCTCTCCCTCTCTCTCT[T, C]CATCACTGGAATCTAGTGCCTCCCA	289,530	87
442.	ACTGGAATCTAGTGCCTCCCACT[T, C]TGCCCTCGAGAGTTTCTCCAAACCT	289,559	87
443.	AGCTTCTCTCACACCTAGTCTCTA[G, A]GGTTTTGTGGTGCTCAAGGCCTTG	289,610	87
444.	CTAGGGTTTTGTGGTGCTCAAGGC[C, T]TTTGGTGGTGGGAAGATGGAGCTG	289,631	87
445.	CACTCATGGTACTCACCTCAAGGT[T, C]ATCTATATTGGGTCCTTTCTCATTT	289,922	87
446.	CGACAACACCACTACTATCCACCA[C, T]TTCATCGCTAGCCCTCCCTCCTTCG	289,988	87
447.	TCCTTCGTCCCTTCCACCCTACAA[G, T]GACTAAACAAGCCTGCTCTATTGAC	290,031	87
448.	AGGTGGATAGTGGGGAGCATAAG[A, G]AGCACTTGAGAGTAATAAAGGAGTA	290,198	87
449.	GATAGTGGGGAGCATAAGAAGCA[C, T]TTGAGAGTAATAAAGGAGTAAGGAG	290,203	87
450.	TACTGCATGTGATAGTGGGAGGG[A, G]CATGTGAGATATACAACGGCATTGG	290,283	87
451.	CATTGGTGGATCAATCAAACCTGAC[G, A]TGACCAACCATGCGTGAAGAGTGA	290,327	87
452.	GTGAAGAGTGAGGAAGGATGCTTT[T, C]CGAGCATGTGAGATGAGGGCAATTA	290,366	87
453.	GAGGGCAATTAAATTGGCCAATCA[G, A]ATCGATTAGACTGGTCAACCCAAGA	290,405	87
454.	TAACCTGATGGTTCACTATCTAAT[T, C]GATTTTAAAAATATTACTTTTTTA	290,461	87
455.	ATCTAATTCGATTTTAAAAATATT[A, G]CTTTTTTATTATCTTTTATCGCACT	290,478	87
456.	TCAAAAATAAACAGGTATCATAT[T, A]ACAACCTCCAATGAAACAATGAAAG	290,840	87
457.	ATTAATGCGCACATGAGAAGTTCA[C, T]GACTCACAAATCTCAGGAATGGTAG	290,902	87
458.	AATATTATTTTGGTATCAATGCAA[T, C]AAATACAAATATACAATGAGGAGTC	291,108	87
459.	ACCTTGAATGGTAGATATTAAATA[T, C]GGATAGGCCAAACAGTGGGGTCCAT	291,394	87
460.	ACCACATGATGATCACTGGGGCCG[T, C]TAGTTTATTTCGATCTTGATAGATCC	291,719	87
461.	AGATCCGATCCGATCTGAATCAAT[T, C]AAATTTAAAAATTAAAAaTAAAAA	291,763	87
462.	GTGAATCAACACCCACTTAATTGA[A, C]ATTTCAAAGAATCCCCATGCTACA	292,995	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
463.	GAATCCCATGCTACAATGGCTCA[A, T]GGATACAAAATCACCACCCGTTGAG	293,029	87
464.	GTTCCAACATAAAACCCATCAAAC[G, A]ACGCTGAGTTACCCTCCAATTGCCG	293,078	87
465.	AGATGCCTAATACTCATCACCTGT[A, G]ACAACCAAATTTTGTATATTTG	293,152	87
466.	ATGAGAAGAATATTATGAGAATAG[G, A]TGCAAAGGCTTTTCACATGGAATC	293,337	87
467.	TCACATGGAATCTGGAGAATACTT[C, T]TATCAGGAAGATGTGAAAATAGACC	293,375	87
468.	AAAACAAAATGCCACAATTTTGGT[A, G]TCATATACTGAGATTATATGCTTTC	293,440	87
469.	TGAATTAGACTGACGTAGAAAACA[T, A]AGTATAAGTGGGTGCAAAGGTGGCT	293,562	87
470.	AGTATAAGTGGGTGCAAAGGTGGC[T, A]ATCTTGGTGCCTTAGGAAGTCTTTT	293,587	87
471.	AGTGGGTGCAAAGGTGGCTATCTT[G, A]GTGCCCTTAGGAAGTCTTTTGCTCAA	293,593	87
472.	GCACAAAATAGGTGAACATCTTCA[T, C]ATCCCATGTTCCTTCTCCTGTGTG	293,792	87
473.	ACATGAGCATATGCTCACCAAAGG[C, G]CAACCCATATTTTGTGTGGTTTCAT	293,909	87
474.	GTTTCATGTGCACCTCCATGCAAAA[G, T]TCTTGGACTTTACACAGGGATAGGC	293,952	87
475.	TGTGCACTCCATGCAAAAGTCTTG[G, A]ACTTTACACAGGGATAGGCATGCTT	293,958	87
476.	TTGGTGCCATCTGCTTTTCCCTTC[G, A]TGTTCCTCATTAGCACAGGCACCCA	294,075	87
477.	aAAAAAAaGACTTAAAGCTCCACC[C, A]TATCACAATCTCCTTAGCTTCAAC	294,141	87
478.	ATTCTTTCTTGTCTTAGACCACTC[A, G]TCACTCTATTTCTTTGTTTCATCA	294,191	87
479.	TCTGGCTTTACTGAAGAAGTATCT[A, G]ATCCATACATATCACCATTTTGCAA	296,049	87
480.	CATGGGAAGTGAGTATATGGTTTC[G, A]TTGAAAGCGAGAGGAGACTTTAAAG	296,795	87
481.	AGCGAGAGGAGACTTTAAAGACAA[A, C]CCAATGAGATCATGACCTGTCAGCT	296,825	87
482.	CCTCTGGGTAATAATGAAAACATC[A, G]GTCTCATTAATCTCATATGCTCCAT	296,939	87
483.	CAAGTAACTTTTCTACCTTCCAA[G, C]ACCTTCAACTGCGGAGGGAAAGTG	297,059	87
484.	TTGATTAAACATACTCTGTGGC[T, A]GAACACCTTCACCAGAGGCTCTATC	297,123	87
485.	TGGAATTTTGCAATATCACTGTCC[G, A]ATAGACCAAAGCTTCTCATTATCTC	297,402	87
486.	TAGTAGAATCCTCCTCTGTGGAAG[A, G]AAACACAGGTGGATTTCAAACTGC	297,565	87
487.	TTGTCCCAGCCTTGAACAGCTAC[C, A]GATAATCTACAAGAAATTTCAACCA	298,363	87
488.	CAATAGCCTGACAAATACAATAAG[A, C]CCCAGCCATAAATGCTTTCCCTC	298,444	87
489.	ATCAAAAGATCAGGCTCGCAAACA[A, T]GCTTCGGATTGAGAAAACCAATAAA	298,497	87
490.	ACCTATCACGGGTCAAGAAATCC[C, G]GATTGGGTCACTTTGGTCTACTATT	299,935	87
491.	CTACAACAAGTCAAGTCATGATGG[T, G]TTGAGCTGCAGTGAATTGGGTTTGG	300,085	87
492.	CAAGTCATGATGGTTTGAGCTGCA[G, T]TGAATTGGGTTTGGTTTGGTTGCGT	300,096	87
493.	ATTTAGCAACGTTTATGTTTTGAC[T, C]CAATCCGGCTCATCTTGACCATGCC	300,272	87
494.	AACGTTTATGTTTTGACTCAATCC[G, A]GCTCATCTTGACCATGCCACCATGA	300,279	87
495.	ACGTTTATGTTTTGACTCAATCCG[G, A]CTCATCTTGACCATGCCACCATGAT	300,280	87
496.	ttGCCCCCTTATATGAATCAGATC[A, T]GGCATCCGAGAATGTAATCAAGTTC	300,382	87
497.	AAGAAAGAATAGTTCGGAATGAGA[A, G]TTGTTCCAAAGTTATGTTGGTCCC	300,451	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
498.	TTTTAGCCCACTTGTGGTGTGA[C, T]GAATGTTTCTTTAGTAGTTGCATT	300,509	87
499.	ATCTTGAGTATAAAGGCTCTTAC[T, C]CTCTTTCCACCTTCGATCCGACTTC	301,022	87
500.	AGCCAAACCTCCTTCGGTTTCCTC[C, T]TTTGATTTCCTTCTCGATCCTCCT	301,236	87
501.	AAGAAGCTGTACTCATCAGCACTC[G, A]ACTATCACTAAGGGAGCCCAATCT	301,307	87
502.	ACTCGACTATCACTAAGGGAGCCC[A, G]AATCTATGCCATTTTATTCTCTCT	301,327	87
503.	GTATTGCTTGGCACCTCGGTCACT[C, T]GAGATCTAGGATTTTTTTtCTTA	301,409	87
504.	GCACCTCGGTCACTCGAGATCTAG[G, A]ATTTTTTTtCTTATTTTAATGGC	301,419	87
505.	TTTATTTAGTAAATAGATTAAACA[G, A]ATTGAGTCAGATCAGTTAAACATGT	302,448	87
506.	GTATTTATCCTCACCCACAGATTT[A, T]GTCCGTCGAACTTTGGTAGCTGGC	303,638	87
507.	ACAAACAAACCCATGGCATAGGGT[A, G]CACTTTGCTCTAAATCACCACATCAT	304,596	87
508.	AATTAGGTATAATTTTCTCAATTG[G, A]TTATTGATTTGAAAATTTTAAAGA	314,020	87
509.	GTTGCCATCGATAGAGAATAATAT[T, C]TTAAATTAATTAGTAGTAAAAATTC	314,126	87
510.	GAATAATATTTTAAATTAATTAGT[A, G]GTAAAAATCAATCTCTCAATTTTT	314,141	87
511.	ACTCAACTGATTGTTTTAAAAAa[T, A]AATAAATTTATTTAAATCTAAAC	316,153	87
512.	CCGACCAGAAGATCAGCAAACTG[G, C]TCGGCATTTGACACGTTTCGTGTAT	318,252	87
513.	TAACAATAATAGGAGAAAAATACA[T, A]GAAAACCTGGTGCACACTGCAGGCAC	318,855	87
514.	TGATGAGACGAGGGGACAATAAAT[G, C]CAGTCTACGAATGTATTAAATGGAG	318,924	87
515.	GGAGAACTTGCTCTTATACCTTGG[A, T]ATTCGAGACTAGACCTTATTTCTCT	318,970	87
516.	TATACCTTGAATTCGAGACTAGA[C, T]CTTATTTCTTTGACCAATGTAGT	318,984	87
517.	ATAGAAGATGAAAAATTGGTGGAT[A, G]TTAGAGAGTATTATTAGGCATAAAC	319,035	87
518.	TAAATCAACCTTAGACATGAACCA[T, A]GGAGGATTCAAAGCAAAGTGTTTC	319,171	87
519.	TACCATACTTTAAATACAATGCGA[G, T]GAAAGAGATCGAGTAAAGTTAGCCC	319,258	87
520.	TTTAAATACAATGCGAGGAAAGAG[A, G]TCGAGTAAAGTTAGCCCTATGAGAT	319,266	87
521.	TGAACTGGATACAAGGTGGGAAG[A, G]AAAGGAGATGGGTTGATATAGAAAG	320,075	87
522.	TGGGTTGATATAGAAAGGGGAAGT[G, T]GAAAAGGATGGTGGGTAGATAAGGG	320,108	87
523.	CTTGAATGCTGAATTTGAATGGTA[G, A]TAGCGTCATAGGCTCGCAAGTTTTA	320,392	87
524.	TGAATGGTAGTAGCGTCATAGGCT[C, T]GCAAGTTTTAGCCTAGAAAGTGGAA	320,407	87
525.	AGTTTTAGCCTAGAAAGTGAAC[T, G]GATCAGAGTTTTTTtATTAGAAAAa	320,435	87
526.	CAGTAACCATCATTTGGACTACTTC[C, T]ATGAATTATGGCTTAGGCTTGGAAC	321,370	87
527.	TTACTTGGTTTCCGGCCATTTTT[A, T]AACTTGAATGCTGTGGCCACTCTCT	321,452	87
528.	ACTTGAATGCTGTGGCCACTCTCT[T, A]AAGAATATCATTATGTTTTtCTGA	321,478	87
529.	CCATACTCTTAAGAATATCATTAT[G, A]TTTTTTtCTGAAAATATATGTGGTGA	321,493	87
530.	GGTCCATGCATGGATCCAAAACCTT[A, T]GGAGCACTATTCTCGGAAACGTGG	321,758	87
531.	AATTAGGTTTAAAGCCCTTTAAAAG[G, A]GCCTGTGACGAACAGTGAACAGCAG	324,295	87
532.	TAATCCACGTATTTTGATTATTTT[G, A]TTTTATTCTTTTTtCTTCCTGCTG	324,624	87
533.	GATAAATGGAGCTAAAACCTTTGA[C, T]GCTTATACAAAGAATAACTTCAGTT	325,487	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
534.	AGAGATAAGCCTAAACCATTGTCT[G, A]GTGCAGAGATTTTAAAGATGCTAGA	325,761	87
535.	GTCTTTTGGGAGCAGAAATGTGAG[A, G]GCTAGATACAATCAATCCAATACTA	325,826	87
536.	AGATACAATCAATCCAATACTATT[T, C]TTAATTGGAGGAAAAAGAGTATTCT	325,854	87
537.	ATGCATATTGAAAAAaTATTTAT[G, C]AAAAATATTATGGAGACAATAAAGAA	325,956	87
538.	GTTAAGTAGGTGTGTGAGTGAAAA[G, A]AAGCAAAAATTTTTGATATGAAGA	326,189	87
539.	ACAAAACAATATCTCTGATGATTT[C, T]TTTTTTTtGGCTTTAGATTCATCAT	327,134	87
540.	ATCTCTGATGATTTCTTTTTTTtG[G, A]CTTTAGATTCATCATTGCTTTCAA	327,144	87
541.	AACTATAATCAAGCCAAAACACAA[C, A]CATACCTTTTAGAATCAGAATAAAAT	327,847	87
542.	TTATATCTTTGCTTGTATTATTATG[C, T]AACAAAGTATGCAATTAAAGAATCAT	327,958	87
543.	TATCTTTGCTTGTATTATTATGCAA[C, T]AAGTATGCAATTAAAGAATCATGAA	327,961	87
544.	ATGTTTGTTTGATTAAATGCTACAT[C, A]CATTTAAGTTTCTATCATTATATA	329,332	87
545.	TCATATCTACCACTAGGTCAAAAT[T, C]ATTTTATCAAAAGGAGTATGAAATG	329,711	87
546.	TTTTATCAAAAGGAGTATGAAATG[A, G]TAAGCTGTTCAAATGTTGTATTAC	329,737	87
547.	GTTTACATGTGTCTCTTAATTTTT[C, T]CTCATAAACATATGATAGATGAATC	329,798	87
548.	AACTAGATCATAACCTATTGTTG[C, A]AAGGGTGCAGAAGGATGAAATAGTC	330,065	87
549.	TAATCAATTGTTAATTCTCATGCA[G, A]TAAATTTTCTCATCCAATTTGTAT	330,205	87
550.	AGGGGCTGGTTATAAGTTAATTAT[A, G]ATTGAGACAGCAAAGACCATTACAA	330,551	87
551.	AAGAGAAAATCCATGAAGAAAAAA[C, T]ATGTAGATATGCAAGCAAAGTTACA	330,610	87
552.	TAGTTTGGTTGGCTAACATGATTT[A, T]GTTACACACTATTGGTGTATGTCT	330,884	87
553.	TGGTGTATGTCTCTAATTTAATT[G, A]TCATTTGTTATTGTCTATTCTTTTA	330,921	87
554.	TGTAATACCCGATCCATTGGGCC[G, A]TGGATCAGGCCCAAAATCTGAGAGG	331,052	87
555.	AAATTTAGAGAACGACGAGGATCG[T, C]CAGAGTTTCTCGTGAAGTCCTTC	331,261	87
556.	CGAAAAACAaaGGAaAGGGCA[T, G]GTCCCTTATTTTTtGAATATTTTTt	331,608	87
557.	TTTTTCTTTCTCTAATTGCATCAT[G, A]GACCATAGGATGAACTTGAGATGAA	332,016	87
558.	ATTATGCAGTAGGTTGGATCTCA[G, A]TCTGATCCTTATTCGAAATTTATAA	332,093	87
559.	ATGATCACCATTTATATATGCTATC[A, G]TTGGTATTGTATCATTGGTTTGTGA	332,692	87
560.	GCTATCATTGGTATTGTATCATTTG[G, A]TTTTGTATTGTTGAATCCGTGATCG	332,710	87
561.	ATCTGAGAAAGATCATGAATATTT[C, T]GATTCGAGAAAGATTATAAAAGTCG	333,063	87
562.	TGATAGATAATATCAGAGCTTAAC[A, G]TTATGATCATTAAGGATATGATAGA	334,092	87
563.	AATATGATTTAAGTGGTATTTGAT[C, T]TTAAGATTATAATTATTCAAAATTA	334,175	87
564.	TTTAATAATCTTTGGATTAGATTC[T, C]TTATTTATGTAATTCAAATCAAAAT	334,903	87
565.	TTTATTTATGTAATTCAAATCAAA[A, G]TTAAAATTTCTGAGCTGATCTAAGG	334,927	87
566.	GTAGTGAAGCTTATGTAATGAGTT[C, T]AAACATAGAAGGTGGATGAAGATTT	335,269	87
567.	AGATTTAATTTTGATGTGCTATGC[C, T]TAAGAGATAGTAATGATAAAGAAAC	335,313	87
568.	GCTATGCCTAAGAGATAGTAATGA[T, C]AAAGAACTTAAAAaTTTTATCGTA	335,330	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
569.	GATTATTTTATTGTAGATAATGCC[T, A]AGAAGAATCCTAGACATCTCAAGTT	335,654	87
570.	AATATGGCACAATATCAAACAAAT[A, G]TCTTTCAGAGCCTCCAGACATATGA	338,811	87
571.	GATTTTCGAGTTGTGTATGGGTCAC[T, C]AGTTTTGAGCTAATTCAATGTTTTTC	338,866	87
572.	ACGTGCCTAATATATGTAAATAAT[G, A]TTCTCAATTACTTTTAAGCATACGA	339,971	87
573.	ATTTAAGTACTAAAAATTATATCT[A, T]TAAAGTAGCTAAGGTGTAATATAAC	340,259	87
574.	TACTAAAAATTATATCTATAAAGT[A, T]GCTAAGGTGTAATATAACTATATGG	340,266	87
575.	CTAGCAACCCATGTATAATTCTTTC[G, A]CTAGCAACCAGGAATCCACTTCATA	340,348	87
576.	CAAGTGATGATTAGGCTATCTAAC[G, A]TGGTAACCATCACAATGGCATAATA	340,512	87
577.	TAACCATCACAATGGCATAATATC[C, T]ACAGTAGAATAGGAGCATGATCAAA	340,540	87
578.	aTGCACTAATAGCTTTTGTAAAAA[T, A]TATCGCTAATATGACCTAGGATTCT	340,690	87
579.	AGAAATAAAGAAGCTAACTAGTTT[T, C]ATCCTACTTATCAAGAAGTTTAGTA	340,845	87
580.	GAAGCTAACTAGTTTATCTTACT[T, C]ATCAAGAAGTTTAGTAACATTATAT	340,854	87
581.	TGATTATGAACCTTGATTGTGTATA[T, A]TCCCAATAATGTATGTAGTATATAT	340,968	87
582.	ATTGTTATATTTCCAATAATGTAT[G, C]TAGTATATATTATCTATTTTATAG	340,983	87
583.	AAAAaTTTGGATTGATTAGAGAA[A, G]AGTTTGGGCTTGAGAATTCTGGATG	341,085	87
584.	GAATTCTGGATGCATTAGATTGG[G, A]TATCTCAAGTAAAGCAAGATTGTGC	341,123	87
585.	GCATTAGATTGGGTATCTCAAGT[A, C]AAGCAAGATTGTGCCACAGAGTCAA	341,134	87
586.	TCTCAAGTAAAGCAAGATTGTGCC[A, C]CAGAGTCAACCCTATGAGCTGCTTG	341,150	87
587.	CCTAAGGGCTGGGCTTATTAACAT[C, T]GAGGGCGACTTAGTTATAGCGGTCA	341,424	87
588.	CTTCCGCAGGATATTTGAAAAATG[A, G]TGAGAAAGTATTATATATATATATA	341,504	87
589.	AGAAAGTATTATATATATATATAT[T, A]TTTTGATACTAAGTATGTTTATTAG	341,531	87
590.	AAGAAGACGCTGGGCCGCGCGAG[A, C]CGCTACCCAGTGGACCGACGCCGA	342,246	87
591.	GATTAGGTTTTGTATTGGATGGAT[C, T]TTGATGGGTCTGTCTTGATTCAGT	342,477	87
592.	TGTTCATTTTCTTTGGTCTTGGCG[T, C]TTTATTTGGGATTTATCTGAGCTTT	342,661	87
593.	TATCAACAGTTGGATCTTTTGTTT[G, T]GAATGGTCTTATCTATATTGCATTT	342,768	87
594.	GTGCAAGTAGGTTTTCCCAAAATC[G, A]TATTAAAGATGATAGCCTGTGGAAA	343,039	87
595.	GGAAGAAATTCATAAAGTCCCAGT[T, A]TATTTGACTATGTTCACTAAAAGAA	343,530	87
596.	TGGACATGTTGCTTCTTATTATTG[C, T]TCATTCTTGACCAGTTATTGTAATT	343,665	87
597.	CTTTCCTCATAATCAGGGCCTAAA[A, C]ATTTGATTTTGTTTTGGTTTTTCTA	343,736	87
598.	TTAAGTTGCTAATCAATTAATG[C, T]TGAGGTTATAGAATATCATAATTAT	344,205	87
599.	AGTTATTATCTTTCCCTCTTTTAA[C, T]TCAAGTAATGGAGAGAAAAGTCATT	344,351	87
600.	GTTGTGCATTTAATTGTGCATACA[T, C]GAAATGACACATATACCATTCTTTT	344,680	87
601.	CTGCATTTTGATGTGAAATGTAA[A, C]TTCATGATACACTATTAATATTGAC	345,208	87
602.	GTAAAAATTCATGATACACTATTAA[T, C]ATTGACAGTAAAGGAACCAACAAG	345,227	87
603.	ACACTCATATTTTCATCAGTGTGG[C, A]GTTTTGAGATAATAATGCAAAATGA	345,735	87
604.	AGATAAATGCAAAATGACTGAT[C, T]TTATAAACTGCAAAATTTGGTCTTT	345,766	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
605.	TGACATCCTTACTAGTGCTTGACA[C, T]TTTCTTTTAATTACCAATTCCTTG	345,815	87
606.	TGGAATGGACCTCTTTCCCTTTA[C, T]AGTTGAAAGCTCTAAGGGAATCAAG	346,115	87
607.	TATTCAAAGAGCCACATGGTACT[G, T]TAGCTTTATTACTGTCATACTTCTT	346,226	87
608.	TGAGTGCAGCACATAAACAGGTTT[A, G]GCAATCATATACTATATTTTGTACA	346,402	87
609.	TCAATCTGCAGTAATGCTGAGCAT[T, A]AGCATTTGAAGATAAACCTTTTGT	346,558	87
610.	CAATAAAGTTAGTGCATAGTTCC[T, C]GTGTTTACTCTTTAATGATTATTGC	347,298	87
611.	TTAAACTCATGAGACCAGAAGATA[G, A]GGCTGTGAATTGATCTGAGATGCTT	347,762	87
612.	CTGAGTGATCATGTATTTCAAA[T, A]TATTTAATACTTTTAGATTATAT	347,982	87
613.	TAGATCATTACAATGCTCATTAC[C, A]AGCAGGAGCATGGGCCACAGGTGTT	348,176	87
614.	AGTGATGAGAGTTAGAGAGAGTGC[A, G]AGTGAGCCAGATTTTGCTGGCCATG	348,283	87
615.	AATTTCCCTAATTGAACCATTAA[G, A]TAATTGGATAAAAAACAGATAATTC	348,491	87
616.	GGTGTCCAACTGCTTAAACACA[C, T]AGCTAGAGTGATCTGCTTGAGTCA	348,687	87
617.	CAGCCTTTTTTTTTGGTTATGTT[C, T]TCTCTACTTTGCCATTTCTGTATG	348,872	87
618.	CATATCCGTCCTCATCTATATCC[A, G]TTTTGGTTCGAATCAGGTCGAGTAA	349,156	87
619.	AGAATGGATTGGGTCGGGTCGGGT[T, C]GGGTATCTTCCCTTGATGGGGTCG	349,257	87
620.	ATATAGAATAAATTGGGAAAACAGT[G, A]GTTACAACAGCAATACATGCTCACA	349,721	87
621.	AGCAATACATGCTCACAAACGGCAC[T, A]ACCCACTTAAACATAAAGGCTACTA	349,754	87
622.	AAAGATAAACCCCTCCTTACCAA[A, C]AAAAGATTTACAAAATTATGGGGAT	349,867	87
623.	TATGTTATCCGGTCAGGTCGAGA[T, C]GGGGCATACTATTATCTGCACCTGA	350,326	87
624.	GTGTGCCCTTCAGGTGTTATGAAT[T, A]TTCCCTTTTGCTTTTACCTGATTAG	350,591	87
625.	TCATTAAATTGTGCAGCCAGGTGA[C, A]TTTTGCGCTTAATCTTTGGGAACAG	351,708	87
626.	CTCTCTCATATATATGCTCGGTAG[G, C, A]CCACGGAGTACCAGCCCATGCTGG	351,794	86
627.	CTTTAATTTTCATGATTATATAAT[T, C]TGACTGTACTCTTGATGAAAGATA	353,306	86
628.	AAAATCAAAGAAAGCTTCTACTTC[T, C]ACCCCAAATAAGGAAATCTTTTAC	353,362	86
629.	TGTGGCAGCTACGTGATACGTCCA[A, T]ATTCGAGATGCCTTTCCAGGGCAT	353,596	86
630.	TCCAAATTCGAGATGCCTTTCCA[G, A]GGCATGCAGCTCCTCCAGTGTCATA	353,616	86
631.	CTCCAGACATGTACCTGTCACCCA[A, T]GTTCTTTGAACTCATGCACAACTT	353,685	86
632.	GTTGAGGCAGGCAAAAACGGAACA[C, T]ATATTTAAGCATGCAACCACAACAA	353,813	86
633.	GTTTATTGGTAAAGAAAGGTCCAT[T, C]CAACCATCCACTAAACTAGGAGAAG	353,893	86
634.	TATTGGTAAAGAAAGGTCCATTCA[A, C]CCATCCACTAAACTAGGAGAAGGCT	353,896	86
635.	TCGTTATAAATTCTAACTCTCTCC[C, T]AATTCATGATTACATGCTGGAAGGA	354,013	86
636.	GAAGCAATAAATTATGAGTTGCAT[T, C]CTTTGTGACAAATTGGCCTAGAGCC	354,061	86
637.	AATTTTATTCTATAAGAAACACTT[C, T]TTTTGAGATATGAAGAAATTGCATA	354,308	86
638.	GCTTTGTACCCCTAGGTATGGCTT[G, T]TCCTAGAGTTTTCGAAACTGCCAGG	354,523	86
639.	GAAGTTGCTAAATGACTAAAAAA[T, A]GAAAAGAGGAGACCTGATGGTGTGT	354,708	86

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
640.	AAAAAATGAAAAGAGGAGACCTGA[T, C]GGTGTGTACCATTCTGTCTCATTT	354,726	86
641.	TACCATTCTGTCTCATTTAAGCCT[A, C]AATCATCCAAAGCTATTTAGGGGTG	354,758	86
642.	TCATTTAAGCCTAAATCATCCAA[A, C]TATTTAGGGGTGCGCCTAGGTTCC	354,770	86
643.	CGGCGGCCTAATGCGCTAAGGATT[G, A]TGTGTAGTAGATATTGGAAAAAG	354,819	86
644.	CGGCTAGGGTTTCATTCTTTATCC[T, G]ATTATGTTTCATCCTTCTCGGTTCCCT	354,917	86
645.	TTCTAGTAAAAAaCTAATATGAA[T, C]TAAATACATGCTCACACGACAGTCT	355,168	86
646.	GTCTAGGTTGTTACAATTATAGT[G, A]AAAATTTTATTATTACACTAAAGGA	355,283	86
647.	TTTAAATATTTATTATTAAAAA[T, G]TATATGATTTGGAGATCCCTACTTA	355,720	86
648.	GGGATCTCCAGACTGTATGATTTT[T, C]TGATAGTAAATAGTTTAGAGATAGT	355,856	86
649.	ATCTCCAGACTGTATGATTTT[T, G]TAGTAAATAGTTTAGAGATAGTAGA	355,859	86
650.	GAAGGCATAGCTTATATATTAATG[C, A]TATCATCCAATTAATTTATGTAATT	356,240	86
651.	CCTAAACCCATAGGCATGAAGAAT[G, A]GAAATCATGTATTACAGAAGCCTGT	356,378	86
652.	ACAGATAAGCTAACTAAAGAGGG[T, C]AAGTCTTTGTTTTTtAGAAGAAA	356,464	86
653.	TCAGGATGATAGATTGTCATCGTC[G, A]TAGAGGGTGACTCTATAACAGTGGT	356,528	86
654.	TCTATTGTGACTTAGATTTTATGG[A, G]TTTAAATACAGAAATAGCCTCTTT	356,900	86
655.	TATGTTTGACCCCTCATTTGATCCC[A, G]CAGTAACGAGGGCCTTGTGCATTGG	356,971	86
656.	ATTTCTCCACAACACCAATTTT[G, A]CTTTTtTtTTTTtCTTTGAATCTAG	357,110	86
657.	TATATGCACGTGAACAAATATTGC[A, G]TGCATAGGCATGATCACATGCATGA	357,332	86
658.	AGGCATGATCACATGCATGAATGC[G, A]CACAGATGTGCATGTACATATTTAT	357,362	86
659.	CATGAATGCGCACAGATGTGCATG[T, A]ACATATTTATGCATAGACACAAGCA	357,377	86
660.	ATGTGCATGTACATATTTATGCAT[A, G]GACACAAGCAGGCATGAACAAACAC	357,392	86
661.	CGGTGCAGAGAAATTATAGCTCTG[A, A]AGTGCCTGCAATTTGTTTCTTATT	357,476	86
662.	AAGGATTTGAGGTGTTTAAGTTGG[C, T]CATTCGTAGTACCTAGCAAACAGTA	357,583	86
663.	TTTCTTACCATGCTTTTCTGAATA[G, T]CCCACTTTATATGGCGATAGTGAG	358,143	86
664.	CAATGGGCCCTTGCAAGTCTTCAT[G, T]ATACATATAATTCTTGGTTAATGAG	359,208	86
665.	GGAGGCTCTCATTGATGGGAATCC[T, C]CCTCCACCCACAGTGACAGTCTAT	359,475	86
666.	AACTGAAGCTGAGACATGGAAGAT[C, T]ATGTGTAATAACATTTATGTGGCAG	359,837	86
667.	TTTCCGAAGGAATCAGGTCATCAG[T, C]GAACATTCCTTGGACCTCATATAAG	360,112	86
668.	ATTCCATTTTAGCCACATATGCAC[A, G]TACTCATTTTGGGTGAACCTCTCGTG	360,163	86
669.	TATGCACATACTCATTTTGCCTGA[A, T]CTCTCGTGTGTTTTTCATATAAATT	360,180	86
670.	TTTGCTTGAAGTCACATTGAAGTT[T, G]CCCACCTGATTGAGTTTGCTAAATT	360,589	86
671.	AAAAGCCGCCTCTCTTTTCTCCC[A, C]AGAAAAAGAGAGATAGTGGTAGTGC	362,274	86
672.	ACTTAACACCTTTTCATCTCTTTCT[T, G]AAGATAAGAAAGAATATTTGTATA	362,390	86
673.	TTTGCTAGGTCTCTATTGTCACC[C, T]AGTGAATTGTTGAGACTCTAAAAT	362,514	86
674.	AAGTATCCTTTAAAGTTTGCACAT[G, A]TCATTTCATGACTACATCAAGTAATT	362,596	86
675.	TCTTCAAATGCAATCTATGAAT[G, C]GAGAATTATAGGTGTGCCAGATCGA	362,652	86

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
676.	ATAACTCAAAGATAAAATAACCAA[C, T]GAATAACATTGATTATAAATAAGAA	362,815	86
677.	TTGATTATAAATAAGAATAATTGA[A, G]TATAAGTAATTCTTTAGGGAGATTT	362,848	86
678.	TTGATTTTCTCCAAGATGGAATGA[A, G]ACATCACATTAGAGAAGCTATTGATT	362,946	86
679.	ATAAAAACCTTTTCTATGTTGGGT[G, A]GTTAAATATCCATGCATGCATAGAG	363,047	86
680.	TAGTCCTCTTAAATAGTTAATTC[T, C]AATATTGACCACCCAAATATGACG	363,253	86
681.	TAATATTTGACCACCCAAATATGA[C, T]GTTTATATACGTGCCAAGTGGCCA	363,277	86
682.	AAAATAATTATTAATTAAATATTG[A, G]TTGGTATAATAATATTATTCATTTA	363,354	86
683.	TTTATTATAGTTGGTTGATGGTAA[C, A]TTAATTCATAGGGATAAACATTACC	363,400	86
684.	TAGTAACATGCATGATCATAGGCA[T, C]CATTTTATGTGGATTGATCATGCCT	363,617	86
685.	ATGATCATAGGCATCATTTTATGT[G, T]GATTGATCATGCCTATCAACCATAA	363,628	86
686.	ATAACAAGTCTCTACTCACAGTCC[C, T]CTTATTATTGTTGTCGAGCATATAT	363,674	86
687.	ACCAATTATAATAATTATTATTGG[T, A]CAAAATAAAATTTCAATCTATAATTT	363,919	86
688.	TTTTATAACCAATTGGATCATTGC[G, C]TCGCAATATTTGAGTACTTTCAGT	364,074	86
689.	TCATTGCGTCGCAAAATATTTGAGT[A, G]CTTTCAGTTGATCAGCCTTTTCAAG	364,091	86
690.	TTATTAATTCAGTCTAATTGCGA[A, T]ATAGATCACTTAGGCTCTTTAAGCC	364,147	86
691.	TGGGGCCATCAAGGAGAGCATATT[A, C]ATATGATCACATATATCAACCATTC	364,292	86
692.	GATCATTCCTTCAGAAAGCTTCA[G, C]TTTATTTTCATTGCCTTGGAGCTTTT	364,544	86
693.	AGCTTCAGTTTATTTTCATTGCCTT[G, A]GAGCTTTTCTTTGACATTTTATCCT	364,561	86
694.	AGAATTTCAAGCTCACTAGTGAT[A, T]GCAATTGAATAACAACAAGAATACA	364,743	86
695.	AAAGCTCACTAGTGATAGCAATTG[A, C]ATAACAACAAGAATACAAACCCAAG	364,751	86
696.	GATCTCAATGCCGTTTGGCCATGA[T, C]CATCATGTGACCACACCTGGCCAC	365,500	86
697.	CAATCATACATAGCTTCTGATTTT[G, T]ATCATACATCACCTCTGATCCGACC	365,554	86
698.	CAACTTGAGTGCCCTCCACAGCTC[G, C]GATAGGTCAAGCCTAGAGAAGAAGG	365,678	86
699.	TCCACAGCTCGGATAGGTCAAGCC[T, C]AGAGAAGAAGGATATTAGATTGAAG	365,692	86
700.	GCCGCATGGCACTTCACCACTGTC[A, G]TTTGCTCCTCCTCGAGAGCCCTTC	365,817	86
701.	CCCCTTCTTGAACCAAGGATCGCA[A, G]AGGATCCCATCGATGGTGATCCTTG	365,860	86
702.	TTGGGGCATCGGTACTCCCTCCAA[T, C]AGATCTTGCAAGTTCATCGCCATCAA	365,969	86
703.	TTAAGGACGTAAAGAATAATGCTG[T, C]AGGACCAGATGTCGATCTTGGTGCC	366,050	86
704.	TGGCATTATCGAGGAGGAGTTCT[T, C]TGGCTTGAGGTCCAGTGGTAGATG	366,231	86
705.	CTTGAGGTCCCAGTGGTAGATGCC[G, A]CGTGCATGGCAGTATTTGATGGCGG	366,259	86
706.	GATTCGTGCGCAGAAGTAGCATTG[A, G]GAGAGGTCCTCAAGAGATGCGCTCG	366,310	86
707.	ATGCATGCATAGAGCTTGCTATTG[C, T]AGGCGAGCTTGAGGACGAAGTAGAT	366,364	86
708.	GCGAGCTTGAGGACGAAGTAGATC[T, A]TGGAGCGGAAGCGAGGACCTTAAG	366,391	86
709.	TCTTGGAGCGGGAAGCGAGGACCT[T, C]AAGGAAGTGAAGGATGTGGGGGTGA	366,413	86
710.	AGTGAAGGATGTGGGGGTGATGGA[A, G]GTGGCGCATTATGGCGATCTTGCGG	366,443	86

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
711.	AAGTGGCGCATTTATGGCGATCTTG[C, T]GGATGACATTGTGGGCATAGCCGCC	366,466	86
712.	GGCCCTTGGGGATGGCCTTGAGAG[C, T]GATGCTTTGATTAGAGTAGAGGTTG	366,527	86
713.	CCTTGGGGATGGCCTTGAGAGCGA[T, C]GCTTTGATTAGAGTAGAGTTGTGA	366,530	86
714.	GCATATAATTGTTTAATGAGCCAC[G, A]TGCAGTCACGTGATAGTTATGGACA	366,624	86
715.	TTAGCCAAATTGGCAAACATGAAA[T, G]TTGGATCACTTGATTGCTAATATCT	366,731	86
716.	GAAATTTGGATCACTTGATTGCTA[A, G]TATCTCTGAACCTCATTATACAAA	366,751	86
717.	TATCTAACTTACACTACAACAAA[C, T]AAGATATTAGCATAAAAAAAaTTC	366,826	86
718.	AAATCAAATTTAAAAaGCATTAG[T, C]GGCTAAAATTTTCATCGCAAATAT	367,132	86
719.	ATCATAATTTCTGACATAAATTTT[T, C]ATCATAATAAATATTAATTAATA	367,180	86
720.	CACTAATAAATATTAATTAATAA[C, T]GATAAAATATTTTCATCACTATTA	367,207	86
721.	GGTTATTTACGATGAAAAATTTTT[T, A]ATCGCTATTAATTTAATTAATAAATT	367,326	86
722.	ATTAATTTAATTAATAAATTTTTAT[G, A]AAAATCAAATTTAGAAAAATATTAG	367,357	86
723.	AAAATCAAATTTAAAAaTATTAG[T, C]GATGTAAATTTACATCTCAAATAT	367,489	86
724.	TAAATTTTTATCGATAATAAATTT[T, G]tAATTATTTATGATAAAAAATTTTT	367,553	86
725.	TTTTTTATCGCTAATATATTTTTt[A, G]ACGACCAATATTTTCATCGAAAATAA	367,670	86
726.	AATAAATTTATAAATAAATTTTAT[T, C]ATTTTATTATATAAATTAATAAATTA	367,834	86
727.	TTTTATTATATTAATTAATAAATTA[C, T]AAGAGACCTAAAAATAAAaTAAAA	367,860	86
728.	GCATAGATGTCAGTCCTGAATGAG[T, C]GTGAGGATGAGGTAGCAGTGATCCC	368,153	86
729.	GATCTCATACCAAGCACCTGATCA[C, T]AACTCTCGCCATCTGTGGGTGCGAT	368,228	86
730.	GCACCTGATCACAACCTCTCGCCAT[C, T]TGTGGGTGCGATCGAGCCCTCTGGA	368,241	86
731.	ATAAAGAGCTCCTAGCACTCCGTC[A, G]TTCACCTTTTGTATCGTCGCTGGTG	368,400	86
732.	AAaTTGGATGTATAATCTGATATG[C, T]CGGATCCTTGTAATATCGGTATATG	368,746	86
733.	AGTGATGCTGTATAGGGCCGCTG[T, C]CGCATTGCCTCCACCTCATGATCCT	368,813	86
734.	GAAATACAAAGATAAATGAGCATC[T, C]ACAGCTCGCTGCATGCGATCCTCCT	368,909	86
735.	CCCTATCAATAACAAATATTAGAA[A, G]AATACTATACTAATTAATATTAC	368,982	86
736.	AAAAGCGTCACGGGGCATAAATGC[A, G]GCATATGATGCCAGCTTGATCTGC	369,103	86
737.	AACTGCAGCATATGATGCCAGCT[T, C]GATCTGCCACAGCTCGTACCATCTC	369,121	86
738.	GGAGACACTATCTCGGTACTCGC[A, G]TCTCCAATACTCTAAAGCGAGGTTC	369,208	86
739.	TCACCTCACTACCGGTGGAGACTG[G, A]CCTGAAACAATAATAAATAAATCAT	369,275	86
740.	CATCTTTCTCCTGGTGCCATACCT[A, G]CAATTCTTGACATATAAATGAATAT	369,509	86
741.	CATATAAATGAATATAATATTAA[T, C]AATAATAATAAAAAaTAAATTATAT	369,544	86
742.	ATCGCATACCATATTGCAAGAAA[A, G]GATTGAACAAAGAATATAGATCTAC	369,612	86
743.	CTCATCGTCATTTATGAAGTATC[A, G]TCGTCTCTGACTCATCAAGATTAA	369,739	86
744.	GTTAGACGGTAGATTAGCCCTATT[T, C]AAAGGAGTCATTACAAGTTCTTCAT	369,811	86
745.	AGATTAGCCCTATTTAAAGGAGTC[A, G]TTACAAGTTCTTCATCAACAAGAAG	369,821	86
746.	AAAGCTTCTCTTCATGTAAATTT[G, A]AATTTTCATCCATCTCTAATCGGGT	369,899	86

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
747.	TTTGAATTTTCATCCATCTCTAAT[C, T]GGGTTGGTATGTCATATACACCTCT	369,920	86
748.	TTTCTTAAATATTTTtTTTCTAAA[C, T]GAGCTCCGGA CT CGGCTTCCCATAG	370,043	86
749.	CGGACTCGGCTTCCCATAGCCCC[C, A]CTCCACGGCGCCGGCGTCGT CACA	370,074	86
750.	AATAGTTAATTTATGATTTTTTCT[C, T]CAAAAAaTTATGTACATAAAAAaT	371,958	86
751.	TCTCCAAAAAaTTATGTACATAA[A, C]AAaTATAATTTTGATGAAAAATTTA	371,979	86
752.	CAACTTCCGCAATGGAATAAGCAC[C, T]ATAGGAGATCGATAGTTTTGAGGTC	372,066	86
753.	TCTTCTTCTTGAGTCCCTGTTCT[G, A]GAAGTCGGAGTACTTGAATGTCGCG	372,136	86
754.	AAGTCGGAGTACTTGAATGTCGCG[A, G]TGATTCTGAGATCGCGAGAGAAATC	372,162	86
755.	ATGAAAATATTGATAAAAAAAGAA[T, A]TATCTTTTGATTGCGTCTATCTCA	372,248	86
756.	CTCTCTGAATCCCGAAGTAAGT[C, T]TGTCCTGTCCAGGAGCTCTACTC	372,638	86
757.	TCCCCGAAGTAAGTGTGTCCACT[G, A]TCCAGGAGCTCTACTCCTTCTCTTT	372,647	86
758.	AAGTTATCCGCGCACCACATCAAA[A, T]GTCAGGCCACACCATAACCCCTCTG	372,755	86
759.	CAGGCCACACCATAACCCCTTCTGT[T, C]CACGGTCACAGCCTTTTAAAGGCTT	372,782	86
760.	AAGATGATTAATATAAAAAAGCAT[G, A]CCTCATAAACTATAAAATAGACTGT	373,749	86
761.	TATAAAAAAGCATGCCTCATAAAC[T, C]ATAAAATAGACTGTTTACAAATAAA	373,760	86
762.	ATTTATAATAAAAAaTTTCATCG[C, T]AAATAATAATCAATTTTTGATTTTT	373,862	86
763.	ATTTATGATGAAAAATAATTTTTCT[G, A]TCATAAAAAaGTCATTTACGATAA	373,956	86
764.	ATTGATGATCAAAATATTTTTAAT[G, A]TAAATAATCTATTATTTATGATGAA	374,781	86
765.	AAAATATTTTTTAATGTAAATAATC[T, C]ATTATTTATGATGAAAATCGATTTT	374,791	86
766.	GTTTTTGAAATATTTTAAATTTCT[C, T]ATTTTTTTtCTAGATATTGACGATG	374,896	86
767.	GCCGACGAAAAATATTTTCATC[A, G]TAAATAATTAAATTATTTACGACGA	374,974	86
768.	ACGACGAAAATATTTTCATCGTGA[G, A]TATTTTAAATTTAAATTTAAATA	375,017	86
769.	AATAAATAATATATTATTTACGAT[A, G]AAATATTTATCATAAATAATTTGTA	375,063	86
770.	TGCATGTCAGCAAAACTTGCAAT[C, T]TAAGACTTAATGCGAAGCTGCGGCT	375,695	86
771.	GGAAGGGTTTATGAAGAAAGTAA[A, G]CTATTACGCATAGCAAGTAAAAACA	375,785	86
772.	GGTTTATGAAGAAAGTAAAGCTAT[T, C]ACGCATAGCAAGTAAAAACATTATT	375,790	86
773.	CATAGCAAGTAAAAACATTATTTG[C, T]TTATCTTTTCTCATGCTACAGCACA	375,818	86
774.	TGCTACAGCACAAAGTAAACCAATG[C, T]AACATACATGCTTCAAGGGCTGCC	375,856	86
775.	GTATTAACCTTAAAAAGGAAGTACC[A, C]AAAAaTTTACAATCTAGAGAGCAG	376,064	86
776.	TAAATGACAGTGGCAAATTAAATG[C, T]TAAAGCGCCATGCTAATCCAGTTC	376,448	86
777.	GATAATCTTCAATAAGATCCAGTG[A, G]CACAGTCTTTGTAGGCATAAATGT	376,572	86
778.	TGTTCAATAGAAACAACAGGCAAT[A, G]GGGTATAAATACAAGCACATTAGCA	376,765	86
779.	AATACAAGCACATTAGCAGCTAGA[T, C]ACAGACAATATTCTGTGATACCCTA	376,797	86
780.	TCAAATCAATGTGCAATTTAAAGC[A, C]AGATGACTGTGTACATCCCAGACA	376,878	86
781.	CTTTACGGGAAGTAAAAaTACA[T, C]CATTCTTTTGAATAAGGTATTTGTC	377,039	86

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
782.	TAAAAAaTACATCATTCTTTTGAA[T, C]AAGGTATTTGTCCTCATATTGCTAG	377,052	86
783.	AGACGCATTGGGGAAAAAaa[G, A]GTAGCTCAGTGCACAAGGCTTCAGC	377,251	86
784.	CTCAGTGCACAAGGCTTCAGCCAC[G, T]GTAAGGTCTGAAGAGACTCCAGCCC	377,280	86
785.	AGGCTTCAGCCACGGTAAGGTCTG[A, G]AGAGACTCCAGCCCTACCCCTGCAT	377,291	86
786.	AGAGACTGTTTCCATATTTCAAAC[T, A]GTCACAATGGGCAACTTTAGCATTG	377,345	86
787.	GCGTCCAGCTTTATCTTCAGCTC[A, G]GTACATTGCCCAAGAATTTTGCAA	377,511	86
788.	GCATCAGGAACCAAAAGAAATGGA[A, G]AAAAAaTGAAAGGATGGCACTAA	377,955	86
789.	AATATGAAGCCAATAAGGAGATGA[A, G]CTACCTCTGCACACATCGGATGCCT	378,013	86
790.	TCCAACATTCTAAATTAAGAATGA[T, G]GCGAAAAACTATAGAACTGAACC	378,099	86
791.	CTGCACCAATTTCGAAGCTTAAGG[A, C]CCACATGAATGTGAAGTTTCCCTAC	378,333	86
792.	ATGAATGTGAAGTTTCCCTACACT[A, C]TCCATCCTCAATTGCTATGTTAGAG	378,362	86
793.	ACTATCCATCCTCAATTGCTATGT[T, C]AGAGAAGCACTTCAATGGTCAATGT	378,383	86
794.	TTGATCCATTTACTTGACAAAAACA[C, G]GTATCAGCTCTAAATCCAGTCTGCT	378,745	86
795.	AATTAAGATGGATCATATCATGCC[A, G]ATTCTAATCTGTATCCAGTCATGC	378,796	86
796.	TCATGCCAATTCCTAATCTGTATC[C, T]AGTCATGCTCACCATACAAATACAT	378,813	86
797.	CAGGCATACCAACAGACATAAGTC[C, G]TAATTCAGTTGACAAATGATATTC	378,935	86
798.	ATTTCCAAAAATGATCCACCAGAG[C, T]CATTCACCTAGCCTAAATTTTGCTTG	379,228	86
799.	AAATATCTTAATTAAGTTTAATAT[G, C]AAAAAaTAGCTATTCAATTTTATC	379,711	86
800.	TGCACTGCTACCAACTATGCATTG[T, C]CAAAGGTCTAGTACTTGGATTATC	380,092	86
801.	GTGGGCTCTAACTTCTTAAGTTGT[C, T]GACACAAGGGTCCAAAGGTTTAGGT	380,171	86
802.	AAGGCATTTCATCTTTATATTCTA[A, G]CTTACAAAGCATAATTGCATCTGTA	380,312	86
803.	TTGGCATGTACATGATTCTTGGTA[T, A]GGGAAGGTGGAAGGCAAGAATGAA	380,864	86
804.	GTGGAAGGCAAGAATGAAAATATG[T, A]GATTTTTTTCATATAGAACTATGGC	380,896	86
805.	CCATGTAGGAAACAAGAAATTCAT[G, T]CTAATGGGACTATAGAAGCATATTC	381,109	86
806.	TTTATCTATTTCATTGCAAGCTGCT[G, A]TATCCACATTATCTGTCAGATTAA	381,455	86
807.	TCCCTACTAAAGTCATATTTTGCC[C, T]GTGAGCATTAAGTCTCATGACCTGT	381,660	86
808.	ACGAACCTGAAGACTATGAAAACA[A, C]ATCAAAATACGATTGCAACCATATA	381,824	86
809.	CATCACCAACACGAAGTGCCAGTA[T, C]AAAAATAGGGAGAATTTTTTTTTt	381,914	86
810.	TCATCATACCTATGATCTTGAATT[T, C]GGATGAGAAGATCGAACAAGAATAC	381,991	86
811.	GATCTTGAATTTGGATGAGAAGAT[C, A]GAACAAGAATACAGGCTTTCAGAG	382,004	86
812.	TGTCATCTTGGGCTCCATGCCAGC[A, G]TGGAGGCCGAAATGGGGATGCTGAT	382,067	86
813.	GTGACCCAAGCCAACCTCAGTCT[C, A]AACCAGACAAGGAAACCTGGGAATC	382,137	86
814.	TCTCAACCAGACAAGGAAACCTGG[G, A]AATCTGGGATATTGATGGAGGATTG	382,158	86
815.	ACCAAGCCATCAAAAGGAAGGCCA[T, A]AGCCTAGAAATCGAGAAGTCAACC	382,276	86
816.	TCGAGAAGTCAACCCATAACAGA[C, G]GACTAATGAACCTATTGAACGACAA	382,311	86
817.	ACAAATCAAAATTTAACATTAATTC[T, G]CCATGTTTTCTTTGAAGCAGATAAA	382,836	86

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
818.	AGGAGCGTCCGCCAGCTTTGATTG[T, G]AGAACGGCGACCGGCGACGGCACGA	383,242	86
819.	ATTCAGGGAGAAGGCTCTCGCACG[T, G]GATCGAAGACAAAGAGTAGGGAGAG	383,291	86
820.	TGGCGTCAAAGTCCCTTTTTTTTTT[T, A]CGATTTTTTCCGCGATTTCATGTATC	383,833	86
821.	GGCGTCAAAGTCCCTTTTTTTTTT[C, A]GATTTTTTCCGCGATTTCATGTATCG	383,834	86
822.	TATTCCTGTTTTACCTGAATTCCG[G, C]ATCGCTGGATTTGTACGCGTGTGAA	383,886	86
823.	TCCCTGCAGACTCCATATCTGAAA[C, T]TCCAGGGGATGAAAACCTTGAGTAGG	384,386	86
824.	TACATCCCTCGGTACTATATTTCT[C, T]TTTTTCTTCTATACAGAAAATGTTC	384,833	86
825.	GTGTAAATCAGGCCTTAATGCTT[C, T]TGTTGGAAGGAATCCTCACGAGTG	384,970	86
826.	CTTAATGCTTCTGTGGGAAGGAA[T, C]CCTCACGAGTGTGGAATACGGATCC	384,984	86
827.	ATCTAAGATCGCTAATTCAGGTGA[T, C]GGTGTCAATACCGCAATAAGAAGAA	385,037	86
828.	CACCTCTGATCGTTCAATCACGAC[C, T]GCAAGCTCTTCTGACCTTCAGATTG	385,406	86
829.	GACCGCAAGCTCTTCTGACCTTCA[G, A]ATTGCGCAAAACAATGCATGAACCG	385,427	86
830.	CAAGCTCTTCTGACCTTCAGATTG[C, T]GCAAAACAATGCATGAACCGCGCAT	385,432	86
831.	ACCGCGCGGTCCACGCGCGATG[C, A]TGGACTGCGACTTCCTGTGGATGCG	385,586	86
832.	GACCGTGCTGTGCACCATGTGGG[C, A]CGCTAGTCTGGGCTGAGCATGTCCA	385,641	86
833.	TGCGTTGTAGCGAGCTTGGGCGGC[T, C]TGCGGGCCTACGAGCCACGCTTGTA	385,740	86
834.	TGTAGGCTTGCCGCTGTGCTAC[A, G]TGCTATGGGGCTGGACTTCTCTTT	385,786	86
835.	ATTCAACAATCTCCACCTCGACTC[G, A]ACATTCGGCCTTCACCTAACTTTAA	385,871	86
836.	TTACCTTAACCTTTAAGAACTTCTA[G, T]ATCATCTTGCCCCATGTCTTGGGG	385,906	86
837.	GCCCCATGTCTTGGGGCAAATGT[T, C]TGCTGCTCATGGATGGGCAAACAT	385,939	86
838.	GCTGCTCATGGATGGGCAAACATG[G, A]GAGTCGAGCCAGACCGCTCGATACC	385,966	86
839.	AGATCTGATCGGGTAGCCTCCTG[C, T]AGTAATAGAACTTCATTCTGCGAT	386,049	86
840.	ATCTGATCGGGTAGCCTCCTGCA[G, A]TAATAGAACTTCATTCTGCGATGT	386,051	86
841.	TTCGTCTCATGCCAATCCATCTG[T, C]ATCTGGAGCTCCACCTCGTTCTGAG	386,123	86
842.	AAGCTCTACCTCATGTGAGCTCT[C, T]TGTCAGAGGTAATGTTCTCCATAC	386,189	86
843.	TCTTCCCTTTTCATCACAATCCTAC[T, C]GTCGTGCAAGACTTTAGGATTTTTT	386,240	86
844.	ACTGCTCCATCAATATCTGTAAG[T, C]TGACAATCTCAATGCCCTTGATCGC	386,388	86
845.	AaGTAGATACCTCATCAATACCA[A, G]AAGAACATTATCACTATCTTCTGTA	386,557	86
846.	GCTATGGGCAATCTCTGACTCGAT[G, A]CCCCAACTCATCATACCTGTAACAC	386,653	86
847.	CTATGGGCAATCTCTGACTCGATG[C, T]CCCAACTCATCATACCTGTAACACC	386,654	86
848.	CCTGTAACACCTGATCTTGCTGTA[G, A]TCCCTCGATTGGATTGGACCGCC	386,693	86
849.	GTCACTGCCATTGCCGAGTCATCA[T, C]CTGAACTCGAAGCTCAGTTCTTCCA	386,790	86
850.	CTTCCATCTGAGAACCTCATCTCTG[G, A]AGAAGTGTAGAAGTGACTTCTTTCA	386,834	86
851.	AAAAACTCAAAaGAAAAAAaGT[A, G]ATGAAGGCAAGACCAATGCCTTGGT	386,922	86
852.	TCAAAaGAAAAAAaGTAATGAA[G, A]GCAAGACCAATGCCTTGGTCTTCTC	386,928	86

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
853.	GAAAGTTGCTGAGATGCTCTGCA[T, C]GCTTTGTCCCTCACTCATCTGCAGC	387,022	86
854.	CTGCAGCTGATAGAACTGCTTTCA[A, G]AGAAAGAGAGCGTTGGTGAGTGACT	387,065	86
855.	CATCTCGAGCTTCATCCACATCGC[T, C]ATCGAAGAAGTGTGCGTAAGCATAT	387,125	86
856.	AAAAAaTAAATACAAGAGGAGATC[A, G]CACACTTTCAACTCTCATAAACTTT	387,637	86
857.	AGAACCCCTAAGTAGACCCCTCTAC[A, G]GCTCCCTCTGCTTCACGGGTTGCTC	387,730	86
858.	AAATTTTATCAGGACTCAAAAAa[T, C]GTCTGACCATCCGATCATGACCGCA	387,853	86
859.	AATTTTATCAGGACTCAAAAAaT[G, C]TCTGACCATCCGATCATGACCGCAA	387,854	86
860.	ATGACCGCAAGCTCTCTGACCCCT[T, C]AGATCGTGCAAAACAATGCATGAAC	387,894	86
861.	GCACTCGTCCGTGCGCACGTGAGC[C, A]GCAATAAACCCCTCTGTAGACCGCCG	388,012	86
862.	CACGTGAGCCGCAATAAACCCCTCT[G, A]TAGACCGCCGAGTCCATGCGCGGC	388,027	86
863.	CGTGCGCCTATGCGCGTGGGCCGC[A, G]CGCTGGATAGGTCGCCACGCTGTG	388,098	86
864.	TGGGTGCCTGCAAGCCGGGCTTAC[G, A]GGCTGCACCTGTAGGCCTACTTCCT	388,154	86
865.	GGTACTTTGGGTGCAATTCGAGG[T, C]GCCAAACTCAACAGCTTCATCATT	388,238	86
866.	ATACCTACCATTAATCTAAAACCA[T, C]CAGTCTGGAAGAAGAATTTGGAGG	388,312	86
867.	TTGGAGGTCACCTTGAAGAAAGGA[C, T]AATCAGAGGAATGTTTGTGTGATGT	388,355	86
868.	GTGTGACTTTAGTGTGAACAGAAT[T, C]CAAGAGCATGTAGAAATAAGGAAGA	388,911	86
869.	GAGACCTTTGTGAGTGCATGCAT[T, C]GCATGTCCCTGTCTAATAATTTGTG	389,520	86
870.	AAATCTTGATTCAATTGTTTTTGAT[T, C]TCTATAGATTTCTCCCTTTTCTTT	390,032	86
871.	AAAAACACATAGGCTAGCTTAT[C, A]AAAAAGATCCAATTGAGTTTCATGGA	390,551	86
872.	GTAAGGTTGCTAAGAAATCTGTC[G, A]AGACATTTGCTTGCCATCCATGATC	391,234	86
873.	GTCTTCAGGATTGAGAACTTGATC[G, A]TCAATTGATGGTAATGTTATGGGTG	392,029	86
874.	TCTGCATCTCATTCAATTTCTCCCT[A, G]TCTGAACATATCTTTCTCCGAAAG	392,738	86
875.	AATCACTACTTTCTGTACCTGGTT[A, C]TTTGTCTGACACTGACTCATGCACC	392,985	86
876.	CTGTGATGCGGAACCTAAGCATGAT[A, C]TATATGGCCCTTTCTGGCTTAAGCC	393,847	86
877.	AATGATTGGGTAATGATGTTTTTAC[T, A]TGCTTTTTGACGCCCATGCATCTGT	394,038	86
878.	TGCTAGTGGGGTCTGCTGTTTGGC[G, A]CTTAAACATCAGAAGATAGACCAA	394,830	86
879.	TTTATCAGGGACCAGAGTAATAA[C, T]ATAGGTACTAGTAGTGACAGAATAT	395,132	86
880.	TTTCTTTACATAGGGATCAATCAT[C, T]GATGTTTTAGCTGATATCAGCCATT	395,457	86
881.	GGTCAGCTTTACTGGGCAATGTTT[T, C]TCCAGGGTATCTTTCATGTTTTTA	396,342	86
882.	ACTAGTTACCATTTTTTCACTATGT[G, A]AAATTGTCTCTCACTCTGCCAGCCT	396,502	86
883.	GTCCTGGTCAATCGTGTCATTTTC[A, G]GTATGGCTGTAATCAGGTTCCATGA	396,656	86
884.	TGGTTTCATTACTGAGACAAGTCT[G, C]TACTCACGAAAAAATGATGTGATTT	397,285	86
885.	TTTTGTTAATGTTTTTGGCATGGA[G, A]ATTATGGAAATGGGTTAGGGAAGTT	397,698	86
886.	CTTCATCTTGTGCTCTAGTATA[T, C]GCCTTTTTAATATCATTTAATCACT	397,983	86
887.	ATGTATATATGTATATATGCATGC[A, G]TGCGTGCATGTGTGTACATATATA	398,096	86
888.	TATATGCATGCATGCGTGCATGTG[T, C]GTACATATATAATAGGATTGGACGG	398,109	86

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
889.	AAAAATCACAGAAAAGCCCTCAAT[G, A]GAAAAAACTCTCTTTCCATTACAG	398,180	86
890.	CTCTCTTTCCATTACAGGCCCAAC[T, A]CAAGTATGGCCTAACAAAACTCTT	398,213	86
891.	AGTTATGATTTCTCATCCCTAGT[G, A]TAGCAAAACAACTAGTAGAAACCT	398,276	86
892.	AAACCTTGGGCAACGCATGAAATA[G, T]AGCCAAGAAATATAAGAACGTGTTT	398,320	86
893.	AATTTGAATTATTTTGGTGGACAA[A, C]AATTAGAGAAGAGATGAGACTACTC	398,447	86
894.	CACATGTTGTAAAGCAACTAAACA[T, A]AACTTTTCCAATATTTACAAAAGCA	398,511	86
895.	CATGTCCAATGGGAGTATTTGGAC[A, G]GGGGTTAGCATCATCTGGCTGCCTG	398,859	86
896.	TTGGACAGGGGTTAGCATCATCTG[G, A]CTGCCTGCATGTAAGTCAATATGTA	398,877	86
897.	ATTACATAAAACAATTATCATCAGC[A, G]GCAGCGCATCTTCTCATTCATGATA	399,072	86
898.	TATTGAGATTCGTTATATTTATCG[A, G]GAGGTCAATAGCTCTACTGACTGGA	399,146	86
899.	ATTTATCGAGAGGTCAATAGCTCT[A, G]CTGACTGGATGATCTTTTATGTGAC	399,162	86
900.	AAAAAAaTAAAGTGACATGTGGCC[T, C]GGCACAAAGTCACGTGACCTTGAAT	399,326	86
901.	TCCAACAAGCATTTTAGATTATAA[G, A]CTTACACCATGGGCGAGGGAAGTTT	399,376	86
902.	TCTGGTCAATTTTATTAATAATGTA[T, C]TGTTCCAATATTAATAATTTCTCGA	400,348	86
903.	GTGTTCCCTTTGATCTAAAAACAGT[C, A]TAATTTTTTGCTACCACAAATATAC	400,418	86
904.	TTCTTTACAGAAAAAACTCACGGA[C, G]AATAAGCTTAAATCTTCATGGCCAG	400,605	86
905.	TATATCGATGGTCCCGAGGAGTC[T, C]TGATTTAGTACATAACTTCTAAATG	400,778	86
906.	ACATAGCATAGCATTTACCATAAA[G, A]AACCATGCATCGTTACGTATCCAA	401,047	86
907.	GAAGTCTTATGTATGCTAAaGTTTT[C, T]CCTTTAGAATACTTGAAGGCTTGA	401,812	86
908.	TGTCATGCAATTAAGTTACCTTG[A, C]CATATGTGATGCATTAATTACATGC	402,407	86
909.	GTGTAATATTAATTGTTCTTATG[T, C]ATTATTGCTTTTCTTAGTGTTTTTC	402,836	86
910.	CAATACCATAGGTATTTGTTCTTG[C, T]TAGCCATAAAATATACAAGCATAT	403,009	86
911.	GGTATTTGTTCTTGCTAGCCATAA[A, C]AATATACAAGCATATGAGGGTAGCA	403,019	86
912.	TGGTGATGATGTTATCCATAACCT[T, A]ATCAATAATTTGGTTTTGATTTTCT	403,130	86
913.	ATGTACGTGGGTAGAAGGGACAGC[G, T]TTAACATGAAACATGTGGAAGTTTT	403,562	86
914.	CTATTTATAGATGAAAGAAATGAA[A, T]AGAAAGAAAaCTTTAAAAGAAaGA	403,675	86
915.	TTATAGATGAAAGAAATGAAAAGA[A, C]AGAAAAaCTTTAAAAGAAaGAAAAA	403,679	86
916.	AAAAAaCTTTAAAATACACCGCAA[C, T]GATTAATTTCTTATTCACCATGTCA	403,725	86
917.	AATACACCGCAACGATTAATTTCT[T, C]ATTCACCATGTCACCTCTTCTATGA	403,737	86
918.	ACATTTTATATCGAAGATATAGTA[G, A]CACAACTCCATCCGGCGGTACAGC	404,131	86
919.	CTCTTTAAGAGGAAACCCACATAT[C, T]CGATGCCAATGCATGCAGTGGAAA	404,204	86
920.	GCTCCCTTCTTTTCCCTCGGAATT[T, C]GCGGTGTGGACTTCACCTTCTCTT	404,277	86
921.	TATCCATTTGTCATGATCTTGTCT[C, A]ATGAATATATGTATTCTGTTCTTGT	404,924	86
922.	TCTGCAAACGCCGAAATGGACTGC[T, C]GAAGAATGCTTATGAGTTGTCTGTC	405,325	100
923.	ACGCCGAAATGGACTGCTGAAGAA[T, A]GCTTATGAGTTGTCTGTCCTTTGTG	405,332	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
924.	AGAATGTTAATGATGGTAGTTTTC[G, G]TCCTCTTCAATTTATTGCTTCCCT	405,543	100
925.	CTCCCACCCCTGTGCAACTAATTCC[G, C]ACAAAATAAGGGTCTCCCATTTGTTA	406,358	100
926.	TGTGCCTCATGACGAGCATTACCT[T, A]TCCATGGTTCTGACACGACATTGCA	407,199	100
927.	CATGGTTCTGACACGACATTGCAT[A, C]CTAGATTTTACTGTGTACGTAAAAA	407,226	100
928.	ACACGACATTGCATACTAGATTTT[A, T]CTGTGTACGTAAAAAGCACTGCAT	407,236	100
929.	GGACTAAGTTTAAACATATAAAAA[T, C]ATTTAAATTTTGAATATATATGTA	407,845	100
930.	AATGGATTGGGTCTGGTTGGGTCA[A, G]TGCAGTCTGCTTAAATATATATAT	407,944	100
931.	AATATATATATACATATGGGCTAG[G, A]TCAAATCAGGTTAGTTTATATATAT	407,983	100
932.	CAAAATTTTGTCAAGCATTCAAGT[G, A]GACACAAATCAAAGGGCACTAATGC	408,312	100
933.	TAAAAATAGCATGCATTTTATGAA[G, T]ATAACCTTACTATTATTAGGTAATA	408,455	100
934.	CGAGATGGAGAGAAAGCACTTCAT[C, T]TCTCATCTTCTCTCTAAATAACA	408,567	100
935.	AGAAAGCACTTCATCTCTCATCTT[T, C]CCTCTCTAATAACATTTCACTAAG	408,577	100
936.	TACCATTTCTCATATGAAAAAAa[C, T]ATTATCTAAGAAGAATAAATTATTA	408,694	100
937.	CTTGTTTGCTATTATAAAACCATG[A, T]CAACAATCAATATGCACTAAAGTTT	408,807	100
938.	GAAAGTAAGGAAAATTGCTTGAAT[G, A]ATTTAGAAGTGCATAAATATAATCT	408,992	100
939.	GAGGAGTCTTATTATATTTTGAG[A, G]ATTAGAAAGGGGAGAAAATTGAAC	409,048	100
940.	GAACAAAACTTTGATAAATTGATT[G, A]TAAGAATTTTCAAACCTTAAAGCGA	409,094	100
941.	AAGGTTATCTATATTCATTAATAT[C, T]AttTTTTTAAATTATTGTATATATT	409,187	100
942.	TTCTTTAAAGTTAGATTGGTTTC[G, A]TACTTATCATAAATGATAAATGATC	409,256	100
943.	CTTTAAAGTTAGATTGGTTTCGT[A, C]CTTATCATAAATGATAAATGATCTG	409,258	100
944.	AAAATTATTTGACATATAACCTTT[G, T]ATAAGAAATTACATATTAGGATTTT	409,319	100
945.	ATATTAGGATTTTATGGTTTACTG[T, C]CATATAGTTCTTTGTTTTGTATTTA	409,356	100
946.	TGATGGCTTATGATTTTtATTTTT[T, C]ATAACATTTATTTTATCTATAATA	409,471	100
947.	TTAATGAAAGTGGATTACACGACA[T, C]CTAACTTATATTTTGAAGATAGAG	409,536	100
948.	tTTTTAAATTTAAATGTCATAGG[T, G]TTGAAAAATCTTACTTGTAATAT	409,702	100
949.	ACACTTAGATTGTGATTGTTGTTT[G, A]GCATTGGAAGATCGAGACAATTAAT	410,005	100
950.	TTAATACCATAAGTGGGATATATA[C, G]TTGCTTAACCCAATTAAACCAAA	410,050	100
951.	ATACTTGCTTAACCCAACATTAA[C, T]CAAAATCACCTCTCGACAATCACAC	410,071	100
952.	GTGTACTCAAGATAAACATGGATT[G, A]TCAAGATATATATAAGAATAATAAA	410,129	100
953.	TTTGTTTTtAATTTAATCCTTTGT[C, T]TTCTTAAATGACTCAGCTTGTAATT	410,291	100
954.	ATCCTTTGTCTTCTTAAATGACTC[A, G]GCTTGTAATTTAAATATATCATTAC	410,306	100
955.	GCAGTAATGTCCATTTGTTGTAAA[T, C]AAATATTTGGCAATAGAAGAAATAC	410,360	100
956.	CCATTTGTTGTAAATAAATATTG[G, A]CAATAGAAGAAATACTATAAGGTCA	410,370	100
957.	TTTCGTATAGTCTATTATAAATGT[A, C]GAATGAAACATAATAGGCTTTTCAT	410,446	100
958.	AATTATCAAATATCAAAATTAATG[T, C]ACCAATTTATGAGACATCAATATTA	410,515	100
959.	AGACATCAATATTATAAGGGATA[C, T]TAAGAACTAACGAGGTACACTGA	410,551	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
960.	CTAAGAACTAACGAGAGTACACT[G, A]ATCAAGAAATGTGATCGACCAGTGA	410,575	100
961.	ATCGACCAGTGAGGCATGTTGTT[A, G]TAAATTAATTAGACACGTTTCAAT	410,613	100
962.	GAGGCATGTTGTTTATAAATTAAT[T, C]AGACACGTTTCAATTTATGAGAAT	410,623	100
963.	TTTATAATTGATAAATGGATCACT[T, A]TTTATTGCTCTTTATATTAGACT	410,686	100
964.	ATTTTCATTACCATAAAaAAAGAT[C, T]GAAAATAAAATTAAGAAAGAATGAG	410,805	100
965.	GATAAGTTTGATAATTTTAGACAT[C, T]CGCTTGATAATAGTTCATGTTTAA	410,854	100
966.	TTCATGTTTAATATTAATTTATCA[C, T]TGAGAATGCAAAAATATATAAAATT	410,893	100
967.	TTAATTTTACTACTGAGAATGCAAA[A, C]ATATATAAAATTTTAAATTAAGCTT	410,906	100
968.	AAATAATAAATTAACTAAGAAAA[T, C]AAAAATATTTAATAACAATTGGAA	411,066	100
969.	AATGCATGGAATGATTTTCATAAAT[G, A]TTGCATTGTACTAAAAGAATTTATG	411,249	100
970.	TTATTACTTTACAATAGTAAAC[T, A]ACCTTTTGAGCAAAATGGTGGTAAC	411,330	100
971.	TTTACTTTACAATAGTAAACTAC[C, T]TTTGTAGCAAAATGGTGGTAACCCA	411,333	100
972.	CTAGATAAAGAAGGGGACAGAAA[G, A]AGAGATATAGGGCTCCCGAGCTTAA	411,422	100
973.	GATAAAGAAGGGGACAGAAAGAG[A, G]GATATAGGGCTCCCGAGCTTAAGCA	411,425	100
974.	AAGAGAGATATAGGGCTCCCGAGC[T, C]TAAGCAACCAAGCAATTCAATATAG	411,444	100
975.	CCGAGCTTAAGCAACCAAGCAATT[C, T]AATATAGTTGCAACCAATAAAATCC	411,462	100
976.	AATATAGTTGCAACCAATAAAATC[C, T]GATATGAGCAAAATATAAATATAACT	411,487	100
977.	AATATAAATATAACTCACTAAAAG[C, T]CCAAAATACCCCAATAAGCCCAGG	411,522	100
978.	AAAGCCCAAAATACACCAATAAG[C, G]CCAGGTAACCACTAGCCCAACATA	411,542	100
979.	CCTCTACCTTCCAAGCTCTAATTA[T, C]TTAATGCCATTGCAAAATCATCATG	411,642	100
980.	TCTTCTTCTAATTTGGTGTACTAT[C, T]ATTTTCAATGTATTGCAACTCTATT	411,697	100
981.	TCTAATTTGGTGTACTATCATTTT[C, T]AATGTATTGCAACTCTATTGCCAAT	411,703	100
982.	TTGCCAATCGATGCTCCTCCAAGG[C, T]ATCTCTCAAGATCTCATTTGGCTCT	411,745	100
983.	TCAAGATCTCATTTGGCTCTATTG[C, T]GCTACCACTACCATCCATCCTATTA	411,775	100
984.	TCTAGATCAATATCAAAATTAATG[C, T]AGCTCTTTCTCGATACTTTTTCGA	411,828	100
985.	TCAATGTCCATGCCATCTTCCAT[G, A]AAAGCTACTTGCCAAACAATCCTAA	411,978	100
986.	GAAAGCTACTTTGGCAAACAATCCT[A, C]ATAGGTTCCAAAAACCCACAGCT	412,002	100
987.	AACCCACAGCTAAGGACTAAACA[C, T]ACAACCACACAGGTTCTCTTATACT	412,040	100
988.	CTAAACACACAACCACACAGGTT[C, A]CTTATACTCTCTTTATTAGATTCA	412,057	100
989.	TCTAGTCAAACCTGAATCATAAACA[T, C]CATAATCAATCCATGGTCAACTCCA	412,135	100
990.	TGGTCAACTCCAACCATTTATGAA[G, A]CATAAGATCTTATCTAAAAAaATC	412,173	100
991.	ATCAAAATAAATACATGCTTGTGC[G, A]GAGATCCTCACAAAAATATTAGCA	412,292	100
992.	TCAAATAAATACATGCTTGTGCG[G, A]AGATCCTCACAAAAATATTAGCAA	412,293	100
993.	CAAAATTAAGTATAAGATGAA[T, C]ATAGAATTGATGAATAAGAACCAG	412,485	100
994.	ATTGATGAATAAAGAACCACAAAAA[T, C]ATACTGAATAAAGAGAGATATG	412,515	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
995.	AAGGTAGAAACCCCACTATGGTAT[G, A]TATAACATAAGAAAGACCGTTATTA	412,585	100
996.	TCTTAGCTAGCTACTTTAAGGATA[C, T]AACTTTTACACATTCACTCACAAAT	412,682	100
997.	TTACACATTCACCTACAAATCCTA[G, A]AGATTTAGCAAAAGAGAAAAGAGAG	412,712	100
998.	GAAAGGCAAGGGAAGAATAGTTCC[T, C]ATAATAGAATTTTCACTAGTTAATA	412,771	100
999.	TTGTAGGTAATATATAGGAACCT[A, T]ATTCTTAACTTTTCAATGTGGGAT	412,867	100
1000.	TTGTAGGTAATATATAGGAACCTA[A, T]TTCTTAACTTTTCAATGTGGGATT	412,868	100
1001.	AACTTTTCAAAATTTATTAATATC[A, C]AACTCTCCTAACTTAGACAAAAAAT	413,004	100
1002.	CCATTTTATCTAGATTGTAAGATG[C, A]ATAACTTGAATGATAAGATTTTAAC	413,534	100
1003.	TCATAAAGGTGGTAATCAAGTCA[T, C]ATTATATTTATCAAGCACTGTCTA	413,631	100
1004.	TTTTAAATTTAGTGAGATGGTTG[C, T]ATTGCCTCCATCTATGACTTAAATT	413,742	100
1005.	TTTAGTGAGATGGTTGCATTGCCT[C, T]CATCTATGACTTAAATTTTGGATA	413,750	100
1006.	TTGCATTGCCTCCATCTATGACTT[A, T]AATTTTGGATAACAAGCCATATC	413,763	100
1007.	GGTTAGAAAATGTTACTAAAGGTG[A, G]TTTCATATGATTCTTAATGTCTAAA	413,891	100
1008.	TTCTTAATGTCTAAAATAGTGTTT[A, G]ACTTTCTTTCTCTATTTTAGTAA	413,926	100
1009.	CTATTTTGTAGTAACCAATGTCAAC[A, G]ACCTTAATGAAGCACTTGAAAAGAT	413,963	100
1010.	TATTGATAACTAATTGTTACTTCA[G, A]TAACTCATCAAACTATTTTAATAA	414,062	100
1011.	AATGCAACATGATATATCAATATG[C, T]TTTTCTATTAGACAATTCAACTTCT	414,145	100
1012.	AGAGATTAATCTCAAGTAAGAAA[G, A]ACATGGCAATTTAATCTAAAATAGA	414,336	100
1013.	TAATTTCTCAAGTAAGAAAAGCATG[A, C]AATTTAATCTAAAATAGATTTCTC	414,342	100
1014.	CCATATATTTTGCCTCATATGCT[T, C]ATCAGTTAAAATCTTCATGCTCAT	414,398	100
1015.	ATCTTTTGTGTGTTTGTTCATAGC[C, T]TTACATGTATCTTTGAATATTTGT	414,488	100
1016.	TGGTTTACAACCTTTCTTTGAGAG[T, C]TGTAAGGGTGTAAGGGCTAGATCT	414,635	100
1017.	GTCATTCCTTATAATGTAAGAGGT[A, G]ATGAAAAGATTTTCTTGCAAATTA	414,769	100
1018.	CATTCTCTATAATGTAAGAGGTAA[T, C]GAAAAGATTTTCTTGCAAATTAGA	414,771	100
1019.	CCATAATGCTTTTCCTCTATTTT[C, T]TTTTTTTtCATTCAATCATATTG	414,924	100
1020.	ATATTTGTTATGGTGTAGGAGGGA[A, G]GGTATCATTAATCCCATATTAGTTG	414,967	100
1021.	CTATGAGCCAAAACGACAATACG[T, A]AATAGCCGAGCCATGAGCTCTTGGT	415,102	100
1022.	ATACGTAATAGCCGAGCCATGAGC[T, C]CTTGGTTGCAACAGTGGCACACTAG	415,121	100
1023.	CGAGCCATGAGCTCTTGGTTGCAA[C, T]AGTGGCACACTAGGAAAGGAATCAC	415,133	100
1024.	ACACAACTCCTTGACTGGAGGGC[G, A]GTAATAAAATAAGATGATGGTACC	415,213	100
1025.	TGGAGGGCGGTAATAAAATAAAGA[T, G]GATGGTACCTTCCGTCTATCCATAG	415,229	100
1026.	CAAAAACGGACAATAC TTCACATG[C, T]CAAGCCATGAGCTCTTAATCATAAT	415,451	100
1027.	AGCCATGAGCTCTTAATCATAATA[G, A]TGGAGGGAGGGCATCATTAGTCTCA	415,478	100
1028.	GGAGGGAGGGCATCATTAGTCTCA[T, C]ATTGGTTGTAATCAAAGAAGATCC	415,504	100
1029.	TCATAGTGGCTAAAGATCGAAACG[A, G]ATAATACATCACATATGCGGGAGTG	415,878	100
1030.	TCATGATTTGTAGTGAGCATTCAT[C, G]TACTATTTTTTTtCCAGAATCATT	415,973	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1031.	ATTATCTCAATTTTCATGTTTTA[A, G]AAGAAGGATAGATCTTGCCCAATAA	416,026	100
1032.	ATTATGAAAGTCCTATGAAAGCC[T, C]TATTGTAGTCAGAAAACAAGGTCAA	416,086	100
1033.	GTCTATGGTTGAGAACTTCAACCA[A, C]TTGACTACGTTGCCTGAATGTTCAA	416,148	100
1034.	TTATGATAGCAACTCTTCAAAAAa[C, T]CAAAAaTTGTGATGACAACTGTTGC	416,327	100
1035.	CAACTCTTCAAAAAaCCAAAAaTT[G, A]TGATGACAACTGTTGCCTAGGCGAC	416,336	100
1036.	AAaTTGTGATGACAACTGTTGCCT[A, G]GGCGACATGTAAGTGGTTAAGATTG	416,355	100
1037.	CTAAGTAGATGTTGAATCATAGG[C, T]GAACAATACTACTGAACAATACATA	416,497	100
1038.	GAACAATACTACTGAACAATACAT[A, G]TTTCTTGCATACATTGGCTTGACTA	416,522	100
1039.	ATACATTGGCTTGACTATTAGTGC[T, C]ATGCACTCTAGGTTCAATTATACTT	416,555	100
1040.	ATTAGTGCTATGCACTCTAGGTTC[A, G]TTTACTTCACAAGAGTTTTTATT	416,571	100
1041.	TGAATAAGAGTTAAGTAAAAGGAC[C, G]TAATTATCATAAGCTATGAAGACA	416,673	100
1042.	ATGGAAGACAAGACAAGGGTACT[G, A]CCATTGATACTCTTAGTAAAATAGT	416,713	100
1043.	CTGCCATTGATACTCTTAGTAAAA[T, C]AGTGTTATAAGTGATAGTAATAGCA	416,735	100
1044.	GAAATGCATACAAAGTTGCGGTATC[A, C]TTGTGTAAAGAGAAAGTATTTTCTT	416,831	100
1045.	CATTTGTGAAAGAGAAAGTATTTT[C, T]TTTTATTTACGTTTAGTCAAAACCA	416,854	100
1046.	GAAAGAGAAAGTATTTTCTTTTAT[T, C]TACGTTTAGTCAAACCATATTTAT	416,861	100
1047.	ATTTGCCATTATACCGCCATTGGT[A, T]AGAACAAAATGCCCTCAATACCAAA	416,974	100
1048.	CATTATACCGCCATTGGTAAGAAC[A, G]AAATGCCCTCAATACCAAAATAAAC	416,980	100
1049.	AAATGCCCTCAATACCAAAATAAA[C, T]TGCATTGCAAGTTATTTGAAAGAA	417,005	100
1050.	TTGAAAGAAGTGCAACTCTATTAT[T, C]GTGGCATGTTAACGAGCTTTTCTAT	417,046	100
1051.	CTATGATGGTTATCAAATTGTATA[A, G]CGAAGGCAAAAACTATGGCTAAAT	417,117	100
1052.	CAAGGCTCTAAAGAATATACAAG[T, C]CTTAACCTCTTTACATCCTCAAAAT	417,330	100
1053.	CTCAAGTATCTGATTGGTGTGAT[A, G]ATGCTCCATCTAATTAATTCCTTCA	417,457	100
1054.	CCAAAAATACATATATCCTATGAC[T, C]CTTAAAAAGAAAaGGAAAAGAGGAG	417,526	100
1055.	GATGTAAGCTTTACAATCCAATAA[G, A]AATTTTCACACCAACACTAATAT	417,575	100
1056.	GCTTTACAATCCAATAAGAATTTT[C, T]ACACCAACACTAATATAATAATA	417,582	100
1057.	TAATAATAATAAAaAAATAAG[T, C]AATAGTTGTACTCTTATAAGTCTT	417,624	100
1058.	ATAATAAAACATGCAAAGAAAGTA[C, T]ATCTTTTATATAATAAATCATATT	417,692	100
1059.	CACTGAAGTATCACAATCATGTTT[C, A]TGGCTCATGGCAAGATATCGACATA	417,795	100
1060.	CTGGCTCATGGCAAGATATCGACA[T, C]AGTGGCTAGTCTCCTAAACTATCAC	417,819	100
1061.	TCTAAACTATCATAATCACATTTT[C, T]AGATTACGGTAAGGATCAATATAGT	418,017	100
1062.	AAACTATCATAATCACATTTT[CAG[A, T]TTACGGTAAGGATCAATATAGTGGC	418,020	100
1063.	CGGTAAGGATCAATATAGTGGCTT[A, T]TCACACAGACTACCACAACATATATT	418,048	100
1064.	ACACAGACTACCACAACATATATT[C, T]CAGCTTGTGGTGGGCATCAACAAT	418,075	100
1065.	CAGCTTGTGGTGGGCATCAACAA[T, C]ATTAATAGCCTAAAGCACCACAACC	418,100	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1066.	CATCAACAATATTAATAGCCTAA[G, A]CACCACAACCCACTATTTCAGTTACA	418,115	100
1067.	ATAACTTCATACAGATCTCTCTCT[A, C]TATATATGTATGTATATATGTATGT	418,260	100
1068.	ATGTATGTATATATGTATGTGTGT[T, G]TGTATACATACAATTAACAAATAAG	418,290	100
1069.	ATACATACAATTAACAAATAAGCA[C, T]ATAGCATGCAACTATCAAAAATCAT	418,318	100
1070.	CATATAAATCAAAATCACTATGCA[C, T]AAAATAATTGTTATATAAATAGATG	418,365	100
1071.	ATATAAATAGATGATCAATGTCTA[G, C]AAATTTTCGCTCTACGTACTGATG	418,402	100
1072.	CTAGAAATTTTTCGCTCTACGTAC[T, C]GATGACAACTTGGTTATAACTATT	418,423	100
1073.	GTCCATGCCTAGCATGTCCAATCA[A, G]TCAATATAATTTCAAGTTCATCCTGA	418,478	100
1074.	CAATCAATCAATATAATTTCAAGT[C, T]ATCCTGAATCAACCATTAGCATAAA	418,496	100
1075.	CATAAAATTAATAAATTAATTTGTC[C, T]AGTGTTTTAATTTCAAAGCTCTAAT	418,540	100
1076.	AACTTATTGCCAGTGTTTTAATTT[C, T]AAAGCTCTAATATTCGAATTAATCT	418,554	100
1077.	TCTATACTTTCTAATTAATAAATTA[C, T]ATAATTAATAAATAATTTGGATTT	418,617	100
1078.	TTACATAATTAATAAATAAATTTG[G, A]ATTTTATCTTGACTATAAACTAGAG	418,638	100
1079.	GCATAAATCCCTTGCTCAGTATT[T, C]CTTAATTGGATGATTGGTCCCATCC	418,687	100
1080.	TCTTAATTGGATGATTGGTCCCAT[C, A]CAAAATCAAAATCAATAATTAGAAA	418,711	100
1081.	CATAAAATGGTTATCATCGATGGT[A, G]GAAAATTTAGAAGAAGATATAGCT	418,765	100
1082.	GGCAATGCTAGTAGCATCCAGTGA[C, T]TAGTGTTAGCCCAATATACATAATC	418,943	100
1083.	TAGGAATTTGGTGATGATAAAATC[A, C]AACAATGCTTAGCAGGGTCGGGTTT	419,035	100
1084.	AGGGTCGGGTTTGAGTTAACTAT[T, C]ATACAGAACAAGTCCAAAACCTTCT	419,073	100
1085.	AAACCTTCTTCTAGGATCAACATA[G, A]GGTCTACTATCAAGTCTTCAAAATC	419,114	100
1086.	TATAAGAAGAGAGAGAAAAAGATA[G, T]AGGAAGAAAGCTGGTAGAAGAGAT	419,194	100
1087.	GAGAAGGGAGAAAAaGAACAA[C, T]CAAACTCTCTCTTTCTCTCTTCAT	419,250	100
1088.	TTTCTTCAAAAAGGGGATTTTCCC[C, T]TTTCTCCCTCTCTTTCTCCTAGCGG	419,307	100
1089.	GATTTTCCCCTTTCTCCCTCTCTT[T, C]CTCCTAGCGGATGGCTAAGCCAGC	419,322	100
1090.	CCTAGCGGATGGCTAAGGCCAGCA[G, A]TCTATGGTGGTGCTAGTGGTGAAG	419,349	100
1091.	TGGTGGTGTCTAGTGGTGAAGATG[C, T]GATGGCCGAGTGCTACAGCGATGG	419,378	100
1092.	CGGTTGGTAGTGGTAGTGGGCGAT[C, G]CAATAGAAAGAAAGGAAATCAAAA	419,435	100
1093.	TTGATATGATAAGAAGACTACAAG[G, A]TGGTCAGCGGTAATGACAAGCATCC	419,509	100
1094.	GTGGTCAGCGGTAATGACAAGCAT[C, T]CGCATTAGCTTAACCTCTTATGATA	419,533	100
1095.	GCATTAGCTTAACCTCTTATGATA[G, A]TTGCAAAGGCAATAATAGCCACAGT	419,559	100
1096.	AGAAGGTCCTTAGTGCGGCAACAT[C, T]CGACGGTCTTCCAAGAAGATTTTCAG	419,637	100
1097.	GTCTTAGTGCGGCAACATCCGAC[G, A]GTCTTCCAAGAAGATTTTCAGCCAAT	419,642	100
1098.	TCTTCCAAGAAGATTTTCAGCCAAT[G, A]ATGGCTGTATGAAAATaAAAAaGAA	419,668	100
1099.	ATAaAAAAaGAAaAAAGGTACCAA[T, C]AAGATGGGAGGCCACGATGCCTCGA	419,707	100
1100.	GGTACCAATAAGATGGGAGGCCAC[G, A]ATGCCTCGATCATCTCTAATGATGG	419,723	100
1101.	ATACAGTGGAGCTTGGCTTTATA[A, G]ATGATGGAGGCTAGGGTTTCTAGC	419,843	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1102.	AATGATGGAGGCTAGGGTTTCTA[G, A]CCTCCGATGAGTTGGAGAAGGAGCC	419,867	100
1103.	CCTCCGATGAGTTGGAGAAGGAGC[C, T]AGAGTCAAACCTTTCTTCGACTCA	419,892	100
1104.	TTTCTTCGACTCAAATAGGGGAAG[G, A]GAAGGTCTTCTCTTCCCATTG	419,929	100
1105.	TTGACTCAAATAGGGGAAGGAA[G, A]GTCTTCTCTTCTTCCCATTGTTTC	419,933	100
1106.	TTTCAAGCCTCTACAACCATATGA[A, C]ATCATAATGTCAAAGCTAGAAAAGG	420,015	100
1107.	ACAACCATATGAAATCATAATGTC[A, G]AAGCTAGAAAAGGAGATCTATGCCA	420,027	100
1108.	AAAGGAGATCTATGCCATAATATT[C, T]CAATCCAAGCCTAATCAAAGAACC	420,060	100
1109.	GATACCTAAGTTCTCCCTAGCATT[A, G]TCTATGGTAAGAAAATCTATTAATT	420,135	100
1110.	CTAGCATTATCTATGGTAAGAAAA[T, C]CTATTAATTAATAATGCATAATTAT	420,151	100
1111.	AAGAAAATCTATTAATTAATAATTG[C, A]ATAATTATATCTAATCAGTCAAAG	420,168	100
1112.	TCTCTCTTTCTTTATCAAATTAT[A, C]CTCCTTTACCAGGAACTAATTCGA	420,230	100
1113.	ATCTTTTGGATCAAAGAATTAATG[T, C]ATTTAATTAGTTTCAAATAACTCA	420,292	100
1114.	TAATCTAAATCCATCGATTCTCTCT[G, A]GGTTGACTAGGTGAATTCTAACAAA	420,368	100
1115.	TTCTAACAAAATACCGCTTAATAT[C, T]GGAACCAAGAAGATCCAAAATTTTA	420,408	100
1116.	TTAAATTAATCCTGACTTCTCTAA[C, T]AGTTCAATTAGACTATCAAGATCAC	420,611	100
1117.	TTAATCCTGACTTCTCTAACAGTT[C, T]AATTAGACTATCAAGATCACCTTTT	420,616	100
1118.	ACTTCTCTAACAGTTCAATTAGAC[T, A]ATCAAGATCACCTTTTCTCTTGGA	420,625	100
1119.	TTCTAACAAAGTTAGAAAACCTAA[A, G]TCAACATTCTTATTAACCTGTTTAT	420,688	100
1120.	TTCACTACAATTCTTAGTATCAAT[C, T]GACAAACCACATGAACGCCCTTAT	420,754	100
1121.	CACATGAACGCCCTTATATGTTA[G, A]ACATATACAAGTCCACCAGAATCAA	420,786	100
1122.	TAGACATATACAAGTCCACCAGAA[T, C]CAATTTCTCTACTCAATTAAATATC	420,808	100
1123.	ATAGCAAGATACTATAGACCTGCT[C, T]ATAAGCCTAACTCTGATTAGAATTT	420,859	100
1124.	ATAGACCTGCTCATAAGCCTAACT[C, T]TGATTAGAATTTAACACATCCAAC	420,872	100
1125.	GATAATTTAAATTATCAAAGATTC[T, C]ACCAAGATGCATATCTCATATCCAA	420,967	100
1126.	AATTTAAATTATCAAAGATTCTAC[C, T]AAGATGCATATCTCATATCCAATTG	420,970	100
1127.	TCTACCAAGATGCATATCTCATAT[C, T]CAATTGATAAAATCTAATCCATTAA	420,989	100
1128.	TGATCTTCTTATAGGTTTGATTCT[C, T]GAAGAATGTTTATTTTAACTAT	421,081	100
1129.	TTATAGGTTTGATTCTCGAAGAAT[G, A]TTTATTTTAACTATGTAATTCT	421,089	100
1130.	CCTAAACAACCTGCTAGTAAAGTC[T, C]AAAATTTAATGATCAAACAATTAA	421,153	100
1131.	ATATTAAGTTTAGAATTTCAAAA[T, C]ATCTAAGTGACAATTGAGCAAGTAC	421,238	100
1132.	GTGACAATTGAGCAAGTACACACA[G, A]CATAACACAATCTACCAATATATCA	421,269	100
1133.	ATACTTAGGTCAAATCTTACTTAT[T, C]GAAATTAGAGACATAACTTATCCAT	421,346	100
1134.	AATCTTACTTATTGAAATTAGAGA[C, T]ATAACTTATCCATTCTTTTGTACT	421,358	100
1135.	CTTTTGTACTCATAATATGCCAAG[T, C]CTTATGCATAAATTTTATCATAAT	421,398	100
1136.	TATTTCTACTATGTACATTACATC[C, T]CTAGTGATCACAACTTTAAGTTCAA	421,479	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1137.	AAATATCAATTAAGTTATAATCCC[T, A]AATAATCATAACCTAGCTCTGACAC	421,527	100
1138.	ATGATGGCCGTATACTTTCTAGGA[C, T]AAGATCCTAAAGAATATGCAAGATT	421,617	100
1139.	CCGTATACTTTCTAGGACAAGATC[C, T]TAAAGAATATGCAAGATTTTAAATT	421,624	100
1140.	ATGAATATTACACATTAACAAATA[C, T]CAAACCTTGATAATTTATAAAATT	421,720	100
1141.	GATCATCTGATTGGTATTGATGAT[A, G]TTCCATCTAATCAATTCTTTCAACC	421,771	100
1142.	CAGATCCTATAATATTTAGGTGCT[A, G]GGCTCTAAATTATTACAACATATATT	422,069	100
1143.	GTGGACTATCACAATCACATTTT[A, G]GCATGAGGTTGGACATAAGCATAGT	422,158	100
1144.	TCACATTTTTCATGAGGTTGGA[C, T]ATAAGCATAGTGGCTAATCTAGAGG	422,172	100
1145.	ATAAGCATAGTGGCTAATCTAGAG[G, A]GTCATAAGTGCTCAACTCTGACTAC	422,197	100
1146.	ATTGGGATATCAATAAAATGGCTA[G, A]TTCAGAAACTACAAGTACTCAACT	422,269	100
1147.	GGGATATCAATAAAATGGCTAGTT[C, T]AGAAACTACAAGTACTCAACTCTA	422,272	100
1148.	CAAAATAGCAAGCCTAGAGCACCA[C, T]AATCCACCATTCAAGGACACAATTC	422,362	100
1149.	AATAATTTAAGATCATATTTCTTT[G, A]TAAATTTAATACATAAAATTACCA	422,416	100
1150.	AACCACTCAAGTTGGGATAAGTGA[C, T]ATGTGATATATAACTTTATACAGAA	422,467	100
1151.	TATACTTAAGAAATAAATGTATAG[C, A]ATATAACTATCAAAACTATATAGA	422,524	100
1152.	ATAGCATATAACTATCAAAAATA[T, C]ATAGATCAAAATCATTAATTCACAA	422,544	100
1153.	TCTTATCTCTACTAATGACAAACT[C, T]GGTTACAACATTTTCTTGTCCATG	422,634	100
1154.	AAACTCGGTTACAACATTTTCTTT[G, A]TCCATGCCTAATATATCCAACCAAT	422,653	100
1155.	AACTATTTTCTTGTCATGCCTAA[T, C]ATATCCAACCAATCAACATAATTCC	422,665	100
1156.	ATTTAAATTTATATAATTAATAA[G, A]AAATTAAGATTTTATCTTGACTTGT	422,829	100
1157.	ACTAAAGCATAACATTTCTTGCTT[T, C]GCATTTTCTTATTGGGATGATTGCT	422,881	100
1158.	CATTTCTTGCTTTGCATTTTCTTA[T, C]TGGGATGATTGCTCTCATCCAAAT	422,893	100
1159.	ATGGTGGAAAACCTAGAAGAAGAA[C, T]AGTTGGTCGAATAATAACATCCGAT	422,985	100
1160.	AACATCCGATGGCCCAAGTGGGTT[T, C]GATCTAGATGCCTTAGCTAGTGATT	423,025	100
1161.	TCGTCTATGATGGGTTTCGTGGTT[A, G]CTTGATCAAGATCAAGGTGAAGAAG	423,092	100
1162.	CCAGTGTCAGCCCATCTAGGTGAT[C, T]CAATGATTAATCTATAATTAAGAG	423,166	100
1163.	TGATCCAAATGATTAATCTATAAT[T, C]AAGAGCCAAATTATAGCTCAATAGA	423,186	100
1164.	TAAAATCCAACAATGCCCGCAAG[A, G]GTCGGTTAGGAGTGAACAATTATA	423,249	100
1165.	AATCCAACAATGCCCGCAAGAGT[C, T]GGGTTAGGAGTGAACAATTATAGAG	423,252	100
1166.	CCATCAAGTCTTCTAAATCTATCT[T, A]TCTTtCTTTTTTTtATGCCTAAA	423,341	100
1167.	AATCCAAGAAGAGAGATAACAATA[A, G]AGGGAGAATGTAGAGAGAGATGTGA	423,389	100
1168.	CTTCTTTCTTCAATAGAAGATTT[T, C]CCTTTCTCCTCTCGTCTCCAAAC	423,480	100
1169.	ATGGCAGTGGATGGCTGAGGCCAA[T, C]AGCCTGCGATGGCATCCAACAGTGA	423,530	100
1170.	CAACCCAGTAGCAACAATGATGG[C, T]AGCTGGTGGCAGCAGTGGGCAATCG	423,588	100
1171.	CAATCGGATATAAAGAAGAAGAAA[A, G]TCAAAGCAAAATAAGGCAAGAGGCC	423,632	100
1172.	GAAGAAGAAAATCAAAGCAAATA[A, G]GGCAAGAGGCCTTGCTTTGATCCAA	423,646	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1173.	ATGGCAATAATGGCCATGGTGGCC[A, G]ATGGTGGATGAATCAAAGAAAATAG	423,768	100
1174.	ATGGTGGCCAATGGTGGATGAATC[A, G]AAGAAAATAGGGGATCCTTGGTGCG	423,783	100
1175.	GGTGGATGAATCAAAGAAAATAGG[G, A]GATCCTTGGTGCGCAAGATCTAAT	423,795	100
1176.	TCAAAGAAAATAGGGGATCCTTGG[T, C]GCGGCAAGATCTAATGGTCTTTCAA	423,805	100
1177.	TTCAAGAAGATCTTAGCCAACAAT[G, A]GCTACACGAGGATAGGAAGGAAGGA	423,850	100
1178.	TAGGAAGGAAGGAGAGAAAGTGCC[C, A]ATGAGATGGGAGGCGATGCCTCATC	423,887	100
1179.	TCATCTCCTATGATGGTTCAACCA[C, T]GATTGGGCTAAAACCTTTTCTCCT	423,932	100
1180.	ACTTTTCTCTCCTCTTTTtGAC[A, G]ATGCAATCAATTGATTCTCAATAG	423,969	100
1181.	GACAATGGAGGCTAAGGTTTCCTA[G, A]CATCCAATGAGTTTGAGAAGAAGCA	424,039	100
1182.	ACTCCTTCGACTCAAACAAAGGAA[A, G]GGAAGGTCTTTCCTTCCTCCTATT	424,097	100
1183.	TGGGTAGGGTATCACAACAGTTT[G, A]TTTCTAAATTGTCATTATCAGGAAG	424,187	100
1184.	TACACCACATTCGATGTAGAAAAA[C, T]TGCACTCCGCCTAATTGAGCCA	424,249	100
1185.	ACCACATTCGATGTAGAAAACTG[C, T]ACCCTCCGCCTAATTGAGCCACAT	424,252	100
1186.	TATCTTATGGCCATATTATAATAT[C, T]CTGCAATCAAATTATGATTCTTAT	424,403	100
1187.	TTATGGCCATATTATAATATCCTG[C, T]AATCAAATTATGATTCTTATATAC	424,407	100
1188.	CATTGGAACCGGTGCATTACATG[A, G]CTCAATCAGATGGCGCGGTGCATTT	424,705	100
1189.	GCGGTGTACAAGAATTTCTCTTA[C, T]TAGGAAATATCTTGAGCTAGACCG	424,769	100
1190.	CTAGGAAATATCTTGAGTCTAGAC[C, A, T]GGCCCATTTGTCATTTAGACCAATC	424,793	100
1191.	TCAAGGACTATGAATTTTGGTCCA[T, C]AATAAGTATGAGATCGTCATGGGAT	424,841	100
1192.	CATAATAAGTATGAGATCGTCATG[G, A]GATTGAAAAAGATGGGAAATAACTC	424,863	100
1193.	GATCGTCATGGGATTGAAAAAGAT[G, A]GGAAATAACTCCTCAGTTTGCCCCCT	424,877	100
1194.	AAAGATGGGAAATAACTCCTCAGT[T, G]TGCCCCCTGACAGCTCACAATTCTT	424,895	100
1195.	CCATGTCTATCCATATAAAAAGGTA[T, C]TTGTTTTCTATTAATGTCATTGCAC	425,010	100
1196.	ACTAATGAAGACAGCTTCAGCAA[G, T]ATAGAGCAGAAATCCTTTAAATTTT	425,058	100
1197.	AAGGGAATCATTGTGGTTACAG[G, A]TGGGGGTAGAGCATGTAAGATACGA	425,549	100
1198.	ATTTGTATTCTGTTCTGCCCCAG[A, C]AATCAGCATAGGCACCATGATGCAT	425,635	100
1199.	AACTTCAGAATTTTTTGCCCATC[C, T]AGCTCTTTAATTTGATTTTGTATGC	425,707	100
1200.	GAGAACAAAACCTCTCTCCTTGTC[C, T]TTGTCTGCTATTTCTTTCTGATATA	425,969	100
1201.	ACATCTCAACAACCATAACTGAAG[C, G]CCCTTCAAAGCTAAATGCCTGTTA	426,632	100
1202.	CCATACTGAAGCCCCTTCAAAGC[T, C]AAAATGCCTGTTAATTGTTCTTCA	426,644	100
1203.	AATGGCATTTTTTCTAGATGTCC[A, C]TACCGATACTAACGGTATTTTGGAG	426,701	100
1204.	AGTCTCTAAAATTTTCACTTGTG[T, A]TTCCATTGATTCTATTCTTTATAT	426,820	100
1205.	ACAACACTATTACACCATCAAGA[C, T]CAGACAACCTTCATCTTGGATATG	427,075	100
1206.	CAATGAAAAACCTAAATGCTGA[A, G]AGGAATCTCCACAATTATGGAGGAA	427,448	100
1207.	GAGGAATTAGTACTTCTTAGACCA[C, T]GAAGCTAAAACCTAGATCTGCAATCC	427,492	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1208.	GCCGAGTGTACCAAAACATTATT[G, C]AAGTTGCTAAGCCAAGCCCTCAAAG	427,567	100
1209.	TTTTTGCGTGATGCATATAGGCCT[G, T]GTAGATCACCAAAACCAGACTCGCC	427,721	100
1210.	GTAAGTCCAGGTTTTCCAGTAGTC[C, T]TGTGATTCTTGCTCCAGCTAATGC	427,777	100
1211.	CCAGCTAATGCTTTAGCAGACCAT[T, A]GCAAGCAAATCTCTGTCAGCAACTA	427,816	100
1212.	GCAGACCATTGCAAGCAAATCTCT[G, A]TCAGCAACTATATGGTCACTTGGAG	427,831	100
1213.	TGCTTGCTTTTTTGCTTATAGCCT[T, C]CAATTTATTGTATATTATAGTATTA	427,898	100
1214.	GCCTTCAATTTATTGTATATTATA[G, A]TATTAACCCAAGCTCAAGCTCGACT	427,918	100
1215.	TTATTTGATATTATAGTATTAACC[C, T]AAGCTCAAGCTCGACTCGATGAAAA	427,927	100
1216.	AAGCTCGACTCGATGAAAAATAGA[C, T]AAAACTCGAGTTGAGCTTGAATATC	427,958	100
1217.	TCGAGTTCGAGATCAAGTCTTAGC[T, G]TACTAATAAGATATATATATATATA	428,021	100
1218.	AACTTTGACTCATTGTATACATC[G, A]TAAGCTTCTAAAGATAGCCATAAGA	428,943	100
1219.	AAGGAGGGTGGTACCAACCTATCG[G, A]CTGAAGTTTCGTTGGTGAATGTTAA	429,038	100
1220.	TACCAACCTATCGGCTGAAGTTTC[G, A]TTGGTGAATGTTAATTTTTGCAAAT	429,049	100
1221.	ATACAAGCCAATGATCTGTATTTA[A, C]TTAGCTCCCAGTTGCTAGATGGAAT	429,250	100
1222.	tGGATTGAAGGTACTAAAGCATTT[A, G]AAAaTAAAAaTTTCTCACAATCCG	429,322	100
1223.	ATTAATCAGCAATCACTAGGTCGC[A, T]GGTTTGAATTCGGCAAGTTAGATTT	429,411	100
1224.	TTATCCTTTAAAAATTTTACATCA[T, C]AACTTTAAATTATAATTTACAAAT	429,561	100
1225.	TTTACAAATATTTATTTCAATTAC[A, T]ACAACAGAACATATAGCATGAGAAG	429,602	100
1226.	TTATTTCTCAAAAATGTTTTGTG[T, G]CAACACATCTAACAATATCATTGTC	430,072	100
1227.	CTCAAAAATGTTTTGTGTCAACA[C, T]ATCTAACAATATCATTGTCAAACCT	430,078	100
1228.	TTTGTGTCAACACATCTAACAATA[T, G]CATTGTCAAACCTTTTATATAAGCA	430,090	100
1229.	ATTATTCAATACTTTTAACTTTGC[C, A]TTTGCTATGCCGCTTTTAGTTTCTT	430,550	100
1230.	CTTAACCCCTTTTATAGATGCTT[T, C]TGATGTAACCGTCGAGCACATAGTC	431,574	100
1231.	TGTAACCGTCGAGCACATAGTCCC[A, G]CTTTTATGACGCTAAATTATCGGG	431,602	100
1232.	CGGGCCATAAATATAAAATTAATG[A, G]GGCGTTAATCTCCTTAATAGCCGT	431,648	100
1233.	GCTCAGTCGGTCGATGAAGAGTCA[G, A]AACTGCATGTTCAACCGATATGCAG	431,905	100
1234.	TACCCCAACAGTTACCCCACTCT[C, T]AAAGTCCAAGGTGAACCGACGTGTA	431,993	100
1235.	CAGTGTGACACATCATTTGGAAA[A, G]TCAATTGACGTCGGATGATATGAT	432,212	100
1236.	GACAAATAGATTTGTGCCATATGT[C, T]TGAATGTTATTGGGTCGGATCTGTT	432,265	100
1237.	AGATGTTGCCACATGTACATCTG[A, G]TAAATTTTCGATTCAATCACCTTCA	432,384	100
1238.	CCAACGCTGAGGTTGTTATTTTC[G, A]TCTTTTTCAGATCAAGTTTCTGTCT	432,536	100
1239.	TCTCTTATGGCTAGGACTTCTTCT[T, C]GGGACGGTCGGTTGGAGAATCCGAC	432,635	100
1240.	TTTGCCCTAGGGCTGATGGTCGG[A, G]TGAATATCCCTTTTTTGGGCCAGGT	432,788	100
1241.	CCTGGCAGAGAAGGAGCTTGTGAA[C, T]GAACAGACCCCTTATGATGCCGACC	433,272	100
1242.	GACTTTACTTTTCTTTTACTTGTT[T, G]AGTTGTACTGACTTCTATTGTAATT	433,370	100
1243.	CTCCATCTGCATCGGTTCTGAGC[C, T]GATCCCGATACTATCAGCCCCGACA	433,598	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1244.	TCTGAACAATCTGTGGCTGCGCCA[G, A]TTGCTCCTTCAGCTGGGGCGCAGTC	433,750	100
1245.	GGGACTGCCGCAAGGGATCGGGG[G, A]AAGCTCTGGTGACTTCGACGGAAG	433,830	100
1246.	TTCACTTCGACCTTCAAGTACCTG[A, G]TGATAAAATTGACCCTGGCCAATCCG	433,904	100
1247.	AATAAGGTGGCAGCCGTCGATGCT[G, A]AGAAAGCGCCGCACTCGAACAAC	434,192	100
1248.	GACGGATGCATCGAAGAACTTAA[A, G]TCGAACGTGGATGTCATTGGGCCAG	434,411	100
1249.	TTGAGTCAGACAATCAAGGATTTT[T, C]GGAGTTCGAAAGAATTCAAGGAAGA	434,555	100
1250.	TACCCGAAGCTCGACTTGAGCAGT[A, G]TCGTCCCTCCAAGATCGGAAGATGG	434,675	100
1251.	AGCAGTATCGTCCCTCCAAGATCG[G, A]AAGATGGGGTTGTTGAAAAGAAGC	434,693	100
1252.	TTGGGTAATCAAATACCTATAATC[G, A]GACTTCAGTCCAATTTTGTAAC	434,862	100
1253.	AGTCAGTTTTTATAGTGGAAAGCC[A, G]ACATTAAAAATCAAATATAATCGG	435,288	100
1254.	AGTGAAAGCTGAAATAAACTCTAT[G, A]TCGAAGTACAGTCGATAGTTGGCT	435,464	100
1255.	ATTGATAGAAGCTTGACCAAGGTTT[C, T]TGATTATAACTGAAGATTCTGTA	435,544	100
1256.	AGGTGATACATCTTCAGATTGTCG[G, A]CATTTTCATGTTCAAAAATATCGA	435,630	100
1257.	AGCTTGCTGTCGGAGTTCTGAAAG[G, A]AGATTTAAGTCGGCTCTTCGATATT	435,893	100
1258.	TTGATGGCAATCCAATCTCGAGCG[G, A]GATCATTGCTTCTGTTCTATAAGCC	435,979	100
1259.	AAGGATCAAATATGTCGATTCTCC[A, G]TTGTACGAAGGGCTATGGTGCTACA	436,443	100
1260.	CAATCGATGTCAACTGACTAGCCG[G, A]TTGATGTTGTATATTACATACCTT	436,491	100
1261.	GATTTATCTCCAAATAATTTTCA[C, T]AAATCTCTTCATGTACTTCTCTAAG	436,631	100
1262.	GAATCTCATAGTCAAGTATTGGA[C, T]GATCGGATCCATCCAGCTTGGTTCG	436,818	100
1263.	ATCTTTCACTTTCTAAAGATACTT[T, C]ATCATAGTGGGTCTCAGGCTTCAA	437,044	100
1264.	CACCCCTTGACTTGCCAACAATCC[A, G]TTGTGAGTCGGTGAAGACCTTCAAA	437,096	100
1265.	AGAAATGAATCGACTGAGTGCAG[C, A]ATCCTCCATTGAGTTACTGTATCT	437,928	100
1266.	TCGGGTTTAAGTTTCATCTGATATC[G, A]TCGAAGTGTGCCAAAGGCTTCTCC	438,104	100
1267.	CAAAGGCTTTCTCCAGATCTCGAA[T, C]ATGATCTGAAGTTTGGAGACTCTTC	438,140	100
1268.	CTTCATATTTTCATCCAATCTGGGC[C, T]TTGAAGATCTTATTgAcgAGCCGTT	438,213	100
1269.	CTGGGCCTTGAAGATCTTATTgAC[G, A]AGCCGTTGATAAGTAGCTCCGATAT	438,231	100
1270.	TgAcgAGCCGTTGATAAGTAGCTC[C, T]GATATTTTCAAAC	438,251	100
1271.	TGATAAGTAGCTCCGATATTTTC[A, G]AACTGAAAGCATTACTTTGTAACA	438,262	100
1272.	GTCGGTTACAAAAGTCGTGTGCTC[C, T]TCATCTTTTGTAGCCATCCAGATTT	438,324	100
1273.	GTGCCATCCAGATTTGATTATACC[C, T]GACGAAGGTATCCATGAAACTCAAA	438,359	100
1274.	TATTTTtCATTTGGCTTTTCTCACC[G, A]TTACCACATTGGCGAGTCAATCGAG	438,514	100
1275.	TCATCCGAGTATGGCATTATGAGC[C, T]GAAGGTACTCGAACTATCGTGAACG	439,078	100
1276.	ATGGCGTCAAGACTCTTCTGAGTC[A, G]TCAGTCGGTAGTCGCATTTCGAGAGA	439,224	100
1277.	AACTTTTATATCTACAATAATT[T, C]TTTTtACATCATAATTTGCTATTGT	439,300	100
1278.	AGACAACAACAGCATCATCATGGG[G, A]AGTTTGAATTCTCCAAACATCCTCT	439,355	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1279.	TTGAATTCTCCAAACATCCTCTTC[T, C]GAAAAAATTATTACATTGTTGAGTC	439,383	100
1280.	AAAAAATTATTACATTGTTGAGTC[G, A]TCGTCGTTTCACCGACTCTTCTTCA	439,409	100
1281.	TTCACCGACTCTTCTTCAGTAGTT[G, T]CCCTCAAGTCCAGTCGTTTCGGAGAT	439,441	100
1282.	GATATTTTTTTGAAGTAGCCTCAT[T, A]AATCAGGGCTTCTATCTCATCCCTG	439,586	100
1283.	TTAAATCAGGGCTTCTATCTCATC[C, T]CTGAGTTGAATGCATTATTCGGTAT	439,608	100
1284.	TAAATCAGGGCTTCTATCTCATCC[C, A]TGAGTTGAATGCATTATTCGGTATC	439,609	100
1285.	ATCACGATGGAACCGACAATACTT[C, T]CTTCGATTGCGATTCTTAATGATG	439,668	100
1286.	ACGGAGAGCAAAAAGAGGAGTGTA[G, A]AAGTCATACCTGCTGTAATTCAGCC	439,779	100
1287.	GGCGAAGCTTGCTTATTGGATGG[C, G]GGCCGACTTGATTCAGCCAGAGCTT	439,845	100
1288.	CTTTTGTCTTCTTCTTCTTAACC[G, A]TTGCCTTTTGTGCGGCGTCGGCCAG	439,902	100
1289.	ATTTGTGACGGCCTTCGACTGCTA[C, A]TGAAGTGAGCCACGAAAGAGTGTTTC	440,191	100
1290.	GAGCCACGAAAGAGTGTTTCGAGCT[A, G]TCCAAGGAGTATATACTTTTCGAT	440,222	100
1291.	CTTTCTGAAGAGTCGTCGGAAGT[C, T]GATGCACAAGAGGGCTTGGTCACC	440,299	100
1292.	TCGATGCACAAGAGGGCTTGGTC[A, G]CCCCCTGAATCATCATGAGAGCCTT	440,322	100
1293.	ATGGTCGATCGAATCAGTGGAGCC[G, A]TCATATGGCTCCACTTACAGTATTT	440,384	100
1294.	AGCCGTCATATGGCTCCACTTACA[G, A]TATTTTGAAGTGAATGGGATCGGC	440,404	100
1295.	GCTGGAAAACCTCTGAGGGTAGAAC[T, C]CCCTGACGAGCTTGAGGGAGAAGCA	440,593	100
1296.	CGATCATTTTtCCTTCTAATACG[G, A]TCGAGATGGGAAGGAGAGGAATGTC	440,654	100
1297.	GGGCTCTGGTCTTCGTATGGTGT[G, A]TATGATCTTTACCCCTTCTGACAT	441,058	100
1298.	TCGTCATGGTGTGTATGATCTTTA[C, T]CCCTTCTGACATACCAATCTGTTG	441,070	100
1299.	GATGATTCTGGTGAATCATCGAG[T, C]ACATGATCCTATTTTTTATGATGCT	441,322	100
1300.	GGGTGTTTATTTTCTTAATAGCC[A, G]TGACATGTAGTTGATAACCGTTTGT	441,403	100
1301.	GTGACGGTTATGGTATTTTGAGCA[G, A]ATTAGCCGATCATATATCGGTAGAA	441,451	100
1302.	CGGTCAGCCGACAGTAAGTCGGTG[C, T]AGTTCGCTTAGTCAGTCGATAAAGA	441,624	100
1303.	GAATGATTATTATCGTGTAAGAA[A, T]TTTTCTCTCTCTCTCATTCTCTC	441,753	100
1304.	TGTAAAAAGATTTTCTCTCTCT[C, A]TCATTCTCTCATTGTGTCTCTCTCC	441,768	100
1305.	CACAGGTTATTCGGTTGTAGATTA[G, T]ATCTATAAAGGACATAAGTTATGGA	442,064	100
1306.	TGTTTATTTACTTTATAATTTTCA[A, T]TTTAAATATGATGAATCTGGTAAAT	442,114	100
1307.	TCTGGTAAATTGGCAATTCAGTGC[C, A]CTTGATATTACGGGCAAGAATTACC	442,154	100
1308.	GGTACGGCATGATTGGATGCACTT[G, A]AGGTTGCAAGATTTTAAACTATGT	442,433	100
1309.	TGGATGAGGTCGTGGCATGGCCA[T, C]GGTGGTTTCAAAAATATTGGGACAA	442,778	100
1310.	ATGATGGCAATCCAAATGTGCCTC[C, A]TTTTGATGTCTTCGATTTTTTtGCC	443,040	100
1311.	AAAATTGACTACATGATCATTGAT[G, A]GAGAAATAGTTAAAGAATAATTTTT	443,102	100
1312.	GAAGAGCAACTATAATACTGTCAG[G, A]TGGTACAAAGTTAGAAATCAACGAA	443,407	100
1313.	GTGCATCATTTTTTATGATTCAAA[C, T]AGAAAACCTTGAGTTAAAAAATTTTT	443,561	100
1314.	CAACAGAAAACCTTGAGTTAAAA[A, T]TTTTTTtGTTCTTTCGCCAGGATTG	443,581	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1315.	AATAAATATAATATTGAACCGAGAA[T, G]TTCACATAAAAAaGAAATGTTTATTC	443,657	100
1316.	GAAAGGATTCAACGAGACATATAT[G, A]GTCCAATTTCATCTCCCTTGTGGACC	443,898	100
1317.	TCTCATATTCTAGCTGAAATACTC[T, C]AGCTCGGATAAAAGTTTCAATAGGA	444,768	100
1318.	TAAATTATAAATAAATAAAAGTTA[C, T]TTTGGTATTTTTTCATCATAAATGT	445,058	100
1319.	AGTTACTTTGGTATTTTTTCATCA[T, C]AAATGTTTCATCTTCTAATGAAGTC	445,077	100
1320.	CTCCTGTGTTGTGGTGAAGTCCTT[G, A]GGACTATTTAGACTCGATAAAGGAA	445,124	100
1321.	AGACTCGATAAAGGAAGATTGTG[C, A]CTTAGTCCTTAAACCTGTTTGCGAC	445,158	100
1322.	AGATTGTGCGCTTAGTCCTTAAAC[C, A]TGTTTGCAGACCAATGATACGTTGT	445,173	100
1323.	TGTCGCTTAGTCCTTAAACCTGTT[T, C]GCGACCAATGATACGTTGTTACCA	445,178	100
1324.	CACTTACACCTATGGGTTTCATT[A, C]CTTCGGGTGAGTCAACCAATGTCCA	450,527	100
1325.	TCCACTTACACCTATGGGTTTCA[T, C]TACTTCGGGTGAGTCAACCAATGTC	450,529	100
1326.	CTGCGCCCCCTTCTCTCTGAAGA[T, C]CCACTTACACCTATGGGTTTCATT	450,553	100
1327.	GATAATTTATTTAACCTGTTTAA[C, T]TATTTAATCTATTTCTGATCTATTT	455,693	100
1328.	ATCGAATTTGAATTTTAGATATCT[G, T]ATCCATTTAATCCGTTTAAACCCATT	455,776	100
1329.	ATTTGGGTCATAAATGGATCGATC[C, T]ATTTAATCTATTTAATAATTAGATC	455,823	100
1330.	ACAGGTTTAGGTTTAGGCTAAACA[G, A]ATTTGGGTCATAAATGGATCGATCC	455,848	100
1331.	ATAAATTTACTGCAAGGCAATAT[C, T]AGGTTGGATATAATTAGTAAGATAC	456,464	100
1332.	AAGTTGCAACCATTGTCTGTTTTA[C, T]AAATTTTCATGAGATGGCACAGTCA	456,713	100
1333.	GTAAATATGTTTAGTTCAATCTC[C, T]TTTGATAAATCTTCTTTTAACTTGT	456,917	100
1334.	TTACAAAGAAAAATAATATTCTC[G, A]TTCAATTTACAAAGAAAAaTAATATT	457,512	100
1335.	AGAGAGAGGAAATCTTTTCATACG[G, A]TAATAATCCTTCTCATTTTCATTCCA	457,589	100
1336.	TGAACACACATTTAAATATTCAA[A, C]ATATTGTAGAATAATAAATATATA	457,671	100
1337.	GAATATTTAAATTTATATATAATT[T, A]TATATAATTTTATATAGTATTTATT	458,384	100
1338.	TGTAACAGGCAGAAAGCAAAGGAAC[T, C]GCATACCTTGATCTAAAAGCCTGCT	460,498	100
1339.	TTTATCTGACTGATGGGATAAGCA[A, T]GGCAGTAAAAACTCAAAGACTTTTA	460,849	100
1340.	TCATAGAGCCTTGCTCAGCTATC[T, A]GGAGTTTGCTTAATGGATCCTCATT	462,136	100
1341.	CCCAGGTTGGTATCAAAATGTCAC[A, G]GGTTCAAATCCCATTTAGACCATT	522,806	100
1342.	CTTGAGTCATGCATGGTCCAGGCT[A, G]CATGTGGTTTTAGCAGCATAAGCAT	522,924	100
1343.	GTATTATGAAGTAATACCAATTGA[G, T]AAAAATTATAAAGTAATAGTCAAA	523,012	100
1344.	AAAGTACATGTCACAAACATGGTT[C, T]AATATGATTAAAGTAATAGGCAAGT	523,059	100
1345.	AAGTACATGTCACAAACATGGTTC[A, G]ATATGATTAAAGTAATAGGCAAGTG	523,060	100
1346.	AACATGACATTACTCTCACATGTA[T, C]GATACTTTATTCAAAAAaTAAAG	523,305	100
1347.	TGTATTTCCATGTTAGATTCCAT[C, T]ATAAGGAAGCTCGCAAAAAaTAT	523,859	100
1348.	ATCATAAGGAAGCTCGCAAAAAa[A, T]TATGATTGATGAATTTTTTTtCTC	523,881	100
1349.	GATGATCAGCAAAACGAAATAATA[T, C]GAGGTAAGGTTTCAGCAAAATTAAAC	524,120	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1350.	GAGCACATTGCTTTTCTCTAGCTC[T, C]ACATGATCATCGATTTTAGCCTCAA	524,514	100
1351.	AGTATTTCTTAAGAACAGGGGTGG[C, G]AATTTCTGACCCAGACCCACAGAC	524,692	100
1352.	TCACCTTAAATAAACAAGTTTCAA[T, G]GATGTGTTTTtATAATAAGGTTTTG	524,752	100
1353.	AACAAGTTTCAATGATGTGTTTT[A, T]TAATAAGGTTTTGTTTCAGGTTAAC	524,764	100
1354.	TTTCAGGTTAACCAAGACCAATCT[G, A]ATTACAACCTGGTCAGGCTTGGTTT	524,802	100
1355.	AGTACCGGTAACTAGTTGAGGCT[T, C]AATTGCATGATTAGGGAGGCTATAT	524,922	100
1356.	TTTCCACTTAATTTCTCTCTCTC[T, C]GCATGTGTGTCATTTGGATTCAACA	525,050	100
1357.	TTTGGCCCTATTTTCAGTTTTGTTT[A, G]TAAAGGTATATAATTGAAAAGTGAA	525,116	100
1358.	CAAAATGGGTTTTGACCCAACCTA[A, C]ATATAACCCCAATGCCACTGCT	525,255	100
1359.	CCCAATGCCACTGCTACTCAAGAA[T, A]GAAAATAAGGATATAACAAACCTT	525,290	100
1360.	ATAAAAaGACAAAGGTTTCATACA[C, A]CTAAAAaTTATCCATATAATCACT	525,535	100
1361.	AATAATCCATTAGAGAAACAAGA[C, T]GTAGATAATCACCTTCTTCATGCGA	525,602	100
1362.	AGAAACAAGACGTAGATAATCAC[C, A]TTCTTCATGCGAGAGCCAAGAAACA	525,615	100
1363.	GATTAAGTTTTGTGACTTTTAGCA[T, A]CAGTAGTTCAAAGTAACCTATATACT	525,791	100
1364.	CCAAATTAAGCAAACCTCTGAAAA[T, A]GTGGACTCCATATTAAAGGTGAATG	525,867	100
1365.	ATTAAGCAAACCTCTGAAAATGTG[G, C]ACTCCATATTAAAGGTGAATGAAAT	525,871	100
1366.	CTCAAATCTGGGCTCATAATATT[G, A]AGTTCTCAATCAGCTTGATAACATA	525,955	100
1367.	GTACTAAGCACGACGCTTTGGTAT[T, G]GCACATGATGTGGACCAGCTCAAG	526,158	100
1368.	GCACGACGCTTTGGTATTGCACAT[G, T]ATGTGGCACCAGCTCAAGTAAACC	526,165	100
1369.	CTCTCATACGTACCTAGTGGTGT[T, C]GGCCAACCATAAGGAGAGGAAAGA	526,454	100
1370.	GCACAAGTTGAGGGAAGCTAACT[T, C]CTCTTTAATGTAGTTGTATAGATTT	526,671	100
1371.	ACAAGTTGAGGGAAGCTAACTTC[T, C]CTTTAATGTAGTTGTATAGATTTCC	526,673	100
1372.	ACTTGAACCTGTGTTACCTCTCT[C, A]TCTTTCCAGATGTGAATATGGGACA	526,755	100
1373.	GGAGGGAAAAaGAAAGGATGGAGT[G, T]TGTGGAGTGGGACTTGCAGTGTTT	526,823	100
1374.	CAATGTATTTAGGCATCTATTATC[A, G]TCTAGTGAAACAAAGGAAATGGGAA	527,090	100
1375.	TAGATGCCATCCCAATAGTAGTCC[T, C]ATGCATATTTAGTCAAGCCCTACGT	527,150	100
1376.	CCACTAAATACCTAGGTTCCCGGT[G, A]TCTCACTCCTGAATTAATTTATCA	527,294	100
1377.	AAGGAAGCAAGAGATGCAGATTTG[C, T]GGGGACTCAGATGTGCAGGACTGC	527,384	100
1378.	ATACACAGAAAAAAaTGGACCCT[T, C]AAACAACCACACCGAATGCTTATTG	527,830	100
1379.	AGTCTTTCAAAATGCAACAAAA[G, A]AAAAaTGTAAGTCGTTCAATTTGAA	528,005	100
1380.	CCCTTCGAGATCTCCTTCGGCGT[C, T]GGCAGATCCTTCCTAAATTCGACC	528,320	100
1381.	TTTGGGCAAGCTTGCCAATGAAAG[A, C]CTAGTTTGTCTAGCTTCGTATATA	529,465	100
1382.	CATGATACAAAATAACTATTAGAT[T, C]ACTCGAGAAGATAGGAAAGAATTGT	530,032	100
1383.	TTTGTTAGGCATCTTTAGAAAAAT[A, G]ACTTTGTAGTTAATTTtGTTtA	530,109	100
1384.	GTTAATTTtGTTtAGTATAAATT[T, A]TGAACTACTGGCATATTACTCACA	530,144	100
1385.	ATATAATTTTTAGACATTAAATAT[C, T]TATTCTATTATTATATAAAATTTTt	530,256	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1386.	ATATAAAATTTtATTtATTGAT[G, A]AATGTATTATTGATTTTtATTAAA	530,293	100
1387.	AATATATTATTTTATCAATATAAA[A, T]TTTAATTTATTAATATATTATTAAT	530,364	100
1388.	ATCATTAAACCTAACTTATGCATA[T, C]GTAGGATCCAAACCAGATCACCAAA	530,949	100
1389.	AAACCAGATCACCAAAACCAACTT[T, C]CGGTGAGCTAGTTGGCATCCATTAT	530,983	100
1390.	TTGATACGCTTtCTCTCTCTCT[C, A]TATATATATATATATTGATCATT	531,894	100
1391.	GAGTTGACTCATGATTCGATCCAG[T, C]CTGACCCGTTTAGATCCGATCCTAT	531,982	100
1392.	TGGATCATTTGAAATATTGCATAT[C, A]TCATACTCTCCAAGCATCATCTTCT	533,135	100
1393.	AAAGAGTCTGGATTGAATTTTATG[A, G]GATTGGACCATTATATTCTACTCC	533,781	100
1394.	AGAATGGGAGTAACCCATTCCATT[T, C]CTATTTTAGGCCCAATTCTCTCCA	533,871	100
1395.	AAATCGAAATATAATTTAAATAAT[C, T]GGGAAGAGTAGAGAATAGATTTTGA	533,932	100
1396.	AATCGAAATATAATTTAAATAAT[C, A]GGAAGAGTAGAGAATAGATTTTGA	533,933	100
1397.	ATTGAAAAATTTTCTCAAAAATTG[G, A]AATGGAAATAGAACTTTCTCTAACC	533,985	100
1398.	TGCTCGTTCTCATTCCTTTTGA[G, G]CTCCAACCTCCCTCAACTAGATGTC	534,053	100
1399.	CTTTCGTTTCAGAAAATTTTAAACAT[G, A]TTCAACCTGAAAGGAGGTATCCCTG	534,102	100
1400.	AAAGGCATTCAAGCTGCCATAGCT[A, T]TCTTGCAAGCTACCTCACTAGAGAT	534,259	100
1401.	ATCACTTGCTTTTATTCTCTCTGGG[G, A]CAATTGCTTCTCTTTGAATCCTTT	534,335	100
1402.	TCTCCTGGGCAATTGCTTCTCTCT[T, G]TGAATCCTTTGCTTCTGGATGCTTG	534,350	100
1403.	TTCTTTGAGGAATCCAAAACCTGC[T, G]TTTTTTtCCCATCTATGAAGGAAAC	534,405	100
1404.	TGGGCCAAAACAGGAGAGACAAGA[G, A]CTCACATTTTAGGTAAACATACAA	534,609	100
1405.	CCTGAGTTGAAATCAAGCGGAGTG[C, T]GTATGGGAACCAATCATGGACTAG	534,683	100
1406.	CCCCTCTGTTAGATGACAAGAATT[C, A]CTCATTTGGAAGTTGGATGATGCA	534,754	100
1407.	TTCTCATGTCTTTTATTTTTTTTt[A, T]TtAGTTTATTAGTAGTATTGCTT	535,138	100
1408.	AAATAAATACTAAGTAAATGAAG[C, G]TTCGAGGGCCATTTTGTGAGAAA	535,209	100
1409.	AAATACTAAGTAAATGAAGCTTC[G, A]AGGGCCATTTTGTGAGAAAGTTG	535,213	100
1410.	GTATTTCAAAGGTATGAAGTTCA[C, G]GTCAGCCCTATACCTATTTCTAGTT	535,471	100
1411.	CAAAGGTATGAAGTTACGTCAG[C, A]CCTATACCTATTTCTAGTTTGTCT	535,477	100
1412.	TCTCACCTAAATGGCCTAAAAATA[T, C]TACTCCACTTAACCTCTTGAAAAC	535,624	100
1413.	ACCTAAATGGCCTAAAAATATTAC[T, C]CCACTTAACCTCTTGAAAACCAAC	535,628	100
1414.	GCTTCTCTCACTTATGAGTGACACAT[C, C]ATTGAGAAGGCCTGTTGTATCCTGA	536,779	100
1415.	CTCACTTATGAGTGACACATATTG[A, G]GAAGGCCTGTTGTATCCTGAGGGAT	536,784	100
1416.	TAAAGGATAGAAATGGATCCCACT[A, G]CTACTAGTACCATTGCCGCTAGTTC	536,950	100
1417.	CCCCTACTACTAGTACCATTGCC[G, A]CTAGTTCCCTCAATGCTACATCCAC	536,968	100
1418.	GCCATACCGTTGCTTCTTACCATA[C, T]CTCTCACTGCACATGAGGGGTTTCC	537,034	100
1419.	ATACCAGCAATATAGAGAACTGGA[G, A]GCATGCAAATAAGACGTTGGCCAAC	537,218	100
1420.	TGAAGATAAGGATATCAAGATGCA[G, A]ATCAACGAGTACCACAAGCTGATAG	537,308	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1421.	TATAGCTGGCATGTGATCGAAAA[G, A]CTGCCCAACTCGTGGAGCGACTACA	537,398	100
1422.	ACAAGCAACAACTCAAGCACAAAGT[A, G]CAAGGAGATGTCGTTGGAAGATTG	537,445	100
1423.	GGAGAAGAACTATTTACTTTAGGT[A, G]ACTCAAAATCTACACAAGTTCTTG	537,915	100
1424.	TTCTCAAGCTCACCTCAGGCAAGA[T, C]ATTGGCATTGAATGAAGTGCTCCAT	537,979	100
1425.	CAGAGACTCTTTGTACTTTATATT[G, A]TTGAAGTAATTAATGAAAATGCATG	538,157	100
1426.	ATAATGCTTGCATGAACAAGTGTG[G, A]AATTTATGCTGAAACCAAAACAACT	538,320	100
1427.	TTTATGCTGAAACCAAAACAACTA[G, A]AAAACTTATGCATTTGTGGAAGA	538,347	100
1428.	TATGCATTTGTGGAAGAGAATCT[A, G]AACTTTTAGGATTAATTCATACTGA	538,379	100
1429.	ATTGATGATTATTCTAGGTATACT[G, A]AGATTTATTTATTGAGGAATAAAGA	538,487	100
1430.	GATTCCATATAAAACACCGATAA[G, C]ATACCTTTTGAATTGTGGAAGGGTT	538,831	100
1431.	ATACTGATCATAGTGCAGCATATA[A, G]GTTTCTTGTGTTTGA AAAATGGCATG	538,995	100
1432.	CATAGTGCAGCATATAAGTTTCTT[G, A]TTTGAAAAATGGCATGCTTGAGTG	539,003	100
1433.	TTTAGAAATGATTtTtGTATCTAT[T, C]TTATTGATAAAGATCCTGTGTCTTT	539,204	100
1434.	AGAAATGATTtTtGTATCTATTTT[A, G]TTGATAAAGATCCTGTGTCTTTTC	539,207	100
1435.	TCAAAATGAACTTGATTCAATTT[C, T]ACATAATCAAACCTAAGAAGTAGTT	539,301	100
1436.	AACAAAATGTGCAAATGAGAAAA[T, G]CTTTATATAGTTTAAACAGCTCC	539,659	100
1437.	TTTAAACAAGCTCCAAAACAATG[A, G]CATAAGAAATTTGATAGAGTTTAA	539,694	100
1438.	GAGTTTTAATGGATATCAGATTTT[C, T]TCTATTGGAGTAGATAAATGTGTG	539,735	100
1439.	TACACCAAGACTATTGATAATGAC[T, C]GTGTGATTATCAATTTGTATGTGGA	539,785	100
1440.	AATTGTGAAAGAAACAAAAGGTTT[T, C]TTAGCCTCCCAATTTGACATGAAAG	539,865	100
1441.	ATGAAAGATATGGGAGAAGCCAAT[A, G]TGATTTTAGTGTTAAATCATAAG	539,908	100
1442.	TATGGGAGAAGCCAATATGATTTT[A, G]GGTGTTAAATCATAAGAGATATGA	539,916	100
1443.	CTGTTTGTACTCCTTATGATGCTA[A, G]TACTCAATTAAAAaGAAGAGAGGT	540,038	100
1444.	ACATGACCTGATATAGCTTATGCA[G, A]TGTGTAGATTGAGCAGATATACTCA	540,151	100
1445.	AGATATACTCAAAATCCCAATCGT[A, G]ATCATGGACTACTTTAGTCAGACT	540,190	100
1446.	GAGATGAATTTAGCCGATCCTCTG[C, A]CTAAACCTTTGGGCAGAAAATTCAT	540,685	100
1447.	CCCTTATGAGTGGTGTATTGAATT[A, G]CAGTGACACTTGATGGAATCACTT	540,962	100
1448.	TATATATGAGTGCAGAGTGGGTC[G, A]CTTCTGTAAGATTCTTTGACAAGAT	541,013	100
1449.	TGATTCATAGCTCAAAAGGCACCA[A, G]TTTCGATGCATTACACTCAGTTGAG	541,252	100
1450.	CATAGCTCAAAGGCACCAATTT[C, A]ATGCATTACACTCAGTTGAGTTAAC	541,257	100
1451.	TTTACCAACATCCTCTCACCTAA[A, G]TGGCCTAAAAATACTATCCCACTTA	541,509	100
1452.	TTATATTATGGCAACAATACTTCG[T, C]CATATTTCAAAAACaGGTAAAAGCT	542,089	100
1453.	CAATACTTCGTATATTTTCAAAA[C, T]aGGTAAAGCTATCCATCTTTGAAA	542,103	100
1454.	CAGCTTTCTCTGATTGGTCCCCAT[A, G]TGCCAATCGGATGAACCTCATCATCC	542,257	100
1455.	TTCACCTACGTTGCCCTCTTTTAA[G, A]TGGTCGGCATTGTTTAAACGGTC	542,417	100
1456.	CCCCAAAATAGCTGTTTGTGTGTT[G, A]TAGGTTTCTTGTTCCTATGTACAA	542,499	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1457.	CCGGAAGCGACTTAGCTTAGCTAC[A, T]TAAAGATTTTGACCAATGGTGCGTA	542,761	100
1458.	CCAATGGTGCGTACATCGAAAGCT[T, G]CTGTACCTATAAAGTACAGCTGACC	542,798	100
1459.	GTTGATTATTGCTTAAAAATGCGG[C, T]TGTGTTGTTCATCATCTTCATTATGG	542,966	100
1460.	TTATGGAATTCATGAGAATGTTAT[G, A]GGAATGCATAATTATATTCATAATA	543,010	100
1461.	TAAGTATTTTCACATGCAAAATAT[C, A]ATGAATTATATATAGATAGCTGGGG	543,080	100
1462.	CATGCAAAATATCATGAATTATATA[T, C]AGATAGCTGGGGAAGAAATGAAAGA	543,093	100
1463.	GGTTCTGCTAGGTATCGGGAAAA[A, G]GGGTTCTCGGAATACACCCAAATTG	543,264	100
1464.	GGTATCGGGAAAAAGGGGTTCTCG[G, A]AATACACCCAAATTGTAGAACATGT	543,274	100
1465.	ATGTATTGGTTGCAAAATGAAATT[A, G]TGACATAGTCATATGTAAATAAGCT	543,320	100
1466.	TAAGTCATAATTTATGCACCAATG[A, G]CAAAAAATTAGGGTTGAAATTTGTG	543,418	100
1467.	TGCATAAGCTAGAAATATGTATACA[G, A]GCATTTTATGTGTAACCTCAACATT	543,482	100
1468.	GAATATGTATACAGGCATTTTATG[T, A]GTAACCTCAACATTAATAATTATTC	543,493	100
1469.	CGGCAATTTTCTTAGATGGTTATC[A, T]ATAATTAGAACCTCATTTTGTCAAT	543,544	100
1470.	AAGTATAAAAATAAAATTGATAAC[G, A]TATCAATAACCTGAGTTTATCTATA	543,633	100
1471.	ATTGATAACGTATCAATAACCTGA[G, A]TTTATCTATACCAATGCTAAGAAT	543,648	100
1472.	ATAGCTCGCAACCTTTGCTAAATC[A, G]TTCATTACTCGTAAAAATCTAGCCT	543,696	100
1473.	TTtCTTGAATATTAGATTTTTTTC[A, G]CATTTCATGTTCCACATCAAGAAG	543,754	100
1474.	CACATTACATGTTCCACATCAAG[A, G]AGGGGATTGTGGATTCTCTACATTC	543,777	100
1475.	AGGGGATTGTGGATTCTCTACATT[C, G]TTGTCTAAACCGGTTCTTATTAACA	543,802	100
1476.	AACCGGTTCTTATTAACATCATAT[A, G]CCTTTTTCAATTACTAGCATAAAT	543,834	100
1477.	TTAAGCTTGCACTGTGGTCATTAG[G, T]TGGTTGGACTGCCCCACTCACACGG	544,022	100
1478.	TTAGATGCTAACGTGCACCAAGCC[A, C]GCAGCGGCACCACCTCCACAAATGG	544,075	100
1479.	GGCGATGCGAACCACCGCGCTGC[A, G]ACGGTCGCTGCGCGCCTGTCGTGC	544,349	100
1480.	ATGCGAACCACCGCGCTGCAACG[G, C]TCGCTGCGCGCCTGTCGTGCCTTC	544,353	100
1481.	AGCGTCCGGAGGTGTTTCGTCGGCC[G, A]TGAAGCGGTTTCGTTGCAGACACC	544,566	100
1482.	TTCGTTGCAGACACCGGTGGCGCC[T, C]GTGGAGGTGAGTTGGTTTTtATTAG	544,601	100
1483.	AATTAATATTTTTTGCTGCTTACT[A, T]GGTAATCCTGGCTCTTCCTTCTCGA	544,878	100
1484.	TTTTTTGCTGCTTACTAGGTAATC[C, T]TGGCTCTTCCTTCTCGAAATTTtATT	544,886	100
1485.	TTTCTGTGGAAAATTAGAAAGAA[A, C]GAAAAAGTTCCTGTTTCATTCTTTT	544,952	100
1486.	AAAATTAGAAAGAAAGAAAAGTT[C, T]CTGTTTCATTCTTTTTTtACGACAA	544,962	100
1487.	AAAAAaTAAAGTGAAGTGTCAACA[G, A]ATTTTGGATGATATTTGTCAAAGA	545,326	100
1488.	AGAACTTTACACCTTTTCATTCTC[T, C]ACTCTGCATTTTCATGTAGTACGCT	545,698	100
1489.	CATTTCTCTACTCTGCATTTTCAT[G, A]TAGTACGCTTGTAACGTCATCTAGC	545,714	100
1490.	CTACTCTGCATTTTCATGTAGTAC[G, T]CTTGTAACGTCATCTAGCAAAAGTA	545,721	100
1491.	AAGTTCATCTTTTACTTGCTCTAT[T, G]TTTCTAGTAGAATCACTACTATTGT	546,331	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1492.	TCATCTTTTACTTGCTCTATTTT[C, G]TAGTAGAATCACTACTATTGTCTAT	546,335	100
1493.	AAAaaTAATCTAGTGACATGCAA[C, T]GACAGAAAGACAAGGATCTTGTATT	546,439	100
1494.	TATTGGACATTTTATCTGTTATTGA[C, A]TGAGACTGACCAATCTTTAGATGTT	546,781	100
1495.	CTTAGGACTTCTGACAAGCTGTAT[C, T]CCTGAATTAGATTGATAAATATTCC	546,912	100
1496.	TCCAAGTAAGTTTGGTTTAGATGT[A, G]AGGTCCAAGATACCCCTTGGATCAAG	547,243	100
1497.	TTTAGATGTAAGTCCAAGATACC[C, A]TTGGATCAAGGCTGGGTAGGTCTCA	547,258	100
1498.	ATTGTAAGTTGTTTCATGGTGACCG[A, G]CTTAAAAACAAGATTCATTGATTG	547,442	100
1499.	TGTAAGTTGTTTCATGGTGACCGAC[T, A]TAAAAACAAGATTCATTGATTGTTG	547,444	100
1500.	TGAATAAAGTAGTATTCTTCACCT[T, A]TATCTTGGAGAAGGTTGCTTAAGAA	547,561	100
1501.	GTGATCTGGCTGGATTTTGTCTCA[G, A]CTCAACTGACTTGATTGAGTTATAA	547,868	100
1502.	TGACATATAATGATGATAATATAT[G, A]ATACATATATTATAAAATAGTAAAT	548,042	100
1503.	GGGTTACGTTTATGAACATTTT[C, T]TTTGAAAGCTTCCTGAGCATTATTT	548,210	100
1504.	AACATTTTCTTTTGAAAGCTTCCT[G, T]AGCATTATTTTACTAAATTTAGC	548,225	100
1505.	TGCACATGCATGCATGTAGATGAC[T, C]CTGATTTTAAAGAAAAaTAAATTT	548,282	100
1506.	GAAAGGTAGAGAGCACTTTATTT[C, A, G]GGGCACAAGGGAAGAAAAGAGATC	548,549	100
1507.	TTTTATTATACTTTTtGAGAAGTG[T, C]AATGTATGGCTGCAGGCTTTGCGGC	548,610	100
1508.	CCCATTGGTTATGTTCTCATTCTT[T, C]TGAGAGTGTTAAGACTCACTCCTAC	548,885	100
1509.	TTACTTGGGATACTGGTTGATAAT[G, A]ATGTTTGCATGTGTCTTGATTAT	548,952	100
1510.	TGCTTGCAAGTTATGTTTGCTTGCT[C, T]CCCCCTGCTACTTGCTCCTGCACTGC	549,042	100
1511.	TGCATGTGTTGGTGTGCTTGGAGC[A, G]CTTTTAAAGTTCATTCTGACTCTG	549,119	100
1512.	TTAAAGTTCATTCTGACTCTGAGT[G, T]TCAAATTTACTCCTGCAACTAAGAA	549,148	100
1513.	GAAGAAATATTTTACTAGAACTA[T, G]AATTCACAATGTGTAACACATCCGT	549,222	100
1514.	AAGTAGATGAATCCTTCTAGTAGT[T, G]GTCACCTTGAAGTTACAAAGTATTG	549,433	100
1515.	GTCACCTTGAAGTTACAAAGTATT[G, T]CAAGCCATCAATGATAAAAAaTTA	549,458	100
1516.	TTGGCTCTAAATGCCACATCAGG[A, G]CACATTCTGGTTGCTTAACTTATTA	549,662	100
1517.	TTAATCTTTTATTGTTGCCATTAT[A, C]TTTTTTTtGTTtGTTTAAAGTTGT	549,717	100
1518.	GAAGACGTTATTCTTAAATCTTG[T, C]TGTTGATTGCCCCAGCTTCGCTTTG	549,959	100
1519.	ATATCTCTTGACAATCTCCCATG[C, T]AGAACGTTGCTGCTGTGACTTCGAC	550,179	100
1520.	TCTTGACAATCTCCCATGCAGAA[C, T]GTTGCTGCTGTGACTTCGACATCAA	550,184	100
1521.	GAACGTTGCTGCTGTGACTTCGAC[A, G]TCAACACGCACTCCAATCTACAAGG	550,205	100
1522.	TTGACATCAACACGCACTCCAAT[C, A]TACAAGGCCTATGCAAAAGGAGAAA	550,223	100
1523.	TAGTATATTAAATGTCTAGGAGTA[T, G]GAAAGGGTTTACAAGACCTGATCCG	550,378	100
1524.	ATATTAAATGTCTAGGAGTATGAA[A, G]GGGTTTACAAGACCTGATCCGAGTA	550,382	100
1525.	ATGACCCCTAGAGTCATAAAAGGAT[A, G]TTATAAGATTCTATGGTATTTTTT	550,517	100
1526.	GGCCTCTTTGGCTACAACGCAGG[C, G]ATAGGTTGGGATTGGACAGCTGGAA	550,648	100
1527.	TCCTATATATTGGACTTCTAGGAA[A, G]CACATAATCACATTGCTGTCTTTCA	550,890	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1528.	GCACAAAGTCCTTCCAGCTTTGAT[A, G]TGCCATAACAACCTCCATTTCAAAAG	551,019	100
1529.	TCCAGATTCATAAGGAGGTCTCAT[A, T]GGTGAAGCCCCATAATGCCAGTCAT	551,144	100
1530.	AAGCCCTTTAGCATCCACGATAGA[G, A]TGTGAGAGGTCCCTGACAGAGATTC	551,199	100
1531.	TTGATGAATTCATCCACATTTCC[A, C]GATATTGTTGACCATTTTTCTTCC	551,279	100
1532.	AAAGAATTGGCCATTGACCAAAAA[C, A]ATAGAGATCTGATTTGGTTTCTTTG	551,960	100
1533.	TTAAACCGATTTCACAAATATTGT[T, G]CATAAACTTTAGATAACTTCTAAAA	552,053	100
1534.	AGCTGGTGGGATGCTAATTGGTAT[A, G]GTCCACATTGTGAGCCTCAAGATA	552,543	100
1535.	TTGATATGGCATGTTACACACAA[T, C]ACTTAATATTCTGCTCTAGCAATGG	552,632	100
1536.	GGTGGCTGTACGAGCAATGATAGA[T, C]ATGTTTTGGATGGACCCAGAAGAGC	552,694	100
1537.	GATATGTTTTGGATGGACCCAGAA[G, T]AGCTATTTTTGATGGTTTAATTATG	552,716	100
1538.	TAAAGACATGTATTAAGACACAGT[T, A]TCATAGCATGATTATCCTAAAAAAT	552,964	100
1539.	TGAAATGTACACAATAACAATGAAA[G, A]GATAAGAAGTTATTATGTAACATAG	553,022	100
1540.	AATGTACACAATAACAATGAAAGGA[T, C]AAGAAGTTATTATGTAACATAGTGC	553,025	100
1541.	ATATATGACTAGTAAATCAGGTTT[T, G]AGTGGCTTGTTCCTTCTTGGTTGT	553,134	100
1542.	AGAAAAAGAGCAGTTTTGAAGGCT[G, C]ACAAACAAATTTAGTTTCAGGTATC	553,249	100
1543.	CTTGATACTAGGATTGTCAAATCA[C, T]GATTTATTTACACATCATGGCATGC	553,298	100
1544.	TCCTTGTGCATGCCTTCAGGAAGG[G, T]GTGCCAACCAGCTTCTCTATGTGAT	553,717	100
1545.	AGTAATTTTGCACAGCTGCAGAAG[G, T]CTAACTTATAGGTCTGGTTTGAGT	553,999	100
1546.	GCTTACTTCTATTATTCTGTATAT[T, C]GTGCACTTACATTACTGAACATTG	554,174	100
1547.	TATCTGTATATTGTGCAACTTAC[A, G]TTACTGAACATTGTCTCCTTGAAA	554,186	100
1548.	CCCTTCAAAGGATAAAATTTATGC[A, G]TTGCTTAAGGATCAAGCAAAGCTCG	554,352	100
1549.	ACACATACATATATATGCAAGTAC[G, A]TAGTAAAAATAGATCACAATTAGA	554,808	100
1550.	GTAAGTTTTTAACATTCATGTCAGT[T, G]AAAAATCAAATGAAGTAACTTAGAA	554,956	100
1551.	AGAAGTCCGGAAGAGGAAATTAAT[A, C]CATTATCCAACAGAAAAAAGGAT	555,002	100
1552.	TATTTCCAGTATTTTATTGGAAAA[G, A]ACTGCCATTGGTTTATAAATTTGA	555,076	100
1553.	TTTTATAAATTTTGACCTTTGGCT[G, A]GGCAAGTGCCTTTCATCTTATAGAT	555,111	100
1554.	AAGAGAACTGGCTTTTATTATTAT[G, T]CTCACAACCGGCTCCTTTCTTGCAG	555,544	100
1555.	TGGATAATGTCAGACTCATTGCTT[A, T]ACCCTGGACGAGCTCGGCTTTGTGA	555,597	100
1556.	TTACTCAGACAGCAGATATGGCTT[C, T]TCCAAAATTATTCCTAAAGTTCACA	555,794	100
1557.	TATGGCTTCTCCAAAATTATTCCT[A, T]AAGTTCACACCATACTGCAACACTC	555,810	100
1558.	TGGCTTCTCCAAAATTATTCCTAA[A, T]GTTACACCATACTGCAACACTCTA	555,812	100
1559.	ACTTTTCTCTTCGTTTtCTTTTt[C, A]CTTTtCCTTTTTtCATTCAATCTG	556,254	100
1560.	tCTTTTTtCCTTTtCCTTTTTtC[A, G]TTCAATCTGTATCATACTTCAACTT	556,270	100
1561.	CATTGAGATTCATGTTGAAATGTT[C, T]ATATCCTTCATCCCATCAAATGAC	556,678	100
1562.	ATATCCTTCATACCCATCAAATGA[C, T]AGCACATTGTTATCCCTCTTGACAT	556,703	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1563.	TCAGAAATGCAGCAACCTAGGACT[T, C]ATCTTCTGGCATGTGGAACCTAGGG	556,752	100
1564.	ATGTGGAGATGGGACTCTTCAGGT[C, A]ATCTTCTTTGGGAGTCTCTTAGGCC	556,901	100
1565.	AAATCTTGGCAAGGAAAGGCTGAA[G, A]CCTGCCTAGGGGTCATATTTCTAC	557,019	100
1566.	CTAGCTATTTGAAGAGAAGATAAA[G, A]CATATGCTCTCCTGCAAAGTTGCCC	557,069	100
1567.	CCAATTAGAGATGCCTACAATGCG[C, T]GAAGGAACCTAAGGATGCGAAAGGT	557,215	100
1568.	ATGCCTACAATGCGCGAAGGAACC[T, C]AAGGATGCGAAAGGTTGAGGGCTAT	557,225	100
1569.	ACTTGCTTTTCTCTTACACATGCG[A, G]CTTCCCTCCCCTATCTCAAAAATA	557,485	100
1570.	GACTTCCCTCCCCTATCTCAAAA[A, T]TAAAAaTAAAAaTAAAAaTTATCCG	557,508	100
1571.	TATCCGATTTCTCTTACCATGTTAT[G, T]GAGTCTTGAAATTGATTGGTCTTT	557,552	100
1572.	TGGTCTTTCAATAATCGAACAATT[T, G]CTTTACTTTAATTATGGTTTGATAG	557,594	100
1573.	TTTCAATAATCGAACAATTCTTT[A, G]CTTTAATTATGGTTTGATAGAATGG	557,599	100
1574.	TAAACCATCACACTTTGGATATAG[C, T]TGATAAAACAAGAAGATATGCAGAT	557,653	100
1575.	ATTCAATTGGTTATGTTATCACCG[G, A]AAGATCCCTGCGGTGACACTTTAG	558,021	100
1576.	GGATATCATTATATCAATCACTCT[A, G]TAGTTCCTATGATCAGAGAGAAATA	558,280	100
1577.	CGGTCTTCCATTGGCAATGGCTGG[A, G]AAATATTACTAGCTATGATGAACATA	559,158	100
1578.	AATGTGGACAATTAAATTTATGAGA[G, A]AGAAAATTCCCAATTATTCTTGAGA	559,590	100
1579.	GACGGCACCAAAGTTATGGTTTGC[G, A]ACCCCCcTCCCGTCAAGGGGGAGT	560,280	100
1580.	TCAAGGGGAGTATGTGTGCATAG[G, A]TAGAAGGCAATCCCATGGACGGCAC	560,318	100
1581.	ATAAATTAATAAAATGTGATGCAA[T, C]TCCAAAACGGGCAACACCTCTCA	560,630	100
1582.	AACACCTCTCATGTGCAGAAAGCC[T, A]TCAACTTAGCTTGCTCTCCACATAA	560,669	100
1583.	TAAATTCATATTTCTCTGTTAAT[G, T]GTTAGTTTCAATTAACCTTGATTCCA	561,423	100
1584.	CCATTCTTTTCAGATTCCAACATT[T, G]TGTTAATTCATCCACTTCTGATTTT	561,470	100
1585.	ATCCATGGTGACCCACAGGTTCCG[A, T]TATGCCGTGCTGGCGAAATGCATGC	562,172	100
1586.	CTTCCCCTTAATTACTTCATCTTC[G, C]TCACACCATAATGAAGAAAATAAAA	562,390	100
1587.	ATAATTGCTAAAGAAAAGATGGCG[G, A]TCTTCGTCGCTAGCAATGACATGGT	562,474	100
1588.	TGCTAAAGAAAAGATGGCGGTCTT[C, T]GTCGCTAGCAATGACATGGTGGTAA	562,479	100
1589.	TATTTGAGTATTATTTTTtCCCAT[T, A]ATCAAAGAAAAaCAAGCAGTTCTG	562,850	100
1590.	AAAGAAAAGCTTCATAATTTCTC[A, G]GCATTTGATCATTAGGAAGAGTCT	563,346	100
1591.	TTGATCATTTAGGAAGAGTCTTGG[A, T]GAACCTAGGAAATTTTGGAGAGATT	563,375	100
1592.	TTTCTAAGAACTAAAAAaACTA[G, A]TGCCCTCCATTCATGGAATATATGAA	563,436	100
1593.	TGAAATGAAACTGAAGCCTAACCT[T, C]CAGTAGAATTGAAAGAGCATCACC	563,638	100
1594.	ACAGAGTCCATGGAAAAGAAAAc[G, C]CATTGCCTAAACCACTTATGAAAGT	563,750	100
1595.	CAGAACTGCCTCCACCACACTCTCC[T, C]CCTGCCTCTGAGGCTCCACCCAAT	564,118	100
1596.	TCTACAAACACACACACACACAC[C, G]AGAGAGAGAGAGAGAACACTGCA	565,190	100
1597.	ATATTAGATTAAGAAGCATGAAGG[T, C]TCCCATGGACTTTTTTATTCATATT	565,388	100
1598.	GAGTAACTGAGAGAGAAGACTAGA[A, G]GAGATTTATGAGAAAACTGCATGG	565,692	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1599.	ATTTATGAGAAAACTGCATGGTA[A, G]GCCTGAAGTAAGAGCTCTTCTTTCT	565,720	100
1600.	ATCTTCCAACCTTTGGATTCCATGA[A, C]AAGAAGACTTTAGAAGAGTTGACAG	565,882	100
1601.	AAGACTTTAGAAGAGTTGACAGGG[A, T]AAGAGGGGAATAAACAAAGAATATA	565,910	100
1602.	GAATAAACAAAGAATATATTAAGA[G, A]GTGGAATGAAATTAGGATACATATA	565,942	100
1603.	ATACAGAGAAGATTTTCTTTCTTA[A, G]AAGAGTGGATGTTTGCTTTGCTTGC	566,073	100
1604.	TCAGTTACATAGATACTCAAACCTT[G, T]TTAAATTTATAACTTGAAAAaGAAA	566,449	100
1605.	ATGGTAGAAGTTGTTATGGATCAT[C, T]GTAATGCTTATAATTTTATGAATAA	566,566	100
1606.	ATAACAAATAACATAATTGAGTTA[A, G]AGATATAGATGCTGCAATAACAATA	566,716	100
1607.	ATAATAACATACTGTTGAAAATGC[T, C]CGTGTCTTTTAAACCCCAATAAGA	566,775	100
1608.	TTTTAAACCCCAATAAGAATTCT[A, G]CAAACCTCTATTTTGGGGTTAATTG	566,806	100
1609.	AAAAAAAaTTTAAATAAAAGGATG[T, G]GTATGCCAATTAAATTGAAATAAG	566,930	100
1610.	GGTTAATTTCAAGATTCAAAGATA[T, C]GTGGGTCGCAACCTTAAATCATCAT	566,982	100
1611.	AATCATCATATTTCTCTTTTTTTtA[A, C]TCACTAATAATTAGGGTTTGGATTA	567,023	100
1612.	TCATATTCTCTTTTTTTtAATCAC[T, C]AATAATTAGGGTTTGGATTATTCAT	567,028	100
1613.	TTTTTTtAATCACTAATAATTAGG[G, T]TTTGGATTATTCATTGATCTAACTA	567,039	100
1614.	GAATAAGGTTAATTATTATGATAT[G, A]AAAAGAATCATTTACTATTAAGGTT	567,119	100
1615.	ATACTACGACGATTTCCTATGCCAA[T, G]CTACAAATATTTTTTCTAAGCTTTT	567,246	100
1616.	TTCTCTCAGAAATCTGCATGACAAG[G, A]ATACTACCAATGTGCAGACATGGAA	567,435	100
1617.	GAATGTTAGGAAAGAAGCTTGGAG[A, G]CAAGGTCTGAAATGGAGGAAGAGT	567,482	100
1618.	AAATGGAGGAAGAGTCTGTATCA[C, T]GGTACTGTGAAGAAATTATTAACA	567,516	100
1619.	GAATGGAAGTCATCCATTCCGATT[T, C]TGATTCCAGACTTCCACTCCACCCA	567,823	100
1620.	TAACTTCAATTTCTTATAATTTTT[G, A]AGTTTCCCTGACTGTGTCGAGAAA	567,977	100
1621.	CCTATAATTACTTTCTTTTAAATA[A, G]TCTGGGTGGCAATCCTTGCTTCCCT	568,053	100
1622.	TCCATTAATTTGAAGTAAAGAATC[G, A]GTAGACGAGGGCAACCAACAAAAGT	568,195	100
1623.	AGCATGCCATGCAAGCTGGTTCAa[A, A]ACTTGCAAAAGGCCTTGTCATGCTA	568,268	100
1624.	TATCGCCATGTCTCCTCATTATGC[C, T]CATTAGACCATGAGCTGCCATGATA	568,448	100
1625.	CTATGGCATGCAATGAGTGTGATG[G, A]CCAAGGATCTTTCAACATAGTAAAA	568,559	100
1626.	GAAAGATTTTGTGTACTCAAAACA[C, G]AGGCTAGAACTCCGAACCAAGCAAT	568,628	100
1627.	CCTTTCAAGGAATAATTTGCTCAT[A, G]GTTTGAATATAGATGGCTGTAATG	568,684	100
1628.	AAATGCCCATCATGTTGCCATTG[G, T]CACAAAGCCCAATATTTATACCATC	569,071	100
1629.	AACTCTTGAGATTTAGATACATCT[C, G]CTTGATGTTATTAGTGTGATTAG	571,753	100
1630.	ATCGGACGTAGTGGACGAGAATT[C, A]CGCCTAGCCAAGACATCACTTTAC	572,655	100
1631.	ATATGCAATAAAGATTTTCGAGA[T, C]CAATATAGAAAAATCTAAAAATTAG	573,296	100
1632.	GAAGACCGGGACAACGGTTTTTCT[G, T]GGTGAGCATCGAGTGCCTTGTGGTT	573,368	100
1633.	GGCACTGCAGTGATGGCCAGTAGC[A, G]ACTCAAAGGGTGATGCTTTGGAGAT	575,751	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1634.	TGATGGCCAGTAGCAACTCAAAGG[G, A]TGATGCTTTGGAGATATCTGGTGAG	575,761	100
1635.	TTTGGAGATATCTGGTGAGGTATC[A, C]ACTTCTTTCTAGCAGTGGATTTTAG	575,792	100
1636.	CATGATGGTGCAGTGAGAAACTTG[G, A]GGGAGGTCCGATACATATCCGATTT	575,976	100
1637.	GGTGAGTGAGAAACTTGGGGGAG[G, A]TCCGATACATATCCGATTTTAGATG	575,982	100
1638.	TTGAGAGGCTACAGGACGGTAGC[T, G]GGTGGAGGAATCTTGAAGGTGCTAT	576,059	100
1639.	TGAGCCACAGCGAGATCCAGGAT[A, G]ACGAACGAAGTCTAAGGAGCCTAAG	576,535	100
1640.	CAGCGAGATCCAGGATAACGAACG[A, G]AGTCTAAGGAGCCTAAGAACAGCCC	576,543	100
1641.	TATGCATGAAAGAAGGATGGCACG[G, A]TGCATTAGGCGGAGGCCGGTGGTGG	576,616	100
1642.	AAGGATGGCAGCGTGCATTAGGCG[G, A]AGGCCGGTGGTGGCATCGCGAGGCC	576,628	100
1643.	GCGCACGCAGGTGCGCGCGGCCA[G, A]TGCCTGAGCGGGCCAGTGCAGGCG	576,690	100
1644.	TGCACGATCGGACAGCTCTGGTGC[G, A]AGCCGATCACGATTGAACGGCCATG	576,965	100
1645.	GCTCTGGTGCAGCCGATCACGAT[T, C]GAACGGCCATGAATGATTCTAGGCT	576,979	100
1646.	ACGGCCATGAATGATTCTAGGCTT[G, C]ATTGGGATTTtGTTTTtAGTGTA	577,006	100
1647.	CTAGGCTTGATTGGGATTTtGTTT[T, C]TtAGTGTAACAGTGTTTTAGAGTTT	577,022	100
1648.	TTTTATTCTCTCATAGTAAAGCTT[A, G]CACGTTCCATGAAGATAGGCTCGAG	577,252	100
1649.	ATAGTAAAGCTTACACGTTCCATG[A, G]AGTAGGCTCGAGGACAATCCACGT	577,264	100
1650.	AGATAATAATTATTATAATATTTT[G, T]TTTAGTATTATAATGATCTGTTATG	577,496	100
1651.	TTTTGTTTAGTATTATAATGATCT[G, A]TTATGACATAAATAACAATTTTTAT	577,516	100
1652.	ATATAATTTTATCCAATGAAAG[T, C]ATATGAAGATTTCCTTAAATGGTG	577,654	100
1653.	TACGTCCGGAATGCGATCATGAAT[C, T]TCTATGCCCAACATGGTCCTATTGA	582,410	100
1654.	ACAGTGGATTCTGGCGATCGAGCT[C, T]TTTAAAGAGATGGCGATTGCGAAGG	583,126	100
1655.	AGCAGTCGGTGGAGAATCGCCGCG[G, A]CCGCCCGGACATGCAAGCAGCTC	584,325	100
1656.	CAAGCAGCTCATAAGGCTCTCATC[G, A]ACAAAGTCTGAGCGGCCCTCCGACA	584,365	100
1657.	CATAAGGCTCTCATCGACAAAGTC[T, C]GAGCGGCCCTCCGACAATCCTTGGT	584,374	100
1658.	TGGTGATGGGCGGAGGTGGGGTTC[G, A]TGCCAGCCCCACGGACGCTCGCCAT	584,420	100
1659.	CCATGTCCAATTTTGTCTTGTAT[T, G]GAGTCTACAAAAATCTTAAAGTAGA	584,748	100
1660.	TTTCTGCAGTGCATGGACAACACC[G, A]CTGGGAATCCTCTTTGAAGTATGCG	584,985	100
1661.	TAACAGTTGTCAATACGTGTTGAT[T, C]AGGCAATCCCATCCATCCAAGGTTT	585,115	100
1662.	CATCCATCCAAGGTTTCACGAAGC[T, G]CCTGAAAATGAATATCGCGTATTAC	585,149	100
1663.	TGCCTGCCGTGACTGCTGGGAAGC[G, A]AAGATGAGGCGGTAGGGGCAGCAA	586,375	100
1664.	GTCAGACGAGAAAGAAGAAaCAA[G, C]ACATTCAATATAAGGAACATATA	586,440	100
1665.	AAGGAAAAaCAGAAAGCAGCAAAA[A, G]AAaGAAATGGGGAAAAGGCTATGCA	587,052	100
1666.	ATATGATTATTTAAGACAAGAAAG[G, A]AATAATCCTGGGAAATCATTGAGCA	587,718	100
1667.	TTCATTAACCTGTATAAGATTGTC[A, G]ATCGAATAAATCCACATCCTCAGAT	589,369	100
1668.	TGCATCTCATCACTAGTAGCATCA[G, A]GGGAAGAGGGTTGATGACTGTGCGG	589,803	100
1669.	AGTGGGGCGCTTGGGGTGTCTGAC[C, A]GCCCCAGAAAAaGAAATCTAAACA	589,905	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1670.	AATGACTCTACTGTTAGATGTATG[T, C]CCTAAAAGCCAGATTGGTTGAAACA	590,055	100
1671.	TTAGTGGTTAATTCTAAATGCTC[T, C]CGTTCGATAGAACGTCATGGGACG	590,270	100
1672.	AAAGTCCAGGTGCTTAATAGAGAT[T, C]AAGAGTACTGAGCGTGACCAACACG	590,405	100
1673.	GTCGGTGACTTGCTCAAAGTTGCA[G, A]TGGTGTAGATAGTTCTTTAACCTGC	590,482	100
1674.	AGTTCTTTAACCTGCGATGCCTCA[G, A]CTGCTTACAGCAAGGTTGCTATAGT	590,517	100
1675.	CTGCGATGCCTCAGCTGCTTACAG[C, T]AAGGTTGCTATAGTTTGACTGCATA	590,528	100
1676.	CTTCTAGCCATTTGGAGCCTTGAG[A, G]TGTATGTTGGCTACAGTAGATCCAT	590,588	100
1677.	AGGAATAGGATGAGCATCAAAATG[A, G]AATTTGTCGACCCGATAGATAGAG	590,641	100
1678.	TAAACTGAGTCTTAAATCCATG[G, A]TCATGGTAGATGAATGATGAAAAA	590,710	100
1679.	CAATCCTTCGAAAAGAGTTTCCAT[G, A]ATATTGTTGATAGAGATCACAATAT	591,014	100
1680.	TTCCATGATATTGTTGATAGAGAT[C, T]ACAATATATCTTACTATCGGATGGA	591,032	100
1681.	GGGTTTAAGAAAACCTGCTAGCA[T, C]ATGGTTAAACCCATTTTtCCTACT	591,184	100
1682.	CCAAATTGAAGCAAGCTCATTTAG[A, G]ACACCAAGAGTTGGAGTCCTTAAAG	591,265	100
1683.	TTCTTCGACTAGATAAGAGGCACA[C, T]GCCGGCATGGATAAGATCCATGTGT	591,366	100
1684.	ATCGAAAACGGAGAGAGTATCCTA[A, G]TCCGAATCCAACGGATACCTGTAG	591,997	100
1685.	CTCATTTAAATTTGTTTTAAATTT[C, T]TGATTTTCTTAATCTAGATGCATGA	592,149	100
1686.	CTGATCTTGATCGGATCGCATGTC[G, A]GATCGAAAAATTTTGAATTCCACT	592,221	100
1687.	CTGATATCAGAGCCAGGTTGTACA[G, A]ATCATGCATCTTAAATTAAGATCAG	592,313	100
1688.	CTTATTAGGACTGATTTTTtATGCT[G, T]AATCTAAAGTTATGATTAAATCTG	592,512	100
1689.	TCTTAACATAAGTGTTATGTTGCA[T, C]GAGGTGTATTTTGCAAAGGATCATG	592,612	100
1690.	TGTATTTTGCAAAGGATCATGTCT[A, G]GATCTATTTTGCATGAGATGTAATT	592,641	100
1691.	CCCTAGATCCAAAACCTTAGGAT[C, T]TGTTGTATATGTTGCATTTAAGTT	593,035	100
1692.	ATGAGTCGACTCAGTTGTGCAGAC[T, A]GAGGCTTACAGGATTTCTGTTGTC	593,241	100
1693.	AGTCTCGATTGTGATTTTTTAATTG[A, G]GATCATGCTTACCTGGCCATGCATA	593,779	100
1694.	CTCTCCATGTTGACTGTTCTGGA[C, T]TGGATACAGTGATTGAGTTGCATCA	594,048	100
1695.	AAGATAGGGTTGGACCTAAGATCT[G, A]TCAGATGAAGATCCAATGACGGTTT	594,132	100
1696.	GTTGGACCTAAGATCTGTCAGATG[A, T]AGATCCAATGACGGTTTCACTCGCG	594,140	100
1697.	TGCAATTTACTTGTGAGAAGCATTGG[G, A]CAAGAGTTGACCAACCATTTGGTTGA	594,274	100
1698.	CATTGGTTGACATATTCACCAAGA[C, T]CTGTCAGGTGAGTGGTGTGCCAAT	594,314	100
1699.	GGGAGCTCCGCAGAAATAATGAGA[A, G]CTAAGTTTGTCTAAAATAAATTC	594,454	100
1700.	GCAGAAATAATGAGAACTAAGTTT[G, A]TTTCTAAAATAAATCTCTAGAATA	594,463	100
1701.	AAAaTTTCCTCTCTGTAGAATTTT[G, T]TCTCCTTCTAATAGTCTAGCCTGCA	594,542	100
1702.	TTGTCTCCTTCTAATAGTCTAGCC[T, C]GCATCTTAAAAaTCAACCAATTGTC	594,564	100
1703.	GATTGGCTAAGGGACTTGAAAaGC[A, G]TTTGTAGTTCCAAGAAGCTAGATTA	594,630	100
1704.	TCCAAGAAGCTAGATTATGTCTTA[A, G]ACCAAAAaTGTTTATTGGGACCATG	594,663	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1705.	ATTGGGACCATGAAGTGTTCAAA[G, A]ACACCTTTAGAAGGTATGTCGGACT	594,701	100
1706.	TAAGCAACAGAGCAAAGATTACTG[T, C]TGTTGTCGTAGGGACCTATCTTCTT	594,868	100
1707.	GTTACTGTGTACCTAATACAGCA[A, G]AAaTTTGATTTTTATTTCATACTTA	594,955	100
1708.	TGGTCACTTAATCAACAGTTTCTA[T, C]CATTTGCATGTTGCTGCAGATGAAT	595,079	100
1709.	TACTAGGTCTGGTACATAGTGATA[C, T]ATGCGGCCTATTTGATGTGCCGGCC	595,370	100
1710.	AAATTGAGTTTAAGGTAGAGAAG[C, T]AAACTGAGAAATCACTTAAGGTACT	595,517	100
1711.	TTAAGGTACTTCGATCAGATCGAG[G, A]GAAATACCTAAGTGAAAAATtTCTC	595,557	100
1712.	ACGCCCTCAGCTCAACGGGATTTCA[A, G]AACAGAGAAATCAGACCCCTATTAAA	595,653	100
1713.	ATCCATTCTTACCACACCATATGA[G, A]ATGTCGCATGGTAAGAAGCCGAATT	595,802	100
1714.	TTCTACCACACCATATGAGATGT[C, T]GCATGGTAAGAAGCCGAATTTTGGT	595,807	100
1715.	AATTAGAGACTAGGTCTATGAGAG[C, A]TCGTTTTGTAGGATACCTGAAAAAA	595,908	100
1716.	AGAAAAATGTTCTCATAGGTGATA[T, C]GAACCATGCTGATGATCCTAAATCT	596,195	100
1717.	CCTCATAGGTGATATGAACCATGC[T, C]GATGATCCTAAATCTATGACGAGAC	596,205	100
1718.	TCTTTCACAGCAACTGTACATAGA[G, A]AAAGTGCTGAAGCGGTTTCAGCATGG	596,976	100
1719.	CTGTACATAGAGAAAGTGCTGAAG[C, T]GGTTCAGCATGGAGAATTTCAAGAG	596,989	100
1720.	AGTCGAATCCAGATGAGGAGCATT[G, A]GATTGCTGTGAAGAATATCCTTAAA	597,218	100
1721.	AAAGTCTACATCATGTTTTGTATT[T, C]CTGTGTAACGATGGTGCAGTTAGCT	597,363	100
1722.	ATCGCCCGCTTGGAGGCTGCTAAG[A, G]AAAAATCTGGTTCAAAAAATTTAT	597,466	100
1723.	AAAAAATCTGGTTCAAAAAATTT[A, G]TTGCAGAGCTGGATGTGATGCCACC	597,490	100
1724.	GTTCAAAAAATTTATTGCAGAGCT[G, T]GATGTGATGCCACCAGATGCCATTC	597,501	100
1725.	ATTCCACTCTGCTACAACAACAT[G, A]ATGCCATAACACTCACTAAGAACT	597,547	100
1726.	GAGAAGATGAGGCTTAAGTTCATG[G, A]TCAATAGACTTTAGACCAAGTGAGA	597,755	100
1727.	ATGAGGCTTAAGTTCATGGTCAAT[A, T]GACTTTAGACCAAGTGAGAGTTTAT	597,761	100
1728.	TAAATTATCCATAAATCGTTCGAA[A, G]AaTTAACGGATGATGACACGTATTT	597,930	100
1729.	TCGACAGTGTGGAGACACTGAAGC[G, A]AAAGTGTAGGTGCTTGATAGAGATC	598,122	100
1730.	GTGTAAATAGTTCTTTGACTTGCG[G, A]TGCCTCGGTTGTTACAGTAGGATT	598,248	100
1731.	GAGATCCTATATAGTTTATGAAAC[G, A]GAGTCCTAAAATCCATGATCATGGT	598,431	100
1732.	CTGATGGATTGCCACTACATACTG[T, C]TAGGTGTCATGATGGATCATAAGA	598,647	100
1733.	GATAAGAATGAGGAGTTACATCT[A, G]AATTCAAATTTGAATTTGAATTTGG	599,195	100
1734.	AGTTGGGCGACAACCTACCCATATCC[G, T]TGGTGTACACCAATCTGAATTTCTC	599,286	100
1735.	AGAGCCCTCCAATCATATCCACGC[A, C]TGTTCTCCCTCTTCTCTCTGATCTC	599,489	100
1736.	CGGCTCAACAGCGAACCTCAAATC[T, C]ACGATCATCGGATTGCGGAGTTTCAT	599,783	100
1737.	CCATTGTAGCCGAAAGAAAAGATG[A, G]TGCAATTAGTCCAGTCAGGAACAATA	600,172	100
1738.	CAAGCAATTACTGATCATCGATTG[C, T]AGTCCATGAGCAAATATTCCTCTT	601,154	100
1739.	AAATTGACAATACAGACTATACAC[T, C]TAAATAACTAACTAAACAATCCCAA	601,232	100
1740.	ATCAGTTAAAGACAATAAAAGAA[C, T]AAAGCATTAGTAAAAaTAGCATTCT	601,922	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1741.	ATACTAACCATATCATGAAGATAA[C, A]AAATTTTCTTCCTGACAAACATTTA	602,213	100
1742.	AATTAAGTCAGACTTGTTCAGGA[G, A]AACAGTCCTTTTAACTTCTTTACA	604,520	100
1743.	CCTTTCGATAATAAGGACTAAGAT[A, G]GAGTTTAAAAATTCGCAAGAAATGT	604,643	100
1744.	TGGTAAAAaTGAAAAGAAAAaCC[T, C]AATAAGCTAAGTACCAGCTACAAGA	604,782	100
1745.	CAGGGTTTTAAATCCCGTGGGACA[G, A]GGCAGTTCCAATTTTTCATGGAAC	605,107	100
1746.	CGGAATGCACCTGCCGTCTGTCCC[G, A]TCCCAATACTTGGGATAGAGGACGT	605,156	100
1747.	CACTGCCGTCTGTCCCGTCCCA[T, C]ACTTGGGATAGAGGACGTCCCAATC	605,163	100
1748.	TGGGACGGTCTGTCCCAACACAT[G, A]GGATGTACCCCATCCAAGTGTCCC	605,231	100
1749.	CATCTGAAATTTTGGACATTCATG[A, G]TCAACAATGTGGATGATTGATTTCA	605,495	100
1750.	ATCTAAAGGGGCCGAAACAACAAA[A, T]TTTGATCTTTCAGCGTCAGATCATC	607,187	100
1751.	TGAGAAAACAAAGAAATCAAAAGA[A, G]GACCTGTAAAGGAGGTGAAAATGT	607,237	100
1752.	ACATAaAAAAACATTTTTTtCAGAA[A, C]CCAGCCACAACACAAACAAACAAA	607,441	100
1753.	GAGCGAGAGAGCAATAAATTAGGG[C, T]TCCCAATCTCTGTCGAGAGATTAGG	607,787	100
1754.	AGCCATGTAACCTTTATTCAGTGAT[G, T]TGTGTGTTTATCTAATATTTTGA	608,455	100
1755.	CAACAAAAAaTAACGAGAGATTT[A, G]TTGTGTGACTAATGCCTCCACATTT	608,636	100
1756.	TGTGTGACTAATGCCTCCACATTT[C, T]TATTGATAGTCTTGATTATTTATt	608,662	100
1757.	ATTATTTTGAACTTTTtagTTTT[A, C]GTTGCCAACAATTTGCCCTCTATAT	608,801	100
1758.	CAATTTGCCCTCTATATCTACTAC[C, T]GTGTCAATCATATTATATATATTCT	608,834	100
1759.	AAAAAAaTTAATATATTTTAACAAT[G, A]TATATATTATATCATGATAGTATAT	609,035	100
1760.	AATTATTAGACATGCATAAATACA[T, C]AAGCAAAAAATCTCATGTACATATT	609,126	100
1761.	GTCTGTTTCCTCTTTCTCATTGCC[T, C]TCATCCCCCTCGCTCCAGTGGCGTAA	609,401	100
1762.	ttCTTTTGGGTACAATAAACGAAC[A, G]TTAAAAAATAGGTGGACTTTGCGTT	609,478	100
1763.	TGGAATACTTGGCTGTCCCGTCC[T, G]CTGTCCGTAATAATCATTGCTGAA	609,555	100
1764.	TTTTCCAAATCGGATCCTATTTTT[T, C]CATTAAACAACCCCTTGGAGAGA	609,615	100
1765.	CAATCGGATCCTATTTTTTCATT[A, C]ATAACAACCCCTTGGAGAGAGAAAA	609,620	100
1766.	ATTAATAACAACCCCTTGGAGAGA[G, A]AAAAAATGCGAAGAGGTAGAATTTA	609,641	100
1767.	TCCTTTTGGCCAACCTAAGTATGAT[G, C]CTGCTACTAATTGGCAGTTTCTGCA	611,000	100
1768.	ATAGAGGCACCTTGATTTTTTATT[T, C]GAGGGGAGAGAGAAGGTTCAACGT	611,687	100
1769.	CTATGGAACATCTAGTGGATGTT[T, C]TTTACTTGTTGCTTGTGTTATTTT	612,132	100
1770.	TTGTTGGTATTTTCATTGTGATTGC[A, T]TGCATGTATCTTTTGTTCAGGAAT	612,169	100
1771.	ATGAAGTTAACTGGTTAAATGCA[C, G]AGGTCCAAGAGGAAATTAATGAACT	612,563	100
1772.	TAAGCATCCAACCTCTGTTCTCTT[T, A]TAGTTCTGCTATTGGGAGTTGCAA	613,414	100
1773.	TATCTGTTTCCTAGGGTAAGGGCC[C, T]TTTTTATGATTCTATTGAAGCAGTA	613,509	100
1774.	CTTGCCAAAAATATTATTCTCATA[A, G]CCTGTATGTTAATAGAATTCTTTTC	613,659	100
1775.	ATCTGTTGTTTCGATGACTGAGTC[G, A]ATTTCTTTCATGGCATCCATATACG	613,755	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1776.	CAACATCATTTCCCATGCAGCAAAAC[T, C]CAGGGAGCTTAAGATAGACTACAT	614,128	100
1777.	GAAATCATGGTGCACAATTTCTAC[A, G]AACATATAATAAGCTGTTGAAAAG	614,260	100
1778.	TGACATCAACTGGTGTATTTTGCC[A, G]GGTGAATGTGCAGGAACCAATTTAA	614,780	100
1779.	CTGTCCCTTGAGCCAATCAAACCTT[A, G]TACAGTGGAATACATGTCAAGTCTC	615,082	100
1780.	GTAAATCGGTTAAGTTAGTTACG[G, A]ATTGTCATGCAGATATGGAGGTATC	615,605	100
1781.	TGTATATTTTTTTtATAAGTTGCTG[A, G]AAAAGGTCCATATATTGATCTCTTT	616,087	100
1782.	CGCACAAGCTGATACACCATCAGA[G, A]GTGAGCCAACCTCTTATTTTACTCA	616,336	100
1783.	GAGGCTCAAGGAACGTAAGGCAGA[C, A]AAGCCATTGTAAGCCTCTGATAAT	617,262	100
1784.	ATCAACACTTTTCTTTGTCTTTG[C, T]TACTTTTAATATTAACAAAACATAA	628,883	100
1785.	ACTTAGGACCCATGCCAATCTCC[A, C]GATAATATTTTCAGACAAGGTTTT	629,077	100
1786.	GCCTACATCTATTGTGATCCTCAC[G, A]AAATTGATGAGAATGGACCAGAAAC	629,629	100
1787.	ACATCAATATAGTGGTTTtTTTT[T, A]AAAAAAAaaGAATTCATATTTTTG	629,687	100
1788.	AATTCATATTTTTGTTTGTAAAAT[A, G]CAATTTCAATGGCATTTCATTCATA	629,723	100
1789.	CTCCTAAGATTTCAAGGGAACA[A, G]TGGGGAAGAAACACACTAGAGTG	633,279	100
1790.	AGTCAAGAGGAGTCAACGGTCAAC[C, T]GTCGCGGTCAAAGTCAAAGTTTCCG	633,581	100
1791.	TGTAATAATATTATTGTACCATTT[C, T]TTTTGTTCTTGAGCAGGTAATATT	634,380	100
1792.	TTGTGATGTCATTTGGAAGGTTAA[A, T]GACTAGAGTTATTTGAGTTATAATA	637,431	100
1793.	TTTGAGTTATAATAAGATCAGGAA[T, C]CTATATTAGCAAGGAGAAGAAAAG	637,467	100
1794.	CGAGGATTCTCTGCTAGCAGCTTG[C, A]CCCCGGATCCAAGAGATAAGGTAG	638,756	100
1795.	TTTCCTCCATTAAATTGCCTTCAG[T, C]ATTCGATTGTACACAAAGTTATAGA	638,808	100
1796.	TTGTACACAAAGTTATAGACTTCA[C, T]CCTTGACGTCCAGAAGATCCAGGAC	638,839	100
1797.	TCAAATATGGAGCTAGGGCTCCCA[A, C]AATGAAGGAAGAATCTGATGAATAT	639,075	100
1798.	GCCGGAAGGCCTTGATACGGTGGT[T, C]GGTCATGAGCACGGAGTGTAGCTCC	639,411	100
1799.	ACCGACCTGAATTGGAGGCTGAAT[A, G]TTGATCTGAATTGGAGGCTGAATGC	639,979	100
1800.	TTTAGCTCATATAAATACCGACAT[G, A]AAGCAGAGTATTACATATATCCGAG	640,163	100
1801.	AACTGGCTACGATCTCACGTACAA[C, T]TGTGCTATAACTCATCCCCAACTGG	640,331	100
1802.	GCTTACTTACAGCTGGCCTCCAAC[G, A]GCCTAACAACTCTATAGCTGGCCT	640,435	100
1803.	CGGCCTAACAACTCTATAGCTGG[C, T]CTCTAACGGCCTAACAACTCTTCC	640,458	100
1804.	CATCAGTCCCTCTATAAATAAAGG[G, A]CAAAGGGATCCTTCAGGTAAGTTTT	640,516	100
1805.	TCTACTTTTTCTATCTTCTATTCT[C, T]GAGGCTCAAATTGACTTAAGCATCA	640,673	100
1806.	TCTTATTTTGTAGGATTCTTCGAA[G, A]GAGACTCATATTGGATCACCACAGC	640,759	100
1807.	TATTGGATCACCACAGCCTCTCCA[A, G]CATGACTTCATCCAATCTCTTCATC	640,792	100
1808.	CTGAGATTTTGAGCCTCACAACAA[T, C]AGATTGGTGCTAGAGGAAGAGTGAT	640,841	100
1809.	AAAAAGCACAAAGCAACTCTATAC[T, C]TTGACCGTCTCCCTCTGAAGATATG	640,921	100
1810.	ACAAAGCAACTCTATACTTTGACC[G, A]TCTCCCTCTGAAGATATGCTGGAAG	640,928	100
1811.	GCTGTCAACTCATGGTATTATATGG[G, A]GACGGCCCCACATCCTGTGAGGTG	641,166	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1812.	TAAACAAACTCATAACCTCTCCG[A, G]TAATAAATTCTCAAGCTCTATCTAC	641,319	100
1813.	AAGAAAAAATCAAACAAGAATAA[A, G]AAAaTTTATCCAAACGAGATATCTA	641,418	100
1814.	TATCTATTTGAGGAACTCAAGAT[G, A]CGATTTGAGATTTTAAGACAATATA	641,462	100
1815.	GAAAAGAAAAAGAGGAGAAAAATCC[C, T]CGGACATAGCCGAAGTCATCTTACA	641,517	100
1816.	CACCCCATCGGATCGGCATCTTCG[A, C]CACTCCCGTCGCGCTCCTGGAGCCA	641,664	100
1817.	CCAAGTGCCAAAACATCGTCAGAT[C, T]AGTGACTTCCCTCCGATCGAGACCA	641,796	100
1818.	CGAGACCATCCGCATGCTCGTGTA[C, G]GTTTGAGCACCAGgCCCTACCAAA	641,838	100
1819.	GAGGCCAGCACTGGCAATCGAT[C, T]TCCAATCCTGCATCCTGATGGTGGG	641,940	100
1820.	GGCTCCACTGGATTGACGGCCCCC[G, A]ATGATCTCCAGCTCTCCTCCCTGTG	641,988	100
1821.	ATCTCTGGCTCTCCTTCTTACATC[T, C]GTGGGTATTTTCGGTGCCGAATCCA	642,068	100
1822.	TTCTACATCTGTGGGTATTTTCG[G, A]TGCCGAATCCAGTCAGATCGATTGC	642,082	100
1823.	AAAAAaaaGAAAAAAaGAaGAGG[A, G]GAGAGCTTGATCTCCAGCCAAAGTT	642,559	100
1824.	ACAACAAGCAGTCAAGTAGAACTC[G, A]CAAGTTCTCAAACAACACTCCTGG	642,644	100
1825.	ATTCTTAAGCTTCCATTGTATT[C, T]TTTCTTTTCTTCTTGAGGATC	642,700	100
1826.	AGCAAAAATAAGCTCGAATTGAGA[T, C]AAAACTTAAGTCCAAGCTGcGGCAA	642,821	100
1827.	GAGATAAACTTAAGTCCAAGCTG[C, A]GGCAAAGAATAGGAAGGAGTCAAAT	642,841	100
1828.	AGCTGcGGCAAAGAATAGGAAGGA[G, A]TCAAATATAACTCAGAAGCTCTCAA	642,860	100
1829.	TTCAATATTTCGGATTGGTAGAGCC[T, C]CGAGAGGTACAAATGGAGATAAGAT	643,364	100
1830.	AGATTGGTAGAGTCCGAGAGGCA[T, C]AAATGGAGATAAGATCTCCTCAAAA	643,434	100
1831.	TCCGAGAGGCATAAATGGAGATAA[G, A]ATCTCTCAAAATCTAATCTCCGAA	643,447	100
1832.	AAGATCTCCTCAAAATCTAATCTC[C, T]GAATTGGTAGAGTCTCGAAGGGCCA	643,469	100
1833.	GAGATTATCTTCAGTTCTATAAAA[G, T]TCTAATCTAAAGGTCAAGATTATTT	643,617	100
1834.	TTTGGAATTTCTATCAAATACCGAC[T, C]TCAAGTCAAAGTTATATCAAAATTC	643,665	100
1835.	AAAGGTCGAGATTATCTTAAATTT[T, C]TATCAAATACCGATCTCAAATCGAA	643,772	100
1836.	TAAGTTGAAATTTCTATAAAATACC[G, A]ATCTGAGGGTCGAGGTTATCTTTAA	643,824	100
1837.	CTATCAAGTACCGATCTGAGGATC[A, G]AGGTTATCTTTCAGTTCTATAAAAT	643,918	100
1838.	TTTTTTAGTTCTATAAAATACTGA[C, T]CTGAAGGTCGAAGTTATCTTTTAGT	643,989	100
1839.	GACCTGAAGGTCGAAGTTATCTTT[T, C]AGTTCTGTAAAATACCGACTTGAAG	644,011	100
1840.	ATACCGATCTGAAGGTCGATGTTA[A, T]CATACAGTTCTATGAAATACTAATC	644,170	100
1841.	GTTATCTTTCAATTTCTATAAAATA[T, C]CGATCTGAAGGTCGATGTTATATTT	644,231	100
1842.	AGATCGAGGTTATCATTCAGTTCT[T, A]TCAAATACTGATATGAGGGTCGAGG	644,305	100
1843.	GATATGAGGGTCGAGGTTCTCTTT[T, C]AATTCTATAAAATATCGATCTGAAG	644,339	100
1844.	CTATAAAATATCGATCTGAAGGTT[T, G]AGATTATCATTTAATTCATAAAAT	644,368	100
1845.	AGTTCTATCAAAATACTAACCTGAA[G, A]GTTGTGATTGTCTTTTAGTTCTATA	644,487	100
1846.	TCTATAAAATATCGATCTGAAGGT[G, C]GAGATTGTCATTCAAGTTCTATCAAA	644,696	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1847.	GTTCTATCAAATATGGATTTGAGG[G, T]TCGAGGTTATATTTC AATTTTATAA	644,735	100
1848.	TATCTTTCAATTCTATAAAATATC[A, G]aCTTGAAGGTCGAGATTATCTTTCA	644,808	100
1849.	CATTCAAGTTCTATCAAATACCGAT[A, C]TGAGTATTGAGGTTATCTTTCAATT	644,893	100
1850.	CTTGAAAATATCAACCTGAGGGTC[A, G]AAGTTATATTTCAGCTCATATAAAAT	645,057	100
1851.	AGCTCATATAAAATACTGACCTCAT[A, G]GTCGAGATTATCTTTGAGCTTATAT	645,094	100
1852.	TGAGGTTTTACTGACCTCAAGATT[A, G]AGGTTATCCTGCAAAATACAGATCT	645,319	100
1853.	CCATCTCCAGATTGGTAGAGCTC[C, T]GAAAGACACAAACAAAGATCAGATC	645,525	100
1854.	CTATGGATCGATATTATCTTTTCAG[C, T]TCGTATAGATACTAGTCGACCTTAG	645,589	100
1855.	GCTCGTATAGATACTAGTCGACCT[T, A]AGGGTCGAAGTTATTTTATTATTCT	645,612	100
1856.	TGATCTCCAGATCGAAGTTATCTT[G, A]AAATTCTATTATCGATCTTGAATT	645,708	100
1857.	AAATTCTATTATCGATCTTGAAT[T, C]GAAGTTATCTTGAAGTTCTATTAAA	645,733	100
1858.	CATCTCAGCTCATAAGAAAGCCG[A, C]GTGAATCAAGGCCAAGTTTACATA	645,967	100
1859.	GAAAGCCGACGTGAATCAAAGGCC[A, G]AGTTTACATAAAGTCGATCTGAATT	645,982	100
1860.	AGATGTTCAAGGTCATATGATA[C, T]TTGATTTTATTTGGTATTTTATCG	646,515	100
1861.	CTCCGTCGAGATTTTGAAGCTCA[T, C]AGCAACAATAATAATATAATATAAT	647,142	100
1862.	CGAGGTGGTTAGCTCTTCATGGG[A, T]ATAATAACAAATTGTTTCTAACCAG	649,436	100
1863.	TCATTATAATATATCAAAGCAAC[C, T]AGAAATCCTACTGGTTCGGTCCAAT	649,836	100
1864.	CATGTTAAAAATACCCCTGTATT[C, T]GCTTAATATAAACTTaTCTACAAT	649,909	100
1865.	TTGTATTCTGCTTAATATAAACTT[A, G]TCTCACAATCATTTTTCAGTAAATT	649,925	100
1866.	TTAATATAAACTTaTCTCACAATC[A, G]TTTTTCAGTAAATTAACAATGATAA	649,936	100
1867.	ATATGtAGGGGTAATCAGAAGAA[T, C]GAAaGATGTGTGCTACTCTGGTGT	649,985	100
1868.	TCAGAAGAAATGAaAGATGTGTG[C, A]TACTCTGGTGTcATgCATATAGAAA	649,999	100
1869.	TTTTTATTCAAAAAAaTATTTT[A, G]TTTGTATTATTCTATTTTCTCT	650,084	100
1870.	TATTCAAAAAaTATTTTATT[G, A]TTTATTATTCTATTTTCTCTGCTC	650,088	100
1871.	TACAGAATTACCAAAATTTTGGG[A, G]CCATTTAGTTCTTCTTTCAGTATAA	650,786	100
1872.	ATTACCAAAATTTTGGCACCATT[T, A]AGTTCTTCTTTCAGTATAATTCTG	650,792	100
1873.	ACATGGTGCCTCTTGCAAGTTGAT[G, C]AAAGCCAAATTGACTAGCATTATTG	650,948	100
1874.	AAAAGCATGAACCTTACACCATG[C, T]ACTCGATCCTGATTACCAGTTCTAA	651,003	100
1875.	TTTGATGTGATACCAAAATGTCA[C, T]GCCACCACTCCCTCTAATTTAACA	651,160	100
1876.	ACGGGGTTCACCTTGATTCACAGT[T, A]ATCGTACCCTAGTCTACAGTAGAAA	654,644	100
1877.	CTTTTTGTTCATCTTTGATGCGT[A, G]GTAGACACACTTTTTTGAGAATTG	655,763	100
1878.	TGATCTTCTCTTTGCTTTCTGTG[A, G]ACGATATGGAATTTTGATGACAGCA	655,849	100
1879.	GAAGGAATGGTTCTTTTATGTCCC[T, C]AGAGATCGAAAGTATAGAAATGGTG	655,916	100
1880.	GACGCTTGTCTTCTACTCTGGGA[A, G]GCTCCTAAAGGCATACGATCAAGCT	656,063	100
1881.	TTGAGCTAGCTTTTCATATCTGAT[G, C]TTTTCTCTTAAGTCAACAAGAAGGA	656,718	100
1882.	ATTTTCTGTGTCTCTTTGTGAAC[C, T]AAGCTTACTGTTtAAATTTCTTCT	656,925	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1883.	CTTTGTGAACcAAGCTTACTGTTT[T, C]AAATTTCTTCTTCTTCATCATGTCG	656,939	100
1884.	TTTGCAGACCGAAATCTCGCTCTG[C, T]CGAGTCTATAAAAGAGCTGGGGTCG	657,331	100
1885.	TCCTCCTCATATTTTtCTTTtCTT[T, G]tCTTTTCCAACAAAGACTGCTGAAG	657,997	100
1886.	TGTAACGTGGGTGAAaACTTATT[C, G]TAGATCAGGTTTGTAGTTCGACTAA	658,049	100
1887.	TTATTCATATATACGTTCTCATCA[A, C]TGAATTTAGGGCATTTTATCATCTT	658,495	100
1888.	TTCATATATACGTTCTCATCaTG[A, G]ATTTAGGGCATTTTATCATCTTCTA	658,498	100
1889.	TTTTATCATCTTCTAGGGTCTCTT[T, C]TGGTTTGGCATGTATTTCTAACT	658,533	100
1890.	TGGCATGTATTTCTAAaACTGGAA[A, G]TATTTCAGATCAGTAGTTGTGAGAG	658,563	100
1891.	ATTTCAAGATCAGTAGTTGTGAGAG[G, C]AGATTCTTAGTCTATATGTGGTATG	658,589	100
1892.	TACGGCCTAGCTATGTatAGATCT[G, A]GCGTTGCTTCTCACTTTGTTCACTT	658,866	100
1893.	CCTTTCTTAaCTTGGATATCGTTT[T, G]CTTCTTTGGGCAGTGTTTTAGATTT	659,156	100
1894.	TCTTTTGGTTCCAGATGTCTTGCT[G, A]AGCTTGGGCAATCTCTTAGGTTAGT	659,326	100
1895.	TCAAAGATTGCGACGATCGATAAA[T, C]CTGTTCTAGACCATTGTTCACTCACT	659,667	100
1896.	TCGACGAAGAATGGCTTTTCGGAGA[A, T]AGCTGATCTACTTCACATGAaCTTT	659,889	100
1897.	ACTTCACATGAaCTTTCAATTTATG[A, G]TCATCTGATCCAGGTCCAACAGTGA	659,923	100
1898.	AACAGAAAGAGTATATATGACTGT[A, G]AACTCTCAATTAGTGAGATTACTT	660,011	100
1899.	TCCATCTTTATTAGCTCCATGAAT[C, G]ATGCACTATCATCATGTCAATATTT	660,636	100
1900.	ATTAGCTCCATGAATCATGCACTA[T, C]CATCATGTCAATATTTATTATTGTA	660,645	100
1901.	AGTTTGAaAAGATGAAaAGAGTA[T, C]CAGAACCAAGAAAAaTGAACGAG	660,739	100
1902.	CAAGAAAAaTGAACGAGTCTCT[G, A]AATTTTAGAATATTTAGAAGAAG	660,770	100
1903.	GGCAATTTTAAATCAGAAATAAAAA[A, G]AaTCAAAAAATTGCATGATTATGA	660,819	100
1904.	GAGAGGCTGCTTCACTTCTTCAACC[T, C]GTTCAAAACAATACAGGATATTTTC	660,946	100
1905.	ACCTGTTTCAAAACAATACAGGATA[T, C]TTTCAACTCACACATCTAATTGAGC	660,967	100
1906.	TCGGGGAAGTTAGACACCAGAAGG[C, A]GAATAGAAATGAATCTCCTATTCTA	661,063	100
1907.	TATATTTAGGATTATCAGATAGAC[C, T]TTTTAGGCAACATTGAGCTAGACA	661,351	100
1908.	AACATTGAGCTAGACATCCAGAGC[C, A]ATGAGAACTCACAGGACGGAACCAA	661,385	100
1909.	GATTTTGGAGCTAGACCTGCAACC[A, T]GATCTACTCCAAGTCCAAATAAGGT	661,851	100
1910.	TACTCCAAGTCCAATAAGGTTGG[A, C]CAGATCCTGGCCCAAGCTCAACCCG	661,880	100
1911.	CAATAAGGTTGGACAGATCCTGG[C, T]CCAAGCTCAACCCGACTGTTTCCAG	661,891	100
1912.	AGAGAGAGACAGGGAGAGTTTTGT[G, A]GGATATATCGGTTTTATTGGTAAA	661,976	100
1913.	TACCTCATTCAAGAGATGTAATTG[G, A]TCGATGATGTATATAATTATAACAT	662,029	100
1914.	GAGATTAATGTGCCATGCCATACA[C, T]CTGTGAGATTAACAGTGGATAGACT	662,111	100
1915.	CTCACTAGTTACATTTGTTTGGCC[A, T]AGGCCCTTGTCAAGGCACTAGTAACT	662,159	100
1916.	CTTGATGTTAATGAGGATCGCATAT[T, G]ATAAGCATGGGTAATCACATAAAAT	662,615	100
1917.	TGATGTTAATGAGGATCGCATATA[T, C]AAGCATGGGTAATCACATAAAATGT	662,617	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1918.	ATTGCTGTTTACAACACATTA[C, A]TAACTCACTGTACAGCTCTCTTTT	663,349	100
1919.	ATAACTTGTAGAGTCCACAAAGAT[G, C]TCGTACAACAGAGATTTTTTGGTAA	664,398	100
1920.	TCAACCATGCATCATTGTTAGATA[C, A]TAGCCTATTTAGCCAAGCTACGAGA	664,591	100
1921.	AACCTACAGTAGCTAATATGCCAT[G, A]ACCAGTGTTTGTCTTAAAAACATT	664,778	100
1922.	AAGTGAATAAGAAGAAAAATGTG[G, A]GAGGAAAACTAACATAATAGGCTGT	664,878	100
1923.	ATAGGCTGTATAAGCTTTAAGAG[A, G]CCCTAAGAAATATTGGTGAACATAT	664,919	100
1924.	CACCAAGGGAACCCCCAATATCAG[C, T]CCCAGGTACCCATCCAAGGAGAGCC	667,196	100
1925.	TGATTGTAGAACTCTTGAAATTGC[C, T]GTAGAAGAGGCTGGTTGAACCTTAT	667,291	100
1926.	TTTGGCCCGACTAGATTGGTCAA[G, C]GCCTCCCCAACAGCCAACCTTGCCA	668,460	100
1927.	GTTCAGCAAACCTTTTATTGGCTG[C, G]TCCCCAATGGCACAAGCACCACCAG	668,520	100
1928.	CTTCACAACATTACAATTTCCCCC[A, G]GCTCCCTGATCATGAATACTGATGA	669,132	100
1929.	GCCTCTCTTCCCTTCTCAATGACA[G, T]GAACCACACTAATAGCCTCTGGAAC	670,165	100
1930.	ATAAACACACTCTGTCATTCTATC[C, A]TGAAACATAGCTGCAAAATCATTAA	670,248	100
1931.	CAAGAAATTTGTACGCAGAAGAAGA[T, A]TAGGCCTCCTTGATCCCTGGAATAG	670,894	100
1932.	TAGGCCTCCTTGATCCCTGGAATA[G, C]ATAAGAAGAGATTCCAGAACAATT	670,919	100
1933.	GCTCCTTGCCTGGGAGTCCCAGAT[G, T]TCCATGTTGCATGTACCATATTTTt	691,787	100
1934.	ATGTTTATACAGTTGCAATCTTTC[C, G]TTGAGGATAGAACAAAACTGTAAA	692,391	100
1935.	ATTTATGATTTAGCTGCCAGAGAT[A, G]GTGGACAATCTAATAACCTGTTTGC	692,492	100
1936.	TtTTtCTTTtCTTTTCTCTTtTT[T, C]GGTTGGTTTAAGATGGGGAGTTCTT	692,876	100
1937.	GAGCATGTGCAAGAGGGTCTTGTT[A, G]GCTGGGCTGAGAAGGTAAAGAGGAG	692,946	100
1938.	ATGCAATCCATCAATTGGCCAGCA[A, T]CTATGATACTATAACTTATATATCC	693,145	100
1939.	CTAGTCAGGTGCTCAATGTTATAT[T, C]GATATCCAAATAGATTGAGATCCCA	694,257	100
1940.	TTTGAGCAATCAAGAAGAGTGTA[C, A]CACTTAGCAACAACCCCTACCTTCA	698,298	100
1941.	AGAAAAGAAGACTGGGATGAAGAA[A, G]aAAGTGGTCTCCCTATTTCAAATAT	699,190	100
1942.	GAAAAGAAGACTGGGATGAAGAAa[A, G]AAGTGGTCTCCCTATTTCAAATATT	699,191	100
1943.	CTTCCATTTTCTTCTTGTCACCTTC[C, G]ACCCAAGTTTTTCTTTCCCCCTTTC	701,712	100
1944.	TCCTTTTATTAAACAACCTTATT[G, C]AAGTAGTCTACAAGTACGTTAGGTG	702,566	100
1945.	GGTGCAACTATGACAGTACAATAA[C, A]AATGGCGATGTTCCTTTAAGTCAGC	704,049	100
1946.	GGGAGTTGACAAAAATACAGGGGG[A, G]AAATGATGGACAAGATATTGGTTGT	705,206	100
1947.	TAATATTATTAAAATTTTTtAACA[G, T]AATAGTTCACGTAATTTACATATAA	705,411	100
1948.	CATATAACTCTTCTTATATCTGAT[A, G]TGGTATAGTTCAAGAAAAAAAaaa	705,454	100
1949.	CTGATGCCGAAACCCTAATTTTTTA[A, G]CGATTTTCTTTTGGCAGATATTtCT	705,635	100
1950.	CAGTCTTAGCTCTCATCTTATCT[G, A]AAATTTTTTAAAAAAGTTTGTCTCTT	706,275	100
1951.	AGCATAAAACCCGTGTACATTGT[G, A]GgTTTTTAATAAATAGAAGACAGAGT	706,516	100
1952.	AATTGATGTTCCCTAATCTGAAAA[C, T]ATAGTTGGAAGAATAGAAAATTAAA	706,692	100
1953.	TAACCTTAGCCCCAACCTTAACCC[T, G]AACCTTAACCTTCAAAAATCTAACT	707,153	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1954.	CGATTTTCTTATCTGCTGCCACC[A, C]TCTTCGATCTTTCTAATCCTCAATA	707,898	100
1955.	ATAAGATAATCCATGCTTTGGCAT[C, T]AATATTTTGGATTTTCTCAAAA	708,098	100
1956.	CAGATCGCTATCTTCTTTTCAAA[C, T]GAAGCATCATATTTTtCTACATGC	708,397	100
1957.	TCATACTACCCCTTTCTGTGCCT[C, T]CTCCTCCCTCCATCCGGCTCCACC	710,065	100
1958.	AGGTGGAGCACAGCGACTAGGGCA[C, T]TGTCGAGGCATCCTTCTCCCATGC	711,592	100
1959.	CGGCGGTAGGGGTACAGTCTTGA[A, G]GGCAcGGGAGAGGAGCAGGTGGCT	711,750	100
1960.	GGTAGGGGTACAGTCTTGAAGGCA[C, T]GGGAGAGGAGCAGGTGGCTCCGAT	711,755	100
1961.	GCCGATCTTTAGGCGGTTCTTTGG[A, G]TTGTGTTGAGCCAAGAGGTGAAGCA	711,931	100
1962.	TGGGATTATTGAGATTTTGGCGG[T, G]GTAGAGCAGAAAATCGAGGCCGAAG	712,822	100
1963.	TTTGGCCCGAGCCAGCCTAAATG[G, A]TTTGTAGCCGAGCCCAAGCTTGAC	713,397	100
1964.	GTGAAGAAGGAAAATAGACTCTTA[G, A]AAAATTGTGCACTTCATATTTCTTC	715,214	100
1965.	AGAACGAAAAATTCATCGAACTAC[G, A]CTATTTCTTGGAGAAGTGCCAAAAA	716,031	100
1966.	ATCCTCGGATCGATCCAACCGACA[C, T]CCGACTCTACCCACCGACAGACAG	716,177	100
1967.	CACCTTGTCCGAAGGATGGGTTCC[G, T]ATTATCTTTCCCTATTGGTAATTC	717,500	100
1968.	AGAGAAGTGCATAAGGATTGATTC[A, G]TTTGAAGCCAAGTAGGCCTTATTGC	718,659	100
1969.	AAAGGATTGTCTCAAATGGAGCAC[A, G]TGATTTCAAAAGGTGACTTGTCTAG	721,006	100
1970.	TTCTTACTATTTTATTCCCTTGC[A, G]TATATAATCTTAGCAATCATTGTAT	721,146	100
1971.	CTGGAGTAGCAAGAGATGCTGTAC[C, T]GGAGTTACTAGGTTTCTTGGTGGAG	721,828	100
1972.	CACCCATTTTAAAGAGAACATG[A, G]CATTCAATAAATGGGCAGACAGGT	722,331	100
1973.	GATGCAGCAGGAAGAAAGAAAGAA[C, A]AAAACAAAaATAaAAAACAATCAAA	723,920	100
1974.	TTATTTGGAAGAGTTAAGGTTAA[C, T]GGCGATGATTTATCATCAAAAATA	731,383	100
1975.	AGCTTCTTGGACAAAGGAAGATCT[C, T]CTTAGAACTAGTCTTGATTTTCCT	731,600	100
1976.	GCTTCTTGGACAAAGGAAGATCTC[C, A]TTAGAACTAGTCTTGATTTTCCTT	731,601	100
1977.	TATGATCCACTACATGGAATAGTT[T, A]ATGAAGCAAGTAATGAGTATTTACT	732,394	100
1978.	ACTACATGGAATAGTTTATGAAGC[A, C]AGTAATGAGTATTTACTTCTTAGAG	732,402	100
1979.	CAAGTAATGAGTATTTACTTCTTA[G, C]AGTTAGAGCAGTCCGACAATGGAA	732,425	100
1980.	TCAAACCATAGGAGCGCAGGATAC[G, A]CTCAGCAACGAGACAGCCAACAAAT	732,587	100
1981.	TAAATTCCTCTCTGACGTGGGACT[T, C]TAAGGTTCTTGCAAACTTGAGTTTG	734,317	100
1982.	CAAGGAACTGGTAATCCACTGCT[A, G]TTGAGAAGGAGATAGCCTTCAACTT	734,505	100
1983.	TCAGTCCAAGAAAATTGAAGATCT[A, T]ATTTTCAACAACATATTATGTGGAA	734,598	100
1984.	CAGTCCAAGAAAATTGAAGATCTA[A, C]TTTTCAACAACATATTATGTGGAAA	734,599	100
1985.	AACACAACTGGGCTCTTGGAGTT[G, T]GAAGAAATTAACATGCAGGCAGTTC	734,720	100
1986.	AATGGATGGAAAAaTAAAAaTTC[T, A]ATCCTTCCCTCTCAGCCTTTGGCTT	734,847	100
1987.	ATCCAGAGCATGTAAATAATAG[A, G]CACCCAAATGCTTGTGTAGGTTCAA	736,155	100
1988.	TCATGGCACGAAAGGCAACCAAGC[A, G]aCGGTGCACCTACCAGAACAGCGCA	744,082	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
1989.	GTTAGATTGAAAAATAGATCCCA[T, G]ATTAGATTAGTATATTGATATAAA	744,165	100
1990.	AAAAATTAATTAAGATGATAATA[T, C]TATCTCAATATTAATAAATTATTTT	744,477	100
1991.	GGAGCAGAAGAAGTTGCCGACTTA[A, G]ATTATTCTCCTAAACATGACCAAT	744,795	100
1992.	ATTCTCTAAACATGACCAATAT[C, A]TAACATCCGAACGCTGGAAATAAGA	744,823	100
1993.	ACTAACATGAAAGATTTTAGGAAT[G, A]AATTTGCAAAAACCGTTTCTTATTT	744,989	100
1994.	TTATAGCTATCGTTTGAATATAT[A, G]ATAAATAAATAAATAAATAAATAAT	745,092	100
1995.	AATAAATAAATAAATAAATAAATA[A, T]TTTTATATATAAATAAATAAATA	745,116	100
1996.	TCTAATATCCAACGTGTTAGCACC[A, G]TTAAATTATTCCAAAATGTTGGAAT	745,226	100
1997.	CCATTAAATTATTCCAAAATGTTG[A, A]AATTGTGACTATGACGTACCAAACT	745,248	100
1998.	GACTATGACGTACCAAACTAAAT[C, T]GAATTGGAATCTAATTTTATTCTGA	745,279	100
1999.	TTAAGTCTCTAAATTTTTAAATT[A, G]AATAAAAAATCTCTAAATATTAGC	745,422	100
2000.	TATTTTTAAATTCCTGTCTCTAC[G, A]TAGATTGATTACATAGGTCTATGTT	745,476	100
2001.	ATAGGTCTATGTTTAGGTTACACG[A, G]ATTATGCTCAAGTTACACAGATTT	745,513	100
2002.	TAGGTTACACGAATTTATGCTCAA[G, A]TTACACAGATTTATGTTCAAGTTAC	745,526	100
2003.	CGAATTTATGCTCAAGTTACACAG[A, G]TTTATGTTCAAGTTACACAGTTGC	745,535	100
2004.	ATTTGTAGGTATTGTGCAGATGAT[A, G]TTTTGTCTATGATTGATGGATTTA	749,100	100
2005.	ACATATAAGCATGAACCTGATACA[A, T]GAGAACTTAGAATAATGGTACTAC	749,792	100
2006.	GTTAAAGTCCTTGCTGTTGACATG[T, A]AAATAAATGCTGACTGCTTTGTATG	752,010	100
2007.	CAGTTCATCAAACCTTTGGACACC[A, G]GTGGTTATAACTTTACAATTCATCA	752,170	100
2008.	AATTCATCATCCTTGACCTTTTTTC[A, G]aTAATTAAATTAATAATTGTAACCA	752,211	100
2009.	TATTTAGAGCAATTAGTGGATCTA[G, A]TTGCTCTGGTCATTTATGTCAATTA	756,570	100
2010.	ACCTTGACAGTACGTGCAATTTGT[T, C]ATGCTTTGGGTTTGAAGCGTGATAG	756,835	100
2011.	AAACATTGAGGGCCTATAAAAGC[C, T]CTAAATAAGGTATGGCAACATTGA	756,935	100
2012.	ACATTGATCTAACTAAGCCCTGTT[C, T]GGCCAAGGTTGTTTCAGGGGTTTAC	756,978	100
2013.	GGTTCAGGGGTTTACAATTTTGAC[C, T]GGGTTGGAGTAGATTTTATTAAACC	757,013	100
2014.	CTTTAAAAATGCTAAAGCATCCAT[G, A]TATAGGCTCTGTTTAGGTAATCTTG	757,688	100
2015.	TCCATATAAATAGGGGTGTGTACT[A, G]AaTCAGAACAGGTTTTCTCAAAAA	757,741	100
2016.	CCAGTCTTCATATGTTAAATATG[T, C]GGCTTAGTTGGTGATTCGAGCAAAA	757,861	100
2017.	GGTCTCTAATCATCAGATTGGAAG[G, A]AAGAAAAAGAAAGCAAAAATACTG	758,002	100
2018.	TGATGATATGTGATCATTTCTGTC[A, G]TGACTGTCGAATAGAAATATTTTA	758,144	100
2019.	ATGTTTGTGATTATAATTAATTGAA[A, G]TTTAGAATAAACATAAAAATCCTAA	758,199	100
2020.	GAATAAACATAAAAATCCTAAAAA[G, A]TTTAGAGTTTTTGGCGTAATTAAGT	758,228	100
2021.	TTTGGCGTAATTAAGTCTTTTTTT[G, A]TGCTTATATTTACATGTTGGATTTC	758,262	100
2022.	TCTTCTCTCAAAAAATCCTTCT[A, G]TCAAACTTCTACCACAGCATGGAG	763,780	100
2023.	GTAGGTGAGGAGGAGTTTGGTGA[G, A]AGGATGGCGTCGGTGTAGAGGCCAG	764,178	100
2024.	TGCCTTAGCCACCTAGTTGCCCA[C, A]AAGCCAATAGCAAGCTGACCATGAC	764,705	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2025.	TACTTCCCAAGCTTGATCCACATC[C, T]AATGCACAATCCAGAGAAAAGCATC	766,025	100
2026.	GACTTCCAAAAATTTTCATGGCTT[G, T]TTAACTTGTTTCCAAGAAGATGGCT	766,218	100
2027.	CAGGCAACTGCAGATATTTAATTT[G, A]AACTATATTTAGAATAACCTAAAGA	766,390	100
2028.	TTATTTGCATGATGCAATTTTCATC[G, A]TCTTGCTTTTGTGTTAACTTGAC	766,970	100
2029.	AAAAGCATGCGATTACAATGAGCG[A, T]CTGTCGGTAACAGCCCTTGAATACT	767,172	100
2030.	ATATGGGAAGCAATAAAAGCATGC[G, A]ATTACAATGAGCGACTGTCGGTAAC	767,186	100
2031.	AAC TTGTTTATTTTGAAGATTTGAC[G, A]TAATTGAGATTTGACAGATTAATCA	768,299	100
2032.	ACGTCCTGTTGGTCTACATTACCA[C, T]TTGAAAATTCCACCCAAGAAAATCA	768,624	100
2033.	ATATATTCTGAAAGGTTAAAATAG[A, G]CAACAGCAATATTGGTATCTAGCAT	771,000	100
2034.	AAGTCAATAGTAAATGACTAAAA[G, T]AGATTTTGAAGTATCATGGCAAAAT	771,070	100
2035.	GAGGAAGAAGAGAAGAGGAAGGAG[G, A]AAAAAATGGAGCACTACTTTCAAA	771,249	100
2036.	AAATGTTAAATGATAGTGTCTTACT[A, G]CAACACTTCTTTAATAATATTTTAT	771,906	100
2037.	CAAGGGGAGTAGAACTTAGGAAA[A, T]ACATTCAAGGCTTCCGCGGAGGAG	772,264	100
2038.	GACGTGGCTGACGTCCGGGCCGAG[G, T]GCTAGGGCTTTAAGAGATTCTAGGG	772,414	100
2039.	AAGAGGACCTCTCCGGAATCGACG[T, C]GGCTGACGTCCGGGCCGAGGGCTAG	772,434	100
2040.	CGTATCCATCGCGGTCTTGGAGG[C, G]GAGCGGCTTCGGAGGAGAGGCCGATG	772,511	100
2041.	CACCCTAGACATCAGCTGCTCAA[C, G]AAAAGAAAAACAACCTCCTAAATTTA	772,791	100
2042.	TAATTTTTTTTtAAAAAAAaGA[C, T]AGGTAAAAATCAAGCAAAGAGGAC	773,145	100
2043.	ACTACCTTGACATCAATCTCTACTA[C, T]CAAGCCTGAAATAAGCCAATGAAAT	773,657	100
2044.	TCAATTTTAGTGCCTTACTTCACT[C, T]AGGCGAGCGCTTTTCTGACGCCCCCT	773,770	100
2045.	TTCATGTTACAATAGTTATCACTA[G, A]TTGTTATTTATTTATATATCATACT	773,834	100
2046.	CCAATGAAGGAAGAGAAGACGAAA[G, C]TGATGACAACTTCGCAAGTGAAACT	774,151	100
2047.	AAaCCTAAAAGACCGCCCATTTAA[C, T]TTCTCAGCTCCATTACTAACAGGGG	774,291	100
2048.	TtTTTTtAATGACTGAAAAGTGTA[A, G]AAaCCTAAAAGACCGCCCATTTAAC	774,316	100
2049.	CACCTCAGACGCTCAAGTGAGGTG[C, T]CAGAAGGGGTCAACACCCCTTGATA	774,473	100
2050.	AATATATGCCATCAATCCAATGAT[G, A]TCAAAAGTGCCAAAAGGCGCACCTC	774,517	100
2051.	AATTTCAACTTAAAAAGTGCCAG[T, G]TACAGAAAGCAACAACCTCAAGGCT	774,679	100
2052.	TGGCATCTACCTATTTAAAAAGTT[C, T]AGAAGGAAAACCTGCACACAGCCCC	775,516	100
2053.	TATAAATCTCTAATTTCTATTCTT[C, A]ACTTGATCGAGCCATAAAATTAAT	775,916	100
2054.	CTACGAATGAATTGGCCCAAGGCC[G, A]GGATGTTGCTAGGCCTTGTCATTAG	776,126	100
2055.	GAAGGATGGGCCAACCCGTGCTTG[A, C]CTGGAATTTTATATTGTTTCATGAT	776,218	100
2056.	GACATTTGTACCTCTATATTGCAT[G, A]CTAATCCATGTTGATTCACGTAAGC	776,648	100
2057.	CGCTACAAAACAAGCATCTAACAA[C, G]AAGTCAAAAGCAATCAGAAAAAAC	776,852	100
2058.	ATTTTGTGTGCATGACTCAACAA[A, C]TGCCCATATTGATCTTCACATCCAG	776,981	100
2059.	TGATTGCGATTGCGATTTTCTTAC[G, A]ACATTGAGTTGAGTTCACATTCAT	777,788	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2060.	AAATTAACAATATGAAATAATT[C, G]TAGAAGTAACAATATCTTTGAAATC	778,657	100
2061.	CATCAGGAGGCAACACAACACAA[T, C]CATAATCCCCCTAGTCTGGCTATCA	778,984	100
2062.	CTTCCCCcTCTCTTCTCTCTC[A, G]TTCTCCCTTCACCTCTCTCTGTGT	779,535	100
2063.	TCAATAGTGGTGCAGCAAGCTCAA[C, T]TGCCCTCCGGAGTCCCTCTCTCCTT	779,596	100
2064.	AGGAGGGGCTCCGCCCTCTTGATC[A, G]AAATAGGGGCTTCGGTCTCTGTTTC	779,885	100
2065.	AGGAAAGGAAAAGGAGGTTCCCCG[A, G]AGGCCTTTGGAGGGCTAGCAAGGCC	779,965	100
2066.	CTCAATATACTGAATATCAGAGG[C, T]GGAAGTGCACAAACAACCTATTCT	780,454	100
2067.	CAAGCATAATGTCACGTTTCATATC[A, G]TGAGATATTAATCACTGTCTTTGT	780,627	100
2068.	TCAACAATCACTACATCCAAGGC[C, A]GGTGCCTTATTTTtCTTCAAGATGC	780,688	100
2069.	GAGGAAGGTGAGCAGAGCATTCCA[G, A]TTTCTCAAAGGGCAGTTAATATGAT	780,759	100
2070.	TAACAAGAGTAACACATTACAGCC[G, T]AATGCAGGGCTCATTTAATATCCAT	780,830	100
2071.	CAGACTTGACATAAGTGCTCTGGC[A, G]CAATAAGGACTCTCATAAATCAGAT	780,999	100
2072.	ATATTCTCAGTATTGTGGGTGAGG[G, A]AGAGTAAAGGTCAGACTTGACATA	781,036	100
2073.	AATTAGTGTTATTTTAAAGCATCC[C, T]TTTTTTGAAGCACAGCTGGTGAGAA	781,100	100
2074.	TGCTTACAATAAAGTCACCTTAAT[C, A]TGAAGCCATATCTTAGATAAATTAG	781,144	100
2075.	TGAGTTCAGAAATCAGCATTGAG[C, T]GTGCATGTAATTAATGGTTGTGGA	781,937	100
2076.	CTTTTCTACATTATCTTAGATTAG[A, G]TGGATATGGAAGTGAGTTCAGAAAT	781,974	100
2077.	CTTGGTTATGTTTTATCCTAAGCA[T, C]ATAGGAACAAAAGTAAGCCAAGGAA	782,198	100
2078.	GTTTCAGGAGTGTGAGGAAGGAGG[A, T]ACTACAGAGCAAAAATAAAGAAAGG	782,408	100
2079.	GTCTGAAATAGGAACAAAACCTAAC[C, T]TAGTTCTCACCTAAGCATATAATTT	782,505	100
2080.	TAAAAAGAATAGAGAAAAAGCTTG[A, G]AGTAACGAAGCAATTAACAAAAGT	782,624	100
2081.	CAAAAATCCACAAAATGCTTTATT[A, T]GTCTCCCTGTACAACAAAATAAAAA	782,668	100
2082.	AAGGGACTTGGCCCAATTAATCA[C, A]TTTATGGAGTCCCTTCATCAGGATA	782,854	100
2083.	ACAGACCGTGCAGGATCAAGAAAG[C, A]AGAAAAGGAGAAAAGGACTTGGCC	782,891	100
2084.	GGAACAAGGAAACCTAATCAGACA[G, A]ACCGTGCAGGATCAAGAAAGCAGAA	782,912	100
2085.	AGAATCTCACAAGAGAATACCTG[T, C]GATGCAGCTAGCCACTGGATCATAAC	783,375	100
2086.	TCCAACAGTTATGGAAGACATATT[C, T]GAACAAAGGAATGAGTTGAATCACC	784,113	100
2087.	AAGTCACCCACTGTCCATCCATGC[A, G]CCAAGGTCCATTGAGTCACCTGATT	784,265	100
2088.	AGAATGACACTACTCAGACATACA[T, C]TGCACGTCATTTGATGTGCTGTGAT	784,395	100
2089.	GAAGAATGACACTACTCAGACATA[C, T]ATTGCACGTCATTTGATGTGCTGTG	784,397	100
2090.	aAGAAaAAGAGCTAAATGAGTCAC[G, A]CCTTAGAAGAAATATAAATATTAAA	784,494	100
2091.	TCCATGCCAGCAGGAAAAACAAAG[C, A]ACGCATCTTATGACTGCCCCAACAA	784,776	100
2092.	GATGAGCACCATATTTCCATGCCA[G, A]CAGGAAAAACAAAGCAGCATCTTA	784,791	100
2093.	TGGACAATTCAGCACTTGCAATCC[T, C]ATTAGCAAGCAAGATTCTTCTCGT	784,955	100
2094.	GCACTTGCTGCCCGATTTTCTACC[G, A]ACCAAATGGCATCACTTCTGGCTGT	785,123	100
2095.	GAATTGACAAACCAAAAGTTGAT[G, T]GGAGCCTTCCAACATCACAAAATGC	785,320	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2096.	TTATCTGGAGCACATCACTTCCAC[A, G]TGGAGATAGTAGGTCTTAACAGAAT	785,385	100
2097.	GCCGAACGTAGACGGACTTGACCC[A, G]CTCCTGACCTAAGTGGACCTTGGC	787,420	100
2098.	ATACCGCGACAATGATTGGATAAG[G, C]ATGCCAAGTGGGCCGAACGTAGACG	787,456	100
2099.	TCTGTTCTTCTCTCGTCGGAGTCAG[G, T]GTCTTCTTCATCTTTCCCATCGCCG	788,028	100
2100.	AATGATTTCATGAGATACATTTG[T, G]TGATACCACAATGTAGGAATGTGGA	788,520	100
2101.	ACACCCCAATTGGAAGGAGAAGGT[A, C]TTGATCTTCTGCACCATTTCGAGAG	793,935	100
2102.	AGGTCCATTAATTTTCCATGACAT[G, T]ATTtTTTTTCCGAAAAATGATAT	794,054	100
2103.	ATTTTCCATGACATGATTtTTTT[T, C]CCCGAAAAATGATATCCTAGTTATT	794,064	100
2104.	CGAGTCATTTTCATAGTTTCTGGAT[G, T]ATCTAACTGTTGTTATTCTCGAATT	794,299	100
2105.	GAGTCATTTTCATAGTTTCTGGATG[A, T]TCTAACTGTTGTTATTCTCGAATTA	794,300	100
2106.	TCATAGTTTCTGGATGATCTAACT[G, T]TTGTTATTCTCGAATTAGGTTAAAC	794,308	100
2107.	TCATTTTAACAGCTAACCAACTTT[T, C]AAATTACAACTTATTCTTTCAAAC	794,499	100
2108.	ATATATGACTTTCTCAGCAGACCC[T, G]CACCATAATTTTCATGCTGCTTCTT	794,623	100
2109.	ACTCCAAAATTCGTTCTCCTTGGC[A, G]GGGTAGTTTGTGCCATTACGTGTA	795,254	100
2110.	AGTTGTTTTTTCAGCTTATATCAAT[G, T]AGCAATTTTCTCCAACATATTAAG	795,317	100
2111.	TTAATGTATTTACTTACAGTAAGC[T, A]CGTCACAAAAACCAGGgTTTCATA	795,430	100
2112.	GTAAGCtCGTCACAAAAACCAGG[G, T]TTTCATATATGTAGAGAAAAGTGTA	795,448	100
2113.	CAGGgTTTCATATATGTAGAGAAA[A, T]GTGTACATACAATTATGGGCATGC	795,468	100
2114.	TGCATACAAAGTAATTGAATACAT[A, T]TGTGGACAGTATACTGGAGGAACA	795,515	100
2115.	TTCTCAATCCTCAATGGCAATTGC[C, T]GCAGATGAGGGGTAATTACCTGTAT	795,785	100
2116.	GAAATAGGCAACTCAATAGATGTT[C, T]TTGCAAGCATGTTGTAAACATCGCA	795,945	100
2117.	ATTTATTGAAAACCTGCACCTTTG[C, T]GAGATATATGGGAAAAaTAAGGAG	796,033	100
2118.	TTTATTGAAAACCTGCACCTTTGc[G, A]AGATATATGGGAAAAaTAAGGAGG	796,034	100
2119.	AAGCTGGCGCGCAATAGAAATTGC[A, G]GCTCAAACTCGGCAGTTGATTGTAGA	796,169	100
2120.	TGTGTGCCAATCATGGGCAAGAGC[T, C]AAGTTGATGCAtCCTAAGATAATGG	796,494	100
2121.	ATGGGCAAGAGCTAAGTTGATGCA[T, C]CCTAAGATAATGGCTGAGTCAAGAT	796,506	100
2122.	TGATAAAAAaGTAGAAAGGTCAT[A, G]TTGCAGGTTGGATCAGAAGGTGAGA	796,723	100
2123.	TTGCATCACAAAATGATTTTGTA[T, C]TTCAATTATATGGAGGTTATGGATG	796,990	100
2124.	TAATCCATATTCAGGACAGTGAA[T, G]AACAAAAaGGGAGGGCCTTTATGG	797,189	100
2125.	TTAATCTGTTCAAAATATTTTTtC[A, C]aTGAAATTTTGTTACTTTTAACTCT	797,587	100
2126.	TTTTtCAaTGAAATTTTGTTACTT[T, C]TAACTCTTTCTTATTATGTGCTAT	797,605	100
2127.	TACTTCTGTGAAATTTGACAGGAG[A, G]TTGCGGAACTGCATTAGGAATAT	797,654	100
2128.	AGGGAAGATTATGGAGCATTTAAT[G, A]TGTAAGCCTAATTCGAGCTTTAC	798,126	100
2129.	TGTATGACAAAAATGTCAATGGCC[A, T]CTAAAAGAATAAGCAACAAGCTCTT	798,383	100
2130.	AATATCTGTATGATAGCTTTTCCA[C, T]GCAACTGTACAGGTCTATCAGTATA	799,055	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2131.	TCTTCAATGATTGCTACTATTACA[C, G]TTAGTTTGGTGTCATTATAGAACTG	799,125	100
2132.	AGTTTTTGAACACATGCAACTTAA[C, T]GATGACCAGGTACGAACAGCTTATA	799,572	100
2133.	ATATTCAATtTTTTTCTTAAaAAA[G, A]AATACATTGCTTGCTGTTGATGGCA	799,829	100
2134.	CACTTTCACAGGTTTGATGCCATA[T, C]tGTCCAAGACATTAGAGATTGTTT	799,892	100
2135.	GTCCAAGACATTTAGAGATTGTTT[G, A]GATGTCTGGGCCAAAATCCCATGA	799,918	100
2136.	TAGGCTTGTAATTCACAAATATCTC[C, T]CTATGAGATTCGGGCTGGCCCACTC	800,013	100
2137.	TATTATTATCCCCAATCCTAAGG[C, T]GGCATTGTTTCTTCTCAGATTCCTT	800,377	100
2138.	TGATGCAAATCTGCCCACTGA[C, T]GTGCGGTCGTTTGTCTTAATGGGG	800,767	100
2139.	GGGATTATGTACATTCTGATGCAG[T, C]aCAAGGACTTTAATGTTGTCATATc	800,814	100
2140.	aCAAGGACTTTAATGTTGTTCATAT[C, T]GTCTGCAAGAAAAGGATTATGTAC	800,839	100
2141.	GTATCATTCCAACCATATCATCTT[T, C]CGTATcAAAAAaTCTCTACTTCT	804,008	100
2142.	AGTCCAAATCTTATATGTCGTCAA[A, G]AAATCTTTTGAATAATATGTTGTT	804,103	100
2143.	TTGTAATAATATGTTGTTTCACTA[T, C]ATGTCGGTCTTCAAGAAAACGATTT	804,135	100
2144.	TGTCTGATTAACATATGCAAAGTC[T, C]AAAAATTTATTGACCCCTCAATGT	804,223	100
2145.	CCCTCAATGTATGTAGGTGAAGTC[T, C]TTTCTCGCAAATCAATCCAACTTTT	804,263	100
2146.	ACTTTTATCCATAGTAGAGGCCAA[C, T]GTGAAGAAGGTCCTTGGTCTCCTG	804,307	100
2147.	TCCTGAGGAGGACTCCAAGCTTAA[G, A]GAGTTCATAGAGAAATATGGGACTG	804,352	100
2148.	ACTGGTGGCAATTGGATTGCCCTC[T, C]CTCACAAGGTTGGTAAGAGAGTGAT	804,398	100
2149.	ATTGGATTGCCCTCTCTCACAAGG[T, C]TGGTAAGAGAGTGATTGAGATCCTT	804,408	100
2150.	CTTCTCTACCTGTTTAAGAGGGAA[C, T]AGACATGATCTTCTTTTAATAGGAG	804,483	100
2151.	CTACCTGTTTAAAGAGGGAACAGAC[A, G]TGATCTTCTTTTAATAGGAGAGAGA	804,488	100
2152.	ACAGACATGATCTTCTTTTAATAG[G, C]AGAGAGAGATTTGGTGTCATTATGT	804,506	100
2153.	CCTGAGGCCCTAACATAAAGCATGG[A, G]GAGTTCTCAGATGACGAGGACAGGA	804,638	100
2154.	AAAGCATGGAGAGTTCTCAGATGA[C, T]GAGGACAGGATAATATGCAGCCTCT	804,653	100
2155.	TATGCAGCCTCTTTGCTAGTATCG[G, A]AAGCAGGTGAGAGACAGCCTCTTAA	804,691	100
2156.	ACAGCCTCTTAATACAATCCAGTT[C, T]TTTCCAACTCTGTCTCCCTCATCG	804,729	100
2157.	GATAACAAAAATCAATTAGATAT[A, G]TCTTTTTtGAGGCTGTAAACAGC	804,908	100
2158.	AAGGGTTAAACAGAGATCAAGACT[G, A]GAAGATGGAACAACTATATATTCC	805,045	100
2159.	TCATTTGTTCTCTCTATTTCGGTTG[A, G]CATCGAAGAGGGAGAGATCGAGAAG	805,095	100
2160.	ATAAATTATTTACCACGATCCACT[A, G]TCGTGGTAAAAATCGTAGATTATTT	805,585	100
2161.	GATGATAATTAAGGGATTTCGTAA[C, A]CTTTCTTAATCCACTTGATTGAaAA	805,826	100
2162.	AAATAGTGCTACCATAATGGCATG[C, A]TGGTCCCTGTGATGAAAGGAATAGA	806,191	100
2163.	GGAAGGTGTCAACAAAACAAGTGC[T, A]TGCATCTAGTCATTTTACACATACC	806,685	100
2164.	ATTTTACACATACCAAATTAGGAT[T, G]AACAAATTAATTTATTAGTTGGCGT	806,721	100
2165.	TTACACATACCAAATTAGGATTAA[C, A]AAATTAATTTATTAGTTGGCGTACT	806,724	100
2166.	TAAATCGATCTGGAACAAAAATTT[T, C]GAAATATATATTCAGACTAAGGAAA	806,787	100

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2167.	ATAAAATTTCTTTATCACTTTACA[A, G]ATAACTGCAATGCCAATTACCAATA	807,000	100
2168.	AGTATTTTTTATATCATCCTCACA[T, G]GCATATTTCCACCATATATGAGATA	807,142	100
2169.	CCTCACATGCATATTTCCACCATA[T, A]ATGAGATATAAATACATTTACAAAA	807,159	100
2170.	GCAGAGGTTTCGACTCTGAGAGCAA[C, T]TCCATGCCAACGGCCACAAGTTGC	807,461	100
2171.	AAGCTTGAAGGCTTCCATGAAGAC[C, G]ACAAGAGACATAGGCGGTATCGGTC	807,531	100
2172.	TGTAGATAGAACTGGTTTTTAGAT[T, A]tAGTTTGTGATGCAAGTCTTTATGT	807,750	100
2173.	ATTAAGTGTTCCCTTAATTTATCCT[T, C]taTTGAAAGAGAAGGTGGCTGCCCa	807,817	100
2174.	taTTGAAAGAGAAGGTGGCTGCC[C, T]GCCAGTCTGTGTCTGAATTGTAG	807,842	100
2175.	GGAGCTGCACAAGTAATTTTCACA[G, T]AGTGCTATGTGCACATATTTGTTCA	808,073	100
2176.	TCTCTGATTTATTGACCATAACCA[T, C]TAAATCGGTAGTTCAGGGTATTGTG	808,133	100
2177.	AAGGTGGATAATTGGAAATATATC[C, T]GAGCTTTGCTTAATTTTCTTCTCAT	808,494	100
2178.	CTTAATAAAGCATCTCATTGAAAA[G, A]CATATTTCTTAGTATATAATCTATC	820,377	100
2179.	GGCAGATCTTGGATATTTATACAA[G, A]ACTAATCAATCCAATAATATCTTC	820,483	100
2180.	TGAGAATCTCAGAGCTTAAATGGG[G, A]GAGTATGTGAGGACTGTGCAGGTAT	820,701	100
2181.	TCCAACAAGAAGTTCTATCTTATA[T, C]GATTGAAAATTGGAGAACTAAATA	820,997	100
2182.	AAGAAGTTCTATCTTATATGATTG[A, G]AAATTGGAGAACTAAATAGCATGA	821,003	100
2183.	ATTCCTCTAAATCTACCCCAACC[A, G]TCATACTATTTTAACATATTCTAA	821,092	100
2184.	ATTCAATGGTATAATTACTATGTC[G, A]AATTATATTATGTTAAATAGAAAAC	821,238	100
2185.	TTAATATCTAGTACATTATGCATT[T, C]GATTTTATTGGATAGACTAACTACC	821,302	100
2186.	TTAAATAGGCTGGCCCAATATGA[C, T]TAAACAATGAATATAGTTTAGGCC	825,196	100
2187.	GTCGGCATGCAACTTTGAGTGGAA[A, T]GAGATTTTCACCATATAATCACCAT	825,409	100
2188.	AGAGATTTTCACCATATAATCACC[A, T]TATTACTGCACTAATTTTTCAGCAC	825,433	100
2189.	TAATCACCATATTACTGCACTAA[T, C]TTTTCAGCATGCCACCTTTAATTC	825,449	100
2190.	AATTATTTTATTGCAACAAACCT[T, C]ATCGCAGCTTGATTTTCTCAATTTT	825,563	100
2191.	ATCAAAAACACGGGCAGCATGCTC[A, C]CGGTCGGCACTAATAAAGCAGCAGC	827,934	100
2192.	AACACGGGCAGCATGCTCAGGTC[G, A]GCACTAATAAAGCAGCAGCAAAGGA	827,940	100
2193.	TTTTTCTCAGCTTTGTTTCGCTTTT[T, A]GGAACCTATTTCGCATCAAAAATTC	828,487	100
2194.	ATTAATTTGTGCACATGTACAAGGA[T, C]GGTGTAAATTGCGCACAAGAGTGTGT	829,836	100
2195.	GCATAGTCTTTTCGCACTTTTTTTt[A, T]AAAAAaTAAATAAATAACATAGG	831,203	92
2196.	TTAGCTTCCCGATACGGTACCGAT[A, G]GTTGTTTGTATTCCACGAAATCTA	831,536	92
2197.	ACGGTACCGATAGTTGTTGTTAT[T, C]CCACGAAATCTACTCGAATGGTTAC	831,549	92
2198.	ATCAACCAGGAACCTGCTTCTTC[G, A]TGATATCATTGCCAAAATTTGTGA	833,028	92
2199.	CGCCAACCAGCCCTTTTGGTTGAG[G, C]ATAATCTGACATAAAAAATATATCA	833,084	92
2200.	ATATTTATCAATAAATATTAATTA[T, C]TAATAAATAATTAATAAATAGAGGT	833,377	92
2201.	TTAATAAATAATTAATAAATAGAG[G, A]TTAGTTAAAAATAATCTAACATAGG	833,401	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2202.	ATTAATTTAAGATATTTATTAATT[T, C]ATTTAAATATATTTTAATATTTGAA	833,529	92
2203.	AATTTAAGATATTTATTAATTTAT[T, C]TAAATATATTTTAATATTTGAAATA	833,532	92
2204.	TTTCTGATGCTATTTTATGGAGTG[A, C]TTTTTCTATCAACCATACACAATAA	833,739	92
2205.	AACATTGCAAGTACCTCCCACTCC[A, C]ATACCTAAATCTATTTAGCCAATTC	835,834	92
2206.	CAATATTTTATGTAAATATATCC[A, C]CTCAAAAAGCATAAGAAACAATTTT	835,888	92
2207.	ATGAATGGACTTGGAGGAAGAAAA[A, G]GATGAGAAGAAAAATGAATAAGGA	836,505	92
2208.	GAGAATGATCATGGATAAGGAATA[G, T]GTTAGAGAAGAAGAAGGATAAG	836,567	92
2209.	GGCTTGAAGAAAAAAaTGAGGAG[A, G]TAAAGTGCATGGGAAGAAAGGAGAG	837,072	92
2210.	TTAAAGTAGTAAAAATGTCAGCT[G, A]GCCAATCATAGTTAACAATTAACT	840,743	92
2211.	CACTAGGCTCCTAATTACTAAGTG[G, A]TCATATGTATTTAATCTTATTTtA	841,235	92
2212.	CCACATACAGTCGCTAATAATCTC[A, G]CCGTCGCTAATCCGTCGTAACAGT	841,920	92
2213.	AGTTTACCACATGACATGTGTACC[G, A]TAGAACTATGTGAGCTGGCTACATA	842,938	92
2214.	TCTCTTCAATATCTATTTAGTTTG[G, A]ATCATTATCAAAAAAaTTAAGAAG	844,223	92
2215.	CATCGACATCCGTCAGTTTTAAGA[C, T]ATCATATGAGAAGAAGTAAAAGAGG	844,302	92
2216.	AAATTAGATTGACTTAATTTGAG[G, A]TTAATTAGATTTTATAATTCAGTA	846,036	92
2217.	TTGAGTTTTATAATTCAAGTAGGG[C, T]TTAGATTCAAGTCTAATTGAATTA	846,731	92
2218.	CAAAGTTATGAAGTGAACAAAGAA[T, A]TAAATATTATATGCAGAGAGATGAA	847,973	92
2219.	TTAGGTCATTAAGAATATATATTA[G, T]GATGTTTTCTTTACCTGATATCA	849,575	92
2220.	ATGTTTTCTTTACCTGATATCA[A, T]TTTTTGAATGATCAAATTGTCTGA	849,601	92
2221.	GATCAAATTGCTGATTTGATTAT[C, G]CTAGACAAGGCAATAGCATATTTAT	849,636	92
2222.	ATATAAAATATCTAAAATAATATC[A, G]TATTATTTTATTTCTGGTAATATT	849,799	92
2223.	ATTAGTTTAAATATATATAAGTC[G, A]TAACAATTATTGGTGTGGCGCTATT	849,849	92
2224.	ATATAAAATACATTATTATTGAAA[T, G]ATTGATAAAAATATGGTATTATATA	849,924	92
2225.	GTATAATAGTAAAAATATATTTT[C, T]CTTATATATACATATAGTAAAAGCT	849,989	92
2226.	TTTTTATTATTACTCAACCATATA[T, A]ACCACTAACAAGAAAAATGATATCC	850,041	92
2227.	TGAGCCAAATAAACATAAATATGG[G, C]TTAGAAAGGGCATCTATATCCATTT	850,170	92
2228.	ACCTTTGTTGGTCTTGAGTTGTCT[A, G]TCCTTAGCTCATCCTTGGTTGGATA	850,309	92
2229.	TGCTATTGTCTATCAATATTTTGT[G, C]CCAGCTATCTTAGCCACATCATTGC	850,599	92
2230.	CAACAAAAATTGGACAGACAAAC[A, G]GTCCAAATTGAGTTTCAAAAAaTG	850,776	92
2231.	GCCCAATTGCCCCACTTGCTAGCG[A, G]GGGGGCAATTTCTGACATGGCAAT	851,412	92
2232.	ATGTATACATTGCAATGTTGTG[G, T]GTTTAGAACTGCCATGCATAATTC	851,571	92
2233.	GTGGGTTTAGAACTTGCCATGCAT[A, T]ATTCATGGTCAAGCCAAAATGGGGG	851,592	92
2234.	AAAATGGGGGAAATAAGGAAAA[A, G]TTAAGGAAAAGCGAAGTGAGTGGC	851,632	92
2235.	GGGAAATAAGGAAAAaTTAAGG[A, G]AAGGCGAAGTGAGTGGCTTGTTCa	851,639	92
2236.	AGGAAAAGGCGAAGTGAGTGGCTT[G, T]TTCAGAACTGTCTATGTTTCTTCT	851,660	92
2237.	GCGAAGTGAGTGGCTTGTTCAGAA[T, C]CTGTCATGTTTCTTCTATACTTCA	851,668	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2238.	CTTTCAGTTTCCCCGACAACATAT[A, T]CCTTCAATCCCCTTTTCTGGCCCT	851,744	92
2239.	CCATATAAAATAAACGAGCTGGGT[A, G]TGGTATCATTCTTTGCAACTCAATT	851,844	92
2240.	CAACTCAATTATAAATAGCTTAGG[T, A]ATGAATTAAAGTTTTTGTTTGACTA	851,884	92
2241.	TCGGAATGAAGCCCAAGGACCTCA[T, A]ATTATGTCTAGATTTCCACCCAAC	852,015	92
2242.	CAACCGTGAAACTAGGCCACGCTA[G, A]TTGGGGCCTGGGGAATCTGAAATT	852,061	92
2243.	TAGTGGCATGACATTGTAGCTAAC[A, T]CTTTTCTCAAAAACGGGAAAATAAG	852,222	92
2244.	GGCATGACATTGTAGCTAACACTT[T, C]TCTCAAAAACGGGAAAATAAGAAAA	852,226	92
2245.	AATAAGAATTACGACCAATGTTT[T, G]GATAGGAAATGGAGATCGATGGTGA	852,363	92
2246.	TTAGACATATCTTTAAAAATTAAT[T, C]TGAAATAAATGCTAACTTAAATTT	854,149	92
2247.	TCCTTTTACTTATGGAGTTTCCTA[A, G]AAGTGTAAGCAATATTAGACTTATTT	854,347	92
2248.	CTTTTACTTATGGAGTTTCCTAAA[A, T]GTGTAGCAATATTAGACTTATTT	854,349	92
2249.	TAAATCAGTAAAAAGTTATTATT[G, T]AATAAATAAAAaTAAAAaTAAT	854,421	92
2250.	ATCAGTAAAAAGTTATTATTGAA[T, G]AAATAAAAaTAAAAaTAATAAT	854,424	92
2251.	TTTTtTTTTTGGTACAAACGAACG[A, T]CATACCAATCTAGTGAAGAACAT	854,504	92
2252.	GGTCATACCAATCTAGTGAAGAA[C, T]ATTTCAAAGAGTCAAATACAAAAT	854,527	92
2253.	CTTCATCTCATCTAAATTCAGTC[A, G]ATGACTGGAGTGGAGTCACCCCTCAA	854,762	92
2254.	GGAGTCACCCCTCAATGAAGATCTT[T, C]TCAGCCCACTCCTGTCTCGTAT	854,798	92
2255.	GACAGATTCCGAGGAAGGTGGCTC[T, C]CAGGAAATGAAAGAACCCTTCGAGT	855,009	92
2256.	GTGCAGCAAGAGAATCCTAAAAAC[T, A]TGAGGCAGCAAGGCTCGGACCAGCA	855,067	92
2257.	TAAAAACTTGAGGCAGCAAGGCTC[G, A]GACCAGCAGTGTGCAAGTGACAGCA	855,084	92
2258.	GGCTCTTTACAGTACCCATTGAAT[C, T]GATATAATCTCAGTATCAAAACAAA	855,152	92
2259.	CTCTTTTACAGTACCCATTGAATCG[A, G]TATAATCTCAGTATCAAACAAAAGG	855,154	92
2260.	AAGGCTATTGTGTGACAGCCAAAC[C, T]TGATAAGTGACATACACCATCCTAC	855,200	92
2261.	CCCTTGCCATGCTCCGATGGATCA[T, C]GTCTAAGAAGGGAGGAAGCTAAGGG	855,264	92
2262.	TCCAGCCCGCAAACCTAGGTAGATA[A, G]TTAGAACCCTCATACCTCTATCTTT	855,406	92
2263.	CTTCTAGAGAAAAAGCCTAAACCT[G, A]GGATGGGCAACCATCTCTAAATCC	855,492	92
2264.	GAGCCCTCCAACCTCTGTCTGTCAT[T, C]AGTGATCGAATTATAAACCCACAGA	855,719	92
2265.	GAGAGAGAGGCAAACCTAGAGATCC[C, A]AGCATCCTGGCTCACATCAATCGAG	855,806	92
2266.	GCATCCTGGCTCACATCAATCGAG[A, G]TTCTGTCTCCAATCAGCTACTTGAT	855,832	92
2267.	AGCTGTATGTCTGAAAATCATAGC[C, T]TCTCTCTGACTAGCAAGGATTGGA	856,036	92
2268.	AGCAAGGATTGGATTCTAAGACCC[T, C]CATCCCGCACCGGCTGACAGACCAC	856,073	92
2269.	GAAGAGAGCGTTGGCTTGCCAGCC[A, G]TCGAAGCGATCTCAGACTTGCTGCT	856,293	92
2270.	ACCTTGCAATTCGAACCTGAAATCT[G, A]ACTAATGAGCAAGCAGTCATCTGTA	856,556	92
2271.	TGCATTTGCAACTGAAATCTGACT[A, G]ATGAGCAAGCAGTCATCTGTAAAAG	856,560	92
2272.	ACCAGAGGGCCTCTCGTACCTCCT[C, T]AGTAGACACAGGCGAGTTAGAATC	858,614	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2273.	TCCAACGTGATTTAAAGAAATACA[T, G]AATCTATCTCCTAATCTCATAATAC	858,737	92
2274.	AGTAGCTTATGTCAAAGCTCCCTT[G, A]GGTCAAGCTCTTGAAGGCCCCCTCC	858,947	92
2275.	TTGAAGATATCACCAACCTTCAGT[C, T]GGTTCATCAGATATGCCTGCGCCG	859,051	92
2276.	ATCACCAACCTTCAGTCGGTTCCA[T, C]CAGATATGCCTGCGCCGCGCAAACT	859,059	92
2277.	CGGATCAACATCCTTCAAACATCC[C, T]TAATCAGATCTAGGATTTGGATAG	859,139	92
2278.	CATCCTTCAAACATCCCTAATCAG[A, G]TCTAGGATTTGGATAGAAGGTCCA	859,147	92
2279.	CAGTGGTGATGAGAAGTGGGCAAC[G, A]GTTCAAGCAATGCTCGGAAGGTGC	859,264	92
2280.	ACGCTCGATCAATCCTCTCCCAA[T, C]TCTAGCTGTCCAAGCCAGTTGTTG	859,349	92
2281.	CGCTCGATCAATCCTCTCCCAA[T, C]CTAGCTGTCCAAGCCAGTTGTTG	859,350	92
2282.	ATACTATCCACATACTGCTTGCCA[C, T]CCATCTTCTCATGGGACTCCACTAT	859,482	92
2283.	GCCACCCATCTTCTCATGGGACT[C, T]ACTATATAGTTGAAATCCCTAGCGA	859,502	92
2284.	CTATAGCACCTCCGCTCCCTGTA[C, T]TTGGTGCTCGCATATCCTCCGGACA	859,595	92
2285.	CCGACAGAAAGCCAAAGACCATCA[G, A]TTTGCTCAGATATGACTAACGCCAC	859,638	92
2286.	ACTCGACGTCTCCTGAAGCCCTG[A, G]CCCAGTCTCTCGAGAGCCATCTCC	860,511	92
2287.	AGTTTGTATATGAGTTAAATTCTG[C, T]TATACTTTTCATCATGTTCTGATTTT	861,047	92
2288.	CACAGTCTTGAAAATCATGTATT[T, C]ACACCAAGCCTTGTTCCATATTGG	861,193	92
2289.	TTTATGGTTCCCTCCTGGGTTCTT[G, T]GGCTTGCATGTGATTTGGGCTACTT	861,551	92
2290.	TGGTTCCCTCCTGGGTTCTTGGGC[T, A]TGCATGTGATTTGGGCTACTTGGAC	861,555	92
2291.	CATGGTTTCTCTGACAATTATATA[T, A]CGAATACCAAGGCAATGTATCCTT	861,640	92
2292.	TCCTTCTAATGTCTCAAAATTCAG[C, T]AAAAGTGTTAGGATTGACATTACCT	861,685	92
2293.	TCTATCTCACACTTAATTTAAATG[G, T]CATGCACAATTCAGGCTTTTGTATA	861,756	92
2294.	TAATTTGTTCCATCAGCCCCTTT[T, G]ATGTGCTTATTTTTTAAAGCACCTC	861,825	92
2295.	ACTGGACTCCCATTTGGTAAGCAAG[A, G]AAAAAaGAAAGAATTAGACTACATG	861,935	92
2296.	AAAaGAAAGAATTAGACTACATGC[G, A]TTGTTTTCCTTTTGTCACTTGTGG	861,962	92
2297.	AACATGTAAGCTTGGTAGAGTCAT[T, G]AATTTTTCTCCTGGATAATCTGATC	862,095	92
2298.	TAAGCCAGCGACTCTTCCGGTCT[G, A]CAAGCACGATTGGTTGGGTTAAGCC	862,155	92
2299.	GCGACTCTTTCGGTCTGCAAGCA[C, T]GATTGGTTGGGTTAAGCCACTTTTC	862,162	92
2300.	TTAGGTCACTTCAATCTTTATAAG[G, T]TTTCAAAAATTGAATCCTAGAACTC	862,478	92
2301.	CTCGTAGAAACAAAAATGAGCAAT[T, C]ACCTTTTCCGGTTTCTTTGTATCTG	862,679	92
2302.	ACAAAAATGAGCAATTACCTTTTC[C, G]GGTTTCTTTGTATCTGCAAGTAACA	862,688	92
2303.	TTCTTTGTATCTGCAAGTAACATT[C, T]TCTCAACATTCAACAAATATATGAT	862,716	92
2304.	GTTTTACTTGGATTGTTTCTTTT[A, C]CTTCTTTCTCTATCAATATGGTGC	862,866	92
2305.	TGGCTGCACTGAATTTTATAGCAT[G, A]ATGATAAACCAAAATTTTCAAGCCT	863,053	92
2306.	TTAAATTAGACTTATTGAAAAAG[A, T, A]AATATGCATATTTCTATAATACATC	863,255	92
2307.	GGTCCAGCCAATTTACTTAATCAT[G, C]CTTGGCTTGTGCGGAACCTTGTCTTA	863,334	92
2308.	ATCTCTCAGTAGAAGAGAGTAAAA[T, G]GCTTGCTCATGAGAATGCGAAAGAC	863,626	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2309.	GTTGAGTGTGTGCTTTCACTTGC[A, T]TGAATAGATATGCCAATATCTAGTG	863,751	92
2310.	GTCCTTTCACTTGCATGAATAGAT[A, G]TGCCAATATCTAGTGGCATAACAAG	863,761	92
2311.	TATGCCAATATCTAGTGGCATAAC[A, G]AGAACAATGTTGTTATTGAGGTCAT	863,784	92
2312.	CTGTTTCATGTTTTTCTTAGTTT[A, C]TTAGATTTCACTCTGGAGCATTAAAT	863,867	92
2313.	CACTTAAATTCCATTTCATAGTG[G, A]ATGTTGTTTAGTTATTCCTACCATT	863,995	92
2314.	ACTTTCATGTGACACTGAATTTAA[C, T]TCTCATTCAATGGATTAATCTCCTG	864,370	92
2315.	GTTGCAAGTGCATCAGCTTTAAT[A, T]AGGTAAATGCTAGAGTCATTGAGA	864,467	92
2316.	GCATCAGCTTAAATAAGGTAAATG[C, T]TAGAGTCATTGAGATAAATTCCAA	864,477	92
2317.	GTTTTCTTATGTCTTGCAATTGTG[T, C]AACTTAGGTTGTGGGAATATTTGGC	864,562	92
2318.	GTGGGAATATTTGGCTTCACACAA[G, T]AAGATCATATTGGAAAAATTAGCTT	864,597	92
2319.	AGTTATTTTAGCTTTCTAGTCTAT[A, G]TGTAACAAGCTTCGTGTGTGTGCC	864,700	92
2320.	CCTAGTTCATTTCCACATCTCTTC[C, T]CTGGAAAGGACCAGCTTCGTTGCTT	864,856	92
2321.	GCATATGCTCTATAGTAAAGATTG[A, G]CATATCCCCACTAATTAGGTTATTG	864,972	92
2322.	ACAACACATCTTGTAAGCAGTGC[C, A]GTGTCATTTCCAGTATTAAAC	865,497	92
2323.	GTGCCGTGTCAATTCATCCAGTAT[T, C]AAAACATTGAATTGTCAGGATACTT	865,517	92
2324.	TGTCAGGATACTTCAAATTTCTTC[A, G]TTTTCAAAGTGTCCACTTGTGCTT	865,554	92
2325.	TATTAAGTGTGCATGAAAAATTTG[G, A]CACAAGTATCCATGTTATCTGTTGA	865,687	92
2326.	TCTGGAACCTCTTTGCTTGTCAT[T, G]TGTATGATAAGCAACCAGGAGTTGT	865,787	92
2327.	ATCACCTGTATCTAATAGTTGATC[A, G]TTATAGCTTGACTTCTTGATCCACT	865,934	92
2328.	GCCTTTGTGGAACTATTAGATGC[T, A]CCATCCATCATATATGCATAATTG	866,261	92
2329.	TTGTTGGTGTCCATGGTTCACC[G, A]GTATGTGCTTTTTAAAGCATTCTT	866,325	92
2330.	ATTTAAGGCATTGTGAGCCATACT[G, A]GTAGCAAAGTGAATGGTTAGACG	866,415	92
2331.	AGAAGAGGGGAGAGGAAGATAGGA[C, T]GACGCTGTGGAGGCCAGCGGTGGC	866,516	92
2332.	GGGGAGAGGAAGATAGGACGACGC[T, C]GTTGGAGGCCAGCGGTGGCCGTCG	866,522	92
2333.	GAGGCCAGCGGTGGCCGTCGAGG[T, C]TGGCCGAGGCCACGTTGGCCTCT	866,551	92
2334.	AGGGCCACGTTGGCCTCTGCAGCT[T, C]GATGTCGCCTGATAGGCATTTAAA	866,583	92
2335.	GGAGGGATGTGCAGCTGGCGGAGA[G, T]GTTGTGAGGGCACCAGATGACTG	866,671	92
2336.	GATGAAATAGGACGATCGCCCTT[A, G]TTTCATGTCCGCGGTACCATAGGCG	866,885	92
2337.	GCTGGCCAGCACAGGTCCCGATT[T, C]GATTCGCTTCTGCCTTCCTGTTT	867,138	92
2338.	ATCTACTTTTACATGATTGCTGGT[G, C]GATGATGCGTGCCTTGCTCTTTATT	867,343	92
2339.	TGCTGATTGGATGACGAGCTGTGT[A, G]ACCAGTCACACTGGACTACATTAT	867,428	92
2340.	TATCTCTTTCTTTGTGTTTGT[C, A]CATGTCTTGGTATGACTAGTTCCA	868,404	92
2341.	ATGTTCCAACCTTTTCCCTTGAT[T, A]CTATGATATTAGCCTCATTTAGCTG	868,553	92
2342.	GCTTTAATTGAATCATCATTTCTT[C, C]CTGCTCTCAGGTATTTAAGTGAAA	868,708	92
2343.	CATCAGCTATAAAGGACACTGGGG[C, G]CCTGAGCAAGCATTTAACTGTATAA	869,084	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2344.	AGCAAGCATTTAACTGTATAACAA[G, A]TTTCTCTCTTATTTTGTAGATCAA	869,113	92
2345.	CACAGGCAATCTTCAAAGTCTTCC[A, G]GACATGTTTACTCCTTCAAATTATG	869,488	92
2346.	ACAACTAGTGAAGCGAAATATTA[T, C]CTCTTCAAGTTTAAATTCTTGTC	869,586	92
2347.	TGGGAAGAAGGAACATGCTTTATA[T, G]AATGCACAGAAAGGTCAAATTTATA	869,765	92
2348.	TAACGTGATACTACCACAAGATAT[G, A]TGCGTTGATGTGCCACATCCCTTAT	869,882	92
2349.	CTCGACTAGGTAAGCACTATGCCA[T, G]GACAAATGGTCAGCAGTACTCTGTG	869,955	92
2350.	TAGGAATGAGATCTATAGTAAAT[A, C]AATAATTTCTCTACATGTTTCTCT	870,056	92
2351.	AATCCACTCTCCATCTATCAACCT[T, C]CTTGATTTTCTTGTAGACGACTACT	870,186	92
2352.	TCTTGTAGACGACTACTTAAATTT[T, C]TCACTTTACCATTTTGAGTATGTTT	870,219	92
2353.	GAACCTGAATATGAACAGGGGAG[A, G]CAGGAAGGATGTCAGCAAGTGATCC	870,322	92
2354.	CCAAAGACATAAAAAATAAGGTTT[G, A]TCTTCTATGTAGCATCCCAATTTT	870,401	92
2355.	ATATTTCTTTATGTGTGTTATGTT[C, T]CAATGTTTATTAATAAATTAGGTGT	870,451	92
2356.	GTTTTACTTCCCATTGGTTCCAAG[T, A]CTAGGATCAATATCTTTTCTTTTAC	870,552	92
2357.	TCAGAGTAGGATACTGTTTAGCGT[A, T]TGGAGAATCCTTTATACTGGATGTT	870,681	92
2358.	GCAGGTTGATTTTTTCCAATGTAT[A, C]ATTTTCTTTTtGCAAGGCTATGAT	870,891	92
2359.	GCTCATGAGTTTCTCTAAAATACT[T, C]TAGTCAATGGCGGATGTTCAAGTTT	870,944	92
2360.	TTTATTTTATAATGTGTTAAATA[G, A]AATTTGGCTGTTTATAGAGTTCTGA	871,226	92
2361.	TGTTTATAGAGTTCTGAGGTCTC[A, G]CTCCTTTTTTtCTTGAAACACATAT	871,259	92
2362.	TTATAGAGTTCTGAGGTCTCCTC[T, C]TTTTTTTTtCTTGAAACACATATCTT	871,262	92
2363.	TCTCCTCTGTCGACGTAATAATGT[A, G]TTCATTTTAACTCTTCTTTTGT	871,361	92
2364.	CTTTTGTGTTGTTCTTCAACAC[T, C]ATTCACAAATTTCTTCTTACCATT	871,402	92
2365.	AAATAATCTTCTCCCCACTCCC[G, C]TTCCCAACTGATCAATTATGACCTA	871,697	92
2366.	CCAGAAGGATGTTGGTATTGACAA[T, G]AAATTAACAAAATGCCATGTTTGCA	871,798	92
2367.	TCCATTCAATATCAAAAAAATAA[T, C]ATATAAAAGATAGAAATATAATTTA	871,906	92
2368.	AAATCTTGATTCTTTCATCAGCTT[C, T]CATGCAACACCATGGTAACCTGAG	872,041	92
2369.	AACACCATGGTAACCTGAGAATC[T, C]GAAAGCAATCCAGTTTTTGGATGAG	872,071	92
2370.	TGGGTCTGGTTGTGTCCAGGTCAA[C, T]CTTGTGAAAGCTGAAGTACCCAG	872,471	92
2371.	ATACTTTTTCTTTGTAGGTGAATA[G, C]ATATGCTTTTTCTGGTGGCCAAGAT	872,609	92
2372.	AAATATATGGCATGAGAGATAATT[T, G]TAGTAGTTTCACTTATATTGAT	872,761	92
2373.	GTAACTTCCTCCACTGTGGGTAA[G, C]TTATACATGAATAACCTACTTGTCT	872,948	92
2374.	ACAGGTTTATATATTTTAGTTTAT[A, G]TTTATTCATAAGAAAAAaTGAAAA	873,172	92
2375.	TTATATTTATTCATAAGAAAAAa[T, C]GAAAAACATTCATGAGAACCAATTT	873,192	92
2376.	TATCTCTTCCTTCTTGCCCCAGTG[C, T]AGGTACTTTGTTGGCACCTCCCATT	873,337	92
2377.	ATCTCTTCCTTCTTGCCCCAGTGC[A, G]GGTACTTTGTTGGCACCTCCCATT	873,338	92
2378.	ATGAGATTCATGACTAACAATTCT[A, T]GATTTTTTTTTtCCCAGATGGTGGAT	873,421	92
2379.	GGATTAAATGATCAAACAGCAGA[C, G]TTTTTCTGCTTTACTGATTATCACT	873,553	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2380.	CGATTGACACTCAAATACTTTT[G, T]GTGTTACACAAGTATTCCTGTTCTC	873,788	92
2381.	ttCATGTAACAGTGCTTCATAGCA[G, T]GACTGATGGGATTGTGAATGGCTGT	874,221	92
2382.	AATATAATTTGAAGATATCTGTT[C, C]CTGTACCTGTTTGGTAACTGGTCGC	874,429	92
2383.	TATCTGTTTCGCTGTACCTGTTTGG[T, A]AACTGGTCGCTGGGTGAAGTGAAT	874,444	92
2384.	GTTGCAGTTTTCCACACGCATTCT[C, A]AGCCATTTTCTTACAGGGTATCAGT	874,498	92
2385.	TCTGTGGGCTTTTACCAGCTCTA[A, C]TTGGTTGCCTTGAGGAAAAATTGGA	874,591	92
2386.	AAAATTGGATCATTCTTTATACAA[T, G]GACCGGTAAGAAAAATAAAATT	874,632	92
2387.	TGTAATGAGACCAAGAACCATGTA[T, A]GGAATTTAATTTTGTAGCAAATA	874,779	92
2388.	ACCAAGAACCATGTATGGAATTTA[A, G]TTTTTGTAGCAAATATTAaaaaT	874,788	92
2389.	TCCTCTTTTCTCTCTCCATTTT[C, T]TCTTTTCAGTTTTCGTAGTTAGGTT	875,442	92
2390.	TTTTCTCTCTCCATTTTCTCTTT[T, C]CAGTTTTCGTAGTTAGTTTCTCAT	875,448	92
2391.	CAGGGTTTTTGTACCAAAAGGAT[C, G]TATCACCACAAAAGGTGCATCTTGT	876,103	92
2392.	TTAACGTATCATTATATGATTGTT[T, A]ATGGAaaaaATGTGAGCAGTTTCT	876,184	92
2393.	TCTGTTTGTATATGTGAGGCAAT[T, C]TTAGAAATAATTATAAGTTGCACCT	876,231	92
2394.	TGATTGTTGAAAATTAaaaaTATT[A, T]TAAGAAATATAGCATAATACATGGG	876,537	92
2395.	TAATACATGGGTATTGGAATTGA[T, C]CTCTCCAACATTAATTTAAAGTTTC	876,576	92
2396.	ATCAAGAAAGGTTCTGAGTGGCTG[T, G]GCCAGTCACCCAATGGCATACTATG	876,901	92
2397.	GAGATGTTCTTTTAGTTAATAaaA[A, G]TaaAAAAATGGAGTTAAATGGCATT	876,998	92
2398.	AATAaAAAAATGGAGTTAAATGGC[A, G]TTGCACCAGCCCATTCCTTGTGCCA	877,021	92
2399.	CCAGTATTGGACTAGCATGATGAG[T, C]CAAGCTATATTATTGGCACTTATCT	877,068	92
2400.	ATGAGTCAAGCTATATTATTGGCA[C, T]TTATCTTGAGCAAAAGTATCATCGG	877,087	92
2401.	TCGGCACTTGAAACCATGATTCTG[G, A]GCATGTTAGATtTTTTATTCTTTT	877,133	92
2402.	GCTCTTTGTAAAACGTGTTGATGA[T, A]TTTCTGTTGTACGATATATCACAAA	877,230	92
2403.	ACTGCTTGATGATTTTCTGTTGA[C, T]GATATATCACAAAGGTAGCCACACA	877,242	92
2404.	TAGAGTATATTGGCTTTGTGTTG[G, A]AGTGTGCTCAAAATTGCGACCAAA	877,409	92
2405.	TTCAAAATAAGTCCTGCAGTGCTA[A, C]ATATTAAATCGTAAAATCATTGGC	877,645	92
2406.	TATAGATTTATTTTATTTTTCGTC[G, A]CTTTTCTCTTAATTTCTTtTTTTA	877,843	92
2407.	TAGATTTATTTTATTTTTCGTCGC[T, C]TTTCTCTTAATTTCTTtTTTTACA	877,845	92
2408.	ACTAAAGCTAATGTACTGAGGATA[C, T]GTGGTGCTTTTTGTTTGATGATTA	878,175	92
2409.	AATAAAGAGCCAGCATTACTATTT[C, T]GAGAAACATTTGGTTGATGGTTTAC	879,200	92
2410.	TTACTATTTTCGAGAAACATTTGGT[T, A]GATGGTTTACTATGTTTGTTCATG	879,215	92
2411.	GGAAATCTTTCTTAAACAGACAG[C, A]GGATCATACTCCTTTGATTGTATCT	879,348	92
2412.	GTTTTGTCTAGACAGGAATCTT[C, T]CATATCTAAATATGGACCTATTCC	879,558	92
2413.	AAGATATGTGGTTCATTCTTGAAT[T, A]AACTGAGCACTTGAGCTGTTATGT	879,632	92
2414.	AGCTTCAGCAAGAAGGTTGTTTGT[T, C]CTCCGGTTCTACTTCTGAGTCAAC	879,791	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2415.	TTTATTATTTGCTTCAGGTGATGC[G, A]CTGCACACCAAGTCTGATGGTTGGC	879,907	92
2416.	GAAGAAGATTTTGCAAAGGCAAGT[C, G]TGGGTTTAGAACTAGATGCAGGTAT	879,978	92
2417.	ATGTGAGGATCTGATATTATGATA[G, A]TTAATGAACGAGAAGCAGTTCTGTT	880,305	92
2418.	TTTGTCTTTCACATCTGAACATGA[A, C]AAAGAGGTCAACATAGTTTATTTTG	880,358	92
2419.	GTTTTGTTATCCAAGCCTCTAGAA[T, C]AGATTTTAGCTGATTCAATCTGAAC	880,407	92
2420.	AGGAGAAGAGTAGGGTAATGAGCC[G, A]TGAACAATAGTGACCAAGTGAGCAA	880,509	92
2421.	AGCAACAAGGGATTACTCTATGTT[T, G]AAATAATCAATTTGAATTGGATCT	880,554	92
2422.	AACCCCTCTAAAAAGGGCAACCATT[A, G]TTAAATAATCATTTCAAGAGTATTC	880,748	92
2423.	GCATCAGTATGCCCTGTATCTCTGC[T, G]ACAACTTAAGTGCCCATGCTGTAA	881,061	92
2424.	ACCTTATCAAACCTGGTATCTCAGC[G, A]TTGTGTCACTGTTTCACCCAATTA	881,350	92
2425.	ATCTGAAAACTAGCACCTGTGAC[A, C]GCACACATTTTCTGTCAGATTAAGT	881,416	92
2426.	CTTAAGACTTTCATGCTTCAACGAT[C, T]CTCAACATGGCTAAATAACAATAG	882,012	92
2427.	AATGCAGTGCATTCAATTTGTTGC[A, T]GCTCCCTGCAAAATTGGGATTATT	882,168	92
2428.	TCCTTATGAATAGCATAAACTCT[T, C]ATGCCACATCGGATGGGTTATTGAG	882,303	92
2429.	GGCCTAAGTGGTGTCTCAAGGCAC[A, G]AAACCTGCATTCCAGGTCACGTTTG	882,536	92
2430.	CAAAACCTGCATTCCAGGTCACGT[T, C]TGAATATTTTGGAAATGAATCATAC	882,559	92
2431.	AATCATACTAATGAATGCTTTCTT[T, G]GATGGAATTTGTAGCAATAAACATC	882,601	92
2432.	ATCGGGTCCATATCGTCTTGAGC[T, G]GGAACAGTATGGTACTGGTACAGTT	882,768	92
2433.	ATCCTTTTCCAATCATTGTCAAAC[C, G]CAAATCGCATGCGGGTTGCGGATG	883,050	92
2434.	AATCTTTTTATCTTCCAGTTGGCT[C, T]GACTGACAACTGACAAAGTGCAACT	883,284	92
2435.	TGACAACTGACAAAGTGCAACTTC[G, A]GCTATAAAAGCTATTTAGTTGATTT	883,312	92
2436.	AAAAAAaTTTATCTCCACCTTTC[A, C]GCTTTTGAGAAATGGATATACTCAA	883,427	92
2437.	TTGCTGTTATTATCTTTAAATCAT[C, T]ATTGTTATTATATCTTTATCATTCT	883,481	92
2438.	TTTAGTTAAGTTGGCTTCTTGCTC[A, C]AATCATTTTTtGTTTTCTTATCCTT	883,576	92
2439.	AGCTATTCTTCAGGTAAACAAGAA[T, G]CACCTGCAGATGATGCATCATAAGT	883,684	92
2440.	TGAATATCAAGAGAAATTGCGCTT[T, C]GTACATTGTGATTCAAGTTTTTTACA	883,773	92
2441.	ATGCTTTAGGTGTTTCAGATGATTA[C, T]ACTGTCTAAAACAAAaTCTTAAA	883,902	92
2442.	GAGAAGTATATAAAATGTAATCA[G, T]GCTACAACTAGAACTAATTTTGCT	884,971	92
2443.	TTTCATGGTTCTTTTAAAGAACTT[G, T]AGAATAAATTAGATTTGTAATCATG	885,034	92
2444.	AATGTTTACGTTTGTTACAGTATC[G, A]ATCGCTCTCAACCACTCCACATGC	885,177	92
2445.	TCGATCGCTCTCCAACCACTCCAC[A, G]TGCTTTTGTGGGATCAGGTGTTGAG	885,199	92
2446.	AGATCCAACAATTGCGAGCACAAG[T, C]CTTGGCCAAAAACAGTGACTTTACC	885,299	92
2447.	TGGTTGCTCAAGTCAAATCAGAC[G, A]TCATGCATCAATACATAGTTTAGGT	885,448	92
2448.	AGCAGTCACTGCAGTGCCTCAAT[A, G]TGAGAAGATCCAGTAGTTGGAGTGT	885,500	92
2449.	GTTGCTGCCTCTGGACTTAAACCC[A, G]TGCCATTGCACTTGTCAGTGCAAGC	885,716	92
2450.	TAGGAATTGAACCTACGCCATCAT[G, A]CTTGTGAGCCCAAGTCTTTTACCAT	885,905	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2451.	CAGCAATAGCCTCTTTGCAAGGTG[A, G]CAATTGGAAACCTTACCATCAACCA	885,961	92
2452.	AAATGGGTCATGTAGGCCATTAAG[T, C]CACAATGGATCAGTCCTACTTCAAT	886,082	92
2453.	TTTGAGTTGTGTTATGGGTTAGGC[C, T]TGAAAGATTTTGGACTGGTTTGGAG	886,317	92
2454.	GGCCTGAAAGATTTTGGACTGGTT[T, C]GGAGTTAAATACAGAGCCCATATGT	886,338	92
2455.	AGTTAAATACAGAGCCCATATGTT[C, T]TTGGGTGGGCTCAGGTATATCAT	886,365	92
2456.	AGGCCCAAAATGGAGCTTGAACCT[C, A]AGCATGAAATGGAGTCCAACTTAG	886,454	92
2457.	TCTGGTAAATATGTTCTGATCATC[G, A]GATGGTTGCTAACATGAAGCTACAG	886,569	92
2458.	GGATGGTTGCTAACATGAAGCTAC[A, G]GTATTTTATCAGAAAAATGTGAAG	886,593	92
2459.	CTTCAATCGGGTTTGGGCCAGCCC[T, A]ATTTTATCCCAAATGGATAACTTG	886,671	92
2460.	TCAGTTGTGATATCTTAATGCATC[G, A]TTGGCATCAATAGGTTATCCAGATT	887,077	92
2461.	TGCATCGTTGGCATCAATAGGTTA[T, A]CCAGATTGGGCTACATCATGCAAGT	887,095	92
2462.	TACATCATGCAAGTTTGATTAACC[A, T]ATAAATTAGTTCTTTGTGCTTCTAA	887,131	92
2463.	TTAGTTCTTTGTGCTTCTAAATGG[T, C]GAGAGCAACTTTTCTGGACAGAGAA	887,161	92
2464.	TCCAAGAAGACCTTTGTTGATGGA[C, T]GAGCAGAATACATGAGAGGTACAAA	887,219	92
2465.	AAATCTGTTGTGAAAAACAGCCC[G, A]GTCACAAAACCTGAAAAATGCTTTA	887,508	92
2466.	TTTTCTGATTTTTCATCAAATA[C, T]ATTTTGCCCAAAATCAAGTTACAAA	887,578	92
2467.	AAGAAGATAAAAGATCCGGAAATC[C, T]TTGTTGCTCTGCAGCAGTTAGTAGA	887,745	92
2468.	GAAGCAATATTTTCGAAGATGGCT[T, C]CTTGGCTCCCTGAGTTGTCAGACAT	887,800	92
2469.	ATTTATGTTCAATTTTTTGTATTA[T, C]AAATATTTTCTTGGCATCTCCTTG	888,137	92
2470.	ATTTTTTGTATTATAAATATTTT[C, T]TTGGCATCTCCTTGTTCTTACAATT	888,148	92
2471.	TCTTTGCATGCCCATCCACTACCT[A, G]CCATCTTCTAAAACATCGGTATAAA	888,266	92
2472.	ATAAAGCCATATGTTTCTAAATGC[C, A]CAATGAAAGAAGCTAAACAGAGATT	888,311	92
2473.	ATTTGGGCATCATGGGTTCAAACA[T, C]GAAAACAGCCTTTCAGCATACGGGG	888,428	92
2474.	GGGCAAGACTGCTTACATTTAACC[T, C]TCTCCAAACCCTGCAGTAGTGGGAG	888,476	92
2475.	GGCCAATTTGAAGTTTGAAACCTG[A, C]GTGGATTATTTCTAGATATGCATGTT	888,601	92
2476.	CTGGAGGCACTTGACAAGATTATT[G, C]GAGATGAAAGTTATAATTTTGATAA	888,948	92
2477.	AGTAGAATTACTTTTATTAATTTCG[C, T]AGTTATTAATAGAGATCCTAAATGC	888,999	92
2478.	CCTGCAACTATCATGCATCCTAAT[C, T]GCTATTACAGTTGCTGTGTAGAAC	889,152	92
2479.	TATTCACAGTTGCTGTGTAGAACA[G, T]GCAAAAACTGAAACCTATATAATA	889,179	92
2480.	GAAAAGAAAAGATGAGAAACCAAC[C, T]ATCCCTCCATAATTGGTTTCTGGTT	889,329	92
2481.	CACCTTCACACCTTGTCTGCCCCA[T, A]GGCTAGGCGACTTCACTTGGGCATT	889,609	92
2482.	TAGGCGACTTTCATTGGGCATTCA[A, G]AAGCATGCCTTTTATATGCCTTGC	889,637	92
2483.	AGAAAAGTACATTGTACTGTTTTT[G, T]ATTAGGAATTTGGTGATTAACCAGA	889,699	92
2484.	TGGTGATTAACCAGAAGAGAGAAG[G, A]GGGAAAGATATTGTAGAAAAAGGA	889,734	92
2485.	TTCTTTTCTTCCATTTGATAAAT[T, C]CCTTATTCTTCTGTTCTTCTCTC	889,861	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2486.	TTTCTTCCATTTGATAAATTCCT[T, A]ATCTCTCCTGTTCTTCTCTCTTTT	889,865	92
2487.	GGCCCTCCTCTGCTGCTGCAACTA[T, C]TGACTGATGCTTCTGTGCTCATATG	889,959	92
2488.	CAACTATTGACTGATGCTTCTGTG[C, T]TCATATGTATGTGCGTATGCATGTG	889,977	92
2489.	GCTCATATGTATGTGCGTATGCAT[G, A]GTACATATATGTATATGTACATAT	890,000	92
2490.	TTCCACAGCAGCTCAGAAGTTCAG[C, T]AATGATTAGCATCAAAAACCTCTGC	890,150	92
2491.	ACATTTCAGAAACAAGATATAGAG[T, C]GACATGGTTTAACTGTTTGCTATTG	890,872	92
2492.	TAAGTGTGCTATTGATTTTAA[T, A]GAAAATATATAGAGAAGTTTCTCT	890,906	92
2493.	AAAATAACAGAAAATTTCAATTAA[A, G]AATATAAGATGTAATTTTAAATG	891,073	92
2494.	GGTGTCTTCTTCAGTTTTCACCTCA[A, G]GGGGCCAAAGAAAGCATAGACTTCT	891,150	92
2495.	ATCCTGGCTCTACCTTGCAATGC[G, A]TACCAAGTCCAGCACTCCAGTTTGG	891,220	92
2496.	GAACTTAAATGCAACTAGCCAAC[T, C]ATACTCATGGCAGCTTGATGAATAC	891,360	92
2497.	TGGCTTGCCATGCACATCAGAAG[T, C]CTGTACGAGTGCCTGCTGATCTCC	891,427	92
2498.	TGCACATCAGAAGTCTTGACAG[T, C]GCTGTGATCTCCCATACAAAATT	891,438	92
2499.	ATTGCTTTGGTATTGGAATCGAC[G, A]TTCCAACCTATAGTTGGCTCTACTT	891,532	92
2500.	TGAAGTCTCTTCCAGTTGCTACTG[G, A]GGACCAGTTCTCAGCAGGTGGGCA	892,041	92
2501.	CCATGCCTTTCTCTACTGAAATGT[T, G]TAAGCTGTAATACTGCTGCTGCTAG	892,199	92
2502.	TAACCCATTCAAATTTATCGCGG[T, C]CATGAGATAAACTGCATTTCTTAGA	892,641	92
2503.	CCACAAAATTCACCATGGGCTGTT[A, T]TATCATCATGGTAGCAGATATTGA	892,745	92
2504.	ACTATTCTCATCACTTTTACGTT[C, G]AGCCTGCACCAAGAATAAACCTTT	892,974	92
2505.	CTGTAGGCATAATAGCTTCTTTCT[T, C]ATCTGGTACACAACTATTTAGCTG	893,059	92
2506.	TCATGATTCTCAGATTTCCATATT[C, T]CAAGAAAAaCCAAAGCCAAAACAAA	893,172	92
2507.	GATCGCAGGCCCACTGAAAATGG[A, T]GCTCAGAAAGGTGTGCTCAGTTTC	893,693	92
2508.	TCTCAGTTTCTTTATCAGATCCAC[A, T]AGCGGATCTGCTGCAATTCATGCTG	893,733	92
2509.	CAAGCGGATCTGCTGCAATTCATG[C, T]TGCAATTGGATCCTCTCCATGCCAGG	893,756	92
2510.	CCATTGGTTTTTGGTTTGTGGGG[G, A]AACGCCTTATGGCATGTTACAGTAG	893,871	92
2511.	TAAGTTCAGATGATCTGGCCGATA[G, A]AGCACCTTCGTTGTGGTTCTTAATC	894,029	92
2512.	TGTCAAATGACCGGAACTTCATC[T, C]GTAGTGCATCAAGAAATGTATCCCA	894,082	92
2513.	GTCCAGGAAGTTGAAGTTTTTCA[T, C]AAGAAAGCGCCAGTCTGCTTACT	894,185	92
2514.	TCACTTCCTCCAGGATTATACATC[A, T]AACTTTTATTCTGTTTTTACAGAA	894,317	92
2515.	CAAAGATCGCCACTTAAATTAACC[A, G]GCAGTTTACCTTTCAAGCTTCTGG	894,446	92
2516.	ACATTTGCAATTTTCTTGCTGT[T, C]TGAGAGGTTGAAGTTGAAAAGAAA	894,683	92
2517.	AGGTTGAAGTTGAAAAGAAATCA[C, T]CAGCATTAGCCAGAACCAGTCATAC	894,712	92
2518.	GTTGGGTAAATTTGATTTCTGCAC[A, C]TGGAGAAACCTGCAAAGCAAATAAT	894,861	92
2519.	TAAATCTTAACAAAATTTCTGTG[C, A]AATCACAACATCACCTATGCAGCG	895,196	92
2520.	TAAAGATATGAATTCCTACTTTAC[A, G]ATGCCACTCTTATGCCACGACATCG	895,348	92
2521.	ATGCCACTCTTATGCCACGACATC[G, T]TCCTGAATGTTCCCATCAGACTTCT	895,373	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2522.	GAGCAGGTAATTATCCTCACTTTC[A, G]TCCTGAGGACCAACAAAGCGTTAGG	895,577	92
2523.	ATCCTCACTTTCATCCTGAGGACC[A, G]ACAAAGCGTTAGGGCATTACATATA	895,589	92
2524.	AGTGATATTTTTATAGTCAAAATA[G, A]TATACCATCAGGCCAGGCTCATTTT	895,646	92
2525.	TATAGTCAAAATAGTATACCATCA[G, A]GCCAGGCTCATTTTCTGGCTTAATC	895,657	92
2526.	TGAGAACTCACCGTCATCTGTGTC[G, A]CCTGAATCCAGAGGGATGCCCTCAT	895,848	92
2527.	AGCAACAACATAGAAGGGCAGATA[T, C]TAGGAGGGTTAGAGGTCCAATCACT	895,986	92
2528.	ATAACATATTCAGGTAGTCACTGC[A, G]AAGCAGTTTTTCTCTATCCTGAATG	896,338	92
2529.	CTAGATCACAGTGAAGCAACCTTA[C, T]AGTTGTGCCATGGCTCATGCTCTAG	896,730	92
2530.	ATTCCATTGTTGGATGATGGTAAA[C, T]TAGGTGCTTGGTTAAAGCAGCAAAT	896,937	92
2531.	TGTGCACTGAGGTACACATATAGG[A, G]CCCCATACCAAGATTTAAAGCATGG	897,084	92
2532.	ATTGTCCCACTTTCAAAAAATCAT[C, A]ATTGCAGTGCAAAAAATGGTGTGTT	897,927	92
2533.	ACGAAGTTCTTGGGCAACACATGG[G, T]AGCATCAATCGCAACTGGCAGTTTA	898,138	92
2534.	CTCAACTATGTATATACTGGTACT[A, C]GTAGCATTTGATATGCTTATTTTTG	898,836	92
2535.	ATTTTATGGCATTTTTATGGCATA[C, T]GTAGAATATAATTAAGCACCAAAGT	899,058	92
2536.	TTATCCCAGAAGGAGGTTACCACT[A, T]TCTAAACAACATGAATTATTGATGA	899,207	92
2537.	TTAAGAATTTTCATTTCAAGCATA[G, A]TAGCTTCAGCAAGAGGAATAATATT	899,807	92
2538.	AAATGAATAATTtTTTCTAGTGAT[G, C]ATTATTTGTATTACTTACCTACA	899,912	92
2539.	ATATTTGCACAATCTAACATTATT[A, T]TGAAGGTTGATTGGAATATCTGAAT	900,482	92
2540.	AAATGGAAGAACTAAGCCTCAT[A, G]ATTGGCAGCATTTACAATGGAGCAA	900,600	92
2541.	TCTACCTGAAAACTATTAGTTTT[C, A]TACATTCTGGTCCACTGTGAGATAA	900,768	92
2542.	ATCCTAACCTAAATTTCAATGATC[G, A]GTGTTTCTGCATTTTCACCAAGCTA	901,313	92
2543.	GCATTTTTCACCAAGCTAGAACATA[T, C]TGTCGCGCAACAGGAAAGAAAATG	901,346	92
2544.	TTTGGTGCAACACGTAGGGGCACC[T, G]ATTAGCAGAAATCAAAGAACGTCAA	901,570	92
2545.	CGCTGAAACCTCCCAACCCATCA[C, T]AGTTAACGAACAAGATATAAATCAT	901,691	92
2546.	ACCCTCCCAACCCATCACAGTTAA[C, T]GAACAAGATATAAATCATGAACAGC	901,698	92
2547.	AATCGATGAAAAATATGTGATTAT[C, A]TAAACTAAAGATCCAGAGCAAGAG	901,914	92
2548.	ACTCGGAGTCCGGGGAGGTAGCAT[G, A]TAAAGAGGTAGAGTGGATCCGCTG	902,292	92
2549.	tGGTAGAAGAGAAGAGCAGTTTAA[C, T]GCAAAATAAAATTTAACTCTGGTTAA	902,729	92
2550.	TCAAGTAATAGCATTTTTTtCTTG[A, G]TCCATTTGTAGCCATTTCATGGTCT	903,286	92
2551.	AATATATTTATATGAGTTAATAAA[T, G]ATTTTTGAATTAATTATATATTAAT	903,378	92
2552.	CAAAATACAAAAAAaTAAATATCA[C, T]ATTTCTGTAGTATTTATTTTATCT	903,671	92
2553.	AAGCTTAGGGAGTGCATGTATATA[C, T]ATATGGAGCAACATTTAGCATTTAT	907,042	92
2554.	ATAAATATATAAATATTATGACTA[C, A]ATAAATATATGTATATATGCAGCAC	907,437	92
2555.	AAaTAAATTGAAATGTAAATCGAA[A, G]TAGAATGACAATGGAATGTGGTGAA	908,165	92
2556.	ACTTTTTATTTTATATTTTATTAA[T, A]TATTTATTTTACTATATTACATA	908,346	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2557.	ACTATATTACATACCTTATGTTGC[G, A]GTCAATCCCTGTAGCGCCTGTCGC	908,383	92
2558.	TCCATACTAATCGAAATTGTATCC[G, A]ACAGAGATCCTCTGATGCTCAAATA	908,459	92
2559.	ATGACAAAGTGTTAGCTCAAAATT[A, G]TCTTATCAATACTGTTCTGTTTACCT	908,546	92
2560.	GGCTATAATCATAGAGTTAATGGG[C, T]GGTTTATGCCTATTGATAGTCGTGA	908,652	92
2561.	AATGGGCGGTTTATGCCTATTGAT[A, G]GTCGTGACACGTAGTCGATGACCAT	908,670	92
2562.	TAGTAGGTCGACAGTCGTGGAGT[C, T]CGAATGAGCGTCGATCGATAATTTT	908,842	92
2563.	ATTTTGATATATCAATGATCATCA[G, A]TCGGATATTCAGTGCATCGTGG	908,887	92
2564.	CGGTTGGTCAACTGATTGTTAGTC[G, A]GAGTATTGTGTTTATAAGGACGATG	908,969	92
2565.	GTGGTCTGTACGTTGGACGAAAG[G, A]AGTTGTACGTCGTCTCGAGCCC	909,106	92
2566.	GAGTTGTACGTCGTGCTCGAGC[C, G]CCGACTCGACTGCTGGTATTAATGA	909,130	92
2567.	ATATGAGAGATCTTCAGCTATTTT[G, A]CTGTTTCGATAGCTGTGAAATCATC	909,189	92
2568.	TATGAGAGATCTTCAGCTATTTT[G, T]TGTTTCGATAGCTGTGAAATCATCA	909,190	92
2569.	CTTGATGTTGCCACGTGTCGATAT[C, T]TGAGGAGATCCAGGTTTGATCGATT	909,417	92
2570.	GCTTTACTTTGCATTTGTTAACAT[C, T]CTCTTCAACAGAGGTTCTGCTGGA	909,519	92
2571.	CCCCAGTACTAGGAGCTCCAGGT[A, C]TTATTTCTCGCACCATCCTTTGACT	909,575	92
2572.	ATCCGAACACAATGTTGACTGGCT[T, C]TGGGAGCAGTACCGTATCCCGGAGC	909,802	92
2573.	ATTTTCTCCTCTGGGTCTGGTCG[T, A]AATTTAATCGAGGACCTTCGGGTCG	909,891	92
2574.	GTCTCTGTCTGCTCAGTTGGCCC[T, C]GAATTCATCCGGCTAATCATCAGC	909,992	92
2575.	ATCTTTTATCATCGATCTTTCATC[G, A]TCTATTCATGGATGGAAGAATCAAT	910,164	92
2576.	TTTTATCATCGATCTTTCATCGTC[T, C]ATTCATGGATGGAAGAATCAATTTT	910,167	92
2577.	ATCGTCTATTTCATGGATGGAAGAA[T, C]CAATTTTtTTTATTTCTCTTTTT	910,185	92
2578.	TCCAAGGACTGGCCCTAACAGAA[C, T]AGTCGGATGGAGCCAATGATCGAA	910,266	92
2579.	CTGAAGGATATGGCAGTTTACC[G, T]AGTGAGAGCTGATGACCGAATAAGC	910,330	92
2580.	ACCGCTGATATCCGCTCGCACGTA[T, C]GCTACCAAGAAAAGGCAGCAGCTG	910,518	92
2581.	AGATGGTTCTCTGAGCCAATCTTGA[T, C]GTTGTGAGCCCTGACAATGCTTCCT	910,649	92
2582.	ACTCTTTTCGACATTCGGATCTCT[A, G]AGGGTGAGTCAGCCTTGGCCAATCC	910,969	92
2583.	AGGGTGAGTCAGCCTTGGCCAATC[C, T]GACATTGGCCAAGCGGCTTATCGAA	910,994	92
2584.	GCCATCTGTAAGAGGCTGGCACTG[G, T]CCAATGCTGAGTTGGCCTCCGCACG	911,525	92
2585.	AGGGGCTACACCGACTGAAGACGA[C, A]GCACCGACTGCACCAGAAGCTGCTC	911,785	92
2586.	GAGCAAGGAGATGAAGACAACGAC[T, A]GGTGACAGGTGTAGCATTtTTtATTt	911,855	92
2587.	GTTTGACTATCGAATATCGATCGA[T, C]AAGTTGAATGTTTCGATAGTAATTGT	912,035	92
2588.	TTATTGATAAACGATAGTAAGCC[G, A]AATATCCTTCGACCAATCGTAGTCA	912,193	92
2589.	AAGCCGAATATCCTTCGACCAATC[G, A]TAGTCAACTCGGTATAGTTTCAATT	912,212	92
2590.	CAATTAGAGTCGACTTTTACAGTA[G, A]AAAATTGAGATATAGTCGGTACTGA	912,326	92
2591.	GTAAGGATACAGTCGGTATATT[G, A]ATTTTATAATAAAAATTGAGATAT	912,369	92
2592.	ATGTATTGATTTTACAGTGAAAA[A, G]TTAAATATAGTCGATAAGAATTGA	912,424	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2593.	TtCTTAGGACCAATCTCCTGGAT[A, G]GAAGATCTTCGGGTTTAACTTTTGC	912,743	92
2594.	GGACCAAAATCTCCTGGATAGAAGA[T, C]CTTCGGGTTTAACTTTTGCAATTATA	912,749	92
2595.	CTTGAGCTTGTGTGCGAACTTCTG[A, A]AGTAAGTCTAGATTGACCCCTCAA	912,837	92
2596.	ATCACTTTTATTCTATAAGCCAGA[T, C]TGAATGGCGATTTTCCATTGGTAT	912,956	92
2597.	TTTGAGTCCATACAAGATTATTTCG[A, A]TTGTCACTTTCACCTCACCGTTGG	913,084	92
2598.	CTTCCATCTTACTTTCTGTGATTT[A, G]TATCAGAGGTCCGACTTCTATCCAT	913,448	92
2599.	AGCTGACTAGTCGATTGATGCTGT[A, G]TATTTACATATTTTGGCATGGTTC	913,615	92
2600.	TTAGCCATTTCATCAAAATATATTG[C, T]GAGGCCATCCATATGAGTCATTTAG	913,860	92
2601.	TGATTAGAGCGTAGATCATTTTCT[T, C]CGCTCTTGAATATCTTACTTCGACA	914,732	92
2602.	TCTTCCGATGTGCTAATCTGTTA[T, C]GATCAATCTCCTATAGCGTCCGTCA	914,885	92
2603.	CCTGCAAAATGAAGTCCACACTGA[C, T]CAAAATTGTATCCAGTGGGGACCCCT	914,948	92
2604.	TGAGGAGTGATGAACAGCAGATAA[G, A]AATATTTGAAATGGCAGAGTGTTAG	915,014	92
2605.	TCATAACGGTTAAATATGTGGGTT[C, T]CGCATATTCTGGCATTATATGATCA	915,223	92
2606.	TAGTAGGTCGGTAGTCGTGGAGTT[C, T]CGAATGAGCATCAGTCGATAACTCT	915,346	92
2607.	TCGTGGAGTTCCGAATGAGCATCA[G, A]TCGATAACTCTGATATGCTGATGGT	915,360	92
2608.	TCTACATTTGGTTTCTCTTACTT[G, A]GTATGTAATCGAGATATTCGTTTCT	916,080	92
2609.	GAATCAGAAATTATCCTCAATAAA[G, A]ATATTACCTTCTTTATGCATTATAC	916,233	92
2610.	ATAATACATTAAATTAATGTTTA[A, C]TAAATTATTTATTTTCATTTGATAT	916,381	92
2611.	TTGTTGTGGCAAATAGTATTTGCC[T, C]CTAAAACAATTTTCATATATAATC	917,340	92
2612.	ATCTTTTACCGACTTATCAGTATT[A, G]CCGATATATAGTCGGTTTATCTGTT	917,858	92
2613.	ATAAAAGGGAGTAAATGAGTAGCA[C, T]CGGATAAGGATAATTTCTGGGTCAA	918,058	92
2614.	AAAAGGGAGTAAATGAGTAGCACC[G, A]GATAAGGATAATTTCTGGGTCAAGA	918,060	92
2615.	TCGAGGATTTTCGTGCGACACAA[C, T]TTCGATCTGTGAGGACTTGATTTTG	918,161	92
2616.	GAGGATTTTCGTGCGACACAACTT[C, T]GATCTGTGAGGACTTGATTTGCAG	918,164	92
2617.	CGTCGGACACAACCTTCGATCTGTG[A, G]GGACTTGATTTGCAGGTGCTCTTC	918,173	92
2618.	TAGTAATTATTTAATTTAATTTTG[T, G]TGGGCATGAATGTGAAGCTTTACAC	918,299	92
2619.	CACTCTTGAAGGCTCATGTAAAAG[G, T]AATTAATTACGAGCTTGGCCACTTA	918,372	92
2620.	TGTAATATGCACAACCTGTACGTA[A, G]GAGTTATAGTTGAATAGATCAGTCC	918,901	92
2621.	TACTGTTGTAATGAAAATAACTAA[T, A]ATTATTAGTCAAAAATTGGACTTTT	918,986	92
2622.	CTTTGTTCTCAAAAAGAACATATA[A, G]CTTAAAATAATTGTGTTTGTATTATA	919,161	92
2623.	TGCATAAACTTTTGTAGAAAAAAa[G, C]CAATAGGATAATAGAGTCACTTTA	919,736	92
2624.	CAAGGAGAAGCAGCTGAAGATAGA[T, C]AAGCTTGTGCTACAACACAAAACC	920,563	92
2625.	TAATTAGAAATGTCAGTTTGATAC[A, G]TTTTAAAATACAGAAAATGTAAGTG	923,791	92
2626.	TGTAAGTGAAATTGAATTAATAATT[A, G]AGAAGATATTTTATAATTTTtA	923,833	92
2627.	CATCTCCATTTATTATATCACACT[T, C]ACTCTCTCCCTCCCTCCTATTTTTC	924,159	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2628.	GCTTTAATATTAGTTGGTGGTTTC[G, A]GTTAAGAAGGTCAAATACTTTGGGA	927,283	92
2629.	GTTCCGAACCTCTTCACTTGGAACT[C, T]ATGAATCAAATAGGCTGAGCTTAAA	930,533	92
2630.	CAATGCTTATGCTACTGCTGAGAC[G, A]TGACTCAGATAACTTGGCTCGGTGA	930,994	92
2631.	GATAACTTGGCTCGGTGAGTAGGC[A, G]ATTATGAAGTAATGTTGGATTTCATT	931,026	92
2632.	CAATTATGAAGTAATGTTGGATT[C, A, G]TTAATCTTGTCTGAATTTTCTCCC	931,049	92
2633.	TCCATGTTTAGCTGTAAGTTTATG[A, C]ATAATTCATTTATCAACGAAAAGTG	931,143	92
2634.	GATCATCCGCTGTTTTGAACAAA[A, G]AAAGAAACCTTTCAGTATCATAAAT	931,198	92
2635.	TGTGCTACATGAAAAGAGCTGACT[T, A]ATGCTAAGAAAATTTGAGAGCTTCC	931,573	92
2636.	TAAGAAAATTTGAGAGCTTCCAC[G, A]TTCATTTAGAGGAAAATTTCTTGAT	931,602	92
2637.	TGGAGAGAAGAGTAGGGTCCGAGT[C, G]CAAGCCGTCCCTTCTTCAACCAGGA	931,940	92
2638.	CTAGCTCATGCATGTGTGGGCT[C, A]CTTATTTATACCAGTTCCACGCAA	932,777	92
2639.	AAGATAATGACCACATGGACCAA[A, C]TCCTTATATTGAGTCTGTGTGATGC	932,957	92
2640.	AGATCCGATCAAATCCAAAAA[A, G]GATTTGATCGATTGTTGGTAAAACC	934,143	92
2641.	CCAAAACTGTAGTACGGGTATAG[G, A]TAGGATATGAGTAGTGCTATTTTCT	934,192	92
2642.	CCTGATCCGAACCTACGGATATGG[G, A]TAATATCCGAATCCATATCCAAATA	934,261	92
2643.	ATCCAAATATATATGTTTATAATT[T, C]TATTTGGTAATCTATTTTGATTG	934,302	92
2644.	ATATATGTTTATAATTTTATTTTG[G, A]TAATCTATTTTGATTGATAATATG	934,310	92
2645.	CTCTTTTCTTATCCGATCAGATAT[A, G]AGGTAGAATTTGGGTATAGAGTATT	934,607	92
2646.	TATCCGATCCAAACCTATCCGTT[G, C]CCATCCTTACTCTCATTGACCCAT	934,686	92
2647.	TTACTCCTCATTGACCCATTGTGA[G, A]GACCTATATCGATATGTATTTAGTC	934,717	92
2648.	AATTATTTGATAGGAAGATCTAGG[T, A]TACTTATACAGAACTGAATAATCTA	934,774	92
2649.	TTGGATAAGATCCTGGATTATTAT[T, A]AATAGAATCAAAGGGATCCGGCTCA	934,848	92
2650.	GGCTCATAAGTCATCTGGAATGGG[A, T]GATATTATAGCACGGATTCATTGAG	934,892	92
2651.	GGGGTGAACCAAGCCGGGCGCTA[C, T]CCCTATCCAAGCCTAGTTCAAAAAT	934,983	92
2652.	GGTGAACCAAGCCGGGCGCTACC[C, T]CTATCCAAGCCTAGTTCAAAAATAA	934,985	92
2653.	CGGGCGCTACCCCTATCCAAGCCT[A, G]GTTCAAAAATAATTTTCAGGCTTCA	934,998	92
2654.	ATGTGTAAAAATCCAGGCCGAGC[A, C]CAGGTTCGAATCCATTTGGGTTAGC	935,069	92
2655.	TTGGGTTAGCTCGAGACATTACTT[A, G]GTTCAAGCCTAGCTCGAGCTCAACC	935,109	92
2656.	GACATTACTTAGTTCAAGCCTAGC[T, C]CGAGCTCAACCAATATTAATATAA	935,123	92
2657.	GTTGGACGAGGCTCAGGCCACTC[T, C]TTCTGTACATGTGCTCTGCCATAC	935,378	92
2658.	TCCCCCTCTCAATCTATGATGCC[C, A]GTTGTTGTGCCCGCTAGTCATAGG	935,518	92
2659.	TTAATAGAGATTTGTTCTCTTCG[G, A]GCCGATTAAGTAGTGTGCGCTCTGG	935,648	92
2660.	CTTCGGGCCGATTAAGTAGTGTGC[G, A]CTCTGGAGCCTATTTCGATGCCGTAC	935,667	92
2661.	GCCTATTCGATGCCGTACCTTTCT[T, C]TAGCATGCTCATGAAGAAGAAGAGC	935,699	92
2662.	GCCTCTCGGAGAAAAACGCCACC[T, C]TAGATGTTCCCCCTCTGGAGCTTCA	935,795	92
2663.	CCCCCTCCGAAGAAACAAAGAAG[A, G]GAAGAAGAATGTGCGAACAGCGGTG	935,874	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2664.	GTGCGAACAGCGGTGCTGCAATTG[A, G]AAAATTAAATGAGAAGATTGGAATC	935,909	92
2665.	TAGGATCGCACTTGCAGTCGAGCT[T, C]AGGTTGGGCAATGGTAGCCCGAG	936,071	92
2666.	AACCTACAGTCGAGCCTATCCGAG[T, C]ACATTTTCAGCCTCACATGCGGGTG	936,191	92
2667.	ACATCAGTTATTTGCTGGAAAGAT[T, C]TTAAATATTTATATAGAATCGAGAA	936,254	92
2668.	CTGGAAAGATTTTAAATATTATA[T, C]AGAATCGAGAAATTCAAATAATATC	936,268	92
2669.	GAAAGATTTTAAATATTTATATAG[A, G]ATCGAGAAATTCAAATAATATCTTG	936,271	92
2670.	AATATTTATATAGAATCGAGAAAT[T, C]CAAATAATATCTTGTGACTAATCTT	936,282	92
2671.	ATTCTATAGCCAATCAATAATAAA[T, C]TGTTTGGCATCATTGTTCTTATGTT	936,403	92
2672.	ATTGTTTGGCATCATTGTTCTTAT[G, T]TTTTTtCTTCAACAAATTAATCA	936,426	92
2673.	TTGGAAGCTCAAAATTTTACAA[C, T]AATTTCAAGAAAAaGAAAGGTTCC	936,531	92
2674.	GAATCAACACACTAGCTGCCTAAG[C, T]TGAGCTGACTGTCCAAAATGAAAaT	939,585	92
2675.	GATGGTTTACATAGACTGGATGCA[G, A]TACAGCAAATATCATCCATTAACCT	939,800	92
2676.	TCATACTGGTTAAATAGGCTGAT[A, G]TCTAGAATATCATTGAACCTTAGCC	939,857	92
2677.	AAATAGGCTGATATCTAGAATATC[A, G]TTGAACCTTAGCCAGGCAATGTTCC	939,869	92
2678.	AAGCTCATTTGCAAATTTACTTCA[T, C]GATTTTTTGATGGATTGATAATAGT	940,532	92
2679.	TAATAGTTTGCCATAAATCTTTCA[G, A]AGTTTCATATAAATTGGCAACTACA	940,575	92
2680.	ATCTTTCAGAGTTTCATATAAAT[T, G]GCAACTACAGACAAATTAATGCACT	940,591	92
2681.	TCAAAATGCTTGCGGCAGAAGAAC[G, T]GAAAGACGTCTTTGGGTGGGTTTGG	941,002	92
2682.	GTTTTGAACCTAATGGAACAGGAC[T, A]AACCTGAAAATAAGCCATTTATT	941,058	92
2683.	CCATTTATTAAAAGGATAGGTCTC[G, A]GCTTGGGATTAAAGCTTGGCCCAG	941,099	92
2684.	TGAACCACGAAAAGCCTGCTAGAC[A, G]TTTCCATTTCTTTAAAAAaTAGC	942,823	92
2685.	CAATATAACAACTTTTCGGCTATA[A, G]AGCTGAACAAATCACCCTTTTTC	943,047	92
2686.	CGATACGTGACTGTAAAGGCAAAA[A, G]AAAAaGGTATCACAAGAATATATA	943,695	92
2687.	TTTCCATCATCACTAACAACCTAT[A, T]AAATGCAAAAGGCATGGTGTATCAG	943,839	92
2688.	AATGTATCAGTGACACTAGTGCCA[G, C]CAACTAGCAAACCTGCTGTAGAAGCTT	943,919	92
2689.	ACTTTTCTATATGAAAGTTACAAG[G, A]GATTTTGAATGAGGAACAAAATGCA	943,965	92
2690.	CAACATGCAACCAGTTATGGAAAG[C, A]AGTTGTTGGGAAGGCATATGATCAA	944,013	92
2691.	tAAGAAAAATAGAGGGGATGAGTG[G, T]CCCCCTAATTGCTCTGACCATTTATA	944,428	92
2692.	AAaGAAACTCCACCTCCACCTAC[C, A]AAGCCAGTTTACACCTAATCCATT	945,112	92
2693.	TGTTGAATGTAGCGGATCACTAAG[T, C]GTAGTCACATTGCAATGGATCGTCA	945,311	92
2694.	GCTTATGAGTCAACAGTCTTGTA[C, T]GCAATGACATGTACATAACATCTTG	945,541	92
2695.	TCTCAAATCTCTCATCTCCCATCT[T, C]TCTTTtCTTATCCCTAAAGTTCCA	951,947	92
2696.	CATCCTTCTTTGCTCGGTTCTtCT[T, C]CTCCACTCGTCTCCCATCATCTCCT	952,043	92
2697.	CCAACACCTCTCACTAAGCCAGCA[C, T]CAATTTCAATTGTCTTCTCCTCCCAT	952,094	92
2698.	AAGAAGAGAACTGAAAGATAATC[A, G]GAGAAGAAAAaGAAAAaTAAGATT	952,193	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2699.	ATCAATGGTTGTACATCAGACTT[T, C]CAATGAAAGAAAGCCATCAGAATAG	952,318	92
2700.	TCAAGGACTAAACTTTAGCTTTTT[A, G]TAATTTAGAGATTTTTTAAGAATAT	952,403	92
2701.	TGATGATTGGAAGGCTTAAATTTG[G, A]CCACTTGTTTATTATATAAGCGGT	952,637	92
2702.	GGCTCAACCTAATTTTGCATGAAT[G, A]TTGAAGAAGCTATTGTTTGTGGTT	952,967	92
2703.	AGTTTAAGTGACTTGTGAATTTGG[T, C]CGTGGACTAAAATGATTGAGTCTC	953,104	92
2704.	ACTCCTTTTATATGGGATCAAGTA[G, A]TAGAATTGGCCATGTTTGGAGCAGC	953,178	92
2705.	TGGAAGAATTGATTCTATTTCTGT[A, G]ACGCATAAGTAGTTCTGCTCAATGT	953,966	92
2706.	GTTCTGCTCAATGTGCATCACATC[C, T]AAGTATATATCACAAGTATATGGAT	954,002	92
2707.	AACTAATTGACCCAAAGTTTAAACA[A, G]TAGTACTCTTCAACAATCTATTAA	954,469	92
2708.	GTGCCTAACATCTTATAAATTTTC[C, A]ATCATGATAATTGTTTATTTTGGTA	954,540	92
2709.	GTAAAGTACTTATGTATATACACA[T, C]ATAAAATATACAACAAGAGTTGCAT	954,724	92
2710.	GGCTGTGTCCAAGTAATTTTCGATG[T, C]AGCCGTCAGCAAAGTCCAATTTACC	957,113	92
2711.	AATTTTCGATGTAGCCGTCAGCAA[G, C]TCCAATTTACCTTAGATTGATGGCT	957,127	92
2712.	GGCCCAAATCTTATAAAATATGAG[G, A]AGGCATTTTTAAACCAAATCCGTTG	957,431	92
2713.	AAATCCGTTGAAAATCCAACAT[A, G]CCCTTGAGAACATGTTTGGATATCT	957,471	92
2714.	TTCTTTTAAGAAAATAAGAAACCA[T, C]AATAGTAAACAGAAGAAAAGTACACA	957,685	92
2715.	TCCTTTTAAGAAAATAAGAAACCAT[A, G]ATAGTAAACAGAAGAAAAGTACAT	957,686	92
2716.	TGATAGGTTGTAGAATAGATGATG[C, T]AGCTATACATCATGGCAAAGGCT	958,371	92
2717.	GCGAGGAGGAGGGCAGTAAGATAT[A, G]GACAGCGTGGGAGGAGGTGGCGAGA	958,777	92
2718.	AGGTGGCGAGAGGGTAGAGAAGTG[A, G]GAGGAGGAGGAGGAGAGGGTGCGC	958,816	92
2719.	ATCCTATTCTTCCAAACTGGCTC[C, T]AAAAAGCTCAAAGGCTTGGCCTGC	959,110	92
2720.	CTCTACTAGTGTAATATAAATATG[C, T]GAAGATCATGCTAATATAGGATAAT	960,098	92
2721.	TGTGTAATGCTGTTTTGTCAGGTG[C, G]TCGTTACCGATGACAGAGGACGGGG	965,263	92
2722.	TAAATAGCGGACGACTTGAGCTGA[T, C]GGTATGACAAATTATCAACCGACG	965,339	92
2723.	CTGCTCAACATGCCATACCGTCAC[G, A]AATGGTTATCGACCGCATATCACGG	965,422	92
2724.	CCACTTTTGATCAGAGCTCTGCTA[C, T]ACTGAATATTCAACAACACTACTGTTC	965,605	92
2725.	AACAACCTACTGTTACCAACTTTT[C, T]TCTCTGACTTAAGCATCGAAGGATC	965,641	92
2726.	CTTTTCTCTCTGACTTAAGCATCG[A, G]AGGATCCCCCGGACACCATTCGG	965,660	92
2727.	ATGCTGTTTTGCGGGTGTCTCGTTA[C, G]CGGCGACAGGCGACGGAGAGTTGGC	965,720	92
2728.	ATAAGGAGAAAAAaTTCTTCCA[C, T]ATGAGGTACCTTTTAAAGGACAAAA	965,969	92
2729.	GTGGACAATACCTCACATGACGGA[T, C]CGAGCCTTTGTCCGCAACAATGGCG	966,040	92
2730.	CCGCAACAATGGCGCGCCACATTG[A, G]TTGTGAGTCAAGAGAGACTCGCACT	966,076	92
2731.	ATAGATTCCAAACAGAACCATAAT[A, G]TGACCTTATCACATTAACCTGGGTT	966,408	92
2732.	CCTTATCACATTAACCTGGGTTTA[C, T]AGTGAAGAGAATGGAGAGATGGTG	966,436	92
2733.	AAGAGAATGGAGAGATGGTGAATA[C, T]ACTTCTATCAGAGCAAGGAATAAAT	966,466	92
2734.	TTATATCCCAATGATATGATATGG[G, A]AATAATGTGCAGGAATAATGGTAGG	966,551	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2735.	ATGATATGATATGGGAATAATGTG[C, T]AGGAATAATGGTAGGCATATAAAAA	966,561	92
2736.	AAGCATTGAAAAAaTAGTAAAT[A, G]GAATAAGCAAGCATCGCATATCACA	966,658	92
2737.	GAAACACAAGAATTTATATCAGTA[T, C]AGTATAAAGTTCAACCAATGATATA	966,713	92
2738.	GATATATGGGCATATTTAACCAAG[A, G]TTTCTTGTACCGGTACCGGTGGCCG	966,757	92
2739.	AAATCCTAGAATTCCAAGTTCTGT[A, T]TTCTTGTCCGAACACATTCATGCTC	968,452	92
2740.	GTCAGAGAATATATCAATGCTCAC[T, C]TGTCAGAACACAAATAATGGTATT	968,541	92
2741.	TTCAACAACCTCTTTCACGAAGCCC[T, C]CTTCTCCCTTCAGCGAACTCCAC	968,610	92
2742.	CTCTTTCACGAAGCCCTCTTCTTC[C, T]CCTTCAGCGAACTCCACCTGAACCA	968,618	92
2743.	GACCAGCCAAATGAACGTGACTCC[G, A]GCGACGAAGAATGGGTTCGGTTGA	968,834	92
2744.	GGAGAGGAATCATGAGGCAAGACG[A, C]GAGGAAAGAAAGAGAAAATGCGGA	969,259	92
2745.	TGGGAGGAATTTCTCCAGGTTTTA[C, G]AGTTTGAATCACCAGTAAACATGA	969,734	92
2746.	AACGGTCACTAGGATCTGGTTGTT[A, G]TAGACCCCTTATCCTCTCCCCTTC	969,931	92
2747.	TCTAGTCTTATGGTGAAGGCGAG[C, A]AGAAATGTTAGTGCTAGCTTTGTC	970,020	92
2748.	GAAAATGTTAGTGCTAGCTTTGTC[C, A]CGAGAGATCATCAAGGAAGAGCCAT	970,046	92
2749.	TCATCAAGGAAGAGCCATTCTCAG[G, A]GCTGGTCAACTTCGGGAGCTTGGG	970,078	92
2750.	AAC TTCGGGAGCTTGGGAAGGTG[C, T]AAGTGCATCTTTTCATTTGGATCAT	970,110	92
2751.	TTAGGTCAATGGTGCAAAATAAAA[A, G]CTAAAGGTGATGAAAAGCTGACTTC	972,260	92
2752.	ATGTGTAACAATCGATACTTCAA[A, T]GTGTCAGAAATTTGGACCATCCAAT	972,375	92
2753.	AACAATCGATACTTCAAAGGTGTC[A, G]GAATTTTGGACCATCCAATAGCTGA	972,381	92
2754.	AATGATTCAAACCTGTAGTATTTG[T, C]CAATTGCAAAAAGATCACCTGGTT	972,486	92
2755.	TGATTCAAACCTGTAGTATTTGTC[A, G]ATTGCAAAAAGATCACCTGGTTAG	972,488	92
2756.	AAAAGATCACCTGGTTAGACATG[C, G]TTAGTTTAATCATGCCTTCATTCAA	972,519	92
2757.	TGCCTTCATTCAACACTAGGGCAG[T, C]GAGCAAAAGTATGTGATTGCTCACAT	972,556	92
2758.	CATGAGAATCATTGCTGATTGTCC[T, C]GTATTTCAAATGTGCATCCAACCTT	972,711	92
2759.	ACCAAAACAGAGTAACCTTTTGAC[G, T]TGCACACAGTCAATAGAAGTTTGT	973,334	92
2760.	CAAAAGAAATCTGCAGTAAATTGCA[T, C]ATATGAGCTTCTATAAGAAAAGAT	974,479	92
2761.	CCAGAAATGTGAAATAATTTGCAT[T, C]TGGCAATGAGGAAGACCACTGGCAT	974,626	92
2762.	AAGAGAAGCTCATGTATATGTCAT[C, T]ATTCATCTCAATTGTACATTTCTGA	974,729	92
2763.	AACTAATTTAGGTAAATAGTTTGG[G, C]TGTTTGAGTATCAAGTGAGAAATAA	975,411	92
2764.	TCATTCATAGGGCAGTATGCTGTT[A, T]ACAGCTTATTACATAGACAGTCTGC	975,509	92
2765.	GAAATAGAATCCATGATTAAAAAT[C, T]AAATTTAAGAACTTGTGCAATTGCT	1,030,909	92
2766.	GTTAGATGCCATGAAAGATGAAAT[A, G]GAATCCATGATTAAAAATCAAATTT	1,030,928	92
2767.	GATATTGAGATAAAAGATGATCCA[A, G]TCTCATTTAAGGATACTTTGAATAG	1,030,996	92
2768.	AACAGACTATCAATGAGCTTGATC[C, T]GATTAAAAATAATCATAATAATGAT	1,031,136	92
2769.	TGAACCGTATAATATGGTGTTACA[A, G]AAAaTAAAAAaTCTCTTCCTATTA	1,031,270	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2770.	TAGGTTTCATTGAGGATGGTGAAAA[T, C]AGTGGAAGTAGTGAACCGTATAATA	1,031,306	92
2771.	GAAAATCGCTATGTATATCTTAAA[T, C]CGGATACTTAGTAAGGTCGTTTCTA	1,031,568	92
2772.	ACAGCATAGCATTGTAACACAGTA[C, T]ACTATGTCAGAAAATCTCCAACAAA	1,031,686	92
2773.	AAAATCAATTAGATAGAAAAATTA[T, C]GATTATGAGATCTGATAGGGATGGT	1,031,798	92
2774.	CTCGCATTGTGGTTATATTTTTCT[A, G]TTGCATGAAAAATTTGAAGCTTTGA	1,031,878	92
2775.	GATACATACCGATATTTGTGGCTA[T, C]TTTATATCTTATTTTGGAGTGGCAA	1,031,957	92
2776.	AAaTAAaTTAAAAGATATAAAAAG[C, T]ATGCCACTAGAAGTCAAAAATTCTT	1,032,013	92
2777.	AAAaTAAaTTAAAAGATATAAAAA[G, A]CATGCCACTAGAAGTCAAAAATTCT	1,032,014	92
2778.	TAAATTAATAAAAAAaTTATTTT[A, G]GTTGTTATAGGAATATTGTGCAATA	1,032,285	92
2779.	CAGTTGGGACCTACAGATTTATTA[T, C]AGATATTGGATTCCAATTAGATCTA	1,032,432	92
2780.	GCTGCTATTTCATGTTTACAACCTCA[A, T]TACAGGGATTCTTTCAAGTCGAAA	1,032,541	92
2781.	GAAAAGAAGGATATTCTCTTATCA[T, C]TTATTGTTTCAAAATTAATTTTAT	1,032,628	92
2782.	ATTAAAAATTTTTTCTATAACAA[G, A]GAGGGACATATCAAGAAGGATTGTA	1,032,698	92
2783.	CTCATAAAATAAATATTTTTTCT[A, G]TAACAAGGAGGGACATATCAAGAAG	1,032,705	92
2784.	AGATTGAAACATGAAGGGTCCCA[A, G]TTATTTCATGTGTTTCACAGGAGCA	1,032,817	92
2785.	ATCTCCTAGTGTGTGCAAGAGGAA[A, G]AAAGATTGAAACATGAAGGGTCCC	1,032,844	92
2786.	AATAGTTTATCAGATCAAGTAAAG[T, C]CTTAGCTGGTATCTTAATGAACAAG	1,033,102	92
2787.	AGTTTCACAGCGAGAGATATTAGG[A, G]GATCTGTTTCTGATAACGAATTGGC	1,033,178	92
2788.	CTTTCATGATTATTAAAGAGTTTCA[C, T]AGCGAGAGATATTAGGAGATCTGTT	1,033,195	92
2789.	GAGCATTCTAATAGATTATCTTTC[A, G]TGATTATTAAGAGTTTCACAGCGAG	1,033,214	92
2790.	CTTTTACTTATAGTTATGACCCCC[A, G]TTTACTCTCATCGCATTATCTAA	1,033,394	92
2791.	CATCATGATCGTAATTATGAGCAT[A, G]TTCTTTTACTTATAGTTATGACCCC	1,033,421	92
2792.	ATGTTTTATAGTTGTATAATAAGT[G, A]TTATTAGCAGAATTGTGTTAGAAAA	1,033,475	92
2793.	GAATATATACTAATATGATGGAT[C, T]ATAGTTTAAATATGAATTATATGTA	1,033,673	92
2794.	AATTACATAAAGATGGAGAATTCT[A, G]CATTCAAAGATGGGAATAACCTAGA	1,033,753	92
2795.	GACCCAAAGGTTACTGTAATTTGA[T, G]ACAAAATTAATAGCAATAGGTTAGC	1,033,810	92
2796.	GTCATTGAGGGCTGATGATTTTTT[C, T]TCTCATTATAGTTTTAAATTTACAT	1,033,881	92
2797.	TATTGTAATATTCAAGTGATTTTT[T, C]GCATAGCCCCAAGGGCTCGGAGCA	1,033,954	92
2798.	TATTTGATAATTTTGCTCATTATT[G, A]TAATATTCAAGTGATTTTTGCATA	1,033,974	92
2799.	CCGATTTGAGCATTTTTTTtGAACC[G, A]TTGGACTCATGATGGCTTGAAGAAT	1,034,077	92
2800.	GAAATAATTATCTTATAGAAAAGT[C, T]CCTTTTTTGTCTGAGATTTACGATT	1,034,183	92
2801.	TGACATAGTTTATTACAGAAAAAT[C, T]CCTGAAGTTTTCTGACAGACTTATT	1,034,235	92
2802.	CCCTGACATAGTTTATTACAGAAA[A, G]ATCCCTGAAGTTTTCTGACAGACTT	1,034,238	92
2803.	TAAAATTATTTTGCAAATAAACCC[C, T]TGACATAGTTTATTACAGAAAAATC	1,034,260	92
2804.	CGAACCCATAATAGCCTTTTCGGGT[C, T]TTAGGTTTGATCCATTAAGGTTTCA	1,034,344	92
2805.	GCTTCTTGTCTTCAGTGGCTGGG[T, G]GGATAGGGCGGCGCTCGACCGCTC	1,034,489	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2806.	CGCGGTGTCTCCGTGTGGCTATGA[A, G]AAATCATGGCTTCTACCATGGCGAT	1,034,587	92
2807.	CGGCAGTGGGAGCCACCACCGCAC[G, A]CGGTGTCTCCGTGTGGCTATGAAAA	1,034,610	92
2808.	GGGTCGCCGGCGGAGGGGAGCTC[C, T]TGCTCCCCGACGGCAGTGGGAGCCA	1,034,645	92
2809.	TTAAATATATTTTTTtATATTTTt[C, T]AAAATAAAATAAGATTAAAAaATT	1,034,827	92
2810.	TTGCATAAATATCAGAGTACGATC[T, C]AGATATAAAGGAATTAAATTATCTA	1,034,947	92
2811.	AATCATCATATTTGGCAAGATGACG[A, G]CGGAAGGTATAGTTTACTTATGATT	1,035,004	92
2812.	AACTCTTTGGATCAGCCATATATC[A, C]TGAATCAATTATAGTAAGCCTAATT	1,035,288	92
2813.	ATTCATAATATGATCTAATTATCA[A, T]TTAATCAGATTTAACTCTTTGGATC	1,035,325	92
2814.	TGATTCATAATATGATCTAATTAT[C, T]AATTAATCAGATTTAACTCTTTGGA	1,035,327	92
2815.	GGTATATAAAATATTGGATTTGA[T, C]TCATAATATGATCTAATTATCAATT	1,035,348	92
2816.	CTATCTTGCTTCTTTTTCTTGTC[C, T]GATGGATTCTACACAAGCCTTTATA	1,035,475	92
2817.	ACAAGTTAATGAGAATTATTTTTT[G, A]TGTAATCTTCTTCTTTTTCTCTT	1,035,504	92
2818.	TAGAACCTGATAAATGTGTCTCTT[G, A]ACTTTCTCAAGATGATATTTAGAAT	1,035,821	92
2819.	ACAAGAGATTATGCGAAAGAATAT[G, A]ACTTTCTACTGAAAGAGAGAGGAAA	1,036,020	92
2820.	TAGAAAGAATACAAGAGATTATGC[G, A]AAAGAATATGACTTTCTACTGAAAG	1,036,030	92
2821.	TTCCACCAAGTCCTAGAGATCTTG[T, C]GATATGAAGAGCATCCTCATTTGGA	1,036,262	92
2822.	CTTGATTCTATGCCCCGAAAGCTT[C, T]TGGAGTACTTGCTGGTTCTTCATAG	1,036,317	92
2823.	CTGGATGAAGAGTAAGGCCTTCGC[A, T]TTCTTCTTTTTGCACTCCCTATACT	1,036,379	92
2824.	TATTTCTATCGGAGCCTTGAAATC[C, T]TTTTTTtAAATTTTtCATGCATCTT	1,036,481	92
2825.	TCCCTCCACAAAGATTGAAGCTTG[A, C]TACAAGTTATTCTATCGGAGCCTTG	1,036,513	92
2826.	AGCTGGCAACTCTTAAATTTTTT[A, G]GACAATTTTGCAATCTGGAATAATA	1,036,656	92
2827.	CAAAATTTAGCTGGCAACTCTTAA[A, T]TTTTTTAGACAATTTTGCAATCTGG	1,036,663	92
2828.	CCCATTAGTTTCATGCAAGGAGAAA[A, G]GAGATAAACTCTTGATTCTTCAAT	1,036,730	92
2829.	GAGGCGAACCTGTTCATTCTTTCC[T, C]CATGTGCTTTAAGAGAGCCCATTAG	1,036,772	92
2830.	CTGTTTATGCCTATCTTTTTGCCT[T, G]GAGCTTCCAAAAATTTGGCTTCCA	1,036,929	92
2831.	TTCTTGCAAATAAAACATTAAGAT[A, G]AGGAATTACCATTCTTGGGTACT	1,036,977	92
2832.	CATTTAAATGATAATTTCTTGAT[T, C]CATGCCAACTTCTTGCAAATAAA	1,037,013	92
2833.	ATTCTTTATACTAACAATCCCTCT[C, G]AGAAAGATTGGAATTTTGCATCTT	1,037,066	92
2834.	ATTGCTTCATTAGGTGCTTTT[A, G]TTCTTTATACTAACAATCCCTCTCA	1,037,090	92
2835.	CCACACCTCTGCCTTCAACTTATT[A, G]TAGTTGCCATCTCTAAGCTTGATT	1,037,292	92
2836.	TGAAGTCATTTTGATCTTAGCAAT[A, G]ACAATATCTTCTTCTTATCAAGAA	1,037,483	92
2837.	AAATCTTGTTTGAAGTCATTTTGA[T, A]CTTAGCAATAACAATATCTTCTTC	1,037,493	92
2838.	TTCAAGCCTTTATAGTTGAGCTGA[T, C]CATATCTCAAATGCCATAAGTAAGA	1,037,602	92
2839.	CAACTTCAAGCCTTTATAGTTGAG[C, T]TGATCATATCTCAAATGCCATAAGT	1,037,606	92
2840.	GAAGCCCAATTACCATATTTTAT[T, C]TTTCAACAACCTTCAAGCCTTTATAG	1,037,637	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2841.	CCAAGCCCTCTTGAAATGGAAG[C, T]GATGCAGTTTCCATAAACACAACC	1,037,719	92
2842.	TCCAAGCCCTCTTGAAATGGAAG[C, T]CGATGCAGTTTCCATAAACACAAC	1,037,720	92
2843.	GGCCTCCAAGCCCTCTTGAAATG[G, A]AAGCCGATGCAGTTTCCATAAACA	1,037,724	92
2844.	TGGCCTCCAAGCCCTCTTGAAAT[G, A]GAAGCCGATGCAGTTTCCATAAAC	1,037,725	92
2845.	GCACTAGCTCTAGCGAGCTTGTG[G, C]CCTCCAAGCCCTCTTGAAATGGAA	1,037,747	92
2846.	TCAACGTGCACTAGCTCTAGCGGA[G, C]CTTGTGGCCTCCAAGCCCTCTTGGA	1,037,754	92
2847.	ACATCTTCTTGGTATAATCATCAA[C, T]AAGAGAAGAAAAATCTTTTGA	1,037,837	92
2848.	TTGAACTGGAAGAAGAAAGAGAAT[G, A]CCTCTGACTTTTGCTCAAGAAAGAA	1,037,892	92
2849.	GCTCTACAAAAGCTTTGAACTGGA[A, G]GAAGAAGAGAATGCCTCTGACTTT	1,037,906	92
2850.	TTTGATGATTGCTTTGCGCTCTA[C, T]AAAAGCTTTGAACTGGAAGAAGAAA	1,037,924	92
2851.	GTAGTTCATGAAGGTTCCAAAGGT[G, A]AATCTCCTCCACGATCTATTCTTA	1,037,983	92
2852.	GCAACTCCATTTTATTCTGGTGTG[C, T]AGCGGATAGTGAGTTGTCTCTCGAT	1,038,048	92
2853.	GGCAAGCCTTTGCATTTCATCATGC[A, T]TCTAGCCATCTCTACAATTGTGTAA	1,038,110	92
2854.	AAAAATTATTTGGCAAGCCTTTGC[A, C]TTCATCATGCATCTAGCCATCTCTA	1,038,121	92
2855.	TGCCAAGCTTCATAAGGAGTTTTG[T, C]TCAGCATTGCTTTTGTGGAGATCT	1,038,209	92
2856.	ATGCCAAGCTTCATAAGGAGTTTT[G, A]TTCAGCATTGCTTTTGTGGAGATC	1,038,210	92
2857.	CAAAGACTTTAAGATGATTTACCT[C, G]AGGCTTTGCCTATGCCAAGCTTCA	1,038,247	92
2858.	AGTCAAAGACTTTAAGATGATTTA[C, T]CTCAGGCTTTGCCTATGCCAAGCT	1,038,250	92
2859.	TGATCAAATTTATCTCTATTTTGA[G, A]ATGGAATAAGAGAATAAGCTATGCA	1,038,299	92
2860.	TACAAGTTCATCAAGAATACATC[T, A]CGAGAAACAATAAGTTGATTTTTTG	1,038,417	92
2861.	CCCATTATTATGCTACAAGTTCAT[C, T]AAAGAATACATCTCGAAGAAACAATA	1,038,430	92
2862.	GATGATTGACTTGAAATGTCTT[C, T]CTTAATGCTCTCATTGGGCTTGTT	1,038,555	92
2863.	TGTAAGCTGCACACCTTTTTTGGG[A, G]TGAAATAGAATCTGTGATGATTTGA	1,038,595	92
2864.	GTGGTTCACATGAAAAGAAGGCAA[C, T]ATTACAAGATTCATAGATCTCATGT	1,038,642	92
2865.	TCTTCATCTATGAATTTTAGCCAA[A, T]TCTCATCTTTTCTGCTTTTTTAAA	1,038,697	92
2866.	AGAGATCAACAAGCTCCCATGTGC[A, C]ATTTCTTTGATAGTGATTATTTCT	1,038,744	92
2867.	CTTTGTGCTTATCGATTGAGTCAT[T, C]TTTtTTGAACTTGTCTTATAGATC	1,038,825	92
2868.	GCAACAGCAAGAACCATTCTCACT[A, G]TTTCTATACGAACAATAGATGCAAA	1,038,931	92
2869.	TCATTTGAATTGCAACAGCAAGAA[C, T]CATTCTCACTATTTCTATACGAACA	1,038,942	92
2870.	TTGCTTTAGGCCATATAATGCCTT[C, T]CGAAGCCGATACATCTATTTTCTT	1,039,094	92
2871.	TAGTGAAAATAGCCATCAATTCTG[G, A]TGTTCCATGCATGCGGAGCTTGCTT	1,039,138	92
2872.	TCAAATCATCAACATATAAGCAAA[A, G]GATTAAGAAATCCTTACCTTGCAAT	1,039,233	92
2873.	TTCTTCCATTATGATGTCGGTGTA[G, T]ATCAAATCATCAACATATAAGCAAA	1,039,259	92
2874.	TAACCTGGATGCCAAGAAAATAAT[G, A]CATAAGTCCAAGATCAGTCATTTCA	1,039,335	92
2875.	TTCTATTGTGATATGCAAAATTTTT[T, C]CATTGACTGAGTAACTTGGATGCC	1,039,372	92
2876.	CAATTTCCCATATGAAACTTCTTG[A, T]GCAAATCTTCAATATACTTCTATTG	1,039,414	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2877.	TGAAATTTCTTATTTTGTGCCAA[C, G, T]GACTGGCCATCGGCTTGCAATTTCC	1,039,456	92
2878.	TGTATGTGTGACATAAATGAGTGA[A, G]CCAACATAAAGTCTATAAGTTGTGG	1,039,535	92
2879.	TTTGCTTGGTTGAATCATAAATCT[G, A]GATAAGAGACTAATCGAAAAATAA	1,039,595	92
2880.	GTTCTTAGGCAAAATATGTAGCCT[A, G]ATGTACTTTTGCATCATCAAAAGA	1,039,768	92
2881.	ACATCAGTAGCTGAAATATATTCT[A, G]CTTCAGTAGATGAAAGTGCCACTAC	1,039,852	92
2882.	GATATGCTTGGTCCTGTTATGAAA[C, T]ACAAGATTCTTTATCATAGCTATTG	1,039,994	92
2883.	TGACAAACACTAGTTGAATATCTC[T, C]TTTCTCAACAAGTCTCTGATGAAAT	1,040,057	92
2884.	AGATGACATTGGAAATCCCAAGT[T, C]TCTGAATTTCTTAAGACTATTAAT	1,040,246	92
2885.	CAGAGTTACAATATGACTCTTAAT[G, A]TTCTAGAACCTGATAAATGTGTCTC	1,040,308	92
2886.	CAACTCATGCTTCACATCATACCA[G, A]GGGCTCTATTGCCTCCTATTTATAG	1,040,409	92
2887.	AGGGAAGATATCATAGGAAAGGC[C, T]CAACTCATGCTTCACATCATACCAG	1,040,434	92
2888.	GAGGGAAGATATCATAGGAAAGGC[C, T]CCAACCTCATGCTTCACATCATACCA	1,040,435	92
2889.	CATCATCACATACCTTGTGGGTGC[T, A]AGAAAGAATACAAGAGATTTATGCA	1,040,513	92
2890.	ACACCAAGCCTCTTATTATCAGG[A, T]TGAATTCCTGCAAGCCATCAGGCT	1,040,671	92
2891.	ATTTAaAAAAAaTCGATCATGG[T, A]GTATGGTAGAATATTTCAAAGTCTG	1,040,740	92
2892.	AAAATAATATTTAaAAAAAaTC[G, A]ATCATGGTGTATGGTAGAATATTTT	1,040,748	92
2893.	CTCAGCCCAAGTATTGTATTTTG[G, A]AAATAAGATGAAAAGAGGGGTAGAT	1,040,815	92
2894.	TATTCAAAATCGCATGTTCAATAT[G, A]TGGTTTCACCGTATCCGTGCAAACT	1,040,863	92
2895.	GCACCCACCTCACCACCCACC[A, G]TCCAGCCACGCCCCAGCCGCCAG	1,041,175	92
2896.	GCTTCATACCAAGGGCAAGCAGG[A, G]GCTGCAGGTGTGGGCTTCTCCAAGA	1,042,223	92
2897.	AAAATATCATTATTATTAGAAATA[G, A]AAATAGAAGGTATAATAATATTATT	1,042,587	92
2898.	TATTTGATTAATAATAAAATATCA[T, C]TATTATTAGAAATAGAAATAGAAGG	1,042,602	92
2899.	AGAAGGAAGGGGTGCTGGGCTA[C, T]AGGGGCAGTAGAGTCAGCACGGGg	1,043,225	92
2900.	TACCATAACAAAAaTTTAAaTT[T, A]AAAATTTATTTtAAATTTAAACTA	1,043,443	92
2901.	TTGATAGGGACACGACGAAACCAC[G, A]TATTGTGGTTTAATATGTGATTTCA	1,043,524	92
2902.	ACTTGAGGTGAGTTGATAGGGACA[C, T]GACGAAACCAAGTATTGTGGTTTAA	1,043,536	92
2903.	GTGCTGGTTTACGAGCACGTACC[A, T]TCAAGGCTCTACCGTGACAGAACTT	1,043,929	92
2904.	TGAAAAATCAATAATTAAGCAAAA[T, C]TTTTATATGAAGTCCATTTGATATA	1,043,994	92
2905.	CTTAAATCAAAGAATAGAATCACT[T, A]GATGTCCCTTAAATGTCTATTATTT	1,044,066	92
2906.	GCCTAATCATTATTTCTCCGTTGC[A, T]AGAGATGCGTCTCGGTGGCAGATGG	1,044,569	92
2907.	AATTTATGAAGATAATGACCCTT[T, G]TTCTTATTTTCTCTTTTACATA	1,044,802	92
2908.	AAGCCTTGCTGATACAAAATTGG[G, A]TTCAATTTATGAAGATAATGACCC	1,044,830	92
2909.	TGATTAAGTCCGATTGTAAACATG[T, G]GGACGACACATTTGTGAAGCCTTGC	1,044,871	92
2910.	TTGAATCACAATTTAATAATAACT[A, C]CCGCTATGATTAAGTCCGATTGTA	1,044,902	92
2911.	AAGGTAGGTTGGCGATTAATTATA[T, G]GCTAAAGAGCAGTAGGTTTCAACCC	1,045,079	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2912.	ACACAGAAATACAGACTTCTCTCT[A, G]GTTCTTACTCATGCTGCAGACCATC	1,045,610	92
2913.	TTCGTGGCAGAATAACAGAAAAGT[C, T]CAGAGATAATAGAAGGGTGAAGAGA	1,045,663	92
2914.	TAAACATAGTGAAGCTTTGAAAAT[A, G]TACTTCTGTTACTATGCCCTTGCAAT	1,045,712	92
2915.	CTTGTAGTGCATGCCAAGTCTCAA[T, A]AACATAGTGAAGCTTTGAAAATAT	1,045,736	92
2916.	GATAGGATAAATACATTGTGAAC[T, C]GATCTATTTACCTATGAAAGAGCA	1,045,833	92
2917.	ATGTGCAAAACCTTAGAATTACCG[G, C]ATAGGATAAATACATTGTGAAC TTG	1,045,857	92
2918.	ATTTGATGTGCAAAACCTTAGAAT[T, A]ACCGGATAGGATAAATACATTGTGA	1,045,862	92
2919.	TCGAAATTAAGATTCAAGTAGCACG[G, A]TATGGTTATTTGATGTGCAAAACCT	1,045,894	92
2920.	CAAGTTGTTTATGATCATTTGAGT[T, C]ATAAAATTATCGAAATTAAGATTCA	1,045,928	92
2921.	TGTCTCTGGTTTTTGTGTGCCACC[A, G]AGTTGTTTATGATCATTTGAGTTAT	1,045,951	92
2922.	AAATCATTTTGTAGTCATGCTGA[T, C]GGCACTGTCTCTGGTTTTGTGTGC	1,045,981	92
2923.	AAGCAATCCATGTAATGGAATTGA[A, G]CTGCAAGACATCAAGCTCACCTATG	1,046,044	92
2924.	GTCTTGAGTATTTGTTTCAAGGCC[T, A]GACGTATAAAACAGTGATGGTGCT	1,046,766	92
2925.	GTCCTGGCCATGGCATCAGGTAAT[C, T]AAGGGAACATGCATGTATTGCATTA	1,047,464	92
2926.	TGTACATTACGAGTCCACCAATTT[G, A]AAAAAGACCATATAATAAATTAAT	1,052,907	92
2927.	TTACGGGAAAAGTACGTGGAAGTA[C, T]TGTTGAATGAAGGAATCCAGAAATT	1,053,273	92
2928.	AGGTCTtTtTTTTTTCTCTTTA[C, A]GGGAAAAGTACGTGGAAGTACTGTT	1,053,294	92
2929.	GATTTCAAAAAGAGTGTCTACTGC[A, G]CATTAAATCCATTTGGTGAGGCACCA	1,053,350	92
2930.	GATTATAATAAAAGTGAACATCAG[G, A]CCGTTCATTAACGCCTCACTAATCA	1,053,684	92
2931.	TTGTCTTCAGTTCTTTCTTTTCC[C, G]TTGTTGGGGTGTAGGCCCCCAAAT	1,053,837	92
2932.	ACAAGACAATATTTTCAAAGTTC[T, A]TATGATAAGTCTGCAGAGGAAAACC	1,053,980	92
2933.	ATGGGGCAGTAATTTTGGTCAAT[G, A]ATGATGGGATTTCGGACATTCTGCA	1,055,501	92
2934.	TGGCTTGTTTCCGTAGGTAAGCTT[G, T]ATGCTTTCAGTCCAATTCGGTGC	1,055,902	92
2935.	CAACTCGAAGAGTCAGAAGCAACT[T, C]GGCACAACAGAACAGAGGCAGTAC	1,055,980	92
2936.	CATTCCATGTCTACTAGAGTAACG[C, G]TTGGACATGGAGGATAAGAAAAGTT	1,056,097	92
2937.	TATCAATCCATTAAATATTTATTC[C, T]ATTCCATGTCTACTAGAGTAACGCT	1,056,121	92
2938.	AGACGATTGCATTCTAATTAGAG[A, G]GATTCAATTTAAAAATTATACAAAC	1,056,577	92
2939.	TTCTCTAATTAGACGATTGCATT[C, T]TAATTAGAGAGATTCAATTTAAAAA	1,056,587	92
2940.	CTAATTAGACGATTGCATTCTTAA[G, T]CAGAGGGATTCAATTTAGAAATTAT	1,056,649	92
2941.	TGGATGTTTTCTGTTGTTATTATA[T, C]GTACACTTACGGATTATATGTATGT	1,062,643	92
2942.	CACCAGGATGGTCGAGGTCCCG[C, G]GAGCCGAGGCGCGTCCCATGCAC	1,062,871	92
2943.	TGCCCCGGCCATCGATGGTCCCG[C, T]GGACACAGAGAGCCCTGGACTCCA	1,063,064	92
2944.	CAATAGGAAAGAAATAAGGATCAA[A, C]TGAAGGACCGCCCGAGGAAACGTAC	1,063,167	92
2945.	TAAGACGGAGAATAAATTACAATA[G, A]GAAAGAAATAAGGATCAATGAAGG	1,063,186	92
2946.	GAATTACGTTATCATATGAGTTAA[G, C]ACGGAGAATAAATTACAATAGGAAA	1,063,207	92
2947.	AAATAAAATACTGAAGCTACAGCA[G, A]TCATACCTCCTCGTCTTCAGGAACG	1,064,468	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2948.	AGCCATTATTTTtCTTCCTTGAA[G, T]GTACGTTAGCCATTAATTATATGCT	1,064,653	92
2949.	CAGATAATATCATACTTACCATAG[T, C]TTGTGCTAGGGACATGAGGTTAGCC	1,064,699	92
2950.	TGTATAGAAGTATGGAGCTTCCGT[T, C]AGCACGGTTCTCGAAAAaGAAAAA	1,065,057	92
2951.	GTATCAAAAAAaTATAATGAA[G, A]TTTAGAAAATGTACTTTTGTACTA	1,065,344	92
2952.	TCTCAATCACTTGACAGTACTTG[C, T]AGTGCATGCCAAGTCTCAATAAACA	1,065,408	92
2953.	GATCACTTGAGTCATAAAATTATC[G, A]AAATTAAGACTCAGTGGCACAGTAT	1,065,566	92
2954.	TGCAGTGAAAGCAATCCATGCAGT[G, A]AAATTGAGCTGCAAGACATCAAGCT	1,065,702	92
2955.	TTTCTTTtGTTTTCGATAGAATT[C, G]TCTGCATCACAAGTGGTCATGAAC	1,065,757	92
2956.	AAATTGAAAAATTTTtGCTATG[A, T]ATTTTGTAGCTTTCATTTTCTTTtG	1,065,798	92
2957.	GATACAATCCAAGCCCATGCGAGT[C, G]AGTGGCAACCTATGTCATCTTTTGG	1,066,133	92
2958.	ACTTCTTTTATGCATGAAGCCATC[G, A]TTGGATTGCACAATGGTCGCTTCAA	1,066,251	92
2959.	GCAGTCCCCACCAGATTTGGTCAT[G, A]TAGCATTACTTTCTTTATGCATGAA	1,066,283	92
2960.	TATGCATACTTGTACGAGGAATTC[C, T]TGCGTCAAAAATCTTTGGGACCAA	1,066,433	92
2961.	AACGGAGAAAAAGATCACTATGCAT[A, G]CTGTACGAGGAATCTCTGCGTCAA	1,066,450	92
2962.	CACCATCCTTCGTCTTCCACTATT[C, A]ATGTGCGAGAATAACGTGAATAAAA	1,066,639	92
2963.	ATGAAATTAAGTTTATTTGCAAGG[A, G]GAAATGCGTCATATTGGGGTGGGGC	1,066,702	92
2964.	CCTGCGGTCTCTGGCCATGGCATCA[T, A]GTAAGGAACATGTATGTTGCAT	1,067,110	92
2965.	CACATTGTGATCGATGACTGTCAG[A, G]GAGTGATGGTACAAGGTGTCAAGAC	1,067,306	92
2966.	TGCAGTCGTTAGCCTTCCATGGCT[T, C]GAAGAACATCATGATAAGTGGGCTG	1,067,380	92
2967.	TAACCTTAATTATGCGATAACTTTA[A, T]TTCATCATTTCTTCATGCAGTCGTT	1,067,420	92
2968.	CAATTGTTTTCTGTCAGAGGATGAT[C, G]AGGTTGAATCGCATTTTAGGATGGT	1,067,654	92
2969.	ATTTGCCTCTCCAACAATTGTTTT[C, T]GTCAGAGGATGATCAGGTTGAATCG	1,067,668	92
2970.	ACGACACCTCTTTGATAATTCGGA[C, T]AGTATCTATAGACTCTGCATCTAGC	1,067,788	92
2971.	ATATATATATATTTCTAAATTTTA[G, A]TTATTTAAAAATTAATTTTTTtATT	1,067,927	92
2972.	AAGTCCTTAAATTTCTCAATAGCA[G, A]CAGCAATATGATCATATTTTGGAGT	1,069,271	92
2973.	AAAGCTTGACAAGCTGAAAATGCT[T, A]CAGCCACATACTTATTTCAGAAGA	1,070,096	92
2974.	TCTCGGGGATGCTTGCTTCTTCTC[G, C]CAGCCACAAAAACCTCCCAAGATAT	1,070,959	92
2975.	GGTGGTATCCTGGCCAGACATCCA[T, C]CCAACACCCGTGCCTTCAGAACTCT	1,071,130	92
2976.	AGGATCTTGGGAGGTGGTATCCTG[G, A]CCAGACATCCATCCAACACCCGTGC	1,071,142	92
2977.	TTtTCTTTCTTCTGCTGCATCGC[G, A]TGGTACTGAAAGGATCTTGGGAGGT	1,071,177	92
2978.	CCCGTGGAGGCGAGCTCTTTTGTG[A, G]CTGATCCACGTATTTTGATTGTTTT	1,071,242	92
2979.	ACTTCAGGTGAGAGAGAATTGGGT[A, G]TACAAGGGTTGAGGGTGAGGTCTCC	1,071,330	92
2980.	AAGAGAGAGAGAGCTTTTGTGAGG[A, G]GAACTTCAGGTGAGAGAGAATTGGG	1,071,357	92
2981.	AAGGAGCAGGAGGCTCCTTGACAG[C, T]GGTCGCCAGGCTCTTCAGGGGTCA	1,071,417	92
2982.	ATCTGAGAGCGTGGGTGGCTCCCG[A, G]TCTTGATCCGACGGTCCAGGGGCTA	1,071,623	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
2983.	ACCCGGCTCAAGTTTGCTTTGGTT[G, A]ACTAGAATAAAAGTGAACATCAGGT	1,079,120	92
2984.	CCCCCTCCTTTTCGTCTCTTTTCC[T, C]CCTCTCCTTTTCCCAAATGAGAAA	1,079,244	92
2985.	AACTAGGGGTTTCTCTTTTCCCC[C, T]CTCCTTTTCGTCTCTTTTCTCCTC	1,079,265	92
2986.	CGAATGCAAGTTTCTATGATAAGG[C, A]TATATTTTCAAAGTTTGTATGATA	1,079,477	92
2987.	GTGAGGGTAAATGGGTCAATTCAT[A, G]GTGTTACCACTACCGTTGCGCCGG	1,080,311	92
2988.	TTACTATGTACGTAGAACAGCAGT[C, G]AGTGGCAACAATAAAAAGCTGTGA	1,080,357	92
2989.	ACGACTGCATGGAGAGGAGCACAA[T, C]ATAACATATGGTCAGTCAATTTAC	1,080,403	92
2990.	TCGAGTTCCTGAACACTAACGACT[G, T]CATGGAGAGGAGCACAAATATAACAT	1,080,421	92
2991.	CCGTCACCGCCTGGCAGCCATCGA[A, T]CACGATGTGGAACCTCTCGCTATTG	1,080,502	92
2992.	ATGCCAGGTCCGCAAGTGACCTT[C, T]TCGATCCATAGGTTTCGTGCGCCAG	1,080,681	92
2993.	CATCACACGTGTGAGTGTCCAAC[G, A]TAAGCATCTTATACGCGTGAAACTC	1,080,781	92
2994.	CCGTTATGTTTCATGAGAATACCGA[A, G]CATGATAGAATACGTTATTCTATAC	1,081,141	92
2995.	TTAAGGCCGAAATATTATCAATA[A, G]AAAaGACATATCGATCCATTAAATA	1,081,672	92
2996.	CACCCCTTGAGGACTTTTTGGGCAC[T, C]GGACGAATATTGCGTCGTTAATTGG	1,081,743	92
2997.	GGGCTTGTTTTTGTAGTGTAGGCCA[A, G]AATTTTGAACTAAGTTTTCGTCTCT	1,081,922	92
2998.	AAATAaaaaaTATAAAAAAATAA[T, C]TTAGTACTTCACATAACATTAAAAAT	1,082,475	92
2999.	TCCTTGATGTAATGATGATCCACT[G, A]GTCTCTCTTTTTTATATTTAGGGAT	1,082,601	92
3000.	TTAATCCAAAATAAATGATTAAC[T, G]TACTTTAACCTAATTGATTTTAAAC	1,083,078	92
3001.	CCACCCCTCTTGCCACATTCTATA[G, T]ATGCCCATTTTCTACATATAAAATA	1,083,280	92
3002.	GTCCGAGTTGGGAGAGGCGGTGCA[A, G]GCTTTGTCATCCGTGGTCCGGATGA	1,083,976	92
3003.	AGAACCCCTACCTTAGGGGTTTGT[T, C]AAGATAAAATTTGATGGTAGTGTCC	1,084,022	92
3004.	TAGGGTTCTATCCATTCTTGAGA[A, G]CCCTACCTTAGGGGTTTGTTAAGA	1,084,043	92
3005.	TCCTTGCTTGATCCATCAGAGTA[T, C]GGTTGATTGGATGGCTATGGATGGT	1,084,288	92
3006.	TCGTTCCGTGGGGTGATTTAGGA[T, A]GCCTGAGTTTGTAGCATTCTTTTAT	1,084,851	92
3007.	GGGATCTATTCTTATTGACGAAG[C, A]GGGAGGCTCTGCTGCCAGACATGT	1,085,067	92
3008.	AATTTTAAAAAaTAAAAAaTTAGT[C, A]TTTATTTATAATAAAATTTTCATC	1,091,438	92
3009.	TTTATTGCCAATAGTTAAAAAAaT[C, T]AAAATTTTAAAAAaTAAAAAaTTAG	1,091,465	92
3010.	TTTCGTGCTCAATAATATTATTGG[T, C]GATGAAAAATAAAATTGATCATAAA	1,091,911	92
3011.	TCTTTCACCTCTTCAGGGATCGAT[A, G]GATGAGGTCGCTAGATGAGGACTGT	1,092,506	92
3012.	GGAGGGATCCGAAAGGAGATCTT[C, T]ACTTCTTCAGGGATCGATAGATGAG	1,092,525	92
3013.	AGCTACGAGGAGTGACGGTGGTA[T, C]TGTGGCTGATAGTGGAGGATCCGA	1,092,563	92
3014.	GGCTTACTTGAGCATGAGTTGGGG[A, G]AGCTACGAGGTAAGCTCTTTGAGCA	1,092,747	92
3015.	AGTGACATCTTCCAACAGATTGAG[C, T]GGGTTGAGGCTGATATTGAGGAGCT	1,092,822	92
3016.	ACTTTTGTCTTTGAGAGCCTTGA[T, C]GGAGTTTGTCTCCATTGTCCACTTC	1,094,138	92
3017.	TGACCTTGACCGTCCATTACGATC[G, A]AGGACCGCTGGGGTTCACCCGTGCA	1,094,263	92
3018.	ATCCAACCTTGACCTTGACCGTCCA[T, C]TACGATCGAGGACCGCTGGGGTTCA	1,094,271	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3019.	TCGAGCTGGGGTTTCATGGTGAGG[A, G]AGATGCGTGATCGTTTGAAAGATGA	1,094,870	92
3020.	AAGATCGTATCCCTGCATCGGTGG[T, C]TGGAAATTGCACTTAGGAGTGCTTT	1,094,982	92
3021.	GGACATGCATGCTTTCAATCTTCT[A, G]GTTTGATTTTTTTtGAGTCAACTC	1,095,032	92
3022.	AGGAATAGTTTGCAAATGATACAA[C, T]GGACATGCATGCTTTCAATCTTCTA	1,095,057	92
3023.	ACCTAAATCACATTTTGAATAG[G, A]AATAGTTTGCAAATGATACACGGA	1,095,079	92
3024.	GACGTTTTGAGATTCTTGTCAAAA[G, T]TGGGACAATTATTTTCATTTTTGGTA	1,095,247	92
3025.	TATATATTAAATTATTACTGTACG[G, A]GTGCTTAGCAATATTTTAGCTCTGG	1,095,426	92
3026.	ATATATACATATATATTAAATTAT[T, C]ACTGTACGGGTGCTTAGCAATATTT	1,095,435	92
3027.	ATGAGTTTTAATTTAATTCTTTAA[C, T]ATCATAATATTTTTtATTTAATTA	1,095,595	92
3028.	ATATTGATATTTGCATCTATTAT[T, A]TATATTTAGATATAAATTTTTAATT	1,096,413	92
3029.	GAGTTAGACTATAATTTAAATCTA[A, G]TTAAGGAACTGATCGTTGGCTGTA	1,096,830	92
3030.	AAAaATAAAAATTATACATATTCA[C, T]CTCTGCATGAGTTTTTTTTtGAAT	1,097,000	92
3031.	GATTAATTAATATTATATAATTTT[T, A]AAAaATAAAAATTATACATATTCAC	1,097,025	92
3032.	CATCAAAACCTCCTCCGCCTCTCT[C, T]CTCCTCCTCATCCCCACAACCATC	1,098,467	92
3033.	AGTTTTCCCCTACCCAATCTCATG[G, A]CATGGATGAGGATAAGGCCGTGAGA	1,098,663	92
3034.	TCGACCAAAATAGAGGAAGTTTT[C, T]CTACCCAATCTCATGGCATGGATG	1,098,680	92
3035.	AGAATCGGTCTCATTGGACCTGGT[A, T]AAGCATGAAGCCAGCAAAGATTGCC	1,098,777	92
3036.	AGGGGGTGAAATCCAGAATTGAC[A, G]TAGAGATGTCAAATTATGAAGTATT	1,099,052	92
3037.	TCATAATTATGATGGATCAATATT[G, A]TTGCCTAAAGCCATTACTACCTAAT	1,099,437	92
3038.	CTATATCTATTTGGTTAGATGGT[C, C]AAGATATTATGTTTTATCATAAAAA	1,100,201	92
3039.	TTTATGATTTCTATATCTATTTGG[T, A]TAGATGGTCAAAGATATTATGTTTT	1,100,211	92
3040.	ATTTGGATTTTGACATCCATAAGG[A, T]AATGACTAAACTCTTTACAATGTA	1,100,315	92
3041.	AAGCAATCGTGTAACCAAGATTAA[G, T]TATTTGGATTTTGACATCCATAAGG	1,100,341	92
3042.	TCACTGGACAGCTCATCATGTTTCG[T, C]ATATTGTAGAAGTCCAATTCGGGGG	1,100,754	92
3043.	CGGCGTCCCATGCATCAAGGAATG[C, A]TTTGGTCGAATCCGTCTCGCCATCT	1,101,813	92
3044.	ATAATCGGTTGGTGCAACAAGGGT[A, G]CCGTCGATCTGGACGGTGATGTAGC	1,101,953	92
3045.	TACAATAAGAAAGAAATATGGATC[A, G]AATGAAGGACCGCCGAGGAAACGT	1,102,146	92
3046.	AAATGACGAATTACGTTATCATAT[G, T]AGTTAAGACGGAGAATAAATTACAA	1,102,191	92
3047.	ACCATGTGGTACAGCTCGCTGTTTC[C, T]TCGACCTCAACCACTGATCGTTAC	1,102,283	92
3048.	TTAAAAATTCAGCTCAGAAAAGC[C, T]GTAACTTATATATATACATATTG	1,103,302	92
3049.	GTTGGCATAATAAGAACAACAAA[C, G]TGAAAATTTTATTTTCGATATATTTT	1,103,663	92
3050.	ACTTGGGTGGGTTAGATTGGATCG[C, T]GGGCAAAACCCATGCCAACTCAACC	1,104,572	92
3051.	GCCATGCCTAAGTACCAAGGCCT[A, T]CCTAAGCACTTTTAACAAAAACTTT	1,105,060	92
3052.	AATACCTCTCATTGTTCTAAATTT[C, T]AATATATTTTATGATTTAGGGATTG	1,105,165	92
3053.	TCTTTTtCTTTTATTGACTAGAAT[A, C]GGGAAAGCCTAGCTGAAAACCTAAGG	1,115,335	92

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3054.	ATCTTTATTTCTTTTCTTTTAT[T, C]GACTAGAATAGGGAAGCCTAGCTG	1,115,345	92
3055.	TGGATTCAATCCTACCCGGTGTGG[T, C]TTCAAGTCAAAGATTAGCTTCAATC	1,115,537	92
3056.	GGCTAACATGATATTTTACTACTT[C, T]AAGTTAAGAAAATCAGAATTTGACC	1,115,681	92
3057.	ACTGCACCTGCCCATGTTCTCCT[G, A]GTGAGTTGGTCAAAGGATGTTGCA	1,115,753	92
3058.	GATTGCATGCTGGTGAAGCTTC[T, G]ACCATAAAATGTCCACAGCTATGAA	1,116,063	92
3059.	CCCATGGAGAAATGATGTCATGCT[G, A]GTGAAAGCTTCTACCATAAAATGT	1,116,076	92
3060.	GTTGCTCTATTCTTCTAATTGTCA[A, C]CCGAGATGATGGAGTAGCTGCAGAA	1,116,663	92
3061.	TAAAGACGCACCGAAATTTGTATA[T, A]TTTGGTGGAGTCACAGCGTTATTGG	1,116,962	92
3062.	AAAACATAAGGCAATGACTTATTT[C, G]GCATTTAGGTCAATTTGTCTACATG	1,118,433	92
3063.	TAGAAATGAAAGTGTCTGTGCTT[C, A]ATTGGTTTCATGAAAAACATAAGGC	1,118,471	92
3064.	ACCTGAATACAGTGTATAGTGCAC[A, T]ACTAGTCAAGACTATTCAACATGAC	1,118,720	92
3065.	CATGGAAACACCTGAATACAGTG[T, C]ATAGTGCACAACCTAGTCAAGACTAT	1,118,730	92
3066.	TGTCCTCGAATATTTTTGTAGTT[G, C]ACATGGCTGATCTCAATGCCCGAAT	1,120,076	92
3067.	ATGTTTGCAAGAAGACCATGCCCG[C, T]CGATTTTGATAGGTGAGCTTAATAT	1,120,196	92
3068.	AGGGCATTCGAGTGTCCGCTTGAG[C, T]AGGCCAATGCACATACTACCCAATA	1,120,335	92
3069.	GAGTCATTTAGAATAATCAAAAGA[A, A]AAGAAAAGAAAGGTTCAAGGTGAT	1,120,869	92
3070.	CAAGAAAAATGTTTCTCGTCCAAA[A, G]ACAAAAGTCAAAAAACAAAGATGTT	1,121,150	92
3071.	GATAGATCTCAAATTAGATGCTTC[C, T]AATTTTATCTCTCTCTATAAATTT	1,121,651	92
3072.	GTTGATTAAAAAGATATTTAAGAA[A, C]GAAAAAGGTGGCTGGAGAATATTGA	1,122,173	92
3073.	ATTTGGGTGGTGGTGAACGGTCG[G, C]GCCAGGTGCAGCGAGCTGGGCTTC	1,122,409	92
3074.	CGCCATTTCATTCCCCTGAGAGA[A, C]AGAGAGACAGAGAGAGATTGGGTG	1,122,450	92
3075.	CACAACTTTGGATACACCAAGCC[C, T]TCTATCACCTTTTCAGGAATACAAG	1,122,799	91
3076.	CTCAGTCTTCGAAATTAACATATA[C, A]TCTTCCCAACCAGTTAGCCCTGAGA	1,122,886	91
3077.	TTGTCTTTAAATTTGCTGGTACAT[C, T]TAGTAACAAAACCTTAACTCGACA	1,123,029	91
3078.	ACATTGAAGCTAAGCAATAATGGC[A, C]TGACAATGCAGCAAAGCATCATTTA	1,123,240	91
3079.	ACACATTTTCCATAAAAAAGATTG[C, T]AACACCTCAGTAATTAGCTTCTTTT	1,123,318	91
3080.	TGCCAGAAAGCATCCCTTAACTTA[C, A]AAGAACTTGATAATTTTCTCTCTA	1,123,407	91
3081.	GAGCAAATGCAAAAATAGAATAGG[C, T]AGACAAAATCTGTGGGATTGCCAGA	1,123,450	91
3082.	CTAAATGAGCAAATGCAAAAATAG[A, G]ATAGGCAGACAAAATCTGTGGGATT	1,123,456	91
3083.	ATCGAAGATAAAAGACCGTGTTTC[C, T]CAATATTGACCCATTTCATATATAAA	1,123,508	91
3084.	CATAATTTTGTAGTATCGAAGATA[A, G]AAGACCGTGTTTCCCAATATTGACC	1,123,522	91
3085.	GCTGGTTCATAATTTTGTAGTATC[G, A]AAGATAAAAGACCGTGTTTCCCAAT	1,123,529	91
3086.	TGCAATAGATCCGACAAAACGATC[G, C]AAGATATAAAACACAGAACATATA	1,123,591	91
3087.	ACAGATCTCATAGAATCCAGCATA[C, T]GCTGTAAAACCTGGCATACCTGTGC	1,123,678	91
3088.	CTTTTGCCTTGTGCCTGCACTTCC[A, T]ACAACATAACAGCCATGTAGCTTTG	1,123,801	91
3089.	TATCTCAATTAAACAACCTAATCC[C, T]AAGCACGCATGCGCGCGCGCACA	1,123,909	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3090.	TTATCTCAATTAAACAATAATC[C, T]CAAGCACGCATGCGCGCGCGCAC	1,123,910	91
3091.	ATAGACTAGATGCAATAAACTAAG[C, T]CAGGACTAGAAAAATTAAGATCCTC	1,124,094	91
3092.	TAAATAGCTTTCTAAGAACCCTA[C, G]AAGAAGAGAGGGTTGATAGGCAGAA	1,124,314	91
3093.	CAGGTTTGGGTCAATTTTGCCAA[C, T]TACCATGATACAAGGGTCTATGGAC	1,125,265	91
3094.	CATTACAGGAGTTTCAGAATATGA[T, C]CATTCTATCAAGATAAAATGACAA	1,126,245	91
3095.	AGCTCATTACAGGAGTTTCAGAAT[A, T]TGATCATTCTCTATCAAGATAAAATG	1,126,249	91
3096.	GCAATATACACCACAACCAATGTA[C, T]AAAAATCACATATTATCAGCTATTT	1,126,428	91
3097.	TTGCAAACTGTACATACTGAG[T, A]CAAACATGTTCGAACGCACTCTAA	1,126,750	91
3098.	ACGGTCAACCATTTGCCACCCAGC[T, G]AATAAACAGCATATGCTTCTCCTTA	1,127,553	91
3099.	AGAATTGTTTCTTTTGGTTTTA[G, C]CAACTAAAAGACACTTTTGCCAAA	1,129,764	91
3100.	TACAAGAAAACCATTCGAGTCTCT[C, A]CTCCAACCAATATCTATATATTA	1,129,874	91
3101.	CTCAATTTGAATTTGATCCTACAA[G, A]AATAGTATCCTATCATTATCCTTTT	1,130,004	91
3102.	CAAAAATGACTCAATTTGAATTTG[A, G]TCCTACAAGAATAGTATCCTATCAT	1,130,013	91
3103.	TCATAAAAAATATATTTTTTTTtA[A, T]CCAACAAAAATGACTCAATTTGAAT	1,130,042	91
3104.	ATATTTATTTTACTCTTATTTTG[A, G]AAAAGATGTTGCTAAGCATATATCA	1,130,307	91
3105.	ATAAGGAAGTACCATTGCGAGCC[A, C]AAAAACGCATATTATTGAATAATCA	1,131,515	91
3106.	CCATCAAATCACAGCAACTTGTAT[G, A]CACAATTATTGAAAGGAAAAaGaA	1,131,595	91
3107.	TCAATCGAATAGGTTAGAATTAAC[C, T]TCAGAAAACGCCAATCACTTCCACC	1,131,643	91
3108.	CAGATTATTTGGCCCGGACCCCTCA[A, C]ACTACAGAACTCTCTCATCTAATCC	1,131,898	91
3109.	TTACAGATTTAAATTAAGAGGACA[T, C]GAAATATAGTCAACTTGCCTTGACG	1,133,875	91
3110.	ATGAACCTTAAATAAGGCAAAAAG[A, T]CTATAGTACTTAAGCTGTCCTTACA	1,133,920	91
3111.	TCGAACATAGAAACCTGGATACAA[G, T]AATTCATTGTAAGTCTATATGAACC	1,133,963	91
3112.	TGTGCTATGTATGTGAGAGGCAGG[T, G]AAACTGCATCTCATGAATTGCAAA	1,135,068	91
3113.	AGAAGTAAAATTTCACTTCAGGTC[T, G]GCAATATTCCATGCAAAACATTTCA	1,136,142	91
3114.	TTTGCTATGGTTATGATTCTTAAG[A, G]AGTAAAATTTCACTTCAGGTCTGCA	1,136,164	91
3115.	GAAGAACTAAATTTGAACCGACGTG[G, A]ACCCATGAAAGAATAACATAAAACA	1,136,245	91
3116.	TGAGACATGTTCTAATAGAGGAGG[T, C]GGAAAGCAATTGGAGAAAAGTTTCA	1,136,308	91
3117.	TTACCATCGGATGGGATGATGCCC[T, G]GCTTCATGATTAGTAGTCAACGTG	1,137,548	91
3118.	CCAGACACTATGTGGGTGGTGCAT[T, A]CTAAATGAAGCTATTATGACTTTT	1,143,835	91
3119.	GAACACCATAAAGGAAATCTTGCT[G, T]GCATTATCCAGACACTATGTGGGTG	1,143,867	91
3120.	ATAACATTTAAGAAAAACAGATAG[G, T]TCAATAACATTAATTCTGAGTGTTG	1,144,335	91
3121.	AATTTACAGTGTCAATAATTCATA[A, T]TCTTAATAAAAAACCATCTTAATAA	1,144,384	91
3122.	CTTTTCTCAACATTAATTTCTTGTC[A, C]AATAGATGAATAGAATCGAAGCAAA	1,144,634	91
3123.	GGTGTAAAGGGAATCAGTGTGT[G, A]GAAAGCAAAGAACTTTTCTCAACA	1,144,672	91
3124.	GATTTTGGATACCCTAGCCCTAGA[T, C]GATTATCATAATTTGTTCACACC	1,145,105	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3125.	TACTACAATTTCTTAGGAGATTTT[G, T]GATACCTAGCCCTAGATGATTATC	1,145,123	91
3126.	CAATGTTTAAAGAGTCATGGGACAG[T, G]TAAAAaGAAAAaGTTAGTTGCTGCA	1,145,813	91
3127.	ATGTATTTCCATATCAATTTCAAT[C, G]TTTTGGGGTTATTTTGGATACAAT	1,145,859	91
3128.	TTCTAGATGATCTAGGATTTTGG[A, C]TCCATTAATCACAGGATGGAATGTA	1,145,904	91
3129.	ACATTAGAACACTATGTTTCATATC[T, C]ACATTTCTGTGTTTATGAAGGGA	1,146,946	91
3130.	TCTTGTGTGGTATAGACATTAGAA[C, T]ACTATGTTTCATATCTACATTTCTCTG	1,146,961	91
3131.	GCCTCGGTTTCAGATGACAAAGATT[C, T]AGGTAGAGAGAAACAACAAATCTT	1,147,007	91
3132.	TTTTTGACAGCAAGAAGAACATTT[C, A]AAGAGCATTGATGTGTAGAAGTTA	1,147,202	91
3133.	TCGATGCAAAGAAACATGCTACT[C, T]AAAGAATATGAAGGTGAAACCATG	1,147,360	91
3134.	CAAAGAATATAAAGGTAATCGAT[G, C]CAAAGAAACATGCTACTCGAAAGAA	1,147,379	91
3135.	GCATTCCTTGGAGCTTTACTATGA[C, T]GGACATATCATAGAAAACATAATTT	1,148,200	91
3136.	CAAGCTTCAAAGAAAGCATGTGCA[G, T]GAGATCAAAATGGACCCATGCAATA	1,148,283	91
3137.	TATTCACATCCAACCTCCAACATGA[C, T]AAGCTTCAAAGAAAGCATTGTCAGG	1,148,307	91
3138.	AAGAAGAACAAGTTTTCTCTAT[T, G]CTCTATACAAAGGGCACTGATCAAG	1,148,441	91
3139.	TACATACGTAAGCATGTTATTATG[C, T]TGTAATTTGTCTGAATCTATTTGTT	1,149,365	91
3140.	AAGACAGGCAGACATAGTGCACCT[C, A]TTCAGATGCTATCATGTACTCAGGG	1,150,477	91
3141.	ATATGTATTCCAACCATATATTAA[A, G]ATAGAAGGATATATAAGTACACTCT	1,151,559	91
3142.	GTATATGATGAAAGTGAAAATAT[G, A]TCAGCCTTCTTTTtCCTTCTTTTCT	1,151,650	91
3143.	GAAAATATGTATATGATGAAAGTG[G, A]AAAATATGTCAGCCTTCTTTtCCT	1,151,658	91
3144.	GGAGTATTTTCATGTAGGCATTTTC[A, G]ACATACTGTAAGAAAAAaTGAATG	1,151,772	91
3145.	TGTGTCTTTCCACCATCCCTGTTT[G, A]GCACAAGTGCATATGTTTGTCCA	1,151,898	91
3146.	GAAGCTTAAATGTGTCTTTCCACC[A, G]TCCCTGTTTGGCACAAGTGGCATAT	1,151,908	91
3147.	GCTTAAGGATGTCTTCTTAATTAG[C, A]AAAAGAAAAaGGAAAAaGGAATTG	1,152,940	91
3148.	CAAAGAGTTAGTGGATGGATGGAG[A, G]TTTTATCAAACTATTTATTAGAA	1,153,071	91
3149.	GAGTTTGTATTAGATAAAAGACC[T, A]ATTTTGATTCAAAAACAAATCAACA	1,153,379	91
3150.	ACAAGAATACATCATAATTTTCAA[A, G]CATATGTTGTTGAAAGAAGCTTATT	1,153,683	91
3151.	CACCTGCCCATATTGCATCACTAG[T, A]ATCCTACAAAAGGGGTGCAAGTACA	1,153,902	91
3152.	ATATAATCTATTATAATATTATTA[C, T]ATTATAATAATACAATATAACATAA	1,158,751	91
3153.	ATTATAGTATATATTATATTATAT[G, T]ATATGATAATAATATGATACAATAA	1,158,845	91
3154.	TAATATAATAATAAATTAATATTA[C, T]GATATATTATAAATATATAATATAA	1,159,079	91
3155.	CATCCTTCCAATGTTGAACCTTA[C, T]GGCCAGTCCGACCTTGAAAAaGA	1,159,669	91
3156.	TAAGCTCGAGGAAATCTTATATC[T, C]GCCCAAAGTAGTTTCAAACCCAGCC	1,159,746	91
3157.	ATCGGCTGTGGTGCTAGTTAGCTG[C, T]TGCTGTTCTCTTCTTGAGAGGTTCT	1,159,818	91
3158.	TAAAACTGCAAAAGGAACAGCC[A, T]GAAGATATCGGCTGTGGTGCTAGTT	1,159,849	91
3159.	CGTGAGTCTTTGACTTCTTTTGCC[G, A]TTTCTTTCACTGTATCCTGTAAAAA	1,160,444	91
3160.	AATTTAGTTCAAATGCTCATGACG[C, T]TAAAAAGCAAACAGAAGAAGTGAA	1,160,598	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3161.	GTTCCATATGGTGGGATTCCCATAT[T, A]ACTTACACATATTAACCAATCTTGG	1,160,846	91
3162.	AATAATTTTCTTCGAAGCATAAAC[C, T]GCAAATAATTATCTGTTCATATGG	1,160,885	91
3163.	GGATGATGCATTTTCTTTGAACTT[T, C]AAAAaCATATAACCTACCAAAATAA	1,160,930	91
3164.	CGGGCAAGCCATGGGCTGACCCTG[C, G]TCAGTGTGCACTCCTAAGTGAGGTG	1,161,113	91
3165.	CAACCCATACCATAAAAAATATTGG[C, T]CCAACCTTCTTATGATGTATGCTGG	1,161,164	91
3166.	CTCATAAATCATTGGCCCAAGCCT[A, G]GCCTAATTTTAGTTGGGCCAAAAC	1,161,228	91
3167.	ATATATATGCCAACTGTACATATA[T, C]GTGCTATAGAAGTATTGCCTCAGGC	1,161,295	91
3168.	AACTTTCAGCTTTTATAGAAATCT[G, A]AAGCACTTCTTAATATTTTACCAA	1,163,216	91
3169.	TCCAAAATAGAACTTTCCCAAGTA[G, T]AACTTTCAGCTTTTATAGAAATCTG	1,163,241	91
3170.	CTTCCAAACATCAGTCAAGTAGGG[C, T]TCTTGAGAAAATCTCCAAAATAGAA	1,163,279	91
3171.	TATTATAATATAATGTATTATGT[T, C]GCTACGAAATTTTCATTAAAAaCA	1,163,336	91
3172.	ATATTATTATAATATAATGTCATT[A, G]TGTGCTACGAAATTTTCATTAAAA	1,163,340	91
3173.	ATCTCCTTTATCAGAGTGAAAG[G, T]TTGAGAAAGTACTTTTGGTATGACA	1,163,969	91
3174.	TATTCAAGTATAATGTACAAATGG[A, G]TTTTTAAGTAGAAGTATCTCCTTT	1,164,010	91
3175.	TAATACGACATATTTTATCAAAAG[C, G]AATGGCAATTAACATGCAACAAC	1,164,175	91
3176.	AATATTCAATATCAATCTCCCAAT[T, C]TTTGACATTATTTACATCATGAA	1,164,281	91
3177.	CCTTCCAGACCTCCAAAGAATAAT[A, G]TTCAATATCAATCTCCCAATTTTGG	1,164,302	91
3178.	ATAATAACTTGGAGAGCTTAGTAA[C, T]ATTGATTTCTATAATATTGTGTTTA	1,164,422	91
3179.	TCACAACATATAATAACTTGGAGA[G, C]CTTAGTAACATTGATTTCTATAATA	1,164,431	91
3180.	TGTCTGCTTAAGAAACACAAACAA[A, G]CATCACACATATAATAACTTGGAG	1,164,458	91
3181.	TGCAAAAAGAGGTCACATTCTATA[T, C]GTTACAATGAATCACAGTAATATT	1,164,604	91
3182.	ACACAATATAACATGGAGATCATC[A, G]TCACTAGGCACAAATCATCTAAATAT	1,164,701	91
3183.	CATGGTACCAGTACAGGTCTGGTA[C, T]TGAGATTGTGAACATTGACTAAATG	1,164,860	91
3184.	CATCGTCCTAATTTTACCACCTAG[C, T]ACCGTCATATTAACCTAGCAAGATTC	1,165,022	91
3185.	ATCATGTAGTTACAATCTTCAAAA[G, C]CAGCCACTCTTATTACCTCTCTCTT	1,165,373	91
3186.	CTTCTGAAGTATGTGTTATCTTCC[G, A]AGGTCCTTCAAGCTGCAGAATCTGC	1,165,686	91
3187.	CTTCCATGCAAAAGGGGGTGGTC[T, G]GCAAACTATGCCACTTTAACACCAT	1,165,858	91
3188.	GTGGATCATTATCAAATTCAGATT[T, A]TATATATATATATAAAGCCCGGA	1,165,914	91
3189.	AGACTGAATTCTAGACAAAGAGAG[T, C]TGAAATTAATTAAGAAGCAGTGA	1,165,984	91
3190.	CATGCTTGCCTAAGTTCACATTCT[A, G]AAAGAGATTCTACACCCTCTGCCTG	1,166,136	91
3191.	GGTCCCTACATGCTTGCTAAGTT[C, A]ACATTCTAAAAGAGATTCTACACCC	1,166,144	91
3192.	CAGGCATAAGAAAACTTAAGAGA[C, T]TTGTTTTTAATTGGGTCTATCATTT	1,166,274	91
3193.	ATAAGCAAAGAATTTCTTAGTAC[A, C]GGCATAAGAAAACTTAAGAGACTT	1,166,297	91
3194.	ACAGTAGACTCTAGAAATGCTATT[A, T]AGTATAAAGAAAATAATTGCAGTAA	1,166,497	91
3195.	AGGTGAGGACGTCAAATCAGACTC[A, G]GCAAAGTTTTAGTAAAATGCTGAAA	1,166,569	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3196.	TCTAAGAAATGACATCCAAATTAA[T, A]CAGGAGGAAACAACATATATTTaaa	1,166,801	91
3197.	TATTTCCAGAAACAGTGAAAGCTC[T, C]AAGAAATGACATCCAAATTAATCAG	1,166,823	91
3198.	CATTAATCTCCCAACTGATACT[A, C]AACAAATAAGGTAATGATAAAGGAA	1,167,054	91
3199.	TTACATTTCAGCTTATGCAACTA[G, C]GAACAGCATTCTAAGATAAACTTGA	1,167,235	91
3200.	AGCAAATCATCAAGACCATTGGTT[A, T]ACCTGATGTCAATCCCTAACAAATT	1,167,343	91
3201.	CCAGTAGCAACAATTTAACATAA[T, G]TAAC TAGACCAATAGATATGAACCA	1,167,476	91
3202.	TAGAAACATGCTTTAACAATTGCA[C, G]TCATACAACATTGGCTTGCTAATGA	1,167,565	91
3203.	AGTAGAGTGCAAGATTATACAGAT[C, T]TACTCACAATTAATTCTGCAGGAAA	1,167,632	91
3204.	TATGATCATCTAGTCTTCCATGT[C, T]TTGATTATGTGTCTGCTTCTACA	1,167,713	91
3205.	ACTGAAGTTTAGACTTTAAGTCTT[T, G]GAGACTAATAATGTTTGCATTAGA	1,167,787	91
3206.	TGAGCATGAGAACATCTCGTGACA[C, G]TACAAAGATAATAAGAGCTAAATAG	1,167,974	91
3207.	AATCTGACCTAATAATCTGGAGCT[G, C]GATACACTCACTCATACAGGAAAAT	1,168,175	91
3208.	CAATGAAATCACATCATCTATCAT[T, A]TGCGCCACAGTGAATTTGAATTCAT	1,168,326	91
3209.	AACAATATCAAATCACATGCAAAAC[A, T]GTTTTCGAGTTTGATACATGAAAGA	1,168,395	91
3210.	GCTGAAGCTAGAACAGCTAATGCA[C, T]GGCTGATTTTACAGAGGTCTTCTCT	1,168,849	91
3211.	TTAACAAGACTCAAGAACTCTTGA[C, T]GCTCCCTGCTGACAGACTGCAAGGT	1,169,005	91
3212.	AAGATGAAATATACCTCTTTGTTA[A, G]CAAGACTCAAGAACTCTTGACGCTC	1,169,026	91
3213.	GGTCAGTATTCTCCCTGACTGCAC[T, C]ATATGCTTTCTTAGCTGCTTCTCAT	1,169,252	91
3214.	AAAAGCATGCGGAGAAAATGTCAA[T, C]ACCATTAGTTAAATATGTTTCCAA	1,169,407	91
3215.	CATGGTGCACATTTGCACATACTC[A, G]GTATATGGAAGGGTTGTGATAGGAA	1,169,462	91
3216.	GTTCTAGAAAATAAGAAAAACATA[C, A]TGAAAACAAGGGATTGTAATTGGT	1,169,601	91
3217.	AATTCTCCCAAGAACTTTATAAC[T, C]GATACTGTACATCCACCTTAAGAA	1,169,705	91
3218.	GCATTATATAATCCCCCTATCCCC[A, G]AAAGAAGTATCGAAGGAAGAAATAT	1,169,855	91
3219.	AACAAAaGCAAGAATAATTACC[T, C]GTCAAGTAGTGCCAGCAGTTACCA	1,169,979	91
3220.	GAATAAAGTTTGTAGATAGGCC[G, A]ACTAAGTTGTGGAACAACCTGAATAG	1,170,233	91
3221.	TTCATGATATAACACCAAAAAACAA[C, G]AAATATAGTTGTTTAAATTCGAAT	1,170,279	91
3222.	CATAGAGTGTCTGAGGAAAAAGC[G, T]AATCTGCATAAAATATTCATGATAT	1,170,319	91
3223.	GAAGTAGCATAGAGTGTCTGAGGG[A, G]AAAAGCGAATCTGCATAAAATATTC	1,170,326	91
3224.	AGAAAAACCAAGAGGCAAAATTA[A, G]AAAGTGTCTTGGTCTACAGCCATGT	1,170,383	91
3225.	TCATAGAGTGAGAAATTTCAAATA[C, T]GGAAAAaGAAATCATCAGTTACA	1,170,483	91
3226.	ATGGCTGCAGCTGCAACCTCTTCT[G, A]GTGCTACTTTGCCATCATGATCACT	1,170,555	91
3227.	GCAATCAACCTCTATCCCTAGAAA[T, G]GTTGCTGATGAGTTCCTGGACATCC	1,170,632	91
3228.	TCTGTTTCATCTCCATTGGCATCA[T, G]CTATTGACTGCCTAGCTTGAATAT	1,170,823	91
3229.	CAATTGTATTACCAACGACTGAAG[T, C]TCTGTTTCATCTCCATTGGCATCAT	1,170,848	91
3230.	ACTATCTTATATAACCACATATAT[A, C]CATAGGTTATTTTGACCAGGCCACC	1,170,952	91
3231.	CCCTAGAAAAAAaTAAAAaTAAAA[A, G]GATGAATAAACTGAACATGGGTTCA	1,171,221	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3232.	TCAGCCAAAACAACTAACAGCTAC[A, G]ATGCATGCAATAAATATGGGGCCCC	1,171,268	91
3233.	ATATCGTTAGCTAATCAGCCAAA[C, A]AACTAACAGCTACAATGCATGCAAT	1,171,282	91
3234.	GACATTGGACAGAAACGGCACTCC[G, C]AGAATTACGCTAACAAAATGCTGCA	1,171,472	91
3235.	CCAAAAGACATTGGACAGAAACGG[C, T]ACTCCGAGAATTACGCTAACAAAAT	1,171,478	91
3236.	TCACAAATAAATGTAGGGTCATGC[T, C]GAACCGCATATCTCCAAGCCTCA	1,171,696	91
3237.	GCTCATTCTATTTGTAATGAGAGT[G, T]GGAGAAAACCTTGGGTGGTTACCG	1,171,786	91
3238.	TCAAAGCCCACAGCTATAATGCTT[A, G]ACTGAAGCTTAATGCCTGCGAGTCT	1,171,879	91
3239.	ATCTCAAGGTCGAAAGATGAATAC[A, G]GAAAAGAGACAACTACTCTCGGAA	1,171,949	91
3240.	ACAAAACCACAAGATGGACTGGTT[T, C]TCAAATCTCAAGGTCGAAAGATGAA	1,171,978	91
3241.	AAGACCAATCCACCAACCCACTGC[T, A]AGTTAACTACTGGTGAATTGGAATGG	1,172,031	91
3242.	TAATGGAGAGCACAGAAGACCA[A, G]CCACCAACCCACTGCTAGTTAACAC	1,172,047	91
3243.	AGCGAACGGATGAGAGGAAATTC[T, C]AATGGAGAGCACAGAAGACCAATC	1,172,071	91
3244.	AATAGAGAGCGAATCTCCTGTTCA[G, A]TTGGAATCCTAGGGAGACAACAGG	1,172,133	91
3245.	TAATCTCAGCAACGTCATAGTAACT[A, C]AATGGAGTCTTGTTCGAAGATGT	1,172,262	91
3246.	AAGAACCATTCCGACATCCTAACT[C, T]AGCAACGTCATAGTAACTAAAATGG	1,172,281	91
3247.	TTGCATTATGt tTTTTTTTTTtCA[G, A]ACCAACTAGAGGAACGCTATAAATC	1,172,348	91
3248.	ATCGTCTAATATGTGTATACAGC[C, T]CATATTGCATTATGt tTTTTTTTTT	1,172,377	91
3249.	AGCCGTTCTTTTTATCGTCTAATA[T, C]GTGTTATACAGCCCATATTGCATTA	1,172,390	91
3250.	ACTACATAACCCCTCGCGTCTTTTT[G, A]GAATGGAGATCAAGCTACATCTCGT	1,172,495	91
3251.	AGAAAGGAAGATGAAAGTAAAGG[A, T]AaGTTCGATATTTTTtAAAATAAGA	1,172,837	91
3252.	ATTCCATCGAAAACCTTCCGCACA[A, G]TCTCCAAATCGCCGTTGTTTATAAA	1,173,372	91
3253.	AGAACTATATCTCTTAGCCATT[C, T]ATCGAAAACCTTCCGCACAaTCTCC	1,173,392	91
3254.	TCAGCCCATATCTCGCATACCCAT[C, T]AACCATAATGCTCCAAGAACTATA	1,173,432	91
3255.	GTTATACAGCTCATATTGCATTAT[T, G]TTTTtATTTTTCAGACCAACTAGAA	1,173,642	91
3256.	GTCAATAAAGAATGCCAAGAAAGT[G, A]TTATAGTTCGGACACTGATGGTAAA	1,173,893	91
3257.	TTAATTTATGTCAATAAAGAATGC[C, T]AAGAAAGTGTATAGTTCGGACACT	1,173,902	91
3258.	GTCAATAAAGAATGCCAAGAAAGT[G, A]TTATAGTTCGGACACTGATGGTAAA	1,173,902	91
3259.	AAATATCAATGAATTCTATGAAA[C, T]TGATTCTCTTGGGCATTGCATCAA	1,174,776	91
3260.	GAATGAAGTCAAAAAAGGACCAG[A, C]aGTTAATTACCTATTATTTTTGTTC	1,175,255	91
3261.	CGGAGTCCATTTTCTCTTTTATGT[A, T]GAAGGAAAGGAGGAACGAAGGAAA	1,175,439	91
3262.	AGGGAGAGCAGCCTCCAACATAAC[C, T]GACACCTTGTGGAGAAGACAAAGA	1,175,539	91
3263.	CCATTCCATCGAAAACCTTCCGCG[C, T]AGTCTCCAATCGCTGTTGTTTATA	1,175,923	91
3264.	AGAACTATATCTCTTAGCCATT[C, T]ATCGAAAACCTTCCGCGCAGTCTCC	1,175,941	91
3265.	TCCACGCTACCATATCTCGAGTAC[C, T]TGAATATCAATGAATTCTATGAAA	1,176,078	91
3266.	AAAGGTCCAAGGCTTCCTTGAACC[G, A]GCCATTCTGTGTATCCCGAGATC	1,176,191	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3267.	ACCACTAAAAGAATGCTTACAAGC[G, A]TGATTTTATTGGTGCCACACCTGC	1,176,258	91
3268.	GCAACCACTAAAAGAATGCTTACA[A, G]GCGTGATTTTATTGGTGCCACACC	1,176,261	91
3269.	TAGAGCCGAATCAAGGATCAAGTC[C, T]ACTTCCATACCCATCTATCCATGTA	1,176,351	91
3270.	CACTAGAGCCGAATCAAGGATCAA[G, A]TCCACTTCCATACCCATCTATCCAT	1,176,354	91
3271.	CTATGCTTGAGCTTTTCAAAGATG[C, T]TAGCAGCATCCTCAATGCAGCCACA	1,176,419	91
3272.	TATGTTAATTTAATTGTGTACCA[A, G]CTGATAATTCTCTATGCTTGAGCTT	1,176,455	91
3273.	ACTGTGTACTATATTCATTTAATT[G, A]TGACCATATTTAGTTAACTGTGTA	1,176,548	91
3274.	GTTACTTTAACTGTGTATATTATT[T, C]ATTTAACTATGTGCAGTGTTTCATTT	1,176,599	91
3275.	GTATCATGTTACTTTAACTGTGTA[T, C]ATTATTTATTTAACTATGTGCAGTG	1,176,606	91
3276.	TATATACCATAGTTAATTAAGTGT[G, A]TGCCATGTTAATTTAACTGTGTATA	1,176,735	91
3277.	CATATTTATTTAACTGTGTACTAT[A, G]TTTATTTAACTATATACCATAGTTA	1,176,770	91
3278.	ATATAGTATTTATTTGACTATGTA[T, C]tATATTAATTTAACTATATACCATA	1,176,899	91
3279.	ACTATGTATATTATTAATTTAACT[A, G]TGACAAATATTTATTAATTTGTGTA	1,177,198	91
3280.	CGGAGAAACGTGTCTATATAAAAA[T, A]AATAATAAATTAATTAaaaaaATTA	1,177,943	91
3281.	TTTCTTTCCATTTCTTTATGTATG[A, G]TAAATGATGGGAGGAGATTGAAA	1,177,993	91
3282.	AAGTTGGGGAGTTGGCCAAAAGG[C, T]CAGTGGGGgAGGGTGCAAGCTCAGA	1,178,386	91
3283.	GAGGATGTTTGGAAGATTGGGGTA[T, C]GGGTGAGGGCCAGTGAGAAGGGATT	1,178,517	91
3284.	ATGCCAAGTATATTGAGGATGTTT[G, A]GAAGATTGGGTATGGGTGAGGGCC	1,178,531	91
3285.	TATGTATCATTTGGCAATATGGTC[A, G]CACTCGGGCCGATCAAATGGTAGA	1,178,844	91
3286.	CAGCCCTCCAACTCTGTCTCTAT[G, A]TATCATTTGGCAATATGGTCACACT	1,178,865	91
3287.	CTGCATGCAATGGCTCAACTCTCA[G, A]CCCTCCAACTCTGTCTCTATGTAT	1,178,887	91
3288.	TCATATGGCTTCCACCTTTACAG[T, C]CCGAGTGTGCGCCTCTGCATGCAAT	1,178,926	91
3289.	TGCCATCTTCATACTTGGATAACC[T, A]GTTCCATCCGACTCTCACTATGGC	1,178,966	91
3290.	GGCGTCCACATGGCAAGCCAGAT[C, T]ATAGGCCCCACCATGCCATCTTCAT	1,179,004	91
3291.	AAGAAAAGCATCTAAGCTAGGTCT[G, A]GACAAACCCTTAATTATAATTTTAG	1,179,116	91
3292.	CCTATGGGAAGAAAAAAaCCTCT[G, A]TGAGTCTTTTTCTTCTTTGCAAC	1,179,169	91
3293.	GCCTCGCCTCCTTCTCCATTACC[G, A]TCTTTATTATTTCTGCTTTCTGACG	1,182,789	91
3294.	AAGGGTCGGACCGCTCACTGACTG[T, C]GGCACGAGCGGGACGGCGCGTCGT	1,183,067	91
3295.	GGTGGTGGAAGACTTTTCGGGCTC[C, T]GACACATATCGGGAGGAACCTCTGG	1,183,297	91
3296.	TTAGAGTCGTAGAGTCGTAGACCC[A, G]ACATGCCATGTTAGGTCACTCGGTA	1,183,798	91
3297.	CGAAGGTTAAAGTCGAATGTGCGT[C, T]GTCCGACATGAGTTGGGCACGTTT	1,183,993	91
3298.	ATGGCGTCCGACACGTTTAGTCAG[G, A]AAAATGATGACAAGTCGAGTTTCCA	1,184,188	91
3299.	CGGGGCTCGTACTTCCTGGCGAGC[G, A]CCGACCCACAGTCGAAGAGTCGAGA	1,184,542	91
3300.	TCGAAGAGTCGAGATTCCAGACT[C, T]GAGATTTTGAATTTGAATTTGTATT	1,184,578	91
3301.	CATCTGTAGGGTCCTTCCAGTT[T, C]GGAGCTAGCTTCCCTCGGTCTAGAG	1,184,751	91
3302.	CCATACGAAGTTACGCCTCGCGTC[A, G]AAGTTCGGACAAGAGGTCTAAGTTG	1,184,903	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3303.	CGATCTCCAGCGGATCATGACTT[T, C]CGTTCGCTAGGCTAAGTTGAAGGGA	1,185,014	91
3304.	ACACCTCCGAACCAATTCAGCCGC[A, G]TCCTTCTTCATAGTGAGCCAGTAGT	1,185,576	91
3305.	AGGATTTGCCCCCAAGTGATTAC[T, C]GCAGATCCCTTCATGTACTTCTCTG	1,185,653	91
3306.	CAGGCACTTCAGCAAGGGAAGAGA[G, A]AACGATCTTTTGTATAGTCAGCCAT	1,185,729	91
3307.	GAGAGAACGATCTTTTGTATAGTC[A, G]GCCATCCACCATCACATATTGGGAA	1,185,749	91
3308.	CGGATCCATCCAATTTGGCTCTGT[C, T]GCCAATTGCAGCACCTCTTCGATCT	1,185,870	91
3309.	TTCCAGACTTTTATGAATGTCCG[A, G]CTCAAGGTGCCGTAGTCGGATGTCG	1,185,936	91
3310.	CTTTTTATGAATGTCCGACTCAAG[G, A]TGCCGTAGTCGGATGTCGCGAGCCT	1,185,943	91
3311.	TCGCGAGCCTGGAGAGTACGTCGG[C, T]CCGAGCATTTCCGCCCTGGGGATG	1,185,983	91
3312.	CGCCCTGGGGATGTGAAGATCTC[A, G]AAGTATTTGAAGGTGCTACGAGAT	1,186,020	91
3313.	GACGAGCGCCTCATATTTCGGCTTG[G, A]TTGTTGGAGGCCTTGAAGTCGAACC	1,186,209	91
3314.	GTTGTTGGAGGCCTTGAAGTCGAA[C, T]CGGAGGGCGTGCTCGGTAACCACTC	1,186,233	91
3315.	TTGAAATTTATGTGAATACCCCTC[T, A]AAATTGATATTTGTATATCCTCAA	1,196,408	91
3316.	CATATATACTTTTATAAAATACTT[G, A]TTTTGCATGAATAACCTtTTTTTT	1,196,679	91
3317.	GCCAATTATTGCTCAAAGTGATAA[G, A]CTGGGCTTGTTTTGGTCAAGATTGG	1,196,915	91
3318.	GAACATCATGGAATTTGTGGCAA[T, G]TATTGCTCAAAGTGATAAGCTGGGC	1,196,934	91
3319.	GGAAAGGAGTGAGGAGATCAGGAG[G, A]AATGCAAGGAAGTGAGGGAGTTGG	1,197,021	91
3320.	TGGAGAGGTGTGTGAGGGTGGTGA[T, C]GGAGGGGAAAGGAGTGAGGAGATC	1,197,052	91
3321.	CTAAGTATATCGAGGATGTGTGGA[G, C]GATCGGGGTGCGAGCGAGGCCAAT	1,197,130	91
3322.	TGTGGCGCCGATGTTGGAGTGCC[G, A]CAATGGACGACCAACCGATGAATG	1,197,180	91
3323.	CCCTAAGAACTTCATAGAGGATTT[A, G]TCCTCGGAGCGAGGGCTAGTGGTTT	1,197,327	91
3324.	TCACTCTGTATTCTATCTCGTGCT[T, G]tGCCTCTATTCTGTGTGCTGGATTT	1,198,502	91
3325.	CATTTGCCTCGCATATAAAATCCC[G, A]GCCCAATTATTGGCGAATTTTCGTC	1,198,734	91
3326.	TAATGAAATGATCATCCCTCGGCA[T, C]TTGCCCTCGCATATAAAATCCCGGCC	1,198,756	91
3327.	GCAGTAACTGAATTCAGATTACCA[C, T]cATGTCGAGCCACCTTCGATAATG	1,198,801	91
3328.	TTGGCAAAGATTGGGACACGTTTA[C, T]TTTTCTTTtGTTTATAACAAATTT	1,199,193	91
3329.	TGTTTCCTAATTTAGTGCAATTGT[T, C]TGGCAAAGATTGGGACACGTTTACT	1,199,217	91
3330.	AATTTTAATTACTTCCAGTGAAGT[A, G]CAAATCTATCTTGACCTGGGAACC	1,199,412	91
3331.	TGAGCCTTTTCCATGCATCATATT[A, T]ATTTTCAAAAGTTACACGAAGCCTC	1,199,573	91
3332.	AGCTTGaGTTGTTAAGGATTCAAT[A, T]TGAGAGCAGAGATGAGCAGGAGTTT	1,199,692	91
3333.	AAGAAAAAAaATCTTATAGCTTG[A, G]GTTGTTAAGGATTCAATATGAGAGC	1,199,710	91
3334.	GATCCATCATCCCCCTCTATCTT[C, T]TTCCATCTCTTTTTCTCTCTTTT	1,213,581	91
3335.	AATGTcACACTCCCTTGGCTgCT[C, T]TTCAACAATCGgATGGCTCTCCAA	1,213,638	91
3336.	TTTGGCTACTGGATTCTCTCACT[C, T]TCCCTCTCTTTCTCTATCTGTAT	1,213,752	91
3337.	CATCTTGCAAGGAGATGGCATGCG[G, A]CCATTCTCTTTGGCTACTGGATTC	1,213,786	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3338.	TCTCCCCcTTACCTCTCTTCTC[T, C]CTCTCTTACTCCTCTAGTCTCCCTC	1,214,058	91
3339.	CgTGATGACTTTAATTATATACAA[C, T]TCATCAGAAGCCTTTTGTAGAGAGAG	1,214,330	91
3340.	ATTGTTCCATATATTATTTTCAGCC[G, A]TGATGACTTTAATTATATACAACCTC	1,214,353	91
3341.	CAATAGCATATAAATATCAACTTC[C, T]TATATTTTCTTCGATGGATATTTC	1,214,427	91
3342.	ATCATCAGATTTACAGAAGTAAAT[C, T]AATCAATCAGTAGATTGATAAATTA	1,214,560	91
3343.	AGGATTATTAACCTCTTTAGCACT[A, G]GTTCAAGTGCATATGTCATATCTAC	1,214,610	91
3344.	TTTGAATAATTATATCTTTGCCAA[C, T]AATGATTGAGTAGGATTATTAACCT	1,214,647	91
3345.	TATAGTTTTATGCACTATGCCATC[C, A]TTTATATTAAATACAAATTTTCAAA	1,214,720	91
3346.	ATATATATaTATTAGATTTGATTT[A, G]AGGCTTAAATAATTATTTTATAA	1,214,850	91
3347.	TCCAGTGTGTGGGTGCGCTTCCT[C, T]AAAGGAGCAGCCTCCACCCACTTTG	1,215,495	91
3348.	TCCGATGGGTGCTAGTATCCATGT[C, T]GACACTTTGGCACCAAACTATAAAC	1,215,605	91
3349.	CCACATCAGAGCTCCAGCCTCCG[A, G]TGGGTGCTAGTATCCATGTGCGACAC	1,215,625	91
3350.	AGCTGTGGTTCCACATCTCATCAG[T, C]CGAAAAAATATAGGGAGAAAAAAa	1,215,704	91
3351.	CATCATGCAGAGAATGTTTGGGTC[C, T]AATGTTTGTATTATAGCTGTGGTTC	1,215,743	91
3352.	GCACCGCATCCATCATGCAGAGAA[T, C]GTTTGGGTCCAATGTTTGTATTATA	1,215,753	91
3353.	AAATAGTTCAAACCAAGGCCATGA[G, A]CTAATACAAATTACCCAAACAATG	1,215,826	91
3354.	TTCATCCTTATAACAAATTAATTG[T, A]ATCAATCAAATAGTTCAAACCAAGG	1,215,858	91
3355.	GCCTCACCTCCATGTTTCAGCACCA[T, C]CTTGATTAAAGCTCTTGAAACCTAA	1,216,033	91
3356.	ACATTTGCCTCTGCCTCACCTCCA[T, C]GTTCAAGCACCtCTTGATTAAAGCT	1,216,045	91
3357.	CACGATCATTTGCTTCCCCTGAGG[T, C]AGCTCCACCACCCACATTTGCCTCT	1,216,083	91
3358.	ATGGAGCACGATCATTGCTTCCC[C, T]TGAGGTAGCTCCACCACCCACATTT	1,216,089	91
3359.	CAATCGAAACTTAAGAAACCTTC[T, C]AGAACATGGAGCAGATCATTGCT	1,216,119	91
3360.	CTCTAATCTCTCTCATTTGTGCTCT[C, T]GTTTCTCACATATCTCTAAAAAAa	1,216,316	91
3361.	TCAGAAAAAGCAATTGGAACCTT[A, G]GAGACCTCTCTAATCTCTCTCATTG	1,216,348	91
3362.	ATTTTTtAAAATTAATATTTAATT[T, A]TATTTATTTCTGAAGATCTGACCC	1,216,519	91
3363.	TATAACCTATGTGGTGTAATTTTT[T, G]AAAAATTAATATTTAATTTTATTAT	1,216,537	91
3364.	AGTTTTTATCATGCAAGAGCATTAA[T, C]CATAGAAGCATATTATGCACGCTTG	1,216,866	91
3365.	CATATCCAGTTTCAAGAGTAATCT[G, A]ATTTTACTGAGTAGACTAAATTCAA	1,218,151	91
3366.	GGAGCAGTGAGAAAGTTGGGTGAG[A, G]TTCGTTGCATATCCAGTTTCAAGAG	1,218,183	91
3367.	GCATACACATGATGGAGCAGTGAG[A, G]AAGTTGGGTGAGATTCGTTGCATAT	1,218,196	91
3368.	TGAATTGAGTTGTGCAATCAAAGG[T, C]ATTGGATAATCAGCTTGATACAC	1,218,238	91
3369.	GATTTGTATATGATCTTTGATGAG[G, A]TATCTACTTCTTTCTTTAGTGAAT	1,218,372	91
3370.	GCGGCAAAAGATCGCAAGATAGGC[G, A]GTCCAGGTCCAAGTCGAGGGATTCTG	1,218,545	91
3371.	GATCACTTCTATACTTTTTTCAGAA[C, T]GAGATTCTCAGACGTGAGAATTGAG	1,218,624	91
3372.	TATCTTAGCAACTTCTAAAAGGTC[T, C]tCACTGAACTCCTTAGTATTGGTGA	1,218,785	91
3373.	TCTCACCAATGCTCTCTTTCTCTG[A, G]AAGTAGTTCTACCAGTTGTGGATGA	1,218,858	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3374.	TGCTTAATGAGACTTCTCTGACGG[C, T]GATATGATCGAAGCTCGAGAAGATG	1,218,922	91
3375.	GGAGCTGAATCGATCAATTTGAAG[G, A]TAAACAGGTGAAGAACCAGCAGTAA	1,219,883	91
3376.	TATTTTAAATATCTATGTACGCAT[A, G]CTAGTATCATTACTTAATAAACCAT	1,220,262	91
3377.	CTTTGTGTGAGAAGTTCTGGTATT[T, G]TAAATATCTATGTACGCATACTAGT	1,220,282	91
3378.	CGATAACTTTTTTtATGTTTCGAT[A, G]ATAGCATTTGTCACCAGTGATGTTT	1,220,474	91
3379.	GATCGGTAAGCCAAGAGTGATGGC[A, T]aTATTTATAAAAAATCGATCTTGTA	1,220,690	91
3380.	AACAGTAATATTTGTTGTTTAGGA[C, G]GAAAaAGATATTAATGCATGATAA	1,220,821	91
3381.	TCTAGTTCTCTATTAGTCTAATTT[C, T]TTAGTTCATGCAAACTCTCTCT	1,221,070	91
3382.	TGAGACTATGTCAGTGAAGAACTTT[G, A]TCAGTTCTTGAATAAGGACTCTAGT	1,221,114	91
3383.	GCTCACTTATAGCTGCCTATAACC[G, A]TCTAACAACTCTCTAATGGCCTA	1,221,256	91
3384.	AATTTATTTCTGGATCAGATCGAT[A, T]GAATATCGATTTGATTCAATTCAAT	1,221,564	91
3385.	TCTCTGGCACATGATAATATTAGA[A, G]AGAATTATTTGAGAATTATATTGAT	1,221,617	91
3386.	AATCTAAAGGTCAAAAGTTATATG[C, T]AAGTGACCCGACTTGCCCACTTCGA	1,221,967	91
3387.	GAGGAAAATCTAAAGGTCAAAAGT[T, C]ATATGCAAGTGACCCGACTTGCCCA	1,221,973	91
3388.	GAAGATATGCCCTCAAAGAGGAAA[A, G]TCTAAAGGTCAAAAGTTATATGCAA	1,221,990	91
3389.	CATTGTAGTGAAGCACCTCCATC[T, C]ATGGGTGGACTTTGCAACATCGGT	1,222,074	91
3390.	AGATGAGATGAGACACCTGATCTC[C, T]GgATTGGACCATACAAATACTTATT	1,222,146	91
3391.	AGTCAATAATACTCCCAACCAAAT[C, T]AGGATAAATTGAAGTGAGGCACCTG	1,222,224	91
3392.	AAAAGCTGATCAAAGTCAATAATA[C, A]TCCCAACCAAATCAGGATAACTTGA	1,222,237	91
3393.	CCTCTCTTCCCATGTAAGGCAAAA[C, T]CATGAGGCCCAAAATGACCATGGCC	1,222,464	91
3394.	TATGAGGGAATAGCTAGTTTAGTT[C, T]CATATCGTTGTGAGTCAAGAGGGA	1,222,536	91
3395.	AATAATTTTCAAGTCCTGTATAGG[A, T]TAGTTAACTTAGATCGGGCTATGA	1,222,615	91
3396.	TAcACATTGGATTATTATGATATCG[A, G]TTTgTTCTTAATTAACCAATCTAAT	1,222,765	91
3397.	ATATTTCTTAAAAATGTCTATCATA[C, T]ACATTGGATTATTATGATATCGATTT	1,222,787	91
3398.	ATCGGACAGAGATATTTCTTAAAA[T, C]GTCTATCATAcACATTGGATTATT	1,222,798	91
3399.	GAGAAAATCATCTGATATATGGGG[G, A]ATCCAATCTATCCACGACGACATCG	1,222,844	91
3400.	TTCAAGGTTGACCTCATAAGGCAT[T, C]AACTTGACAAGTTTGGCTCAAATT	1,222,940	91
3401.	GGACCTGAGTTCTGATTAAGACTA[T, C]AACGTATTCAAGGTTGACCTCATAA	1,222,971	91
3402.	TTTCAATATAGCCATCAACCAAGTT[C, T]ATCAAGATGAACACCACATTGATGA	1,223,072	91
3403.	TCAGAAGCAGTTTCACCTCCACTT[T, C]AATATACCACAGAGTAGCAATTAGA	1,225,200	91
3404.	CTCCATCTGATTTTTGACTTATTT[T, G]ATAGATTTTTTtGAAGCATTTCAA	1,225,431	91
3405.	GCATCGAAGGGTTAAGAACTGGAG[A, G]ATCTCCATCTGATTTTTGACTTATT	1,225,458	91
3406.	TAAAAATAGAAAATCAGGGATCCT[T, C]CAATAGTTAGTTTAAAAATCCTAATT	1,225,667	91
3407.	CTAACGGTCTAACAAAGTTCTGTAA[T, C]GGCCTCATCAATcTTCTATAAAAA	1,225,711	91
3408.	AGTTCACCTTACAGCTGGCTATAAC[C, T]GCATAACAACTCTTCTAACGGTCT	1,225,751	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3409.	TATGTTACAACCTTATCTCTAACTG[A, G]CACGTACAGTTAAGTATGATCTCAC	1,225,829	91
3410.	AGAATTATATTGATCAAAATCTAC[T, C]TCTGGATCAGATCGGTTGAATACCG	1,226,036	91
3411.	CCCATCTCTGGCAGCTGGCAATAT[T, C]AGAGAGAATCATCTGAGAATTATAT	1,226,076	91
3412.	GGATGAGGGTAACGAGATTAAATA[T, C]ATAGTAACTGTTGTAAGGGTTATAC	1,226,280	91
3413.	AATTAGATAATTTGGTACTTAGGA[T, C]GAGGGTAACGAGATTAAATATATAG	1,226,301	91
3414.	TAATATTTTTTTtATATAGGCAGCT[T, C]TGATGTTATGGATACGGAATGAAA	1,226,404	91
3415.	ACCCGTGGTCAAGTGATTTTTTTt[A, T]AAAATTCCCTTAATTTTTTTtATA	1,226,439	91
3416.	GCTTCGACTtACAACACAGCCCCA[G, A]CATCAATCTCTGCATGCAATGGCTC	1,227,935	91
3417.	TCAGACTCTCACTACGGCTTCGAC[T, C]tACAACACAGCCCCAGCATCAATCT	1,227,951	91
3418.	CATATGGCGAGCCAAGATCATAGG[T, C]CCTATGGTGCCATCCTCATACTGG	1,228,015	91
3419.	ATGGATTTCATTCTATTATAGCC[C, T]AGCTTTGCAGCAATTGAGGATTTTT	1,228,204	91
3420.	GAACGTGTTCTTAGATAATTTAAG[C, T]TAGCTAGGTCAATAGGCCCAATTCT	1,228,844	91
3421.	GGTCTTGTATCAACCAAAATACAA[G, T]CTAGTTTAAATCCTAGAAGGAAaA	1,228,964	91
3422.	AGTGTGGTCTTGTATCAACCAAAA[T, G]ACAAGCTAGTTTAAATCCTAGAAGG	1,228,969	91
3423.	TACTACTAGAGGACCGGTGCCTCG[C, T]AAGGATGAAGAAGAGTTCGCTTGA	1,229,157	91
3424.	AAAGTTtGTTGGATAATGAGTGCG[A, G]GTTAACTAGGTACATCCTTAACTAC	1,229,294	91
3425.	TATAGCAGAGATAGAGTAAAAGTT[T, C]GTTGGATAATGAGTGCGaGTTAACT	1,229,312	91
3426.	TAAAACTTTGTGGATAATGAGTG[C, T]GAAAACTTATGACTTAGGTTGTTA	1,229,374	91
3427.	TGTGTTAGAGCAGAGATGAGTAA[A, G]CTTTGTTGGATAATGAGTGcGAAAA	1,229,394	91
3428.	CTACTTTTTtGTTTTtAAATGTGGA[G, T]TAGCCAATGTATTTGAAAATCTTAT	1,229,465	91
3429.	TTTGACTACGGTTCATGTGGGTC[C, T]TGGATCTTCATGCGATCCGAGATGA	1,229,559	91
3430.	AATTTAATTTCTTTGAGTAGGTTA[T, G]TAAAGGATTGGACTACGGTTCATG	1,229,591	91
3431.	ACTATAAAATTATTAAATATTATA[G, A]AATTATAAAAAATTAATATTTTGAGA	1,231,148	91
3432.	GTCCACATTGTGACCTATTGAAAG[G, A]AATTCTAGATTTCAATTTTAATACGT	1,231,201	91
3433.	TAATTATTTTTTTtAAGATCGATA[G, A]TATTTGTGTTCAATAGGTTTTTGGA	1,231,280	91
3434.	CAATCTTAATTGTTTGCAGTCGG[G, A]TACGATGAAGTGAATGACAGTATTT	1,239,773	91
3435.	GATAATGTTTCAATTGGAGATCG[G, A]CCATTAGGCTATTTTATAACAAATT	1,239,983	91
3436.	AAAATTAAGCTATTAGACGACCTC[C, T]GTATGATAATGTTTCAATTGGAGA	1,240,012	91
3437.	AATTAGTGGGAAGGATAGACATGA[A, G]ATTTTCAAAAATTAAGCTATTAGAC	1,240,044	91
3438.	TTTTCTTTCCTTTCAAATTTTCATC[G, A]AAACAAAAGTCCCAAGCAAAATTAG	1,240,088	91
3439.	TCGTACAGAATAAAGTCATTCATC[T, C]ATAGATACAAATCTCAAAGTACTAC	1,240,138	91
3440.	ATCTATCCATTTATATAGATCGTA[C, A]AGAATAAAGTCATTCATCTATAGAT	1,240,157	91
3441.	TATCCTCTATCATTCATCAATTTG[T, A]ATGAAATTTAAAAATATTATTTTC	1,240,210	91
3442.	AATATTCTATTCTCTATCATCTAT[C, T]TATTTACATACATCTTAAATCACTC	1,240,396	91
3443.	TTTgAAGTACTTCATCCTTTGTCA[C, T]CCATCTCAAAAATATTCTATTCTCTA	1,240,430	91
3444.	CATTGATCTATCTACAGATTTT[G, A]AAGTACTTCATCCTTTGTCACCCAT	1,240,451	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3445.	ATCGATTGCATGAATGTTGATGC[G, A]TTCATCTTCTATCATTGATCTATC	1,240,489	91
3446.	ATTGTCTATACAGATCTTAAAT[A, G]CTTCATTATAATTTATTTATCTAT	1,240,745	91
3447.	CATTCATTTACCTACATATATCGC[T, G]AAGCATTTTGTCTGTAATCCATTTG	1,240,790	91
3448.	GCGAGCATAGATCGTGAAGTGCTC[T, C]AGCTTCAACCATCCCGCATATA	1,240,867	91
3449.	AATCTTAAATACTGCATCCTTTA[T, C]CATTCATTTGCGAGCATAGATCGTG	1,240,901	91
3450.	ATTTACATAAATCTTAAATACTG[C, T]ATCCTTTATCATTCAATTTGCGAGCA	1,240,910	91
3451.	ACTCATTTAACTATTCAATCCATT[C, G]TCCTTCGTATGTTCTTTACTTGTAT	1,241,148	91
3452.	ATGGCATGAGGACTGTTCATGCT[T, C]GTTTGTATTATTTTATTCCTTGAAT	1,244,429	91
3453.	GGTCGGCTGTTTCTCTgACGCACTG[T, C]GGATGGAATTCAACTATGGAGGGGA	1,244,890	91
3454.	TTGGGTGGTGAGATCCTCGGAAC[C, T]TCTAAGCTCCAGAGAACTTCATGA	1,245,010	91
3455.	TATGCTTGGCCCCGACCAATGGC[T, G]GAGCTTGCAATTCGGTCTTCTCAATA	1,245,076	91
3456.	CCGCAAAATTAATCTATTTTTtA[A, T]ATTTTtAGTTTTGAAATTAGAAAGA	1,245,359	91
3457.	AGCTACAATATTTAAACTTAAGAT[A, G]TAGCCGCAAAATTAATCTATTTTT	1,245,387	91
3458.	TATTTTTAGTTTCATTAATTCCTC[C, T]TATCATCCACGATTGCAATTAGCAA	1,245,850	91
3459.	TCTCTCTTTGCCATAATTCATTT[A, G]TTACCCACTAAAAGACTTAGTTTGA	1,245,994	91
3460.	ACAGCTTGGAATATTTTGTACTTG[T, A]CTCTCTTTGCCATAATTCATTTAT	1,246,018	91
3461.	TTGTGACAGCTTGGAATATTTTGT[A, T]CTTGTCTCTCTTTGCCATAATTTCCA	1,246,023	91
3462.	TGTTTCTGACTAGGAATAGTCATA[C, T]CTTCACCCAACAATATTTCTATATCT	1,246,394	91
3463.	ACTTAGATCTCAATGTGAGATGTA[G, A]TTCTAGCAATGATTTGATAAGCATT	1,264,997	91
3464.	CATGCCCTCTCCCTGAGAAGTGT[T, C]TGAGTAAAGAGACAGTCTAGGCAA	1,266,011	91
3465.	CGGATGAGCGACAACCTCTCCAAAT[T, C]TAGGCAGCCTCAATCCGTCTAGAGA	1,266,086	91
3466.	GTTGAGTGATCTTTTATACTCTCA[G, A]CTGAAAGTATCAACAGCAATGAGAT	1,266,274	91
3467.	GGCAATGAGATAAAGGAATGCTC[A, G]AAATCCAAGCATCCTGGATCACCCC	1,266,368	91
3468.	CAAGAAATTGCGAAACTGCTGCTC[T, C]AGCCTTCTGACACAAGCCACGGGGA	1,266,736	91
3469.	ACGCACCTCGTTATTCAAATCCT[A, G]TTCTCCTACGCAGTAATACAGACCA	1,267,910	91
3470.	CAAAATTTTGATAAAAATTTAATG[A, T]TTCACCACCTCCCTCTTATTCATTT	1,275,287	91
3471.	GTACCACTTTGCCCAAAAATACA[G, C]AGGAAGATGGACTATACAGATGTAT	1,275,369	91
3472.	TCTCATCCCTTCTCACAATCCAC[T, G]CTCATCTACTCTTGCTCGCACTCCC	1,276,186	91
3473.	TGAAGCTAAAGTTATGTTCTTCAG[G, A]TCCTTTTtAGTTGCTACTCTAGCTA	1,276,371	91
3474.	TTCTGATGACAAGCAGCTTCCAAC[A, G]AGTCATCATAAACTTCATGTTACAT	1,276,467	91
3475.	GAGCTTGCAAAATGCCTTTTCT[G, A]ATGACAAGCAGCTTCCAACAAGTCA	1,276,487	91
3476.	TCTCAAGATGACTCATCTGCTGA[C, T]TGTTAGAAAACACGCAATGTTAAG	1,276,568	91
3477.	AAATGCTAATATTGAAGGTGTT[C, A]CATCACACTAAGCACCGATCATGCA	1,276,706	91
3478.	AAGTGCTGAAAGACATTCATTAT[A, G]TTCTTCTTCTTCTTCTTATCTCT	1,276,912	91
3479.	CTCCAGTTCTACAAGAAAATCT[G, C]TGCTTATCCTTGCTCTTCTTCTTT	1,277,099	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3480.	TGAGGTTCTCCAGTTCTACAAGAA[A, T]CAATCTGTGCTTATCCTTGTCTTT	1,277,106	91
3481.	GGGAAATATCATAATGCCAGACCC[G, A]gAACATAGTATAGCAGAATTAGCAC	1,277,239	91
3482.	CATCTTTTTTGGTCAGGGAAGGTCT[G, T]GTACTTCGCTCATACCTTATTCAAA	1,277,351	91
3483.	TTTACATCTTTTTTGGTCAGGGAAG[G, A]TCTGGTACTTCGCTCATACCTTATT	1,277,355	91
3484.	GGGGTTTATGGTGCAATCCAAGTT[A, G]CAGCAAGAGAGAGCCTTTCTCTGAT	1,277,475	91
3485.	TGAAGGGGTTTATGGTGCAATCCA[A, G]GTTACAGCAAGAGAGAGCCTTTCTC	1,277,479	91
3486.	TTCATAGGCTCATTGCCAAGGCT[C, T]AGAGATGTGAAGGGTTTATGGTGC	1,277,511	91
3487.	TGGCGGATGCGTTGTCATTAAACGA[C, T]GCTAAAAaGCGCCGTTAAAAGTTAA	1,277,752	91
3488.	AACTGTCAACGCCGACGCTTTTA[G, T]CAAAAGCGTCGTTAAATAAAGAAAA	1,288,154	91
3489.	TGCATGGCTGTTGGCTACCAAGC[T, C]ATTGAGAAAAGCCAAACGCTCTGAAC	1,288,690	91
3490.	TTGCTAAACTGATGCGTTTTTCTT[A, G]GGGGTTTATAAAGCGATCGAAAGA	1,288,863	91
3491.	AATTAATAGTCAATTTGATTGTA[G, A]GTAGCTCAAATACTTGAAGATGTTG	1,288,910	91
3492.	ATGCTCAGAATGTCTCTACCTTG[A, G]CTCCAAGGCATTTAACCTTCAAA	1,289,146	91
3493.	ATTGAAGTAGAGAGATCTGATACA[T, A]AATCACTAGCCCTCTGTGTCTTGCA	1,289,355	91
3494.	CATTGAGGTCACTGGAAATGAC[G, C]ACCACTTTGTATAGATGAGAGTTGG	1,289,423	91
3495.	TTACTTGCAAAACAGGGACATGGCA[T, G]GGAGGTATCATCTAAAGAGCAATTA	1,289,564	91
3496.	CAATTACTTGCAAAACAGGGACATG[G, A]CATGGAGGTATCATCTAAAGAGCAA	1,289,567	91
3497.	TTCTAATACAGAAAAGATAGTGTG[G, C]CATCAATCCAGTACAAATATCAGGT	1,289,653	91
3498.	ATATAAATCAATGAAATTTAACGA[T, C]GAAAATTTGCTTAGAATAAACCAAT	1,289,702	91
3499.	TAAGAAATTAAGAATATAAATCAA[T, C]GAAATTTAACGATGAAAATTTGCTT	1,289,715	91
3500.	CACTTGTATCATCTAAGCTTGAT[A, G]CTTTACAAGTCTACATTTTGCCTTC	1,289,842	91
3501.	GATCATAATTTAGCAAAATCAGTG[C, T]TGTATTATACTGATGTTTTCCCTC	1,289,911	91
3502.	CATCCCACCATACGTGTGGGCCCC[C, T]AATGAAACCAAGCCCCACGCTAGTG	1,290,538	91
3503.	GTGCCCACCGCATCCCACCATACG[T, C]GTGGGCCCCCAATGAAACCAAGCCC	1,290,548	91
3504.	GTCCGGGATCTGCCTGCGAGAGAA[T, G]GACACAAGCTGTGCCCACCGCATCC	1,290,583	91
3505.	AAGGCATGGACAACGGACTCATTT[A, G]TTTGTATGGTTGTGCAATTTGTTA	1,294,974	91
3506.	ACGGACTCATTTATTTGTTATGGT[T, G]GTGCAATTTGTTATGGTGATAAAAA	1,294,986	91
3507.	AAGAAATTTGTTCTTCACTTGCTT[G, C]TCATGTCACACATTTTCAGTCCC	1,295,175	91
3508.	ATCCTAAATTTGCATATCTGCATC[T, G]ATGGACACATGTTAAGAGGCAATAA	1,296,045	91
3509.	CTATCCCTTATTCCTCGTTCTAAT[T, C]TTTATTGTTGTACATGTAGTCATTG	1,296,105	91
3510.	CCGCCATTTCTCAGTTTGCAGAGAC[T, C]CGTGTCCCAGGTGGTTGTGCACATT	1,296,374	91
3511.	CAAGAAGGAAGAACTGAAATGGAA[C, G]CTGTTGGTCAGCAAAGTGATGGCAG	1,296,649	91
3512.	TAGGTTGCCAAaGCTTGTGCACC[G, A]TGACGGTGCCACCGTATGTAAAGAA	1,296,855	91
3513.	TGTATTCTGGTGACTGTAACAATA[T, A]GGTGGAATTGAACAAAATTTGTAT	1,297,006	91
3514.	AGCTTGAGGATTGAGTTGGGAGAG[A, C]ACAGATTAGGGTTATCACGACCATG	1,297,188	91
3515.	GGAGAGAACAGATTAGGGTTATCA[C, T]GACCATGGTTATGAATCGCTTTTGT	1,297,206	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3516.	GAGAACAGATTAGGGTTATCACGA[C, G]CATGGTTATGAATCGCTTTTGTGCT	1,297,209	91
3517.	ACAGGTAACCCCGAGAAATATCAA[T, C]TGGTGAGCAAAATGAGGTAACAAC	1,297,354	91
3518.	TGCTACTCTGCATTTTGTGTTTCT[A, T]CAATTGGCTCAAATTTACTGTCTGG	1,297,408	91
3519.	TTGTTCTTTCTCTCTTTTTTTTTT[A, T]TTTTGGCTCCCATCCTCTCGTTTTT	1,299,247	91
3520.	GCTCCCATCTCTCGTTTTTCAGAG[C, A]AGAAAATACGAGCTTAAATCACTC	1,299,277	91
3521.	AAAATACGAGTCTTAAATCACTCC[C, T]TGACGCACTGTTCTAATCTCATTTA	1,299,304	91
3522.	CTTGGTGTCATCATTTTGTCTTTC[T, C]TCCTTTCATCTGATGGTTCAGCT	1,299,599	91
3523.	GGTTCAGCTATGCCATCCAGAG[A, T]CTCACTCCCTGTTCTGACTCCATTT	1,299,638	91
3524.	CATCCAGAGACTCACTCCCTGTTT[C, T]TACTCCATTTAACTCACCCGGCGTT	1,299,653	91
3525.	AATTTTCTCCATATTTAATATTAT[G, A]TAAATTTTTtCTTTCCATCTATCC	1,301,043	91
3526.	CACATCTCCTCTCCTCCGATT[G, T]AGGCCATGAACATAAAGTACCAG	1,301,487	91
3527.	AGTTCCTTGTCTCTCTAATTTTG[T, C]TTGTCCTAGTTTTAGGATCTTTTTG	1,301,767	91
3528.	TGTGAATGAGATAGAGATCCTTT[T, A]TTAATTTTTtAATTGATATCTTTG	1,302,537	91
3529.	TTCAATTAATTTGAAAGGTTGCT[G, A]TTTTATTGTCTCTGCTATGTGCA	1,303,432	91
3530.	TATCAGCAAATATGCTTTATGCTA[T, C]GGTACCTAGACTCTCTATTTTAAAG	1,303,928	91
3531.	TTAACATATCTTTTTTCCAGTGG[A, G]ATGTAGGGAACTCTTAGTTTTAAG	1,304,087	91
3532.	TTTAAGTGCTGGATACCTTCAATT[T, A]GAATATAAAGTTTCAAGGTTTTGT	1,304,131	91
3533.	CATATATATATATATGTCTATACA[C, T]GTGTATATATGCATACATAAATGCA	1,304,562	91
3534.	TTACCGTACCATATGGGTGTAACCA[C, T]ATCGTAACAGGATGGTACTGAGACA	1,304,784	91
3535.	CCGTACCATATGGGTGTAACGACAT[C, T]GTAACAGGATGGTACTGAGACAGTG	1,304,787	91
3536.	TTATTCTAAACGTGAAAACTATC[C, G]TGCAAGCACAACTGAATAACCAAA	1,305,022	91
3537.	ATAGAAGGATGGACGGAATGATT[T, C]CCTCCTTTGTTTGGTATAGGAAAA	1,305,491	91
3538.	TCTATCCTTCCAATTTTATCCATA[A, C]ATTTTCTAATGACTCCAACAAAACA	1,306,155	91
3539.	TTCTAATGACTCCAACAAAACATA[A, G]GGTAATTTTACCCTAAGAAACGAA	1,306,183	91
3540.	ACATTGTTGATTTAACTAAGCT[A, G]AAGATAATATTTTAAAGGGGAACT	1,306,279	91
3541.	TTTTTAAAGTAATTAGTGACTTCT[C, A]CAAAATAGAAGCCATTAACTAAAA	1,306,364	91
3542.	ATGATCAAATCTGTTTCTGTATCT[A, G]GTTCCGATCAGATTTGAATAGAGAT	1,306,721	91
3543.	TTGGATTGGAATATAGATATTAAG[G, A]TTTTTTtGGATCCAGATGCAGATAG	1,306,868	91
3544.	CCTCTTAGGAGCCTCCAACGTCA[T, C]GGATGAGAGGTTTGGAGCCGCTCC	1,307,273	91
3545.	TAGAATTCTCCTCAATCATCAATC[A, G]ATTGGCCCTTAGGACCCCTTGCATG	1,307,358	91
3546.	GTCGAAGTTGACCTTTAGAAATCT[G, A]GGGGATGGGGGCTCCAAGTGAGAA	1,307,548	91
3547.	GCTCCCAAGTGAGAAAACATCG[A, G]GACACTACATGAGCGTGAGGGGGGT	1,307,583	91
3548.	GCACCTTAGGAAGAATAGTGGACA[G, A]CCGCTAGATGTGCGTAGCTCTCAAA	1,307,882	91
3549.	GGTATGCATGAAGACCACCATATC[T, C]TGGTGCCAGGGCCACTGTGGACAGG	1,308,168	91
3550.	ACAAAGGTCAGACACCAGCACAGC[G, A]GAAGGTCAACTACTCACGAGTCTCG	1,308,347	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3551.	TGATCGAGAGCCCATCCCCACCC[A, G]CCAAGAAGTCAGGGCCAACACCTCA	1,308,405	91
3552.	GTAGTTTAGGATTATATTTGGCA[C, T]GCATCATCGTACTCCAGGGGTGCT	1,308,521	91
3553.	TGCCAAGCGATCAGAGCCTTGTGC[T, C]GAACCACTAGGATCTTTATGCCTAG	1,308,596	91
3554.	ATTGATCGGCTGACAAATAACCTT[C, T]CATGCTAGAAGATGTACCCCATTTTC	1,308,655	91
3555.	ACCCCATTTCTCCATGGTGCAGAA[C, T]CACATAGGAAGTTCTTGAAGAGTTG	1,308,695	91
3556.	ATATTTTAAAAATCTTTTATTTA[A, T]AATATTCAAAAATACCAATAATGTC	1,308,925	91
3557.	TTTAAATATTTCAAAAATACCAAT[A, G]ATGTCAATATATTCCTAATTTGTAT	1,308,945	91
3558.	TTTATTTAAAAATAGATGATTCAT[G, A]ATTCTTTTATTTATGCTGCAATTA	1,309,008	91
3559.	TGGATATAACTAATACCGACTTG[A, T]ATCCATATTTGTATTCATTAATAAAA	1,309,387	91
3560.	TGGAACCAAGGTTTAAATCTCTT[A, G]GGACGAGACTGTTCCGATTTTTC	1,310,016	91
3561.	TAGGACGAGACTGTTCCGATTTT[T, C]CATGGAATGGGATGCGCCGCGTCC	1,310,039	91
3562.	ATGGGATGCGCCGCGCTCCGTC[C, T]GTCCTGATACTTGAATAGAGGATG	1,310,070	91
3563.	GATATCCCAATCGGGACATTGGGA[T, C]GCTAGTGGGACACTGTATCCCAACA	1,310,126	91
3564.	GACATTGGGATGCTAGTGGGACAC[T, C]GTATCCCAACACATGGGATGGTATC	1,310,140	91
3565.	AATTTGGCAATTTTGCTAGTAAAA[G, A]GTCATAATATTTTTTTCAGAGACAT	1,310,311	91
3566.	TTGCTAGTAAAGGTCATAATATT[T, C]TTTTCAGAGACATGTAAATAAAAA	1,310,323	91
3567.	GATGCACCTCTTTGACACTTCATC[T, C]TGAAAAGATCTCAACTACTATGAGG	1,310,488	91
3568.	CATGCACCTTTGTTTTAAAGTTCT[C, T]TATCCACTATGTTGATAGAGTGGTG	1,310,573	91
3569.	AGCTAGGCCCGCAACAATTTTGGC[T, C]GGGTTGCGGCCTAAACATAGGGTCC	1,310,817	91
3570.	GGGTTGCGGCCTAAACATAGGGTC[C, T]GTTTGCTTTTCGGGCCGGCTCAAGC	1,310,842	91
3571.	TCTTTGGTCCAGCCCGGCTCGGC[T, C]TGGCTCGAGCCCAAGCTCGAATTCC	1,310,895	91
3572.	TCGTGCCGTGCTTGGGAGAAGCCC[T, C]TGTGCTCTATCCAAAACCCTTCAAT	1,310,964	91
3573.	TCTCTTCATTCCTCGACGGCGTGC[T, A]AACCCCTTCTCTCCCTCCCACCGC	1,311,029	91
3574.	TCCCGCAGCGCGTGCTAACCTTT[C, G]CTTCCCTCCCACCGCCACCTCGTC	1,311,038	91
3575.	CAGTACATGTTTTGCTTTTCTCA[C, T]AGCCAAGGACCGTCGAACCAGAATC	1,311,327	91
3576.	GTCGAACCAGAATCAGAGCTCGTG[C, T]TGGCCGGTCGGCGATACGATTCAGT	1,311,363	91
3577.	GATTTCAGTATGGGTCTGTACTATT[C, T]TGTGCGGGCCGAACCTGATAGGGTA	1,311,405	91
3578.	GAGGGCTCCGGCAGGTGCTCTCA[A, G]GTCCCTTGGCGTGGGCTCGTCGGTC	1,311,505	91
3579.	GTGGGCTCGTCGGTCGTTGGAGAC[A, G]TCATGGTGGCAGTGCCATCCATCCG	1,311,540	91
3580.	CATCCATCCGGAGGCCTTCGACGG[T, C]CTCCAGACATCCAGTAAGACTCTTC	1,311,580	91
3581.	TAGCCCATTAGGAGGATACTCATG[T, C]CGTGCTTAAGAGAAGCCCCTGTGCT	1,311,886	91
3582.	GCCATGCTCCTGCCGTCGTTGTT[C, T]GCTCCCTCTCTTCTAGCCTCGCTCG	1,312,026	91
3583.	ACCGGCATCTTTCTTCCCCACCTT[G, A]TTGCCGCCATGGTGTGCCCTTCCTT	1,312,104	91
3584.	GGGCCTTAAATTTTAAAAATTTT[C, T]GAACCTAAGCTCGCCTTGACGTCTG	1,312,228	91
3585.	CCTTAAATTTTAAAAATTTTTCGA[A, G]CCTAAGCTCGCCTTGACGTCTGAAA	1,312,231	91
3586.	TTTTCGAACCTAAGCTCGCCTTGA[C, A]GTCTGAAAAAATATTTTCGGACCGGG	1,312,248	91

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3587.	ACCTATTTCCAGCCCTATTTCTCC[C, A]TGGAAATAGGATGCCCCACTGTCCCA	1,312,329	91
3588.	AACAAGACAGGACAGCTGGGACGC[C, T]CCTCGTCCTGCTGGGACGTCCCTTG	1,312,650	91
3589.	TGCCTCTTAATACAATTTGGCTCA[C, T]TAACGTGCATCACATGCTATATGTG	1,312,770	91
3590.	CCTCTTTCTCTTTCTCCCCCTTT[C, T]CCTCTCTCTTTCCCTTCCATTTTGT	1,313,334	91
3591.	GATACCAACTACCTACTAGAAC[C, A]AAAGAACCTATTGGTTGGTGCTATT	1,313,790	91
3592.	TGGCAAGGTTCTAAATACTAGCCC[T, A]AATAGGACATGCCTTTACTGACATA	1,314,210	91
3593.	TCTGGTGGTATACTGAACCTGGT[G, A]CCATACCAGCACTGTGCCGACTGGC	1,314,303	91
3594.	GTGGTTTCATTCTGTTGTAAGTC[C, T]GAGCTTTATTCTTAACTGCAGCGA	1,314,823	91
3595.	GAGCAGATCACACTTCAAGATACT[T, A]TGGATGGCACAGGATATTCGACATT	1,314,901	91
3596.	AGAAACAAATGTTATGAACCCCA[A, G]CTGATGCGCAAAACAAAACAAAA	1,315,726	91
3597.	TTGTTAAATATTCCAATCTTCCTT[C, T]TTCTTGTATTTGAACTTCAGAATA	1,316,345	91
3598.	AACTTCACTGAGAAAGGAGGCACT[T, C]TATGTTACTGAATCTTCTTTTGATT	1,317,496	91
3599.	AAGGACACCACTCTTGAGGATAGG[G, A]CCGACACCGCCACCCCCCAAGCAG	1,318,228	91
3600.	ATTCCTGTTTGTATGACATCCATG[T, A]ACCAGCTGTTATTGTAAAGCCTATC	1,318,458	91
3601.	TATTGTGAATCCTGATTCTAGGAC[T, C]ATGGTCAGAAGTCATATATGTTACT	1,319,112	91
3602.	TCCCCTTTGCAGTGCAATACGGCA[A, G]CAACTGATAAATGCTGAAGATATAC	1,319,211	91
3603.	ATGCTTTTCATTATAAAATCAACAT[G, T]GTGGTGAATTACCAAGTTCATTATT	1,319,418	91
3604.	ACTTCTTTACAATAATATGCATCA[C, T]GTGGATTTCCACTTAGATCCTGTCA	1,319,718	91
3605.	TACTATCTCTATATTGCTTACACA[C, T]CAAAATCTTGTGATTGGAGAGCT	1,319,825	91
3606.	ATTTAATGCAAACATGTAAGAAGA[G, T]GCCTGTTCAAAGATCATGTGTTAAA	1,321,390	89
3607.	CAGATGTTAGTAAAGATTTATACT[T, G]CTACAGAGGTATATAGGTATATGTG	1,321,443	89
3608.	CTTATTTTCAGCCGTAGTCAATTAA[A, T]CATACTAACCCTGTTCTTTCCCAT	1,321,862	89
3609.	CTATGAAGTTCATGCTCGCATCTT[G, A]TTATCTATATACTTTGAGTTGTCT	1,321,986	89
3610.	CCTTCATTTCTTCTCAATTGGTT[A, C]AATTGTTATTCTTCTCCAATGTATT	1,322,116	89
3611.	TTTGTGTCTTTTCCCTGTGTTAT[G, A]AGTCATCTCTATCGATCAGAATTG	1,322,395	89
3612.	TAGTTTGAGAATTGATCTAGTTT[G, A]ATGTTACGTTGTTAACCTTCATGA	1,322,453	89
3613.	TCAACTAATGGCAATAGATTAAAC[G, A]TGCATCCCTTTAAGGAAATTTGGT	1,322,946	89
3614.	TGATTGACGACTATATGTTCCCTTA[A, C]GTTGGAAAAATAAAGTGTACCAC	1,323,289	89
3615.	TCTTAAATTTGTTTATTGAGAAT[C, T]AAATGACAACAGAAACAGCAATTG	1,323,401	89
3616.	CTCTAAACTTCCCACACACAAAA[A, G]TCATTTGACTTGAAGACCTTTAGCC	1,323,586	89
3617.	GCATGCTCGTGATACTATTTTGTA[G, C]GCTCAAGGAACAAAGTGTATAGGA	1,324,584	89
3618.	GCTGGTCTCCCGACAAGGTAAC[C, T]TCCTCAACTTGTGTTTCATTTATG	1,324,983	89
3619.	TTGCAAGCAACAAAAATGTTTTTG[A, G]GTTAAATATCTCATAATCATATGTT	1,325,302	89
3620.	ATCATTATAGTTATCTAATTGCT[T, A]TGGTGAGGAAGGCCGACATGCTGCA	1,325,506	89
3621.	TGCACGGAAGCATGTGATTGCGC[T, C]GTTTTCTGTTTGTCTGTCCATGTG	1,325,727	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3622.	ATTAATTATAGAAGTTTATGATTG[T, A]GGATTTCAATGCTGATCATTATCTG	1,326,298	89
3623.	GGAGAACACTAAAAGAACCAGCAT[G, A]TGCTGGAATATGTTTTTCATATAGA	1,326,421	89
3624.	ATTTTAGATGCTTTATAGCACCTT[C, T]GTTGGTTTCAATCCTGCTATCAGGA	1,326,656	89
3625.	TGTTGGTATTCTGTGAAGTTAACT[G, C]GTCTTCATGTTTCCTTCAATCAGAAA	1,327,172	89
3626.	TGCTCCTGTAAACCGCCTGACACC[G, A]GAGACTGAATCAGAAAAGTTGCTTT	1,335,468	89
3627.	CATATGTCTGGTATTTCTAGAGAA[T, A]TTGAGTACAAATGTCAGGAGATGTA	1,336,079	89
3628.	CATTGAATTAACCCATTAAATTT[C, G]TGGAATAATTGTTCTTTTGGCCCA	1,336,346	89
3629.	GTTCCAGCTACAGAAGAAGAAGCA[C, T]GCCGGTACTTGAGCGCATTGATGC	1,336,478	89
3630.	CTGAGACAAATGTTTAGTTAATTCA[T, A]AATCTAGCTATCTTTTAGTGAAA	1,336,527	89
3631.	AATCCTTTTTTTTCGTTGAGCCT[C, G]ATAGGAAATATTCTGGCAAGGGCC	1,337,115	89
3632.	CCTGGGATTGAACCTCCGACTTCT[T, C]GTATTGCTTGTCATGTTAAGATTAC	1,337,170	89
3633.	TCTTGATTGCTTGTGCATGTTAAG[A, G]TTACTTTGTATTGCTCAAGTACCTC	1,337,191	89
3634.	TTCTTCTCAGGGAAAGCGTTGGT[T, A]GTGACTGGATTCCATGCATTACCTG	1,337,446	89
3635.	GGAAAGCGTTGGTTGGTGACTGGA[T, A]TCCATGCATTACCTGTGCCTAATCT	1,337,456	89
3636.	GCAATCAAGCATATTTATGCTCCA[G, A]TAGCCTGGTTGGCTTCTAAACACTC	1,337,586	89
3637.	CTTCTAAACACTCGAACAAGTATA[A, T]TCACATTTTGATAGTTTTGTGTAAT	1,337,623	89
3638.	GAGAGAAAGCAATCGGTTCTATTC[A, G]TGTATCAAATTCATGAAAAATGAAT	1,338,259	89
3639.	GATTTATCCGCTGCCTTCGGTGTG[A, C]AGTTACCCTATGATCAAGTCATCGA	1,339,420	89
3640.	AAGTTACCCATGATCAAGTCATC[G, A]AAGGATCCCATCCATCATTTCTAA	1,339,444	89
3641.	AATTAAGCTGTTATTAAGGCAAG[T, C]CTATCCTATATATCAAATTCATTGA	1,339,494	89
3642.	ATCCTATATATCAAATTCATTGAT[A, G]GTTCATAACCTCAAATTTGCAACTA	1,339,521	89
3643.	CAATAGCATGTCATAGTTATAATC[A, C]GATGGAAAATCTAAATCTACTTGT	1,339,603	89
3644.	CATAGTTGTTTTATAATGACTTGG[G, C]AGATTGTAGTTGTTTCAAGTCATCT	1,339,776	89
3645.	GACTTTGTATGGTAGTGGTGGACC[T, G]CCATATAACTTTAATCAGATGTAA	1,339,884	89
3646.	CCAGGTTTTGTTTAAACGGGCCGT[A, T]CCCATTTAGTCGCGCCCGCACGGC	1,340,096	89
3647.	TTAATTTTTATATCATTCATGTC[C, T]GGTCATGCAAAGGTCAAGCCTAAAA	1,340,371	89
3648.	GCAAAGGTCAAGCCTAAAAGCAA[G, T]CCATACAGGAGCGTGCGGCCATTAG	1,340,402	89
3649.	TCATTGATTTTTTATGTTTCTTTT[T, C]GAATCTTTTCTATGAGGCATGCTTT	1,340,514	89
3650.	ATTGATTTTTTATGTTTCTTTT[G, C]ATCTTTTCTATGAGGCATGCTTTCT	1,340,516	89
3651.	ACTCATAACAAATGAGCTGCACAAC[T, G]GAACTTGTTCCAAATTCGACAT	1,340,962	89
3652.	TTAATGATCTCGTCTCTGCTTC[T, C]TTAAGAACCCACTCATAGCATCATG	1,341,577	89
3653.	CCTCTGCCTTCTTTAAGAACCAC[T, A]CATAGCATCATGAAATGCTGGCTA	1,341,590	89
3654.	ACACCCAAGGCCAGCGCAGCTTG[G, T]AGGCCAAGCTTCTGCACTCAAGGT	1,341,774	89
3655.	GCCAGCGACAGCTTGGAGGCCAAG[C, T]TTTCTGCACTCAAGGTCATCTCGTA	1,341,783	89
3656.	CTGATTGAATTTTAAATGATGACAA[A, T]TGCAAAATTCACAGCACTGAACTT	1,342,238	89
3657.	TAGAAATGGAATGTGTGGGTGAGA[C, T]GAAACTAGGAGCATGGAAAGTT	1,342,358	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3658.	TTTGAATTCAAATAGGATATTGT[G, A]AAATTTATTCTCATAATCAAGTGTA	1,342,480	89
3659.	GTGAAATTTATTCTCATAATCAAG[T, G]GTAAAGTTGTTGATATtCTTTTTTA	1,342,502	89
3660.	ACTCAAATGTACTTGAACATTTTG[T, C]CGATTGTTCAAATTATGAAAGAAAG	1,343,291	89
3661.	CTGTCTTTAGTAAATAAGCCATGA[A, C]CGCTGCATGATATATGACATTACTT	1,343,454	89
3662.	GTCACATGGAAGAATTGCAAAGTA[C, T]ATACATAAAATAAAATTTGCCATAG	1,343,547	89
3663.	GGAAGAATTGCAAAGTACATACAT[A, C]AATAAAATTTGCCATAGTATCATA	1,343,554	89
3664.	TTTAAACCCTACTTTTATCTACTA[T, C]TTTACTAGTGATTGACATGCGATAG	1,343,741	89
3665.	ACTATTTTACTAGTGATTGACATG[C, T]GATAGTTCACCTTTTTCTTATCCAG	1,343,761	89
3666.	TAGTGATTGACATGCGATAGTTCA[C, T]TTTTTCTTATCCAGAATAGAATTG	1,343,771	89
3667.	TAGATTTACCTCAAGAGTTTCAA[C, T]GATTTCTTAAGATAATTGACCTCTG	1,343,841	89
3668.	CGCATCCACTCTCTTAAAGCAAA[C, T]GGTATATCAAGCACTGCCTTGAGAA	1,343,916	89
3669.	ATATATAAGTAAATAATCAACCAC[A, G]AAAATACCAGTAAAAATAACTTCAT	1,344,115	89
3670.	AATCAACCACAAAAATACCAGTAA[A, G]AATAACTTCATTTGAGTTAAAATTG	1,344,129	89
3671.	ATACAGAAGACTTCAACAACAGAA[T, G]GGCTAAACAAATGGTTCAGAAAAAT	1,344,181	89
3672.	GATACTTGATATTGCATTTTATTAT[T, A]GCATGACCAAAAAAGAAAGATTAA	1,344,367	89
3673.	TGCATGACCAAAAAAGAAAGATT[A, G]AACAGCTACAATTGATACATGACAG	1,344,391	89
3674.	GCATATAGATTGCTACCGAACAGC[T, A]TTTTTATTTTACTATCATTTTGACT	1,344,673	89
3675.	ACAAAACCTCTAGTTAATATCTTGC[G, T]GCCATTGGGATTAGGAAGCTCACCG	1,345,087	89
3676.	CTTGCGGCCATTGGGATTAGGAAG[C, T]TCACCGAAACAAAAGAACTG	1,345,106	89
3677.	AGGCCAACAAAGAAAGAACCTA[A, T]CCCTTGGCTAAAATATAGAACAATA	1,345,201	89
3678.	ACCTAACCCCTGGCTAAAATATAG[A, G]ACAATAACCTTTTGGAGGCAAGTG	1,345,220	89
3679.	GCAAAGGGGACAGATGGTTACATG[T, C]AACTCCAAGCACCATACCTCACC	1,345,270	89
3680.	ATCTATTTTCCAACATACACCGAG[A, G]TTGAGGGAGAGTTTATACGTGAATA	1,345,419	89
3681.	CAGTTCATAACGGTGATCAAATCT[G, A]ATTAGAAAAATGAGCACTGGCGT	1,345,557	89
3682.	AAGCATTTTTATCACAATATTGGT[A, C]ATAAGTTCAAAAAGAGAAAGAGAT	1,345,910	89
3683.	GGAGAATAACAGCAGGAAGAGAAG[C, G]AAGAAGAAGGAAGGACTGGCATAT	1,347,534	89
3684.	TTCTTTTCTTTTCTCTCCATTTT[C, T]CCTTTTTTTTTTtGTTGCCTCCT	1,347,691	89
3685.	AAGGAGACGAGAAGATCATAGTAG[C, T]AGAGCAAGACTAAACAATTAATTA	1,347,767	89
3686.	AAGGCCGAGAAAAACATTGTGCGCC[G, A]GAGAGAACAAAAATGTGGCGGAGAT	1,352,528	89
3687.	ATATAGATATATTGATATTTATTT[C, T]GTATTTGATCTATTTTGTATCTCAA	1,353,125	89
3688.	CAATGTACTTATTTTAAATTGGTA[C, T]GAGCGGCTGTTGTATAGAAGAAAA	1,353,172	89
3689.	TACTTATTTTAAATTGTGACGAG[C, G]CCTGTTGTATAGAAGAAAAAATT	1,353,177	89
3690.	CCCCGCGTCTGGATCTCTGGGAAA[C, G]GACAAGAGAAACGGGAAAGCGGAAG	1,353,391	89
3691.	CGTGAAACGGGAATCGCGGCTGG[A, G]GTGGTTGCAGCATGTGCGCGCCCA	1,353,460	89
3692.	GATTCTCCTGGGAGGTTCCAGGGG[A, C]GCGACGTCAGCGGCTGCGAGGCG	1,353,528	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3693.	TGGTTGGATAGATATCAAGTCCAC[C, A]GACCAGTGAGATTTTTTTTTTTTt	1,353,808	89
3694.	AAGTATCATCTCTATTCTTCTCTCT[C, A]TTGCTTGATCTGGTATAATACCCGA	1,354,139	89
3695.	TATCATCTCTATTCTTCTCTCTCT[G, A]CTTGATCTGGTATAATACCCGATGA	1,354,142	89
3696.	TTTAACACATTGGAAGAAAATTT[A, G]CATTTAGAAGTCCATGTTAAGATA	1,354,318	89
3697.	AAGATAATCGATGGCAATTCATGG[C, T]GTATGGCCTTAATTAAGATGAGTGT	1,354,362	89
3698.	AGTTTCTTTTGTATGTCGGTCTA[A, C]TCTTCTTTTCATTGTGGTAGTACCCA	1,354,891	89
3699.	ACCAAGTAACTTCCTTGATTTTGC[T, C]AGGTGCTCTAAGATAATTAAAGGTC	1,354,943	89
3700.	TATATTGGTTGGGTGATTTACACA[C, T]GATGAGCCATTTTTTAAGAGGAAGA	1,355,003	89
3701.	TGAGGTGATAAATGCAGTATATAT[G, A]AAGATCAATTGCGGTGATAGCACTT	1,355,097	89
3702.	GCAGTATATATGAAGATCAATTGC[G, A]GTGATAGCACTTACATACAACATCT	1,355,110	89
3703.	TCCTCACTGATATTCTTTTTCC[C, T]GTTGAATGCATGAACTATTGGTTT	1,355,165	89
3704.	CAATCAAAATTTTATATAATAGA[A, G]ATTTTATATCAATGATCCAAATTAT	1,355,290	89
3705.	TTATTGAATACAATCTACCATCTC[A, C]AAATTACTTACACATAAAATATCAT	1,355,336	89
3706.	ATGTATCAAATAGTAAAAAATTGA[G, A]TAGTCTAAATAAAATTGAATTATAT	1,355,408	89
3707.	ATTTTGTAGATTATGATAAGTTAGA[G, A]ATTTTCAGATCATATGATTTTGTAT	1,355,460	89
3708.	ATTTTGTATATGTAAGTAGTTTGT[A, C]GACAGTAGGTTACATTCAATGACTT	1,355,501	89
3709.	GAAAGTTAAAAATTTTCTGGCCAA[T, C]TTATTTCTGTTTGTGATTTTTTAA	1,355,654	89
3710.	TTTGTGATTTTTTAAATAAAAA[A, G]TAATATGATCAGGTAGGTCTTAAAT	1,355,688	89
3711.	ATCAGGTAGGTCTTAAATCTAAAC[A, T]TCACGTTGCTGTAGATTCTAATTT	1,355,720	89
3712.	AATTTAATGATCCAATCTTTCTC[T, G]GGAGCTTCTTATTTTATGTCATGGA	1,355,765	89
3713.	AACCGCCATTAAACATGCAAGAAA[G, T]GATCATTTTTTATATTATTACT	1,355,887	89
3714.	TTACTGTCGTAATCTATTGTTT[G, A]CATGTTTGTTTAATCTTTATGGAC	1,355,932	89
3715.	CCAGTGCGAATATGTTTGAGTTTC[T, C]GGGGACATTAAATAATTATTATGAT	1,356,053	89
3716.	ATATTATAAAATATTAATTTGAAT[T, C]TAATTTATTAATTAATTTAAATTA	1,356,356	89
3717.	CAAGAGAGAAAGTCTCTGTACACC[A, G]TAATAAAGTTGACGTAAAACGTATC	1,356,771	89
3718.	TTAATATCATTATCATCTTTATCA[T, C]TAGCTATTTAAGTAATATAAATAAA	1,357,494	89
3719.	TATCATTATCATCTTTATCATTAG[C, T]TATTTAAGTAATATAAATAAATTA	1,357,498	89
3720.	GTAGGGGACAGGGAATGGATGCTA[G, A]CAAAAGATCTCTTCTCTCTGGAAA	1,357,630	89
3721.	CTAGCAAAAGATCTCTTCTCTCT[G, A]GAAAAATTAATCCACTTTCACACGT	1,357,651	89
3722.	CATTAAATTTGATATCCATATCTC[C, T]CAAGTTACTACTCTCTGTCTAAAA	1,357,725	89
3723.	AAATTGATATCCATATCTCCCAAG[T, A]TACTACTCTCTGTCTAAAATCATT	1,357,730	89
3724.	GCAGGTAGATGGGGATGCAGGGG[G, A]GGGACAAAATATTATGATGTTGCAA	1,358,232	89
3725.	TCAATTCTGAATTTTTAATGATAA[C, G]AGCTCAATCATGGGCTCCAAGACA	1,358,469	89
3726.	GGAAATATGGTAGAATCTTATAGC[T, A]AAGGAGCTTTGCTGACAATCTAAGA	1,358,564	89
3727.	TCTTATAGCTAAGGAGCTTTGCTG[A, G]CAATCTAAGAAGAAGTTGAGTAGT	1,358,579	89
3728.	TTGAGTAGTGATGGAAGGCAAGG[G, A]CCCTGCAATAGGCAAGAGTAATTT	1,358,620	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3729.	TAGTGATGGAAGGCAAAGGGCCCT[G, A]CAAAATAGGCAAGAGTAATTTTATTC	1,358,625	89
3730.	GCAAGAGTAATTTTATTTCTAAACA[G, T]GTAAATAATTACAGATACACAAGGC	1,358,657	89
3731.	TTTCATGTTTGGGGAAAAAATTCT[A, T]GTACTGAAATTATCTAACTAACTT	1,358,899	89
3732.	TCTTACTTAAAACTAGTCTCTCTT[G, A]GAAAAGAAAAAaTCTACTTAAAT	1,359,028	89
3733.	GCCATGAAGCCCAATTTATGCTTA[A, G]GGCCCTCCATATAGATATGTTGACA	1,359,133	89
3734.	GCCAACACATTTATTATTTCAAA[G, A]GAGAAAATATAGCTCAGCACCCGTT	1,359,214	89
3735.	CATTGCGCATGGATTCTATGTCAG[G, C]TAATTGATCATTTGTTTAAAGAAaAA	1,359,291	89
3736.	ATTTATACTTGTAATGAGCTTCA[T, A]TGCCATTCTTTAACCGTACAATGCT	1,359,410	89
3737.	AAGTGAGCTTTAAACTATCCTTT[A, C]ATAACATAATGTTTTCGCTTTTAGC	1,359,476	89
3738.	TTCGCTTTTAGCTAGTATGGTATT[G, A]TAGGTTGATTTTGATCTAAATGGTA	1,359,514	89
3739.	GTGAGAATGTATTGTTTATGTAGA[T, C]AACTTAACTTGCTAATGAATTTtTT	1,359,571	89
3740.	GCATGGAGTAATCAATTATATCG[G, A]TCTATGATTTAAAAATAATATAAA	1,359,842	89
3741.	AGAGAATTATAAAAAaTAATTAT[A, G]AAAAaTATAAAAaTATATAAATT	1,359,907	89
3742.	ACAAATAATCTCTATTCTAATTTT[C, T]TCTTATGTCTCTCGTACACTTTTA	1,360,018	89
3743.	GTCTCTCGTACACTTTTACATCCA[A, C]AGAAAACCTAATGATTCTTTTAAA	1,360,050	89
3744.	ACTCTAATGATTCTTTTAAATAGA[A, G]CATTATATAGATGAAAGTTTAACTC	1,360,080	89
3745.	TAAAAAATTAAAAaTTTATTAATA[T, C]ATAAATTTTAATAATTTTAGAAGG	1,360,140	89
3746.	AAATAATTAAATGGAGTAACATTG[G, A]AAATAGAATCTTAAAGTTATTAAAA	1,360,190	89
3747.	AAAACATCATCAACTAAAAATA[A, G]AATTCTAAATGAATTGAGACTTGTT	1,360,236	89
3748.	GTGCTGGAATCTGAACCTAATT[A, G]GTGGTTAATATCTCAATTCAAATTT	1,360,316	89
3749.	ATTTTtAATTTTTTTtAAGGGTAA[G, T]AACCCACAGGCATGTTTAAAGCGAA	1,360,494	89
3750.	CTACTGGAGATCGGGAACACAGA[A, T]GAGTTTCATGTTCTAAATTTT	1,360,550	89
3751.	TTATAACACCAAAATGGAGCAATCA[T, A]GTTTAGTTGATGTATATATACAACA	1,360,718	89
3752.	CTTAATTAGCATTCTTTTGTAGAA[A, G]ATGGGCAATGACTGCTTCATGATGG	1,360,863	89
3753.	TGACTGCTTCATGATGGAATATG[T, A]GCTGTTATTGATCCTTTTATTGTTT	1,360,896	89
3754.	GCTGCTTTACGGATGGATTTGTCC[G, A]TCGGCTCAACAATGAATAATTAATA	1,361,166	89
3755.	ATTACAATAATAATAAAAAaTTT[A, G]TGATAAAATTATCATTAGAATCTAC	1,361,256	89
3756.	AAAAaTTTATGATAAAATTATCAT[T, G]AGAACTACATGAATCTCTAGGCCC	1,361,272	89
3757.	TCTCTAGGCCCTTCAGCTGTTTCAT[A, G]ACCATGCAAAAACCTCCACTAATTAG	1,361,311	89
3758.	TCTAGGCCCTTCAGCTGTTTCATAA[C, G]CATGCAAAAACCTCCACTAATTAGCT	1,361,313	89
3759.	CACTGAGATTATATAAGAAAAATT[G, A]GAATTATATAAATTGTACTATTAA	1,361,413	89
3760.	AAGGGAAGTGTGACTTGCCTTTCC[C, T]TCTCCTTTTCTTTACTCTTTAATA	1,361,589	89
3761.	GATTCTTGGGCCAGTGAATTATGA[A, T]GCTTTGCATGAACATAAATGATCC	1,361,689	89
3762.	TCCCTTGCTAAAACCTTTTGGCACA[A, G]GTAGAAAAGCTCTAAAACCTCACAT	1,362,199	89
3763.	CGAATTTATAATAAAACAACAAC[T, A]AATTACAACCTAATTTAAATATTGG	1,362,537	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3764.	TCCACTACGAACAGAACGCATGTT[A, T]TGTGATGCTTGTCTCATGGGTCACT	1,362,888	89
3765.	TAGGAAGGAAAAAGATAGCACTT[A, C]CATACTGCTCCATACTCCTTTTGTT	1,363,074	89
3766.	TTCGGTTTTTATCACAAGAGGAAG[G, C]AATGAAAAGCAGTACTTTTGGATGT	1,364,985	89
3767.	TGTCAAGTGTCAAGATTAAAGAAA[C, T]TTTGTAGACTATGATGAGCATCACCT	1,365,064	89
3768.	AAATGGAGGGGAAAATCATCAATA[A, G]TACACATAAAGTGTATGATCTCCA	1,365,405	89
3769.	CCATTTTTTTTCGATAAAACTATGA[A, C]ACTTATTCACCGTCGACTTTATTAA	1,365,452	89
3770.	AATATTTTACAATTAAATATCATT[A, G]ACGAAATTCATCATTAGCCTCTTT	1,365,541	89
3771.	TTCATATTGGCAATTGATTCTTTC[G, C]TGGGCCAACCTGATTCCCCACCCAA	1,366,194	89
3772.	GGCCAACCTGATCCCCACCCCAAT[T, A]GTTTAAACCAATTGTTGTGCCCTAT	1,366,221	89
3773.	CTCAACCAATGGGCTAGCACCAGC[C, A]ACAGCAGTAGATAATGTCCAAACT	1,366,431	89
3774.	TTAGGCCATTGTTTCAGAGTACAC[A, C]AATTTACACACAAGGGAGCAGAATG	1,367,082	89
3775.	TTTCATGAAACATTTATATGAAGA[A, T]ACGGCTGTCTAGGTACAACTGAGGT	1,367,504	89
3776.	TGGCAAATAGGCCATCACACGACT[A, G]TGGTAGGTAGGTGCAATTAGGAGAT	1,367,617	89
3777.	CTTGGTCCCAAAATTCATGGCAA[T, C]CATCCAAATTACTATTCCAATGGGC	1,367,791	89
3778.	CATATGGCCTTTCATCATTTTGAG[C, T]ATTTTCTGTCACCTAGTATATATTA	1,368,071	89
3779.	CAACTAATGTTATCAAAGTTTCCA[G, T]GTCAATTGCCAACATCCGTTTGTGT	1,371,479	89
3780.	ACCGCAATGCAGAAAGAAAGCATA[T, C]AGGTGAATTGGGTGCACCTGCATGT	1,371,536	89
3781.	GGTGCACCTGCATGTCCTCATGTG[G, A]AAGATATCATTGTCCAACAATAAAA	1,371,571	89
3782.	AATAATAATGCCTAATGAACCTTGT[A, G]CATTTTCATTGCTAGCCCTTTGGA	1,371,967	89
3783.	CATGCTGCAAAATAGGAAACGATGA[T, C]TGAGGTTCTTTGGAGTTTAGAGTTG	1,372,170	89
3784.	TTCTGAGAATGGCAGTCCTTAATT[C, T]GATGGCCTCATGAATCGAAGGTCAT	1,373,513	89
3785.	AATATGTAGAGAGCAAAATAATGC[T, C]ACCATGCTTGCCATTTTATTGTTTC	1,374,208	89
3786.	TGTGGGATGGAGAATGAGATTGCT[T, G]CACAACTTCATCATGACTTCACAA	1,374,261	89
3787.	ATGACTTCACAAGGAAAATCTGGT[G, T]GCATATTACTGAGATATTGTCATTT	1,374,299	89
3788.	TAATCAGAGAAACATGCTCTAATA[G, A]TGATTATTCTATGAGCTCTCTATTT	1,374,645	89
3789.	TTTGCCAGCATGGCAGTACTGTG[C, T]GATGCATTGACATACAACATGCACC	1,375,874	89
3790.	ATTTTTCAGGTTTTATTTTTTTT[A, T]AACTTTGACATTTGAACCTTCGTCCT	1,375,985	89
3791.	GACATTTGAACCTTCGTCTAGTCC[G, A]GTTAAGAGTTGCTCACAAAATTAAA	1,376,016	89
3792.	CAAGTTAAACTTATTTTGATGAAA[C, T]TTGAAACGTTGACCATTTCTATCAA	1,376,663	89
3793.	TAGGAAAAGCAACTTATCAATAAC[A, G]AGCATAAGAGGAAAGAAGTTCTAAC	1,377,079	89
3794.	TCTATTTTTCAAACCTCATCATATG[C, A]TAAGTTGATTGATCACATGACCAT	1,377,213	89
3795.	GATCAGTGTACCCAAAAGAATGTC[G, A]AGTTCAAAATTTGTGCAGGCAGATA	1,377,376	89
3796.	TAAAGAGTGGGCCCTTGGTGCAACA[A, G]TTTGGTTGCTTCATTATGACATGGG	1,377,619	89
3797.	AAGAAAAGTAAACTAAAGGCAAA[C, A]ACACTTATCTCTATCTAAACTTAAT	1,377,799	89
3798.	CATGTAATCAGTATGAATAGATTA[C, T]CACAAAATCTGAAGTTTAAATGAAC	1,378,234	89
3799.	TTATTTGTGAGGTTATGATGAAA[G, C]CATGGAAAATGTAGCTAAAATTTAG	1,378,409	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3800.	TCAGAACACGTAAATGTAGGTTTT[G, T]CTGGATATATTTGAAGGCACCAAGC	1,378,949	89
3801.	TCTTTGTTCTAATCCATCTGCAA[T, A]AATGATAAAAGTACATAACTAATTC	1,379,070	89
3802.	CTTTGAGCACTTGCTTACCTTGCC[A, G]ATTAACATTACATCACCAATAAAAT	1,380,653	89
3803.	TTACATTATTTAAGATAAGGGATA[G, A]AATAGCCAAATTATTTGCATATATG	1,380,951	89
3804.	AGCAGACTAATTATCACTAATACA[T, A]CATCCAATCATTATATGTCCATCC	1,381,031	89
3805.	CCAAATTGTTTAGTTTACTCTGTC[G, A]GCAGTAACCCATAAATGGTAGCTCA	1,382,247	89
3806.	ATTGATAAGAAACCCAACTGAAAC[C, T]GGGGTTCCAATTGTTCAAAATTATT	1,382,297	89
3807.	CAACTGAAACCGGGTTCCAATTG[T, C]TCAAAATTATTTTCCTAATACAAA	1,382,311	89
3808.	GATATGTTAGAGGCAACAAATGGG[C, T]CTATTTACACCGAATTATCATGGCC	1,382,671	89
3809.	TAAGTTCATTTTTTTAAAAAA[C, T]ACTTTAGATTAAATCAAGATGTTTG	1,382,798	89
3810.	TAATAAAAAaCACTTTAGATTAAAT[C, A]AAGATGTTGAGGATTGAAGTCATT	1,382,813	89
3811.	AAATATATCTCTTCTTCTGTTTT[G, C]TCGAGACATGGTCTAAAAATCAGAT	1,383,026	89
3812.	AAGAAGGAACAAGGGAAAAAGAA[C, A]AAGGAGGAAGAAAGGAAGGGAAAA	1,386,486	89
3813.	CGTTAAAGAGATGGAGGGTACCTA[T, C]GGGACAGGATAGAATAGCGGGGCAT	1,386,588	89
3814.	TCCCGTAACTTTCAACAAATAAAG[T, C]GAATAATATATTGGTGAAATGATA	1,389,152	89
3815.	GTAACTTTCAACAAATAAAGTGAA[T, C]AATATATTGGTGAAATGATATGAG	1,389,156	89
3816.	AAATGATATGAGATTGTTAGTTG[T, C]CCATTACAGTTGGTCTTGAATTGA	1,389,193	89
3817.	TCATGACTCTATTTCTGCATTTCA[G, A]GAGAGGAAATGAGAGGATTAGATGT	1,389,764	89
3818.	TTGATTTGAAGCATACATATTTG[G, C]GATCATGGTGTGTTGGGGGCTTTA	1,389,940	89
3819.	CTTTACCTATCAAAGCTACATCCC[A, G]TGTTGATTTTAAGCATACATGGTTT	1,389,985	89
3820.	TTAAGCATACATGGTTTGGCATT[A, C]ATGTTACACATCACAGTGTGTTGT	1,390,018	89
3821.	GTACACTTTACATATCAAAGCTAC[C, A]TACTCTGTTGATTGTATGCATACTT	1,390,139	89
3822.	ATAATAAAAAATTAAACCTTATCA[A, G]CTAGTATGCATTATATGTTACATAT	1,390,220	89
3823.	CCCCGTCACCCCTCTCTTTACCAC[G, A]TCTCTGGTCCCCCTCTTCTCCCAT	1,391,647	89
3824.	CGTTTTCTCGAGCCCCGATCGTT[C, G]GATCCCATCTTTCAGAGCCCCAAC	1,391,737	89
3825.	ACTTGCAATGCCTTATTTTCCAAT[A, G]GCAGATTGAGCCTTTTCTTTTCC	1,393,454	89
3826.	TTTTtATTTtATTTTTtAAAAAA[T, A]TTTCAATGGATTCGGGTCAAGCTTG	1,393,554	89
3827.	CATCACAGTAGGTAAGTTAAGTAG[T, C]TGAGCTCGTTGTGCTCATTCAGCT	1,393,970	89
3828.	TAATTAGGTTTAAGTCAGAAGAAG[G, A]AGATATAGAGGTCAAAATCAATCTT	1,394,048	89
3829.	TGATGTCGGGGTTGATAGGGAGGT[T, C]AACGGGCTCCCACTCAAAAAGGGCA	1,394,970	89
3830.	CGGGCTCCCACTCAAAAAGGGCAG[T, G]CTCGCCAACCTCGCCGACGGCAGCT	1,394,997	89
3831.	AGGGCCGGCTCATCGGACCTCGTC[G, A]ATGGTGGCTGGGGCCGATGAGGGG	1,395,192	89
3832.	CATCGGACCTCGTCGATGGTGGCT[G, A]GGGGCCGATGAGGGGGCTAGCGCG	1,395,202	89
3833.	GCCAGAATATCTCAGCTCAGCTCG[G, A]CTCATTTTTAGGGCTACATGGGTTG	1,395,555	89
3834.	CAATCGAGGAGAGAGCTCTCAAGC[T, C]GCCAACTCGCATTCTTCTGCACTAT	1,395,642	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3835.	AGAGAGCTCTCAAGCTGCCAACTC[G, A]CATTCTTCTGCACTATACGTATTAC	1,395,651	89
3836.	GATGTGGAGTCACCAGTGACCCCA[C, T]AGTCACACAAAGCCGCATCCGACTC	1,395,783	89
3837.	AAAGCCGCATCCGACTCTCAGAGT[C, T]AGATGCATGGTAGAGGATCTGTCCG	1,395,816	89
3838.	GGATCTGTCCGGCTCGCGGCACCT[T, C]CAACTCGATCGGAGGATAAACAGCT	1,395,855	89
3839.	TCACCTTTAAAGTCTAACATTTATT[G, A]TTCAAAATAAATTTTGCAGCGCATT	1,395,966	89
3840.	GCTAGTGAATGAGTTCTCCAGTTA[G, A]CCATTGGGGCTCGTGATGCAGCCT	1,396,073	89
3841.	TTCTCCAGTTAGCCATTGGGGGCT[C, T]GTGATGCAGCCTTAGAGATATTCTT	1,396,086	89
3842.	TCGTGATGCAGCCTTAGAGATATT[C, T]CTGATAAATCAAAAATATTTAATTT	1,396,109	89
3843.	CCACACATCAGTTTAAAGAATTG[A, G]TGATTACTTAGATCCTCATTTCTCGA	1,396,675	89
3844.	CTCAATGATCCAGACGTGGGTTGA[C, G]GCACATGATGGCAGTAGCGACAAA	1,397,051	89
3845.	AAGCTAAGAGGAAATAATTCAAAT[A, T]TAGAAAGAGTGGAGACAATACATAA	1,397,503	89
3846.	AATTGGCCAGTTTGACGTAATTCG[A, G]CTAACCTTGCTTATGTATGCAAGAA	1,397,610	89
3847.	CTACTTACCAGCTGCAAAATGCAA[T, A]TTTTAACTATGTAGAAATGATATA	1,397,664	89
3848.	ATAAAATTTTGAATTTGTTTGTG[T, C]GACAATTAATGAGCATTTGCTTTGGT	1,397,762	89
3849.	AATAGAAATCTCTATTGATAATTT[G, T]GTTTCATCAATTACAACAATGACCTC	1,397,820	89
3850.	AAGAAAAAGTTTCATGCCTTATAT[G, A]ATTTGAGCATTTATTTCTTGCTCTT	1,397,898	89
3851.	ATAACCATAGAATATGTGCCATAT[A, G]TGCCATCATCATGTTTGTTTTAGCA	1,397,973	89
3852.	ACATATATTATTTTTTATTATTT[G, A]TCGAGGTAATATATACATCACATT	1,398,143	89
3853.	TATATTATTTTTTATTATTGTC[G, A]AGGTAAATATATACATCACATTTTC	1,398,146	89
3854.	CTTCATCTAATAATTAATAAAG[A, T]CTGCACTCTTTGATTGTCACATTAT	1,398,258	89
3855.	ATTAAGACCTGCACCTCTTTGATTG[T, A]CACATTATTATTGCTTTATTATAGT	1,398,275	89
3856.	TATCATCCTTAAAATAGCTAAAAT[C, T]TTTATGCTCGTGGGATGTGAACAT	1,398,467	89
3857.	TCCATGCCGATAGACCATTCCCTTA[A, G]ATATGAATTAGAAAAATCTTTATAC	1,398,747	89
3858.	TGAATTAGAAAAATCTTTATACCG[C, T]CGTAGAAAAGATATGCTTCCAATTA	1,398,775	89
3859.	AATTAGAAAAATCTTTATACCGCC[G, A]TAGAAAAGATATGCTTCCAATTAAG	1,398,777	89
3860.	ATATCAACATATTTAGTTTATCTT[C, T]ATATCGTATCAACATAGACAAAATG	1,398,899	89
3861.	GTGGATAGAATGTTGATTGTATGT[A, G]TTTGATGTGATAATATTGAAATTC	1,398,971	89
3862.	AAaTAAAAATTGGTAGATGATTG[G, A]AATTGTATGGATGCCAGGGCGCTGG	1,399,596	89
3863.	ACTTGAAATTATACAATTTTAAGT[A, G]GTCGCACCCATGTTTTCACCCTTTT	1,399,867	89
3864.	TTAAGTAGTCGACCCATGTTTT[C, A]CCCTTTTTTATGGCTCTACCCACGT	1,399,885	89
3865.	TTTCCGATCCTGCGATGCGAAAAG[T, C]ATATTCCTCGCATGAGTCCACGGC	1,399,937	89
3866.	TCGCATGAGTCCACGGCTCACCAT[G, A]TTAACTCCATCTCCGGGTTCCAGA	1,399,970	89
3867.	AACCGAAAGTTCCACCTAGCGTCC[G, C]CATACAACTTGATGCGCTCTCTCC	1,400,038	89
3868.	CCCACAAATTATAAGATTCCCAG[T, A]TGAAAAGGGGAAAGGAGAGAGAGAG	1,400,192	89
3869.	TTTCTGTCTCCGATCCCTCCCTT[T, C]TCTTCTGGCGTTCTTTTGATTCTCT	1,400,450	89
3870.	TGGATCTAATTCGGTCCGATTGG[A, T]ATTCTATCTGGAATTCTAATGAATC	1,400,513	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3871.	TTTGAAGGATTTATATGCAGTTT[G, C]GGTGCTTAATTCGTTCTTGACATGA	1,400,788	89
3872.	GAAGACAGGAGGTGACAACCATGG[A, T]GGTTTTTAAGAAAAAATGGAATTA	1,400,994	89
3873.	TGCAACAACAATAGAATTATGCTT[C, A]GGGTTTGGTTGGGGTATGTCA	1,401,056	89
3874.	ATGTCAGATTACGAGGTAATCTGA[T, C]GATTTCTGAAAATTATTTATCCGGA	1,401,100	89
3875.	ATGATTTCTGAAAATTATTTATCC[G, A]GAAAAATTATTGTGAAAAATAAAAT	1,401,123	89
3876.	ATTTACCACATTTGGATGGTGGAA[T, A]ACTAGCTCTGAAAAATGGCATTGGA	1,401,171	89
3877.	TTTATTGGAGGTAATCTTATATCG[A, G]AATATTGTCAAATTTTCAATAATAC	1,401,233	89
3878.	ATACCTGTAAATGGATAATTCAAG[G, T]AATAGCATTTTCTCAATCCATTG	1,401,279	89
3879.	TTTAATTTTTTtATAAATTAATTA[T, G]ACATATATTAGAGAATATATTGTAT	1,401,427	89
3880.	TTTATTATAAATAAATTTCAAGTAT[G, T]CTTTGTAATATAAATAAATATATTA	1,401,498	89
3881.	GTATAAATATATTAAATATGTTAA[T, C]ATATTATTATTTATATAATTATTAA	1,401,626	89
3882.	ATGTATTTATAATATTAATATAAT[C, T]AATATTAATTAATCATCTAATTAA	1,401,686	89
3883.	CATAATAGATTACCCCAACCAA[G, A]GTACCCCAAGTAGAGGAATAATTAG	1,401,960	89
3884.	ACCCCAAGTAGAGGAATAATTAGC[G, T]AATAAGGATTCATAAAGCTATTGTT	1,401,987	89
3885.	CTTTTCCACTAATTGAATAAGTTT[T, C]TCCCTTTTCCCCCACTTCTCCTACC	1,402,177	89
3886.	TTTTCCTAATTAATGAATAAGTTT[T, C]CCCTTTTCCCCCACTTCTCCTACCT	1,402,178	89
3887.	TCTTTTATTtAATTATTGTTT[G, T]TATTGTTTGCAATAAATTAAGTTTG	1,402,278	89
3888.	TGAATTGCTTTATATGGTTTCTT[A, G]AGATTGTGTTAAGAAGCCAATCTA	1,402,326	89
3889.	AATCTATAGTTCTCTTCTTACTCT[G, A]TGGTTTATATGCAGTCTTGTGGTTG	1,402,370	89
3890.	TTTTTTtAATGCTTATTCTGTTGG[A, G]GTAGATATTGTTATTTTGTATGTG	1,402,450	89
3891.	TTtAATGCTTATTCTGTTGGAGTA[G, T]ATATTGTTATTTTGTATGTGTGGC	1,402,454	89
3892.	TATAGGTAAATGAGGAATTGTTGT[C, T]ACGACTATTTTCTAATTAATTTGT	1,402,557	89
3893.	AGGTAAATGAGGAATTGTTGTCAC[G, A]ACTATTTCTAATTAATTTTGTATT	1,402,560	89
3894.	TTTGTATTTACCTTTTGGCCCTC[G, A]ACTTATTATTGTTTGTCTTCTGT	1,402,601	89
3895.	TCTTTTTATTTCATCAATTGTAAG[G, C]ATGCATCTGTTTATGGATAAATTA	1,402,725	89
3896.	AGTGGTATTTTAATTTTTTTTtGC[G, A]CAGTTGAGAAATTTGTGTTATGTGA	1,402,948	89
3897.	ATTTGTGTTATGTGACCATGCTAC[G, A]TTTGTGATATCATTATATGTTGTGA	1,402,983	89
3898.	TTGTGTTATGTGACCATGCTACGT[T, C]TGTGATATCATTATATGTTGTGAAT	1,402,985	89
3899.	GTGATCTATCGCATTGTACCTCCA[T, C]CCGAGCGATATGAACAAGAAGCTCT	1,403,227	89
3900.	TAGTCTCTTCTTGTCAAAGACAT[A, G]TTGGGGTGCATATGGATTTCTGAA	1,403,284	89
3901.	ATTTGAATATGAATGTAAATATCC[G, A]CTCTTGAATATCTACCAGGAATCAT	1,403,434	89
3902.	CATATTTCCCTCATCTTGGACCAG[G, A]TCCCCATTTGTTTACAAGGCAGGTT	1,403,591	89
3903.	TCTTTATCTCTTATTCTTTTACC[C, T]TTTTCTTTTATTCTTTtCTTTCAT	1,403,701	89
3904.	GTCGATCCTGTGCGGCTTCTTGGT[G, A]ATGATCATGGTGTGATTTGGATAG	1,442,156	89
3905.	TATACTGACACAAGGAGAGCGGAC[G, A]AGGGAGGGGACAGGAGAGTGAGG	1,442,316	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3906.	TCAGATGGGAGGAAAGGTATTTCAT[A, G]AGTGATTTCATCAGCTAGATTTTG	1,442,497	89
3907.	GCAGAACTTGTGTGGACTTTAAT[C, T]TCGGTGATGTTTATTTCTCCTCAT	1,442,807	89
3908.	AAGTTAGTTCCTTGCCATTTGTGGG[G, A]CCATGTGGGAAGAAACAATAG	1,442,960	89
3909.	TATACTGTTATATTTTtCTTTTGC[T, C]GAACAGGTTTGGAGAAGTTGAAGG	1,443,251	89
3910.	TGACAAGAATGAGGGGACTATAAA[C, T]CATATACTGTTATATTTtCTTTTG	1,443,278	89
3911.	TTAAGGGCCATGGCCCCCTCCATC[T, C]ACCATGTTTGCTGATGTTAACTTT	1,443,896	89
3912.	AAGATTTGATAAGAACCACATGAA[G, T]TCTCTAAGGAATGATCTTTAAATTA	1,443,975	89
3913.	CCATAAGAGCTTGATTTATCTTGG[G, A]GAGAATGAAGGCAGGCTCTGAAAG	1,444,112	89
3914.	TCACTCTGTGGATAATACGTATT[A, G]TTCTTTGAAGCTGATTGTGCACGTA	1,444,223	89
3915.	AGGAATTAGACAGGGAGACCTCT[A, T]TCTCCATTACACTTTATTCTCTCCT	1,444,367	89
3916.	ATAAGATGGCTGTTTtagTCAATG[T, C]GCAGCCAGAACTAGATGAAGTGT	1,444,422	89
3917.	AGGGGATTTCTTTCACAGTGGATT[A, C]TGGATCAACTCTAGAATTACCACAA	1,444,472	89
3918.	ATTGCTTACCTTGCAATTAGTCACC[A, C]AAAAaGAAGCTATCAGTGCATCCAA	1,444,789	89
3919.	AGATTTCTTGCACTCTCTCCAACAG[C, A]TTCTTTGTAGGAACTTTGATGCGA	1,444,849	89
3920.	TGCTCTAGGAGGGACAAAGTCACC[A, G]GGGCCGTTGAATTTCTGTGCTAT	1,444,930	89
3921.	GAATTTAAAACTGTGATCTTTTGC[T, T]TAGGAGGGGACAAGTCACCAGGGCC	1,444,950	89
3922.	CAGTGTGAAAAGAAAATCATTTTT[G, T]GAATAATGGAACTATTGACATACT	1,445,326	89
3923.	AACTGCATCTTTTTAGAAGAACTC[A, G]ACATATTTAGATTTGAGAAGTGGTG	1,445,539	89
3924.	TCTGCTTTTATTAGGAGGCATAAT[C, A]TTTGGAACTTGTTTAAAGAAAG	1,445,709	89
3925.	GAAGCAACACAGAATAGTACAGAC[T, C]GTCTAGAGACATTTAATTTGTGAAC	1,446,145	89
3926.	TCAGCATCATTTAAATCTTATT[C, G]GTTGTTTGAATACATGCTAGTACAG	1,446,987	89
3927.	GCATCTCCTTATTAGCTTACGA[G, A]TGCATGCTCCTGGCTTTCTGAAGT	1,447,825	89
3928.	TCAGTTTGTGCGGTTGATGTATGA[A, G]GAGAATTGTGAAGATATATGGGCAG	1,447,921	89
3929.	AAAATATTTTGTGGATCAGTTTGT[G, A]CGGTTGATGTATGAAGAGAATTGTG	1,447,936	89
3930.	CAGAATCTTGATGTTCTGCAGACT[G, C]TGGAATAATTTCTTGAATATGTACC	1,448,052	89
3931.	GCCACAAAGCCTCATTACTTCCAG[A, G]ATCTTGATGTTCTGCAGACTGTGGA	1,448,073	89
3932.	TTATTTTtCTTAAATATATAATTT[A, G]ATCAATAAAAATTTTAAATTGATG	1,448,753	89
3933.	TAATATTGACATATTGGCCAATAT[C, G]TTCCAACAATGATTGTTATTTtCT	1,448,793	89
3934.	ATAGTTGTTTCATATTATTTTCG[G, T]ACGTATCTGTACCAAGGCTTTATCT	1,448,961	89
3935.	TAGTAAAGCCACACCCACATGGC[C, T]ACATCCTCTTCTATAGTTGTTTCAT	1,448,998	89
3936.	AAAATTTCTTTTCAGCTCATTCCT[A, G]AGGACATAAAGTAATAGGCATTGTA	1,449,275	89
3937.	AGTTCTAGAGAGATCATTTCTGTT[A, G]GACAAAAATATTTAGAGAGGTACC	1,449,447	89
3938.	TTTACACTACAAGATGTCTTTAGT[A, G]CTTGAAGAATAAGTCCAGCTATGGC	1,449,558	89
3939.	CAGTATCTGTTGGTTTTTGTCTTC[A, G]TATATTCATTAATGCTTTTACACTA	1,449,599	89
3940.	AGAAATATGTTTCTTTCTTCCTA[A, C]TGGTACTGTAAATACCCAGTATCTG	1,449,640	89
3941.	CCAAGAAATATGTTTCTTTCTTC[C, T]TAATGGTACTGTAAATACCCAGTAT	1,449,643	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3942.	AGACCAGAAAAAGCTGGGCACGTT[A, G]TTGCAAAGAAATGCTACATGCTTGA	1,449,893	89
3943.	AGTTGTTTTTAGAGAAACCAGCAT[C, A]TGATGACAGTGGGGATGGAAC TGCT	1,450,165	89
3944.	GGAGATGGTGCAGTTGTTTTTAGA[G, C]AAACCAGCATCTGATGACAGTGGGG	1,450,176	89
3945.	CCGAAAATTTGTTACCTTCTTT[C, T]CTTCTTCTTTTAGGAAATCTTGA	1,450,847	89
3946.	CGGCACTCTTAGTTCTCTACTCTC[A, C]GAAAAATTTGTTACCTTCTTTCC	1,450,871	89
3947.	GACCGAAGGCCACCGCGATTTTT[G, C]CTCTCTGCGCTGAAGGTCGTTAGG	1,450,923	89
3948.	CGAGCCGTTTACTTCCTGAGCCGG[G, A]TTCGAACATGGTCGGTCTCGCACC	1,451,020	89
3949.	AAGAGCTGTGCAGAATCTGTCATG[G, T]TAGCCACAAATATCAAATTTCTTGT	1,456,272	89
3950.	GTGATACTCACCTTCAAACGTATT[A, G]GTATTACTTAATTTATGCATTCTCTC	1,456,456	89
3951.	TTGGCAACAAAATACCTTGATAGA[A, T]ATGATCAACAATTACCATGAAGGAT	1,456,667	89
3952.	ATCTGAAGTTCATACACGCACACA[G, T]ATCTTTGGCAACAAAATACCTTGAT	1,456,696	89
3953.	CGAGTCTAATGGGTGCTCATGGA[A, G]AAGAAACATTATCTTTCACTCCTAA	1,456,900	89
3954.	CTGGAACGCTCCTTAAACTCTTGG[T, C]CACCTCTAAAATTTATTGGTTGCAT	1,457,039	89
3955.	GAAAACAAGATTGGGATGCCATGT[A, C]AATTAGCAGGATAGAGTTTACAAAT	1,458,382	89
3956.	ATTTTGTACAAAAGAATCTGTAT[G, A]CTGAAAACAAGATTGGGATGCCATG	1,458,409	89
3957.	TCAGCAGATGAATTACAGAGCGCA[G, A]AATGCATGTGCATATTGTGCAGCTT	1,458,563	89
3958.	TGCTTCTCAACTGTATTGTGCACC[T, C]AAACACCTTTGGAACAGGAAATGA	1,458,971	89
3959.	AATTGATACTGAACCAAGCTAAGT[A, G]GTCCACATTTCTTATTGATATTCTC	1,459,026	89
3960.	ATCTAATTGTGCAGTTTGGACC[A, G]GTAGAGTGGCAAGCTAACAAAGC	1,459,465	89
3961.	GGCTTATCTCACCTTTGGATTAG[G, C]TTTGAGATCCAATACCATCCTTGA	1,460,102	89
3962.	CAGTATTTGTTAAGGAACGTATA[A, G]CTAAATGTTTCAGTAGATGCTAGATC	1,460,614	89
3963.	CGTAGATTTTCCAGTATTGTGTTA[A, G]GGAACGTATACTAAATGTTTCAGT	1,460,626	89
3964.	TTTGATGATGATTGTCATGACATC[G, A]TAGATTTTCCAGTATTGTTAAGG	1,460,649	89
3965.	TAGATACATATGCAGGCTCAAACA[G, A]GCACACATGCTTGGTCGACAGCCAT	1,460,703	89
3966.	TTCAAGATAAACATACCTTTGAAAT[A, T]ATTGTTGTAGGCAAAGCGACTTCCT	1,461,260	89
3967.	ATTAGTTGTTTCGGTGGAAAAAGCT[C, A]TAGAATTCTCAGATATTATTCTGC	1,461,333	89
3968.	CAGTTACAATAAAATAGAACGAG[T, C]TGTTTATGAATATTGTGGATGAAT	1,461,457	89
3969.	GGTTCCTTCTCGTCTTGTCTTCT[A, G]ATATTGATTATATATCTAAAACCTT	1,461,707	89
3970.	TGTCTCTGGTTCCCTTTCTGCTT[G, T]TCTTCTAATATTGATTATATATCT	1,461,714	89
3971.	ATACATACATGCATACAAGTGTAT[A, G]TCTGTGCAGGTCTGTCTCTGGTTCC	1,461,751	89
3972.	TAGAAATAGATACATGCATTATCA[G, T]GGCTATTCTATTATTTTATTGTT	1,461,899	89
3973.	TGACTTGTAGAAATAGATACATGC[A, G]TTATCAGGGCTATTCTATTATTTT	1,461,906	89
3974.	GGACACTTCATTTTAAGGTTTCTG[G, A]AAGTGTGGCAGTTGGCACTTTTAG	1,462,379	89
3975.	TTAAGTCTAGAAATGTTCTGGTGT[G, A]CCATGTGAAGCAGCAGATATTCTTC	1,462,457	89
3976.	TTTCTGCAGTTCTGTTCTGTGCTT[A, T]AGTCTAGAAATGTTCTGGTGTGCCA	1,462,479	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
3977.	TTTGCAAAATATGCATGATTCTT[C, T]ATATGCCCTTTCCACTTTGTTGGT	1,462,529	89
3978.	TTAATCTCATCTGCGAAAAACATC[A, G]TGCAGATTTTGATTTTGGCCGATGA	1,462,808	89
3979.	CCGCCGGCACTTGAGAGTCTGCC[T, A]CTAGAATCATTTGATTCTGTAAGTT	1,462,948	89
3980.	ATGTTTAAAAATAAGCTAAATTA[C, T]TTGACTTTCTATTCAAGTTCTTT	1,463,300	89
3981.	TCAGCGTATCTTCCAAAGTTCTC[T, C]TTGAGATCATTGTGTTTAATTTGTT	1,463,824	89
3982.	CTTTTATTGCCATTGTATATCTTT[C, T]TTCTGTTCCTTTTTTCCCATTTGAT	1,463,899	89
3983.	AAAACAAAATTCACCCATAATATA[T, A]TATATTCTTGCATAAATGATCATG	1,464,050	89
3984.	TAAGATCTATTATCAAGTTTGACC[A, C]AGAAAGAAAAATAAACAGAGGGCAA	1,464,680	89
3985.	GTTATATGTTTCATCTTTTATCTAT[A, G]CATTCTTATGGTCTTATATTGCATA	1,466,368	89
3986.	TTTAAATGCACCACTGTAATGGGC[T, C]ATTGAAGTTGCAAATGGTGACATGG	1,466,979	89
3987.	CACAAGTATACATATTATGGCAGG[T, G]TGGTTTATTACTAACTGTTAACAGA	1,467,083	89
3988.	TAATCTACAATGTGCTTACCTCAC[A, G]GATCACAAGTATACATATTATGGCA	1,467,111	89
3989.	GGTTTAATATTCAAGATTTCCTTC[C, T]CTGGGACCTTAATTGTTTATTAAC	1,467,418	89
3990.	TCATCAGGCTATTGCATATGCTCC[C, T]ATTCAATCCATTGATTTCATGTT	1,467,483	89
3991.	TGAGTTTACATCAAAAGATGGCC[C, T]GAGTTGGATGGAATGCAATTGAAG	1,467,868	89
3992.	TGTGAGTTTACATCAAAAGATGG[C, T]CCGAGTTGGATGGAATGCAATTGA	1,467,870	89
3993.	TCCCCCTCTCTATTTTTTATTTTGC[A, T]ATATTAATGTTTTTTTTtGAAC	1,468,784	89
3994.	TTACGTTGCTGGTAAAAAATGAC[T, G]TAAGAATAAATTTGAAGCAGAACA	1,468,935	89
3995.	GTTGTGTTGGATTTCCTTGCATT[T, A]GCTGGTGGTCTTCCTGCTTAGCTA	1,469,073	89
3996.	TTTTTCCTGTCTTTTTTTGACAAG[C, A]AACTTCGTTTGTGTTTTTCTTTGT	1,469,121	89
3997.	GGAAATGCGGACCAGTACTGTTT[T, G]GGGCCTTTTGGCAATACCTTTGAAT	1,469,465	89
3998.	GGTCCTAGCTGAAGATGGAATGC[G, A]GACCAGGTACTGTTTGGGCCTTTT	1,469,481	89
3999.	CAGGAACGATAGTTTAAGATTTTC[G, A]CATCTTTCTTCTAAAAGATATGAT	1,470,094	89
4000.	ACAAGTATCTATATGATCGTGTTC[C, T]TATATGTTTATTATGGAATCTTTTG	1,470,359	89
4001.	GGATTTATTTTCATATTTCTGCAC[A, G]AGAATAGTGAGGTGGCAATAGAGGA	1,470,972	89
4002.	GTGCCTCGGGAAACCACGACCACA[A, G]CTAATGTGCCTTGCCCAAGCCATTT	1,471,331	89
4003.	ACCATGACCCCTAACTGATGTGCCT[C, T]GGGAAACCACGACCACAATAATGT	1,471,349	89
4004.	AAGTAACCTAACCAATCAACATCA[T, C]TCCCTCTTCTTCTCTCACAATCT	1,471,406	89
4005.	GAGAAGCAGTAGTTTCAGGGTTCCC[G, A]TGGATGAGAAAAATCATTGATGTGA	1,471,626	89
4006.	TTCACTAGAAATTTGGCGCGCGTG[T, C]GCGCGCGCACACAGAGAGAGAGAGA	1,471,672	89
4007.	AATCTTACTAGTTCTTAAACAATA[T, C]ACCAGCATTCTGAAACAAGAAAGTT	1,471,720	89
4008.	ATTGTTATCCAGTATGAAAAAAAa[T, A]ATATAGATGCGAAAAATGTATTTGGT	1,472,609	89
4009.	GAAATCTTGATGTTTACTTGCAT[C, A]AATATATTGTTGTGTTTTTGTGAAC	1,473,911	89
4010.	GCCATAACAACCTGAAATAGATATG[T, G]CATGATGGATCCTCATGGCTTTGAT	1,473,977	89
4011.	TGCTGGATTGATTAATCTCCTAAC[C, T]ATGCTGAGGCATATGATTTTTCAT	1,474,237	89
4012.	CCTCCCCAGCCCTCGGTGCGCTCT[A, C]CCATTTGATTTCCATTTCCATCTC	1,485,539	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4013.	TATCATCAGAATGATGAAAACTT[T, C]GAATTAGTGCATGTGGAAAGGCACG	1,486,274	89
4014.	CATATATGGTACTTCCTTTGCCCA[G, A]TAATGCGGGTGACTTATGAAAGCCT	1,486,564	89
4015.	TAAATATTATCTAAAAATACTTA[C, T]CTAGGAAAATATAGATTTTCAGATA	1,486,640	89
4016.	TAATGCAAAAGAACATAGGTAACA[G, T]ATTTGAAGCCACTTTTCTATACAT	1,486,719	89
4017.	TTTTTtAAAACtAAAAaCATAAA[G, A]GATATTATGAAAAATATGGATAAAAT	1,486,794	89
4018.	TGTAGAGTGTGAATCATATTCACA[C, G]GAGTTTTATGTTCTTTTGGCTAAA	1,487,135	89
4019.	TGCACCAACACTGTAATAGAATGA[T, C]ACTGATACGAGATTTGGTACCGAGA	1,487,693	89
4020.	TCCATCTCCTTTTGCTGAGTCTT[A, G]CATCTAAATTTTCCTTCTGTTTG	1,488,084	89
4021.	TTGCAAGATGATGTTGAAGTGTCA[T, A]GGTGGGAAAACTTAAAAAGATTA	1,488,502	89
4022.	TACATCATTTTCTAGATCTTCCTC[A, G]AGTCTGTATGGTCTCTCATTAAAGGA	1,489,014	89
4023.	TCCAAATCTTTCCATTCCCACTTC[A, G]GCCGCTCTCGGAACAGTGTGCGAA	1,489,607	89
4024.	GCAACCTGATATAGGGCTCCAAAT[C, T]TTTCCATTCCCACTTCAGCCGCTCT	1,489,624	89
4025.	TACTTGATAAGCAAACCTTCAGAG[G, T]AGAGGCCCGAACATGCAAGTCCCT	1,489,774	89
4026.	ATACTTGATAAGCAAACCTTCAGA[G, T]GAGAGGCCCGAACATGCAAGTCCC	1,489,775	89
4027.	CAGGTTTTTTTTtAAAaAAAAATG[G, T]ACTCGAAAACAGTTACAACAGCTGA	1,489,949	89
4028.	AGAGCAACGGCTAACCCTGCTTC[A, C]CACTAGCAGTATAGCCGTTACAAGA	1,491,268	89
4029.	TTTGAAAAATATTGGTCTTTGGTA[A, G]GCACTTGACACTACAATCTACATGC	1,495,583	89
4030.	TGTTGTTACTTACCCTTTTATTTG[G, C]CTTTCGTTTGTTCGTGACCATCCAA	1,495,745	89
4031.	GCCACCATTGTTGGCACATCTATA[T, C]GTGTTATATATTTTCATAAGGCTTTT	1,496,725	89
4032.	GCGAAGAAAGGTGGAGGCACTCAT[C, T]AAGAGGAAAGAGCTCTGGCCTATG	1,497,322	89
4033.	TTACACCTTTCTATTCAACAAAA[G, A]AAGAAGAAGAAGAAGAAGAAAG	1,497,613	89
4034.	ACTTTTTTATTTCTTGACAGCTTA[T, C]AGGGATGGTACCTATGTAACGAAAT	1,498,164	89
4035.	TTGGGAGTTGTATGGATAGATCCA[A, G]TATTCTTGCCAATATAACTCTCAA	1,498,248	89
4036.	GATGTGAAGAGGCCATTTTGGGAG[T, C]TGTATGGATAGATCCAATATTCTTG	1,498,265	89
4037.	TCTGACATATTCTATACATTCCTC[A, G]AAATATAATTACATGCATGCTCACA	1,498,557	89
4038.	CCTCTTTCTTTTAACATAGACTCA[T, G]ACTTGTGGGCCTTTTCTAGGGTTTA	1,498,620	89
4039.	ACTATCCAATATAGTTAATTCTGA[C, G]CTTTTAACCTGTTTTAGACTTTCA	1,499,153	89
4040.	TCTTACATTGGAGCTTTTTTAAGC[A, G]GTGACTGAAAGTCTCATTTGCAACA	1,499,223	89
4041.	GACATTCCTCAGGAGGCTACATC[C, G]ATGGAAGGTTCAACTGTAACCTTACT	1,499,698	89
4042.	TCAAAGCTTATCAATGGTAATGTA[C, T]ATATAAATTTGCAAAGCAAAAAGTG	1,499,982	89
4043.	CAAGTGGATGGATTAACTTTGGTT[A, C]GGAATGAAAAGAACTCTCTGAGGGT	1,501,043	89
4044.	TTGGAGAGATGTTTCAGAAGCAAGT[G, C]GATGGATTAACTTTGGTTaGGAATG	1,501,062	89
4045.	TGTCTCCATCTCTTCCCTCAGTGC[A, C]aTAGGTTTAGCTTTGGAAGTAATTC	1,502,094	89
4046.	CCTGGTTCCCTGAATGAGAAAAa[G, A]AAAAAGCATATAGGATATAATTTT	1,502,205	89
4047.	TTCTATAGCATGTGAGTCCACTAC[A, G]TACTAAAATAACCACACCATGTCTA	1,502,737	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4048.	TACCCATTAAAGGGCAGACACTTT[G, A]CCCTTTCTATAGCATGTGAGTCCAC	1,502,766	89
4049.	TCCCCCCTAAGCTAAGGGGTCACT[T, C]AACAGGATGAAAGAGTAGTGGATCT	1,502,885	89
4050.	AGATAATAGTTTATGCTTGAGGCT[A, T]GACAATGGAGATGATGGCCTACAAG	1,503,044	89
4051.	TGAGGCACCTcGCATTTAGTGCCA[C, T]ATTAGATTTTCAACCCCAATCTC	1,503,371	89
4052.	CCAGTCTCAAATTTTGAGGCACCT[C, T]GCATTTAGTGCCAcATTTAGATTTT	1,503,385	89
4053.	TTTGAAATGATTGTTACTACAACA[G, C]TTACACTTTT TAGGAAGTAACTTG	1,503,455	89
4054.	TTATTGCAAGTAGTGTTGTAAGT[T, A]tGTGAAAATTTAAGAAGATTTTCC	1,503,553	89
4055.	TAGcTTTATTGCAAGTAGTGTTG[T, C]AAGTTtGTGAAAATTTAAGAAGATT	1,503,558	89
4056.	AAGAATAGTCCATTGTATGATAG[C, T]TTTATTGCAAGTAGTGTTGTAAGT	1,503,579	89
4057.	GAATGGTATTCCAGTGATTTTTC[A, C]AAAAAaGATACAATAATGGTAAa	1,503,650	89
4058.	GGTGGCACCCcttCTCTTTATAAA[G, T]CATTACGAAAAGCTTCTGGACTTGA	1,503,707	89
4059.	ATGTAGTATTACTTTATAATAATG[C, T]AATATTATTTTATAATAGTATAGTA	1,508,198	89
4060.	ATATTATCTTATAATAGCATAATA[C, T]TGTTTTACAAC TACAAAGATAATTA	1,508,309	89
4061.	GTTTTACAAC TACAAAGATAATTA[A, G]ATCATTT CATCCATTGAGTAGTT	1,508,335	89
4062.	TTAAAGCAATCTCAGGAAC TTTTC[T, A]GTGATTTTCCAAAGTTACCGTAGCA	1,508,547	89
4063.	AAAaCATGGATCTAAAAGTG TACA[A, G]ATATAAAAATTAATTTTGAAAACAC	1,508,691	89
4064.	AAGAATAAGCACACTTTTATATGCA[G, C]GTAATTAGGTTTACTTTTGCACACT	1,509,495	89
4065.	TAGTTTTTATTCAATGAAC TTTGTA[C, T]ATAATCATATAGAGGAACATTAGAA	1,509,548	89
4066.	ACAATAAAGAACAGAAAT TCTTGA[T, C]GATACCGAGGCTTGGCCCATCATAT	1,509,929	89
4067.	ATCCATGATTTTTTGCAAACATAG[T, G]TTtGCAGAACTGCATTTGTAGCATT	1,509,997	89
4068.	TTGATCCTCTTTCAAACAAGCAA[T, G]GAAGATAAAAAA C TAGTGCAGAAT	1,511,084	89
4069.	ATACATAGGAAGCAAAGTGGACAA[A, G]GGAGATGAAAATGAAATGCAAACCT	1,511,132	89
4070.	TCATTGCATGCTGACACATTACAT[G, T]gAGATTTGTATCCTTCCGTGCAGTG	1,512,640	89
4071.	AGGTTGACTTGGATATAGTTAACC[T, C]GATCAGCATTACTAGGCAGTAGGCA	1,513,223	89
4072.	GGTAAACCTTACAAGATAGATCTA[A, G]AACAGAGATGTACATACTCGCAGAA	1,523,346	89
4073.	AATTATTTAGCTACTAATATT CAG[G, C]TGAAAAA CTTCTTACTACATAATG	1,523,712	89
4074.	TCTAGCATGCCATGCAAAATGCTTC[G, A]TGATGCACTGACATAATGTGATCAA	1,524,730	89
4075.	ATATGAAAAATAAATTTAAGTGGT[T, A]GAAACACATGACAAAGTACTTAAAC	1,525,372	89
4076.	GTAAAAATCAAGGTTTGCCATCTC[G, A]ATACCGGACCCcGTACCGGTAAAAAT	1,525,440	89
4077.	GTTTGCCATCTCGATACCGGACCC[C, T]GTACCGGTAAAATTCTGCTTAATGT	1,525,452	89
4078.	CGGTACGTGGTTCAGTACGGTACA[A, G]TAATGTCAGTACGCTCCGAGATAGC	1,525,502	89
4079.	GCGATACAGTATTCCATGGTAAAA[A, G]CTAaAAAAACAAAACATTACATCACT	1,525,605	89
4080.	GAGAAGAAACTGAGATAAAAAATAT[C, T]AAAAAAaGGAAAAC TCCCAAGCA	1,525,977	89
4081.	TAGTCACCTAAACCGCTTTTGTTTC[C, A]CcaCAAGTAATTATTGCATAAGGAT	1,526,792	89
4082.	ATGGATAAAAGGAGTCATGATTTG[C, T]GGGCTCCAGATATCAAAATCTCTTT	1,526,987	89
4083.	TGAAACAAGACATCTATATAAGCC[T, C]TtGACTGGTAAGCAAGCAGCAACAA	1,527,643	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4084.	CCAATAAGTCAGGAAGCTTAAACT[T, A]tAGCCACAGGCAAGCAATGCATATG	1,527,745	89
4085.	CATAGCCATCTTCCTTGAATTCAG[C, T]GCACTAACTAAATGAATATCATCAA	1,529,092	89
4086.	ACTCAGAAAATGCTGGTCAAATAC[G, A]CTGCAGCTTATTATCTTGGATTGGA	1,529,163	89
4087.	GTGTCAGTCCTAATCAAAATTTTG[G, T]TTATGCATTGCCAGATAGATCCCT	1,529,218	89
4088.	ATCTAATAGAGAGAAAAGGGATGA[C, A]ACTAGTTAAGCGTAGACTAGTGAT	1,529,585	89
4089.	AGAGGACAGCAAGAGGAGGCCTTG[T, C]tATATATTTTCAAGAGAGAAAAGGAA	1,529,847	89
4090.	AGGAGAGAAAAGGAAAAGGCATCA[C, A]CTTTACAAATCAAGTCACCTTAGAT	1,529,882	89
4091.	CACTTCTTAGGCTCCATTTTGGG[G, A]gAGCCAGAAAGTACTTTCTAGCCCT	1,529,954	89
4092.	GCAATAATATATTATATTATATTA[T, C]ATTATAATAATATTATGCTTTGTAT	1,530,355	89
4093.	GTCGAAACTTCCCTTTTATCTTA[T, A]AAGAAAGCCTCAGAATTTTCAACCA	1,531,566	89
4094.	TGGAAACTAAATTATCTACCCATC[G, C]AAGAATTGCTGTTTCTCAAACAAA	1,531,661	89
4095.	GAGAGAAAGCCGACGCCCCGCGGG[C, G]TCTAGGGTTTCTTTGGGCGGCTTT	1,531,989	89
4096.	GTGCCATCTTTTGCCGACTGGGC[T, A]TGTTCTCGCTCGTCGTGCGTTTCA	1,532,259	89
4097.	ATGGACCCAACGACGTACCAAGG[A, G]TGACTCTTCCCATGTGGCACTAAT	1,532,332	89
4098.	CACGTGGTTACGAACGGTTTGG[C, T]CATTCCTATCACCATGGTCCCTAAA	1,532,669	89
4099.	TTAAAAAGATTTATTAGCTGTGAT[C, T]TTAAAAAATTGTAAGTGTttTTT	1,532,952	89
4100.	TACCTTCTCCTTTTGTCAAGATGG[A, G]AGGGACTCAAATCGAAAACACTAGT	1,533,172	89
4101.	TATTTTACTAACTTTACCAACTTT[G, A]TTATTTAGCTTCCTCAAATTGATCA	1,533,225	89
4102.	GTGGGGGGCGATAGAGACTAAACC[C, A]ACAGAGAAGTGTTCAATCATAGAAA	1,542,453	89
4103.	ACTTAAAGGCTCCTCAGGGCATG[G, A]CAAGAATATTATTCTGCCTGCCAAC	1,542,521	89
4104.	ATCATGTTATCACATCTTTAGGGT[C, T]TTATGGCTTCATGAGGATGCTGCTA	1,542,644	89
4105.	AGCCTTTACACGGATCGCAGACCC[G, C]AAGTCAGTGCCgACATATTGTTCT	1,542,954	89
4106.	ATCGCAGACCCgAAGTCAGTGGCC[G, A]ACATATTGTTCTTTAAGCTTCTTTT	1,542,967	89
4107.	TATCCCATTCGCTGCATATTCT[C, T]TTCAGCGTAGTTTGACAACTGACA	1,543,599	89
4108.	TAGAATTACTTCACTAATATCCAT[A, T]TCATCTTTAGGTCCACAATATTCT	1,543,809	89
4109.	ACCTCATGATCCTTGTCGTGGTCT[T, A]GGTAGGATATTACACCATAAGCAAA	1,544,216	89
4110.	TATATATCACAAGCTATAGAACCT[A, G]TATGACAACCATGATGAATTTTCAT	1,545,240	89
4111.	GCATCCTTTTTCAGTTATCTTTAT[G, A]TTACTTGGTTAGTTTGGAGGATGT	1,545,406	89
4112.	TTTATGTTACTTGGTTAGTTTGG[A, G]GGATGTGTTTCTTACTTCTACATT	1,545,425	89
4113.	GATGCAAGGGCTACAGTTTATAGC[C, T]CTAGGTAGCTAGAACCATATTGTCA	1,545,534	89
4114.	GTGTGATTAAGATCAGCACCTGAC[T, C]TGGATGAGCATCTCCTTGTTTACCA	1,545,908	89
4115.	TGTGATTAAGATCAGCACCTGACT[T, C]GGATGAGCATCTCCTTGTTTACCAG	1,545,909	89
4116.	GTAACATGTGTGCATGACAAATGG[C, T]TCTCAAGACATCCAATATCTCTGTG	1,546,580	89
4117.	AGAAACATTAAGTATTTATTGGCA[T, C]tAAACCTATAATTGTTATATCTATC	1,546,889	89
4118.	TATAATTGTTATATCTATCACAAA[C, A]AAGAATCTTCATGTATTCTATCTAC	1,546,920	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4119.	TTCTACATGCTTGTGTAAGTACGGA[A, G]CATGTAATAAATACATTGACAGAC	1,546,964	89
4120.	GACAAAGATGTCCATGCATATGCA[C, T]GCAGGCAGTGGCTACATTTATGATG	1,547,011	89
4121.	TATCCCTGCACCTGAGGATTCCCTT[A, G]AACAAGACAGTGCCTTGAGCAATC	1,547,758	89
4122.	TGCACCTGAGGATTCCCTAAACAA[A, G]GACAGTGCCTTGAGCAATCTCTCAG	1,547,764	89
4123.	CGGTGGACTGCAGAGTTCAAGTGAA[C, T]GTATTGATAGCCTTCTGCGCTGAGT	1,548,136	89
4124.	AAACCAGCTCGTTTTCTCTAGCT[C, T]ACAGTGGATATCCATTCTCTTGCT	1,548,270	89
4125.	TCTAGCTCACAGTGGATATCCAT[T, C]CTCTTGCTCGACAAATTAACCTTG	1,548,287	89
4126.	CTTGACATAATACCTCCCTCCAAC[C, A]GTAAAAACCAGACCTTTTACTGAAG	1,548,333	89
4127.	CAACTAGCTCAAGTTCGAATTGGA[T, C]CCTGAACCTTCCCTATCAAAATTGGA	1,548,487	89
4128.	GACAACGATGAAGTAGCTCGATCC[A, C]GTCGAGACCCAGCGAAAGGCCCAAC	1,548,544	89
4129.	GCAGGGTTGCTCTGCCATGCTCT[T, A]GTACTGGATGTTCCCTATACATCC	1,549,448	89
4130.	ATTGCCCTGTATTGATAGGAAAA[T, C]TAAGAGCTGCTGCTCAATGATGAAA	1,549,532	89
4131.	TATGGTAATATGCTGTACCTCCT[A, G]AATTAATCAAGCAATACAAGTAAGG	1,550,218	89
4132.	GGTGGATTGCACGCCGTCGCGTCT[T, C]CCTGTAAATACTGGGTACTTGGGTG	1,550,609	89
4133.	GTGCCACGACCTTCAAGCACAACA[A, C]CATTGCCATAACATCATGTCAATAT	1,550,656	89
4134.	GTTTACTAATTTAGTTCTCTTGAT[A, T]GGCGAGATTGTTGAATTGATTAAG	1,550,771	89
4135.	TTCCTTGTTGAAATCGGCGGAAC[T, C]GCTGATCTGACACAAAATACTTGCT	1,550,821	89
4136.	GGGGCTCCGTGATTTATATAGAA[A, G]GCTGTCAAACAGCTAATTATATAGC	1,565,285	89
4137.	TGAGATTGTACGATCCTAAAATTG[C, T]GGGGCCATTGGACATATCATTGTGG	1,565,337	89
4138.	GAATCCGAAACGTCAAGAGACAGG[C, T]CAAAAATATCGGAGCATCCGGTGCA	1,565,676	89
4139.	TCAAGAGACAGGCCAAAATATCG[A, A]AGCATCCGGTGCACAGATACAATCT	1,565,688	89
4140.	TATTTGCGAAAAATCCAGATCTAAT[G, A]GATAACATATTGCATCTTATCTATC	1,565,756	89
4141.	GAGTTGGCTGGGGTTGGGCAGACA[A, G]CGTTAAAGGTTGGCAGAGGGGAAAC	1,568,567	89
4142.	CCAGAAGTTTTTTATGCAAAATTT[A, G]ATCTTCAATATGTTGTTTACATGTT	1,568,775	89
4143.	TTGGTTTGTTTGCATGAAACAAGC[G, A]TAAGTATGTATGTAATGAACATAAA	1,568,922	89
4144.	TACACACTAGGGACTAAAAGTTAC[A, G]AGGAACATGGTTGGGCTTGACATGA	1,569,005	89
4145.	CCCATTTTTTGGTCCCTTTTTCAGT[C, C]GGAGTGCTCATATCCTAAGAATTGA	1,569,087	89
4146.	AGATCAATATCCATGTGACACACA[A, G]TATTGTCAGCTTCAAAGATTCTAAA	1,570,116	89
4147.	ATCAAAAGAAAGAAAGAAATGAC[A, C]TTTCATCCCCTAAGCTATCCAAAAA	1,570,197	89
4148.	CTGTGTGCTTGCTAAAGTTGTGCA[G, T]TAAAAACCACTTCCCCACCAAGC	1,570,648	89
4149.	AAAAACCACTTCCCCACCAAGCC[C, G]CAGAAAAAGGGGAAAAATGAAAGGAA	1,570,675	89
4150.	GGCATTCAACTTGTTAAAAATAAC[A, T]TTTGGAGGGGAATTAATTAACATATT	1,570,776	89
4151.	AACAATAGTGAATCTGACTGAGGA[G, A]TTGGAATCCATAGATACTAGTCTAC	1,570,955	89
4152.	AATCTCAGGCAAGGTTTAAATAT[A, T]ATTATAACCTGTAATATAATTATAA	1,571,498	89
4153.	GTTTCTGTGTCATACTGGATTAAA[G, C]CTTCTGCTTACAACACAAAGCTAAT	1,571,853	89
4154.	TTCTGAGGCTGTGAGCAGCCAGGA[G, A]ACAAGATTTACCAATCCATTGATT	1,571,971	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4155.	ATCATTTCAGAAGTTGCACAGGCC[A, T]TGCCATTAGTACAAGGTCACCTTG	1,572,139	89
4156.	TGAGAAATCTATGGGTGAGGAAGC[G, T]GgAATTAAAGCAGCTACAATTGAAT	1,572,432	89
4157.	CAGCCTCCCATTTCATAATTGAGAC[T, C]GTTATGGTGAATCTGGCCGATATAA	1,572,754	89
4158.	ACTCCATCAATGATTAATTATTGG[G, A]gTAGTTGAGTATGGGGACTCATACA	1,572,863	89
4159.	TTGGGgTAGTTGAGTATGGGGACT[C, T]ATACAAAAAGATGTTATAGGAGGT	1,572,883	89
4160.	AGACTGCAAGTAGTGGAAGATGTT[A, G]AaCTTAGTATTTTCCTGAATAGCCT	1,573,185	89
4161.	TTGCAAGCACATCTACATCTATCT[T, A]GGGAGACATTTAACCTTTGTGGTTC	1,573,292	89
4162.	CAGGTCATTTAAGTTTTCACGTAC[G, A]gTTTTTTTTtCTGAAGGAATAAGA	1,574,513	89
4163.	TTTTACGTACGgTTTTTTTTtCT[T, G]GAAGGAATAAGAAGGATATCTCCAT	1,574,526	89
4164.	atCGCACCGATGCTCCTCCGGTGC[C, A]GTATGGCACGGGCTCTCCATGGGT	1,582,566	89
4165.	AGTAGTTCGGTAATTCCCAATgAa[T, C]CGCACCGATGCTCCTCCGGTGCCGT	1,582,589	89
4166.	AAGTGATGCCAAGCACGTCTTCCA[C, T]ACTTAGCTTCGAGCAACCTTCTACC	1,582,657	89
4167.	CAGGATCTGTACAAATTGTAATA[G, A]AATGTTGATGATCGGCAAAATCTAG	1,584,707	89
4168.	GAAGAAATGAAATTCTCAGAGGGA[C, T]GGATACGAAAGAACTTACATCTCA	1,585,012	89
4169.	AAGGAGAGACGAGCGGTTCACC[G, A]GCAACCTTGACATCTGTATTTCATGT	1,585,706	89
4170.	CTCATCAGGTAGGATACATAGGT[A, G]GCATGGGAAGAATCAGAGACCTTAA	1,585,820	89
4171.	TTGCCATTGCTGCTTGTTCGAG[A, G]GTGCAGAGCTTGACTTACTGAGCAG	1,586,173	89
4172.	CGAGGAACCTGCAAGTTTGAATAA[G, A]TGAATAAAATAAGAATAAGATGTTTC	1,587,387	89
4173.	TAGAGACAAACTTGACTAAGCTAG[C, A]GAGATTAAGATTGTTAGTAGCCTCT	1,587,581	89
4174.	TGTTATATATGTGCTATGATGATA[G, A]TTATAAGCTAAAAATAGAAGATACA	1,587,805	89
4175.	GACAGATAGTAAAAAAAaTGACA[T, C]AATTGTTATGTCTTTGCCTTTAAAG	1,592,169	89
4176.	TAAGAATTAATAGTTTTGATATGA[G, T]AGAAGAGTATGCAGAATTTATTTTT	1,592,460	89
4177.	TGAAGCATTTCGAGGTAATTAGCA[C, A]GTACCATGGATGGGGAATAAGAATT	1,592,502	89
4178.	TGTAGACTTAAACGCCGGGCTGC[G, A]TCCACTCCTCTTAACCCACATCCTC	1,593,096	89
4179.	CCCACCATCCATGGACGACTTGCC[C, A]AGTCTCCGTGGATGTAGACTTAAAA	1,593,133	89
4180.	CACCGGCGACTCCGGGACCCACCA[T, C]CCATGGACGACTTGCCAGTCTCCG	1,593,150	89
4181.	ACAGATGGGCGCTTTGGTATCCAA[C, T]CGTGGAAATATTAGTCACCGGCGAC	1,593,190	89
4182.	CCTTGTAATGAAGTACTGACTAACAC[G, A]GTACCTAATGACAAAACAATTTGG	1,597,621	89
4183.	ATAATTTACTGCGAGTGTTCGTC[G, T]AGAATGGATTAACCGATCTATCGT	1,597,765	89
4184.	ATTGGCTCCACCCCTAGCATCAGC[A, T]GCCTACAAGATGGCACTGATTTCCCT	1,599,476	89
4185.	ATGGGTGCATATAAAAAAATGGTA[A, C]CTGAAATGAAATTGAACTAAAC	1,601,193	89
4186.	GTTTGCAGGGATTGGTTATGGTCG[C, T]AGACCCCCCTACTCCTCAAAATTAG	1,601,507	89
4187.	GAGTTTGCAGGGATTGGTTATGGT[C, T]GCAGACCCCCCTACTCCTCAAAATT	1,601,509	89
4188.	CCGCTAGCATGGATTCCGGTTCT[C, A]GTTCCGCGTCTTGATCTAGGTCA	1,601,726	89
4189.	TAGGCAAGAACGCTACAGTGATT[A, C]CCTGCCACACTTCAATCCCTACATA	1,604,187	89

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4190.	TTAGTGAAGAATTAGGCAAGAA[C, T]GCTACAGTGATTACCTGCCACACT	1,604,201	89
4191.	AAAAACATTTGTGGCAAAATTATCC[G, A]TTAATCTTTAGTGAAGAATTAGG	1,604,233	89
4192.	TTAATCTGACTACCGAAAGTTGAT[G, A]ATGTTTAAGAAACACAACATGTTG	1,605,145	89
4193.	GTCTTTACCAATGGATGGTAACCT[G, A]CAGGACAAGAGATTCTAAGTTCTTC	1,606,417	89
4194.	CAAAAAGAAGCACGAAGGTTGGAG[T, G]GTCATGATTTCTTAAGCAACCAAG	1,606,610	89
4195.	CGAAACCTTGGTTAGTGGACGTCT[G, A]ATAAATAAAATCCCGTATATACTG	1,606,669	89
4196.	TATGCAAGTCAATCTGGCTGTAGT[T, C]TGAAACGACTACAGAAATCCCTAGA	1,606,719	89
4197.	CTTTTCCCCAGATAACATTGGACG[C, T]AAGTTACATATAACATTGAACATTT	1,606,789	89
4198.	CAGAGAGGTCAAAATTAACTCTC[C, T]AGTCCAAAATTTTTTAAGTTtCTTT	1,606,835	89
4199.	CTTTATCGTGCATGTCACCTTCAG[T, A]AACCTTCCTCCCTGATGTTTGCTAG	1,606,888	89
4200.	TTGTAAGGAAAAAGATGTAGGAAT[G, A]CGTGAAAACATGCAGTCAAGGTACA	1,607,032	89
4201.	ACAAATGGTAGGATTAATAATTGAA[A, G]ATATTGTAAGGAAAAAGATGTAGGA	1,607,060	89
4202.	CCAACATTATATAGATGGTTATAT[A, T]CGGCTGTACAGGTTACATGATGCAT	1,613,951	87
4203.	TTATTGCTATGGATATCATGGATA[C, T]GTACAGTTGGTTTAGGCATCACAGT	1,614,239	87
4204.	GAAAAGGAAAGAAAGGAAGGTAGA[G, A]GAAAAGAAAGAAAGAGAGAGAGA	1,614,509	87
4205.	CACCGGAAGAGATGAAGAAAGAGG[A, G]TAGAAGGAAAGGAAGGAGAGATGAA	1,614,609	87
4206.	ACCCATCCACACCGGAAGAGATGA[A, G]GAAAGAGGATAGAAGGAAAGGAAGG	1,614,618	87
4207.	ATCAAGCCCTTCAACATGGCCCGG[G, T]ACATGGCTATACACATGGGGGAATG	1,614,786	87
4208.	TTTTTACAAATAAAAGAAACATAT[C, T]ACATTAATAAATCAAAAGAGAAAA	1,615,088	87
4209.	ATGTGATTAAGGGTGGGAAAAATC[A, G]GATATGCATTGCAACAGTGGATAG	1,615,313	87
4210.	TGATGACAAAGGATATGTGATTAA[G, A]GGTGGGAAAAATCAGATATGCATTG	1,615,327	87
4211.	GAATGAAAAAATATGAGCAGGTT[G, T]CAAAGGATGATATTTAACACAGATT	1,615,480	87
4212.	AGTGAAATTTTGCTAGGATGCCA[G, T]AAGAATGAAAAAATATGAGCAGGT	1,615,507	87
4213.	CTCCACAATCTTGAAAAAGGGGG[A, G]AAAAaCCTTGGAATAATGGAACGG	1,615,570	87
4214.	AATAATTGGGTCAAGGGGGTCTCT[C, T]CCACAATCTTGAAAAAGGGGAAAA	1,615,592	87
4215.	ATAAATGTAACCTCTGAGGCCCTTT[T, C]GGTGTAGGAGGATGAAACCAAGTT	1,615,837	87
4216.	TTTAGATTGCATTCAACTAGGGTC[C, T]GGGTTTCTGGGTCTCAGGGATGACC	1,615,983	87
4217.	TTTATCAAATCTGTCTGAGTGATT[C, G]TTCAACTCTAGGTGGGAACAGTTTG	1,617,499	87
4218.	CCACTACATGTGGAGAGGCTATTT[C, T]CATGTTTCAAGCCCGTGAGAAATTT	1,618,241	87
4219.	GGCAGCCAGCTGCACCTAGGCTCC[T, C]GCCACTGCAGGGTCCGGAGAGGGTC	1,618,308	87
4220.	TTTATAAGATTTCTGAAACCAAGT[T, C]AGGTTTTTCAATTGAAGCAGGGCAG	1,618,353	87
4221.	ATTAAGAATTTACAAAAGCATCAC[G, A]CATACCATCCCCGAAATATATGCCA	1,618,413	87
4222.	ATTAAGGTCAAATTCAGAGAACC[T, A]AAAACTTCAAAAATCCTTAAATAC	1,619,009	87
4223.	ACTTCTACTACATAAAAGTCAGCC[T, G]GTTATGGTACACTATTGATCACTAG	1,619,076	87
4224.	TCTAGCTTCTAGCCTCCAGCAAAA[A, G]GTAAGGGTTTCCAGCTTTATCGCTT	1,619,307	87
4225.	TTCTATTCAAGGTTAGTACCAA[G, C]CAACCCACAAAAAGGCATGGCACA	1,619,944	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4226.	TTTACGTGCTCTTCAAAGGGTAAG[C, T]GTGCTAAGTCATTAGCACACTAAAT	1,619,996	87
4227.	CCCACACCCCTACGCCCAGCCAC[C, G]CCCGCACCCACCACTCCTTCTCC	1,620,106	87
4228.	TGCAGACCGATACCCACACCCCTA[C, T]GCCCAGCCCAACCCCGCACCCAC	1,620,119	87
4229.	GGGAACATTCTGTGCTATTCTGC[G, A]ACACCAAGGCTTACTCAAGATCCAT	1,620,311	87
4230.	ATCATGAAGGGCTATGTCAATGCC[T, A]GGAATTCTGTCCCTGTCTCACTGG	1,620,493	87
4231.	GTGATTTCCAATTCTGATCTTTAG[A, G]AAATAACCATGTCAAATGAACAAGT	1,620,803	87
4232.	TAAGTCATGATAAGAGTAGAACAA[G, A]ATAAGAAAAGGAATGAGTATACTG	1,620,888	87
4233.	TCAGCAGATGAGTGCATTATTGG[G, A]ATAGAATCGGTCAATGCAAACAAA	1,621,313	87
4234.	TGATTCTAATATTATATGCATGCA[C, T]CATATTTAAGTCTGTCTATTATACT	1,621,413	87
4235.	ATGATTGTGCCCGAAATAAAATTT[C, T]GGATGGAGCAATAGGAAGTACAGAT	1,621,713	87
4236.	CAATGAGTTTGAACTTTGAATGT[T, G]GTCAGAATCAGGAGCTTGAGTTT	1,621,787	87
4237.	AGATACCATTATATAATGACTGTT[G, A]ATTATCCTTATATAACACCTCATG	1,621,906	87
4238.	CCAAGGCTTGCGCATCACTTGCA[G, T]AGATGGGATTTCAAGTTCTGTCTCG	1,622,560	87
4239.	GGAAAACTGATAGCAAGAAACAC[C, T]ATAGTGATTATATTGACATGATCTG	1,622,965	87
4240.	CCCTAAATATAACTTTAGAATGTT[C, T]TATCATAGCTTCATTTGCTCTTCAG	1,623,039	87
4241.	ATTTGTGAAATTGTAATACCTTTG[C, T]TCTGTCTATTATTGCAAGAGCATT	1,623,276	87
4242.	TTTTTAAAAAATTGTGAAATTTG[A, T]ATACCTTTGCTCTGTCTATTATTG	1,623,286	87
4243.	TTATTCAAGCTGACGGGAATTTCA[A, G]TAGTATAGAATTATTGAACGATCAA	1,623,562	87
4244.	TGTACACAAATTTTTGAATTCAA[C, A]AAAATTTCTTTtATTTTCCACTTT	1,633,772	87
4245.	ACACTTGTATCACTGTAAAGTACA[C, G]TTCAAATGTACACAAATTTTGAAT	1,633,803	87
4246.	GAAATGAAAGTGGAGATCATGTAC[A, C]CATGCATGCATTAGTTTCATCTGTA	1,633,884	87
4247.	TAAGTTCAAGTTTCGGCAATGACC[A, G]TGATTTTCCAATATCAGAAATGAA	1,633,926	87
4248.	TATGTAGTTTAGATAAATTTTA[A, G]CTGTGCTCTCCTTTTTTAATAAGTT	1,633,970	87
4249.	CCAATCAAATATAAAAAGTATAAA[T, A]TTTTCATCCAATGAGAGGGTCAAAA	1,634,689	87
4250.	ACCTACAGCATAACCAAAAAAATG[G, A]TGCTGGTAATTGTTAGATCCTTTAC	1,634,963	87
4251.	AACCAGCAATAGGATTTTGGCAGT[T, G]GATGAGATAAAAGTTCTTCCAGACA	1,635,187	87
4252.	ATTTGATGAAGTCAAAAAGGATGG[T, C]GGAGATAAAAGGGTTTATCTAGTA	1,635,869	87
4253.	TAGCTCTTTTATCCTTTTGTAAAT[G, T]GGTGGTCCACTTGGAGACAGGAAGA	1,635,959	87
4254.	GGAAGTGCCATCCATTTGGCAATG[G, A]GGTGAGACAATGCATTGGTTTCAGA	1,636,199	87
4255.	AAGATTGATCGGCTCAGCTATAAA[A, C]TAAAGATTGCATTTATAGTAACTAT	1,636,378	87
4256.	GAAGTTCTAAATGCAAGCTAGCA[A, G]GAATAAGAAAGTAATCACAGTACA	1,636,691	87
4257.	TCTATAACATTCAAAATCCTAAAA[A, G]CCAACAATAATCTCCCGTGAGGTTT	1,636,971	87
4258.	CACATGCGTGCTGCAAGACACATG[T, G]TAAGCTATACAAAGCTATATACTT	1,637,034	87
4259.	TCACCCCTCTATCTCATATGCGT[C, T]TGCAAGACACATGTTAAGCTATACA	1,637,048	87
4260.	GCTAGCTGCTTTGCCTCACCATGG[C, T]TGGCAACCTGCAAGCAAATGGCTCC	1,637,430	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4261.	CAAACTGAAGTGTGTACATCCCC[G, A]TCCCCACTTCCCTCTTCTCTTCCC	1,637,533	87
4262.	AATGCCATTTTATAGCATCATGT[T, C]TATTTTATATATAAAAAAaGATAT	1,638,363	87
4263.	ATTTTGTGTATATAGTTCCCTG[T, C]TTGCATAGTTCTGTCAAATTATAGA	1,638,623	87
4264.	AGTCATAAAAAATTCaAAAAAAT[C, A]GAAGGAGAAGAAAAGAAAACAAGAA	1,638,695	87
4265.	GCTGGCTCCATAAAGTTTCCATT[T, C]GGCAGTTTCAGTGATTTTGTAAAGTT	1,638,774	87
4266.	ATGTTGAAATAGTAATGTCATATG[G, A]AAATTAGTGGTAGCTTCAATTTGAA	1,639,005	87
4267.	AAATACTATAATCTGAACAATGA[C, T]GACACTGACAGGCTGAGCTGGTAAA	1,639,673	87
4268.	CCTTTTTTTtATTACCATTTATCA[C, T]TAGATAAGCATGCTAGAAAAACAAA	1,639,809	87
4269.	TCAAGCCCTGTTACCTTTATAGAT[G, A]CTCTCCCCTTAAATCTACTGTAACA	1,639,867	87
4270.	GGCATCAGCCTGAACAGTTAGTCA[A, C]TTTCATTTTCTAAGGTGCCACATG	1,639,956	87
4271.	ATTCCTCAAATAGGACACGCTACA[G, A]GCATCAGCCTGAACAGTTAGTCAAT	1,639,980	87
4272.	CAGTCACCTTTTCTGGTAGGATAG[A, G]AAGGCCATGAGTTAATTCCTCAAAT	1,640,019	87
4273.	TCTCATAAGGAAGCCAAAAGAAAG[A, G]AAAATCTATTCAAATACGAGGTTGC	1,643,151	87
4274.	GAACTGGGCTGTGTTGCTTATGA[T, C]AAGGTGTAACCTACATTCCATCT	1,643,419	87
4275.	CATCCAATAATTTCTCGCCAGGCC[A, G]GGGCCCCACCTGATTTATTGGATA	1,643,611	87
4276.	TTCACTTGCGCCTGGTGCATCCA[A, T, C]AATTTCTCGCCAGGCCAGGGCCCCA	1,643,628	87
4277.	CATACCGTGAAACTGTTTGTGCTGCC[T, G]TCTATGGCGGGCTTTTGTCAAGGCA	1,643,810	87
4278.	GTGTGCGTCGACCATACCGTGAAA[C, A]TGTTTGTGCTTCTATGGCGGGCT	1,643,822	87
4279.	CGATTTTATTGAAGGCATCGGCGG[T, C]GCAAAAGCCCTATAACAGATCTGGC	1,644,152	87
4280.	TTGATAAGATAGTACAGAAGTTGC[T, C]ATACTGTATCAACCTTCTTGTAA	1,644,960	87
4281.	TCATTTAACTGACCAAAAAAAC[A, C]CAGTGATGGCATTTTATTAAAGAAA	1,645,014	87
4282.	TGTTAATTGCCATGTAATATCCTT[T, A]ATCACAGGATCCGCATCATGTACG	1,645,330	87
4283.	CTAGACAGTGAGCAAAACAAATGA[A, C]CCAAAAAaGGTGAATCAAAAACA	1,645,464	87
4284.	AATCATTTTGAAGTACAAGCAA[A, G]AACATTTATCCTGAATGATTTCTCC	1,645,845	87
4285.	ACATATTTCATGGGACATTGGCTGG[T, G]GCACACCTAGCCCATCGCCCCATCT	1,646,022	87
4286.	ACAATTACCTCAAATAAGATGTT[C, G]TCGATGACTACATTAGGCATGAGAA	1,646,721	87
4287.	GCATGCGGGGATAAGGTTGTGCAC[G, A]TCCAGACCCACAATGGCGAAAGCC	1,646,807	87
4288.	TCAAAATACGTAAACAGCCTCTCC[G, A]CATGCGGGATAAGGTTGTGCACGT	1,646,831	87
4289.	CGAAATTAGTTGCCCTAAGAAATTC[G, A]ACAGGTACTTGCAAAGCTACCTATG	1,647,719	87
4290.	ATCTTGTTTGCTGAACAGAAAGT[G, T]AAACCTAGTTATGGCATATCTGAAG	1,648,270	87
4291.	ATTAACTTTAAGTTGAACAACA[A, T]TCATATATGTACCGATTATATGTG	1,648,545	87
4292.	AAAACATTAGACCCAAGAACCAAC[T, C]GCTGGTAAGTTGGATGACCAAAAA	1,648,606	87
4293.	TACCATTACACCAAGGTGTAAAGG[T, A]AACTGGTGATAAGCAGGCAAAACAA	1,649,651	87
4294.	TCAGTATGATCCAAAATATGCCAA[C, T]GATCATCCAAATATAATGTCAGCGA	1,649,897	87
4295.	ATGTTAAGGTAGCAGAACAGCATT[C, T]CAAATACTAACATAAATAAGGATAA	1,650,173	87
4296.	TGCATAATGTAACGAATTGCATT[G, A]ACCTCATCAAACAAAAAGTTGCA	1,650,329	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4297.	TATGTACTTAGTACTTTAGGCTTA[T, A]GAACATGCAGCAGGTATAGTATTTA	1,650,399	87
4298.	TCAGACTGCCTGTAATTAGAAATC[A, G]GACTTGAAGTTTAACTTGTAGCAG	1,650,637	87
4299.	GAAAGCACTATCAGTCGAAGAACC[G, A]TCCGTCCTGGACCTCTTCACATCTC	1,652,345	87
4300.	CTTTCCTACTGCCACGCACCGAGC[A, G]TGGCAAACGGGAGTTCCACCTTTGG	1,652,558	87
4301.	GGATGGCGGAGGAATTGCCAGTTG[T, C]GGTACCACAGCATTAGTTGATTGCT	1,653,038	87
4302.	ATTGACCTACTTTGCTTCATTATG[A, C]ATCATAATATTTCTACTGCTTTTCA	1,654,508	87
4303.	AATTCACAATGAGGAATCTTGTC[G, A]CCCCCTCATTTGTCGGGATAAGAATA	1,655,827	87
4304.	TGATTTCTCTATTAAAGATTTGACA[C, T]TGAGGCGACCGGTTTAAAGCACGTCA	1,656,187	87
4305.	TTCTCTATTTGATGGGATTCCCTC[G, A]TATCCATCGGAGATTAGAGCGGGAA	1,656,593	87
4306.	CTCTCCTCATGACAAGCGCATAAC[T, C]TTCGCAAACGTGTTTGTAAATAGCC	1,656,828	87
4307.	ATGGCATATCAAAATCCAACCTCCA[G, A]ATTCTAAAATTAATATCTGCAGTAC	1,657,314	87
4308.	TGCCTACGATGGGAATAGTTACAC[T, C]AGAAATTGTTCCAATTTTGTTTGG	1,657,628	87
4309.	TATTAGCTGGATTGGATCGAGA[A, G]AAAGATAAAATAGCAAACTTATG	1,657,676	87
4310.	CCATTTTATGAGAACCCTTTTGC[A, G]ATACAATCTTTTAAAGCACCATGT	1,658,010	87
4311.	ACTGATTATAGCTTTCCTCCTCTT[G, C]CCTGCCTCTCCTAACTCAAGTTCAA	1,658,358	87
4312.	GGTAAGGTTTGGCCATTACCATA[A, T]TTCTTTTATTCACATAACTATTAAT	1,658,611	87
4313.	TCTTCCACACAGCTCCTTTGCTC[A, G]GCCACCTTATGCATAGTGGTAGCTT	1,659,494	87
4314.	ATTTGGCATGGAATTGTTTCATCT[G, A]GAAACTCGACCTTACGAACTCCACT	1,660,372	87
4315.	TAGTTGCTTCCGGTCTCCTTCCC[C, T]TGTCACCTTCTTGCCCTTTGGTGG	1,660,502	87
4316.	TAGATTAGCCTTCAAGACATTGAC[G, A]AGTCAAAGAAAACCTCATCTGAGCAC	1,660,641	87
4317.	GGGCATGCCATTGATGCCGATCTC[G, A]ACATACATCAAGGTCTACCTCCCA	1,660,704	87
4318.	AAAGTTGTATCAAGGCAAGAGCAC[C, T]ATATTGAACTACCTCAAGAACTCCA	1,660,982	87
4319.	TCCTTGCTTGCATCGTAAAAAGAA[G, A]CTTGGTACCTAAATTGGGTTGGTC	1,661,073	87
4320.	GGTTTGCAGCTCAAGCCAGGCAC[A, G]GCCATAAGGGCTTGGGCTAGCACG	1,661,824	87
4321.	GTCGAGGTAGTTGTGAATAAAGTT[G, C]TTCATTAAGTGCTAAATGTAGCTG	1,662,429	87
4322.	GCCATCCAAATACACCACTACAAA[C, T]TCGTCGAGGTAGTTGTGAATAAAGT	1,662,456	87
4323.	AAGTGCTCCACATGCTCCTCCAAC[A, G]TCTAGTTGTATATGATGATGCCATC	1,662,500	87
4324.	ATTCAATCTCTTCCAGGCAAAAA[G, A]GCATGTAGAAGGAACTGCAAAATT	1,662,565	87
4325.	GTCTCCACACCCCTCAAGCAGTGAA[C, T]TACCACTACATTCTCTTATCATGA	1,663,022	87
4326.	GCAAAACATTTCCAATGGTCACTC[G, A]AAAAATGAATAGTGGTTCTAGCAACT	1,663,598	87
4327.	CCATTCCGATTCCGATTCCAGACC[T, C]CCCCTCCCCCAACCAAGCACCCC	1,663,977	87
4328.	GAAATCGGAATAGATATCAAAATG[A, G]ATTGGAATCAGAAATCGAAATCAGAA	1,664,203	87
4329.	GGTTCGCAACCGGAATCAAAATCG[A, G]AATCGGAATAGATATCAAAATGAAT	1,664,226	87
4330.	AATGGGCTCCAACCTGGTCGCCTCG[A, G]TCTTCTGTAGATTGTAGGAGAATTG	1,664,325	87
4331.	ATTGTGTAAGTTCGAAGTAGCCTT[C, G]TATTGTGAGGGCAATATTTTACAA	1,664,585	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4332.	AACAAATAAGGCCATTGTGTAAC[T, C]GCAAGTAGCCTTCTATTGTGAGGGC	1,664,598	87
4333.	GACGAAGCTCTCTTGGATTACCT[C, A]GACCAAGGTCATCTAGCTCTCCATA	1,664,765	87
4334.	CCGCTCCATCACACCACACAGTCC[G, A]CCAATATATATCCACCTCCTTGTC	1,664,834	87
4335.	AGTTTGAATACATGCAAAATGTCAC[A, T]ATTTC AACGATTA AAAATCCCCCTAG	1,665,184	87
4336.	CATATCGAAATATTTAGATGAAAA[G, A]AAAGAAAACCATGAACGTTTGGGA	1,667,536	87
4337.	TACTCAACACTCTTGGCACTCATG[C, T]CAAGTGTCTTCATAACATGACCACA	1,667,584	87
4338.	TTAACTAAGAACAGTAGTCGACAA[T, A]CTAAACTTTTTTACATCCCGTCACC	1,668,936	87
4339.	CAGATGGAAATCAAAGATGAACCC[C, G]CTTTTGCGCTTCTGATGGTCGGTCG	1,669,033	87
4340.	AAAAAaaTCCCTAGACGCAAAAT[C, G]GCAACCAAACCTCCGTCGGAACCAGA	1,669,079	87
4341.	CAATCCAACGCTAACCCGCCCGGG[C, G]CCCAGCCAGGCAAGATAAAACAGCC	1,670,180	87
4342.	ATTAAATACGGGCCAAGCCCAATC[A, G]GTGGTGCACCCCTTGTGCAAAGAAAA	1,670,430	87
4343.	GCAAATTTATTTGCTTACGAAGCA[G, A]ATAAATAACTATTAACCTATTAGGC	1,670,589	87
4344.	CGAGGCTTTGCCTCGAATGTCTCG[A, T]ATCCATGGAGGTCATTGAGCCTCA	1,670,922	87
4345.	ATCGCCTAGTGGGTGAGTAGGCTG[G, A]CGGCTTGAGATCGGGGCAAAATCGA	1,670,969	87
4346.	TGAATCAAGATTGTTAGACGTAGA[T, A]ATCAACTGTGATTATGCTCATGTT	1,671,045	87
4347.	GAGGCGGTGGAGTTGTGCGCTCTC[A, G]TTTTTGCCATCTTCTCTtTTTTTT	1,671,404	87
4348.	CACTAGTCTTCCCTTCCCTCAAGCTC[T, C]GATAGGAAGGTGACCGGCAGAGAGC	1,671,645	87
4349.	TTTATCCCCTACCCCTAAAAAGT[C, T]GGAGATCATATTGATGACATCAACT	1,671,865	87
4350.	TGCCGACTAGCTATGAGAGGTCTT[C, T]AGAGGATTAGCTCCATCGCTGTCAT	1,672,334	87
4351.	TCTGCTCGACTCATCCCTAGACAA[A, G]GAGCACTAAGTGGCCAAAGGGATCC	1,672,447	87
4352.	GGATGAGGAGCACTAGATTGCTAT[G, A]TAATGTCCTCGAAGAGTTAGCCCCA	1,672,515	87
4353.	TATGCGCGAGCTGTCATGATCCTT[A, G]GCTCGCAAACCTCGCATCAGGGACAT	1,675,378	87
4354.	GATGATTGATGAGATGCTTTGTAT[G, A]CTTGTGGAGAAAGTATCCATGAGTA	1,675,426	87
4355.	TTTATTTTAGATTGAAATTTTATT[A, G]AAGTTAATGTAAGATCATTTGAATA	1,675,574	87
4356.	AATTTTGATACTTTTATTTTAGAT[T, G]GAAATTTTATTAAGTTAATGTAAG	1,675,586	87
4357.	AATTAATTTGAACTGATGAATTA[T, G]ATATGCTTATTTTTTATAAATTATT	1,675,781	87
4358.	ACCGCAAGATGATACATAGCTTAT[A, G]GTAAGATGATACGCAATATGATCAT	1,675,972	87
4359.	ATCCTGTCAATTGAGGCTAATACG[A, T]TGACAATTATTAGTCCGAAAGATTT	1,676,175	87
4360.	GATGACTTGAACCTCTGCTTAAC[C, T]ATGTGGAGGATCCTGTCAATTGAGG	1,676,209	87
4361.	CCACCATCAATATGCATTTTCATA[C, A]TTATTCATACTCTTCTAATGTTGG	1,676,641	87
4362.	AAACACCTTGTC AATTAGACAACA[G, T]ATTGCATTATCCAAGTCTTCATCG	1,676,936	87
4363.	ATTGAATCATCTGTATGGTAATTC[G, A]GTCATGATTTGATTAAATCATCTGA	1,677,147	87
4364.	TGTGGTTTCTAAGCATCACTAGG[C, T]ACTCATCTTAGTCAGATCATGTACC	1,677,223	87
4365.	TTTGAAACCCACCAACTCTAGCCT[C, T]CTATCATCATCGAAAAAGTTATCTT	1,677,917	87
4366.	CGAGGCCTTTGCACAGATATTGAA[G, A]CAGCATTAAAAAAAaTTTGGCCAGC	1,678,096	87
4367.	AGTGACTATTAGATAAACTATACC[A, C]CCCTAGCCTATAGGAGCCTAACCCC	1,678,163	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4368.	TCCTAGATAATTTAACATAGGGTA[T, C]AAATTTATTTtTTCTTGATGAGTGA	1,678,208	87
4369.	CATGATGATAAACATGTCATTACAC[T, C]AAGAAAAATTAATAAAATAAAATAA	1,678,263	87
4370.	TCATATGATTTTAACCAATATTTT[C, T]GTTTCTATGTTATTCCTTCTCATAT	1,678,322	87
4371.	AGAGGATTATTTCTTTTACCAAC[A, G]TCTAGATCTATAATCATATGATTTT	1,678,360	87
4372.	TATCAAAATATAGACAATTAGTGA[T, C]CAATATTCTGTGAAAACTAATGTA	1,678,688	87
4373.	GCGTATCAAAATATAGACAATTAG[T, C]GATCAATATTCTGTGAAAACTAAT	1,678,691	87
4374.	CAAAGGTATGTTGTGAGCGTATCA[A, G]AATATAGACAATTAGTGATCAATAT	1,678,707	87
4375.	GGTTAACTGCTAGAGCAATTTTA[T, C]CGACAAGATACTTTGAGAAATGAT	1,678,888	87
4376.	ATTGAATTGGCGCATTATTTAAGT[A, G]TTATCAATAAGGATTTGAGTAGTAA	1,679,007	87
4377.	AATTTTGAAACTTGAGAGATTTTA[T, C]TTTAATTGAGGAGATGTCTATTAT	1,679,244	87
4378.	GATGTTTCGATAGAATTTTACAATT[A, G]TTAAGTATAATAATTTATCTCCTAA	1,679,386	87
4379.	ATGATATCAATAATAAAATTTTTC[C, T]GCATTTTGATGTTTCGATAGAATTTT	1,679,418	87
4380.	CACCATGCTATTCTCATCAGTCA[G, T]ATATGGTAAGCTATGTAGGCTATTT	1,679,552	87
4381.	ACTCGTCCGTAGGGTATCCCCAGT[A, G]TGTTCAAGCAACATAGGCGGCTATCC	1,680,120	87
4382.	ATAAACATGTGATGGATAATTTAA[T, C]ACATATGGTACAAATTAATTTAGCT	1,680,276	87
4383.	ACTATGATGGTAAACATGTCATT[C, A]CCAAGAAAATTAATAAAATAAAATA	1,680,323	87
4384.	TGTTAATATGATATTTTTCAAACA[A, G]TACATGATCAATCCTGCTGAATTTA	1,680,512	87
4385.	ATTTTGATGAATCCATTTAGTTA[C, T]AAATATAATAGGTTGCTAAGCTTAT	1,680,565	87
4386.	AGCTTGAATAAGAAAGTTATGGTC[A, G]AAATAATAAAATTGTATTAGGATAT	1,680,740	87
4387.	AATTCGAACACTTCAACTACATC[T, C]ACCTTTAAGTTAATTTCTCAAAACA	1,680,809	87
4388.	CTTAAGGAGAGATGGGTGAGTGCT[A, C]TTTGCCAAAAGCATTTAAGAACAAA	1,681,014	87
4389.	TAAATGCTAGAGCAATTTTATCG[A, G]CATGATGTTTTTTAGAAATAATCTT	1,681,088	87
4390.	TACTTGAAATGAAAGTTAAATGCT[A, G]GAGCAATTTTATCGACATGATGTT	1,681,104	87
4391.	TATGTTGGCTACTTGGATAGCAGT[T, C]CCTCTGATTGCATCGTTCTGATATG	1,681,706	87
4392.	CATTATTAGCGATAAATTTTTTGC[A, G]TCACTAATACCCTATTCTGTTGTAG	1,682,167	87
4393.	TTTCATCGCTAATAATTTTATCGA[T, C]GAAAATTCATTATTAGCGATAAATT	1,682,199	87
4394.	TGATTCAATTGTAATAATCATTTT[A, G]TTATTAGCGATATAATATTTTATCA	1,682,422	87
4395.	AGAAGAGATTGAATATATTATGGTGT[G, A]CTGATAGATATCATAGAACTGAAAT	1,684,647	87
4396.	ATAATATAGATGCTGATGATCAAT[A, G]TAGGAGAAAATTTGCAAAATGATTT	1,684,981	87
4397.	GTTCTAAATAATTGTAAAAAAaTT[A, G]AAGATTTCAATTGACTAAGTACCATC	1,685,131	87
4398.	CAATCATTCAGATCGTAACGCAGA[T, C]CGTGAATGGGATGATAATGAACTGA	1,685,273	87
4399.	GAATTGCAGAAAAATAGAAATCCAA[T, C]CGGAGTTGCATTTAGTTTCATCGAGG	1,685,987	87
4400.	AAAAAGTAAAGATAGTACAAAAG[C, T]TTATCTTGAATTGCAGAAAAATAGAA	1,686,019	87
4401.	AATTTGAAAAAATATCGGGTACTT[A, G]CAAGCGAAAGTGATTGAAGCTGAG	1,686,205	87
4402.	TTGATGGTAAGTTCGATCGACGTC[T, C]GCCACCCAAGGAGTTAAGTAGAGCA	1,686,292	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4403.	CTAGTAATCACTCTTGAGGACCC[A, G]TTACAATCAATACTTTGATGGTAAG	1,686,331	87
4404.	TGATGTATATCTACGACAGTTAAT[C, T]GATGTTTTGAAGGAGCTATGGGAAA	1,686,595	87
4405.	TCACCTTGAAAGTACATGAAAGAA[C, T]CATTTATTTTATATCACTATTGAT	1,686,675	87
4406.	ATTGCTTCATATTAAATCGTGAA[T, C]CGATGGAGTCAGAAGTCATTGATC	1,687,242	87
4407.	GTATAGACAAGAAGTATAGTCGCT[G, A]GATATGGTATGGAGGGGTCATTG	1,687,574	87
4408.	ATGGTATAGACAAGAAGTATAGTC[G, A]CTGGATATGGTATGGAGGGGTCAT	1,687,577	87
4409.	ACAGTGCAGTAGTCGGATAAAGTATC[C, T]ATGCAAAAGATGTGTCAATATGGTA	1,687,667	87
4410.	GTTGTTAGATGGATATCAACAAA[G, A]TTGGATAAATATCAGAGATATTTT	1,687,775	87
4411.	GTCGAAATAATAAAACATATTAG[G, A]ATATTAAATATTTGATAAGATGTC	1,692,796	87
4412.	TTAGATTTCAAACTTGAACACTT[C, T]AACTATATCTAACTTTAACTTAATG	1,692,896	87
4413.	GATTTTATAAATGCTAGAGTACCA[T, C]GATACACTTGAAATGAAGGTTAAAT	1,693,210	87
4414.	TGCATGTTTGTATGTTTTGGGAGG[A, G]GGAGAGAGAGTTAGTGAGCGAGTGG	1,693,502	87
4415.	TGGCAGAATTTTGCAATTGTTAGG[A, T]ATGATAAATTATCTCTTAAAGAATT	1,693,702	87
4416.	TCCTATCTTCTAATGATGATATCA[G, A]TAATAAAATTTTCTATATTTGAC	1,693,755	87
4417.	CCCTCTAGTTGCATCGTTCCTCAT[G, A]CTCTAATATATAAGCATAGTGAT	1,693,814	87
4418.	GCACCATCTGGACTCGAATACCAC[A, G]CTATTTCTTACTAGTCAGATATGGT	1,693,892	87
4419.	GTGAATCTCGTCGAGCACCATCTG[G, A]ACTCGAATACCACACTATTTCTTAC	1,693,906	87
4420.	TATAGGTGGCCATCCAGTCTGCCA[C, T]TGTGTTAGCCTCCCTGAAGACATAT	1,694,412	87
4421.	ATTTCAAACTCGAACACTTTTAACT[A, A]CATCCAACCTTAAAGTTAATTTCTT	1,695,134	87
4422.	CTTTGACAATGTGACCACAACTG[T, G]GGTTCCTTTATATGTGTATATGTAG	1,696,167	87
4423.	AGGAGGAGAATTAAATTTCTCGTT[G, A]TCGAAGTAAGCGGAGAGCAAGTCAT	1,697,212	87
4424.	CCTAGGAAGACTGAGATTAACATC[T, C]AGCACCTGTTTGACACCTACTAAAA	1,697,644	87
4425.	CAAGACACATGGATTTATGATTCT[T, G]TTTACCTAACAATCATCCTAAGGGC	1,697,815	87
4426.	GCATGTAGTGGTGAGATGCACAAT[A, C]AAGGAAGAGTCACAAATTGCAATT	1,698,462	87
4427.	TTACAGATAATGATGAAGAGATAT[T, A]TGAAAGGCATCTGATAGGGGTGGAT	1,698,525	87
4428.	TGGCATATTGACTTTTTTATTCATC[G, A]ACTGATTATGTGAGAAAGCATAAAC	1,698,610	87
4429.	TGTATCTACAACAAGCTACAAG[C, T]ACATCAACTAGAAGAGGTGCATGTG	1,698,737	87
4430.	ATTAGTTTTCTCAGTAAATATTCC[A, T]GGTAAATAAAATCAATTCAGTTGTC	1,700,288	87
4431.	ATTGAAATTTAACAGATCAAATGA[C, G]AAGTGCAATTGCTACTAGATTCTTCA	1,700,782	87
4432.	AATTGGAGATCCTTGAACATATAC[A, G]TAGCTTCTAAAACACCACTATTTT	1,700,885	87
4433.	TTATTGTTATCTGATGGGCCCTCC[G, C]CCCTTTGTTCTGATAAGTCATTGG	1,701,721	87
4434.	ATAGTTTCACCAAGACAAATCTG[A, T]ATCAATAAACCAACGATATATAATG	1,702,011	87
4435.	CAATTATGAAATTAGAAAGTTATT[T, C]TCTATGCTTGAAGTTCTCTAGTTTC	1,705,974	87
4436.	ATGTTTGAGGAAAACAAGTAGTCC[T, G]ACAATTATGAAATTAGAAAGTTATT	1,706,000	87
4437.	TGTACCACCAAGTTGCATATAACT[T, C]TAGAGTCAAGTCTAATCTGTATGTT	1,706,089	87
4438.	TCTTGCTCTGATAATTTCTTTAA[C, G]ACGTTAATCCAGCAATTAACCTACC	1,706,507	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4439.	TCAGCTCAGCTCGTCATGGTACG[A, T]AGGTGGTGTAGAAGCCTTCTCCAAT	1,706,729	87
4440.	AGTCAGCTCAGCTCGTCATGGTA[C, T]GAAGGTGGTGTAGAAGCCTTCTCCA	1,706,731	87
4441.	ATATAAATCCATAACAGTTTAGGA[T, C]GCAGAACTACTCTTGATGCCTGGGCA	1,706,843	87
4442.	GTCTATTGCGAAAAGTGGGTGAGT[C, T]AGATGGAATTGAGAAAACATTTGAG	1,706,928	87
4443.	CCAGGTGAGCTGTCTGGTTGTGT[C, G]AATCCAAATAAAAGATTGTAGTAG	1,707,048	87
4444.	AGCACGTCCAGGTGAGCTGTCTG[G, A]TTGTGTCAATCCAAATAAAAGATTT	1,707,055	87
4445.	TAAGGTTTCTGAGCTTCTTGTAC[T, A]GTTTGTATTTCTTTCTAAAATGG	1,707,122	87
4446.	GCTTTAGCTAATTATGTATATAT[T, A]TTTTAGATTAAGTTGTTGATTTCTTG	1,707,191	87
4447.	AATCCAGTTACCATGTTTTTGAGA[C, T]GTGCTATTGTAAAAGTTGAGGAAAA	1,707,479	87
4448.	TTCCATTGATGATTGGTCCATCAT[A, T]CAAGATTGTCTGCTCGTGCATATGC	1,707,970	87
4449.	CAGTTGGGCTACATTGGTCTTGGC[G, G]TAGAGTTTATCTCCATTATACTCT	1,708,567	87
4450.	ATTTTGTGGATAGTGAGGGATGGG[G, A]AAGCCACTCTTGATGAGATTTGGG	1,708,829	87
4451.	TGTGCTGAGGTTGGAAGTCATAAT[G, T]TTGCGACTGATTACGCAGTCTTGGG	1,709,305	87
4452.	GAAAGCTGTGTTGATTGGAAGAAA[A, T]TTCCTCTAAAGAGATTCTTTTATC	1,709,396	87
4453.	ACCTCAATCAGCCAATTCGATTTA[C, T]TGTCTGGAAGATAAGAATGTGAAAG	1,709,441	87
4454.	TCCGGACAATTTTGTGGATGAGA[G, T]ACTTGCAACAGCCATATATTTAG	1,714,587	87
4455.	TTTGTGGATGAGAGACTTGCACA[A, C]CAGCCATATATTTAGTTATGTTGCC	1,714,597	87
4456.	AAGCTAAAATAGATATTTAGATCA[G, A]TTAACTGCTCGCAACCGATGGCGAA	1,714,657	87
4457.	TTAGCTATTGTAGGCTCAAATTTA[C, T]GGGCAAGCTGGGTGCATGGCATGA	1,714,892	87
4458.	ATGCCCCTCTCCTCTTGAATTT[C, G]TCTGGCAACGAGCATCCCCACCAT	1,715,211	87
4459.	ATCGGGGTGCGAGGTATCTGTGTC[C, G]GGGCACCCGCAAGCACAGGAGCTGC	1,715,757	87
4460.	GTCCATGGTTGGTGGTAAGAGGT[A, G]CCATTCTTACAGCAATAAGGTATCT	1,716,105	87
4461.	GTTACTCGACTTTTCAAACTGTG[G, A]ATCTTATTTAACTATACCTCTAGTC	1,721,227	87
4462.	CTTATTTAACTATACCTCTAGTCA[T, C]CAAAGTGGTCCACATAAAATTTGAT	1,721,254	87
4463.	AACTATACCTCTAGTCATCAAAGT[G, A]GTCCACATAAAATTTGATGATTCTC	1,721,261	87
4464.	GGTGAGCTTCACAATATGCCATGT[A, G]TCCCTTAATACTAATCTTAAAGTAT	1,721,402	87
4465.	CATTTTAAAGATCTTAGCTCCCTT[C, A]TGTGAAGTTGAAGTTGGTTGATTGC	1,722,661	87
4466.	TCTAGATCCGATCCTTCTTATCTC[T, C]CCAAAATTTATCTAAGTTTCACTA	1,723,087	87
4467.	GAAACACATATAGTGTATGACTTC[C, T]ACGTTATTACAGATTCTAATTGAGT	1,723,351	87
4468.	TCATTATCTATTGATCTCTGGTTT[G, A]ATGGTGGATCAGCATTACATGGGTT	1,723,854	87
4469.	AATCTGAATTACTACGTTGATAT[A, G]TTTTTTTGGATGGTAATCCAGATTA	1,724,043	87
4470.	TATATTTTTTTGGATGGTAATCCA[G, A]ATTATCTTAATAATTTAATTGAAAA	1,724,064	87
4471.	GCTAATTATACTTTTCGTCCTTTGA[G, A]ATTTTTTTATTGTATGAAATTTTAA	1,724,468	87
4472.	CACCAAGCTAGTAGACCAATTA[A, C, T]TTGAAAGCAACACTACCCTAGCTCC	1,724,534	87
4473.	CTATATCTAATGACTAATAGTTTC[A, G]AGGCATATTTTAAACAAGCTCAAGA	1,724,726	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4474.	CTTTTGATAAAAACTTGTAGGCTC[G, A]CAAGGGCCTATTAAGATGACTAGTA	1,724,810	87
4475.	TATGTTGAAACCGAATATCCACCA[A, C]GGCTTACATAAAAAATTAAATGGCAC	1,736,030	87
4476.	TTTGATCATTTTGATCATTCTTAC[T, A]GTGTTCTGGTGATATCCAGTGGGGG	1,736,416	87
4477.	CTCTTTGACTTCAATCTGTGCTTC[C, A]GAGATGAAACGAAAAGGTCATCATA	1,737,193	87
4478.	GAAAAGGTCATCATATTAAACATC[A, C]ATTCTTAATCTCCACCTTTCCAGGT	1,737,228	87
4479.	TTGGAGGATTGCTCGCCAGTAGCA[T, C]GAGTACCTGGAAGGAAGATCTTCTT	1,737,289	87
4480.	CTAGACATAAGAGCTCAACTTACT[T, C]ATTACCACATCCGAATCCGCTCCAT	1,737,545	87
4481.	AACCTGGACGAATCATACTAATCC[G, A]AAGGCTGAGATCCCATATGGATCA	1,737,648	87
4482.	AAAATTTAACAGAGACTAAAGATG[A, C]CCCAAAACAGTGGACATTGACTTGA	1,737,948	87
4483.	ATTACAGCCAAAAGAAGACATACC[G, A]AAGCTTCCAGAAGCAGGTAGTGGCA	1,738,040	87
4484.	GAGCAAAAATCTTCTACATCAAC[G, A]ATCTAATGGTGGTCAACCTGGAAA	1,742,280	87
4485.	CCAGAACAACCATTGACAATTTA[C, T]CATGAGAAAGTTATTTGCTGATCTC	1,742,608	87
4486.	TCTCAGAAAACCTTAAAGAAAGCC[G, G]AaTATAAATTTTAGACCTAGATTCA	1,743,060	87
4487.	ACGTAATTCGGTCAGCAACTCTGC[G, A]CTTGTTTCAGCATTGTTAGGACTGG	1,743,358	87
4488.	AAGATTTACTTTGTCAACTGGGAA[A, T]ATGCCATGAACAACATATACACCTT	1,743,569	87
4489.	TTTGTGTGAGTTCAAGCATGATG[G, A]GATGGTTTCAAAATGAGTCTCAAC	1,743,821	87
4490.	AaGGTATGAGCCATTATTGAGTTA[C, T]AAATGAGCCACAAATCAAACAGATC	1,744,027	87
4491.	TAAGCTTCATGCATCAGCTCAGAT[A, G]AAGGAACCAAGGAAAAGAATGAAAG	1,744,167	87
4492.	GAACAGAGCTACAGTTGGTAGCTA[A, T]GCATTATATTGTGGCAATGAAGGAA	1,744,566	87
4493.	TGCTTACAAGTTGAGCCTATAGCA[T, A]GAATGGATGCAACTCTACTCTACCA	1,746,019	87
4494.	ATTAGCCGACAAATATTAATTATT[A, C]TGAGACCGGCATATAAGAAGTCTAA	1,747,911	87
4495.	GCAGATATGGAAGACTGATCCAAG[T, A]AcGCTAAACCAGATCATTCGAGT	1,748,046	87
4496.	GATATGGAAGACTGATCCAAGtAc[C, T]GCTAAAACCAGATCATTCGAGTAGA	1,748,049	87
4497.	GTAAGTTTCCGACCACCTCACCTG[A, C]AAAAAGGTGGCAACTTTGAGATGCT	1,748,288	87
4498.	CTATGCATTGACAATATGAAATTA[C, T]TACAGATGTGTTTCGATTAACAATG	1,757,258	87
4499.	TTTATCCATCCGTTGTTTGGTTTG[G, A]CTTTACCATCGAGTTCATCTATTCT	1,757,837	87
4500.	TTGAAAAGCAAAAATAAGGCACCTC[A, G]GACATGATAATAATATTATCATTTA	1,758,074	87
4501.	ACGAACAAGCACCGATAGATATTT[T, G]AGTGTAACATGCTCATGTCATGTT	1,758,152	87
4502.	TTGTTTTGTGGGAGAAAAGGCTTT[G, C]CATCTGAGCCTGACCTTTCATCTGC	1,758,355	87
4503.	TCCTTTGCCTTTATCCTTGGATTT[C, A]GCTCTACTTAAATGGTCTTACTAGA	1,759,719	87
4504.	TGTAATATATTTCTATTGCCCCCG[A, A]TGTATTTGTTACATGATGGACAAAT	1,760,495	87
4505.	AAACACTGAAAATTAATCCCAAG[T, C]AGACCGTTAGCATCTACTGGATATC	1,766,861	87
4506.	GATAGTATACATCTTTTTCCATAT[A, T]CCTAATAATTAATGAACATTTCTC	1,771,974	87
4507.	ACACAGTCTTTATATTCTTTCCTG[C, G]TCATTACTCTGTTATTTCTTTAC	1,772,033	87
4508.	TAATGTTAAATCCCATATCTGTGA[G, A]ACTTGTTATGACAACAATCGAACCC	1,772,152	87
4509.	ACACCATCAGTTGCAAACTGAAA[G, A]AAATTGAGTAACCATTGAGGGTTAG	1,772,334	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4510.	AATCTTTGTCGCTGCCTTGGGATG[T, C]TTTAGCACGAATCCTTCGTCCATCA	1,772,414	87
4511.	TGCCTTGGGATGTTTTAGCACGAA[T, C]CCTTCGTCCATCAAGAATAGCATGG	1,772,426	87
4512.	TAAATAACCAGACATCCAAGAAAA[C, T]AGAAATCTCTTCAAACCCATCCAAA	1,772,536	87
4513.	TTATAAAAAATTTATATCCATATC[C, T]GATTGGATCGGATGAAATTTATTTA	1,773,207	87
4514.	AGATCTTATCTTCTAATTTTGTTC[A, G]GTCTGTCTTTTGCTTTCGTTGATTT	1,773,531	87
4515.	TTTTTTtATAGGAGTCTCAATCAA[G, A]AAGAGGTGTGAAACTTTTTtGGTTT	1,773,612	87
4516.	CAAGACATAGGAAGTCATAATAAA[C, T]CGATAAAATATCATATAAAAAATACA	1,774,443	87
4517.	TATATTAGCTCGGCTATATCGCAC[A, G]GTTGGAATGATTGTCACCACATGCA	1,775,021	87
4518.	TTCCCAATAATAGACTCCAACCCC[G, A]TTCTATATATAAGAGCGATTTCGAGG	1,775,114	87
4519.	ATAGTTTGGATTTTAGCAACAACA[C, T]ATCTCAACAAATGGCAAGGATGGTC	1,775,304	87
4520.	TGACACTCTATCTATCCATCTGCT[T, C]ATCCGTAAATCCAAGCCATAGTCAA	1,776,580	87
4521.	ATCATCGATTTCTTCTTCTCTTG[A, T]CCTTCCAACAAATTTTATATGTAGA	1,779,615	87
4522.	TCCATCTTCTATATCAGTTCGAGT[G, A]ACAATATTAAATTTTAAAAATATGA	1,779,684	87
4523.	TTGTGCGTACTCTGATTTTAATT[T, C]ATCAAATTATATAAGTCTATTAAAG	1,779,957	87
4524.	AAAACTCAAGCCAACATCCTTAA[A, G]TagAATCAACTTGATTATTTCTTAT	1,780,304	87
4525.	TTGACTTGAATAATTAATACACTT[C, T]ACCATCTTCAACAATCACAGAAAA	1,780,487	87
4526.	ATCAAGGAATCATATTGAGAAATAT[G, A]ATATTTTGAGTAACCAAGATTTCa	1,780,718	87
4527.	AGACCAAAACAATAATGTAATTTT[A, G]AAATATTACATGGCTATTTTAGAAA	1,787,842	87
4528.	TTTCCATTTTCACTGGATGAAAAC[A, G]GTGGAGGATTATGTTAGGCTGACAG	1,788,406	87
4529.	CCTTCATCTGCAAGAAAAAAGTAA[C, T]CTATGATAATTACGTGTTAATGCA	1,789,793	87
4530.	AAAGTAACCTATGATAATTAACTG[G, A]TTAATGCATAATGGTTATGGTAGCA	1,789,810	87
4531.	AAAATACTAAGAAATCCCATTTAT[T, G]TTTAACAAAAAaCAGCTGCGCTTA	1,789,929	87
4532.	TTCGTTCCAGAAAATTATGTTCTC[A, C]GAGAAGTTTCTTCAATGCTAACa	1,790,225	87
4533.	GACGGCAACTGTATAACGCTATAA[A, C]ATAAGAAAATATAACAAAGATAAAC	1,790,331	87
4534.	AATATAACAAGATAAAACAATGC[T, C]CCACATCCACAGAAAgAGAGAGAGA	1,790,363	87
4535.	GACGCGGTCTGAGCCACTCGTTAC[A, G]AGAGAGAACAATGAGAACCTTTTG	1,790,538	87
4536.	CCGACAATCTATTAGATAATTGA[C, T]AATTTAAATAGACTTATCAAATTA	1,791,054	87
4537.	TTTTCTGCGGTGGCTATCATGTC[A, T]ATAACTTCTAGATGCTGTTTCTTA	1,800,705	87
4538.	CTTCCTTTCACTAAGAGATGCAGT[T, C]GGCTGTTTTCTGCGGTGGCTATCA	1,800,735	87
4539.	GTGCTCTGTGAGCTTCACTTGCAG[C, T]cTTCTCTGCCTCCCTTTGGCACTGC	1,801,372	87
4540.	TTCTCTCAGATCGAAGAAGCCTTTC[A, G]aCAATAGACAGCCCATGAATCCAAT	1,801,614	87
4541.	AGACCAATTATACGTGCTTCTGC[A, G]TACCACCAATCACCATCTTTTCTCT	1,801,659	87
4542.	ATAGTATAACATAGATGTGAAGCA[T, C]AGACCAATTATACGTGCTTCTGCa	1,801,684	87
4543.	TTCCAATAGCATAGCATCAGTTGA[T, C]GACATCTTTCGCAATTAATGTTATG	1,801,785	87
4544.	AACTTATCAGGTTATAAAGAATT[A, G]AaGATTGAAGTTTCTTTTAATGCTT	1,802,612	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4545.	AACTAGATGTCATTCTCACCAGTC[A, G]CTTTGAGATGTGAAGCATTATCTGC	1,804,403	87
4546.	ATTTAGTCGAAAGCTGTATTTTCAT[T, C]ATAACCTAATGACAAAAATGAATCA	1,805,534	87
4547.	CCAATTCTATACCAGTatACAGTA[C, T]AGGAGGCGAACCAACACTCGGTACG	1,805,766	87
4548.	TACCGTACCAATTCTATACCAGTA[T, C]ACAGTACAGGAGGCGAACCAACACT	1,805,773	87
4549.	ACATGTTACACCACACCATACCGA[T, A]CCATGTGGTATGGAACCTACCGTAC	1,805,815	87
4550.	CAATGTGCATTGGAGGTTCCTTTA[A, G]GATTCCCTCCAGAAACAGGAATATGG	1,806,013	87
4551.	ACTCCACATTTTGTATTACACaT[C, T]ACTAGCGAATATCAGCAAATCAGGT	1,806,206	87
4552.	TAACCTCCACATTTTGTATTACACA[C, T]TcACTAGCGAATATCAGCAAATCAG	1,806,208	87
4553.	GATGGGCAATTGCCTGCTCACCCA[T, C]AGTACATGAACTTGTAGATATGCA	1,807,608	87
4554.	GGTTCTCACTAATCAAGATTGTT[A, G]TACGGCCAACCAATTATAGAAGGTA	1,808,014	87
4555.	TCGAGTGACTATGAGCGTAATTGG[T, G]AAACCTTCGTCCTTATCCACAGCAA	1,809,638	87
4556.	TCaCATCATTTTATGTTCTTTTCA[G, A]GAAAAGTATATGGTTCAGGCAAAAAG	1,810,035	87
4557.	AaTACATGGGCATGGAGCAAGATC[A, C]CATCATTTTATGTTCTTTTCAGGAA	1,810,057	87
4558.	AATGCAATTGTTCTTAGGCAAAAa[G, A]AAAAaTACATGGGCATGGAGCAAGA	1,810,085	87
4559.	CATACTGACAAAGAAACAACCTTG[C, A]aTATAAATTTAGTGTGCTTTATTGA	1,810,147	87
4560.	TCCCCCAAGAAACTTATAGAAAT[C, T]cGCTATCTAGATGGGATATTTTAAT	1,810,238	87
4561.	TAGTGCTTGATATTTATTTTAAAA[C, T]TTATATTATAATTTAATGTTTAAACA	1,810,313	87
4562.	TTGTTTATATTCAACCTCAAAAAC[C, T]TAGCTGATGTATAGATCATTTATTA	1,810,929	87
4563.	ATTTTTtATTTAGATAATAATAAT[T, A]ATTATTTTATTCTAGCTATGTCA	1,811,018	87
4564.	TATTTATTGTAATAACCATCATCA[G, T]CCTCATATCATCACCACCGTCATCA	1,811,406	87
4565.	TGCGCGCGcgcGTGTGTGTgtg[T, A]GAGAGAGAGAGAGAAGATCAAATAT	1,811,453	87
4566.	AGAAGGGGATAGAAGAGGGAGTGA[C, T]GGGGGTCCATGGAAGCCAAaTGAAT	1,811,513	87
4567.	AAAGAACAACAGTGAGTGAATTTG[C, T]GACAGAAGGGGATAGAAGAGGGAGT	1,811,541	87
4568.	CCAATTcAGTTTGTTTAATTTTGA[G, A]CCAGCTCGAGTTTGGTCCATGTAGC	1,811,636	87
4569.	ATCATCTGTGCATAGAGGAGGTCT[C, T]GGGCACTTGAGCAAGGCAAAGGACC	1,811,946	87
4570.	CAAGCAAATATCATCTCATACTT[C, A]GGTATTGAAACTGAGAACAGCGATA	1,812,346	87
4571.	TGTCTTCACGAATTACTTATGGTC[T, C]AGCATATGTCTATTATGTTGAGTCC	1,812,414	87
4572.	GATGACGATGATAACAGAACTTCA[G, A]TGCACCTAAAAATATGGATAAACAT	1,813,044	87
4573.	AAGTAATAATGTAATAGATCCCTG[T, A]AATGCATCAGGCAATTAATAATCAAG	1,813,181	87
4574.	AAAAATAATTATATGCTTGCTT[A, T]CATCTATCACAGATAACTAATTAAA	1,813,298	87
4575.	CCAACTAGCATCCAGAAAACGTAA[T, C]GACATATGCAGTTTGCAAAGTTTAC	1,814,046	87
4576.	GACcACAAAATTATACAAGTTAAG[T, G]TtGCATTTAGCTCATTGTcAGAAAA	1,814,109	87
4577.	TGTCAAAAAGTGAGCACCACAGAC[C, A]ACAAAATTATACAAGTTAAGTTtGC	1,814,130	87
4578.	GCAAACCTTTCTGGACAGAAAGCTT[A, C]TTGTTTGTCTGAACCTAGGATCT	1,814,292	87
4579.	CCATTAATTATATTAGCTCATCCC[T, A]AAAAACATCAAAATATTCTACCTAAC	1,814,384	87
4580.	CTTGGTATGCCTCAGCACAAAAG[C, T]GGTACAAGATGGTACGGGGCCTGTA	1,815,917	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4581.	CTAAGTACACTTCTAATTTGGTG[C, G]cTCAAACATATAAACTCTTTCGCA	1,816,277	87
4582.	ATGAAGGTATAATAGCATTAAAAG[A, G]GTTTTGGCAGAGTTGTAAGTGAAG	1,816,826	87
4583.	TTACAAAAAAaGGGTCTTCATC[A, T]ATGGAAAACAAATTGTAACAACCTG	1,817,617	87
4584.	TCCAGTTGGTCTTGGTTTCTACC[A, G]aGCATCACATGGACTGAACAGCCA	1,817,917	87
4585.	ATAGAATTTTAGTAGACCATGTT[C, G]TATTCCTAAGGTCTTGCCAAGTTAA	1,819,010	87
4586.	AAAgAATCAGTATTTCTGTTAAAa[C, T]cATATACGGAAGTCTGACAAGGAAG	1,819,075	87
4587.	AATATTCTTCTCTAACAAGAAAA[A, G]AATCAGTATTTCTGTTAAAaCcATA	1,819,096	87
4588.	TGATGGAACCTAAGGGAAGTGAAG[C, T]GAAATAGCAACTCATATAAATAGCA	1,819,268	87
4589.	tAAAAAGCACATATTTTGGAAAA[C, T]tAAAAGATTACCAGCAGAgAGTAGA	1,819,652	87
4590.	AAACGGAACGATGTTTTTAATTAT[T, C]TtAAAAGCACATATTTTGGAAAA	1,819,678	87
4591.	CTTAACCATCAATCTGACATAGCT[A, G]CTAGAGAAAAcAGAAGAAAGAGTT	1,819,841	87
4592.	CTGCCAATGAAAGAATATGAGGTG[A, G]ACAGCACAAAGGATTTACAGGTGAC	1,819,897	87
4593.	AAGAACAGATCTGACTTATCAGCA[C, G]TATATTTCTTTATTCTGCATTATT	1,822,088	87
4594.	GTGTTTAAGACCTTAGAGATCACT[G, A]TGGTTTCGATTTCCATGGTTTCGAT	1,822,311	87
4595.	CTGTGATTGTCTGTAGAAAGAGGC[C, T]GAAGAGAGTCGAGAATTTTATATTT	1,822,561	87
4596.	ATAATAAGCACATCGTGCATCACA[A, G]GAATCTGAAAGGTATTGTTTTGAA	1,822,881	87
4597.	ATACgAAAAGTCAGTATATCCAAA[T, G]ACAAACAGAAGAAAAAGAATAATGA	1,822,937	87
4598.	ATGCAATGATGCCAAGAATGATAC[G, A]AAAAGTCAGTATATCCAAAtACAAA	1,822,957	87
4599.	AAAATTACATATAACAGACACAAA[A, G]TCCAAGTTATATATAAGTTCATGGG	1,823,210	87
4600.	CATATACGAATAAAATGAACAAAG[C, T]ATATAAAATGTGACCATAGAATAA	1,823,534	87
4601.	AAAACCTAAGTATGGCATGTACCg[C, A]gTACACCTCCATACATACTCATGGT	1,823,970	87
4602.	TCAAACCTAAGTATGGCATGTACC[G, A]CGgTACACCTCCATACATACTCATG	1,823,972	87
4603.	ATCAGATCATGACTGTGTAGGCT[T, C]GTTCAAGTTTAAATAACCAAGTGGTG	1,824,164	87
4604.	CTGCATTTCTACAAACGCTTACC[A, G]TTCTAAGGAATTACATCTCATGCTA	1,824,275	87
4605.	TATTTAACTCATGACTTGGTCTA[A, G]ACAATTTAGCCAAGTGTGAGTAACT	1,824,574	87
4606.	TAaTTGAGGCATCTCATGTGTCCC[C, T]TGACAACAATCACATGCACCCATTA	1,824,633	87
4607.	GAGCTTCAAGCTGCACAAATTGCT[A, T]aTTGAGGCATCTCATGTGTCCCcTG	1,824,656	87
4608.	GTTGAATCCAAATTgCATATCTGT[G, C]TCCATGCCTCAAGACCATGATTAG	1,824,745	87
4609.	ATCTACATATGTTGAATCCAAATT[G, A]CATATCTGTgTCCATGCCTCAAAGA	1,824,755	87
4610.	GGAAAAGGTGGGAACAGTAATAT[C, T]ATATCACATTTTTTATAGGAATTGC	1,825,267	87
4611.	GAAGATACGaCCAAGTCTTGCTA[T, A]tCACCATTGCTCCACTGCACAAAGA	1,825,463	87
4612.	CTCGCAATCTTCTCTGAAGATACG[A, G]CCAAGTCTTGCTATtCACCATTGC	1,825,478	87
4613.	CACATGCTACACATGATAGTTATA[A, G]GCCATTGTAATGATACATCATCTGC	1,826,046	87
4614.	TGAGAACATGAGTAAGTTGGTCAA[T, A]AAAAAGTTGACCAACTATCCCATG	1,826,253	87
4615.	ATGAGGAAGTAACCTTATCCATCCT[T, G]AAAAGTATGAGAACATGAGTAAGTT	1,826,285	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4616.	TAAAGATATATTAGAATGAATTA[C, T]AGAGGTTATTTTTCGATTGATGGA	1,826,399	87
4617.	TTCTATATTATATTATATTATTAT[C, A]TAATAATATTTATATAATATATTAT	1,826,493	87
4618.	GTAAAGATTTTGTATTGCTAAGC[G, A]TAACATGGTATAAGCATCACTAAAA	1,834,430	87
4619.	AAACATACTGTCAACACCAGTCCC[G, A]TAACCCGATACCATTTTGTGTTGGT	1,835,096	87
4620.	ACCTGACCTATCAGTGCATACTGA[T, C]GATTTTTCATTCTTTTGTACTT	1,835,155	87
4621.	GAAATAAAGGAAGTTCACAACTG[C, T]TAGTCTGGTCTAACATCCTTTTTC	1,835,871	87
4622.	GCAAAATGCAAAGGGTGACCTCTT[A, C]TCCTCAAATCTAATATGCCTATATG	1,836,268	87
4623.	AACATATTAGAAAATAGTTTGCAT[C, T]ACAAAAATCCTCAGGTTTCGTTACAT	1,836,788	87
4624.	CTTATAATTAGCCAAAAAa[T, A]CTTAAGAATGATAACATGCCAGTAA	1,837,586	87
4625.	TAGAAGATGCACAGCCTAATTATC[T, C]TGATGAGATCCATTAGATAAAATAA	1,838,522	87
4626.	GTGGGATAAAGGCATAAAGCTGGT[C, T]GAACCATCAGTTTACAATTGCAATT	1,838,574	87
4627.	TCTCCGAGGTAGAGAAGAGTGCCA[T, C]CAATGTGGGATAAAGGCATAAAGCT	1,838,603	87
4628.	TCGTAACAAGCGATTAGCATAGGA[A, G]AATTTAGAATTCTCCGTTAGCGTAA	1,838,693	87
4629.	TTCGTAACAAGCGATTAGCATAGG[A, G]AAATTTAGAATTCTCCGTTAGCGTA	1,838,694	87
4630.	CTTTATCTCCTCACCTTGTTAATG[T, C]GGAGAAATTGGTGAAAGGAATTCCT	1,838,896	87
4631.	TTTTTACCGAGCTTTGAATTAGCT[T, C]TATCTCCTCACCTTGTTAATGTGGA	1,838,918	87
4632.	GCGAACCAGAGAGAACTAGAAAC[C, A]AGTGGATTCCGGTGAGAGTCCACCG	1,842,855	87
4633.	ACATCAAAGATTAGCATGAGATGC[C, A]GCTGATTGTTTTCAGCCGTGGTTCA	1,843,255	87
4634.	ACAAGTCCAGATAATTTATGCCGC[T, C]CCTTCAGCCAGTACAGCATAATCTA	1,843,493	87
4635.	GTGTGTGTGTGTGTGtATGTATGT[A, G]TGTGTGTGTGTTTGTGCAGAAAGCA	1,846,206	87
4636.	aGGTTTAATTAAAGTAATTAGAAC[C, A]TCAACAGTTAAAAGAAAAAGGGGAA	1,847,598	87
4637.	ATAAAGAACATGTAGCTCTCTCT[C, G]AaGCAGATGGGCAGCATGTTTCGACC	1,848,084	87
4638.	TAATCCTATTGACTTCAAGATCTT[C, T]CcAATTAAAGGATTCAAATGCTAAA	1,849,179	87
4639.	GGAGACATCATCTTCTAGTGGCTA[C, A]TATCCTGTGCAATTCGGAGCGTCTT	1,850,297	87
4640.	TAGCAGGAGTCAGAGCTTGatGAG[C, T]cAGAATCGTCTCCACGACCTGCCAG	1,850,912	87
4641.	TCAGTAGCAGGAGTCAGAGCTTGA[T, C]GAGCcAGAATCGTCTCCACGACCTG	1,850,916	87
4642.	CCAACTACGAGTGATTTTATTAAT[G, A]AAGATGAAGATCCGATGATCGGATG	1,850,975	87
4643.	CAATGTATTGAGAAGGAAGTTCA[G, A]CTGAAGTACTCAGATCCAACCTACGA	1,851,015	87
4644.	CTAAATAGGAATGCCATAATGAT[C, A]TTGTGTACGTGCATTATAATTTGAG	1,851,074	87
4645.	GGATTTCGCATGAAATTTGAAAGAC[T, C]TtGCCATCAAGATCCTCTTCCAGAC	1,851,194	87
4646.	GTTCAATGATATTTTATTAAGTTAG[C, T]TGATCTTCAACAGCTAAGATTTTA	1,851,443	87
4647.	GAGGGGAGCAATGTGGAGAGCTTA[G, A]TGACGAGACAATCAGCAGATCGTGA	1,851,917	87
4648.	TATATTGAGACCAGAGATGTCACA[A, C]GATTTGCTATTAAATTATATAGCACT	1,852,055	87
4649.	GAATCCTTGATGCCAAAATTGATG[T, A]AGAAAGGTACTAGCAACAACAATCA	1,862,549	87
4650.	TCCCCATGACTGATACTTTACAT[T, C]TTTTATGGGCTGCAAACTTTTAT	1,864,734	87
4651.	GCATGGAACGTGTGCGAGGAAAA[T, A]ATATACTTTTCAGGATGACAATGAG	1,864,816	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4652.	TATATAGTTCAGCATGGTATGAAA[C, T]AGCATATCGAGCATCGGCGTGGTAC	1,865,003	87
4653.	TTTCTTTGATTTTTTAAATCCTTT[T, C]TtCTAACCAAACTCTGAATCTTGA	1,865,202	87
4654.	GCTCTTTTTAAGCATGACATCAAT[A, G]CTCAGTATCATACAGAGTCATTTCC	1,865,820	87
4655.	ATGCCAACAGATATATTGCCATG[T, G]AAAGGAAATATGAATGTAAGGGGC	1,869,037	87
4656.	AAAGGTATTCAAACATTTAAGGTA[C, T]cGTTATAAGAAAAGTTCATATCATA	1,869,270	87
4657.	CTATCATCAGAAAAGTATTAATG[A, C]TATGCACCAAAAGGCTACCAAAAAG	1,869,930	87
4658.	CAGATAAATGCTTAAAAAGCAAAA[A, T]TACTAATTCTGGTACTACGAATCA	1,870,000	87
4659.	GGATAAGCATTCTGAATCAGAGCT[A, T]CCAGAAGCGGGTCCAGGTATGGCGA	1,870,963	87
4660.	ATGTAGAAATATTTAAAAAGCTGGC[G, A]TTGGCAAATACACAGTGTGCTACAT	1,871,040	87
4661.	CAACATGTGATTTGAAGCTTGGTA[T, C]GTTGTAACGGTTTGTTCATTTGCAT	1,871,278	87
4662.	CATTCTCCATACAATAGCATCAAC[T, C]TTTTATAAGCTTATAATTCAATCAG	1,871,599	87
4663.	ATAATGCATGAAGGCAGCATGTGA[T, A]TAACTATCACCACAATCATAGCAT	1,871,833	87
4664.	AATGCTCTGTACTATATAAAAAG[T, G]GTCTGAATTTACTAAGATGAAGTGA	1,872,511	87
4665.	CGATCCTTGATGCGTCAAGAATAG[T, G]CCGCTCAATAGAGCATGGATTTCATA	1,872,605	87
4666.	ATACCAAGGCACGATCCTTGATGC[G, A]TCAAGAATAGTCCGCTCAATAGAGC	1,872,616	87
4667.	CGGGAGTTCCAACGAGCATATGCC[T, C]GTCACCTGGTATGTGGTCTTATGATC	1,872,871	87
4668.	CTCCAAAGCTATACCCGGGAGTTC[C, T]AACGAGCATATGCCTGTCACTGGTA	1,872,886	87
4669.	AAGGTAACAAAGATCTTTGAGCAC[T, C]AGTAGAAGAGTATTTTACAGCTTAG	1,873,097	87
4670.	ACCATGATATCAAAGGCAACGATG[G, T]GGAGAGAAGGTAACAAAGATCTTTG	1,873,128	87
4671.	TTTAGTTTACATGTTTGAAGAGG[T, A]AGTCAAAAGTCAAGACCATGATATC	1,873,167	87
4672.	TAAAAATTTTGAATTTGTTACA[G, T]ATTACTCCCTTTTCTTCGTTCAAT	1,874,274	87
4673.	TTTCCGACTTTGGGCAGAGACTT[C, T]CCATATTATTTGACTTCCCAAATC	1,874,372	87
4674.	GTATGCAATCAAATGTTAGCTG[G, A]TTGGTTTCCGACTTTGGGCAGAGA	1,874,401	87
4675.	AAGGTTTTGTTTTTGGGCTGCAGC[T, A]ACTTTTCCAATTTATGATGGCGTT	1,881,662	87
4676.	TGAAAGGTTTTGTTTTTGGGCTGC[A, G]GCTACTTTTCCAATTTATGATGGC	1,881,665	87
4677.	TCTTGTCCTAATATTTTACTTC[G, A]ATATACACTAAGTCTATAACCCAA	1,882,276	87
4678.	ATTCTTTTTTtCTTGCTGTTTTGC[A, G]TGGGCATGGAGTAACTGTGTGAAT	1,882,706	87
4679.	TCTTATTCTTCTGTAGTTTTGAT[G, T]GACAGCAGACCTTACCTGTTGAAA	1,882,802	87
4680.	AAACATGTTTGTCCCACTCAGATT[T, G]TTTATATAATAGAGCACTTTTCT	1,884,074	87
4681.	GCAAATTTAATTTTATATGCACT[T, G]ATCTGACCAAATCAATGGTTAATTA	1,884,440	87
4682.	AGTAATTAATGAGAATAGGAAGA[C, T]GAGCGTTAAAATCTTGAAGCGAGC	1,884,765	87
4683.	ACTTCTTTAACTTCTCAATTTTC[C, T]ATATGTTTAGAATTTATATTTGTT	1,884,831	87
4684.	GCACCTTGTTATGTGAGTAATCAC[A, C]TTTCCTTCCCTCCTTTCTTGCTtTT	1,885,151	87
4685.	TAACCTCGCTCCTAGTCGGCACC[T, C]TGTTATGTGAGTAATCACATTTCTT	1,885,170	87
4686.	AGCCCTTAACCTCGCTCCTAGTC[G, A]GCACCTTGTTATGTGAGTAATCACA	1,885,176	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4687.	TCATACAACTAATGACCTCAAGG[T, C]TAAGTCCTCTAAACCCACAGCTTG	1,885,267	87
4688.	CATTGACCCCGGTAAATTATAGAC[A, G]TATGATAGATAGTGAAATGTCTCAA	1,885,320	87
4689.	TGGTCATCCTTATAGAATGATGTC[T, C]AGCATCCTTCGAAATAATTTGCAT	1,886,343	87
4690.	CTATCTATTTGAGTCAAACATCCA[A, G]CTTTGTGTACAGATTAAGACCTGAA	1,886,662	87
4691.	GATCTTGACACAACACTCAAATTC[A, T]TATAGATCATACGCAACCTCTTTCA	1,886,755	87
4692.	ACCTGACCCCTATATTAATTGGCAC[G, A]AGGCTTGATGAATATGATTATGGCT	1,887,158	87
4693.	ATAAGCTTGACTTAACATCAGGGG[C, A]AGCAGCCCTCAATATTAATCTTGTG	1,887,222	87
4694.	AGGCAAGTTTTTGCTCAAGAATGT[A, G]GGAAGAGGAGGTGAAGGCCTTTGGT	1,887,304	87
4695.	ATTCTAGAGGAATCACAGGAGCTG[C, T]ATAAATTAAGGCTAAAGTGATGGAA	1,887,412	87
4696.	AATGAGCTATTCTAGAGGAATCAC[A, G]GGAGCTGCATAAATTAAGGCTAAAG	1,887,420	87
4697.	TTTATAGAATGGCCACAGGGCTTC[T, C]AATGTTGTATGGTTTAGAAAGATGG	1,887,564	87
4698.	TCATGTGATTGATGTATGCCTTGG[C, T]TACTTAGCTGAAGATTTTATAGAAT	1,887,604	87
4699.	TAGGTATAGTTGAATTATGAGAAT[C, T]TTGTGAAATTTGTTTTATGTGCAA	1,887,802	87
4700.	CAGCTAAATGGTGCTAACTATTAT[C, T]GAGCCTTCTGAAGAATATCAGTAGT	1,887,887	87
4701.	TTTTATTGTACAAAGCAACTTATG[C, T]AGGTTCTTTATGATCAGACCATTCT	1,888,079	87
4702.	AGCATCTATGAAAGCAAGGCAAAG[C, T]GTAAGAAAATGGAGACTGAAGGAGA	1,888,317	87
4703.	TTTTTGAGAAAAAGAAAGCACATG[A, G]CTCCTCATTCTAATCAAAATTTTCGG	1,890,054	87
4704.	AAAACCATCACCTGAAATCCAGAA[T, G]TGCATATCTATATAAATGAGCTTCT	1,890,417	87
4705.	GGAGACTCATTAGCATTTTAAGTT[A, C]GATGGGAGAAATGAAACGGAAGAAAG	1,890,595	87
4706.	AAAAaCAAAaTGATGCAAAATCCTC[T, C]AGAAATCACCAACTCTACCTACAAT	1,890,664	87
4707.	AAATAAAATAGCTCCCAACATCCC[A, T]ACTTAAAGAAAAACAGAAAAATTTT	1,890,931	87
4708.	GTGCGGATTTGGTGCGGTATT[T, A]AAACCTCAGTAGGAATTTCAAAAA	1,891,074	87
4709.	GATGGAAAGATAGTGCGGGATTG[G, A]TGCCGGTATTTTAAACCTCAGTAGG	1,891,086	87
4710.	TGATGGAAAGATAGTGCGGGATTG[G, A]GTGCCGTATTTTAAACCTCAGTAG	1,891,087	87
4711.	AGCATGTACCATCGATACTTGTAC[C, T]GCAGTGATACGTACCATTTTGATGG	1,891,131	87
4712.	CTTTGCACATGATATACCATCTCA[A, G]CCAATTCTCCATCCCTTTAACCTCA	1,891,623	87
4713.	TTTTtCAATAATTGCTATCAAGAT[A, T]TACCTTTGGTATTTCTTCAAAATTT	1,891,784	87
4714.	CCAATTATTGCAAATATAATCATA[T, A]GTATTCTATCAAAATTATAACCATA	1,891,881	87
4715.	AAGCAAGGTTTCATTCTTCATCCTA[A, G]AAAAaGCAGGAGGGAACAAAGTAC	1,891,978	87
4716.	GAACAGCAAGGCAGAGGGGTAGAC[A, C]TGATTGGGCATATATTATAACTAGG	1,892,262	87
4717.	TAGCCACTTCTAAGGAAATTCACA[T, C]CCAAAAATAAGCCAAATCAACAAC	1,892,699	87
4718.	TAAGCAGACCAAAATGGATTCTTCA[G, C]TCATCTAAAAAGGACCAGGAAAAATA	1,893,241	87
4719.	GCCTGGGCTAACAAGCTAGAACT[A, G]AATGAAAAAAGAACTATATATTGG	1,893,423	87
4720.	ATATATATATATTCTTGTATAAGA[A, T]GAAGGCAGACCTCTACAATCTGG	1,893,494	87
4721.	TATTTTCAATTACAGCAAAAGGAA[G, C]AGAGACAGGAGAGCAACAATTATAA	1,894,862	87
4722.	GCCATGGCACATCCATTTTCTGTC[A, G]TCCATGAATTTCTTTGTTATAGAAT	1,895,129	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4723.	GTGACAGGCTCACATGAATCTTAT[C, T]ATCATCACGTGACTCGACAACTATC	1,895,567	87
4724.	GCTGGAACATATTGTCTGGAAAT[G, A]AATAGGGCAACTTTGGAAAATGCAA	1,895,659	87
4725.	ATAGCAAATTGGAAGTTGCCACAG[C, A]ATATCTACCAAAAATTACCTTTTAC	1,896,410	87
4726.	GTTCTCGAAATTACAGACCATATT[C, T]CATATTTTGAAGAGTTAAAATAAA	1,900,973	87
4727.	CATCTCACTCATAAAATTGGCACT[G, A]AAGTATTTGCGAAATGGGGTGATGA	1,901,084	87
4728.	ATTTGGTGGCCTAAAAGCCAACTT[G, A]AGTTTCTATGAGATGGACATCTCAC	1,901,126	87
4729.	TTTGTAGAACTTCATACGTAATTA[A, T]AAGATTGTATATAATATGCAAACAA	1,901,859	87
4730.	CTCTTTTGTCCAGGCATCTTTCTC[G, A]ACCATTACTTCAGGAACAGAAAAGT	1,902,441	87
4731.	GACCAGAAGAACCAGAAGGATACC[C, T]CCAATCCTCTTTACTTTTCATTCAAC	1,902,660	87
4732.	CATCGCAAAATAATGGACAGGAAG[G, A]GGTTTGGTTGGTATAGGCTAGGCCG	1,902,897	87
4733.	ATAGAATTCAATAGGACATTGGCC[A, G]GGTAGGATTATGTTTCGTAGCATTC	1,903,024	87
4734.	TTCTAAGATTGAAAATAGTCAAAA[C, T]AACTTGATGGTCTATTTGAATAATT	1,903,086	87
4735.	ATGAAGGAAGATGAATCATTTCTT[G, A]GTGCGAAAGATACACGTCTGATATG	1,903,159	87
4736.	ATTACCTGTCATGTGAGATTGGGA[T, C]AAGCCATGGATGGATAAGAAAGTCT	1,903,598	87
4737.	TTTCACATGCATTACCTGTCATGT[G, C]AGATTGGGATAAGCCATGGATGGAT	1,903,608	87
4738.	AACTAGGCTTTCAAAGCTCCATAT[A, T]GAAGGCAACTTGGTCCCAATGAAC	1,904,106	87
4739.	ACCCATTTTCTAATCCGACACGC[C, T]GAGGATGGGTAGTACTGGCAACATC	1,904,669	87
4740.	ATAAAGAGAAGAGGACCAGCCTG[G, A]GCGCGAACTACTAAAATGCCCCCC	1,907,286	87
4741.	CCTCGCCCCGACCAACATCGACCG[T, C]TGGAGCACCGTACCCACCACCGCCA	1,907,500	87
4742.	GAAGCAGATAAAAAATTAGACCAA[C, T]GTGCGTCTTGTAGTGCAGACATTCC	1,907,844	87
4743.	TTTTTTGCAAATATTCACAAAAAC[A, C]GTCCATTGCAAGCAGATAAAAAATTA	1,907,877	87
4744.	AAATCCAAAGAAAACAGAAATTT[C, A]CGTTGTACACCAGATAAAAAATAA	1,907,988	87
4745.	AATGCAAAAAATTATGCAATCTC[A, G]GTAAGCATTTTAAACACACTTCAAA	1,908,413	87
4746.	TAATGAAACTGGAGGAGGATGAAT[G, T]GCCAAAAAGAAAAAGCAGCTATAT	1,908,492	87
4747.	AGATGATCACACCGAATGTCACTT[T, C]GGAACAACTCTAATATACAGCTCA	1,908,820	87
4748.	AAGCATGTTTTTAGTCATTGGCTC[A, C]TAAAACTTTCACTAGTTTTTCCCCG	1,909,032	87
4749.	CAAAAAAGTTCTATATAAACTTTAA[C, T]GCAGCATGGCTACATCAACAGCCAA	1,910,986	87
4750.	AAAACCTTAAGAAATCAAAAAATTA[G, T]TATAGCAGAATCAGTTCAATAAGAA	1,911,191	87
4751.	ACCTTTCTAGTGAAATGATGAATG[A, C]AGATCAGGGGAAACAAGAAAACACA	1,911,477	87
4752.	AATGTTACAGTTGTAATAGTTGAA[C, G]GATACGTAAGACACCTTTCTAGTGA	1,911,514	87
4753.	GAAaaAAAAAAaGAAAAGCATGAA[T, C]GTTACAGTTGTAATAGTTGAACGAT	1,911,536	87
4754.	AAGAATTAAGTGGGCTTAGCCAAC[A, G]AAGGCTGCAAAAACAACTAGCATA	1,911,610	87
4755.	AGGAAAAaaTGGAAGAATTAAGT[G, A]GGCTTAGCCAACAAAGGCTGCAAAA	1,911,623	87
4756.	AGAAAGGAAAAaaTGGAAGAATT[A, C]AGTGGGCTTAGCCAACAAAGGCTGC	1,911,627	87
4757.	CCAGAAAACCATTTGAACTTTTAA[T, C]TTTAAAACTACTGAAAATAAAAAaTA	1,911,731	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4758.	ATGGGAGGATGCCATATGGATCTT[A, G]AAACAGTAAATCCCAGAAAACCATT	1,911,768	87
4759.	CATATAAAATAATCGATAAAGTAA[T, C]GGGAGGATGCCATATGGATCTTAAA	1,911,791	87
4760.	ATTGTGAACACATGATACCTACAT[G, A]TACTTTTGTAGAAAGTAACAGATATT	1,911,949	87
4761.	TGCTATATGGCAAATTAATTCAAC[A, T]AAAaCCATAGTTTCAAGAATAAAA	1,912,297	87
4762.	ATGCATGCACGCACGAGAGAGAGA[A, G]AGAGAGAGAGATCAAAATGCATAGG	1,912,404	87
4763.	GGACATTGACATTGTCAAACATGC[A, G]CATGTATGCATGCACGCACGAGAGA	1,912,434	87
4764.	TCCCCTTTTATGTGAAAAATAAGC[A, G]TATGCCTGGTAAGATGCCCTTTTGT	1,912,870	87
4765.	AATGCAAAACCGAAGCGTGGGAGG[T, C]TTATAATTTTAAATCGAGTTATGGA	1,912,968	87
4766.	AGCAAAACTAAGCATTAACAATA[G, T]AATCTAAATTTTACATTTAGGTCCA	1,913,037	87
4767.	CAAGCAAAACTAAGCATTAACA[A, T]AGAATCTAAATTTTACATTTAGGTTC	1,913,039	87
4768.	ATGAAACATTAAGGATACTAAAa[C, T]AAAAaTATATCCTGAAACCTGATA	1,913,128	87
4769.	AGGATCATATATTAAACAAAATCA[A, T]GACAAACAATTTATATAGAAGGGTA	1,913,304	87
4770.	ATTATAATCCAATTAGTAAGTGGG[A, G]GTCCTATTATTGGAATTTCTCGTTGA	1,926,205	87
4771.	TGGGAGGTGTTTTTGTGTTAAGCT[C, T]GGTCATTTTCAGTGTCGGGATTTTA	1,926,272	87
4772.	TTGTGGAATTGAATGGGAGGTGTT[T, C]TTGTGTTAAGCTCGGTCATTTTCAG	1,926,285	87
4773.	GTTTCATGCATTTTTTTTtATAATT[C, T]GATTGTGGAATTGAATGGGAGGTGT	1,926,312	87
4774.	CAACATGTACATACCCATATCAAG[A, G]CATTAAAACAAGCCAATCAATTAAT	1,927,461	87
4775.	CATCCAGTTATATATTATCATCTA[C, T]GGTTCAAATATGCATCATAAAACA	1,927,591	87
4776.	ATATTACGTTGGGAGATAAGAAA[C, A]CTGTGTACCTCTAAGATAGATAACA	1,927,648	87
4777.	AACTTTATGATCTATCTCATCGTA[T, C]TTTAAATTAGTTAAAAGTGCAACC	1,927,808	87
4778.	CGTATTTTACATAATATTTAAAG[G, A]TAATATTAACTTTATGATCTATCTC	1,927,840	87
4779.	TCTTTTACAATATCAACAATTGGG[T, G]CGTATTTTACATAATTTTAAAGG	1,927,865	87
4780.	TCGTTGCTGTCTGGAGTGGCTCTCA[A, G]TGCTGAAACGCTCGCGGTGGACGA	1,928,057	87
4781.	ACCATCATCATCCGCTCGCAGTCC[T, G]CCAGCTCCATTGGCGAGGGATCCAC	1,928,142	87
4782.	ACGAAGAAAAGAAGGGCAAGAAG[G, A]AGGAGACGACCTGTCAAGAGCCGAC	1,928,245	87
4783.	ATCTTGACTCGAATCCCAATCCA[C, G]CCAAAAACCCACAGAACGGAATCAA	1,928,414	87
4784.	ACAGATTGATACTTATTTTGTAC[G, C]AACATTTCTCTAATCATAACCCAGA	1,928,554	87
4785.	ATATAACCACTAAAGATAAGAAAG[C, T]AACCGAGAAAGAAAACTTTCTGTAC	1,928,624	87
4786.	GTATCGGAATGGAACGTCCTTG[C, T]AGAAAGTTTGCACCAGGCCACGCC	1,928,681	87
4787.	CACGTATAGTTGCAGCAAGTCTCA[G, A]AGTAACATAAATTTGCAGCAAAAA	1,928,735	87
4788.	GTTACCAACGCATTAATTAGAAGA[C, T]GATCTAATTTTATTCCCAAGATGCT	1,928,810	87
4789.	TCCGACTGAGTAGCATATATTCTC[G, A]TGAACAAAGAGGGGAAAGAAGCAGA	1,929,025	87
4790.	TGAATCCGACTGAGTAGCATATAT[T, C]CTCGTGAACAAAGAGGGGAAAGAAG	1,929,029	87
4791.	AAATTATACACACAAATGACAGT[C, T]TTTAGATGTTTGAATCCGACTGAGT	1,929,064	87
4792.	ATAAGAAAATTATACACACAAATG[A, G]CAGTCTTTTAGATGTTTGAATCCGA	1,929,070	87
4793.	CCGTACTAATAAATCATATTAGAT[T, G]CAATGAAAAGGAACATAAGTGCCCT	1,929,407	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4794.	ATCCACCAGAACTACTGGTCTTAG[T, G]CCAGTGCATAAACAAAGTATGTCTG	1,929,562	87
4795.	ACCTCCTGGGCAAGGCGAAGTAGT[A, G]AGCAGAGGTCTCTTGGAGTTTGG	1,929,627	87
4796.	CACTATCTAATACAACCTTCACTAA[A, G]AAGCCTATGAGATTTCCATAAGACA	1,929,850	87
4797.	AGGAAAAAATCTACATGTTTCTTT[T, C]TGTCTTCCATAAATCTACAGGAGGG	1,929,974	87
4798.	ACATGATATCTACGCTTTAAGGAA[A, C]AAATCTACATGTTTCTTTTGTCTT	1,929,993	87
4799.	TATAGAAGATATCCTCTTATTTCA[A, T]TGAGATTTTTTTtCTTTTACTTTCC	1,930,408	87
4800.	TAaAAAAATAACAAATTTATAGAAG[A, T]TATCCTCTTATTTCAATGAGATTTT	1,930,424	87
4801.	CCAACTCATACTCTCTCACCTCA[G, C]CCCCAATCTTGTCTCTCTTCATT	1,931,314	87
4802.	TAATACCTCTATCTCGTACTCTCT[C, G]ACTCTCTTTCCCTTGCTCTGTTT	1,931,364	87
4803.	CCTATTATACCTCAGAGGTACCA[A, G]TTAAAGTTGCTAAGTACTCAAATC	1,931,504	87
4804.	TTTGTATGCAAAATATCCAGCTGG[G, T]GGAAACCTATTATACCTCAGAGGTA	1,931,534	87
4805.	CTTAAATGTTTAAAGTTTCTACTGT[T, A]TCCAAAACCAATTTTGGAGGTAGG	1,932,053	87
4806.	CTTGGTCTATCTTAGCTCTGTATA[A, T]TAAAGACTAAATCAGAGCTTATCA	1,932,195	87
4807.	TGGACCATCACTACCTCTCCAAT[A, G]GAGCACTTGGTCTATCTTAGCTCTG	1,932,225	87
4808.	GAAAACCGGACACCTCTGTCCCA[T, C]GAGATTTAAGACCTTAGTCTTTAGC	1,932,306	87
4809.	ATTAGATCGCATGATCAGGACTGC[A, T]ATCGAGACAAGACTAGACAGTGGGG	1,932,371	87
4810.	aAAAGAAaGAAAAAaGAATTAGG[G, A]GAGAGAGATGGAGGATATCTATTAG	1,932,416	87
4811.	AGAAAaGAAAAaAAGAGAAAGG[G, A]TAAGGAAAGAAAGAAAAaTAAAGG	1,932,477	87
4812.	GAGAAAACGGGACTGGGACAAGGT[T, C]GGGACTCCGAACCCATCTACACAA	1,932,642	87
4813.	GACAGGGGGTGTCCCGCCGTCCC[A, G]TCCGTTCTATGAGAAAACGGGACT	1,932,678	87
4814.	GGAATAACGAAGAATAACAGCAAG[G, C]CTTCTCTAAACTAAACAAATACCG	1,932,794	87
4815.	TAACATCTACTCTATCTCATGGAT[A, T]AGTATTACCTAGTTTTTTGTACCT	1,932,854	87
4816.	AAAGCACACATTTCTCTTTTCTT[T, C]CATCTGAAATTCTAACATCTACTCT	1,932,891	87
4817.	ATGGTATTTAGGCATGCATAAGAA[T, C]CATAAAATCAATAAAATTACAATGG	1,933,066	87
4818.	CTTTATATGTTATTTAGGCATGCA[T, A]AGAATCATAAAATCAATAAAATTA	1,933,072	87
4819.	GGGAACATCTTCTTAGCATGGATG[T, C]TACTTAGCTTTAACAAAAaTGTT	1,933,207	87
4820.	ACCAAGGGAGGCTGGCTCAAAACA[T, A]TAGAAAAGGCAACACTCAACACAAA	1,933,319	87
4821.	GGGAATCCTTAACCAAGGGAGGCT[G, C]GCTCAAAACAATTAGAAAAGGCAACA	1,933,330	87
4822.	TTTATAATTTTGGTTGAAGTCAGC[A, T]ACAGGAGGCCCTCTCTCTCTCCC	1,933,605	87
4823.	GAGGGCCTCTACCTCTCTCGTG[C, T]GAAACAGGGATTCAATCTTATTTTG	1,933,724	87
4824.	GGAGAGGGAGAGGAAGAGAGGCGC[T, C]GGAGGCCACCGAAGGACCTGAGGGC	1,933,788	87
4825.	TGCTGGTCGGCTGATGTTATGGTT[C, T]GTACAGATTGTAAACGTTCTGTGC	1,933,909	87
4826.	AAGCAAGGACCATAAATCGGAAC[C, T]GGAATCGGAGCTCGTGCTGGTCGGC	1,933,948	87
4827.	ATAGAAGCCATAAAAGCAAGGACC[A, G]CTAAATCGGAACCGAATCGGAGCT	1,933,961	87
4828.	TAAGATAAGGTCTTGAAGAAATTA[G, A]ATATAAGTTTACTAAGTACTTAA	1,934,020	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4829.	TCATTAACAAGCTAGAAGAATTGC[A, T]TCATGAAATAAGATAAGGTCTTGAA	1,934,053	87
4830.	TTAGACAACTCCATGCACCTCCCA[G, A]GGAAAAAaTAAATAAATAAACACT	1,934,200	87
4831.	TCTGCTGATAAGACGTACTATTAG[A, G]CAACTCCATGCACCTCCCAGGGAAA	1,934,220	87
4832.	CTGCTGCTGTGAGGCAAGGCTTGA[C, T]GATATATGCTCAGCAAATTCTTTGA	1,934,550	87
4833.	GAAGAACTAGCTGCTGCTGTGAGG[C, T]AAGGCTTGACGATATATGCTCAGCA	1,934,560	87
4834.	ATGAAAATGATTTTTTGACTTGAC[G, A]AAGTCTGTATGCATTTTCGTTCTCC	1,934,724	87
4835.	CAATCACTGGCTTTACCATGGGAC[C, A]AGGTACAATAGGTAGAACACCTGCG	1,934,796	87
4836.	CATACATAAAAAAAGTAGTAAAGG[C, T]GCCTCATTGGGAGGGGAGATTACCC	1,934,971	87
4837.	TTAATTTGTTGAAAAGAATCTGA[C, T]GTGAAACGCACAACCTGCATGTCTT	1,935,031	87
4838.	CTTTAATTTGTTGAAAAGAATCTG[T, A]ACGTGAAAACGCACAACCTGCATGTC	1,935,033	87
4839.	ATGACACAATTCCTCCTCTGAGAG[G, A]AAAAGACAAATTACCTGTCAGATCA	1,935,151	87
4840.	GTGTTGATGACACAATTCCTCCTC[T, C]GAGAGGAAAAGACAAATTACCTGTC	1,935,157	87
4841.	TTTACAAAGAAAAGCAACAAATA[T, G]GGTCCTCAAAATCCACTAATCGATG	1,935,274	87
4842.	AGGCGGCCCTATTTAAGAGTATGAC[G, A]GGTTTCTGGAACCTGTTTCTTCTAA	1,935,470	87
4843.	GAGATGCTGAAGTTTCAGAATGTC[T, C]GCATTATTACATGAGCCATGTAAGA	1,935,892	87
4844.	TAAGAACAGATTAGGAAGAGATGC[T, C]GAAGTTTCAGAATGTCTGCATTATT	1,935,909	87
4845.	TCCTCCTGGAGCTTTGGGCTAAGT[G, T]TTCCCTTTCTGTATGTACATTAATA	1,936,183	87
4846.	TATAACAAGACAACGAACCTTAG[T, G]ACTTCATCCTCCTGGAGCTTTGGGC	1,936,214	87
4847.	TCCGATGTCATGAACATAGGTTGT[G, T]AATCCATCATAACCAATATATTTT	1,936,458	87
4848.	CATATAGATGTCTATTGTGCGGCA[G, C]GCATAAATATTGTTATATTTATCCC	1,936,571	87
4849.	ACATATAGATGTCTATTGTGCGGC[A, C]GGCATAAATATTGTTATATTTATCC	1,936,572	87
4850.	TACTTTCATCGATTAGGTTTAAACAT[A, G]TAGATGTCTATTGTGCGGCAGGCAT	1,936,592	87
4851.	TTTTTtCTTCATTTTTTCTGTTGG[C, T]TCTGATTTTTCTATTGGAAGCTTAT	1,936,977	87
4852.	TTTTTTTtCTTCATTTTTTCTGTT[G, A]GCTCTGATTTTTCTATTGGAAGCTT	1,936,979	87
4853.	AGATTTTCGAGCTGCGAGACTTAT[T, A]GTTCTTAATCTACCAACTACTACATGT	1,937,277	87
4854.	GAAATCCCGACAGAAAAGTTTGG[A, G]TCGGGTCTCAATTGCCCGACACCGA	1,946,522	87
4855.	AGCACAGTCTCCCTCATTTTTCGCG[G, A]TCGTCCAAGTTCCTTCGGCCTACAA	1,946,822	87
4856.	CGTGACGGTTCGGTACCGAACCACG[A, G]CAAAGCACAGTCTCCCTCATTTTCG	1,946,850	87
4857.	CGGCTACCGACTGATCGACTTAGT[A, G]GGGTCTCCACGCCCTTGATCGGCTT	1,946,942	87
4858.	TTACTCGATCTTCTCCGAATGCG[G, A]CTACCGACTGATCGACTTAGTAGGG	1,946,964	87
4859.	CGACAAATATTTTGTTTTACTCGA[T, C]CTTCTCCGAATGCGGCTACCGACT	1,946,980	87
4860.	GTTGATAACGGAAGTTCGACAAAT[A, G]TTTTGTTTTACTCGATCTTCTCCCG	1,946,996	87
4861.	TGTAACAAAGAAATTTTTGTTGATAA[C, T]GGAAGTTCGACAAATATTTTGT	1,947,012	87
4862.	GTGATTACCTTCTCAGAAGACGAC[A, G]TTCGGGGCATCCAGACTCCCCACGA	1,947,101	87
4863.	GGACGTCTACAGGGGGGAGCCGA[C, T]GAAAAGCCGCGCCCGACGACGTG	1,947,148	87
4864.	AGTCATCAACATGATCTCCAAGCG[A, G]CTGGGATCGGGGACGTCTACAGGG	1,947,183	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4865.	GGCGCCGACTAACCAGCCGACGGC[G, T]GGAGTCATCAACATGATCTCCAAGC	1,947,210	87
4866.	TTTCGAAAAGGTCCGCGACCCGA[T, C]CGGCTGCCGATCGATGCCCCAGCC	1,947,269	87
4867.	CGAGCGATGCATCCAGTTGAAGGA[C, T]GAGATCGAAAATCTCATCCGCCGGG	1,947,333	87
4868.	GAAGAATACCTGCGACGGCCTCCG[T, C]CTCTGAAGGCAAAGGCCCTCGACCA	1,947,425	87
4869.	TCACCCCGCCGACAACTCCGAGG[C, T]CGGTGCGTCCCAGGTATGACTCCTA	1,947,524	87
4870.	GATCCAAAAATCACCCGCCGACA[A, G]ACTCCGAGGCCGTGCGTCCCAGGT	1,947,534	87
4871.	ACCCCGACAGATCCAAAAATCAC[C, T]CGCCGACAACTCCGAGGCCGGTGC	1,947,543	87
4872.	GGAGCCCGCCGAACCAAGCAGGCC[T, C]CCGGCCAATAGTCGGCTTTCTCCAC	1,947,591	87
4873.	AAGCATTGATGCGAATCAATTAGC[C, T]TGACCACGATCCAAGTTTGGTAGGA	1,949,701	87
4874.	ATACAATAAATAGAGAGATTGATG[A, T]GGAAAAGAGTGTATTGGAAAATGGA	1,950,032	87
4875.	ACACAAATTTGTAGGTATGACATA[C, T]AATAAATAGAGATTGATGAGGAA	1,950,053	87
4876.	TTCCATCAAATCATGCCATTACTA[A, G]GAACTGGTCATTAAATCAGATAAAA	1,951,384	87
4877.	ACTTTAATTGTTGTTTTCAAAAAT[A, G]TTGACGAAAATTTCTAATACAATTC	1,951,431	87
4878.	ATACGTGGTAAGTCATTGGGCCAT[A, G]TTTTTCGACCTCTCCCTTCCAACC	1,951,484	87
4879.	CATGATCCAACAATCCATATTTTG[G, A]CTGCTGACTTCTCTATCAATGGCCG	1,951,802	87
4880.	ATCATTAACTCTCGTATCAGCCGC[C, T]GACCTAAACATAATTTTTGACTTC	1,951,870	87
4881.	AAATCAAAAAGTATATTAATTTTG[G, A]CAATACTATTCAATAGACATGCCAT	1,952,373	87
4882.	AAATTTtTTtATTTGAGCTTGAGT[T, C]CTCTACTGTGCACCGTAAAAATATGA	1,952,563	87
4883.	ATCCCTTTTTAGCTGGTTACCAA[A, C]AAAATCCCTCTTAGCTCCATTGAA	1,952,720	87
4884.	GAGCCTCCTGCTCCTTCTCTCTA[G, A]CGAGTAGTCTCTCTCTTCTCGAG	1,956,642	87
4885.	GATCTCTCCCTCAACTCTTATACA[T, C]CCAATTTTCTCTCTGAAGTTCTC	1,956,759	87
4886.	GAGGAGATCTCTCCCTCAACTCTT[A, G]TACATCCAATTTTCTCTCTGAAG	1,956,764	87
4887.	GGGTGAAAAAATTTCTTACAGGGT[C, T]TTTCAGAGCCAACATCCAAGCTTG	1,958,168	87
4888.	GTAGATCCAAAAATATTGCGCTTG[G, A]CCACAAATAGAATTGTAGATTCAAA	1,958,726	87
4889.	ATAAATCCAAGGAAATCAACTTGT[A, G]TAGTATCAGATCTTATGCTTGGCAA	1,959,185	87
4890.	GGATATGACGGTCAAATTCAAATA[T, G]ATAAATCCAAGGAAATCAACTTGTA	1,959,210	87
4891.	CTTAGAGGAGTTTGTGGGATATGA[C, T]GGTCAAATTCAAATATATAAATCCA	1,959,226	87
4892.	ATTTGTGAGAACTCGTAGTATAA[A, G]AAGGATTATTCACCTCCCATGAAAT	1,959,324	87
4893.	AGTCCATGCTTCATAATGCATCAG[C, G]AAAAATCAATCCAATAGTGTATACT	1,959,418	87
4894.	AATATCCCAGCAATTTTCGTAACCT[T, C]TTTtATTTTCCAAAATTTGCCATGT	1,959,493	87
4895.	ATGTGAATACATCTTATGCATACA[C, T]ATACAATATCCAGCAATTTTCGTAA	1,959,522	87
4896.	GTTCATAATGTTGAGTTACTTTAT[G, A]AAGTATGGAATGTAGTCTATGCATT	1,959,608	87
4897.	CAAAACATATAGGATGCGAATGCT[C, G]GCGATAGACATAGCCAGAAATATGTG	1,960,192	87
4898.	CTTCGAGTGACATAATCCATACA[A, T]TGTCATTAGCTACATTAATGTAG	1,960,492	87
4899.	GAGATTTACAGTTAGAAGACTTC[G, T]AGTGCACATAATCCATACAATGTCA	1,960,512	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4900.	ATGACAGGCAATTAATGACAGTTC[A, G]GAATAAGACACTTGATTATAAAGAA	1,961,140	87
4901.	TAAAGTAGATCCATAAGATCCTGC[A, G]AGACATACCATGAAAAATCATATAC	1,961,190	87
4902.	TTTACCAATAGCTTTTATACGCTC[T, C]ACGCTCTTGACCTTAAAGTAGATC	1,961,229	87
4903.	CCATCTACTCTTCAAGGATACAGC[A, G]TGATATTAAGACGATCAAGTAAGAT	1,962,031	87
4904.	AATATATAAATGTGAAATTGAGGT[C, A]ATTGTATAAGAAAGAGGGGCCACAT	1,962,244	87
4905.	TGCAAGTACAATAATGTAATCTAA[C, T]AGAATCTAACAATGGACCATGGTAA	1,962,292	87
4906.	TATTAATAATGATAAAGAGACTCC[T, C]AAAAAATGATTGTCTAGGAAAA	1,962,734	87
4907.	AACAACCTCTAGCTAAAATATGCCT[T, A]TATTATATGTCCAAACCTATAACA	1,963,564	87
4908.	AATATTCACCTTATCTCTCTCAA[G, A]GTAAAGGAGAGACCGAAAATGGTAC	1,963,678	87
4909.	GTAAATATTACCTTATCTCTCT[C, A]AAGGTAAAGGAGAGACCGAAAATGG	1,963,681	87
4910.	TAATACTTTTCATTGTCTTTGATTA[G, A]TTGTTTCATTGACGACTTATATCAAT	1,964,785	87
4911.	AATTGGTAGAAGGATTTAAAGAGT[T, A]ATCGGCATATGATTTTCATTGGCCT	1,965,924	87
4912.	ATTATATTAGTATATTAACAATGA[A, G]AAAGCATCCGAATATATGGAGTGTT	1,966,369	87
4913.	AAACCGCAAGGACGATGGCTGTT[C, A]ACAAATGAGGGGTTCCAAAGGGTGC	1,967,159	87
4914.	TGGTATATTGGAATTATTTGCATC[A, G]GTGATCTCATCAAGTTGGTTGGCAG	1,967,224	87
4915.	GCAATCCAAAATAAAACCCGTCAA[C, A]AACGGCATCATCGTGACAACAATA	1,967,877	87
4916.	AAAGGTAGCGGTCCTTCTCTCGA[C, T]TCATAGGAGTTTGGATCGGGGCTTG	1,969,458	87
4917.	GAGCAGAAGGGGCTCTTGGTCCAG[G, C]CCAGTTTGGAGATTGCGGCATGGA	1,969,572	87
4918.	GCAGCGACCGCATCTCTCTCAGG[C, A]TTTCACCAAAAACCCATCCGGCATC	1,969,967	87
4919.	AGCTCCAATGCACCCAACTGAGAG[C, A]AAGCCGATAGAACACAAACGACAGT	1,970,210	87
4920.	CAAAATTCAGCCACCTTCTCTCC[T, A]AGGGTCAAGTTTCCATGGATCTTAC	1,970,742	87
4921.	TTTTCCCTAGCACTCACTGCCTT[T, C]TCCCATTTCCCGAATGAGGCATAAA	1,970,841	87
4922.	TTTTTCCCTAGCACTCACTGCCT[T, C]TCCCATTTCCCGAATGAGGCATAA	1,970,842	87
4923.	TCTGAGGTTCTTCACAACTCGTAT[T, C]GTCGTTCTGGTTTAGTTGAGATAA	1,971,147	87
4924.	TTACAGTTCCACAGGTTTGCATA[T, C]CTGATCAATCCACTCAATCTTTCGC	1,971,462	87
4925.	TGAAATTCAATTACAGTTCCACAG[G, A]TTTTGCATATCTGATCAATCCACTC	1,971,472	87
4926.	ATGAACAACATTGTTATCACATAC[A, G]GTAAGGTTCTTGAATGAAATTCAAT	1,971,511	87
4927.	AAGCAATTGATGAGAAAAAGTATTT[C, T]ATGACCCATATAACAGCAAAATGGAA	1,971,582	87
4928.	CATGCGTGGTGCAAGCAATTGATG[A, G]GAAAAGTATTTTCATGACCCATATAA	1,971,594	87
4929.	TCAGTTAAGTTGGATGTTTGAAC[G, T]GTAACCTACTTCATATGCATGCG	1,971,638	87
4930.	ACGTTCACTGTATTCCTAACACCT[A, C]TAAGATCCTAGGCATCCAATAGGTG	1,971,868	87
4931.	CACACGTTCACTGTATTCCTAACA[C, G]CTATAAGATCCTAGGCATCCAATAG	1,971,871	87
4932.	ATTTTTAGGTACAAGATTGGTCAT[C, T]TGGTATTTAGTATTTGGGTCTTATA	1,972,878	87
4933.	AGCTCGTTTTTAGGTGCTTTGAGT[G, C]ATTGAGTGCTTCAATAAATATCACA	1,972,957	87
4934.	CTTAACCTCTGAATAATGAATACT[A, G]AAAGAGTTCAGAAGTAACAAGATTT	1,973,591	87
4935.	GCAGATTCATGGATGAGAATGCAA[A, G]AGTCTTAACCTCTGAATAATGAATA	1,973,619	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4936.	GATCTCATCTTTAGGTAGAAAGGA[T, C]GGAAAAGAGGACCATAAAAACCTGG	1,973,704	87
4937.	TGGATTGACTAGGGGTGACAGAAA[T, C]CAGCAAAGCTGAGGTGACTGTGTGA	1,973,752	87
4938.	ATAAGCTTTTTCATCAATATGCAGT[G, A]GGGCCTATTTTGAATTGATCTTAT	1,974,047	87
4939.	GGTCCATAGCGAAGTTGCTGGATT[C, T]GATAAATATAAATTAAGATTATGC	1,974,219	87
4940.	GGTCTGAGCTGGGGAGGAATGTCC[A, G]GTACTCTGCCTGCAATGACTTTTTG	1,974,628	87
4941.	ATATTTTTTtCCTATCCGTGATTA[T, G]TTTGGTAGGGATTGCTGAAATGAAA	1,975,364	87
4942.	CTACAGCACCCAGTAAGTCCAAAT[C, T]CAACTAACCCATTACATGAGTTTTG	1,984,239	87
4943.	CACATTTTTCAGAACACCTTAGAAA[T, A]AAATTCTGAAAAaTGTCACTACCC	1,984,693	87
4944.	CATTGGATTGTGAATGAGAAAGCT[T, C]TGAACCCAACAGTAGGCTTGAGACT	1,985,210	87
4945.	AGCTTTGAACCCAACAGTAGGCTT[G, A]AGACTAGAGAATTTTCACTACCAGA	1,985,230	87
4946.	CATTGGACGTCCTCAGTTGTGGAC[A, C]ACTGCTAATCATGGAATTCAGCTTT	1,985,323	87
4947.	GACGTCCTCAGTTGTGGACAACTG[C, A]TAATCATGGAATTCAGCTTTATATA	1,985,328	87
4948.	CTAATGTCTCGTGTGGTTACCC[T, C]CTTTGTTTTCTCGTTTGTTTAGGC	1,985,494	87
4949.	ATTTTATGTCTAGGAGCTTTAGTA[G, A]GTTGTAGCATTTTGTTTGATAAGCT	1,985,544	87
4950.	CCTTCCTCCTGGCAAATGTAGTTG[A, G]GCCTGATTTTGGCATCCTAATGTGA	1,986,564	87
4951.	TATTCTGCTTCTTTTCATGCTGAAG[C, T]GTATAGGAGGCCTTTCCTTGCTTCC	1,986,660	87
4952.	ATTCAAAAATGGTTGGACTGGAAT[G, A]ATTAAATTCTATCTTGATTGCATAC	1,986,789	87
4953.	ATCTGCCCAATTAAAATGAGAAAA[C, A]AATATAAAATAATGACAAATTAAAT	1,987,169	87
4954.	GATGAATAAAAAATATAGACCAATG[A, G]aTTGCAAAAAGGTTCAACCGGAAAT	1,987,381	87
4955.	GCTTGAAAGTAAAAATAAAATATA[A, G]ATCAAAGAAACCATTTTAAGTAGAA	1,987,666	87
4956.	CTATGGATCATAATAACCCAAGTA[T, C]TAATTTGTCCATATATGTATCGAAA	1,987,816	87
4957.	ATAACCCAAGTATTAATTTGTCCA[T, C]ATATGTATCGAAAAATAGGTTTCGC	1,987,828	87
4958.	ATATATGTATCGAAAAATAGGTTT[C, T]GCATCTAGACTCGATAATGATCCTA	1,987,851	87
4959.	TATATGTATCGAAAAATAGGTTTC[G, A]CATCTAGACTCGATAATGATCCTAA	1,987,852	87
4960.	ATAGGCTGTGTTGCAATGATTTTT[T, C]TGAAAACAATTAACATTGGATCA	1,988,086	87
4961.	ATTAACTATTGGATCAGCCTTAAA[A, T]TTAACTTGAATAAGTCGAACTGTC	1,988,120	87
4962.	GAATCAATAGTAATCACATGGATT[G, A]TAGTGAACGGTACAGAGCCAATAAA	1,988,357	87
4963.	CAGAGCCAATAAACTGGCACTTAG[T, G]TATGAGAAACAATTACGTGGATTAC	1,988,394	87
4964.	TCTAACCATTTAATGTGATCGAGT[A, G]TGGCAATCATTGGCACCCGCGAATT	1,988,500	87
4965.	ATGTGTGCAAAAAATTCAATTTCCA[T, A]CACTCTTCTTGATTGAAACTCCTCT	1,988,707	87
4966.	GTGGTCAAATCTTTATCTATCTGC[A, C]TCCCACTGAACTTAGGATGGGACCT	1,988,825	87
4967.	ACCTTTGTATTTTGAAGCATGAG[T, C]GAACCTGACATAAACGTCTTGTTG	1,988,871	87
4968.	GGCCTCCCCTGACATGAATAGCC[A, G]AGTAATGAAAAAGACTAATGCAACC	1,989,404	87
4969.	CTTCTATAGTGGCAGACCGGCAGG[T, G]TATCTGACGTTCTTGCAATTAATGAT	1,989,498	87
4970.	TGCCACCTTGTTTTCTGTTTCAT[T, C]GGAGTTGATTGAGATTTTCTTTGT	1,992,003	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
4971.	AAATCATCTCATTGATATTGTGA[A, C]TGAAGATCTCAAGTTTAAGAATCAa	1,992,174	87
4972.	TGAAGATCTCAAGTTTAAGAATCA[A, G]AAAAGGAGAAAAAaGCTTTCTAA	1,992,199	87
4973.	CCATTCCACCAGATAGGTATGAAG[A, G]GAAAGTTTCATTATGCTTTCCACTC	1,992,375	87
4974.	CAGTTTTTTGGGATTGTGTCTCC[A, G]TACCTGGCCATATAAAGTATGAACA	1,993,969	87
4975.	TCATATTATTTTCTGTTTTATATC[T, C]TTCTAATATTTTCATTCCCATTTTGC	1,995,369	87
4976.	TCCTTCCTTAATAACTGACTGAG[A, G]CTCCCATTTCTTTGCTGGGTCTCTC	1,995,423	87
4977.	ACTTATATTTTACTGACTAATG[T, C]TAATCAAAATGCTGCTGATTAATTG	1,995,831	87
4978.	TGGAGCTGTTGGAGATGGAGTGAC[G, A]CTTAACACTAAAGCATTTCAAAATG	1,996,198	87
4979.	AGGGTAAGAAGCATTTCATCGTT[T, G]TCAAGTTTGACATCTGATCTGCAAT	1,997,344	87
4980.	GAGGAGAGGCTTTACTGGAACCTT[G, A]TCATGAACATTGTTCTATATCACAA	1,997,657	87
4981.	TTTgTCATGAACATTGTTCTATAT[C, T]ACAATTTGATCCAATCAGTGGATTT	1,997,678	87
4982.	CAAAGATGCTATTCTTAGCTTTGT[G, C]ATATGTTTTCTTATAAAAaTATAGC	1,997,765	87
4983.	AGCTTTGTGATATGTTTTCTTATA[A, T]AaTATAGCAGAGAGTCTTTTAAA	1,997,781	87
4984.	tCCTACCTTTTTtACTGTCCATT[T, G]ACAAAGCCAGAAGTTTTTTCTTCGC	1,997,875	87
4985.	CAGGTTTGTGTGATTTTAGCCAGAC[G, T]AACTTGGAGTACTCTAGCCATTG	1,998,050	87
4986.	ATTTTATGTTAATAAAGCAGGGC[G, A]TGCAAGTATTGCTCATTGTGCCTTT	1,999,056	87
4987.	TCCAGAATCTTCTTGCAAATCGAA[G, C]gTTATATTCCAAATGGGTGTGTGAG	1,999,122	87
4988.	ATATGTATATGCATGGCAAATAGC[A, G]TTTTATAATTATTCTGGAAGTAAG	1,999,527	87
4989.	TTTGTAAATAGATTAAAGATTTTC[A, T]GTCTCATCTAATGCTCTAGTAGTGT	1,999,641	87
4990.	AGAAATATTTTCTATTTTGACGT[C, G]GTTCAAGTTCTGTTTATTGAGAAAG	1,999,801	87
4991.	GGTGGGTGGTGGTTGGGGAGTTGC[A, C]AATGTAGTGTAGCAATACCTCCCA	1,999,872	87
4992.	TCATTATTATGAAGAGTTAGGCCT[G, T]gTGCTTGCACTGATGACACCAGATC	2,000,065	87
4993.	AACTTCTCTAACAATGAGTGAGTT[G, A]AACTCTTCCAACATGGAGTTTACTC	2,001,265	87
4994.	TAGATAATGTTTAAAGGTAGAAAT[G, A]TGTAATTTAGTTAACTTATATGTA	2,001,505	87
4995.	AATCCAATTCTCATATTTCGTTACC[C, A]TGCAATGCAGATGCTACATGAATTA	2,001,602	87
4996.	GAGATGTATGAGGGTTCTACTTCC[A, G]AGCCATCCTAGTAATGGGAGAATTC	2,002,024	87
4997.	ATCAGAGGTTGAAATGGAGTTGTC[C, T]AAGTCCTAAAGAATGTTAGATATAT	2,002,188	87
4998.	AATATCTGTATTTCAGAGAGTA[G, A]TTCCCATTTTTTtGGTTTTGCTAAT	2,002,582	87
4999.	AGAGGTCTCACTTGTGACTTGTTC[C, T]GGTATTTCAAGTTTCTTTCTCAGC	2,002,700	87
5000.	ATTTTCCATGGTAAACACTTTAG[G, A]TACCATAGATGGACCACAAAAATT	2,003,373	87
5001.	ACCACAAAAAATTGTTGATCATAT[A, G]CACATTGATTATGCCCTAGATCT	2,003,410	87
5002.	TCTAAGCAGTTGCTAATTTCTTT[C, A]aTTTGTCAGTTTATAGAATTTAAAA	2,003,457	87
5003.	CTAAGCAGTTGCTAATTTCTTT[C, C]TTTGTCAGTTTATAGAATTTAAAA	2,003,458	87
5004.	GTTTATAGAATTTAAAAAaGTTT[A, T]TGTCATAGCCTTTTAAAAATGTCT	2,003,490	87
5005.	CATGGAAGTTGTTTTAGTTTTCTC[G, A]TCAATACTGACTTGATGTTATTTTA	2,003,819	87
5006.	TTTCATGTTTACTGCTCTGATGGT[T, A]TAAGCATTAGTCCGTTTGAGATCCT	2,008,533	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5007.	AAACCAAGAGATGGATAGATTGAC[A, C]TGCAACTTTTATAGCGTTCCATT	2,008,787	87
5008.	ATTAGATGCCCTCCGTAGAATAAT[T, G]GAAAGGTTGAGAAAATAAAAGTTTC	2,009,507	87
5009.	TGATTTTGAAATTAGATGCCCTCC[G, A]TAGAATAATtGAAAGGTTGAGAAAA	2,009,517	87
5010.	ATTGATTTTGAAATTAGATGCCCT[C, T]CGTAGAATAATtGAAAGGTTGAGAA	2,009,519	87
5011.	GACGAAGTGTGGTTGTTAGACTAT[T, C]GTTGAAGATGGTTTCTGACTTGAAG	2,009,634	87
5012.	TGCATTTAATGTTGAAATATGACT[A, G]CTTATAAAATAGTTGTTACTTCCAA	2,009,705	87
5013.	TTTCTCTGTGTTTTTATGAAAAAC[C, T]GTGATACATGTTAACAGATATGATA	2,009,768	87
5014.	ATGTTTGAGTGAAGGTGGATTGTC[T, G]GATCATTGTTTGAGTGAAGTTTATG	2,009,899	87
5015.	TTTTTCTGTCAGGTACGGAACAAC[C, A]CTGTTAATTTTTTGAGTGTCTATTT	2,010,160	87
5016.	GAAAGCGCTGCTGTGCCCTTATTA[T, C]CTGGATGACCAGAACCAGCTCTGAT	2,010,274	87
5017.	TTAACGATTTTATGAGTGAGTTC[G, A]TCGACATTATCATTGAAAGTCATTA	2,010,396	87
5018.	AAAGGTGAAGATTTGCGGGATCTA[G, C]CGTTGGAATTTGGAACTGCTTCCC	2,010,468	87
5019.	TTGAAGAATGGATTTTTCATGTTA[T, C]GTGCTTGTCTACGGATAGTATTAG	2,010,563	87
5020.	TCTTCATCCTTTGAAGAATGGATT[T, G]TTCATGTTATGTGCTTGTCTACGGA	2,010,573	87
5021.	TTACTTACTGATGTTCTAAGGGGA[G, A]GCAAAATATTCTAATTCAAGCAAC	2,020,656	87
5022.	AGTAATATGTGATGCAAAAGCTCA[G, A]ACATGATATGCAACCTTGGAATCA	2,020,709	87
5023.	AAATACAAGGTTATCATAATATAA[A, C]GTAATATGTGATGCAAAAGCTCAGA	2,020,733	87
5024.	ACAATTTCTAATTGAATAATGTTG[T, C]ACTTCATCTCTTACCATATGAAAA	2,020,780	87
5025.	CAATCATTTGTAATATTATAAACT[A, G]ACACTTCTTTTGGGCTCTTTTC	2,020,843	87
5026.	AGGCATAGGGCCCATGCCTCACC[T, G]ATTATGAGAGACAAAAGGCTAGCGC	2,020,911	87
5027.	AGATTTAATCTAGTATATAACTGG[C, T]CAAATAATATAACAGGCATAGGGCC	2,020,949	87
5028.	TTAGGTAGAATAATCTAGTACTT[A, G]TTTTCATGTCATGTAGGGATTAGG	2,021,000	87
5029.	ATTAGGTAGAAATAATCTAGTACT[T, C]ATTTTCATGTCATGTAGGGATTAG	2,021,001	87
5030.	GCTTATCTGTGGATGGATTAAATGG[T, G]ACATTCAAACAACCACTTATTGCCA	2,021,156	87
5031.	ACCATTTTAAGACGGTTGACAGCC[A, C]CTAATCATGGCTTATCTGTGGATGG	2,021,190	87
5032.	TTCTTTCCCTCACCATTTTAAGA[C, G, T]GGTTGACAGCCaCTAATCATGGCTT	2,021,202	87
5033.	CCGGAATTAGGAGTGTCTGGAAGC[C, A]CCTCTCAATCGGTTCCATTGTTCCCT	2,021,247	87
5034.	GATCGAGTCTTTACCTTAGAAAAC[C, T]GGAATTAGGAGTGTCTGGAAGCCCC	2,021,270	87
5035.	AAATATCGAGCTCTTTAATCCCTA[T, A]AATTTAGAGATAAGGAAAAACACCT	2,021,324	87
5036.	TGGATGCCCATCTAATTTATACTT[C, T]GTATATTTCCATTTCTGGATAAAGA	2,021,420	87
5037.	GATTTTATAGTGTTTTCTTAATA[T, C]TTTAGTTTCATCCCTTCTCTTGGG	2,021,477	87
5038.	TATCCGTATGTTTCTTCATGTGC[T, C]CAAAGTCATCTAGTTTTTCTATTAT	2,021,557	87
5039.	TTTTTAAACAATTGATTTCTATC[C, T]GTATGTTTCTTCATGTGCTCAAAG	2,021,577	87
5040.	TAGATAATCGCTTTCATTTACGA[T, C]GTATCATGCCATTTGTATCGGTTA	2,021,743	87
5041.	TGTAGATAATCGCTTTCATTTACG[A, A]tGTATCATGCCATTTGTATCGGT	2,021,745	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5042.	TTTAAATATGTCCCTAAAGTGATT[G, C]GATTTTTTCAAACCAATGATTGGC	2,021,849	87
5043.	GAACCTGAGAGTCCAACTTGA[T, A]TATATATGCACATACTATATCATGT	2,022,087	87
5044.	ATTCTAGGATCTGATTTACATCA[G, T]ATTGAAGTCGAATATAGCGATATCA	2,022,145	87
5045.	TGTACAAATAATACCCGAAAACCT[G, A]ACAATTCGACTCGATTATTTGTAA	2,022,250	87
5046.	TTGGACTTTGTGGCCTTCCACCCG[T, C]AGAATCGAGAAATTTGTTTATGGAT	2,022,648	87
5047.	AATGAAATGTTACCTCTTCTAC[T, A]TTTTGTGTCTGAAAAACATAGA	2,022,724	87
5048.	ATGCTAAGCCCCATGAAACGAGAA[T, G]AATGAAATGTTACCTCTTCTACT	2,022,749	87
5049.	AATTACATGCTAAGCCCCATGAAA[C, T]GAGAATAATGAAATGTTACCTCT	2,022,755	87
5050.	CTAAAGTCTAAAACATCTAAGAC[C, T]GCCTTTTAACTAAAATGATTATACT	2,023,121	87
5051.	AAGCTTACACCTGGGTTTAAATAA[T, G]AGGCAGCATGTTTTTATACTCACAC	2,023,373	87
5052.	TCTTCATTCTCTCTTTGATAAGAT[G, A]ATTATAAGCTTACACCTGGGTTTAA	2,023,403	87
5053.	AATGGTTCCTTTTGTATAACAGG[G, C]CAGGTATGTGGGTCAGGTAGTCAT	2,024,082	87
5054.	GTTTTCTGCAGGGAACTGGAGT[T, A]AATATAATTTTATGTTGGCAGGGTC	2,024,197	87
5055.	ATAAATAGCATTTATGTTGAGGGT[A, C]ATGTTTTCTGCAGGGAACTGGAGT	2,024,224	87
5056.	ATGATGGACTTATTAACGTGAATG[T, C]TGGTGTCTTTGGGAAGCAGGAAGTA	2,028,739	87
5057.	CCATCCTCCACAAGGGGTGGCTGA[A, T]TGCAAGCTCTGGCTGTCTATTAGA	2,028,804	87
5058.	GGTGGCTTTTTCTCTTCCGTCTA[C, A]CCCCATCCTCCACAAGGGGTGGCTG	2,028,831	87
5059.	GGAAGCTACCATTACGGATTGCTA[C, T]AGTATTTAAGATACAACATCATCCT	2,028,908	87
5060.	CAAGATCTTAATGCCAcGCACcGA[A, T]TGAAAGGAAGCTACCATTACGGATT	2,028,938	87
5061.	CAGCAAGATCTTAATGCCAcGCAC[C, T]GAaTGAAAGGAAGCTACCATTACGG	2,028,941	87
5062.	AATGTCAGCAAGATCTTAATGCCA[C, T]GCACcGAaTGAAAGGAAGCTACCAT	2,028,946	87
5063.	CATATGTTATCGACCcAACTTTTC[G, A]gCCTCCTGTCTAGTATTACTAAGAA	2,029,198	87
5064.	TGAAAAAGGCGTTGGTGCATTTTC[G, A]TAATGTGTATTTTTTTGTAAGGCAT	2,029,245	87
5065.	GAAAGATGGGCGATGAGGGGAGT[A, G]GCTGAGAGCCTAATAAGCTTTGGAA	2,030,025	87
5066.	TTGACTAGAATAATTTAATTCCT[A, T]TAAGATCATTCTATGTTGAAACCTT	2,031,957	87
5067.	TAGTATATGGTGCAAGGTCTCAA[G, T]TACAAAAATATAGTTTGTGATTGAG	2,032,348	87
5068.	ATTCCGTAGCTTTTTTAACAGGGCC[G, A]ATGTTACTAAATTTTTGTTAGTTGC	2,032,511	87
5069.	TATTGAATGAGCTCTCAGTTTTTT[T, G]GGCATCTTAAATATGGAACGTATG	2,034,835	87
5070.	GACAAGTATTGTAATGTTTTAGTG[C, T]GAAACTGGCACAGTATGGGCATTG	2,035,103	87
5071.	GATCTAGGGGTGTATCAAATATC[T, G]GTACACTGAACTCACCGTCCAACCG	2,035,275	87
5072.	GAGGTAGTCAAGGCCAACATCCAA[G, T]CCTGTGATTCCAATGAAAAGATTGA	2,035,574	87
5073.	CTTTTGTAGTTGGAGGTAGTCAAG[G, C]CCAACATCCAAGCCTGTGATTCCAA	2,035,586	87
5074.	CCTAGGTTATGATAAAATTCCTTT[C, T]CcTCTGTTCATCCAATCTTATCA	2,036,345	87
5075.	ACTTCATGTTAACTTCTCTTTATG[T, C]GTAAAAATTTGTTTCTTCTAGTTAC	2,036,587	87
5076.	CCCCcACCTCATATATATATATAT[G, A]TATGTATGTATGTATGTATGTATGT	2,039,241	87
5077.	TTTGAGTGGAGATCTACTCGAGT[G, A]AGCCCCATCCCCCcACCTCATATA	2,039,276	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5078.	TGGTGAACCGAACTGGCTAGAAAT[T, C]GGGAAGTTCGATTAAGCATCAAGTG	2,039,606	87
5079.	AAACCAGAATTGATAAACCAAAA[G, A]AAGCCATAAGCTTCGAAACTGAATA	2,039,811	87
5080.	ATAACTTCCACAGATTTTATTGTC[G, C]TGATGAGACTGACTTGATCAGAAGA	2,044,519	87
5081.	CTAATGTGTGCCACTTCCCAC[T, T]CTTTGTGAAGGCACTTTATCACC	2,044,910	87
5082.	CCAGTTCTGCAGGTTTGAATTTCT[T, G]GGCAAATAAATATCTGAGAACACCT	2,045,433	87
5083.	TTGCTCCTGCTGTTATCAATGCAT[T, G]CTCTCACATGCCGTTCAACATTGCA	2,047,624	87
5084.	TTCTAATTATACCATTTTGTATCC[T, C]CTATTTTGTGAGTCTTCAAAAACT	2,048,459	87
5085.	TGATTCTGCTGATGATTAAGTTTG[T, C]tCTCATCGTAAGAGTCAGAATATCA	2,048,866	87
5086.	TGTTGCTGTCCATTTTATCTGTGG[T, G]TCTTCACTTGCATGATTATCTGATT	2,048,911	87
5087.	TATATTGTGGATCGTTTCTATTTT[C, C]AACAGTAAACATCACCGTGATCCAA	2,049,484	87
5088.	ATGTTTCTTGGGTAAATGCAGT[C, G]TCACATTTATATTGTGGATCGTTTC	2,049,516	87
5089.	CAGTTTCTCTATATCCTTTCTAA[C, G]AACTTGGGTTTTCTTGGTCCTCGT	2,049,641	87
5090.	CGAGGTGGGCTTATAATTGTAACA[T, C]GAGTTTATCTTTGTGATTGAGTTT	2,049,684	87
5091.	GGATCATTTTGTGTTCTTTCTT[G, A]CTAGAAGCTCATTCAATTTTATGAG	2,049,737	87
5092.	AACCTCGATGGTTTGGTGGAAAC[A, G]TGAAGCTTTCTCATTCTTACGGAT	2,049,841	87
5093.	GATTTTCATCATTTCCGAACAAAG[C, T]GAAGATCTTAACTGTGCATTAGGA	2,049,967	87
5094.	ATTCACCTTTGGTCCCTTTGAAGT[T, G]GATATCTAATTCTCAAAATTATCTA	2,050,384	87
5095.	CTCAGTTTATAGCATGATCTCCAT[T, G]CGATCACCATGTAGGGAATGAAAAG	2,050,557	87
5096.	TATAAATCTCTAAAAATTTATTat[G, A]TAAGCAACAGATCTGCTTATTCAA	2,050,900	87
5097.	TTATAAATCTCTAAAAATTTATTA[T, G]tAAGCAACAGATCTGCTTATTCAA	2,050,901	87
5098.	GCCTATTTAGTGATTCTTCTCTCC[T, C]CAAAATCTCAATCATAACATTTAT	2,050,947	87
5099.	CTTTTTTCTTGATTATTTATCTTT[T, G]TTTTTTtAATTATTTAACTTCTCTT	2,054,056	87
5100.	ACCTCGAGTGCCTCACTCACTCA[A, C]TGTTGGTGCCTTTTTTGCACCTTGA	2,055,263	87
5101.	CCTAATTTATGATAATCCAGCTGC[C, A]AGACACAAGTGAAGCGCACCTCGAG	2,055,305	87
5102.	ACCCATAGAGTTTTGGCTGTTTTG[T, C]CGTTCTTTCTCATCCTAATTTATG	2,055,344	87
5103.	AGGGTCCGGGAGTCCGATGGAGG[G, A]CTTTGACGATTGGGGTCTAAGCGCC	2,055,785	87
5104.	TGGAATGAAATAGGGTCGAAATT[T, C]tAAAACCTATTTACACAGCGAGAGA	2,056,546	87
5105.	GGTATATTGATCTTTTGGTAATTC[C, T]TTTTATCAAAAAATTATGTCAATTG	2,056,774	87
5106.	ATCCTTATAAACTAGTCGTTTATG[A, G]TCATTGGTAAAGGTATATTGATCTT	2,056,810	87
5107.	GTGCTATCATAACAAGATCTATTT[A, G]TACTAATAACTAGAAGCGAAAATAG	2,057,128	87
5108.	TCACCATCCAAAATTAATTTAAT[A, G]aTTGTTTCATTAAAGAAACACCAGC	2,057,924	87
5109.	AAAAAATATCTCTAAATTTTATT[A, G]aGAATTGAATTACTTGTTATTCGAA	2,059,926	87
5110.	TCAGTATTTTATTTTAAATACTA[C, A]ATCATTAATTATTATTATAATCAAA	2,060,707	87
5111.	TACCCATGAGGTGGTCAATTCATC[G, A]TGCAACCTCTTGAGATATGATCAGT	2,060,752	87
5112.	TGGAACCTTGCAATTGAAGATGGC[A, G]GTACATGCAAGTGAGTTGCTTGCAA	2,060,896	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5113.	CATGATATAATATCTACTATAGCA[A, G]TTGTTGCTGCTAAATATTAATAAATA	2,061,431	87
5114.	GAGAGCCAGAACTGAGGGAAGTG[A, C]AGAAGAGAGGCCAAAGGTAACCCAAC	2,062,208	87
5115.	AATCCCTACATGCTTGAGAGATA[C, T]GAGATAAAATCTGAACAAATTATAC	2,062,318	87
5116.	AACATAAAAGAAAACATCCACAGG[A, A]ATCTTAAATCTTCGGACAAGCAATA	2,062,625	87
5117.	AGAATTAATAAATATATATATAGT[T, G]TtAACAGTGCTAAAAGCCTACCTTG	2,063,381	87
5118.	AAACCATATCAAAAAGAATTAAa[A, T]ATATATATATAGTTTtAACAGTGCT	2,063,395	87
5119.	CAACAAAAGAAAAGAAAAGTAGCAA[C, G]CcACATGCCACAGAAATAGGGAATT	2,063,789	87
5120.	CCCATTTCGTACTGTCTGCATCTCT[G, A]TTTAGCCAGAACGAGAATACCTTGT	2,065,527	87
5121.	TGGAACATAGGTATGTTCTCCCTT[G, A]AAATGCTTTGGATCAACACCTCCAA	2,065,590	87
5122.	TACAAGCTTGAAGGAACATACAGT[A, T]GGCCCTGCAAGCAAGGAAGTTCCAG	2,065,954	87
5123.	CCTAGTTGGCATGATTATCCATCA[T, C]AGCTTTATCTTAAAGCAAGAGAAAA	2,066,200	87
5124.	ACAAAGACAGCATCTTTGCAAGA[A, C]AATACCTAGTTGGCATGATTATCCA	2,066,229	87
5125.	AGGAAAAAGATATAGTGAGTTTGG[A, C]ATACTCAAACATGAAGTAAAGAGGA	2,066,410	87
5126.	TGCTGAAGTGGGCCTCAGCACCCAG[A, G]CCAAGTGCCCAAGCAGACAGGCCCT	2,066,502	87
5127.	ATAAAAAATTTAAGAAAATTGAAT[T, C]CATAACTCCGTAATTATACCAACCGT	2,067,047	87
5128.	TATTTGGGCGACTATGTTCTGAA[A, C]GATTAAAGGATCAAATATAAATTT	2,067,345	87
5129.	GTATCAACTCTCCATACTGTTTAA[T, C]GACCTCTTTACATTCCATGCTCACA	2,067,421	87
5130.	ATTATCTCCTTACCTCTTCTGGAG[T, A]TAGGCTGAAAGTTTTATTGGCTATT	2,068,130	87
5131.	AGTGATTAAAGCCTAATATATTATC[T, G]CCTTACCTCTTCTGGAGTTAGGCTG	2,068,148	87
5132.	TTCATTGTGATGTAAAAAGGCGT[C, T]TGAGCCCAAGCAGGGCTAGAGTGGG	2,068,961	87
5133.	TAAGCTTCCCGGTCTTCAATTGTGA[T, C]GTAAAAGGGCGTCTGAGCCCAAGC	2,068,975	87
5134.	AAGAAAATAAGTAGGTAGCAAGTC[A, G]ATTGATAGAGAGGAAGGACACTT	2,069,390	87
5135.	AAAGTATTAATCCTGCAATGCGGA[C, A]GAGCTAGAAATATCTCAAAGTTTAT	2,070,431	87
5136.	ACCCCGCCCAATACCCACACGTC[C, T]ACCGGCACTTCTCCCTACCTTATC	2,075,030	87
5137.	CTTCGACACGTGTCGAGTACGTAA[C, G]CTCGAAGTCTCCTATTTCCTACGCA	2,075,158	87
5138.	GACATGGTCTGGAATATAGGCCA[G, T]GGCGCATGAATCAAGTGGCTGATGC	2,077,325	87
5139.	TTTCTGGCAGAGTTTGACATGGTC[C, T]TGGAATATAGGCCAGGGCGCATGAA	2,077,340	87
5140.	ACACAGAAGAAGCTATCTCCCAA[A, T, C]AAGCCGTTGGCAAGATTTTCTGGC	2,077,382	87
5141.	GCTGCGGTTGCCAGATCATACACT[G, A]CCATTGCAAGTCCACACTGATGCTT	2,077,638	87
5142.	CACGGTTTATTACGGGTTATTCCC[A, G]TCGTGCTGCACCTTGACGGAGTTA	2,077,774	87
5143.	AACATTTTACTTTTATTCTTTTAA[T, C]GATGCTGATTTTCTCTATGATGTTA	2,078,081	87
5144.	CTTCCTTGTTTGGATCATCTTTT[T, C]GGATGTTGTGATCTCCTTCTTCATC	2,079,748	87
5145.	GGGCCTCGTGCGGACAATCTCGAT[A, G]CCATCCGAAGTGGGGTATGTGCGAG	2,080,066	87
5146.	ATCTTATCTTCATCTTAGCCCTT[C, T, G]GGGCTTACCAATCCGAGATCGGGT	2,080,858	87
5147.	ATCGGATTTTGGTCTTCTCAGGA[T, C]TGATCCGAAGTTCGATGTTTAGGTC	2,081,308	87
5148.	TTTATGAGATTTAATCCAGAGATC[G, A]GATTTTGGTCTTCTCAGGATTGAT	2,081,329	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5149.	TCCAATCCGGAGATCAATTTTCT[G, A]CATAAAATTTTAGTGAAGTCCACTC	2,081,433	87
5150.	TATCTTTTCGAGACTTGCAGAGTC[C, T]AATCCGGAGATCAATTTTCTGCAT	2,081,455	87
5151.	AGGGCATTTACATGAAATTTTAA[G, A]CTAGAATTTATCTTTTCGAGACTTG	2,081,488	87
5152.	CCAAGAAAAAGTTTTCAACTTGT[C, T]CGATGTGGCAATCTGTACCATTTG	2,081,645	87
5153.	GATCGGCTTTATGATGACATCAGC[T, C]TTCCGATAAGGTCGGCTTTATGATG	2,081,862	87
5154.	GGCCTTATGATGATCTCAGAGTTT[T, C]GATAAGATCGACTTTATGATAATCT	2,082,061	87
5155.	ATAAATCTTTTTTATGTCATATTA[C, A]ATTTATATGAACAAATGAACAAAC	2,083,116	87
5156.	CTCATCTGGGATGTCTGGACCTCT[C, T]TTCGTCAAAGTGTGAGTTAGAGT	2,083,414	87
5157.	GTTTGGATTGAGAGAGGTGCTAGG[C, T]AGCTCGAAGCCATCCTCTCATCTG	2,083,456	87
5158.	TGATGGGAGACTTATAGTGGCTGG[T, G]GGCTCCACCCCTTTGAGCCTTCTG	2,083,610	87
5159.	AGGGACAGGAGAGGTGGAGCAGGC[T, C]TTGTTATCCATGGCCCTGATGGGAG	2,083,651	87
5160.	AACTTTGATGGCTGTGTCAGGGAC[A, G]GGAGAGGTGGAGCAGGCTTTGTTAT	2,083,669	87
5161.	CGTGATGATCTCAGATCAGAGGGA[C, T]ACTTATATCCATATCTTTTGGAAAT	2,084,900	87
5162.	ACAATAATACCTATCCAAAGTGG[C, G]TGACAAAAAGAAATGTTAGCTTCTGA	2,085,871	87
5163.	AAAATAGGCACCTTCACAAGAGCC[G, A]GTGGGTAGGTAGAGTAGGATAAGAA	2,085,962	87
5164.	TCTGAAAGTCTCTCGTTGGTTACT[C, A, G]CAGCCGCACAAGCATCCAATCTCTA	2,086,579	87
5165.	GAACAAGGAGATGTCAGTCGAGA[T, C]GATCGCCTTGAGGGCGTTCAATCCG	2,088,651	87
5166.	ATCTCCGCGCATCTCTCCGATTCC[A, G]TTTTTGGTCGGGAACCGAACAGGA	2,088,692	87
5167.	GATCTCCGCGCATCTCTCCGATTCC[C, T]ATTTTGGTCGGGAACCGAACAGG	2,088,693	87
5168.	TCCCTCGACTCGTCGCTTTGAGCG[A, G]AGATTTGGAAGCATCGTCGGGCGAG	2,088,748	87
5169.	TCCAGCTTGTGATCGTCAGAGAA[T, C]CCCTCGACTCGTCGCTTTGAGCGAA	2,088,772	87
5170.	CGAGCCTCGTTCTTCCTCCTCCCG[T, C]TGGTCCAGCTTGTGATCGTCAGAG	2,088,800	87
5171.	GGGATCGCCTCGAGCTACTCGGCC[A, G]GCGAGCCTCGTTCTTCCTCCTCCCG	2,088,826	87
5172.	CTCCTATCGGGATCGCCTCGAGCT[A, G]CTCGCCAGCGAGCCTCGTTCTTCC	2,088,834	87
5173.	CAAATATGTCGGCATTGGCCGTCA[A, G]CAGCTCCGTCAGACGGCGTCGTTCTG	2,088,930	87
5174.	GATGCCCACATATCTGCTGTCGA[T, C]CAAGCAAATATGTCGGCATTGGCCG	2,088,959	87
5175.	CGGGGATGCCCGACATATCTGCTG[T, C]CGATCAAGCAAATATGTCGGCATTG	2,088,963	87
5176.	TGAGTCGGTGGGTTATTATTCTG[C, G]GGGGATGCCCGACATATCTGCTGTC	2,088,987	87
5177.	GGAGCGAAGGACCTCTTCTTCTGC[T, C]TCACCGGTCTCATCGTCGGGTCGAT	2,089,039	87
5178.	CTGCCTTTCTGGAGCGAAGGACCT[C, T]TTCTTCTGCTTCACCGGTCTCATCG	2,089,049	87
5179.	CTTTTTTGACCATGACAACATTGG[C, G]GAGCCAATCGGGATACGTGGATTCT	2,089,149	87
5180.	GAAGTGAGGATCTGCATCGACTA[C, T]ACCGACCTCAACCGAGCCTGCCCAA	2,089,156	87
5181.	CTGCATCGACTACACCGACCTCAA[C, T]CGAGCCTGCCCAAAGATAGCTTCC	2,089,168	87
5182.	GTCGATCGAGATCTCCACTTCCC[A, G]TTGGCTTTTTTGACCATGACAACAT	2,089,178	87
5183.	CATCCACCAGCTGGTCGATCTTGG[A, G]AAGCGGAAGCTATCTTTGGGCAG	2,089,248	87

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5184.	GCATCCACCAGCTGGTCGATCTTG[G, A]AAAGCGGGAAGCTATCTTTTGGGCA	2,089,249	87
5185.	ATGAAGCTGAGCAGTCGAAATCCG[A, G]ACGTCGCATCCACCAGCTGGTCGAT	2,089,279	87
5186.	AGACGAGGAGCACACCCGCTTCGT[G, A]ACTCCAAGGGCTCTACTGTTATC	2,089,321	87
5187.	GCTCCTCGTCTTCAGGCACCATCC[A, G]GATCTGATTGTACCCGACGAAGGCG	2,089,332	87
5188.	CACCGCGTTCTGTGACTCCCAAGGG[C, T]CTCTACTGTTATCGGGTGATGCCCT	2,089,333	87
5189.	AGGTGGCACC GGCTTCTTCAGTC[T, C]GAAGGCATCACCCGATAACAGTAG	2,089,410	87
5190.	ATTGACAAGTCGCTGGTAGGTGGC[A, G]CCGGCGTTCTTCAGTCTGAAGGGCA	2,089,427	87
5191.	CTGGTCTTTGAAGACCTTATTGAC[A, G]AGTCGCTGGTAGGTGGCACC GGCGT	2,089,445	87
5192.	AATGAAGCTCAACCCGACCAAGT[G, T]GCTTTTGGGGTGACCTCAGGGAAGT	2,089,555	87
5193.	CATTCGCTGTCGTCGAAGGGTGCG[A, A]AAGGTCTCCTCGAGATCCTAAACAT	2,089,559	87
5194.	CTTCCCTGAGGTACCCCCAAAAGC[A, G]CACTTGGTCGGGTTGAGCTTCATTC	2,089,604	87
5195.	TGGCCTCAATCCCTCTCTGAGAGA[T, C]GAGGAATCCGAGGAACCTCCCTGAG	2,089,644	87
5196.	ATTGGCCTCAATCCCTCTCTGAGA[A, A]ATGAGGAATCCGAGGAACCTCCCTG	2,089,646	87
5197.	GAGGATTGCCTTTATTTTCTCAGG[A, G]TTGGCCTCAATCCCTCTCTGAGAGA	2,089,670	87
5198.	TCGACTAAGAGCGACAATTCTTTC[G, A]TTCAGCTGTTGGACCTCCTTCTTGG	2,089,739	87
5199.	AATCGACTAAGAGCGACAATTCTT[T, C]CGTTACGCTGTTGGACCTCCTTCTT	2,089,741	87
5200.	AGAGATGAATCGACTAAGAGCGAC[A, G]ATTCTTTCGTTACGCTGTTGGACCT	2,089,748	87
5201.	GTGGCGCAGAGTTTTGAAGAACGG[T, G]AGGCACCTTTCAGCTGATCGAGAGA	2,089,793	87
5202.	CGCGGGGAAGCCAACTACTTTT[T, C]AGGTCTTCGAAGCCTGTTGGCATT	2,089,868	87
5203.	TTCCCCGACCTGCGGCTTTACGAG[T, C]AGCGCGGGGAAGCCAAGTACTTTT	2,089,895	87
5204.	CTCAGGAGATGTGGCCAAGTAGAG[A, G]TACAAGGTTTCCCCGACCTGCGGCT	2,089,928	87
5205.	CGAGTACCGAAGTATCGCCTCAG[G, A]AGATGTGGCCAAGTAGAGATACAAG	2,089,947	87
5206.	CGAGAAAATGAGTGCCGAACCCAT[C, T]AGCCTATCTACTACACCAGCAAGGT	2,089,949	87
5207.	CACTCATTTTCTCGGACGAGTACC[G, A]AACTGATCGCCTCAGGAGATGTGGC	2,089,963	87
5208.	TCGGCACTCATTTTCTCGGACGAG[T, C]ACCGAAGTATCGCCTCAGGAGATG	2,089,967	87
5209.	GATAGGCTGATGGGTTCCGCACTC[A, G]TTTTCTCGGACGAGTACCGAAGTGA	2,089,982	87
5210.	GGCGAAAATCATCTTTTCCGTCTC[T, C]GAGTACCTTGCTTCGGCCCCGTGGA	2,090,051	87
5211.	CGCGCAACGACTCCGTCCATACTT[C, T]CAGGCCACGCCATAGTGGTGCTCA	2,090,062	87
5212.	TCGGCGCAGTATCGCCCTCAGGGG[T, C]TGGTTGGTGAGCACCCTATGGCGT	2,090,144	87
5213.	GCTTCATCGCCCACTTCGCGAGTC[A, G]TCCAGATGTGTGCGGTGCGCGAGT	2,090,184	87
5214.	TCGTACTGAATGTCGAAGTCTGTC[A, G]AGCTTCATCGCCCACTTCGCGAGTC	2,090,210	87
5215.	TGACAGAGCTCATTAATAATTTT[T, C]GAAGATCATGGATGATGAGATGTAT	2,096,183	87
5216.	AAGCCGTTTCCGGATAAATCCCTG[A, G]ACGAAGAGGGAAATTTCAATGACCC	2,096,914	87
5217.	CGTTAACCAGACCCGTTTCGATCTC[A, G]TCTCAGTGGCTCAATTTCTGTGTTT	2,097,200	84
5218.	CTGGTGGGAAGCGAAGGTGGTGCC[G, A]CGCCGGGAAGTGAAGTTCGAGAAACC	2,097,965	84
5219.	TTGACAGACTACAGTTATAGGCTA[G, A]AGGTGAACCATTCATTAAAGAACAA	2,099,347	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5220.	GAAATTGCATGCTTCAAGCATT[A, G]CCTTTCCATTACAAAAATCAACAG	2,099,551	84
5221.	AAAATTATTTAAGAAAACCTAGGG[T, C]GAGGACCCTTGACATCAAATGCTG	2,099,639	84
5222.	ATAATGTGAAAATCAGTGTAGTGA[G, A]AAGTAAATTATAAATAACTAGTGTA	2,099,773	84
5223.	ACACACACACACACACACGTAT[G, A]TATTAACATAATGTGAAAATCAGTG	2,099,805	84
5224.	GTTATTAGAATTCCTGTTCAATGA[T, G]ATTCTTTTCCAAAGAACCTAACA	2,100,008	84
5225.	CCCACCCAATGAGTTATTAGAATT[C, G]CTGTTCAATGATATTCTTTTCCAA	2,100,020	84
5226.	TTTTTTCAGAATACAAGGAATCCT[T, G]AGTTTACTTCGCCAACTCATACCA	2,100,196	84
5227.	AACAAACATTCCGGAACATGAAC[T, T]GTGCTATATAATTGACTTGAAAAAT	2,100,376	84
5228.	CCAAGTCCCAAGTGTGTCATT[A, C, T]AAAGAATAGAAGATAGACTCTAGCA	2,100,629	84
5229.	TCCATAAAGTAGAATATTCAAATG[C, T]CAAATAGCATAAGCATATGACAATT	2,100,855	84
5230.	CATGAATAATAGGCCAATACCTTC[A, G]AAGAAGAGTGGAGGAAATCGTTA	2,105,126	84
5231.	TCCAATAGGGATGGAAGTCAAAAT[C, T]CGAAAGAGCCTCCTTCATGAAGCGC	2,105,533	84
5232.	ACTCCAAACGTATGCCATAGTCCA[A, G]TCTATCCAATAGGGATGGAAGTCAA	2,105,562	84
5233.	ACAGCACGAAGAGCTCGCGAAAGG[A, G]CATCAGCACATATAATAAAAGATA	2,105,699	84
5234.	AAAGCCAATAGCATTCCAGAACGT[G, A]GCCCATCCAACAGCAAGCAATCAT	2,105,823	84
5235.	CGTTATGCTCGGCCACACCTAAC[C, G, A]ATCTCGAATCAAGTGTGCAATTGC	2,105,962	84
5236.	ATCCCCAAATACTGAAGAACCCCG[T, C]TATGCTCGGCCACACCTAACCGATC	2,105,984	84
5237.	ATAATGTTTGAAAGTAAATAAACA[G, A]GCATAGAAGTGAGAATGGACCTCAT	2,106,152	84
5238.	CATGCTAGCAGATGTACACCACCA[T, C]CCCTTTAGATTTGGAACGCCACAAG	2,106,250	84
5239.	TACTAGTTGGCAGACCATATCTCA[T, C]GCTAGCAGATGTACACCACCATCCC	2,106,272	84
5240.	CCTTCTATACTAGTTGGCAGACCA[T, C]ATCTCATGCTAGCAGATGTACACCA	2,106,279	84
5241.	ATCATGCTCTACATCGACTCAGGG[T, C]CAAGTAGAAGCTTGGCAGTATGTCG	2,106,379	84
5242.	CGCCGCATCATCATGCTCTACATC[G, A]ACTCAGGGTCAAGTAGAAGCTTGGC	2,106,388	84
5243.	AGGAACACATTAGGGGCATGCACA[C, T]AGATCTCCTACCATATAACTGAAGC	2,106,486	84
5244.	TGAAGGAACACATTAGGGGCATGC[A, G]CACAGATCTCCTACCATATAACTGA	2,106,489	84
5245.	TAACATCCGAGCCATGATGAAAAG[G, A]TGTAGGAATCCTCAGTACTCATCGG	2,106,737	84
5246.	AAAGATTAACCTCTCGGTGCACTC[C, T]GAGCCTCCAAATCCATCCACCATCC	2,106,869	84
5247.	CGCAAATAAGACCTGATCGAAAGA[T, C]ATCTCCAAGTACCTTCCACAAGAA	2,106,918	84
5248.	CTAGCTGGTATCCAAATCTCTCTC[A, G]CGCAAATAAGACCTGATCGAAAGAT	2,106,943	84
5249.	CGTCTCCTCCTCCCTAGCACAGCA[G, A]GAACACTCTAGCTGGTATCCAAATC	2,106,975	84
5250.	CACCCCTACTCTTGATCTTAGTC[G, A]GTCTAAGAAGGCCCAACAGGATCA	2,107,108	84
5251.	GCAGCATTGATAACTACATTGTGG[A, G]ATAGAACACCCCTACTCTTGATCT	2,107,139	84
5252.	TGTGGCTCTCTTCAAATGAACCA[T, A]GCCGAGGTCAATTCTGGATTCAAAAA	2,107,230	84
5253.	TTCACCTTAAAGTACCTCGGAGGA[A, G]AGGACTCCCAATGATAAACACCTT	2,107,361	84
5254.	AGAGTACAAAACCTGCACCTCCAA[A, G]CCTGCCGTGAACGCTACCATCAAAG	2,107,411	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5255.	ACGTCGCAACCTAATCAACTATAC[C, A]GTTGGCCTTCCGGAGAGCATGTCGG	2,107,704	84
5256.	AACCTCGGATCAGTCTCCAAAAAT[T, C]CATCGGAGTGTTCCACAACGAACGT	2,107,750	84
5257.	CAGAAAGTGAAACATCCTTGAAAG[A, G]CCAAGGAATCAACCTCGGATCAGTC	2,107,785	84
5258.	ATACGGAATCAAACATCCACGGT[C, G]TAGGGTGACTCTACGAGTCCAAATA	2,108,077	84
5259.	GAAgTTCTAGAAAGGTAATAAACT[T, C]GTTTTGAAATATGCCGAGAGTACGA	2,108,395	84
5260.	GAAAGAATGAGGTAGAAAAGCATT[T, C]CTTGAAAGAAAGTCTTTCTACCA	2,108,459	84
5261.	TCGATCTGATAGATCGCTACAAAT[T, C]GATTATGAATAATGATAAATTTTC	2,108,724	84
5262.	GAATGTACAATTCTGCGGTTTCCT[T, A]AGTCATCAATTGTGGGCATTTTTTT	2,110,260	84
5263.	AACCTTCCCCTCCTTCGTTGTAAG[C, A]AGTCTTATTGTTGTATATGAATGTA	2,110,303	84
5264.	ATAATTTGATTTCCTAAAGCTTCCC[C, T]AGCAGCACCTTTCATTTCATGTATTA	2,111,002	84
5265.	TATTAATCTCATCTGAATGGTATC[G, A]TGTAAGATTAGATTATATCAACAA	2,111,990	84
5266.	TGGCCAAACGTTAGCAGAACCCTA[C, T]CAGTTGCCACCCCTATACTGTGTGC	2,112,476	84
5267.	GGCTTTCGGATGGATATGGCCAAA[C, T]GTTAGCAGAACCTACCAGTTGCCA	2,112,492	84
5268.	TGGATATGGATGTAGGATTATAGA[T, C]AGGGGTTGGGTCTGACATATGTACT	2,112,544	84
5269.	CACTGTTTTACAAGTAGTGTTC[A, G]CAATCCTAAGTGTATGCCTTATCA	2,114,922	84
5270.	TGACTTCGGTTGCCTCTTCTCTA[C, T]GTGGATTAAGTGTATGCAAAGTGATC	2,115,107	84
5271.	CATGCTTTGGCAGTCATCTGACTT[C, T]GGTTGCCCTCTTCTTACGTGGATT	2,115,125	84
5272.	CAAAAGCTATTCTCTTTAGCTTGC[G, T]GAGGCATCATTACTTTTCCTCTTCA	2,115,436	84
5273.	CATTCAAGTGTATAATAGTTCCTT[T, C]TGTAGTTTCTACAAATCTCAGGATC	2,115,584	84
5274.	AACTAATCTCTCCCTCTCTCTCT[C, C]AACAGTCCATTTAACATTTTAATT	2,116,191	84
5275.	AAATATTCGATGTCATACCAGATT[T, C]TCTACCATCATAACAAAATAATG	2,116,329	84
5276.	CACCTTTCGGCCTTATAGTTTGAAT[A, G]TTGTGGGAATAAGGCCTTATAGTTT	2,116,395	84
5277.	TGGTACCTGTGAGATTCTCCAAA[T, C]GTATCCTCTTAGTTTATATTAGCTC	2,116,444	84
5278.	ATTTTCATCCGTGATTGCACCTCT[A, G]CTCTTCTTATCTGAAATTCGAAGAT	2,118,327	84
5279.	ACCAAAGAAATAATGAACACCGAT[A, T]AGAGTTCTAGATATCGAGAAAAGGA	2,118,444	84
5280.	TCATTACTGTCCATCATGGAATAC[T, C]ATACCGTCCCATACCGCCCGTAGCA	2,118,655	84
5281.	AACCAAATATATGATACTTTCT[C, A]ATAGTTTAGAACAGAAAATACTACA	2,120,420	84
5282.	TGAGCCAAATCACATGTAGAGAGG[C, T]AAGTGGTTGCGGGTGCTGGGGACTT	2,120,476	84
5283.	GCAGTTGTAGAATATATGAAAGAA[G, T]GGTGCATGTAATTGTTGTAAGCTTG	2,121,161	84
5284.	CTTTTATGGAATTTTCGGTTGAATC[G, A]TGATACAGCACAGCCTTCTGCACTT	2,121,232	84
5285.	TTTGAGGATTATTAAGTTGCTA[A, G]TCTTTGACCACAAGTTGGTGGAAAG	2,121,312	84
5286.	CATAAGGGCATAGCATTCACAA[C, T]TATTTATACTTCAGAATTCAGGTGG	2,121,868	84
5287.	CATCCACCTGTTCAATTTTCGGTAG[T, C]TATAATCCACCAAGAATTGATAT	2,122,435	84
5288.	GCAGAGATTGGTGATTGTTAGACT[T, G]ATCACCATTTTGCACTTCAGCTTCT	2,122,730	84
5289.	TTGGGTAGCCAAGATCAACCAATT[A, G]TAAGTGGGTGGGTATGGATTGAC	2,124,017	84
5290.	TTATATTAGTGTAAATTCATTAT[A, T]GTTGTTCTTGAACTTTTACTGTTT	2,125,059	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5291.	CCGGCCGGCAGGAGTTCCAATACC[G, A]AGTCCGCGAATCTTGATTCAATATT	2,125,202	84
5292.	GAGCGCCCTTGTTTCATGCTTGCA[G, A]CACCACAGGTATCAAGTGCGCCGTT	2,125,433	84
5293.	GCTATCGAAGGGCGTCGGGTCGCT[G, A]CCGTGGCCACCGCCACCGGGCAGC	2,125,685	84
5294.	GATCGTATTGGAGGGAGGAGCGAA[C, T]GGTGGAGGAGCTATCGAAGGGCGTC	2,125,719	84
5295.	AGAGAGAGAGGGGAGAGCGATCGTA[T, C]TGGAGGGAGGAGCGAACGGTGGAGG	2,125,736	84
5296.	ATCACGACGCCGTCGGAGGCCGAC[G, A]GTGGCCTGCTGTGGCCATCAGAGGG	2,125,844	84
5297.	TCAAAAAGAATGGCAATCTAATAT[A, G]ATCATTC AATACATAAAATTCGTA	2,126,026	84
5298.	GCTTTTGTACTTTTATGCCGACAA[C, T]GTTGTGGATGACTCAGTAAGGTGTG	2,127,146	84
5299.	GGGATTACTAACACTTCAAAGGAA[C, T]CTTAATGAACCTCTCTTAATTTAGT	2,128,887	84
5300.	CATTTTCTATGCTCTCAAGGGCAT[T, G]CTGGGATTACTAACACTTCAAAGGA	2,128,914	84
5301.	CCTATACCTGGTCATGTCCTTTTC[G, T]CAATAAATTATAACAAGCAAGAGAC	2,130,403	84
5302.	GGAGTTTGGAGGAGAGAAATAAAC[A, G]TACTCTAGGGGAAGGTCAAAGGAAC	2,130,583	84
5303.	GTTGAATATATGACTTAAAGACAA[A, T]ATCTGGAACAAAAAaGAAAAaTG	2,132,387	84
5304.	CAATCTGGCACAACCTGGTCTTCT[A, G]CTCTATTTGCACCTTTCTCTTCAA	2,132,513	84
5305.	ATCCACCAAGCTAGCCATCTTGGA[C, A]GAAGAAACATAGATCAACACCATTC	2,133,229	84
5306.	TAATCTTCTCTTCTCTGTGGCTA[G, A]ATAGTTTCTCTGCTAATATGTTTGT	2,133,507	84
5307.	GTCCCTTATTAAAGAATCATTAA[G, C]GTTAAAAAATGCAACTCCGTTCCG	2,133,841	84
5308.	TCTCGTTGCTGGTAGGCTTTGTGT[C, T]CCCTTATTAAAGAATCATTAAAGTT	2,133,863	84
5309.	CCATCCCGCCTTCTCTCCCTGC[C, T]GTCGGCTCGGCTGCCGTTCTCTCTT	2,134,491	84
5310.	ACTTGAGCTATCCGAAGAGAAACA[A, G]TTTTTCTTCTTCAAATTAAACTA	2,136,184	84
5311.	TTTCTTATAGCGTCTGGCATGTAT[A, G]CAAAGTAGAGGATCTGCATCCAG	2,136,348	84
5312.	TTGCGAAGATCGAAGTTTATCCTG[T, C]TTTCTTATAGCGTCTGGCATGTATA	2,136,373	84
5313.	GGTGTACACACAGTATATCTTCT[C, T]CTCGTTTGATTGGGTTGCGAAGATC	2,136,412	84
5314.	TGAGTTAGGAGTCTATATTTATT[G, A]GATCATGGGATTCATCTATAAATAG	2,137,204	84
5315.	CTCTTATGGGCCGACCAACACCTG[G, A]AAGCTTCCTTATTGTGGACGTCCCA	2,137,358	84
5316.	ATTCGAATCGGACCCATTTTGGAT[G, A]ATATATGAGAAATCCTTCTTGCAAT	2,137,419	84
5317.	TAAATTTGACAGCCTTTTCGAAATT[G, A]TTTCGAACCAGCTTCGAATTGAATT	2,137,466	84
5318.	GTAATAATTAATTTTAGATTATAT[T, C]TAAATTAATTAGACTTAATTGGATC	2,137,558	84
5319.	ATATGATCTATGGAGTATATGAAA[T, G]ATTGGATTTAAGTACTAATTAATTT	2,137,594	84
5320.	CACATGAGGTTCAAGTTCGATCAC[G, A]GAGATGAACAGTTTTCGATATATGA	2,137,638	84
5321.	GAGAATTAAGTTATGGATCGAATG[G, A]GATTGAAGAGTTGACTATGTCTAGC	2,137,696	84
5322.	AGTCACACACACAAGTCAAACACC[A, G]TAGGAAAGAATTAGCTTATATTTAT	2,137,798	84
5323.	AGTACAGAAGTCGGTTCCCTGTGCT[G, A]CTGGCTTAGTATTTAAACCTATGGA	2,137,847	84
5324.	GTATAGATTTTGAAATATTTT[T, A, G]TGATAATTTGACCTATTTGGACGTC	2,137,926	84
5325.	CAGGGTCAAAAGAATGAATTATAC[G, A]GTAACCATGTGTATAGATTTTGAAA	2,137,961	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5326.	AATCTGAAACCATCTAGAGCAT[C, T]AGGGTCAAAGAATGAATTATACGG	2,137,985	84
5327.	ATTGACAGTTAATCTGAAACCATC[C, A]TAGAGCATTCAGGGTCAAAGAATG	2,137,995	84
5328.	CTTAATCAGGATAATCTATGAGAT[G, A]GATTTGAAAGGTTGAAATACAATGT	2,138,061	84
5329.	ATATGTAGATCAAAATGGGATTGA[T, C]CCCTTCAGATTATTGGAGTTGATGT	2,138,137	84
5330.	TATAGTTAAGTACTTGTGAAGTCT[A, G]TATGTAGATCAAAATGGGATTGATC	2,138,161	84
5331.	AAGTATCTTTTCAGTTCTAAGATCA[T, C]CATAGTGACTTGCAAATAATTCTGT	2,138,264	84
5332.	CAAGGACTGTGGTGACACTGATAT[A, G]ACATACAGGTGTGATATAGGAGTAC	2,138,386	84
5333.	TGATACGTCATTATAGAATGCTAA[C, T]ATTTATCGAGTGAAGTCATTGTGT	2,138,463	84
5334.	AGTCCTTAGAACTATATTAGTGTA[T, C]GATAAAGAGAGAATTTATCGTATAG	2,138,537	84
5335.	TGAACCTTTGTATTGTGATGAAGT[C, T]CTTAGAATATATTAGTGATGATA	2,138,558	84
5336.	TGATAAATGAATAAAATTTATTCT[G, A]ACATTTTTTCATCACAAAGTTATAT	2,138,614	84
5337.	AATGGAAGATGGGTATAAGATACT[G, A]CCCCGATTGACTTTAGTCCAAGTTG	2,138,732	84
5338.	CCGACCCCTTTACTAAAGCTCTCG[G, A]GATCAAAGCGTTTCGATGACTTCAAA	2,138,780	84
5339.	CAATAGAAAGGAGAACCTAGCCGA[C, T]CCCTTTACTAAAGCTCTCGGGATCA	2,138,800	84
5340.	GCATCAGATATTGCAAAATATTCT[A, G]CATCGCTATTACTTGGTGCAGAGAGA	2,138,884	84
5341.	TCTGTATGCAAAACAGAAATACAAT[G, A]CTGCATCAGATATTGCAAAATATTC	2,138,911	84
5342.	AAGAATTTCAAGCAACATACTGTG[A, G]TCGATTCTGTATGCAAAACAGAAATA	2,138,941	84
5343.	TAATGGAGGAGCTATTGTGTCAGAA[G, A]AATTTCAAGCAACATACTGTGATCG	2,138,963	84
5344.	TTATGATGACAGCAGAAGCGTGT[C, A]AGCTATGTATTTATCTTAATGGAGG	2,139,004	84
5345.	CGGCAACTCCTGAGGAGAGAGCGC[A, G]TATGAGTACAATACCATATACTTTG	2,139,272	84
5346.	ACTCTTTTCAAAAAGATTGTCCG[G, A]CAACTCCTGAGGAGAGAGCGCATAT	2,139,294	84
5347.	AGGGATAAATTTAGAAGATTGCTT[G, A]GATTATCCTAATCCATGTACATCAA	2,139,411	84
5348.	GAATGAAGATCTATAGGGATAAAT[T, C]TAGAAGATTGCTTGGATTATCCTAA	2,139,425	84
5349.	AGTGTAAGCTATAGTTATCATCA[T, C]AGTTTTTCATGAAGAACTTGGGAGA	2,139,492	84
5350.	TATGTGGATGATATACTGTTACTA[G, A]AAAATGACATCCCGACTTTGTAGAG	2,139,540	84
5351.	TGTACTATATGTGGATGATATACT[G, A]TTACTAGAAAATGACATCCCGACTT	2,139,547	84
5352.	CTTTGCGTCTACAAGTGGGCTTC[G, A]ATTCTGTAGTCATCTTTCTTGTACT	2,139,591	84
5353.	ACAAGCTAAATAGGTCTATTATG[G, A]ACTTAAACAGGCGTCTAGAAGTTGG	2,139,698	84
5354.	CATCCATAGATGAGTCGAAAATGT[A, G]CAAGCTAAATAGGTCTATTTATGGA	2,139,722	84
5355.	CTGGAAGAAGAGGTGTATATGATA[C, T]AATCTGAAGGTTTCACATCCATAGA	2,139,762	84
5356.	TCCTGTGGCAATGCTCAAGTCCAT[T, C]CGAATTTTGTGCTATCGCTGCAC	2,139,868	84
5357.	TATAAAGCTCGTCTAATTACTAAG[G, A]TTTACCATCAACATTATGGTATTGA	2,139,936	84
5358.	GTATGGACACTAATTGATCCATCT[G, A]AAGGGATAAAATTCATAGGATGTAA	2,140,032	84
5359.	GAGATGGAGTCTATGGAGATCCAT[A, G]GTGTATGGACACTAATTGATCCATC	2,140,059	84
5360.	GGGCCCAGACTCTCAGAAATGGCTT[G, A]AGGCCATAAAGTCCGAGATGGAGTC	2,140,098	84
5361.	TGGATAGATACTATGATTTTTTTG[G, A]TCCAGAATGATGATTCCATTAAATT	2,140,183	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5362.	AATCAAATCTGGAGCCAATAGAGG[T, C]GCTATTAAGGAGATCCGGTAGAGTA	2,140,243	84
5363.	TTGATTGATGAATCAAATCTGGAG[C, T]CAATAGAGGTGCTATTAAGGAGATC	2,140,253	84
5364.	GACACACACAGAATTGAATTTGAT[T, C]GATGAATCAAATCTGGAGCCAATAG	2,140,272	84
5365.	AGTTCTTTAGTGAAAGAGCTAATG[C, T]CTGTAAATTTGAATTTGATGAAGTT	2,140,339	84
5366.	GTTTGCAGTTGGACAGTCTTTTG[G, A]AAAAAGAGTTCTTTAGTGAAAGAGC	2,140,370	84
5367.	CGATAAACTCTATATGAGATATG[G, A]ACTTGGCGTAAGCCGGTGCTCTCAC	2,140,561	84
5368.	TAGAGATATGCTCTTGAACTGCC[T, C]GTTATATTTGAATAAAGTGCCGAG	2,140,620	84
5369.	CACAACATAATGCGATATCTAAA[G, A]GAAAACTCAAATCTGTTAGATATG	2,140,712	84
5370.	CTCTTGGAGCACCACAACATAATG[C, T]GATATCTAAAAGGAAAAATCAAATC	2,140,724	84
5371.	GAAGTAGAGAAATAGATTGGAAG[G, A]GTATTAAGACCTTCGGTCAGACCG	2,140,845	84
5372.	TATTTGAAATATTCAAATGATTT[C, G]TGCTGAAGTAGAGAAATAGATTGGA	2,140,874	84
5373.	GATGACCTATCGAGGTATGAGTAT[G, A]TCTATCTTATGAAGCATAAATCAAA	2,140,926	84
5374.	TTTACAGATGACCTATCGAGGTAT[G, C]AGTATGTCTATCTTATGAAGCATAA	2,140,932	84
5375.	TAATACATACTGATGTATGCGGAT[C, T]TATGAACATAAGTGCCAGAGGAGGA	2,141,000	84
5376.	GATCTAATACATACTGATGTATGC[G, A]GATCTATGAACATAAGTGCCAGAGG	2,141,004	84
5377.	CTACTTGGTAAGATGACTAAGTCA[T, C]CTTTTAAAGAGAAAAGGTGAAAGAGC	2,141,067	84
5378.	TGAGATAGATGATTGTGAATCATT[A, G]CCAACCTACGAATCTCGTCTACTTG	2,141,110	84
5379.	ATATCCTAAATTAGATAATGTCAG[C, T]GAATCCTACCTTTGGCATTGTAGAC	2,141,212	84
5380.	CACGACCTGTTAGTATAATGTACA[G, A]CCAACAAATATCCTAAATTAGATAA	2,141,244	84
5381.	GATTTTTATGATATCATTATGAAT[A, G]ATACTGCAATTATGTGTGATAATT	2,141,317	84
5382.	TTTATAATAAAGGATGATTTTTAT[G, A]ATATCATTATGAATAACTGCAAT	2,141,332	84
5383.	GCCTTTTGGCCAACTTAGTTACA[A, G]GTTTATAATAAAGGATGATTTTTAT	2,141,358	84
5384.	AATATCATCTCTGTAGGCCTTTG[G, A]CCAACTTAGTTACAAGTTTATAAT	2,141,374	84
5385.	CAGCTTGCTCTTAATCCAGTAGT[G, A]TCATGTTAGATAATTATCACTATTG	2,141,440	84
5386.	TTCAGTTCTAGTCTTGAAACTTT[A, G]CAGCTTGCTCTTAATCCAGTAGTG	2,141,465	84
5387.	GAAAAaGATACAGAAATCCCATGC[C, T]ACCGATCCTAAGCAGAGTAAATCAT	2,141,821	84
5388.	AAAaAGAAAAaGATACAGAAATCC[C, T]ATGCCACCGATCCTAAGCAGAGTAA	2,141,826	84
5389.	AGGAGTTAGTGAATTTAGTGAGAG[G, A]ATTATCTACAGGACATCGATCCTTT	2,141,885	84
5390.	CAGAAGGAGTTAGTGAATTTAGTG[A, G]GAGGATTATCTACAGGACATCGATC	2,141,889	84
5391.	GAGGCTTTAGTCACCAATCATGTA[C, A]TGTACATAATTGAGCAGATTGAATA	2,142,111	84
5392.	GCAGCTATGAATGACAACTTAGT[C, T]GTAAGTTCAAAGATGCGCAGGTAGA	2,142,258	84
5393.	AAACCTACAGTCAATGCTCCTCGT[G, A]CCGTGAGAGATACTTACATGAAGTG	2,142,345	84
5394.	AGAATTAATGTAATTTTCGAATTG[G, A]AGGTAGAGGCTATCAATTCATAAAA	2,142,623	84
5395.	TCTAGTACCCACTAAAGAATTAAT[G, A]TAATTTTCGAATTGGAGGTAGAGGC	2,142,638	84
5396.	CACAGTCAGATCCGAATGCAGTCT[G, A]TGTGGATTCTAGTACCCACTAAAGA	2,142,670	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5397.	GGGGTAAAACCTAATTGCTAGAAA[T, G]TATTTGAAAAAATAATTGATTATGA	2,142,753	84
5398.	GCCTGGGGTAAAACCTAATTGCTA[G, A]AAATTATTTGAAAAAATAATTGATT	2,142,757	84
5399.	CTCAGGTTGATCGAGCCCACTCG[A, G]ATTGGAATATCCATTTGTTAGATAC	2,142,882	84
5400.	CATTCATCATATGACCATCATGAT[A, G]TACTTTCAGATCAATACTCAGGTTG	2,142,923	84
5401.	TTGATCATAGCCTCCTATTAAGGT[G, A]CGTGATAATGAGTCGAATATTTCAA	2,143,024	84
5402.	CTATATAACTTGATGAAGTTAGTG[A, G]GAGGATTTGCAGCTTGTAGGTCATC	2,143,153	84
5403.	TTTGATTAGGTCAGTCTATTCTATTC[G, A]TGCAGACCCATGCTATTAAGGTGAA	2,143,251	84
5404.	GATCATGGCTCCGTGGTTGAGCCC[G, A]AATCTTCTGATGGACCAAATCGAAA	2,143,451	84
5405.	CATGATCATGGCTCCGTGGTTGAG[C, T]CCGAATCTTCTGATGGACCAAATCG	2,143,454	84
5406.	TTGATCAAGTCCATATGTTTGATC[C, T]TAATAAATGGATCATGATCATGGCT	2,143,491	84
5407.	CAAAGGATTAGTTTGAATCAGATC[T, C]TTTTAATGGGTTAGACCTAGGGTTA	2,143,640	84
5408.	ACAGATTAATAACATGTTTGACA[C, T]AATTTGAATTAAGCTTTGAATGAT	2,143,738	84
5409.	GATCATACCTATATATGTTTAATT[G, A]TTGAACATATTATAAAAAATTTATTT	2,143,842	84
5410.	TTATCATGATGCATGAGATGTATG[T, A]ATGAAGTTTAGATCATACCTATATA	2,143,877	84
5411.	GAACAAATTTTATATATATTTT[A, G]ATCAAAATATATTTAGATTAGATTT	2,144,030	84
5412.	TCTCTTTTATCTATTTCGATGGGT[C, T]TCTTATGATGTGAGGGGTGTCATT	2,144,109	84
5413.	ATCATAGAGATTAATTTCTCTTTT[A, G]TCTATTCGATGGGTCTCTTATGAT	2,144,125	84
5414.	TTGATGAGATCACTAAACCATCCG[G, A]TCATAAGAGATCATAGAGATTAATT	2,144,159	84
5415.	TATAATTAATAAGATCAAGGATAT[G, A]TTCATGACATAAAAAATTTATTTATC	2,144,276	84
5416.	AATATTTTATAATCAGTATAAGAT[G, A]TGTTTCAGATTTGATATGATGTATC	2,144,351	84
5417.	CGCAAAATAGATTTTATCAGAAA[T, C]TTATTCCTCATACATTCATGTTTGC	2,144,439	84
5418.	AACCCCTCTCCAGTGTCAAAGTCT[G, A]AGTCCCTCCTTCAATGATTTTAAT	2,156,359	84
5419.	TGCTCCCGTAACTCTATATCGAAC[G, A]CCCACAACCCCTCTCCAGTGTCAAA	2,156,389	84
5420.	GAGACATAAATACATCAGGCATCT[C, T]AGTCCATAATGAGTTTGAGTCTGCT	2,156,435	84
5421.	TCTAATTTTATAGTAATTTCTGT[T, C]TAGTCAATTTGGTGAGGAGTTGATG	2,156,495	84
5422.	TAATATTTTGTACTCTAATTTT[A, C]AGTAATTTCTGTTTAGTCAATTTGG	2,156,508	84
5423.	CAACCACCATGTTTATCTCATAGG[C, A]ATCATTGTGAGAATTATGGAGAAAT	2,157,685	84
5424.	ATATATTTTACATGTATGAAAAAT[G, A]TCTTCACTTATCGATCTATTAATCC	2,157,829	84
5425.	ATACTAGATTATTTGTAGAAAATA[G, A]AAATATTTATTCAACAATCCGAG	2,158,169	84
5426.	TTCTTTTCTTTAATACTATATT[G, A]TCTTTTATTGCATTTGAACTTTAT	2,158,315	84
5427.	TATAGCACTAAATGGGTCCATCT[A, T]GATTTAATAGGGTCAAAATCCATTT	2,158,524	84
5428.	ATAAGATATTTGATAAAAAATTTA[A, G]TGCTTTATATTATGTTTGCCCTACC	2,158,630	84
5429.	GTGGGTCTACTTTCTTCTCTCAG[T, C]GGGAAAAATTTGGTAGATCTTAAA	2,158,750	84
5430.	TTTAGTGATATTTGCAATTCAAGT[G, A]GGTCTACTTCTTCTCTCAGTGGG	2,158,772	84
5431.	CTTGAGTGTTACTAACATTCTATT[G, T]CTATAAACTTCATTTATTTAGTGA	2,158,814	84
5432.	TTTCTTTAACTATTATAAGAAAG[C, T]GTTAGAGTAATAGATGCTCTTGAGT	2,158,857	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5433.	TATTTAAAAACACTTTTGATCAAA[C, T]ATTGTTATATTATATATTTTATA	2,158,910	84
5434.	GTGTCAACCAACAATTAGCTTCTA[G, A]AGCACATATCTAACATAAAATTTT	2,159,007	84
5435.	GTATAAAGTTTGTCTGAAATTA[T, C]AAAATGTGTCAACCAACAATTAGCT	2,159,037	84
5436.	TTAATTTTAAAGACAAATCATGGA[C, T]ACATAAATATAATTGAAATAAAAA	2,159,117	84
5437.	AATCTCTAACATCTTGAGAATATA[C, T]AAAAATTATTTTATTAATTTTAA	2,159,156	84
5438.	GATTCTTTAATTGAGAGCATTTAG[A, G]AACTAACCATTAATTAATGCATGTC	2,159,209	84
5439.	TCATATCCCTATGACGATTCTTT[A, G]ATTGAGAGCATTTAGAACTAACCA	2,159,225	84
5440.	TGCACTCTCATCCCAGTGTCTCTA[T, C]ACCGCAGATCTGAGACTTATCTATC	2,159,316	84
5441.	GGTCACGCTCAGTGCAAGTTGTT[C, T]CTAACAACCACTGGCCTGCACTCTC	2,159,357	84
5442.	AATATATACAGCAAGAATCCGAAT[G, T]GCTAGAGACCAAGAAAACGTACGT	2,159,527	84
5443.	CAAACAGCAAACCTGAACCTACTG[T, C]AGTCAATATATACAGCAAGAATCCG	2,159,556	84
5444.	ATAATCCATCAGTGACACCTAGCA[A, G]TATGTAGTGACAATTCAATAAAATA	2,159,874	84
5445.	AATAGGATTTCAATAAATTTCAAC[A, C]CAATTACAACCTCACAGTCTAATT	2,160,101	84
5446.	CTTCTCTGATTCCAAATCATTATC[T, T]AATCAGGCTAAAAGATTAGATCTT	2,160,707	84
5447.	CTAAGAGACCATCTTCTTAAATAG[G, A]CCTTTCTTGATTCCAAATCATTATC	2,160,733	84
5448.	TTAAATTTCAATCTTTTAGAATCC[T, A]AAGAGACCATCTTCTTAAATAGGCC	2,160,756	84
5449.	AGAAGAAGGAGAAAGGATGAGGCA[A, T]GGAGATATGGCAGGACGAGTTAGA	2,160,810	84
5450.	CCCTTGGGCATAGGAAAGAGAAGA[A, G]GGAGAAAGGATGAGGCAAGGAGATA	2,160,828	84
5451.	TCTACAGATATCCACTAAGATCAA[T, C]CTTGAATCTTTCTTCCATGGTAGA	2,161,034	84
5452.	TCATCACTATCGATGATCTTAGAT[C, T]CGAAAGTTCTTGAGCCGTACACGTG	2,161,091	84
5453.	AAAAATAAAATAAAAGATGAGAGT[G, A]AATCTCTATACATTTATGTAGTTA	2,161,145	84
5454.	AATCTAAAAATAAAATAAAGATG[A, G]GAGTGAATCTCTATACATTTATGTA	2,161,150	84
5455.	TTTAAAGTGTTAGAAAATCAGATA[A, G]GATGTATGCATAGATTTCAAAAATT	2,161,301	84
5456.	TACTAATTAATTACTATTTAATCA[G, A]AAAATATTATCCTCATAAGGTACTA	2,161,421	84
5457.	TCATTGTGGGCTGAATCTCGAGG[C, G]TCAAATCCTAACAATGATAAATAGT	2,161,497	84
5458.	CTCATTTGTGGGCTGAATCTCGAGG[C, T]ATCAAATCCTAACAATGATAAATAG	2,161,498	84
5459.	TTACATACATATTTAGTGATTAA[T, A]ATTATCATTTGCAAAAAATCTAAATC	2,164,896	84
5460.	GCATGCAAACTTCACTATGAAAA[A, A]AAATTTACAAGAGGAGACCTCACC	2,164,896	84
5461.	ATATTTATTTTAAAAACTTACAT[A, G]CATATTTAGTGATTAAATATTATCA	2,164,914	84
5462.	ATCAATGTGTCTAGCTGAAACCTC[G, A]TTACTTTTAAATTTATTAGATATA	2,164,968	84
5463.	ATATATTTAACTATTAAAAAaT[G, A]TTAAATATAAATAGGATATATAACA	2,165,018	84
5464.	GAAGTTTAAAAATAATATATTTAAC[C, T]TATTAaaaaaTGTTAAATATAAAT	2,165,031	84
5465.	TATTTATCTGACATGATCGACCAC[G, A]TAACATTTAGTAAATAGGATTGGC	2,165,086	84
5466.	ATAAATTAATTGTAATGCATCATT[G, A]GTGATTCAGTAATCATTAAATGTATA	2,165,196	84
5467.	AGTAAGTACAATATATTAATTATG[T, C]ACCCCTCTATATTAATAAATTAATT	2,165,235	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5468.	AACTTTAAGTTTCTTATATTTT[C, A]ATACAAATCATGTAGGATTAGTGTT	2,165,556	84
5469.	TATTATATTTTATATAAAAACTT[T, G]AAGTTTCTTATATTTTCATACAA	2,165,575	84
5470.	TAATATTGAATATTTTAACTT[T, C]ATATTATATTTTATATAAAAACTT	2,165,601	84
5471.	CTTTTAAAAATATAGGAGGTGAA[T, G]TGAAATCGAACTAAAAATCGAAGGAT	2,165,706	84
5472.	AAGGTTCAATTTGACACTTTTAA[A, G]TATAGGAGGTGAATTGAAATCGAA	2,165,721	84
5473.	ATTAAATAGTTTGTAAATAGAA[A, G]GGTTCATTTGACACTTTTAAATA	2,165,744	84
5474.	TATCATGTCAAGGTCACATGATAC[A, C]ATTTCATTAATAGAAATAGATAGTA	2,165,801	84
5475.	ACTTTTATATATATTTATATTTT[A, T]AATATGTGAAAAATTTATATATAC	2,165,966	84
5476.	ATAGAACACTTTTATATATTTA[T, C]ATTTTAAATATGTGAAAAATTTTA	2,165,973	84
5477.	TTTAACCTCATTCAAACCTTACTCG[T, C]GTAGCCAAATTAATTCACAATGAAT	2,166,189	84
5478.	TTGTGGTTAGGTCCTTGATGCAAT[G, A]GATCTTACTTTTAACTCATTCAA	2,166,224	84
5479.	ATACTATATGAGAAAATTGTGACC[T, C]TTAGAAGTTAGGGTTGTGGTTAGG	2,166,263	84
5480.	TTTGAATGCTGAAAAGGAATACTA[T, G]ATGAGAAAATTGTGACCTTTAGAAG	2,166,281	84
5481.	AATTTTATATGAAATGACTATCAA[A, G]AAAGCAATTTATGGTACTCAGCTA	2,166,350	84
5482.	TTTCAATTTATGAAGTATTGGGCT[A, G]TTATAATTTGACCTTTATAAATAGT	2,166,413	84
5483.	AGGTCTATTTAGATATCCGTATAA[T, C]GATCATGGATTGGGACATCCAGATA	2,166,478	84
5484.	GCTATATGTCAAATTTTATTTtTT[T, C]TATTTTATATTTTAAATAAGA	2,166,875	84
5485.	CTATCTATATAATAATTATAAAGC[G, A]ATATACGGATATTAGAGATGATATT	2,166,965	84
5486.	TACGTAAACATCTCCTCCCTTTG[A, G]AATGGAAATTGATGCATGGACAATG	2,167,083	84
5487.	GAATTAGTTGGGCAAGGAAGGATG[T, A]CTTGACATAAAATTTTCCAAGAAA	2,167,238	84
5488.	CCCTGGTGGCTTCTTCCAATCCGT[G, A]CCCTATGCTTCCACCATGGCCACCC	2,167,883	84
5489.	TCGTAAAGGTTTCTTTTCTT[A, G]CTGCCTTTACGAGTGGGACTATGAT	2,168,301	84
5490.	TGTGTATAATTAGCTGAACATCAA[A, C]TACTAGTCAAAAAAAAAaGCAGC	2,168,393	84
5491.	AGTTCTTAGCCTTGATACACTTA[T, C]TCACAACTGTACCAAAGACACCAA	2,168,514	84
5492.	ATCAGGGCTTAGTCAAAAATTTA[T, A]GTGGGATTCTAAAGCCTAAACTG	2,168,835	84
5493.	AATTTCTCCGGTTGTTAGTCACA[G, A]ATTGACAGATGCCTCATTTATTGCC	2,169,188	84
5494.	ATCAACAGTTGAAAATTTTCCGT[T, G]AATCTTCCCTTATTATGTATTTCTG	2,169,393	84
5495.	CATGGAACGTGGTCAAACCTAGCAT[G, A]CAGAAGCTCGGACATTCTGGTGCTG	2,170,204	84
5496.	ATGACATTAGTTAGGTTGTGGCTT[C, T]TCTTGCAAAACAGCAAACGTGACAT	2,170,938	84
5497.	GCCGGAACCGTCTTTCTTTCAAAG[A, T]CTCCAATCCTCTCTCTCTCTCTC	2,172,125	84
5498.	TCCCTCCCTGACGACGTGTCCCT[A, G]TCAGGCGACGTGGTGCTCCACGGAG	2,172,447	84
5499.	TTTTTTTTtGGTAGAAGTTTGA[T, A]AACTTATTTAAAGAAAGTCAAT	2,172,797	84
5500.	GAAAAGATTAATTTCTTACTATAG[C, T]TGCTTTAAGAAAACAGAAAACACA	2,172,931	84
5501.	GTCCACCTAATAGTAATTTATTCT[A, T]CCATACATAATTAATCTAGTTCACC	2,173,099	84
5502.	GAATTGATAAGTCCACCTAATAGT[A, T]ATTTATTCTACCATACATAATTAAT	2,173,109	84
5503.	TAGATTCTCATCTAGAAAATGTG[T, A]GCTTTATATCAACGTCATGAAATAT	2,173,176	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5504.	ACGTGCGCCTCATGGCTCTATCCA[A, T]GACTTTAATAGGAAAGAAGGCTCTG	2,173,794	84
5505.	CTCCCACAAGTGCCCAAAAATGGA[C, G]TTATTGGTTGTTTATTGTTGGCA	2,175,171	84
5506.	AGCTGAAGTCTTAGATTATTGCTC[T, C]GAGAGGTGTAGTGATGGAACCGAAA	2,176,993	84
5507.	ATAGAAAGAGTTAAATGATAGGGA[C, T]ATATTGAAATATCAACAATGCTTTT	2,177,070	84
5508.	CATATGTATAGAAAGAGTTAAATG[A, G]TAGGGACATATTGAAATATCAACAA	2,177,077	84
5509.	CTTCCTTGAAATTAGCTTTATTAT[G, A]ATGGTAACTAATATTTCTGAAATAT	2,177,202	84
5510.	TCCTATGAACATGCCTATAACACC[A, C]TGCCATTTCTAAAAGGGAAAAAGA	2,177,356	84
5511.	ATCTTGAAATTATATGACATCGTT[C, T]TGGTGCTCCTATGAACATGCCTATA	2,177,387	84
5512.	TCTCATAGACTATAAACCACTGTA[A, G]GATTATATATGATAATCCGGGCCAA	2,177,436	84
5513.	AACATTTTAGCATGCGTCCATCA[A, G]CCATGATTTTTTtAATTTtGATCT	2,177,841	84
5514.	CAAAAATGAGTGAAATACATAGGA[A, G]TAGTATGGAGTATAATTCATAAAAA	2,178,055	84
5515.	TTTGTGTTCTTTGAGCCATCGTC[G, A]TGAGAAAATATTCACAGCAACGGTG	2,178,148	84
5516.	GGCTGCCAAATGCTGGAAAGACTT[T, A]AAGACCTTTTACATAAAAGTTTtA	2,178,253	84
5517.	TTCATCTTTTTCACAAGAAAGATA[C, T]AGGTATGATTACAACCTTTATAAAT	2,178,911	84
5518.	ATTAATGATATAACAACTACTCA[T, G]GGATAATAATTCTCAAAGAAAATA	2,179,071	84
5519.	TATTAAGTAGTATAAAATAAATAT[G, A]AAAAAATTAATTTTACGAGAGAT	2,179,495	84
5520.	GATGATTTAAAAATAAGGTATATA[C, T]CACTTATTTATAATCGCAAGATCGC	2,179,604	84
5521.	CATTAATAATATAGCAAGCATGC[T, A]TCTTGACGGTTACACACCTCTATCT	2,180,510	84
5522.	TTCATGACAAGCCATTAAAAATTA[T, C]AGCAAGCATGCTTCTTGACGGTTAC	2,180,522	84
5523.	CGATGTGATGACCATTTCTGATGG[G, A]CACTTGATGGGGTCATTAACCTCAA	2,180,588	84
5524.	AGAAATCTTGGAATCCTAAGTC[G, T]TTGAACAAGTAGTCACATTTGTTTT	2,180,880	84
5525.	ATATCTTTGGCCAAATGGATAGGT[C, T]AGGCCATGAACTAAAATTAACAGGC	2,181,006	84
5526.	AATTAGAGAGTCAGAATTAGAGAG[C, T]CGACTTTCTTTGAGAGGCAGTCCAA	2,182,049	84
5527.	CATCCAATCAGAATTAGAGAGTCA[G, A]AATTAGAGAGCCGACTTTCTTTGAG	2,182,060	84
5528.	TTTATAAGTGGCATCCAATCAGAA[T, A]TAGAGAGTCAGAATTAGAGAGCCGA	2,182,071	84
5529.	TAGGAGTAATTTAAGAATTAATAA[A, G]AATTATTAATTCTTAGGATGATTTT	2,182,251	84
5530.	CACTTGCACTCTCGCTCATTATTC[C, T]CACACTGTAGACTAAAACTCGTCT	2,182,370	84
5531.	CCACTTGCACTCTCGCTCATTATTC[C, T]CCACTGTAGACTAAAACTCGTC	2,182,371	84
5532.	TGATCGCTCATTGATCAGACTCA[G, A]TACCGATGTTCTTAACAACCACTT	2,182,415	84
5533.	AACTACTCACACCACTACAGCAT[T, C]GAGACGATCATTGACGAGTGAGAAA	2,182,474	84
5534.	CAAAAACTACTCACACCACTACA[G, A]CATTGAGACGATCATTGACGAGTGA	2,182,478	84
5535.	TTGCTATGGCCACAACTTAAGGA[C, T]CCAGCCTCTCAAATTTCATAGTACT	2,182,696	84
5536.	ATTTAGTTTCTCTATCATGTGTCC[T, C]GATAGGATGGAGGTTATGAAAATC	2,182,834	84
5537.	TTGATTGCAACATTTATAATTAG[A, G]TCCTCCTAGCTACAATTAGCTGAT	2,183,196	84
5538.	TTCAATCTCAATCCAATTCGAATC[G, A]AATTCGAGTCCAACCTGATCCAGAC	2,183,375	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5539.	GGTTTGGGTTCATCTCAATCCAA[T, G]TCGAATCGAATTTCGAGTCCAACCTG	2,183,383	84
5540.	TCTCTAGGGTGATCGACCAGGAG[G, G]GGTGGGCATGTGGATTAGGGTGGA	2,183,791	84
5541.	TCTCCCTTTCTTTCTTTATTTTCT[T, G]CGCTGATCTCTCTCTTCTCTCTCT	2,183,836	84
5542.	AGGTACTAGCTCTCTGTAGATCT[T, C]ACTCCTTCAAGTTAGATCTAATCT	2,183,982	84
5543.	AGGCTAAAGTAGATCAAAGCATCC[A, G]AGATCCCCGAGGTACTAGCTCTCTT	2,184,016	84
5544.	GAAAAATAAATGAAAGTATGCAT[A, C]TAATTTTAAATAAATAATCAAAA	2,184,188	84
5545.	CATATGAACCCGTGACTCTGATAC[T, C]ACTATTGAATTTGAGGTGTCATGC	2,184,352	84
5546.	TTATGCCAAGACAATCTTATAGCA[T, C]ATCGATATCGAACTAATTAACATAT	2,184,589	84
5547.	AAATATATCATAAATCTCATACAT[A, G]ATTGTAGATTAAATCTAAATCGTT	2,184,682	84
5548.	TCGACTTGATTAACTACAACATAT[T, G]TTTAACTCTGAGAACTCTTGATCT	2,184,955	84
5549.	TTAACATATAGATATCAATCGACT[T, C]GATTAACACAACATATTATTTAAT	2,184,973	84
5550.	TTTGGGTCAAATCGAGTTAACATAT[A, G]GATATCAATCGACTTGATTAACAC	2,184,988	84
5551.	CTTACAATATTTAGTGCCCTAGC[A, G]TCTTAAATTAATATTCATCACCAC	2,185,133	84
5552.	TAATAAAATAATATTAATGATTAC[T, G]TACAATATTTAGTGCCTCTAGCATC	2,185,156	84
5553.	AAATAGACTAGATAGCATTAAATT[T, C]TTAATAAAATAATATTAATGATTAC	2,185,182	84
5554.	ACTCTCGATTACCTGTAATAAGTA[G, T]TAGATAGCATTAAATTTTAAATAA	2,185,199	84
5555.	TTCACACTGAAATAAGAGCTGATT[A, G]CTTGGTTCACCTCAAATCTGAACCA	2,185,280	84
5556.	CTTGCTGCGCCCGATGGTGGATGT[G, A]TCTCCTTGAATCCTTCATTTTCTC	2,185,801	84
5557.	AACCAAGTTGATCTTCTTGCTGCG[C, T]CCGATGGTGGATGTGCTCCTTGAA	2,185,816	84
5558.	CTTTTCATTAATCTTATAAAGAAG[C, T]ATACATAAAAAAAAAAaTTACGAT	2,185,878	84
5559.	AATAGTAAATTTATCTAATCTATA[A, G]AAAGTAGTAAATGCTAGGTTATAG	2,186,320	84
5560.	ATCTATTATGAAGTAGAAAACT[C, T]TAATTATATAAAATAGTAAATTAT	2,186,357	84
5561.	ACAGTTAAGAATAAAAGGTAAC[T, C]GTAATCCAAATAAAAGGCTAAGAAT	2,186,410	84
5562.	TAACACTTAACATATGCAATAAG[G, A]TAATCTCACAGTTAAGAATAAAGG	2,186,442	84
5563.	ATAGTAAATCACTAAGAATAATAG[G, A]CAATAATAAATAAGATAACTACTTA	2,186,482	84
5564.	TTTTAGGATAATAAATTTATCTAA[G, A]CTATAGAAAAAGTAAATCACTAAG	2,186,516	84
5565.	AAGATCAAGTGATTCTAACTAAAT[A, G]AAAAGTAAATCATACTAAGATTAAA	2,186,610	84
5566.	ATTAGATATTAGAAGATCAAGTGA[T, A]TCTAACTAAATAAAAGTAAATCAT	2,186,622	84
5567.	TTAAGTAGATTTTAAATTTAATT[G, A]ATTTATTTATATTAGTCAAGTGTTA	2,186,751	84
5568.	TCTGAAGATTTATCATCATCTTG[G, A]TCTTCAGGCTCTCCAGGTATGTACA	2,194,296	84
5569.	TGGCCCTTTTGCCATATCCCACAA[T, A]ACATAGCTTGGTCATTTTCTTAA	2,194,932	84
5570.	TTTTCTTTGAGATAACTCAAAAA[G, A]TTTTACTAAATATTCTCCTCTTCA	2,195,199	84
5571.	AGAAGGAGTCCATTATAAGACTAT[A, G]TCATTTTCTTTGAGATAACTCAAAA	2,195,227	84
5572.	AGAATCTTATTTAGTAAATAAATC[A, G]TGTTAGTAGAGCATAACCCATAAG	2,195,373	84
5573.	GTAGAAATAGATTTAGAGAGAATC[T, C]TATTTAGTAAATAAATCATGGTTAG	2,195,391	84
5574.	TATCTCATATGATATAGTAGAAAT[A, G]GATTTAGAGAGAACTTATTTAGTA	2,195,407	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5575.	TAGCCTCTAACTTGTGAGCCATTT[G, A]TCTTTTCACATAGGCTGGACATCTC	2,195,486	84
5576.	TGGACCTAGCCTCTAACTTGTGAG[C, T]CATTGTCTTTTCACATAGGCTGGA	2,195,492	84
5577.	AGCAAAAGTAGTATCATATTGATT[C, T]TTTAGGATACCTTATGAAGCAAGCT	2,195,546	84
5578.	CGTGTGCACTCACAATTACATTAT[G, A]ATCGTCTGAAAAGCAAAAGTAGTAT	2,195,582	84
5579.	ATTTTCTAGAAACATAGCGTGT[C, A]ACTCACAATTACATTATGATCGTCT	2,195,600	84
5580.	TAAATTATTTTCTAGAAACATAG[C, T]GTGTGCACTCACAATTACATTATGA	2,195,606	84
5581.	TAGATCCTCTGTAAAGCATACCTAA[G, A]TACCTTTCAAGAGGACAGGAGATCC	2,195,779	84
5582.	ATGATCCTTATCTCTACGAAGAA[T, C]ATTCTTCTAGATCCTCTGTAAGCA	2,195,812	84
5583.	TCTTTCTTGTAGTGTCTCCATGA[T, C]CCTTATCTCCTACGAAGAATATTTTC	2,195,832	84
5584.	TTATGATGAAAAATAATTTTATC[G, A]TAAATAATTTATTATTAGCAATAAA	2,195,958	84
5585.	ATTAACCTTTTCATCATAAACTT[T, C]TATTATTTATGATGAACTATTTTC	2,196,129	84
5586.	TATGTCAAAAATTTAATTATTATC[A, G]TCAATACTCATTATTTATGATGTAA	2,196,571	84
5587.	ATTTATGTCAAAAATTTAATTATT[A, G]TCATCAATACTCATTATTTATGATG	2,196,574	84
5588.	TCATCGCTAATACTCCATTATTTA[C, T]GACGTAATATTTTATCACAATAA	2,197,001	84
5589.	CAATGAAAATTGATGTTTCATCGC[T, C]AATACTCCATTATTTACGACGTAAT	2,197,018	84
5590.	ATTGACAATGAAAATTGATGTTTC[A, G]TCGCTAATACTCCATTATTTACGAC	2,197,023	84
5591.	TATGCACATATTATTTTTTAAAAA[T, C]TATCTAATATTTATTTTATAAATA	2,197,219	84
5592.	TTGTCTAGGATTGATTTTTGATTT[T, C]CATAATATTTTGGATCCAACCATTC	2,197,390	84
5593.	GGCCTATTTTACTATTGTCTAGGA[T, C]TGATTTTGTATTTTCATAATATTTT	2,197,404	84
5594.	GACAAGGAACAGATCATCAGTTT[C, G]GGATTTTTTAAATTAATAATTTTGAT	2,197,651	84
5595.	ATGTAAGTATTTTCTAGGCTTCG[A, G]AACCATGAATTAGACAAGGAACCAG	2,197,688	84
5596.	CTTGCTGTTCAAGAAATGTCGCAAC[C, T]AGAAGTAATTTCTAGACGTTGTTG	2,197,870	84
5597.	AAGATGGAGATGGATAGAATAAAG[C, T]AATTATAAATATAAACTCTTTTTC	2,197,931	84
5598.	TACGAAGATATTTAAAAGTTTCAA[A, G]AAATAATATTAAGCATACAGCTTG	2,198,007	84
5599.	GATACGAAGATATTTAAAAGTTT[C, A]AAAAATAATATTAAGCATACAGCT	2,198,009	84
5600.	TTACCTTATCAGCGGACGCGACTG[C, T]GATGGCGACGGTGATCGAGGATGGC	2,198,575	84
5601.	TCGGTTCACGATTTTAGTATGAAG[C, T]AATTTTATCAAAAATTTTAACTTGA	2,202,190	84
5602.	CTTTATAAATAATATACAGTCAT[T, C]TTTGCAGGCATGTATAAGAATATAG	2,202,359	84
5603.	TTATCAAATTTTCGACATTCAGTT[G, A]CTTATTCATTATCTTTATAAATAA	2,202,396	84
5604.	TAAATGTCATCTATTTTTCAGCT[A, G]TCTTTATGGACATATATAACCTTTG	2,202,528	84
5605.	GATGGCTAAGTATATTCTCCTCAG[G, A]AAGTCACTACTCATAATGTCATCTC	2,202,566	84
5606.	TCTTTCATACTAAAGAGTCGACC[A, G]GATGGCTAAGTATATTCTCCTCAGG	2,202,591	84
5607.	GACCAAGTCAGATATTGTGGGGAT[C, T]ACTCGCAAAGTATGAATGCTTTGCA	2,202,647	84
5608.	AGGTGACACATTATATACAACCTAG[T, C]ATCACAGGCCACATATTATAAAAGG	2,202,736	84
5609.	TTCATTACCTGGTGCTTTTCGATC[C, T]GGAATCAACTGTGACATAAAAAATAA	2,202,808	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5610.	TATACATCAATTTATTACCTGGT[G, A]CTTTCGGATCCGGAATCAACTGTGA	2,202,819	84
5611.	TATATACATCAATTTATTACCTG[G, A]TGCTTTCGGATCCGGAATCAACTGT	2,202,821	84
5612.	GTTGTATATATACATCAATTTTAT[T, A]ACCTGGTGGCTTTCGGATCCGGAATC	2,202,827	84
5613.	GACCTATGAAATATATTTTCTGTC[T, C]GTGCTTTAAATATAAAGAGGATGCA	2,203,058	84
5614.	TCCTTAGGTGGCGAACATCGGTCG[G, A]ACTTACCATCAAAATATTGGTTATA	2,203,149	84
5615.	ATTAGACATTTTCAATGACTTCAA[A, G]TTGTTCTAAAATTTTGTCTCATTT	2,203,202	84
5616.	TTTGTCCAATTCAGCTCAGCTTCA[G, A]TATGCTTCCACTGCGAGTACCCGA	2,203,263	84
5617.	TAGTTCGAAAAAGATGCTTCACTT[T, C]GTCCAATTCAGCTCAGCTTCAGTAT	2,203,285	84
5618.	ACCGATGATATTATCATAAATATT[T, C]TTTTCAATGTGTATTACATCGAGAT	2,203,366	84
5619.	TTTTTCTAGATGTTCAATACAGTA[C, T]CGATGATATTATCATAAATATTTT	2,203,389	84
5620.	GCAACTTCGATCGGATTCTCATTT[C, T]CTGCAAAATCAAGATGAGCTTTTGTA	2,203,450	84
5621.	GATTTTAAACCATCCACAGAAATT[T, C]TTCTTTTCTCACCACAGTGAAT	2,203,546	84
5622.	TAATTTTGGACAACACAGTTCTCG[G, A]AAGAACAATCCAGCTCAATCAATG	2,203,753	84
5623.	TTCTAAGTTACAAGAATGAGTAC[G, A]ATATCCTTCTCTAATTTTCAAGTA	2,203,813	84
5624.	ATCCAACGATAATGTACCGTCCG[A, G]CCAAAAGTCTTCTTTGGAAGATA	2,203,912	84
5625.	GGATACATCCAACGATAATGTACC[G, A]GTCCGACCAAAAGTGCTTTCTTTGG	2,203,918	84
5626.	GGCACGGTCTGTCTCGTCCGATTC[T, A]CCGTATTTTGGCACATCATCTCTG	2,206,064	84
5627.	AAAaTTAAaATTACCTACCATGT[A, G]CTCCATGTGACGAGCGAACGATCTC	2,206,129	84
5628.	CAATTTGAGAATTAAATAAAAAa[T, A]TTAAATAAATAAAATATATGCT	2,206,184	84
5629.	CAGAAATAGACTGAGATCTCATGT[C, T]TGCTTACGATCTTAAaATTAAa	2,206,399	84
5630.	CATCTGGATCTGAAGCTGCTGATA[T, C]TTATCGACGCGTGCAGCCAACTCCT	2,206,677	84
5631.	CTATCCACTCTATCATCTGGATCT[G, A]AAGCTGCTGATTTTATCGACGCT	2,206,690	84
5632.	GACATCTAGAGAACGAGCTGGAGA[C, T]GGAGAGCACTTGACGGAGCTCGAAC	2,206,785	84
5633.	ATATTAAATTAAaATTATAAAAAa[T, A]TTAAaTAAAAaTATATCAATAAG	2,206,847	84
5634.	TATATATTTATTAaaaaATTAAAT[C, T]ATGTTAGTAAATATATTTGACGAT	2,207,064	84
5635.	TAGCGATGAAaATTTTTCATCGC[C, T]ATTAATTCTAAAGTTTtagCGACTA	2,207,304	84
5636.	ATATTTATGATGAATTATACCATC[A, G]CTAATAAAATAAAAAaTTAATAGCGA	2,207,348	84
5637.	CATAATTTTCGTCACATAATTTTC[G, A]TCACCAATAATCGCATCGTTGATAA	2,207,493	84
5638.	TACAACAAAATAGGTTATTAGCGA[T, C]GAAAAATTTTCATCGCTAATAATCG	2,207,570	84
5639.	TTCACTCGAGCCTAGCTTTATAG[G, A]TCTCTACTTTACCATCTATACCTAT	2,207,791	84
5640.	GATCTCCATCACTAGATGTGAAAT[T, C]CTTAGGCTATTCCATATAGAAATCT	2,208,000	84
5641.	CTATATATAAATCTTTACAGCTTG[C, T]AGACTTTATGATCTCCATCACTAGA	2,208,034	84
5642.	GAAGCTTGTTTAACTCTATATATA[A, G]ATCTTTACAGCTTGACAGCTTTATG	2,208,049	84
5643.	TCGTTGAAATGAATATTCTAACTT[T, C]GAGAAGCTTGTTTAACTCTATATAT	2,208,076	84
5644.	TGTCATCCACGTACAGTACGAAGA[A, C]TGTGACAGCACTCCCACTGATCTTC	2,208,180	84
5645.	AAAAATGTAATTCCTCAATAAGGAG[G, A]ATGTCATCCAGTACAGTACGAAGA	2,208,206	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5646.	CAATCATCTTTTGATCAAAAATGT[A, C]ATTCCTCAATAAGGAGGATGTCATCC	2,208,222	84
5647.	ACTTCCCCTATGTACATTTTCTAT[G, A]AAAAACCAAGCATCCTTTTGGATCT	2,208,341	84
5648.	ATCCAGTACTCTTCGTCCAGATTC[G, A]ACTAATAACTGCTCATGACACTCAC	2,208,581	84
5649.	CACAGCTATCCAGTACTCTTCGTC[C, T]AGATTGCGACTAATAACTGCTCATGA	2,208,588	84
5650.	CTGAATTAATATATCCTTCGAACC[A, G]CAGCTCTGATCCTCCGTCAAAGATT	2,208,683	84
5651.	CACCATTGCATACAAACACACAAT[T, C]TGATATAGATCTTCTATCATCAAAA	2,208,746	84
5652.	TTGGAATCTTCCACCTGGTAGCT[T, C]CACCATTGCATACAAACACACAATT	2,208,771	84
5653.	TATCATTACACTAAGTTCTGCGAT[G, A]AATTTTTTATACCAGAAAGCTTCCT	2,208,883	84
5654.	TAAAGTAATGGCATCCAATATCAT[T, G]ACACTAAGTTCTGCGATGAATTTTT	2,208,901	84
5655.	AGTGCTATGGTGTCTATGTTGTCG[T, C]AGTATAAAGTAATGGCATCCAATAT	2,208,930	84
5656.	TAGACTCTTTAGTGAGTGCTATGG[T, C]GTCATTGTTGTCGTAGTATAAAGTA	2,208,944	84
5657.	TTTGATATGACTCCATAGGTTCT[A, G]TTCTGTCTGGTAGTGAGATATTGTC	2,216,699	84
5658.	GATGCTGAATCGACGAAGAAGGA[G, A]TGTGGAGAAGTTTCTGTCTGACT	2,216,699	84
5659.	CTTGATTATCAAAATTCATTTCT[T, G]TCATCATTGTACATCAGGTTTCTGA	2,216,699	84
5660.	AGTTGAGGAAGCCTTGGGTAACGT[G, A]CTTCATCTCTGCTTGAGCCACTTGT	2,216,699	84
5661.	TGGGTAACGTGCTTCATCTCTGCT[T, C]GAGCCACTTGTATAAAATCATATA	2,216,699	84
5662.	ATATGATTGTTACAGTGTGAGGCT[T, G]GCCAGCCCTGGCTTTGGATTGGGCC	2,216,699	84
5663.	TTGGAATCTTCCACCTGGTAGCT[T, C]CACCATTGCATACAAACACACAATT	2,216,699	84
5664.	CACCATTGCATACAAACACACAAT[T, C]TGATATAGATCTTCTATCATCAAAA	2,216,699	84
5665.	CACAGCTATCCAGTACTCTTCGTC[C, T]AGATTGCGACTAATAACTGCTCATGA	2,216,699	84
5666.	ATCCAGTACTCTTCGTCCAGATTC[G, A]ACTAATAACTGCTCATGACACTCAC	2,216,699	84
5667.	ACTTCCCCTATGTACATTTTCTAT[G, A]AAAAACCAAGCATCCTTTTGGATCT	2,216,699	84
5668.	CAATCATCTTTTGATCAAAAATGT[A, C]ATTCCTCAATAAGGAGGATGTCATCC	2,216,699	84
5669.	AAAAATGTAATTCCTCAATAAGGAG[G, A]ATGTCATCCACGTACAGTACGAAGA	2,216,699	84
5670.	TGTCATCCACGTACAGTACGAAGA[A, C]TGTGACGCACTCCCACTGATCTTC	2,216,699	84
5671.	ATCATTTTGTCTGCAATATGTTTG[A, G]CAGAAGAACAATCATTTCAGGCC	2,216,699	84
5672.	AAGGCGCAAATGCGAGAGTAATTA[G, T]AATCTACTGGGGCTATTTATATATA	2,216,699	84
5673.	GAGGTACAGAGCCACCATTGTTTC[C, T]GGAAGCTCTCTACCATTGCAGTGCA	2,216,699	84
5674.	TTCCGCCTTCGCCACATTGCAATT[C, T]CATCGCAAATTCGCCTCCAAGTCCA	2,216,699	84
5675.	AGGTCTCTCTAGCTAACAATTAGC[T, C]GATCCAATGCTTGTAACCTTTACAA	2,216,818	84
5676.	ATTGAATTGCAACATTTGCAATTA[G, C]GTCCTCTAGCTAACAATTAGCTGA	2,216,841	84
5677.	AGAACTTGTTTTCTAATTTGATC[T, C]CATCAAATGAATTGCAACATTTGC	2,216,872	84
5678.	AGGTCAAGCCCAAATAATTAGGC[T, C]TGATTTAATTAATTAGAAGCTTGGTT	2,216,911	84
5679.	GGCCGACTAGATGGAGGTGGGGT[C, T]GTGGATTAGGGTGAAGCGACGAGA	2,217,436	84
5680.	TAGAAGAAGACTCGCGGATCAACA[C, T]GCGAACACCTTTCGCATAGAATCGG	2,217,570	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5681.	CCGACCTCTACACGTATCCACACA[A, G]GGCTGAAGTAGATCGAAGTGTCGCA	2,217,693	84
5682.	AGGTTCCGTTGAAACCGCACATAC[A, G]TCCGACCTCTACACGTATCCACACA	2,217,719	84
5683.	AGTTCATATGATGAAAAACAAGAT[G, A]AAAACATGCATCTGATTTCAAAATA	2,217,853	84
5684.	CTAGTTCATATGATGAAAAACAAG[A, G]TGAAAACATGCATCTGATTTCAAAA	2,217,855	84
5685.	GAGTGAGACTTCCGCCAAATGAGA[T, A]AAATTTGCTTTTCCATATTATAAGT	2,218,048	84
5686.	ATCCAATTTCTTGATGACCCAGGA[C, G]GAAAATTTATATAGGGACATGAAGC	2,218,131	84
5687.	CGCCAAAATGAAACATTTAAGCCA[C, T]TACCAACCGTATATTTAGTTTGT	2,218,487	84
5688.	TTTTACCACGGCAACTATTGAATA[T, G]ATTTGAAAAAGAATTTTCAGTGGG	2,218,558	84
5689.	TGAAGACTTGGGTCTCCATGATTT[C, T]AGTATTTGTGCTTAACATCCTTTGG	2,218,558	84
5690.	GAAGACTTGGGTCTCCATGATTT[C, G]GTATTTGTGCTTAACATCCTTTGGA	2,218,558	84
5691.	ATCTGAGAGAATGGAGAGAAGACC[C, A]GCTTTTTCTGCTGCACTAATGGAG	2,218,674	84
5692.	ACATCTGAGAGAATGGAGAGAAGA[C, T]CCGCTTTTTCTGCTGCACTAATGG	2,218,676	84
5693.	CCAATCTTTATTAATAAAGAGCTA[C, T]ACAAGAGTAGGATACAGATAAGCTT	2,219,472	84
5694.	AGTTAGGCTTGATCAGAAGAACAC[G, A]AGATAGGTGAAGGGGAAGAAAAATT	2,219,726	84
5695.	ACAATACTGATTCCTGGAGATACT[C, T]ATAGTTAGGCTTGATCAGAAGAACA	2,219,753	84
5696.	CTACAAAAATACTAACACAACCTAC[C, A]AATGCAAGACAACCTTCTTCTTG	2,219,870	84
5697.	ACAATACTGATTCCTGGAGATACT[C, T]ATAGTTAGGCTTGATCAGAAGAACA	2,219,870	84
5698.	AGTTAGGCTTGATCAGAAGAACAC[G, A]AGATAGGTGAAGGGGAAGAAAAATT	2,219,870	84
5699.	TAGGAAGAAAACCTACAAAAATACT[A, T]ACACAACCTACAAATGCAAAGACAAC	2,219,881	84
5700.	GCTGGCAATGTGCACAGGCTACAC[A, T]ATTCTGTCAGGTTGGGAACCTCTCAG	2,220,085	84
5701.	ATTCTCTCAATGCTGGCAATGTGCA[C, T]AGGCTACACAATTCTGTCAGGTTGG	2,220,095	84
5702.	TTGTTAGTTGGCTCTCAAGCTGCT[G, A]CTATTCATTGCCTTCAACTTTGCA	2,220,200	84
5703.	CTTATTGAGTTGTATTAAATACAA[T, C]TTATTGATGCTGTATAATTTAACTT	2,220,200	84
5704.	TAGGAAGAAAACCTACAAAAATACT[A, T]ACACAACCTACAAATGCAAAGACAAC	2,220,200	84
5705.	GATTCGAGTGGTGCAGACCCAGAG[A, C]TCTTGGGTTGCCATCTCAGGCTTG	2,223,894	84
5706.	AGAATGTAAGATAACAGTTCACAG[C, A]AAGATTTACCGCAAAATCATCTAAT	2,224,178	84
5707.	TTGTCAGATACATAGAGAAGTTCA[G, A]AACAACATAAACTAATTGTACAAT	2,224,681	84
5708.	AGAAAGGGAAAAGTTATCTGGATT[G, A]AGTAGATATACATTTTGAACCTTGA	2,226,007	84
5709.	CACTTGAATCTAGGAGGGAGATCA[G, T]TTTATTATTGGATTACTTCTTCCCC	2,226,133	84
5710.	CCTCTGATATGTTTCAAAGCCAAC[G, A]AAACCCCTTACATGTTACCACTT	2,226,573	84
5711.	AAAAAATCTTAAATGAATCAAT[C, A]GAAAAGCATAGTTTACCATAGCCG	2,226,706	84
5712.	AAGAAATAATAGTAAGCAAATGAA[A, G]GTTATCAATTGCTGGATTAAATTTTC	2,226,893	84
5713.	ATTTTAGACAGGAACCTGGTACAAT[G, T]CTAAAGTTACAATTCTAAGTTTCAC	2,226,893	84
5714.	CACTTGAATCTAGGAGGGAGATCA[G, T]TTTATTATTGGATTACTTCTTCCCC	2,226,893	84
5715.	AGAATGTAAGATAACAGTTCACAG[C, A]AAGATTTACCGCAAAATCATCTAAT	2,226,893	84
5716.	CAATTTTCATATCCTTTTTCTCTA[A, T]GAGGTCCATTTTATGCCATGGTTGT	2,226,893	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5717.	GCTTGCTCGGACACACTTTAATTC[C, G]CAAATATTACTCATGTGTtTTTT	2,227,219	84
5718.	AATATTAGGGGTTAGTTCTATCAA[T, C]CCTTATTCGTTGAGCCTTCCCATTA	2,227,326	84
5719.	TTTAAACCTTGGTCCTAAATATT[A, C]GGGGTTAGTTCTATCAATCCTTATT	2,227,344	84
5720.	GAAACTCAAAAACCTGAAGATAAC[T, A]ATTAACCCGTTGAAACGGCTGAAA	2,227,431	84
5721.	TTATTTTGTAATTTTATCGGCTG[T, G]TTCCCGAAACTCAAAAACCTGAAG	2,227,462	84
5722.	TTTATTTTCTCTTATTTTGTAAT[T, A]TTTATCGGCTGTTTTCCCGAAACTC	2,227,474	84
5723.	GCATCAAAAGAATCTCACAAAAC[C, T]GTGGATTCTGTCTCTTTAGTCCT	2,227,553	84
5724.	CTATGAAGAGACTGTAAAGAAGTA[T, C]GCCAAGCTATGAAACATATACTTGC	2,227,777	84
5725.	ATCCTTCAACCACAGGAGAAAAAG[C, T]ACTTCTGTCAACATCTAGGGTTACT	2,227,865	84
5726.	GCATCAAAAGAATCTCACAAAAC[C, T]GTGGATTCTGTCTCTTTAGTCCT	2,227,865	84
5727.	GAAACTCAAAAACCTGAAGATAAC[T, A]ATTAACCCGTTGAAACGGCTGAAA	2,227,865	84
5728.	TCTCCACTAAATTTTTCACCTCAT[C, T]ACAAAGCTGTTATGAAGTTGGCCTT	2,228,720	84
5729.	TCTTCTCGATTCTTCGTAACATT[T, A]GTTGTGACATAGAAGATGGTGCTA	2,229,240	84
5730.	TAACATTATCTTCTCGATTCTTC[C, A]TAACATTGTTGTTGACATAGAAGA	2,229,248	84
5731.	CACCTTACCAATTAAAATCCTCAA[C, T]CTCCATTAAAACCTCTCCACCAAC	2,229,319	84
5732.	ACCCAACAACCATGCACAACATAC[C, A]ATCATTATGTGTTTGTCTACAAAA	2,230,789	84
5733.	TACCCGCTCTTCCCTTTTACCAAC[C, A]CAACCCAAACCAACAACCATGCAC	2,230,822	84
5734.	AATCCATCATTCAAACTAAAACAA[T, C]GCACCCAGGTTGCTCGGAAATTATA	2,230,969	84
5735.	TGCGAATCCATCATTCAAACTAAA[A, C]CAATGCACCCAGGTTGCTCGGAAAT	2,230,973	84
5736.	GCCAGCATGAAGTAGGAAAAACAA[T, C]CTAGCCATGTCTTGGAAGAAAATTC	2,231,217	84
5737.	AAGACAAATAGGTCGGCCAGAAAC[C, A]ACTTTAGCCAGCATGAAGTAGGAAA	2,231,248	84
5738.	ATAGGAAGGAACCAAGACAATAG[G, A]TCGGCCAGAAACCACTTTAGCCAGC	2,231,261	84
5739.	AAGGAaAAAAAaTAGTCTCTCT[T, G]GTCTTACCTTCTCTGATTCAAAAG	2,231,574	84
5740.	AAGACAAATAGGTCGGCCAGAAAC[C, A]ACTTTAGCCAGCATGAAGTAGGAAA	2,231,574	84
5741.	TGCGAATCCATCATTCAAACTAAA[A, C]CAATGCACCCAGGTTGCTCGGAAAT	2,231,574	84
5742.	AATCCATCATTCAAACTAAAACAA[T, C]GCACCCAGGTTGCTCGGAAATTATA	2,231,574	84
5743.	ACCCAACAACCATGCACAACATAC[C, A]ATCATTATGTGTTTGTCTACAAAA	2,231,574	84
5744.	TGATCTTTGTCTGTTATTTTGATG[G, A]CAATGCATTGTTTGTGGTCTGTT	2,231,574	84
5745.	CACCTTACCAATTAAAATCCTCAA[C, T]CTCCATTAAAACCTCTCCACCAAC	2,231,574	84
5746.	TCACCAAAACATGCTGCCAGGTAC[A, G]ATTCTTCTGGATAATCCGTCCTCTC	2,232,075	84
5747.	TTCTGTACGAGCTCGTCTCGCCA[A, G]AAAAGGTTACGGGAAGGCTCAAGGT	2,232,124	84
5748.	TGCTATCGGTTTCTGTACGAGCT[C, T]GTCTCGCCAAAAAGGTTACGGGAA	2,232,134	84
5749.	GAACATCATCTCCGTCTCCAGCGA[C, T]GATGACAGCGTCCATCGACCGAACT	2,232,189	84
5750.	CTAGAAGAGAAGAGGTAGCTGGGG[G, A]CTAGCTCTGCTTGAAGCCCAACC	2,232,322	84
5751.	CAGCAACCATGTGGGCATGCGTTA[G, A]CTGGCTTTTTTAATGGTTTAGGTAG	2,232,417	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5752.	GGTCAGCCAGTGGACTTCACACCA[G, A]CAACCATGTGGGCATGCGTTAGCTG	2,232,439	84
5753.	AAGTGGCCTTCCACCCCCACCA[C, T]ATACCATTATTCCATTCAACTCTCC	2,232,638	84
5754.	GCTTTATTGGGGACCGGATGAAGT[C, T]GATGTTACAACTTCAATATTATACT	2,232,968	84
5755.	GAAGATCTTCTCATCTTAAGGCCA[T, A]TGCTTCAGGTGCATACCAAATCTTA	2,232,968	84
5756.	GGTCAGCCAGTGGACTTCACACCA[G, A]CAACCATGTGGGCATGCGTTAGCTG	2,232,968	84
5757.	CAGCAACCATGTGGGCATGCGTTA[G, A]CTGGCTTTTAAATGGTTTAGGTAG	2,232,968	84
5758.	CTAGAAGAGAAGAGGTAGCTGGGG[G, A]CTAGCTCTGCTTTGAAGCCCAAACC	2,232,968	84
5759.	TCACCAAAACATGCTGCCAGGTAC[A, G]ATTCTTCTGGATAATCCGTCTCTC	2,232,968	84
5760.	TAGCACCCCAAGCTTGAAGCAAAT[T, C]GCTGTCTAGACTGCAGAGAAGAACA	2,241,530	84
5761.	GTAGAAGCATAATTGTGTTGTGGC[T, C]GACCAAGCCTCAAAAGGAGTAATAG	2,241,530	84
5762.	CAGGCTCTTTTTTCTCTCATTTCT[A, T]TGTTCCTCCCTAGACTTTCTGAAAG	2,241,530	84
5763.	GGTTAATCCTCAGGTTATTTTTAG[A, T]ATTAACCAGAAATCTTCCATGCA	2,241,530	84
5764.	ATGCAATTTGTGATCTATATATGC[G, A]TATAAAGTAGCATCAGTGGTAGTGT	2,241,530	84
5765.	CTACTACTTTGTACCTTAATCGCC[G, A]TGCTCCTAAACTATAAACAAGAACA	2,242,318	84
5766.	TACCTCCATATAAGTACCCAAAT[C, T]TTTTCAACAATCATCCATGATAAA	2,242,489	84
5767.	CAGTTGAAAGGTATTATTGTAGTT[T, C]CTTACCTCCATATAAGTACCCAAAA	2,242,516	84
5768.	TTTTCGTGTTTAAATTTCAAATT[T, C]ATATAGATCCATTCAAAATATTAT	2,242,655	84
5769.	CAATCCTAAATTTTTTAAGTAAAT[A, C]ACTAATATGAGATAAAATACATGCT	2,242,723	84
5770.	ATTTGAATACCACGTTCAAAAAA[C, T]TAATCAGAAGATATTATTCAGATTT	2,242,788	84
5771.	ATTAAAAAAATCATCAAAAAAA[C, T]CTTTGTGGGTATCTATAGTCCAAAA	2,242,869	84
5772.	TAGTTGATTTTGAATAAATTTGGAT[C, T]CTTAGCTTGATGTGAACGTCAGGAC	2,243,768	84
5773.	TTTGTCTGGAATTTATGATACTT[T, A]TAGTTGATTGAATAAATTTGGATC	2,243,793	84
5774.	ATCAGAGAGGATTTAACATATAGC[A, C]TATATGGACTAGGGATACTATAACA	2,243,880	84
5775.	TTGAAATGATATCAGAGAGGATTT[A, G]ACATATAGCATATATGGACTAGGGA	2,243,890	84
5776.	CAATTTTCCACATTAATTAATCTT[C, T]AATACAATTTGTGAATCCCTTTTGT	2,244,671	84
5777.	CTGACGGTGCATCATACCGTACGC[G, T]AAGATTCAGAGGGTGAAAAATTAG	2,245,411	84
5778.	CTACTCAGCCTTTAAGACCACACA[A, G]GGACATCTATTTGCTCGTAAGAGGG	2,245,562	84
5779.	ATTTCTTCCCTCTTCCCATCTCTC[G, A]CTTCCTTGCTACTCTCTCTCTTCT	2,245,616	84
5780.	CTACTCAGCCTTTAAGACCACACA[A, G]GGACATCTATTTGCTCGTAAGAGGG	2,245,616	84
5781.	GCTCTTCTTCTTGAAGCCAAGAAA[G, T]CCGAGCAAACATTTCTCCCTCTTC	2,245,651	84
5782.	TGGACCAACAATGCGGGGAAGAGC[T, A]ACTGGCGATGGGAAAATGGACTATG	2,245,855	84
5783.	GGTGGACTGAGTTACATAATGAAA[A, T]CATGGCATAGGTGGACCAACAATGC	2,245,891	84
5784.	GCAAGCTGAAAAATTTAGTGGCTG[T, G]GGTGGTGGAGTGCATGGTAGAGTT	2,246,737	84
5785.	AAGACAGCCTTCTTTTCGTACTAA[C, A]ATGTCCTCTGCCCTTCTGTGTTGTA	2,247,093	84
5786.	AAAAGTTTGGTATGGTAATGATGG[C, T]GGTTTGTGAGTGCACCTCAAGTAAT	2,247,168	84
5787.	TTTTAATGAGAAAAATATTTTTTT[T, C]tCTTTATGATTCGTAGAAGAAAAAT	2,247,284	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5788.	AAAAGTTGGTATGGTAATGATGG[C, T]GGTTTGTGAGTGCACCTCCAAGTAAT	2,247,284	84
5789.	ATAGGATGTCAGAAAAAaGAAGA[G, A]ATATTTTTtATTAAAAATTTAT	2,247,338	84
5790.	CTCAAATTATAATTTTCTGTATAA[A, G]ATATCATAATTTTTCATAGGATGT	2,247,379	84
5791.	ATAGGATGTCAGAAAAAaGAaGA[G, A]ATATTTTTTATTtAAAAATTTAT	2,247,379	84
5792.	CCTACGCTCAAATTATAATTTTCT[G, A]TATAAATATCATAATTTTTCATA	2,247,385	84
5793.	TTTtCATTTAAAAATTTGAATGAT[A, G]AAAAATATTCTTCTTCTCTGAAAA	2,247,466	84
5794.	CCTACGCTCAAATTATAATTTTCT[G, A]TATAAATATCATAATTTTTCATA	2,247,466	84
5795.	GTCGTCAATTTTATTTTTTtCATTT[A, G]AAATTTTGAATGATAAAAAATATTCT	2,247,481	84
5796.	CTCTATCTGATTGGGTCAATAGT[T, C]ACTGTTTTTCGATATGTATTAAATG	2,247,530	84
5797.	GAGATTCTTTGTACAACGCATGTG[G, T]TGTAGAAAAATATACCACTCTATC	2,247,573	84
5798.	CTAGGGATTTAATTAGATATTGGG[G, A]TGAAAGAGATTCTTTGTACAACGCA	2,247,603	84
5799.	CTTCCAGTCTGCCAGACCCACTAG[G, A]GATTTAATTAGATATTGGGGTGAAA	2,247,623	84
5800.	TTAGAGAAAAGATCAATCACTTTG[T, A]GACCAAGGGCTCCCCTAGTTATCA	2,247,749	84
5801.	CTGAGGTTTGAATCTGAAATCTCT[A, G]TTGAATTTTCTTCTCTTTTGAGGG	2,249,204	84
5802.	TCTGAGGTTTGAATCTGAAATCTC[T, C]ATTGAATTTTCTTCTCTTTTGAGG	2,249,205	84
5803.	CGAAAGATTCCCAGCAAGCCGTAC[A, T]TCAATACCTCATTTTCCAATCTGT	2,249,278	84
5804.	TTTTAAAGTCTCCATGTGCTTGCA[A, C]TTGGATATTAATTCATAGGTAGGAA	2,249,837	84
5805.	TGGCATCCAACACGTGAAATGTCC[C, A]CCTAATTCGGAAGACCTTTGCATC	2,249,895	84
5806.	GGAGGATGGAATGAATCTAATACC[T, C]CCCTCTGTCTGTATATAGGGGAA	2,250,070	84
5807.	GACCATGTGAACCGCCTCAAGAGC[G, T]TGAGTCGTGGTTTCTGGGCCTTGAT	2,250,398	84
5808.	ACATCATGTAACTTCACAAAGAAA[A, G]CGGGAAAGAAAAATGATACATGAAT	2,251,125	84
5809.	CTTGTCATTTTGTGGGACATGAA[T, C]ATAAAAACTATATGCATGCTATG	2,251,727	84
5810.	AAGCCAAGGATCCACTTAAGTTTA[T, C]TAACCTGTAGAGCAAGATTGGAAA	2,251,839	84
5811.	CTTGCCCCCAATCACATCCCTCTT[G, C]TTAGCAATCAGAGGTTATTAaaaaa	2,251,996	84
5812.	TAATAGTAAAGGATATTGTGTGC[T, G]ACGTCTTGCCCCCAATCACATCCCT	2,252,025	84
5813.	TCGACAACTAGCATTCATGGAT[G, A]ATTGTTAGGGGAACAATCTATAGA	2,252,137	84
5814.	TAATAGTAAAGGATATTGTGTGC[T, G]ACGTCTTGCCCCCAATCACATCCCT	2,252,137	84
5815.	CTTGCCCCCAATCACATCCCTCTT[G, C]TTAGCAATCAGAGGTTATTAaaaaa	2,252,137	84
5816.	AAGCCAAGGATCCACTTAAGTTTA[T, C]TAACCTGTAGAGCAAGATTGGAAA	2,252,137	84
5817.	CTTGTCATTTTGTGGGACATGAA[T, C]ATAAAAAaCTATATGCATGCTATG	2,252,137	84
5818.	ACATCATGTAACTTCACAAAGAAA[A, G]CGGGAAAGAAAAATGATACATGAAT	2,252,137	84
5819.	GACCATGTGAACCGCCTCAAGAGC[G, T]TGAGTCGTGGTTTCTGGGCCTTGAT	2,252,137	84
5820.	TGCTAGCATTTGGTCGTTGTACCCT[T, C]TGCTGCTGCCATTGTAAAACTAGTG	2,252,137	84
5821.	TTTTAAAGTCTCCATGTGCTTGCA[A, C]TTGGATATTAATTCATAGGTAGGAA	2,252,137	84
5822.	CGAAAGATTCCCAGCAAGCCGTAC[A, T]TCAATACCTCATTTTCCAATCTGT	2,252,137	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5823.	TCTGAGGTTTGAATCTGAAATCTC[T, C]ATTGAATTTCTCTCTTTTGAGAG	2,252,137	84
5824.	CTGAGGTTTGAATCTGAAATCTCT[A, G]TTGAATTTCTCTCTTTTGAGAGG	2,252,137	84
5825.	TTAGAGAAAAGATCAATCACTTTG[T, A]GACCAAGGGGCTCCCTAGTTATCA	2,252,137	84
5826.	CTTCCAGTCTGCCAGACCCACTAG[G, A]GATTTAATTAGATATTGGGGTGAAA	2,252,137	84
5827.	CTAGGGATTTAATTAGATATTGGG[G, A]TGAAAGAGATTCTTTGTACAACGCA	2,252,137	84
5828.	GTTACAATTAAGATAATATGTGCC[G, C]ACAATATTAACCTCGGACAACTAGC	2,252,174	84
5829.	GTACTATATGATTGCTAATTGGGT[T, G]ACAATTAAGATAATATGTGCCGAAC	2,252,196	84
5830.	ATAAACAAATGTTTCATGCATTTA[G, C]ATTGTACGTCATTATTAGCCGGATC	2,252,448	84
5831.	CATTAATATTAATTGATTCTTACC[A, G]ATTACAAACGAAAATTTGTTTATA	2,252,645	84
5832.	ATGTCTCCATCGATCTCTACGCAG[T, C]ACTCCTTTTAATTTTATGTTAAAT	2,253,020	84
5833.	AAATGGTTTCTTCTCACTATAGCA[G, A]TGATTGCTAGCTGGCTAGATGTCT	2,253,064	84
5834.	GCTTGACTTGTCTATATATATGT[G, T]CATGGTTGCTTTTGTGGTTAGGCTC	2,253,184	84
5835.	GATTATGAGTTGATTATTGGCTGT[A, G]AGATGCATATCTAATCAGTCTTAAA	2,254,302	84
5836.	TTGGACGTACGTACGTACGTACCC[T, C]AACGGACTAGGAAGACGGGATTCTT	2,254,445	84
5837.	GATTATGAGTTGATTATTGGCTGT[A, G]AGATGCATATCTAATCAGTCTTAAA	2,254,445	84
5838.	ATGCCATGGCTTCTTGACATTATC[C, T]ATCCCTTTATTCGTGGCTGAACCAG	2,254,445	84
5839.	GCTTGACTTGTCTATATATATGT[G, T]CATGGTTGCTTTTGTGGTTAGGCTC	2,254,445	84
5840.	AAATGGTTTCTTCTCACTATAGCA[G, A]TGATTGCTAGCTGGCTAGATGTCT	2,254,445	84
5841.	ATGTCTCCATCGATCTCTACGCAG[T, C]ACTCCTTTTAATTTTATGTTAAAT	2,254,445	84
5842.	TGACAAAATCATCAAAGTCTGGCA[C, T]TTTATGATAATTCTCTTTGTGGTTC	2,254,445	84
5843.	CATTAATATTAATTGATTCTTACC[A, G]ATTACAAACGAAAATTTGTTTATA	2,254,445	84
5844.	GTACTATATGATTGCTAATTGGGT[T, G]ACAATTAAGATAATATGTGCCGAAC	2,254,445	84
5845.	GTTACAATTAAGATAATATGTGCC[G, C]ACAATATTAACCTCGGACAACTAGC	2,254,445	84
5846.	GAACCATCCAAATCTCGATCAAGA[A, T]AGGTATGTGGTGGATAATAGGATGA	2,255,146	84
5847.	GACCAACCTGCATACCTTAATTCC[A, G]TCCAGCTACTTGGATGAGTTTCTC	2,255,379	84
5848.	ATATATAAGAGATCGACGATGATC[G, A]ATCTAGCTTGCAGACATATTGACAC	2,255,577	84
5849.	TCAGCCAAATATATAAGAGATCGA[C, A]GATGATCGATCTAGCTTGCAGACAT	2,255,585	84
5850.	CTATAGATGGAGCTTTTCTATTCC[C, T]TCTCTTCTCTCTCCATTTTCTAT	2,256,565	84
5851.	ACTATAGATGGAGCTTTTCTATTCC[C, A]CTCTCTTCTCTCTCCATTTTCTA	2,256,566	84
5852.	GGCTCAATGTGGACCAAAATTTAA[A, G]GTGTATTTCTTAACAAGCATGCATA	2,256,636	84
5853.	GGAACCTTACCACTCAATCGTTGTA[C, T]AAGAGTCTCTCAAGAAAAAATCCCA	2,257,371	84
5854.	TGAGAGAATAAAATAAGATCAATA[C, T]AAGAGGAACTTACCACTCAATCGTT	2,257,400	84
5855.	AAAGAAGAAACAAAATAAGAAACA[C, T]AATACAAATACGTGGATCGATCTCA	2,257,483	84
5856.	CTCGATCATACCGCTGCAGCCTA[C, T]ACTCTGGCACCACCTTGCTCTGATA	2,257,582	84
5857.	CTTGTTGGATGAGCACGTCTTCA[T, C]CCTTGCCTGCCACAAAGAGAAATTG	2,257,692	84
5858.	GCACGCTCTATCCCTCAATCATCC[G, A]CAGTTGATAAACTGCCTCCATCGA	2,257,950	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5859.	CTTGTGGATGAGCACGTCTTCA[T, C]CCTTGCCGCCACAAAGAGAAATTG	2,257,950	84
5860.	CTCGATCATCACCGCTGCAGCCTA[C, T]ACTCTGGCACCACCTTGCTCTGATA	2,257,950	84
5861.	AAAGAAGAAACAAAATAAGAAACA[C, T]AATACAAATACGTGGATCGATCTCA	2,257,950	84
5862.	TGCATGCCGAATCTAAATCCACT[G, A]CTGGAAGAGTAGATTCTCTCGTCA	2,258,463	84
5863.	TCACCAGAAAATTCATTAAACTTC[G, A]ATCCCTCTGATTAGTCCATCCATCT	2,258,463	84
5864.	AGATCCAAAAATTTCTTTCCACC[G, A]ATGGCTCCATGGCAGAGCAACAAAA	2,260,135	84
5865.	GATCATCATGTCCATCGTGAAAAC[G, C]GATCAAAGTCTAGACAATACCTTTC	2,260,406	84
5866.	AGATCCAAAAATTTCTTTCCACC[G, A]ATGGCTCCATGGCAGAGCAACAAAA	2,260,406	84
5867.	AGTCATACCAGCCATGATGAAATT[A, T]GTTGCATTATCGGTAATTACTTGGA	2,260,406	84
5868.	CCATGATGAAATTAGTTGCATTAT[C, T]GGTAATTACTTGGACAACATTTGCC	2,260,406	84
5869.	AAAAATAAGACACAGATGAATTAT[T, C]AAGAAGGAGACCAACAGCAATCAA	2,260,750	84
5870.	GGATGGCAAAAATTTTATTTGCCA[T, A]AGATGCATCAAAATTTTATAAATTA	2,260,979	84
5871.	ATAGAGATTAAAAAGCAGTCCAAG[G, A]TCTAAGAATATTCGTTACGACTGGA	2,261,026	84
5872.	CAGATGTTATCTTTAGTACTGTAC[C, A]CTATAGAGATTAAAAAGCAGTCCAA	2,261,053	84
5873.	ATGACATAGTAAGGTTCAAATAGG[T, C]GGAGTTGGAATGGGAGAGTCTTCAT	2,261,112	84
5874.	TAGAATTCAAACAAAAGATGACAT[A, T]GTAAGGTTCAAATAGTGGAGTTGG	2,261,129	84
5875.	TGATTTTACCTGGTGGGTTACCTG[G, T]CTGGGCTATTTACCGTCTTCCGTG	2,261,447	84
5876.	ATGCGCTCCCAACATGATTTTACC[T, C]GGTGGGTTACCTGGCTGGGCTATTT	2,261,461	84
5877.	GCAATTTACCATCCAGATACATGC[G, T]CTCCCAACATGATTTTACCTGGTGG	2,261,481	84
5878.	AAAAAAaTTAAAAaTAAAGTCGA[G, A]AGGAGGGAGAGTAAGAGAGCCCAAT	2,261,549	84
5879.	TAGAATTCAAACAAAAGATGACAT[A, T]GTAAGGTTCAAATAGTGGAGTTGG	2,261,549	84
5880.	ATGACATAGTAAGGTTCAAATAGG[T, C]GGAGTTGGAATGGGAGAGTCTTCAT	2,261,549	84
5881.	CAGATGTTATCTTTAGTACTGTAC[C, A]CTATAGAGATTAAAAAGCAGTCCAA	2,261,549	84
5882.	ATAGAGATTAAAAAGCAGTCCAAG[G, A]TCTAAGAATATTCGTTACGACTGGA	2,261,549	84
5883.	GGATGGCAAAAATTTTATTTGCCA[T, A]AGATGCATCAAAATTTTATAAATTA	2,261,549	84
5884.	ATTTTAAACAAATGCAAAAACAAT[T, A]TGCAATGTAGAATTAGAAATTAGAA	2,261,549	84
5885.	AAAAATAAGACACAGATGAATTAT[T, C]AAGAAGGAGACCAACAGCAATCAA	2,261,549	84
5886.	GGTGGTGGTGGAGGCGAAAGAGGC[A, G]TCGCTGTGAGAGATTGAATGGCTTT	2,261,994	84
5887.	GTGATCTTGCCATCGCCATCGACA[C, T]GGTTGAAGACGGCGAAGAGGTCGAA	2,262,176	84
5888.	TTCGTTTAACTTGTGGAATCTCCC[C, T]AATATCTTCCACATTAGATCTATG	2,262,176	84
5889.	AAAAATAATTCATTTTTTTTCATAAT[T, C]GAATCCGGACTCACCTAATAAAAT	2,262,440	84
5890.	TAAATATACATTTTAAGCCCCACT[G, A]GGGTCCAACGCATCTTATATTTTCG	2,262,645	84
5891.	AAAAATAATTCATTTTTTTTCATAAT[T, C]GAATCCGGACTCACCTAATAAAAT	2,262,645	84
5892.	GCCAAGTGGTGATGTGTTTTGGTC[C, T]GCGGTCACCTTGCACGATGTATCAA	2,262,758	84
5893.	TCTTTGTGTGGCTCTCGTGGACAC[C, A]AAATATTTTATATATGTTTGCACG	2,262,830	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5894.	GATGACCATGTCCGCACTTGATCT[G, T]AGCCAAAAGGCTGAGAAAGGTATAC	2,263,024	84
5895.	CGGACAATTGATTTGATTATAGTT[G, A]GTAAATAAGATGTTATCGGTGATGA	2,263,069	84
5896.	TCATTTAAAAGCCGAAATTAATGA[T, G]GCTTAAGATGCTTGAGGATGTATCT	2,263,444	84
5897.	TTGAACAAAAGAGGAGTAGGTGTA[G, A]AACCCCTTAGCAGGGCAGGCACTAT	2,264,187	84
5898.	TCATTTAAAAGCCGAAATTAATGA[T, G]GCTTAAGATGCTTGAGGATGTATCT	2,264,187	84
5899.	CAAGTACACATGCATGCATGCATG[T, C]ATGTATGAATCCAAGGTTGATGTAT	2,264,341	84
5900.	AGTTGTAGTTCCCTGCCAGGGTCCA[T, A]TGTTTTGAGCTATACAATTAGAGCA	2,264,792	84
5901.	CTACCAGAAAAGTAGATAAAATACG[T, A]AAACCAAGGCCATAGGAATTGCAGA	2,265,400	84
5902.	TATTTAGTAAAGTGTTTGGAGAGA[G, T]AGGAAGTATTTTTTGTCTTCAAAA	2,266,061	84
5903.	AGAGCTTGAAGAATTATCTGATT[T, C]AAAAATAAAATATTTTTTtGGATA	2,266,238	84
5904.	AACTTTTCATATCGATCAATCATT[C, T]TGAACTTAAATAAAGATTTTGGA	2,266,328	84
5905.	TATTTTTCAAATAATTGGAACATA[C, A]ATTTGAATAAACTCTTTTCGAAAA	2,266,380	84
5906.	ATCTTGCAATCGAGTCAACTCAA[A, T]TTTTAAAGAAATTTAGAAAAaTAA	2,266,779	84
5907.	TCACAGAAAGAGAGTCATTTTGCT[G, A]GATGATCTAGTCGAGGAAAAGCAAA	2,266,828	84
5908.	AAAGGTAGTTAGCCTCGATATTTA[A, G]AGGACAATTTACTTAGATTATGTTT	2,267,067	84
5909.	AAATTTCAAATTTTCAATGAATCC[T, A]ACAGGCATGGTGAAGATGTCTTTG	2,267,203	84
5910.	CTTTAAGCTTTTGATTGTACTTGA[C, T]GTACACTAAATCACTAAGCTTCTTT	2,267,203	84
5911.	GTACCAATCAATCATTATCAAAA[T, C]TTGTTTAAAAATATAATATTACTAT	2,267,203	84
5912.	CTACCAGAAAAGTAGATAAAATACG[T, A]AAACCAAGGCCATAGGAATTGCAGA	2,267,203	84
5913.	CCTGTTCAAACACACTCCAATTAC[G, A]CTCACAAACAGATGCACACCATTCC	2,267,203	84
5914.	AGTTGTAGTTCCCTGCCAGGGTCCA[T, A]TGTTTTGAGCTATACAATTAGAGCA	2,267,203	84
5915.	TTTCGCGTAAAAGATACAACCTAC[A, G]TCCATAAAGAACCAGCTCCTCAAGG	2,267,577	84
5916.	CTAATAGTTATGGCAACCAATACT[C, T]TATCCAAATTTGCTTAGATTAAAT	2,267,758	84
5917.	CATATTAATTTTGCTAATAGTTAT[G, T]GCAACCAATACTCTATCCAAATTTG	2,267,771	84
5918.	TATGTATGCATACCTCACGTGAA[A, G]CCATCATGTGCCCTTGATGTATG	2,267,919	84
5919.	CATCTTTGGTCTGTGAAAGGCTTC[A, G]CCAATTATGTATGCATACCTCACG	2,267,949	84
5920.	ATGAAATAATGAGGTAGGCGAAGA[C, T]CGATATAACCGCCATTATACCGTTA	2,268,109	84
5921.	ATCTTTTCTTTTGGAGTGCAAA[C, A]TAAATAGGTCAAAATTTAAGGAATA	2,268,381	84
5922.	AGATTGGTGGGAGAAAGTCGATAA[T, C]GGTGACAATTGGGAGGAAGATGGTG	2,268,656	84
5923.	GGGCGATGGCAGCGAAAAGAGCAG[G, A]GAGGAGGTCGATGTCTCTCTTTTC	2,268,880	84
5924.	TCAAACTCAACACGTGGTTTGAT[A, G]GAGATTTTAAAGAATAaAAAAAATC	2,269,154	84
5925.	TATTTTCTCTCTCTCTTAACAC[T, C]TGCTGCCCTAGCTACTGCACCCCAT	2,269,154	84
5926.	GGGCGATGGCAGCGAAAAGAGCAG[G, A]GAGGAGGTCGATGTCTCTCTTTTC	2,269,154	84
5927.	TTTLAGAAGTTTCTTGATTTTAGC[A, G]TGATCAAACTCAACACGTGGTTTG	2,269,182	84
5928.	GCAACATAAATGTTCTTTTAGAA[G, A]TTTCTTGATTTTAGCATGATCAAAA	2,269,198	84
5929.	ACACATTATCTATTACGATGGGCC[G, A]TCACCATAACTCTATCATCATTAT	2,269,380	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5930.	TTTAGAAGTTTCTTGATTTTAGC[A, G]TGATCAAACTCAACACGTGGTTTG	2,269,380	84
5931.	AAAaGTTATGTGGAGCTTGATCAC[A, G]TTCAAGCTCAGATAAGCTCAAGCTC	2,269,570	84
5932.	GTGTTCATATATAATCAATTGTTA[C, T]ACTAAATGTAGTGACTGCCCTTCAT	2,269,882	84
5933.	TAAGTTTGGTGGCTTTGAATGTGA[A, G]GTTGAAGCTGCTGTTGATCTTGATC	2,269,882	84
5934.	TAATGGTTTATCTCAAACTAGCC[G, A]CCCATCAATATGGCCACAATCATGC	2,270,189	84
5935.	TAATTATTGGATCAACACTCATCT[C, T]TCTATTTAAGTAAAAATAATCCAAG	2,270,240	84
5936.	AAAAaTATTCAAATATTTTATATT[T, C]ATCAAAATTAATTATTGGATCAACA	2,270,273	84
5937.	TGTGGCTTCTTCCATCTTTTTTTt[A, G]CACTCTATAACTTGGCATTGATGAA	2,270,394	84
5938.	TCAATCTCTTCTTCTGAACTAGAA[C, T]GAATCTCTTCATGATTTAAGTTTGG	2,270,394	84
5939.	GTCAGCTCTTGACTTTTTTTCATT[G, A]ATTTCTCATGATGTGGCTTCTTCCA	2,270,430	84
5940.	TTGTATATTTCTGAAATTTATGCA[G, T]AACTAGCCATAAAAGTTGTTAACCG	2,270,755	84
5941.	ATTATGATTTTTCTCAGATTATA[G, A]CTTGATTATTTTTCTTAACTAACAA	2,271,266	84
5942.	TCCTCAAACCATCCTTAAAAATTT[T, C]ATTATGATTTTTCTCAGATTATAG	2,271,291	84
5943.	TATTTATCTCTCAAACCATCCTTA[A, G]AAATTTTATTATGATTTTTCTCAG	2,271,298	84
5944.	AAAAAGTAAATAATAAGACACAAG[C, T]AAATACAAAAAATTTATAGTGATT	2,271,369	84
5945.	ATTGTGTGTGTGTGTGTGACAAA[A, C]AGATTAGCAATGCAATGTCTAGAAC	2,271,713	84
5946.	ATCTTCCATCTCCTTCCGAAATA[A, C]AaGAAAAATTAAGGTAAAAGAAAGC	2,271,936	84
5947.	CAAGAAACAGCACATTGGCTGCTA[A, T]ATTGTTCCAAACGAAGGAAGTTCTA	2,272,047	84
5948.	GGTTGCTTTATATATATATATATA[T, C]ACAAGCGATCAATTGATCCTTTTG	2,272,119	84
5949.	TACGGGGA AAAATATAAAACATGA[G, C]GTTGCTTTATATATATATATATA	2,272,143	84
5950.	TCTGCCAATTAGTTTGTATACGGG[G, A]AAAAATATAAAACATGAGGTTGCTT	2,272,161	84
5951.	TAAAATTTAAAATTTGGATGGCTA[T, C]GCCTCTGTACATCGGGAACAAA	2,272,373	84
5952.	TTCTTCAATAATGTTGTGGGAAAC[T, C]GTATTCTATTTTAGTTTCCCTCCCC	2,272,506	84
5953.	CAAGAAACAGCACATTGGCTGCTA[A, T]ATTGTTCCAAACGAAGGAAGTTCTA	2,272,506	84
5954.	ATATGTGTAGCTGCCCTCTGGAAC[A, G]GAATGCTTTGGTAGAGCATAATAAG	2,272,625	84
5955.	TGGGTGGGAGTGAGGGTGGAGCTG[A, T]GGTGGTGATGGACTTGGTGGGAGGT	2,272,840	84
5956.	TTCTCACAACCCACAAATCATGG[A, C]ATTCCACGATACACGGTTTCTCTGA	2,273,379	84
5957.	AAGCTTGTTTCTCACAACCCAC[A, T]ATCATGGAATTCACGATACACGGT	2,273,387	84
5958.	TGTGGTGGTCTCATTCAGCACA[C, T]ACAGCCACCTCTATCAATTAGATTT	2,275,059	84
5959.	AAAACTGTTGTTTGCAAGAAAGAT[T, A]CCCTGCTGCCAAATTGGGCAGCTGG	2,275,332	84
5960.	AAGCTTGTTTCTCACAACCCAC[A, T]ATCATGGAATTCACGATACACGGT	2,275,332	84
5961.	TTCTCACAACCCACAAATCATGG[A, C]ATTCCACGATACACGGTTTCTCTGA	2,275,332	84
5962.	GGTACTAGGCGCTGAAAAAGCGAA[A, C]ACCTGATTGAAGTCAGATGCCATGT	2,275,332	84
5963.	CACCTGCACACCATAAGCTGAAGG[T, A]TGTCCTACCAATTTGAGCTTCACAA	2,275,443	84
5964.	AATTTTAAAGCCTGGATTGGTACT[T, C]ATTTTGGGCTATTCTATCTGTAC	2,275,594	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
5965.	CACTACTAACTATAGGATATCGGT[A, C]AAGTTTATTATGCAATTCTCCTGTT	2,275,650	84
5966.	TTTCCATTGAGGGGTGAGATCA[C, G]GGGGCAAACGCCCTGCACTACTAAC	2,275,690	84
5967.	GCAAGGGAGGGAGACGGTACCTGT[T, G]GGAATTACCTAGAATTGAAGATTGA	2,275,771	84
5968.	AAAATAAAAGCAAGGGAGGGAGAC[G, A]GTACCTGTTGGAATTACCTAGAATT	2,275,780	84
5969.	TGATCAAAATTGGTCTCGAGGAAA[G, A]GGAGAGGGATGGTGGCTTCCAAGAA	2,276,364	84
5970.	TGTCAAATCAAGAAGTTGGAGCTC[T, C]TGATGCAAGAGGAGAGCTAAATGAT	2,277,100	84
5971.	AAATGGTGGTACTTGTGAGCCCAT[G, T]ATTGTCAAATCAAGAAGTTGGAGCT	2,277,127	84
5972.	ACAGTTACAGTAAGAGGGACAACC[A, T]GCTCAAAATAGTTTGTGGCTTTCT	2,277,525	84
5973.	TGATCAAAATTGGTCTCGAGGAAA[G, A]GGAGAGGGATGGTGGCTTCCAAGAA	2,277,525	84
5974.	ATAAGGAGGGAATGGTATAATGAA[C, G]AGGAGACAGTTACAGTAAGAGGGAC	2,277,555	84
5975.	GAGAGAATCGAAGCAAAAAGACTC[G, A]TGAGGGCAATTATTACGCAAAATATA	2,278,007	84
5976.	AGTGGCCAAAAGGAAGTGTCTAC[T, C]AGAAAATTGAGAGAGAATCGAAGCA	2,278,042	84
5977.	GCAAGAAAAACCGAGCGAGCAAA[A, C]AGGGTAGCAATGAAGCAGAACATGT	2,278,316	84
5978.	TCCCATGTGTtTTTTGCAAGAAA[A, G]ACCAGAGCGAGCAAAAAGGGTAGCA	2,278,332	84
5979.	AATGGTTTGGCGAGGCCCAAAAAA[T, A]ACATTTTAGCCTGATTGGGCCAGA	2,278,873	84
5980.	TTCTAACACACCTTCGTAGAATAT[A, C]GATCAAAATTAACGCAATTAAATCA	2,279,223	84
5981.	TCTTATCTTTGTAGCCACAGACT[C, T]TAGCTGAAAGCAGAAAGAACTAATG	2,279,454	84
5982.	ATATTTGTGCTTTTGTGTCCAT[A, T]ACATTATTGTGGGTGCAATCTTT	2,279,741	84
5983.	TTTTCAATCCTTTAAATTTGTGC[T, C]AGAGAATTAAGAAAATCCGGATCCT	2,280,097	84
5984.	ATATTTGTGCTTTTGTGTCCAT[A, T]ACATTATTGTGGGTGCAATCTTT	2,280,097	84
5985.	TCTTATCTTTGTAGCCACAGACT[C, T]TAGCTGAAAGCAGAAAGAACTAATG	2,280,097	84
5986.	TCAAAGTATTCTATTATATTTCT[T, G]ATAGGTCAAGAATGTTTGGTTTGCT	2,280,097	84
5987.	TTCTAACACACCTTCGTAGAATAT[A, C]GATCAAAATTAACGCAATTAAATCA	2,280,097	84
5988.	AATGGTTTGGCGAGGCCCAAAAAa[T, A]ACATTTTAGCCTGATTGGGCCAGA	2,280,097	84
5989.	TCCCATGTGTTTTTTtGCAAGAAA[A, G]ACCAGAGCGAGCAAAAAGGGTAGCA	2,280,097	84
5990.	GCAAGAAAAACCGAGCGAGCAAA[A, C]AGGGTAGCAATGAAGCAGAACATGT	2,280,097	84
5991.	TTCTTTTCAATCCTTTAAATTT[G, A]TGCTAGAGAATTAAGAAAATCCGGA	2,280,101	84
5992.	AGAATTGGAGTCATTTTAATCCAA[G, A]TTTGTAGGATTATTTCTGATTTT	2,280,239	84
5993.	TCTAACGAGGATAAACAAAGAAAAA[C, T]CTAATGATTTCTCCGATGAAAACCC	2,280,383	84
5994.	AGAATTGGAGTCATTTTAATCCAA[G, A]TTTGTAGGATTATTTCTGATTTT	2,280,383	84
5995.	AAGGCTTAATAACTTACCTAGGTC[T, C]AACGAGGATAAACAGAAAAACCTA	2,280,405	84
5996.	GCCATGGCCGTAGAATACTAGCCA[G, A]CAACCAATGTCAGCACTCGGTGCCT	2,280,607	84
5997.	CTCTCTTCTTTAAACAAGACCC[C, G]AATTTTATTCTTTTCCCTCTTCAT	2,280,660	84
5998.	AACACTACTAGTCAGAACCTCTC[T, C]CAGGGTCACCAATTGATCTGGGTTA	2,280,920	84
5999.	AAAAAAaTAAATATACATAATATT[A, G]TTTGTGTCCAACAATCCTTATCTCT	2,281,141	84
6000.	TACCTAAACCATCTGAAACCTTC[C, A]ATATTGATACGAGCATATGACATA	2,281,261	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6001.	CAAGACTATTTCGCAATCTAACGTG[C, G]CTAATCCAAATATCCCTTTCTTAAT	2,281,395	84
6002.	ATGACAAGACTATTTCGCAATCTAA[C, T]GTGCCAATCCAAATATCCCTTTCT	2,281,399	84
6003.	TTTCTGTCCATGACGAGCTATTCT[T, C]AGTATCACATTTCTATCCATGACAA	2,281,442	84
6004.	CAAGACTATTTCGCAATCTAACGTG[C, G]CTAATCCAAATATCCCTTTCTTAAT	2,281,442	84
6005.	TACCTAAACCATCTGAAAACCTTC[C, A]ATATTTGATACGAGCATATGACATA	2,281,442	84
6006.	TGGACCGCTATGGGAGGTCTAATC[A, G]TGGATCTATTTAAGTTGGGGCTAGT	2,281,442	84
6007.	AAAAAATAAATATACATAATATT[A, G]TTTGTGTCCAACAATCCTTATCTCT	2,281,442	84
6008.	CTCTCTTCTTTAAACAAAGCACCC[A, G]AATTTTATTCTTTTCCCTCTTCAT	2,281,442	84
6009.	CACATTAACATAATCTGAATCAAT[T, C]AACAGTTATCTTTAGGATTCTGAAC	2,281,679	84
6010.	ACAAAAATATATATCATATATCAT[C, T]GGATATCCCTCTTCTTCAAACTATT	2,281,795	84
6011.	CAAAAGAAAATATAAGCTATAAAA[C, T]CTCGTATCATGTATCCAATATAACT	2,281,859	84
6012.	ATCTGATCAAATTTTCAATTCGA[G, A]ATCCCAACCTTAGCTAAATATGAAC	2,282,023	84
6013.	ACTGTTATTGATGATGTTCTATCT[G, A]ATCAAATTTTCAATTCGAGATCCC	2,282,043	84
6014.	TCAAATTTTATATAATTTATAAAA[C, A]TCAATTATTCAACTGTTATTGATGA	2,282,079	84
6015.	ACAAAAATATATATCATATATCAT[C, T]GGATATCCCTCTTCTTCAAACTATT	2,282,079	84
6016.	TATTAACAAATATCAAATTTTATA[T, C]AATTTATAAACTCAATTATTCAAC	2,282,091	84
6017.	TTCATAATAAATATTTTATATTAA[C, T]AAATATCAAATTTTATATAATTTAT	2,282,109	84
6018.	GTCGGCTACATGATGTGGGCCCAT[A, G]AACCTTAGAGTAACATCCTAGAGAT	2,282,218	84
6019.	CAAAACCCAGCACCCAGGTGCGCTA[C, T]ATGATGTGGGCCATAAACCTTAGA	2,282,234	84
6020.	TGTATTAGAAGAGCCAACTAATT[A, G]AAGTGTGAACAACTATGCTGGCA	2,282,309	84
6021.	TCACAAGAGCTGATAAATGTTAGC[A, G]TCCGCCACCGACTCCATTTTGTCT	2,282,889	84
6022.	TGTATTAGAAGAGCCAACTAATT[A, G]AAGTGTGAACAACTATGCTGGCA	2,282,889	84
6023.	CAAAACCCAGCACCCAGGTGCGCTA[C, T]ATGATGTGGGCCATAAACCTTAGA	2,282,889	84
6024.	GTCGGCTACATGATGTGGGCCCAT[A, G]AACCTTAGAGTAACATCCTAGAGAT	2,282,889	84
6025.	CCAACAGCCCCACTGAACTGGCAG[T, G]GCAATTCATGAAAGTTATCACACTG	2,282,889	84
6026.	TTCATAATAAATATTTTATATTAA[C, T]AAATATCAAATTTTATATAATTTAT	2,282,889	84
6027.	TATTAACAAATATCAAATTTTATA[T, C]AATTTATAAACTCAATTATTCAAC	2,282,889	84
6028.	GATACAAGAACCAAATATCTCAT[T, C]GATGATCTCTGCTCCATCATTTGC	2,283,818	84
6029.	AATTAATCAGAAATGGAATCATGT[A, T]CTTCTATGTATATATCCATGTTT	2,283,897	84
6030.	GGGACAATTGTGGAGAGGGCCAAG[T, A]CCAACCAATAGCCTAACAAAGGTGTC	2,284,596	84
6031.	AGCCATACATCTCTAGATAACAG[C, T]ATGAGATATGGTTGTAACTTTGCA	2,284,596	84
6032.	TGATAGAATATATAAAGTTGGGGA[C, A]AATTGTGGAGAGGGCCAAGTCCAAC	2,284,616	84
6033.	TTACTTTTCCTACCACTGTCTTGT[G, A]TGACAATCTTGTTTGATTGTTGGGT	2,285,645	84
6034.	GTATGATGATTTTCTTAACAAGA[T, C]GGGATTTATGATTTGACCTTTTCTT	2,285,645	84
6035.	AACAGCTTCTTCCTTAAGCCTTTT[T, C]CTTGCCCCCTCCCTACCATTAC	2,286,266	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6036.	TGCCTCGTTGTTTCTAAAGTTCAC[T, A]GTCTCCATAAAGAATGCACCTTGT	2,286,321	84
6037.	TGGGGAACCTCCGATCCAATCCTTT[A, G]GTCTCGACTGGTGAAATCAAAGCTT	2,287,839	84
6038.	TCTTGCGTGTGAGGATGGAACCTCG[T, C]AGCAGAACCACACCTCCATTGTCAT	2,288,047	84
6039.	CACATTGGTATCACCAAGTGGGTC[G, A]GAGGTCTGCGTGTGAGGATGGAAC	2,288,076	84
6040.	ACGAAATCCAAACATTTGTTATCA[T, C]GACACTAAATTAATTTGGACTTCC	2,288,400	84
6041.	TTTATTAAAGTACGAAATCCAAAC[A, T]TTTGTATCATGACACTAAATTAAT	2,288,411	84
6042.	ATTGTGGAGTGAAAGAAAATCATC[G, A]GAGTACCATTGACTAGGATGGCAAG	2,288,656	84
6043.	TATAAGGAGAAAGAGGATAATCTT[G, A]GGGAAATCCGATTGTGGAGTGAAAG	2,288,691	84
6044.	ACCATCGCCCAACCTAGCAAGAA[T, C]AGTCATTTGTCAAGAGTAAGTGAGG	2,288,843	84
6045.	ATACCATCGCCCAACCTAGCAAGA[A, G]ATAGTCATTTGTCAAGAGTAAGTGA	2,288,845	84
6046.	GCCTTCGATGAGGTTTAATCTTTA[G, A]GCTAAAGTAGATAACCAACTTTAGT	2,288,962	84
6047.	CTGCCTTCGATGAGGTTTAATCTT[T, C]AGGCTAAAGTAGATAACCAACTTTA	2,288,964	84
6048.	TACTCCCATGCCCAAATACTCCCT[G, A]ATCGTCTGCCTTCGATGAGGTTTAA	2,288,994	84
6049.	TCTGACCCATGATCGGGACCCCTA[C, A]GTAGTGCCACACTTTGACCTACTCC	2,289,038	84
6050.	CATCCTCTCCCTAATGCTTTACTT[C, T]ATCTTAATATACTTTGATCTCCACA	2,289,091	84
6051.	TGATTGGACCAACATCACTTGACC[C, T]ATCATAGATAGCGACTTGACTTGCC	2,289,148	84
6052.	CATCCTCTCCCTAATGCTTTACTT[C, T]ATCTTAATATACTTTGATCTCCACA	2,289,148	84
6053.	TACTCCCATGCCCAAATACTCCCT[G, A]ATCGTCTGCCTTCGATGAGGTTTAA	2,289,148	84
6054.	CTGCCTTCGATGAGGTTTAATCTT[T, C]AGGCTAAAGTAGATAACCAACTTTA	2,289,148	84
6055.	GCCTTCGATGAGGTTTAATCTTTA[G, A]GCTAAAGTAGATAACCAACTTTAGT	2,289,148	84
6056.	ATACCATCGCCCAACCTAGCAAGA[A, G]ATAGTCATTTGTCAAGAGTAAGTGA	2,289,148	84
6057.	ACCATCGCCCAACCTAGCAAGAA[T, C]AGTCATTTGTCAAGAGTAAGTGAGG	2,289,148	84
6058.	TATAAGGAGAAAGAGGATAATCTT[G, A]GGGAAATCCGATTGTGGAGTGAAAG	2,289,148	84
6059.	TTTATTAAAGTACGAAATCCAAAC[A, T]TTTGTATCATGACACTAAATTAAT	2,289,148	84
6060.	ACGAAATCCAAACATTTGTTATCA[T, C]GACACTAAATTAATTTGGACTTCC	2,289,148	84
6061.	CACATTGGTATCACCAAGTGGGTC[G, A]GAGGTCTGCGTGTGAGGATGGAAC	2,289,148	84
6062.	TCTTGCGTGTGAGGATGGAACCTCG[T, C]AGCAGAACCACACCTCCATTGTCAT	2,289,148	84
6063.	TGGGGAACCTCCGATCCAATCCTTT[A, G]GTCTCGACTGGTGAAATCAAAGCTT	2,289,148	84
6064.	GCTGATTGGACCAACATCACTTGA[C, T]CCATCATAGATAGCGACTTGACTTG	2,289,150	84
6065.	TAGTTTCAGGCTGAAGAGAGAGAGG[A, G]AAGAGAGAGAACTCTCTTTCTCAT	2,289,286	84
6066.	AGAGAGAAAAATAGAGAGAGAAAGT[T, C]CAATTTTAGAGAGAGAAAACTAG	2,289,333	84
6067.	GAGAGAGAATTTTAGAGAGAGAAA[A, G]TAGAGAGAGAAAGTTCAATTTTAGA	2,289,348	84
6068.	CACAGATCAAAAATTCATCATGAG[A, G]ATCATTTAAATTCATCATATTCTT	2,289,437	84
6069.	GTCGGTGTACCGTCCGACGATCAC[A, G]GATCAAAAATTCATCATGAGAATCA	2,289,458	84
6070.	CATGATAAATAAAATCTAAAAATA[T, C]CTGATCTGATCAAAGTGGATGTCGG	2,289,503	84
6071.	GTCGGTGTACCGTCCGACGATCAC[A, G]GATCAAAAATTCATCATGAGAATCA	2,289,503	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6072.	CACAGATCAAAAATTCATCATGAG[A, G]ATCATTTAAATTCATCATCATTCTT	2,289,503	84
6073.	AGAGAGAAAATAGAGAGAGAAAGT[T, C]CAATTTTAGAGAGAGAAAATACTAG	2,289,503	84
6074.	GTGAACAATTCAATAAAATCATGA[T, G]AAATAAAATCTAAAAATATCTGATC	2,289,522	84
6075.	ATTAGATTAAAGAAAGAGATTGAC[T, C]TGCATTAATATAATCATATAGTTCA	2,321,352	84
6076.	TTTGCAAACCATGGTCATATGGCC[G, A]CCATTAAATCAAACTCAATAATTT	2,321,352	84
6077.	AAGCGGCTATATGGCTTAGAAGAC[T, C]ATCAACTATGCCTAAGACATGCTGC	2,321,650	84
6078.	AGCAGTTATATGGCCTTTTTTTG[G, C]CGATAAGCGGCTATATGGCTTAGA	2,321,680	84
6079.	AATCTCTAGCTAAGATTAAGAAA[C, T]GAAATCAAAACAGTCGGAACCAAA	2,322,179	84
6080.	TTGCGGAAGTCTGAGTGAAACCAT[G, A]GCTTCTATCCGCGAGCACGGTTTCG	2,323,099	84
6081.	GCTATTATTGTTATGCACATTGCC[G, A]TCATGATCGGCATCTGGCTTCTCGA	2,323,632	84
6082.	TGTTTTCTACATTTCATGCCATTCT[C, G]ATGTGCATCATGTGGATATATACAT	2,323,632	84
6083.	TTGCGGAAGTCTGAGTGAAACCAT[G, A]GCTTCTATCCGCGAGCACGGTTTCG	2,323,632	84
6084.	TTTAAAGAAAAGAAAATAGGAGC[G, A]TGATTTTGACATTCAAATCATGATG	2,323,632	84
6085.	TTTCGGTCTCATTCTTCCTGAGA[G, T]CTGACGCTTAACGCAGTCGGGCACT	2,323,684	84
6086.	TTTTCGGTCTCATTCCTTCCTGAG[A, C]GCTGACGCTTAACGCAGTCGGGCAC	2,323,685	84
6087.	ATTCTTTTGACTTACTTCGCTCTG[A, G]TTACCGATTCTTCTCCTTCATAAT	2,323,830	84
6088.	AAGTAGAAGAATTTCAGTACGCATC[C, T]ATGATTCTTTTGACTTACTTCGCTC	2,323,858	84
6089.	GCACAACAATCCAAGTAGAAGAAT[T, G]CAGTACGCATCCATGATTCTTTTGA	2,323,870	84
6090.	AGTTGCATCCAACTCACTCTTTC[T, A]GACAAATTATGCACCTTCTGCAGCAC	2,324,017	84
6091.	AACTAAGAAGGATTATTCGAGTCA[A, G]GCAGGTTAGTTGCATCCAACTCAC	2,324,049	84
6092.	G TTCAGATATCAGGCATTCTTCAT[T, C]TAAGTTATGAATCCAACTAAGAAG	2,324,089	84
6093.	GCATTAAAAACATGAACACTAAA[T, G]TTAGATGGACAAAATGTACCTTA	2,324,211	84
6094.	TAAAAGTGTTATTTCGAAATCAATC[A, G]GGCAACCTCTTTCAAAATTCACCAC	2,324,262	84
6095.	GTCGTCGGTTCTTGTTTTCTGTAT[T, C]TTTTtCAAGTCTAGGCTTCGGTGAT	2,324,941	84
6096.	CTTCTGCCAATTATGCAAGGCCT[T, A]TCTCAATCAGCCAGTGCCTGAAATG	2,325,385	84
6097.	CTCTCGATATACAAAGGCGAGACC[A, G]TGAATGCTGCCCGGAAAGCTCTGGG	2,325,487	84
6098.	TCCGAACGAGAATTAGCGTGTTAA[C, G]TTGCTGATTGTCAATAGGATAAGCT	2,325,890	84
6099.	AGAAGGGGATGAATCTTGTGTGG[C, T]CCAACGTACCAGTCACCGGTTACAA	2,325,945	84
6100.	TCCGAACGAGAATTAGCGTGTTAA[C, G]TTGCTGATTGTCAATAGGATAAGCT	2,325,945	84
6101.	CCAATTCAGTGAGAAACATGATTG[G, A]AGAAAGTTAAATGTGAAACAGTTTG	2,326,544	84
6102.	GTGAGTGAGAATACACCAATTCAG[T, C]GAGAAACATGATTGGAGAAAGTTAA	2,326,559	84
6103.	CAAGCTCTTGCTCTGTTTTTAA[G, T]GGTCAATTACTTGTGTTTTGAAAAG	2,326,695	84
6104.	CTAGTATGTTTTAAAAAATGTGGA[T, G]GAGATATTCTTTCCATATGCCAAT	2,326,775	84
6105.	CTCAAAATAGATTTTATTATGCA[C, T]TCGACCAATCTCCTAGTATGTTTAA	2,326,812	84
6106.	ATACAATGCTCCATCCAACCTGCAA[A, C]AGTGGTTTGCCCCAAATTC AACCC	2,327,434	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6107.	CAAGCTCTTGGCTCTGTTTTTAA[G, T]GGTCAATTACTTGTGTTTGAAG	2,327,434	84
6108.	GAAACAATAACAAGACTTCTCTTA[A, G]GTGCCAAATTCATTGCTATCCTGG	2,327,697	84
6109.	AAGCTAAGACATGAGAGTGAAGA[T, C]TGAAACAATAACAAGACTTCTCTTA	2,327,723	84
6110.	TCCAAACCTTTCTGGAGAATTGAA[A, G]AACATATGAAACCAAGAAACATCTA	2,327,819	84
6111.	AGAAATTATTAGCACTGTGCAGGG[T, A]AATGCATGCATGATTTTAAGCAGCC	2,327,880	84
6112.	TGAAGCTGCTTTAGAGTAATATGC[G, A]GTATGATGATCAATTTGTTGCCTCA	2,327,949	84
6113.	TGTGTGTGTGTGTGTGTGTGTG[A, T]GAGAGAGAGAGAGAGAGATTGGA	2,328,145	84
6114.	TTCTCTTCTTACAGCTCCGGTTCT[G, A]TTTAGTGCCTACTAGATTTTGTTC	2,328,378	84
6115.	CACGATGCTTAACATGTGCAGCGG[C, T]AACTGTTTTGGTCTTATCAAGAAA	2,328,852	84
6116.	GTTTGATCTGCGGTGCTTCAACCA[C, T]GATGCTTAACATGTGCAGCGGCAAA	2,328,874	84
6117.	TCAGATACAGGATACAAGCTTCAT[A, T]TTGCTTGTTTCATTCTTGGTTTGATC	2,328,916	84
6118.	GATCGGTCACTTGCGAATTTGAT[C, A]AGATTTATGACATTATTGGCATCCT	2,329,102	84
6119.	ATTCAGATTGGATCTTCTATTTCAT[C, T]CATTTCTGCTAGAGATCGGTCACT	2,329,141	84
6120.	ATTTTGAAGGAAGCCTGAAGAT[C, T]CAGGGTACTATATTCTGCTGTCTAA	2,329,285	84
6121.	GGCATGGAGTTTATCAGAAAGAT[G, T]CCAGTGAAACCAGATATTGATGTAT	2,329,403	84
6122.	CAGAAGAGGCTTGCACTACTACAA[T, C]TCCATGATAGAAGACTATGGTATTC	2,329,517	84
6123.	CAAGTGTGGGTGTCTAGACCTTGG[G, A]AAGAAGGTTTTTGAGCAGATGACAA	2,329,730	84
6124.	TTGCATGATTTCTGTGAATAATTC[G, A]CTGATAGATATGTACTGCAAGTGTG	2,329,772	84
6125.	GATGATCTGTGGAATATGCATCA[T, C]GGAGATTGGTTGGAGGCCCTGAATC	2,330,564	84
6126.	TGTTTCAGAATTATCGGCTCTCGAG[C, A]AGGGCAGACAGGTCCAGGAATCGAT	2,330,761	84
6127.	ACCCAGCCTCGTGTAGGCTCGCA[A, G]CTTGTCAACATCTATGTCAGCCTTG	2,330,996	84
6128.	CCTCTTCTTACCTGAGATCAAC[G, T]ACCAGTCCCCATGAAGCTAGAAAGC	2,331,086	84
6129.	AAATTCGCCTCCAAGTCCATCTCC[C, G]ACGAGCCAGTACCAGGAATCTCATC	2,331,167	84
6130.	CCTCTTCTTACCTGAGATCAAC[G, T]ACCAGTCCCCATGAAGCTAGAAAGC	2,331,167	84
6131.	ACCCAGCCTCGTGTAGGCTCGCA[A, G]CTTGTCAACATCTATGTCAGCCTTG	2,331,167	84
6132.	TGTTTCAGAATTATCGGCTCTCGAG[C, A]AGGGCAGACAGGTCCAGGAATCGAT	2,331,167	84
6133.	GATGATCTGTGGAATATGCATCA[T, C]GGAGATTGGTTGGAGGCCCTGAATC	2,331,167	84
6134.	TTGCATGATTTCTGTGAATAATTC[G, A]CTGATAGATATGTACTGCAAGTGTG	2,331,167	84
6135.	CAAGTGTGGGTGTCTAGACCTTGG[G, A]AAGAAGGTTTTTGAGCAGATGACAA	2,331,167	84
6136.	CAGAAGAGGCTTGCACTACTACAA[T, C]TCCATGATAGAAGACTATGGTATTC	2,331,167	84
6137.	GGCATGGAGTTTATCAGAAAGAT[G, T]CCAGTGAAACCAGATATTGATGTAT	2,331,167	84
6138.	ATTTTGAAGGAAGCCTGAAGAT[C, T]CAGGGTACTATATTCTGCTGTCTAA	2,331,167	84
6139.	ATTCAGATTGGATCTTCTATTTCAT[C, T]CATTTCTGCTAGAGATCGGTCACT	2,331,167	84
6140.	TCAGATACAGGATACAAGCTTCAT[A, T]TTGCTTGTTTCATTCTTGGTTTGATC	2,331,167	84
6141.	GTTTGATCTGCGGTGCTTCAACCA[C, T]GATGCTTAACATGTGCAGCGGCAAA	2,331,167	84
6142.	CACGATGCTTAACATGTGCAGCGG[C, T]AACTGTTTTGGTCTTATCAAGAAA	2,331,167	84

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6143.	TGAAGCTGCTTTAGAGTAATATGC[G, A]GTATGATGATCAATTTGTTGCCTCA	2,331,167	84
6144.	AGAAATTATTAGCACTGTGCAGGG[T, A]AATGCATGCATGATTTTAAGCAGCC	2,331,167	84
6145.	TTCCGCCTTCGCCACATTGCAATT[C, T]CATCGCAAATTCGCCTCCAAGTCCA	2,331,198	84
6146.	tGGGGgCAGCGACACTCTGACAA[A, T]TTGGAAGTCAATAGCCATGCCCAAC	2,331,344	83
6147.	GAGGTACAGAGCCACCATTTGTTTC[T, T]GGAAGCTCTCTACCATTGCAGTGCA	2,331,417	83
6148.	AAGGCGCAAATGCGAGAGTAATTA[G, T]AATCTACTGGGGCTATTTATATATA	2,331,922	83
6149.	ATCATTTTGTCTGCAATATGTTTG[A, G]CAGAAGAACAATCATTTGCAGGCC	2,332,543	83
6150.	ATATGATTGTTACAGTGTCAAGGCT[T, G]GCCAGCCCTGGCTTTGGATTGGGCC	2,332,885	83
6151.	TGGGTAACGTGCTTCATCTCTGCT[T, C]GAGCCACTTGTATAAAAATCATATA	2,333,000	83
6152.	AGTTGAGGAAGCCTTGGGTAACTG[A, A]CTTCATCTCTGCTTGAGCCACTTGT	2,333,014	83
6153.	CTTGATTTCATAAATCAATTTCT[T, G]TCATCATTGTACATCAGGTTTCTGA	2,333,169	83
6154.	GATGCTGAATCGACGAAGAAGGTA[G, A]TGTGGGAGAAGTTTCTGTCATGACT	2,333,237	83
6155.	GAAGACTTGGGTCTCCATGATTTTC[A, G]GTATTTGTGCTTAACATCCTTTGGA	2,333,488	83
6156.	TGAAGACTTGGGTCTCCATGATTT[C, T]AGTATTTGTGCTTAACATCCTTTGG	2,333,489	83
6157.	CTTATTCAAGTTGATTAAATACAA[T, C]TTATTCACTGTATAATTTAACTT	2,333,630	83
6158.	CAATTTTCATATCCTTTTTCTCTA[A, T]GAGGTCCATTTTATGCCATGGTTGT	2,333,861	83
6159.	TTGGGAAACCAACAGGCCTGACAT[A, G]TACTGTATGTCTACTGCTTTATAAG	2,333,973	83
6160.	ATTTTAGACAGGAACTGGTACAAT[G, T]CTAAAGTTACAATTCTAAGTTTCAC	2,334,069	83
6161.	TGATCTTTGTCTGTTATTTTGATG[G, A]CAATGCATTTGTTTGTGGTCTGTT	2,334,366	83
6162.	GAAGATCTTCTCATCTTAAGGCCA[T, A]TGCTTCAGGTGCATACCAATCTTA	2,334,680	83
6163.	ATGCAATTTGTGATCTATATATGC[G, A]TATAAAGTAGCATCAGTGGTAGTGT	2,335,003	83
6164.	GGTTAATCCTCAGGTTATTTTGTAG[A, T]ATTAAACCAGAAATCTTCCATGCA	2,335,048	83
6165.	CAGGCTCTTTTTTCTCTCATTTCT[A, T]TGTTCTTCCCTAGACTTTCTGAAAG	2,335,317	83
6166.	GTAGAAGCATAATTTGTTTGTGGC[T, C]GACCAAGCCTCAAAGGAGTAATAG	2,335,421	83
6167.	CAGCCAAGGGCGCCTCGCTTGAGC[A, G]CCTAGGCGCGCTAGACGAGCACCT	2,335,645	83
6168.	AGGAGGCTGAGGTGCTTTAGCCA[A, T]GGGCGCCTCGCTTGAGCACCTAGGC	2,335,663	83
6169.	AAGCGAGCGCTTAGGCGGTAGAGG[C, T]GCTTGCTCTGGAGGAGCTGAGGTGC	2,335,698	83
6170.	AAGGCGAGAGCCTTGCGCCTTGCT[C, T]CAAGCGAGCGCTTAGGCGGTAGAGG	2,335,724	83
6171.	GCCAAAGGCGAGAGCCTTGCGCCT[T, C]GCTCCAAGCGAGCGCTTAGGCGGTA	2,335,728	83
6172.	TAAACCTATTTGTTTCTTAATTT[C, T]TTTTAATAAATTACTTAAGTACCTT	2,335,898	83
6173.	CTGTCAACTTCAATGGAGGGAAGG[G, A]AACTACTCTAGCCGTCCAAAGTCCA	2,336,009	83
6174.	GAAGAAGGAGAGGAGATTAAGAGA[G, A]GGAGAGGAGAAAAATAATTGTGAAA	2,336,108	83
6175.	AAGACAGCCTTCTTTTCGTACTAA[C, A]ATGTCCTCTGCCCTTCTGTGTTGTA	2,336,108	83
6176.	TGCTAGCATTGGTCGTTGTACCCT[T, C]TGCTGCTGCCATGTAAAAC TAGTG	2,336,424	83
6177.	TGACAAAATCATCAAAGTCTGGCA[C, T]TTTATGATAATTCTCTTTGTGGTTC	2,336,682	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6178.	ATGCCATGGCTTCTTGACATTATC[C, T]ATCCCTTTATTCGTGGCTGAACCAG	2,336,798	83
6179.	GGTAGAACAGACAAGCAATATATT[G, T]ACAAGCTTCTTCTTTtTTCTTCTT	2,336,950	83
6180.	GACCAACCTGCATACCTTAATTCC[A, G]TCCAGCTACTTGGATGAGTTTCTC	2,336,950	83
6181.	GAACCATCCAAATCTCGATCAAGA[A, T]AGGTATGTGGTGGATAATAGGATGA	2,336,950	83
6182.	TCACCAGAAAATTCATTAAACTTC[G, A]ATCCCTCTGATTAGTCCATCCATCT	2,337,202	83
6183.	CATCAATAGATTTTACGAACATTG[A, T]TCCAGCAGGGTAGTTCACCAGAAAA	2,337,241	83
6184.	CAGTTGTAACATATGATGAAGCAT[C, T]AATAGATTTTACGAACATTGATCCA	2,337,262	83
6185.	CATTTTCTCTCCAGTTGTAACATA[T, C]GATGAAGCATCAATAGATTTTACGA	2,337,273	83
6186.	CCATGATGAAATTAGTTGCATTAT[C, T]GGTAATTACTTGGACAACATTTGCC	2,337,361	83
6187.	AGTCATACCAGCCATGATGAAATT[A, T]GTTGCATTATCGTAATTACTTGA	2,337,372	83
6188.	ATTTTAAACAAATGCAAAACAAT[T, A]TGCAATGTAGAATTAGAAATTAGAA	2,337,495	83
6189.	TTCTGTTTAACTTGTGGAATCTCCC[C, T]AATATCTTCCAACATTAGATCTATG	2,337,605	83
6190.	CCTCATAATGTTTAGAGCACCAAC[G, A]TGGTTGTAATAAAACCGTAAG	2,337,675	83
6191.	GTGAACTCCCTCATAATGTTTAGA[G, A]CACCAACGTGGTTGTAATAATAAA	2,337,683	83
6192.	TAATGTGCAAAATATGATTTTTCC[A, C]GCCCTAACTAAGTCCCTCCTTTTG	2,337,732	83
6193.	CGGACAATTGATTGATTATAGTT[G, A]GTAAATAAGATGTTATCGGTGATGA	2,337,732	83
6194.	GATGACCATGTCCGCACTTGATCT[G, T]AGCCAAAAGGCTGAGAAAGGTATAC	2,337,732	83
6195.	GTGAACTCCCTCATAATGTTTAGA[G, A]CACCAACGTGGTTGTAATAATAAA	2,337,732	83
6196.	TCTTTGTGTGGCTCTCGTGGACAC[C, A]AATATTTTTATATATGTTTGCACG	2,337,732	83
6197.	GCCAAGTGGTGATGTGTTTTGGTC[C, T]GCGGTCACCTTGCACGATGTATCAA	2,337,732	83
6198.	CCTCATAATGTTTAGAGCACCAAC[G, A]TGGTTGTAATAAAACCGTAAG	2,337,732	83
6199.	AAAGTAAGATATAATGTGCAAAAT[A, C]TGATTTTTCCAGCCCTAACTAAGTC	2,337,743	83
6200.	CCTGTTCAACACACTCCAATTAC[G, A]CTCACACCAGATGCACACCATTCC	2,337,921	83
6201.	GTACCAATCAATCATTATCAAAA[T, C]TTGTTTAAAAATATAATATTACTAT	2,338,016	83
6202.	CTTTAAGCTTTTGATTGTACTTGA[C, T]GTACACTAAATCACTAAGCTTCTTT	2,338,104	83
6203.	CCTTAACATCCATAGAATTGACTC[C, T]TTGCATGCCAGACTTTCCAATCAAC	2,338,221	83
6204.	ATGAAATAATGAGGTAGGCGAAGA[C, T]CGATATAACCGCATTATACCGTTA	2,338,221	83
6205.	CATCTTTGGTCTGTGAAAGGCTTC[A, G]CCAATTATGTATGCATACCCTCACG	2,338,221	83
6206.	TATGTATGCATACCCTCACGTGAA[A, G]CCATCATGTGCCCTTGTATGTATG	2,338,221	83
6207.	TATTTTTCTTCTTCTCTAACAC[T, C]TGCTGCCCTAGCTACTGCACCCCAT	2,338,305	83
6208.	TAAGTTTGGTGGCTTTGAATGTGA[A, G]GTTGAAGCTGCTGTTGATCTTGATC	2,338,370	83
6209.	TCAATCTCTTCTTCTGAACTAGAA[C, T]GAATCTCTTCATGATTAAAGTTTGG	2,338,411	83
6210.	CATACCCAAAAGACTAAAACTTT[C, T]TGAGTTTCTGTTTCTCCATTACT	2,338,587	83
6211.	ATTGTGTGTGTGTGTGTGACAAA[A, C]AGATTAGCAATGCAATGTCTAGAAC	2,338,587	83
6212.	AAAAAGTAAATAATAAGACACAAG[C, T]AAATACAAAAAATTTATAGTGATT	2,338,587	83
6213.	AACACCATACCCAAAAGACTAAAA[C, T]TTTCTGAGTTTCTGTTTCTCCA	2,338,592	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6214.	GGAAAAATAGAAAATAAATATAGT[C, T]TATTC TAAACTAAGTCTTAATTACA	2,338,700	83
6215.	GGTACTAGGCGCTGAAAAAGCGAA[A, C]ACCTGATTGAAGTCAGATGCCATGT	2,338,755	83
6216.	TCAAAAGTATTCTATTTATATTTTC[T, G]ATAGGTCAAGAAATGTTTGGTTTGCT	2,339,344	83
6217.	TTTTTCATCACCTTGGTGATTGCTT[T, C]TGATCCTATTGATGTTGCAAACATG	2,339,476	83
6218.	TGGACCGCTATGGGAGGTCTAATC[A, G]TGGATCTATTTAAGTTGGGGCTAGT	2,339,532	83
6219.	CCACAGCCCCACTGAACTGGCAG[T, G]GCAATTCATGAAAGTTATCACACTG	2,339,628	83
6220.	GATATGGTTGTAACTTTGCAATA[T, A]GACCCCTAATTTCTGAGGCAGGCC	2,339,838	83
6221.	AGCCATACATCTCCTAGATAACAG[C, T]ATGAGATATGGTTGTAACTTTTGCA	2,339,867	83
6222.	GTATGATGATTTTTCTTAACAAGA[T, C]GGGATTTATGATTTGACCTTTTCTT	2,339,929	83
6223.	AGTACTGTGATGGCTTATGTTGGA[G, A]TATCGGCTACATGCCAACAAAATTA	2,340,368	83
6224.	CTATCTATCTTCTGGTGATACACT[G, A]GTGGAGAAATATACTGAGTTATTGT	2,340,456	83
6225.	TGCAAAAATTTTATCCATAATAAT[T, G]TAAATTCATTTTAACTGGCTAACT	2,340,506	83
6226.	TGGTGAAGAAGCTTATTATTGGTTT[T, C]TCAATGTGAGATATGACTCCAGCCA	2,340,622	83
6227.	ACCCTTAAAATGGTGAAGAAGCTTA[T, C]TATTGGTTTTTCAATGTGAGATATG	2,340,632	83
6228.	GTTTTTTAATATATCGGCTACCAT[T, C]GTAGCAGCTATGTTCTATGTTTTTG	2,340,753	83
6229.	TCTGCGAGAAGATTGATTTTCAATTA[A, T]CAAGCAATTTGTTTTTAATATATC	2,340,788	83
6230.	ATAGTTCTTGATGTGTTCTCTTCC[G, A]CAAGTTGATTTTCAAGAGTGCTTGT	2,340,942	83
6231.	TCTGCGAGAAGATTGATTTTCAATTA[A, T]CAAGCAATTTGTTTTtAATATATC	2,340,942	83
6232.	GTTTTTTtAATATATCGGCTACCAT[T, C]GTAGCAGCTATGTTCTATGTTTTTG	2,340,942	83
6233.	ACCCTTAAAATGGTGAAGAAGCTTA[T, C]TATTGGTTTTTCAATGTGAGATATG	2,340,942	83
6234.	TGGTGAAGAAGCTTATTATTGGTTT[T, C]TCAATGTGAGATATGACTCCAGCCA	2,340,942	83
6235.	TGCAAAAATTTTATCCATAATAAT[T, G]TAAATTCATTTTAACTGGCTAACT	2,340,942	83
6236.	CTATCTATCTTCTGGTGATACACT[G, A]GTGGAGAAATATACTGAGTTATTGT	2,340,942	83
6237.	AGTACTGTGATGGCTTATGTTGGA[G, A]TATCGGCTACATGCCAACAAAATTA	2,340,942	83
6238.	GTGAACAATTCATAAAATCATGA[T, G]AAATAAAATCTAAAAATATCTGATC	2,340,942	83
6239.	GTCTGGAATTACATAGTTCTTGAT[G, A]TGTTCTCTTCCGCAAGTTGTATTTT	2,340,954	83
6240.	GTAGCCTCGGCCTCTGCGTCGTCC[G, A]ATCCTCCGAGGCCAGTGCTTTACGA	2,341,157	83
6241.	GTCTGGAATTACATAGTTCTTGAT[G, A]TGTTCTCTTCCGCAAGTTGTATTTT	2,341,157	83
6242.	GTAGTTCGTCTCTCCTCTTCCCT[T, C]TCCTTCGTGCGCGGCGGTGGAGGAA	2,341,340	83
6243.	GATGTAATAGATCTTATTGCCAAA[C, T]CTCGTCCAAGTGATCCATGAAAGGT	2,342,321	83
6244.	GGCTTTTtGAGTTTCATTTTATAA[T, C]TAAGTTTtGATGTAATAGATCTTA	2,342,355	83
6245.	AAATAGATCCCTCTTATAGTTTCAG[G, A]CTAAATTTTTTAAAAATAGAAGATA	2,342,488	83
6246.	GAATTTCTTTCAACCATCTTAATA[T, C]AGAGCTCTCAAAATAATAAAATAAT	2,342,773	83
6247.	AAGTCAGCAAATTTCTAGATATCA[T, C]GGAATGTGAAAAGTCACCAAGGAAA	2,343,250	83
6248.	TCTTTTGAGTTGATTATGAAGTC[A, G]GCAAATTTCTAGATATCATGGAATG	2,343,269	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6249.	TCTCTCATACCTGGTGCCAAGTGA[C, A]ATTTTCATTTAAGCTGTAGAGCTGA	2,343,350	83
6250.	TAGGCTATATAAAATTATATTAAC[G, A]AGTTGTATTTAGCATTCTAGGTGA	2,343,425	83
6251.	AGTTCCTTAGGCTATATAAAATTA[T, G]ATTAACGAGTTGTATTTTAGCATTC	2,343,432	83
6252.	GCTTGGTCAACTCCAAGTAATGAA[T, C]CTCAGATATATCACCTGATTTGGA	2,343,558	83
6253.	AATGGAGGGCCTGCCATAAAACCT[G, A]CAAGGCTATGTGGCAGGAGGGAAGG	2,343,607	83
6254.	AGTTCCTTAGGCTATATAAAATTA[T, G]ATTAACGAGTTGTATTTTAGCATTC	2,343,607	83
6255.	TAGGCTATATAAAATTATATTAAC[G, A]AGTTGTATTTAGCATTCTAGGTGA	2,343,607	83
6256.	TCTCTCATACCTGGTGCCAAGTGA[C, A]ATTTTCATTTAAGCTGTAGAGCTGA	2,343,607	83
6257.	TCTTTTGGAGTTGATTATGAAGTC[A, G]GCAAATTTCTAGATATCATGGAATG	2,343,607	83
6258.	AAGTCAGCAAATTTCTAGATATCA[T, C]GGAATGTGAAAAGTCACCAAGGAAA	2,343,607	83
6259.	GAATTTCTTTCAACCATCTTAATA[T, C]AGAGCTCTCAAAATAATAAAATAAT	2,343,607	83
6260.	AAATAGATCCCTCTTATAGTTCAG[G, A]CTAAATTTTAAAAATAGAAGATA	2,343,607	83
6261.	GGCTTTTGGAGTTTCATTTTATAA[T, C]TAAGTTTGGATGTAATAGATCTTA	2,343,607	83
6262.	CAACATCAATCTTCAAAATGTTGC[G, T]GGATTACAGCCAATGCATCGCACTT	2,343,658	83
6263.	TAGGACAAAAAGTTAATTCAAGGA[C, T]TAGGATTATGCCTGGGAATATGAAA	2,344,033	83
6264.	CAACATCAATCTTCAAAATGTTGC[G, T]GGATTACAGCCAATGCATCGCACTT	2,344,033	83
6265.	AGGCAATCTTCACCTCCATTAAT[G, A]CCATATGGATATATTTAGGACAAAA	2,344,073	83
6266.	GATAACCTTCTGTAGATTATTGT[A, C]GGTTCTTTTTCcttttttttttt	2,344,132	83
6267.	TTTGCAAACCATGGTCATATGGCC[G, A]CCATTAAATCAAACTCAATAATTT	2,344,339	83
6268.	TAATCTATCTCTTTGAATCGGACT[G, T]GCACCAGAAAGACTTCGAAATTTGA	2,344,466	83
6269.	TTTAAAGAAAGAAAGAAATAGGAGC[G, A]TGATTTTGACATTCAAATCATGATG	2,344,609	83
6270.	TGTTTTCTACATTCATGCCATTCT[C, G]ATGTGCATCATGTGGATATATACAT	2,344,754	83
6271.	ATGGATAATGTACTAAATAATTTT[A, C]TTTCTCATAATGTTTAGGTGATGAA	2,344,938	83
6272.	TCTACTCTACCTTTGAAATAGGGC[T, C]ATATGGATAATGTACTAAATAATTT	2,344,965	83
6273.	TTCTTTTCTCTTTTCAAGGAAATA[G, T]GATGGCATATGCCTGCTCGAACTC	2,351,380	83
6274.	TAGAACTCGTTTTTGTAAAGTTCT[G, A]CCACTCATAAATGATTTATTACC	2,351,468	83
6275.	TTTAGTGCCTTACCATATTAATGT[C, G]TTAATTTCTTAGTATTTTGTTTGA	2,351,533	83
6276.	TTATTAGCATGAAGAGGGATATTG[T, C]GAAAGGCCCTTTTCCCAAGATTCA	2,351,626	83
6277.	ATCTTCTTTATGCTTTGACCTGG[C, T]GACAATATCTGATAAACTAGTCTC	2,352,077	83
6278.	TCAGAGTAGCAGCCAGCAGGCTGC[A, T]GTTGTGTCGTATGATGGACTCAAGC	2,352,182	83
6279.	TTTGAAGCATTACCTACTTCAGAT[G, T]GCCAAAATACTCTTTATTTTCTT	2,352,448	83
6280.	AAAAGGCTAATCAATCACAGACAA[A, T]TGAATTTGCCTGCTGTCCCTCTTC	2,352,596	83
6281.	CATGGCCAATCATGTCATGCCACT[A, T]GTGCCCAACACATGCACAGCAAG	2,352,699	83
6282.	TATGGTCATCACAAGCAGATTCCA[G, A]CCGACTTGATTTTGTACTTATCCA	2,352,919	83
6283.	AAAATCCTGCACTTCCCTCTTAAC[T, C]AGATCTTCCACCATATGGTCATCAC	2,352,957	83
6284.	CAAATTTTAGTTTGTCCATTAAA[G, A]CCTCAGTGTGATGAGAAGTAGTTTC	2,353,008	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6285.	CATTTTCATTGAGAGATTGAATTAT[T, G]AAAAATGAACAAGACTAACGCCAGCC	2,353,134	83
6286.	CTTCATTTTCATTGAGAGATTGAAT[T, C]ATTAAAAATGAACAAGACTAACGCCA	2,353,137	83
6287.	GACTTCTCAAATGCAGTAATGTAG[C, G]CAATTTTTATGGTTTCTGACCATGC	2,353,316	83
6288.	GAGATCGGAAATGATCGATTACTT[G, T]AGCTATGTTTTTCGAATTGAAATTC	2,353,405	83
6289.	TTTTTCATTACCTTCTCTCTCT[C, C]CTCGTATCTACATTTGCAACCTCAA	2,353,579	83
6290.	GTATGTCGTAGTTGTGATTATATC[G, T]AAATGGATTAGATCCTTAGCCTCA	2,356,870	83
6291.	GAGCAAATCCCCAGATCAAGTGCA[G, C]CATAAGGTTGACACATCCCAGTAGT	2,357,591	83
6292.	ATGTCAGGAGCAAATCCCCAGATC[A, G]AGTGCAGCATAAGGTTGACACATCC	2,357,598	83
6293.	AGGGCCCCCTGGTTGATCACCAACT[A, T]GGTGCTAGTGCATGAACCCTCATGG	2,358,285	83
6294.	CAGTCAAACCTAATGAAAGCTGGAT[T, A]CACACCAATTGTATCTGGCTATAAT	2,360,884	83
6295.	GTGGACTTGGGTGCTAGCATGCAG[G, A]AGCAACCACTCAAAACAATCTAGAA	2,361,302	83
6296.	ATATGCCTATTTGATTAAATATAC[C, T]TTAGATGTCAAAAGGGGGAGCAAGT	2,361,358	83
6297.	GAAAAAGAAACAATTCATCTATAT[T, G]GCATATACACATAGTTTTCATTGAG	2,361,499	83
6298.	TCTTAGACAATTGATAGTCAAAAT[T, C]TTGAAAAAGAAACAATTCATCTATA	2,361,526	83
6299.	ATTTACCATTACCAATTGCATA[C, T]GAAATCTAGGAAAAATAAAATAATG	2,361,933	83
6300.	ATTTGATCCAAGTTATGGAGTTT[T, G]GTCACAAAATTAAGAAATATGCCA	2,362,076	83
6301.	CCCACCATATTTGATCCAAGTTAT[G, A]GAGTTTTTGTCAAAAATTAAGAA	2,362,084	83
6302.	AGGTTTAGCCAGTCCTTAGTGGAT[G, C]ACCATGAATGTTTGAAAGCTCAGTT	2,362,149	83
6303.	TGTCTAAATCTTGAAGGACCTAG[G, A]TTTAGCCAGTCCTTAGTGGATGACC	2,362,171	83
6304.	AGGGAATGAAAGTAAGAGAGAGAG[G, A]GAGAGAGAGAGATTCAAGCTAGCTG	2,362,501	83
6305.	AATAGATAATTGGTTCAACTTCTT[A, G]TCAAGAGGATATGTCCTCCATGGGT	2,362,759	83
6306.	TCTAAAGTCTAAACTTCTCTTACC[A, G]ATAAGGTGAACCAAATACCATGT	2,362,908	83
6307.	ATTGGAATATTTCGTAAGAAAGAA[T, G]GCAACTGGCCAGTAAGTGAAGAGAC	2,362,994	83
6308.	AGTTCTCTCCATACATCTTCTACT[C, T]TTGGCTCCACATAGTATTACTGATA	2,363,134	83
6309.	AAAATATATCTAGAATCTAGGCAC[C, A]TAAAGTTCTCTCCATACATCTTCTA	2,363,162	83
6310.	TCTATTTATATATATAGTCTTAGC[A, G]GAAATGAATGATCTCTCAAAATGAA	2,377,225	83
6311.	ATTTTATAGTGATATATATTATGAC[G, A]AAAAGTGGATCTTTGAGTTAGATGC	2,377,348	83
6312.	TTTTGATTTCTAGATATTTTGTAGT[G, A]ATATATATTATGACGAAAAGTGGAT	2,377,363	83
6313.	AGATTATTAAACACTTGTATTTT[G, T]ATTCTAGATATTTTATAGTGATATA	2,377,383	83
6314.	ATGATCTCATATTATCTTAACCTT[T, C]CATTTTGCACCTCACTAGATGCATG	2,377,472	83
6315.	TAACAAAATATGATCTCATATTAT[C, G]TTAACCTTCATTTTGCACCTCACT	2,377,481	83
6316.	ATTAATTAGTAACCCATATATACC[G, A]TATCGGCACAAAAAATGAAATAGTT	2,377,659	83
6317.	ATACTGAAAGGGGCAAAATCCTTC[T, C]TATGTACATGAGATAGCTTTGCTCC	2,377,836	83
6318.	CACATGTTTTTCGGAGCCGGGCACC[A, G]AGGTTTTATCCATAACATATGAATC	2,377,941	83
6319.	GAGAGAGAGCTTTTGTGAAGAAA[T, A]TTTTTTGTGAGGAGAGATTGGGTG	2,378,452	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6320.	AGCATGCACAGGTACGGCCCATGC[G, A]ACTTTCAATGGCCCATCGATGGTCC	2,378,901	83
6321.	GGTGTGACAAGTTGGGACATCTAG[C, T]CAGAGATTGCTCTCAACTCAGGGAT	2,379,978	83
6322.	AGGAGATGGTAGACAGAGCGATAG[G, A]AGATCACGATGGGGGTTTCAGGTCC	2,380,062	83
6323.	AGTAGGAGATGGTAGACAGAGCGA[T, C]AGGAGATCACGATGGGGGTTTCAGG	2,380,065	83
6324.	TtTTTTCTTTCTGCTGCGATGCGT[G, T]GTATCAAAAAGTCTTGTGGAGGTG	2,380,821	83
6325.	TTTTATTtTTtTTTCTTTCTGCTG[C, T]GATGCGTGGTATCAAAAAGTCTTG	2,380,829	83
6326.	ACAGGTATGGTGGTTCTGTAGAGA[C, T]CTGAAATCGTGGAGTAGAGGATAGC	2,381,129	83
6327.	AACTCATCCTGTGGCAACAGAGAC[A, G]GGTATGGTGGTTCTGTAGAGACCTG	2,381,151	83
6328.	GGATGTTTTGGGCTGATTTTTTCAC[A, G]GTCTACAAGATTTTCATGGATCGA	2,381,321	83
6329.	TCCATCATGGATCGAAGGATGTTT[T, C]GGGCTGATTTTTCACAGTCTACAAA	2,381,337	83
6330.	GGGTGGGCATTTTTCTTAGTTTC[A, G]CACAGTCCATCATGGATCGAAGGAT	2,381,367	83
6331.	AATGAGCCCAAGATCAGTCCAAC[A, G]GAGATCGGATGAAAAAGATATGCTA	2,381,651	83
6332.	GAATAGGATTGACTACATTTGTAA[T, C]AGATTGGATATGATTAATATCTATG	2,383,756	83
6333.	ACTAAGGCTCTAAACCGAATAGG[A, G]TTGACTACATTTGTAATAGATTGGA	2,383,773	83
6334.	ATTAAAGGATAAAGTATATTGAAG[T, C]TGATTGTCACTTTGTTCTGTGAGAAG	2,383,886	83
6335.	GATGAGCTTGTTTTCAAAAGTACT[C, G]TGCTATGAGACTGTGATGTGATAA	2,383,974	83
6336.	TTTATATTTTTCTCGAACTACT[C, T]ACTGGGAGGCAGTTCTGTATATATT	2,384,286	83
6337.	CATAAGATACAGAAAGTTGATCG[G, A]TAAGCTTAATTATCTTACAGTCACT	2,384,375	83
6338.	ATTGTGCATGTGGATGATATTGTA[A, G]CTAGTCACAGGAAGTGATGATACTG	2,384,662	83
6339.	CTTATTTAGATGGGTCAATCCAT[T, C]TTGACTCACACCCGACTTTGTAAG	2,385,909	83
6340.	TTTTACTGCCAATCTAAAAAaT[T, C]ATCTACATTGTATTTCAACTTTTTA	2,386,027	83
6341.	TTCAATTAAATTTGATCCAATCT[T, C]AATGCTCAATCAAATTTAATTAATT	2,386,427	83
6342.	TTTAGAACTACCTAATTAGGATC[A, G]TATGACATAAATAAATGCAACATCT	2,387,678	83
6343.	TTATAAATTATCATACAATCAACT[G, A]AAAATTAATTTCAAATCTAACATAC	2,388,111	83
6344.	TGGACTGATATAGATTGGGATTTCG[G, A]TATTTAAAAATAATTTTAAATTTTA	2,388,171	83
6345.	ATCTAACAATCGAATGATCAGGCC[T, C]GAGTGTAGCTTGCCCAACCTAACCA	2,389,338	83
6346.	CCATCAATTTAACAATATCTAATA[G, A]TGATCGGAGCGATAAAGTGGTGGCC	2,389,739	83
6347.	TGTAGGCTTTGTCAATTCTATAATG[G, A]GTAAGAAATGAGATGTAGATTTTG	2,390,225	83
6348.	TTGAAACAGATTTTTCATCTCCAA[T, C]ATTAAGAAATTTTCGCCCTTCTTCA	2,390,715	83
6349.	CACAATCATGTGACTTCGAAGATT[T, C]CTCTTGAGTCAATCGATTTATTCTG	2,391,078	83
6350.	GGTATTAGTTTCTTCCTCAAGAAA[C, T]TTCTTTTCAAAAAGACTGTCTAT	2,391,861	83
6351.	GATTTGATCTAATCAAATCCGACT[C, T]TATAGATTTACTATATTATGCCGGT	2,391,949	83
6352.	TCTTCATCCTAAATATGTAGGATG[C, A]TTCTTTCAAATTCCTCATAGAGAAC	2,392,780	83
6353.	AGTTACCATGATGATCTCAGATCG[A, G]AGAAACACTTATACCATATCCTTC	2,394,103	83
6354.	CAATCTAATCACTAATCAATCCTT[C, T]AATAATTCATCAACTATTAGTAAAT	2,394,708	83
6355.	CTCATTCAAATTCAAAGGGAATCA[G, A]AAAGTGAGTGCAATCCTCTTCTGG	2,395,119	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6356.	TCCCTCTCAGAAATGATTTTCCAC[G, A]ATAAGACTCTCTTTTGTGCACA	2,395,459	83
6357.	GGGAGTGCTAGCTCGCACGAAAGA[C, T]ACTGGATGGTTGATTTATGCTCTTT	2,395,726	83
6358.	GAAAGAAAAATCGATGGTTCAAAG[C, T]ATGCATTTTCAAAATTTTTAGCGA	2,396,107	83
6359.	TGGGGATCTTGTTCATCGAGTCT[A, G]AGTCTGATTTTAGATGCTTTATTAC	2,397,108	83
6360.	TTTGAATTATTTCATTCTAATGT[C, T]TGGGGATCTTGTTCATCGAGTCTA	2,397,133	83
6361.	TAGAGGTCATGAGTCCAAAAGGCT[A, G]TACACTCTTGAGATTATGTCTGATT	2,397,382	83
6362.	TATGTTAGTAAGATTACTCATGCT[G, C]TCAACTGTAATGTTCACTTCTTTCC	2,397,477	83
6363.	TACTTGCCCCATGCCTTCTCTTT[C, T]TTAAGTCTGTTCTGTACTTATCTC	2,397,547	83
6364.	CTATTACTTGTCTCACCTCTTCCT[C, T]ATGCAATTGGGTCATTGATTACGGT	2,397,713	83
6365.	TCTTTATTCGGTCAGGTAAATCTA[T, C]TACTTGTCTCACCTCTTCCTCATGC	2,397,734	83
6366.	GATCGACTTTTAAGATCCCTCTTT[T, C]CTCCTCTGTAGTCATGACCCTTT	2,398,118	83
6367.	GAGATCAATTATGGTATACATTAT[G, A]GTGTATATTTCTGTTTAAGAAATAT	2,398,523	83
6368.	TAATCTTTTCTTCTCAATACCCC[C, T]ACAACCCACTGATGAGATATCTATC	2,398,635	83
6369.	ATAGATTTTATACTTAGATTAT[T, G]AGAAAATAGTCTCACATTATTTTAA	2,399,082	83
6370.	CTTCGTACATCAAAGCATACAACA[G, T]CATATCTCTCCCTGCCAATCAATC	2,399,204	83
6371.	TTAAGAGGATGTATCGAAGCCTTC[G, A]TACATCAAAGCATACAACAGCATAT	2,399,224	83
6372.	GAATATGTGAAATGATCTAGACC[A, T]CAGAGTAAGAATGTAACTAATTC	2,399,620	83
6373.	CATCCAATTTCAGAATCCAAATTG[T, C]GGAATATGTGGAATGATCTAGACC	2,399,646	83
6374.	AGGACCCATGCACACACATATATA[C, T]AGTACAGGCATAAATACATACATAT	2,399,752	83
6375.	TTATTAATAAATACTCTGGTCGAT[A, G]ATACCCCAACCTCTTTAGTTATAT	2,399,805	83
6376.	GCAAGTGCTAAATCAAAAAGTGA[T, G]TTTATTTATTAATAAATACTCTGGT	2,399,835	83
6377.	TAATCAATCTTGCTAAATATCACT[G, A]GCTCTTGCGATGTACAATGTGGCTA	2,399,974	83
6378.	GATCTCTTCTTGTAATTTTTTTT[C, T]ATAGTGAAGCTTGATGCCCCATAG	2,400,400	83
6379.	GGCGGCAGAGGGCCAATAGAAATC[G, T]ATGGTGGCACAGCTAGGCCGGGTAG	2,401,004	83
6380.	TGGCCTGACTTGACTTTTCATATTT[G, A]TCCATCCTTGATCAATAGGTGATTG	2,401,288	83
6381.	TTAGGAGCCAGAAGGAGCCAGAA[C, T]GAGGTGGAGCTCTAGATAGAGGTGG	2,401,471	83
6382.	AATTTTAGATTCTGCATGCACCTA[G, T]CATGTATGTTATAAAAAAGAGCAGT	2,401,830	83
6383.	ATAATGAAGCTTGCTATGCCCCATA[G, A]AGCGGAGCTTTTGTACTGATCCACG	2,402,895	83
6384.	GAGTATGAGAAAACTCGAAAAATA[A, G]ATGGCACAGCCCACAGAGTGAATA	2,403,948	83
6385.	ATGATAAATGGAGTATGAGAAAAA[C, T]GGCCGACAGGGGCATATGATCTTCT	2,404,038	83
6386.	GACCCTCAGTGGTGCTGAAATAGG[C, T]CCAGGATGATAAATGGAGTATGAGA	2,404,068	83
6387.	AAGGAGATACGCAGCCACAGAAC[G, C]GTGAAGGCCGACAGGGGCATCTGAT	2,404,123	83
6388.	CCCAGGTTTGAATCACGAAAGCAC[G, A]GATTAAATATCAAGATACGGGGTT	2,404,181	83
6389.	TGGGCTATGAACAGGGAAAAATA[G, T]AACAGTCTCTATTAATCTGTCTATA	2,404,824	83
6390.	AGATGGCAGGGACAGAGATGGACC[A, G]AGGGATTTAACTAATCCAGTGTTT	2,405,388	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6391.	ACATTGTCAAAGATGGCAGGGACA[G, T]AGATGGACCAAGGGGATTTAACTAA	2,405,398	83
6392.	CACCTTACATCATTGGCAAGAATT[T, C]GAGGGAGGGGAAGGAGATTAGGCCC	2,405,727	83
6393.	ATGGTTGTGATAAGCATTTTGGTGG[C, T]TTGATTTCAAAGCATTACAAAATTG	2,406,720	83
6394.	ACCCATCGTATAGAGATAATCATG[C, T]CCAGTGATTCTAAATCTGAAAATA	2,407,241	83
6395.	TACATTCTTTCATATTTACACAAA[C, T]AAATGAATTCCTCATCCATCCTTCC	2,407,334	83
6396.	TCATACAAATATTGTTTGTCTTTT[C, T]TTTTATTTTTTATATTAATAGAA	2,407,400	83
6397.	AATAAATTAATTTATTAATTTAT[T, A]AAATTATTTATTAATTAATTAATAA	2,407,585	83
6398.	AATTGATATATAAATAAATTAATT[T, C]ATTAAATTTATTAATTTATTTATTA	2,407,597	83
6399.	ATATTTTTTATTTATCTTTAATTT[C, A]TGTATATCATTTCCATAACTATGAT	2,407,762	83
6400.	TTTTTCATTTCATATTATTTATATT[T, C]TTTATTTATCTTAATTTCTGTATA	2,407,781	83
6401.	GCATCCATGTCTAGTTAAGGTTAT[A, G]AGAGGGAAGATGAATGGGATTGTAA	2,408,036	83
6402.	CGGCTTCTATGACTTTTTGCCTCA[C, T]CTTTAATTTCTATAAAATTTCTGAG	2,408,854	83
6403.	GGAAGGACCTCTCTAATCTTTTAA[C, T]CGGCTTCTATGACTTTTTGCCTCAC	2,408,879	83
6404.	TTAGCTGAACATAATATATTCATTT[T, C]ATTATTGTTATATATTTTCATACTA	2,409,048	83
6405.	ACAGAGTGAGTATTCATAAATGTA[A, T]ATTTCTTGATAAGAGAACTCGTGAA	2,409,151	83
6406.	AATAAAAaCCCGTTCCACTGGGAT[G, A]CCACCTTAATGGTAACAGAGTGAGT	2,409,190	83
6407.	TCATTGCGATCTTGGTATTTAATC[A, G]CAGTCCGATATCCGTCGTGATTCGA	2,409,260	83
6408.	TGGACCAGATGCTGTTTCCAGACG[C, T]CATGTCCGAGCCGTGAGGATATGCT	2,409,321	83
6409.	TTTGCAAGGCCTATCTTTGAAAGA[C, T]GGATTAGGGTATAAGTTAACAAATC	2,409,765	83
6410.	AATACGCATTTAATATCTGCAGAT[T, C]GATTTTTTCGTTtAAAAATTTTGA	2,410,140	83
6411.	TTTATTCAAATATTTTCAATACG[C, T]ATTTAATATCTGCAGATTGATTTTT	2,410,158	83
6412.	TTTTTtAATTATGATATTCTATGA[C, T]ATATTATAATCTAATATGTCATAAT	2,410,242	83
6413.	TTGATTGATTTTATGTTGTTATTA[T, G]TTTTtAACATATATTTAATATTTt	2,410,336	83
6414.	CACGTGTGGAAGCGAATCCACT[C, G]CGGGCCAGGAAATTGACTGTGGGC	2,410,910	83
6415.	TGATTGACATGATGTATGGTACAT[G, A]TGATATGCGGTACAGGATATCTTCT	2,411,110	83
6416.	ATGAGTGCATACAGTCATACGATC[A, C]AGATAAAATGATTGACATGATGTAT	2,411,143	83
6417.	TCTTCTTCACGTGGATCAATTATC[A, G]AGATGAGTGCATACAGTCATACGAT	2,411,170	83
6418.	TTCAATAAAAAAAAAaTAGATCAAC[G, A]GTATAGAATAGAGCAAAATAATATC	2,411,267	83
6419.	CAATTCAATATGTTATATTATACA[T, A]CATCTCCCCTACCAATCCAACCTTC	2,411,441	83
6420.	TGCCGCAAAATCATGCACACCATG[T, C]CCCTTGAGGGTGCTCTCTCCGAAAA	2,411,580	83
6421.	ATCAGGCTACTCCAATGGCTACCT[C, T]CCTTTTTTCCACACTAAAATCTGC	2,411,627	83
6422.	TTACAGATTGCTGCACCTCCGCGT[C, A]GATATCTTGAGAAGATTCGATGG	2,412,131	83
6423.	GACCACTCAAACATATGAAACAA[C, T]GTCATTTTCCATCCAAGTGCTTTG	2,414,650	83
6424.	TGAATATATCCTTAAAATTTTCAG[C, G]TGATGATGTACAAAAaTAAATAAA	2,415,782	83
6425.	TATTGAAAACGCATACCAATATA[A, C]GGAGTGCAGTCTAAATTTTATAGT	2,416,162	83
6426.	TGCAATACACAGAAGCTATTCATA[T, A]ATTGGTGATCAGCTTTGTGACTAAG	2,416,662	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6427.	CTAACGCAATGTGCTCGAAATAGC[T, C]TATTAATGCATTGTGATTATTGAG	2,416,944	83
6428.	CCCCCGTAGAACTACTGCAGTCAA[T, A]AAAAGAATTATAGAACGAACCTAACT	2,417,921	83
6429.	TTTTAAATGCACAAAATTCTCATG[A, G]TGGTGGTGAGAAAGAATAAAATATA	2,418,347	83
6430.	TACTTTCTTCTTGCCCTTTTTTTTt[G, T]GGGGCGATAAAATGACGGTAGAGTC	2,418,861	83
6431.	TTCCAGCAAATGAGATGGGCCCTT[C, T]AGCATTTCGACCGACCGTTAACCATG	2,420,049	83
6432.	TGTTGGCGTTTTAATTTTATTTCC[T, C]CATAAATGATTAGAAGAGTACAGTT	2,420,252	83
6433.	ATATACCAATCATCAAGTGTCCA[T, C]GGGAGGTGGAGGACATTAGAATAAA	2,420,324	83
6434.	AAATGCTAATTGGTGCTTATACA[G, T]TCTGCATAGCTGCTTAAATTCTAA	2,420,643	83
6435.	ATAATCTCAAAATATAAAATTTTAT[A, T]CGTCTTATACTAAATCCTTTTTTTT	2,420,791	83
6436.	GTTACATCTTTTGATACAGCCATT[G, A]AATGCTCTAGCAGCAGTAACCGTTA	2,420,975	83
6437.	TATACTTTTATGTTGCTTAAGAAA[G, A]CTAGAAAATAAGATACCCATCCGAA	2,421,287	83
6438.	CCGTGCTCTCTTTTGTATTGGAC[T, C]CGAAGCAATCCAACCTTACCTTTTC	2,421,454	83
6439.	GAGAGAGAGGgAGAGATTCTGGGG[T, C]TGTGTACCTGTTTCCTAGGACGGCA	2,422,375	83
6440.	CTGCCGAATGCGGAAAGAAAAGAG[G, A]AGAAACAGAAAGAATGTGTTGGGAA	2,423,025	83
6441.	TCTCTTTCTCCGCTGTACCAATCT[T, G]CGCGCAATCTAAATCTGTTCAAAAG	2,424,121	83
6442.	CAGAGAAGAACTGCTGACATGCAC[A, G]AAATGAGGGTATTACCTCCGATGT	2,424,558	83
6443.	ATATACAGTATAAGGTAGCCTTCG[T, A]GGAAGTGCATGTTGACTGCTGGAAA	2,424,629	83
6444.	ATGTGGAATGAGCCTACAGGAGCC[G, A]GATGCTTTTAGGAAGGAATAGACCC	2,425,412	83
6445.	GAACGATCGGCTGTAAATACATAG[A, G]GATCGTACTTGGAGCATTTAGACT	2,426,903	83
6446.	AATCGTCATGGTTGTCCGTTGTG[G, A]TTGATAATAATCGATTGTGCGATTGA	2,427,020	83
6447.	GAGTCCGAATGAGCATCGGATGG[T, G]GACTCTGATATATCGATGATCTTCA	2,427,085	83
6448.	TAACCGTTTATAATGGTTAGGTT[C, T]GCATATTCGATTTTATGTGATCGT	2,427,186	83
6449.	TTTTTATTGTACTAAATTATCGGA[C, T]CATAATCGTGGAGTTCATAGGCTGT	2,427,269	83
6450.	GTATGGGGTGAGAATTTGCCAGTG[C, T]TCATCTGTTATGTAGGTTTGAGCGT	2,436,866	83
6451.	TTGAGTATGGGGTGAGAATTTGCC[A, G]GTGCTCATCTGTTATGTAGGTTTGA	2,436,870	83
6452.	CAGTTGTAGTCTAGGCGATTGAGT[A, G]TGGGGTGAGAATTTGCCAGTGCTCA	2,436,888	83
6453.	GGGGACCAGGTAGGCTTTTGTTC[A, T]GAAACAACTGACGATACAATATGA	2,436,978	83
6454.	TTATACATCATTGATGTTACTAAC[G, A]AGCGATCAAAGAGAAGGATGCAGAC	2,437,152	83
6455.	TCTTTTCCAAGTTATACATCATT[G, A]ATGTTACTAACGAGCGATCAAAGAG	2,437,164	83
6456.	GAGTGGGCTATGGTCTGAATTTAC[G, A]TCTGAAGTTTTTCTCTTGCTTTTT	2,437,213	83
6457.	ATTGATTCTCTGTTTTGCCTTCCT[A, G]TGAAAACCTTTAACAGTGGCACCTA	2,437,278	83
6458.	TTTATGATGCATGGAGGCATTAAC[G, A]GTAATTGATTCTCTGTTTTGCCTTC	2,437,306	83
6459.	AAATATGTACTTGCATAAGACAAT[A, G]GTCTTTGCCATATCCCTTATTGCTT	2,437,385	83
6460.	TTATGATGTCAAGGAATTTCAATC[C, A]ATGAAAATTTGAAGTAATTTTGCA	2,437,820	83
6461.	TCGTTTCTTCTTCTTCTTCTTt[T, C]TTTTTGGGTAAAGGGAGCATAATTT	2,437,957	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6462.	GAATCCATTTGTTACAAGGTTTAC[C, T]GGACCAAATTTTCAGGAATGTGGTA	2,438,149	83
6463.	TGTTTGCCAAGCTGTTCTCTCAT[C, T]CTTGGTGATCATCCATTTGTACCCA	2,438,300	83
6464.	CTGGGTGATTGGAGGGCTTTCCTC[A, G]CACTTGTTCGAATTATTTATGGAC	2,438,551	83
6465.	GCATTGCCCCGGTATGGTATGCATA[C, T]GGTGGCAAGCTTAGGTTATTTGAAA	2,438,993	83
6466.	CATATGTTTCGGCTAGATAGTGGCC[G, A]ATGGGAAGCAAGGATCTTTAAAGA	2,439,296	83
6467.	AACATCTGCAACACGTGAAGATCT[C, T]CTAAAAGAAGCAATTCATGTAATAA	2,439,553	83
6468.	TTTTGTAATTTGTAATCATAACCT[G, A]TGAAAGTCCTCGTTATTTTTGCAG	2,439,932	83
6469.	CTTTGTGGCAATTCTCTGGCACTC[G, A]CCTGCGAAAATTGTGTTAAGTGTC	2,440,066	83
6470.	ATTTGCTTGCAAATTCCAAATCTG[G, T]GCAATGCAGTCTGTCCAGATAATA	2,440,224	83
6471.	TTCTTTGAGTTGCATCTACTCTAT[A, G]GTGTGTCATTTTGTCTCAAGAACA	2,440,273	83
6472.	TGCACATATTCATGATTTTTTCAT[G, A]ATCAATATCTATATAGTTTTTCTTT	2,440,428	83
6473.	TTGTTTGATGCTCATCTCAAATTC[G, C]GTGCATTTAAGAAAGCTTGTATGCT	2,440,674	83
6474.	AGATGTATGAAGATGTTTTGATTC[T, C]TGATCTGGATGTATATGCTTGCTTG	2,440,721	83
6475.	TACAAATGGGATGTATATTCTAAA[C, T]CTTAAGTCAATCACTATGTCAACA	2,441,097	83
6476.	GCAATTTGTGAAGTCTGTGGTATG[G, A]GTTGATTTGATTTTTGCATTTGGT	2,442,011	83
6477.	TAGTCCACATCAGTTGTGCGATA[G, A]GGAGATCTTGAATTTTTATATAGGA	2,444,151	83
6478.	TTTTATATTTTAAATAATAAAAAAT[C, T]ATTTTAAATTTAAAAaTTTTAAAA	2,444,983	83
6479.	TGTTATGTGCTTCAAATAATACTT[C, T]TGAATTATCTAAAATATATTACCAC	2,445,062	83
6480.	TCATAAAATACTTCTGATTAATAC[G, T]TTTCACAATTCTAATTTCTCATAAT	2,445,178	83
6481.	TTAATCTATGCCCTTTTATCATCT[A, G]GAGTAGAGGCTGTCTCTCTGAAAT	2,445,603	83
6482.	TGAACTCAGACTCTCCTCGGTGGT[C, T]GCAGAGTTGGACCTCCAATCTGTAC	2,445,745	83
6483.	TCTGCCCTTCTGACTGGCTCCTT[G, A]ATAGAGGTGGTCTCTGAACTCAG	2,445,786	83
6484.	GTTTTGAATCCTTGCTAGAAAAAG[C, T]ATGTGGATTCAAATCATGAATGGTG	2,445,904	83
6485.	TCTTATAAAAAAAaTTCATCTTT[T, C]TGAATCTTCTTTATTACTGTCAAGA	2,446,146	83
6486.	CCATTTATTCTTATAAAAAAAaT[T, C]CATCTTTTGAATCTTCTTTATTAC	2,446,154	83
6487.	TCCAACTGAATCAATCATCTCCTT[C, T]ATCAGTCCAAAGATGTAGGTGGCGT	2,446,336	83
6488.	TGATGTCCAATAAATATGCGATCG[C, T]CGCTCCATCAGCAACTCGTTGACGG	2,446,435	83
6489.	GTATCCACTGTCTGTTGCACTTTA[C, T]GAAGCTTCTCAATATTCATCAACAC	2,446,509	83
6490.	GGGCTGTATCCACTGTCTGTTGCA[C, T]TTTACGAAGCTTCTCAATATTCATC	2,446,514	83
6491.	TCCGGTCTCAAGATCTCTCCCTCA[A, G]TATTTTTTGCATCAATGATAGTAC	2,446,599	83
6492.	CACTGACAAACATCTGATGCAAGG[C, T]TGCTTTCTCTGTAGAAGGTTATCA	2,446,682	83
6493.	GACTTCCCTCAGTACCGGCCCTCG[C, T]ATATCTGCTCTCTTCTCACTCGGCA	2,446,730	83
6494.	CGCTGTCTGCGGTGCGAAGCACCT[T, C]ATATAATGGCTTGATAACCTTCACT	2,446,832	83
6495.	ATTTGAGCTTTATCTTATTAATCT[G, A]TTTCTTTATTCTCTCCATCATATGA	2,446,910	83
6496.	TAATGTTGATGTATTCTAGACAT[A, G]TTTGAGCTTTATCTTATTAATCTGT	2,446,934	83
6497.	TATGCTGTATTGGAACCTCGGATT[C, T]AAATAGTAAGCTGAAAATAAATTTT	2,447,105	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6498.	AGAAGCTCATTATCCATATCTATC[C, T]CGAATATGCTGTATTGGAACCTCGG	2,447,134	83
6499.	TGCAATTTTCAGAATCGGACACCAT[T, C]TTATATATCATATTACGGAGAGCAG	2,447,186	83
6500.	GTTAAATACTCGCATCTTAATTGA[C, T]CTAACATACCTCTTGTAGACACATA	2,447,238	83
6501.	ACTATCCAAAATGAATCCATCATT[T, C]AGCTACCAGAATATTAAACAAAATT	2,447,477	83
6502.	ATAAGGACGAAAGTCAATCAATTA[T, C]GCTCACACCCACTAGAGGAGACCGT	2,447,571	83
6503.	TTGCTGTGGATAAGGACGAAAGTC[A, G]ATCAATTATGCTCACACCCACTAGA	2,447,580	83
6504.	AGTTCCAACCTCTGCTGCTTGCCT[G, A]CAAGCCATCCAATCATCAGATCCTC	2,447,772	83
6505.	TGGCTTATCGGCTGGAATCCTATG[G, T]GGAATATTTGTATCTGCCCACTGTC	2,447,887	83
6506.	CTTCCTGCTTGAGATGACCTACTT[T, C]GTCTCAGTATTTCTTGCTTAAATAT	2,448,000	83
6507.	TCATTAATTGAGTCAGGTCTATAC[T, C]GATATCTGCCACATTACATGACTAA	2,449,158	83
6508.	ATAATCAATCGTACCTTGAAATTC[T, C]TAAGCGACCATAATGATCGCTGTA	2,449,392	83
6509.	GGAATTTATGGAAGAATATTTTCC[C, T]ATGGATCTTATGCAGAAAATTAGAA	2,449,490	83
6510.	GATACCAATTGTAGGGAATTTATG[G, A]AAGAATATTTTCCCATGGATCTTAT	2,449,504	83
6511.	CTAAAAAATATATCATTTATTTAAA[C, T]CAAAATGTGAGAGTACTAAATTCATA	2,450,644	83
6512.	AATCCTCTAAATCAGGGATCAACT[A, C]AAAAATATATCATTATTTAAACCAA	2,450,666	83
6513.	AATGGGTCACCTTTGGTGGTCACCA[T, C]CTATTGAAATCTACAATCCTCTAAA	2,450,705	83
6514.	TATTAATCGAAACATAACTTGTCT[A, G]ATCCTCTTAAATACTGAACAGAGGA	2,450,773	83
6515.	ATTAACCAATCATGCTCATGAATG[G, C]ACTCATTATCTTGATACACCAATA	2,450,829	83
6516.	ACTGTGCAAAATTTTAATAAATGAG[C, T]CACTTCGGTGGTCACCATCTATTGC	2,450,903	83
6517.	TGCACCAATAGTAGAAGCAATCAATC[A, A]AAGATTAACATATTTGATTCCATGA	2,450,969	83
6518.	ATCTATTTGTCCAACCTAATGCAC[C, A]AATAGTAAGCAATCAATCCAAGATT	2,450,988	83
6519.	TGCAATAGTTTTTGCAATGCTTCTC[A, C]ATCCTTTTAAATATCATACAGAAG	2,451,133	83
6520.	CACAATCACTAGTCATAAAATATT[T, C]CACTTCAAAATTATAACACATAATA	2,451,208	83
6521.	ACTATCCTAGACTATGCACAATCA[C, G]TAGTCATAAAATATTTCACTTCAAA	2,451,224	83
6522.	TGCCAGGCACGGCCCATTTGGGGTT[G, A]CTTTTTTAGAAAAAaGAAAAAAa	2,451,490	83
6523.	ATATTTTATTTTtCAAATTATC[T, C]CTAAAATTAGCCGTTTATGATTGT	2,451,725	83
6524.	ACGAGGAGGGTATTTACAGAAATC[C, T]TAATATTTTATTTTtCAAATTAT	2,451,752	83
6525.	GAAATAGACGAGGAGGGTATTTA[C, T]AGAAATCCTAATATTTTATTTTt	2,451,760	83
6526.	TTGCTAATTGCTAAATATTGAATA[C, T]TTGCTAAATATTGCTAGAAGAGTAA	2,451,846	83
6527.	GAATAGAGGTAGGTGGAGATTGG[G, A]GCTTCCTCTTGCTCCTCAGGACC	2,451,960	83
6528.	TTGGTTTCAGAGGAAGCAGAAACA[G, A]TAGTTTCTTCTCCATTAGAAATCAG	2,452,095	83
6529.	TATACTCTTCAAAATTAAGACT[T, C]ATATAAGCTAAAAGATAATTCATTC	2,452,439	83
6530.	TTACTAAAAAATTAGTCATAGCTA[C, T]TCTTCTAAATGTACATTTACTGGTT	2,452,520	83
6531.	TATCAATATAATGAGCAGTAGCAG[T, C]AATAAAATAAATACTATCAACATAT	2,452,643	83
6532.	TTTATTATCTAGAATGTGAAAAAT[C, A]AAAAATACGAAAAGCAAGAATACGT	2,452,712	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6533.	TAACAGCAGAATTATTATTAGATA[T, C]ATTGTCAAAAGTAATAGACATAATT	2,452,811	83
6534.	TTGAACAAAGAGATTTAAATATG[G, A]CATTCACATCTAATATGCAGTAAAT	2,452,900	83
6535.	AATAACATCTTGAACCATATGTCA[G, A]ATTGAACAAAGAGATTTAAATATG	2,452,926	83
6536.	TTTGCTCTTGAAGTATGAATAAAA[G, A]AAACTGCATTCTAATTTTATAAT	2,452,973	83
6537.	CTATACATATTGCTTAAATTTTt[A, G]AAGTTTGTCTCTGAAGTATGAATA	2,453,002	83
6538.	tCAAAATTTTATCTTTGTTCAT[C, A]ATTTTCGATCAATGTAAACTTAAT	2,453,176	83
6539.	AAACATCATCATATCTATGTTGTA[C, T]AAATTTTGGCTAATAAGATATGCT	2,453,308	83
6540.	CATATCCTATCCCAATACTCATT[C, T]ATTAGATTCCATTTTATAAATAAT	2,453,366	83
6541.	AAGAAGCATGTGTATGTCTCCTAT[C, G]TGCAATGAATGAGAAAATAGATGAT	2,453,641	83
6542.	GTCATTGTCATCGGATGTTGTATC[G, A]TGCCACCTTTATCTTGAAGTCTCA	2,453,995	83
6543.	GTCGGCAGTGTGTTGTGTCGTCATT[G, A]TCATCGGATGTTGTATCGTGTCAC	2,454,013	83
6544.	AGCAAAATTAATATAGATGTTAG[A, G]TTTTTTtGTAAAAaTAAAAaCCA	2,454,278	83
6545.	TAGACATGGGCAACAGGCCGGGCC[A, G]CCAATACACAGCCTGGCCTGGCAC	2,454,557	83
6546.	TTAGCAAAGTATCATCAACTTTTG[A, G]AGGTTTCATCTACTTTGGTAGAATGA	2,454,617	83
6547.	AATATGAGCAATATATGTGCTTAA[A, G]AAATTTTATAAGCATTATTTCAATG	2,454,938	83
6548.	ATCCAAATTTTCATCAAACATAGTG[A, C]TTGCTCCATTACGTTTCCATATTT	2,455,086	83
6549.	CTAAATGATTACCTTCTATCAT[A, C]TTTCGTAGGCAGTTTATATTCTAAA	2,455,183	83
6550.	ACTAATGAGTTAAATAATTACTT[G, A]TAGTCATCATTTTTAAGTTTAACAT	2,455,274	83
6551.	CTAGTTTCACAATGTAAGCCCTAA[C, T]AGCATCATGCCATCATACCTAAATA	2,455,383	83
6552.	TAGTGCAATACTCTCTAGTTTCA[C, T]AATGTAAGCCCTAACAGCATCATGC	2,455,398	83
6553.	GCAAGAAAAATATTAGGGATAGGG[G, A]TCTCAAATTTAACTTAGGTGCA	2,455,440	83
6554.	CAATTATACATAAGGAGAGAGTTAA[G, A]AGCTTAATGAGCAAGAAAAATATTA	2,455,475	83
6555.	ATTAGTATTGGATTTCTACTAAC[G, A]GACAACTCAAAGAATCTTGTA AAC	2,455,870	83
6556.	TCTGCATAGTCAATTAATAACAA[C, T]AATTAGTTCTAGTCCAACTTTCAT	2,455,971	83
6557.	TATACCTTTAGTATTATCTGCATAG[T, C]CAATTAAATAACAACAATTAGTTCT	2,455,986	83
6558.	ATTCTTATACCTCTGTGCAGGACA[G, A]TAGAATCTATATACTTTAGTATTAT	2,456,020	83
6559.	CTGGTATTTCAATTAACGGTTATG[A, G]AGGTGCTATAATCGATTATATATT	2,456,234	83
6560.	TGGTCATTAAGAATGATGAGTTTT[C, T]TTTTTTtAATGATATCTTTACTG	2,456,281	83
6561.	TACAAGAGACTGAATTATCCATAT[A, G]GTCAATGCCATAGTCATTCTCATCT	2,456,343	83
6562.	AATTTTCTAATGAAGCTGTAGGT[C, T]AAACGGGTATCAGTGTTATGATT	2,456,409	83
6563.	TAGATTTACCTTTTAGGTCTGTAT[G, A]CCATATGTTTTTCCCACTCTCAAT	2,456,484	83
6564.	TCTCCCTTGACCACATGTACATCT[C, T]TAGGTTTGCAATTAGACATACCAAA	2,456,857	83
6565.	CTTTTCTACATTATTCTAAGGACA[C, T]TGGTTTCTACTGAATTTGTCTCCCT	2,456,900	83
6566.	ATCATATATGCTATATCTGATCTG[A, G]CACAAATCTTTGTATATATAAACT	2,456,988	83
6567.	AGCTTATTGCCTTAAGATGATCAG[T, A]CTTTCAAAaAAAAAaAGAGTTGAC	2,457,137	83
6568.	AAATTCAAATCAGATAGCTTAT[T, C]GCCTTAAGATGATCAGTCTTTCAAA	2,457,154	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6569.	GAAAAGAACATAACTGCACCATAA[T, C]CATAGTAAATCTGAAGTGGTTTCGA	2,457,401	83
6570.	TATGTATTCAATTACAATGAGTCC[G, C]TTTAAATCGAATCTCTGACTGTCAA	2,457,502	83
6571.	ATATGATGTTCAACAAAAATAAT[G, A]ATCCCACTAACCAACATATCAAAA	2,457,644	83
6572.	ATGCTTAAGGCTTTTCATTTAAACA[T, G]CATTTACAAACAACCATATGTGCAT	2,457,757	83
6573.	TAAGTAATATTTTCATGCTTAAAC[A, G]GCACATTTATGCTTAAGACTTCTAT	2,457,841	83
6574.	TCTCAAGGCGAATCATGATATCAA[C, T]GATATCATTATAACATAAGTAATAT	2,457,881	83
6575.	TATACAAAGCTCATCATCAGTCCA[C, T]TTTACGATTTCAAATGAAACCCTTT	2,458,009	83
6576.	TTCTAGTGATGTAGTGATGTAGT[A, G]TGAACTTTATATCCATGTGATCAAA	2,458,060	83
6577.	CCACTAACATTGAATCACAGCAAT[C, T]TTCATATCATTTATTGATATTAGAC	2,458,151	83
6578.	TTCATTTAGATGGCAACTTAGTCC[G, T]TATTTTTATAACAAATCAGAATAA	2,458,420	83
6579.	ATGTCAATAATATGCAATTTAATG[C, T]CATTTTGAGGTTGTATTTTCAATT	2,458,770	83
6580.	CGCTATCTAACTCAAAATGAACC[A, C]AAATATGTCAATAATATGCAATTTA	2,458,799	83
6581.	tCTTTAGTTTTAAGATGACATAGT[A, T]GAAATATAATGTAATAATATATG	2,458,879	83
6582.	AAACCGCCTGGTACGGTGCGTACC[A, G]AGCCGACCGATGCCTTACCGGTCC	2,460,433	83
6583.	GTTTGGCGAACTAAGATGTGGGA[T, A]TGTATTGAAGAATATTTCCCATGA	2,460,768	83
6584.	AAAAATACGGTGTAGATGCCACCA[T, C]GATGTTCAAACCTAGATATCTCG	2,460,855	83
6585.	GTCACATTTCAATGATGGTCAACC[T, C]CTACTTCATATTGCTCATATCAAGG	2,460,983	83
6586.	TCATTTACTTCTGTCTTAATAGAT[G, T]ATTAAAGAACCAAGGAGTACCTAT	2,461,089	83
6587.	ATAGATACTTGTATTTTGTTCATGC[T, C]GCATACATGCATGACTTCCAAATTG	2,461,193	83
6588.	TTTATATTTGTTTATTTACTAATC[A, G]TTATATCTGAACTACCTTTATGGTA	2,461,363	83
6589.	TTACTTTTTTACTGTTTCATTAAT[G, T]GTTTGATACATTTTTTTtCCTGCATA	2,462,215	83
6590.	AATCCTTATCTCTACAACTTGTC[A, G]TAAGAAAATAACTACTGCCATCCCC	2,462,591	83
6591.	TATTTCTCCTTGATTTTATGTATA[A, G]ATCCAAATATGTGTTTATGCACCAA	2,462,903	83
6592.	TTTTCCTGTCTTTTCAGTTCTTT[G, A]TGACTATAAGAGTTCTGCTTATTTT	2,463,360	83
6593.	CAGCTATCGAGAAAGAATATCCAC[G, A]GGAATCAGTCCTAATGAGCTTTAAT	2,463,820	83
6594.	GAGTTTTTAAACTTTCATCTCCTT[C, A]AAATTGCAGGAATTGTGCATGCAC	2,463,939	83
6595.	GAGGCACACCGGTTAGCTTGACAT[A, C]CTGATGCTTTTTTCAGCCATAAGGAG	2,464,579	83
6596.	TGCAGGACCTGCTATGAATTTATG[T, C]GGAAAGTGGGGAATCAATCATGTCC	2,464,650	83
6597.	GGGTCTCATCAAGATGGGAGGCCA[C, T]CTCTTGCTTGCAACGAGTGTGGATA	2,464,707	83
6598.	TCCAAGGCCCTTAGTATATCGCTAT[A, G]TTTTTCCAGATCAGAAAGAAAATAC	2,464,792	83
6599.	TTGAATACATTTGGGTGGTGAAT[A, G]TTGTACTAGCACTTTAATTCTTATA	2,465,143	83
6600.	TGAAAGTAACCTGCCTTTTAAAT[G, T]GGCTACCTTCTTTCAACTTTATCTA	2,465,645	83
6601.	ACGGCTGAAAGTAACCTGCCTTTT[A, G]AAATGGGCTACCTTCTTTCAACTTT	2,465,650	83
6602.	CTCCTTGGTTTTTATCTTTGCAA[T, C]GCTTCCAGCTCGCTAAGTAATAGCC	2,465,845	83
6603.	CTTTGTATTGCTAGTCCTCCTTGG[T, C]TTTTATCTTTGCAATGCTTCCAGC	2,465,861	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6604.	GGAATTAAGGATCATGGATTCCAT[A, T]TATCTTTGCCATTGAAAGCAGTTT	2,465,952	83
6605.	GTCAACTGCCATACTGAAAAGGTT[A, T]GGAAACATTTATATCAGTACTACTC	2,466,165	83
6606.	TCTGACTTTGTTTCATCTGCTGTGG[G, T]GGTAAAGTAGAAATCTGTATCTAAT	2,466,334	83
6607.	GATTTTACCTTCCAGGAGCTGGA[A, G]CCTTCCATACATGTTTTCATCCTTT	2,466,428	83
6608.	TTGTCGTTTTATGTCTACAAGACA[T, A]ATGAAATTCAATATCTGTAGCATCA	2,466,569	83
6609.	CCAACTTTAAATTGTAACCTTTT[C, T]GTACAACTCTTCCAAATCTTCTTG	2,466,616	83
6610.	ATATATATATTTATATTTCTTTT[T, G]TtATTTtATTTTATGTTATTTTGT	2,467,149	83
6611.	CACTGATTCTCTTTTGAATTTGGA[T, C]GTTCCGACCTGTCCCAATCATCTGA	2,467,259	83
6612.	ATTAAATATATTTCTCGCCAACT[G, A]GTCTTTTGGTTTTGGTCTTCAGACT	2,467,833	83
6613.	AAGGAGAGCTGTTGTATTAACTGT[T, G]CTTATTCTTGTAACAAGGAGCA	2,468,091	83
6614.	GTGGAATCTTTCTTTTCTTTCC[C, T]TTTtCTTTGTCTCCACTAAATCTT	2,468,620	83
6615.	CTTGTCTCTCTCCATCTCTCTT[T, C]CCATTCTTCTGCCAGCACCCACC	2,468,979	83
6616.	CAGGACCGGCTCTGTTCTCTTC[C, A]CATTCCTCTTCCATTCTTCTGCCA	2,468,990	83
6617.	ATTCCGATCGATTTCTGTGATCTT[T, C]CTCGGATCGAAATATTCATGATCTT	2,474,169	83
6618.	CTTTGGACTACCAGGATCATGCGA[C, T]GATCTTTTATTCGGATCGATTTCTG	2,474,202	83
6619.	TAAATCTTTTCTTTTGGCTTTG[A, G]CTTTGGACTACCAGGATCATGCGAC	2,474,227	83
6620.	GTTCACTGTCCAGAATACTGCAAA[T, C]ATTTATAGATTATCTGTTTATCAA	2,474,373	83
6621.	AAAGATAAGCAATAACACATAAAA[A, G]TCGATGTTCACTGTCCAGAATACTG	2,474,403	83
6622.	ATCATATGAATATAATAATATAAT[A, C]TGAAAATAAGATAAGCAATAACAC	2,474,435	83
6623.	ATCCAGGCCACAGCCAATCATAAG[T, C]ATCCTGTAACCTGAGAAGAAAAGA	2,474,529	83
6624.	TTCAATTCTCTGATCAGATACTAT[A, G]ACACTCTTATTTATCTTCTGCTCA	2,474,586	83
6625.	CAACAATAATTCATAAAATCTTG[C, A]TAATTACAATTTAAATTTCTTCAAT	2,474,630	83
6626.	TTATTTCAACAATAATTCATAAAA[T, C]CTTGCCTAATTACAATTTAAATTTT	2,474,636	83
6627.	TTATTtTAAATATAATATTTTT[C, T]TGTCATGCCTCGAACCAACATCCG	2,474,781	83
6628.	GTAGTGAGAGAAGATATTGATCAGT[T, C]TTACATAGATCTGAATATTATGGAA	2,475,317	83
6629.	CGGGGATCGGGGAGGGTTCTCGCA[T, C]CGGGAGGAGGGAGAGGTGGGGC	2,475,797	83
6630.	GGGCGATTATAGAGTCATCTTAT[C, A]TTAAGATGACTCTATAAGTTTCCTA	2,475,987	83
6631.	ATTTTAAACCTAAATATATTCTCA[G, A]GTCTAACAAATAATCCAAGCTCATG	2,476,937	83
6632.	TGGACATCATCTTTGATCCAAATA[C, T]TCCAACAAAAGACAACCTCCTAATC	2,477,052	83
6633.	AATCTTAGATACTTATGCAGGTTA[A, C]AGAATCCAATAACATATTTGGAC	2,477,097	83
6634.	TTGATTTAAGGTCGCTTGCTTCG[T, A]TGATGCATGGTAACTATCAGACCT	2,478,290	83
6635.	ACGAGGAAGAAGGCTTGCACCAG[A, C]GGGACATCTAAACTCCAAGTTCA	2,478,393	83
6636.	GTTTATGCTCTACTATAAATATAT[G, A]TGGACCCGCGTGAGAATGCCCGTC	2,478,466	83
6637.	CTTCAATCTGATGAGAAAGTATTT[C, A]GAAATCCAGCTTAACTACAACAT	2,478,789	83
6638.	ACAAGAGTTAACTAAAACAGAATC[T, G]TCAATCTGATGAGAAAGTATTTTGA	2,478,812	83
6639.	AGGACTGCTTATCTAATAGGCCTA[C, T]TGAAAATAATTTACAAGAGTTAAC	2,478,850	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6640.	ATTAGATTCATCTCCTGCAACAT[G, A]GAGTAGCAGAAAACCTTTGGTGTTC	2,478,917	83
6641.	TTTTTTTTTtAGAATTAATTAG[A, G]TTCATCTCCTGCAACATGGAGTAGC	2,478,935	83
6642.	GTGTATAGATTCTAATTAAGAGT[T, C]CATCCATTATTTACACATTTAATTA	2,479,010	83
6643.	GTGGAATGGGGTGCCGTAAACTT[A, G]CATAATGCTGATGTATAGATTCT	2,479,047	83
6644.	GGGCGGCGTGAAGGGTGGAAATGG[A, A]GTGCCGTAAACTTACATAATGCTGA	2,479,061	83
6645.	TTAGAAGATCTAGGTGAACCAATT[A, T]GTTCTTTTAGTAGATACAGTGAATG	2,479,191	83
6646.	CCTACCCTAATTTCTGTGCCCCGA[G, T]GTCTTTATATGTTTAAATTGCCTTG	2,479,265	83
6647.	ACTAGTTATGGGCTATCTGAATGA[A, C]AGCAAGTTAACCTGTCTGCCCTCCT	2,479,536	83
6648.	ATGGAACGGCATCAAACACATAC[G, C]TTGGTATGAGATAGAAGGATTGGGC	2,479,951	83
6649.	CTGTGGACCACACGGCTAAAAGAG[A, C]GTAGTCTTCTGCTTCACCCATATGTC	2,480,026	83
6650.	CCGATACATGCTGATAGTAATTT[A, G]AAGTGGGTCTGTCAGCCCATCAAAT	2,480,677	83
6651.	GATTTGAAAGATTGACTCATATGG[T, C]GGCATTTAAATGCTAAGACTAGAGC	2,480,868	83
6652.	GATTATTGATATGATGAGCTCTTA[C, T]TTGATAGTTAATATGTGGATATATA	2,483,324	83
6653.	GTCGTTTCTGTGATTATTGATAT[G, C]ATGAGCTCTTACTTGATAGTTAATA	2,483,336	83
6654.	TAAGTATACAATTAGCTGCTATTA[A, C]ATGGCACGGGATTGTTTATAAAATT	2,483,558	83
6655.	GCTTGCCACATCAAGTCATGGGTT[A, C]GATCATCCAAGCAAGAGGAAAAAAC	2,484,236	83
6656.	ATGTGGCCTTCATCAATCCGTACA[C, T]GTGATTATTTAAGGAACAATGGATA	2,484,323	83
6657.	ACATGTGGCCTTCATCAATCCGTA[C, A]ACGTGATTATTTAAGGAACAATGGA	2,484,325	83
6658.	AACCATCCAATTTTTTAGATTAC[G, A]AGGAGGCCACCACCTAACATGTGG	2,484,367	83
6659.	ATATGGAACATTGAAAATCCTTTT[C, C]AACCATCCAATTTTTTAGATTACG	2,484,392	83
6660.	ATATATCTTCATATAGTGTGCGTC[T, C]TTATTTTTCTTTCTTTTCTTATTG	2,484,685	83
6661.	TTtGATAAAAATAGGAAATAAAG[T, C]TACTGAAAATCCGGAAGCATCTTCA	2,484,863	83
6662.	TTTTtATTTTTTTtGATAAAAATA[G, A]GAAATAAAAGTTACTGAAAATCCGG	2,484,874	83
6663.	GATTTTTtATTTTTTTtGATAAAA[A, T]TAGGAAAATAAAGTTACTGAAAATC	2,484,877	83
6664.	GGTAAAAGATACCTTAAAAGGG[C, A]GTGATCCATTAATTTAAAACCTAG	2,485,105	83
6665.	TGATCTCCACGCGTTTGATGATC[A, T]CCAGGCGAGGGCTCGACAAAAGTG	2,485,407	83
6666.	TTGAACAAGCACGCCCTTTTCCCA[T, G]ATTAAATCCACTCGCCCTGGACTTT	2,485,813	83
6667.	ATACGGAGGATTACTTTGAAAATT[T, C]TTAAGGAAAAGGGGTATGTGTGA	2,485,886	83
6668.	AGACGTTTCATGAAGTGTGGCCGT[A, T]GGAAATGTTGTCCAAACAACGTATA	2,486,037	83
6669.	TTGGTATGCGTCAAATTGAAAGGC[G, A]CTGCTTCTCAAAGATTGAAACAATG	2,486,212	83
6670.	CGAGCCACAAGAAAACCTTCCATG[A, G]TGGTCTTGATACAAAATTTTATTT	2,486,301	83
6671.	ATACAGTTGTCAACCTAACATGCA[T, C]CGGCACTTAAGGAATGATAGCGTGG	2,486,357	83
6672.	ATTCTTGTTACTTCACCTCTTTT[G, T]GTATATTTCTTTCTTTTtAAAT	2,486,783	83
6673.	TAATCTTAATAACCATATGTACAA[T, C]TGTACACTATGCTACAATAGTTCCC	2,488,451	83
6674.	TTAAGTTAGTAGTATCATTTTGTC[A, C]AACATTAAAGAACAAAACCTTTACT	2,488,512	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6675.	CGTCGTCGCCCGTCGCCGATGA[A, G]ACGAAGGACGCCCGTAATCATCA	2,489,080	83
6676.	CACGACTGGTGGTAATAGTAGCAG[T, A]CCTAGTGGTGGCAAACAGAAAACAA	2,489,754	83
6677.	AAATCCCGTGTTGCTTGAATGGCC[G, C]AACGTAGCACTACTTGGGTTGGAG	2,490,707	83
6678.	ATTGACCAATCAAAAAGTTAAACA[G, A]CCACTGTATCTTTTCACGAGATTT	2,491,016	83
6679.	GTTGATTGACCAATCAAAAGGCTA[G, C]ACAAGTACAGAGCAGTGAATTGACC	2,491,059	83
6680.	GCTGCTTGTGTGTAAGTACGACAACA[A, T]ACAATACATCAGTTTTTCATCAAAaA	2,491,133	83
6681.	TGGTAAATGTTTCTTGATGCAATT[C, T]GTCAGCTAATTGACCCATCAAAAGG	2,491,182	83
6682.	AAGTAACAGCTAACAATGGTGT[T, A, G]TTATACATGAAGAACCCTTCACAGCT	2,491,298	83
6683.	CCACATGCTCAAGAACTTAGAGA[C, A]ACATATAAAGTAACAGCTAACAATG	2,491,330	83
6684.	CTCGTCTCCGACTCCGATTGGGAG[C, T]CGGCGAGAGGAGGAAGAAAGACTCCC	2,706,922	83
6685.	TTTGAAGCATGATGGCACCTGAAG[T, A]CTAAGTCATTTGCGGCATTTGAAGA	2,800,319	83
6686.	GAGGGCTATCAAGGCAACATGGTA[A, T]GGTAACATCATGGCAGTAGCTAGTT	2,800,654	83
6687.	ACCAAGAGGTAGTTGATGATTCA[T, A]AAGCTTGATTTTATTAATGACAACA	2,801,242	83
6688.	ATCTGTTGCACTTAAAAACAAATA[A, G]GAGGAAGGTCCAACCAAGTAACAA	2,801,363	83
6689.	CGCGCCCTACTATAAAACGGAGAA[A, G]GCAACAGTCTGGTAAAGGTTCTTT	2,801,988	83
6690.	CCATGCCGCGCCCTACTATAAAAC[G, A]GAGAAAGCAACAGTGTGTTAAAGG	2,801,994	83
6691.	CACCGATAGGACGCATGACACCGA[T, C]GGGACGCCTGACACCGACGGGACGC	2,802,698	83
6692.	GTTTCGGCCCAACGGCCCCCGCCA[C, T]GTGGCGGAAGAGTCGTGGCGGTTTCG	2,802,802	83
6693.	CGACCAGCGAGGATCTCCAGATC[G, A]TGACGCGTGGCAATATCTGGGCCTT	2,802,919	83
6694.	GGTCGAGATGAAGGCACGACCAGC[G, T]AGGATCTCCAGATCGTGACGCGTG	2,802,935	83
6695.	GAAAGAGGAGGACTACGAGGAAGC[G, A]AGGAAGAGAACAAAGGACATGGGG	2,803,088	83
6696.	AAAGAGGAAGAAAGAGGAGGACTA[C, T]GAGGAAGCGAGGAAGAGAACAAGG	2,803,097	83
6697.	AGGAGATATTCTAGCCATTACGCC[G, A]GAACAGAGGTCAAAGAATAAAAGAG	2,803,141	83
6698.	GACCGACTTCTCTGAGGAGATATT[C, T]TAGCCATTACGCCGAACAGAGGTC	2,803,155	83
6699.	CGTTCGGCCCCGAAAGTGAAGAGA[T, C]CTCCACCTCCAGGGTCGATCGAGAA	2,803,223	83
6700.	GGATGCAGTACTGCTCCCGAGACC[G, A]ATCAACGTTCCGGCCCCGAAAGTGAA	2,803,253	83
6701.	GCTCTGGGATGCAGTACTGTCC[C, G]GAGCCGATCAACGTTTCGGCCCCGAA	2,803,259	83
6702.	AGGGGCGAACAGCTGAAATTGCTC[T, C]GGGATGCAGTACTGCTCCCGAGACC	2,803,279	83
6703.	CCTCAGACGGGCTGTTAACCCGAC[C, A]ATTGGCTCCAGGGCGAACAGCTGA	2,803,313	83
6704.	TAGAGATGTATTAAAAAGTGAGTA[G, T]TACCACATCATCAAAAATAGATCA	2,812,889	83
6705.	AGGCCCTTTGAGAGATTGTGGCTAC[T, G]CATATCAAATCAAAGAGATTTCTTA	2,813,811	83
6706.	ACAGTCTAACTGATGGGGCCATG[C, T]GCTGATAAGTCAATCTTCTCATTCT	2,814,800	83
6707.	ATAAATATATATGCTTTTTTTAAAG[C, T]TTTATCCAGTATCTATGTCATATT	2,816,787	83
6708.	AATAAATATATATGCTTTTTTTAA[G, A]CTTTATCCAGTATCTATGTCATAT	2,816,788	83
6709.	GTCTCACTAAGCAATATCATCTGG[G, A]GTTTTAATGTTTCAGCTGAAGCTGAT	2,816,969	83
6710.	ATCCTTCTATTTCTCTTCAAGCA[G, A]ATCTGATACAGGATAGAACTGTTT	2,817,183	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6711.	ATAGCAAACAGCAATGGGGATCC[G, A]AGGGCTGTGCAACATATAACATGG	2,818,649	83
6712.	CAATCAGAATTGCTTTATTGTTGG[G, A]GAAAAACATATATTGCCAATTGCAA	2,819,792	83
6713.	CATATAAAAAaCTTACTTTTTAA[T, A]ATGAAAGAAGGGGAAAAAGGTCTGT	2,820,563	83
6714.	TGAATGGACTATTTTACCTTTTAT[C, A]TTTTTTtATTGTATGGATTAAAAAT	2,820,764	83
6715.	TAAAAATTCAGAATATCAATATC[G, A]CACAACTAATAGAAAGATCAAGTGA	2,820,811	83
6716.	GCGGCATTTAAAAACAAGAACCA[C, T]AACTGCAAACTGTTTAAAAGCCGCT	2,822,617	83
6717.	CTGATACCAGTGACTGAATCTGAA[C, T]CGGATTTGATAAGATCAAATTCGAA	2,829,117	83
6718.	AAGAACTGATACCAGTGACTGAAT[C, T]TGAACCGGATTTGATAAGATCAAAT	2,829,122	83
6719.	TGGGAGTCTAATTGTTGAAAAAAT[G, A]CATCAGTTTAGTAATATAACCTAGC	2,842,761	83
6720.	GAACACCGGTGCTATTGTGGCTAC[T, A]TGTCGAACGAAGAGTACAGGCATTA	2,843,219	83
6721.	TGAAGGAATCTTATCACGAGACCG[C, T]AATTCAATGGATGCAGATATCCAGC	2,843,441	83
6722.	AAAATGGTTGTGTGTTTTATACCA[G, A]TGTAATCTCTACACCGTTGTTACT	2,843,528	83
6723.	CTTCAAACCTTGATGGCCATCAA[G, C]CCTGAGATTTACTGCTTGTCTGATG	2,843,580	83
6724.	TATTCAGGAGGAGAGAGGAGGCTC[G, A]GAGGCTGCTCAAGGAATCGCTTCAA	2,843,624	83
6725.	TAAATCTCCTTAATGCAAGTAAT[C, T]GGAGAACAACCAACAAAGGCGAAC	2,845,049	83
6726.	ATTTGATCTTTGAGACCGCTGTAC[A, G]TATCCCTGATTCTTCTGATTTCTA	2,845,702	83
6727.	TTCCCTCTGCTGTCTGTAATTATT[T, C]GATCTTTGAGACCGCTGTACATATC	2,845,723	83
6728.	TATTTTTACCCAATTTTTCCCTCT[G, A]CTGTCTGTAATTATTTGATCTTTGA	2,845,739	83
6729.	TCCTCCTTTGTTAGTAAATTGGGC[C, G]TCAAAAAATCCAATTTAGTTCACT	2,847,419	83
6730.	TGAGAGAATAAAATAAGATCAATA[C, T]AAGAGGAACCTTACCACTCAATCGTT	2,847,419	83
6731.	GGAACCTTACCACTCAATCGTTGTA[C, T]AAGAGTCTCTCAAGAAAAATCCCA	2,847,419	83
6732.	GGCTCAATGTGGACCAAAATTTAA[A, G]GTGTATTTCCTAACAAGCATGCATA	2,847,419	83
6733.	ATTCCTCTTCTTTGTTAGTAAAT[T, A]GGGCCTCAAAAAATCCAATTTAGT	2,847,424	83
6734.	ATATTTGTTGGCTACATTATAGTA[T, G]TGTGATGTGTTTTGGCGGAAATGGG	2,847,504	83
6735.	ATACAGAAATCAAGGCAGAACCCT[G, A]TTTTTATTTCTGTTCTTTGAAACT	2,848,281	83
6736.	AAATTTCTTCAGTCTTTGAGACTT[A, G]TATCTCTATGTTCTTACAATTTTCA	2,849,480	83
6737.	AGACGGTGCAATCACGGCTTGTGG[C, T]GCTACGGACGTGAAACAGGGCGAT	2,850,223	83
6738.	CTCCACCTTTTGCTTTTTTTCCCG[G, A]AGACCCCTTTTCTCTCTCCTTTTA	2,854,559	83
6739.	GGTAAGTTTTTAGTTTCATATTT[C, T]TTGTTTTATCTCTCAAAATGTATAC	2,855,805	83
6740.	AGATCAGAACACAATTATAATTAT[G, A]TATTGGTAAGTTTTTAGTTTCATAT	2,855,834	83
6741.	CACTCCAAGGTAAATGTTGGGCAT[C, T]TAGGAGATGTTGTAGGTAAGTTTGG	2,856,782	83
6742.	CTAGAGTTATATTAAGTTCTATGA[A, G]ACATCAGATGACTAGCTTTACTATA	2,856,918	83
6743.	GCTCTGGCCAATTAGAGAGTGCT[C, T]CATTTCTCATCGATCGAGTAAGTAG	2,857,691	83
6744.	CGTGGCCCACTATTTGACTCATC[T, C]CTTCCGACTCCCCAAGACTTCATCA	2,857,782	83
6745.	ATGAAAACCTCTAAATCTCTACTA[C, T]GTGGCCCACTATTTGACTCATCTC	2,857,806	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6746.	CGATGACCCCTCTTCTCCCTCCT[C, T]TTCCTCCTCACCCCTTCTCCTCGT	2,858,318	83
6747.	TCCAAGCCCATCCATCAGCCTTTT[C, G]TCTTCACAGTGACTCCTTTTATGTC	2,858,506	83
6748.	AACATCCCTCCTTCATCCTCCTCT[C, T]CTTCTCATTATCCCCTTCTCCTCT	2,858,704	83
6749.	GATTTGAACCTAAATCTTTGGAG[G, A]CCTAACCAAAATCTTAATCAATAAG	2,859,030	83
6750.	TATTAGGTTCAAGTCGGATCATTG[G, A]AATTCAGTAAATCTAGACCATACCT	2,859,248	83
6751.	GACTTTGTGTCAAGAGCTAAACA[G, A]ACATTACCTAATTATGTATTTTTTA	2,859,529	83
6752.	ATTAGATTGGATTGTCACGAGTGA[C, T]TTGGCTCGATCTGGTTCATTGATT	2,859,877	83
6753.	TTCTCTAAGATAGGGTCGACAGTG[A, G]TAAATGCCGAAGATTTGACCAGGGC	2,860,349	83
6754.	CAGCCCTATCATTGTCATCTTCTC[C, T]TTGAGCAGCATCGGCAGCAACATCA	2,860,494	83
6755.	ATGACGTCCGTAGATGTAATAGGT[G, A]TATACTTGATCAGCATCACGAACT	2,862,935	83
6756.	ACTGTGATATAAAAAATATTGCTAT[C, T]GACAATGGATCGATCGTACCGTACC	2,863,295	83
6757.	CATCCAAACCCGTTACTTCCAAA[T, C]TTGACCTTCAATTTAGTATCCCATG	2,863,493	83
6758.	TCAACTTCAGGACTGCTCTAGCTT[C, A]TATTGAAGGTATACAAGTAGCTTGC	2,865,195	83
6759.	TGGTGGCTCCACTGGCTCTTGTAT[T, G]TTTCCCCCTCAATTTAACGAAAA	2,865,263	83
6760.	CTGCGTCATTTATTTTGTATCTTCA[C, A]TTTTTGCCCAGAAATTCACGAGCA	2,865,673	83
6761.	GCATGAGCCAAATCAGCACAGACC[A, G]ATATACCGACCAATAAACGTGATT	2,866,109	83
6762.	TATGAGCACTTCCAATGGATCTAA[C, A]TTGTAGTGCCTAAGTAATTATGAC	2,867,753	83
6763.	TCCACATGGTTCCCTGGAGAGTTCT[T, C]GGGCTTCCATATGAGCACTTCCAAT	2,867,787	83
6764.	CGTCAATTGCCTTTTGACTGCAGT[T, C]GGCTTGGCATCGGAATGTTTGTGCA	2,867,867	83
6765.	CCGCCAGATGCAGGCTGGGCCTTT[T, C]CACTTAGCTTTAACAAATTGGACTT	2,869,059	83
6766.	GTGGGACCAAGGAGGAGTGGATGG[T, G]GGTGTGCAGTGAATGGACGAGGGGG	2,870,470	83
6767.	CATAAGATCAGATTATTGACAAA[G, A]TTAGCCATATAAGAGATGGATTATT	2,871,201	83
6768.	TCCAGAATTGTACAAAGACCGAGG[A, T]GCACAAACTAGTGAAGTGGCAACCA	2,871,834	83
6769.	AATTATCAGCCTTTTTTGAATTGT[A, T]ATTGTGTTTACTCATGCCTGATAC	2,871,941	83
6770.	GACAATCCATGAAGTTAATTAATA[A, G]AAATATGCTTTTGCTATTTATAGAA	2,872,443	83
6771.	AAGTGGTTATTTAGTCAAATCCAT[T, G]CAATTATAGAATTTTATATTTATTT	2,873,238	83
6772.	TACTCATAGTTAAATCATTAAGC[G, T]ATCTCTTGTTACAAGATCCAACAAA	2,874,531	83
6773.	ATCTGTTGGTTTCTCAACTTGCA[C, T]ATTCAGGGGAGATGACTGGAAGAAC	2,875,226	83
6774.	CTTTATCTCTCCCTCTCTTTTTCG[T, G]GGCGCGCGCTGAAATTAGTATCCT	2,876,078	83
6775.	ACTCGTTGGATTGAAAATTTAAC[C, A]ATGGACTTGATCTAACCTAATCCGA	2,876,988	83
6776.	GACTCAATCCAATCCAATGACTC[G, A]TTGGATTGAAAATTTAACCATGGA	2,877,008	83
6777.	CTGGATTCAAATCTTTTGGATTGA[C, A]GCTGGATTATATTTGGACTCAATCC	2,877,048	83
6778.	ATATATTTAATATAAAAAATATAT[C, T]AGAATTATTTTGTATCCTAATTTA	2,877,205	83
6779.	TAAAAATCCATGGGACTGGATTA[A, G]GTTCTAAAATTGAGTATGTTCTATT	2,877,424	83
6780.	GCCATATAGAGTCTAGACATAAGA[G, A]CTTCAAATTTAGAGTTATTTTAGAA	2,878,050	83
6781.	ATTTTTTAAAAATACAAAAGTTAT[T, C]TAAATAATTACAGATATCTAAATA	2,878,317	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6782.	TTTAAATTTAAACTCAAATGGATA[A, G]TTTTTCCTTATTATCCTACATATT	2,878,456	83
6783.	TAGCAATTCGAGGTAAATTCCCAT[C, G]GCGGCGCCAATATGAAGCATAAGAA	2,880,961	83
6784.	TTTCCTCTTATCCTGCAGCTAGT[A, G]CAGGAAATTTATGCCAAAATGGTGT	2,881,058	83
6785.	TGCATGGTAAGTATGTATTTCCGT[C, T]TTATCCTGCAGCTAGTACAGGAAAT	2,881,075	83
6786.	TGGAAACCATGCATGGTAAGTATG[T, A]ATTTCCTCTTATCCTGCAGCTAGT	2,881,084	83
6787.	CTATCAGTAAGAAGATATAGAAGC[A, C]GAAGAAATCTCTCGCATATCAAATA	2,881,283	83
6788.	TACGGATTCTGTTATATAAATGAA[C, T]AGGTATTGCAGTTTTATGCCTCTTC	2,881,343	83
6789.	GATACGGATTCTGTTATATAAATG[A, T]ACAGGTATTGCAGTTTTATGCCTCT	2,881,345	83
6790.	AAGCAAAACAACCTTAGATTTTCAG[C, T]TCTGCAGATATCCAAGAGCCTCAG	2,881,561	83
6791.	TTATCTATCTTTCTTGATATTAAG[T, C]ATGGATGAAAGTCCAACCTCCGTCAA	2,881,962	83
6792.	TGAACCCATAAATGTTGATTACCA[T, A]CTAATAAGAGGGGAAACAAAAGAAA	2,882,414	83
6793.	ATCTGAACTGCAACAAGTTACTAT[A, G]TTATACATTAAAGAAAGAATGAAAT	2,882,945	83
6794.	CACCATATTTTGCCAGTAACCCCT[A, G]TTCAGAACTGCAAATTAACATAAAG	2,883,161	83
6795.	TTATTTTGATAGTTTTAACGGCTG[T, G]TTCTTTGGATTTTCATACCTCATCC	2,883,410	83
6796.	AATTATGTGCAAGTAAACAGAATT[T, C]ATACCATGTGTTGCAAAAAACACAT	2,883,716	83
6797.	ATTGGAAGCAATTACGAATACATA[T, A]AATGTGCAACTAAACAAAGTTCATA	2,883,774	83
6798.	AAATGAAATCAGTGTAACCTCTCA[A, C]AAAATCTGCAGAACACAGAGATTT	2,883,825	83
6799.	AGAACAGAGCCTTTTTACTAACAA[G, C]TCACAAAGATGAGAAAAGTCCAAG	2,884,081	83
6800.	GAATGATGGGACCTACAGAACAGA[G, T]CCTTTTTACTAACAAAGTCACAAAGA	2,884,097	83
6801.	AGTAGCAATTGGTTGGATGTGGAT[C, T]GGGTTTGATTTTATCCACACTAGAA	2,887,764	83
6802.	TTTCGTCTTTCTCTTTTCGTGGTG[C, T]GCAGGGAACTGAGCTGGTGGGCTA	2,887,828	83
6803.	CGAGTGAAGCCATATGGACCCCGC[T, G]AACGCCATCCACCTCGCCAGCGAAT	2,887,908	83
6804.	AGGAAAAATACCATGAAAGTAGTT[A, G]GCAAGCTAACTAATACTATGAAAAAT	2,888,437	83
6805.	CAATATTTCTCTCACAATCCCAAC[C, T]AAATACAAAGAATTTGAACATAACG	2,888,488	83
6806.	TTCCCAACTCTATTCAATATTTCT[C, T]TCACAATCCCAACCAATACAAAGA	2,888,502	83
6807.	AAATTTTTTGAAACCAATGATAGA[T, C]GGAGATTATCTATTTTCCCAACTCT	2,888,541	83
6808.	ACTTTCTTTGTATTCCCATATTT[G, A]GAAGGATGCAAAATTGATGGGTCTA	2,888,629	83
6809.	CCATCCCTCTATGTTCTATCCAAC[T, C]TTCTTTGTATTCCCATAAATTGGAA	2,888,651	83
6810.	AAATAAATAAAaGGTAAAAaGT[G, A]TCAGGATTTTACAAAAGGTTAATAA	2,888,724	83
6811.	TATAAATAAATAAATAAAaGGT[A, C]AAAAaGTGCAGGATTTTACAAAAG	2,888,732	83
6812.	TGAAATTTAAAAATATAAGATAAG[C, T]AATATAGATAAAATAAATATATATA	2,888,853	83
6813.	ATAATTAATTATATAATTGATTTA[G, A]GTAGTTAACTAATTTTATATAAATA	2,889,001	83
6814.	TATAAATAATTAATTAATAAATAAT[G, A]AATATTAATAAAAAATAGAGTATAAT	2,889,201	83
6815.	TATAAATACTAAAGAAGTAGAGCA[A, C]TATATAAGGTACAAATTTAAATTT	2,889,372	83
6816.	TTTCTCCTCTATTTAATACAAGAG[A, G]AATGAAAGAAAGAATGAATGATATT	2,889,488	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6817.	TCCATTCATCCTCTCATATATTTG[G, A]TAAAtaTAAAAAaTAGATGAAAA	2,889,542	83
6818.	ATTTATTTATACTAAAGAAGTAA[T, C]AATATAGATACTTATAATCTTTGTA	2,890,200	83
6819.	AAATAAAAAaTGGATGATATTTA[G, C]ATAATATTTTACTAAATATCTTT	2,890,288	83
6820.	AAATAAAATAAAAAaTGGATGAT[A, C]TTAGATAATATTTTACTAAAATA	2,890,293	83
6821.	TAAATATGAAAAATGGATAAAA[A, G]TTATTTCTTCTCTATTTGATATAA	2,890,341	83
6822.	TCAACTAACATGCACCACTATTAG[C, T]AGGTAATATGCTGCACATGAATCC	2,890,495	83
6823.	GAAGCCTAAGCAACCTCATACCTT[A, G]GCTCAACTAACATGCACCACTATTA	2,890,522	83
6824.	CAATTGTTGCTCCTTTAATCATAT[T, A]TATTGAGGGAAGCCTAAGCAACCTC	2,890,555	83
6825.	ATCACCATCTCTATGATGATCCTA[C, T]GATTGAGCAATTTATGAGTTAAC	2,890,870	83
6826.	ATCTTTTGGATCGATCACCATCTC[T, C]ATGATGATCCTACGATTGAGAGCAA	2,890,883	83
6827.	CGAAGAGAGTGATCGTACATCAAT[C, A]TTTGGATCGATCACCATCTCTATG	2,890,905	83
6828.	TGTCTGCACACCATAAAATCAAGA[C, T]TCATCTATCCGAAGAGAGTGATCGT	2,890,939	83
6829.	TCGCTTCGGTGTCTGCACACCATA[A, G]AATCAAGACTCATCTATCCGAAGAG	2,890,948	83
6830.	TAAACACACAACCGCAGCTATGAA[T, C]ATGCCACTAATGAAAAAGTAGATAT	2,891,060	83
6831.	TCGAATTATGGTGTAGTCAAACTA[T, C]AGCACCTCAAGATGAATTGTCGAT	2,891,129	83
6832.	ACTACAGCCAAACATACACCTTAAG[A, G]CTCCGTATGGCTAGAAAAATCGAATT	2,891,172	83
6833.	TTAATTTCTGCAATGAATATACTA[C, T]AGCCAAACATACACCTTAAGACTCCG	2,891,192	83
6834.	TCGAGATCGATAGATTTTCATCTTT[A, G]TGCAATTTAATTTCTGCAATGAATA	2,891,223	83
6835.	CTTTTCTATCTTTACACTGTCAT[G, A]GCTATAGATTTGTGGACTCAATTTC	2,891,302	83
6836.	CCAGTAGAACTGAAAGATGAATCT[C, T]TAAGTATAGTTACCATGTGATTCGG	2,891,466	83
6837.	AGTAACATCTAGCAGTATATAGTG[G, A]CAATCCAGTAGAACTGAAAGATGAA	2,891,495	83
6838.	CATGTAGAGAGAAAATGGGTTTAACT[T, C]ATGTGCTAGCATAACTCCCTTAAAC	2,891,787	83
6839.	CTATCTAATAGGAAACCCAAATCA[T, A]GTAGGAGAAAATGGGTTTAACTATG	2,891,809	83
6840.	CATGGCCGAACAACATTTGGGTGGC[G, A]CCAACATTTGACGCCCCATAAAGCC	2,891,937	83
6841.	AAATCCATATGGGTGTGAGCCCTC[G, A]TCATGGCCGAACAACATTTGGGTGGC	2,891,963	83
6842.	TAGTAGATAAGGCTTATCCCTCTC[C, T]CTCTCTCTTATCTGAATTTGGATGA	2,892,025	83
6843.	AATCTCTTATCCTCATCCACTAGT[A, G]GATAAGGCTTATCCCTCTCCCTCTC	2,892,045	83
6844.	TTCAAATCTAAATTTAAATTCAAA[G, A]GAGATCAAATCTCTTATCCTCATCC	2,892,077	83
6845.	ATCAATGAAAAATTTAGATTGGCA[C, T]GGAGATAGGATAAGGTTGTTGTCGC	2,892,181	83
6846.	TGTTTTGTGCACATAAAATCAATGA[A, G]AAATTTAGATTGGCACGGAGATAGG	2,892,197	83
6847.	TTTATACGAATCTGATCAAATCA[T, G]ATGTCTTAAATAGGACTCTTCTAG	2,892,272	83
6848.	GACGTGGAAGTGCTTCATATATCA[G, A]AGATAGAAGAGGGAGGAGCATGGA	2,892,391	83
6849.	CGAACCCACTAAATAGCGTGCCA[A, G]CACCCCTGGACGTGGAAGTGCTTCA	2,892,424	83
6850.	ATGCAAATTTGACAGCCTTCGACA[T, C]TCGAACCCACTAAATAGCGTGTC	2,892,451	83
6851.	TCGAAGCTAGATCACAGCCTTCTC[G, A]TTCTTGATGCAAATTTGACAGCCTT	2,892,482	83
6852.	CAGGACTCCGATCGAAGCTAGATC[A, G]CAGCCTTCTCGTTCTTGATGCAAA	2,892,493	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6853.	TACTCGAGATTCGCTGTTGAGCTA[C, T]GCACGTGACTGACCTCTATAGGCAT	2,892,640	83
6854.	CCAAATATAGATCTAAATCAGATC[C, A]ATGAACTATTTATATCAGCATATAA	2,892,769	83
6855.	TGACCAGACGATCTGATGATAAAC[T, C]TTTCCGAATACTTGGCTACTCAGAT	2,893,112	83
6856.	TCCTTGCTTCTTCTTATGACCAGA[C, T]GATCTGATGATAAACTTTTCCGAAT	2,893,128	83
6857.	CCTACACTTCATAAGAGAATCCAT[C, T]GATTGGACAAGAGAGGGATTATTCC	2,893,175	83
6858.	TTTCACTGTTCTTCTTTATGGGAT[A, G]TAACCATATGGTGTCCCTACACTTC	2,893,215	83
6859.	ATCAAAACAAAATTTCTTTTCACT[G, A]TTCTTCTTTTATGGGATATAACCATA	2,893,232	83
6860.	GATAGACGTGCCAGCAGCAGGTT[C, T]AAGATTTTATAAAATTTTAGATTTT	2,893,433	83
6861.	TCAAAAAGGACTAAGTTGCCTCGA[T, C]AGACGTGCCAGCAGCAGGTTTCAAG	2,893,455	83
6862.	ATCAGAGACTGAGCCGACTAACT[G, A]GTGACAAACAGTAACTCGCTAACCG	2,893,568	83
6863.	ATGATTTATGAAATTATGTCAGAT[C, T]TGAATTTTCAATTAGATCTTTTAAT	2,893,766	83
6864.	TAGACTTAATTGAGCTACCCACAC[C, T]CTGAACTCATGATTTATGAAATTAT	2,893,799	83
6865.	ACAACGGAATTAATTAATAAACTA[C, T]CATCTATGTACTTACCTTAGACATC	2,894,043	83
6866.	TAATGGTTATAACTAATCTAGTGG[C, T]ATGGACTAGCACAAAGTTCAACAAGT	2,894,193	83
6867.	CGAGAACAATCAACCCTGTAAAGG[A, G]CCCACACAACATAATGATAGAAAA	2,894,302	83
6868.	TCTAATAGTTATAGTTGCATCTTT[T, C]CGATGCAACTGAATCACTGTATCCA	2,894,354	83
6869.	TCTTGTCGAATGTTTCTCTAAACA[C, T]ATTGCAGCCACCTTCGATCTCTAAT	2,894,546	83
6870.	TTAAGAGTCTTAAGTGAGTACTAC[G, A]GTCTCACCAATTGACTCACCATCTC	2,894,639	83
6871.	TTAGGGCTCCTATTTTTTTTGATT[C, T]CCACACTCCTTTAGAAGAGAAGCGA	2,894,701	83
6872.	TTGGAAGCAGACATTGTTCTCTGCA[G, A]AGAGTCAAAGTTTCTAATTAAATTT	2,894,800	83
6873.	GATGCTTTCTGATCAACGATTGGA[T, C]GGATTGGGAGAGGAGAAAGTCTCTG	2,894,962	83
6874.	ATAAGATGCTTTCTGATCAACGAT[T, C]GGATGGATTGGGAGAGGAGAAAGGT	2,894,966	83
6875.	CTCATGTTAGTATGTAAATTCGTT[G, A]GACATTGACGTCAATACATAGCACC	2,895,047	83
6876.	GCAATAGTCATATCCTCATGTTAG[T, C]ATTGTAATTCGTTGGACATTGACGT	2,895,061	83
6877.	GTTTCATATGAATCAGTCAAAGACT[G, A]CAGGATCAGATCAACCTACAAGTCC	2,895,291	83
6878.	TCAGTAGACTTTCTCTTGAAAAA[A, G]TCTACTCCATAGCAAGTACAGAGCC	2,895,438	83
6879.	GTTGTCTTTGTCACAGTAAAAATA[C, T]TTTCTCTTTTCGACGACCTTCTTCT	2,895,550	83
6880.	CAGGTAAGTAGGGCAGTTCATTT[C, T]CAATGGTTGTCTTTGTCACAGTAAA	2,895,580	83
6881.	AGTGTGTGCAGGTAAGTAGGGCAG[T, C]TCCATTTCCAATGGTTGTCTTTGTC	2,895,588	83
6882.	ACATCCAACCTGGATGTAGAAAAA[C, T]TGTCAGATTTATTTCTATGACGAGC	2,895,671	83
6883.	CCTCCTACTATCCTCAAGATCCTG[T, G]AAAGAAATGCACAAATGAGCACTAG	2,895,733	83
6884.	TAGAATCATTTCACTATCCCTTAA[C, T]TCTCTACTATCCTCAAGATCCTGTA	2,895,757	83
6885.	ATATTTTTCATTAGTAATCGTAGA[G, T]GATAGGTTTTTACGACCATAGTAGC	2,895,831	83
6886.	GCGTTAAACAAGATACAAAAATCA[G, A]ATTTCTGCTCGCAGTAGATATAAAG	2,895,902	83
6887.	ATTTCTTAAATAAATAGCACAAATG[A, G]TCCTTAAAGAAATTAATTATATAGT	2,895,958	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6888.	ATCATTCTAACTTTATTATTCT[T, C]AAATAAATAGCACAATGATCCTTAA	2,895,976	83
6889.	ATAACTAAAAAGATCATTAAATAA[G, A]AAAATCATTTCTAACTTTATTATTT	2,896,004	83
6890.	TTTTCGTTCACATTATCTCTAAGA[T, C]GTTTAGAACCTATAGCATTCACATT	2,896,086	83
6891.	TTAATCTTATCTTCGGCAACATGA[C, T]CTAGCCTTAGGTGCCACAAGTACTT	2,896,134	83
6892.	TGTCTTGAAGGTATGATTACAGA[C, T]CGAATATGACTCAGAAGTCAATAGA	2,896,211	83
6893.	CACCAGAGCAAGTCACTCTATGAT[C, T]CTTTCCCCAGTCTCACAAAAGACA	2,896,273	83
6894.	CCACTATGAGATAATTCTATTTTT[T, C]TTGAGATAATTCAAAAATTTTCAC	2,896,540	83
6895.	ATGTCGACTCACAATCACATTATG[A, G]TCTTTCGAAAGATAGAAATAATATC	2,896,864	83
6896.	TTCTAAGGCTCATTGCTCTTTGAA[G, A]ACTTCTCTTCAAGTCTAATTTGTC	2,896,960	83
6897.	TTGGTTCCTCAAGTTCTAAGGCTC[A, G]TTGCTCTTTGAAGACTTTCTCTTCA	2,896,973	83
6898.	ATACACTGCAACAGCAAGCAATGT[A, G]CAGATGGACTTAAGCATAGGTATAA	2,897,424	83
6899.	TCCTCATTATTGATGAACCAAC[G, A]ATTTAATTACATCACTGAACCTAAGC	2,897,648	83
6900.	GGAGAATATCATCTATGTACAATA[C, T]AAGAAAGTGATAGCACTTTCATTG	2,897,719	83
6901.	TGTTGGGACACATCATTTTGGAGA[A, G]ATGAATGCCATATCTGAAGGGTACT	2,897,974	83
6902.	ATAAAGAATCTTGCTTATGCATT[C, A]ATCTCTTTCGATGTGTTGGGACACA	2,898,012	83
6903.	GCTCCCTATAACGGAAGCATAAAG[A, G]ATCTTGCTTATGCATTCAATCTCTT	2,898,030	83
6904.	ACAGTATGAGCGATATTAGGTCGT[G, A]TACAAAGTATGACGTACATGAGGCT	2,898,077	83
6905.	TTTTGAACCAGAACATCTCCTTC[C, T]AGCCTCTAATGCGGCGATGTATTCT	2,898,394	83
6906.	GCATCACTCCAAGTTCTGCAATAA[A, T]TTTTTGAACCAGAACATCTCCTTC	2,898,421	83
6907.	CTTCTCAAGGTAATCGCGGATGA[G, A]GTGAAACCATCGCTTGATGTACTTG	2,898,550	83
6908.	TCTCACTTGACCTAAAGCTAATTG[G, A]CTACAAATCTAAGTTCCATCTTCTC	2,898,692	83
6909.	TTTACAGACACTATTAAACATAAT[A, G]TAAATAAAAAATAACCAATTTTATT	2,898,828	83
6910.	CTTATGATTGAGAGTAATTTATGA[A, G]TTAACTAAGATTAGTATATGTTTCA	2,898,931	83
6911.	TCTTTTGATCGATCACCATCTCC[A, G]TGATGATCTTATGATTGAGAGTAAT	2,898,963	83
6912.	TCAAGACTCATCTATCCGAAGAGA[G, A]TGATCATACATCAATCTTTGGATC	2,899,002	83
6913.	ACTCAGTACTCTTGCTCTTAACAA[A, G]CACCTATACTTCACTCCGATGTCT	2,899,065	83
6914.	TTCAATTCTTACAATGAACATACT[G, A]GAGCCAACATACATCTCAAGACTCC	2,899,274	83
6915.	TTGAAAGATAAACTTCTAGATACA[A, G]TTATCGTGTGATTGATCTTCTAT	2,899,538	83
6916.	GATCCCACAATCCATCAGTGACAC[C, T]CAGCAATATGTAGTGGCAACCTAGC	2,899,592	83
6917.	AACAACATCATCGAACTCTTTTC[G, A]ATAGATCAGAACTCTTTTCAATTCA	2,899,680	83
6918.	AGCATGATTTTCTTAAATTCAAAA[C, T]TAGGACTCAATTGATCCTAATCCAA	2,899,836	83
6919.	TTTAACCATGTGCTAGCATGATTT[T, C]CTTAAATTCAAACTAGGACTCAAT	2,899,850	83
6920.	CATGGTCGAACAATATTGGGTGGC[A, G]CCAACATTTGACGCCCTCGTAAACCC	2,900,019	83
6921.	CTTTGATTTTCTCTTGTCTTATC[A, G]TACAAAATAATAAAAAaTTCAGAC	2,900,294	83
6922.	AACAGAAGGACTCTCTTAGATCCA[C, T]CCTACTTTGATTTTCTCTTGTCTT	2,900,323	83
6923.	ATGCCTTAAACAGAAGGACTCTC[T, C]TAGATCCACCCTACTTTGATTTTTC	2,900,332	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6924.	TATCATAAAGAATCTCTTTTATA[C, T]GAATCTGATCAAATCAGATGCCTTA	2,900,374	83
6925.	TTCTAGTTTCTTATGCAGTTTGA[C, T]GGCTTTCGATACTTCGAACCCACCA	2,900,548	83
6926.	ACCTAGACGGATCCGCAAGCTCCT[C, T]GATCAGATTCAAATCTGATCTCCAA	2,900,628	83
6927.	CGTCCGACTCACAAGTATCCACTC[G, A]AGCCTGGTCTGAGATGCTCTCTCCT	2,900,694	83
6928.	ATGCATACGTCGACTCACAAGTA[T, C]CCACTCGAGCCTGGTCTGAGATGCT	2,900,701	83
6929.	AGTCCGATAATCAGAGTATCCAAG[G, A]TTCACGTTCAGCCATGCATACGTC	2,900,740	83
6930.	AGATCAATAAACTATTTATATCAG[C, T]ATATAAATATAAAACAACATGCAAA	2,900,835	83
6931.	GAGGCAGTAGAATTCAAAAATTTT[C, T]GATCCGACCCGGTACATCAAACATA	2,900,895	83
6932.	TAAGAAAGGAGACCGACGGAGACC[G, A]ACGAGAGGTGGCATCAAGCAGAGAA	2,901,030	83
6933.	AGGTGGCCGTTCTGTGAGAGCTCGA[T, C]AAGAAAGGAGACCGACGGAGACCGA	2,901,054	83
6934.	ACGACAAAAGGGGTGCGGACGGT[C, A]TCGGTGCTCACACACAACGTCAGGG	2,901,375	83
6935.	CTTTTAATATCTCGCCAAAGCCAG[G, A]TAAGAAAATAATATTTTAATTAAT	2,901,854	83
6936.	TTTTATTATCTTATATCAGTGAAT[G, A]ATTAATTTCAACAAAATAATTACAA	2,902,241	83
6937.	TACACAATATAAAGAATAGAATAC[T, C]AGTTATCATAACAATCATTAGAAA	2,902,394	83
6938.	AATGGATTTCTGAAACAACAATTC[A, G]GAGAATATCAACTGCATAGTAATTC	2,902,564	83
6939.	AACAGTGCAAAAGAAGCAACAAT[G, A]AATAAGAAAGAACAATTTACATCT	2,902,728	83
6940.	ATCCAAAACAAGCTTGTCCAAGC[A, T]CGGTCTATTAGCAAATTAGTCGAA	2,902,979	83
6941.	AATTTAAGGGAAAGTAGCTTGTCA[A, G]TAGGGCGAAAAGACAAGCAAAGATAT	2,903,147	83
6942.	ATCAGAGCATAGGTTTCCACAACA[T, G]ACCAACACTATATGCACCAACTTAC	2,903,240	83
6943.	ACAAAATGCAATGAGCGATCTTCT[G, C]GTTCTGGGCTCTCACAAGCATGCA	2,903,299	83
6944.	CTCACTAATTAATACTTGCAGAG[G, A]CTGGAGACCAGCTCCACGATGATC	2,903,369	83
6945.	TAAAAAATATAAAATAATAATAT[G, A]AAATATTTAAATATtTTTTATAAT	2,903,451	83
6946.	GGAAGAAGAAAAaGATAATAATAA[A, T]AAAaTATTATTTTtAaaaaTAAA	2,903,497	83
6947.	GGTGGCGGGTCCGAAGAAGCAAGG[T, C]CGGGCATAGGAAGGAAGAAAAa	2,903,534	83
6948.	GGGGACAGAGGAGGCGCAGGTAGC[A, G]CGGACAGGGGTGGAGGGGTGGCG	2,903,577	83
6949.	GACGTCGAGGTGAGGAACCGCA[G, A]GTGTGCAGGGCTAGGGAGTATTGC	2,903,986	83
6950.	AAGATTACGATTAATTTCATGTCAC[G, A]ATTAAATTAATTTTTTTtCTAAAAA	2,904,153	83
6951.	ATTTTTTATCATTAAATTAACAT[G, A]AATTATTTAGATTTCAACTAATTAA	2,904,240	83
6952.	AGTACTCCGAAGATATTTTAGTT[C, T]CTTTATTGTTTATCTATTTTTTATC	2,904,280	83
6953.	ATGTGTAATACATGTCCTAATTAA[G, A]AATTTTACTATAGTACTCCGAAGA	2,904,316	83
6954.	ACAACATCATTCCTCTTTTCTTTT[C, T]TTTTTTTAACTATTTTACTTCATT	2,904,372	83
6955.	CCTTACCCTTACCAGACCAAGTTC[G, A]TTCCCTTATTTCTCTTTAGTTATT	2,904,424	83
6956.	TGCTTTTTCACTTTCTAACCGACA[A, G]CACTTTTCATCCTTACCCTTACCAGA	2,904,458	83
6957.	AAACAAAATATCTAATTAATATA[G, A]AAAGTTACTCAACAGAATGGAATTC	2,904,642	83
6958.	AATTATTATAATTTAATCAAAAAT[C, T]AGAAATTGATGGTGAATATGGAATA	2,905,296	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6959.	CTCGAACATTTCTCGTTGTAAGA[A, T]CCAGGTGAGTACTGCAGAGCGCCGT	2,905,896	83
6960.	AAGCTGATGAGAAGAAGTTGCCAT[A, G]TGATATATGGGCATTATATATATGT	2,905,948	83
6961.	ATATATATATATATATGAATCAAT[C, A]CATATCTACCCATACCATATGCGTG	2,906,203	83
6962.	CTAACAAAGGTTAGGGCTTTATTA[A, C]TTGTCAGTGCAAATATCTTGTCATG	2,915,782	83
6963.	TTGGGAGTGTAACCTAACAAAGGTT[A, T]GGGCTTTATTAATTGTGAGTGCAAA	2,915,794	83
6964.	CCTTCACTCTTACCAACATGATGA[G, C]TGAACCTGACTCTTCTTTGTTGAG	2,915,942	83
6965.	CTGATTAATGAATTCCTTCACTCT[T, C]ACCAACATGATGAGTGAACCTGACT	2,915,956	83
6966.	ATACCATAATATCTTCCATAGTTG[G, A]AAGCACATCAGCTCTCTCAAGATGC	2,916,057	83
6967.	TAACCAATGTAGAACCAGTGATCT[T, C]CTTCTTCTATACCATAATATCTTC	2,916,091	83
6968.	CTTCTATATAAGCTAAATTTTtC[C, T]TTAACTCTAACCAATGTAGAACCAG	2,916,123	83
6969.	AAGCCTTGATCATTGAGAGCCTCA[T, C]GATTTTATTCTTTAAAAAGCATCTC	2,916,191	83
6970.	AATGGTGTTTAGGTGAAGAGAGCC[C, T]CCCACATTCTATTAAAGGCATGTTG	2,916,312	83
6971.	CTTTGGGAACATAACCTCTCTAGT[G, C]AAGGAGAATCTGTGACTCTACAG	2,916,362	83
6972.	GACTCAAGATCAAGTAGCAGACAT[A, C]TTCACCAAGATATTACCCAAAGAGA	2,918,771	83
6973.	TGGATGAGAAGCAAGAAGAAGCTA[T, C]TATACTACTTTGTGACAATAAGTTT	2,918,935	83
6974.	TGTGGATGAGAAGCAAGAAGAAGC[T, C]ATTATACTACTTTGTGACAATAAGT	2,918,937	83
6975.	TGAGAAGAATACTAGAAGATGTGG[A, G]TGAGAAGCAAGAAGAAGCTATTATA	2,918,956	83
6976.	AACATCAAAGAAGCAAGACATTGT[G, A]GTATTGTCATCCACGAAAGTCGAAT	2,919,045	83
6977.	ATCTTGAACATCAAAGAAGCAAGA[C, T]ATTGTGGTATTGTCATCCACGAAAG	2,919,051	83
6978.	AGTCAAGTAAGGTTCACTTTGGAG[T, G]GGCACAAAGAGCTTGAGATACATC	2,919,250	83
6979.	TTCTAGATTCAATGCAAAAGTCAAG[T, C]AAGGTTCACTTTGGAGTGGCACAAA	2,919,267	83
6980.	GAAGTTAATGAAAAAGATGAAAG[T, C]GATGAAGCCAATGCACCACTATATA	2,919,388	83
6981.	CAAAACGGAGAATTACAATATTGT[A, G]GTAACACCTTTGATGGTAAATGAGA	2,919,436	83
6982.	AGATAGTATTGTTATTATCAAAA[A, G]AAGTATGTAGAAAGCATTCTCAAGA	2,919,490	83
6983.	ACTTTTtagAAATGAAATCATGC[T, C]GAGAGAAGATAGTATTGTTATTAT	2,919,521	83
6984.	AAAAGTTTTTAAAGAAGTTCAAGT[G, A]AACCAACACTTTATATGAAGAAGTA	2,919,704	83
6985.	AATGAGAAAAGTTTTTAAAGAAGT[T, C]CAAGTGAACCAACACTTTATATGAA	2,919,710	83
6986.	ATTGAAGCCAACTTCAATGAGAAA[A, G]GTTTTTAAAGAAGTTCAAGTGAACC	2,919,725	83
6987.	GAGGAAAAAATTTATATAGAACAA[C, T]CTCAAGGCTTCATCATCAAAGGTCA	2,919,848	83
6988.	TTCTTGAATGGGATATTGGAGGAA[A, G]AAATTTATATAGAACAACCTCAAGG	2,919,866	83
6989.	ACAACTAGACCTCTCATTTCTATG[A, G]TGGCATACAAAGATTGGAACCTACA	2,919,938	83
6990.	TATCCAGAATTAATTATCAAAAA[A, T]TTTGCACCGATTGCTCAACATGAC	2,919,988	83
6991.	AGCAAAATTAGTAGAAAAAGGATA[C, A]TCTCAACTATCCAGAATTAATTATC	2,920,020	83
6992.	GACAAAATACAATCCGGATGGATC[C, T]ATTCAAAGATACAAAGCAAAATTAG	2,920,059	83
6993.	AGAATAAGACAATGCAAGAAGAAA[T, A]TGATGTGATTGAGAAGAACAAACT	2,920,168	83
6994.	ATACATGAAGTAGTATAGAATAAG[A, G]CAATGCAAGAAGAAATTGATGTGAT	2,920,184	83

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
6995.	TAAGTGACATTTATGTCACTTGTA[G, A]CTTTTGCATGATTGAGCCCAAACT	2,920,246	83
6996.	TATAAGAATAAGAAGCCTAAGTGA[C, T]ATTATGTCACTTGTAAGCTTTTGCA	2,920,263	83
6997.	ACTCAAGCTTATCTCCAAATTCAC[C, T]TCCTATAAGAATAAGAAGCCTAAGT	2,920,291	83
6998.	GAAAATGAAGATGAAGGTTACCA[C, T]AAACTTCTCAAAGTGAAGTCCATC	2,920,352	83
6999.	CTATAGACTTTTGTAGTTCGAAGCA[C, T]AACAAGATGATCATAAAAAGAGATA	2,920,498	83
7000.	ATAGTTCTAAATCAAAGGCTATA[G, A]ACTTTTGTAGTTCGAAGCACACAAG	2,920,517	83
7001.	AGGCACAAACTTGATGAAGTAAGT[G, A]AAAAATATATTTTGTGGCTATAG	2,920,563	83
7002.	AAGCATTTCAAAGTTTGTGGATG[A, G]TACTATACCTCGTGTCCAAAAGA	2,920,617	83
7003.	TCAAATAAAATTTGAAAAATTTAT[A, G]AAAATATTGGTTGCAAAGATAATT	2,920,884	83
7004.	AGAGGTGGTGAATATAACTCAAT[A, G]AATTTGAAAAATTTTATAAAATAT	2,920,902	83
7005.	ATGATATGGGCATACTTTATGAGA[T, C]ATAAGTTTGAGACATTCATCATCTT	2,921,016	83
7006.	TAACACTTAAAAATGATATGGGC[A, G]TACTTTATGAGATATAAGTTTGAGA	2,921,029	83
7007.	ACAAGCTTTTCTCTTTCTTCAAC[C, A]CCCCAAGAGAACCTAAGCCTCTAG	2,930,376	83
7008.	TAGTCGCTGGATGGGTCGGTGGG[T, C]AGCAGTACTTGAAGTAAAAGCTGCC	2,931,419	83
7009.	TTGACTCCCAAGTATCAGACATCA[A, G]AAGTGTGTGATCTTCTCTTCTAA	2,932,446	83
7010.	ATCAGCATCTCTCAGTATACGATA[A, G]AAATCATCACTGCCAGCTTCTAGAT	3,090,050	51
7011.	GCACAAATTCACCTCTATATAAT[G, A]GACAGTCATTGTATCCCTATCAAGT	3,090,244	51
7012.	ATCTCTTATAAGGGCAATAAGTCC[G, A]TCCTTGATGTAAGAGTGCCGCATTT	3,090,310	51
7013.	AGAAATCATCTTGTCAATTACTTG[A, G]CGGTCCATGACACACTACCTAAGGA	3,090,407	51
7014.	ACGGTCCATGACACACTACCTAAG[G, A]ATTTTGCACATACAAATACAAGATA	3,090,431	51
7015.	GATTTTGCACATACAAATACAAGA[T, C]AATTGCTAAATGATTATTTTATTAT	3,090,455	51
7016.	TATTATTTTGAATGGCTTATATAG[A, T]AATTACATCTTGCCATCAACTAATA	3,090,499	51
7017.	TCTTGCCATCAACTAATAGGTATA[G, C]AAGGTCTTATCTCGTTCAAAAATTA	3,090,531	51
7018.	AATAGGTATAGAAGGTCTTATCTC[G, A]TTCAAAAATTATATTAATTCTATAA	3,090,545	51
7019.	CCCTATCATTTGATTACTGTAATG[A, G]CCTATAAAATTAATTGTATTTCTCA	3,090,738	51
7020.	CTGTAATGACCTATAAAATTAATT[G, A]TATTTCTCAAATTATCCATACTGGA	3,090,754	51
7021.	ATTTCTCAAATTATCCATACTGGA[C, A]AATCAATTGATCAATGTATATAATT	3,090,780	51
7022.	AATTCTTTCTATCTGTATAAGAATA[C, T]ATAAATATATAGATACTGTAGAATA	3,090,826	51
7023.	AGAATACATAAATATATAGATACT[G, A]TAGAATATATATTAATTAAGAAGA	3,090,844	51
7024.	ACATGTAGACTTGGGTGCACCAGA[T, C]GACTAGACCGTGCTAGCACACCAGC	3,091,000	51
7025.	GGGTGCACCAGATGACTAGACCGT[G, A]CTAGCACACCAGCATGGCATCTAGG	3,091,012	51
7026.	TGACTAGACCGTGCTAGCACACCA[G, A]CATGGCATCTAGGCAAATCCATCC	3,091,024	51
7027.	ACTTTAGACCAGGCTTAGGCCCTA[A, G]AATCTTTTAAATATGAGATCCGAG	3,091,177	51
7028.	ATCTTTTAAATATGAGATCCGAG[C, T]CCGGCTCAAACCAATCAGATCGGC	3,091,203	51
7029.	ATCCCAAGGGATAGATATTCTCT[A, G]TCGGAAGTACATTGATCATCGAAGA	3,091,317	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7030.	CGAAGAACTCACTAGAAGTACATT[T, G]GTCATCGAAGAACTCACTAAGTTGC	3,091,361	51
7031.	ACTAAGTTGCTTCCACCACCATCG[A, G]AGTAGATGAGCAGGGTAGAGTCGGT	3,091,401	51
7032.	GACGCCCTCGCTAATACTCACCAG[A, A]TGGCGCAAAGAAGAGAGACGG	3,091,722	51
7033.	TGGCGCAAAGAAGAGAGACG[G, A]CGTAGAGATTGGGCGTGGGTCTGA	3,091,747	51
7034.	AGGATGGTCAATTCCGTGCGGGG[A, C]GTCAGATCCAAGAGGGGATGACAG	3,091,988	51
7035.	TTTTTAGGCATAGTATTAGTGAT[A, G]GCTAATTTGCATCGCTAAAGTCTTC	3,092,148	51
7036.	TGATAGCTAATTTGCATCGCTAAA[G, A]TCTTCACTAATACTAATTATTTAAA	3,092,168	51
7037.	TAAATTTAAATTTATAATGATGCA[G, A]AAAAGATCATCGCTAATAAGTCTTC	3,092,214	51
7038.	CATCGCTAATAAGTCTTCACCCCTT[A, G]TAATGATGGATTTAATTTCCATCGT	3,092,246	51
7039.	ACCCTTATAATGATGGATTTAATT[T, C]CCATCGTAATAAGTAGTTGATAAAT	3,092,264	51
7040.	ATTACTATTAGCGATGGCTTATTT[A, G]CCGTCGCTATTACACTATTTTCTTA	3,092,314	51
7041.	CAAGCAACGGAGTAGTCTTTGAAA[A, G]AATAaTACCTACAAGCCAATCACA	3,092,492	51
7042.	GCCAATCACATATGAGATATGATG[A, G]AATTTtTTTtAtATTTTATCTTCCA	3,092,532	51
7043.	GAAATTTtTTTtAtATTTTATCTT[C, T]CAAACTTATGTATTTGACATTGTTA	3,092,555	51
7044.	TAGGTCTGGACAATGATTTTAGGA[T, C]CACAATGAGATCACGTC AATGAGAT	3,092,677	51
7045.	GGATGGTTGATCTTATAACTACTT[G, A]TGTAGTGACACTAATATAAAAATAT	3,092,835	51
7046.	GAATGAGTTCACTGAATTGACCTA[C, T]GAGAGAATATCTAATGGAGTCTTAT	3,092,899	51
7047.	GTTCACTTTCTAAGTTGATTTTTT[G, A]ATCTTTATGTAGGGTGTCTGGATG	3,093,045	51
7048.	TCTGGATGTAGTGAAGTGTGTATG[G, A]AGATTGTGAGTGGTCAATAAGGAAT	3,093,087	51
7049.	TATGATTTTCATGCCTACGGCTCGT[T, C]TGGGATATTGTTTGACTGAAGGATT	3,093,292	51
7050.	GCTCGTTTGGGATATTGTTTGACT[G, A]AAGGATTGAATTACACAGTAACTTG	3,093,310	51
7051.	TTTTATCAAATTTTATCTCTTCTG[G, A]ATAGTCATAATATTTTACTAGACGT	3,093,383	51
7052.	GGATAGTCATAATATTTTACTAGA[C, T]GTTAATATTGATTTATGAACCTATT	3,093,406	51
7053.	TCAAGAGTTTGTGTCTACTGCTAG[T, C]TAGATTTGAAATCTAATAGATCACA	3,093,550	51
7054.	GAAATCTAATAGATCACACACTTT[G, A]AAATTTGATCTTGATCTAATTTAAT	3,093,582	51
7055.	AAAGGTTAATTTGATATGCTAGCA[T, C]ATTGTGTAAACCTAAGTTTCCAATT	3,093,652	51
7056.	GCTTAGGTCTATTTTTATTGAACT[C, A]CTACCTAACTTGAAGAGTTTAAAG	3,093,757	51
7057.	TAAGAAGAGGAAGAGTCTTCTTC[T, C]TTAAAGACTCTTATCTATCGCTTTA	3,093,877	51
7058.	GTGCTACTTAATTCATCAGAGAAA[C, T]AATTTTCTATGTGAGGGAAGTGGA	3,094,022	51
7059.	TTTTTCTATGTGAGGGAAGTGGAG[T, C]GTCAAGAGTTGGCACCCCTTGGGTC	3,094,049	51
7060.	TAAATGGGGTGCCCTCTTATGGGAT[A, G]AGGGTTGAGAATTGATAAAAATTCA	3,094,125	51
7061.	ATGGGATAAGGGTTGAGAATTGAT[A, G]AAAATTCAAAAGATCTTGGCATGTGA	3,094,142	51
7062.	TGTCCTAAGATTTGATTTTTTCAT[A, G]TGTTGGAGTACAAAATCAAATCTTA	3,094,297	51
7063.	TAAGATTTGATTTTTTCATATGTT[G, A]GAGTACAAAATCAAATCTTAGATTA	3,094,302	51
7064.	AGACAATAGTGGTTGGTGTGATC[A, G]TTCTTTAAGAAAGAAGCTGGCAGTG	3,094,402	51
7065.	AGTGCCTTGGTGTGATCATTTCTTT[A, G]AGAAAGAAGCTGGCAGTGTCTTAT	3,094,409	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7066.	TTGACAGTTTAAATGTTAAATTT[T, C]TTTATTATATATTTAAATTTTAA	3,094,671	51
7067.	TTAATTGTTAAATTTTATTATTA[T, C]ATATTTAAATTTTAAATTTCTTAT	3,094,680	51
7068.	AATTTTTTAAATTTCTTATTCTACT[A, G]CATGACCGAAATCTAATAGTCTTGA	3,094,712	51
7069.	CTGTCCTCACCTTTGGTCCCTACT[T, A]GTCACCTTCCCATCATAGCCTAAGG	3,094,855	51
7070.	CCTACTTGTCACCTTCCCATCATA[G, C]CCTAAGGGAGGAAGACTGATGGCGA	3,094,873	51
7071.	TAGCCTAAGGGAGGAAGACTGATG[G, A]CGATAATCCTAATCCTTCTCCTCCA	3,094,895	51
7072.	CGATGGTCTTAGCTTCATCTCTCG[G, A]TCCCCATTCTCTACAATATCCTGA	3,095,074	51
7073.	CTTCACGGTATTTTAGACACTCTC[T, C]TTTGCTTTGGCTTCTAGTACCCCT	3,095,225	51
7074.	CACACTTAAATTTGTGCAACCTCGA[T, C]GAGTCGGTGGTTATGTCAGCACTCA	3,095,467	51
7075.	AAGAAGTGAGGCCAAGAAGAGCCT[C, T]ATGTGGGCTTGATGGGAGAAGGGCT	3,095,669	51
7076.	GGCTTGATGGGAGAAGGGCTCTCT[C, T]GACCATCGAAGAGCCTCAGGTCGAG	3,095,699	51
7077.	CGGAGATATCTTTACTGACCCCTAA[T, C]CGATAAAAAACCCATCGATCAGGAG	3,095,812	51
7078.	ATACTATTGCTTCTACTATAACCA[T, C]GGTCATAACTCTGAAGAATGTCTCT	3,095,874	51
7079.	TCCTAATCCATAGAGACTATCTTG[G, A]AAAGTATGTCCGACCGTGTGAGGCC	3,095,945	51
7080.	CCGTGTCAGGCCCGACCGTCTGAG[G, A]AGCTATCTCAACATCAGTTCGATGA	3,095,983	51
7081.	ACAGAAGATTTGCTAGGGGGTAGA[C, G]AGATAGTGTGTCAGGAAACTTTGCTT	3,096,074	51
7082.	CAATGAAAACATCCTCTACTGAGT[C, T]TGGCACCTTTTGATTATATCAATAA	3,096,130	51
7083.	ATATCGCGACTGCAGCTAAGACTT[T, C]CATAATTCTAACCAACGAGGCTCTG	3,096,397	51
7084.	TGGTCATGAGAAGAAATCCTGACT[C, T]AAGTTAGAACCTCAACAGCAAGACC	3,096,445	51
7085.	TTCGAACATCCCTATAGGGATCAG[G, A]GTAAGATGATGATGGTAATTTGGCA	3,096,612	51
7086.	GATCGATTGGATATCGACTTCAAA[T, A]AAGACCTCATCAAGATCTTCTCGGA	3,096,673	51
7087.	GATCTTCTCGGACATCTCCATAGG[G, A]ATTGGGTTAAGACAATGATGGTGAC	3,096,711	51
7088.	TATGAACCGATTGGATATTGACTT[C, T]GGATGAGATTTCATCAGGATCTTCC	3,096,774	51
7089.	AGGATCTTCCCAAACATTCCCATAG[G, A]GAACTGGGTTGAGATGACAATGGTG	3,096,814	51
7090.	TTCCCAAACATTTCCCATAGGAACT[G, C]GGTTGAGATGACAATGGTGACTTTG	3,096,820	51
7091.	ATTGCATCGGATCAATTAGATATC[G, A]ACTTCAGACAAGACCTCATCAGGAT	3,096,874	51
7092.	TCGGATCAATTAGATATCGACTTC[A, G]GACAAGACCTCATCAGGATCTTTTC	3,096,880	51
7093.	TGTAGGGATCGATTAAAGACGATGA[C, T]GGTGACTTGGCAAAATGTCATGGA	3,097,044	51
7094.	CTTGGCCTCATCGAATGAGTCCAG[G, A]TTCACTATCGACGGTGTACTCCTA	3,097,284	51
7095.	CCGGTGTGGGAAATAGGAGTCATT[T, C]AACACAAGCATCAAAAAGGTAACAA	3,097,436	51
7096.	TTACAAATAAGGCTAGTCGAGGTC[A, C]TTGTACGTGGGTCGGCAGAATGTT	3,097,558	51
7097.	GCCTCCCGGGCAGGGCCCCCTCACA[A, G]TGTCTTGGCAGCAAGGCCAGGAGC	3,097,613	51
7098.	TCCTCGCTAGGACAGACTGGTCTCT[T, C]GAGCGAGGCAGGCTCATCTTCGTCT	3,097,667	51
7099.	GCTAGGACAGACTGGTCTTGAGC[G, A]AGGCAGGCTCATCTTCGTCTGATGA	3,097,672	51
7100.	AGCGCCTCTTACAGGCTTCAAAGC[C, T]GTATATGTAGGCCATTGAGAATCAT	3,097,796	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7101.	GCAACCTCATCCTTGAACCTGTGTC[A, G]AAGCCTTGAATTCTCAAAGCCCTT	3,097,849	51
7102.	TCAAAGCCCTTGAGTTTGGCCTCG[G, A]TAGCAACCTTCATTGTCTCCTCTTA	3,097,888	51
7103.	TTGTCTCCTCTTAGCCTTGGACTT[G, T]ATGAGCTCCACACTATCTTCGGTAG	3,097,925	51
7104.	GCTCTAGGACCTCCTCAAGCTCAG[C, T]CGCCTTCTGACGAAGTACCCCGATG	3,097,996	51
7105.	GATGAAGACAATTATGAACAACAA[A, T]GGACTTATGCCGAGTAGACCAGTGT	3,098,347	51
7106.	ATCCAAGGGATGAGCCTTTCTCTC[C, T]GACTAATCAGTCGGCAGCAAAATCA	3,098,416	51
7107.	TAATCAGTCGGCAGCAAAATCATC[T, G]TACCAACTGTCAAGCGAGCTGGTG	3,098,444	51
7108.	TCATACCTTGTTTGCCTCCTCAA[A, G]CTAGGAAAGATGGTGGCTATAGGGT	3,098,579	51
7109.	TGGCCAGTTGATGGGAATGGTGAC[T, C]GAGCTAACTCTAAAATCATCGGTGC	3,098,681	51
7110.	GGGCTGATCTAAACACATGCAAAA[A, G]AATGGTTCTTCATTTCATGAACTG	3,099,205	51
7111.	CAATAATGTTACATCCTAATCAAG[G, A]AAAAAGTACCACCATCCTCTCTTA	3,099,267	51
7112.	CTTTGAAGGGAGAACACCTTAGGA[C, T]AATACTGAGCCAGTTATAAGAATG	3,099,345	51
7113.	GGAAAGGTGAAGACCAATCCGAAG[G, A]GATTCCTCTTACAATGCGACTCTAC	3,099,512	51
7114.	AAGCCTGGCTCGAGGAGGCGGTGA[C, T]TGAGAATTCTGACTGCCATGAAGAT	3,099,797	51
7115.	GAGGAGGCGGTGACTGAGAATTCT[G, A]ACTGCCATGAAGATTTTCACCCTTG	3,099,808	51
7116.	AAGGAGGAGGATCGATTGGAGACT[A, G]CAATTGGAGATCACCAGCATCAAGG	3,100,007	51
7117.	ACTAACAGTCAAGATTCAAGCCCC[G, A]TGCCATTAGATTTTGACACCTGACA	3,100,183	51
7118.	AGATTTTGACACCTGACATGCATT[G, A]AAAATACCAATCACATGATTCTTC	3,100,215	51
7119.	TAAATCACTTCGGACTTGAGAGT[G, A]GGGAATAAGTATTGTAGAGTTATC	3,100,577	51
7120.	TAGAGGTTATCCACCATCCGACTC[A, G]ACATCTCCTTCTTAGATTATGATCA	3,100,616	51
7121.	CGACCTCCTAACCTAGTATCCACT[G, T]ACCTCGAGGGTAGGATCCTCCTAAT	3,100,757	51
7122.	CTGACCTCGAGGGTAGGATCCTCC[T, C]AATGACGAAGAGCATAGTCTGACAG	3,100,779	51
7123.	GAGCATAGTCTGACAGACCTATGC[A, G]AGTGTGATCCGAGGCAGGACCTTG	3,100,813	51
7124.	ATCCGAGGCAGGACCTTGGCTCAA[C, T]ATGAACTCAGAACATCAGACCATT	3,100,845	51
7125.	TCTGTGCTCTTATTCTCTATTCT[T, C]TTTTCTCCATTATTCTCAGGCTCCA	3,101,151	51
7126.	CCATTATTCTCAGGCTCCAACTGA[C, T]TTAATGTTGGGATTTGGTGCCTCGA	3,101,182	51
7127.	GGATGCATGGCCCAGGCATGGGGG[C, T]GGCCCAGCAGAGTGCGCAGGCGCA	3,101,344	51
7128.	GCCCAGCAGGAGTGCGCAGGCGCA[C, T]GACCCAGCAGGGAATAGGTGCGC	3,101,370	51
7129.	AGTGCGCAGGCGCACGACCCAGCA[C, T]AGGGAATAGGTGCGCGCGGTGGCC	3,101,380	51
7130.	TCCATGGTGGACCGTGGGAGTTGT[C, T]GTGGTCCATGCGACTGTCATGGACT	3,101,449	51
7131.	CTTCACGGTCGAATGGCTAAGGAG[T, C]GATTCGGGTGATGTTTGCATGATC	3,101,541	51
7132.	CGGTCATGATCAAATGGACAAGAA[T, C]ATTTTAAAGTCTAATAGAGGTTGT	3,101,610	51
7133.	TTTCTATCTGCAATGGGTTTGTGA[C, T]GCTTGAGGGGACAGCGGCGCAAGG	3,101,661	51
7134.	AGCAGCGACCAAGACCTCAGGTGG[G, A]GTCGAAAGAGGGTCTTCTTGGTTTT	3,101,799	51
7135.	TGGGGTCGAAAGAGGGTCTTCTTG[G, A]TTTTTTtATGAGAGCTTTTATAAGA	3,101,820	51
7136.	ATAAGAGATGAGAGGTGAGAGCTT[C, T]TTATTGAAAGAAAGGTTTGAGAG	3,101,864	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7137.	GTCAGGCTCAATCAAAGTAGAGAT[C, T]AATTAGTATGATGAAAAAGTAATT	3,102,172	51
7138.	CTATAGCAAGCGAGGGTGAAGGAT[G, A]CGCTCATCCAACAGGGATTAATCGA	3,102,227	51
7139.	ATGAGCGAGGGATAGAGCGTGCAG[G, A]AGCATCTCAGCAACTTTTAAAGAT	3,102,492	51
7140.	GCATCTCAGCAACTTTTAAAGAT[T, C]TTCCTGATCTCCTTAGCATTGGTG	3,102,518	51
7141.	ACTGCTCTTCTGTGAAAAAGAGC[G, A]CCATTAGGATGGATTACTTCTATAC	3,102,638	51
7142.	AAGTAGCAATATAGAAGGCAGTGA[C, T]GATGTTCTTCTAGTGTGAGATGAGG	3,102,932	51
7143.	ACTGTTCACTTATCGGATAAATTG[A, G]GTTGTGAGATCAAGGACAGTGGGAC	3,103,080	51
7144.	TAAATTGAGTTGTGAGATCAAGGA[G, G]AGTGGGACGGTTAGCTTACAAGCAC	3,103,097	51
7145.	TTGTGAGATCAAGGACAGTGGGAC[G, A]GTTAGCTTACAAGCACATGATGGAA	3,103,106	51
7146.	AAGATCCAATACGTACCCAGCTTC[A, T]GGAATAATCTAATTTTCATCGAGCAG	3,103,173	51
7147.	ATGATGGAATCCTGAAGGTCATGT[A, G]TGGCAGTAGGATTGTGATGAAAGAA	3,103,254	51
7148.	GAAATTATGGAGGATACTACCTCT[T, A]GGTAAAAAGCTTAGCATGAGATAGA	3,103,305	51
7149.	TTGGCATCTCGAATTCGATCCATA[G, A]GAGAAAAATCAAAGACAGAGGAGTT	3,103,676	51
7150.	TGCGCACAGGCCCGCAGCAGGGCA[C, T]GGCTCGCAAGCTTGTGCAGGCCCGC	3,103,767	51
7151.	CAAGGGTGC GCGCATGGCCAG[C, T]AGGATTTTGGCACGGTTGGACCATG	3,103,890	51
7152.	AAGGGTGC GCGCATGGCCAG[C, G]GGATTTTGGCACGGTTGGACCATGG	3,103,891	51
7153.	TCCATGCGATCGCTGTGGATCGAC[A, G]TGGTGCAGGGAGAAAAATATAAGGC	3,103,953	51
7154.	TCAGGTGGCTTGGGTCATGATCA[A, G]ATGGCCAAGAATGTTGTAAAGTCCT	3,104,073	51
7155.	TAGAGAGTAGTCATCGATAGTGAG[T, C]ACTTGAGAGCAGAGGAGCTATAAA	3,104,208	51
7156.	GGAGTTGGTAGAGGATTTTTtGG[A, G]TTTTTATGAACGCTTTTGTAAAGGG	3,104,288	51
7157.	AGGATTTTTtGGATTTTTTATGA[A, G]CGCTTTTGTAAAGGATGAGAGGTGA	3,104,299	51
7158.	GAACGCTTTTGTAAAGGATGAGAG[G, A]TGAGAGTTTCTTGTGAAAGAGATA	3,104,321	51
7159.	TTCATAGTAAATTTTGCATGTTT[C, C]GTGGAGATAAATCTTGGTATAATCC	3,104,419	51
7160.	GAGTGGGACTACTATAGTAGGTT[C, T]CTCTTTTACACTTCGAGCTTCAGAC	3,104,544	51
7161.	TTATGATGACTTTGATGAAGTAAT[T, C]GAGTGATCGTGGTTTTtCTTTGGT	3,104,651	51
7162.	TGGCCCTAAAGTTGCTCAAATAA[A, G]GATGATAATGGATCAGATATGAATC	3,105,481	51
7163.	TCAAGATATATAAACCATCCGGTC[C, T]CTTTCAGCCTTTTGGAGCATGGCCA	3,106,104	51
7164.	AATTTTTGAATATAAAATATATGC[T, C]GGTGATCATCCTGATTGGTTAGATT	3,106,186	51
7165.	ACTCTTCTGGTTAGATACGAAAA[C, T]TAGATCCTAAATTGGCATGATCATA	3,106,294	51
7166.	GATCCTAAATTGGCATGATCATAA[G, T]CCGATTAGAGAACAAACATCACAAT	3,106,321	51
7167.	AAGTAATATAACATTTTAAATCAG[C, A]TTATATGGCATACATGATAAAATC	3,106,556	51
7168.	TATATATTGATTGGGTCTTAGATA[C, T]ATATACCAGACTAAGTAACCTAAAT	3,106,669	51
7169.	TTGGTTGGTTGTGCTTTCTACTAA[G, A]ATTTTACATTGTTATAAATGGTATT	3,106,727	51
7170.	TATCTTTTGGTTGGGATCCTGATC[G, A]TTACAGTGAGCCATCATAAAATCTA	3,107,010	51
7171.	GTTACAGTGAGCCATCATAAAATC[T, C]AAAAAGGTCTATTACCAATTGCCT	3,107,034	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7172.	AAACTGTTTCTCTTTGGAAGCT[C, T]AGGTTGCATCTAAAAATTTTCTAT	3,107,367	51
7173.	AATCTACATGAATAAGGATCAAAT[A, C]CTTACTTAATTAGCAGTGAACCAG	3,107,418	51
7174.	CAAGGGAGAAGGGCGGCACCAA[G, A]GGGAGAGGCTAAGGAGAAGAAGAAG	3,107,663	51
7175.	ATCAGTCCAATACTCATGAAAGAA[G, A]GATTTCTATATGAGATAAAATTGCT	3,107,868	51
7176.	ATACTCATGAAAGAAGGATTTCTA[T, C]ATGAGATAAAATTGCTATCACTTAT	3,107,877	51
7177.	CTATCACTTATGACAACCACTTTG[C, T]ACCCACTCCCTCACCCACATGGGAT	3,107,916	51
7178.	TTTCAGATGTTGGTCAGCCCATAT[A, G]AGAGAAAAATCTCAGTGCAATAGG	3,107,983	51
7179.	TTGAATTTTtGAACTCAATTAAGC[T, C]TAATTAATTTAGATCTAATCTGAAA	3,108,149	51
7180.	TAGATCTAATCTGAAATTAATCAA[C, T]ACTTAAATTCATCTTTCATATGCT	3,108,183	51
7181.	TCCATGGATCATAGATCAGAACT[G, A]TTCATCCCAAGATCGAATCTGAAC	3,108,232	51
7182.	CAGAAACTGTTTCATCCCAAGATC[G, A]AATCTGAACCTCATGTATAGTGCTA	3,108,248	51
7183.	AAATCCTATCTAGCAATGATTTTC[A, G]ATGTTTAGATAGATCGAATTATCGT	3,108,504	51
7184.	TTACTGCATAATTTCGTCTTTTGA[T, C]CCTGAATGCTTTAGGATGGTCTCAA	3,108,584	51
7185.	GGATGGTCTCAAGTTAACTGTCAA[T, C]CAAGATTGTTTCATCCATATTGTAT	3,108,622	51
7186.	ATGGTCTCAAGTTAACTGTCAATC[A, G]AGATTGTTTCATCCATATTGTATTT	3,108,624	51
7187.	TTTCAAATCTATCTCATAGATTGT[C, T]CTGATCAAGACTTTGCTAAATTAAA	3,108,679	51
7188.	TGTTCCCAATAGCCTTCCATCACT[G, A]TATTTAAAATTCAGATAGTCCGACA	3,108,809	51
7189.	ACTCTTGACAGCAGAATGCTCAGC[A, G]GGTGAGTCATTAGTTCAGTGACAAT	3,109,455	51
7190.	CATCATCATCCTGTAATGATGTAT[C, T]ATTGATCACAATATGTTTAAGAA	3,109,606	51
7191.	AATGATGTATCATTTGATCACAAA[T, C]ATGTTTAAGAACTATACGATAAATC	3,109,620	51
7192.	AATTTTTATTCAATAATTAATATT[C, T]ATATACAAAAAAATTTAATCGTCA	3,109,763	51
7193.	TATTCATAATAATTAATTCATATA[C, T]AAAAAAATTTAATCGTCATCCGAT	3,109,769	51
7194.	TTTAGGATATAATTTTCAACAACT[C, T]CCATTTTGACTAAAGCTAATCAGGA	3,109,823	51
7195.	TGAAGTCATCGAACTCTTTGATCT[T, C]GAGAGCTTTAGTGAAGGGATCGGCT	3,109,898	51
7196.	AGTGAAGGGATCGGCTAAGTTCTC[T, C]TTTCCATCGATCTTCTGAAGTTTGA	3,109,932	51
7197.	TGTGATGGTGTGACTTTGATTCTT[C, T]TGTCTAAGCTATGGCACTGAAGCTG	3,110,039	51
7198.	TCTGTCTAAGCTATGGCACTGAAG[C, T]TGTCACAGTATAGCAGAATAGAGCC	3,110,062	51
7199.	GCCATCAATAGAAGATGTAACCTC[T, C]AGCTCGTGATCAATTTTGAACCA	3,110,109	51
7200.	TTTGCAACCATAACCATCTTCTTTG[C, T]AGCATCCAATGTAGCAATGTATTCT	3,110,149	51
7201.	TCCATTTCATGATAAATACATAATC[C, T]GATACGCTTCTACTGTCATCACAAT	3,110,258	51
7202.	TCATGATAAATACATAATCCGATA[C, T]GCTTCTACTGTGCATCACAATCTGAC	3,110,263	51
7203.	AGTGTCTCCATAGATAAGCCATTG[G, A]TCTTTAGTATTTCTCAAATACTTAA	3,110,351	51
7204.	GAATTGCTTTCACAATCTTTCAT[G, A]CTTCTCATCCAGATCAGAATGGTAC	3,110,401	51
7205.	ACAACTCTTTCATGCTTCTCATCC[A, G]GATCAGAATGGTACCTACTCACTAT	3,110,412	51
7206.	AGCATATGGTATTCTACTCATGCG[C, A]TCTCTCTCCTTAGGAGTTGTCCGAT	3,110,528	51
7207.	TCTCTCTCCTTAGGAGTTGTCCGA[T, C]ATTCTTTTTTGGAAAGAGTAATTTT	3,110,553	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7208.	GTCGGATATTCTTTTTGGAAAGA[G, A]TAATTTTATGGTCTATTAATAAATA	3,110,571	51
7209.	GAAAGAGTAATTTTATGGTCTATT[A, G]AAAAATAGTCTTTTTtAAAATTATC	3,110,589	51
7210.	CACAGCTTCATACTCTGCAAAGTC[G, A]GGATGTCATTTTCTAGTAATAGTAC	3,110,781	51
7211.	TCTCCGTTCTTAACGAAGTCATAC[A, G]TTTTGGTCACCTTATCAAATGCAT	3,110,898	51
7212.	AGCTTGCTTAAGTCCATAAATAGA[T, C]ATTTTtagCTTGACACTTTTGACT	3,110,963	51
7213.	GCTTGCTTAAGTCCATAAATAGAT[A, C]TTTTTtagCTTGACACTTTTGACTC	3,110,964	51
7214.	CCTCTTCTTTTcagCTTTTCATTAA[G, A]GAAAGCGATTTTGACATCCATCTGC	3,111,052	51
7215.	TTGAGTATTGCCACAGGAGAGAAC[A, G]TCTTGTATAGTCAATACTATAATG	3,111,153	51
7216.	TGACGGTATCCTTTGATAATTAGA[C, T]GAGCTTTATAGGTCTCTACCTTTCT	3,111,204	51
7217.	TTATTTACATCCTATGAATTTTAT[C, T]TCTTCAGATGGATTAAGTAGTGCC	3,111,281	51
7218.	CTAGTGTCATACACCATTGATCT[C, T]TATGGACTCCATCTTAGATTTTATA	3,111,322	51
7219.	ACTCCATCTTAGATTTTATAGTCT[C, T]AAGCTATTTCTGAGAGTCGGGCCTT	3,111,352	51
7220.	ATCTTAGATTTTATAGTCTCAAGC[T, C]ATTTCTGAGAGTCGGCCTTTACAT	3,111,357	51
7221.	TACTCTATCGGATCTTCTTAATGG[T, C]ACTTCTACTGGCTCCAAATTGATT	3,111,506	51
7222.	AATCAAATTCaattCTATATGTGT[T, C]GGTCCTTCCACCTTATAAACTTCAT	3,111,560	51
7223.	CCACCTTATAAACTTCATCAAGTT[T, C]AATTTTACAGGCATTAGCTCCATCA	3,111,592	51
7224.	ATAGTATCCTTTAATTTTCTTTGG[G, A]TACCCTACGAACAACATCTATCGG	3,111,710	51
7225.	GTATCCTTTAATTTTCTTTGGGT[A, C]CCTACGAACAACATCTATCGGATT	3,111,713	51
7226.	TGACATAAGCTAGATACCCCCAGA[T, C]CCTAAGGTGTGAGAGCACCAGCTTA	3,111,793	51
7227.	TTGTGGGCACCTTATTAAAAATG[A, G]AGCAAGCAGTTTTTAGAGCATATCT	3,111,882	51
7228.	GAGCATATCTCCAAAAGGTGATTG[G, A]CAGACTCATAAAGCCCATCATAGAT	3,111,922	51
7229.	ATAGATTAAACTATGTCTAAAAG[A, G]TTCAATTTTCTTCTCCAATACGCC	3,111,966	51
7230.	AATACGCCATTATATTGTGGTGT[T, C]CAGGAGGGTCCACTGTAAGAGAAT	3,112,008	51
7231.	CTTAATACTCTTTCTAGTTTGTTC[C, T]TCTACTTCAGCATGGAATCGTTTAA	3,112,127	51
7232.	GTTTCTCTACTTCAGCATGGAATC[G, T]TTTAAcattTCAATAATTTTGAC	3,112,147	51
7233.	TTATACTTCATAAGACAGACAAAT[T, C]CATACCTCGATAGGTcATCTGTAAA	3,112,197	51
7234.	TTATGTATATATTATATTTTAATT[A, G]TCCACGTATAATGACAGTATTATTC	3,112,564	51
7235.	ATTATAAACTTGTAATTAAGTTTG[A, G]CCAAAAGGCCTACAGAGATGACATT	3,112,641	51
7236.	ACATGATACTACTAGACTCGAAGA[T, C]AAGCTGCAAGGTTTCCAAGGTCAAA	3,112,726	51
7237.	GCTGCAAGGTTTCCAAGGTCAAAA[T, C]TGGAACAAGACTTTCATCTCCAACG	3,112,753	51
7238.	TCCAACGTTAAGGAACCGCTCGTC[C, A]TCTCAAAACTATCTACTTACCTGTA	3,112,796	51
7239.	GAGAAATTACAAGAAGTTATCATA[T, C]AAGTATCTTGTGAAGCAATCGATTG	3,112,917	51
7240.	AAGATGATTCTTTTTTtAATGACC[T, C]AGCTTCTTACAGAAGAAGTACTCTA	3,113,018	51
7241.	AGCTTCTTACAGAAGAAGTACTCT[A, G]CTTGGCTCTTGTCAACTTTTGATAA	3,113,043	51
7242.	TCCTTCTCAAAAGTCTGCAGTAAC[T, C]CTAGCAAATTATGGTAGTTCAGTGC	3,113,217	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7243.	AAGTCTGCAGTAAGTCTAGCAAAAT[T, C]ATGGTAGTTCAGTGCAGGCTTCGTC	3,113,227	51
7244.	GGTAGGATTTTGATAGCGAATTGA[A, G]GAGATCATCCTTGCCTAACTGTTCA	3,113,302	51
7245.	TCCTTGCCTAACTGTTTATGTAAC[G, A]GAAAGCCAAATTTACTAAGGCATTC	3,113,334	51
7246.	CGCACACGGGCATTGAATACTGCG[T, C]AGGAGGTTTTATATCTCTCTGCATC	3,113,433	51
7247.	AATGAGCTCTTCTGGCTTTACATC[C, T]TCGAACTTACGATTAAGTTCGTCGT	3,113,516	51
7248.	GCTACCTTCATCACACAATGCATA[A, G]TCATGCGGTTATTAAGCCACTTCAT	3,113,571	51
7249.	TTCATCACACAATGCATAATCATG[C, T]GGTTATTAAGCCACTTCATATAAGT	3,113,577	51
7250.	ACTTCATATAAGTATCTCTCACGG[T, C]ACGAGGAGCATTGGCTGCAAGTTTT	3,113,614	51
7251.	TGCAAGTTTTTTGGATGCCTCATC[C, T]GTAAGGACATATACAATCCTCTTGT	3,113,654	51
7252.	TACCAGCTGTCTGAAGTTGGGTCCA[A, G]TAAGCTTGTGCTGTCCAACAGCGT	3,113,730	51
7253.	CAAAGATATGGACTTTAGTCTAAA[G, A]ATTTTTTTtACTATTTTACGAATTG	3,113,851	51
7254.	TAGGTTTCATAATCAATATTTTTt[C, T]AAATAATTTTTTAGTAATTGGATTTT	3,114,014	51
7255.	ATTTTACCCCAAGCATCCCTTCAG[T, C]AGGCGTGTGGCGCCTTCACTGAAAA	3,114,059	51
7256.	GAAGGTACATCATGATGGTCATAT[G, A]ATGAATGATAATTCCAATACGTAAT	3,114,205	51
7257.	CTCCAATGCCTATTTAAATATTG[G, A]ACTCATTATCATACATCTTAATAGG	3,114,275	51
7258.	TCATGACTTTTATCACTTTATGGAC[C, A]TAATAATTTAGAAGATTGATTTC	3,114,344	51
7259.	GATAACCTGCAAACTGCAAAATTCT[C, T]CCACTGACTTCATTAAGTCATGCAA	3,114,417	51
7260.	TTCTCCCACTGACTTCATTAAAGT[C, A]TGCAAAGGATTAGACACAAGTTGGT	3,114,437	51
7261.	CAAAATATAATCTACTATGTTGGT[C, A]AGATAAATGAGATCAGTGGGAGGGA	3,114,561	51
7262.	TTAACTCACCGTAGATGCATCTAG[A, G]TGAATAGCTCCCAATTAATAATCAC	3,114,618	51
7263.	ATTCAAAGCTTAATTCATAATTAA[T, G]TGTATGAAATATGTGTTTCAGTCTG	3,115,004	51
7264.	AATAAATTTTTATAATATGTTTAA[C, T]AATTAAACATACATAGGTATGATCT	3,115,110	51
7265.	GGTATGATCTAAACTTCATACATA[C, T]ATCTCATGCATCATGATAACTTTTA	3,115,150	51
7266.	CTAAACTTCATACATACATCTCAT[G, A]CATCATGATAACTTTTAGATTAAATA	3,115,158	51
7267.	ATCATGATAACTTTTAGATTAATA[C, T]CGATTACATCTTATGTAATATGCAA	3,115,184	51
7268.	GAATTTTATCCTATTATAATAAAT[T, C]ATAAATTATTTTAGATCTAATCTAA	3,115,260	51
7269.	ATCCTATTATAATAAATTATAAAT[T, C]ATTTTAGATCTAATCTAAATATATT	3,115,267	51
7270.	TAATTTTATATATAATTACATCAA[T, C]ATATAATTATTGATAAAATAATTTT	3,115,507	51
7271.	ATTTTAAATAAAATCTATTTTCGT[A, G]CAGTGTGAAATTTCAATAGAATTTA	3,115,739	51
7272.	TCTATTTTCGTACAGTGTGAATT[T, C]CAATAGAATTTAGATCTAAATATCT	3,115,752	51
7273.	CATCTAATCCAATCAAAGTTAGAT[C, A]AAAAAAaTTTATACAAATAGATTC	3,115,989	51
7274.	GATTTAATATCTCATAAAAAATCT[C, T]AGTTACATCTTATGTAATTAATCTC	3,116,045	51
7275.	GACCTGCTCTGATACCAATTAAG[G, A]GAAGGAAAaCTATTTCTCTTCAGAA	3,116,126	51
7276.	CTCTGATACCAATTAAGGGAAGG[A, G]AACTATTTCTCTTCAGAAGGCCCA	3,116,132	51
7277.	TtATTAAATCTATATAAATAAAGAT[C, T]AAATTTTACCTAATTAGTAATAAAA	3,116,200	51
7278.	TAATCAAATGAAGGAGGAGATATA[T, C]TGGTGTGACACCTCACACTAGCAGG	3,116,374	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7279.	GTGGAATGCCCAAGGAGGGCCAC[G, A]CCCAAGGAAGAAGGGCGGCACCAA	3,116,423	51
7280.	TATTTATAAATAAATTTTATGACC[C, T]AATAAGTATAGGAGTTCTAACTTAA	3,116,595	51
7281.	GAATCAGTCCATGAAATAAGAATT[G, C]CTACATGAGATAGAATTGTCATCAC	3,116,654	51
7282.	ACCAGCACCATTTTAGTGTGTGGT[T, C]GGTCCATATGAGAGGAGAATCTCAA	3,116,754	51
7283.	GAGAGGAGAATCTCAATGCAAATA[A, G]AATTTTTCATATCTCATCCAAATG	3,116,788	51
7284.	ATCCCAAATGGATCCGATTTGAAT[C, T]CAATTCGAAGCAGGTTGAAATAAT	3,116,828	51
7285.	TCCGATTTGAATCCAATTCGAAGC[A, G]GGTTCGAAATAATTTTGAAAGGCTA	3,116,840	51
7286.	GCAGGTTGCAAAATAATTTGAAAG[G, A]CTATTAATCACAACTCTTTAGAAC	3,116,862	51
7287.	AAGTCTAACTTAAATTTTATGATT[C, T]AATTAATAATAATTAATTTAGATCT	3,116,921	51
7288.	CAACTCTTCAATCTATTTGACCC[A, C]TAATTTAATTTTCAATCAAGTTAG	3,117,091	51
7289.	TATTTGACCCATAATTTAATTTT[C, T]AATCAAGTTAGCTTATATGCTTAAT	3,117,105	51
7290.	TTTCTATTTTGTCTGACTTATGTG[C, T]GTGACTCCATAGGTTCCAACACTAA	3,117,201	51
7291.	AGTCGGTAACATAAGAATCAATTT[T, C]TGTACTAATCGAGATACCATCTAGC	3,117,250	51
7292.	CTAATCGAGATACCATCTAGCAAT[A, G]ATTTTGTATCCAGATAGATCAAA	3,117,279	51
7293.	TGCTTCACGAGCAGCTCTTGACAG[C, T]AAAATACTCAGTAGATGAGTCACAT	3,117,581	51
7294.	ATCTCATCTGTATGCCATATCAGT[A, G]TCACCACACTCTTTGGTTAAGAAGA	3,117,654	51
7295.	CTCTTTGGTTAAGAAGACAACCAA[T, C]CTATATGGCACACAACGACCTCTAC	3,117,687	51
7296.	TACGATAAATCTTTTTTTtATCAT[G, A]CACTAACATAGTTTAAAGGACTTTA	3,117,798	51
7297.	TTTTtATCATGCACTAACATAGTT[T, C]TAAGGACTTTATTATAGCACAGAG	3,117,812	51
7298.	TTTGTAAATGAAAAATATCAGAATA[A, T]TTTTTATTCAATAATCAATAATTTA	3,117,879	51
7299.	TAATCAATAATTTATATACAAAGA[G, A]AAATTCAATCATCACACGATTAAAT	3,117,915	51
7300.	AACATAATTTCCAACAGACTCTTC[G, A]ATGCTTAAATCAATTAGAGTTTATG	3,117,969	51
7301.	GACTGTAATCTGACAAGGGATGT[C, T]GGATCGGATGGATAACCCCTATAAC	3,118,506	51
7302.	ATCACTATACTAGACTTCAATCAA[T, C]GACCCAACCTTCTCTTAGAAGTTT	3,118,616	51
7303.	ATACTAGACTTCAATCAATGACCC[A, G]ACCTTCTCTCTAGAAGTTTAATTGC	3,118,622	51
7304.	CTCTTGGGCATCATTAATATGCT[G, T]CTTCATAAATCTTGTCACATTTATG	3,118,690	51
7305.	ATCTTGTACATTTATGAGGGCTG[A, G]ATGGCTTGAAGTATGGTGCCACAAT	3,118,723	51
7306.	CTTTTAGATCCCATGTGCGACCCC[G, A]TCGATTACCCATGTGGCTTAATTT	3,118,838	51
7307.	CATCACAGTTGATCGAAGGAGGGC[T, C]TTTTGTCAATACCATCTTCTCAGC	3,119,077	51
7308.	CTCTTCTCTTTCTCGTCTCTTCA[A, G]TTTTTTTTtGCGTCCAGTAGCTTCT	3,119,239	51
7309.	TtGCGTCCAGTAGCTTCTCTCTCT[A, G]TATGTCTTCTGATAGTAGTGAGGCT	3,119,271	51
7310.	TCGATCCCTTAGACCATGATGTAC[A, G]AGTAGCCCATATGCAGGTTTAGAG	3,119,426	51
7311.	TCATCTTCTCGATGAAGGAAAAAT[T, C]GCCTTTTCTCTGTGTAGGATCTTTC	3,119,549	51
7312.	TAAATTTTAAATTTTtATCCTATG[C, T]TATTTTAGATCTAATGTCTATTAGA	3,119,624	51
7313.	TTAAATTTTtATCCTATGCTATTT[T, C]AGATCTAATGTCTATTAGATCTAAT	3,119,630	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7314.	AAATTTTtATCCTATGCTATTTTA[G, A]ATCTAATGTCTATTAGATCTAATTT	3,119,632	51
7315.	ATCCTATGCTATTTTAGATCTAAT[G, A]TCTATTAGATCTAATTTTATTATCT	3,119,640	51
7316.	CATACCTCAAGGGTAATCTAATTA[T, C]CCTGTAGATGATCGCAGTACTGCTT	3,119,736	51
7317.	CTGCTTGAGGTTCTGATGTAGCCA[C, T]GCAAGCACCTGGCCTCTACCAGTAT	3,119,780	51
7318.	TGCTTGAGGTTCTGATGTAGCCAC[G, A]CAAGCACCTGGCCTCTACCAGTATC	3,119,781	51
7319.	AGGTTCTGATGTAGCCACGCAAGC[A, G]CCTGGCCTCTACCAGTATCCACTCA	3,119,787	51
7320.	TATCCACTCAGGTAGGATCTGGAA[C, T]ATCTTCTTCTCATGATTCTATGCTC	3,119,827	51
7321.	TGATAGAAGAATAACCCCTTTTATT[T, C]ATTTATAGTCAAAATTATAATTTTG	3,129,037	51
7322.	TTATAGTCAAAATTATAATTTTGT[T, C]CTTAGATTTGTACAGAAATGTGTCA	3,129,064	51
7323.	CTTTGATTTCTACTCTATCCCTTC[A, T]TCTATAATATTTTGGACTTCTATAA	3,129,248	51
7324.	GTTTAGCTTGGTCTAGGGCAATCC[T, C]CACTTGTCTCCTAATAAGATAAAAT	3,129,550	51
7325.	TCCTCACTTGTCTCCTAATAAAGA[T, C]AAATTTTATCCTTCTTGAGGATGA	3,129,571	51
7326.	GAGCCACTGGTGGTTGAGCCATTG[A, C]GGTCCGTTGTGCCGATGACTTCAGA	3,129,977	51
7327.	GGAGTTGGTGAAGATGACTTTGCT[G, A]TTGGTTGATTGATCAGAGAGGAGGG	3,130,262	51
7328.	AGATTATTGCTGCTTCTTGTGCCA[A, T]CCTCCTCAGGGTGAGTATTTTCATCT	3,130,327	51
7329.	TGAGGGTTTGGTTGGTTTCAACTG[A, G]GCAAACTTTTGCTAGAGATAAAAT	3,130,459	51
7330.	AGAGGAGAAGGTGAAGGTCATCAC[C, T]GAGGCCAAATTCAGGGCATCGAAA	3,130,806	51
7331.	TGAGGGCTTCATGGTGGCCTATCT[G, A]TACGATTTCAAAGCCTATAAGTTGC	3,130,892	51
7332.	ATTGAGAATGCCATGGGGGGCACT[T, C]CAAAGGAGACCGTCAATCATACTAT	3,131,071	51
7333.	TTCTAATGAAATGAATTTCTCTT[G, A]TTATCTTTTGATGCTTGTATTGAGT	3,131,207	51
7334.	AAGTCGATGAGAAGTTGATCCATG[A, G]TAATTTTGGCAAATCTCCATCATC	3,131,503	51
7335.	TAATGTTTGGCAAATTGCCATCAT[C, T]ATCTTAACCCGATCCTTAGAGGGAT	3,131,740	51
7336.	AAAAGATCCTAATGAAGTCGCAG[T, C]CGAACTGATGCCAAGTCGATCTGT	3,131,794	51
7337.	CATTATTGTCTTAACCCAATCCCA[G, A]GAGAGACTTTTGGGAAGATCCTAAC	3,131,864	51
7338.	CTATCATCGTCTTAATCTAATTCT[T, A]TGAGGGATGTTCAAAAAGATCCCAA	3,131,969	51
7339.	AGTCAATTCAAAGTCAATCAGTGG[C, T]AATTTTGTGAGTCGTCATTGTCTGT	3,132,256	51
7340.	GGTAATTTTATCAAATCACCATC[C, A]TCATCTTAATCCGATCTCTAGAGAG	3,132,489	51
7341.	GATCACCATTATAAAGTCTTAGT[T, C]GTAGCCAAAATATCTTCATGAGGTC	3,132,621	51
7342.	ACATGAGGAGCCCGAAAAACAGT[C, T]TGAAGGCCTAGGCATGCAGCCTGCA	3,132,837	51
7343.	CCGAAAATACAGTCTGAAGGCCTA[G, A]GCATGCAGCCTGCAGCATGCACGGC	3,132,848	51
7344.	AAAATCATAGTGCATAGGAGGATT[T, G]GTGCGATCCAGCGTCAGGAAGGCA	3,133,086	51
7345.	GCATAGGAGGATTTGTGCGATCCA[G, A]CGGTCAGGAAGGCATGCGATCGTGA	3,133,097	51
7346.	GCATGATCGAAAGTTGTATTATGT[A, G]ATCGGATGGCCAAAAGCGCTTGTGG	3,133,162	51
7347.	ATTATGTAATCGGATGGCCAAAAG[C, T]GCTTGTGGCAAAGATCGAATGGTCA	3,133,179	51
7348.	AAAGAGTTTGGAGAGGCTGTGGAG[C, T]AGAGGTGAAGCAGCTTGATGTCAGT	3,133,290	51
7349.	GCATTAGGAGCAGCTTGTGTGTAG[T, C]TGCAAAAGTAGTCGAGAGTGTCTTA	3,133,355	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7350.	AGTAGTCGAGAGTGTCTAGAACG[A, G]TCATGGGAGTGACCGTCAGTATAGG	3,133,386	51
7351.	AGGGTCTCCTTGTGGGATTTTATA[T, C]GAGCTTTTATGAGTGTGTGCATGT	3,133,524	51
7352.	TCTTTCTACTGCAACAAGTGGTAC[C, T]AGATCTCCAATAATTGGTATCAGAG	3,133,726	51
7353.	AGCGTCAGCTTGTTCGAACGTGG[T, C]GGTATTGATCAAGATTGAAGAAGAT	3,133,808	51
7354.	GTATTGATCAAGATTGAAGAAGAT[G, A]GAGAAGTCAGGTATAATCATGGTGG	3,133,834	51
7355.	TACTCTCTTGTGTAAAGAGAAGCC[G, A]TCTACCAAAGAAGATGTCAGTGGGA	3,133,909	51
7356.	GTGTAAGAGAAGCCGTCTACCAA[A, G]GAAGATGTCAGTGGGAGCCAGTAT	3,133,918	51
7357.	AGAAGCCGTCTACCAAAGAAGAT[G, C]CAGTGGGAGCCAGTATGAGGTGGA	3,133,926	51
7358.	TCGACCCCATGTTTGTCCATCTAT[G, A]AATAGCTGGCGTATGACTCAGGATG	3,134,105	51
7359.	CATGTTTGTCCATCTATGAATAGC[T, A]GGCGTATGACTCAGGATGTGGGGC	3,134,112	51
7360.	TATGAATAGCTGGCGTATGACTCA[G, A]GATGTGGGGCAAGAAGATCCAAAA	3,134,126	51
7361.	AGATAGAGATAGTTGAGATTTGGT[A, G]CCTTGAATTCGATCTACAACAGAAG	3,134,212	51
7362.	CTACAACAGAAGAGAAGCCAGAT[T, G]TGGAGAAATTCATATGCGAGGAGCC	3,134,250	51
7363.	GAAGCCAGATTTGGAGAAATTCA[T, G]ATGCGAGGAGCCTAAAAATGCAGTT	3,134,263	51
7364.	CCTAGGTGCGTAGTGTGTGACGTG[A, C]GTGGCCAGCGGGCCTGCTGCACT	3,134,343	51
7365.	GGTGGACCGTTGGAGGAAGTCACG[A, G]TCCACACATGTTCTATGGACCATCA	3,134,489	51
7366.	ACCAAGAAGGCATGCGGTCTAAT[C, T]GAATGCGCATCGAGTGTGATCGGGG	3,134,591	51
7367.	GCATGCGGTCTAATCGAATGGCG[A, G]TCGAGTGTGATCGGGGGCTGTATTG	3,134,600	51
7368.	AGTGTGATCGGGGGCTGTATTGCA[T, C]GATCGATGGCCAGAAGCGCTTGCGG	3,134,628	51
7369.	TGATCGGGGGCTGTATTGCATGAT[C, T]GATGGCCAGAAGCGCTTGCGGAAAA	3,134,632	51
7370.	TCTAGATTGGTTTGGACCCATATA[A, C]AGAGTTCAAAGAGGTTGTGGAGCAG	3,134,732	51
7371.	GCAGCCGAGAGTATCCTGGAATAG[C, T]CGTGGGAGTGATCATGAGTGAAGG	3,134,855	51
7372.	GCCGAGAGTATCCTGGAATAGCCG[T, C]GGGAGTGATCATGAGTGAAGGACG	3,134,858	51
7373.	TGGGAGTGATCATGAGTGAAGGA[C, T]GAGGCTGAGACATGATGTAGTGGCT	3,134,882	51
7374.	GTGAGTGCTCTCCTTTTGTACTTG[T, C]TATTTCTCTCATAGTAAAGCTTAG	3,135,073	51
7375.	TATTTTCATCTCTCTTTTCTTG[T, C]TGCAACAAATGGTACCAGATCTCCA	3,135,253	51
7376.	TCGATCTCATCCTTGAGCTAGAGG[C, T]ATTTCTCGATGTCGTAATTAGGCTC	3,135,698	51
7377.	TATTCAGCCTACTTCCCTGTGGCC[C, T]GAGCCTCTTTGTCTATGCATATTT	3,135,997	51
7378.	GAGAGGATCATCGACAAAAGGCAT[T, C]GGAGTTATATGCTCTTATTCTAGCC	3,136,428	51
7379.	GCCATTCTCTTCTTCCCTCATTAAT[T, C]GAGTTAATCACCCCTCCTCTGGTAT	3,136,475	51
7380.	AATTGAGTTAATCACCCCTCTCTCT[G, A]GTATCCATCTATTGCTGCAAGATTC	3,136,496	51
7381.	ATTGATGTGGCTGAGGATGGATAT[C, G]ATTGGGGACCGAGATGCCAAAGAA	3,136,555	51
7382.	TTTATTACCTCTTTATATAAAGGT[G, A]AAAATTTATGTTGTCATGCTGGAAC	3,136,769	51
7383.	TGCTGGAACCTTAGTAGCTATTTG[A, G]TCCTAATTTCTAGGCTGCTAGGTC	3,136,810	51
7384.	AGGCTATTGATCCTAATTTTCTA[G, A]GCTGCTAGGTCTCAATCTGATATAC	3,136,824	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7385.	GGAGGTTGGATAGAAACCGATGAC[G, A]TAAAGCTGCTTTGCCTTGGTTTCTC	3,137,118	51
7386.	CAATTGAAAGTTTAGTGAAATAGG[A, G]CTTGGACAATAAAGGCCTTTACGGT	3,137,423	51
7387.	GGGGGAGTTGGGGTCTGAAATGG[A, G]AATGACAATGGATAACTCTCATTCT	3,137,537	51
7388.	ATTCTGAAGTGAATGAAAATGAT[C, T]GAATCCCCCTAAAACCAATCCTCA	3,137,623	51
7389.	TATTTCAATTCGATTCTAGTTTC[A, G]ATTTTCGATTGTAATTAACACCCCT	3,137,779	51
7390.	ACTGCTTTTGTCTACTAAGTCTTA[G, T]gTTAGCATATGTTAACTTGTTTTGG	3,138,088	51
7391.	ACTGGGCAACATGGATGGCCAAGC[G, A]TTTACATGCCTATAAACAAATCAAG	3,138,286	51
7392.	TGGGCAACATGGATGGCCAAGCGT[T, C]TACATGCCTATAAACAAATCAAGAT	3,138,288	51
7393.	TTAGAACTACTTTGATCGATAAAG[A, G]AAGATTTATCGTGTAGTCCTTAAAT	3,138,868	51
7394.	TGATCGATAAAGAAAGATTTATCG[T, C]GTAGTCCTTAAATTGGTTTATGACC	3,138,880	51
7395.	TATAGGTCGTTGTGTGCCATATAC[G, A]TTGGTTGTCTCGTAACCAAAATGGT	3,138,968	51
7396.	AAATGGTGTGGAGATACTGGTATG[G, A]CATGCGGGTGAGATATAGAAGTACA	3,139,011	51
7397.	CTAACTGAGTTTCTAATTCAGTGA[C, T]GAAAGATTTTGTATACAATCAAGT	3,139,195	51
7398.	CGAAAGATTTTGTAGTTACAATCAA[G, A]TACTTATGAAGTTGGTGTATAAGTC	3,139,219	51
7399.	CAAGTACTTATGAAGTTGGTGTAT[A, G]AGTCAAGATGGGATTGATCCCTTCG	3,139,240	51
7400.	CATGTGATGGATTTAAAAAaTT[G, A]AAATACAATGTGGATGACTTATCTA	3,139,351	51
7401.	TCGATCTATCCGGATGTTGGGTCA[C, T]CATTGCTAGATGATTACATCGATTG	3,139,506	51
7402.	ATCATGCGGCTGATCAACGATTGA[G, A]AATCGTTCAAGGGCTTAATCATCAA	3,139,630	51
7403.	AAGGGCTTAATCATCAATTCGATT[A, G]ATGGTTAACCTTATGCAAAAATTAT	3,139,663	51
7404.	ATTAAATTATTGATTAGCTTAGTT[T, C]GATTGAGCAAAGAGGATCAAATAAA	3,139,763	51
7405.	ATTATTGATTAGCTTAGTTTATTGATT[G, A]AGCAAAGAGGATCAAATAAAATCTA	3,139,768	51
7406.	TTAGTTTATTGATTGAGCAAAGAGGAT[C, T]AAATAAAATCTAATTGAGTTGGATT	3,139,781	51
7407.	AAAGGAGAATTATCCCTGATTTAT[C, T]AGGATTTTGATTCAATCAATTTCTA	3,139,875	51
7408.	TCATATATTTTATTTGGGCTAAAA[C, T]AGACATGATTGGTTTGGATTCAAA	3,139,963	51
7409.	ATATTTTATTTGGGCTAAAACAGA[C, T]ATGATTTGGTTTGGATTCAAATAAG	3,139,967	51
7410.	TGGATTCAAATAAGGAAATTAAGA[G, A]TCCTTATTGGAATAGAACTCTTCTT	3,140,003	51
7411.	GTTTTTGTATAAAATTTTTTTATG[T, C]CAAAGAGTGCTTCCCTTCTCTATC	3,140,098	51
7412.	CTCACATCTAAATTTGAATAGGAT[T, C]AGATTTTAAATGGTGTGTTCAAATC	3,140,147	51
7413.	GTGCTACATTTTAAGGATATTTTT[T, C]ATGAAAAATTATTTGGAGAACTATT	3,140,280	51
7414.	GTGCATAAAATTAAGTTTCTAGG[A, G]TTTGTGCTCTTAGGGTTTGAGAAGA	3,140,591	51
7415.	GCTAGCACTTTCGAGAAGATCGAT[T, C]AGATCGAGGCTTCAAGTAGATTTTT	3,140,783	51
7416.	CCTACCTATCAGCAAACTTGGGA[A, G]TGTGGCGGAGGCTCGGCCGCCCGGG	3,152,554	51
7417.	ACTTGGGAATGTGGCGGAGGCTCG[G, A]CCGCCCGGAGGTTTGAGAGATGT	3,152,570	51
7418.	CCCGGGAGGTTTGAAGAGATGTTG[T, C]CGGAGGTCGAAAGTCAGTTGGATCC	3,152,570	51
7419.	CCCGGGAGGTTTGAAGAGATGTTG[T, C]CGGAGGTCGAAAGTCAGTTGGATCC	3,152,598	51
7420.	CTATAGCTAAACTATCAACGAAA[C, A]GATATAATTTTGTAACTTCTTTAC	3,152,857	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7421.	GCTTCGGTTGTAAACAAGCAACT[T, A]TATCTTGAAGTGTAGTTTCTAACT	3,152,932	51
7422.	ATATATTAAGCTACCAACTATACC[G, A]GTATGTAGAACACATGATATGTGCT	3,153,229	51
7423.	TATGTAGAACACATGATATGTGCT[G, T]TACCTCCTCCATCATTGCAATGAT	3,153,255	51
7424.	TTTGAGATAAAATACAATCGACCTG[T, C]GCTTATCTCTATAAATTTATGTCTC	3,153,398	51
7425.	TCCAAATTTTTCATTTTAAATTCA[T, C]CATTCAATATAATTAAGTTTCAAC	3,153,467	51
7426.	TCTGCATGCTTCGAGATCTCCACT[A, T]TATAAAATGGTCCAATTTTGGCTCT	3,153,571	51
7427.	TGGATGTGTGAAAAATGTAGTAGT[A, C]TCACACTATATATTGTTTAAACAGAA	3,153,689	51
7428.	AAGTGGTATAAGGTGAAGCCAGAT[G, A]TGGAGGAGTCTAGTTGGCTATTGCC	3,154,528	51
7429.	ATCTATGCGGATGTATATTTAATC[T, C]CACATTAATTATTCACCGAAAGATC	3,154,947	51
7430.	TTTAATCTCACATTAATTATTCAC[C, T]GAAAGATCTTGAATACTTATATAGG	3,154,964	51
7431.	GGATGAGGTCTTAAATATTATAC[T, C]TAGCTAATTAGGTATGCAACTCCAT	3,155,053	51
7432.	TATGCAACTCCATCCAATCTTTGT[A, G]GCATATGCAGGGTGGATGTCTGGCC	3,155,090	51
7433.	TCCATCCAATCTTTGTAGCATATG[C, T]AGGGTGGATGTCTGGCCAGAACACC	3,155,098	51
7434.	AAGAAAGAAGAAATAAACAGAAAA[C, T]AATCAAATACGTGGATCAGCCAAAA	3,155,187	51
7435.	TGGGGCATGCAAACTTCACTATGA[A, G]AAAAATAATATTACAAGAGGAGATC	3,155,252	51
7436.	GTTCACTATTTCTGGTTTCCATG[C, T]GAAGACGTCCACGCCCATGAAACCA	3,155,469	51
7437.	CTCCTAATCAACCTCAAATCAAGT[T, C]CCAAACCGTTGGATCAAGATCAGGA	3,155,594	51
7438.	TCGCACTCCGATCTATGAAATAGT[G, A]CCGTGGACCGTAAGAAATAGATGAG	3,155,662	51
7439.	GGACCGTAAGAAATAGATGAGAAA[C, T]GGCTCTGCGGTCCACGTGCTCCTCT	3,155,691	51
7440.	CTGCCGTTGCTCCACCGCCCGCC[A, G]CCGGCCGGATGGTCTCCACCAC	3,155,947	51
7441.	TTCAAACGTATGTATCTCCTCCGT[C, T]CGAGCTCTGTTTGAGATGATCTTGG	3,156,015	51
7442.	TTCACTGTGAGCTCAATGTGGATT[G, A]AATTTTGAGGCATCAAATCCTAACA	3,156,095	51
7443.	AATCAACTGCTGATCATAGATTGA[T, C]AAATATAGGAGTCGAGCCAGGCCAC	3,156,223	51
7444.	GCTGTGCTTCTCCTAACTTAAGAC[A, C]TGCTCGGGGTATCATCCTACAGCAA	3,156,294	51
7445.	ATAGCCTCTTGAATTCAGTCTGCT[T, C]AATGAGATAAGATTTTCATCTAAAA	3,156,575	51
7446.	GCTTAATGAGATAAGATTTCATCT[A, G]AAATCAGATATGTATCGAACCTCCC	3,156,596	51
7447.	AATCAGATATGTATCGAACCTCCC[C, T]CAATCTTCTTACTGCACCATCATGT	3,156,622	51
7448.	GTCCTCTAGCTGACCATCCCGATG[T, C]CTCTGATAGCGCAGCTCGATCTATC	3,156,672	51
7449.	CGATCTATCCGACAGATAAATAGT[A, G]TCTTCACTGTTCTCTAAGGAGTCAA	3,156,713	51
7450.	GCAGAACTAATATCCACTGTTGG[G, A]AAGAAGTAGATACCTCGTCAGATGG	3,156,798	51
7451.	CAGATGGCTCCAAGATATCTCCCT[C, T]TGAATTGTTACTGGCCGTGCGCCACA	3,156,841	51
7452.	TCCAAGATATCTCCCTcTGAATTG[T, C]TACTGGCCGTGCGCCACAGCAGTCAT	3,156,849	51
7453.	AATTGTTACTGGCCGTGCGCCACAG[C, T]AGTCATCGTCTGATTTTGAATTGA	3,156,868	51
7454.	TGTTACTGGCCGTGCGCCACAGAG[T, C]CATCGTCTGATTTTGAATTGAGAG	3,156,871	51
7455.	AACTCGTCACACTGGTAACACCTG[A, G]TCTTGCTCAAGTCTCATGGACTT	3,156,942	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7456.	AAGTCTCTCATGGACTTGGACCGC[T, C]CTCGTCGCGATCTCCTATCACACCA	3,156,975	51
7457.	GGACCGCTCTCGTCGCGATCTCCT[A, G]TCACACCATCTACTGCCTCCTGCTC	3,156,992	51
7458.	TCTTGATGGTGTCTTCTCCACTA[G, A]AAGAGCAGTCACCAAGGACTCGTAC	3,157,144	51
7459.	GAGAGACTTCGCTATATACAACCT[C, T]TCGAGCTTCAACCACAGCACCATTG	3,157,367	51
7460.	GATCACCACCTCATCCGTCAGGAA[C, T]ATGTGGATGGTACTCACTGCCTGCA	3,157,439	51
7461.	TCTCATTAGACTCTGTTTTTAATC[A, G]CGGACCTCGCTGTAGAATTAATATA	3,159,053	51
7462.	ATTAATATAGATCAAACTCTCAAGA[C, T]GTCAAATcTTAACGACATATGCTTT	3,159,094	51
7463.	AGATCAAATCTCAAGACGTCAAAT[C, T]TTAACGACATATGCTTTTATACCCA	3,159,102	51
7464.	TTTATACCCATCCAATCTTTGTGG[C, T]AAGTCCAACCTACGTGTTTCATC	3,159,142	51
7465.	TCTTTGTGGCAAGCTCCAACCTAC[G, A]TGTTTTCATCGAGAAGTTGCACTAC	3,159,157	51
7466.	GGCTCTTAAACCCCTGGACTGGCT[G, C]AAAATGGTTGGCCCTACTTTAATCT	3,159,221	51
7467.	AGAAGAAGAGACGGAGAACGTTGT[T, C]CTCTTCTCTCTCTCTTTTATTTA	3,159,820	51
7468.	TTTAAATTTTTTTTtCACTAGATT[A, G]TTTTCTCTAGGAGTCTCGTAGACTA	3,159,985	51
7469.	TAGATTATTTTCTCTAGGAGTCTC[G, A]TAGACTAGTGGAGGGTCCAAGTACT	3,160,003	51
7470.	TTAAATTTTAGTTGACCGTAGGAA[G, A]AGTCCTGGATTTATAATATTAGGAT	3,160,062	51
7471.	AAATTTTAGTTGACCGTAGGAAGA[G, A]TCTGGATTATAATATTAGGATCA	3,160,064	51
7472.	TTTTATTTTCGAGTTCATAGATCGA[G, A]GAGTTCATCGATTCTGTATATGGG	3,160,214	51
7473.	GTATCATATGTTTATATCAACAA[C, T]AATTATTTTCGATGGTTTGGGAT	3,160,477	51
7474.	GACATAAATTAAGACTTAATAAAT[G, T]GATGATCAAGAGAGGATATTGAAC	3,160,571	51
7475.	ACAGATGCGTGGTATTTGAATTTT[T, C]CACTTTAAGCTGAAGCACAGTTATT	3,160,757	51
7476.	CATGATCGTGATTAGTCCAAAATT[C, T]TAAAGATAATTATAGATTAATCCAG	3,160,920	51
7477.	CCAGATTAAGTTAATGAGATATGG[G, A]TGATAAGATATAAACCATGATTAAG	3,160,966	51
7478.	TGAATTGAGGTCGATAATGATTAT[A, G]GGATATTGAGATTGTAAGAAATTTT	3,161,406	51
7479.	TTACTCTACCACGTGTGTGAAGA[C, T]AAAGCCAATGAAAAACATAACATCG	3,161,826	51
7480.	ATAAGAGAAATTGTTAGTTAGAAT[T, C]GTTCTACCATGTATATCTTAGACTA	3,161,911	51
7481.	GATGTGTTGATTTTTtATTGAATA[A, G]TCTAAGGTACACATGACAGAGAACA	3,162,120	51
7482.	TTTTTtATTGAATAATCTAAGGTA[C, G]ACATGACAGAGAACAATACTAACCA	3,162,130	51
7483.	GCACATTGTTTTATATGATTGGTC[T, C]ACATAGCCACCCTTCTCAATGCAT	3,162,464	51
7484.	AATATCCTATGGCATATTATGACT[G, T]CTTATACGCCGGATGTCATAATATG	3,162,520	51
7485.	TGCATGCAAGATGTCATAATATAG[A, G]CCAAGATGTTATAATATAGAAGAGG	3,162,631	51
7486.	ACGACGAAAAATACCCCTGCTCTTT[G, A]AAAAAATTATGATATCCTGCGTCA	3,162,752	51
7487.	TTGTTTCTCTACAGACCATTGAAG[C, T]ACCAAAAAGGGTTGATGTTGAAGA	3,163,550	51
7488.	CTGGGAGATAAAGCCACCTCAGGT[T, A]ATCCGAAATACAAATCAAAAAGTTG	3,165,060	51
7489.	AGGATTTAAAAAGATATATCCACC[G, A]GAGACAAAAGGATGCTCACC GCGCT	3,165,708	51
7490.	CGCTCTTCGTATGTTTCTGATCTT[T, A]GTATGTAAGTAGAGGCAACAAGGA	3,165,754	51
7491.	CCTCAAAGGTATGAATAACTCTAA[A, G]TGCTCACTCTCTCCCATTTGTTCTC	3,165,805	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7492.	TTTAACTTGAGCATTGGAGAGTC[T, C]CCACTGGAGTCATCTCCAGCTAGGG	3,165,858	51
7493.	ACTTTATTTCGAGATCCTACTATC[A, G]TCGTTCTCGCCGAACCTCGATCTAC	3,165,908	51
7494.	TCCAGAGCGGACAATATCTCACAG[T, C]AGAAGCTGAGGGGATGGGGGTAGG	3,166,195	51
7495.	GAGCGGACAATATCTCACAGTAGA[A, G]GCTGAGGGGATGGGGGTAGGAATT	3,166,199	51
7496.	GAGTCATGTTAGAGTGGAGGGTGA[C, A]TCCCTTACTGTTCATCCGTTGGATCG	3,166,935	51
7497.	ATTGCATATAAAATCTGAAAAaA[T, C]TAAATATAAAATCAGCATGCATGCA	3,167,965	51
7498.	CTTTTTTTCACACCATGAAACCATA[C, A]CCAAGACTCCTCTCAATGTGAAGAC	3,168,418	51
7499.	GTTGGCGACAAGGTCTTAGAGATA[A, T]TGTCAAACATTATCTATATGATATC	3,168,725	51
7500.	TAAACCTGCTCGTATCTAAATTT[G, A]GATGTGAGATAGAGAAGGAAAAGGA	3,168,805	51
7501.	AAGAACCATTGGCGTATGGTTCC[A, G]TATAATTCATTTCTTTGATCCTAAT	3,169,554	51
7502.	GTTCCATATAATTCATTTCTTTGA[T, C]CCTAATACTTGAGGACAATCAAAAA	3,169,573	51
7503.	TTTAGAGGAGTCAATCCCATCTTG[G, A]CTCATGTACTGACTTGACAAGTACT	3,169,747	51
7504.	GAGTCAATCCCATCTTGGCTCATG[T, C]ACTGACTTGACAAGTACTTGACTGC	3,169,754	51
7505.	TCTTAGATTCTTTGGAATATCCTA[T, C]AAAATAATACATAGAAATTGAGAT	3,171,596	51
7506.	TATCAAACTATATCTAACAAAGTT[G, A]ATTTCAATAAGAGAGAATCTTATTT	3,171,846	51
7507.	CATCGGAAGGACATTCTCCTCTTT[G, A]TTCTGATCGAAGAGTTTCAATGCTC	3,171,918	51
7508.	AATTTATTTTCTATCTTATTATG[G, A]AATTATTTGAATATTTTAAATAATC	3,171,973	51
7509.	TATGTTTCGTATATCCAATACATCA[A, G]TATGTATCAGACTCAGAACACTATT	3,172,038	51
7510.	CATGATCGAGCCTAAATTGCCAAA[A, G]ATAGGCTTCTAAGATATAATCTACT	3,172,212	51
7511.	TCTTAGTTGTCCACATGATTTTGA[T, C]ATCATTCAATGATATCACAATAA	3,172,322	51
7512.	AGACAATAGTGACAATCACCAAAA[T, C]GATATTGATAGAATTGAAAAAAGC	3,172,377	51
7513.	TGATAGAATTGAAAAAAGCTCAA[C, T]GATTCTTAAATCAGGATTAAACA	3,172,407	51
7514.	ACCAGAGACAGTAGTGTATAGATA[G, T]AGAAATCACAAGGTGTTATTATATA	3,172,556	51
7515.	TGATTTTCTTCTTAGCCTGTTT[C, A]GATCAAGGAACTCTATCAGACTAGA	3,172,631	51
7516.	CTCCTTCAACATTTGAAGGATTTT[C, G]TCCTACTGAATATTAACAAATTTAC	3,172,809	51
7517.	CAACATTTGAAGGATTTCTCCTTA[C, T]TGAATATTAACAAATTTACAATAA	3,172,815	51
7518.	TTCTTTGCTGCTCTCAAAATACAA[C, T]ACATAGTGATACGATCATTTGGCCA	3,172,872	51
7519.	AGAACTATTTGCAACTTCTGATAC[C, T]ATATATCAAAGTTGGGTCCTATAAA	3,173,016	51
7520.	ACTATTTGCAACTTCTGATACCAT[A, C]TATCAAAGTTGGGTCCTATAAATAA	3,173,019	51
7521.	AAAaAACTCAAGACCTCTATGTTT[A, G]TGAATTGATTAAGCCTAAAGACTTG	3,173,121	51
7522.	ATCCACACAAACTGCATACAAGTC[T, C]GAGGATAGTTCTGTCAACTCATATG	3,173,266	51
7523.	CTATGGGTAGATTCTCAACTAATT[A, G]TTTCTTCAAACAATTTCTAGTAATT	3,173,319	51
7524.	TTCTCAACTAATTATTTCTTCAAA[C, T]AATTTCTAGTAATTAATTTTATCCC	3,173,330	51
7525.	GCGATAGATCTCCACTAAAAGTTT[C, T]AGTTAGATCAAACCATTAACATGTA	3,173,397	51
7526.	CATAAATTATGATATTATTTACTA[G, A]CGTATTAGTTAAATACCATGATAGT	3,173,790	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7527.	ACTCCATCAGGTCGGATTTTGGAT[G, T]GTTGCAGATCGACACTAAAAAGGG	3,174,898	51
7528.	CTAAGATCATAAAGTTCAAGAGGA[A, C]CAGCCACTAATCCACATTCAACCAA	3,174,966	51
7529.	ATTCTTGTAGAGTCCAATCTACA[T, A]GCTATGCTAATTTCCATGGTTTTTG	3,175,479	51
7530.	CAATCCTAAATGGTTACAACACAA[C, A]TCCAAGCTATTAAGATACGATTAC	3,176,060	51
7531.	ATCCCCTCGTCGCCTGGTCACCGG[G, A]AACAAAGTCCTGCAAAAGAAGTCCG	3,176,852	51
7532.	TCGCCTGGTCACCGGGAACAAGT[C, T]CTGCAAAAGAAGTCCGCACTGACCG	3,176,861	51
7533.	CCCTCCGACGGTCAAGTCAGAGAG[G, A]AGACTAGGCAACAGTAGAAAAGAAT	3,176,930	51
7534.	GGGGGAGAGAGAGGGTAAGCCCAA[A, G]GGTTTCAAAAGAACCTCCTCCAGCA	3,176,997	51
7535.	TTTTATAGTAGAGCGTGGTATGGC[T, G]CCGTCATTATATGGACAGACAATGA	3,177,061	51
7536.	GAGTCGCGGTGGGCTGTCAAATC[A, G]TCGTGGGGCTGTCAAATCACTAGGG	3,177,140	51
7537.	TTTGGGTGGAACGATGTCCAGGG[T, C]GGCTACGCCCATGACTTTGTTCAGG	3,177,201	51
7538.	GTTTGGGAGAGCTGGCCGACCATA[C, T]GTCGGTATTTCGCTGTGGGACGTCG	3,177,277	51
7539.	GGTCCTTGCTTAAAGTCGGACGTC[G, A]GCTGCCACCTCCGACGGTGAGTCGG	3,177,359	51
7540.	CAGTTGCCCCCCTACTCCTGAGTC[T, C]GATGTCATGTTGGCTCGCGTGAATA	3,177,618	51
7541.	CCCCCCTACTCCTGAGTCTGATGTC[A, G]TGTGGCTCGCGTGAATACGTGGGC	3,177,625	51
7542.	TCAACGAACGATCCGATGTGCGTC[G, G]TCTCGACTGTAGTTCGAGTGAGCAC	3,177,736	51
7543.	CATTCCGCAAAGTCGAGTAGCGTC[T, C]GACATATTAGATAGGATAACGATG	3,177,834	51
7544.	GTGGTAAGCCGAATATCCTTCGAC[C, T]GATCGTGACCAAGTCGGTATGTCGC	3,177,947	51
7545.	TAGCATGTGCGAGTCGTATGATAGA[T, C]GGTGGCAAGCCGAATATCCTTCGAC	3,178,017	51
7546.	AAGCCGAATATCCTTCGACCGGTC[A, G]TGACCGGGTCGGTATGTCGCAAGTC	3,178,048	51
7547.	CGGGTATGTCGCGGTTGTCTTGGC[G, A]TTTTGCCCTTTCTTAGTCGAAGCTA	3,178,127	51
7548.	TAAGTTGGCAAGTTAGCCAGCCGC[G, A]TTGGTCGAAGCTTTTGGCCCTCAGA	3,178,175	51
7549.	CATAGGCCGTCGGTTCGGTGATCG[A, G]TGATCGAGCTGTTGATTTCGACGATC	3,178,227	51
7550.	CGGTTCCGGTGATCGATGATCGAGC[T, C]GTTGATTTCGACGATCGACGATCGAG	3,178,237	51
7551.	GATTCGACGATCGACGATCGAGCC[A, G]TATTGGTCGAGGCCCTTTTGCTTTC	3,178,265	51
7552.	CCATATTGGTCGAGGCCCTTTTGC[T, C]TTCAGAGGTCGAGGCCGTCTGTTCG	3,178,287	51
7553.	TTGCTTTCAGAGGTCGAGGCCGTC[T, A]GTTCCGCGATCGGTGATCGAATCGT	3,178,307	51
7554.	GCGATCGACGATCGAGCCATATTG[G, A]TCAATGCCCTTTTGCCCTCAAAGGT	3,178,364	51
7555.	TCAATGCCCTTTTGCCCTCAAAGG[T, C]CGAGGCCGTCGGTTCGGCGATCAGT	3,178,389	51
7556.	GTCGAGGCCGTCGGTTCGGCGATC[A, G]GTGATCGAGCCGTTGATTTCGGTGAT	3,178,412	51
7557.	TCAGTGATCGAGCCGTTGATTTCGG[T, C]GATCGACGATCGAGCCGTTGATGTC	3,178,434	51
7558.	CCTTTTGCCCTTCAGAGGCCGAGGC[A, C]GTCGGTTCGACGATCGATGATCGAG	3,178,570	51
7559.	TCAGAGGCCGAGGCAGTCGGTTCG[A, G]CGATCGATGATCGAGCCATTGATTTC	3,178,580	51
7560.	CCGAGGCAGTCGGTTCGACGATCG[A, G]TGATCGAGCCATTGATTTCGGCGATC	3,178,587	51
7561.	GGTTCGACGATCGATGATCGAGCC[A, G]TTGATTTCGGCGATCGACGATCGAGC	3,178,598	51
7562.	ATCGATGATCGAGCCATTGATTTCG[G, A]CGATCGACGATCGAGCCGTTATGGT	3,178,607	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7563.	CGAGGCCCTTTTGCCTTCAGAGGC[T, C]GAGGCCGTCGGTTCGGCAATCGGTG	3,178,738	51
7564.	AGAGGCTGAGGCCGTCGGTTCGGC[A, G]ATCGGTGATCGAGCCATTGATTCGG	3,178,756	51
7565.	GGTTCGGCAATCGGTGATCGAGCC[A, G]TTGATTCGGCGATCGACGATTTAGC	3,178,772	51
7566.	CCGAGGCCGTCGGTTCGGCGATCG[A, G]TGATCAAGCCATTGATTCGACGATC	3,178,854	51
7567.	CCGTCGGTTCGGCGATCGATGATC[A, G]AGCCATTGATTCGACGATCGACGAT	3,178,860	51
7568.	GATTCGACGATCGACGATCGAGCC[A, G]TATTGGTCGAGGCCCTTTTGCCTTC	3,178,892	51
7569.	TTGACGATCGACGATCGAGCCAT[A, G]TTGGTCGAGGCCCTTTTGCCTTCAG	3,178,894	51
7570.	CAGAGGCCGAGGCGCTCGGTTCGA[C, T]GATCGATGATCGAGCTGTTGATTTCG	3,178,941	51
7571.	ATCGATGATCGAGCTGTTGATTTCG[A, C]GATCGACGATTGAGCCATATTGGT	3,178,967	51
7572.	CGAGCTGTTGATTTCGGCGATCGAC[G, A]ATTGAGCCATATTGGTCGAGGCCCT	3,178,976	51
7573.	TCGAGGCCCTTTTGCCTTCAGAGG[C, T]CGAGGCCGTCAGTTCGACGATCGGT	3,179,016	51
7574.	TTGCCCTTCAGAGGCCGAGGCCGTC[A, G]GTCGACGATCGGTGATCGAGTCGT	3,179,027	51
7575.	TCAGTTCGACGATCGGTGATCGAG[T, C]CGTTGATTTCGGCGATCGACGATCGA	3,179,049	51
7576.	ATCGGTGATCGAGTCGTTGATTTCG[A, C]GATCGACGATCGAGCCGATTGGT	3,179,060	51
7577.	TTCGGCGATCGACGATCGAGCCGT[A, G]TTGGTCGAGGCCCTTTTGCCTTCAG	3,179,060	51
7578.	GATTCGGCGATCGACGATCGAGCC[G, A]TATTGGTCGAGGCCCTTTTGCCTTC	3,179,078	51
7579.	TTCGGCGATCGACGATCGAGCCGT[A, G]TTGGTCGAGGCCCTTTTGCCTTCAG	3,179,080	51
7580.	GCGATCGACGATCGAGCCGTATTG[A, T]CGAGGCCCTTTTGCCTTCAGAGGC	3,179,084	51
7581.	GAGGCCGAGGCCGTTGGTGATTGA[G, A]CCATTGATTTCGACGATCGACGATCG	3,179,129	51
7582.	AGCCATATTGGTCGAGGCCCTTTT[A, G]CCTTCAGAGGCCGAGGCCGTCGGTT	3,179,179	51
7583.	CAGAGGCCGAGGCCGTCGGTTCGA[T, C]GATCTGTGATCGAGCTGTTGATTTCG	3,179,208	51
7584.	GGCCAAGGCTGTCGTAGATACTCC[G, A]CTCCTTCGATCTCTATCAGGATCTG	3,179,305	51
7585.	AGGAGTCATACCTGCGATGCATCG[G, A]TCTCGACTCCGTCGTCGGGGCAAG	3,179,381	51
7586.	CAGACGTCGGTTGGAAGCTCCTTC[G, A]TCTGCGCGCATGATTTGTACGCGC	3,179,516	51
7587.	GTCGGAGGTTTATGGAGGCTTCCG[A, G]CTGGTGCTGAAATGGGCCACGAAAG	3,179,761	51
7588.	TAAACCGACTAGGGATCGGCTCAT[C, T]GAGGATGAGTCGGGAGAGAGGTTGG	3,180,012	51
7589.	TTCTGTCCGTCCACCTGCAGCTGG[G, A]CAAGCTGATGGTTGATTTCTTCGAA	3,180,092	51
7590.	GACCCCGGGGGTGGAGTCTCCGA[T, C]GAATCTGAGAGGGAGGCGGACGGTG	3,180,178	51
7591.	GTTCCAGCTGGGAAGGAGATGGT[C, A]TCGGGATCGGTGGGCATCATGTTGT	3,180,255	51
7592.	TCGGGTGTCCGTCGGTTGCTCCG[C, T]CGGTGAGTGTGGCAACTGGGTTGGT	3,180,401	51
7593.	TTGCTCCGCCGTTGAGTGTGGCAA[C, T]TGGGTTGGTTGCTGTTGAAGGCTCT	3,180,417	51
7594.	AGCACGGTCATCTGCCGACGATC[G, A]TCGCGAACTGCACCTCCGTGGTCAC	3,180,481	51
7595.	TGTGGCCAATCTCCTCGTCGCTG[A, G]TCATCGGAAACGAGTGCTGCAAAA	3,180,717	51
7596.	AATCTCCTCGTCGCTGATCATCG[G, A]AACGAGTGCCTGCAAAAGAAGTCC	3,180,724	51
7597.	TCCTCGTCGCTGATCATCGAAA[C, T]GAGTGCTGCAAAAGAAGTCCGCAC	3,180,728	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7598.	GGAGAGAGAGAGGGTAAGCCCAAG[G, A]GTTTCGAAAGAACCTCTTCCAGCAC	3,180,871	51
7599.	TCATCGGAGGCTGTCAGAGTCACC[A, G]TGGGGTTGTCAAATCACTGTGGGGC	3,180,998	51
7600.	GACTGTCAAATCACTAGGGTTGAC[T, C]CATGTCTTGGGTGGGACGATGTCCC	3,181,065	51
7601.	CATGTCTTGGGTGGGACGATGTCC[C, T]AGGGCGGCTACGCCGATGCCTTTG	3,181,090	51
7602.	TAATATGGGTTTCGACCGCTCAGTC[A, G]GTCGGAACAACATGGGTGGTTTCG	3,181,304	51
7603.	AGTTGGACGTCGTCGAGTCGTC[C, T]GTCGGTCGTCGATCAGATCGGTCCG	3,181,423	51
7604.	GTCGTCGTCGTCGTCGATCAGA[T, C]CGGTCGAGAGTAAGTCGGCGTATG	3,181,441	51
7605.	CGTCGGTCGTCGATCAGATCGGT[C, T]GAGAGTAAGTCGGCGTATGGGGGTC	3,181,447	51
7606.	TCAGTCGGTATATCCCAATAACCT[C, T]TAAGATAATAGAAAAAGGTCTCGGC	3,181,495	51
7607.	CGAAAAAGCCTCAGCTTGACTGAT[C, T]AGAGGAGTCATCCTAGGATTGACTG	3,181,587	51
7608.	GAAAAAGCCTCAGCTTGACTGAT[C, G]GAGGAGTCATCCTAGGATTGACTGA	3,181,588	51
7609.	CCTAGGATTGACTGAAACTTTTAA[G, A]ATAAAAGAGTCTTCGTATGACCA	3,181,623	51
7610.	ATTAGCGATGACAATTTTATCATC[A, A]TAATAATTTTTTTATTGATAATAA	3,181,715	51
7611.	AGTGATGGTATTTTTGATTTTTAA[T, C]GACAGCTAATTACGTCACTAATAAAA	3,181,801	51
7612.	GATGGTATTTTTGATTTTTTAATGA[C, T]AGCTAATTACGTCACTAATAAAAAA	3,181,804	51
7613.	TTTGATTCAAGAATTATTAGTGAC[A, G]GAGTTATCTTATTAGCAATGGTATT	3,181,871	51
7614.	GTGACAGAGTTATCTTATTAGCAA[T, C]GGTATTTTACCGTCACTAATAACCT	3,181,890	51
7615.	ACGATTTTTATCTAATGTGTGCC[C, T]CAATTTTCCCAACCCCTCTCATT	3,181,983	51
7616.	CCGAGCATCCAAATCCTATTTTC[T, C]CCATCGACGCCGACTGACTGCTGG	3,182,077	51
7617.	AAGCCCCGACTGCCTCCTCGAGCC[C, T]CCGTCCACCGAATCCAAGCCCCTCG	3,182,140	51
7618.	CGTCGTGATCCGGCTTTCCCAA[G, A]CTGTGCGCCGCTCCTCGAGCCCCG	3,182,360	51
7619.	ATTTCATCAACCTCATCGGTGCT[T, C]GCCTCACCCGACCTCACACAC	3,182,498	51
7620.	CAACATATATATCCCTGTATTGGT[G, A]TTTGCTTTTCATGCCTATCTAATAAA	3,183,117	51
7621.	AATTATCTTTATTTTTTAAATTTG[G, A]TCGAACTGAGAGAAGAAACAGGTT	3,183,262	51
7622.	TTATCTTTATTTTTTAAATTTGGT[C, T]GAACTGAGAGAAGAAACAGGTTAA	3,183,264	51
7623.	CTCTGTTCTTTTATGCAATTTGTC[G, A]GACACCTTAGATTCTATCTATTTAT	3,184,744	51
7624.	CTAGCCATCGGAGCACTACGTTGT[C, T]AGACCCGCAATGTCAGACCCGCACC	3,184,903	51
7625.	TGTCAGACCCGCAATGTCAGACCC[G, A]CACCACTTGACCCGTGAGTATTAA	3,184,924	51
7626.	TCACCATCGTCACACCCATTTTC[A, T]TCTTTTAAATTTTAAATATTTAAA	3,185,009	51
7627.	CATCTTTTAAATTTTAAATTTT[A, T]AAATTAGATTATTTGATTATTTTA	3,185,032	51
7628.	TTAAATTTTAAATTTTAAATTTA[G, A]ATTTATTTGATTATTTTAAATTAAT	3,185,039	51
7629.	GGCTCTGACCCACTCATCTACTCT[G, A]ACGGCGATCGGAGTAACCTCGGCAAT	3,185,236	51
7630.	TGACCCACTCATCTACTCTGACGG[C, T]GATCGGAGTAACCTCGGCAATTGAAT	3,185,241	51
7631.	CACTCATCTACTCTGACGGGATC[G, A]GAGTAACCTCGGCAATTGAATTCTAG	3,185,246	51
7632.	AAGCCCAAAAAAATTTTCGGACC[G, A]GACTCAAGGAGGCCAACATGATACC	3,185,313	51
7633.	GTATCCCTACGCCACTTCTCCATT[G, A]TCGTCATCCACTTATCGGATTTCCCT	3,185,474	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7634.	TCCTCCTCTATCGATAAGGTGAGG[C, T]AGCTTTGGAAGGTATGTTATCCGT	3,185,595	51
7635.	TTGATACTCTCAGATTCGAACAAT[A, G]TGGAGTCACCAGTAGCTCCACATTT	3,185,992	51
7636.	AGCTCCACATTTACATGGAGCAGT[G, T]TCCAACCTCTCAGAGCAGGTAAGTTT	3,186,030	51
7637.	AGTAAAGGTTCAAGGTCAGACCAC[C, A]ATCGAACTGACTCTATCCCGATGGT	3,186,422	51
7638.	TCATCGTGATGGGACAGATCATT[G, A]CAATAATTGATCTTCAACGTGATAA	3,186,568	51
7639.	TGGGGACAGATCATTGCAATAATT[G, A]ATCTTCAACGTGATAAACTCTAATA	3,186,577	51
7640.	ATTTAATATAAATATCTTTATGAT[G, A]TCTTGATACTCTCAGGTTGAGACGA	3,186,665	51
7641.	GTAAGTCTATTAATAATTTTTTtA[C, T]TTATTTTAAATATCTATATTAGAA	3,186,779	51
7642.	GCTTCACATATCTAGGCTTGAGTC[C, T]GAAAAAGAATCTAGGGATAAAAAAT	3,186,829	51
7643.	GAAAAAGAATCTAGGGATAAAAA[T, A]TTAATCTAACCATTCAATCGATGGG	3,186,854	51
7644.	AATCTAACCATTCAATCGATGGGC[C, T]GGGAGTGTTATATCTTCGTATCAT	3,186,881	51
7645.	ATTCGAAAATTAGAGTAGTATATC[G, A]AAATATATACCTCTGTATCGATATA	3,186,956	51
7646.	AAATTAGAGTAGTATATCGAAATA[T, C]ATACCTCTGTATCGATATATACACT	3,186,962	51
7647.	TCATCCTTCAGCTACTAGAGAGGA[C, T]GTATAGAGGTAGGAGGAGGATGAGA	3,187,055	51
7648.	CAGCTACTAGAGAGGACGTATAGA[G, A]GTAGGAGGAGGATGAGAAGGATGAT	3,187,063	51
7649.	TTAATTTTATATTATGATTATGT[T, C]AAATAATTATTATTTTATTATAAA	3,187,217	51
7650.	ACGGTAGTAGTAACGATAAAGGCC[G, A]TTGCTAATAATTTTGTATTTTA	3,187,428	51
7651.	TAGCAGCGGCATTCCATCGCTAAT[G, A]CTATTAGTGACGATAAACTGACAAT	3,187,608	51
7652.	ACGATAAACTGACAATTAGTGACG[A, G]CAATTAGCCGTCGCTAATTGTCAAT	3,187,642	51
7653.	GAGGACTAAAGTTTGCCATATCAA[T, C]CCCCTTTCTCTATGAAATTTGGCT	3,187,981	51
7654.	TTTATCGCATTCTGATCATATAAC[G, A]GTCTACCTTTAAATGTCGTTATACC	3,188,143	51
7655.	TATTATGGCATTATGGGCTTATAT[C, T]GACATGTCTCCAAGGCATTATGAT	3,188,275	51
7656.	CTCCCCAACACCATTCCTGGAAGG[G, C]CTGAAGCTACTGAGATTCTATAAAT	3,188,799	51
7657.	ATATCTGCTTTCATATTCTAACC[G, A]CATTCTTTGTTAGTCTATGCATTAT	3,189,057	51
7658.	AGCGAAGTCCACAACAGCAAAACA[T, C]AGATGGAAAAGCCCATAGGTGTGCA	3,189,580	51
7659.	AAAAGCCCATAGGTGTGCAAGCCT[G, A]CAAGCGTGGCTCATGGGCGCGCAAG	3,189,611	51
7660.	GCCTGCAAGCGTGGCTCATGGGCG[C, T]GCAAGGCCGCAAGCATGTGGCCCA	3,189,631	51
7661.	AGCATGTGGCCACAAGTGACAG[G, A]CCCGCAGGCGTCATGGCCAGTGCG	3,189,668	51
7662.	CCACAAGTGACAGGCCCGCAGGC[G, A]TGATGGCCAGTGCCTGTGGCCCAA	3,189,678	51
7663.	CCGTGGTTCACTGCACGGTTCATG[C, T]GCGGTCTATGGCACCATGCAGGAGG	3,189,770	51
7664.	CGCGGTTTCATGGAATGGATGTGCG[C, T]GATCCAAAGGTCGAGATGGTGTGCA	3,189,905	51
7665.	CAGGGGTGATCCAATTGTGGCTGG[T, G]GTCTTGGACTCCCATAGGACTTTG	3,189,953	51
7666.	CGCTCGAAAAGAGAGGATTTCATGG[C, T]CGAGAGCATCATAGGAAGCATCCAG	3,190,110	51
7667.	ACTTCTCTAACAGCGATGAAAGTT[C, T]AAGGAGATGTACATGGTGAAGTCAC	3,190,781	51
7668.	GTTCAAGGAGATGTACATGGTGAA[G, C]TCACTTACCAAACTCTTTTCTTT	3,190,802	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7669.	AGAGAAGAGCACCATCAGATGGAT[G, T]AAGTTACTTCTATATTTCCTCAGAA	3,191,035	51
7670.	AGGTAGTGGCAGAGGATAAAGGGG[T, G]AAAAGATCGTAAGATGGATGGTCCA	3,191,154	51
7671.	CAGAGGATAAAGGGTAAAAGATC[G, A]TAAGATGGATGGTCCAGATCCAAAT	3,191,163	51
7672.	GGATGGATCGAGCTGTGTGATCAA[G, A]gATATTAGAACTGTCAGCTTATAGA	3,191,484	51
7673.	AGCTCGAATTTTCATATTTGTCCAT[T, C]AATAAGTAGTCAGATATTTATCCTA	3,191,938	51
7674.	ATTTTCATATTTGTCCATTAATAAG[T, C]AGTCAGATATTTATCCTAGGGCATG	3,191,945	51
7675.	AAGTCTCTAGAGTTAGATAGAGAC[C, T]GAATGTCGAATCGAGATGGAGATTG	3,192,013	51
7676.	GATGGAGATTGTTAGATTTTGGCA[C, T]CTAAAATTTGACCCACAGTAGCAAA	3,192,052	51
7677.	CCCAGATGGAGGAGCTTGCAGGGG[C, T]GCAGGGTGCAGGCGCGGCCCATAGG	3,192,103	51
7678.	TGCAGGCGCGGCCCATAGGCGTGC[A, G]AGGACCACAGACGCGTAGGCCACACA	3,192,134	51
7679.	CGTAGGCCCCACAAGCATCCAAGGC[T, C]AGCATGCATGGCCCGTAGTAGGCGG	3,192,172	51
7680.	AGCACGCACGCATGGCCCAAGGC[G, A]CGGGATGCATGGCCCAGACCACATT	3,192,226	51
7681.	AACAAAAAaTAACCTCAACTCAAT[G, A]CTAAAGTTATGAATGTTTTATATTG	3,194,626	51
7682.	CACTAATCAAGTTAAGAACTGTC[C, T]TTTATTTGTTATGAATGTAAGAAGT	3,194,763	51
7683.	CAAGAAGTACAAGAAAAAGACTAT[G, A]ATGGCTACATGAAAGTATAGTGATG	3,194,856	51
7684.	AATGACTTTTATTTTGAAGAAGTT[T, C]AAGAAGCATTTTATGATCTAGTTGA	3,194,995	51
7685.	TTATTTTGAAGAAGTTTAAAGAG[C, T]ATTTTATGATCTAGTTGATGATTTA	3,195,002	51
7686.	CTTTGTGAACCTCATCAAGCAACAA[G, A]TTTTTAAATATTACTTACTTTAAAT	3,195,318	51
7687.	TTTTAAATATTACTTACTTTAAAT[G, A]TAGTAAAGTAGGACACAAATCATAT	3,195,344	51
7688.	AAATTCATATGTGAAGAAAATATG[G, A]GTTCCAAAAGAACTATTGTGACTA	3,195,417	51
7689.	AGGCACATGACCGATGATGAATCT[T, C]AATTCATCACACATGATGCAAAAGA	3,195,584	51
7690.	AGAAAAGATCATCGGTATAAGTAA[C, T]ATTGGTATGACTCCCTCTAAGTATA	3,195,667	51
7691.	CATCGGTATAAGTAACATTGGTAT[G, C]ACTCCCTCTAAGTATATTA AAAATA	3,195,676	51
7692.	TGAATGCCAAAATTAATGAGACTA[G, A]TTGGTTTTGGCACCGTAGGCTTGCA	3,195,933	51
7693.	GTTGGTTTTGGCACCGTAGGCTTG[C, A]ACATATTAGTATGCATTCACTTTTA	3,195,957	51
7694.	AGGCCATTAGAATTATTGTACATG[G, A]ATTTATTTGGACCCACTAGAACTAC	3,196,139	51
7695.	TTGTCATTATTGATGATTTCTCTC[A, G]TTTTATATAAGCTTTTTTTTGGCAT	3,196,215	51
7696.	ATGATTTCTCTCATTTTATATAAG[C, T]TTTTTTTTGGCATATAAGGATGAAA	3,196,227	51
7697.	TTTATGTGTTCTCAAAATTTTATC[G, A]AAAAGTTACTAATGAAAAAAATTTT	3,196,280	51
7698.	TCGAAAAGTTACTAATGAAAAAA[T, A]TTTTTAATTCAAAATATTCAAAGTG	3,196,302	51
7699.	AAAGTGATCATGGAACCAAAATTTA[A, C]AAATCAAGAATTTAAAAAATTTGT	3,196,346	51
7700.	TAAAAATTTATTGAACCAAAATTTT[G, A]AACTCAATTCATCTCTTCTTTCT	3,203,563	51
7701.	TTCTAGCCATGAATCGATCCTAAG[A, G]TAACTTGTAATTTTCATTAAATC	3,203,715	51
7702.	ACACTCTTTTTTTTtGAAAAATCTC[C, T]GTTAGTTAAGCAGGCTGACCCTTTG	3,203,771	51
7703.	AAGTCTCTCTTCCCATCGGGTTTT[C, T]CCCTTCAATCGTCCTTTTAGAAACT	3,203,897	51
7704.	GATCAAGCTTACCTAGCTTCAAA[C, T]CCTCTCTCCAAACCGATGGTCTAT	3,203,980	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7705.	AGCTTCAAACCTCTTCTCCAAC[C, T]GATGGTCTATCTCTCCAAATCTTT	3,203,995	51
7706.	TCTACCTCTCATTAGGCTTCTAA[G, A]CTGTTTGCAAGTCTCTCTGTCTGA	3,204,070	51
7707.	TTGATCCATTACTTTTGGGATAAA[T, A]CTTGCACTTGCCTTGTGAATGTTAT	3,204,885	51
7708.	ATATTATTTTAGGAAGAGCATTTA[C, T]TAAAAATTTAAATAAATAgAAGCA	3,204,972	51
7709.	TTTACTAAAAATTTAAATAAATTA[G, A]AAGCAAGGATACTTTCAGTAAAGAT	3,204,992	51
7710.	TTAgAAGCAAGGATACTTTCAGTA[A, G]AGATGAGACTTTTGCATCACATGAT	3,205,013	51
7711.	CCTTCTACTCTGATGTTTGAGGC[T, C]ATGAGGGAGATCCTAAATAGGTCTA	3,205,159	51
7712.	CAAGAGCTGATGGCGTTGGTCGA[A, C]GGGTGTTGAGGAGAGAGCAGAGGAG	3,205,344	51
7713.	AGAGCATCTGCTGATATTAGTTC[G, A]TGTTTGATCACGAGACTGGTCCCTC	3,205,424	51
7714.	AGCATCTGCTGATATTAGTTCGT[G, A]TTTGATCACGAGACTGGTCCCTCAG	3,205,426	51
7715.	ATTAGCCTTAGCCCATCTCCAACC[G, A]TAAGAGAACATCATGGAGGTCTCCA	3,205,777	51
7716.	GAACATCATGGAGGTCTCCAACCT[G, A]TCTACAGAGGCGGCTAGGCTTCGTG	3,205,807	51
7717.	AGGTCTCCAACCTGTCTACAGAGG[C, T]GGCTAGGCTTCGTGGCATTTTGGAG	3,205,818	51
7718.	TCTTCCAGGCTCCAAGACCTTCT[T, C]GTCCTTCTGCTCGTCCGGTACTTC	3,206,009	51
7719.	GTGCCGGTACTTCTACCTGTGGCC[A, G]AGGCAGATGTGGTCGAGGATGTGCC	3,206,046	51
7720.	CATGATATTTATTAGATCTAGCAT[T, A]GTTAATCTTTTATGTCTAGGATCTA	3,206,159	51
7721.	TATTTATTAGATCTAGCATTTTA[A, G]TCTTTTATGTCTAGGATCTAACTTA	3,206,164	51
7722.	ATCCAATTACCCCCCTCTCTCTT[A, G]GGTTGCATAGCTGGGTAACAGAGGT	3,208,757	51
7723.	CTCCTCTTAGGTTGCATAGCTGGG[T, C]AACAGAGGTGGATGTGCGGTCCATG	3,208,773	51
7724.	CGGGGGTGATCCAACAGTGGCTGG[T, G]GTCTTGGACTCCTATCAGGATAATG	3,208,929	51
7725.	GTGTGGAAGAGAGGCATAGATAAC[A, G]GCTAAGAGTATCTGAGAGAAGAGGA	3,209,041	51
7726.	GCTAAGAGTATCTGAGAGAAGAGG[A, T]TTCATCGTTGAGAGCATCATAGAAA	3,209,066	51
7727.	AGAGGATTTCATCGTTGAGAGCAT[C, A]TAGAAAGCATCCAGGGGCATCAGAG	3,209,085	51
7728.	AAAGTTTGTAGAGCTTTTGTAA[A, G]GAGTTATGCTTTTATTGAGAGAAA	3,209,173	51
7729.	ATGCCCCATGGAGATAAGCCTTGG[A, G]CTAATCCAGTATTTGATCATGTTT	3,209,290	51
7730.	TTATCACATAATCTGTGGTTGCT[C, T]TATATAGACCTCCTCATCAATATAG	3,210,661	51
7731.	ATCTCTTCATCTATGGCATACTTC[T, C]ATATTTTACTTTTATAGCATCTTC	3,211,001	51
7732.	AAAGATGAGCTTTGAGCTTTTATC[A, T]CTAGCTTGACTCTCCTCTGCTTCA	3,211,408	51
7733.	CAAAATATGTGCAAAGCTATACAT[C, T]TGAAGATCTTCATGTGTGAGATATT	3,211,456	51
7734.	CCCACAAAATACTTCAAATGAATT[G, A]AAGGTGAACTCGCCGCCTCGATCTA	3,211,740	51
7735.	TTCAAATGAATTGAAGGTGAACCT[G, A]CCGCCTCGATCTAAGCGAATGACTT	3,211,752	51
7736.	GCCTCAAGTGCCACAATCATGAGG[C, T]ATCTTTTACATAGAGTTTCAAGCAC	3,212,156	51
7737.	GATACAGCAGGAAGAAAGAAGAAA[C, T]AAAAATAGAAAATAATCAAAATACGT	3,212,422	51
7738.	AAAGGACTCGCCTCCACGGGCGAT[G, A]CAAACCTTTACTACGAaAAAAAATT	3,212,484	51
7739.	ATAAAGTTTTTCTCACAAAAGCT[C, T]TCTCTTTAAAGACCCCTGAATC	3,212,584	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7740.	CTCTCTTAAAGACCCCTGAATC[C, T]CTAAGCGACCATTGTTCGCTGTCC	3,212,610	51
7741.	AAAAGACCCCTGAATCCCTAAAG[C, T]GACCATTGTTCGCTGTCCAGAAGCC	3,212,617	51
7742.	CGTCATACAGAAAACCTCAAGTCAC[G, A]GATTCTGTTTTTCATGAGAAACCAAG	3,212,729	51
7743.	TCATGATCGATCCACAAAATAGTA[T, C]CGTGGACCGCACAAAATGCATGGGA	3,212,927	51
7744.	TAGTATCGTGGACCGCACAAAATG[C, T]ATGGGAAATGCCCATGCAGTCCACA	3,212,946	51
7745.	AAATGCCCATGCAGTCCACAGACC[C, T]GACCGTGGACTGTCCAGTCCACTGT	3,212,976	51
7746.	CATGCAGTCCACAGACCCGACCGT[G, A]GACTGTCCAGTCCACTGTGGATCGG	3,212,983	51
7747.	GTGCGCCTGGCCCATGTGCTGCCA[C, T]GCACTGGGCGGCATCCCACCGCCTA	3,213,133	51
7748.	CACTGGGCGGCATCCCACCGCCTA[T, C]GGTCGCACCGCTATCACTCCGTCGG	3,213,159	51
7749.	TGGACTCAATATGGATCAAATCTC[G, A]AGATATCAAATTCTAACAATCTCTA	3,213,346	51
7750.	TGACCTGAGACCTACTCAAGGTAT[C, T]GTCCTACGGTAATAGGAATCCCACC	3,213,551	51
7751.	ATTCTCCCGAGTCTCCTGTCTCGT[A, G]TCCGATCCAGCTCCACTTACAGCTC	3,213,618	51
7752.	CTCCTTCTTCCCCCTCCAGCATAAT[C, T]CTATCACCGTAGCACCTTCAGAA	3,213,749	51
7753.	GTAGCACCTTCAGAATTTCTCCAT[C, T]AGCTACTGTCTGTAGCCTCTCGAA	3,213,784	51
7754.	GAAATTGGATATGTATCGGATCTC[T, C]CCTAATCTTCTCACTATACCATCAT	3,213,866	51
7755.	CTGAATCGTACCGGCGTCGCTA[C, T]AGCAGCCACCATCCAATTTTGTAGT	3,214,087	51
7756.	CCGGCCGTCGCTACAGCAGCCACC[A, G]TCCAATTTTGTAGTTGAGAGCAATC	3,214,098	51
7757.	GGCCGTCGCTACAGCAGCCACCAT[C, T]CAATTTTGTAGTTGAGAGCAATCTT	3,214,100	51
7758.	CCGTCTCATCGGATCTCCTGTC[G, A]CTCCGTCTACCACCTTCTGCTCCTC	3,214,217	51
7759.	CCTCATCGGATCTCCTGTGCTC[C, T]GTCTACCACCTTCTGCTCCTCCAAA	3,214,221	51
7760.	TCTTCTCTACTAGAAGAGCAGTCA[T, C]CAAGGACTCGTATGAAGATGGAAGT	3,214,378	51
7761.	TACTCCTGCATGCTCTGTCCCTCG[A, G]CCATCCGTAGCTGATAAACTGCCT	3,214,518	51
7762.	TAGCTGATAAAACTGCCTCCAGAG[G, A]AAAAGAGTGCTGGTGAGAGACTTCA	3,214,550	51
7763.	AGTGCTGGTGAGAGACTTACCAT[G, A]TACAATCCTCGAGCTTTGATCAAG	3,214,580	51
7764.	GAGCTTTGATCAAGCACCATCGGG[G, A]AAGTCTCGCTCAGCACATGAATCAC	3,214,616	51
7765.	AATCACCACTCATCCGTTAGGTA[T, C]ATGCGGATGGTACTCACCGCCTGCA	3,214,660	51
7766.	GTATATGCGGATGGTACTCACCGC[C, T]TGCATCTGTAGCCATTTCCAATCCC	3,214,681	51
7767.	TCTATCTTCAGTCTTGCTCACCAC[C, T]GCTGCAATCTGCATCCTTGTAACAC	3,214,880	51
7768.	CCGCACGCCCCACGCCAGGCTGTG[A, C]CCTGCGTGCTTGGCCCGTGCACTGC	3,215,734	51
7769.	TTTAAAGTACGTATCTTCTCTTT[T, C]CGAGCTCCGTTTGGGGTGTTCTTGA	3,215,837	51
7770.	ACGTATCTTCTCTTTTCGAGCTCC[G, A]TTTGGGGTGTTCTTGATCTTGTGG	3,215,846	51
7771.	AAGATGCTCTCAGATTCCTTCATC[C, T]GTAAGGCTTCAAATTCCTTGTAAG	3,216,776	51
7772.	AGATGCTCTCAGATTCCTTCATCC[G, A]TAAGGCTTCAAATTCCTTGTAAG	3,216,777	51
7773.	ATTAAAGCTTTTGTAGGCCAGAAT[C, T]TCCACACTTCTTGGAAGTTGTTG	3,216,853	51
7774.	TCCAGAAGTATCCAACATAAAATTT[C, T]TAATTCAAAATTAAGTTTATCTTTT	3,217,241	51
7775.	GTCTGAAACTTATTTTGTGTTGGGT[T, A]TTTTTTAGATCAGCTTGGATATACC	3,217,630	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7776.	AAC TTATTTT GTTTGGG TTTT TTT[T, A]AGATCAGCTTGGATATACCTAATAT	3,217,636	51
7777.	GAAATAGTTAAAAAATGAATGCA[G, A]TAAGTCGGATGGATTGGCAAGGTC	3,217,995	51
7778.	CACGTTGGTATCCGACGCGTTCCC[A, G]TCCAAATCCAACACGAAGACGTAGT	3,219,200	51
7779.	GGCCGCGTGATCGCCGCGTCGG[C, A]GGCAGGTGGAGGCGGGTGGCCTCCT	3,220,048	51
7780.	TTCTCTTTTGGAAATTTACGGCTGG[T, G]GAAATCAGATCAGCTAGTTTATAGG	3,220,881	51
7781.	ATGAGATAATCTGGATTGCTAAGG[G, A]AAGGGATGGCTATCCAGATTACCAC	3,221,482	51
7782.	AGATAATCTGGATTGCTAAGGAA[G, A]GGATGGCTATCCAGATTACCACCAC	3,221,485	51
7783.	TGTGTTTCGCGCATGGCCCCGACC[G, A]CCACCACAGGTGGAGGAACTCCCGA	3,221,793	51
7784.	AATAAGTATTATAAAATAGTATAA[A, T]TTTTTTtCATATAATAATTTTATC	3,222,309	51
7785.	ATATTACCAATAATCTGATTGTCA[T, G]ACCAATATGTCAATCAAGATTCTC	3,222,434	51
7786.	TAGATTATTGGGATAGAAAATTTT[T, C]CTACTAACCTACAAATCAAATTTGT	3,222,644	51
7787.	TCGACATAGAGCTGAGGCTCCATA[C, T]TGATGGCTATATTTGATGTCATCTC	3,222,745	51
7788.	CATTTTCTATCTTCGGTGAGATCT[A, G]ACCATAGGATTGGTAATGTTCCGAC	3,222,818	51
7789.	CAAAGAGTCGGTCCGTCTTGT TTT[T, T]TTGACTCTCTCCGATGTTGAGGTA	3,222,915	51
7790.	CCGACAGGCCAAGTGGAGAGATCC[A, G]ACAATTTGGTAGTTGAATTTATACT	3,223,439	51
7791.	GCAATGAGTTTGGAGTGAAATC[C, T]CTATGGCAACCACAATCGTAGGCCA	3,223,788	51
7792.	GGCTGGCTCCTCATCCAGGGACTA[G, A]ATCTCCACATCCCATAGTGCAGGTA	3,223,885	51
7793.	TCCTGTGTGCGAGTTCAAAGATTT[C, T]TGCGATT CAGGTAACGAGGAGTCAA	3,223,936	51
7794.	TGACGTTCTCCTTTATTTAAGAAA[A, T]TTTTTTTGATTACTACTAACTAAC	3,224,603	51
7795.	AGGATAGAAATGGCAGTCAAACGG[G, G]TTTTTCCGAGTATCTAACCATTCC	3,224,762	51
7796.	TCCATTTGGGTTTGAATGGGTTT[A, G]GGATTTAACCTTGGGTACCCACCA	3,224,881	51
7797.	TTAGGATTTAACCTTGGGTACCC[A, G]CCATCCAACTCGTTTATATATAAA	3,224,903	51
7798.	TGGGGGAAGGAGAGATCCAAAGG[A, G]AGGTTGGAGGGGTTTTTAGATTCCA	3,225,995	51
7799.	GGATTTTATTTAATTTTGTAAATC[G, A]GGTTTGAGATGGATT CAGGTAGAAA	3,226,272	51
7800.	TAAACAGCTTCGAAAATGGGTAGG[G, A]CAAATTTGTAGGTATCCTATCCAT	3,226,327	51
7801.	CTCCAGCCTCAGCACCATCTTCAA[G, T]GATGTCAAGTACTGACCCAATGGAA	3,226,417	51
7802.	AATAGAGTGAGAGAGATTATTCT[A, G]CTCTTTAAAAATCATCAGCTTGCTTG	3,226,677	51
7803.	AGAGATTATTCTACTCTTTAAAT[C, T]ATCAGCTTGCTTGGGAGTAGATGAG	3,226,689	51
7804.	GCCAAGTCCAAGCTGTTGGTTGCC[T, C]AGGAGAAATTTGAAGCTTTAGAGGA	3,227,042	51
7805.	CCTAGTGAGGCACTACAGCAAAAG[G, A]TGGCCGAGCTTGAAGGAGCATTGGA	3,227,092	51
7806.	CGAGCCGACCATTGAAGGCATCGC[T, C]ATCGGTCCTGCTACCGAGCCCATTC	3,227,467	51
7807.	GCAAGATTTGTTACTTCGATCAAC[C, G]TCTTGAGTTGGTTAGAGTATAGAAA	3,227,655	51
7808.	TGATTTGAAATCAAAATTTTCATT[G, A]TCAATTTGTGACGATCTTGCCAAGT	3,227,753	51
7809.	AGCCTTTGCTCGATTCAATTCATGG[A, C]TAAGGAGCACCAGATGCCATATGGG	3,227,905	51
7810.	ATATGGGATCTCTAGAGGATTAGT[C, T]CCTTTATAATCATCATCGACCTTCG	3,227,948	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7811.	CCTTCATAGTTGTCATCAGCCTCC[A, G]CTCAACTCATCCATAGACAAAGAGT	3,228,058	51
7812.	ATCTGTGGATAAGGAGTGCTAAAT[G, A]GCCATACGAGGTCTCTGGAGGATTA	3,228,262	51
7813.	TGACCCATCTATGAACAAAGAGCG[C, T]CAGATAGCTATATGGGGTCCCTAGA	3,228,342	51
7814.	CCAAGCATTATAATAGTGGTCTAC[T, C]CATTATTGATATGATGCCATTTTGA	3,228,769	51
7815.	TGATATGATGCCATTTTGATCTGA[G, T]CTTGCTTCCTAGTTTTTTCGAACAA	3,228,800	51
7816.	ACAAGTTCAAGTTCATTTGAAGT[C, A]GCCCCGAATTCCTTACTCATCATAG	3,228,846	51
7817.	GATAAGCCCATAATACCTTATAAA[A, G]TTTTTCGATCTAGAGCCCTTTGGCT	3,228,992	51
7818.	AATGGATTCTAAATAAAATCCTAG[A, G]CCTTCTTCTTGATAATTTAAGCCAA	3,229,223	51
7819.	TATTTATTTGGTGAAATAGTCGAC[T, A]GCAATGATCAAAACTTTCTCTAAC	3,229,285	51
7820.	CTCTAACCACTGGTTCATCAGGAAC[G, A]GCCTGAGGATGTCATTTCTCACAT	3,229,328	51
7821.	GACAATAATTAGTGCAAGCTCCAT[A, T]GCTGGCCTCTGCTAGCTATTGGCAT	3,229,393	51
7822.	GCTATTGGCATAATTCTGGCACTG[C, T]CGTCGGTTGTATCCTATTGTAGAGT	3,229,432	51
7823.	TAGAGGTAGTGAATATGATTTTTT[A, G]TAAAGTCTCTCTCTAAGTAAACAC	3,229,608	51
7824.	GGTGCTTGATCCTCTGAGTTTCAA[C, T]AGGACTGGTTAGTAAGGCACCGTTA	3,229,670	51
7825.	AACAGGACTGGTTAGTAAGGCACC[G, A]TTAAGAAGGTAGTTGATTAGAGGT	3,229,692	51
7826.	TTCTCTGACCTTGGTATATGTTGT[A, T]CCTTCTAATTTTGAAGGCCTCTAA	3,229,885	51
7827.	TCCTCGAGCCTCATATTCTCTCA[A, G]ATTTATTCGATGATGAGTTGCAAGT	3,229,974	51
7828.	GGCAGTAAAGTCGAATCAAAGTGT[C, A]TATTCATCACGTCGCCCTATCGGGC	3,230,110	51
7829.	GAATCAAAGTGTCTATTCCATCAC[G, A]TCCCTATCGGGCTTGCAAGGATGA	3,230,122	51
7830.	GCTTGAGAGCAATGAGGATGAT[C, T]GAGATATCGTTTGAGCTCTTCAAAT	3,230,658	51
7831.	GAAACTCTTCATTTGCCTGAGGAT[A, G]TTGAAGAATGGAAGGTACTTTTTTC	3,230,734	51
7832.	CTGAGGATATTGAAGAATGGAAGG[T, C]ACTTTTTTCGACCGACCTCAAATG	3,230,750	51
7833.	ATCCCCATCAGATTACCATAAATC[C, T]TAAAAATTTtTTGATGTCACACCA	3,230,906	51
7834.	CATTTAGTTTACCTCAACCCAAC[C, A]AATGCTTCCTCCAATCGATGATAT	3,230,982	51
7835.	GCATCATTTGTTAGCAATACAAA[T, C]TTAATCGGTTATGAATGCCATCTTC	3,231,161	51
7836.	TTTGGAGGCCATTTGAATCTGATT[G, A]TAGTCGGAGAAAGCATTCATGAAGC	3,231,219	51
7837.	AGAGGAAGAAAAAGAGAGACAAT[C, T]AAATAACGTGATTGACTCAAGACT	3,231,360	51
7838.	TTGACTCAAGACTTATCTCCATGG[G, T]GTATACAACTTCACTATAAAAAA	3,231,397	51
7839.	CTCTCATAAACTCTCAACTCTCA[C, T]AGGAAGATCCTCTCAGCTACTATCT	3,231,522	51
7840.	AAGATCCTCTCAGCTACTATCTCT[A, T]AGACTCTCTGCCGCCACATGATA	3,231,550	51
7841.	TAGGATTCTAAGTCTAAACCGTGT[C, T]TAGAACCACCTATAGCCGCAGTAG	3,231,665	51
7842.	CAGTAGACCACCATAGACCCCTCC[A, T]CATGAATCGAAGCCATGGACCAGCT	3,231,709	51
7843.	GCCACATGTGCCACGCTCACCTC[G, A]CTCGTGTGCATCGTGACAAAGACCA	3,231,770	51
7844.	CGCTCACCCCTCGCTCGTGTGCAT[C, A]TGACAAAGACCATGCATCGTGCAGT	3,231,783	51
7845.	GCAACTCCCGCACTCTTGGACAGC[A, G]TGGTGGTCCGTGCATCTCGTGCAGC	3,231,869	51
7846.	CCGTGCATCTCGTGCAGCCTGGGC[T, C]GTGCCTGTGGCCTGCGTACCTATG	3,231,901	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7847.	GAGGCATCAAAATCTAATAATCTC[C, T]ATCTTGACTCGACATTCGGCCTCCA	3,232,050	51
7848.	TTCATATACTATGACCTGCTTGAC[C, T]TGAGATCTGCTCGAGGTAGCATCCT	3,232,212	51
7849.	TCTCCATCTCTAGCTGCTTGAATC[T, C]AGTCTGCTTAGTGAAATCAGATTAC	3,232,488	51
7850.	AACTTGCTCACTGCTCCATCATAT[A, G]TCTACAAGCTAACTGTCCAATATC	3,232,570	51
7851.	AAACATGCTGAATCTAAAATCTAC[T, A]AAGAAAAGAAGTAGATATCTTATC	3,232,713	51
7852.	CTGCCACCACCACCTTTAGTCACT[T, G]CCAAAGTCGAGTTGCTATCTGAATT	3,232,962	51
7853.	GTCGAGTTGCTATCTGAATTTGAA[G, A]CTCGATTCTCTCATTGAAGATCTT	3,232,992	51
7854.	AAGTCTCAATAAGCACATGGATCA[T, C]CATATTATTTATCAAGAATAAGTAG	3,233,350	51
7855.	ACCACCTGCATCTAGAGCTGCTTC[A, G]AACTTTTATCCTCCATGATAGTCGA	3,233,409	51
7856.	AACTTTTATCCTCCATGATAGTC[G, A]ATTTTCTTCGCACAAGAGAGTATC	3,233,433	51
7857.	CTCTCGCTTGCTATAGGAAGAAAT[G, A]ACTCTCCCATCATACCGATTGATC	3,233,515	51
7858.	TCCTATCAGGATTCTAAGTCCAAA[C, T]TGTGTCCAGAGCCGCCTATAGACCA	3,234,035	51
7859.	CAAGCCCCCACTCACGTGCCCTGC[G, A]ACAAAGACCATGCATCACCCGATGG	3,234,149	51
7860.	TGCACAAAGACCATGCATCACCC[G, A]ATGGACCGCATGAAGACCGCACGTG	3,234,170	51
7861.	CATGCGGCGGTCCATGCATCTCGT[A, G]CATCTTAGGCCATGCCCTATGGGCCG	3,234,264	51
7862.	CTATGGCCCGCTTGCGAGCCTA[C, A]GTGCCTGCGGGTCATGCTCCTGTGG	3,234,321	51
7863.	AGTTTTACTGCTGTAGATCGAATT[T, C]GAGATACCAAAACCAATATTGATA	3,234,413	51
7864.	TAAATCCCATTGTCAGGAGTTTGT[T, C]AACTTTCTCCTCAATTACTTATTGT	3,234,618	51
7865.	TCCTCAATTACTTATTGTCATTCT[G, A]GGGTGAAGCTTCTTTCTTTTATCA	3,234,650	51
7866.	TTCAACTTATGAACAATGATATCG[A, G]AAGGTACATCTGGCATGTCTGATGC	3,234,725	51
7867.	TAAGGTTGCGGTGTCAATTATGCTC[C, T]AAGCTAAATGGTTCTGCTCGAATCA	3,234,828	51
7868.	TTTATTATCACCAAAAAGGATTGA[C, A]AAGCCAGTATTTGATCTTCTCATAC	3,234,980	51
7869.	TTATTATCACCAAAAAGGATTGAC[A, G]AGCCAGTATTTGATCTTCTCATACT	3,234,981	51
7870.	TCGATCAATAGACAGTTTCATTCT[T, A]TGAAACTATTGTAAAACAACACAT	3,235,278	51
7871.	GAGGATTTCCTTTCTGCTCAAGTC[G, A]TTCAAGGATCCTCCTAACCTCACTT	3,235,895	51
7872.	GGTCAGCATAATTTTTTGAAAAA[A, T]TTATCGAGGGAGAAGATGTGGTAC	3,236,031	51
7873.	CTCAAGCTTCGACGTGAGGATAAT[C, T]GAGGTGTAAAAGTGGGAGCAGAGTA	3,236,698	51
7874.	TTATTGCTCTGCCACCTATTGAGG[C, T]CATTGTACGCATAGTTAGAGTTTG	3,236,841	51
7875.	GAACCAGGGCATCCAATGGTAGTG[T, G]ATTCTGTTGGGAATAGTGTTCAAA	3,236,899	51
7876.	CATCCAATGGTAGTGTATTCTGTT[G, A]GGAATAGTGTTCAAAGCCAATCGT	3,236,908	51
7877.	TTATAAATTAATAAAAATTATTTT[A, G]GTATTTTTCATCATAAAATATTICA	3,237,002	51
7878.	GATGACAATATTTATCAAGCATAG[G, A]TCATTGTGTACCATATAGGTTGGTT	3,237,170	51
7879.	TTTATCAAGCATAGGTCATTGTGT[A, G]CCATATAGGTTGGTTGCTCTTAA	3,237,180	51
7880.	TAACCAATGAGTGTGGAGACACTG[A, G]TATGGCATAACAGGTGAGATGTAAGG	3,237,227	51
7881.	GAGATGTAAGGGTACATCTGCACT[A, G]AACGTGACCGACTCCAGAGCTATTT	3,237,266	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7882.	GGGTACATCTGCACTAAACGTGAC[C, T]GACTCCAGAGCTATTTCTGCTGTCA	3,237,275	51
7883.	CTCCAGAGCTATTTCTGCTGTCAA[A, G]ATTTGCTCTGATGGAATATGGGTAT	3,237,302	51
7884.	GTGTCAAGATGGGATTGACCACTC[T, C]AGTTTAAGAGCTGTGTACAGTCATA	3,237,487	51
7885.	GATGGGATTGACCACTCTAGTTTA[A, G]GAGCTGTGTACAGTCATATTTTAAT	3,237,494	51
7886.	TGTGTACAGTCATATTTTAATTTA[G, T]CAAAACCTTGGTCAGGATAGTCTTT	3,237,523	51
7887.	AGTCATATTTTAATTTAGCAAAAC[C, T]TTGGTCAGGATAGTCTTTGCGAGGA	3,237,530	51
7888.	AAACCTTGGTCAGGATAGTCTTTG[C, T]GAGGAGTCACAGGACTGTTTGAGTT	3,237,550	51
7889.	TCACAGGACTGTTTGAGTTGAGCA[T, C]GATTCGGATGATCTAATCAGGGTTG	3,237,581	51
7890.	GGACGATCAGCAGAGGTCAGACAT[G, A]CTGTGTAGCTATATTATGATGATCA	3,269,074	51
7891.	TATATTATGATGATCAGACTCTCC[T, C]GACGGTGATCAGATTGCGGCGATCT	3,269,108	51
7892.	CTCCTGACGGTGATCAGATTGCGG[C, T]GATCTACTACCCGCACAAAGGTATT	3,269,128	51
7893.	GTATTGTGTCTGAACACATTACA[A, G]TAAAGTGTTTACTGTTCAAATTCGA	3,269,173	51
7894.	GCATGCTATATATCATATTTAGAT[T, C]CTAATGTAGGATAAATTTTATTAA	3,269,242	51
7895.	TTAGATTCTAATGTAGGATAAATT[T, C]TTATTAATTAATTAGATTAATTAAT	3,269,260	51
7896.	TTAATTAGATTAATTAATAATTTT[C, T]ACTGTAAATAGTGATTTTGAAAAA	3,269,292	51
7897.	ATTACCATTTTACCCCTGCACTGA[T, A]TTCCCCACAAATTCATCGTAATAG	3,269,350	51
7898.	TGAGAGATGGTGAATTATGTACT[C, A]TCGTCTGTACCATGCTCTCTTTCCT	3,269,461	51
7899.	TGCGGTTGAGGTTGGTGCCAAATT[G, T]AGGCCGACACATCCAAGAGAACCT	3,269,581	51
7900.	GATTGTTAAGGTAGAAAATCTTTC[T, A]ACTAATCTGCAAAATCAAATTTGTTA	3,269,866	51
7901.	ATCTTGATTTTTTCAGCTCTCTTCA[G, A]GGTTCGAGATAGTCCTGCTGAGCCA	3,270,146	51
7902.	AGAAAAGAAAGGTTGCTTCATACG[G, A]TAGATTGCCTCCGTAACAAGTAGGC	3,270,224	51
7903.	ATTTATTTTATTTTtATTTtTT[G, A]TGCGTTAGAAATCATTGCATTAGTG	3,270,373	51
7904.	GATCCTAGATCCAAACAGAATCCC[G, A]AATAGCTTCTATCCAAAACTGAGT	3,270,950	51
7905.	GAGTCGGCTCATCTGAAACTGAGT[C, T]AGTTCAAATAAACTGAGTCGACT	3,271,017	51
7906.	ACCTTGATGCTCCTAAGCCCTTG[T, G, A]AACTCAACTTTATTCTTCAGACCTA	3,271,319	51
7907.	AAGCCTCTTCAACCACAATGCTTC[T, C]TTAGAAGCATCTGTGATACCTATGT	3,271,616	51
7908.	AGGTCCATCTTGCTATCCAAAAAT[T, C]AGACCAAACCTTCGAGTTTCCTGAA	3,271,853	51
7909.	AACCTTCGAGTTTCTGAAGATAC[C, A]GCAAAATTCACCTCAATGCCTGCCG	3,271,884	51
7910.	CTGCTGCTTTGAAAGAGACATATA[G, A]CTTGTCAATGGTGTCCAACCAGTT	3,272,091	51
7911.	TAGCTTGTCATGTTGTTCCAACC[A, G]GTTTGCCCTTCTTCATCCCAAACCT	3,272,113	51
7912.	ACTGCATCTGCACCTCTTTTGGCA[T, A]TGAGCATATCGTCCACATGCAGAAG	3,272,311	51
7913.	GGCATTGAGCATATCGTCCACATG[C, T]AGAAGCAAGTATAATGCATCATCTT	3,272,331	51
7914.	GCTCCAACCTCCATATCATGCTAAG[C, A]TACAAGCGACGACACATCCGGATT	3,272,618	51
7915.	ATCTAACTCCATCTTACTCTGAAG[G, A]TGCCCTCTCCATGTGAACACCCAC	3,272,756	51
7916.	TCCAGTGACTCCATCTCTCTCTC[A, G]TGGCCTGTATCCATGACTCCCGATC	3,272,866	51
7917.	CCATACCTAAGCGATCTGTAAATT[A, G]TACGTTGGAGCTTGTGCAATGCCAC	3,272,995	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7918.	AATCCTACAATAGATACCCCTTGA[A, C]TCTCTATGGATACCTGATGAATGTC	3,273,332	51
7919.	GAATGTCATCTTCTGAGACTTTGG[G, A]TCCAACCTGCTTCTTTTCAGTTGCC	3,273,375	51
7920.	TCACGTGTGAATGATGTTTGATAC[T, C]ATTCTCCTCACAGTACCTTTTGAAC	3,273,678	51
7921.	TTTTGAACCTAGACTTGTGTATT[C, T]TCCTCCATTATCAGACCTCAAGCAT	3,273,720	51
7922.	ATACATCAGCTGCTCCCTGTAC[C, T]GCTACAAGCACTTCCCTACTATCAT	3,274,138	51
7923.	GCTCCTCCTGTACCGCTACAAGCA[C, T]TTCCTACTATCATTCACTGAG	3,274,149	51
7924.	ACATAATATCACACTCTGTGGATC[C, T]ATCTGATACAACCAGCAGATCTTCC	3,274,545	51
7925.	CTACTCCCAGATGCCGTATCATCA[T, C]TTTGTGCGCTTCCCTTCTTTGA	3,274,598	51
7926.	AGAATTTTCTTTGCAAATCTTTT[C, T]CGTTGCTTATTAGACTTGAGCACTC	3,274,809	51
7927.	GATCTTTTGCTGAACCACCAATT[C, T]TTTACCCTTGCTGTACATAGGATAA	3,275,282	51
7928.	CCTATGTCTTGCCATGCATTATC[C, T]CTTGAACCTAATTCTAGCCCAACA	3,275,928	51
7929.	ATGCTAAGACTGAGTTGACTCACC[T, C]GAGATTGAGTTGACTCACCTACATG	3,276,066	51
7930.	GATTAAGCAGAAACATCTATCCT[G, T]ACTGATTCTTCTGTTGGTTTCTCC	3,276,237	51
7931.	TTGGTTTCTCCTTTGACCTCTTG[A, G]TTTCTCTCATGTGTTTCAAGGCT	3,276,275	51
7932.	CCAGACTCAATCTTATAGAAAAGT[A, G]GATCGGATCTACGCCAAGACTTTC	3,277,030	51
7933.	TGCTCACTAGTCTTAAATCACA[G, A]TTTAAAGGTTTAAATAGGTTTGAAT	3,277,296	51
7934.	GTTTGAATCCTAATGGCATACCTG[G, A]TTTGGGTCGTGTGGATCCAAATTC	3,277,338	51
7935.	GAATTGGATGGATTGGATCAGCTA[G, A]GATCCTAAGTCAATCCAATCCATTT	3,277,460	51
7936.	CTATGCCTTCCCGATTAGCGCCCT[C, A]TGTTGCTGCTGCAATCTATGAAT	3,277,532	51
7937.	CCGCTCTGCTGCACAAAAATTT[C, A]CTTGGAGGAGAACTAGAGTTGGTGT	3,278,435	51
7938.	TAACTCCCACGCCCTTGATGCCTT[T, C]CATGCCATCACCCACATTAAGGGCT	3,278,660	51
7939.	GCTAGTCCGAGACCGTTCAACCC[C, T]CAAACCCCTGCACCAACAACCACAA	3,279,158	51
7940.	CCACAACAGTGAGCATCGCGGTT[C, G]GACCTCCATCCAACCAAGAATTGGA	3,279,202	51
7941.	TCACGTCAAGATCCTCAATGTCTT[C, T]CTTCTCGTCGCCACCATTTGATGCCC	3,279,277	51
7942.	GGTAGCCCAACCGTTTCTTAGGCA[A, T]TAAGATGCAACCCCTTCTATCCGA	3,281,021	51
7943.	ATCAACATATCAAATAAAAAaTA[A, G]AAAGGTAACGAAAATTTTGACGAG	3,281,602	51
7944.	AAAAaATAAAAAGGTAACGAAAAT[T, C]TTTGACGAGACCTTCTGATCGGAGT	3,281,618	51
7945.	TTGACATTATGTAATCATGGAATG[A, G]ACGGTTATACCCATTATTGATCATG	3,281,941	51
7946.	TCTGCACTGACAGTTTTTGATATA[C, A]TGACTCTACGTTGGTAGTCTGAGTG	3,282,012	51
7947.	GGATGGAGTTGTCACGTGCTATCT[T, C]GAGCTCTGATTTAACTGTAAACATT	3,282,455	51
7948.	ATCTTGAGCTCTGATTTAACTGTA[A, G]ACATTAATGATTTCTTCGAAAATG	3,282,475	51
7949.	CTGGCGTAGGTGCGTCAAACCAT[C, T]CGATCGATGGTTGATTTTGATGCAG	3,282,708	51
7950.	ATATATATAATATCACTTTTCATTT[G, A]AATTTTTtATTTTGTATTTGTCAT	3,282,824	51
7951.	TGAAGTCTCTTTGTATTTCACG[G, A]TCTTCCAAATCATCCCTAGTTCGG	3,282,926	51
7952.	GTATTTCCACGGTCTTCCAAATCA[T, C]CCCTAGTTCCGGGCATGTTTtTT	3,282,939	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7953.	GTCTTCCAAATCATCCCTAGTTC[C, T]GGGGCATGTTTtTTTtCTTCTTTT	3,282,950	51
7954.	TCCTCGAGATAGTCAATCGAAAAA[C, T]CCGATTGACGATTCTCTTTCGGATC	3,283,085	51
7955.	AAACCCGATTGACGATTCTCTTTC[G, A]GATCCGGATATGAAAGTTTCTTCCT	3,283,106	51
7956.	CCTCTGAGTCAAATAGCAATTAT[G, A]TAGAGGACCTTCAGGCTGGTCTTCA	3,283,258	51
7957.	ACCTTCAGGCTGGTCTTCATTTTT[T, C]GATTCGGAAGTTTATCCAAAATCTC	3,283,289	51
7958.	TTCTCTCCATCCAAAACCAAGG[G, A]TTGGTGGTCTTCAACTTAAGAAAG	3,283,467	51
7959.	GAATAAATCCCAACGAACATAGTC[G, A]GATCGATGTTATCAATCGAGAGAAC	3,283,628	51
7960.	ACTGATGGAGCAATCTCTCTATAA[C, T]GCTGGACTTAGTCTGATGACTTCTC	3,283,722	51
7961.	TCGATGTTTGCCAAACATGTTGCTA[A, C]GAAGAAAGCAGTGATCGATGCTGGA	3,283,885	51
7962.	TATCACACTGTCAGCTCCAACAGT[G, A]CTTCCTCCAATCGATGTACCATCGA	3,284,032	51
7963.	AGTGCTTCTCCATCGATGTACC[A, G]TCGATCAAAGTGAAATTAACCAGAG	3,284,053	51
7964.	TTCAACTGGGCCGATGCTGTTTCA[A, G]GTGCCATTAAGTCTGACTTCATGA	3,284,242	51
7965.	AGCTGTTTCTGTTCGATGATGGATC[A, G]TCAACAAGCTTCACCGTGCTTTTG	3,284,338	51
7966.	GACGTAAGTTGATGATACTTTTCT[G, A]ATACTCTTCTATTTTTTGTtTTtGT	3,284,537	51
7967.	CATCGAAAAATTATCGAGTTTCAT[T, C]GAGCATGGATGGATAAACTACAGC	3,284,652	51
7968.	AAGAACAATAAGCACTCAATCAAA[C, T]GGCTTCGAAGGGAGTGTGATGGCTG	3,284,886	51
7969.	AGCAGCATCGTTGCCCTTGGTTTCG[G, A]GGAAGAGATTGCCGAGGAGATTGCA	3,285,186	51
7970.	TGCCCTTGGTTCGGGGAAGAGATT[G, A]CCGAGGAGATTGCACCAACTGAAGA	3,285,197	51
7971.	AGATTGCTAATTATCAATCGGTGT[G, A]TTGAATGTCGATCAGTAGTCATAGT	3,285,562	51
7972.	CTAGTCGGATATCACCTGACTTAG[A, C]TTTTAAATAATTTTTTTtAAAATAT	3,285,627	51
7973.	TTTGATCTAAGATTTTGAAGTT[C, T]TGCTTTCTTAAGACTAGTCTCTT	3,286,125	51
7974.	TGGCTCATTATATTGGTCGACTCT[C, T]ACTGACAGCAATCCAATCTCGAGCA	3,286,312	51
7975.	AATTAATGGCAATTCTCCTATTG[G, C]TATATGTAGAGTTGTCCGATATACT	3,286,389	51
7976.	GCCTTAAGACCATGTAGAATTATT[C, T]GATTTGTCACTTTCACCTTCATCGTT	3,286,493	51
7977.	TCGTTAGATTATGGATGACCGACA[T, G]AAGTGAGTTTGTACGTAATGTGAAG	3,286,538	51
7978.	CATTATCGGTGATGATGGTGTGT[G, A]TAAATCGAATCTACATATGATTGAT	3,286,632	51
7979.	CTTTCATCTTATTTTCAGTGATT[G, A]TGTCAAAGGTTTCGGCTCCATCCAT	3,286,695	51
7980.	CTGACTGGTTCGGTTGATGTTGTAT[G, A]TTGGCATACTTCTGACATGATTAT	3,286,864	51
7981.	TTGATGTTGTATGTTGGCATACTT[C, T]TGACATGATTTATATTTCCAAAAA	3,286,876	51
7982.	ACTTCTGACATGATTATATTTTC[C, A]AAAAAATTTAGCTGCATCTTCTTT	3,286,896	51
7983.	GGTGGGCCAATAATATCCTTATCG[C, T]AAAACTTTATAAGCCAATGATTAT	3,286,948	51
7984.	ATGATTTATCCTCCTAAGTAATTT[C, T]CACAAATTCCTTCGTAAACTTTTCG	3,286,989	51
7985.	ATTTATCCTCCTAAGTAATTTCCA[C, T]AAATTCCTTCGTAAACTTTTCGGAG	3,286,992	51
7986.	CTTTAGTAAGGGAAGAGAGAATGA[C, T]CTTTTATAAAGTTATTCATTCATCA	3,287,072	51
7987.	ATTATGAGGCCGTCCACCTTAGTC[G, A]TTTGATCTCTGAAAGATCTGTAGGT	3,287,128	51
7988.	TTGGTTCATCATTAATTTGTAGCA[T, C]TTTATCAATTTTATCAATACTCGAT	3,287,221	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
7989.	GATATTTAATGAACGTACGGTCGA[A, G]CGAGCTGAATGAGGAAGTTGCGAGT	3,287,278	51
7990.	AGCTGAATGAGGAAGTTGCGAGTC[G, A]AAAAAATGCATTAGCTTGAGCATTTC	3,287,305	51
7991.	ATTAGCTTGAGCATTCTCTATTTT[C, T]GAGATGTGAGAGATCTCGAAGTATT	3,287,339	51
7992.	CTTTTACTTTCTGAAGATACATCA[T, C]AATAGAATTTCGGGCTCCAAATTCA	3,287,407	51
7993.	TACTTTCTGAAGATACATCATAAT[A, G]GAATTTCTGGGCTCCAAATTCATTCT	3,287,411	51
7994.	TAATATAAAATTGCTCTCAATGGT[C, T]GATCTGTTAAGACAACTATTGGATG	3,287,892	51
7995.	AGACCTTTATGTTACATTTGATTT[G, A]TGTCTTGAACAGTCTGTTGACTAGC	3,288,568	51
7996.	TAAAGGCAGTATGCTTCTCATCTT[C, T]AGGTGTCATTCGAATTTAGTTGTAG	3,288,675	51
7997.	ATCGATTTTTTGATAAAGAAAAGAT[G, A]TTTTTCAGACAAACTTCATTTAAAT	3,288,784	51
7998.	AAGAAAAGATGTTTTTCAGACAA[C, T]TTCATTTAAATTGGTATAGTTGATG	3,288,798	51
7999.	TTACTATATTAGCAAGCTAATCTG[G, A]ATAGTTAGCTTCTTTATGAAGTCA	3,288,882	51
8000.	TCAAGTAAAAATGTTGGCATTTCG[C, T]CTTAGTAGGTTCACTAGTTATTTTC	3,289,084	51
8001.	ATGGTATGTTGATACTATTGCTCT[C, T]AAGACATTAAGTCCTGATCATCCAA	3,289,381	51
8002.	TGTGGTTGAGGTTGTCGCTCAGTG[G, A]GAAGTTGAATCAGGCAGTCTTGTTA	3,289,891	51
8003.	ATCGTGACCGTGATCATGATAAAA[C, T]CGACAATACTTTTTTTGTCGCAGC	3,290,010	51
8004.	TACTTTTTTTTGTGCGAGCTCCTC[G, A]GTGGTGCTTTCATCGATGGGGATG	3,290,041	51
8005.	ACTTTTTTTTGTGCGAGCTCCTCG[G, A]TGGTGCTTTCATCGATGGGGATGA	3,290,042	51
8006.	TCCCTCAATCTCTATTAGGATCTA[C, T]ACATGAAGAGCAAAAAGAAAATAT	3,290,106	51
8007.	GGAGTCATACCTGCTATCATAATT[G, A]TTCGATCTTGACTCCATCGATGGA	3,290,157	51
8008.	GTCATACCTGCTATCATAATTGTT[C, T]GATCTTGACTCCATCGATGGAGTG	3,290,160	51
8009.	TTGTTGATCGATTTGGTTCGATCG[G, A]AGCTTCATCTTTTtTTTGCTTCTTT	3,290,225	51
8010.	TTTTGATATTTTTTTtGCTTGAC[G, A]TTGGTCAGAAGTATCCTCATTCATG	3,290,275	51
8011.	GGACCACGAACAAATGTTTGAGCT[G, A]CTCAAAAAAATTATGCTCCCCGGT	3,290,578	51
8012.	GCTCAAAAAAATTATGCTCCCCG[G, A]TTGGAGCCAGAATACCAGACTCGA	3,290,602	51
8013.	AGGACTTCCAGCCTTCCACTTGGA[G, A]TCGGAGGAGTTGACAATCGATCTTT	3,290,865	51
8014.	CCACTTGGAGTCGGAGGAGTTGAC[A, G]ATCGATCTTTTAAATTTGTGCTCG	3,290,880	51
8015.	GTTGTGCTGGAAAAATTCAGGGG[C, T]AGTCACCTGAAGAACTTAAGGATTG	3,290,943	51
8016.	CTGTATTAAAGTAGTAATTTGAAC[G, A]TCTGCAGTGACTACAGGATGTGAAG	3,291,293	51
8017.	CCTATGGAGTTATTTTGGAGCTCTA[G, A]TTTTTACCATAATTTTTGTGAAGCC	3,291,408	51
8018.	AAATTATGTCCGACAAAGATCTTT[C, T]GATGCTTAAGTTAGTGAAGAGTAGT	3,291,549	51
8019.	TTAGCCTAGAAGTATCTTACCAAT[A, G]CTGTTCAATTACCTCCTTTTATAG	3,291,631	51
8020.	GAAGTCGGTTAAGTCACCATGGTT[T, G]AATTGTATTTGCCAGGAAAGTTGAG	3,291,933	51
8021.	TGCCAGGAAAGTTGAGAATAGCTG[A, G]CTGTTGATCGGCTTACTGATTGATA	3,291,967	51
8022.	ATGTAGCTTTGATGGTTTATCATC[A, C]ATAATCGATAGATATCCGATCGACC	3,292,091	51
8023.	GTCATAACAATAAATAAAAAaGC[C, T]AGTGAATCTTGTCATAGGCCTCCTC	3,292,263	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
8024.	AGAAAGAGGTACTTTGTGCAGTGA[A, C]TGCAATATTTTCATAGGCAGGCAAAAAGG	3,292,347	51
8025.	GACAATCTTATAAGGAGAATTGCA[C, A]AAGCCAATTGGTCTATAATCTGTAG	3,292,497	51
8026.	TTTGAAATGTCGCATAAGGACTT[G, A]CTGGATTAGGTGTGATCTTCCACC	3,292,859	51
8027.	GATCTTCCACCTTTTCTCCATCCT[C, T]ATTTTTATAGAATGAATTTATTA	3,292,898	51
8028.	CCTATTGTTCCACCAAGTATAATT[A, G]GGCCCTCAATAGCCTACATTAATCA	3,293,511	51
8029.	TCTGTTGGGAATAGTGTCCCAAG[C, T]CAATTGTTAGCCTGTTGACAGTTGT	3,293,579	51
8030.	TGGGAATAGTGTCCCAAGCCAAT[T, C]GTTAGCCTGTTGACAGTTGTGCTCC	3,293,584	51
8031.	GAATAGTGTCCCAAGCCAATTGT[T, C]AGCCTGTTGACAGTTGTGCTCCTTT	3,293,587	51
8032.	TATGTACAGTCGTGTTTCAATTTA[T, G]CAAAATCTTGGCCAGGGTAGTCCTA	3,299,964	51
8033.	CAGTCGTGTTTCAATTTATCAAAA[T, C]CTTGGCCAGGGTAGTCCTAGTGAAG	3,299,970	51
8034.	CAGGGTAGTCCTAGTGAAGAGTCA[T, C]AGGACTAATTGAGTTGAGCACGATT	3,300,001	51
8035.	TGAGTTGAGCACGATTCGGATGAT[C, A]TCATCAGGGTTGACAGTTTAACCT	3,300,035	51
8036.	TTCTAAACACAGGGGTCAAAGG[A, G]ATGAATTATACGTAACCATATTCA	3,300,090	51
8037.	TATACGGTAACCATATTCACGTAG[A, G]TTCTGAATGTTGCGATTGCGACTAT	3,300,121	51
8038.	CGTAGATTCTGAATGTTGCGATTG[C, T]GACTATTGATCTATCCGATCGTCG	3,300,140	51
8039.	TCCTTCTGATCTGATGGCTGATT[T, A]TGAGTCTTATGTATCTGGGACTCTA	3,300,286	51
8040.	CTGGGACTCTATGATTGAGAATTA[A, G]GATTCTTTGATCATGAGTTCCACAC	3,300,325	51
8041.	TCTATGATTGAGAATTAAGATTCT[T, C]TGATCATGAGTTCCACACATTTTGG	3,300,332	51
8042.	ATGAGTTCCACACATTTTGGATAC[T, C]GGGGTCAAAATTTGAATTTCAAAT	3,300,362	51
8043.	AATTTGATTGAGTAATTATTTTAA[A, G]ATGAAGTCCAATTGAATTGGATTCA	3,300,540	51
8044.	TTGATTGAGTAATTATTTTAAAT[G, A]AAGTCCAATTGAATTGGATTGAGTT	3,300,543	51
8045.	GAGTAATTATTTTAAATGAAGTC[C, T]AATTGAATTGGATTGAGTTTGGATT	3,300,549	51
8046.	AATTGGATTGAGTTTGGATTGACC[T, C]GATTAGGTTAAGTGTGATCTAATC	3,300,579	51
8047.	AGGGGGCGTGGGCAATGAAAGAA[T, G]AAGAAATAAGGGGCGTGGGAGGTT	3,300,755	51
8048.	GCGTGGGCAATGAAAGAAATAAGA[A, G]ATAAGGGGCGTGGGAGGTTCTAGA	3,300,760	51
8049.	AAATAAGGGGCGTGGGAGGTTCT[A, G]GAAAAATTTGAAGTGTTCAAAAAT	3,300,783	51
8050.	GAGAGAAAAGGAGAGAGAAGTGGG[C, T]GCAGGGTTTTTGGTGTGTACCCTAG	3,300,842	51
8051.	TTTTGGTGTGTACCTAGGGTTTC[T, A]ACTTAGGGTTCAGGAAGTGAGATTG	3,300,874	51
8052.	TGGTGTGTACCTAGGGTTTCTAC[T, C]TAGGGTTCAGGAAGTGAGATTGGTA	3,300,877	51
8053.	CCCTAGGGTTTCTACTTAGGGTTC[A, G]GGAAGTGAGATTGGTATGCCACGAG	3,300,886	51
8054.	TCCATCAGCCTCTCAACCAACCAT[G, A]CAGATGATCCAAGCATCCGAGGAG	3,300,967	51
8055.	GATCCAAAGCATCCGAGGAGTCAG[G, C]ACATATCGATCGAAGGAGTTTCGATC	3,300,997	51
8056.	CAAAGCATCCGAGGAGTCAGGACA[T, C]ATCGATCGAAGGAGTTTCGATCAACA	3,301,001	51
8057.	CGATCAACATCAGCCATCAAAAGG[A, G]TGAAATCACGAACTAGCATTCGTGA	3,301,042	51
8058.	GCATTCGTGAGGAGCCGATCAGAC[A, G]GGAGCTTTGTGTGGATGATCCGCAG	3,301,082	51
8059.	GAGGAGCCGATCAGACAGGAGCTT[T, C]GTGTGGATGATCCGCAGAGGCCAGA	3,301,090	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
8060.	GATCAGACAGGAGCTTTGTGTGGA[T, C]GATCCGACAGAGCCAGACACTAGTG	3,301,098	51
8061.	ACAGGAGCTTTGTGTGGATGATCC[G, A]CAGAGGCCAGACACTAGTGTGGCTG	3,301,104	51
8062.	TCGACTACCCGCAAAAGGTGATGT[G, A]TTCTGAACACAGTACAGTAAAAAGT	3,301,199	51
8063.	TTTGAATTTCAAATTTAAATGCAT[G, A]CTGTTGTATCATATTTAGATCCTAG	3,301,262	51
8064.	ATGAGATTAATTAATAATTTTACT[A, G]TAAAATAATAATTATGAAAAaGTTT	3,301,335	51
8065.	AATTAATAATTTTACTATAAAATA[A, G]TAATTATGAAAAaGTTTTAAAAaTT	3,301,343	51
8066.	TAATTTTACTATAAAATAATAATT[A, T]TGAAAAaGTTTTAAAAaTTATCATT	3,301,349	51
8067.	CCTATTAGGAAATGTTAAGATGCA[C, T]AGCAGAAAAATAATAAaCTTTTC	3,301,929	51
8068.	AATTTTTTATTTATGTATATAGCA[G, A]AAAATAATTTTAGATTTAAATAATT	3,303,152	51
8069.	TCCATCATAAATATCATTGAAATC[C, T]ATTTCAATAGATTGAAACACTTCCA	3,304,375	51
8070.	CTTGGTGTGTTAaCGTGTGATTCA[G, A]TTCTTTTATCATGAGTTCTGATAAG	3,304,538	51
8071.	TAAGATGGAGATCATGAAAAACTC[G, A]TCAAACCTCATCATATATCATATAT	3,304,584	51
8072.	CAGCTCAAGTTCAACTCGTGATTT[T, C]TCATAAAAAATTTCTTCCATCAATC	3,304,644	51
8073.	CTCAAGATGTTGAGAATTGAGAC[G, A]TACATCATTAGTAGTTAATTTTAA	3,304,959	51
8074.	TGCTTTCGATTGAAGGATCGTCAC[G, A]AAGGATGGTGATCAATCCATTCAAA	3,305,010	51
8075.	CGATTGAAGGATCGTCACGAAGGA[T, C]GGTGATCAATCCATTCAAATTTGGT	3,305,016	51
8076.	CCTCTCTTTGGGGCAGATAAGTCT[C, T]GAGTCTATGGTGTAGAGATACTAAG	3,305,076	51
8077.	CTGAGCGTGATCAATACAAAAAAT[T, C]ACTTGGATGTCTACTCACTCATCAG	3,305,162	51
8078.	GTTTGACTGCACATTCTCTTAGTC[T, C]CTAGCCATTGAGGTTCTTATTATAT	3,305,289	51
8079.	TTCAGGTTCTTATTATATATGTTG[G, A]CTATTGTAGGTTGAGATTTCGTTATT	3,305,321	51
8080.	TTCTTATTATATATGTTGGCTATT[G, A]TAGGTTGAGATTTCGTTATTGAAGT	3,305,327	51
8081.	AGAAAACTCTCTGCCAGACTAAGT[G, A]TGAATACTGAAAAGAGTTTTCATA	3,305,451	51
8082.	TGAATACTGAAAAGAGTTTTCAT[A, G]AGATTTACAAATGAACCTCAAGTCAA	3,305,476	51
8083.	TTTGACGAGTTCTCCATGACCTCC[G, A]TCAAGTCGAAACTCATAATAGAGAA	3,305,555	51
8084.	ATATGATAACTACACCTAAGGGT[C, T]ATTTtTTTATTCTACTAGATTATCA	3,305,613	51
8085.	TTAAATTTTAAAAATTGCTAATTT[G, A]TAATTGTTATAATTTTGGTAGCTGC	3,305,908	51
8086.	AGCTTTTGAATTCGACTTGATTC[G, A]GACTCAATTTGAATCCGATTAAGAC	3,306,148	51
8087.	AGGTCTTGCCTGAACAAGAAGTGC[G, A]ACTTTTTTAGGACATCACAATCCTT	3,306,659	51
8088.	CAGAGAGAAAAGAGAAGAATAAG[A, G]AATTTTCTCTTTCATGGTGATCT	3,306,785	51
8089.	AGATCTAGATCCAAAGTTGAGGAG[C, T]GAGATCTATAAAGTGCTAGCACATC	3,306,905	51
8090.	GTGTGCAGCTACGATTAGAATTCG[G, A]ATATCCGCATATCCAAGGTATAGAG	3,307,013	51
8091.	CCATTCGATGGGTTCTCTCTTATG[A, G]CGTGTAGGGGTATCGACTGTGATAT	3,307,808	51
8092.	TTCTCTCTTATGACGTGTAGGGGT[A, G]TCGACTGTGATATTTTTCATGAAGA	3,307,820	51
8093.	GACATACGATCTAAAaCTTAATTT[C, T]TGTAaAATTTTAGATCCAAaATCCT	3,307,982	51
8094.	AGGTCAGCTCACTTACTGATGAGC[C, G]AACTCAATTGTGCAGGTTAGGTCAC	3,308,162	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
8095.	GGTCAGCTCACTTACTGATGAGCC[A, G]ACTCAATTGTGCAGGTTAGGTCACA	3,308,163	51
8096.	CTTAAACCCATGTACATAATGCAG[T, C]TAATTGAGAAATTAATATTTGAAATT	3,308,358	51
8097.	CATGTACATAATGCAGTTAATTGA[G, A]AATTAATATTTGAAATTATAAAATC	3,308,366	51
8098.	ATTAATATTTGAAATTATAAAATC[T, A]AAAATTATGAATTTAAGATCTAAAT	3,308,392	51
8099.	ATTATGAATTTAAGATCTAAATTT[T, C]AATACATAAAATATGAGTTTCAGGT	3,308,420	51
8100.	CCAATTTGGTATCTAAGACAAGTA[C, T]TAGTAGTGATTATTTAATGATTC	3,308,730	51
8101.	CATTGGTGTTTAAGAAAAGCAACG[G, A]AGAAACCTTACTCATCTTTATTGT	3,308,801	51
8102.	GAGAAACCTTACTCATCTTTATTT[G, A]TCTGATCATTTTGAAAGATTATATT	3,308,825	51
8103.	TATATTTTGTATTAGGTTACTTGT[A, G]GATCCGAGTTCACCCATGCCAACTA	3,308,869	51
8104.	TGTAGAGATGTGGGTGTCTTTTC[G, A]ACGTTGATCGTTCTCGACTAGTTAC	3,309,046	51
8105.	TAGAGATGTGGGTGTCTTTTTCGA[C, T]GTTGATCGTTCTCGACTAGTTACAG	3,309,048	51
8106.	AAGAAATATGCCAATAACTGTTAG[G, A]TGAGACCACAGGACTTAGAGATCCA	3,309,242	51
8107.	AATAACTGTTAGGTGAGACCACAG[G, A]ACTTAGAGATCCAGTCGCTGCAACA	3,309,254	51
8108.	ACAGGACTTAGAGATCCAGTCGCT[G, T]CAACATGCTTGGAGAAGCATCTGGA	3,309,274	51
8109.	GAAGCATCTGGATAAAGAGTTGTC[C, T]ACATATTGATATACGTGTTATCAAT	3,309,312	51
8110.	TTATCAATAACTGTTAGGTGAGGT[G, A]CCGTATATCGATAGGACCACAACAT	3,309,354	51
8111.	CGTGTTAGGATTTTCTTCTCCATC[C, T]GAGTGTGAGAGACTCGAAAAATTAG	3,309,421	51
8112.	AAAATTAGTGAGAGCCTTTGTTTG[T, C]TTTAAAGTCCTTAGATCAAATTAT	3,309,463	51
8113.	AGAGCCTTTGTTTGTGTTTTAAAGT[C, T]CTTAGATCAAATTATTACAAGTACA	3,309,473	51
8114.	CTTTACTCTCTATGATCAATTTT[T, C]AGCTTCCAACACTCAAGCTCGAATC	3,309,538	51
8115.	CAATAGTTGTAAGATGATCAGAGT[C, T]GCACAGTGCATGAGATGCATGATGG	3,309,857	51
8116.	AATAAATATTATAACATCTTAATT[G, A]AATTGGTCGATATGCTGGTAACTAA	3,310,042	51
8117.	TCAAATTACTCAAATTTGATATTA[C, T]AATTTTTTCTTTTTCATTAGACTC	3,310,164	51
8118.	AATGATGCAAAATATTGCACTGAGA[C, T]CGTGAGTACCTAATCTCAGTGATTA	3,310,295	51
8119.	ACCTAATCTCAGTGATTATCATTT[G, A]GATTTAATTCTTTATCATTTGCATG	3,310,327	51
8120.	GCTAAGTCATGTATGAGAAGAAAT[G, A]ATTTGCCGACCGAAGAAAATGGGCT	3,310,475	51
8121.	GTATGAGAAGAAATGATTTGCCGA[C, T]CGAAGAAAATGGGCTTTTGGGCTC	3,310,485	51
8122.	TCATATCTAGTCTACAAATCATCT[C, A]TTTGAGGATTAATGACTAACTGTC	3,310,548	51
8123.	GAGATACTTATCTTAGTACACATA[C, T]AATATGCATGGCCTATTTGATGAAC	3,310,626	51
8124.	AGATTTTGAAAGGTTCAAAGAATT[T, C]AGGTGTAAAGTAAAAAGATAAATG	3,310,759	51
8125.	AAGATACTTTGATCAGATCGAGGA[T, C]GCAATACCAATGGAGAATTTATCG	3,310,821	51
8126.	ATTTAATTTTGAATTTAAATTA[T, G]ATTTCTCTGAAGTTGGTTTCACCA	3,311,023	51
8127.	ATATGATATGGTGACAGGTTAGA[A, G]AATAGTCTGTGAGAATCATTAT	3,311,084	51
8128.	GGAATGATCCCAAAAGTCCTACAA[C, T]GATGTGATATGAAGAATCATGTAGT	3,311,421	51
8129.	TAGGAGAGTCCCATCTGACATCG[G, A]TTAAGATATGGTTATATATAGAATT	3,311,485	51
8130.	AGAGGGATCCATTATCTCTTAGG[C, T]ATGGGTGTATACAATGCTATGTACT	3,311,667	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
8131.	ATTATTCCTCATCTTTGAAGAAGG[G, A]TTAGAGTTAAGAGTGGGAGGATACA	3,311,828	51
8132.	TTGGAAGGGTTTTAGGCAATCAAC[T, C]AATGAAAGCTGAATATGCTATAGAT	3,311,940	51
8133.	AGATGTGTAGAATGCATTCTGGTT[C, T]TTATGATAGTTACAGAACTGGATGT	3,311,986	51
8134.	GGATGTCATACCATTGGATGCTTT[G, A]ACATTATACTACAAGATAATGATC	3,312,030	51
8135.	GACAGATTGGCTTTAGTGCAAGTG[G, A]AACCTTTTTAGATGTGTGTTCTAGA	3,312,268	51
8136.	TGCAAGTGGAACCTTTTTAGATGT[G, A]TGTTCTAGAAGCCAATCTTGGCTAA	3,312,284	51
8137.	AAGCCAATCTTGGCTAACACATAC[C, T]TTTCTCTAAGGCATGTTTTGTACTT	3,312,317	51
8138.	ATCTTGCTAACACATACCTTTCT[C, T]TAAGGCATGTTTGTACTTGATGGG	3,312,323	51
8139.	GGCTAACACATACCTTTCTCTAAG[G, A]CATGTTTGTACTTGATGGGTAGTC	3,312,328	51
8140.	ATACTTTCAATCGAAGGATCATCA[C, T]GAAAGATAATGATCAATCCATTTAA	3,312,497	51
8141.	CACTGAGCATAACCAACATGAAAA[T, A]CCATTTGGATGTCTACTCACTCATC	3,312,648	51
8142.	TCGTAGTGAGGCTACTTAGTTTGA[C, T]TGCACATTCTCTTGATCCCTAACCA	3,312,759	51
8143.	ATCATGGTGTGTCTCACTACCAGA[C, T]AGAATAGAATTTGAGAGATCATGCA	3,313,863	51
8144.	ACAGAATAGAATTTGAGAGATCAT[G, A]CATAAAAGGAGCATGATCTGATCAA	3,313,886	51
8145.	TGGATCATATTCAAATTATTAATC[G, A]GATTGATAGTTTGAATTTAGAAAC	3,313,941	51
8146.	CTCGATTTGAATCCGATTAAGATC[C, T]AACTGAACTAGAAGAATCATGACT	3,314,225	51
8147.	GGATAAGGAGGGCGTCGTTAATT[G, A]TGAGTGGAGGTTCTTTCTTACATC	3,314,505	51
8148.	GTGTGACAAAAATAAAAAaGGAAGG[T, C]GTGAGGTCTTGTGTGAATAAGAAGT	3,314,669	51
8149.	AAGAGAGAGAAGAAGAGAAGAAAA[A, T]TTTTTTTCTTTTCTTCATGGTGAT	3,314,821	51
8150.	CGAATCTACACAAAATAGTTCACG[T, C]GGTGATCTCCTTCTTCAAGATCTAG	3,314,887	51
8151.	TTCAAGATCTAGAAGAAGAGATCT[A, C]GATCCAAAATTGAGGAGTGAGATCT	3,314,925	51
8152.	TAGCACACCGATGATCTCAGCACT[C, T]TGATCAGATATTTTGTGTGGATAC	3,314,984	51
8153.	TTTTTAACTACACGTATGAAATC[G, A]TTGCAATTTTTTAACAGAACCTACT	3,315,272	51
8154.	GAACCTACTGTAGCCAACATACAC[C, A]GCAAAAATCTATATAACTAGGAGAT	3,315,313	51
8155.	TTTAGAAATTAACCATCAATGACA[C, T]ATGTCTCAAATTTTAAATCTTGAG	3,315,661	51
8156.	TTATTCGACTCAAATTTTGTATAT[G, A]AAAATGGTGAAAATTTTTTCACTA	3,316,071	51
8157.	AGAGATCATGTATGTATAATCAAA[C, T]TATAGTAACCTTATTGTAAATAGCC	3,316,266	51
8158.	ATAGCCGGGGCACGATGGGTCAA[G, A]GACTAGTCACCTATTGCAACATCG	3,316,310	51
8159.	CCTCCTGAGAAATGGAAGTAGTCT[C, T]CTTCGATCTTTAGTCAATCTTCT	3,316,872	51
8160.	TTTTTtGCTTTTGTATGAAGTACCA[G, A]TAACCTCAACTTGTAATAACTAGC	3,317,174	51
8161.	TTCGAATTTACTTTTTGGACAAAT[T, G]TTCTTGGTAATATCGATCTTCACAC	3,317,623	51
8162.	AGTCAATATAAATGTATATGAATT[G, A]GTAAATTAATAAAATTATTATTTAA	3,318,323	51
8163.	CTTAGGACTATTCTAATCGATATA[A, G]GAGGATATATCATTAAAGTCCTTAAA	3,318,433	51
8164.	GATACGCTGTACTAGGATGATAG[T, C]GTTTATCGAGTGTAGGTCATTGTGT	3,318,501	51
8165.	TGAAGACACTGGTATGGCATACAA[G, A]TGAGATGTAGGAGTACATTTTCATTG	3,318,585	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1			
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success
8166.	GCATACAAGTGAGATGTAGGAGTA[C, T]ATTTCATTGAATGTGACCAACTACT	3,318,601	51
8167.	CAAGTGAGATGTAGGAGTACATTT[C, T]ATTGAATGTGACCAACTACTGAGTA	3,318,606	51
8168.	AGGATATGGGTATAAGTATCCCTC[T, C]GATCTAAGATCATCATGGTGACTION	3,318,681	51
8169.	CAAGCAACTCATTATACTTTGGTG[T, C]CAGACTATCTGAATTTTAAATTCAG	3,318,731	51
8170.	TGACCCCTCCGAATAAGAAGAAGT[A, T]AGTGCATCAGTATATTTAAATCAA	3,318,844	51
8171.	CTTGAGCATTAGGATCAAAGGGAT[A, G]AATTATATGGTAACCATATGTCAAT	3,318,990	51
8172.	CCATATGTCAATAGGTTTCATGAAT[A, G]ATGCTTTGCAATCTTCGATCTATC	3,319,028	51
8173.	TAAGGTACACTTAAAGAAATTTT[C, T]AACTAATCATGTAGCTGATCAATGA	3,319,162	51
8174.	TAATCATTAATTCGATTAACCTTG[T, C]ACAAAAGTAATAATAAATTAATTTG	3,319,232	51
8175.	TAATTAGATCAGATAAATCTAATTA[G, T]ATCTAACATAATTTGGTTGCGTTAA	3,319,505	51
8176.	TGGGCATCCATGCATGAGAAAAAG[G, A]GGAAGAAGATCCTCTTTGGGGCGTA	3,320,108	51
8177.	TTCTAATCTGGAGATATCCATTTG[A, G]TCTAAAGAAAGAGTCTCTATCAGC	3,320,270	51
8178.	CAATGGTGATCGTCGACCCATGAT[C, T]AGGTAATGGGTTCTGAACATATCGG	3,320,456	51
8179.	GATGCAGTCTTTTCTTTCTGATCA[A, G]ATTTTTTTTATATATTATTTTCATG	3,320,550	51
8180.	CAATTTTTTTTATATATATTATTTT[C, T]ATGTCATAAATTTTAGATAGGTAG	3,320,572	51
8181.	TAAATAGTTTAACTACTACTTTT[C, T]CTATAAAAATTTTAAATAATACATA	3,320,654	51
8182.	ATTTCTTATGACATGAATTTTTTA[C, T]ATATAATCTGATATTAATCTAATTT	3,320,745	51
8183.	GTTTTACGATCCTTTCTTTTCATT[C, T]GATGAGATTCTCATATGGCTTGTAG	3,320,889	51
8184.	ATGAGATTCTCATATGCTTGTAG[G, A]GATGCTGCGTAGTCTTTTCATGAA	3,320,915	51
8185.	CTCGATTCAAATCTATTTAACTGG[A, G]TTAGACCTAGGATTAGAAATCATTG	3,322,754	51
8186.	TTTTTTGATTAATTCTCAATAGTT[G, A]TAGTTGGTCAAGTCTATGTCTTTGA	3,322,868	51
8187.	TCATAGCTCTGTAGTCAAACCCAA[G, A]TCTATAAGTTGATCAAGTTGAAACA	3,322,939	51
8188.	TGAGTTAACGGCATATCCCTCCCA[C, T]CGATCTCACTTATCTGACCAACATG	3,323,076	51
8189.	TAATTGATTTAGGTGCCCTAATT[C, T]AACTTGCTTGTAGTCTCTTCATAA	3,323,192	51
8190.	TCTGACTTAGTGAAGTCAGTAGGA[G, C]GATTAAAAATAACTGATTGAGTCTT	3,323,309	51
8191.	CATCTATCAATTCAATTAATTAATTA[A, T]TTTTTAAATTTATTAGGTCTCTAAA	3,323,363	51
8192.	GTCTCTAAATATAAAATAGTTATG[G, A]AGATAACTAGATCATAACCTCCTAT	3,323,404	51
8193.	GTGATCAGGATGACCGACCAAGC[T, C]GGATCAAATCACTTATGGTTAGATT	3,323,575	51
8194.	AGCCGACCAAAGTCGAGCTCATGT[G, A]CAACTATGTGGATTCTAGTATCTGC	3,323,770	51
8195.	TCAATGCCAGGATGAGGGAGGGGG[C, T]GTCAGTGATCGATCATATATTGTAC	3,324,316	51
8196.	AAGATCACCAGCTCCACAAAGAGA[C, T]GGTGAATGTAATGGGAGCATCTTCT	3,324,544	51
8197.	AGTCTGATCAAAGTCAGGCAGAGT[G, A]CTTCTACTATAAGAAGCAAGGTTAT	3,324,681	51
8198.	TTTTAATTTATGATACAATGATCT[G, A]AGTATTAGATATTGATAGTCTTATT	3,324,840	51
8199.	AATCTCATATCATTATTTCTTAGT[A, G]ATTATCATTATTGTCTAGTTTCTT	3,325,018	51
8200.	TAATTATCATTATTGTCTAGTTT[C, T]TTATTGAATGTAATTTTGTAGGCC	3,325,041	51
8201.	ATAATGTCTTGAAGAGCTATCTTT[G, A]GCATTGTAAGCTAAGTCATATCAAC	3,325,245	51

TABLE A-continued

Table of SNPs identified in the genomic region (SEQ ID NO: 8218) containing SHP1				
SEQ ID NO:	SNP	position in Genomic region SEQ ID NO: 8218	Estimated prediction success	
8202.	GGTCTTGTATATACTGATGTATAT[G, A]GACCGATGAGCACAAAGTATGAGAGG	3,325,439	51	
8203.	ATGGACTCCTCCTAGAATGCCACA[A, G]TATAATGGTATCTCAGAAAGGAGAA	3,325,711	51	
8204.	GGATGTCCGACTTATATCAGATAT[T, C]TAAAAACAGACAAATTAGGATCTAA	3,325,946	51	
8205.	CGACTTATATCAGATATTTAAAAA[C, T]AGACAAATTAGGATCTAAGTCTGAC	3,325,953	51	
8206.	TCTTCATAGGGTATCCTAAAAAa[C, T]TAAGGGATATTACTTCTACCTTATT	3,326,010	51	
8207.	CTAAGGGATATTACTTCTACCTTA[T, C]TGATAAAATAAAATATATTCGTGAGT	3,326,034	51	
8208.	GTTTCGATGGATAGAAGAACCAGACA[C, T]AATCTAGTGAACCCACAGAATCCAA	3,326,157	51	
8209.	ACAATCTAGTGAACCCACAGAATC[C, T]AATTTGATTGAATCAAATCTAGAAC	3,326,180	51	
8210.	TAAGTGGCTAGAAGTCATGAAATC[C, T]GAAATAGAGTCCATAAAGGCCAATA	3,326,384	51	
8211.	GAAAGTGGATCTTTAAGAGGAAGA[A, G]GGGCACAGACGGCAAGGTAGAGACC	3,326,482	51	
8212.	AATGAGTCTAAGGTATGCAAGCTT[T, C]AGAGATCCATTTATGGATTGAAGCA	3,326,754	51	
8213.	TGTGTTTTGATAAAGTGATCAGAA[C, T]GTATAACTTTGTTAAGAATGAAAA	3,326,824	51	
8214.	GAACGTATAACTTTGTTAAGAATG[A, G]AAAAGAATCCATAATGGGTAAACAA	3,326,845	51	
8215.	ATCCACATACTTCGACATCATGCT[G, A]AATGGTTTAGTATAAAAAATTTC	3,327,084	51	
8216.	TGTAGAGTTTATAGACTTCAATTT[T, C]CAATCGAAGCATGATGACAGTAAGA	3,327,419	51	
8217.	GTGAAACAATCTACTAAAAAAATT[A, C, T]TAAGCAGCACAGTAGCCGACTCT	3,327,499	51	

REFERENCES

- Beirnaert, A. and Vanderweyen, R. 1941. Contribution a l'etude genetique et biometrique des varietes d'*Elaeis guineensis* Jacq. Pubis. INEAC, Series Ser. Sci. (27):101.
- Bhasker, S. & Mohankumar, C. Association of lignifying enzymes in shell synthesis of oil palm fruit (*Elaeis guineensis*—*dura* variety). 2001. *Indian J Exp Biol* 39: 160-4.
- Billotte, N., Marseillac, N., Risterucci, A. M., Adon, B., Brotteir, P., Baurens, F. C., Singh, R., Herran, A., Asmady, H., Billot, C., Amblard, P. Durrand-Gasselin, T., Courtois, B., Asmono, D., Cheah, S. C., Rohde, W and Charrier, A. 2005. Microsatellite-based high density linkage map in oil palm (*Elaeis guineensis* Jacq.). *Theoretical and Applied Genetics* 110: 754-765.
- Birchler, J. A., Auger, D. L. & Riddle, N. C. 2003. In search of the molecular basis of heterosis. *Plant Cell* 15: 2236-9.
- Cheah, S. C. 1996. Restriction Fragment Length Polymorphism (RFLP) in Oil Palm. Project Completion Report No. 0011/95, 4 Jul. 1996, Malaysian Palm Oil Board (MPOB), Bangi, Malaysia.
- Cheah, S. C. and Rajinder, S. 1998. Gene expression during flower development in the oil palm. Project Completion Report No. 0057/98, 16th Jul. 1999. Palm Oil Research Institute of Malaysia (PORIM), Bangi, Malaysia.
- Corley, R. H. V. and Tinker, P. B. 2003. Care and maintenance of oil palms. In *The Oil Palm* (4th edition), pp:287-326. Oxford: Blackwell Science.
- Danielsen, F. et al. 2009. Biofuel plantations on forested lands: double jeopardy for biodiversity and climate. *Conserv Biol* 23: 348-58.
- Devuyst, A. 1953. Selection of the oil palm (*Elaeis guineensis*) in Africa. *Nature* 172: 685-686.
- Dinneny, J. R. and Yanofsky, M. F. 2005. Drawing lines and borders: how the dehiscent fruit of *Arabidopsis* is patterned. *Bioessays* 27: 42-9.
- Donough, C. R. and Law, I. H. 1995. Breeding and selection for seed production at Pamol Plantations Sdn Bhd and early performance of Pamol D×P. *Planter* 71:513-530.
- Doyle, J. J. and Doyle, J. L. 1990. Isolation of plant DNA from fresh tissue. *FOCUS* 12:13-15.
- Ferrandiz, C., Liljegren, S. J. & Yanofsky, M. F. 2000. Negative regulation of the SHATTERPROOF genes by FRUITFULL during *Arabidopsis* fruit development. *Science* 289: 436-8.
- Godding, R. 1930. Observation de la production de palmiers selectionnes a Mongana (Equateur). *Bull Arig. Congo belge* 21: 1263.
- Gschwend, M. et al. 1996. A locus for Fanconi anemia on 16q determined by homozygosity mapping. *Am J Hum Genet* 59: 377-84.
- Gu, Q., Ferrandiz, C., Yanofsky, M. F. & Martienssen, R. 1998. The FRUITFULL MADS-box gene mediates cell differentiation during *Arabidopsis* fruit development. *Development* 125: 1509-17.
- Hardon, J. J., Rao, V., and Rajanaidu, N. 1985. A review of oil palm breeding. In *Progress in Plant Breeding*, ed G. E. Rusell, pp139-163, Butterworths, UK.
- Hartley, C. W. S. 1988. The botany of oil palm. In *The oil palm* (3rd edition), pp:47-94, Longman, London.

Huang, H., Tudor, M., Su, T., Zhang, Y., Hu, Y., and Ma, H. 1996. DNA binding properties of two *Arabidopsis* MADS domain proteins: Binding Consensus and Dimer Formation. *The Plant Cell* 8: 81-94.

Immink, R. G., Kaufmann, K. & Angenent, G. C. 2010. The 'ABC' of MADS domain protein behaviour and interactions. *Semin Cell Dev Biol* 21: 87-93.

Jack, P. L., James, C., Price, Z., Rance, K., Groves, L., CorleY, R. H. V., Nelson, S and Rao, V. 1998. Application of DNA markers in oil palm breeding. In: 1998 International Oil Palm Congress-Commodity of the past, today and future, Sep. 23-25, 1998, Bali, Indonesia.

Krieger, U., Lippman, Z. B. & Zamir, D. 2010. The flowering gene SINGLE FLOWER TRUSS drives heterosis for yield in tomato. *Nat Genet* 42: 459-63.

Lander, E. S. and Botstein, D. 1987. Homozygosity mapping: a way to map human recessive traits with the DNA of inbred children. *Science* 236: 1567-70.

Latiff, A. 2000. The Biology of the Genus *Elaeis*. In: *Advances in Oil Palm Research*, Volume 1, ed. Y. Basiron, B. S. Jalani, and K. W. Chan, pp:19-38, Malaysian Palm Oil Board (MPOB).

Liljegren, S. J., Ditta, G. S., Eshed, Y., Savidge, B., Bowman, J. L., Yanofsky, M. F. 2000. SHATTERPROOF MADS-box genes control seed dispersal in *Arabidopsis*. *Nature* 404: 766-770. Maria, M., Clyde, M. M. and Cheah, S. C. 1995. Cytological analysis of *Elaeis guineensis* (*tenera*) chromosomes. *Elaeis* 7:122-134. Mayes, S., Jack, P. L., Marshall, D. F. and Corley, R. H. V. 1997. Construction of a RFLP genetic linkage map for oil palm (*Elaeis guineensis* Jacq.). *Genome* 40:116-122.

Moretzsohn, M. C., Nunes, C. D. M., Ferreira, M. E. and Grattapaglia, D. 2000. RAPD linkage mapping of the shell thickness locus in oil palm (*Elaeis guineensis* Jacq.). *Theoretical and Applied Genetics* 100:63-70.

Ooijen, J. W. V. 2006. JoinMap 4.0: Software for calculation of genetic linkage maps. In experimental populations. Kyzama B. V., Wageningen, Netherlands

Pinyopich, A. et al. 2003. Assessing the redundancy of MADS-box genes during carpel and ovule development. *Nature* 424: 85-8.

Purseglove, J. W. 1972. Tropical Crops. Monocotyledons. Longman, London. pp:607.

Rajanaidu, N., Rao, V., Abdul Halim, H. & A. S. H., O. 1989. Genetic resources: New developments in Oil Palm breeding. *Elaeis* 1: 1-10.

Rajanaidu, N. 1990. Major developments in oil palm (*Elaeis guineensis*) breeding. In Proceedings of the 12th Plenary Meeting of AETFAT, pp: 39-52. Hamburg, Germany.

Rajanaidu, N. et al. 2000. in *Advances in Oil Palm Research* (eds. Basiron, Y., Jalani, B. S. & Chan, K. W.) 171-237 (Malaysian Palm Oil Board (MPOB), Bangi, Selangor).

Sambrook, J., Fritsch, E. F. and Maniatis, T. 1989. Molecular cloning: A Laboratory manual, (2nd edition). Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.

Singh R, Tan S G, Panandam J M, Rahman R A, Ooi L C L, Low E T L, Sharma M, Jansen J and Cheah S C. 2009. Mapping quantitative trait loci (QTLs) for fatty acid composition in an interspecific cross of oil palm. *BMC Plant Biology* 9: 114.

Sousa, J., Barata, A. V., Sousa, C., Casanova, C. C. and Vicente, L. 2011. Chimpanzee oil-palm use in southern Cantanhez National Park, Guinea-Bissau. *Am J Primatol* 73: 485-97.

Tani, E., Polidoros, A. N. & Tsiftaris, A. S. Characterization and expression analysis of FRUITFULL- and SHATTER-

PROOF-like genes from peach (*Prunus persica*) and their role in split-pit formation. 2007. *Tree Physiol* 27: 649-59.

Vrebalov, J., Pan, I. L., Arroyo, A. J. M., McQuinn, R., Chung, M., Poole, M., Rose, J., Seymour, G., Grandillo, S., Giovannoni, J., and Irish, V. F. 2009. Fleshy fruit expansion and ripening are regulated by the tomato SHATTERPROOF gene TAGL1. *The Plant Cell* 21: 3041-3062.

Whitmore, T. C. 1973. The Palms of Malaya. Longmans, Malaysia, pp:56-58.

The term "a" or "an" is intended to mean "one or more." The term "comprise" and variations thereof such as "comprises" and "comprising," when preceding the recitation of a step or an element, are intended to mean that the addition of further steps or elements is optional and not excluded. All patents, patent applications, and other published reference materials cited in this specification are hereby incorporated herein by reference in their entirety.

EXEMPLARY SEQUENCES

SEQ ID NO: 1-8217
SNPs in Table A
SEQ ID NO: 8218
~3.4 MB sequence of genetic region comprising the
SHELL gene
SEQ ID NO: 8219 - SHELL locus
GTGAAGTTTAGATACTACCTGGGTAGCACTATCATCAAGCTGCCATGCAT
TGCACTCATTTTAAATTGAGATGACTCAAATGAGTGCTATGTGTCTCCAA
AATTATAGATTTTACAACATTAATTAATGTTTTTAAATTTTAAACAAATAC
GTGCCAACAAATCAAAGTAACACATGTCCAATGGGAGTATTTGGACAGGGG
TTAGCATCATCTGGCTGCCTGCATGTAAGTCAATATGTATTTAATTTCTA
ACTATGAACAACTTAATAGACTCAATTGTTATGTTTTCTGGGCAAGCT
GCAGACGACATGGGCAGACATTATTTTGCTAGACTAAAGAGCAGAGAGA
CGATTGACGGGGATTCCATCATGTGTGGTAGCTGATTACATAAACAAATTA
TCATCAGCAGCAGCGCATCTTCTCATTATGATAGTCAGTGTGAGGAGC
TGCTTTTCTATTGAGATTGTTATATTTATCGAGAGGTCAATAGCTCTAC
TGACTGGATGATCTTTTATGTGACTGAGCATATCGGAGAGACGGTGTGGA
CTAAGATCAAAGATCTTCTTCGACCTTCAAGAATATTTATTTTAAAT
TTTTTGGATGATTCGTATGAATAATCTAGCCTATCAAAAAAATAAAG
TGACATGTGGCCTGGCACAAAGTCACGTGACCTGAATCCAACAAGCAT
TTTAGATTATAAGCTTACACCATGGGCGAGGGAAGTTTCCACATTTTCT
TGCTACTTCTAGACGCTTGGCATACTTACATGTCTAACCAATCTCAT
AGTAACAGCAAATGCTTGAAATACAGATTGCTCTATGTCAAATCTTTA
GGCTGCAGTGAGAAAGGAGATAGGCGAACTGAAGAAGGGGTGGAAATC
TAAAGTTCCATACCACCGATTGATGCAACATCACTGGTGGTGGTGGTGA
CCTCTAACAAAGAAAGACTATTACATGGAGGGATGACCCACTGATGCCCC
AAAACAATAATGCAACAAAGAGAGGGTGCCTCTCTCACTTGAGCAGCGT
AGGGATGCCAGTGAGTGCAATAAGAAGTGGGACGAGGTATTAGAATTT
CGATACATGTGTGCGTGTGTGAGTATCACAGAGAGAGAGAGAGAGAGA
GAGAGAGAGAGATTGCATGAAAGTCTCAGAGATATGGGACATCTCCAAA
CCAAGTCCAATATCTAGTGATGGGCTCTTTTATACAAAGAGTGATGCGCA

EXEMPLARY SEQUENCES	
5	TAGAATTGGCTCCCACTGATCAGCTACCAAAGTTAGTCCACAGCACATAG TCCCAACATGTCATTAGGTTTACCATAAAATTTAGTATTCTTGGTAAAT AGAGGCAAACCTTGCTGACTGTTTCATGCAATTAAAGTTACCTTGACATATGT
10	GATGCATTAATTACATGCAAAGAAACCATCTATCATTTGGAGCTTATACT GGAAATTGAATTTCCCGAGAGAATCTATATATTCATATTCTGTTTCATCCCT CGATTGTATTTTCAAGAAAAGATTTGAATTTTAGGCAACATACCTTTTTTC
15	TCTATTGGTCTTAATTTTTTACATTTCCAACACTTAATGATATGATTCA GATACATAGGGTTTCTACCCATTTTTCTTGAAAAGAAAaGAAGGAAAGGA AAATCCAATAGAATTTACAGTGCATTGTTGAATCTGCCTAATCTGAACCA
20	TGACTTTAAAAaAaaAaaAaaGAAGAAGAAGTTTCTGCTACATTTT TATATCAGCTTATAATTAGTTTTTTATTAATAGTACTCACCAGGAAAAGTG TAAATATTAATTTGTTCTTATGTATTATTGCTTTTCTTAGTGTTTTTCTGT
25	TAGGAAAACAAAGAAACTTGAAATGCACTAACACAGTATAAAAAATG AAAAAAGGTAAGGCCAATGTTAGAGAGCACTAAGGCTTCATGGTATAACC TTCAAAAGTTGTGATGGATACAATACCATAGGTATTTGTTCTTGTCTAGCC
30	ATAAAAAATATACAAGCATATGAGGGTAGCACATGGTAAGTAGACACAAGG TATATTTTATCTTCATGATATCACTACAATAACCTGATGATATGGTGATGA TGTTATCCATAACCTTATCAATAATTTGGTTTTGATTTTCTACAAACAGG
35	GATGTGTTTTtATTCTTTTTgAaTAtATATATATATATATATATATAT ATATATAAaGAAAAAAAaCCTTGCCACCGGTAGGCGCATCATGTTAATTAA CAGACATGATAATGTAGTACTAAAAGCTACATCTAATATAATTGTACTTT
40	TACTAACTTGATGTGAAACTTAAAATTGTATTGCTTGGGATCACCACTTT ATGTTGCACCACCTTTTGTTGTGTTCTTGAGCATATCTGCGCATATCCTCTT TCACTCGCATTATTTAGATATTAAGTGCAAACATTTAAGAACCAGTTATC
45	CTTGAAAGACATTTTGAGACTGCATGAATGCCATCAGATTCTTGGCCAAT GGAATGAAGCAGGAATGGATGTAATGTGATGTACGTGGGTAGAAGGGACA GCGTTAACATGAAACATGTGGAAGTTTTAATATTTTGAGAAGAGATACAT
50	GCAAGTTACAAAAAAAaTAAAAAaGAACATACAAAAAAAaCTATTTAT AGATGAAGAAATGAAAAGAAAAGAAAaCTTTAAAGAAAaGAAAAAAAaC TTTAAATACACCGCAACGATTAATTTCTTATTACCATGTCACTCTTC
55	TATGAATAACGAATCAAGAAAAGATCTGTGGCAGGTATTGCCAAGCCAAG CTTCAATAAGGTTTTTGTACTTCTGAATCCAACTCCCTTGACCTCATA GTTATGCGAGAGTCTAGTCTATTCTACTTAATCCCCACCTAACCTT
60	AATCTGAGAAGGAATTATTATGGCTTGGGGAGATCACGTGCGGAGGAGGC GCCACCGATCGTTTTTCACTTTACCGCGCGCTTTTTCAGTCCTAGCAGTGCC CCCCCAGTCCCCACCACCTTCCCTGTCAACTGCTCCACCGCAACCTCTCAA
65	TCTCTAACAATCACTCCAATAACGACAAAATGATGGAGCTAACCCATGA CATTTTATATCGAAGATATAGTAGCACAACTCCATCCGGCGGTACAGCG

499

-continued

EXEMPLARY SEQUENCES
TACCCAGCCAACCCACCCTCCACTCTTTAAGAGGAAACCCACATATCCGA
TGCCAATTGCATGCAGTGGAAAGAGAGAGAGAGAGAGCGCTGAGCTCC
CTTCTTTTCCCTCGGAATTTGCGGTGTTGGACTTCACCTTCTCTTCCGGC
GTGGAAGCTGAGTTCGCCGAGTGGTAGTTTTTCTTTTTtTTTTTTtG
AGAACAATTTCTGTCTTCTTTCTTTTGTGTTTTCGGCTtTTTTGAT
ATTTGTTTCTTTCTTGAGGAATAGTTTTTATGATAATACCGGAATTGGG
GGTTGCTAGAAATCGTAGGTTGTCATTGTTATAGGTTTTTTTTTTtGCT
GGATCTTCGGCGATCTTTTGTCTGATATTATCCGTTTTTAACGATCGGAA
CGTTGGTTGCGTCACCAACAAAATGCGACTTTGTTCTCGCTTCTCGCTAG
ATTTGCTCCACGAAACAGTAGCTTTGTTCGGATCGGATCGTTTGTCTCCAT
GTCTAGTTTTTAGGGTTATCTTTTCACATGTTCTTGAATATATCTTTGTC
AAGaaaAAaaAAAAaaCTTTaCCTTTTGTCTATAACAAAAATCTTTTC
TTCCACGTATTTTGGTTGCCCTAGTtTtTtCTTTTTTtGTTTGTGTTGTA
TTTGTAGAGAATCGAGATTTGAGCCGTACATCTCGTTCATAAACTGTTT
CATTTGTCAGAAATTTAAAGAACTAAACTTCACGTATGCATCGTTATCCA
TTTGTCTATGATCTTGTCTCATGAATATATGTATTCTGTTCTTGTCTTCGC
CTTAATtTTTTCTCACTTCTTTTCCGAACCTTAACCCATTCAAAGTTC
CCACCTTTTCTCTCTTACTTGCTTTTCATGTTTTTtCCTTTTtTTTTtG
TTGCTTTTAAATTTTGTGTAACCTTTTGATCTATGAAATTAATAAGT
CAATATGTCAGTATGTGAAGGTCTAGGCCATGTTAGTCCCATCATTTTCAT
TTATAGTTTAGATGATGATTTtTTCTTTGTTCTTGGCAATATTCTAGACC
AACCTTCAGCAGACAGAGGTGAAGAGAGATCATGGGTAGAGGAAAGATTG
AGATCAAGAGGATCGAGAACACCACAAGCCGGCAGGTCACCTTCTGCAAA
CGCCGAAATGGACTGCTGAAGAATGCTTATGAGTTGTCTGTCTCTTGTGA
TGCTGAGGTTGCCCTTATTGTCTTCTCCAGCCGGGGCCGCTCTATGAGT
ACGCCAATAACAGGTATGCTTTGATGACGCCTTCTCTTCCCTTCGCTCATA
TCAAGTTAATTTTATGGCTTCATTTGTTCTATGGCCAAGCCAAATCTTT
TTAAAGTTCTAGAATGTTAATGATGGTAGTTTGTCTCTCTTCAATTTAT
TTGCTTCCCTTTTATCCCTGATCCAAATGGTTTtTTTCTATTATAAAAT
ACCCTTTCAAATTATCACATTTAATTCAGCTTTTATTATTATTATTATG
CTATGAGATTAGTTTGTGTTAAGATTTCTATATAGGAAGGAATGATCAAG
TGATCATTTACTTTATGTAGTAAGAAATTAACAAGCAAAAGCAGCGTGCTT
GGTCTTACCATGAGGATAGAGGAAGAGTTTTACCTTGACTAGGGCAACTA
AAAAGGGTTTGAGTTTTGCCTAACATTCTTGTTATATGAATTCGATCTGT
ACACGACTTACTACTCTGGTATTAGAAGTATGTACTAAGAAGTTTTCTT
GGGATGGAAAGAAAGAAATAGTGAAGTAAATCTTATTAATTTGCTTTTAC
ATGTTCTTCTCATATTTTCTCATACTCTTTTCTTATGTTTCAGACTTACAC
CGAAAAATTAAGATGGATGATATTATGTTCTTGGTATAGGATTCTTTTC
CGACGTACCAATGTTTTGTTAAGGAACTTTGTAGTTGACTTTTCGATTA

500

-continued

EXEMPLARY SEQUENCES
5 TAATATTTTCCAAAGGACTCCACGAAATGGTAACATCTCCAGTCGTTTCA
ATAAACTTCCGATCATATTATGGGTTTGCAATTTAAGGTTTTCTTCTCCC
TTTCGCTTCTCTTTTGCCTTTGCCTTTCTCGTGTACACTTCTGGCTCGTC
10 AATCTGCAGTACTCTCTAGCCATCTCTCTCTCTCCATCCACccaccCC
CCCCcCCCCAAaCAACACACACACCTCCACCCCTGTGCAACTAATTCC
GACAAAATAAGGGTCTCCCATGTGTAGAGCACCTCCTGTATGGACTGCAT
15 TCTAAAGATACGGGAAAATGAGCCAGATATCTATTTCATCAATCATTTAGT
AGAGTCTCTAAGGTTCTTTTTTAAACTGTCTTGAACCGGCTTTTGACACA
AAGAGCACCACTCCCTTTATTATAAGTTGAACCTTCTGAAAGCTAACT
20 TGGGTTTCAGCTTTCACGTGTTCAAGTAAGTCATAAAGTTTTTCTGGTCAT
TAAACCTTGTGATATGGAGATGGAAACTGCTTTTCTCCCTGCCGGATTTC
TCTTCTGGTGCTAAGCGGCTAAAACCCATCATCCATGTCTGCCTTCTCT
25 TTTATGGGTAGTTGCTGGACTTCGGACACCCGTGAAGGATGAAGGCTCTT
TGTGATTGGTTATGAGATATTCTTGGGCCCGTGCCTTTGCTGTCTTTC
CCCACTCTCGGTGGCCATCATAGCTTTTTTGTAGCTTTCGTCTCTTACA
AATTCCTCTCTGGTTCTTTCTTTTACCTTTTCATGCATTTAGCTTCATTG
30 TCAACATCAAGGGAACACAGACCGGAAGAAGAGCAAGAAGAACCCAATCA
AGACTGGATTTTACAATCACCAaaAAAAaaGACTGGATTTTACTC
GACGACGCTGCAGTCTTCTCTGCTCTCACTCAATTAAATAGGAACAAGG
35 AAAATGTAGATATTTTTtCCCTtTTCGTTATGATAATTATAATCTAAGAA
AGATTTTAAAGCTTACTGTAATCATCTCATGTTCAACTATTGTGTTGCA
CCCAACGAAATTTCTGTGTCCTCATGACGAGCATTACCTTTCCATGGTT
40 CTGACACGACATTGCATACTAGATTTTACTGTGTCAGTAAAAAAGCACTG
CATGACATCATCTCTATTCTTCTTCTTCATtCCcttTtTTTTTTTTtG
GTAATATCTATTCTTCTTAAATGTCCTCTCTGATAACTGGTCTTATGTAC
45 AGGTACATCTTTACAAGCCTTCGAGAGAATATGAATGCGTATTTTCTGC
AACCGAGTATATTCTACAAATAAAATGTTAGAGATTGTCTCGAACTGGTA
TACAAGCACATTCCTGTACGTGTTGACATGAAAGAAGCATAGATCAGACA
50 AAAATAATAGTAGCTGACAAAGATCATAAAGGGACTACAACATTAGGAGG
GCTACAATTAATAATAACAACGGGAGCAACTAGCAGTGATACGGTTCCAG
ACCAGATCAGTTTAGAGTTATTTTTGGAACCGAGCTGACTTAGTTGTTTT
55 TCTAAAGCCTAAATGAAAGAGAAACCGATTCAACCTGATCCGAAATACT
CGATTTGGTTTCATTTCAGTTTATTTGGGTTGATGTTCCATAGTTTGGGCT
ACATTGATTGCACTAAGTCTAAATATAAAAAATTTCATTTTATATAGAATT
60 GATGTTCAATGGACCGGACTAAGTTTAAACATATAAAAAATTTTAAATTT
TGAAATATATATGTACATATACACATGTAGGTCGGGTAGGTTTAAATATA
GATACTTACATATAAATGGATTGGGTCTGGTGGGTCAATGCGAGTCTGC
65 TTAATATATATATACATATGGGCTAGGTCAAATCAGGTTAGTTTATATA

501

-continued

EXEMPLARY SEQUENCES
TATATATATATATGTGTATGTGTGTATCGGATTGTTGGTTTGCCTG
ATTTTCTAAAAaTAAATCGAAATCGAATCAAATTTTTCTGTTCAAGA
GTATCTCAAATAATTTTaaAAAAAAAaTGATATAACTAGATCAAAAA
AGACCGATTGGAATAGGCACTTATGATTTTGTCACTTTTTTGTATACCT
CTACGAGCAACAATAATAGAAACAATAACAATTGTAATAATCAATAT
AAAAATTATTAAAGTAATTAaAAAAATATATACAAAATTTTTGCAAGCAT
TCAAGTGGACCAAATCAAAGGCGCTAATGCATTCATAAAAGGTTGCTA
GCTTTGATCCATGGTAGCATCGTGTATCCTGAATCATTTGTAGGTTAATT
GAAACCTCCTAAATGTCATTTTAAATAAAAATAGCATGCATTTTATGAAG
ATAACCTTACTATTATTAGGTAATAAGGTTGTTAAATTCTAACCTAATTA
ATATCTCCTAATTAAGAGATAATAGTTGTGGTGGAAACGAGATGGAGAGA
AAGCACTTCATCTCTCATCTTTCTCTCTAAATAACATTTCACTAAGAGA
TTTAATTATTGGATCAAGGCTAGCCAGTTGTTATCTtTTTTTGTCTTAG
AAGTGTGACCTTTTACCATTTCTCATATGAAAAAAaCATTATCTAAGA
AGAATAAATTATTATGATCATGAGGAGAGAGAAGGGGTGTTAAGGTTATT
GGATTAAATCAAAGTATTAGAGGACCTTGTGCTATTATAAACCCT
GACAACAATCAATATGCACTAAAGTTTGGTATAATAAGTTATCATCAAG
GGCCAAAAGGATTAACTCGAGAACACAAGCATACAATTTAACATCGTAC
ATAGATAAATTCAAATTTAGGAGGTAATTATTGATGTATATGCTTAGACAA
GAAGAAAGTATAGAAAGTAAGGAAAATTGCTTGAATGATTTAGAAGTGCA
TAAATATAATCTAAATTTGAGGAGTCTTATTTATATTTTGAGAATTAGAA
AGGGGGAGAAAATTGAACAAACTTTGATAAATTGATTGTAAGAATTTTC
AAACCTTAAAGCGAAAGTGATAGTGAAGTGAACCATTAACCATAATTTG
ATATTAAAGGTTATCTATATTCATTAATATCATtTTTTTAAATTATTGT
ATATATTTTTTGGGAGGAAAATTATGTTCTTTAAAGTTAGATTGGTTTC
GTACTTATCATAAATGATAAATGATCTGAATTTAGTTTGAATAATTATTG
ACATATAACCTTTGATAAGAAATTACATATTAGGATTTTATGGTTTACTG
TCATATAGTTCTTTGTTTTGTATTTATTTAACTTTGACCATAAATGATTT
GAAGTCAAGATACTTTAATCTAGCCTCCCATCAACATGTTGATGGCTT
ATGATTTTtATTTTTtATAACATTTATTTTATCTATAATATTTTTTCATT
ATTAATTTAATGAAAGTGGATTACACGACATCTAACTTATATTTTTGAAA
ATAGAGAATGATATGGTATACTATTTTGAACATGTTTCAAGAAATTAGAA
TTATTATTGTTTTTATAAATTTAAATATTATACCTTGTCATATGAAACA
TATTTAAATGATCTAAATATtTTTTAAATTTAAATGTCATAGGTTTG
AAAAATCTTACTTGTAATATATGATTGTAACTAAATATTTTAAATGG
CATGATATTATTTTCTAATTCATCAAAGATCTAGAACCTTTCAAATTAG
TTGAACCTTAGATACGTGTTTAAATATGTCTTAATCAAGATCAACAATTTG
ACTTCTTATTTTATATGATATATGGTATATTTCTCACTTGATGCATCTGTA
AGAAAATTTAAATTTCTTTTATTTTATTTTATATATGTGCAATACTATA

502

-continued

EXEMPLARY SEQUENCES
5 ATTCTTGATTATATGGATTTCCTAGTACACTTAGATTGTGATTGTTGTTTG
GCATTGGAAGATCGAGACAATTAAATACCATAAGTGGGATATATACTTGCT
TAACCCAACATTAAACCAAAATCACCTCTCGACAATCACACAAGGACAAG
10 TGTACTCAAGATAAACATGGATTGTCAAGATATATATAAGAATAATAAAT
CATGTATATAAATTTtTTTTCATCTACAACTTCTCTCTTTCTCTTAATT
TAGTATATAAATCTCCATACCAATAGATTACtTTTTATTGACCCAAAAAT
15 CAATTTAACCTTTTGTTTTtAATTTAATCCTTTGTCTTCTTAAATGACTC
AGCTTGTAATTTAAATATATCATTACTTTATGCAGTAATGTCATTGTTG
TAAATAAATATTGGAATAGAAGAAATACATAAGGTCAAAAAATATAA
20 ACAGGACAATGAAGCATTTCTGTATAGTCTATTATAAATGTAGAATGAAC
ATAATAGGCTTTTCATTTGATCTATAATTAAATATAATTATCAAATATCA
AAATTAATGTACCAATTTATGAGACATCAATATTATAAAGGGATACTAAG
AAACTAACGAGAGTACACTGATCAAGAAATGTGATCGACCAGTGAGGCAT
25 GTTGTTTATAAATTAATTAGACACGTTTTCAATTTATGAGAATTTGTATT
CAAAATTTTATAAATTGATAAATGGATCACTTTTTATTGCTCTTTATATT
TAGACTCCAAATAGTGCTGTAGAGAAaAAAAATTTGAAAAaTAATTTAT
30 ATTTTCAaAAAAAATATTTTTATCAATTTTCATTACCATAAaaAAAGATC
GAAAATAAAATTAAGAAAGAATGAGATAAGTTTGATAATTTTAGACATCC
GCTTGCATAATAGTTCATGTTTAAATATTAATTTATCACTGAGAATGCAAA
35 AATATATAAAATTTTTTAATTAAGCTTTGCTACATATAATTATTATATATC
ACTTACATAAATGATTTGATTAAATATTTTTTAAATTTTAAATCTAATTTT
TAATTGCATAGATATCTATTGCAGTAATTTTCCTCTAAATAATAAATTAA
40 ACTAAGAAAAATAAAAAATATTTAATAACAATTGGAATATACTTATCAATC
CTATAAGAATAAATTCCTGTAAACTCCATCCATTTAACTTGCATCATGCA
TCATTTATTTTTTTTATTtAATCATTTAGAAATTTAAATCAAAATTCA
45 ACTTTTATAGATTATTAGAAATGCATGGAATGATTTTCAAAATGTTGCAT
TGTACTAAAAGAATTATGATAATCTATACAAGTCAAGCATTTAAATTAC
TTATTATACTTTACAATAGTAAACTACCTTTTGAGCAAAATGGTGGTAAC
50 CCATCATAATATGTCATATGTATAAATAAAATGAAGTACAAGGCTAGATAA
AGAAGGGGGACAGAAAGAGAGATATAGGGCTCCCGAGCTTAAGCAACCAA
GCAATTCAATATAGTTGCAACCAATAAAATCCGATATGAGCAAAATATAAA
55 TATAACTCACTAAAAGCCCCAAAATACACCCAATAAGCCAGGTAACCACT
AGCCCCAAACATAATGGCCTACTAAGTTTGAATTTTAAAGTTTAAAGTCTTT
GCCCCATTCAACCACTCTACCTTCCAAGCTCTAATTATTTTAAATGCCATTG
60 CAAATCATCATGTCTTCTCTTCTTCTAATTTGGTGTACTATCATTTTCAA
TGTATTGCAACTCTATTGCCAATCGATGCTCCTCCAAGGCATCTCTCAAG
ATCTCATTTGGCTCTATTGCGCTACCACTACCATCCATCCTATTACTCTC
65 TAGATCAATATCAAATTAATGCAGCTCTTTTCTCGATACTTTTGCATC

503

-continued

EXEMPLARY SEQUENCES
ATCATCTCACTCCATCATCACAGTCTATACTTGTATTGAGGCCTATGC
TTGCTACTATATTGTGACCTCAATATTACAATCTCTACTTGTACCCTC
AATGTCCATGCCATCTTCCATGAAAGCTACTTGGCAACAATCCTAATA
GGTTCAAAAAACCACAGCTAAGGACTAAACACACAACCACACAGGTT
CTCTTATACTCTCTTTATTTAGATTCAAATCTACATACTAGGCTAAGAGT
CCAATTCTAGTCAAACGAATCATAAACATCATAATCAATCCATGGTCAA
CTCCAACCATTATGAGCATAAGATCTTATCTAAAAAAaTCAACCAAA
AGTTATTATTGGCTTCCTTATCCCTATATAAGTATCTAAATATCCTTTG
TGTACAACCAATATCAAATAAAATACATGCTTGTGCGGAGATCCTCACA
AAATATTTAGCAAAATAATCCTATCAATGTTGTTAGGATTGATGTTGAGT
CATAAATCATATATATAGTGGATTGGATTAGATTTCATCATCGATCGAATT
ATAGATCATTAGATCTTTTGAATTATTTAAGATTTTAAAAATATACAAG
AAATGCAAAAATTAAGTATAAGATGAATATAGAATTGATGAATAAAGA
ACCAAAAAATATACTGAAGTAAAGAGAGAGTATGTTGGCTTAACCAATT
GTAGCAAGGTAGAAACCCACTATGGTATGTATAACATAAGAAAGACCGT
TATTAAGAGAGAAACAGATGCAAAATCACTTTATTCTAAGATTAAAAATAC
TATCTTAGCTAGCTACTTTAAGGATACAACTTTACACATTCCTCACAA
ATCCTAGAGATTTAGCAAAAGAGAAAAGAGAGAAAAAGAGAAAGGCAA
GGGAAGAATAGTTCCTATAATAGAATTTTCACTAGTTAATAACTCAAGTA
TCTCTAGGATGACTACAAGAGTAGCTCCAATAGGATATTTGAGGTAATA
TATAGGAACCTCAATTCTTAACTTTTCAATGTGGATTCCAAATTTCAAT
CTAACTCCAATAATTGTAATGCAAATTTTCTAACAACATCAAAAGTTAT
TAACAATAAACTCATAACAATTAAGTATTTTCAAAATTTATTAATATCAA
ACTCTCCTAACTTAGACAAAAATGGATAGAAAAATAAGTAATCATAAAA
AAaCTAGTTGACCCAAAGTTTATAGGATTGAGACCTATGTAGCCTAAACC
TATAACCCATGTGGTTAGAACCCACGATCTATGTTGTTAGGACTTGCAAC
CCGCTCTAGCATCACATACATTTAAGAAATCTAATTTGCTTCCTTATAAG
TTCATATATATGGAATGTCTAATAAACAAATATTGTGCCTGATTATTCAA
GATCTATATTTGTACCATCTGCCAATTAATTATCATTTTATTTAGAATGT
GGTTAAAAATATAAAATTTCTCTTTTAAAGTCCATAAACTCCAATACTA
TATTAGTTACCTTACTAACCAGATCTAGAAATAATTTAAAAATCTATAAA
ATTTAATGAATTATAGAAATTGGACTACATAATCCATAATATGACATTAA
ATTCTAATTTCTTAATAGATAATGATTCAAAGATAAGGTCCGGATTGTTT
ATGGCCATTTTATCTAGATTGTAAGATGCATAAATTGAATGATAAGATT
TAACAACAATAGCTCCTATTAAAAaTTAAAAAAaTATTTCTTATATAGTT
ATCATAAAAGGTGGTAATCAAGTCATATTATATTATCAAAGCACTGTCT
AAGCAATAGCTACATGATACTCTATAGTATCTAAGCACTATTCTCATTAT
CTTTATTTCTCTTTTAAAAATTTAGTGAGATGGTTGCATTGCCTCCATCT
ATGACTTAAATTTTGGATAACAAAGCCATATCTATTAAGTTTCTTTAAT

504

-continued

EXEMPLARY SEQUENCES
5 GAACATATTTTGGCTCAAGTCCATTAGGATAAAAAATCTTTTAGAGAGCAT
GAAAATTTATATGGTTAGAAAAATGTTACTAAAGGTGATTTCATATGATTCT
TAATGTCTAAAAATAGTGTTTAACTTTCTTTTCTCTATTTTTAGTAACCAA
10 TGTCAACAACCTTAATGAAGCACTTGAAAAGATCGTCTCCTTAATAATTT
ATATGTGAAGTTTAAATTTTAGTTCCTTGAACATATTGATACTAATTTGT
ACTTCAGTAACCTCATCAAACATTTTTTAATAATCTCTCCATGATTCTCT
15 TACATGTCCTTTTAAATGCAACATGATATATCAATATGCTTTTCTATTA
GACAATTCAACTTCTAATTATGAGTAATTAATATATAATTTTTATTAAA
ATGGATCTAATTTTTTTTGGTTTGGCAACTCTTTTGTTCAGCATAAGATC
20 AACAAATGATAGGTACAAGAAGGCATGTGCCAACAGTTCAAACTCAGGTG
CCACCATAGAGATTAAATCTCAAGTAAGAAAGACATGGCAATTTAATCTA
AAATAGATTTCTCTGAAGTCCATATATTTTTGGCTCATATGCTTATCAGT
TAAATTTCTTCATGCTCATAAAGGCATAAAAGCAAGTCAGTAAATTATTT
25 GTACAGTTGATCTTTTTGTGTTGTTTCATAGCCTTACATGATCTTTGA
ATATTTTGTGTATATTTGATTGCACAGATTTTTTTtCTTATTTCCATTG
ATTGTTGCTTTTCTTGATATATTTGATAGTTTGATTGAGAATAGTGGA
30 TTAAGGTGGTTTACAACCTTTCTTGGAGATTGTAAGGGTGAAGGGCT
AGATCTACTAAGAGATGAGGGTGATGATACTACTAATTAAGACTATG
TCGGAGTCCTTTTTCTTATGGATAACATATATTTGAAGTTGTCATTCTCT
35 ATAATGTAAGAGGTAATGAAAAGATTTTCTTGCAAAATTAGAATCACTTT
GCATCAACTCCAATACTTTTCTTTATGCTAATAAGGTAGTGAATTTTAGT
GATATCGTCTAGGAATGATTCAACTAATACCTCATTGCTTTTGAACCATA
40 ATTGCTTTTCTCTATTTTCTTTTTTtCATTTCAATCATATTTGTTATG
GTGTAGGAGGGAAGGTATCATTAATCCCATATTAGTTGTGAGTCAAGGAG
GACTCTGAAGGAACCTACCATCCTACATGAGGTGCTTTTGGATTGAAAT
45 CCAAGGGATAAAAATTTTGAGACCTATGAGCCAAAACGGACAATACGTAA
TAGCCGAGCCATGAGCTCTGGTTGCAACAGTGGCACACTAGGAAGGAA
TCACCTTATGACTGTGGGATCCCTCTCATCCGTACACAACTCCTTGAC
50 TGGAGGGCGGTAATAAAATAAAGATGATGGTACCTTCCGTCTATCCATAG
ACTTCTTCTTGACTGGGGCTATATTGTGGCGTAGGAAGGAGGGCATCAT
TAGTCCACATTAATTATGAATTAAGGCTGGGACTCTAACTTATATAG
55 GAAGGAAACACTCATCCTACATAAGGTGTCTTTTGATTGAAATTCAAAG
AGACAATCATGAGGCCCATGGGCAAAAACGGACAATACTTCACATGCCAA
GCCATGAGCTCTTAATCATAATAGTGGAGGGAGGGCATCATTAGTCTCAT
60 ATTGGTTGTAAATCAAAGAAGATCCTAGCTTATATGGGATGGGACCTTTT
CTTCTCTGTGACGCCCCATGCCATGTCAATCAAAGATCGAAGTGGATAAT
ACCTCACATATACAAGAACGGAGATCAATCTACCCGAGCCATGAGCCCTT
65 GACTGCAATATTGATGTGCCAGATAAGGGACCTCCCTACGACTGTGGGG

505

-continued

EXEMPLARY SEQUENCES
CCTATCCCTCTGTACATAGACTCTTCCTTGATTATAGAGCTATATTATGG
TGTAAGAGGGAGGACATCATTAATCTTACATAGGTTGTGAGTTAAGAGAG
ACTCTGATTTATATGAAATGGAATCTTCTCTCTCTGTGAGGTCCCATAT
CATAGTGGCTAAAGATCGAAACGAATAATACATCACATATGCGGGAGTG
AGACTGACCCATCTGAGCCATAGGCTAACAAATATTATCATAGAATCATGA
TTTGTAGTGAGCATTCTACTATTTTTTTtCCAGAACTCATTTCAATT
TATCTCAATTTTCATGTTTAAAGAAGGATAGATCTTGCCCAATAATAC
ATATAATATTTATGAAAGTCTATGAAAGCCTTATTGTAGTCAGAAAAACA
AGGTCAAAAATACATTCTAGTCTATGGTTGAGAACTTCAACCAATTGACT
ACGTTGCCTGAATGTTCAAAAGAATTCAATAGTTCATCAACAAATAGAG
ATGGGATCATATCATCTTTTtATTTTCATCAATTTTGCTGAATGATATCTA
TAATATATATGTGCCTTCGCTCTAAAAATCTTTGGCCTAAGTTCAGATT
ATGATAGCAACTCTTCAAAAAaCCAAAAaTTGTGATGACAACTGTTGCCT
AGGCGACATGTAAGTGGTTAAGATTGAAAACTCTAAAAATAGAGTGCAGCT
ACTCTAGGTAAAAGATCACTGACATAGACATACATCAAGTTCGTCTGCT
CCTTAATTATTTCTTTTACTAAAGTAGATGTTGAATCATAGGCGAACAAT
ACTACTGAACAATACATATTTCTTGCATACATTGGCTTGACTATTAGTGC
TATGCACTCTAGGTTCAATTTATACTTCACAAGAGTTTTTATTGTTTGCC
AACATCAAATTTTCATGCAATCAAAAACACAACCTTGCAGAAAAATGAATA
AGAGTTAAGTAAAAGGACCTAATTATCATAAGCTATGGAAGACAAGACAA
GGGATACTGCCATTGATACTCTTAGTAAATAGTGTATAAGTGATAGTA
ATAGCAATATGAAGAAAAGTATGAAAGAAGTATGTTTTCTTAAAGAGT
ATGAAATGCATACAAGTTGCGGTATCATTTGTGAAAGAGAAAGTATTTTC
TTTTATTTACGTTTAGTCAAACCATATTTATTGTTATAGCTGATCCCT
GAAATTTTCATAACTCACACCAATGGCATGATGTTATTAGCTTAGATTG
CCATTATACCGCCATTGGTAAAGAACAAAATGCCCTCAATACCAAAATAAA
CTGCATTTGCAAGTTATTTGAAAGAAGTGCAACTCTATTATTGTGGCATG
TTAACGAGCTTTTCTATAATTTGAATTTTTTGTACCGTCTATGATGGTTA
TCAAATTGTATAACGAAGGCAAAAACTATGGCTAAATGATTCGTTTTTA
TGAATTATTGTATGCTACTCATGCTATACTTTGTTTGTTCATCATGATC
ATTACCTGCAAAATCATCTACTCGCATGATACAGCTACGCATTTGTCACAT
TCCGAACCTAGCATCTGGGTGAGCCATGCGATGGCCTCATATCCCTAAG
GCAAGGCTCTAAGAATATACAAAGCTTAACTTCTTTACATCCTCAAAA
TCACATGAGCACTATTGATATCAATTTAAATAAATATTTTAATTAATA
AATACCAAACCTTATACAATTTATAGAAGTCAAGTATCTGATTGGTGTG
ATAATGCTCCATCTAATTAATTCCTTCAATCTTGATCTCAACTATAACCA
AAAAATACATATATCTATGACTCTTAAAAAGAAAaGAAAAAGAGGAGATG
TAAGCTTTACAATCCAATAAGAATTTTCACACACCAACACTAATATAATA
ATAATAAAATAaaAAATAAGTAATAGTTGTACTCTTATAAGTCTTCTGTG

506

-continued

EXEMPLARY SEQUENCES
5 ACAAGATACCATAATAATAAAACATGCAAAGAAAGTACATCTTTTTATAT
AATAAATCATATTTAAATACTTTTCTCAATTTATAGTTACTGGATTCGATA
ATATTTAGGTACTCGACACTGAACTATCACAATCATGTTTCTGGCTCATG
10 GCAAGATATCGACATAGTGGCTAGTCTCCTAACTATCACAATCATATTT
TTGATCAGTGGTAGGATATCAACATGATGGCTAATCTAGAGGGCCATATG
TGCTTAACTCTGACTACTACAGCTAGATTTTCAATCTATGATCAGACACT
15 AATAAGTAGCTTATCTAAAGGATTATAAGTGCTCAATTCTAACTATCA
TAATCACATTTTCAGATTACGGTAAGGATCAATATAGTGGCTTATCACAC
AGACTACCACAACTATATTTCCAGCTTGTGGTGGGGCATCAACAATATTA
20 ATAGCCTAAAGCACCACAACCCACTATTCAAGTTACACAATTCAATTAACA
ATTCAAGATCATACTCTTTTGTAAATCAATACACAAGATTATCGAAAC
TACTCAAGTTAGGATTAGTGATATATGATACATAAATTCTACAGATCTC
TCTCTATATATATGTATGTATATATGTATGTGTGTTGTATACATACAAT
25 TAACAAATAAGCACATAGCATGCAACTATCAAAAATCATATAAATCAAAA
TCACATGACAAAAATAATTGTTATATAAATAGATGATCAATGTCTAGAA
ATTTTTCGCTCTACGTACTGATGACAACTTGGTTATAACTATTTATTAG
30 TCCATGCGCTAGCATGTCCAATCAATCAATATAATTTCAAGTTATCCTGAA
TCAACCATTAGCATAAAAAATTAAATAACTTATTGCCAGTGTTTTAATTTT
AAAGCTCTAATATTGAATTAACTTACTTTTAATTTCTCTATACTTTCT
35 AATTAAAAATTACATAAATAAATAAAAAATTGGATTTTATCTTGACTAT
AAACTAGAGCATAAAATCCCTTGCTCAGTATTCTTAATTGGATGATTGG
TCCCATCCAAATCAAAATCAATAATTAGAAGAGCCATAAAATGGTTAT
40 CATCGATGGTAGAAAATTTAGAAGAAGATATAGCTAGTCGAATAATAGC
ATCTGGCAACCTAAGTGGGTGAGGTCTGGCTGATTAGCTGGTTATTTCAT
GAATACAACAAGATCATCTATGATAGATTTTGAGGTTGCTTGATCAAGA
45 CCAAGGTGGAGAAAGGCAATGCTAGTAGCATCCAGTGACTAGTGTTAGCC
CAATATACATAAATCCAAATGATTAGTCTACAAATCAAAAGCCAAATTATA
GCTCAATAGGAATTTGGTGATGATAAAATCAAACAATGCTTAGCAGGGTC
50 GGGTTTGGAGTTAACTATTATACAGAACAAGTCCAAAACCTTCTTCTAGG
ATCAACATAGGGTCTACTATCAAGTCTTCAAAATCCATCTTTTTTtCtC
TTTTTtATCCCTAAATATAAGAAGAGAGAGAAAAAGATAGAGGAAGAAAG
55 CTGGTAGAAAGAGATGTGAGAGAGAAGGGAGAAAAaGAAACAAACCAA
TCTCTCTCTTTCTCTCTTCAATATCTTCTTCTTCAAAAGGGGATTTTC
CCCTTTCTCCCTCTCTTTCTCCTAGCGGATGGCTAAGGCCAGCAGTCTAT
60 GGTGGTGTCTAGTGGTGAAGATGCGATGGCCGAGTGTACAGCGATGGC
AGTTGTGCGTTGGTAGTGGTAGTGGCGATCCAATAGAAAGAAAAGGAAA
TCAAACAAAAATAGAAAAAGAAGCCTTGCTTTGATATGATAAGAAGACTA
65 CAAGGTGGTCAGCGGTAATGACAAGCATCCGCATTAGCTTAACCTCTTAT

507

-continued

EXEMPLARY SEQUENCES
GATAGTTGCAAAGGCAATAATAGCCACAGTGGCTGACGGTGGATAAACTA
AAGAAAACAGAAGGTCTTAGTGCGGCAACATCCGACGGTCTTCCAAGAA
GATTTTCAGCCAATGATGGCTGTATGAAAATaAAAAaGAAaAAAAaGGTACC
AATAAGATGGGAGGCCACGATGCCTCGATCATCTCTAATGATGGCGTGAC
CATGGTTGTGCCAAAACTTtTTTTTCTATCTTTCCAGTGATATGATCAA
TTGATCACTGATCAATACAGTGAAGCTTGGCTTTATAAATGATGGAGGC
TAGGGTTTTCTAGCCTCCGATGAGTTGGAGAAGGAGCAGAGTCAAATC
TTTCTTCGACTCAAATAGGGGAAGGGAAGGTCTTTCTCTCTTCCATTG
TTTCTTGGGCTTGATGAGATTTTTATTTTAGAAAAATTTCAAGCCTCTAC
AACCATATGAAATCATAATGTCAAAGCTAGAAAAGGAGATCTATGCCATA
ATATTCCAATTCGAAGCCTAATCAAAGAACCATCAATCCATTAACTAA
CTTTAAGATACCTAAGTTCTCCCTAGCATTATCTATGGTAAGAAAATCTA
TTAATTAAAAATGCATAATTATATCTAAATCAGTCAAAGAACAATAATA
TTCTCTCTTTCTTTATCAAATTTATACTCCTTTACCAGGAACTAATTCG
AATCTTCATAATATCTTTTGGATCAAAGAATTAATGTATTTAATTAGTT
TCAAAATAACTCAAACCATCACACTTCTGCTATACACTCTAATCTAAATC
CATCGATTCTCTGGGTTGACTAGTGGAATTTCAACAAAATACCGCTTAA
TATCGGAACCAAGAAGATCCAAAATTTTAACCTAAGGCAAACCTAGAACAA
AACTTTTCGATCTTTTTATCTTACAAAATCTTGAGCATACCACATCAAA
AGTAAACCTTGAGCCACTATCCATGTTTGAAGCATGACATAAGCTTCGCC
ATCCTCTCAAACTTAATAACTCTAGATAAATTTAAATTAATCCTGACTT
CTCTAACAGTTCAATTAGACTATCAAGATCACCTTTTCTCTTGGAAAGTT
AACTCAAAATTTCAACAAGTTAGAAAACCTTAAATCAACATTTCTATTAA
CTTGTTTATTTTTtATAGAGCTTCGTTCACTACAATTTCTAGTATCAATC
GACAAACCATGAACGCCCTTATATGTTAGACATATACAAGTCCACCA
GAATCAATTTCTCTACTCAATTAATATCGATAGCAAGATACTATAGACC
TGCTCATAAGCCTAACTCTGATTAGAATTTAACACATCCAACCTATCTCCA
ACAAATATAAGAAAGACCAAGTAAGCTGATCTAAAGATGATAATTTAAAT
TATCAAAGATTCTACCAAGATGCATATCTCATATCCAATTGATAAAATCT
AATCCATTAATAGAATCAAACATACTTTTCTTTTACATGCCAGTTTCATA
TATGATCTTCTTATAGGTTTGATTTCTCGAAGATGTTTATTTTTTAACACT
ATGTAATTTCTTTCTTAGGCCATATCCTAAACAACCTGCTAGTAAAGTCTA
AAATTTTAAATGATCAACAATTAATAATAAAaTTAAAAaGTTATTATGA
TCTCCCCCTATATTAAGTTTAGAATTTCAAAAATATCTAAGTGACAATTG
AGCAAGTACACACAGCATAACACAATCTACCAATATATCATACTTTATTC
TAGGGTCTACAGCTCCTATACTTAGGTCAAATCTTACTTATTGAAATTAG
AGACATAACTTATCCATTCTTTTGTACTCATAATATGCCAAGCTTTATG
CATAAATTTTTATCATAATGCTTAGTGAGCTTAAACCTGAGCTTTGAATC
TATTTCTACTATGTACATTACATCCCTAGTGATCACAACCTTAAGTTCAA

508

-continued

EXEMPLARY SEQUENCES
5 ATATCAATTAAGTTATAATCCCTAATAATCATAACCTAGCTCTGACACTA
CTTTGTCTATCTCTCGATCCCAGCATCTGGATTGGCCACATGATGGCCGTA
TACTTTCTAGGACAAGATCCTAAAGAATATGCAAGATTTTAAATTCATTA
10 CAATCTTAAATCCCATGAGTACTATTGATCTGAATTCAAATGAATATT
ACACATTAAACAAATACCAACCTTGTATAATTTATAAAATTTGATCATCT
GATTGGTATTGATGATATTCCATCTAATCAATTTCTTCAACCTTGATCCC
15 ACCTATAGTAAAAACATATATCTTACTCTGAAAATGAAAAGAAAGA
TGTGAGCTTCATAGATCAGTAAGAATTTTCACACATCAATATTAATATAA
TAATAAATAAAAAaTTATCAATAGTTATTACTCATATAAATCTCATACAA
20 TAGGATATCACGATCATAAAATATATATAAAAAaTATATTTTTtGTAT
AATAAATCACATCAAATACCTTTTCTCAATTTATAGTGTATCAGATCCTAT
AATATTTAGGTGCTAGGCTCTAAATTTATACAATATATTTTCCACTCAT
GGCATGACATCGACATAGTGGCTAATCTCGTGGACTATCACAATCACATT
25 TTTAGCATGAGGTGGACATAAGCATAGTGGCTAATCTAGAGGGTCATAA
GTGCTCAACTCTGACTACCACAATCATATTTATAGTCCATATTGGGATAT
CAATAAAATGGCTAGTTCAGAAAACCTACAAGTACTCAACTCTAACTATC
30 ATAACCATTTTCTAGCCCATATGATGCATCAACAAAATAGCAAGCCTAG
AGCACCACAATCCACCATTCAAGGACACAATTCATTAATAATTTAAGAT
CATATTTCTTTGTAAAATTTAATACATAAAATTACCAAAACCACTCAAGT
35 TGGGATAAGTGACATGTGATATATAAATTTATACAGAATCATATATATAC
TTAAGAAATAAATGTATAGCATATAAATCAAAAACCTATATAGATCAAA
ATCATTAAATTCACAAAATAATTTTATATAAATAGATGATTATTATCCA
40 GAAATTTCTATCTCTACTAATGACAAACTCGGTTACAACCTATTTCTTGT
CCATGCCTAATATATCCAACCAATCAACATAATTTCAACTCATCTTAAT
CAACCATTAGCATAaAAAAATAAATAAATTACTCATAGTGTTTAAATTTCA
45 AAGCTTTAATATCCAATTAATCTTAAATCTAATTTTTTtGTACTTTCTA
ATTTAAATTTATATAATTAATAAGAAATTAAGATTTTATCTTGACTTGT
AAACTAAAGCATAACATTTCTTGCTTTGCATTTTCTTATTGGGATGATTG
50 CTCTCATCAAAATCAAAACCAACATCAAAAAaAGCTATAAAATAGTTA
TTGTGATGGTGGAAAACCTAGAAGAAGACAGTTGGTCAATAATAACA
TCCGATGGCCCAAGTGGGTTTGATCTAGATGCCTTAGCTAGTGATTCAAG
55 AATATGACAAAGATCGTCTATGATGGGTTTCGTGGTTACTTGTATCAAGAT
CAAGGTGAAGAAGGGCAAGATTAGTAGGATCCAATGACCAGTGTGAGCCC
ATCTAGGTGATCCAAATGATTAATCTATAATTAAGAGCCAAATTATAGCT
60 CAATAGAAATTTGGCGATGATAAAATCCAACAATGCCCGCAAGAGTCGG
GTTAGGAGTGAACAATTATAGAGCAAACCTAGAATCTTCTTTTGGGATCA
ACCTAGGGTCTACCATCAAGTCTTCTAAATCTATCTTTCTTTtCTTTTTT
65 TTtATGCCTAAATCCAAGAAGAGAGATAACAATAAAGGAGAATGTAGAG

509

-continued

EXEMPLARY SEQUENCES
AGAGATGTGAGAGAGGGAAGAACAAATCGAATCTCTCTCTCTCTCTG
TCTTCTTTCTTCAAAATAGAAGATTTTCTTTCTCCCTCTCGTCTCCAAA
CATGGCAGTGGATGGCTGAGGCCAATAGCCTGCGATGGCATCCAACAGTG
AAGAGGCGACAACCCAGTAGCAACAATGATGGCAGCTGGTGGCAGCAGT
GGGCAATCGGATATAAAGAAGAAGAAAATCAAAGCAAAATAAGGCAAGAG
GCCTTGCTTTGATCCAATGAAGAGGACTTCAAGGTAATCGGTAGCAATGG
TAAGCATCTGCACCAGCTCAACCTTTGGTAATGGTCGCAATGGCAATAAT
GGCCATGGTGGCCAAATGGTGGATGAATCAAAGAAAATAGGGGATCCTTGG
TGCGCAAGATCTAATGGTCTTTCAAGAAGATCTTAGCCAACAATGGCTA
CACGAGGATAGGAAGGAAGGAGAGAAAGTGCCCATGAGATGGGAGGCGAT
GCCTCATCTCCTATGATGGTTCAACCACGATTGGGCTAAAACCTTTTtTCT
CCTCCTTTTTtGACAATGCAATCAATTGATTTCTCAATAGAATGGAAGCT
CAGCTTTATAGACAATGGAGGCTAAGGTTTCTTAGCATCCAATGAGTTTG
AGAAGAAGCAGGAGTCGGACTCCTTCGACTCAAACAAAGGAAAGGAAGGT
CTTTCCTTCCTTCTATTTGTTTCTTGGGCTTGATTTTGGGCTATTTTGA
TGATGGGCTGGTATAGGATCACAACAGTTTGTGTTCTAAATTTGTCATTA
TCAGGAAGAGTAATTTCTTTGTACACCACATTCGATGTAGAAAAATGCAC
CACCTCCGCTAATTGAGCCACATATAACCACCACCTTTTCAATGTAATTTA
GTATTCGCAATTCTGCTTTTtTTTTTGAAATTTTGAATGGCAAAAATGTC
CATCCTCTTTTAAAAAAATATGATATCTTATGGCCATATTATAATATCCT
GCAATCAAATTATGATTTCTTATATACAGAAAGTTATAATTTGACCACAG
GATGTCATAAGAAAGGGGTGGACATTTTCATCATTTAAAAaTTTTtAAAT
TTTTtAATAATGAAATGTCTTTtCCTTTTTtATGACTTTTGGAGAAAAaT
TATGACATCCTATGTGTATTAAAGACATAATTGACCGCAAAATGTCATAA
TTTTTTTTtAAAAaGGATAAGCATTTTCATCATGCAAAATTTCAAAGAAA
AAGCAGAAATGCGGATATTAAATACACATTGGAAAACGGTGCATTACATG
ACTCAATCAGATGGCGCGGTGCATTTTTTCTACACCAAGTGCGGTGTACA
AAGAATTTCTCTTACTAGGAAATATCTTGAGTCTAGACCGGCCCATTTGT
CATTTAGACCAATCAAGGACTATGAATTTTGGTCCATAATAAGTATGAGA
TCGTCATGGGATTGAAAAGATGGGAAATAACTCCTCAGTTTGCCCTTG
ACAGCTCACAATTCTTCAAATAATAGCATAAATCATTTTTTGAAATCATCA
AATTTATTACATTTTAGCCTTTTAGAAGAAACCAATGCTATCCATATAAA
AGGTATTTGTTTTCTATTAAATGTCATTGCACATAAGACAGCTTCAGC
AAAGATAGAGCAGAAATCCTTTAAATTTTGTAAGATTCAATTTGATCATCT
TGAATTTTCTTTGATGATGTGGTTGCAGCAATACTATCAGCAGGAATCAG
CAAAGTTGCGCCACCAGATACAGATTTTACAAAATGCAACAGGTGAACC
TCAAACCTTAGATCAGAACTGATTGGTCTCAAATACAATGTATATGCATTT
TCAAAGCTTAAGATTATGTCTTACCATGATTCTTAATCTACCACCTCTAC
CTTTCAGGCACTTAATGGGTGAAGCTTTGAGCACTCTGACTGTAAAGGAG

510

-continued

EXEMPLARY SEQUENCES
5 CTCAAGCAACTCGAAAACAGACTTGAAAGAGGTATCACACGGATCAGATC
GAAGAAGGTAATCTGCATCTATATTTTCTTCAAACCTGAGATCTTCATATT
GCCACCAGCACATGGCTTATCTGAAGTACATGATTATTAATCATGAAACA
10 TCATGCTATGCAGCATTGAAAAGGGAAATCATTGTGGTTCACAGGTGGGG
GTAGAGCATGTAAGATACGATGGGATCTAAAAATCGAGTCAATATAAATA
AGTGTAAATTTGTATTCTGTTCTGCCCCAGAAATCAGCATAGGCACCATG
15 ATGCATGTACCATCACCTAATAATATGCAACTTCAGAATTTTTTGCCCCA
TCCAGCTCTTTAATTTGATTTTGTATGCATCTCATTTGTTTTtCGCATC
AGCATGAGCTGTTGTTTGCAGAGATCGAGTATATGCAGAAAAGGTAATA
TTCTAAACTTATTCCCTGCAACTTAATTCAAAGTATTGATTCTTTTCATT
20 CATGTCTCCCTCTGAGTGGTTCTTGTGTTGGAAGTAGGAAGTAGAAC
TCCAAAATGACAATATGTACCTCAGAGCTAAGGTATCAATGAGAACAAAA
CTCTCTTCCTTGCTCTGTCTGCTATTTCTTTCTGATATAACAAAAGAA
25 ATGGATATCATATTCGTAATAATTTGATATCATCTATCATGCTTTTAGA
CTTATATGTGGTACTAGCATGGAGCCAAATATATGCATTTTCATATGTT
TAGAATGCATGACTAACGAAACAGTGACTTATGTTTAAATGCATTTTCT
30 CATTGATCAAATTTTTTTTTtACATACTGTTGAATTTAAGAGAGGAGAATA
GTTTCCAAGAGATATTACAAAACAAGAGTTTATTGTATTGCTTGTCTT
CAAGAAATGAATTGAGCTCCACTAGTGGTAATCATGTGGTCATCATCCAT
35 AGTGGCCTGTATGGCATGGCATAAAAACTAGGTGAGATTGTAAACAATCT
TCATGATGATAGTATATATATCATAGAACATTGAGCCTTTGTGTGGAGGC
TCATCTGAAAATTAGTCATATCTGAATGAGAACCAGATTGATGGACCGTT
40 TGAATCAAGAGATAGGACAAGCAATACTCGAAAAGTGCCTTAGTTACAG
CCCAAATTCGGATTGCTGATTTCTCTATTATTCGATGCACCAACACCCT
TCATGGGCAAGAATATTGTTTAAATCAGTGTGTCATTTGACTTCAAACCT
45 CTAACATCTCAACAACCATAACTGAAGCCCCCTCAAAGCTAAAATGCCTG
TTAATTTGTTCTTCAAAAGAAAAATGGCATTTTTTCTAGATGTCCATAC
CGATACTAACGGTATTTTGGAGGCTTGATGATGTGCTAATGACACTTTGG
50 ATTCCTCAAAGAAATGGCTCCTCTGCTCCATCTCGGTACAAAGTCTCTAA
AATTTTCACTTGTTGTTTCCATTGATTCTATTCTTTATATTTTATTAG
ATCTTACAGACACAGTCTCAAAGTAGCAAGGTGGCATCTACATTCTTAT
55 TTCTCACTTCAAATTTTTTGGTGTCTCAGATAGCAGAGAATGAGCGAGC
ACAGCAAGCAGGTATTGTGCCGGCAGGGCTGATTTTGATGCTCTTCCAA
CGTTTGATACCAGAAACTATTACCATGTCAATATGCTGGAGGCAGCACAA
60 CACTATTACACCATCAAGACCAGACAACCTTCATCTGGATATGAAAT
GAAAGCTGATCCAGCTGCAAAAATTTACTTTAAGTATGTCGCTGCTTGT
TAATGACATGTTCTAATAACATAGGCTACAAGACCTGTACTCTTACTGAT
65 AAAGGTGTGTTAGAAGACTTGCTGATTCTATATTCTTAATATCAATAG

511

-continued

EXEMPLARY SEQUENCES
ACATGTTAGTGTGCCTTAATTTGCTTGTGATTTTCAGTAATATTTTGCAGAT
TGGAAGAAAAAGCACTTTTTTATTTCATAGAAGTTCTCTCCACCAACCATC
ATCTATTGAGTAGATCAGAGTAGCATAAATGACATGTGTATGCATATCCT
AGAGCTATAATTGACATGCCAAATGAAAACTAAATGCTGAAAGGAAT
CTCCACAATTATGGAGGAATTAGTACTTCTTAGACCACGAAGCTAAAACT
AGATCTGCAATCCTCATAAAGAATGGCTACCCCTACTGCCGAGTGTCTAC
CAAAACATTATTGAAGTTGCTAAGCCAAGCCCTCAAAGTTCTCTTTTGCT
ATGTTTCTCCCGAGCTGCGAGCTTTTGATTTTGTGTCTCTTCAAAGATC
ATGTACATGTAAGTGGTTTCTTTTGCTGCTGTCTCTCGGATCTTTTTCG
TGATGCATATAGGCTGGTAGATCACCAAAACCAGACTCGCCATTGTGT
AAGTCCAGGTTTTCCAGTAGTCTGTGATTCTTGCCCTCAGCTAATGCTT
TAGCAGACCATTGCAAGCAATCTCTGTGCACTATATGGTCACTTGG
AGTAGATGGATATTAACATGCTTGTCTTTTGCTTATAGCCTTCAATTT
ATTTGATATTATAGTATTAACCAAGCTCAAGCTCGACTCGATGAAAAAT
AGACAAAACCTCGAGTTGAGCTTGAATATCAATGGAGTTATACTCGAGTTC
GAGATCAAGTCTTAGCTTACTAATAAGATATATATATATATATATATA
TATATATATATACAAACTCAATAGGCTCATAAGTTTTTtAACTGAGTA
TCCTGTTATTCAAGGTTGATAATAATCGAGTTGAGTCAAGCTTGAATAGT
TTATAAGCAACTTTGACTCATTTGTATACATCGTAAGCTTCTAAAGATAG
CCATAAGAGATCAGAGATGTCCATGCCTGTGGTACCAACCTATGGTAAGC
ATTAAGGAGGGTGGTACCAACCTATCGGCTGAAGTTTCGTTGGTGAATGT
TAATTTTTTGCAAACTCTCAACACTATAATATAAAAAATCTCTAGGATCTTA
CATGGTCAAAAAATGGTTGTAGAGCTTATATGCTAAATAATGTGTTGTTGT
CCATGTGAGGATCTAATGAAGAATAACCACTTGTTTTGTTGTGAGAATCT
AATCAGTGTAGTGCTATACAAGCCAATGATCTGTATTTAATTAGCTCCCA
GTTGCTAGATGGAATCGTACTAAAGTTTTTTTTTtTGATTGAAGGTAC
TAAAGCATTTAAAAaTAAAAaTTTTCTCACATCCGGCATTAGCTTAGTT
GGTAGAGCAGAGGACTTTAGTTGGTATTAATCAGCAATCACTAGGTCGCA
GGTTTGAATTCGGCAAGTTAGATTTTTTAAATTAAATGCCAATTATTTGT
AGTTTTTtCTAAACAATTTGACACTATTTTTCAAATTATGCAAGACAAA
AATTGAAAAATCCAAGGTGTCATGTTATCCTTTAAATTTTACATCAT
AAACTTTAAATTATAATTTACAAATATTTATTTCAATTTACAACAACAGAA
CATATAGCATGAGAAGAATTATGCAAAAGAATAACTAAGAATTTCTGATA
AAATATACACCTTTTTCTGACCCCAATTTATATCACTAAATTCAAAGATG
AGGATTATGCAATGTTGGAGCTAGTATGGCTGAAAAATCTAACATCCTTGC
TAAGCATTTCTGCTTTAGGAAGGCTAATATCTTGAAAAaCAAAaTAAT
TGGCTTGGGGTTTAAGACAGCTTCAAACCTGGGAGTGGCTTACATGTATAC
AATCAGAACTACTATAAAAGCCATGGAAGCAGGATGGGAAAAaGAAAAAT
GATTTAGTAATTTTTTATTATATTAAATTTTTTtTtATTAAGCTATCAA

512

-continued

EXEMPLARY SEQUENCES
5 CTATTTCCCTAAATATCATAAGACCCACATCAAAGCTATTAAAAACAAAT
AAAGGTTTTGCATCAATGTATTGGGTACATCCCAATCTTATTTCTCAAAA
ATGTTTTTGTGTCAACACATCTAACAATATCATTGTCAAACCTTTTATATA
10 AAGCACCTACTACACAAGCTATACTACACTCTGCAAGTTAAACCCATTTA
TTTATCAATTTTCTGCCAAATTATTTATTAATTATTTAAACAAAAaTTT
AAATTACTATAATGCTAAACAATTTTATAGTACTTAAAGAAGCATGTT
15 CGGTTGCTAAACTATCTCACTTGCACATATCTTCGTATACCTTTATATCA
TTCCAAATTTTTTTCATAGGACTTATTTGGACAATCGGAAACATGTTTT
CTTTACTATGAAATTGCATTCAAGAGTATTGACAAATCCCATTGTCTTTT
20 TtATTACTAAATATGCATTTTGTATGCTCATATACTAGTACATAAACTCA
TTGGTTTTTtATTCTCTTGGTTAGTATAAATTGACTATCTCAAGATAGCA
ATTAATATGTATTATATTATTCAATACTTTTAATCTTGCCCTTGCTATGC
CGCTTTTAGTTCTTTTAATATTAAATATCAAATGAAATGATAACTAATCT
25 CATTTTAGTGATATTGCCTGACATTTTGATATCCTATTCTTCAATATCAC
TTGAGATATCAAGATATCTTGACTATTTAAGATCTATTTTCTATTGAAAT
GAAGGTAAATTGGTATGTTGGTTTGTCTTGGTTAGAAATGAATTTGAGAC
30 TTAAAAATTTCAATAGAAATTGATGAATGATTTAACTGAATATATAAAAA
CAGCACGCAAGTTAGCTGATATTCATCCTTTTGATCTTGTTTTCAAATTAT
TTATCGGGATAATTGATATTTATGTATTTATAAAACAATATTACAGGTAA
35 GAGAAATCAAAATACAATGATTCACTCCACATTCCTATCCTCCACATCCA
AAACTCCTCAAAATTAACCAAACTCTAAAAATGCTCTCTATATATTAAA
ATTTCAATGTAGCTTTTGATAATGTTATAAAAAATAGTTGTTTGTATATA
40 ATGGTTGTTGAAGCTCATATGGATGATCCCTTAGAACTGGAGTGATTA
TAAATGATCGTTGAAGCTCGTATGGATGATCCCTTAGAACTGGAGTGTA
TTATAAATGATCGTTGAAGCTCGTATGGATGAGTCTTAGAAATTGATAT
45 AAGAAATATTATTTCTTTCAAAATGAAAAATATTATTTCTTCTT
ATAAGAAATATTATTTCTTTTGTAAATAAATGAAAAATATTATTTTtCTT
TATAATTTAGATTAAAAATCTATAAAAGAGCTTGAATGAATGAGAATT
50 GTTGCGGCCAACTCTCCGTGCGCTGTGCGCGGTAAACGAGCACCCGCAAGA
CAGCATCCACATAGACCGAATTGATGTCGACGAAGACCCCTCGATGCTT
AAGTCAGATAAGGAAGTTGATGAACAATAATTTTGAATGTAGAAAGTAG
55 CAGAGTTCTGGCCCTGAGATGGCTTACCAGTACTGCTCACTTAACCCCTT
TTTATAGATGCTTTTGATGTAACCGTCGAGCACATAGTCCCACTTTTAT
GACGCTAAATATCGGGCCATAAAATATAAAATTAATGAGGCGTTAATCT
60 CCTTAATAGCCGTGACACACAGTTGATAACCGTTTGTGACGGTTATGATA
TGTTGAGCAGATTAGCCGATCATATATCGGTAGAACCGACTATATGTGCG
TAGAATCTATGAGCGACCATCGGCTAGTAGTTCTGTTATGCCGACGGTCT
65 AAGTCATTCAGTGTGATCGGTAGTAGTCGAATCATTAGTCGGTCAGCCG

513

-continued

EXEMPLARY SEQUENCES
ATAGTAAGTCGGCGCGGTTCTGCTCAGTCGGTCGATGAAGAGTCAGAACTG
CATGTTCAACCGATATGCAGTTGGAGTCGTGGTGACCAAAGTCTGAGGTC
GGTCAGTTTACCCCAACAGTTACCCCACTCTCAAAGTCCAAGGTGAACC
GACGTGTATATTGTACAGTAGTTCTGTCATATTAGATGAAGGAGTTATTT
CTATCATATCGAACCTCGATTTTGTATGTCGCTTTCTTCGAGATATGGGCG
ATCGACTGCTTTGTCTGTGGCGGATACGGTCATCTTTAAACTGTCACA
CTAATCAGACGATTCGGTATCAGTTGTCTAGTGTCTGACATCATTTTGAA
AATCAATTCGACGTCGGATGATATGATTCTGACAAATAGATTTGTGCCAT
ATGTCTGAATGTTATTGGGTCGGATCTGTTTACGCGGATTAGGATGACGT
GGCTCGATCTGGGGCAAATACGTCTGAACCATCTGATTAAATGGTCGGTCTA
GATGTTGCCACATGTCACATCTGATAAATTTTCGATTCAATCACCTTCAT
CTCCACTGTTGAGGGATCCTATATATATAGGATCGCTCTCAACCAAATT
CTACTTTTCATTTTATCTTTCTTGGTGCCGAACTCTGTCGGACAGTCGT
CCCAACGTCGAGGTTGTTATTTTCGTCTTTTCAGATCAAGTTTCTGTCTC
TTTTCTTGAGTCTTTTCTTTTCTCAGAATCTCCGTCTTTTAGAATCTTG
TCTCTTATGGCTAGGACTTCTTCTTGGGACGGTCGGTTGGAGAATCCGAC
TGACGAATCTCAATCAGATCCAGAGGTTGAGGTTTCTTCACTTTTGGAGT
CAAAATATCGAGCAGCTTCAGGAACAGTATTGTATCCCGAGCAGTTTCAG
CTTTTGGCCCTAGGGCTGATGGTCGGATGAATATCCCTTTTGGGCCA
GGTGGCCTTCTATGTCTGAAGATTTTCGAGTGGATCTTCGATTTTGTATT
TAAAATTTATCCGAAATATTTTGGATTACTACGACTTTGTCTGGCTCAG
CTGGCACCGAACCTTGATCTGGCTGGTAATTAGTTTTCGCTTGTGTGCA
GTTGTACCGACTAAACCTCTGCTCTTCTTTTTCGAGTTTCTTTCATCC
TCCGACCTCATCCGAAGATCCGAGGTTGGTGGTTCTTCAACCTCGAAAA
GATTTTCTTCTTATTACTGATCTTCTATCATCCATTCTATAGATGAAGAA
TCAATCTTCTTCTGCTTCTCTACCTTCTTGGGGTTTCTTCTCGTT
GGAGCGATCTACGAACTGATTGCACGACAAACAGCCGAGTAGAGATTGACG
ATCGGGAGGACTTCCATTGACTGAAAGACATGACGGTCTGGCACAGAAG
GAGCTTGTGAACGACAGACCTTTATGATGCCGACCTTAGTTCGATTGC
CCGATTAGATATAGTACAGTCGGTCGGTTATTTTCGACTTTACTTTTCTT

514

-continued

EXEMPLARY SEQUENCES
TTACTTGTTTAGTTGTACTGACTTCTATTGTAATGCAGCCATGTAGCCG
AGGGTGCGAGTGTGAGCATCGATATTTGTCAGCACGCTGCCAGGAAGAG
GGCAGCGTCCGAGGTTGGACCTTCTCGACCATCGATGAGGCATCATACTT
TGGTGCAAGTTCTGAGCGGCACTAGCTTCTAGTCGTCTTCAATGCCGACT
GAGGAACCCGATGCTCCATCTGCATCGGTTCTCTGAGCCGATCCCGATACT
ATCAGCCCCGACAGTGTCCCTGCTGCATCATCCGAAGAAAGGGTGGCAA
GGAGAACTGCCGAAGCACCATCGGTAGTTCCATCAATTGAGGAGGTTTGG
GTCAGGGCTGGAGAATCTGAACAATCTGTGGCTGCGCCAGTTGCTCTTTC
AGCTGGGGCGCAGTCGAGTTCAAGTTTCCCTCGCTTTTCAACATGGGAC
TGCCGGCAAGGGATCGGGGAAAGCTCTGGTGACTTCGACGGAAGATGCA
GCATCGGAGGGCTACACGGTTCACCTTCGACCTTCAAGTACCTGATGATAA
ATTGACCCTGGCCAATCCGACATTGGCCAAGCGACTGTGCCAAGCCGCTC
TTCTTTCGCTTTATCAGGAGCATCGAAAGAAACGGACAGTGGCCGAGATG
TTTTTCATCTTTTACTTGTGATAATTAGGGTAAGTTTCTTTTCTTCTTT
TTTtCTTTTtAACCTAA
SEQ ID NO: 8220 SHELL predicted protein sequence [dura]
MGRGKIEIKRIENTTSRQVTFCKRRNGLLKAYELSVLCDAEVALIVFSS
RGRLEYANNISIRSTIDRYKKACANSSNSGATIEINSQYYQQESAKLRHQ
IQILQANRHLMEALSTLTVKELQLENRLERGITRIRSKKHELLFAEI
EYMQKREVELQNDNMYLRAKIAENERAQQA
SEQ ID NO: 8221 SHELL predicted protein sequence [pisifera, Zaire allele; sh ^{4VROS}]
MGRGKIEIKRIENTTSRQVTFCKRRNGLLKAYELSVLCDAEVALIVFSS
RGRLEYANNISIRSTIDRYKKACANSSNSGATIEINSQYYQQESAKLRHQ
IQILQANRHLMEALSTLTVKELQLENRLERGITRIRSKKHELLFAEI
EYMQKREVELQNDNMYLRAKIAENERAQQA
SEQ ID NO: 8222 SHELL predicted protein sequence [pisifera, Nigerian allele; sh ^{MP0B}]
MGRGKIEIKRIENTTSRQVTFCKRRNGLPKAYELSVLCDAEVALIVFSS
RGRLEYANNISIRSTIDRYKKACANSSNSGATIEINSQYYQQESAKLRHQ
IQILQANRHLMEALSTLTVKELQLENRLERGITRIRSKKHELLFAEI
EYMQKREVELQNDNMYLRAKIAENERAQQA

SEQUENCE LISTING

The patent contains a lengthy "Sequence Listing" section. A copy of the "Sequence Listing" is available in electronic form from the USPTO web site (<http://seqdata.uspto.gov/?pageRequest=docDetail&DocID=US10633715B2>). An electronic copy of the "Sequence Listing" will also be available from the USPTO upon request and payment of the fee set forth in 37 CFR 1.19(b)(3).

515

What is claimed is:

1. A method for segregating a plurality of *E. guineensis* palm plants or seeds into different shell phenotype categories, the method comprising:

obtaining the genomic sequence of each palm plant or seed at a polymorphic marker by conducting an assay, wherein the polymorphic marker is in a genomic region corresponding to SEQ ID NO:8218, thereby determining the genotype of the plant or seed at the polymorphic marker,

wherein heterozygosity at the polymorphic marker indicates a *tenera* shell phenotype, and

segregating the plants or seeds into groups based on the genotype at the polymorphic marker, wherein at least one group contains one of (i) plants or seeds that are heterozygous at the polymorphic marker, or (ii) plants or seeds that are homozygous at the polymorphic marker.

2. The method of claim 1, wherein the plants or seeds are generated from (i) an attempted cross between a plant having the *dura* shell phenotype and a plant having the *pisifera* shell phenotype, (ii) selfing of a *tenera* palm, (iii) cross between two plants having the *tenera* shell phenotype, (iv) cross between *dura* and *tenera* palms, or (v) cross between *tenera* and *pisifera* palms.

516

3. The method of claim 1, wherein the plants or seeds are 0-5 years old.

4. The method of claim 1, wherein the plants or seeds are between zero and one year old.

5. The method of claim 1, wherein the polymorphic marker is within a position in the genomic region corresponding to SEQ ID NO: 8219.

6. The method of claim 1, wherein the polymorphic marker is within 1000 kb from a position in the genomic region corresponding to SEQ ID NO: 8219.

7. The method of claim 1, further comprising selecting plants or seeds for cultivation if the plants or seeds are heterozygous at the polymorphic marker.

8. The method of claim 1, further comprising selecting plants or seeds for cultivation if the plants or seeds are homozygous at the polymorphic marker.

9. The method of claim 1, wherein the plants or seeds are discarded if the plants or seeds do not have a genotype predictive of the *tenera* shell phenotype.

10. The method of claim 1, wherein the plants or seeds are discarded if the plants or seeds are not heterozygous at the polymorphic marker, wherein heterozygosity at the polymorphic marker indicates the *tenera* shell phenotype.

* * * * *