



US00D726932S

(12) **United States Design Patent**  
**Brody**

(10) **Patent No.:** **US D726,932 S**

(45) **Date of Patent:** **\*\* Apr. 14, 2015**

(54) **HELIPORT**

(71) Applicant: **XTI Air Transit, Inc.**, Greenwood Village, CO (US)

(72) Inventor: **David E. Brody**, Greenwood Village, CO (US)

(73) Assignee: **XTI Air Transit, Inc.**, Greenwood Village, CO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/450,883**

(22) Filed: **Mar. 25, 2013**

(51) **LOC (10) Cl.** ..... **25-03**

(52) **U.S. Cl.**  
USPC ..... **D25/5**

(58) **Field of Classification Search**  
USPC ..... D25/1-35; 52/36.1, 79.1-79.6, 169.1, 52/80.1, 80.2, 90.1, 90.2, 91.1-91.3, 52/92.1-92.3, 93.1, 93.2; 244/114 R  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |         |                   |           |
|-----------|-----|---------|-------------------|-----------|
| 2,470,696 | A * | 5/1949  | Gonzalez et al.   | 198/367   |
| 2,481,343 | A * | 9/1949  | Redstone          | 244/114 R |
| 2,698,973 | A * | 1/1955  | Zeckendorf et al. | 52/185    |
| D185,525  | S * | 6/1959  | Adiletta          | D25/5     |
| D197,641  | S * | 3/1964  | Garrett           | D25/5     |
| D206,869  | S * | 2/1967  | Hoke              | D25/5     |
| D209,192  | S * | 11/1967 | Harding           | D25/16    |
| 3,388,513 | A * | 6/1968  | Bauer             | 52/65     |
| D212,844  | S * | 12/1968 | Mullen            | D25/4     |
| D214,367  | S * | 6/1969  | Mills             | D25/5     |

|              |      |         |                   |           |
|--------------|------|---------|-------------------|-----------|
| 3,535,835    | A *  | 10/1970 | Kupper            | 52/79.2   |
| D222,343     | S *  | 10/1971 | Mullen            | D25/4     |
| D228,126     | S *  | 8/1973  | Magill            | D25/3     |
| D239,768     | S *  | 5/1976  | Magill            | D25/3     |
| T964,001     | I4 * | 11/1977 | Ferwerda          | 52/637    |
| D270,374     | S *  | 8/1983  | Pennington et al. | D25/5     |
| 4,429,501    | A *  | 2/1984  | de Brabant        | 52/236.2  |
| 4,434,595    | A *  | 3/1984  | de Brabant        | 52/236.2  |
| D275,306     | S *  | 8/1984  | Edwards et al.    | D23/205   |
| D275,307     | S *  | 8/1984  | Edwards et al.    | D23/205   |
| D275,308     | S *  | 8/1984  | Edwards et al.    | D23/205   |
| D289,332     | S *  | 4/1987  | Rhodes            | D25/5     |
| D306,210     | S *  | 2/1990  | Thiemann et al.   | D25/5     |
| 5,377,465    | A *  | 1/1995  | Kobori et al.     | 52/236.3  |
| D590,574     | S *  | 4/2009  | Pawlik            | D99/27    |
| 7,559,666    | B2 * | 7/2009  | Liu               | 362/123   |
| D693,942     | S *  | 11/2013 | Varadiova         | D25/33    |
| 2004/0244312 | A1 * | 12/2004 | Attaroglu         | 52/80.1   |
| 2014/0252168 | A1 * | 9/2014  | Brody             | 244/114 R |

\* cited by examiner


*Primary Examiner* — Garth Rademaker  
*Assistant Examiner* — Samantha Q Lawrence  
(74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(57) **CLAIM**  
The ornamental design for a heliport, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a heliport;  
FIG. 2 is a front view of the heliport;  
FIG. 3 is a rear view of the heliport;  
FIG. 4 is a right view of the heliport;  
FIG. 5 is a left view of the heliport; and,  
FIG. 6 is a top plan view of the heliport.  
The broken lines in FIGS. 1-6 illustrate the environment of the claimed design and form no part thereof.

**1 Claim, 6 Drawing Sheets**






FIG.1




FIG.2




FIG.3




FIG. 4




FIG. 5




FIG.6