



US00D377095S

United States Patent [19]
Michelson

[11] **Patent Number:** **Des. 377,095**
[45] **Date of Patent:** ****Dec. 31, 1996**

[54] **INTERBODY SPINAL IMPLANT**

[75] **Inventor:** **Gary K. Michelson**, Venice, Calif.

[73] **Assignee:** **Sofamor Danek Properties, Inc.**,
Memphis, Tenn.

[**] **Term:** **14 Years**

[21] **Appl. No.:** **23,923**

[22] **Filed:** **Jun. 3, 1994**

[52] **U.S. Cl.** **D24/155**

[58] **Field of Search** D24/155; 623/17;
606/61, 60, 73, 72

[56] **References Cited**

U.S. PATENT DOCUMENTS

5,015,247	5/1991	Michelson	623/17
5,171,278	12/1992	Pisharodi	623/17
5,458,638	10/1995	Kuslich et al.	606/61 X

Primary Examiner—Stella Reid

Attorney, Agent, or Firm—Woodard, Emhardt, Naughton
Moriarty & McNett

[57] **CLAIM**

The ornamental design for the an interbody spinal implant,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the an interbody spinal
implant showing my new design;

FIG. 2 is a left side elevational view of the design of FIG.
1, the right side being a mirror image thereof;

FIG. 3 is a front side elevational view of the design of FIG.
1, the rear side being a mirror image thereof;

FIG. 4 is a cross sectional view along lines 4—4 of the
design of FIG. 3;

FIG. 5 is a cross sectional view thereof along lines 5—5 of
the design of FIG. 3;

FIG. 6 is a top plan view of the design of FIG. 1;

FIG. 7 is a bottom plan view of the design of FIG. 1;

FIG. 8 is a perspective view of a first alternative embodi-
ment of the design of FIG. 1;

FIG. 9 is a left side elevational view of the design of FIG.
8, the right side being a mirror image thereof;

FIG. 10 is a front side elevational view of the design of FIG.
8, the rear side being a mirror image thereof;

FIG. 11 is a cross sectional view along lines 11—11 of the
design of FIG. 10;

FIG. 12 is a cross sectional view along lines 12—12 of the
design of FIG. 10;

FIG. 13 is a top plan view of the design of FIG. 8;

FIG. 14 is a bottom plan view of the design of FIG. 8;

FIG. 15 is a perspective view of a second alternative
embodiment of the design of FIG. 1;

FIG. 16 is a left side elevational view of the design of FIG.
15, the right side being a mirror image thereof;


FIG. 17 is a front side elevational view of the design of FIG.
15, the rear side being a mirror image thereof;

FIG. 18 is a top plan view of the design of FIG. 15;

FIG. 19 is a bottom plan view of the design of FIG. 15; and,

FIG. 20 is a cross sectional view along lines 20—20 of the
design of FIG. 17.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 4




Fig. 3




Fig. 6




Fig. 5




Fig. 7




Fig. 8




Fig. 9

Fig. 11





Fig. 10




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 18




Fig. 19




Fig. 20




Fig. 17