



US00D734459S

(12) **United States Design Patent**  
**Arnett**

(10) **Patent No.:** **US D734,459 S**

(45) **Date of Patent:** **\*\* Jul. 14, 2015**

(54) **SUTURE TRAP**

(71) Applicant: **Anchor Orthopedics XT Inc.,**  
Mississauga (CA)

(72) Inventor: **Jeffery Arnett, Gilbert, AZ (US)**

(73) Assignee: **ANCHOR ORTHOPEDICS XT INC,**  
Mississauga, Ontario (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/495,910**

(22) Filed: **Jul. 7, 2014**

**Related U.S. Application Data**

(63) Continuation of application No. 29/447,646, filed on  
Mar. 5, 2013, now Pat. No. Des. 708,745.

(51) **LOC (10) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/145**

(58) **Field of Classification Search**  
USPC ..... D24/143, 145; 606/139, 144-145, 148,  
606/213

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,201,744	A *	4/1993	Jones	606/148
5,643,293	A *	7/1997	Kogasaka et al.	606/148
6,331,182	B1 *	12/2001	Tiefenbrun et al.	606/144
6,632,239	B2 *	10/2003	Snyder et al.	606/213
7,211,093	B2 *	5/2007	Sauer et al.	606/144
7,572,265	B2 *	8/2009	Stone et al.	606/139
7,833,237	B2 *	11/2010	Sauer	606/148
7,842,048	B2 *	11/2010	Ma	606/144
7,951,157	B2 *	5/2011	Gambale	606/144
8,075,573	B2 *	12/2011	Gambale et al.	606/145
2014/0236189	A1 *	8/2014	Melsheimer et al.	606/144

\* cited by examiner

*Primary Examiner* — Wan Laymon

(74) *Attorney, Agent, or Firm* — Nir Lifshitz; Glenn Arnold

(57) **CLAIM**

The ornamental design for a suture trap, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom, front, left perspective view of a suture trap, showing our new design;

FIG. 2 is a top, rear, left perspective view of the suture trap of FIG. 1;

FIG. 3 is a left side view of the suture trap of FIG. 1;

FIG. 4 is a right side view of the suture trap of FIG. 1;

FIG. 5 is a bottom side view of the suture trap of FIG. 1;

FIG. 6 is a top side view of the suture trap of FIG. 1;

FIG. 7 is a front side view of the suture trap of FIG. 1;

FIG. 8 is a rear side view of the suture trap of FIG. 1;

FIG. 9 is a top, left perspective view of the suture trap of FIG. 1, showing a suture positioned through the suture trap in dashed outline;

FIG. 10 is a bottom, front, left perspective view of a modified embodiment of the suture trap shown in FIGS. 1 through 9; FIG. 11 is a top, rear, left perspective view of the suture trap of FIG. 10;

FIG. 12 is a left side view of the suture trap of FIG. 10;

FIG. 13 is a right side view of the suture trap of FIG. 10;

FIG. 14 is a bottom side view of the suture trap of FIG. 10;

FIG. 15 is a top side view of the suture trap of FIG. 10;

FIG. 16 is a front side view of the suture trap of FIG. 10;

FIG. 17 is a rear side view of the suture trap of FIG. 10;

FIG. 18 is a top, left perspective view of the suture trap of FIG. 10, showing a suture positioned through the suture trap in dashed outline;

FIG. 19 is a bottom, front, left perspective view of a second modified embodiment of the suture trap shown in FIGS. 1 through 9;

FIG. 20 is a top, rear, left perspective view of the suture trap of FIG. 19;

FIG. 21 is a left side view of the suture trap of FIG. 19;

FIG. 22 is a right side view of the suture trap of FIG. 19;

FIG. 23 is a bottom side view of the suture trap of FIG. 19;

FIG. 24 is a top side view of the suture trap of FIG. 19;

FIG. 25 is a front side view of the suture trap of FIG. 19;





FIG. 26 is a rear side view of the suture trap of FIG. 19;  
FIG. 27 is a top, left perspective view of the suture trap of FIG. 19, showing a suture positioned through the suture trap in dashed outline;  
FIG. 28 is a bottom, front, left perspective view of a third modified embodiment of the suture trap shown in FIGS. 1 through 9;  
FIG. 29 is a top, rear, left perspective view of the suture trap of FIG. 28;  
FIG. 30 is a left side view of the suture trap of FIG. 28;  
FIG. 31 is a right side view of the suture trap of FIG. 28;  
FIG. 32 is a bottom side view of the suture trap of FIG. 28;  
FIG. 33 is a top side view of the suture trap of FIG. 28;  
FIG. 34 is a front side view of the suture trap of FIG. 28;  
FIG. 35 is a rear side view of the suture trap of FIG. 28;  
FIG. 36 is a top, left perspective view of the suture trap of FIG. 28, showing a suture positioned through the suture trap in dashed outline;  
FIG. 37 is a bottom, front, left perspective view of a fourth modified embodiment of the suture trap shown in FIGS. 1 through 9;  
FIG. 38 is a top, rear, left perspective view of the suture trap of FIG. 37;  
FIG. 39 is a left side view of the suture trap of FIG. 37;  
FIG. 40 is a right side view of the suture trap of FIG. 37;  
FIG. 41 is a bottom side view of the suture trap of FIG. 37;

FIG. 42 is a top side view of the suture trap of FIG. 37;  
FIG. 43 is a front side view of the suture trap of FIG. 37;  
FIG. 44 is a rear side view of the suture trap of FIG. 37;  
FIG. 45 is a top, left perspective view of the suture trap of FIG. 37, showing a suture positioned through the suture trap in dashed outline;  
FIG. 46 is a bottom, front, left perspective view of a fifth modified embodiment of the suture trap shown in FIGS. 1 through 9;  
FIG. 47 is a top, rear, left perspective view of the suture trap of FIG. 46;  
FIG. 48 is a left side view of the suture trap of FIG. 46;  
FIG. 49 is a right side view of the suture trap of FIG. 46;  
FIG. 50 is a bottom side view of the suture trap of FIG. 46;  
FIG. 51 is a top side view of the suture trap of FIG. 46;  
FIG. 52 is a front side view of the suture trap of FIG. 46;  
FIG. 53 is a rear side view of the suture trap of FIG. 46; and,  
FIG. 54 is a top, left perspective view of the suture trap of FIG. 46, showing a suture positioned through the suture trap in dashed outline.  
The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to the environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG.19




FIG.20




FIG.21




FIG.22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27






FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 45




FIG. 43




FIG. 44




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 54




FIG. 52




FIG. 53