



US00D665366S

(12) **United States Design Patent**
Ying et al.

(10) **Patent No.:** **US D665,366 S**

(45) **Date of Patent:** **** Aug. 14, 2012**

(54) **PACKAGE CARRIER**

(75) Inventors: **Tsung-Kang Ying**, New Taipei (TW);
Li-Chuan Chen, New Taipei (TW);
Tzu-Chieh Lin, New Taipei (TW)

(73) Assignees: **Sillitek Electronic (Guangzhou) Co., Ltd.**, Guangzhou (CN); **Lite-On Technology Corporation**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/399,340**

(22) Filed: **Aug. 12, 2011**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/180**

(58) **Field of Classification Search** D13/180;
D26/1, 2; 257/79, 80, 81, 88, 89, 95, 98,
257/99, 100, E33.058; 313/483, 498, 500;
362/555, 800

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|----|---|---------|--------------|-------|---------|
| D606,950 | S | * | 12/2009 | Ariizumi | | D13/180 |
| D607,421 | S | * | 1/2010 | Park et al. | | D13/180 |
| 7,675,145 | B2 | * | 3/2010 | Wong et al. | | 257/676 |
| D622,232 | S | * | 8/2010 | Lai et al. | | D13/180 |
| 7,855,392 | B2 | * | 12/2010 | Wu et al. | | 257/98 |
| 7,888,689 | B2 | * | 2/2011 | Kim et al. | | 257/81 |
| D651,183 | S | * | 12/2011 | Lai et al. | | D13/180 |
| 8,089,075 | B2 | * | 1/2012 | Chuan et al. | | 257/81 |

| | | | | | | |
|--------------|----|---|---------|------------------|-------|---------|
| 8,101,962 | B2 | * | 1/2012 | Chiang | | 257/98 |
| 2004/0232435 | A1 | * | 11/2004 | Hofer et al. | | 257/99 |
| 2007/0269927 | A1 | * | 11/2007 | Hofer et al. | | 438/106 |
| 2009/0283781 | A1 | * | 11/2009 | Chan et al. | | 257/89 |
| 2010/0213502 | A1 | * | 8/2010 | Kashiwagi et al. | | 257/100 |
| 2010/0307799 | A1 | * | 12/2010 | Chiang | | 174/255 |
| 2010/0308352 | A1 | * | 12/2010 | Liao et al. | | 257/89 |

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Li & Cai Intellectual Property (USA) Office



(57) **CLAIM**

The ornamental design for a “package carrier,” as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a “package carrier” showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view viewed from another visual angle.
The dashed lines in the drawings are for illustrative purpose only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8