



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**10.01.2018 Bulletin 2018/02**

(51) Int Cl.:  
**A23L 33/12** (2016.01) **C11C 3/00** (2006.01)  
**C12N 15/52** (2006.01) **C12N 15/82** (2006.01)  
**A01H 5/10** (2018.01)

(21) Application number: **17168626.4**

(22) Date of filing: **14.06.2013**

(84) Designated Contracting States:  
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR**

(30) Priority: **15.06.2012 US 201261660392 P**  
**22.06.2012 US 201261663344 P**  
**06.09.2012 US 201261697676 P**  
**14.03.2013 US 201361782680 P**

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC:  
**13803782.5 / 2 861 059**

(71) Applicants:  
• **Commonwealth Scientific and Industrial Research Organisation**  
**Acton ACT 2601 (AU)**  
• **Grains Research And Development Corporation**  
**Barton, ACT 2600 (AU)**

• **Nuseed Pty Ltd**  
**Laverton Victoria 3028 (AU)**

(72) Inventors:  
• **Petrie, James Robertson**  
**Goulburn, New South Wales 2580 (AU)**  
• **Singh, Surinder Pal**  
**Downer, Australian Capitl Territory 2602 (AU)**  
• **de Feyter, Robert Charles**  
**Monash, Australian Capital Territory 2904 (AU)**

(74) Representative: **Almond-Martin, Carol et al**  
**Ernest Gutmann - Yves Plasseraud S.A.S.**  
**88, Boulevard des Belges**  
**69452 Lyon Cedex 06 (FR)**

Remarks:

- This application was filed on 28-04-2017 as a divisional application to the application mentioned under INID code 62.
- Claims filed after the date of receipt of the divisional application (Rule 68(4) EPC).

(54) **PRODUCTION OF LONG CHAIN POLYUNSATURATED FATTY ACIDS IN PLANT CELLS**

(57) The present invention relates to methods of synthesizing long-chain polyunsaturated fatty acids, especially docosahexaenoic acid, in recombinant plant cells.




**Figure 1**

**Description****FIELD OF THE INVENTION**

5 **[0001]** The present invention relates to methods of synthesizing long-chain polyunsaturated fatty acids, especially docosahexaenoic acid, in recombinant plant cells.

**BACKGROUND OF THE INVENTION**

10 **[0002]** Omega-3 long-chain polyunsaturated fatty acids (LC-PUFA) are now widely recognized as important compounds for human and animal health. These fatty acids may be obtained from dietary sources or by conversion of linoleic (LA, 18:2 $\omega$ 6) or  $\alpha$ -linolenic (ALA, 18:3 $\omega$ 3) fatty acids, both of which are regarded as essential fatty acids in the human diet. While humans and many other vertebrate animals are able to convert LA or ALA, obtained from plant sources to C22 they carry out this conversion at a very low rate. Moreover, most modern societies have imbalanced diets in which  
15 at least 90% of polyunsaturated fatty acids (PUFA) are of the  $\omega$ 6 fatty acids, instead of the 4:1 ratio or less for  $\omega$ 6: $\omega$ 3 fatty acids that is regarded as ideal (Trautwein, 2001). The immediate dietary source of LC-PUFAs such as eicosapentaenoic acid (EPA, 20:5 $\omega$ 3) and docosahexaenoic acid (DHA, 22:6 $\omega$ 3) for humans is mostly from fish or fish oil. Health professionals have therefore recommended the regular inclusion of fish containing significant levels of LC-PUFA into the human diet. Increasingly, fish-derived LC-PUFA oils are being incorporated into food products and in infant formula,  
20 for example. However, due to a decline in global and national fisheries, alternative sources of these beneficial health-enhancing oils are needed.

**[0003]** Flowering plants, in contrast to animals, lack the capacity to synthesise polyunsaturated fatty acids with chain lengths longer than 18 carbons. In particular, crop and horticultural plants along with other angiosperms do not have the enzymes needed to synthesize the longer chain  $\omega$ 3 fatty acids such as EPA, docosapentaenoic acid (DPA, 22:5 $\omega$ 3) and  
25 DHA that are derived from ALA. An important goal in plant biotechnology is therefore the engineering of crop plants which produce substantial quantities of LC-PUFA, thus providing an alternative source of these compounds.

LC-PUFA Biosynthesis Pathways

30 **[0004]** Biosynthesis of LC-PUFAs in organisms such as microalgae, mosses and fungi usually occurs as a series of oxygen-dependent desaturation and elongation reactions (Figure 1). The most common pathway that produces EPA in these organisms includes a  $\Delta$ 6-desaturation,  $\Delta$ 6-elongation and  $\Delta$ 5-desaturation (termed the  $\Delta$ 6-desaturation pathway) whilst a less common pathway uses a  $\Delta$ 9-elongation,  $\Delta$ 8-desaturation and  $\Delta$ 5-desaturation (termed the  $\Delta$ 9-desaturation pathway). These consecutive desaturation and elongation reactions can begin with either the  $\omega$ 6 fatty acid substrate  
35 LA, shown schematically as the upper left part of Figure 1 ( $\omega$ 6) or the  $\omega$ 3 substrate ALA through to EPA, shown as the lower right part of Figure 1 ( $\omega$ 3). If the initial  $\Delta$ 6-desaturation is performed on the  $\omega$ 6 substrate LA, the LC-PUFA product of the series of three enzymes will be the  $\omega$ 6 fatty acid ARA. LC-PUFA synthesising organisms may convert  $\omega$ 6 fatty acids to  $\omega$ 3 fatty acids using an  $\omega$ 3-desaturase, shown as the  $\Delta$ 17-desaturase step in Figure 1 for conversion of arachidonic acid (ARA, 20:4 $\omega$ 6) to EPA. Some members of the  $\omega$ 3-desaturase family can act on a variety of substrates ranging from  
40 LA to ARA. Plant  $\omega$ 3-desaturases often specifically catalyse the  $\Delta$ 15-desaturation of LA to ALA, while fungal and yeast  $\omega$ 3-desaturases may be specific for the  $\Delta$ 17-desaturation of ARA to EPA (Pereira et al., 2004a; Zank et al., 2005). Some reports suggest that non-specific  $\omega$ 3-desaturases may exist which can convert a wide variety of  $\omega$ 6 substrates to their corresponding  $\omega$ 3 products (Zhang et al., 2008).

**[0005]** The conversion of EPA to DHA in these organisms occurs by a  $\Delta$ 5-elongation of EPA to produce DPA, followed  
45 by a  $\Delta$ 4-desaturation to produce DHA (Figure 1). In contrast, mammals use the so-called "Sprecher" pathway which converts DPA to DHA by three separate reactions that are independent of a  $\Delta$ 4-desaturase (Sprecher et al., 1995).

**[0006]** The front-end desaturases generally found in plants, mosses, microalgae, and lower animals such as *Caenorhabditis elegans* predominantly accept fatty acid substrates esterified to the *sn*-2 position of a phosphatidylcholine (PC) substrate. These desaturases are therefore known as acyl-PC, lipid-linked, front-end desaturases (Domergue et al., 2003). In contrast, higher animal front-end desaturases generally accept acyl-CoA substrates where the fatty acid  
50 substrate is linked to CoA rather than PC (Domergue et al., 2005). Some microalgal desaturases and one plant desaturase are known to use fatty acid substrates esterified to CoA (Table 2).

**[0007]** Each PUFA elongation reaction consists of four steps catalysed by a multicomponent protein complex: first, a condensation reaction results in the addition of a 2C unit from malonyl-CoA to the fatty acid, resulting in the formation  
55 of a  $\beta$ -ketoacyl intermediate. This is then reduced by NADPH, followed by a dehydration to yield an enoyl intermediate. This intermediate is finally reduced a second time to produce the elongated fatty acid. It is generally thought that the condensation step of these four reactions is substrate specific whilst the other steps are not. In practice, this means that native plant elongation machinery is capable of elongating PUFA providing that the condensation enzyme (typically

called an 'elongase') specific to the PUFA is introduced, although the efficiency of the native plant elongation machinery in elongating the non-native PUFA substrates may be low. In 2007 the identification and characterisation of the yeast elongation cycle dehydratase was published (Denic and Weissman, 2007).

**[0008]** PUFA desaturation in plants, mosses and microalgae naturally occurs to fatty acid substrates predominantly in the acyl-PC pool whilst elongation occurs to substrates in the acyl-CoA pool. Transfer of fatty acids from acyl-PC molecules to a CoA carrier is performed by phospholipases (PLAs) whilst the transfer of acyl-CoA fatty acids to a PC carrier is performed by lysophosphatidyl-choline acyltransferases (LPCATs) (Figure 21) (Singh et al., 2005).

#### Engineered production of LC-PUFA

**[0009]** Most LC-PUFA metabolic engineering has been performed using the aerobic  $\Delta 6$ -desaturation/elongation pathway. The biosynthesis of  $\gamma$ -linolenic acid (GLA, 18:3 $\omega$ 6) in tobacco was first reported in 1996 using a  $\Delta 6$ -desaturase from the cyanobacterium *Synechocystis* (Reddy and Thomas, 1996). More recently, GLA has been produced in crop plants such as safflower (73% GLA in seedoil; Knauf et al., 2006) and soybean (28% GLA; Sato et al., 2004). The production of LC-PUFA such as EPA and DHA involves more complicated engineering due to the increased number of desaturation and elongation steps involved. EPA production in a land plant was first reported by Qi et al. (2004) who introduced genes encoding a  $\Delta 9$ -elongase from *Isochrysis galbana*, a  $\Delta 8$ -desaturase from *Euglena gracilis* and a  $\Delta 5$ -desaturase from *Mortierella alpina* into *Arabidopsis* yielding up to 3% EPA. This work was followed by Abbadi et al. (2004) who reported the production of up to 0.8% EPA in flax seed using genes encoding a  $\Delta 6$ -desaturase and  $\Delta 6$ -elongase from *Physcomitrella patens* and a  $\Delta 5$ -desaturase from *Phaeodactylum tricornutum*.

**[0010]** The first report of DHA production, and to date the highest levels of VLC-PUFA production reported, was in WO 04/017467 where the production of 3% DHA in soybean embryos is described, but not seed, by introducing genes encoding the *Saprolegnia diclina*  $\Delta 6$ -desaturase, *Mortierella alpina*  $\Delta 6$ -desaturase, *Mortierella alpina*  $\Delta 5$ -desaturase, *Saprolegnia diclina*  $\Delta 4$ -desaturase, *Saprolegnia diclina*  $\Delta 17$ -desaturase, *Mortierella alpina*  $\Delta 6$ -elongase and *Pavlova lutheri*  $\Delta 5$ -elongase. The maximal EPA level in embryos also producing DHA was 19.6%, indicating that the efficiency of conversion of EPA to DHA was poor (WO 2004/071467). This finding was similar to that published by Robert et al. (2005), where the flux from EPA to DHA was low, with the production of 3% EPA and 0.5% DHA in *Arabidopsis* using the *Danio rerio*  $\Delta 5/6$ -desaturase, the *Caenorhabditis elegans*  $\Delta 6$ -elongase, and the *Pavlova salina*  $\Delta 5$ -elongase and  $\Delta 4$ -desaturase. Also in 2005, Wu et al. published the production of 25% ARA, 15% EPA, and 1.5% DHA in *Brassica juncea* using the *Pythium irregulare*  $\Delta 6$ -desaturase, a *Thraustochytrid*  $\Delta 5$ -desaturase, the *Physcomitrella patens*  $\Delta 6$ -elongase, the *Calendula officianalis*  $\Delta 12$ -desaturase, a *Thraustochytrid*  $\Delta 5$ -elongase, the *Phytophthora infestans*  $\Delta 17$ -desaturase, the *Oncorhynchus mykiss* LC-PUFA elongase, a *Thraustochytrid*  $\Delta 4$ -desaturase and a *Thraustochytrid* LPCAT (Wu et al., 2005). Summaries of efforts to produce oil-seed crops which synthesize  $\omega 3$  LC-PUFAs is provided in Venegas-Caleron et al. (2010) and Ruiz-Lopez et al. (2012). As indicated by Ruiz-Lopez et al. (2012), results obtained to date for the production of DHA in transgenic plants has been no where near the levels seen in fish oils.

**[0011]** There therefore remains a need for more efficient production of LC-PUFA in recombinant cells, in particular of DHA in seeds of oilseed plants.

#### SUMMARY OF THE INVENTION

**[0012]** The present inventors have identified methods and plants for producing lipid with high levels of DHA.

**[0013]** In a first aspect, the present invention provides extracted plant lipid, comprising fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega 6$  fatty acids which comprise linoleic acid (LA),  $\omega 3$  fatty acids which comprise  $\alpha$ -linolenic acid (ALA), and docosahexaenoic acid (DHA), and optionally one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein the level of DHA in the total fatty acid content of the extracted lipid is about 7% to 20%.

**[0014]** In an embodiment, the extracted lipid has one or more or all of the following features

- i) the level of palmitic acid in the total fatty acid content of the extracted lipid is between about 2% and 18%, between about 2% and 16%, or between about 2% and 15%,
- ii) the level of myristic acid (C14:0) in the total fatty acid content of the extracted lipid is less than about 6%, less than about 3%, less than about 2%, or less than about 1%,
- iii) the level of oleic acid in the total fatty acid content of the extracted lipid is between about 1% and about 30%, between about 3% and about 30%, between about 6% and about 30%, between 1% and about 20%, between about 30% and about 60%, between about 45% to about 60%, or is about 30%,
- iv) the level of linoleic acid (LA) in the total fatty acid content of the extracted lipid is between about 4% and about 35%, between about 4% and about 20%, or between about 4% and 17%,
- v) the level of  $\alpha$ -linolenic acid (ALA) in the total fatty acid content of the extracted lipid is between about 4% and

about 40%, between about 7% and about 40%, between about 10% and about 35%, between about 20% and about 35%, between about 4% and about 16%, or between about 2% and about 16%,

vi) the level of  $\gamma$ -linolenic acid (GLA) in the total fatty acid content of the extracted lipid is less than about 4%, less than about 3%, less than about 2%, less than about 1%, less than about 0.5%, between 0.05% and about 7%, between 0.05% and about 4%, between 0.05% and about 3%, or between 0.05% and about 2%,

vii) the level of stearidonic acid (SDA) in the total fatty acid content of the extracted lipid is less than about 7%, less than about 6%, less than about 4%, less than about 3%, between about 0.05% and about 7%, between about 0.05% and about 6%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between 0.05% and about 2%,

viii) the level of eicosatetraenoic acid (ETA) in the total fatty acid content of the extracted lipid is less than about 6%, less than about 5%, less than about 4%, less than about 1%, less than about 0.5%, between about 0.05% and about 6%, between about 0.05% and about 5%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between about 0.05% and about 2%,

ix) the level of eicosatrienoic acid (ETra) in the total fatty acid content of the extracted lipid is less than about 4%, less than about 2%, less than about 1%, between about 0.05% and about 4%, between about 0.05% and about 3%, between about 0.05% and about 2%, or between about 0.05% and about 1%,

x) the level of eicosapentaenoic acid (EPA) in the total fatty acid content of the extracted lipid is less than about 4%, less than about 3%, less than about 2%, between about 0.05% and about 10%, between about 0.05% and about 5%, between about 0.05% and about 3%, or between about 0.05% and about 2%,

xi) the level of docosapentaenoic acid (DPA) in the total fatty acid content of the extracted lipid is less than about 4%, less than about 3%, less than about 2%, between about 0.05% and about 8%, between about 0.05% and about 5%, between about 0.05% and about 3%, or between about 0.05% and about 2%,

xii) the level of DHA in the total fatty acid content of the extracted lipid is about 8%, about 9%, about 10%, about 11%, about 12%, about 13%, about 14%, about 15%, about 16%, about 17%, about 18%, between about 8% and 20%, between about 10% and 20%, between about 11% and 20%, between about 10% and about 16%, or between about 14% and 20%,

xiii) the lipid comprises  $\omega$ 6-docosapentaenoic acid (22:5  $\Delta$ 4, 7,10,13,16) in its fatty acid content,

xiv) the lipid is essentially free of  $\omega$ 6-docosapentaenoic acid (22:5  $\Delta$ 4,7,10,13,16) in its fatty acid content,

xv) the lipid is essentially free of SDA, EPA and ETA in its fatty acid content,

xvi) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 25%, between about 4% and about 20%, between about 6% and about 20%, between about 4% and about 60%, between about 30% and about 60%, or between about 45% and about 60%,

xvii) the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 35%, between about 8% and about 25%, or between 8% and about 22%,

xviii) the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 20% and about 75%, between about 50% and about 75%, or between about 60% and about 75%,

xix) the level of total  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is between about 35% and about 50%, between about 20% and about 35%, between about 6% and 20%, less than about 20%, less than about 16%, less than about 10%, between about 1% and about 16%, between about 2% and about 10%, or between about 4% and about 10%,

xx) the level of new  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is less than about 10%, less than about 8%, less than about 6%, less than 4%, between about 1% and about 20%, between about 1% and about 10%, between about 0.5% and about 8%, or between about 0.5% and 4%,

xxi) the level of total  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between 36% and about 65%, between about 40% and about 60%, between about 20% and about 35%, between about 10% and about 20%, about 25%, about 30%, about 35% or about 40%,

xxii) the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between about 9% and about 33%, between about 10% and about 20%, between about 20% and about 30%, between about 12% and about 25%, about 13%, about 15%, about 17% or about 20%,

xxiii) the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 1.0 and about 3.0, between about 0.1 and about 1, between about 0.1 and about 0.5, less than about 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 1.0, about 0.1 or about 0.2,

xxiv) the ratio of new  $\omega$ 6 fatty acids: new  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 1.0 and about 3.0, between about 0.1 and about 1, between about 0.1 and about 0.5, less than about 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 0.1, about 0.2 or about 1.0,

xxv) the fatty acid composition of the lipid is based on an efficiency of conversion of oleic acid to LA by  $\Delta$ 12-desaturase of at least about 60%, at least about 70%, at least about 80%, between about 60% and about 98%, between about 70% and about 95%, or between about 75% and about 90%,



xxvi) the fatty acid composition of the lipid is based on an efficiency of conversion of ALA to SDA by  $\Delta 6$ -desaturase of at least about 30%, at least about 40%, at least about 50%, at least about 60%, at least about 70%, between about 30% and about 70%, between about 35% and about 60%, or between about 50% and about 70%,

xxvii) the fatty acid composition of the lipid is based on an efficiency of conversion of SDA to ETA acid by  $\Delta 6$ -elongase of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 95%, between about 70% and about 88%, or between about 75% and about 85%,

xxviii) the fatty acid composition of the lipid is based on an efficiency of conversion of ETA to EPA by  $\Delta 5$ -desaturase of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 99%, between about 70% and about 99%, or between about 75% and about 98%,

xxix) the fatty acid composition of the lipid is based on an efficiency of conversion of EPA to DPA by  $\Delta 5$ -elongase of at least about 80%, at least about 85%, at least about 90%, between about 50% and about 95%, or between about 85% and about 95%,

xxx) the fatty acid composition of the lipid is based on an efficiency of conversion of DPA to DHA by  $\Delta 4$ -desaturase of at least about 80%, at least about 90%, at least about 93%, between about 50% and about 95%, between about 80% and about 95%, or between about 85% and about 95%,

xxxi) the fatty acid composition of the lipid is based on an efficiency of conversion of oleic acid to DHA of at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 10% and about 30%, or between about 10% and about 25%,

xxxii) the fatty acid composition of the lipid is based on an efficiency of conversion of LA to DHA of at least about 15%, at least about 20%, at least about 22%, at least about 25%, between about 15% and about 50%, between about 20% and about 40%, or between about 20% and about 30%,

xxxiii) the fatty acid composition of the lipid is based on an efficiency of conversion of ALA to DHA of at least about 17%, at least about 22%, at least about 24%, between about 17% and about 55%, between about 22% and about 35%, or between about 24% and about 35%,

xxxiv) the total fatty acid in the extracted lipid has less than 1% C20:1,

xxxv) the triacylglycerol (TAG) content of the lipid is at least about 70%, at least about 80%, at least about 90%, at least about 95%, between about 70% and about 99%, or between about 90% and about 99%,

xxxvi) the lipid comprises diacylglycerol (DAG),

xxxvii) the lipid comprises less than about 10%, less than about 5%, less than about 1%, or between about 0.001% and about 5%, free (non-esterified) fatty acids and/or phospholipid, or is essentially free thereof,

xxxviii) at least 70%, or at least 80%, of the DHA esterified in the form of TAG is in the *sn*-1 or *sn*-3 position of the TAG,

xxxix) the most abundant DHA-containing TAG species in the lipid is DHA/18:3/18:3 (TAG 58:12), and

xl) the lipid comprises tri-DHA TAG (TAG 66:18).

**[0015]** In another embodiment, the extracted lipid is in the form of an oil, wherein at least about 90%, or least about 95%, at least about 98%, or between about 95% and about 98%, by weight of the oil is the lipid.

**[0016]** In a preferred embodiment, the lipid or oil, preferably a seedoil, has the following features: in the total fatty acid content of the lipid or oil, the level of DHA is between about 7% and 20%, the level of palmitic acid is between about 2% and about 16%, the level of myristic acid is less than about 6%, the level of oleic acid is between about 1% and about 30%, the level of LA is between about 4% and about 35%, ALA is present, GLA is present, the level of SDA is between about 0.05% and about 7%, the level of ETA is less than about 4%, the level of EPA is between about 0.05% and about 10%, the level of DPA is between about 0.05% and about 8%, the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 25%, the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 35%, the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 20% and about 75%, the ratio of total  $\omega 6$  fatty acids: total  $\omega 3$  fatty acids in the fatty acid content of the extracted lipid is between about 0.05 and about 3.0, the ratio of new  $\omega 6$  fatty acids: new  $\omega 3$  fatty acids in the fatty acid content of the extracted lipid is between about 0.03 and about 3.0, preferably less than about 0.50, the fatty acid composition of the lipid is based on: an efficiency of conversion of oleic acid to LA by  $\Delta 12$ -desaturase of at least about 60%, an efficiency of conversion of SDA to ETA acid by  $\Delta 6$ -elongase of at least about 60%, an efficiency of conversion of EPA to DPA by  $\Delta 5$ -elongase of between about 50% and about 95%, an efficiency of conversion of DPA to DHA by  $\Delta 4$ -desaturase of between about 50% and about 95%, an efficiency of conversion of oleic acid to DHA of at least about 10%, and the triacylglycerol (TAG) content of the lipid is at least about 70%, and optionally the lipid is essentially free of cholesterol and/or the lipid comprises tri-DHA TAG (TAG 66:18).

**[0017]** In a more preferred embodiment, the lipid or oil, preferably a seedoil, has the following features: in the total fatty acid content of the lipid, the level of DHA is between about 7% and 20%, the level of palmitic acid is between about 2% and about 16%, the level of myristic acid is less than about 2%, the level of oleic acid is between about 1% and about 30%, the level of LA is between about 4% and about 35%, the level of ALA is between about 7% and about 40%, the level of GLA is less than about 4%, the level of SDA is between about 0.05% and about 7%, the level of ETA is less

than about 4%, the level of ETrA is between about 0.05% and about 4%, the level of EPA is between about 0.05% and about 10%, the level of DPA is between about 0.05% and about 8%, the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 25%, the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 35%, the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 20% and about 75%, the level of new  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is between about 0.5% and about 10%, the level of total  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between about 36% and about 75%, the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between about 9% and about 33%, the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 0.05 and about 3.0, the ratio of new  $\omega$ 6 fatty acids: new  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 0.03 and about 3.0, the fatty acid composition of the lipid is based on: an efficiency of conversion of oleic acid to LA by  $\Delta$ 12-desaturase of at least about 60%, an efficiency of conversion of SDA to ETA acid by  $\Delta$ 6-elongase of at least about 60%, an efficiency of conversion of ETA to EPA by  $\Delta$ 5-desaturase of at least about 60%, an efficiency of conversion of EPA to DPA by  $\Delta$ 5-elongase of between about 50% and about 95%, an efficiency of conversion of DPA to DHA by  $\Delta$ 4-desaturase of between about 50% and about 95%, an efficiency of conversion of oleic acid to DHA of at least about 10%, an efficiency of conversion of LA to DHA of at least about 15%, an efficiency of conversion of ALA to DHA of at least about 17%, and the total fatty acid content in the extracted lipid has less than 1% C20:1, the triacylglycerol (TAG) content of the lipid is at least about 70%, the lipid is essentially free of cholesterol, and the lipid comprises tri-DHA TAG (TAG 66:18). Preferably, the lipid or oil is canola oil and/or has not been treated with a transesterification process after it was extracted from the plant or plant part. In a particular embodiment, the lipid or canola oil may subsequently be treated to convert the fatty acids in the oil to alkyl esters such as methyl or ethyl esters. Further treatment may be applied to enrich the lipid or oil for the DHA.

**[0018]** In an embodiment, the lipid or oil, preferably a seedoil, has the following features: in the total fatty acid content of the lipid, the level of DHA is between about 7% and 20%, the level of palmitic acid is between about 2% and about 16%, the level of myristic acid is less than about 2%, the level of oleic acid is between about 30% and about 60%, preferably between about 45% and about 60%, the level of LA is between about 4% and about 20%, the level of ALA is between about 2% and about 16%, the level of GLA is less than about 3%, the level of SDA is less than about 3%, the level of ETA is less than about 4%, the level of ETrA less than about 2%, the level of EPA is less than about 4%, the level of DPA is less than about 4%, the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 25%, the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 30% and about 60%, or between about 40% and about 60%, the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 20% and about 75%, the level of new  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is between about 0.5% and about 10%, the level of total  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between about 10% and about 20%, the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between about 9% and about 20%, the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 0.05 and about 3.0, preferably less than about 0.50, the ratio of new  $\omega$ 6 fatty acids: new  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 0.03 and about 3.0, the triacylglycerol (TAG) content of the lipid is at least about 70%, the lipid is essentially free of cholesterol, and the lipid comprises tri-DHA TAG (TAG 66:18). Preferably, the lipid or oil is essentially free of SDA, EPA and ETA and/or is canola oil and/or has not been treated with a transesterification process after it was extracted from the plant or plant part. In a particular embodiment, the lipid or canola oil may subsequently be treated to convert the fatty acids in the oil to alkyl esters such as methyl or ethyl esters. Further treatment may be applied to enrich the lipid or oil for the DHA.

**[0019]** In a further preferred embodiment, the lipid or oil, preferably a seedoil, has the following features: in the total fatty acid content of the lipid or oil, the level of DHA is between about 7% and 20%, the level of palmitic acid is between about 2% and about 16%, the level of myristic acid is less than about 6%, the level of oleic acid is between about 1% and about 30%, the level of LA is between about 4% and about 35%, ALA is present, GLA is present, the level of SDA is between about 0.05% and about 7%, the level of ETA is less than about 6%, the level of EPA is between about 0.05% and about 10%, the level of DPA is between about 0.05% and about 8%.

**[0020]** In a further embodiment, the extracted lipid further comprises one or more sterols, preferably plant sterols.

**[0021]** In another embodiment, the extracted lipid is in the form of an oil, and comprises less than about 10 mg of sterols/g of oil, less than about 7 mg of sterols/g of oil, between about 1.5 mg and about 10 mg of sterols/g of oil, or between about 1.5 mg and about 7 mg of sterols/g of oil.

**[0022]** Examples of sterols which can be in the extracted lipid include, but are not necessarily limited to, one or more or all of campesterol/24-methylcholesterol,  $\Delta$ 5-stigmasterol, eburicol,  $\beta$ -sitosterol/24-ethylcholesterol,  $\Delta$ 5-avenasterol/isofucosterol,  $\Delta$ 7-stigmasterol/stigmaster-7-en-3 $\beta$ -ol, and  $\Delta$ 7-avenasterol.

**[0023]** In an embodiment, the plant species is one listed in Table 26, such as canola, and the level of sterols are about the same as that listed in Table 26 for that particular plant species.

**[0024]** In an embodiment, the extracted lipid comprises less than about 0.5 mg of cholesterol/g of oil, less than about 0.25 mg of cholesterol /g of oil, between about 0 mg and about 0.5 mg of cholesterol/g of oil, or between about 0 mg and about 0.25 mg of cholesterol/g of oil, or which is essentially free of cholesterol.

**[0025]** In a further embodiment, the lipid is an oil, preferably oil from an oilseed. Examples of such oils include, but are not limited to, *Brassica sp.* oil such as canola oil, *Gossypium hirsutum* oil, *Linum usitatissimum* oil, *Helianthus sp.* oil, *Carthamus tinctorius* oil, *Glycine max* oil, *Zea mays* oil, *Arabidopsis thaliana* oil, *Sorghum bicolor* oil, *Sorghum vulgare* oil, *Avena sativa* oil, *Trifolium sp.* oil, *Elaeagnus guineensis* oil, *Nicotiana benthamiana* oil, *Hordeum vulgare* oil, *Lupinus angustifolius* oil, *Oryza sativa* oil, *Oryza glaberrima* oil, *Camelina sativa* oil, *Crambe abyssinica* oil, *Miscanthus x giganteus* oil, or *Miscanthus sinensis* oil.

**[0026]** Also provided is extracted plant lipid, preferably extracted canola seedoil, comprising fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA), and docosahexaenoic acid (DHA), and optionally one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein lipid has the following features in the total fatty acid content of the lipid;

- i) the level of DHA is about 3%, about 4%, about 5%, about 6% or about 7%,
- ii) the level of palmitic acid is between about 2% and about 16%,
- iii) the level of myristic acid is less than about 2%,
- iv) the level of oleic acid is between about 30% and about 60%, preferably between about 45% and about 60%,
- v) the level of LA is between about 4% and about 20%,
- vi) the level of ALA is between about 2% and about 16%,
- vii) the level of GLA is less than about 4%,
- viii) the level of SDA is less than about 6%, or less than about 4%,
- ix) the level of ETA is less than about 6%, or less than about 4%,
- x) the level of ETrA less than about 1%,
- xi) the level of EPA is less than about 10% and/or the level of EPA is 0.5-2.0 fold the level of DHA,
- xii) the level of DPA is less than about 4%,
- xiii) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 25%,
- xiv) the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 30% and about 70%,
- xv) the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 15% and about 75%, preferably between about 15% and about 30%,
- xvi) the level of new  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is between about 0.5% and about 10%,
- xvii) the level of total  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between about 10% and about 20%,
- xviii) the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between about 3% and about 20%,
- xix) the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 0.05 and about 3.0, preferably less than about 0.50,
- xx) the ratio of new  $\omega$ 6 fatty acids: new  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 0.03 and about 3.0,
- xxi) the triacylglycerol (TAG) content of the lipid is at least about 70%, and
- xxii) the lipid is essentially free of cholesterol. In an embodiment, the lipid comprises tri-DHA TAG (TAG 66:18). More preferably, the lipid is essentially free of SDA and ETA, and/or has not been treated with a transesterification process after it was extracted from the plant or plant part.

**[0027]** In another aspect, provided is extracted plant lipid, comprising fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA) and docosahexaenoic acid (DHA), and one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein (i) the level of DHA in the total fatty acid content of the extracted lipid is between 7% and 20%, (ii) the level of palmitic acid in the total fatty acid content of the extracted lipid is between 2% and 16%, (iii) the level of myristic acid (C14:0) in the total fatty acid content of the extracted lipid is less than 6%, (iv) the level of oleic acid in the total fatty acid content of the extracted lipid is between 1% and 30% or between 30% and 60%, (v) the level of linoleic acid (LA) in the total fatty acid content of the extracted lipid is between 4% and 35%, (vi) the level of  $\alpha$ -linolenic acid (ALA) in the total fatty acid content of the extracted lipid is between 4% and 40%, (vii) the level of eicosatrienoic acid (ETrA) in the total fatty acid content of the extracted lipid

is less than 4%, (viii) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between 4% and 25%, (ix) the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between 1.0 and 3.0 or between 0.1 and 1, (x) the triacylglycerol (TAG) content of the lipid is at least 70%, and (xi) at least 70% of the DHA esterified in the form of TAG is in the *sn*-1 or *sn*-3 position of the TAG. In an embodiment, one or more or all of the following features

- i) the level of palmitic acid in the total fatty acid content of the extracted lipid is between 2% and 15%,
- ii) the level of myristic acid (C14:0) in the total fatty acid content of the extracted lipid is less than 1%,
- iii) the level of oleic acid in the total fatty acid content of the extracted lipid is between about 3% and about 30%, between about 6% and about 30%, between 1% and about 20%, between about 45% and about 60%, or is about 30%,
- iv) the level of linoleic acid (LA) in the total fatty acid content of the extracted lipid is between about 4% and about 20%, or between about 4% and 17%,
- v) the level of  $\alpha$ -linolenic acid (ALA) in the total fatty acid content of the extracted lipid is between about 7% and about 40%, between about 10% and about 35%, between about 20% and about 35%, or between about 4% and 16%,
- vi) the level of  $\gamma$ -linolenic acid (GLA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, less than about 1%, less than about 0.5%, between 0.05% and 7%, between 0.05% and 4%, or between 0.05% and about 3%, or between 0.05% and about 2%,
- vii) the level of stearidonic acid (SDA) in the total fatty acid content of the extracted lipid is less than about 4%, less than about 3%, between about 0.05% and about 7%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between 0.05% and about 2%,
- viii) the level of eicosatetraenoic acid (ETA) in the total fatty acid content of the extracted lipid is less than about 4%, less than about 1%, less than about 0.5%, between about 0.05% and about 5%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between about 0.05% and about 2%,
- ix) the level of eicosatrienoic acid (ETra) in the total fatty acid content of the extracted lipid is less than about 2%, less than about 1%, between 0.05% and 4%, between 0.05% and 3%, or between 0.05% and about 2%, or between 0.05% and about 1%,
- x) the level of eicosapentaenoic acid (EPA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, between 0.05% and 10%, between 0.05% and 5%, or between 0.05% and about 3%, or between 0.05% and about 2%,
- xi) the level of docosapentaenoic acid (DPA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, between 0.05% and 8%, between 0.05% and 5%, or between 0.05% and about 3%, or between 0.05% and about 2%,
- xii) the level of DHA in the total fatty acid content of the extracted lipid is about 8%, about 9%, about 10%, about 11%, about 12%, about 13%, about 14%, about 15%, about 16%, about 17%, about 18%, between about 8% and 20%, between about 10% and 20%, between about 11% and 20%, between about 10% and about 16%, or between about 14% and 20%,
- xiii) the lipid comprises  $\omega$ 6-docosapentaenoic acid (22:5 $\Delta$ 4,7,10,13,16) in its fatty acid content,
- xiv) the lipid is essentially free of  $\omega$ 6-docosapentaenoic acid (22:5 $\Delta$ 4,7,10,13,16) in its fatty acid content,
- xv) the lipid is essentially free of SDA, EPA and ETA in its fatty acid content,
- xvi) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 20%, or between about 6% and about 20%,
- xvii) the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 35%, between about 8% and about 25%, or between 8% and about 22%,
- xviii) the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 20% and about 75%, between about 50% and about 75%, or between about 60% and about 75%,
- xix) the level of total  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is between about 35% and about 50%, between about 20% and about 35%, between about 6% and 20%, less than 20%, less than about 16%, less than about 10%, between about 1% and about 16%, between about 2% and about 10%, or between about 4% and about 10%,
- xx) the level of new  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is less than about 10%, less than about 8%, less than about 6%, less than 4%, between about 1% and about 20%, between about 1% and about 10%, between about 0.5% and about 8%, or between about 0.5% and 4%,
- xxi) the level of total  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between 36% and about 65%, between 40% and about 60%, between about 20% and about 35%, between about 10% and about 20%, about 25%, about 30%, about 35% or about 40%,
- xxii) the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between 9% and about 33%, between about 10% and about 20%, between about 20% and about 30%, between about 12% and about 25%, about 13%, about 15%, about 17% or about 20%,

xxiii) the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 0.1 and about 0.5, less than about 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 1.0, about 0.1 or about 0.2,

xxiv) the ratio of new  $\omega$ 6 fatty acids: new  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 1.0 and about 3.0, between about 0.1 and about 1, between about 0.1 and about 0.5, less than about 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 0.1, about 0.2 or about 1.0,

xxv) the fatty acid composition of the lipid is based on an efficiency of conversion of oleic acid to DHA of at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 10% and about 30%, or between about 10% and about 25%,

xxvi) the fatty acid composition of the lipid is based on an efficiency of conversion of LA to DHA of at least about 15%, at least about 20%, at least about 22%, at least about 25%, between about 15% and about 50%, between about 20% and about 40%, or between about 20% and about 30%,

xxvii) the fatty acid composition of the lipid is based on an efficiency of conversion of ALA to DHA of at least about 17%, at least about 22%, at least about 24%, between about 17% and about 55%, between about 22% and about 35%, or between about 24% and about 35%,

xxviii) the total fatty acid in the extracted lipid has less than 1% C20:1,

xxix) the triacylglycerol (TAG) content of the lipid is at least about 80%, at least about 90%, at least 95%, between about 70% and about 99%, or between about 90% and about 99%,

xxx) the lipid comprises diacylglycerol (DAG),

xxxi) the lipid comprises less than about 10%, less than about 5%, less than about 1%, or between about 0.001% and about 5%, free (non-esterified) fatty acids and/or phospholipid, or is essentially free thereof,

xxxii) at least 80%, of the DHA esterified in the form of TAG is in the *sn*-1 or *sn*-3 position of the TAG,

xxxiii) the most abundant DHA-containing TAG species in the lipid is DHA/18:3/18:3 (TAG 58:12), and

xxxiv) the lipid comprises tri-DHA TAG (TAG 66:18).

**[0028]** With specific regard to the above aspect, in an embodiment

- i) the lipid is in the form of an oil, wherein the oil comprises one or more sterols such as one or more or all of campesterol,  $\Delta$ 5-stigmasterol, eburicol,  $\beta$ -sitosterol,  $\Delta$ 5-avenasterol,  $\Delta$ 7-stigmasterol and  $\Delta$ 7-avenasterol, and optionally the oil comprises less than 10 mg of sterols/g of oil and/or the oil is essentially free of cholesterol, and/or
- ii) the lipid is in the form of an oil from an oilseed such as oilseed is a *Brassica sp* oilseed or canola seed.

**[0029]** In another aspect, the present invention provides a process for producing extracted plant lipid, comprising the steps of

- i) obtaining a plant part comprising lipid, the lipid comprising fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA), and docosahexaenoic acid (DHA), and optionally one or more of eicosapentaenoic acid (EPA), stearidonic acid (SDA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein the level of DHA in the total fatty acid content of extractable lipid in the plant part is about 7% to 20%, and
- ii) extracting lipid from the plant part,

wherein the level of DHA in the total fatty acid content of the extracted lipid is about 7% to 20%.

**[0030]** In a preferred embodiment, the extracted lipid has one or more of the features defined above.

**[0031]** In an embodiment, wherein the plant part is a seed, preferably an oilseed. Examples of such seeds include, but are not limited to, *Brassica sp.*, *Gossypium hirsutum*, *Linum usitatissimum*, *Helianthus sp.*, *Carthamus tinctorius*, *Glycine max*, *Zea mays*, *Arabidopsis thaliana*, *Sorghum bicolor*, *Sorghum vulgare*, *Avena sativa*, *Trifolium sp.*, *Elaeagnus guineensis*, *Nicotiana benthamiana*, *Hordeum vulgare*, *Lupinus angustifolius*, *Oryza sativa*, *Oryza glaberrima*, *Camelina sativa*, or *Crambe abyssinica*, preferably a *Brassica napus*, *B. juncea* or *C. sativa* seed.

**[0032]** In another embodiment, the seed comprises at least about 18 mg, at least about 22 mg, at least about 26 mg, between about 18 mg and about 100 mg, between about 22 mg and about 70 mg, or between about 24 mg and about 50 mg, of DHA per gram of seed.

**[0033]** In a further embodiment, the plant part comprises exogenous polynucleotides encoding one of the following sets of enzymes;

- i) an  $\omega$ 3-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and a  $\Delta$ 5-elongase,
- ii) a  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and a  $\Delta$ 5-elongase,
- iii) a  $\Delta$ 12-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase,

- iv) a  $\Delta 12$ -desaturase, a  $\omega 3$ -desaturase or a  $\Delta 15$ -desaturase, a  $\Delta 6$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 4$ -desaturase, a  $\Delta 6$ -elongase and an  $\Delta 5$ -elongase,  
 v) an  $\omega 3$ -desaturase, a  $\Delta 8$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 4$ -desaturase, a  $\Delta 9$ -elongase and an  $\Delta 5$ -elongase,  
 vi) a  $\Delta 15$ -desaturase, a  $\Delta 8$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 4$ -desaturase, a  $\Delta 9$ -elongase and a  $\Delta 5$ -elongase,  
 5 vii) a  $\Delta 12$ -desaturase, a  $\Delta 8$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 4$ -desaturase, a  $\Delta 9$ -elongase and an  $\Delta 5$ -elongase, or  
 viii) a  $\Delta 12$ -desaturase, a  $\omega 3$ -desaturase or a  $\Delta 15$ -desaturase, a  $\Delta 8$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 4$ -desaturase, a  $\Delta 9$ -elongase and an  $\Delta 5$ -elongase,

and wherein each polynucleotide is operably linked to one or more promoters that are capable of directing expression of said polynucleotides in a cell of the plant part.

**[0034]** In yet a further embodiment, the plant part has one or more or all of the following features

- i) the  $\Delta 12$ -desaturase converts oleic acid to linoleic acid in one or more cells of the plant with an efficiency of at least about 60%, at least about 70%, at least about 80%, between about 60% and about 98%, between about 70% and about 95%, or between about 75% and about 90%,  
 15 ii) the  $\omega 3$ -desaturase converts  $\omega 6$  fatty acids to  $\omega 3$  fatty acids in one or more cells of the plant with an efficiency of at least about 65%, at least about 75%, at least about 85%, between about 65% and about 95%, between about 75% and about 95%, or between about 80% and about 95%,  
 iii) the  $\Delta 6$ -desaturase converts ALA to SDA in one or more cells of the plant with an efficiency of at least about 30%,  
 20 at least about 40%, at least about 50%, at least about 60%, at least about 70%, between about 30% and about 70%, between about 35% and about 60%, or between about 50% and about 70%,  
 iv) the  $\Delta 6$ -desaturase converts linoleic acid to  $\gamma$ -linolenic acid in one or more cells of the plant with an efficiency of less than about 5%, less than about 2.5%, less than about 1%, between about 0.1% and about 5%, between about 0.5% and about 2.5%, or between about 0.5% and about 1%,  
 25 v) the  $\Delta 6$ -elongase converts SDA to ETA in one or more cells of the plant with an efficiency of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 95%, between about 70% and about 88%, or between about 75% and about 85%,  
 vi) the  $\Delta 5$ -desaturase converts ETA to EPA in one or more cells of the plant with an efficiency of at least about 60%, at least about 70%, at least about 75%, at least about 80%, at least about 90%, between about 60% and about 99%, between about 70% and about 99%, or between about 75% and about 98%,  
 30 vii) the  $\Delta 5$ -elongase converts EPA to DPA in one or more cells of the plant with an efficiency of at least about 80%, at least about 85%, at least about 90%, between about 50% and about 95%, or between about 85% and about 95%,  
 viii) the  $\Delta 4$ -desaturase converts DPA to DHA in one or more cells of the plant with an efficiency of at least about 80%, at least about 90%, at least about 93%, between about 50% and about 95%, between about 80% and about 95%, or between about 85% and about 95%,  
 35 ix) the efficiency of conversion of oleic acid to DHA in one or more cells of the plant part is at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 10% and about 30%, or between about 10% and about 25%,  
 x) the efficiency of conversion of LA to DHA in one or more cells of the plant part is at least about 15%, at least about 20%, at least about 22%, at least about 25%, between about 15% and about 50%, between about 20% and about 40%, or between about 20% and about 30%,  
 40 xi) the efficiency of conversion of ALA to DHA in one or more cells of the plant part is at least about 17%, at least about 22%, at least about 24%, between about 17% and about 55%, between about 22% and about 35%, or between about 24% and about 35%,  
 45 xii) one or more cells of the plant part comprise at least about 15%, at least about 20%, between about 15% and about 30%, or between about 22.5% and about 27.5%, more  $\omega 3$  fatty acids than corresponding cells lacking the exogenous polynucleotides,  
 xiii) the  $\Delta 6$ -desaturase preferentially desaturates  $\alpha$ -linolenic acid (ALA) relative to linoleic acid (LA),  
 xiv) the  $\Delta 6$ -elongase also has  $\Delta 9$ -elongase activity,  
 50 xv) the  $\Delta 12$ -desaturase also has  $\Delta 15$ -desaturase activity,  
 xvi) the  $\Delta 6$ -desaturase also has  $\Delta 8$ -desaturase activity,  
 xvii) the  $\Delta 8$ -desaturase also has  $\Delta 6$ -desaturase activity or does not have  $\Delta 6$ -desaturase activity,  
 xviii) the  $\Delta 15$ -desaturase also has  $\omega 3$ -desaturase activity on GLA,  
 xix) the  $\omega 3$ -desaturase also has  $\Delta 15$ -desaturase activity on LA,  
 55 xx) the  $\omega 3$ -desaturase desaturates both LA and/or GLA,  
 xxi) the  $\omega 3$ -desaturase preferentially desaturates GLA relative to LA,  
 xxii) the level of DHA in the plant part is based on an efficiency of conversion of oleic acid to DHA in the plant part of at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about

15% and about 30%, or between about 20% and about 25%,

xxiii) the level of DHA in the plant part is based on an efficiency of conversion of LA to DHA in the plant part of at least about 15%, at least about 20%, at least about 22%, between about 15% and about 60%, between about 20% and about 40%, or between about 22% and about 30%,

xxiv) the level of DHA in the plant part is based on an efficiency of conversion of ALA to DHA in the plant part of at least about 17%, at least about 22%, at least about 24%, between about 17% and about 65%, between about 22% and about 35%, or between about 24% and about 35%

xxx) one or more or all of the desaturases have greater activity on an acyl-CoA substrate than a corresponding acyl-PC substrate,

xxxi) the  $\Delta 6$ -desaturase has greater  $\Delta 6$ -desaturase activity on ALA than LA as fatty acid substrate,

xxxii) the  $\Delta 6$ -desaturase has greater  $\Delta 6$ -desaturase activity on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate,

xxxiii) the  $\Delta 6$ -desaturase has at least about a 2-fold greater  $\Delta 6$ -desaturase activity, at least 3-fold greater activity, at least 4-fold greater activity, or at least 5-fold greater activity, on ALA as a substrate compared to LA,

xxxiv) the  $\Delta 6$ -desaturase has greater activity on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate,

xxxv) the  $\Delta 6$ -desaturase has at least about a 5-fold greater  $\Delta 6$ -desaturase activity or at least 10-fold greater activity, on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate,

xxxvi) the desaturase is a front-end desaturase,

xxxvii) the  $\Delta 6$ -desaturase has no detectable  $\Delta 5$ -desaturase activity on ETA.

**[0035]** In yet a further embodiment, the plant part has one or more or all of the following features

i) the  $\Delta 12$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:10, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:10,

ii) the  $\omega 3$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:12, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO: 12,

iii) the  $\Delta 6$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:16, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:16,

iv) the  $\Delta 6$ -elongase comprises amino acids having a sequence as provided in SEQ ID NO:25, a biologically active fragment thereof such as SEQ ID NO:26, or an amino acid sequence which is at least 50% identical to SEQ ID NO:25 and/or SEQ ID NO:26,

v) the  $\Delta 5$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:30, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:30,

vi) the  $\Delta 5$ -elongase comprises amino acids having a sequence as provided in SEQ ID NO:37, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:37,

vii) the  $\Delta 4$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:41, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:41.

**[0036]** In an embodiment, the plant part further comprises an exogenous polynucleotide encoding a diacylglycerol acyltransferase (DGAT), monoacylglycerol acyltransferase (MGAT), glycerol-3-phosphate acyltransferase (GPAT), 1-acyl-glycerol-3-phosphate acyltransferase (LPAAT) preferably an LPAAT which can use a C22 polyunsaturated fatty acyl-CoA substrate, acyl-CoA:lysophosphatidylcholine acyltransferase (LPCAT), phospholipase  $A_2$  (PLA $_2$ ), phospholipase C (PLC), phospholipase D (PLD), CDP-choline diacylglycerol choline phosphotransferase (CPT), phosphatidylcholine diacylglycerol acyltransferase (PDAT), phosphatidylcholine:diacylglycerol choline phosphotransferase (PDCT), acyl-CoA synthase (ACS), or a combination of two or more thereof.

**[0037]** In another embodiment, the plant part further comprises an introduced mutation or an exogenous polynucleotide which down regulates the production and/or activity of an endogenous enzyme in a cell of the plant part selected from FAE1, DGAT, MGAT, GPAT, LPAAT, LPCAT, PLA $_2$ , PLC, PLD, CPT, PDAT, a thioesterase such as FATB, or a  $\Delta 12$ -desaturase, or a combination of two or more thereof.

**[0038]** In a further embodiment, at least one, or all, of the promoters are seed specific promoters. In an embodiment, at least one, or all, of the promoters have been obtained from oil biosynthesis or accumulation genes such as oleosin, or from seed storage protein genes such as conlinin.

**[0039]** In another embodiment, the promoter(s) directing expression of the exogenous polynucleotides encoding the  $\Delta 4$ -desaturase and the  $\Delta 5$ -elongase initiate expression of the polynucleotides in developing seed of the plant part before, or reach peak expression before, the promoter(s) directing expression of the exogenous polynucleotides encoding the  $\Delta 12$ -desaturase and the  $\omega 3$ -desaturase.

**[0040]** In a further embodiment, the exogenous polynucleotides are covalently linked in a DNA molecule, preferably

a T-DNA molecule, integrated into the genome of cells of the plant part and preferably where the number of such DNA molecules integrated into the genome of the cells of the plant part is not more than one, two or three, or is two or three.

**[0041]** In yet another embodiment, the plant comprises at least two different, exogenous polynucleotides each encoding a  $\Delta 6$ -desaturase which have the same or different amino acid sequences.

**[0042]** In a further embodiment, the total oil content of the plant part comprising the exogenous polynucleotides is at least about 40%, or at least about 50%, or at least about 60%, or at least about 70%, or between about 50% and about 80% of the total oil content of a corresponding plant part lacking the exogenous polynucleotides. In these embodiments, the maximum oil content may be about 100% of the oil content of a corresponding wild-type plant part.

**[0043]** In another embodiment, the lipid is in the form of an oil, preferably a seedoil from an oilseed, and wherein at least about 90%, or about least 95%, at least about 98%, or between about 95% and about 98%, by weight of the lipid is triacylglycerols.

**[0044]** In a further embodiment, the process further comprises treating the lipid to increase the level of DHA as a percentage of the total fatty acid content. For example, the treatment is transesterification. For example, the lipid such as canola oil may be treated to convert the fatty acids in the oil to alkyl esters such as methyl or ethyl esters, which may then be fractionated to enrich the lipid or oil for the DHA.

**[0045]** Further, provided is a process for producing extracted plant lipid, comprising the steps of

- i) obtaining a plant part, preferably canola seed, comprising lipid, the lipid comprising fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega 6$  fatty acids which comprise linoleic acid (LA),  $\omega 3$  fatty acids which comprise  $\alpha$ -linolenic acid (ALA), and docosahexaenoic acid (DHA), and optionally one or more of eicosapentaenoic acid (EPA), stearidonic acid (SDA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein the level of DHA in the total fatty acid content of extractable lipid in the plant part is about 3%, about 4%, about 5%, about 6% or about 7%, and
- ii) extracting lipid from the plant part,

wherein the extracted lipid has the following features in the total fatty acid content of the lipid;

- i) the level of DHA is about 3%, about 4%, about 5%, about 6% or about 7%,
- ii) the level of palmitic acid is between about 2% and about 16%,
- iii) the level of myristic acid is less than about 2%,
- iv) the level of oleic acid is between about 30% and about 60%, preferably between about 45% and about 60%,
- v) the level of LA is between about 4% and about 20%,
- vi) the level of ALA is between about 2% and about 16%,
- vii) the level of GLA is less than about 4%,
- viii) the level of SDA is less than about 6%, or less than about 4%,
- ix) the level of ETA is less than about 6%, or less than about 4%,
- x) the level of ETrA less than about 1%,
- xi) the level of EPA is less than about 10% and/or the level of EPA is 0.5-2.0 fold the level of DHA,
- xii) the level of DPA is less than about 4%,
- xiii) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 25%,
- xiv) the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 30% and about 70%,
- xv) the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 15% and about 75%, preferably between about 15% and about 30%,
- xvi) the level of new  $\omega 6$  fatty acids in the total fatty acid content of the extracted lipid is between about 0.5% and about 10%,
- xvii) the level of total  $\omega 3$  fatty acids in the total fatty acid content of the extracted lipid is between about 10% and about 20%,
- xviii) the level of new  $\omega 3$  fatty acids in the total fatty acid content of the extracted lipid is between about 3% and about 20%,
- xix) the ratio of total  $\omega 6$  fatty acids: total  $\omega 3$  fatty acids in the fatty acid content of the extracted lipid is between about 0.05 and about 3.0, preferably less than about 0.50,
- xx) the ratio of new  $\omega 6$  fatty acids: new  $\omega 3$  fatty acids in the fatty acid content of the extracted lipid is between about 0.03 and about 3.0,
- xxi) the triacylglycerol (TAG) content of the lipid is at least about 70%, and
- xxii) the lipid is essentially free of cholesterol. In an embodiment, the lipid comprises tri-DHA TAG (TAG 66:18). More preferably, the lipid is essentially free of SDA and ETA, and/or has not been treated with a transesterification



process after it was extracted from the plant or plant part.

**[0046]** Also provided is a process for producing extracted plant lipid, comprising the steps of

- i) obtaining a plant part comprising lipid, the lipid comprising fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA) and docosahexaenoic acid (DHA), and one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein (i) the level of DHA in the total fatty acid content of the extracted lipid is between 7% and 20%, (ii) the level of palmitic acid in the total fatty acid content of the extracted lipid is between 2% and 16%, (iii) the level of myristic acid (C14:0) in the total fatty acid content of the extracted lipid is less than 6%, (iv) the level of oleic acid in the total fatty acid content of the extracted lipid is between 1% and 30% or between 30% and 60%, (v) the level of linoleic acid (LA) in the total fatty acid content of the extracted lipid is between 4% and 35%, (vi) the level of  $\alpha$ -linolenic acid (ALA) in the total fatty acid content of the extracted lipid is between 4% and 40%, (vii) the level of eicosatrienoic acid (ETra) in the total fatty acid content of the extracted lipid is less than 4%, (viii) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between 4% and 25%, (ix) the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between 1.0 and 3.0 or between 0.1 and 1, (x) the triacylglycerol (TAG) content of the lipid is at least 70%, and (xi) at least 70% of the DHA esterified in the form of TAG is in the *sn*-1 or *sn*-3 position of the TAG. %, and
- ii) extracting lipid from the plant part,

wherein the level of DHA in the total fatty acid content of the extracted lipid is about 7% to 20%.

**[0047]** Also provided is lipid, or oil comprising the lipid, produced using a process of the invention.

**[0048]** In another aspect, the present invention provides a process for producing ethyl esters of polyunsaturated fatty acids, the process comprising transesterifying triacylglycerols in extracted plant lipid, wherein the extracted plant lipid comprises fatty acids esterified in the form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA), and docosahexaenoic acid (DHA), and optionally one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein the level of DHA in the total fatty acid content of the extracted lipid is about 7% to 20%, thereby producing the ethyl esters.

**[0049]** In a preferred embodiment, the extracted lipid has one or more of the features defined above.

**[0050]** In another aspect, the present invention provides a process for producing ethyl esters of polyunsaturated fatty acids, the process comprising transesterifying triacylglycerols in extracted plant lipid, wherein the extracted plant lipid comprises fatty acids esterified in the form of the triacylglycerols, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA) and docosahexaenoic acid (DHA), and one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein (i) the level of DHA in the total fatty acid content of the extracted lipid is about 3%, about 4%, about 5%, about 6% or between 7% and 20%, (ii) the level of palmitic acid in the total fatty acid content of the extracted lipid is between 2% and 16%, (iii) the level of myristic acid (C14:0) in the total fatty acid content of the extracted lipid is less than 6%, (iv) the level of oleic acid in the total fatty acid content of the extracted lipid is between 1% and 30% or between 30% and 60%, (v) the level of linoleic acid (LA) in the total fatty acid content of the extracted lipid is between 4% and 35%, (vi) the level of  $\alpha$ -linolenic acid (ALA) in the total fatty acid content of the extracted lipid is between 4% and 40%, (vii) the level of eicosatrienoic acid (ETra) in the total fatty acid content of the extracted lipid is less than 4%, (viii) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between 4% and 25%, (ix) the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between 1.0 and 3.0 or between 0.1 and 1, (x) the triacylglycerol (TAG) content of the lipid is at least 70%, and (xi) at least 70% of the DHA esterified in the form of TAG is in the *sn*-1 or *sn*-3 position of the TAG, thereby producing the ethyl esters. In an embodiment, the extracted plant lipid has one or more or all of the following features

- i) the level of palmitic acid in the total fatty acid content of the extracted lipid is between 2% and 15%,
- ii) the level of myristic acid (C14:0) in the total fatty acid content of the extracted lipid is less than 1%,
- xxxv) the level of oleic acid in the total fatty acid content of the extracted lipid is between about 3% and about 30%, between about 6% and about 30%, between 1% and about 20%, between about 45% and about 60%, or is about 30%,
- xxxvi) the level of linoleic acid (LA) in the total fatty acid content of the extracted lipid is between about 4% and about 20%, or between about 4% and 17%,
- xxxvii) the level of  $\alpha$ -linolenic acid (ALA) in the total fatty acid content of the extracted lipid is between about 7% and about 40%, between about 10% and about 35%, between about 20% and about 35%, or between about 4% and 16%,

xxxviii) the level of  $\gamma$ -linolenic acid (GLA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, less than about 1%, less than about 0.5%, between 0.05% and 7%, between 0.05% and 4%, or between 0.05% and about 3%, or between 0.05% and about 2%,

xxxix) the level of stearidonic acid (SDA) in the total fatty acid content of the extracted lipid is less than about 4%, less than about 3%, between about 0.05% and about 7%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between 0.05% and about 2%,

xl) the level of eicosatetraenoic acid (ETA) in the total fatty acid content of the extracted lipid is less than about 4%, less than about 1%, less than about 0.5%, between about 0.05% and about 5%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between about 0.05% and about 2%,

xlii) the level of eicosatrienoic acid (ETra) in the total fatty acid content of the extracted lipid is less than about 2%, less than about 1%, between 0.05% and 4%, between 0.05% and 3%, or between 0.05% and about 2%, or between 0.05% and about 1%,

xliv) the level of eicosapentaenoic acid (EPA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, between 0.05% and 10%, between 0.05% and 5%, or between 0.05% and about 3%, or between 0.05% and about 2%,

xlvi) the level of docosapentaenoic acid (DPA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, between 0.05% and 8%, between 0.05% and 5%, or between 0.05% and about 3%, or between 0.05% and about 2%,

lxviii) the level of DHA in the total fatty acid content of the extracted lipid is about 8%, about 9%, about 10%, about 11%, about 12%, about 13%, about 14%, about 15%, about 16%, about 17%, about 18%, between about 8% and 20%, between about 10% and 20%, between about 11% and 20%, between about 10% and about 16%, or between about 14% and 20%,

lxviii) the lipid comprises  $\omega$ 6-docosapentaenoic acid (22:5 $\Delta^{4,7,10,13,16}$ ) in its fatty acid content,

lxviii) the lipid is essentially free of  $\omega$ 6-docosapentaenoic acid (22:5 $\Delta^{4,7,10,13,16}$ ) in its fatty acid content,

lxviii) the lipid is essentially free of SDA, EPA and ETA in its fatty acid content,

lxviii) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 20%, or between about 6% and about 20%,

lxix) the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 35%, between about 8% and about 25%, or between 8% and about 22%,

l) the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 20% and about 75%, between about 50% and about 75%, or between about 60% and about 75%,

li) the level of total  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is between about 35% and about 50%, between about 20% and about 35%, between about 6% and 20%, less than 20%, less than about 16%, less than about 10%, between about 1% and about 16%, between about 2% and about 10%, or between about 4% and about 10%,

lii) the level of new  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is less than about 10%, less than about 8%, less than about 6%, less than 4%, between about 1% and about 20%, between about 1% and about 10%, between about 0.5% and about 8%, or between about 0.5% and 4%,

liii) the level of total  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between 36% and about 65%, between 40% and about 60%, between about 20% and about 35%, between about 10% and about 20%, about 25%, about 30%, about 35% or about 40%,

liv) the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between 9% and about 33%, between about 10% and about 20%, between about 20% and about 30%, between about 12% and about 25%, about 13%, about 15%, about 17% or about 20%,

lv) the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 0.1 and about 0.5, less than about 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 1.0, about 0.1 or about 0.2,

lvi) the ratio of new  $\omega$ 6 fatty acids: new  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between about 1.0 and about 3.0, between about 0.1 and about 1, between about 0.1 and about 0.5, less than about 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 0.1, about 0.2 or about 1.0,

lvii) the fatty acid composition of the lipid is based on an efficiency of conversion of oleic acid to DHA of at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 10% and about 30%, or between about 10% and about 25%,

lviii) the fatty acid composition of the lipid is based on an efficiency of conversion of LA to DHA of at least about 15%, at least about 20%, at least about 22%, at least about 25%, between about 15% and about 50%, between about 20% and about 40%, or between about 20% and about 30%,

lix) the fatty acid composition of the lipid is based on an efficiency of conversion of ALA to DHA of at least about 17%, at least about 22%, at least about 24%, between about 17% and about 55%, between about 22% and about

35%, or between about 24% and about 35%,

ix) the total fatty acid in the extracted lipid has less than 1% C20:1,

lxi) the triacylglycerol (TAG) content of the lipid is at least about 80%, at least about 90%, at least 95%, between about 70% and about 99%, or between about 90% and about 99%,

lxi) the lipid comprises diacylglycerol (DAG),

lxiii) the lipid comprises less than about 10%, less than about 5%, less than about 1%, or between about 0.001% and about 5%, free (non-esterified) fatty acids and/or phospholipid, or is essentially free thereof,

lxiv) at least 80%, of the DHA esterified in the form of TAG is in the *sn*-1 or *sn*-3 position of the TAG,

lxv) the most abundant DHA-containing TAG species in the lipid is DHA/18:3/18:3 (TAG 58:12), and

lxvi) the lipid comprises tri-DHA TAG (TAG 66:18).

**[0051]** With specific regard to the above aspect, in an embodiment one or more or all of the following apply

i) the lipid is in the form of an oil, wherein the oil comprises one or more sterols such as one or more or all of campesterol,  $\Delta$ 5-stigmasterol, eburicol,  $\beta$ -sitosterol,  $\Delta$ 5-avenasterol,  $\Delta$ 7-stigmasterol and  $\Delta$ 7-avenasterol, and optionally the oil comprises less than 10 mg of sterols/g of oil and/or the oil is essentially free of cholesterol,

ii) the lipid is in the form of an oil from an oilseed such as oilseed is a *Brassica sp* oilseed or canola seed,

iii) the level of DHA in the total fatty acid content of the extracted plant lipid is about 3%, about 4%, about 5%, about 6%, or is between 7% and 20%.

**[0052]** In a further aspect, the present invention provides a chimeric genetic construct comprising in order a first gene, a second gene, a third gene, a fourth gene, a fifth gene and a sixth gene which are all covalently linked on a single DNA molecule,

wherein the first, second and third genes are joined together as a first gene cluster and the fourth, fifth and sixth genes are joined together as a second gene cluster,

wherein each gene comprises a promoter, a coding region and a transcription terminator and/or polyadenylation region such that each promoter is operably linked to the coding region and transcription terminator and/or polyadenylation region, wherein each promoter is independently identical or different to the other promoters such that the DNA molecule comprises three, four, five or six different promoters,

wherein one or more or all of the promoters are heterologous with respect to the coding region to which it is operably linked, wherein the direction of transcription of the first gene is away from the third gene and opposite to the direction of transcription of the third gene,

wherein the direction of transcription of the fourth gene is away from the sixth gene and opposite to the direction of transcription of the sixth gene,

wherein the direction of transcription of the second gene is the same as for the first gene or the third gene,

wherein the direction of transcription of the fifth gene is the same as for the fourth gene or the sixth gene,

wherein the transcription terminator and/or polyadenylation region of the second gene is spaced apart from the promoter of the first or third genes, whichever is closer, by a first spacer region of between about 0.2 and about 3.0 kilobases,

wherein the first gene cluster is spaced apart from the second gene cluster by a second spacer region of between about 1.0 and about 10.0 kilobases, and

wherein the transcription terminator and/or polyadenylation region of the fifth gene is spaced apart from the promoter of the fourth or sixth genes, whichever is closer, by a third spacer region of between about 0.2 and about 3.0 kilobases.

**[0053]** In an embodiment, the DNA molecule comprises a seventh gene which is spaced apart from the first gene cluster or the second gene cluster, whichever is closer, by a spacer region of between about 1.0 and about 10.0 kilobases.

**[0054]** In another embodiment, the DNA molecule comprises two or more different transcription terminator and/or polyadenylation regions.

**[0055]** In yet a further embodiment, at least one of the spacer regions comprises a matrix attachment region (MAR).

**[0056]** In a further embodiment, the DNA molecule comprises right and left border regions flanking the genes and is a T-DNA molecule.

**[0057]** In another embodiment, the genetic construct is in an *Agrobacterium* cell or is integrated into the genome of a plant cell.

**[0058]** In a preferred embodiment, at least one of the genes encodes a fatty acid desaturase or a fatty acid elongase.

**[0059]** In another embodiment, the genetic construct comprises genes encoding a set of enzymes as defined herein, and/or wherein one or more of the genes encode an enzyme as defined herein.

**[0060]** In a further aspect, the present invention provides an isolated and/or exogenous polynucleotide comprising:

i) a sequence of nucleotides selected from any one of SEQ ID NOs: 1 to 9, 11, 14, 18, 22, 23, 28, 34, 35, 39 or 45, and/or

ii) a sequence of nucleotides which are at least 95% identical or 99% identical to one or more of the sequences set

forth in SEQ ID NOs: 1 to 9, 11, 14, 18, 22, 23, 28, 34, 35, 39 or 45.

**[0061]** In a particularly preferred embodiment, the isolated and/or exogenous polynucleotide comprises:

- i) a sequence of nucleotides of SEQ ID NO: 2, and/or
- ii) a sequence of nucleotides which are at least 95% identical or 99% identical to the sequence set forth in SEQ ID NO: 2.

**[0062]** In another aspect, the present invention provides a vector or genetic construct comprising the polynucleotide of the invention and/or the genetic construct of the invention.

**[0063]** In an embodiment, the sequence of nucleotides selected from any one of SEQ ID NOs: 11, 14, 18, 22, 23, 28, 34, 35, 39 or 45, or the sequence of nucleotides which is at least 95% identical or 99% identical to one or more of the sequences set forth in SEQ ID NOs: 11, 14, 18, 22, 23, 28, 34, 35, 39 or 45, is operably linked to a promoter.

**[0064]** In a further aspect, the present invention provides a host cell comprising exogenous polynucleotides encoding one of the following sets of enzymes;

- i) an  $\omega$ 3-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and a  $\Delta$ 5-elongase,
- ii) a  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and a  $\Delta$ 5-elongase,
- iii) a  $\Delta$ 12-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase,
- iv) a  $\Delta$ 12-desaturase, a  $\omega$ 3-desaturase or a  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase,
- v) an  $\omega$ 3-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase,
- vi) a  $\Delta$ 15-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and a  $\Delta$ 5-elongase,
- vii) a  $\Delta$ 12-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase, or
- viii) a  $\Delta$ 12-desaturase, a  $\omega$ 3-desaturase or a  $\Delta$ 15-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase,

and wherein each polynucleotide is operably linked to one or more promoters that are capable of directing expression of said polynucleotides in the cell.

**[0065]** In an embodiment, the cell comprises lipid as defined above, or wherein one or more or all of the desaturases or elongases have one or more of the features as defined above.

**[0066]** In another aspect, the present invention provides a host cell comprising

- i) a first exogenous polynucleotide encoding a  $\Delta$ 12-desaturase which comprises amino acids having a sequence as provided in SEQ ID NO:10, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO: 10, and
- ii) a second exogenous polynucleotide encoding a  $\omega$ 3-desaturase which comprises amino acids having a sequence as provided in SEQ ID NO:12, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO: 12,

wherein each polynucleotide is operably linked to one or more promoters that are capable of directing expression of said polynucleotides in the cell.

**[0067]** In a further aspect, the present invention provides a host cell comprising one or more of the polynucleotide of the invention, the genetic construct of the invention, or the vector or genetic construct of the invention.

**[0068]** In an embodiment, the cell is in a plant, in a plant part and/or is a mature plant seed cell.

**[0069]** In an embodiment, the plant or plant seed is an oilseed plant or an oilseed, respectively.

**[0070]** Also provided is a transgenic non-human organism comprising a cell of the invention. Preferably, the transgenic non-human organism is a transgenic plant, preferably an oilseed plant or *Arabidopsis thaliana*. In an embodiment, the plant is a *Brassica* plant, preferably *B. napus* or *B. juncea*, or a plant other than *Arabidopsis thaliana*.

**[0071]** In another aspect, the present invention provides an oilseed plant comprising

- a) lipid in its seed, the lipid comprising fatty acids in an esterified form, and
- b) exogenous polynucleotides encoding one of the following sets of enzymes;

- i) a  $\Delta$ 12-desaturase, a fungal  $\omega$ 3-desaturase and/or fungal  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase, or
- ii) a  $\Delta$ 12-desaturase, a fungal  $\omega$ 3-desaturase and/or fungal  $\Delta$ 15-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase,

wherein each polynucleotide is operably linked to one or more seed-specific promoters that are capable of directing expression of said polynucleotides in developing seed of the plant, wherein the fatty acids comprise oleic acid, palmitic acid,  $\omega 6$  fatty acids which comprise linoleic acid (LA) and  $\gamma$ -linolenic acid (GLA),  $\omega 3$  fatty acids which comprise  $\alpha$ -linolenic acid (ALA), stearidonic acid (SDA), docosapentaenoic acid (DPA) and docosahexaenoic acid (DHA), and optionally eicosapentaenoic acid (EPA) and/or eicosatetraenoic acid (ETA), and wherein the level of DHA in the total fatty acid content of the lipid is about 7% to 20%.

**[0072]** Examples of oilseed plants include, but are not limited to, *Brassica sp.*, *Gossypium hirsutum*, *Linum usitatissimum*, *Helianthus sp.*, *Carthamus tinctorius*, *Glycine max*, *Zea mays*, *Arabidopsis thaliana*, *Sorghum bicolor*, *Sorghum vulgare*, *Avena sativa*, *Trifolium sp.*, *Elaeisis guineensis*, *Nicotiana benthamiana*, *Hordeum vulgare*, *Lupinus angustifolius*, *Oryza sativa*, *Oryza glaberrima*, *Camelina sativa*, or *Crambe abyssinica*. In an embodiment, the oilseed plant is a canola, *Glycine max*, *Camelina sativa* or *Arabidopsis thaliana* plant. In an alternate embodiment, the oilseed plant is other than *A. thaliana*.

**[0073]** In an embodiment, one or more of the desaturases is capable of using an acyl-CoA substrate. In a preferred embodiment, one or more of the  $\Delta 6$ -desaturase,  $\Delta 5$ -desaturase,  $\Delta 4$ -desaturase and  $\Delta 8$ -desaturase, if present, is capable of using an acyl-CoA substrate, preferably each of the i)  $\Delta 6$ -desaturase,  $\Delta 5$ -desaturase and  $\Delta 4$ -desaturase or ii)  $\Delta 5$ -desaturase,  $\Delta 4$ -desaturase and  $\Delta 8$ -desaturase is capable of using an acyl-CoA substrate. In an embodiment, a  $\Delta 12$ -desaturase and/or an  $\omega 3$ -desaturase is capable of using an acyl-CoA substrate. The acyl-CoA substrate is preferably an ALA-CoA, ETA-CoA, DPA-CoA, ETrA-CoA, LA-CoA, GLA-CoA, or ARA-CoA.

**[0074]** In an embodiment, mature, harvested seed of the plant has a DHA content of at least about 28mg per gram seed, preferably at least about 32mg per gram seed, at least about 36mg per gram seed, at least about 40mg per gram seed, more preferably at least about 44mg per gram seed or at least about 48mg per gram seed. The maximum DHA content may be about 80 to about 100mg per gram seed, or about 80mg or about 100mg per gram seed.

**[0075]** In a further aspect, the present invention provides a *Brassica napus*, *B. juncea* or *Camelina sativa* plant which is capable of producing seed comprising DHA, wherein mature, harvested seed of the plant has a DHA content of at least about 28mg per gram seed, preferably at least about 32mg per gram seed, at least about 36mg per gram seed, at least about 40mg per gram seed, more preferably at least about 44mg per gram seed or at least about 48mg per gram seed. The maximum DHA content may be about 80 to about 100mg per gram seed, or about 80mg or about 100mg per gram seed.

**[0076]** In another aspect, the present invention provides plant cell of a plant of the invention comprising the exogenous polynucleotides.

**[0077]** Also provided is a plant part, preferably a seed, which has one or more of the following features

- i) is from a plant of the invention,
- ii) comprises lipid as defined herein,
- iii) can be used in a process of the invention,
- iv) comprises a genetic construct of the invention, or
- v) comprises a set of exogenous polynucleotides as defined herein.

**[0078]** In yet another aspect, the present invention provides mature, harvested *Brassica napus*, *B. juncea* or *Camelina sativa* seed comprising DHA and a moisture content of between about 4% and about 15% by weight, wherein the DHA content of the seed at least about 28mg per gram seed, preferably at least about 32mg per gram seed, at least about 36mg per gram seed, at least about 40mg per gram seed, more preferably at least about 44mg per gram seed or at least about 48mg per gram seed. The maximum DHA content may be about 80 to about 100mg per gram seed, or about 80mg or about 100mg per gram seed.

**[0079]** In an embodiment, the cell of the invention, the transgenic organism of the invention, the oilseed plant of the invention, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of the invention, the plant part of the invention, or the seed of the invention, which can be used to produce extracted lipid comprising one or more or all of the features defined herein.

**[0080]** In yet a further aspect, the present invention provides a method of producing a cell of the invention, the method comprising

- a) introducing into the cell, preferably a cell which is not capable of synthesising a LC-PUFA, the gene construct of the invention, the isolated and/or exogenous polynucleotide of the invention, the vector or genetic construct of the invention, one or more of the combinations of exogenous polynucleotides defined herein,
- b) optionally, expressing the genes or polynucleotide(s) in the cell;
- c) optionally, analysing the fatty acid composition of the cell, and
- d) optionally, selecting a cell which express the genes or polynucleotide(s).

[0081] In an embodiment, the lipid in the cell has one or more of the features defined herein.

[0082] In another embodiment, the gene construct, the isolated and/or exogenous polynucleotide, the vector, the genetic construct or combinations of exogenous polynucleotides, become stably integrated into the genome of the cell.

[0083] In a further embodiment, the cell is a plant cell, and the method further comprises the step of regenerating a transformed plant from the cell of step a).

[0084] In another embodiment, the genes and/or exogenous polynucleotide(s) are expressed transiently in the cell.

[0085] Also provided is a cell produced using a method of the invention.

[0086] In another aspect, the present invention provides a method of producing seed, the method comprising,

- a) growing a plant of the invention, or a plant which produces a part as defined herein, preferably in a field as part of a population of at least 1000 such plants or in an area of at least 1 hectare planted at a standard planting density,
- b) harvesting seed from the plant or plants, and
- c) optionally, extracting lipid from the seed, preferably to produce oil with a total DHA yield of at least 60kg DHA/hectare.

[0087] In an embodiment, the plant, plant cell, plant part or seed of the invention has one or more of the following features

- i) the oil is as defined herein,
- ii) the plant part or seed is capable of being used in a process of the invention,
- iii) the exogenous polynucleotides are comprised in a genetic construct of the invention,
- iv) the exogenous polynucleotides comprise an exogenous polynucleotide of the invention,
- v) the plant cell is a cell of the invention, and
- vi) the seed was produced according to the method of the invention.

[0088] In another aspect, the present invention provides a method of producing one or more fatty acid desaturases and/or fatty acid elongases, or one or more fatty acid desaturases and one or more fatty acid elongases, the method comprising expressing in a cell or cell free expression system the gene construct of the invention, the isolated and/or exogenous polynucleotide of the invention, the vector or genetic construct of the invention, one or more of the combinations of exogenous polynucleotides defined herein, preferably in a developing oilseed in an oilseed plant in the field.

[0089] In a further aspect, the present invention provides lipid, or oil, produced by, or obtained from, using the process of the invention, the cell of the invention, the transgenic organism of the invention, the oilseed plant of the invention, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of the invention, the plant part of the invention, the seed of the invention, or the plant, plant cell, plant part or seed of the invention.

[0090] In an embodiment, the lipid or oil is obtained by extraction of oil from an oilseed. Examples of oil from oilseeds include, but are not limited to, canola oil (*Brassica napus*, *Brassica rapa* ssp.), mustard oil (*Brassica juncea*), other Brassica oil, sunflower oil (*Helianthus annuus*), linseed oil (*Linum usitatissimum*), soybean oil (*Glycine max*), safflower oil (*Carthamus tinctorius*), corn oil (*Zea mays*), tobacco oil (*Nicotiana tabacum*), peanut oil (*Arachis hypogaea*), palm oil, cottonseed oil (*Gossypium hirsutum*), coconut oil (*Cocos nucifera*), avocado oil (*Persea americana*), olive oil (*Olea europaea*), cashew oil (*Anacardium occidentale*), macadamia oil (*Macadamia intergrifolia*), almond oil (*Prunus amygdalus*) or *Arabidopsis* seed oil (*Arabidopsis thaliana*).

[0091] In a further aspect, the present invention provides fatty acid produced by, or obtained from, using the process of the invention, the cell of the invention, the transgenic organism of the invention, the oilseed plant of the invention, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of the invention, the plant part of the invention, the seed of the invention, or the plant, plant cell, plant part or seed of the invention. Preferably the fatty acid is DHA. The fatty acid may be in a mixture of fatty acids having a fatty acid composition as described herein. In an embodiment, the fatty acid is non-esterified.

[0092] Also provided is seedmeal obtained from seed of the invention. Preferred seedmeal includes, but not necessarily limited to, *Brassica napus*, *B. juncea*, *Camelina sativa* or *Glycine max* seedmeal. In an embodiment, the seedmeal comprises an exogenous polynucleotide(s) and/or genetic constructs as defined herein.

[0093] In another aspect, the present invention provides a composition comprising one or more of a lipid or oil of the invention, the fatty acid of the invention, the genetic construct of the invention, the isolated and/or exogenous polynucleotide of the invention, the vector or genetic construct of the invention, the cell according of the invention, the transgenic organism of the invention, the oilseed plant of the invention, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of the invention, the plant part of the invention, the seed of the invention, the plant, plant cell, plant part or seed of the invention, or the seedmeal of the invention. In embodiments, the composition comprises a carrier suitable for pharmaceutical, food or agricultural use, a seed treatment compound, a fertiliser, another food or feed ingredient, or added protein or vitamins.

[0094] Also provided is feedstuffs, cosmetics or chemicals comprising one or more of the lipid or oil of the invention,

the fatty acid of the invention, the genetic construct of the invention, the isolated and/or exogenous polynucleotide of the invention, the vector or genetic construct of the invention, the cell according of the invention, the transgenic organism of the invention, the oilseed plant of the invention, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of the invention, the plant part of the invention, the seed of the invention, the plant, plant cell, plant part or seed of the invention, the seedmeal of the invention, or the composition of the invention.

**[0095]** In another aspect, the present invention provides a method of producing a feedstuff, the method comprising mixing one or more of the lipid or oil of the invention, the fatty acid of the invention, the genetic construct of the invention, the isolated and/or exogenous polynucleotide of the invention, the vector or genetic construct of the invention, the cell according of the invention, the transgenic organism of the invention, the oilseed plant of the invention, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of the invention, the plant part of the invention, the seed of the invention, the plant, plant cell, plant part or seed of the invention, the seedmeal of the invention, or the composition of the invention, with at least one other food ingredient.

**[0096]** In another aspect, the present invention provides a method of treating or preventing a condition which would benefit from a PUFA, the method comprising administering to a subject one or more of the lipid or oil of the invention, the fatty acid of the invention, the genetic construct of the invention, the isolated and/or exogenous polynucleotide of the invention, the vector or genetic construct of the invention, the cell according of the invention, the transgenic organism of the invention, the oilseed plant of the invention, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of the invention, the plant part of the invention, the seed of the invention, the plant, plant cell, plant part or seed of the invention, the seedmeal of the invention, the composition of the invention, or the feedstuff of the invention.

**[0097]** Examples of conditions which would benefit from a PUFA include, but are not limited to, cardiac arrhythmia's, angioplasty, inflammation, asthma, psoriasis, osteoporosis, kidney stones, AIDS, multiple sclerosis, rheumatoid arthritis, Crohn's disease, schizophrenia, cancer, foetal alcohol syndrome, attention deficient hyperactivity disorder, cystic fibrosis, phenylketonuria, unipolar depression, aggressive hostility, adrenoleukodystrophy, coronary heart disease, hypertension, diabetes, obesity, Alzheimer's disease, chronic obstructive pulmonary disease, ulcerative colitis, restenosis after angioplasty, eczema, high blood pressure, platelet aggregation, gastrointestinal bleeding, endometriosis, premenstrual syndrome, myalgic encephalomyelitis, chronic fatigue after viral infections or an ocular disease.

**[0098]** Also provided is the use of one or more of the lipid or oil of the invention, the fatty acid of the invention, the genetic construct of the invention, the isolated and/or exogenous polynucleotide of the invention, the vector or genetic construct of the invention, the cell according of the invention, the transgenic organism of the invention, the oilseed plant of the invention, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of the invention, the plant part of the invention, the seed of the invention, the plant, plant cell, plant part or seed of the invention, the seedmeal of the invention, the composition of the invention, or the feedstuff of the invention for the manufacture of a medicament for treating or preventing a condition which would benefit from a PUFA. The production of the medicament may comprise mixing the oil of the invention with a pharmaceutically acceptable carrier, for treatment of a condition as described herein. The method may comprise firstly purifying the oil and/or transesterification, and/or fractionation of the oil to increase the level of DHA. In a particular embodiment, the method comprises treating the lipid or oil such as canola oil to convert the fatty acids in the oil to alkyl esters such as methyl or ethyl esters. Further treatment such as fractionation or distillation may be applied to enrich the lipid or oil for the DHA. In a preferred embodiment, the medicament comprises ethyl esters of DHA. In an even more preferred embodiment, the level of ethyl esters of DHA in the medicament is between 30% and 50%. The medicament may further comprise ethyl esters of EPA, such as between 30% and 50% of the total fatty acid content in the medicament. Such medicaments are suitable for administration to human or animal subjects for treatment of medical conditions as described herein.

**[0099]** In another aspect, the present invention provides a method of trading seed, comprising obtaining seed of the invention, and trading the obtained seed for pecuniary gain.

**[0100]** In an embodiment, obtaining the seed comprises cultivating plants of the invention and/or harvesting the seed from the plants.

**[0101]** In another embodiment, obtaining the seed further comprises placing the seed in a container and/or storing the seed.

**[0102]** In a further embodiment, obtaining the seed further comprises transporting the seed to a different location.

**[0103]** In yet another embodiment, the method further comprises transporting the seed to a different location after the seed is traded.

**[0104]** In a further embodiment, the trading is conducted using electronic means such as a computer.

**[0105]** In yet a further aspect, the present invention provides a process of producing bins of seed comprising:

- a) swath, windrowing and/or reaping above-ground parts of plants comprising seed of the invention,
- b) threshing and/or winnowing the parts of the plants to separate the seed from the remainder of the plant parts, and
- c) sifting and/or sorting the seed separated in step b), and loading the sifted and/or sorted seed into bins, thereby producing bins of seed.

[0106] In an embodiment, where relevant, the lipid or oil, preferably seedoil, of, or useful for, the invention has fatty levels about those provided in a Table in the Examples section, such as seed 14 of Table 16.

[0107] Any embodiment herein shall be taken to apply *mutatis mutandis* to any other embodiment unless specifically stated otherwise.

[0108] The present invention is not to be limited in scope by the specific embodiments described herein, which are intended for the purpose of exemplification only. Functionally-equivalent products, compositions and methods are clearly within the scope of the invention, as described herein.

[0109] Throughout this specification, unless specifically stated otherwise or the context requires otherwise, reference to a single step, composition of matter, group of steps or group of compositions of matter shall be taken to encompass one and a plurality (i.e. one or more) of those steps, compositions of matter, groups of steps or group of compositions of matter.

[0110] The invention is hereinafter described by way of the following non-limiting Examples and with reference to the accompanying figures.

## BRIEF DESCRIPTION OF THE ACCOMPANYING DRAWINGS

[0111]

**Figure 1.** Aerobic DHA biosynthesis pathways.

**Figure 2.** Map of the T-DNA insertion region between the left and right borders of pJP3416-GA7. RB denotes right border; LB, left border; TER, transcription terminator/ polyadenylation region; PRO, promoter; Coding regions are indicated above the arrows, promoters and terminators below the arrows. Micpu- $\Delta 6D$ , *Micromonas pusilla*  $\Delta 6$ -desaturase; Pyrco- $\Delta 6E$ , *Pyramimonas cordata*  $\Delta 6$ -elongase; Pavsa- $\Delta 5D$ , *Pavlova salina*  $\Delta 5$ -desaturase; Picpa- $\omega 3D$ , *Pichia pastoris*  $\omega 3$ -desaturase; Pavsa- $\Delta 4D$ , *P. salina*  $\Delta 4$ -desaturase; Lackl- $\Delta 12D$ , *Lachancea kluyveri*  $\Delta 12$ -desaturase; Pyrco- $\Delta 5E$ , *Pyramimonas cordata*  $\Delta 5$ -elongase. NOS denotes the *Agrobacterium tumefaciens* nopaline synthase transcription terminator/polyadenylation region; FP1, *Brassica napus* truncated napin promoter; FAE1, *Arabidopsis thaliana* FAE1 promoter; Lectin, *Glycine max* lectin transcription terminator/polyadenylation region; Cnl1 and Cnl2 denotes the *Linum usitatissimum* conlinin1 or conlinin2 promoter or terminator. MAR denotes the Rb7 matrix attachment region from *Nicotiana tabacum*.

**Figure 3.** Map of the T-DNA insertion region between the left and right borders of pJP3404. Labels are as in Figure 2.

**Figure 4.** Map of the insertion region between the left and right borders of pJP3367. Labels are as in Figure 2.

**Figure 5.** DHA levels as a percentage of total fatty acids in seed lipid from multiple independent transgenic *Arabidopsis thaliana* seeds in both the  $T_2$  and  $T_3$  generations. The bracketed  $T_2$  events were taken to  $T_3$ . Events from both the Columbia and *fad2* mutant *A. thaliana* backgrounds are shown.

**Figure 6.** Oil content (w/w) vs. DHA content, as a percentage of total fatty acid content of lipid from transgenic *Arabidopsis thaliana* seeds.

**Figure 7.** Representative RT-PCR gel showing the low expression of the  $\Delta 6$ -desaturase gene relative to the other transgenes in the T-DNA of *B. napus* embryos transformed using pJP3416-GA7. Lanes from the left show RT-PCR products: 1, DNA size markers; lane 2,  $\Delta 12$  desaturase; lane 3,  $\omega 3$ -desaturase; lane 4,  $\Delta 6$ -desaturase (low expression); lane 5,  $\Delta 6$ -elongase; lane 6,  $\Delta 5$ -desaturase; lane 7,  $\Delta 5$ -elongase; lane 8,  $\Delta 4$ -desaturase.

**Figure 8.** Percentage of ALA plotted against percentage of oleic acid, each as a percentage of total fatty acids in lipid obtained from transgenic 35S:LEC2 *Brassica napus* somatic embryos.

**Figure 9.** Positional distribution analysis by NMR on A) Tuna oil and, B) transgenic DHA *Arabidopsis* seed oil. The peaks labelled 'DHA-alpha' represent the amount of DHA present at the *sn*-1 and *sn*-3 positions of TAG (with no positional preference this would equal 66% of total DHA) whilst the peaks labelled 'DHA-beta' represent the amount of DHA present at the *sn*-2 position of TAG (with no preference this would equal 33% of DHA).

**Figure 10.** LC-MS analysis of major DHA-containing triacylglycerol species in transgenic *A. thaliana* developing (grey) and mature (black) seeds. The number following the DHA denotes the total number of carbon atoms and total number of double bonds in the other two fatty acids. Therefore DHA/34:1 can also be designated TAG 56:7, etc.



**Figure 11.** Map of the T-DNA insertion region between the left and right borders of pORE04+11ABGBEC\_Cowpea\_EPA\_insert. Labels are as in Figure 2; SSU, *Arabidopsis thaliana* rubisco small subunit promoter.

**Figure 12.** Map of the binary vector pJP3364 showing the *NotI* restriction site into which the candidate  $\Delta 12$ -desaturases were cloned.

**Figure 13.** BoxPlot generated using SigmaPlot showing the percentage of fatty acid 20:4 $\omega$ 6 (ARA) in seed lipid of *Arabidopsis* T2 seed populations transformed with pFN045-pFN050. The boundary of each box closest to zero indicates the 25th percentile, a line within each box marks the median, and the boundary of each box farthest from zero indicates the 75th percentile. Error bars shown above and below each box indicate the 90th and 10th percentiles.

**Figure 14.** Average level of ARA as a percentage of the total fatty acid content in seed lipid of *Arabidopsis* T2 seed transformed with pFN045-pFN050.

**Figure 15.** BoxPlot showing the percentage of fatty acid 20:2 $\omega$ 6 (EDA) in seed lipid of *Arabidopsis* T2 seed populations transformed with pFN045-pFN050. The BoxPlot represents values as described in Figure 13.

**Figure 16.** BoxPlot showing the percentage of ARA in seed lipid of *Arabidopsis* T4 seed populations transformed with pFN045-pFN050. The BoxPlot represents values as described in Figure 13.

**Figure 17.** Average level of ARA as a percentage of the total fatty acid content in seed lipid of *Arabidopsis* T4 seed populations transformed with pFN045-pFN050.

**Figure 18.** BoxPlot showing the percentage of EDA in seed lipid of *Arabidopsis* T4 seed populations transformed with pFN045-pFN050. The BoxPlot represents values as described in Figure 13.

**Figure 19.** (A) Basic phytosterol structure with ring and side chain numbering. (B) Chemical structures of some of the phytosterols.

**Figure 20.** Phylogenetic tree of known LPAATs.

**Figure 21.** The various acyl exchange enzymes which transfer fatty acids between PC, CoA pools, and TAG pools. Adapted from Singh et al. (2005).

## KEY TO THE SEQUENCE LISTING

### [0112]

SEQ ID NO:1 - pJP3416-GA7 nucleotide sequence.  
 SEQ ID NO:2 - pGA7- mod\_B nucleotide sequence.  
 SEQ ID NO:3 - pGA7- mod\_C nucleotide sequence.  
 SEQ ID NO:4 - pGA7- mod\_D nucleotide sequence.  
 SEQ ID NO:5 - pGA7- mod\_E nucleotide sequence.  
 SEQ ID NO:6 - pGA7- mod\_F nucleotide sequence.  
 SEQ ID NO:7 - pGA7- mod\_G nucleotide sequence.  
 SEQ ID NO:8 - pORE04+11ABGBEC\_Cowpea\_EPA\_insert nucleotide sequence.  
 SEQ ID NO:9 - Codon-optimized open reading frame for expression of *Lachancea kluyveri*  $\Delta 12$  desaturase in plants.  
 SEQ ID NO:10 - *Lachancea kluyveri*  $\Delta 12$ -desaturase.  
 SEQ ID NO:11 - Codon-optimized open reading frame for expression of *Pichia pastoris*  $\omega 3$  desaturase in plants.  
 SEQ ID NO: 12 - *Pichia pastoris*  $\omega 3$  desaturase.  
 SEQ ID NO:13 - Open reading frame encoding *Micromonas pusilla*  $\Delta 6$ -desaturase.  
 SEQ ID NO:14 - Codon-optimized open reading frame for expression of *Micromonas pusilla*  $\Delta 6$ -desaturase in plants (version 1).  
 SEQ ID NO:15 - Codon-optimized open reading frame for expression of *Micromonas pusilla*  $\Delta 6$ -desaturase in plants (version 2).  
 SEQ ID NO:16 - *Micromonas pusilla*  $\Delta 6$ -desaturase.  
 SEQ ID NO: 17 - Open reading frame encoding *Ostreococcus lucimarinus*  $\Delta 6$ -desaturase.

## EP 3 266 316 A1

SEQ ID NO:18 - Codon-optimized open reading frame for expression of *Ostreococcus lucimarinus*  $\Delta 6$ -desaturase in plants.

SEQ ID NO:19 - *Ostreococcus lucimarinus*  $\Delta 6$ -desaturase.

SEQ ID NO:20 - *Ostreococcus tauri*  $\Delta 6$ -desaturase.

SEQ ID NO:21 - Open reading frame encoding *Pyramimonas cordata*  $\Delta 6$ -elongase.

SEQ ID NO:22 - Codon-optimized open reading frame for expression of *Pyramimonas cordata*  $\Delta 6$ -elongase in plants (truncated at 3' end and encoding functional elongase) (version 1).

SEQ ID NO:23 - Codon-optimized open reading frame for expression of *Pyramimonas cordata*  $\Delta 6$ -elongase in plants (truncated at 3' end and encoding functional elongase) (version 2).

SEQ ID NO:24 - Codon-optimized open reading frame for expression of *Pyramimonas cordata*  $\Delta 6$ -elongase in plants (truncated at 3' end and encoding functional elongase) (version 3).

SEQ ID NO:25 - *Pyramimonas cordata*  $\Delta 6$ -elongase.

SEQ ID NO:26 - Truncated *Pyramimonas cordata*  $\Delta 6$ -elongase.

SEQ ID NO:27 - Open reading frame encoding *Pavlova salina*  $\Delta 5$ -desaturase.

SEQ ID NO:28 - Codon-optimized open reading frame for expression of *Pavlova salina*  $\Delta 5$ -desaturase in plants (version 1).

SEQ ID NO:29 - Codon-optimized open reading frame for expression of *Pavlova salina*  $\Delta 5$ -desaturase in plants (version 2).

SEQ ID NO:30 - *Pavlova salina*  $\Delta 5$ -desaturase.

SEQ ID NO:31 - Open reading frame encoding *Pyramimonas cordata*  $\Delta 5$ -desaturase.

SEQ ID NO:32 - *Pyramimonas cordata*  $\Delta 5$ -desaturase.

SEQ ID NO:33 - Open reading frame encoding *Pyramimonas cordata*  $\Delta 5$ -elongase.

SEQ ID NO:34 - Codon-optimized open reading frame for expression of *Pyramimonas cordata*  $\Delta 5$ -elongase in plants (version 1).

SEQ ID NO:35 - Codon-optimized open reading frame for expression of *Pyramimonas cordata*  $\Delta 5$ -elongase in plants (version 2).

SEQ ID NO:36 - Codon-optimized open reading frame for expression of *Pyramimonas cordata*  $\Delta 5$ -elongase in plants (version 3).

SEQ ID NO:37 - *Pyramimonas cordata*  $\Delta 5$ -elongase.

SEQ ID NO:38 - Open reading frame encoding *Pavlova salina*  $\Delta 4$ -desaturase.

SEQ ID NO:39 - Codon-optimized open reading frame for expression of *Pavlova salina*  $\Delta 4$ -desaturase in plants (version 1).

SEQ ID NO:40 - Codon-optimized open reading frame for expression of *Pavlova salina*  $\Delta 4$ -desaturase in plants (version 2).

SEQ ID NO:41 - *Pavlova salina*  $\Delta 4$ -desaturase.

SEQ ID NO:42 - Open reading frame encoding *Isochrysis galbana*  $\Delta 9$ -elongase.

SEQ ID NO:43 - *Isochrysis galbana*  $\Delta 9$ -elongase.

SEQ ID NO:44 - Open reading frame encoding *Emiliana huxleyi* CCMP1516  $\Delta 9$ -elongase.

SEQ ID NO:45 - Codon-optimized open reading frame for expression of *Emiliana huxleyi*  $\Delta 9$ -elongase in plants.

SEQ ID NO:46 - *Emiliana huxleyi* CCMP1516  $\Delta 9$ -elongase.

SEQ ID NO:47 - Open reading frame encoding *Pavlova pinguis*  $\Delta 9$ -elongase.

SEQ ID NO:48 - *Pavlova pinguis*  $\Delta 9$ -elongase.

SEQ ID NO:49 - Open reading frame encoding *Pavlova salina*  $\Delta 9$ -elongase.

SEQ ID NO:50 - *Pavlova salina*  $\Delta 9$ -elongase.

SEQ ID NO:51 - Open reading frame encoding *Pavlova salina*  $\Delta 8$ -desaturase.

SEQ ID NO:52 - *Pavlova salina*  $\Delta 8$ -desaturase.

SEQ ID NO:53 - P19 viral suppressor.

SEQ ID NO:54 - V2 viral suppressor.

SEQ ID NO:55 - P38 viral suppressor.

SEQ ID NO:56 - Pe-P0 viral suppressor.

SEQ ID NO:57 - RPV-P0 viral suppressor.

SEQ ID NO:58 - Open reading frame encoding P19 viral suppressor.

SEQ ID NO:59 - Open reading frame encoding V2 viral suppressor.

SEQ ID NO:60 - Open reading frame encoding P38 viral suppressor.

SEQ ID NO:61 - Open reading frame encoding Pe-P0 viral suppressor.

SEQ ID NO:62 - Open reading frame encoding RPV-P0 viral suppressor.

SEQ ID NO: 63 - *Arabidopsis thaliana* LPAAT2.

SEQ ID NO: 64 - *Limnanthes alba* LPAAT.

SEQ ID NO: 65 - *Saccharomyces cerevisiae* LPAAT.  
 SEQ ID NO: 66 - *Micromonas pusilla* LPAAT.  
 SEQ ID NO: 67 - *Mortierella alpina* LPAAT.  
 SEQ ID NO: 68 - *Braccisa napus* LPAAT.  
 SEQ ID NO: 69 - *Brassica napus* LPAAT.  
 SEQ ID NO: 70 - *Phytophthora infestans*  $\omega$ 3 desaturase.  
 SEQ ID NO: 71 - *Thalassiosira pseudonana*  $\omega$ 3 desaturase.  
 SEQ ID NO: 72 - *Pythium irregular*  $\omega$ 3 desaturase.

## DETAILED DESCRIPTION OF THE INVENTION

### General Techniques and Definitions

[0113] Unless specifically defined otherwise, all technical and scientific terms used herein shall be taken to have the same meaning as commonly understood by one of ordinary skill in the art (e.g., in cell culture, molecular genetics, fatty acid synthesis, transgenic plants, protein chemistry, and biochemistry).

[0114] Unless otherwise indicated, the recombinant protein, cell culture, and immunological techniques utilized in the present invention are standard procedures, well known to those skilled in the art. Such techniques are described and explained throughout the literature in sources such as, J. Perbal, A Practical Guide to Molecular Cloning, John Wiley and Sons (1984), J. Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbour Laboratory Press (1989), T.A. Brown (editor), Essential Molecular Biology: A Practical Approach, Volumes 1 and 2, IRL Press (1991), D.M. Glover and B.D. Hames (editors), DNA Cloning: A Practical Approach, Volumes 1-4, IRL Press (1995 and 1996), F.M. Ausubel et al. (editors), Current Protocols in Molecular Biology, Greene Pub. Associates and Wiley-Interscience (1988, including all updates until present), Ed Harlow and David Lane (editors), Antibodies: A Laboratory Manual, Cold Spring Harbour Laboratory, (1988), and J.E. Coligan et al. (editors), Current Protocols in Immunology, John Wiley & Sons (including all updates until present).

[0115] The term "and/or", e.g., "X and/or Y" shall be understood to mean either "X and Y" or "X or Y" and shall be taken to provide explicit support for both meanings or for either meaning.

[0116] As used herein, the term "about", unless stated to the contrary, refers to +/- 10%, more preferably +/- 5%, more preferably +/- 1% of the designated value.

[0117] Throughout this specification the word "comprise", or variations such as "comprises" or "comprising", will be understood to imply the inclusion of a stated element, integer or step, or group of elements, integers or steps, but not the exclusion of any other element, integer or step, or group of elements, integers or steps.

### Selected Definitions

[0118] As used herein, the terms "extracted plant lipid" and "isolated plant lipid" refer to a lipid composition which has been extracted from, for example by crushing, a plant or part thereof such as seed. The extracted lipid can be a relatively crude composition obtained by, for example, crushing a plant seed, or a more purified composition where most, if not all, of one or more or each of the water, nucleic acids, proteins and carbohydrates derived from the plant material have been removed. Examples of purification methods are described below. In an embodiment, the extracted or isolated plant lipid comprises at least about 60%, at least about 70%, at least about 80%, at least about 90%, or at least about 95% (w/w) lipid by weight of the composition. The lipid may be solid or liquid at room temperature, when liquid it is considered to be an oil. In an embodiment, extracted lipid of the invention has not been blended with another lipid such as DHA not produced by another source (for example, DHA from fish oil). In an embodiment, following extraction the ratio of one or more or all of, oleic acid to DHA, palmitic acid to DHA, linoleic acid to DHA, and total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids, has not been significantly altered (for example, no greater than a 10% or 5% alteration) when compared to the ratio in the intact seed or cell. In an another embodiment, the extracted plant lipid has not been exposed to a procedure, such as hydrogenation or fractionation, which may alter the ratio of one or more or all of, oleic acid to DHA, palmitic acid to DHA, linoleic acid to DHA, and total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids, when compared to the ratio in the intact seed or cell. When the extracted plant lipid of the invention is comprised in an oil, the oil may further comprise non-fatty acid molecules such as sterols.

[0119] As used herein, the terms "extracted plant oil" and "isolated plant oil" refer to a substance or composition comprising extracted plant lipid or isolated plant lipid and which is a liquid at room temperature. The oil is obtained from a plant or part thereof such as seed. The extracted or isolated oil can be a relatively crude composition obtained by, for example, crushing a plant seed, or a more purified composition where most, if not all, of one or more or each of the water, nucleic acids, proteins and carbohydrates derived from the plant material have been removed. The composition may comprise other components which may be lipid or non-lipid. In an embodiment, the oil composition comprises at

least about 60%, at least about 70%, at least about 80%, at least about 90%, or at least about 95% (w/w) extracted plant lipid. In an embodiment, extracted oil of the invention has not been blended with another oil such as DHA not produced by another source (for example, DHA from fish oil). In an embodiment, following extraction, the ratio of one or more or all of, oleic acid to DHA, palmitic acid to DHA, linoleic acid to DHA, and total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids, has not been significantly altered (for example, no greater than a 10% or 5% alteration) when compared to the ratio in the intact seed or cell. In another embodiment, the extracted plant oil has not been exposed to a procedure, such as hydrogenation or fractionation, which may alter the ratio of one or more or all of, oleic acid to DHA, palmitic acid to DHA, linoleic acid to DHA, and total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids, when compared to the ratio in the intact seed or cell. Extracted plant oil of the invention may comprise non-fatty acid molecules such as sterols.

**[0120]** As used herein, an "oil" is a composition comprising predominantly lipid and which is a liquid at room temperature. For instance, oil of the invention preferably comprises at least 75%, at least 80%, at least 85% or at least 90% lipid by weight. Typically, a purified oil comprises at least 90% triacylglycerols (TAG) by weight of the lipid in the oil. Minor components of an oil such as diacylglycerols (DAG), free fatty acids (FFA), phospholipid and sterols may be present as described herein.

**[0121]** As used herein, the term "fatty acid" refers to a carboxylic acid (or organic acid), often with a long aliphatic tail, either saturated or unsaturated. Typically fatty acids have a carbon-carbon bonded chain of at least 8 carbon atoms in length, more preferably at least 12 carbons in length. Most naturally occurring fatty acids have an even number of carbon atoms because their biosynthesis involves acetate which has two carbon atoms. The fatty acids may be in a free state (non-esterified) or in an esterified form such as part of a triglyceride, diacylglyceride, monoacylglyceride, acyl-CoA (thio-ester) bound or other bound form. The fatty acid may be esterified as a phospholipid such as a phosphatidylcholine, phosphatidylethanolamine, phosphatidylserine, phosphatidylglycerol, phosphatidylinositol or diphosphatidylglycerol forms.

**[0122]** "Saturated fatty acids" do not contain any double bonds or other functional groups along the chain. The term "saturated" refers to hydrogen, in that all carbons (apart from the carboxylic acid [-COOH] group) contain as many hydrogens as possible. In other words, the omega ( $\omega$ ) end contains 3 hydrogens (CH<sub>3</sub>-) and each carbon within the chain contains 2 hydrogens (-CH<sub>2</sub>-).

**[0123]** "Unsaturated fatty acids" are of similar form to saturated fatty acids, except that one or more alkene functional groups exist along the chain, with each alkene substituting a singly-bonded "-CH<sub>2</sub>-CH<sub>2</sub>-" part of the chain with a doubly-bonded "-CH=CH-" portion (that is, a carbon double bonded to another carbon). The two next carbon atoms in the chain that are bound to either side of the double bond can occur in a *cis* or *trans* configuration.

**[0124]** As used herein, the term "monounsaturated fatty acid" refers to a fatty acid which comprises at least 12 carbon atoms in its carbon chain and only one alkene group (carbon-carbon double bond) in the chain. As used herein, the terms "polyunsaturated fatty acid" or "PUFA" refer to a fatty acid which comprises at least 12 carbon atoms in its carbon chain and at least two alkene groups (carbon-carbon double bonds).

**[0125]** As used herein, the terms "long-chain polyunsaturated fatty acid" and "LC-PUFA" refer to a fatty acid which comprises at least 20 carbon atoms in its carbon chain and at least two carbon-carbon double bonds, and hence include VLC-PUFAs. As used herein, the terms "very long-chain polyunsaturated fatty acid" and "VLC-PUFA" refer to a fatty acid which comprises at least 22 carbon atoms in its carbon chain and at least three carbon-carbon double bonds. Ordinarily, the number of carbon atoms in the carbon chain of the fatty acids refers to an unbranched carbon chain. If the carbon chain is branched, the number of carbon atoms excludes those in sidegroups. In one embodiment, the long-chain polyunsaturated fatty acid is an  $\omega$ 3 fatty acid, that is, having a desaturation (carbon-carbon double bond) in the third carbon-carbon bond from the methyl end of the fatty acid. In another embodiment, the long-chain polyunsaturated fatty acid is an  $\omega$ 6 fatty acid, that is, having a desaturation (carbon-carbon double bond) in the sixth carbon-carbon bond from the methyl end of the fatty acid. In a further embodiment, the long-chain polyunsaturated fatty acid is selected from the group consisting of; arachidonic acid (ARA, 20:4 $\Delta$ 5,8,11,14;  $\omega$ 6), eicosatetraenoic acid (ETA, 20:4 $\Delta$ 8,11,14,17,  $\omega$ 3), eicosapentaenoic acid (EPA, 20:5 $\Delta$ 5,8,11,14,17;  $\omega$ 3), docosapentaenoic acid (DPA, 22:5 $\Delta$ 7,10,13,16,19,  $\omega$ 3), or docosahexaenoic acid (DHA, 22:6 $\Delta$ 4,7,10,13,16,19,  $\omega$ 3). The LC-PUFA may also be dihomo- $\gamma$ -linoleic acid (DGLA) or eicosatrienoic acid (ETra, 20:3 $\Delta$ 11,14,17,  $\omega$ 3). It would readily be apparent that the LC-PUFA that is produced according to the invention may be a mixture of any or all of the above and may include other LC-PUFA or derivatives of any of these LC-PUFA. In a preferred embodiment, the  $\omega$ 3 fatty acids are at least DHA, preferably, DPA and DHA, or EPA, DPA and DHA.

**[0126]** Furthermore, as used herein the terms "long-chain polyunsaturated fatty acid" and "very long-chain polyunsaturated fatty acid" refer to the fatty acid being in a free state (non-esterified) or in an esterified form such as part of a triglyceride, diacylglyceride, monoacylglyceride, acyl-CoA bound or other bound form. The fatty acid may be esterified as a phospholipid such as a phosphatidylcholine (PC), phosphatidylethanolamine, phosphatidylserine, phosphatidylglycerol, phosphatidylinositol or diphosphatidylglycerol forms. Thus, the LC-PUFA may be present as a mixture of forms in the lipid of a cell or a purified oil or lipid extracted from cells, tissues or organisms. In preferred embodiments, the invention provides oil comprising at least 75% or at least 85% triacylglycerols, with the remainder present as other forms

of lipid such as those mentioned, with at least said triacylglycerols comprising the LC-PUFA. The oil may subsequently be further purified or treated, for example by hydrolysis with a strong base to release the free fatty acids, or by distillation or the like.

**[0127]** As used herein, "total  $\omega$ 6 fatty acids" or "total  $\omega$ 6 fatty acid content" or the like refers to the sum of all the  $\omega$ 6 fatty acids, esterified and non-esterified, in the extracted lipid, oil, recombinant cell, plant part or seed, as the context determines, expressed as a percentage of the total fatty acid content. These  $\omega$ 6 fatty acids include (if present) LA, GLA, DGLA, ARA, EDA and  $\omega$ 6-DPA, and exclude any  $\omega$ 3 fatty acids and monounsaturated fatty acids.

**[0128]** As used herein, "new  $\omega$ 6 fatty acids" or "new  $\omega$ 6 fatty acid content" or the like refers to the sum of all the  $\omega$ 6 fatty acids excluding LA, esterified and non-esterified, in the extracted lipid, oil, recombinant cell, plant part or seed, as the context determines, expressed as a percentage of the total fatty acid content. These new  $\omega$ 6 fatty acids are the fatty acids that are produced in the cells, plants, plant parts and seeds of the invention by the expression of the genetic constructs (exogenous polynucleotides) introduced into the cells, and include (if present) GLA, DGLA, ARA, EDA and  $\omega$ 6-DPA, but exclude LA and any  $\omega$ 3 fatty acids and monounsaturated fatty acids. Exemplary total  $\omega$ 6 fatty acid contents and new  $\omega$ 6 fatty acid contents are determined by conversion of fatty acids in a sample to FAME and analysis by GC, as described in Example 1.

**[0129]** As used herein, "total  $\omega$ 3 fatty acids" or "total  $\omega$ 3 fatty acid content" or the like refers to the sum of all the  $\omega$ 3 fatty acids, esterified and non-esterified, in the extracted lipid, oil, recombinant cell, plant part or seed, as the context determines, expressed as a percentage of the total fatty acid content. These  $\omega$ 3 fatty acids include (if present) ALA, SDA, ETrA, ETA, EPA, DPA and DHA, and exclude any  $\omega$ 6 fatty acids and monounsaturated fatty acids.

**[0130]** As used herein, "new  $\omega$ 3 fatty acids" or "new  $\omega$ 3 fatty acid content" or the like refers to the sum of all the  $\omega$ 3 fatty acids excluding ALA, esterified and non-esterified, in the extracted lipid, oil, recombinant cell, plant part or seed, as the context determines, expressed as a percentage of the total fatty acid content. These new  $\omega$ 3 fatty acids are the fatty acids that are produced in the cells, plants, plant parts and seeds of the invention by the expression of the genetic constructs (exogenous polynucleotides) introduced into the cells, and include (if present) SDA, ETrA, ETA, EPA, DPA and DHA, but exclude ALA and any  $\omega$ 6 fatty acids and monounsaturated fatty acids. Exemplary total  $\omega$ 3 fatty acid contents and new  $\omega$ 3 fatty acid contents are determined by conversion of fatty acids in a sample to FAME and analysis by GC, as described in Example 1.

**[0131]** The desaturase, elongase and acyl transferase proteins and genes encoding them that may be used in the invention are any of those known in the art or homologues or derivatives thereof. Examples of such genes and encoded protein sizes are listed in Table 1. The desaturase enzymes that have been shown to participate in LC-PUFA biosynthesis all belong to the group of so-called "front-end" desaturases.

**[0132]** As used herein, the term "front-end desaturase" refers to a member of a class of enzymes that introduce a double bond between the carboxyl group and a pre-existing unsaturated part of the acyl chain of lipids, which are characterized structurally by the presence of an N-terminal cytochrome b5 domain, along with a typical fatty acid desaturase domain that includes three highly conserved histidine boxes (Napier et al., 1997).

**[0133]** Activity of any of the elongases or desaturases for use in the invention may be tested by expressing a gene encoding the enzyme in a cell such as, for example, a yeast cell, a plant cell or preferably in somatic embryos or transgenic plants, and determining whether the cell, embryo or plant has an increased capacity to produce LC-PUFA compared to a comparable cell, embryo or plant in which the enzyme is not expressed.

**[0134]** In one embodiment one or more of the desaturases and/or elongases for use in the invention can be purified from a microalga, i.e. is identical in amino acid sequence to a polypeptide which can be purified from a microalga.

**[0135]** Whilst certain enzymes are specifically described herein as "bifunctional", the absence of such a term does not necessarily imply that a particular enzyme does not possess an activity other than that specifically defined.

#### Desaturases

**[0136]** As used herein, the term "desaturase" refers to an enzyme which is capable of introducing a carbon-carbon double bond into the acyl group of a fatty acid substrate which is typically in an esterified form such as, for example, acyl-CoA esters. The acyl group may be esterified to a phospholipid such as phosphatidylcholine (PC), or to acyl carrier protein (ACP), or in a preferred embodiment to CoA. Desaturases generally may be categorized into three groups accordingly. In one embodiment, the desaturase is a front-end desaturase.

**[0137]** As used herein, a " $\Delta$ 4-desaturase" refers to a protein which performs a desaturase reaction that introduces a carbon-carbon double bond at the 4<sup>th</sup> carbon-carbon bond from the carboxyl end of a fatty acid substrate. The " $\Delta$ 4-desaturase" is at least capable of converting DPA to DHA. The desaturation step to produce DHA from DPA is catalysed by a  $\Delta$ 4-desaturase in organisms other than mammals, and a gene encoding this enzyme has been isolated from the freshwater protist species *Euglena gracilis* and the marine species *Thraustochytrium* sp. (Qiu et al., 2001; Meyer et al., 2003). In one embodiment, the  $\Delta$ 4-desaturase comprises amino acids having a sequence as provided in SEQ ID NO:41, or a *Thraustochytrium* sp.  $\Delta$ 4-desaturase, a biologically active fragment thereof, or an amino acid sequence which is at

least 80% identical to SEQ ID NO:41.

**Table 1.** Cloned genes involved in LC-PUFA biosynthesis

| Enzyme        | Type of organism | Species                               | Accession Nos.                               | Protein size (aa's) | References                                           |
|---------------|------------------|---------------------------------------|----------------------------------------------|---------------------|------------------------------------------------------|
| Δ4-desaturase | Protist          | <i>Euglena gracilis</i>               | AY278558                                     | 541                 | Meyer et al., 2003                                   |
|               | Algae            | <i>Pavlova lutherii</i>               | AY332747                                     | 445                 | Tonon et al., 2003                                   |
|               |                  | <i>Isochrysis galbana</i>             | AAV33631                                     | 433                 | Pereira et al., 2004b                                |
|               |                  | <i>Pavlova salina</i>                 | AAY15136                                     | 447                 | Zhou et al., 2007                                    |
|               | Thraustochytrid  | <i>Thraustochytrium aureum</i>        | AAN75707<br>AAN75708<br>AAN75709<br>AAN75710 | 515                 | N/A                                                  |
|               |                  | <i>Thraustochytrium sp.</i> ATCC21685 | AAM09688                                     | 519                 | Qiu et al. 2001                                      |
| Δ5-desaturase | Mammals          | <i>Homo sapiens</i>                   | AF199596                                     | 444                 | Cho et al., 1999b<br>Leonard et al., 2000b           |
|               | Nematode         | <i>Caenorhabditis elegans</i>         | AF11440, NM 069350                           | 447                 | Michaelson et al., 1998b;<br>Watts and Browse, 1999b |
|               | Fungi            | <i>Mortierella alpina</i>             | AF067654                                     | 446                 | Michaelson et al., 1998a;<br>Knutzon et al., 1998    |
|               |                  | <i>Pythium irregular</i>              | AF419297                                     | 456                 | Hong et al., 2002a                                   |
|               |                  | <i>Dictyostelium discoideum</i>       | AB022097                                     | 467                 | Saito et al., 2000                                   |
|               |                  | <i>Saprolegnia diclina</i>            |                                              | 470                 | WO02081668                                           |
|               | Diatom           | <i>Phaeodactylum tricornutum</i>      | AY082392                                     | 469                 | Domergue et al., 2002                                |
|               | Algae            | <i>Thraustochytrium sp</i>            | AF489588                                     | 439                 | Qiu et al., 2001                                     |
|               |                  | <i>Thraustochytrium aureum</i>        |                                              | 439                 | WO02081668                                           |
|               |                  | <i>Isochrysis galbana</i>             |                                              | 442                 | WO02081668                                           |
|               | Moss             | <i>Marchantia polymorpha</i>          | AY583465                                     | 484                 | Kajikawa et al., 2004                                |
| Δ6-desaturase | Mammals          | <i>Homo sapiens</i>                   | NM_013402                                    | 444                 | Cho et al., 1999a;<br>Leonard et al., 2000           |
|               |                  | <i>Mus musculus</i>                   | NM 019699                                    | 444                 | Cho et al., 1999a                                    |
|               | Nematode         | <i>Caenorhabditis elegans</i>         | Z70271                                       | 443                 | Napier et al., 1998                                  |
|               | Plants           | <i>Borago officinales</i>             | U79010                                       | 448                 | Sayanova et al., 1997                                |
|               |                  | <i>Echium</i>                         | AY055117<br>AY055118                         |                     | Garcia-Maroto et al., 2002                           |
|               |                  | <i>Primula vialii</i>                 | AY234127                                     | 453                 | Sayanova et al., 2003                                |
|               |                  | <i>Anemone leveillei</i>              | AF536525                                     | 446                 | Whitney et al., 2003                                 |

EP 3 266 316 A1

(continued)

| Enzyme                                       | Type of organism | Species                          | Accession Nos.       | Protein size (aa's) | References                                     |
|----------------------------------------------|------------------|----------------------------------|----------------------|---------------------|------------------------------------------------|
|                                              | Mosses           | <i>Ceratodon purpureus</i>       | AJ250735             | 520                 | Sperling et al., 2000                          |
|                                              |                  | <i>Marchantia polymorpha</i>     | AY583463             | 481                 | Kajikawa et al., 2004                          |
|                                              |                  | <i>Physcomitrella patens</i>     | CAA11033             | 525                 | Girke et al., 1998                             |
|                                              | Fungi            | <i>Mortierella alpina</i>        | AF110510<br>AB020032 | 457                 | Huang et al., 1999;<br>Sakuradani et al., 1999 |
|                                              |                  | <i>Pythium irregulare</i>        | AF419296             | 459                 | Hong et al., 2002a                             |
|                                              |                  | <i>Mucor circinelloides</i>      | AB052086             | 467                 | NCBI*                                          |
|                                              |                  | <i>Rhizopus sp.</i>              | AY320288             | 458                 | Zhang et al., 2004                             |
|                                              |                  | <i>Saprolegnia diclina</i>       |                      | 453                 | WO02081668                                     |
|                                              | Diatom           | <i>Phaeodactylum tricornutum</i> | AY082393             | 477                 | Domergue et al., 2002                          |
|                                              | Bacteria         | <i>Synechocystis</i>             | L11421               | 359                 | Reddy et al., 1993                             |
|                                              | Algae            | <i>Thraustochytrium aureum</i>   |                      | 456                 | WO02081668                                     |
| Bifunctional $\Delta 5/\Delta 6$ -desaturase | Fish             | <i>Danio rerio</i>               | AF309556             | 444                 | Hastings et al., 2001                          |
| C20 $\Delta 8$ -desaturase                   | Algae            | <i>Euglena gracilis</i>          | AF139720             | 419                 | Wallis and Browse, 1999                        |
|                                              | Plants           | <i>Borago officinales</i>        | AAG43277             | 446                 | Sperling et al., 2001                          |
| $\Delta 6$ -elongase                         | Nematode         | <i>Caenorhabditis elegans</i>    | NM_069288            | 288                 | Beaudoin et al., 2000                          |
|                                              | Mosses           | <i>Physcomitrella patens</i>     | AF428243             | 290                 | Zank et al., 2002                              |
|                                              |                  | <i>Marchantia polymorpha</i>     | AY583464             | 290                 | Kajikawa et al., 2004                          |
|                                              | Fungi            | <i>Mortierella alpina</i>        | AF206662             | 318                 | Parker-Barnes et al., 2000                     |
|                                              | Algae            | <i>Pavlova lutheri</i> **        |                      | 501                 | WO 03078639                                    |
|                                              |                  | <i>Thraustochytrium</i>          | AX951565             | 271                 | WO 03093482                                    |
|                                              |                  | <i>Thraustochytrium sp</i> **    | AX214454             | 271                 | WO 0159128                                     |
| PUFA-elongase                                | Mammals          | <i>Homo sapiens</i>              | AF231981             | 299                 | Leonard et al., 2000b;<br>Leonard et al., 2002 |
|                                              |                  | <i>Rattus norvegicus</i>         | AB071985             | 299                 | Inagaki et al., 2002                           |
|                                              |                  | <i>Rattus norvegicus</i> **      | AB071986             | 267                 | Inagaki et al., 2002                           |
|                                              |                  | <i>Mus musculus</i>              | AF170907             | 279                 | Tvrđik et al., 2000                            |
|                                              |                  | <i>Mus musculus</i>              | AF170908             | 292                 | Tvrđik et al., 2000                            |
|                                              | Fish             | <i>Danio rerio</i>               | AF532782             | 291<br>(282)        | Agaba et al., 2004                             |
|                                              |                  | <i>Danio rerio</i>               | NM_199532            | 266                 | Lo et al., 2003                                |

(continued)

| Enzyme                                                                                                            | Type of organism | Species                           | Accession Nos. | Protein size (aa's) | References                                   |
|-------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------|----------------|---------------------|----------------------------------------------|
|                                                                                                                   | Worm             | <i>Caenorhabditis elegans</i>     | Z68749         | 309                 | Abbott et al., 1998<br>Beaudoin et al., 2000 |
|                                                                                                                   | Algae            | <i>Thraustochytrium aureum</i> ** | AX464802       | 272                 | WO 0208401-A2                                |
|                                                                                                                   |                  | <i>Pavlova lutheri</i> **         |                | 320                 | WO 03078639                                  |
| $\Delta 9$ -elongase                                                                                              | Algae            | <i>Isochrysis galbana</i>         | AF390174       | 263                 | Qi et al., 2002                              |
|                                                                                                                   |                  | <i>Euglena gracilis</i>           |                | 258                 | WO 08/128241                                 |
| $\Delta 5$ -elongase                                                                                              | Algae            | <i>Ostreococcus tauri</i>         | AAV67798       | 300                 | Meyer et al., 2004                           |
|                                                                                                                   |                  | <i>Pyramimonas cordata</i>        |                | 268                 | WO 2010/057246                               |
|                                                                                                                   |                  | <i>Pavlova sp. CCMP459</i>        | AAV33630       | 277                 | Pereira et al., 2004b                        |
|                                                                                                                   |                  | <i>Pavlova salina</i>             | AAY15135       | 302                 | Robert et al., 2009                          |
|                                                                                                                   | Diatom           | <i>Thalassiosira pseudonana</i>   | AAV67800       | 358                 | Meyer et al., 2004                           |
|                                                                                                                   | Fish             | <i>Oncorhynchus mykiss</i>        | CAM55862       | 295                 | WO 06/008099                                 |
|                                                                                                                   | Moss             | <i>Marchantia polymorpha</i>      | BAE71129       | 348                 | Kajikawa et al., 2006                        |
| * <a href="http://www.ncbi.nlm.nih.gov/">http://www.ncbi.nlm.nih.gov/</a> ** Function not proven/not demonstrated |                  |                                   |                |                     |                                              |

**[0138]** As used herein, a " $\Delta 5$ -desaturase" refers to a protein which performs a desaturase reaction that introduces a carbon-carbon double bond at the 5<sup>th</sup> carbon-carbon bond from the carboxyl end of a fatty acid substrate. Examples of  $\Delta 5$ -desaturases are listed in Ruiz-Lopez et al. (2012) and Petrie et al. (2010a) and in Table 1 herein. In one embodiment, the  $\Delta 5$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:30, a biologically active fragment thereof, or an amino acid sequence which is at least 80% identical to SEQ ID NO:30. In another embodiment, the  $\Delta 5$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:32, a biologically active fragment thereof, or an amino acid sequence which is at least 53% identical to SEQ ID NO:32. In another embodiment, the  $\Delta 5$ -desaturase is from *Thraustochytrium* sp or *Emiliania huxleyi*.

**[0139]** As used herein, a " $\Delta 6$ -desaturase" refers to a protein which performs a desaturase reaction that introduces a carbon-carbon double bond at the 6<sup>th</sup> carbon-carbon bond from the carboxyl end of a fatty acid substrate. Examples of  $\Delta 6$ -desaturases are listed in Ruiz-Lopez et al. (2012) and Petrie et al. (2010a) and in Table 1 herein. Preferred  $\Delta 6$ -desaturases are from *Micromonas pusilla*, *Pythium irregulare* or *Ostreococcus taurii*.

**[0140]** In an embodiment, the  $\Delta 6$ -desaturase is further characterised by having at least two, preferably all three and preferably in a plant cell, of the following: i) greater  $\Delta 6$ -desaturase activity on  $\alpha$ -linolenic acid (ALA, 18:3 $\Delta 9,12,15$ ,  $\omega 3$ ) than linoleic acid (LA, 18:2 $\Delta 9,12$ ,  $\omega 6$ ) as fatty acid substrate; ii) greater  $\Delta 6$ -desaturase activity on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate; and iii)  $\Delta 8$ -desaturase activity on ETrA. Examples of such  $\Delta 6$ -desaturases are provided in Table 2.

**[0141]** In an embodiment the  $\Delta 6$ -desaturase has greater activity on an  $\omega 3$  substrate than the corresponding  $\omega 6$  substrate and has activity on ALA to produce octadecatetraenoic acid (stearidonic acid, SDA, 18:4 $\Delta 6,9,12,15$ ,  $\omega 3$ ) with an efficiency of at least 30%, more preferably at least 40%, or most preferably at least 50% when expressed from an exogenous polynucleotide in a recombinant cell such as a plant cell, or at least 35% when expressed in a yeast cell. In one embodiment, the  $\Delta 6$ -desaturase has greater activity, for example, at least about a 2-fold greater  $\Delta 6$ -desaturase activity, on ALA than LA as fatty acid substrate. In another embodiment, the  $\Delta 6$ -desaturase has greater activity, for example, at least about 5 fold greater  $\Delta 6$ -desaturase activity or at least 10-fold greater activity, on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate. In a further embodiment, the  $\Delta 6$ -desaturase has activity on both fatty acid substrates ALA-CoA and on ALA joined to the *sn*-2 position of PC.



**Table 2.** Desaturases demonstrated to have activity on an acyl-CoA substrate

| Enzyme                 | Type of organism | Species                       | Accession Nos. | Protein size (aa's) | References                           |
|------------------------|------------------|-------------------------------|----------------|---------------------|--------------------------------------|
| $\Delta 6$ -desaturase | Algae            | <i>Mantoniella squamata</i>   | CAQ30479       | 449                 | Hoffmann et al., 2008                |
|                        |                  | <i>Ostreococcus tauri</i>     | AAW70159       | 456                 | Domergue et al., 2005                |
|                        |                  | <i>Micromonas pusilla</i>     | EEH58637       |                     | Petrie et al., 2010a (SEQ ID NO: 13) |
| $\Delta 5$ -desaturase | Algae            | <i>Mantoniella squamata</i>   | CAQ30478       | 482                 | Hoffmann et al., 2008                |
|                        | Plant            | <i>Anemone leveillei</i>      | N/A            |                     | Sayanova et al., 2007                |
| $\omega 3$ -desaturase | Fungi            | <i>Pythium aphanidermatum</i> | FW362186.1     | 359                 | Xue et al., 2012; WO2008/054565      |
|                        | Fungi (oomycete) | <i>Phytophthora sojae</i>     | FW362214.1     | 363                 | Xue et al., 2012; WO2008/054565      |
|                        | Fungi (oomycete) | <i>Phytophthora ramorum</i>   | FW362213.1     | 361                 | Xue et al., 2012; WO2008/054565      |

**[0142]** In one embodiment, the  $\Delta 6$ -desaturase has no detectable  $\Delta 5$ -desaturase activity on ETA. In another embodiment, the  $\Delta 6$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:16, SEQ ID NO:19 or SEQ ID NO:20, a biologically active fragment thereof, or an amino acid sequence which is at least 77% identical to SEQ ID NO:16, SEQ ID NO:19 or SEQ ID NO:20. In another embodiment, the  $\Delta 6$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:19 or SEQ ID NO:20, a biologically active fragment thereof, or an amino acid sequence which is at least 67% identical to one or both of SEQ ID NO: 19 or SEQ ID NO:20. The  $\Delta 6$ -desaturase may also have  $\Delta 8$ -desaturase activity.

**[0143]** As used herein, a " $\Delta 8$ -desaturase" refers to a protein which performs a desaturase reaction that introduces a carbon-carbon double bond at the 8<sup>th</sup> carbon-carbon bond from the carboxyl end of a fatty acid substrate. The  $\Delta 8$ -desaturase is at least capable of converting ETrA to ETA. Examples of  $\Delta 8$ -desaturases are listed in Table 1. In one embodiment, the  $\Delta 8$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:52, a biologically active fragment thereof, or an amino acid sequence which is at least 80% identical to SEQ ID NO:52.

**[0144]** As used herein, an " $\omega 3$ -desaturase" refers to a protein which performs a desaturase reaction that introduces a carbon-carbon double bond at the 3<sup>rd</sup> carbon-carbon bond from the methyl end of a fatty acid substrate. A  $\omega 3$ -desaturase therefore may convert LA to ALA and GLA to SDA (all C18 fatty acids), or DGLA to ETA and/or ARA to EPA (C20 fatty acids). Some  $\omega 3$ -desaturases (group I) have activity only on C18 substrates, such as plant and cyanobacterial  $\omega 3$ -desaturases. Such  $\omega 3$ -desaturases are also  $\Delta 15$ -desaturases. Other  $\omega 3$ -desaturases have activity on C20 substrates with no activity (group II) or some activity (group III) on C18 substrates. Such  $\omega 3$ -desaturases are also  $\Delta 17$ -desaturases. Preferred  $\omega 3$ -desaturases are group III type which convert LA to ALA, GLA to SDA, DGLA to ETA and ARA to EPA, such as the *Pichia pastoris*  $\omega 3$ -desaturase (SEQ ID NO: 12). Examples of  $\omega 3$ -desaturases include those described by Pereira et al. (2004a) (*Saprolegnia diclina*  $\omega 3$ -desaturase, group II), Horiguchi et al. (1998), Berberich et al. (1998) and Spsychalla et al. (1997) (*C. elegans*  $\omega 3$ -desaturase, group III). In a preferred embodiment, the  $\omega 3$ -desaturase is a fungal  $\omega 3$ -desaturase. As used herein, a "fungal  $\omega 3$ -desaturase" refers to an  $\omega 3$ -desaturase which is from a fungal source, including an oomycete source, or a variant thereof whose amino acid sequence is at least 95% identical thereto. Genes encoding numerous  $\omega 3$ -desaturases have been isolated from fungal sources such as, for example, from *Phytophthora infestans* (Accession No. CAJ30870, WO2005083053; SEQ ID NO: 70), *Saprolegnia diclina* (Accession No. AAR20444, Pereira et al., 2004a & US Patent No. 7211656), *Pythium irregulare* (WO2008022963, Group II; SEQ ID NO: 72), *Mortierella alpina* (Sakuradani et al., 2005; Accession No. BAD91495; WO2006019192), *Thalassiosira pseudonana* (Armbrust et al., 2004; Accession No. XP\_002291057; WO2005012316, SEQ ID NO: 71), *Lachancea kluyveri* (also known as *Saccharomyces kluyveri*; Oura et al., 2004; Accession No. AB118663). Xue et al. (2012) describes  $\omega 3$ -desaturases from the oomycetes *Pythium aphanidermatum*, *Phytophthora sojae*, and *Phytophthora ramorum* which were able to efficiently convert  $\omega 6$  fatty acid substrates to the corresponding  $\omega 3$  fatty acids, with a preference for C20 substrates, i.e. they had stronger  $\Delta 17$ -desaturase activity than  $\Delta 15$ -desaturase activity. These enzymes lacked  $\Delta 12$ -

desaturase activity, but could use fatty acids in both acyl-CoA and phospholipid fraction as substrates.

**[0145]** In a more preferred embodiment, the fungal  $\omega$ 3-desaturase is the *Pichia pastoris* (also known as *Komagataella pastoris*)  $\omega$ 3-desaturase/ $\Delta$ 15-desaturase (Zhang et al., 2008; Accession No. EF116884; SEQ ID NO: 12), or a polypeptide which is at least 95% identical thereto.

**[0146]** In an embodiment, the  $\omega$ 3-desaturase is at least capable of converting one of ARA to EPA, DGLA to ETA, GLA to SDA, both ARA to EPA and DGLA to ETA, both ARA to EPA and GLA to SDA, or all three of these.

**[0147]** In one embodiment, the  $\omega$ 3-desaturase has  $\Delta$ 17-desaturase activity on a C20 fatty acid which has at least three carbon-carbon double bonds, preferably ARA. In another embodiment, the  $\omega$ 3-desaturase has  $\Delta$ 15-desaturase activity on a C18 fatty acid which has three carbon-carbon double bonds, preferably GLA. Preferably, both activities are present.

**[0148]** As used herein, a " $\Delta$ 12-desaturase" refers to a protein which performs a desaturase reaction that introduces a carbon-carbon double bond at the 12<sup>th</sup> carbon-carbon bond from the carboxyl end of a fatty acid substrate.  $\Delta$ 12-desaturases typically convert either oleoyl-phosphatidylcholine or oleoyl-CoA to linoleoyl-phosphatidylcholine (18:1-PC) or linoleoyl-CoA (18:1-CoA), respectively. The subclass using the PC linked substrate are referred to as phospholipid-dependent  $\Delta$ 12-desaturases, the latter subclass as acyl-CoA dependent  $\Delta$ 12-desaturases. Plant and fungal  $\Delta$ 12-desaturases are generally of the former sub-class, whereas animal  $\Delta$ 12-desaturases are of the latter subclass, for example the  $\Delta$ 12-desaturases encoded by genes cloned from insects by Zhou et al. (2008). Many other  $\Delta$ 12-desaturase sequences can be easily identified by searching sequence databases.

**[0149]** As used herein, a " $\Delta$ 15-desaturase" refers to a protein which performs a desaturase reaction that introduces a carbon-carbon double bond at the 15<sup>th</sup> carbon-carbon bond from the carboxyl end of a fatty acid substrate. Numerous genes encoding  $\Delta$ 15-desaturases have been cloned from plant and fungal species. For example, US5952544 describes nucleic acids encoding plant  $\Delta$ 15-desaturases (FAD3). These enzymes comprise amino acid motifs that were characteristic of plant  $\Delta$ 15-desaturases. WO200114538 describes a gene encoding soybean FAD3. Many other  $\Delta$ 15-desaturase sequences can be easily identified by searching sequence databases.

**[0150]** As used herein, a " $\Delta$ 17-desaturase" refers to a protein which performs a desaturase reaction that introduces a carbon-carbon double bond at the 17<sup>th</sup> carbon-carbon bond from the carboxyl end of a fatty acid substrate. A  $\Delta$ 17-desaturase is also regarded as an  $\omega$ 3-desaturase if it acts on a C20 substrate to introduce a desaturation at the  $\omega$ 3 bond.

**[0151]** In a preferred embodiment, the  $\Delta$ 12-desaturase and/or  $\Delta$ 15-desaturase is a fungal  $\Delta$ 12-desaturase or fungal  $\Delta$ 15-desaturase. As used herein, a "fungal  $\Delta$ 12-desaturase" or "a fungal  $\Delta$ 15-desaturase" refers to a  $\Delta$ 12-desaturase or  $\Delta$ 15-desaturase which is from a fungal source, including an oomycete source, or a variant thereof whose amino acid sequence is at least 95% identical thereto. Genes encoding numerous desaturases have been isolated from fungal sources. US 7211656 describes a  $\Delta$ 12 desaturase from *Saprolegnia diclina*. WO2009016202 describes fungal desaturases from *Helobdella robusta*, *Laccaria bicolor*, *Lottia gigantea*, *Microcoleus chthonoplastes*, *Monosiga brevicollis*, *Mycosphaerella fijiensis*, *Mycosphaerella graminicola*, *Naegleria gruberi*, *Nectria haematococca*, *Nematostella vectensis*, *Phycomyces blakesleeanus*, *Trichoderma reesei*, *Physcomitrella patens*, *Postia placenta*, *Selaginella moellendorffii* and *Microdochium nivale*. WO2005/012316 describes a  $\Delta$ 12-desaturase from *Thalassiosira pseudonana* and other fungi. WO2003/099216 describes genes encoding fungal  $\Delta$ 12-desaturases and  $\Delta$ 15-desaturases isolated from *Neurospora crassa*, *Aspergillus nidulans*, *Botrytis cinerea* and *Mortierella alpina*. WO2007133425 describes fungal  $\Delta$ 15 desaturases isolated from: *Saccharomyces kluyveri*, *Mortierella alpina*, *Aspergillus nidulans*, *Neurospora crassa*, *Fusarium graminearum*, *Fusarium moniliforme* and *Magnaporthe grisea*. A preferred  $\Delta$ 12 desaturase is from *Phytophthora sojae* (Ruiz-Lopez et al., 2012).

**[0152]** A distinct subclass of fungal  $\Delta$ 12-desaturases, and of fungal  $\Delta$ 15-desaturases, are the bifunctional fungal  $\Delta$ 12/ $\Delta$ 15-desaturases. Genes encoding these have been cloned from *Fusarium moniliforme* (Accession No. DQ272516, Damude et al., 2006), *Acanthamoeba castellanii* (Accession No. EF017656, Sayanova et al., 2006), *Perkinsus marinus* (WO2007042510), *Claviceps purpurea* (Accession No. EF536898, Meesapyodsuk et al., 2007) and *Coprinus cinereus* (Accession No. AF269266, Zhang et al., 2007).

**[0153]** In another embodiment, the  $\omega$ 3-desaturase has at least some activity on, preferably greater activity on, an acyl-CoA substrate than a corresponding acyl-PC substrate. As used herein, a "corresponding acyl-PC substrate" refers to the fatty acid esterified at the *sn*-2 position of phosphatidylcholine (PC) where the fatty acid is the same fatty acid as in the acyl-CoA substrate. For example, the acyl-CoA substrate may be ARA-CoA and the corresponding acyl-PC substrate is *sn*-2 ARA-PC. In an embodiment, the activity is at least two-fold greater. Preferably, the  $\omega$ 3-desaturase has at least some activity on both an acyl-CoA substrate and its corresponding acyl-PC substrate and has activity on both C18 and C20 substrates. Examples of such  $\omega$ 3-desaturases are known amongst the cloned fungal desaturases listed above.

**[0154]** In a further embodiment, the  $\omega$ 3-desaturase comprises amino acids having a sequence as provided in SEQ ID NO: 12, a biologically active fragment thereof, or an amino acid sequence which is at least 60% identical to SEQ ID NO: 12, preferably at least 90% or at least 95% identical to SEQ ID NO: 12.

**[0155]** In yet a further embodiment, a desaturase for use in the present invention has greater activity on an acyl-CoA substrate than a corresponding acyl-PC substrate. In another embodiment, a desaturase for use in the present invention has greater activity on an acyl-PC substrate than a corresponding acyl-CoA substrate, but has some activity on both

substrates. As outlined above, a "corresponding acyl-PC substrate" refers to the fatty acid esterified at the *sn*-2 position of phosphatidylcholine (PC) where the fatty acid is the same fatty acid as in the acyl-CoA substrate. In an embodiment, the greater activity is at least two-fold greater. In an embodiment, the desaturase is a  $\Delta 5$  or  $\Delta 6$ -desaturase, or an  $\omega 3$ -desaturase, examples of which are provided, but not limited to, those listed in Table 2. To test which substrate a desaturase acts on, namely an acyl-CoA or an acyl-PC substrate, assays can be carried out in yeast cells as described in Domergue et al. (2003) and (2005). Acyl-CoA substrate capability for a desaturase can also be inferred when an elongase, when expressed together with the desaturase, has an enzymatic conversion efficiency in plant cells of at least about 90% where the elongase catalyses the elongation of the product of the desaturase. On this basis, the  $\Delta 5$ -desaturase and  $\Delta 4$ -desaturases expressed from the GA7 construct (Examples 2 and 3) and variants thereof (Example 5) are capable of desaturating their respective acyl-CoA substrates, ETA-CoA and DPA-CoA.

### Elongases

**[0156]** Biochemical evidence suggests that the fatty acid elongation consists of 4 steps: condensation, reduction, dehydration and a second reduction. In the context of this invention, an "elongase" refers to the polypeptide that catalyses the condensing step in the presence of the other members of the elongation complex, under suitable physiological conditions. It has been shown that heterologous or homologous expression in a cell of only the condensing component ("elongase") of the elongation protein complex is required for the elongation of the respective acyl chain. Thus, the introduced elongase is able to successfully recruit the reduction and dehydration activities from the transgenic host to carry out successful acyl elongations. The specificity of the elongation reaction with respect to chain length and the degree of desaturation of fatty acid substrates is thought to reside in the condensing component. This component is also thought to be rate limiting in the elongation reaction.

**[0157]** As used herein, a " $\Delta 5$ -elongase" is at least capable of converting EPA to DPA. Examples of  $\Delta 5$ -elongases include those disclosed in WO2005/103253. In one embodiment, the  $\Delta 5$ -elongase has activity on EPA to produce DPA with an efficiency of at least 60%, more preferably at least 65%, more preferably at least 70% or most preferably at least 80% or 90%. In a further embodiment, the  $\Delta 5$ -elongase comprises an amino acid sequence as provided in SEQ ID NO:37, a biologically active fragment thereof, or an amino acid sequence which is at least 47% identical to SEQ ID NO:37. In a further embodiment, the  $\Delta 6$ -elongase is from *Ostreococcus taurii* or *Ostreococcus lucimarinus* (US2010/088776).

**[0158]** As used herein, a " $\Delta 6$ -elongase" is at least capable of converting SDA to ETA. Examples of  $\Delta 6$ -elongases include those listed in Table 1. In one embodiment, the elongase comprises amino acids having a sequence as provided in SEQ ID NO:25, a biologically active fragment thereof (such as the fragment provided as SEQ ID NO:26), or an amino acid sequence which is at least 55% identical to one or both of SEQ ID NO:25 or SEQ ID NO:26. In an embodiment, the  $\Delta 6$ -elongase is from *Physcomitrella patens* (Zank et al., 2002; Accession No. AF428243) or *Thalassiosira pseudonana* (Ruiz-Lopez et al., 2012).

**[0159]** As used herein, a " $\Delta 9$ -elongase" is at least capable of converting ALA to ETrA. Examples of  $\Delta 9$ -elongases include those listed in Table 1. In one embodiment, the  $\Delta 9$ -elongase comprises amino acids having a sequence as provided in SEQ ID NO:43, a biologically active fragment thereof, or an amino acid sequence which is at least 80% identical to SEQ ID NO:43. In another embodiment, the  $\Delta 9$ -elongase comprises amino acids having a sequence as provided in SEQ ID NO:46, a biologically active fragment thereof, or an amino acid sequence which is at least 81% identical to SEQ ID NO:46. In another embodiment, the  $\Delta 9$ -elongase comprises amino acids having a sequence as provided in SEQ ID NO:48, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:48. In another embodiment, the  $\Delta 9$ -elongase comprises amino acids having a sequence as provided in SEQ ID NO:50, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:50. In a further embodiment, the  $\Delta 9$ -elongase has greater activity on an  $\omega 6$  substrate than the corresponding  $\omega 3$  substrate, or the converse.

**[0160]** As used herein, the term "has greater activity on an  $\omega 6$  substrate than the corresponding  $\omega 3$  substrate" refers to the relative activity of the enzyme on substrates that differ by the action of an  $\omega 3$  desaturase. Preferably, the  $\omega 6$  substrate is LA and the  $\omega 3$  substrate is ALA.

**[0161]** An elongase with  $\Delta 6$ -elongase and  $\Delta 9$ -elongase activity is at least capable of (i) converting SDA to ETA and (ii) converting ALA to ETrA and has greater  $\Delta 6$ -elongase activity than  $\Delta 9$ -elongase activity. In one embodiment, the elongase has an efficiency of conversion on SDA to produce ETA which is at least 50%, more preferably at least 60%, and/or an efficiency of conversion on ALA to produce ETrA which is at least 6% or more preferably at least 9%. In another embodiment, the elongase has at least about 6.5 fold greater  $\Delta 6$ -elongase activity than  $\Delta 9$ -elongase activity. In a further embodiment, the elongase has no detectable  $\Delta 5$ -elongase activity

## Other enzymes

**[0162]** As used herein, the term "1-acyl-glycerol-3-phosphate acyltransferase" (LPAAT), also termed lysophosphatidic acid-acyltransferase or acyl-CoA-lysophosphatidate-acyltransferase, refers to a protein which acylates *sn*-1-acyl-glycerol-3-phosphate (*sn*-1 G-3-P) at the *sn*-2 position to form phosphatidic acid (PA). Thus, the term "1-acyl-glycerol-3-phosphate acyltransferase activity" refers to the acylation of (*sn*-1 G-3-P) at the *sn*-2 position to produce PA (EC 2.3.1.51). Preferred LPAATs are those that can use a polyunsaturated C22 acyl-CoA as substrate to transfer the polyunsaturated C22 acyl group to the *sn*-2 position of LPA, forming PA. Such LPAATs are exemplified in Example 13 and can be tested as described therein. In an embodiment, an LPAAT useful for the invention comprises amino acids having a sequence as provided in any one of SEQ ID NOs: 63 to 69, a biologically active fragment thereof, or an amino acid sequence which is at least 40% identical to any one or more of SEQ ID NOs: 63 to 69. In a preferred embodiment, an LPAAT useful for the invention comprises amino acids having a sequence as provided in any one of SEQ ID NOs: 64, 65 and 67, a biologically active fragment thereof, or an amino acid sequence which is at least 40% identical to any one or more of SEQ ID NOs: 64, 65 and 67.

**[0163]** As used herein, the term "diacylglycerol acyltransferase" (EC 2.3.1.20; DGAT) refers to a protein which transfers a fatty acyl group from acyl-CoA to a diacylglycerol substrate to produce a triacylglycerol. Thus, the term "diacylglycerol acyltransferase activity" refers to the transfer of acyl-CoA to diacylglycerol to produce triacylglycerol. There are three known types of DGAT referred to as DGAT1, DGAT2 and DGAT3 respectively. DGAT1 polypeptides typically have 10 transmembrane domains, DGAT2 typically have 2 transmembrane domains, whilst DGAT3 is typically soluble. Examples of DGAT1 polypeptides include polypeptides encoded by DGAT1 genes from *Aspergillus fumigatus* (Accession No. XP\_755172), *Arabidopsis thaliana* (CAB44774), *Ricinus communis* (AAR11479), *Vernicia fordii* (ABC94472), *Vernonia galamensis* (ABV21945, ABV21946), *Euonymus alatus* (AAV31083), *Caenorhabditis elegans* (AAF82410), *Rattus norvegicus* (NP\_445889), *Homo sapiens* (NP\_036211), as well as variants and/or mutants thereof. Examples of DGAT2 polypeptides include polypeptides encoded by DGAT2 genes from *Arabidopsis thaliana* (Accession No. NP\_566952), *Ricinus communis* (AAY16324), *Vernicia fordii* (ABC94474), *Mortierella ramanniana* (AAK84179), *Homo sapiens* (Q96PD7, Q58HT5), *Bos taurus* (Q70VD8), *Mus musculus* (AAK84175), *Micromonas* CCMP1545, as well as variants and/or mutants thereof. Examples of DGAT3 polypeptides include polypeptides encoded by DGAT3 genes from peanut (*Arachis hypogaea*, Saha, et al., 2006), as well as variants and/or mutants thereof.

### Polypeptides/Peptides

**[0164]** The term "recombinant" in the context of a polypeptide refers to the polypeptide when produced by a cell, or in a cell-free expression system, in an altered amount or at an altered rate, compared to its native state if it is produced naturally. In one embodiment the cell is a cell that does not naturally produce the polypeptide. However, the cell may be a cell which comprises a non-endogenous gene that causes an altered amount of the polypeptide to be produced. A recombinant polypeptide of the invention includes polypeptides in the cell, tissue, organ or organism, or cell-free expression system, in which it is produced i.e. a polypeptide which has not been purified or separated from other components of the transgenic (recombinant) cell in which it was produced, and polypeptides produced in such cells or cell-free systems which are subsequently purified away from at least some other components.

**[0165]** The terms "polypeptide" and "protein" are generally used interchangeably.

**[0166]** A polypeptide or class of polypeptides may be defined by the extent of identity (% identity) of its amino acid sequence to a reference amino acid sequence, or by having a greater % identity to one reference amino acid sequence than to another. The % identity of a polypeptide to a reference amino acid sequence is typically determined by GAP analysis (Needleman and Wunsch, 1970; GCG program) with parameters of a gap creation penalty=5, and a gap extension penalty=0.3. The query sequence is at least 15 amino acids in length, and the GAP analysis aligns the two sequences over a region of at least 15 amino acids. More preferably, the query sequence is at least 50 amino acids in length, and the GAP analysis aligns the two sequences over a region of at least 50 amino acids. More preferably, the query sequence is at least 100 amino acids in length and the GAP analysis aligns the two sequences over a region of at least 100 amino acids. Even more preferably, the query sequence is at least 250 amino acids in length and the GAP analysis aligns the two sequences over a region of at least 250 amino acids. Even more preferably, the GAP analysis aligns two sequences over their entire length. The polypeptide or class of polypeptides may have the same enzymatic activity as, or a different activity than, or lack the activity of, the reference polypeptide. Preferably, the polypeptide has an enzymatic activity of at least 10%, at least 50%, at least 75% or at least 90%, of the activity of the reference polypeptide.

**[0167]** As used herein a "biologically active" fragment is a portion of a polypeptide defined herein which maintains a defined activity of a full-length reference polypeptide, for example possessing desaturase and/or elongase activity or other enzyme activity. Biologically active fragments as used herein exclude the full-length polypeptide. Biologically active fragments can be any size portion as long as they maintain the defined activity. Preferably, the biologically active fragment maintains at least 10%, at least 50%, at least 75% or at least 90%, of the activity of the full length protein.

**[0168]** With regard to a defined polypeptide or enzyme, it will be appreciated that % identity figures higher than those provided herein will encompass preferred embodiments. Thus, where applicable, in light of the minimum % identity figures, it is preferred that the polypeptide/enzyme comprises an amino acid sequence which is at least 60%, more preferably at least 65%, more preferably at least 70%, more preferably at least 75%, more preferably at least 80%, more preferably at least 85%, more preferably at least 90%, more preferably at least 91%, more preferably at least 92%, more preferably at least 93%, more preferably at least 94%, more preferably at least 95%, more preferably at least 96%, more preferably at least 97%, more preferably at least 98%, more preferably at least 99%, more preferably at least 99.1%, more preferably at least 99.2%, more preferably at least 99.3%, more preferably at least 99.4%, more preferably at least 99.5%, more preferably at least 99.6%, more preferably at least 99.7%, more preferably at least 99.8%, and even more preferably at least 99.9% identical to the relevant nominated SEQ ID NO.

**[0169]** Amino acid sequence variants/mutants of the polypeptides of the defined herein can be prepared by introducing appropriate nucleotide changes into a nucleic acid defined herein, or by *in vitro* synthesis of the desired polypeptide. Such variants/mutants include, for example, deletions, insertions or substitutions of residues within the amino acid sequence. A combination of deletion, insertion and substitution can be made to arrive at the final construct, provided that the final peptide product possesses the desired enzyme activity.

**[0170]** Mutant (altered) peptides can be prepared using any technique known in the art. For example, a polynucleotide defined herein can be subjected to *in vitro* mutagenesis or DNA shuffling techniques as broadly described by Harayama (1998). Products derived from mutated/altered DNA can readily be screened using techniques described herein to determine if they possess, for example, desaturase or elongase activity.

**[0171]** In designing amino acid sequence mutants, the location of the mutation site and the nature of the mutation will depend on characteristic(s) to be modified. The sites for mutation can be modified individually or in series, e.g., by (1) substituting first with conservative amino acid choices and then with more radical selections depending upon the results achieved, (2) deleting the target residue, or (3) inserting other residues adjacent to the located site.

**[0172]** Amino acid sequence deletions generally range from about 1 to 15 residues, more preferably about 1 to 10 residues and typically about 1 to 5 contiguous residues.

**[0173]** Substitution mutants have at least one amino acid residue in the polypeptide molecule removed and a different residue inserted in its place. The sites of greatest interest for substitutional mutagenesis include sites which are not conserved amongst naturally occurring desaturases or elongases. These sites are preferably substituted in a relatively conservative manner in order to maintain enzyme activity. Such conservative substitutions are shown in Table 3 under the heading of "exemplary substitutions".

**[0174]** In a preferred embodiment a mutant/variant polypeptide has only, or not more than, one or two or three or four conservative amino acid changes when compared to a naturally occurring polypeptide. Details of conservative amino acid changes are provided in Table 3. As the skilled person would be aware, such minor changes can reasonably be predicted not to alter the activity of the polypeptide when expressed in a recombinant cell.

**[0175]** Polypeptides can be produced in a variety of ways, including production and recovery of natural polypeptides or recombinant polypeptides according to methods known in the art. In one embodiment, a recombinant polypeptide is produced by culturing a cell capable of expressing the polypeptide under conditions effective to produce the polypeptide, such as a host cell defined herein. A more preferred cell to produce the polypeptide is a cell in a plant, especially in a seed in a plant.

#### Polynucleotides

**[0176]** The invention also provides and/or uses polynucleotides which may be, for example, a gene, an isolated polynucleotide, a chimeric genetic construct such as a T-DNA molecule, or a chimeric DNA. It may be DNA or RNA of genomic or synthetic origin, double-stranded or single-stranded, and combined with carbohydrate, lipids, protein or other materials to perform a particular activity defined herein. The term "polynucleotide" is used interchangeably herein with the term "nucleic acid molecule". By "isolated polynucleotide" we mean a polynucleotide which, if obtained from a natural source, has been separated from the polynucleotide sequences with which it is associated or linked in its native state, or a non-naturally occurring polynucleotide. Preferably, the isolated polynucleotide is at least 60% free, more preferably at least 75% free, and more preferably at least 90% free from other components with which it is naturally associated.

**Table 3.** Exemplary substitutions.

| Original Residue | Exemplary Substitutions |
|------------------|-------------------------|
| Ala (A)          | val; leu; ile; gly      |
| Arg (R)          | lys                     |
| Asn (N)          | gln; his                |

(continued)

| Original Residue | Exemplary Substitutions |
|------------------|-------------------------|
| Asp (D)          | glu                     |
| Cys (C)          | ser                     |
| Gln (Q)          | asn; his                |
| Glu (E)          | asp                     |
| Gly (G)          | pro, ala                |
| His (H)          | asn; gln                |
| Ile (I)          | leu; val; ala           |
| Leu (L)          | ile; val; met; ala; phe |
| Lys (K)          | arg                     |
| Met (M)          | leu; phe                |
| Phe (F)          | leu; val; ala           |
| Pro (P)          | gly                     |
| Ser (S)          | thr                     |
| Thr (T)          | ser                     |
| Trp (W)          | tyr                     |
| Tyr (Y)          | trp; phe                |
| Val (V)          | ile; leu; met; phe, ala |

**[0177]** In an embodiment, a polynucleotide of the invention is non-naturally occurring. Examples of non-naturally occurring polynucleotides include, but are not limited to, those that have been mutated (such as by using methods described herein), and polynucleotides where an open reading frame encoding a protein is operably linked to a promoter to which it is not naturally associated (such as in the constructs described herein).

**[0178]** As used herein, the term "gene" is to be taken in its broadest context and includes the deoxyribonucleotide sequences comprising the transcribed region and, if translated, the protein coding region, of a structural gene and including sequences located adjacent to the coding region on both the 5' and 3' ends for a distance of at least about 2 kb on either end and which are involved in expression of the gene. In this regard, the gene includes control signals such as promoters, enhancers, termination and/or polyadenylation signals that are naturally associated with a given gene, or heterologous control signals in which case the gene is referred to as a "chimeric gene". The sequences which are located 5' of the protein coding region and which are present on the mRNA are referred to as 5' non-translated sequences. The sequences which are located 3' or downstream of the protein coding region and which are present on the mRNA are referred to as 3' non-translated sequences. The term "gene" encompasses both cDNA and genomic forms of a gene. A genomic form or clone of a gene contains the coding region which may be interrupted with non-coding sequences termed "introns" or "intervening regions" or "intervening sequences." Introns are segments of a gene which are transcribed into nuclear RNA (hnRNA). Introns may contain regulatory elements such as enhancers. Introns are removed or "spliced out" from the nuclear or primary transcript; introns therefore are absent in the messenger RNA (mRNA) transcript. The mRNA functions during translation to specify the sequence or order of amino acids in a nascent polypeptide. The term "gene" includes a synthetic or fusion molecule encoding all or part of the proteins of the invention described herein and a complementary nucleotide sequence to any one of the above.

**[0179]** As used herein, a "chimeric DNA" or "chimeric genetic construct" refers to any DNA molecule that is not a native DNA molecule in its native location, also referred to herein as a "DNA construct". Typically, a chimeric DNA or chimeric gene comprises regulatory and transcribed or protein coding sequences that are not found operably linked together in nature i.e. that are heterologous with respect to each other. Accordingly, a chimeric DNA or chimeric gene may comprise regulatory sequences and coding sequences that are derived from different sources, or regulatory sequences and coding sequences derived from the same source, but arranged in a manner different than that found in nature.

**[0180]** The term "endogenous" is used herein to refer to a substance that is normally present or produced in, for example, an unmodified plant at the same developmental stage as the plant under investigation. An "endogenous gene" refers to a native gene in its natural location in the genome of an organism. As used herein, "recombinant nucleic acid

molecule", "recombinant polynucleotide" or variations thereof refer to a nucleic acid molecule which has been constructed or modified by recombinant DNA technology. The terms "foreign polynucleotide" or "exogenous polynucleotide" or "heterologous polynucleotide" and the like refer to any nucleic acid which is introduced into the genome of a cell by experimental manipulations. Foreign or exogenous genes may be genes that are inserted into a non-native organism, native genes introduced into a new location within the native host, or chimeric genes. A "transgene" is a gene that has been introduced into the genome by a transformation procedure. The terms "genetically modified", "transgenic" and variations thereof include introducing genes into cells by transformation or transduction, mutating genes in cells and altering or modulating the regulation of a gene in a cell or organisms to which these acts have been done or their progeny. A "genomic region" as used herein refers to a position within the genome where a transgene, or group of transgenes (also referred to herein as a cluster), have been inserted into a cell, or an ancestor thereof. Such regions only comprise nucleotides that have been incorporated by the intervention of man such as by methods described herein.

**[0181]** The term "exogenous" in the context of a polynucleotide refers to the polynucleotide when present in a cell in an altered amount compared to its native state. In one embodiment, the cell is a cell that does not naturally comprise the polynucleotide. However, the cell may be a cell which comprises a non-endogenous polynucleotide resulting in an altered amount of production of the encoded polypeptide. An exogenous polynucleotide of the invention includes polynucleotides which have not been separated from other components of the transgenic (recombinant) cell, or cell-free expression system, in which it is present, and polynucleotides produced in such cells or cell-free systems which are subsequently purified away from at least some other components. The exogenous polynucleotide (nucleic acid) can be a contiguous stretch of nucleotides existing in nature, or comprise two or more contiguous stretches of nucleotides from different sources (naturally occurring and/or synthetic) joined to form a single polynucleotide. Typically such chimeric polynucleotides comprise at least an open reading frame encoding a polypeptide of the invention operably linked to a promoter suitable of driving transcription of the open reading frame in a cell of interest.

**[0182]** As used herein, the term "different exogenous polynucleotides" or variations thereof means that the nucleotide sequence of each polynucleotide are different by at least one, preferably more, nucleotides. The polynucleotides encode RNAs which may or may not be translated to a protein within the cell. In an example, it is preferred that each polynucleotide encodes a protein with a different activity. In another example, each exogenous polynucleotide is less than 95%, less than 90%, or less than 80% identical to the other exogenous polynucleotides. Preferably, the exogenous polynucleotides encode functional proteins/enzymes. Furthermore, it is preferred that the different exogenous polynucleotides are non-overlapping in that each polynucleotide is a distinct region of the, for example, extrachromosomal transfer nucleic acid which does not overlap with another exogenous polynucleotide. At a minimum, each exogenous polynucleotide has a transcription start and stop site, as well as the designated promoter. An individual exogenous polynucleotide may or may not comprise introns.

**[0183]** With regard to the defined polynucleotides, it will be appreciated that % identity figures higher than those provided above will encompass preferred embodiments. Thus, where applicable, in light of the minimum % identity figures, it is preferred that the polynucleotide comprises a polynucleotide sequence which is at least 60%, more preferably at least 65%, more preferably at least 70%, more preferably at least 75%, more preferably at least 80%, more preferably at least 85%, more preferably at least 90%, more preferably at least 91%, more preferably at least 92%, more preferably at least 93%, more preferably at least 94%, more preferably at least 95%, more preferably at least 96%, more preferably at least 97%, more preferably at least 98%, more preferably at least 99%, more preferably at least 99.1 %, more preferably at least 99.2%, more preferably at least 99.3%, more preferably at least 99.4%, more preferably at least 99.5%, more preferably at least 99.6%, more preferably at least 99.7%, more preferably at least 99.8%, and even more preferably at least 99.9% identical to the relevant nominated SEQ ID NO.

**[0184]** A polynucleotide of the present invention may selectively hybridise, under stringent conditions, to a polynucleotide that encodes a polypeptide of the present invention. As used herein, stringent conditions are those that (1) employ during hybridisation a denaturing agent such as formamide, for example, 50% (v/v) formamide with 0.1% (w/v) bovine serum albumin, 0.1% Ficoll, 0.1% polyvinylpyrrolidone, 50 mM sodium phosphate buffer at pH 6.5 with 750 mM NaCl, 75 mM sodium citrate at 42°C; or (2) employ 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 g/ml), 0.1% SDS and 10% dextran sulfate at 42°C in 0.2 x SSC and 0.1% SDS and/or (3) employ low ionic strength and high temperature for washing, for example, 0.015 M NaCl/0.0015 M sodium citrate/0.1% SDS at 50°C.

**[0185]** Polynucleotides of the invention may possess, when compared to naturally occurring molecules, one or more mutations which are deletions, insertions, or substitutions of nucleotide residues. Polynucleotides which have mutations relative to a reference sequence can be either naturally occurring (that is to say, isolated from a natural source) or synthetic (for example, by performing site-directed mutagenesis or DNA shuffling on the nucleic acid as described above). It is thus apparent that polynucleotides of the invention can be either from a naturally occurring source or recombinant. Preferred polynucleotides are those which have coding regions that are codon-optimised for translation in plant cells, as is known in the art.

Recombinant Vectors

**[0186]** One embodiment of the present invention includes a recombinant vector, which comprises at least one polynucleotide molecule defined herein, inserted into any vector capable of delivering the polynucleotide molecule into a host cell. Recombinant vectors include expression vectors. Recombinant vectors contain heterologous polynucleotide sequences, that is, polynucleotide sequences that are not naturally found adjacent to polynucleotide molecules defined herein that preferably are derived from a species other than the species from which the polynucleotide molecule(s) are derived. The vector can be either RNA or DNA and typically is a plasmid. Plasmid vectors typically include additional nucleic acid sequences that provide for easy selection, amplification, and transformation of the expression cassette in prokaryotic cells, e.g., pUC-derived vectors, pSK-derived vectors, pGEM-derived vectors, pSP-derived vectors, pBS-derived vectors, or preferably binary vectors containing one or more T-DNA regions. Additional nucleic acid sequences include origins of replication to provide for autonomous replication of the vector, selectable marker genes, preferably encoding antibiotic or herbicide resistance, unique multiple cloning sites providing for multiple sites to insert nucleic acid sequences or genes encoded in the nucleic acid construct, and sequences that enhance transformation of prokaryotic and eukaryotic (especially plant) cells. The recombinant vector may comprise more than one polynucleotide defined herein, for example three, four, five or six polynucleotides defined herein in combination, preferably a chimeric genetic construct of the invention, each polynucleotide being operably linked to expression control sequences that are operable in the cell of interest. More than one polynucleotide defined herein, for example 3, 4, 5 or 6 polynucleotides, are preferably covalently joined together in a single recombinant vector, preferably within a single T-DNA molecule, which may then be introduced as a single molecule into a cell to form a recombinant cell according to the invention, and preferably integrated into the genome of the recombinant cell, for example in a transgenic plant. Thereby, the polynucleotides which are so joined will be inherited together as a single genetic locus in progeny of the recombinant cell or plant. The recombinant vector or plant may comprise two or more such recombinant vectors, each containing multiple polynucleotides, for example wherein each recombinant vector comprises 3, 4, 5 or 6 polynucleotides.

**[0187]** "Operably linked" as used herein refers to a functional relationship between two or more nucleic acid (e.g., DNA) segments. Typically, it refers to the functional relationship of transcriptional regulatory element (promoter) to a transcribed sequence. For example, a promoter is operably linked to a coding sequence, such as a polynucleotide defined herein, if it stimulates or modulates the transcription of the coding sequence in an appropriate cell. Generally, promoter transcriptional regulatory elements that are operably linked to a transcribed sequence are physically contiguous to the transcribed sequence, i.e., they are *cis*-acting. However, some transcriptional regulatory elements, such as enhancers, need not be physically contiguous or located in close proximity to the coding sequences whose transcription they enhance.

**[0188]** When there are multiple promoters present, each promoter may independently be the same or different.

**[0189]** Recombinant molecules such as the chimeric DNAs or genetic constructs may also contain (a) one or more secretory signals which encode signal peptide sequences, to enable an expressed polypeptide defined herein to be secreted from the cell that produces the polypeptide or which provide for localisation of the expressed polypeptide, for example for retention of the polypeptide in the endoplasmic reticulum (ER) in the cell or transfer into a plastid, and/or (b) contain fusion sequences which lead to the expression of nucleic acid molecules as fusion proteins. Examples of suitable signal segments include any signal segment capable of directing the secretion or localisation of a polypeptide defined herein. Recombinant molecules may also include intervening and/or untranslated sequences surrounding and/or within the nucleic acid sequences of nucleic acid molecules defined herein.

**[0190]** To facilitate identification of transformants, the nucleic acid construct desirably comprises a selectable or screenable marker gene as, or in addition to, the foreign or exogenous polynucleotide. By "marker gene" is meant a gene that imparts a distinct phenotype to cells expressing the marker gene and thus allows such transformed cells to be distinguished from cells that do not have the marker. A selectable marker gene confers a trait for which one can "select" based on resistance to a selective agent (e.g., a herbicide, antibiotic, radiation, heat, or other treatment damaging to untransformed cells). A screenable marker gene (or reporter gene) confers a trait that one can identify through observation or testing, i.e., by "screening" (e.g.,  $\beta$ -glucuronidase, luciferase, GFP or other enzyme activity not present in untransformed cells). The marker gene and the nucleotide sequence of interest do not have to be linked. The actual choice of a marker is not crucial as long as it is functional (i.e., selective) in combination with the cells of choice such as a plant cell.

**[0191]** Examples of bacterial selectable markers are markers that confer antibiotic resistance such as ampicillin, erythromycin, chloramphenicol or tetracycline resistance, preferably kanamycin resistance. Exemplary selectable markers for selection of plant transformants include, but are not limited to, a *hyg* gene which encodes hygromycin B resistance; a neomycin phosphotransferase (*nptII*) gene conferring resistance to kanamycin, paromomycin, G418; a glutathione-S-transferase gene from rat liver conferring resistance to glutathione derived herbicides as, for example, described in EP 256223; a glutamine synthetase gene conferring, upon overexpression, resistance to glutamine synthetase inhibitors such as phosphinothricin as, for example, described in WO 87/05327, an acetyltransferase gene from *Streptomyces viridochromogenes* conferring resistance to the selective agent phosphinothricin as, for example, described in EP 275957,



a gene encoding a 5-enolshikimate-3-phosphate synthase (EPSPS) conferring tolerance to N-phosphonomethylglycine as, for example, described by Hinchee et al. (1988), a *bar* gene conferring resistance against bialaphos as, for example, described in WO91/02071; a nitrilase gene such as *bxn* from *Klebsiella ozaenae* which confers resistance to bromoxynil (Stalker et al., 1988); a dihydrofolate reductase (DHFR) gene conferring resistance to methotrexate (Thillet et al., 1988); a mutant acetolactate synthase gene (ALS), which confers resistance to imidazolinone, sulfonylurea or other ALS-inhibiting chemicals (EP 154,204); a mutated anthranilate synthase gene that confers resistance to 5-methyl tryptophan; or a dalapon dehalogenase gene that confers resistance to the herbicide.

**[0192]** Preferred screenable markers include, but are not limited to, a *uidA* gene encoding a  $\beta$ -glucuronidase (GUS) enzyme for which various chromogenic substrates are known, a green fluorescent protein gene (Niedz et al., 1995) or derivatives thereof; a luciferase (*luc*) gene (Ow et al., 1986), which allows for bioluminescence detection, and others known in the art. By "reporter molecule" as used in the present specification is meant a molecule that, by its chemical nature, provides an analytically identifiable signal that facilitates determination of promoter activity by reference to protein product.

**[0193]** Preferably, the nucleic acid construct is stably incorporated into the genome of the cell, such as the plant cell. Accordingly, the nucleic acid may comprise appropriate elements which allow the molecule to be incorporated into the genome, preferably the right and left border sequences of a T-DNA molecule, or the construct is placed in an appropriate vector which can be incorporated into a chromosome of the cell.

### Expression

**[0194]** As used herein, an expression vector is a DNA vector that is capable of transforming a host cell and of effecting expression of one or more specified polynucleotide molecule(s). Preferred expression vectors of the present invention can direct gene expression in yeast and/or plant cells. Expression vectors useful for the invention contain regulatory sequences such as transcription control sequences, translation control sequences, origins of replication, and other regulatory sequences that are compatible with the recombinant cell and that control the expression of polynucleotide molecules of the present invention. In particular, polynucleotides or vectors useful for the present invention include transcription control sequences. Transcription control sequences are sequences which control the initiation, elongation, and termination of transcription. Particularly important transcription control sequences are those which control transcription initiation, such as promoter and enhancer sequences. Suitable transcription control sequences include any transcription control sequence that can function in at least one of the recombinant cells of the present invention. The choice of the regulatory sequences used depends on the target organism such as a plant and/or target organ or tissue of interest. Such regulatory sequences may be obtained from any eukaryotic organism such as plants or plant viruses, or may be chemically synthesized. A variety of such transcription control sequences are known to those skilled in the art. Particularly preferred transcription control sequences are promoters active in directing transcription in plants, either constitutively or stage and/or tissue specific, depending on the use of the plant or parts thereof.

**[0195]** A number of vectors suitable for stable transfection of plant cells or for the establishment of transgenic plants have been described in, e.g., Pouwels et al., Cloning Vectors: A Laboratory Manual, 1985, supp. 1987; Weissbach and Weissbach, Methods for Plant Molecular Biology, Academic Press, 1989; and Gelvin et al., Plant Molecular Biology Manual, Kluwer Academic Publishers, 1990. Typically, plant expression vectors include, for example, one or more cloned plant genes under the transcriptional control of 5' and 3' regulatory sequences and a dominant selectable marker. Such plant expression vectors also can contain a promoter regulatory region (e.g., a regulatory region controlling inducible or constitutive, environmentally- or developmentally-regulated, or cell- or tissue-specific expression), a transcription initiation start site, a ribosome binding site, an RNA processing signal, a transcription termination site, and/or a polyadenylation signal.

**[0196]** A number of constitutive promoters that are active in plant cells have been described. Suitable promoters for constitutive expression in plants include, but are not limited to, the cauliflower mosaic virus (CaMV) 35S promoter, the Figwort mosaic virus (FMV) 35S, the sugarcane bacilliform virus promoter, the commelina yellow mottle virus promoter, the light-inducible promoter from the small subunit of the ribulose-1,5-bis-phosphate carboxylase, the rice cytosolic triosephosphate isomerase promoter, the adenine phosphoribosyltransferase promoter of *Arabidopsis*, the rice actin 1 gene promoter, the mannopine synthase and octopine synthase promoters, the Adh promoter, the sucrose synthase promoter, the R gene complex promoter, and the chlorophyll  $\alpha/\beta$  binding protein gene promoter.

**[0197]** For the purpose of expression in source tissues of the plant, such as the leaf, seed, root or stem, it is preferred that the promoters utilized in the present invention have relatively high expression in these specific tissues. For this purpose, one may choose from a number of promoters for genes with tissue- or cell-specific or -enhanced expression. Examples of such promoters reported in the literature include the chloroplast glutamine synthetase GS2 promoter from pea, the chloroplast fructose-1,6-biphosphatase promoter from wheat, the nuclear photosynthetic ST-LS1 promoter from potato, the serine/threonine kinase promoter and the glucoamylase (CHS) promoter from *Arabidopsis thaliana*. Also reported to be active in photosynthetically active tissues are ribulose-1,5-bisphosphate carboxylase promoters, and Cab

promoters.

**[0198]** A variety of plant gene promoters that are regulated in response to environmental, hormonal, chemical, and/or developmental signals, also can be used for expression of genes in plant cells, including promoters regulated by (1) heat, (2) light (e.g., pea RbcS-3A promoter, maize RbcS promoter); (3) hormones, such as abscisic acid, (4) wounding (e.g., Wun1); or (5) chemicals, such as methyl jasmonate, salicylic acid, steroid hormones, alcohol, Safeners (WO97/06269), or it may also be advantageous to employ (6) organ-specific promoters.

**[0199]** As used herein, the term "plant seed specific promoter" or variations thereof refer to a promoter that preferentially, when compared to other plant tissues, directs gene transcription in a developing seed of a plant. In an embodiment, the seed specific promoter is expressed at least 5-fold more strongly in the developing seed of the plant relative to the leaves and/or stems of the plant, and is preferably expressed more strongly in the embryo of the developing seed compared to other plant tissues. Preferably, the promoter only directs expression of a gene of interest in the developing seed, and/or expression of the gene of interest in other parts of the plant such as leaves is not detectable by Northern blot analysis and/or RT-PCR. Typically, the promoter drives expression of genes during growth and development of the seed, in particular during the phase of synthesis and accumulation of storage compounds in the seed. Such promoters may drive gene expression in the entire plant storage organ or only part thereof such as the seedcoat, or cotyledon(s), preferably in the embryos, in seeds of dicotyledonous plants or the endosperm or aleurone layer of a seeds of monocotyledonous plants.

**[0200]** Preferred promoters for seed-specific expression include i) promoters from genes encoding enzymes involved in fatty acid biosynthesis and accumulation in seeds, such as desaturases and elongases, ii) promoters from genes encoding seed storage proteins, and iii) promoters from genes encoding enzymes involved in carbohydrate biosynthesis and accumulation in seeds. Seed specific promoters which are suitable are the oilseed rape napin gene promoter (US5,608,152), the *Vicia faba* USP promoter (Baumlein et al., 1991), the *Arabidopsis* oleosin promoter (WO98/45461), the *Phaseolus vulgaris* phaseolin promoter (US5,504,200), the *Brassica* Bce4 promoter (WO91/13980) or the legumin LeB4 promoter from *Vicia faba* (Baumlein et al., 1992), and promoters which lead to the seed-specific expression in monocots such as maize, barley, wheat, rye, rice and the like. Notable promoters which are suitable are the barley lpt2 or lpt1 gene promoter (WO95/15389 and WO95/23230) or the promoters described in WO99/16890 (promoters from the barley hordein gene, the rice glutelin gene, the rice oryzin gene, the rice prolamin gene, the wheat gliadin gene, the wheat glutelin gene, the maize zein gene, the oat glutelin gene, the sorghum kasirin gene, the rye secalin gene). Other promoters include those described by Broun et al. (1998), Potenza et al. (2004), US20070192902 and US20030159173. In an embodiment, the seed specific promoter is preferentially expressed in defined parts of the seed such as the embryo, cotyledon(s) or the endosperm. Examples of such specific promoters include, but are not limited to, the FP1 promoter (Ellerstrom et al., 1996), the pea legumin promoter (Perrin et al., 2000), the bean phytohemagglutinin promoter (Perrin et al., 2000), the conlinin 1 and conlinin 2 promoters for the genes encoding the flax 2S storage proteins (Cheng et al., 2010), the promoter of the FAE1 gene from *Arabidopsis thaliana*, the BnGLP promoter of the globulin-like protein gene of *Brassica napus*, the LPXR promoter of the peroxiredoxin gene from *Linum usitatissimum*.

**[0201]** The 5' non-translated leader sequence can be derived from the promoter selected to express the heterologous gene sequence of the polynucleotide of the present invention, or preferably is heterologous with respect to the coding region of the enzyme to be produced, and can be specifically modified if desired so as to increase translation of mRNA. For a review of optimizing expression of transgenes, see Koziel et al. (1996). The 5' non-translated regions can also be obtained from plant viral RNAs (Tobacco mosaic virus, Tobacco etch virus, Maize dwarf mosaic virus, Alfalfa mosaic virus, among others) from suitable eukaryotic genes, plant genes (wheat and maize chlorophyll a/b binding protein gene leader), or from a synthetic gene sequence. The present invention is not limited to constructs wherein the non-translated region is derived from the 5' non-translated sequence that accompanies the promoter sequence. The leader sequence could also be derived from an unrelated promoter or coding sequence. Leader sequences useful in context of the present invention comprise the maize Hsp70 leader (US5,362,865 and US5,859,347), and the TMV omega element.

**[0202]** The termination of transcription is accomplished by a 3' non-translated DNA sequence operably linked in the chimeric vector to the polynucleotide of interest. The 3' non-translated region of a recombinant DNA molecule contains a polyadenylation signal that functions in plants to cause the addition of adenylate nucleotides to the 3' end of the RNA. The 3' non-translated region can be obtained from various genes that are expressed in plant cells. The nopaline synthase 3' untranslated region, the 3' untranslated region from pea small subunit Rubisco gene, the 3' untranslated region from soybean 7S seed storage protein gene or a flax conlinin gene are commonly used in this capacity. The 3' transcribed, non-translated regions containing the polyadenylate signal of *Agrobacterium* tumor-inducing (Ti) plasmid genes are also suitable.

**[0203]** Recombinant DNA technologies can be used to improve expression of a transformed polynucleotide molecule by manipulating, for example, the number of copies of the polynucleotide molecule within a host cell, the efficiency with which those polynucleotide molecules are transcribed, the efficiency with which the resultant transcripts are translated, and the efficiency of post-translational modifications. Recombinant techniques useful for increasing the expression of polynucleotide molecules defined herein include, but are not limited to, integration of the polynucleotide molecule into

one or more host cell chromosomes, addition of stability sequences to mRNAs, substitutions or modifications of transcription control signals (e.g., promoters, operators, enhancers), substitutions or modifications of translational control signals (e.g., ribosome binding sites, Shine-Dalgarno sequences), modification of polynucleotide molecules to correspond to the codon usage of the host cell, and the deletion of sequences that destabilize transcripts.

## Recombinant Cells

**[0204]** The invention also provides a recombinant cell, preferably a recombinant plant cell, which is a host cell transformed with one or more recombinant molecules, such as the polynucleotides, chimeric genetic constructs or recombinant vectors defined herein. The recombinant cell may comprise any combination thereof, such as two or three recombinant vectors, or a recombinant vector and one or more additional polynucleotides or chimeric DNAs. Suitable cells of the invention include any cell that can be transformed with a polynucleotide, chimeric DNA or recombinant vector of the invention, such as for example, a molecule encoding a polypeptide or enzyme described herein. The cell is preferably a cell which is thereby capable of being used for producing LC-PUFA. The recombinant cell may be a cell in culture, a cell *in vitro*, or in an organism such as for example a plant, or in an organ such as for example a seed or a leaf. Preferably, the cell is in a plant or plant part, more preferably in the seed of a plant.

**[0205]** Host cells into which the polynucleotide(s) are introduced can be either untransformed cells or cells that are already transformed with at least one nucleic acid molecule. Such nucleic acid molecules may be related to LC-PUFA synthesis, or unrelated. Host cells of the present invention either can be endogenously (i.e., naturally) capable of producing proteins defined herein, in which case the recombinant cell derived therefrom has an enhanced capability of producing the polypeptides, or can be capable of producing such proteins only after being transformed with at least one polynucleotide of the invention. In an embodiment, a recombinant cell of the invention has an enhanced capacity to synthesize a long chain polyunsaturated fatty acid. As used herein, the term "cell with an enhanced capacity to synthesize a long chain polyunsaturated fatty acid" is a relative term where the recombinant cell of the invention is compared to the host cell lacking the polynucleotide(s) of the invention, with the recombinant cell producing more long chain polyunsaturated fatty acids, or a greater concentration of LC-PUFA such as DHA (relative to other fatty acids), than the native cell. The cell with an enhanced capacity to synthesize another product, such as for example another fatty acid, a lipid, a carbohydrate such as starch, an RNA molecule, a polypeptide, a pharmaceutical or other product has a corresponding meaning.

**[0206]** Host cells of the present invention can be any cell capable of producing at least one protein described herein, and include bacterial, fungal (including yeast), parasite, arthropod, animal and plant cells. The cells may be prokaryotic or eukaryotic. Preferred host cells are yeast and plant cells. In a preferred embodiment, the plant cell is a seed cell, in particular a cell in a cotyledon or endosperm of a seed. In one embodiment, the cell is an animal cell or an algal cell. The animal cell may be of any type of animal such as, for example, a non-human animal cell, a non-human vertebrate cell, a non-human mammalian cell, or cells of aquatic animals such as, fish or crustacea, invertebrates, insects, etc. The cells may be of an organism suitable for a fermentation process. As used herein, the term the "fermentation process" refers to any fermentation process or any process comprising a fermentation step. Examples of fermenting microorganisms include fungal organisms, such as yeast. As used herein, "yeast" includes *Saccharomyces* spp., *Saccharomyces cerevisiae*, *Saccharomyces carlsbergensis*, *Candida* spp., *Kluveromyces* spp., *Pichia* spp., *Hansenula* spp., *Trichoderma* spp., *Lipomyces starkey*, and *Yarrowia lipolytica*. Preferred yeast include strains of the *Saccharomyces* spp., and in particular, *Saccharomyces cerevisiae*.

## Transgenic Plants

**[0207]** The invention also provides a plant comprising a cell of the invention, such as a transgenic plant comprising one or more polynucleotides of the invention. The term "plant" as used herein as a noun refers to whole plants, but as used as an adjective refers to any substance which is present in, obtained from, derived from, or related to a plant, such as for example, plant organs (e.g. leaves, stems, roots, flowers), single cells (e.g. pollen), seeds, plant cells and the like. The term "plant part" refers to all plant parts that comprise the plant DNA, including vegetative structures such as, for example, leaves or stems, roots, floral organs or structures, pollen, seed, seed parts such as an embryo, endosperm, scutellum or seed coat, plant tissue such as, for example, vascular tissue, cells and progeny of the same, as long as the plant part synthesizes lipid according to the invention.

**[0208]** A "transgenic plant", "genetically modified plant" or variations thereof refers to a plant that contains a gene construct ("transgene") not found in a wild-type plant of the same species, variety or cultivar. Transgenic plants as defined in the context of the present invention include plants and their progeny which have been genetically modified using recombinant techniques to cause production of the lipid or at least one polypeptide defined herein in the desired plant or plant organ. Transgenic plant cells and transgenic plant parts have corresponding meanings. A "transgene" as referred to herein has the normal meaning in the art of biotechnology and includes a genetic sequence which has been produced or altered by recombinant DNA or RNA technology and which has been introduced into a cell of the invention, preferably

a plant cell. The transgene may include genetic sequences derived from a plant cell which may be of the same species, variety or cultivar as the plant cell into which the transgene is introduced or of a different species, variety or cultivar, or from a cell other than a plant cell. Typically, the transgene has been introduced into the cell, such as a plant, by human manipulation such as, for example, by transformation but any method can be used as one of skill in the art recognizes.

**[0209]** The terms "seed" and "grain" are used interchangeably herein. "Grain" refers to mature grain such as harvested grain or grain which is still on a plant but ready for harvesting, but can also refer to grain after imbibition or germination, according to the context. Mature grain or seed commonly has a moisture content of less than about 18-20%. "Developing seed" as used herein refers to a seed prior to maturity, typically found in the reproductive structures of the plant after fertilisation or anthesis, but can also refer to such seeds prior to maturity which are isolated from a plant.

**[0210]** As used herein, the term "obtaining a plant part" or "obtaining a seed" refers to any means of obtaining a plant part or seed, respectively, including harvesting of the plant parts or seed from plants in the field or in containment such as a greenhouse or growth chamber, or by purchase or receipt from a supplier of the plant parts or seed. The seed may be suitable for planting i.e. able to germinate and produce progeny plants, or alternatively has been processed in such a way that it is no longer able to germinate, e.g. cracked, polished or milled seed which is useful for food or feed applications, or for extraction of lipid of the invention.

**[0211]** As used herein, the term "plant storage organ" refers to a part of a plant specialized to storage energy in the form of, for example, proteins, carbohydrates, fatty acids and/or oils. Examples of plant storage organs are seed, fruit, tuberous roots, and tubers. A preferred plant storage organ of the invention is seed.

**[0212]** As used herein, the term "phenotypically normal" refers to a genetically modified plant or plant organ, particularly a storage organ such as a seed, tuber or fruit of the invention not having a significantly reduced ability to grow and reproduce when compared to an unmodified plant or plant organ. In an embodiment, the genetically modified plant or plant organ which is phenotypically normal comprises an exogenous polynucleotide encoding a silencing suppressor operably linked to a plant storage organ specific promoter and has an ability to grow or reproduce which is essentially the same as an isogenic plant or organ not comprising said polynucleotide. Preferably, the biomass, growth rate, germination rate, storage organ size, seed size and/or the number of viable seeds produced is not less than 90% of that of a plant lacking said exogenous polynucleotide when grown under identical conditions. This term does not encompass features of the plant which may be different to the wild-type plant but which do not effect the usefulness of the plant for commercial purposes such as, for example, a ballerina phenotype of seedling leaves.

**[0213]** Plants provided by or contemplated for use in the practice of the present invention include both monocotyledons and dicotyledons. In preferred embodiments, the plants of the present invention are crop plants (for example, cereals and pulses, maize, wheat, potatoes, tapioca, rice, sorghum, millet, cassava, barley, or pea), or other legumes. The plants may be grown for production of edible roots, tubers, leaves, stems, flowers or fruit. The plants may be vegetables or ornamental plants. The plants of the invention may be: corn (*Zea mays*), canola (*Brassica napus*, *Brassica rapa* ssp.), mustard (*Brassica juncea*), flax (*Linum usitatissimum*), alfalfa (*Medicago sativa*), rice (*Oryza sativa*), rye (*Secale cereale*), sorghum (*Sorghum bicolor*, *Sorghum vulgare*), sunflower (*Helianthus annuus*), wheat (*Triticum aestivum*), soybean (*Glycine max*), tobacco (*Nicotiana tabacum*), potato (*Solanum tuberosum*), peanuts (*Arachis hypogaea*), cotton (*Gossypium hirsutum*), sweet potato (*Lopmoea batatas*), cassava (*Manihot esculenta*), coffee (*Cofea* spp.), coconut (*Cocos nucifera*), pineapple (*Anana comosus*), citris tree (*Citrus* spp.), cocoa (*Theobroma cacao*), tea (*Camellia senensis*), banana (*Musa* spp.), avocado (*Persea americana*), fig (*Ficus casica*), guava (*Psidium guajava*), mango (*Mangifer indica*), olive (*Olea europaea*), papaya (*Carica papaya*), cashew (*Anacardium occidentale*), macadamia (*Macadamia intergrifolia*), almond (*Prunus amygdalus*), sugar beets (*Beta vulgaris*), oats, or barley.

**[0214]** In a preferred embodiment, the plant is an angiosperm.

**[0215]** In an embodiment, the plant is an oilseed plant, preferably an oilseed crop plant. As used herein, an "oilseed plant" is a plant species used for the commercial production of oils from the seeds of the plant. The oilseed plant may be oil-seed rape (such as canola), maize, sunflower, soybean, sorghum, flax (linseed) or sugar beet. Furthermore, the oilseed plant may be other *Brassic*as, cotton, peanut, poppy, mustard, castor bean, sesame, safflower, or nut producing plants. The plant may produce high levels of oil in its fruit, such as olive, oil palm or coconut. Horticultural plants to which the present invention may be applied are lettuce, endive, or vegetable brassicas including cabbage, broccoli, or cauliflower. The present invention may be applied in tobacco, cucurbits, carrot, strawberry, tomato, or pepper.

**[0216]** In a further preferred embodiment, the non-transgenic plant used to produce a transgenic plant of the invention produces oil, especially in the seed, which has i) less than 20%, less than 10% or less than 5% 18:2 fatty acids and/or ii) less than 10% or less than 5% 18:3 fatty acids.

**[0217]** In a preferred embodiment, the transgenic plant is homozygous for each and every gene that has been introduced (transgene) so that its progeny do not segregate for the desired phenotype. The transgenic plant may also be heterozygous for the introduced transgene(s), preferably uniformly heterozygous for the transgene, such as for example in F1 progeny which have been grown from hybrid seed. Such plants may provide advantages such as hybrid vigour, well known in the art.

**[0218]** Where relevant, the transgenic plants may also comprise additional transgenes encoding enzymes involved in the production of LC-PUFAs such as, but not limited to, a  $\Delta 6$ -desaturase, a  $\Delta 9$ -elongase, a  $\Delta 8$ -desaturase, a  $\Delta 6$ -

elongase, a  $\Delta 5$ -desaturase, an  $\omega 3$ -desaturase, a  $\Delta 4$ -desaturase, a  $\Delta 5$ -elongase, diacylglycerol acyltransferase, LPAAT, a  $\Delta 17$ -desaturase, a  $\Delta 15$ -desaturase and/or a  $\Delta 12$  desaturase. Examples of such enzymes with one of more of these activities are known in the art and include those described herein. In specific examples, the transgenic plant at least comprises exogenous polynucleotides encoding;

- a) a  $\Delta 4$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 6$ -desaturase, a  $\Delta 5$ -elongase and a  $\Delta 6$ -elongase,
- b) a  $\Delta 4$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 8$ -desaturase, a  $\Delta 5$ -elongase and a  $\Delta 9$ -elongase,
- c) a  $\Delta 4$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 6$ -desaturase, a  $\Delta 5$ -elongase, a  $\Delta 6$ -elongase, and a  $\Delta 15$ -desaturase,
- d) a  $\Delta 4$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 8$ -desaturase, a  $\Delta 5$ -elongase, a  $\Delta 9$ -elongase, and a  $\Delta 15$ -desaturase,
- e) a  $\Delta 4$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 6$ -desaturase, a  $\Delta 5$ -elongase, a  $\Delta 6$ -elongase, and a  $\Delta 17$ -desaturase, or
- f) a  $\Delta 4$ -desaturase, a  $\Delta 5$ -desaturase, a  $\Delta 8$ -desaturase, a  $\Delta 5$ -elongase, a  $\Delta 9$ -elongase, and a  $\Delta 17$ -desaturase.

**[0219]** In an embodiment, the exogenous polynucleotides encode set of polypeptides which are a *Pythium irregulare*  $\Delta 6$ -desaturase, a *Thraustochytrid*  $\Delta 5$ -desaturase or an *Emiliana huxleyi*  $\Delta 5$ -desaturase, a *Physcomitrella patens*  $\Delta 6$ -elongase, a *Thraustochytrid*  $\Delta 5$ -elongase or an *Ostreococcus taurii*  $\Delta 5$ -elongase, a *Phytophthora infestans*  $\omega 3$ -desaturase or a *Pythium irregulare*  $\omega 3$ -desaturase, and a *Thraustochytrid*  $\Delta 4$ -desaturase.

**[0220]** In an embodiment, plants of the invention are grown in the field, preferably as a population of at least 1,000 or 1,000,000 plants that are essentially the same, or in an area of at least 1 hectare. Planting densities differ according to the plant species, plant variety, climate, soil conditions, fertiliser rates and other factors as known in the art. For example, canola is typically grown at a planting density of 1.2-1.5 million plants per hectare. Plants are harvested as is known in the art, which may comprise swathing, windrowing and/or reaping of plants, followed by threshing and/or winnowing of the plant material to separate the seed from the remainder of the plant parts often in the form of chaff. Alternatively, seed may be harvested from plants in the field in a single process, namely combining.

#### Transformation of plants

**[0221]** Transgenic plants can be produced using techniques known in the art, such as those generally described in A. Slater et al., Plant Biotechnology - The Genetic Manipulation of Plants, Oxford University Press (2003), and P. Christou and H. Klee, Handbook of Plant Biotechnology, John Wiley and Sons (2004).

**[0222]** As used herein, the terms "stably transforming", "stably transformed" and variations thereof refer to the integration of the exogenous nucleic acid molecules into the genome of the cell such that they are transferred to progeny cells during cell division without the need for positively selecting for their presence. Stable transformants, or progeny thereof, can be selected by any means known in the art such as Southern blots on chromosomal DNA or *in situ* hybridization of genomic DNA.

**[0223]** *Agrobacterium*-mediated transfer is a widely applicable system for introducing genes into plant cells because DNA can be introduced into cells in whole plant tissues or plant organs or explants in tissue culture, for either transient expression or for stable integration of the DNA in the plant cell genome. The use of *Agrobacterium*-mediated plant integrating vectors to introduce DNA into plant cells is well known in the art (see, for example, US 5177010, US 5104310, US 5004863 or US 5159135) including floral dipping methods using *Agrobacterium* or other bacteria that can transfer DNA into plant cells. The region of DNA to be transferred is defined by the border sequences, and the intervening DNA (T-DNA) is usually inserted into the plant genome. Further, the integration of the T-DNA is a relatively precise process resulting in few rearrangements. In those plant varieties where *Agrobacterium*-mediated transformation is efficient, it is the method of choice because of the facile and defined nature of the gene transfer. Preferred *Agrobacterium* transformation vectors are capable of replication in *E. coli* as well as *Agrobacterium*, allowing for convenient manipulations as described (Klee et al., In: Plant DNA Infectious Agents, Hohn and Schell, eds., Springer-Verlag, New York, pp. 179-203 (1985)).

**[0224]** Acceleration methods that may be used include, for example, microprojectile bombardment and the like. One example of a method for delivering transforming nucleic acid molecules to plant cells is microprojectile bombardment. This method has been reviewed by Yang et al., Particle Bombardment Technology for Gene Transfer, Oxford Press, Oxford, England (1994). Non-biological particles (microprojectiles) that may be coated with nucleic acids and delivered into cells by a propelling force. Exemplary particles include those comprised of tungsten, gold, platinum, and the like. A particular advantage of microprojectile bombardment, in addition to it being an effective means of reproducibly transforming monocots, is that neither the isolation of protoplasts, nor the susceptibility of *Agrobacterium* infection are required.

**[0225]** In another alternative embodiment, plastids can be stably transformed. Methods disclosed for plastid transformation in higher plants include particle gun delivery of DNA containing a selectable marker and targeting of the DNA to the plastid genome through homologous recombination (US5, 451,513, US5,545,818, US5,877,402, US5,932,479, and WO99/05265).

**[0226]** Other methods of cell transformation can also be used and include but are not limited to introduction of DNA

into plants by direct DNA transfer into pollen, by direct injection of DNA into reproductive organs of a plant, or by direct injection of DNA into the cells of immature embryos followed by the rehydration of desiccated embryos.

[0227] The regeneration, development, and cultivation of plants from single plant protoplast transformants or from various transformed explants is well known in the art (Weissbach et al., In: Methods for Plant Molecular Biology, Academic Press, San Diego, Calif., (1988)). This regeneration and growth process typically includes the steps of selection of transformed cells, culturing those individualized cells through the usual stages of embryonic development through the rooted plantlet stage. Transgenic embryos and seeds are similarly regenerated. The resulting transgenic rooted shoots are thereafter planted in an appropriate plant growth medium such as soil.

[0228] The development or regeneration of plants containing the foreign, exogenous gene is well known in the art. Preferably, the regenerated plants are self-pollinated to provide homozygous transgenic plants. Otherwise, pollen obtained from the regenerated plants is crossed to seed-grown plants of agronomically important lines. Conversely, pollen from plants of these important lines is used to pollinate regenerated plants. A transgenic plant of the present invention containing a desired exogenous nucleic acid is cultivated using methods well known to one skilled in the art.

[0229] To confirm the presence of the transgenes in transgenic cells and plants, a polymerase chain reaction (PCR) amplification or Southern blot analysis can be performed using methods known to those skilled in the art. Expression products of the transgenes can be detected in any of a variety of ways, depending upon the nature of the product, and include Western blot and enzyme assay. Once transgenic plants have been obtained, they may be grown to produce plant tissues or parts having the desired phenotype. The plant tissue or plant parts, may be harvested, and/or the seed collected. The seed may serve as a source for growing additional plants with tissues or parts having the desired characteristics.

[0230] A transgenic plant formed using *Agrobacterium* or other transformation methods typically contains a single genetic locus on one chromosome. Such transgenic plants can be referred to as being hemizygous for the added gene(s). More preferred is a transgenic plant that is homozygous for the added gene(s); i.e., a transgenic plant that contains two added genes, one gene at the same locus on each chromosome of a chromosome pair. A homozygous transgenic plant can be obtained by self-fertilising a hemizygous transgenic plant, germinating some of the seed produced and analyzing the resulting plants for the gene of interest.

[0231] It is also to be understood that two different transgenic plants that contain two independently segregating exogenous genes or loci can also be crossed (mated) to produce offspring that contain both sets of genes or loci. Selfing of appropriate F1 progeny can produce plants that are homozygous for both exogenous genes or loci. Back-crossing to a parental plant and out-crossing with a non-transgenic plant are also contemplated, as is vegetative propagation. Descriptions of other breeding methods that are commonly used for different traits and crops can be found in Fehr, In: Breeding Methods for Cultivar Development, Wilcox J. ed., American Society of Agronomy, Madison Wis. (1987).

#### Enhancing Exogenous RNA Levels and Stabilized Expression

##### *Silencing Suppressors*

[0232] In an embodiment, a cell, plant or plant part of the invention comprises an exogenous polynucleotide encoding a silencing suppressor protein.

[0233] Post-transcriptional gene silencing (PTGS) is a nucleotide sequence-specific defense mechanism that can target both cellular and viral mRNAs for degradation PTGS occurs in plants or fungi stably or transiently transformed with foreign (heterologous) or endogenous DNA and results in the reduced accumulation of RNA molecules with sequence similarity to the introduced nucleic acid.

[0234] It has widely been considered that co-expression of a silencing suppressor with a transgene of interest will increase the levels of RNA present in the cell transcribed from the transgene. Whilst this has proven true for cells *in vitro*, significant side-effects have been observed in many whole plant co-expression studies. More specifically, as described in Mallory et al. (2002), Chapman et al. (2004), Chen et al. (2004), Dunoyer et al. (2004), Zhang et al. (2006), Lewsey et al. (2007) and Meng et al. (2008) plants expressing silencing suppressors, generally under constitutive promoters, are often phenotypically abnormal to the extent that they are not useful for commercial production.

[0235] Recently, it has been found that RNA molecule levels can be increased, and/or RNA molecule levels stabilized over numerous generations, by limiting the expression of the silencing suppressor to a seed of a plant or part thereof (WO2010/057246). As used herein, a "silencing suppressor protein" or SSP is any polypeptide that can be expressed in a plant cell that enhances the level of expression product from a different transgene in the plant cell, particularly over repeated generations from the initially transformed plant. In an embodiment, the SSP is a viral silencing suppressor or mutant thereof. A large number of viral silencing suppressors are known in the art and include, but are not limited to P19, V2, P38, Pe-Po and RPV-P0. In an embodiment, the viral silencing suppressor comprises amino acids having a sequence as provided in any one of SEQ ID NOs 53 to 57, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to any one or more of SEQ ID NOs 53 to 57 and which has activity as a silencing

suppressor.

**[0236]** As used herein, the terms "stabilising expression", "stably expressed", "stabilised expression" and variations thereof refer to level of the RNA molecule being essentially the same or higher in progeny plants over repeated generations, for example at least three, at least five or at least 10 generations, when compared to isogenic plants lacking the exogenous polynucleotide encoding the silencing suppressor. However, this term(s) does not exclude the possibility that over repeated generations there is some loss of levels of the RNA molecule when compared to a previous generation, for example not less than a 10% loss per generation.

**[0237]** The suppressor can be selected from any source e.g. plant, viral, mammal etc. See WO2010/057246 for a list of viruses from which the suppressor can be obtained and the protein (eg B2, P14 etc) or coding region designation for the suppressor from each particular virus. Multiple copies of a suppressor may be used. Different suppressors may be used together (e. g., in tandem).

#### *RNA Molecules*

**[0238]** Essentially any RNA molecule which is desirable to be expressed in a plant seed can be co-expressed with the silencing suppressor. The encoded polypeptides may be involved in metabolism of oil, starch, carbohydrates, nutrients, etc., or may be responsible for the synthesis of proteins, peptides, fatty acids, lipids, waxes, oils, starches, sugars, carbohydrates, flavors, odors, toxins, carotenoids, hormones, polymers, flavonoids, storage proteins, phenolic acids, alkaloids, lignins, tannins, celluloses, glycoproteins, glycolipids, etc, preferably the biosynthesis or assembly of TAG.

**[0239]** In a particular example, the plants produced increased levels of enzymes for oil production in plants such as Brassicas, for example canola or sunflower, safflower, flax, cotton, soya bean, *Camelina* or maize.

#### Levels of LC-PUFA Produced

**[0240]** The levels of the LC-PUFA or combination of LC-PUFAs that are produced in the recombinant cell or plant part such as seed are of importance. The levels may be expressed as a composition (in percent) of the total fatty acid that is a particular LC-PUFA or group of related LC-PUFA, for example the  $\omega$ 3 LC-PUFA or the  $\omega$ 6 LC-PUFA, or the VLC-PUFA, or other which may be determined by methods known in the art. The level may also be expressed as a LC-PUFA content, such as for example the percentage of LC-PUFA in the dry weight of material comprising the recombinant cells, for example the percentage of the weight of seed that is LC-PUFA. It will be appreciated that the LC-PUFA that is produced in an oilseed may be considerably higher in terms of LC-PUFA content than in a vegetable or a grain that is not grown for oil production, yet both may have similar LC-PUFA compositions, and both may be used as sources of LC-PUFA for human or animal consumption.

**[0241]** The levels of LC-PUFA may be determined by any of the methods known in the art. In a preferred method, total lipid is extracted from the cells, tissues or organisms and the fatty acid converted to methyl esters before analysis by gas chromatography (GC). Such techniques are described in Example 1. The peak position in the chromatogram may be used to identify each particular fatty acid, and the area under each peak integrated to determine the amount. As used herein, unless stated to the contrary, the percentage of particular fatty acid in a sample is determined as the area under the peak for that fatty acid as a percentage of the total area for fatty acids in the chromatogram. This corresponds essentially to a weight percentage (w/w). The identity of fatty acids may be confirmed by GC-MS. Total lipid may be separated by techniques known in the art to purify fractions such as the TAG fraction. For example, thin-layer chromatography (TLC) may be performed at an analytical scale to separate TAG from other lipid fractions such as DAG, acyl-CoAs or phospholipid in order to determine the fatty acid composition specifically of TAG.

**[0242]** In one embodiment, the sum total of ARA, EPA, DPA and DHA in the fatty acids in the extracted lipid is between about 7% and about 25% of the total fatty acids in the cell. In a further embodiment, the total fatty acid in the cell has less than 1% C20:1. In preferred embodiments, the extractable TAG in the cell comprises the fatty acids at the levels referred to herein. Each possible combination of the features defining the lipid as described herein is also encompassed.

**[0243]** The level of production of LC-PUFA in the recombinant cell, plant or plant part such as seed may also be expressed as a conversion percentage of a specific substrate fatty acid to one or more product fatty acids, which is also referred to herein as a "conversion efficiency" or "enzymatic efficiency". This parameter is based on the fatty acid composition in the lipid extracted from the cell, plant, plant part or seed, i.e., the amount of the LC-PUFA formed (including other LC-PUFA derived therefrom) as a percentage of one or more substrate fatty acids (including all other fatty acids derived therefrom). The general formula for a conversion percentage is:  $100 \times (\text{the sum of percentages of the product LC-PUFA and all products derived therefrom}) / (\text{the sum of the percentages of the substrate fatty acid and all products derived therefrom})$ . With regard to DHA, for example, this may be expressed as the ratio of the level of DHA (as a percentage in the total fatty acid content in the lipid) to the level of a substrate fatty acid (e.g. OA, LA, ALA, SDA, ETA or EPA) and all products other than DHA derived from the substrate. The conversion percentage or efficiency of conversion can be expressed for a single enzymatic step in a pathway, or for part or the whole of a pathway.

[0244] Specific conversion efficiencies are calculated herein according to the formulae:

1. OA to DHA =  $100 \times (\% \text{DHA}) / (\text{sum } \% \text{ for OA, LA, GLA, DGLA, ARA, EDA, ALA, SDA, ETrA, ETA, EPA, DPA and DHA})$ .
2. LA to DHA =  $100 \times (\% \text{DHA}) / (\text{sum } \% \text{ for LA, GLA, DGLA, ARA, EDA, ALA, SDA, ETrA, ETA, EPA, DPA and DHA})$ .
3. ALA to DHA =  $100 \times (\% \text{DHA}) / (\text{sum } \% \text{ for ALA, SDA, ETrA, ETA, EPA, DPA and DHA})$ .
4. EPA to DHA =  $100 \times (\% \text{DHA}) / (\text{sum } \% \text{ for EPA, DPA and DHA})$ .
5. DPA to DHA ( $\Delta 4$ -desaturase efficiency) =  $100 \times (\% \text{DHA}) / (\text{sum } \% \text{ for DPA and DHA})$ .
6.  $\Delta 12$ -desaturase efficiency =  $100 \times (\text{sum } \% \text{ for LA, GLA, DGLA, ARA, EDA, ALA, SDA, ETrA, ETA, EPA, DPA and DHA}) / (\text{sum } \% \text{ for OA, LA, GLA, DGLA, ARA, EDA, ALA, SDA, ETrA, ETA, EPA, DPA and DHA})$ .
7.  $\omega 3$ -desaturase efficiency =  $100 \times (\text{sum } \% \text{ for ALA, SDA, ETrA, ETA, EPA, DPA and DHA}) / (\text{sum } \% \text{ for LA, GLA, DGLA, ARA, EDA, ALA, SDA, ETrA, ETA, EPA, DPA and DHA})$ .
8. OA to ALA =  $100 \times (\text{sum } \% \text{ for ALA, SDA, ETrA, ETA, EPA, DPA and DHA}) / (\text{sum } \% \text{ for OA, LA, GLA, DGLA, ARA, EDA, ALA, SDA, ETrA, ETA, EPA, DPA and DHA})$ .
9.  $\Delta 6$ -desaturase efficiency (on  $\omega 3$  substrate ALA) =  $100 \times (\text{sum } \% \text{ for SDA, ETA, EPA, DPA and DHA}) / (\% \text{ALA, SDA, ETrA, ETA, EPA, DPA and DHA})$ .
10.  $\Delta 6$ -elongase efficiency (on  $\omega 3$  substrate SDA) =  $100 \times (\text{sum } \% \text{ for ETA, EPA, DPA and DHA}) / (\text{sum } \% \text{ for SDA, ETA, EPA, DPA and DHA})$ .
11.  $\Delta 5$ -desaturase efficiency (on  $\omega 3$  substrate ETA) =  $100 \times (\text{sum } \% \text{ for EPA, DPA and DHA}) / (\text{sum } \% \text{ for ETA, EPA, DPA and DHA})$ .
12.  $\Delta 5$ -elongase efficiency (on  $\omega 3$  substrate EPA) =  $100 \times (\text{sum } \% \text{ for DPA and DHA}) / (\text{sum } \% \text{ for EPA, DPA and DHA})$ .

[0245] The fatty acid composition of the lipid, preferably seedoil, of the invention, is also characterised by the ratio of  $\omega 6$  fatty acids: $\omega 3$  fatty acids in the total fatty acid content, for either total  $\omega 6$  fatty acids:total  $\omega 3$  fatty acids or for new  $\omega 6$  fatty acids:new  $\omega 3$  fatty acids. The terms total  $\omega 6$  fatty acids, total  $\omega 3$  fatty acids, new  $\omega 6$  fatty acids and new  $\omega 3$  fatty acids have the meanings as defined herein. The ratios are calculated from the fatty acid composition in the lipid extracted from the cell, plant, plant part or seed, in the manner as exemplified herein. It is desirable to have a greater level of  $\omega 3$  than  $\omega 6$  fatty acids in the lipid, and therefore an  $\omega 6$ : $\omega 3$  ratio of less than 1.0 is preferred. A ratio of 0.0 indicates a complete absence of the defined  $\omega 6$  fatty acids; a ratio of 0.03 was achieved as described in Example 6. Such low ratios can be achieved through the combined use of a  $\Delta 6$ -desaturase which has an  $\omega 3$  substrate preference together with an  $\omega 3$ -desaturase, particularly a fungal  $\omega 3$ -desaturase such as the *Pichia pastoris*  $\omega 3$ -desaturase as exemplified herein.

[0246] The yield of LC-PUFA per weight of seed may also be calculated based on the total oil content in the seed and the %DHA in the oil. For example, if the oil content of canola seed is about 40% (w/w) and about 12% of the total fatty acid content of the oil is DHA, the DHA content of the seed is about 4.8% or about 48mg per gram of seed. As described in Example 2, the DHA content of *Arabidopsis* seed having about 9% DHA, which has a lower oil content than canola, was about 25mg/g seed. At a DHA content of about 7%, canola seed or *Camelina sativa* seed has a DHA content of about 28mg per gram of seed. The present invention therefore provides *Brassica napus*, *B. juncea* and *Camelina sativa* plants, and seed obtained therefrom, comprising at least about 28mg DHA per gram seed. The seed has a moisture content as is standard for harvested mature seed after drying down (4-15% moisture). The invention also provides a process for obtaining oil, comprising obtaining the seed and extracting the oil from the seed, and uses of the oil and methods of obtaining the seed comprising harvesting the seeds from the plants according to the invention.

[0247] The amount of DHA produced per hectare can also be calculated if the seed yield per hectare is known or can be estimated. For example, canola in Australia typically yields about 2.5 tonnes seed per hectare, which at 40% oil content yields about 1000kg of oil. At 12% DHA in the total oil, this provides about 120kg of DHA per hectare. If the oil content is reduced by 50%, this still provides about 60kg DHA/ha.

[0248] Evidence to date suggests that some desaturases expressed heterologously in yeast or plants have relatively low activity in combination with some elongases. This may be alleviated by providing a desaturase with the capacity of to use an acyl-CoA form of the fatty acid as a substrate in LC-PUFA synthesis, and this is thought to be advantageous in recombinant cells particularly in plant cells. A particularly advantageous combination for efficient DHA synthesis is a fungal  $\omega 3$ -desaturase, for example such as the *Pichia pastoris*  $\omega 3$ -desaturase (SEQ ID NO: 12), with a  $\Delta 6$ -desaturase which has a preference for  $\omega 3$  acyl substrates such as, for example, the *Micromonas pusilla*  $\Delta 6$ -desaturase (SEQ ID NO: 13), or variants thereof which have at least 95% amino acid sequence identity.

[0249] As used herein, the term "essentially free" means that the composition (for example lipid or oil) comprises little (for example, less than about 0.5%, less than about 0.25%, less than about 0.1%, or less than about 0.01%) or none of the defined component. In an embodiment, "essentially free" means that the component is undetectable using a routine analytical technique, for example a specific fatty acid (such as  $\omega 6$ -docosapentaenoic acid) cannot be detected using gas chromatography as outlined in Example 1.



Production of Oils

**[0250]** Techniques that are routinely practiced in the art can be used to extract, process, and analyze the oils produced by cells, plants, seeds, etc of the instant invention. Typically, plant seeds are cooked, pressed, and extracted to produce crude oil, which is then degummed, refined, bleached, and deodorized. Generally, techniques for crushing seed are known in the art. For example, oilseeds can be tempered by spraying them with water to raise the moisture content to, e.g., 8.5%, and flaked using a smooth roller with a gap setting of 0.23 to 0.27 mm. Depending on the type of seed, water may not be added prior to crushing. Application of heat deactivates enzymes, facilitates further cell rupturing, coalesces the oil droplets, and agglomerates protein particles, all of which facilitate the extraction process.

**[0251]** In an embodiment, the majority of the seed oil is released by passage through a screw press. Cakes expelled from the screw press are then solvent extracted, e.g., with hexane, using a heat traced column. Alternatively, crude oil produced by the pressing operation can be passed through a settling tank with a slotted wire drainage top to remove the solids that are expressed with the oil during the pressing operation. The clarified oil can be passed through a plate and frame filter to remove any remaining fine solid particles. If desired, the oil recovered from the extraction process can be combined with the clarified oil to produce a blended crude oil.

**[0252]** Once the solvent is stripped from the crude oil, the pressed and extracted portions are combined and subjected to normal oil processing procedures. As used herein, the term "purified" when used in connection with lipid or oil of the invention typically means that the extracted lipid or oil has been subjected to one or more processing steps of increase the purity of the lipid/oil component. For example, a purification step may comprise one or more or all of the group consisting of: degumming, deodorising, decolourising, drying and/or fractionating the extracted oil. However, as used herein, the term "purified" does not include a transesterification process or other process which alters the fatty acid composition of the lipid or oil of the invention so as to increase the DHA content as a percentage of the total fatty acid content. Expressed in other words, the fatty acid composition of the purified lipid or oil is essentially the same as that of the unpurified lipid or oil.

*Degumming*

**[0253]** Degumming is an early step in the refining of oils and its primary purpose is the removal of most of the phospholipids from the oil, which may be present as approximately 1-2% of the total extracted lipid. Addition of ~2% of water, typically containing phosphoric acid, at 70-80°C to the crude oil results in the separation of most of the phospholipids accompanied by trace metals and pigments. The insoluble material that is removed is mainly a mixture of phospholipids and triacylglycerols and is also known as lecithin. Degumming can be performed by addition of concentrated phosphoric acid to the crude seedoil to convert non-hydratable phosphatides to a hydratable form, and to chelate minor metals that are present. Gum is separated from the seedoil by centrifugation.

*Alkali refining*

**[0254]** Alkali refining is one of the refining processes for treating crude oil, sometimes also referred to as neutralization. It usually follows degumming and precedes bleaching. Following degumming, the seedoil can be treated by the addition of a sufficient amount of an alkali solution to titrate all of the fatty acids and phosphoric acids, and removing the soaps thus formed. Suitable alkaline materials include sodium hydroxide, potassium hydroxide, sodium carbonate, lithium hydroxide, calcium hydroxide, calcium carbonate and ammonium hydroxide. This process is typically carried out at room temperature and removes the free fatty acid fraction. Soap is removed by centrifugation or by extraction into a solvent for the soap, and the neutralised oil is washed with water. If required, any excess alkali in the oil may be neutralized with a suitable acid such as hydrochloric acid or sulphuric acid.

*Bleaching*

**[0255]** Bleaching is a refining process in which oils are heated at 90-120°C for 10-30 minutes in the presence of a bleaching earth (0.2-2.0%) and in the absence of oxygen by operating with nitrogen or steam or in a vacuum. This step in oil processing is designed to remove unwanted pigments (carotenoids, chlorophyll, gossypol etc), and the process also removes oxidation products, trace metals, sulphur compounds and traces of soap.

*Deodorization*

**[0256]** Deodorization is a treatment of oils and fats at a high temperature (200-260°C) and low pressure (0.1-1 mm Hg). This is typically achieved by introducing steam into the seedoil at a rate of about 0.1 ml/minute/100 ml of seedoil. After about 30 minutes of sparging, the seedoil is allowed to cool under vacuum. The seedoil is typically transferred to

a glass container and flushed with argon before being stored under refrigeration. This treatment improves the colour of the seedoil and removes a majority of the volatile substances or odorous compounds including any remaining free fatty acids, monoacylglycerols and oxidation products.

#### Winterisation

**[0257]** Winterization is a process sometimes used in commercial production of oils for the separation of oils and fats into solid (stearin) and liquid (olein) fractions by crystallization at sub-ambient temperatures. It was applied originally to cottonseed oil to produce a solid-free product. It is typically used to decrease the saturated fatty acid content of oils.

#### Transesterification

**[0258]** Transesterification is a process that exchanges the fatty acids within and between TAGs or transfers the fatty acids to another alcohol to form an ester, initially by releasing fatty acids from the TAGs either as free fatty acids or as fatty acid esters, usually fatty acid methyl esters or ethyl esters. When combined with a fractionation process, transesterification can be used to modify the fatty acid composition of lipids (Marangoni et al., 1995). Transesterification can use either chemical (e.g. strong acid or base catalysed) or enzymatic means, the latter using lipases which may be position-specific (*sn*-1/3 or *sn*-2 specific) for the fatty acid on the TAG, or having a preference for some fatty acids over others (Speranza et al, 2012). The fatty acid fractionation to increase the concentration of LC-PUFA in an oil can be achieved by any of the methods known in the art, such as, for example, freezing crystallization, complex formation using urea, molecular distillation, supercritical fluid extraction and silver ion complexing. Complex formation with urea is a preferred method for its simplicity and efficiency in reducing the level of saturated and monounsaturated fatty acids in the oil (Gamez et al., 2003). Initially, the TAGs of the oil are split into their constituent fatty acids, often in the form of fatty acid esters, by hydrolysis under either acid or base catalysed reaction conditions, whereby one mol of TAG is reacted with at least 3 mol of alcohol (e.g. ethanol for ethyl esters or methanol for methyl esters) with excess alcohol used to enable separation of the formed alkyl esters and the glycerol that is also formed, or by lipases. These free fatty acids or fatty acid esters, which are usually unaltered in fatty acid composition by the treatment, may then be mixed with an ethanolic solution of urea for complex formation. The saturated and monounsaturated fatty acids easily complex with urea and crystallize out on cooling and may subsequently be removed by filtration. The non-urea complexed fraction is thereby enriched with LC-PUFA.

#### Feedstuffs

**[0259]** The present invention includes compositions which can be used as feedstuffs. For purposes of the present invention, "feedstuffs" include any food or preparation for human or animal consumption which when taken into the body (a) serve to nourish or build up tissues or supply energy; and/or (b) maintain, restore or support adequate nutritional status or metabolic function. Feedstuffs of the invention include nutritional compositions for babies and/or young children such as, for example, infant formula, and seedmeal of the invention.

**[0260]** Feedstuffs of the invention comprise, for example, a cell of the invention, a plant of the invention, the plant part of the invention, the seed of the invention, an extract of the invention, the product of the method of the invention, the product of the fermentation process of the invention, or a composition along with a suitable carrier(s). The term "carrier" is used in its broadest sense to encompass any component which may or may not have nutritional value. As the skilled addressee will appreciate, the carrier must be suitable for use (or used in a sufficiently low concentration) in a feedstuff such that it does not have deleterious effect on an organism which consumes the feedstuff.

**[0261]** The feedstuff of the present invention comprises an oil, fatty acid ester, or fatty acid produced directly or indirectly by use of the methods, cells or plants disclosed herein. The composition may either be in a solid or liquid form. Additionally, the composition may include edible macronutrients, protein, carbohydrate, vitamins, and/or minerals in amounts desired for a particular use. The amounts of these ingredients will vary depending on whether the composition is intended for use with normal individuals or for use with individuals having specialized needs, such as individuals suffering from metabolic disorders and the like.

**[0262]** Examples of suitable carriers with nutritional value include, but are not limited to, macronutrients such as edible fats, carbohydrates and proteins. Examples of such edible fats include, but are not limited to, coconut oil, borage oil, fungal oil, black current oil, soy oil, and mono- and diglycerides. Examples of such carbohydrates include (but are not limited to): glucose, edible lactose, and hydrolyzed starch. Additionally, examples of proteins which may be utilized in the nutritional composition of the invention include (but are not limited to) soy proteins, electrodialysed whey, electrodialysed skim milk, milk whey, or the hydrolysates of these proteins.

**[0263]** With respect to vitamins and minerals, the following may be added to the feedstuff compositions of the present invention: calcium, phosphorus, potassium, sodium, chloride, magnesium, manganese, iron, copper, zinc, selenium,

iodine, and Vitamins A, E, D, C, and the B complex. Other such vitamins and minerals may also be added.

**[0264]** The components utilized in the feedstuff compositions of the present invention can be of semi-purified or purified origin. By semi-purified or purified is meant a material which has been prepared by purification of a natural material or by *de novo* synthesis.

**[0265]** A feedstuff composition of the present invention may also be added to food even when supplementation of the diet is not required. For example, the composition may be added to food of any type, including (but not limited to): margarine, modified butter, cheeses, milk, yogurt, chocolate, candy, snacks, salad oils, cooking oils, cooking fats, meats, fish and beverages.

**[0266]** The genus *Saccharomyces* spp is used in both brewing of beer and wine making and also as an agent in baking, particularly bread. Other yeasts such as oleaginous yeast including, for example, *Yarrowia* spp, are also useful in LC-PUFA production. Yeasts may be used as an additive in animal feed, such as in aquaculture. It will be apparent that genetically engineered yeast strains can be provided which are adapted to synthesise LC-PUFA as described herein. These yeast strains, or LC-PUFA produced therein, can then be used in food stuffs and in wine and beer making to provide products which have enhanced fatty acid content.

**[0267]** Additionally, fatty acids produced in accordance with the present invention or host cells transformed to contain and express the subject genes may also be used as animal food supplements to alter an animal's tissue, egg or milk fatty acid composition to one more desirable for human or animal consumption. Examples of such animals include sheep, cattle, horses, poultry such as chickens and the like.

**[0268]** Furthermore, feedstuffs of the invention can be used in aquaculture to increase the levels of fatty acids in fish or crustaceans such as, for example, prawns for human or animal consumption. Preferred fish are salmon.

**[0269]** Preferred feedstuffs of the invention are the plants, seed and other plant parts such as leaves and stems which may be used directly as food or feed for humans or other animals. For example, animals may graze directly on such plants grown in the field or be fed more measured amounts in controlled feeding. The invention includes the use of such plants and plant parts as feed for increasing the LC-PUFA levels in humans and other animals.

#### Compositions

**[0270]** The present invention also encompasses compositions, particularly pharmaceutical compositions, comprising one or more of the fatty acids and/or resulting oils produced using the methods of the invention.

**[0271]** A pharmaceutical composition may comprise one or more of the fatty acids and/or oils, in combination with a standard, well-known, non-toxic pharmaceutically-acceptable carrier, adjuvant or vehicle such as phosphate-buffered saline, water, ethanol, polyols, vegetable oils, a wetting agent or an emulsion such as a water/oil emulsion. The composition may be in either a liquid or solid form. For example, the composition may be in the form of a tablet, capsule, ingestible liquid or powder, injectible, or topical ointment or cream. Proper fluidity can be maintained, for example, by the maintenance of the required particle size in the case of dispersions and by the use of surfactants. It may also be desirable to include isotonic agents, for example, sugars, sodium chloride, and the like. Besides such inert diluents, the composition can also include adjuvants, such as wetting agents, emulsifying and suspending agents, sweetening agents, flavoring agents and perfuming agents.

**[0272]** Suspensions, in addition to the active compounds, may comprise suspending agents such as ethoxylated isostearyl alcohols, polyoxyethylene sorbitol and sorbitan esters, microcrystalline cellulose, aluminum metahydroxide, bentonite, agar-agar, and tragacanth or mixtures of these substances.

**[0273]** Solid dosage forms such as tablets and capsules can be prepared using techniques well known in the art. For example, fatty acids produced in accordance with the present invention can be tableted with conventional tablet bases such as lactose, sucrose, and cornstarch in combination with binders such as acacia, cornstarch or gelatin, disintegrating agents such as potato starch or alginic acid, and a lubricant such as stearic acid or magnesium stearate. Capsules can be prepared by incorporating these excipients into a gelatin capsule along with antioxidants and the relevant fatty acid(s).

**[0274]** For intravenous administration, the fatty acids produced in accordance with the present invention or derivatives thereof may be incorporated into commercial formulations.

**[0275]** A typical dosage of a particular fatty acid is from 0.1 mg to 20 g, taken from one to five times per day (up to 100 g daily) and is preferably in the range of from about 10 mg to about 1, 2, 5, or 10 g daily (taken in one or multiple doses). As known in the art, a minimum of about 300 mg/day of fatty acid, especially LC-PUFA, is desirable. However, it will be appreciated that any amount of fatty acid will be beneficial to the subject.

**[0276]** Possible routes of administration of the pharmaceutical compositions of the present invention include, for example, enteral (e.g., oral and rectal) and parenteral. For example, a liquid preparation may be administered orally or rectally. Additionally, a homogenous mixture can be completely dispersed in water, admixed under sterile conditions with physiologically acceptable diluents, preservatives, buffers or propellants to form a spray or inhalant.

**[0277]** The dosage of the composition to be administered to the patient may be determined by one of ordinary skill in the art and depends upon various factors such as weight of the patient, age of the patient, overall health of the patient,

past history of the patient, immune status of the patient, etc.

**[0278]** Additionally, the compositions of the present invention may be utilized for cosmetic purposes. It may be added to pre-existing cosmetic compositions such that a mixture is formed or a fatty acid produced according to the subject invention may be used as the sole "active" ingredient in a cosmetic composition.

**[0279]** More specifically, the invention is directed to the following aspects:

1. Extracted plant lipid, comprising fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA) and docosahexaenoic acid (DHA), and optionally one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein the level of DHA in the total fatty acid content of the extracted lipid is about 7% to 20%.

2. The lipid of aspect 1 which has one or more or all of the following features

i) the level of palmitic acid in the total fatty acid content of the extracted lipid is between about 2% and 18%, or between about 2% and 16%, or between about 2% and 15%,

ii) the level of myristic acid (C14:0) in the total fatty acid content of the extracted lipid is less than 6%, or less than 3% or less than 2%, or less than 1%,

iii) the level of oleic acid in the total fatty acid content of the extracted lipid is between about 1% and about 30%, between about 3% and about 30%, or between about 6% and about 30%, or between 1% and about 20%, or between about 30% and about 60%, or about 45% to about 60%, or is about 30%,

iv) the level of linoleic acid (LA) in the total fatty acid content of the extracted lipid is between about 4% and about 35%, or between about 4% and about 20%, or between about 4% and 17%,

v) the level of  $\alpha$ -linolenic acid (ALA) in the total fatty acid content of the extracted lipid is between about 4% and about 40%, between about 7% and about 40%, or between about 10% and about 35%, or between about 20% and about 35%, or between about 4% and 16%, or between about 2% and 16%,

vi) the level of  $\gamma$ -linolenic acid (GLA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, less than about 1%, less than about 0.5%, between 0.05% and 7%, between 0.05% and 4%, or between 0.05% and about 3%, or between 0.05% and about 2%,

vii) the level of stearidonic acid (SDA) in the total fatty acid content of the extracted lipid is less than about 7%, less than about 6%, less than about 4%, less than about 3%, between about 0.05% and about 7%, between about 0.05% and about 6%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between 0.05% and about 2%,

viii) the level of eicosatetraenoic acid (ETA) in the total fatty acid content of the extracted lipid is less than about 6%, less than about 5%, less than about 4%, less than about 1%, less than about 0.5%, between about 0.05% and about 6%, between about 0.05% and about 5%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between about 0.05% and about 2%,

ix) the level of eicosatrienoic acid (ETra) in the total fatty acid content of the extracted lipid is less than 4%, less than about 2%, less than about 1%, between 0.05% and 4%, between 0.05% and 3%, or between 0.05% and about 2%, or between 0.05% and about 1%,

x) the level of eicosapentaenoic acid (EPA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, between 0.05% and 10%, between 0.05% and 5%, or between 0.05% and about 3%, or between 0.05% and about 2%,

xi) the level of docosapentaenoic acid (DPA) in the total fatty acid content of the extracted lipid is less than 4%, less than about 3%, less than about 2%, between 0.05% and 8%, between 0.05% and 5%, or between 0.05% and about 3%, or between 0.05% and about 2%,

xii) the level of DHA in the total fatty acid content of the extracted lipid is about 8%, about 9%, about 10%, about 11%, about 12%, about 13%, about 14%, about 15%, about 16%, about 17%, about 18%, between about 8% and 20%, between about 10% and 20%, between about 11% and 20%, between about 10% and about 16%, or between about 14% and 20%,

xiii) the lipid comprises  $\omega$ 6-docosapentaenoic acid (22:5 <sup>$\Delta$ 4,7,10,13,16</sup>) in its fatty acid content,

xiv) the lipid is essentially free of  $\omega$ 6-docosapentaenoic acid (22:5 <sup>$\Delta$ 4,7,10,13,16</sup>) in its fatty acid content,

xv) the lipid is essentially free of SDA, EPA and ETA in its fatty acid content,

xvi) the level of total saturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 25%, or between about 4% and about 20%, between about 6% and about 20%, between about 4% and about 60%, between about 30% and about 60%, or between about 45% and about 60%,

xvii) the level of total monounsaturated fatty acids in the total fatty acid content of the extracted lipid is between about 4% and about 35%, or between about 8% and about 25%, or between 8% and about 22%,

xviii) the level of total polyunsaturated fatty acids in the total fatty acid content of the extracted lipid is between

about 20% and about 75%, or between about 50% and about 75%, or between about 60% and about 75%,  
 xix) the level of total  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is between about 35% and  
 about 50%, between about 20% and about 35%, between about 6% and 20%, less than 20%, less than about  
 16%, less than about 10%, between about 1% and about 16%, between about 2% and about 10%, or between  
 5 about 4% and about 10%,  
 xx) the level of new  $\omega$ 6 fatty acids in the total fatty acid content of the extracted lipid is less than about 10%,  
 less than about 8%, less than about 6%, less than 4%, between about 1% and about 20%, between about 1%  
 and about 10%, between about 0.5% and about 8%, or between about 0.5% and 4%,  
 xxi) the level of total  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between 36% and about  
 10 65%, between 40% and about 60%, between about 20% and about 35%, between about 10% and about 20%,  
 about 25%, about 30%, about 35% or about 40%,  
 xxii) the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the extracted lipid is between 9% and about  
 33%, between about 10% and about 20%, between about 20% and about 30%, between about 12% and about  
 25%, about 13%, about 15%, about 17% or about 20%,  
 15 xxiii) the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between  
 about 1.0 and about 3.0, between about 0.1 and about 1, between about 0.1 and about 0.5, less than about  
 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 1.0, about  
 0.1 or about 0.2,  
 xxiv) the ratio of new  $\omega$ 6 fatty acids: new  $\omega$ 3 fatty acids in the fatty acid content of the extracted lipid is between  
 20 about 1.0 and about 3.0, between about 0.1 and about 1, between about 0.1 and about 0.5, less than about  
 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 0.1, about  
 0.2 or about 1.0,  
 xxv) the fatty acid composition of the lipid is based on an efficiency of conversion of oleic acid to LA by  $\Delta$ 12-  
 desaturase of at least about 60%, at least about 70%, at least about 80%, between about 60% and about 98%,  
 25 between about 70% and about 95%, or between about 75% and about 90%,  
 xxvi) the fatty acid composition of the lipid is based on an efficiency of conversion of ALA to SDA by  $\Delta$ 6-desaturase  
 of at least about 30%, at least about 40%, at least about 50%, at least about 60%, at least about 70%, between  
 about 30% and about 70%, between about 35% and about 60%, or between about 50% and about 70%,  
 xxvii) the fatty acid composition of the lipid is based on an efficiency of conversion of SDA to ETA acid by  $\Delta$ 6-  
 30 elongase of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 95%,  
 between about 70% and about 88%, or between about 75% and about 85%,  
 xxviii) the fatty acid composition of the lipid is based on an efficiency of conversion of ETA to EPA by  $\Delta$ 5-  
 desaturase of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 99%,  
 between about 70% and about 99%, or between about 75% and about 98%,  
 35 xxix) the fatty acid composition of the lipid is based on an efficiency of conversion of EPA to DPA by  $\Delta$ 5-elongase  
 of at least about 80%, at least about 85%, at least about 90%, between about 50% and about 95%, or between  
 about 85% and about 95%,  
 xxx) the fatty acid composition of the lipid is based on an efficiency of conversion of DPA to DHA by  $\Delta$ 4-desaturase  
 of at least about 80%, at least about 90%, at least about 93%, between about 50% and about 95%, between  
 40 about 80% and about 95%, or between about 85% and about 95%,  
 xxxi) the fatty acid composition of the lipid is based on an efficiency of conversion of oleic acid to DHA of at  
 least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about  
 10% and about 30%, or between about 10% and about 25%,  
 xxxii) the fatty acid composition of the lipid is based on an efficiency of conversion of LA to DHA of at least about  
 45 15%, at least about 20%, at least about 22%, at least about 25%, between about 15% and about 50%, between  
 about 20% and about 40%, or between about 20% and about 30%,  
 xxxiii) the fatty acid composition of the lipid is based on an efficiency of conversion of ALA to DHA of at least  
 about 17%, at least about 22%, at least about 24%, between about 17% and about 55%, between about 22%  
 and about 35%, or between about 24% and about 35%,  
 50 xxxiv) the total fatty acid in the extracted lipid has less than 1% C20:1,  
 xxxv) the triacylglycerol (TAG) content of the lipid is at least about 70%, at least about 80%, at least about 90%,  
 at least 95%, between about 70% and about 99%, or between about 90% and about 99%,  
 xxxvi) the lipid comprises diacylglycerol (DAG),  
 xxxvii) the lipid comprises less than about 10%, less than about 5%, less than about 1%, or between about  
 55 0.001% and about 5%, free (non-esterified) fatty acids and/or phospholipid, or is essentially free thereof,  
 xxxviii) at least 70%, or at least 80%, of the DHA esterified in the form of TAG is in the *sn*-1 or *sn*-3 position of  
 the TAG,  
 xxxix) the most abundant DHA-containing TAG species in the lipid is DHA/18:3/18:3 (TAG 58:12), and

xl) the lipid comprises tri-DHA TAG (TAG 66:18).

3. The lipid of aspect 1 or aspect 2 which is in the form of an oil, wherein at least about 90%, or least about 95%, at least about 98%, or between about 95% and about 98%, by weight of the oil is the lipid.

4. The lipid according to any one of aspects 1 to 3 which further comprises one or more sterols.

5. The lipid of aspect 4 which is in the form of an oil, and which comprises less than about 10 mg of sterols/g of oil, less than about 7 mg of sterols/g of oil, between about 1.5 mg and about 10 mg of sterols/g of oil, or between about 1.5 mg and about 7 mg of sterols/g of oil.

6. The lipid of aspect 4 or aspect 5 which comprises one or more or all of campesterol/24-methylcholesterol,  $\Delta^5$ -stigmaterol, eburicol,  $\beta$ -sitosterol/24-ethylcholesterol,  $\Delta^5$ -avenasterol/isofucoesterol,  $\Delta^7$ -stigmaterol/stigmast-7-en-3 $\beta$ -ol, and  $\Delta^7$ -avenasterol.

7. The lipid according to any one of aspects 4 to 6 which comprises less than about 0.5 mg of cholesterol/g of oil, less than about 0.25 mg of cholesterol /g of oil, between about 0 mg and about 0.5 mg of cholesterol/g of oil, or between about 0 mg and about 0.25 mg of cholesterol/g of oil, or which is essentially free of cholesterol.

8. The lipid according to any one of aspects 1 to 7, wherein the lipid is an oil, preferably oil from an oilseed.

9. The lipid of aspect 8, wherein the lipid is *Brassica sp.* oil, *Gossypium hirsutum* oil, *Linum usitatissimum* oil, *Helianthus sp.* oil, *Carthamus tinctorius* oil, *Glycine max* oil, *Zea mays* oil, *Arabidopsis thaliana* oil, *Sorghum bicolor* oil, *Sorghum vulgare* oil, *Avena sativa* oil, *trifolium sp.* oil, *Elaeisis guineensis* oil, *Nicotiana benthamiana* oil, *Hordeum vulgare* oil, *Lupinus angustifolius* oil, *Oryza sativa* oil, *Oryza glaberrima* oil, *Camelina sativa* oil, *Crambe abyssinica* oil, *Miscanthus x giganteus* oil, or *Miscanthus sinensis* oil.

10. A process for producing extracted plant lipid, comprising the steps of

i) obtaining a plant part comprising lipid, the lipid comprising fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA) and  $\gamma$ -linolenic acid (GLA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA), stearidonic acid (SDA), docosapentaenoic acid (DPA) and docosahexaenoic acid (DHA), and optionally one or more of eicosapentaenoic acid (EPA) and eicosatetraenoic acid (ETA), wherein the level of DHA in the total fatty acid content of extractable lipid in the plant part is about 7% to 20%, and

ii) extracting lipid from the plant part,

wherein the level of DHA in the total fatty acid content of the extracted lipid is about 7% to 20%.

11. The process of aspect 10, wherein the extracted lipid has one or more of the features defined in aspects 2 to 9.

12. The process of aspect 10 or aspect 11, wherein the plant part is a seed, preferably an oilseed.

13. The process of aspect 12, wherein the seed is *Brassica sp.*, *Gossypium hirsutum*, *Linum usitatissimum*, *Helianthus sp.*, *Carthamus tinctorius*, *Glycine max*, *Zea mays*, *Arabidopsis thaliana*, *Sorghum bicolor*, *Sorghum vulgare*, *Avena sativa*, *Trifolium sp.*, *Elaeisis guineensis*, *Nicotiana benthamiana*, *Hordeum vulgare*, *Lupinus angustifolius*, *Oryza sativa*, *Oryza glaberrima*, *Camelina sativa*, or *Crambe abyssinica*, preferably a *Brassica napus*, *B juncea* or *C. sativa* seed.

14. The process of aspect 12 or aspect 13, wherein the seed comprises at least about 18 mg, at least about 22 mg, at least about 26 mg, between about 18 mg and about 100 mg, between about 22 mg and about 70 mg, or between about 24 mg and about 50 mg, of DHA per gram of seed.

15. The process according to any one of aspects 10 to 14, wherein the plant part comprises exogenous polynucleotides encoding one of the following sets of enzymes;

i) an  $\omega$ 3-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and a  $\Delta$ 5-elongase, ii) a  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and a  $\Delta$ 5-elongase, iii) a  $\Delta$ 12-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase, iv) a  $\Delta$ 12-desaturase, a  $\omega$ 3-desaturase or a  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase,

v) an  $\omega$ 3-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase, vi) a  $\Delta$ 15-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and a  $\Delta$ 5-elongase, vii) a  $\Delta$ 12-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase, or

viii) a  $\Delta$ 12-desaturase, a  $\omega$ 3-desaturase or a  $\Delta$ 15-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase,

and wherein each polynucleotide is operably linked to one or more promoters that are capable of directing expression of said polynucleotides in a cell of the plant part.

16. The process of aspect 15, wherein the plant part has one or more or all of the following features

- i) the  $\Delta 12$ -desaturase converts oleic acid to linoleic acid in one or more cells of the plant with an efficiency of at least about 60%, at least about 70%, at least about 80%, between about 60% and about 95%, between about 70% and about 90%, or between about 75% and about 85%,
- ii) the  $\omega 3$ -desaturase converts  $\omega 6$  fatty acids to  $\omega 3$  fatty acids in one or more cells of the plant with an efficiency of at least about 65%, at least about 75%, at least about 85%, between about 65% and about 95%, between about 75% and about 91%, or between about 80% and about 91%,
- iii) the  $\Delta 6$ -desaturase converts ALA to SDA in one or more cells of the plant with an efficiency of at least about 30%, at least about 40%, at least about 50%, at least about 60%, at least about 70%, between about 30% and about 70%, between about 35% and about 60%, or between about 50% and about 70%,
- iv) the  $\Delta 6$ -desaturase converts linoleic acid to  $\gamma$ -linolenic acid in one or more cells of the plant with an efficiency of less than about 5%, less than about 2.5%, less than about 1%, between about 0.1% and about 5%, between about 0.5% and about 2.5%, or between about 0.5% and about 1%,
- v) the  $\Delta 6$ -elongase converts SDA to ETA in one or more cells of the plant with an efficiency of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 95%, between about 70% and about 80%, or between about 75% and about 80%,
- vi) the  $\Delta 5$ -desaturase converts ETA to EPA in one or more cells of the plant with an efficiency of at least about 60%, at least about 70%, at least about 75%, at least about 80%, at least about 90%, between about 60% and about 95%, between about 70% and about 95%, or between about 75% and about 95%,
- vii) the  $\Delta 5$ -elongase converts EPA to DPA in one or more cells of the plant with an efficiency of at least about 80%, at least about 85%, at least about 90%, between about 50% and about 90%, or between about 85% and about 95%,
- viii) the  $\Delta 4$ -desaturase converts DPA to DHA in one or more cells of the plant with an efficiency of at least about 80%, at least about 90%, at least about 93%, between about 50% and about 95%, between about 80% and about 95%, or between about 85% and about 95%,
- ix) the efficiency of conversion of oleic acid to DHA in one or more cells of the plant part is at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 10% and about 30%, or between about 10% and about 25%,
- x) the efficiency of conversion of LA to DHA in one or more cells of the plant part is at least about 15%, at least about 20%, at least about 22%, at least about 25%, between about 15% and about 50%, between about 20% and about 40%, or between about 20% and about 30%,
- xi) the efficiency of conversion of ALA to DHA in one or more cells of the plant part is at least about 17%, at least about 22%, at least about 24%, between about 17% and about 55%, between about 22% and about 35%, or between about 24% and about 35%,
- xii) one or more cells of the plant part comprise at least about 15%, at least about 20%, between about 15% and about 30%, or between about 22.5% and about 27.5%, more  $\omega 3$  fatty acids than corresponding cells lacking the exogenous polynucleotides,
- xiii) the  $\Delta 6$ -desaturase preferentially desaturates  $\alpha$ -linolenic acid (ALA) relative to linoleic acid (LA),
- xiv) the  $\Delta 6$ -elongase also has  $\Delta 9$ -elongase activity,
- xv) the  $\Delta 12$ -desaturase also has  $\Delta 15$ -desaturase activity,
- xvi) the  $\Delta 6$ -desaturase also has  $\Delta 8$ -desaturase activity,
- xvii) the  $\Delta 8$ -desaturase also has  $\Delta 6$ -desaturase activity or does not have  $\Delta 6$ -desaturase activity,
- xviii) the  $\Delta 15$ -desaturase also has  $\omega 3$ -desaturase activity on GLA,
- xix) the  $\omega 3$ -desaturase also has  $\Delta 15$ -desaturase activity on LA,
- xx) the  $\omega 3$ -desaturase desaturates both LA and/or GLA,
- xxi) the  $\omega 3$ -desaturase preferentially desaturates GLA relative to LA,
- xxii) the level of DHA in the plant part is based on an efficiency of conversion of oleic acid to DHA in the plant part of at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 15% and about 30%, or between about 20% and about 25%,
- xxiii) the level of DHA in the plant part is based on an efficiency of conversion of LA to DHA in the plant part of at least about 15%, at least about 20%, at least about 22%, between about 15% and about 60%, between about 20% and about 40%, or between about 22% and about 30%,
- xxiv) the level of DHA in the plant part is based on an efficiency of conversion of ALA to DHA in the plant part of at least about 17%, at least about 22%, at least about 24%, between about 17% and about 65%, between about 22% and about 35%, or between about 24% and about 35%
- xxx) one or more or all of the desaturases have greater activity on an acyl-CoA substrate than a corresponding acyl-PC substrate,

xxxii) the  $\Delta 6$ -desaturase has greater  $\Delta 6$ -desaturase activity on ALA than LA as fatty acid substrate,  
 xxxiii) the  $\Delta 6$ -desaturase has greater  $\Delta 6$ -desaturase activity on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate,  
 xxxiv) the  $\Delta 6$ -desaturase has at least about a 2-fold greater  $\Delta 6$ -desaturase activity, at least 3-fold greater activity, at least 4-fold greater activity, or at least 5-fold greater activity, on ALA as a substrate compared to LA,  
 xxxv) the  $\Delta 6$ -desaturase has greater activity on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate,  
 xxxvi) the desaturase is a front-end desaturase,  
 xxxvii) the  $\Delta 6$ -desaturase has no detectable  $\Delta 5$ -desaturase activity on ETA.

17. The process of aspect 15 or aspect 16, wherein the plant part has one or more or all of the following features

i) the  $\Delta 12$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:10, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:10,  
 ii) the  $\omega 3$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:12, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO: 12,  
 iii) the  $\Delta 6$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:16, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:16,  
 iv) the  $\Delta 6$ -elongase comprises amino acids having a sequence as provided in SEQ ID NO:25, a biologically active fragment thereof such as SEQ ID NO:26, or an amino acid sequence which is at least 50% identical to SEQ ID NO:25 and/or SEQ ID NO:26,  
 v) the  $\Delta 5$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:30, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:30,  
 vi) the  $\Delta 5$ -elongase comprises amino acids having a sequence as provided in SEQ ID NO:37, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:37,  
 vii) the  $\Delta 4$ -desaturase comprises amino acids having a sequence as provided in SEQ ID NO:41, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO:41.

18. The process according to any one of aspects 15 to 17, wherein the plant part further comprises an exogenous polynucleotide encoding a diacylglycerol acyltransferase (DGAT), monoacylglycerol acyltransferase (MGAT), glycerol-3-phosphate acyltransferase (GPAT), 1-acyl-glycerol-3-phosphate acyltransferase (LPAAT) preferably an LPAAT which can use a C22 polyunsaturated fatty acyl-CoA substrate, acyl-CoA:lysophosphatidylcholine acyltransferase (LPCAT), phospholipase A<sub>2</sub> (PLA<sub>2</sub>), phospholipase C (PLC), phospholipase D (PLD), CDP-choline diacylglycerol choline phosphotransferase (CPT), phosphatidylcholine diacylglycerol acyltransferase (PDAT), phosphatidylcholine:diacylglycerol choline phosphotransferase (PDCT), acyl-CoA synthase (ACS), or a combination of two or more thereof.

19. The process according to any one of aspects 10 to 18, wherein the plant part further comprises an introduced mutation or an exogenous polynucleotide which down regulates the production and/or activity of an endogenous enzyme in a cell of the plant part selected from FAE1, DGAT, MGAT, GPAT, LPAAT, LPCAT, PLA<sub>2</sub>, PLC, PLD, CPT, PDAT, a thioesterase such as FATB, or a  $\Delta 12$ -desaturase, or a combination of two or more thereof.

20. The process according to any one of aspects 15 to 19, wherein at least one, or all, of the promoters are seed specific promoters.

21. The process of aspect 20, wherein at least one, or all, of the promoters have been obtained from oil biosynthesis or accumulation genes such as oleosin, or from seed storage protein genes such as conlinin.

22. The process according to any one of aspects 15 to 21, wherein the promoter(s) directing expression of the exogenous polynucleotides encoding the  $\Delta 4$ -desaturase and the  $\Delta 5$ -elongase initiate expression of the polynucleotides in developing seed of the plant part before, or reach peak expression before, the promoter(s) directing expression of the exogenous polynucleotides encoding the  $\Delta 12$ -desaturase and the  $\omega 3$ -desaturase.

23. The process according to any one of aspects 15 to 22, wherein the exogenous polynucleotides are covalently linked in a DNA molecule, preferably a T-DNA molecule, integrated into the genome of cells of the plant part and preferably where the number of such DNA molecules integrated into the genome of the cells of the plant part is not more than one, two or three, or is two or three.

24. The process of aspect 23, wherein the plant comprises at least two different, exogenous polynucleotides each encoding a  $\Delta 6$ -desaturase which have the same or different amino acid sequences.

25. The process according to any one of aspects 15 to 24, wherein the total oil content of the plant part comprising the exogenous polynucleotides is at least about 40%, or at least about 50%, or at least about 60%, or at least about



70%, or between about 50% and about 80% of the total oil content of a corresponding plant part lacking the exogenous polynucleotides.

26. The process according to any one of aspects 10 to 25, wherein the lipid is in the form of an oil, preferably a seedoil from an oilseed, and wherein at least about 90%, or about least 95%, at least about 98%, or between about 95% and about 98%, by weight of the lipid is triacylglycerols.

27. The process according to any one of aspects 10 to 26 which further comprises treating the lipid to increase the level of DHA as a percentage of the total fatty acid content.

28. The process of aspect 27, wherein the treatment is transesterification.

29. Lipid, or oil comprising the lipid, produced using the process according to any one of aspects 10 to 28.

30. A chimeric genetic construct comprising in order a first gene, a second gene, a third gene, a fourth gene, a fifth gene and a sixth gene which are all covalently linked on a single DNA molecule,

wherein the first, second and third genes are joined together as a first gene cluster and the fourth, fifth and sixth genes are joined together as a second gene cluster,

wherein each gene comprises a promoter, a coding region and a transcription terminator and/or polyadenylation region such that each promoter is operably linked to the coding region and transcription terminator and/or polyadenylation region,

wherein each promoter is independently identical or different to the other promoters such that the DNA molecule comprises three, four, five or six different promoters,

wherein one or more or all of the promoters are heterologous with respect to the coding region to which it is operably linked,

wherein the direction of transcription of the first gene is away from the third gene and opposite to the direction of transcription of the third gene,

wherein the direction of transcription of the fourth gene is away from the sixth gene and opposite to the direction of transcription of the sixth gene,

wherein the direction of transcription of the second gene is the same as for the first gene or the third gene,

wherein the direction of transcription of the fifth gene is the same as for the fourth gene or the sixth gene,

wherein the transcription terminator and/or polyadenylation region of the second gene is spaced apart from the promoter of the first or third genes, whichever is closer, by a first spacer region of between about 0.2 and about 3.0 kilobases,

wherein the first gene cluster is spaced apart from the second gene cluster by a second spacer region of between about 1.0 and about 10.0 kilobases, and

wherein the transcription terminator and/or polyadenylation region of the fifth gene is spaced apart from the promoter of the fourth or sixth genes, whichever is closer, by a third spacer region of between about 0.2 and about 3.0 kilobases.

31. The genetic construct of aspect 30, wherein the DNA molecule comprises a seventh gene which is spaced apart from the first gene cluster or the second gene cluster, whichever is closer, by a spacer region of between about 1.0 and about 10.0 kilobases.

32. The genetic construct of aspect 30 or aspect 31, wherein the DNA molecule comprises two or more different transcription terminator and/or polyadenylation regions.

33. The genetic construct according to any one of aspects 30 to 32, wherein at least one of the spacer regions comprises a matrix attachment region (MAR).

34. The genetic construct according to any one of aspects 30 to 33, wherein the DNA molecule comprises right and left border regions flanking the genes and is a T-DNA molecule.

35. The genetic construct according to any one of aspects 30 to 34 which is in an *Agrobacterium* cell or is integrated into the genome of a plant cell.

36. The genetic construct according to any one of aspects 30 to 35, wherein at least one of the genes encodes a fatty acid desaturase or a fatty acid elongase.

37. The genetic construct of aspect 36, comprising genes encoding a set of enzymes as defined in aspect 15, and/or wherein one or more of the genes encode an enzyme as defined in aspect 16 or aspect 17.

38. An isolated and/or exogenous polynucleotide comprising:

i) a sequence of nucleotides selected from any one of SEQ ID NOs: 1 to 9, 11, 14, 18, 22, 23, 28, 34, 35, 39 or 45, and/or

ii) a sequence of nucleotides which are at least 95% identical or 99% identical to one or more of the sequences set forth in SEQ ID NOs: 1 to 9, 11, 14, 18, 22, 23, 28, 34, 35, 39 or 45.

39. A vector or genetic construct comprising the polynucleotide according to aspect 38 and/or the genetic construct according to any one of aspects 30 to 37.

40. The vector or genetic construct of aspect 39, wherein the sequence of nucleotides selected from any one of

SEQ ID NOs: 11, 14, 18, 22, 23, 28, 34, 35, 39 or 45, or the sequence of nucleotides which is at least 95% identical or 99% identical to one or more of the sequences set forth in SEQ ID NOs: 11, 14, 18, 22, 23, 28, 34, 35, 39 or 45, is operably linked to a promoter.

41. A host cell comprising exogenous polynucleotides encoding one of the following sets of enzymes;

- i) an  $\omega$ 3-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and a  $\Delta$ 5-elongase,
- ii) a  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and a  $\Delta$ 5-elongase,
- iii) a  $\Delta$ 12-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase,
- iv) a  $\Delta$ 12-desaturase, a  $\omega$ 3-desaturase or a  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase,
- v) an  $\omega$ 3-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase,
- vi) a  $\Delta$ 15-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and a  $\Delta$ 5-elongase,
- vii) a  $\Delta$ 12-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase,
- or
- viii) a  $\Delta$ 12-desaturase, a  $\omega$ 3-desaturase or a  $\Delta$ 15-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase,

and wherein each polynucleotide is operably linked to one or more promoters that are capable of directing expression of said polynucleotides in the cell.

42. The cell of aspect 41, comprising lipid as defined in any one of aspects 1 to 9, or wherein one or more or all of the desaturases or elongases have one or more of the features as defined in aspect 16 or aspect 17.

43. A host cell comprising

- i) a first exogenous polynucleotide encoding a  $\Delta$ 12-desaturase which comprises amino acids having a sequence as provided in SEQ ID NO:10, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO: 10, and
- ii) a second exogenous polynucleotide encoding a  $\omega$ 3-desaturase which comprises amino acids having a sequence as provided in SEQ ID NO:12, a biologically active fragment thereof, or an amino acid sequence which is at least 50% identical to SEQ ID NO: 12,

wherein each polynucleotide is operably linked to one or more promoters that are capable of directing expression of said polynucleotides in the cell.

44. A host cell comprising one or more of the polynucleotide according to aspect 38, the genetic construct according to any one of aspects 30 to 37, or the vector or genetic construct of aspect 39 or aspect 40.

45. The cell according to any one of aspects 41 to 44 which is in a plant, in a plant part and/or is a mature plant seed cell.

46. The cell of aspect 45, wherein the plant or plant seed is an oilseed plant or an oilseed, respectively.

47. A transgenic non-human organism comprising a cell according to any one of aspects 41 to 46.

48. The transgenic non-human organism of aspect 47 which is a transgenic plant.

49. An oilseed plant comprising

- a) lipid in its seed, the lipid comprising fatty acids in an esterified form, and
- b) exogenous polynucleotides encoding one of the following sets of enzymes;

- i) a  $\Delta$ 12-desaturase, a fungal  $\omega$ 3-desaturase and/or fungal  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase, or
- ii) a  $\Delta$ 12-desaturase, a fungal  $\omega$ 3-desaturase and/or fungal  $\Delta$ 15-desaturase, a  $\Delta$ 8-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 9-elongase and an  $\Delta$ 5-elongase,

wherein each polynucleotide is operably linked to one or more seed-specific promoters that are capable of directing expression of said polynucleotides in developing seed of the plant, wherein the fatty acids comprise oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA) and  $\gamma$ -linolenic acid (GLA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA), stearidonic acid (SDA), docosapentaenoic acid (DPA) and docosahexaenoic acid (DHA), and optionally eicosapentaenoic acid (EPA) and/or eicosatetraenoic acid (ETA), and wherein the level of DHA in the total fatty acid content of the lipid is about 7% to 20%.

50. The plant of aspect 49, wherein the plant is a canola, *Glycine max*, *Camelina sativa* or *Arabidopsis thaliana* plant.

51. The plant of aspect 49 or aspect 50, wherein one or more of the desaturases is capable of using an acyl-CoA substrate.

52. The plant of aspect 51, wherein one or more of the  $\Delta$ 6-desaturase,  $\Delta$ 5-desaturase,  $\Delta$ 4-desaturase and  $\Delta$ 8-

desaturase, if present, is capable of using an acyl-CoA substrate, preferably each of the i)  $\Delta^6$ -desaturase,  $\Delta^5$ -desaturase and  $\Delta^4$ -desaturase or ii)  $\Delta^5$ -desaturase,  $\Delta^4$ -desaturase and  $\Delta^8$ -desaturase is capable of using an acyl-CoA substrate.

53. The plant according to any one of aspects 49 to 52, wherein mature, harvested seed of the plant has a DHA content of at least about 28mg per gram seed, preferably at least about 32mg per gram seed, at least about 36mg per gram seed, at least about 40mg per gram seed, more preferably at least about 44mg per gram seed or at least about 48mg per gram seed.

54. A *Brassica napus*, *B. juncea* or *Camelina sativa* plant which is capable of producing seed comprising DHA, wherein mature, harvested seed of the plant has a DHA content of at least about 28mg per gram seed, preferably at least about 32mg per gram seed, at least about 36mg per gram seed, at least about 40mg per gram seed, more preferably at least about 44mg per gram seed or at least about 48mg per gram seed.

55. A plant cell of a plant according to any one of aspects 49 to 54 comprising the exogenous polynucleotides.

56. A plant part, preferably a seed, which has one or more of the following features

- i) is from a plant according to any one of aspects 48 to 54,
- ii) comprises lipid as defined in any one of aspects 1 to 9,
- iii) can be used in a process according to any one of aspects 10 to 28,
- iv) comprises a genetic construct according to any one of aspects 30 to 37, or
- v) comprises a set of exogenous polynucleotides defined in any one of aspects 14, 41 or 48 to 52.

57. Mature, harvested *Brassica napus*, *B. juncea* or *Camelina sativa* seed comprising DHA and a moisture content of between about 4% and about 15% by weight, wherein the DHA content of the seed at least about 28mg per gram seed, preferably at least about 32mg per gram seed, at least about 36mg per gram seed, at least about 40mg per gram seed, more preferably at least about 44mg per gram seed or at least about 48mg per gram seed.

58. The cell according to any one of aspects 41 to 46 or 55, the transgenic organism of aspect 47 or aspect 48, the oilseed plant according to any one or aspects 49 to 53, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of aspect 54, the plant part of aspect 49 or aspect 56 or the seed of aspect 57, which can be used to produce extracted lipid comprising one or more or all of the features defined in any one of aspects 1 to 9.

59. A method of producing a cell according any one of aspects 41 to 45, the method comprising

- a) introducing into the cell, preferably a cell which is not capable of synthesising a LC-PUFA, the gene construct according to any one of aspects 30 to 37, the isolated and/or exogenous polynucleotide of aspect 38, the vector or genetic construct of aspect 39 or aspect 40, one or more of the combinations of exogenous polynucleotides defined in any one of aspects 14, 41 to 43 or 48 to 52,
- b) optionally, expressing the genes or polynucleotide(s) in the cell;
- c) optionally, analysing the fatty acid composition of the cell, and
- d) optionally, selecting a cell which express the genes or polynucleotide(s).

60. The method of aspect 59, wherein lipid in the cell has one or more of the features defined in aspects 1 to 9.

61. The method of aspect 59 or aspect 60, wherein the gene construct, the isolated and/or exogenous polynucleotide, the vector, the genetic construct or combinations of exogenous polynucleotides, become stably integrated into the genome of the cell.

62. The method according to any one of aspects 59 to 61, wherein the cell is a plant cell, and the method further comprises the step of regenerating a transformed plant from the cell of step a).

63. The method of aspect 62, wherein the genes and/or exogenous polynucleotide(s) are expressed transiently in the cell.

64. A cell produced using the method according to any one of aspects 59 to 63.

65. A method of producing seed, the method comprising,

- a) growing a plant according to any one of aspects 48 to 54, or a plant which produces a part as defined in any one aspects 10 to 28, 56 or 57, preferably in a field as part of a population of at least 1000 such plants or in an area of at least 1 hectare planted at a standard planting density,
- b) harvesting seed from the plant or plants, and
- c) optionally, extracting lipid from the seed, preferably to produce oil with a total DHA yield of at least 60kg DHA/hectare.

66. The plant, plant cell, plant part or seed of any one of aspects 48 to 57, which has one or more of the following features

- i) the oil is as defined in any one of aspects 2, or 4 to 7,
- ii) the plant part or seed is capable of being used in a process according to any one of aspects 14, 16 to 19, 21 to 28,
- iii) the exogenous polynucleotides are comprised in a genetic construct according to any one of aspects 30 to 35,
- iv) the exogenous polynucleotides comprise an exogenous polynucleotide of aspect 38,
- v) the plant cell is a cell according to aspect 43, and
- vi) the seed was produced according to the method of aspect 65.

67. A method of producing one or more fatty acid desaturases and/or fatty acid elongases, or one or more fatty acid desaturases and one or more fatty acid elongases, the method comprising expressing in a cell or cell free expression system the gene construct of aspect 36 or aspect 37, the isolated and/or exogenous polynucleotide of aspect 38, the vector or genetic construct of aspect 39 or aspect 40, one or more of the combinations of exogenous polynucleotides defined in any one of aspects 14, 41 to 43 or 48 to 52.

68. Lipid, or oil, produced by, or obtained from, using the process according to any one of aspects 10 to 28, the cell according to any one of aspects 41 to 46 or 55, the transgenic organism of aspect 47 or aspect 48, the oilseed plant according to any one or aspects 49 to 53, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of aspect 54, the plant part of aspect 49 or aspect 56, the seed of aspect 57, or the plant, plant cell, plant part or seed of aspect 66.

69. The lipid or oil of aspect 29 or aspect 68, which is obtained by extraction of oil from an oilseed.

70. The lipid or oil of aspect 29, 68 or 69 which is canola oil (*Brassica napus*, *Brassica papa* ssp.), mustard oil (*Brassica juncea*), other Brassica oil, sunflower oil (*Helianthus annuus*), linseed oil (*Linum usitatissimum*), soybean oil (*Glycine max*), safflower oil (*Carthamus tinctorius*), corn oil (*Zea mays*), tobacco oil (*Nicotiana tabacum*), peanut oil (*Arachis hypogaea*), palm oil, cottonseed oil (*Gossypium hirsutum*), coconut oil (*Cocos nucifera*), avocado oil (*Persea americana*), olive oil (*Olea europaea*), cashew oil (*Anacardium occidentale*), macadamia oil (*Macadamia intergrifolia*), almond oil (*Prunus amygdalus*) or Arabidopsis seed oil (*Arabidopsis thaliana*).

71. A fatty acid produced by, or obtained from, using the process according to any one of aspects 10 to 28, the cell according to any one of aspects 41 to 46 or 55, the transgenic organism of aspect 47 or aspect 48, the oilseed plant according to any one or aspects 49 to 53, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of aspect 54, the plant part of aspect 49 or aspect 56, the seed of aspect 57, or the plant, plant cell, plant part or seed of aspect 66.

72. Seedmeal obtained from seed according to any one of aspects 56, 57 or 66.

73. A composition comprising one or more of the lipid or oil according to any one of aspects 29 or 59 to 51, the fatty acid of aspect 62, the genetic construct according to any one of aspects 30 to 37, the isolated and/or exogenous polynucleotide of aspect 38, the vector or genetic construct of aspect 39 or aspect 40, the cell according to any one of aspects 41 to 46 or 55, the transgenic organism of aspect 47 or aspect 48, the oilseed plant according to any one or aspects 49 to 53, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of aspect 54, the plant part of aspect 49 or aspect 56, the seed of aspect 57, the plant, plant cell, plant part or seed of aspect 66, or the seedmeal of aspect 72.

74. Feedstuffs, cosmetics or chemicals comprising one or more of the lipid or oil according to any one of aspects 1 to 9, 29 or 59, the fatty acid of aspect 62, the gene construct according to any one of aspects 30 to 37, the isolated and/or exogenous polynucleotide of aspect 38, the vector or genetic construct of aspect 39 or aspect 40, the cell according to any one of aspects 41 to 46 or 55, the transgenic organism of aspect 47 or aspect 48, the oilseed plant according to any one or aspects 49 to 53, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of aspect 54, the plant part of aspect 49 or aspect 56, the seed of aspect 57, the plant, plant cell, plant part or seed of aspect 66, the seedmeal of aspect 72, or the composition of aspect 73.

75. A method of producing a feedstuff, the method comprising mixing one or more of the lipid or oil according to any one of aspects 1 to 9, 29 or 59, the fatty acid of aspect 62, the gene construct according to any one of aspects 30 to 37, the isolated and/or exogenous polynucleotide of aspect 38, the vector or genetic construct of aspect 39 or aspect 40, the cell according to any one of aspects 41 to 46 or 55, the transgenic organism of aspect 47 or aspect 48, the oilseed plant according to any one or aspects 49 to 53, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of aspect 54, the plant part of aspect 49 or aspect 56, the seed of aspect 57, the plant, plant cell, plant part or seed of aspect 66, the seedmeal of aspect 72, or the composition of aspect 73, with at least one other food ingredient.

76. A method of treating or preventing a condition which would benefit from a PUFA, the method comprising administering to a subject one or more of the lipid or oil according to any one of aspects 1 to 9, 29 or 59, the fatty acid of aspect 62, the gene construct according to any one of aspects 30 to 37, the isolated and/or exogenous polynucleotide of aspect 38, the vector or genetic construct of aspect 39 or aspect 40, the cell according to any one of aspects 41 to 46 or 55, the transgenic organism of aspect 47 or aspect 48, the oilseed plant according to any one or aspects 49 to 53, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of aspect 54, the plant part of aspect 49 or aspect 56, the seed of aspect 57, the plant, plant cell, plant part or seed of aspect 66, the seedmeal of aspect 72, the composition of aspect 73, or the feedstuff of aspect 74.

77. The method of aspect 76, wherein the condition is cardiac arrhythmia's, angioplasty, inflammation, asthma,

psoriasis, osteoporosis, kidney stones, AIDS, multiple sclerosis, rheumatoid arthritis, Crohn's disease, schizophrenia, cancer, foetal alcohol syndrome, attention deficient hyperactivity disorder, cystic fibrosis, phenylketonuria, unipolar depression, aggressive hostility, adrenoleukodystrophy, coronary heart disease, hypertension, diabetes, obesity, Alzheimer's disease, chronic obstructive pulmonary disease, ulcerative colitis, restenosis after angioplasty, eczema, high blood pressure, platelet aggregation, gastrointestinal bleeding, endometriosis, premenstrual syndrome, myalgic encephalomyelitis, chronic fatigue after viral infections or an ocular disease.

78. Use of one or more of the lipid or oil according to any one of aspects 1 to 9, 29 or 59, the fatty acid of aspect 62, the gene construct according to any one of aspects 30 to 37, the isolated and/or exogenous polynucleotide of aspect 38, the vector or genetic construct of aspect 39 or aspect 40 the cell according to any one of aspects 41 to 46 or 55, the transgenic organism of aspect 47 or aspect 48, the oilseed plant according to any one or aspects 49 to 53, the *Brassica napus*, *B. juncea* or *Camelina sativa* plant of aspect 54, the plant part of aspect 49 or aspect 56, the seed of aspect 57, the plant, plant cell, plant part or seed of aspect 66, the seedmeal of aspect 72, the composition of aspect 73, or the feedstuff of aspect 74 for the manufacture of a medicament for treating or preventing a condition which would benefit from a PUFA.

79. A method of trading seed, comprising obtaining seed of any one of aspects 56, 57 or 66, and trading the obtained seed for pecuniary gain.

80. The method of aspect 79, wherein obtaining the seed comprises cultivating the plant according to any one of aspects 48 to 54 or 66, and/or harvesting the seed from the plants.

81. The method of aspect 80, wherein obtaining the seed further comprises placing the seed in a container and/or storing the seed.

82. The method of aspect according to any one of aspects 79 to 81, wherein obtaining the seed further comprises transporting the seed to a different location.

83. The method of aspect according to any one of aspects 79 to 82, wherein the trading is conducted using electronic means such as a computer.

84. A process of producing bins of seed comprising:

a) swathing, windrowing and/or or reaping above-ground parts of plants comprising seed as defined in any one of aspects 56, 57 or 66,

b) threshing and/or winnowing the parts of the plants to separate the seed from the remainder of the plant parts, and

c) sifting and/or sorting the seed separated in step b), and loading the sifted and/or sorted seed into bins, thereby producing bins of seed.

85. A process for producing ethyl esters of polyunsaturated fatty acids, the process comprising transesterifying triacylglycerols in extracted plant lipid, wherein the extracted plant lipid comprises fatty acids esterified in the form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA), and docosahexaenoic acid (DHA), and optionally one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), wherein the level of DHA in the total fatty acid content of the extracted lipid is about 7% to 20%, thereby producing the ethyl esters.

## EXAMPLES

### Example 1. Materials and Methods

#### Expression of genes in plant cells in a transient expression system

[0280] Exogenous genetic constructs were expressed in plant cells in a transient expression system essentially as described by Voinnet et al. (2003) and Wood et al. (2009). Plasmids containing a coding region to be expressed from a strong constitutive promoter such as the CaMV 35S promoter were introduced into *Agrobacterium tumefaciens* strain AGL1. A chimeric gene 35S:p19 for expression of the p19 viral silencing suppressor was separately introduced into AGL1, as described in WO 2010/057246. The recombinant *Agrobacterium* cells were grown at 28°C in LB broth supplemented with 50 mg/L kanamycin and 50 mg/L rifampicin to stationary phase. The bacteria were then pelleted by centrifugation at 5000 g for 15 min at room temperature before being resuspended to OD600 = 1.0 in an infiltration buffer containing 10 mM MES pH 5.7, 10 mM MgCl<sub>2</sub> and 100  $\mu$ M acetosyringone. The cells were then incubated at 28°C with shaking for 3 hours before equal volumes of *Agrobacterium* cultures containing 35S:p19 and the test chimeric construct(s) of interest were mixed prior to infiltration into leaf tissue. The plants were typically grown for a further five days after infiltration before leaf discs were taken and freeze-dried for GC analysis of the fatty acids.

**[0281]** Fatty acid methyl esters (FAME) of total leaf lipids in freeze-dried samples were produced by incubating the samples in methanol/HCl/dichloromethane (10/1/1 v/v) solution for 2 hours at 80°C together with a known amount of hexadecanoic acid as an internal standard. FAMES were extracted in hexane/DCM, concentrated to a small volume in hexane and injected into a GC. The amount of individual and total fatty acids present in the lipid fractions were quantified on the basis of the known amount of internal standard.

#### Gas chromatography (GC) analysis of fatty acids

**[0282]** FAME were analysed by gas chromatography using an Agilent Technologies 7890A GC (Palo Alto, California, USA) equipped with a 30 m SGE-BPX70 column (70 % cyanopropyl polysilphenylene-siloxane, 0.25 mm inner diameter, 0.25 mm film thickness), an FID, a split/splitless injector and an Agilent Technologies 7693 Series auto sampler and injector. Helium was used as the carrier gas. Samples were injected in split mode (50:1 ratio) at an oven temperature of 150 °C. After injection, the oven temperature was held at 150 °C for 1 min then raised to 210 °C at 3 °C. min<sup>-1</sup>, again raised to 240 °C at 50 °C. min<sup>-1</sup> and finally holding for 1.4 min at 240 °C. Peaks were quantified with Agilent Technologies ChemStation software (Rev B.04.03 (16), Palo Alto, California, USA) based on the response of the known amount of the external standard GLC-411 (Nucheck) and C17:0-ME internal standard.

#### Liquid Chromatography- Mass Spectrometry (LC-MS) analysis of lipids

**[0283]** Total lipids were extracted from freeze-dried developing seeds, twelve days after flowering (daf), and mature seeds after adding a known amount of tri-C17:0-TAG as an internal quantitation standard. The extracted lipids were dissolved into 1 mL of 10 mM butylated hydroxytoluene in butanol:methanol (1:1 v/v) per 5 mg dry material and analysed using an Agilent 1200 series LC and 6410b electrospray ionisation triple quadrupole LC-MS. Lipids were chromatographically separated using an Ascentis Express RP-Amide column (50 mm x 2.1 mm, 2.7 µm, Supelco) operating a binary gradient with a flow rate of 0.2 mL/min. The mobile phases were: A. 10 mM ammonium formate in H<sub>2</sub>O:methanol:tetrahydrofuran (50:20:30 v/v/v); B. 10 mM ammonium formate in H<sub>2</sub>O:methanol:tetrahydrofuran (5:20:75, v/v/v). Multiple reaction monitoring (MRM) lists were based on the following major fatty acids: 16:0, 18:0, 18:1, 18:2, 18:3, 18:4, 20:1, 20:2, 20:3, 20:4, 20:5, 22:4, 22:5, 22:6 using a collision energy of 30 V and fragmentor of 60 V. Individual MRM TAG was identified based on ammoniated precursor ion and product ion from neutral loss of 22:6. TAG was quantified using a 10 µM tristearin external standard.

#### Determination of seed fatty acid profile and oil content

**[0284]** Where seed oil content was to be determined, seeds were dried in a desiccator for 24 h and approximately 4 mg of seed was transferred to a 2 ml glass vial containing Teflon-lined screw cap. 0.05 mg triheptadecanoin dissolved in 0.1 ml toluene was added to the vial as internal standard.

**[0285]** Seed FAME were prepared by adding 0.7 ml of 1N methanolic HCl (Supelco) to the vial containing seed material, vortexed briefly and incubated at 80 °C for 2h. After cooling to room temperature, 0.3 ml of 0.9% NaCl (w/v) and 0.1 ml hexane was added to the vial and mixed well for 10 min in Heidolph Vibramax 110. The FAME was collected into 0.3 ml glass insert and analysed by GC with a flame ionization detector (FID) as mentioned earlier.

**[0286]** The peak area of individual FAME were first corrected on the basis of the peak area responses of known amount of the same FAMES present in a commercial standard GLC-411 (NU-CHEK PREP, INC., USA). GLC-411 contains equal amounts of 31 fatty acids (% by wt), ranging from C8:0 to C22:6. In case of fatty acids, which were not present in the standard, the inventors took the peak area responses of the most similar FAME. For example, peak area response of FAMES of 16:1d9 was used for 16:1d7 and FAME response of C22:6 was used for C22:5. The corrected areas were used to calculate the mass of each FAME in the sample by comparison to the internal standard mass. Oil is stored mainly in the form of TAG and its weight was calculated based on FAME weight. Total moles of glycerol was determined by calculating moles of each FAMES and dividing total moles of FAMES by three. TAG was calculated as the sum of glycerol and fatty acyl moieties using a relation: % oil by weight= 100x ((41x total mol FAME/3)+(total g FAME- (15x total mol FAME)))/g seed, where 41 and 15 are molecular weights of glycerol moiety and methyl group, respectively.

#### Analysis of the sterol content of oil samples

**[0287]** Samples of approximately 10mg of oil together with an added aliquot of C24:0 monol as an internal standard were saponified using 4mL 5% KOH in 80% MeOH and heating for 2h at 80°C in a Teflon-lined screw-capped glass tube. After the reaction mixture was cooled, 2mL of Milli-Q water were added and the sterols were extracted into 2 mL of hexane: dichloromethane (4:1 v/v) by shaking and vortexing. The mixture was centrifuged and the sterol extract was removed and washed with 2mL of Milli-Q water. The sterol extract was then removed after shaking and centrifugation.

The extract was evaporated using a stream of nitrogen gas and the sterols silylated using 200mL of BSTFA and heating for 2h at 80°C.

[0288] For GC/GC-MS analysis of the sterols, sterol-OTMSi derivatives were dried under a stream of nitrogen gas on a heat block at 40°C and then re-dissolved in chloroform or hexane immediately prior to GC/GC-MS analysis. The sterol-OTMS derivatives were analysed by gas chromatography (GC) using an Agilent Technologies 6890A GC (Palo Alto, California, USA) fitted with an Supelco Equity™-1 fused silica capillary column (15 m x 0.1 mm i.d., 0.1 µm film thickness), an FID, a split/splitless injector and an Agilent Technologies 7683B Series auto sampler and injector. Helium was the carrier gas. Samples were injected in splitless mode at an oven temperature of 120°C. After injection, the oven temperature was raised to 270°C at 10°C min<sup>-1</sup> and finally to 300°C at 5°C min<sup>-1</sup>. Peaks were quantified with Agilent Technologies ChemStation software (Palo Alto, California, USA). GC results are subject to an error of ±5% of individual component areas.

[0289] GC-mass spectrometric (GC-MS) analyses were performed on a Finnigan Thermoquest GCQ GC-MS and a Finnigan Thermo Electron Corporation GC-MS; both systems were fitted with an on-column injector and Thermoquest Xcalibur software (Austin, Texas, USA). Each GC was fitted with a capillary column of similar polarity to that described above. Individual components were identified using mass spectral data and by comparing retention time data with those obtained for authentic and laboratory standards. A full procedural blank analysis was performed concurrent to the sample batch.

#### RT-PCR conditions

[0290] Reverse transcription-PCR (RT-PCR) amplification was typically carried out using the Superscript III One-Step RT-PCR system (Invitrogen) in a volume of 25 µL using 10 pmol of the forward primer and 30 pmol of the reverse primer, MgSO<sub>4</sub> to a final concentration of 2.5 mM, 400 ng of total RNA with buffer and nucleotide components according to the manufacturer's instructions. Typical temperature regimes were: 1 cycle of 45°C for 30 minutes for the reverse transcription to occur; then 1 cycle of 94°C for 2 minutes followed by 40 cycles of 94°C for 30 seconds, 52°C for 30 seconds, 70°C for 1 minute; then 1 cycle of 72°C for 2 minutes before cooling the reaction mixtures to 5°C.

#### Production of *B. napus* somatic embryos by induction with 35S-LEC2

[0291] *B. napus* (cv. Oscar) seeds were sterilized using chlorine gas as described by (Attila Kereszt et al., 2007). Sterilized seeds were germinated on 1/2 strength MS media (Murashige and Skoog, 1962) with 0.8% agar adjusted to pH 5.8, and grown at 24°C under fluorescent lighting (50 µE/m<sup>2</sup>s) with a 18/6 h (light/dark) photoperiod for 6-7 days. Cotyledonary petioles with 2-4 mm stalk length were isolated aseptically from these seedlings and used as explants. Cultures of the transformed *A. tumefaciens* strain AGL1, one harbouring a seed specific binary vector and a second with a 35S-LEC2 construct were inoculated from single colonies from fresh plates and grown in 10 mL of LB medium with appropriate antibiotics and grown overnight at 28°C with agitation at 150 rpm. The bacterial cells were collected by centrifugation at 4000 rpm for 5 minutes, washed with MS media containing 2% sucrose and re-suspended in 10 mL of the same medium and grown with antibiotics for selection as appropriate for 4 hours after the addition of acetosyringone to 100 µM. Two hours before addition to the plant tissues, spermidine was added to a final concentration of 1.5mM and the final density of the bacteria adjusted to OD 600 nm = 0.4 with fresh medium. The two bacterial cultures, one carrying the seed specific construct and other carrying 35S-AtLEC2, were mixed in 1:1 to 1:1.5 ratios.

[0292] Freshly-isolated *B. napus* cotyledonary petioles were infected with 20 mL *A. tumefaciens* cultures for 6 minutes. The cotyledonary petioles were blotted on sterile filter paper to remove excess *A. tumefaciens* and then transferred to co-cultivation media (MS media with 1 mg/L TDZ, 0.1 mg/L NAA, 100 µM acetosyringone supplemented with L-cysteine (50 mg/L), ascorbic acid (15 mg/L) and MES (250 mg/l)). The plates were sealed with micro-pore tape and incubated in the dark at 24°C for 48 hrs. The co-cultivated explants were transferred to pre-selection media (MS containing 1 mg/L TDZ, 0.1 mg/L NAA, 3 mg/L AgNO<sub>3</sub>, 250 mg/L cefotaxime and 50 mg/L timentin) and cultured for 4-5 days at 24°C with a 16 h/8 h photoperiod. The explants were then transferred to selection media (MS containing 1 mg/L TDZ, 0.1 mg/L NAA, 3 mg/L AgNO<sub>3</sub>, 250 mg/L cefotaxime and 50 mg/L timentin) according to the selectable marker gene on the seed specific vector and cultured for 2-3 weeks at 24°C with a 16 h/8 h photoperiod. Explants with green embryogenic callus were transferred to hormone free MS media (MS with 3 mg/L AgNO<sub>3</sub>, 250 mg/L cefotaxime, 50 mg/L timentin and the selection agent) and cultured for another 2-3 weeks. Torpedo or cotyledonary stage embryos isolated from surviving explants on the selection medium were analysed for fatty acid composition in their total lipid using GC.

**Example 2. Stable Expression of Transgenic DHA Pathways in *Arabidopsis thaliana* Seeds**Binary vector construction

**[0293]** The binary vectors pJP3416-GA7 and pJP3404 each contained seven heterologous fatty acid biosynthesis genes, encoding 5 desaturases and 2 elongases, and a plant selectable marker between the left and right border repeats of the T-DNA present in each vector (Figures 2 and 3). SEQ ID NO:1 provides the nucleotide sequence of the T-DNA region of pJP3416-GA7 from the right to left border sequences. Both genetic constructs contained plant codon-optimised genes encoding a *Lachancea kluyveri*  $\Delta 12$ -desaturase (comprising nucleotides 14143-16648 of SEQ ID NO:1), a *Pichia pastoris*  $\omega 3$ -desaturase (comprising nucleotides 7654-10156 of SEQ ID NO:1), a *Micromonas pusilla*  $\Delta 6$ -desaturase (comprising nucleotides 226-2309 of SEQ ID NO:1), *Pavlova salina*  $\Delta 5$ - and  $\Delta 4$ -desaturases (comprising nucleotides 4524-6485 and 10157-14142 of SEQ ID NO:1, respectively) and *Pyramimonas cordata*  $\Delta 6$ - and  $\Delta 5$ -elongases (comprising nucleotides 2310-4523 and 17825-19967 of SEQ ID NO:1, respectively). The specific regions of the T-DNA (Orientation: right to left border sequences) region of the binary vector pJP3416-GA7 with respect to SEQ ID NO:1 are as follows:

Nucleotides 1-163: Right border; 480-226, *Agrobacterium tumefaciens* nopaline synthase terminator (TER\_NOS); 1883-489, *Micromonas pusilla*  $\Delta 6$ -desaturase; 2309-1952, *Brassica napus* truncated napin promoter (PRO\_FP1); 2310-3243, *Arabidopsis thaliana* FAE1 promoter (PRO\_FAE1); 3312-4181, *Pyramimonas cordata*  $\Delta 6$ -elongase; 4190-4523, *Glycine max* lectin terminator (TER\_Lectin); 4524-4881, PRO\_FP1; 4950-6230: *Pavlova salina*  $\Delta 5$ -desaturase; 6231-6485: TER\_NOS; 7653-6486, *Nicotiana tabacum* Rb7 matrix attachment region (MAR); 8387-7654, *Linum usitatissimum* conlinin1 terminator (TER\_Cnl1); 9638-8388, *Pichia pastoris*  $\omega 3$ -desaturase; 10156-9707, *Linum usitatissimum* conlinin1 promoter (PRO\_Cnl1); 10157-12189, *Linum usitatissimum* conlinin1 promoter; 12258-13604, *Pavlova salina*  $\Delta 4$ -desaturase; 13605-14142, *Linum usitatissimum* conlinin2 terminator; 14143-14592, PRO\_Cnl1; 14661-15914, *Lachancea kluyveri*  $\Delta 12$ -desaturase; 15915-16648, TER\_Cnl1; 17816-16649, MAR; 17825-18758, PRO\_FAE1; 18827-19633, *Pyramimonas cordata*  $\Delta 5$ -elongase; 19634-19967, TER\_Lectin; 19990-20527, Cauliflower mosaic virus 35S promoter with duplicated enhancer region; 20537-21088, *Streptomyces viridochromogenes* phosphinothricin-N-acetyltransferase; 21097-21349, TER\_NOS; 21367-21527, Left border.

**[0294]** The seven coding regions in the constructs were each under the control of a seed specific promoter- three different promoters were used, namely the truncated *Brassica napus* napin promoter (pBnFP1), the *Arabidopsis thaliana* FAE1 promoter (pAtFAE1) and the *Linum usitatissimum* conlinin 1 promoter (pLuCnl1). The seven fatty acid biosynthesis genes together coded for an entire DHA synthesis pathway that was designed to convert 18:1 <sup>$\Delta 9$</sup>  (oleic acid) through to 22:6 <sup>$\Delta 4,7,10,13,16,19$</sup>  (DHA). Both binary vectors contained a BAR plant selectable marker coding region operably linked to a Cauliflower Mosaic Virus (CaMV) 35S promoter with duplicated enhancer region and *A. tumefaciens* nos3' polyadenylation region- transcription terminator. The plant selectable marker was situated adjacent to the left border of the T-DNA region, therefore distally located on the T-DNA with respect to the orientation of T-DNA transfer into the plant cells. This increased the likelihood that partial transfer of the T-DNA, which would be likely to not include the selectable marker gene, would not be selected. pJP3416-GA7 and pJP3404 each contained an RiA4 origin of replication from *Agrobacterium rhizogenes* (Hamilton, 1997).

**[0295]** pJP3416-GA7 was generated by synthesising the DNA region corresponding to nucleotides 226-19975 of SEQ ID NO:1 (GA7 region) and inserting this region into the recipient binary vector pJP3416 at the *Psp*OMI site. Each fatty acid biosynthetic gene on GA7 included a Tobacco Mosaic Virus 5' untranslated region (5'UTR) sequence which was operably linked to each coding region, between the promoter and the translation initiation ATG, to maximise translation efficiency of the mRNAs produced from the genes. The GA7 construct also included two *Nicotiana tabacum* Rb7 matrix attachment region (MAR) sequences, as described by Hall et al. (1991). MAR sequences, sometimes termed nuclear attachment regions, are known to bind specifically to the nuclear matrix *in vitro* and may mediate binding of chromatin to the nuclear matrix *in vivo*. MARs are thought to function to reduce transgene silencing. In pJP3416-GA7 the MARs were also inserted and positioned within the T-DNA region in order to act as DNA spacers to insulate transgenic expression cassettes. The pJP3416 vector prior to insertion of the GA7 region contained only the plant selectable marker cassette between the borders.

**[0296]** The genetic construct pJP3404 was made by sequential restriction enzyme-based insertions in which gene cassettes were added to the binary vector, pJP3367, which comprised genes for production of SDA in seeds. This construct contained genes encoding the *L. kluyveri*  $\Delta 12$ -desaturase and *P. pastoris*  $\omega 3$ -desaturase, both expressed by the *B. napus* truncated napin promoter (GFP1), and the *M. pusilla*  $\Delta 6$ -desaturase expressed by the *A. thaliana* FAE1 promoter (Figure 4). First, the *A. thaliana* FAD2 intron was flanked by *Eco*RI sites and cloned into the pJP3367 *Mfe*I site to generate pJP3395. A fragment containing the *P. cordata*  $\Delta 6$ - and  $\Delta 5$ -elongase cassettes driven by the FAE1 and FP1 promoters, respectively, was cloned into the *Kas*I site of pJP3395 to generate pJP3398. pJP3399 was then generated



by replacing the RK2 origin of replication in pJP3398 with a RiA4 origin of replication. The final binary vector, pJP3404, was generated by cloning a *SbfI*-flanked fragment containing the *P. salina*  $\Delta 5$ - and  $\Delta 4$ -desaturase cassettes driven by the FP1 and FAE1 promoters, respectively, into the *SbfI* site of pJP3399.

#### *A. thaliana* transformation and analysis of fatty acid composition

**[0297]** The chimeric vectors were introduced into *A. tumefaciens* strain AGL1 and cells from cultures of the transformed *Agrobacterium* used to treat *A. thaliana* (ecotypes Columbia and a *fad2* mutant) plants using the floral dip method for transformation (Clough and Bent, 1998). After maturation, the T<sub>1</sub> seeds from the treated plants were harvested and plated onto MS plates containing PPT for selection of plants containing the BAR selectable marker gene. Surviving, healthy T<sub>1</sub> seedlings were transferred to soil. After growth of the plants to maturity and allowing for self-fertilisation, T<sub>2</sub> seeds from these plants were harvested and the fatty acid composition of their seed lipid analysed by GC analysis as described in Example 1.

**[0298]** The data for the DHA level in the seed lipids are shown in Figure 5 (lanes labelled T<sub>2</sub>) for 13 transformants using pJP3416-GA7 into the Columbia genetic background, and for six transformants using the *fad2* mutant. The pJP3416-GA7 construct resulted in the production of slightly higher levels of DHA, as a percentage of total fatty acid content, on average than the pJP3404 construct. Table 4 shows the fatty acid composition of total seed lipid from the T<sub>2</sub> lines with the highest DHA levels. The calculated conversion efficiencies for each enzymatic step in the production of DHA from oleic acid in the same seeds are shown in Table 5. Conversion efficiencies were calculated as (%products x 100)/(%remaining substrate + %products), thereby expressed as a percentage.

**[0299]** The highest observed level of DHA produced in the pJP3416-GA7 T<sub>2</sub> transformed lines was 6.2%, additionally with 0.5% EPA and 0.2% DPA (line #14). These T<sub>2</sub> seeds were still segregating for the transgene i.e. were not yet uniformly homozygous. Compiled data from the total seed lipid profiles from independent transgenic seed (Table 4) are shown in Table 6. The level of  $\omega 3$  fatty acids produced as a result of the transgenes in these seeds (total new  $\omega 3$  fatty acids, excluding the level of ALA which was produced endogenously in the Columbia background) was 10.7% while the level of  $\omega 6$  fatty acids (total new  $\omega 6$  fatty acids but excluding 18:2 $\Delta^{9,12}$ ) was 1.5%. This represents an extremely favourable ratio of new  $\omega 3$  fatty acids:new  $\omega 6$  fatty acids, namely 7.3:1.

**[0300]** T<sub>2</sub> seeds of selected lines transformed with pJP3416-GA7, namely for lines designated 7, 10, 14, 22 and 34 in the Columbia background and for lines designated 18, 21 and 25 in the *fad2* mutant background, were plated onto MS media containing PPT for selection of transgenic seedlings *in vitro*. Twenty PPT-resistant seedlings for each line were transferred to soil and grown to maturity after self-fertilisation. These plants were highly likely to be homozygous for the selectable marker gene, and therefore for at least one T-DNA insertion in the genome of the plants. T<sub>3</sub> seed from these plants were harvested and analysed for fatty acid composition in their seedoil by GC. The data are shown in Table 7. This analysis revealed that the pJP3416-GA7 construct generated higher levels of the  $\omega 3$  LC-PUFA DHA in T<sub>3</sub> seeds of the homozygous plants than in the segregating T<sub>2</sub> seed. Up to about 13.9% DHA was observed in the T<sub>3</sub> pJP3416-GA7 transformed line designated 22.2 in the Columbia background, increased from about 5.5% in the hemizygous T<sub>2</sub> seed, with a sum level of about 24.3% of new  $\omega 3$  fatty acids as a percentage of the total fatty acids in the seed lipid content. New  $\omega 6$  fatty acids were at a level of 1.1% of total fatty acids, representing a very favourable ratio of new  $\omega 3$  fatty acids:new  $\omega 6$  fatty acids, namely about 22:1. Similarly, transformants in the *fad2* mutant background yielded 20.6% as a sum of new  $\omega 3$  fatty acids, including 11.5% DHA, as a percentage of the total fatty acids in the seed lipid content.

**Table 4.** Fatty acid composition of total seed lipid from independent transgenic T<sub>2</sub> *Arabidopsis* seeds with DHA levels at the higher end of the observed range. ‘Col’ refers to the Columbia ecotype and ‘FAD2’ to the *fad2* mutant ecotype. ‘GA7’ refers to transformation with the T-DNA of the pJP3416-GA7 vector, pJP3404 with the T-DNA of the pJP3404 vector. 20:1n-9 and 20:1n-11 fatty acids were not resolved in the GC analysis. “Other minor” fatty acids include 14:0, 16:1n7, 16:1n9, 16:1n13t, 16:2n6, 16:3n3, i18:0, 18:1n5, 20:1n5, 22:0, 22:1n7, 22:1n11/n13, 24:0, 24:1n9.

|             | pJP3404_Col_#1 | pJP3404_FAD2_#31 | GA7_Col_#7 | GA7_Col_#34 | GA7_Col_#2 | GA7_Col_#10 | GA7_Col_#22 | GA7_Col_#14 | GA7_FAD2_#25 | GA7_FAD2_#21 | GA7_FAD2_#18 |
|-------------|----------------|------------------|------------|-------------|------------|-------------|-------------|-------------|--------------|--------------|--------------|
| 16:0        | 9.6            | 7.8              | 8.7        | 8.2         | 8.7        | 8.6         | 8.3         | 9.7         | 7.2          | 8.5          | 7.5          |
| 18:0        | 2.9            | 3.9              | 3.7        | 3.9         | 3.6        | 3.3         | 3.4         | 3.6         | 3.2          | 3.9          | 3.0          |
| 18:1d11     | 2.2            | 1.8              | 2.0        | 1.9         | 2.0        | 2.3         | 2.3         | 2.7         | 1.9          | 2.0          | 1.8          |
| 20:0        | 1.6            | 2.3              | 2.0        | 2.0         | 2.1        | 1.6         | 1.6         | 1.8         | 1.6          | 2.2          | 1.5          |
| 20:1d13     | 2.2            | 1.8              | 1.6        | 1.5         | 1.7        | 1.6         | 1.5         | 1.7         | 1.5          | 1.7          | 1.4          |
| 20:1d9/d11  | 13.0           | 15.9             | 16.1       | 16.1        | 16.3       | 15.0        | 13.9        | 13.5        | 18.3         | 15.9         | 17.0         |
| 22:1d13     | 1.1            | 1.2              | 1.1        | 1.1         | 1.3        | 1.0         | 1.0         | 1.0         | 1.0          | 1.3          | 1.2          |
| Other minor | 1.9            | 1.5              | 1.5        | 1.4         | 1.5        | 1.3         | 1.6         | 1.7         | 1.6          | 1.4          | 1.6          |
|             |                |                  |            |             |            |             |             |             |              |              |              |
| 18:1d9      | 10.8           | 14.0             | 10.6       | 10.6        | 10.1       | 11.1        | 10.0        | 7.7         | 26.0         | 8.2          | 20.9         |
| 18:2ω6      | 28.9           | 28.3             | 16.4       | 16.1        | 18.2       | 13.7        | 13.7        | 11.4        | 6.6          | 16.6         | 4.3          |
| 18:3ω3      | 16.6           | 14.9             | 29.6       | 29.6        | 27.5       | 32.4        | 30.4        | 32.8        | 21.9         | 27.7         | 30.1         |
|             |                |                  |            |             |            |             |             |             |              |              |              |
| 18:3ω6      | 0.7            | 0.5              | 0.1        | 0.1         | 0.1        | 0.1         | 0.2         | 0.1         | 0.1          | 0.2          | 0.1          |
| 20:2ω6      | 1.6            | 1.5              | 1.1        | 1.2         | 1.3        | 1.0         | 1.0         | 1.0         | 0.4          | 1.4          | 0.4          |
| 20:3ω6      | 0.0            | 0.0              | 0.0        | 0.0         | 0.0        | 0.0         | 0.0         | 0.0         | 0.0          | 0.0          | 0.0          |
| 20:4ω6      | 0.0            | 0.0              | 0.0        | 0.0         | 0.0        | 0.0         | 0.0         | 0.0         | 0.0          | 0.0          | 0.0          |
| 22:4ω6      | 1.6            | 0.6              | 0.3        | 0.3         | 0.3        | 0.4         | 0.5         | 0.4         | 0.5          | 0.4          | 0.4          |
| 22:5ω6      | 0.1            | 0.1              | 0.0        | 0.0         | 0.0        | 0.0         | 0.0         | 0.0         | 0.0          | 0.0          | 0.0          |
|             |                |                  |            |             |            |             |             |             |              |              |              |

EP 3 266 316 A1

5

10

15

20

25

30

35

40

45

50

55

|               |            |            |            |            |            |            |            |            |            |            |            |
|---------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 18:4ω3        | 1.0        | 0.5        | 1.2        | 1.1        | 1.1        | 1.5        | 2.7        | 2.7        | 1.9        | 1.8        | 1.7        |
| 20:3ω3        | 0.0        | 0.0        | 0.0        | 0.6        | 0.0        | 0.0        | 0.6        | 0.7        | 0.0        | 0.8        | 0.6        |
| 20:4ω3        | 0.4        | 0.6        | 0.6        | 0.7        | 0.5        | 0.8        | 0.8        | 0.4        | 1.0        | 0.8        | 0.8        |
| <b>20:5ω3</b> | <b>0.2</b> | <b>0.2</b> | <b>0.3</b> | <b>0.3</b> | <b>0.3</b> | <b>0.3</b> | <b>0.7</b> | <b>0.5</b> | <b>0.6</b> | <b>0.4</b> | <b>0.5</b> |
| <b>22:5ω3</b> | <b>0.0</b> | <b>0.2</b> | <b>0.2</b> | <b>0.2</b> | <b>0.2</b> | <b>0.2</b> | <b>0.2</b> | <b>0.2</b> | <b>0.3</b> | <b>0.3</b> | <b>0.3</b> |
| <b>22:6ω3</b> | <b>3.6</b> | <b>2.4</b> | <b>3.0</b> | <b>3.1</b> | <b>3.3</b> | <b>3.9</b> | <b>5.5</b> | <b>6.2</b> | <b>4.3</b> | <b>4.4</b> | <b>4.8</b> |

**Table 5.** Conversion efficiencies of the individual enzymatic steps for production of DHA from oleic acid, observed in total seed lipid from independent transgenic seed as for Table 4.

|         |          | pJP3404 Col #1 | pJP3404 FAD2 #31 | GA7 Col #7 | GA7 Col #34 | GA7 Col #2 | GA7 Col #10 | GA7 Col #22 | GA7 Col #14 | GA7 FAD2 #25 | GA7 FAD2 #21 | GA7 FAD2 #18 |
|---------|----------|----------------|------------------|------------|-------------|------------|-------------|-------------|-------------|--------------|--------------|--------------|
| Omega-3 | d12-des  | 69.6%          | 62.5%            | 66.4%      | 66.6%       | 66.7%      | 67.5%       | 70.2%       | 72.7%       | 45.9%        | 69.5%        | 53.7%        |
|         | d15-des  | 39.8%          | 37.8%            | 66.1%      | 66.8%       | 62.3%      | 72.1%       | 72.7%       | 77.2%       | 79.7%        | 66.0%        | 88.1%        |
|         | d6-des   | 4.5%           | 2.5%             | 0.7%       | 0.7%        | 0.7%       | 0.9%        | 1.3%        | 1.0%        | 1.6%         | 1.1%         | 1.1%         |
|         | (d9-elo) | 3.1%           | 3.1%             | 2.2%       | 2.3%        | 2.4%       | 1.8%        | 1.8%        | 1.7%        | 1.2%         | 2.7%         | 0.9%         |
| Omega-6 | d6-elo   | 71.4%          | 56.9%            | 83.3%      | 83.4%       | 83.0%      | 84.7%       | 70.3%       | 74.5%       | 85.5%        | 66.1%        | 88.0%        |
|         | d5-des   | 100.0%         | 100.0%           | 100.0%     | 100.0%      | 100.0%     | 100.0%      | 100.0%      | 100.0%      | 100.0%       | 100.0%       | 100.0%       |
|         | d5-elo   | 100.0%         | 97.8%            | 100.0%     | 100.0%      | 100.0%     | 100.0%      | 100.0%      | 100.0%      | 100.0%       | 100.0%       | 100.0%       |
|         | d4-des   | 6.2%           | 13.0%            | 0.0%       | 0.0%        | 0.0%       | 0.0%        | 0.0%        | 0.0%        | 0.0%         | 0.0%         | 0.0%         |
| Omega-3 | d6-des   | 23.9%          | 21.0%            | 15.2%      | 15.4%       | 16.4%      | 17.1%       | 24.7%       | 23.6%       | 27.1%        | 21.9%        | 21.0%        |
|         | (d9-elo) | 0.0%           | 0.0%             | 0.0%       | 1.8%        | 0.0%       | 0.0%        | 2.0%        | 2.2%        | 0.0%         | 2.6%         | 2.1%         |
|         | d6-elo   | 80.6%          | 86.6%            | 77.7%      | 79.6%       | 79.4%      | 77.5%       | 72.7%       | 73.0%       | 76.7%        | 77.4%        | 79.2%        |
|         | d5-des   | 93.7%          | 92.1%            | 91.7%      | 91.4%       | 91.5%      | 92.6%       | 89.6%       | 92.4%       | 88.0%        | 91.8%        | 91.0%        |
| Omega-3 | d5-elo   | 93.7%          | 92.1%            | 91.7%      | 91.4%       | 91.5%      | 92.6%       | 89.6%       | 92.4%       | 88.0%        | 91.8%        | 91.0%        |
|         | d4-des   | 100.0%         | 90.6%            | 94.8%      | 94.0%       | 95.3%      | 94.4%       | 95.8%       | 96.9%       | 93.1%        | 92.9%        | 94.2%        |

**Table 6.** Compiled data from the total seed lipid profiles from independent transgenic seed shown in Table 2. Calculations do not include the 'minor fatty acids' in Table 4.

| Parameter                      | PJP3404_Col_#1 | PJP3404_FAD2_#31 | GA7_Col_#7 | GA7_Col_#34 | GA7_Col_#2 | GA7_Col_#10 | GA7_Col_#22 | GA7_Col_#14 | GA7_FAD2_#25 | GA7_FAD2_#21 | GA7_FAD2_#18 |
|--------------------------------|----------------|------------------|------------|-------------|------------|-------------|-------------|-------------|--------------|--------------|--------------|
| total w3 (% of total FA)       | 21.8           | 18.8             | 34.9       | 35.6        | 32.9       | 39.1        | 40.9        | 43.5        | 30.0         | 36.2         | 38.8         |
| total w6 (% of total FA)       | 32.9           | 31.0             | 17.9       | 17.7        | 19.9       | 15.2        | 15.4        | 12.9        | 7.6          | 18.6         | 5.2          |
| w3 / w6 ratio                  | 0.66           | 0.61             | 1.95       | 2.01        | 1.65       | 2.57        | 2.66        | 3.37        | 3.95         | 1.95         | 7.46         |
| w6 / w3 ratio                  | 1.51           | 1.65             | 0.51       | 0.50        | 0.60       | 0.39        | 0.38        | 0.30        | 0.25         | 0.51         | 0.13         |
| total novel w3 (% of total FA) | 5.2            | 3.9              | 5.3        | 6.0         | 5.4        | 6.7         | 10.5        | 10.7        | 8.1          | 8.5          | 8.7          |
| total novel w6 (% of total FA) | 4.0            | 2.7              | 1.5        | 1.6         | 1.7        | 1.5         | 1.7         | 1.5         | 1.0          | 2.0          | 0.9          |
| novel w3 / w6 ratio            | 1.30           | 1.44             | 3.53       | 3.75        | 3.18       | 4.47        | 6.18        | 7.13        | 8.10         | 4.25         | 9.67         |
| novel w6 / w3 ratio            | 0.77           | 0.69             | 0.28       | 0.27        | 0.31       | 0.22        | 0.16        | 0.14        | 0.12         | 0.24         | 0.10         |
| OA to EPA efficiency           | 4.8%           | 3.5%             | 4.3%       | 4.4%        | 4.7%       | 5.4%        | 7.9%        | 8.8%        | 6.3%         | 6.4%         | 6.7%         |
| OA to DHA efficiency           | 4.5%           | 3.0%             | 3.7%       | 3.8%        | 4.1%       | 4.8%        | 6.8%        | 7.9%        | 5.2%         | 5.5%         | 5.8%         |
| LA to EPA efficiency           | 6.9%           | 5.6%             | 6.6%       | 6.8%        | 7.2%       | 8.1%        | 11.4%       | 12.2%       | 13.8%        | 9.3%         | 12.7%        |
| LA to DHA efficiency           | 6.6%           | 4.8%             | 5.7%       | 5.8%        | 6.3%       | 7.2%        | 9.8%        | 11.0%       | 11.4%        | 8.0%         | 10.9%        |
| ALA to EPA efficiency          | 17.4%          | 14.9%            | 10.0%      | 10.1%       | 11.6%      | 11.3%       | 15.6%       | 15.9%       | 17.3%        | 14.1%        | 14.4%        |
| ALA to DHA efficiency          | 16.5%          | 12.8%            | 8.6%       | 8.7%        | 10.0%      | 10.0%       | 13.4%       | 14.3%       | 14.3%        | 12.2%        | 12.4%        |
| total saturates                | 14.1           | 14.0             | 14.4       | 14.1        | 14.4       | 13.5        | 13.3        | 15.1        | 12.0         | 14.6         | 12.0         |
| total monounsaturates          | 29.3           | 34.7             | 31.4       | 31.2        | 31.4       | 31.0        | 28.7        | 26.6        | 48.7         | 29.1         | 42.3         |
| total polyunsaturates          | 54.7           | 49.8             | 52.8       | 53.3        | 52.8       | 54.3        | 56.3        | 56.4        | 37.6         | 54.8         | 44.0         |
| total C20                      | 17.4           | 20               | 19.7       | 20.4        | 20.1       | 18.7        | 18.5        | 17.8        | 21.8         | 21           | 20.7         |
| total C22                      | 6.4            | 4.5              | 4.6        | 4.7         | 5.1        | 5.5         | 7.2         | 7.8         | 6.1          | 6.4          | 6.7          |
| C20/C22 ratio                  | 2.72           | 4.44             | 4.28       | 4.34        | 3.94       | 3.40        | 2.57        | 2.28        | 3.57         | 3.28         | 3.09         |

**Table 7.** Fatty acid composition of total seed lipid from independent transgenic T<sub>3</sub> and T<sub>4</sub> *Arabidopsis* progeny seeds obtained from plant lines as in Table 3. The error shown in the T<sub>4</sub> generation denotes the SD of n=10.

|                | GA7_Col_7.2 | GA7_Col_34.2 | GA7_Col_10.13 | GA7_Col_22.2 | GA7_Col_14.19 | GA7_FAD2-<br>25.10 | GA7_FAD2-<br>21.2 | GA7_FAD2-<br>19.14 | T <sub>4</sub> Col_22.2<br>(mean±SD) | T <sub>4</sub> Col_22.2<br>best line |
|----------------|-------------|--------------|---------------|--------------|---------------|--------------------|-------------------|--------------------|--------------------------------------|--------------------------------------|
| 16:0           | 9.8         | 9.0          | 9.5           | 11.2         | 10.4          | 8.1                | 10.7              | 7.7                | 10.6±0.9                             | 12.2                                 |
| 18:0           | 4.0         | 3.8          | 4.2           | 3.4          | 3.5           | 3.5                | 3.8               | 3.3                | 3.5±0.4                              | 3.6                                  |
| 18:1n7         | 2.0         | 1.9          | 2.2           | 2.9          | 2.5           | 1.7                | 2.2               | 1.6                | 2.3±0.2                              | 2.6                                  |
| 20:0           | 2.2         | 1.9          | 1.7           | 1.4          | 2.3           | 1.8                | 2.0               | 1.9                | 1.9±0.3                              | 2.0                                  |
| 20:1d13        | 1.4         | 1.3          | 1.2           | 1.6          | 2.5           | 1.2                | 1.4               | 1.3                | 1.6±0.2                              | 1.9                                  |
| 20:1d9/11      | 13.6        | 14.7         | 12.4          | 9.5          | 13.0          | 15.7               | 12.4              | 18.4               | 11.7±1.7                             | 9.5                                  |
| 22:1d13        | 1.2         | 1.2          | 0.8           | 0.6          | 1.6           | 1.0                | 1.1               | 1.5                | 0.9±0.1                              | 0.8                                  |
| Other<br>minor | 1.8         | 1.5          | 1.5           | 2.1          | 2.6           | 1.7                | 1.9               | 1.6                | 1.9±0.1                              | 2.3                                  |
|                |             |              |               |              |               |                    |                   |                    |                                      |                                      |
| 18:1d9         | 5.5         | 6.7          | 6.8           | 4.6          | 6.9           | 11.3               | 4.2               | 11.5               | 4.6±1.0                              | 3.3                                  |
| 18:2ω6         | 7.5         | 7.9          | 7.4           | 5.6          | 14.8          | 5.8                | 8.9               | 5.6                | 5.3±0.9                              | 4.3                                  |
| 18:3ω3         | 33.7        | 33.7         | 36.1          | 31.5         | 26.1          | 28.3               | 28.9              | 30.8               | 31.0±1.1                             | 29.5                                 |
|                |             |              |               |              |               |                    |                   |                    |                                      |                                      |
| 18:3ω6         | 0.2         | 0.2          | 0.2           | 0.4          | 0.1           | 0.3                | 0.6               | 0.1                | 0.4±0.1                              | 0.4                                  |
| 20:2ω6         | 1.0         | 1.0          | 0.7           | 0.7          | 1.4           | 0.6                | 1.2               | 0.6                | 0.9±0.1                              | 0.9                                  |
| 20:3ω6         | 0           | 0            | 0             | 0            | 0             | 0                  | 0                 | 0                  |                                      |                                      |
| 20:4ω6         | 0           | 0            | 0             | 0            | 0             | 0                  | 0                 | 0                  |                                      |                                      |
| 22:4ω6         | 0           | 0            | 0             | 0            | 0             | 0                  | 0                 | 0                  | 0.1±0.0                              | 0.1                                  |
| 22:5ω6         | 0           | 0            | 0             | 0            | 0             | 0                  | 0                 | 0                  |                                      |                                      |
|                |             |              |               |              |               |                    |                   |                    |                                      |                                      |
| 18:4ω3         | 3.1         | 2.6          | 3.0           | 5.3          | 3.3           | 3.7                | 5.2               | 2.6                | 4.8±0.9                              | 5.5                                  |
| 20:3ω3         | 1.4         | 1.3          | 1.2           | 1.3          | 1.2           | 1.1                | 1.3               | 1.3                | 1.5±0.2                              | 1.7                                  |
| 20:4ω3         | 0.7         | 0.6          | 0.6           | 0.9          | 0.2           | 1.7                | 0.9               | 0.9                | 0.8±0.2                              | 0.8                                  |
| <b>20:5ω3</b>  | <b>0.9</b>  | <b>0.9</b>   | <b>0.7</b>    | <b>1.9</b>   | <b>0.8</b>    | <b>1.2</b>         | <b>1.0</b>        | <b>0.8</b>         | <b>1.5±0.3</b>                       | <b>1.8</b>                           |
| <b>22:5ω3</b>  | <b>0.7</b>  | <b>0.6</b>   | <b>0.6</b>    | <b>1.0</b>   | <b>0.4</b>    | <b>0.8</b>         | <b>0.6</b>        | <b>0.5</b>         | <b>1.1±0.2</b>                       | <b>1.5</b>                           |
| <b>22:6ω3</b>  | <b>9.5</b>  | <b>9.2</b>   | <b>9.4</b>    | <b>13.9</b>  | <b>6.6</b>    | <b>10.3</b>        | <b>11.5</b>       | <b>7.9</b>         | <b>13.3±1.6</b>                      | <b>15.1</b>                          |

**[0301]** Enzymatic conversion efficiencies for each enzyme step in the pathway for production of DHA from oleic acid

are shown in Table 8 for the T<sub>3</sub> seeds with the higher DHA levels. The  $\Delta$ 12-desaturase conversion efficiency in seeds of line 22.2 was 81.6% and the  $\omega$ 3-desaturase efficiency was 89.1 %, both of them remarkably high and indicating that these fungal (yeast) enzymes were able to function well in developing seeds. The activities of the other exogenous enzymes in the DHA pathway were similarly high for  $\omega$ 3 substrates with the  $\Delta$ 6-desaturase acting at 42.2% efficiency,  $\Delta$ 6-elongase at 76.8%,  $\Delta$ 5-desaturase at 95.0%,  $\Delta$ 5-elongase at 88.7% and  $\Delta$ 4-desaturase at 93.3% efficiency. The  $\Delta$ 6-desaturase activity on the  $\omega$ 6 substrate LA was much lower, with the  $\Delta$ 6-desaturase acting at only 0.7% conversion efficiency on LA. GLA was present at a level of only 0.4% and was the only new  $\omega$ 6 product aside from 20:2 $\omega$ 6 detected in the T<sub>3</sub> seeds with the highest DHA content. Compiled data from the total seed lipid profiles from independent transgenic seed (Table 7) are shown in Table 9. This data for the line with the greatest DHA level included a total  $\omega$ 6 FA (including LA) to total  $\omega$ 3 FA (including ALA) ratio of 0.10. The new  $\omega$ 6 FA (excluding LA) to new  $\omega$ 3 FA (excluding ALA) ratio in the lipid of this line was 0.05. Total polyunsaturated fatty acid levels were more than 50% in these lines, and greater than 60% in at least 4 of the lines. Overall conversion efficiencies were calculated to be: OA to EPA = 21.8%, OA to DHA = 18.0%, LA to EPA = 26.9%, LA to DHA = 22.2%, ALA to EPA = 30.1%, ALA to DHA = 24.9%.

**Table 8.** Conversion efficiencies of the individual enzymatic steps for the production of DHA from oleic acid, observed in total seed lipid from transgenic *T<sub>3</sub> Arabidopsis* seeds as in Table 7.

|         |          |             |              |               |              |               |                |               |                |                                |                                   |
|---------|----------|-------------|--------------|---------------|--------------|---------------|----------------|---------------|----------------|--------------------------------|-----------------------------------|
| Omega-3 |          | GA7 Col 7.2 | GA7 Col 34.2 | GA7 Col 10.13 | GA7 Col 22.2 | GA7 Col 14.19 | GA7_FAD2-25.10 | GA7_FAD2-21.2 | GA7_FAD2-18.14 | T <sub>4</sub> Col 22.2 (mean) | T <sub>4</sub> Col 22.2 best line |
|         | d12-des  | 75.4%       | 73.1%        | 75.7%         | 81.6%        | 73.4%         | 66.9%          | 78.5%         | 63.1%          | 67.6%                          | 82.7%                             |
|         | d15-des  | 85.3%       | 84.4%        | 86.2%         | 89.1%        | 70.2%         | 87.5%          | 82.2%         | 87.6%          | 81.0%                          | 90.9%                             |
|         |          |             |              |               |              |               |                |               |                |                                |                                   |
|         | d6-des   | 0.3%        | 0.3%         | 0.3%          | 0.7%         | 0.3%          | 0.6%           | 1.0%          | 0.2%           | 1.3%                           | 0.7%                              |
|         | (d9-elo) | 1.7%        | 1.7%         | 1.2%          | 1.2%         | 2.6%          | 1.1%           | 2.0%          | 1.3%           | 1.6%                           | 1.5%                              |
| Omega-6 | d6-elo   |             |              |               |              |               |                |               |                |                                |                                   |
|         | d5-des   |             |              |               |              |               |                |               |                |                                |                                   |
|         | d5-elo   |             |              |               |              |               |                |               |                |                                |                                   |
|         | d4-des   |             |              |               |              |               |                |               |                |                                |                                   |
|         |          |             |              |               |              |               |                |               |                |                                |                                   |
|         |          |             |              |               |              |               |                |               |                |                                |                                   |
| Omega-3 | d6-des   | 30.7%       | 29.3%        | 28.2%         | 42.2%        | 30.2%         | 38.5%          | 40.0%         | 29.2%          | 41.0%                          | 45.7%                             |
|         | (d9-elo) | 2.7%        | 2.7%         | 2.3%          | 2.4%         | 3.0%          | 2.3%           | 2.7%          | 2.9%           | 2.8%                           | 3.1%                              |
|         | d6-elo   | 79.0%       | 81.1%        | 79.0%         | 76.8%        | 70.9%         | 79.2%          | 73.2%         | 79.1%          | 77.5%                          | 77.7%                             |
|         | d5-des   | 94.0%       | 94.6%        | 94.5%         | 95.0%        | 97.9%         | 87.8%          | 93.3%         | 91.1%          | 95.0%                          | 95.8%                             |
|         | d5-elo   | 91.9%       | 91.7%        | 93.6%         | 88.7%        | 89.5%         | 89.9%          | 92.2%         | 91.6%          | 90.8%                          | 90.2%                             |
|         | d4-des   | 93.2%       | 93.7%        | 94.4%         | 93.3%        | 93.7%         | 92.5%          | 95.0%         | 93.9%          | 92.2%                          | 90.9%                             |



**Table 9.** Compiled data from the total seed lipid profiles from independent transgenic seed shown in Table 5. Calculations do not include the ‘minor fatty acids’ in Table 7.

| Parameter                      | GA7-Col_7.2 | GA7-Col_34.2 | GA7-Col_10.13 | GA7-Col_22.2 | GA7-Col_14.19 | GA7-FAD2-25.10 | GA7-FAD2-21.2 | GA7-FAD2-18.14 | T <sub>4</sub> Col_22.2 (mean±SD) | T <sub>4</sub> Col_22.2 best line |
|--------------------------------|-------------|--------------|---------------|--------------|---------------|----------------|---------------|----------------|-----------------------------------|-----------------------------------|
| total w3 (% of total FA)       | 50.0        | 48.9         | 51.6          | 55.8         | 38.6          | 47.1           | 49.4          | 44.8           | 54.0                              | 55.9                              |
| total w6 (% of total FA)       | 8.7         | 9.1          | 8.3           | 6.7          | 16.3          | 6.7            | 10.7          | 6.3            | 6.7                               | 5.7                               |
| w3 / w6 ratio                  | 5.75        | 5.37         | 6.22          | 8.33         | 2.37          | 7.03           | 4.62          | 7.11           | 8.06                              | 9.81                              |
| w6 / w3 ratio                  | 0.17        | 0.19         | 0.16          | 0.12         | 0.42          | 0.14           | 0.22          | 0.14           | 0.12                              | 0.10                              |
| total novel w3 (% of total FA) | 16.3        | 15.2         | 15.5          | 24.3         | 12.5          | 18.8           | 20.5          | 14.0           | 23.0                              | 26.4                              |
| total novel w6 (% of total FA) | 1.2         | 1.2          | 0.9           | 1.1          | 1.5           | 0.9            | 1.8           | 0.7            | 1.4                               | 1.4                               |
| novel w3 / w6 ratio            | 13.58       | 12.67        | 17.22         | 22.09        | 8.33          | 20.89          | 11.39         | 20.00          | 16.43                             | 18.86                             |
| novel w6 / w3 ratio            | 0.07        | 0.08         | 0.06          | 0.05         | 0.12          | 0.05           | 0.09          | 0.05           | 0.06                              | 0.05                              |
| OA to EPA efficiency           | 14.1%       | 13.3%        | 13.4%         | 21.8%        | 10.2%         | 15.0%          | 16.8%         | 11.2%          | 20.4%                             | 24.5%                             |
| OA to DHA efficiency           | 12.0%       | 11.4%        | 11.8%         | 18.0%        | 8.6%          | 12.6%          | 14.8%         | 9.6%           | 17.1%                             | 20.1%                             |
| LA to EPA efficiency           | 18.9%       | 18.4%        | 17.9%         | 26.9%        | 14.2%         | 22.9%          | 21.8%         | 18.0%          | 26.2%                             | 29.9%                             |
| LA to DHA efficiency           | 16.2%       | 15.9%        | 15.7%         | 22.2%        | 12.0%         | 19.1%          | 19.1%         | 15.5%          | 21.9%                             | 24.5%                             |
| ALA to EPA efficiency          | 22.2%       | 21.9%        | 20.7%         | 30.1%        | 20.2%         | 26.1%          | 26.5%         | 20.5%          | 29.4%                             | 32.9%                             |
| ALA to DHA efficiency          | 19.0%       | 18.8%        | 18.2%         | 24.9%        | 17.1%         | 21.9%          | 23.3%         | 17.6%          | 24.6%                             | 27.0%                             |
| total saturates                | 16.0        | 14.7         | 15.4          | 16.0         | 16.2          | 13.4           | 16.5          | 12.9           | 16.0                              | 17.8                              |
| total monounsaturates          | 23.7        | 25.8         | 23.4          | 19.2         | 26.5          | 30.9           | 21.3          | 34.3           | 21.1                              | 18.1                              |
| total polyunsaturates          | 58.7        | 58.0         | 59.9          | 62.5         | 54.9          | 53.8           | 60.1          | 51.1           | 60.7                              | 61.6                              |
| total C20                      | 19          | 19.8         | 16.8          | 15.9         | 19.1          | 21.5           | 18.2          | 23.3           | 18                                | 16.6                              |
| total C22                      | 11.4        | 11           | 10.8          | 15.5         | 8.6           | 12.1           | 13.2          | 9.9            | 15.4                              | 17.5                              |
| C20/C22 ratio                  | 1.67        | 1.80         | 1.56          | 1.03         | 2.22          | 1.78           | 1.38          | 2.35           | 1.17                              | 0.95                              |

**[0302]** T<sub>3</sub> seeds from the pJP3416-GA7 line 22.2 in the Columbia background, which were progeny from T<sub>2</sub> line 22, were sown directly to soil and the fatty acid composition of mature seed from the resultant T<sub>3</sub> plants analysed by GC.

The average DHA level of these seeds was  $13.3\% \pm 1.6$  ( $n=10$ ) as a percentage of total fatty acids in the seed lipid. As shown in Table 6 (right hand column), the line with the highest level of DHA contained 15.1% DHA in the total fatty acids of the seed lipid. The enzymatic conversion efficiencies are shown in Table 8 for each step in the production of DHA from oleic acid.

[0303] The total  $\omega 6$  FA (including LA) to  $\omega 3$  FA (including ALA) ratio in the line with the highest DHA level was 0.102. The new  $\omega 6$  FA (excluding LA) to new  $\omega 3$  FA (excluding ALA) ratio in the line with the highest DHA level was 0.053. The level of total saturated fatty acids was about 17.8% and the level of monounsaturated fatty acids was about 18.1%. The level of total  $\omega 6$ -fatty acids was about 5.7% and the level of  $\omega 3$ -fatty acids was about 55.9%. Overall conversion efficiencies were calculated to be: OA to EPA = 24.5%, OA to DHA = 20.1%, LA to EPA = 29.9%, LA to DHA = 24.5%, ALA to EPA = 32.9%, ALA to DHA = 27.0%. Total omega-3 fatty acids were found to accumulate to 55.9% of total fatty acids whereas omega-6 fatty acids were 5.7% of the total profile.

[0304] Southern blot hybridisation analysis was performed. The results showed that the high-accumulating DHA lines were either single- or double-copy for the T-DNA from the pJP3416-GA7 construct with the exception of transgenic line Columbia#22, which had three T-DNA insertions in the genome of the *Arabidopsis* plant. The T5 generation seed was also analysed and found to have up to 13.6% DHA in the total seed lipids. The GA7 construct was found to be stable across multiple generations in terms of DHA production capability.

#### Determination of oil content in transgenic *A. thaliana* DHA lines

[0305] The oil content of transgenic *A. thaliana* seeds with various levels of DHA was determined by GC as described in Example 1. The data are shown in Figure 6, graphing the oil content (% oil by weight of seed) against the DHA content (as a percentage of total fatty acids). Up to 26.5 mg of DHA per gram of seed was observed (Table 10). The oil content of the transgenic *Arabidopsis* seeds was found to be negatively correlated with DHA content. The amount of DHA per weight of seed was greater in the transformed seeds with a DHA level of about 9% relative to the seeds with about 14% DHA. Whether this would be true for seeds other than *Arabidopsis* has not been determined.

**Table 10.** Proportion and amount of DHA in GA7-transformed *Arabidopsis* seeds.

|                 | DHA content (% of TFA) | Oil content (% oil per g seeds) | DHA content per weight (mg/g seed) |
|-----------------|------------------------|---------------------------------|------------------------------------|
| GA7/col 22.2-1  | 14.2                   | 14.89                           | 20.2                               |
| GA7/col 22.2-2  | 14.3                   | 15.02                           | 20.5                               |
| GA7/col 22.2-3  | 14.0                   | 15.92                           | 21.2                               |
| GA7/col 10.15-1 | 8.7                    | 30.23                           | 25.06                              |
| GA7/col 10.15-2 | 8.6                    | 31.25                           | 25.77                              |
| GA7/col 10.15-3 | 8.8                    | 31.70                           | 26.49                              |

#### Example 3. Stable Expression of a Transgenic DHA Pathway in *Camelina sativa* Seeds

[0306] The binary vector pJP3416-GA7 as described above was introduced into *A. tumefaciens* strain AGL1 and cells from a culture of the transformed *Agrobacterium* used to treat *C. sativa* flowering plants using a floral dip method for transformation (Lu and Kang, 2008). After growth and maturation of the plants, the T<sub>1</sub> seeds from the treated plants were harvested, sown onto soil and the resultant plants treated by spraying with the herbicide BASTA to select for plants which were transgenic for, and expressing, the *bar* selectable marker gene present on the T-DNA of pJP3416-GA7. Surviving T<sub>1</sub> plants which were tolerant to the herbicide were grown to maturity after allowing them to self-fertilise, and the resultant T<sub>2</sub> seed harvested. Five transgenic plants were obtained, only three of which contained the entire T-DNA.

[0307] Lipid was extracted from a pool of approximately twenty seeds from each of the three plants that contained the entire T-DNA. Two of the pooled samples contained very low, barely detectable levels of DHA, but the third pool contained about 4.7% DHA (Table 12). Therefore, lipid was extracted from 10 individual T<sub>2</sub> seeds from this plant and the fatty acid composition analysed by GC. The fatty acid composition data of the individual seeds for this transformed line is also shown in Table 11. Compiled data from the total seed lipid profiles (Table 11) are shown in Table 12.

# EP 3 266 316 A1

**Table 11.** Fatty acid composition of total seed lipids from transgenic T<sub>2</sub> *Camelina sativa* seeds transformed with the T-DNA from pJP3416-GA7. The fatty acid composition is shown for a pooled seed batch (FD5.46) and for 10 single seeds ranked (left to right) from highest to lowest DHA.

| Fatty acid    | FD5.46 pooled | #2   | #4   | #8   | #7   | #9   | #1   | #3   | #5   | #6   | #10  |
|---------------|---------------|------|------|------|------|------|------|------|------|------|------|
| 14:0          | 0             | 0.2  | 0.2  | 0.1  | 0.2  | 0.2  | 0.2  | 0.2  | 0.1  | 0.2  | 0.2  |
| 16:0          | 11.6          | 12.1 | 12.3 | 12.1 | 13.2 | 12.3 | 12.8 | 11.9 | 11.4 | 11.5 | 11.7 |
| 16:1          | 0.2           | 0.0  | 0.1  | 0.1  | 0.0  | 0.2  | 0.0  | 0.2  | 0.2  | 0.2  | 0.2  |
| 16:3          | 0.3           | 0    | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  |
| 18:0          | 3.7           | 3.3  | 3.2  | 3.2  | 3.0  | 3.1  | 3.2  | 3.3  | 3.1  | 3.2  | 3.2  |
| 18:1          | 10.8          | 8.0  | 8.0  | 8.6  | 8.5  | 9.4  | 11.0 | 10.2 | 8.3  | 9.4  | 8.6  |
| 18:1d11       | 1.7           | 1.3  | 1.4  | 1.4  | 1.7  | 1.4  | 1.5  | 1.3  | 1.3  | 1.3  | 1.3  |
| 18:2          | 24.7          | 18.2 | 19.5 | 19.2 | 18.5 | 20.1 | 23.8 | 32.2 | 30.3 | 29.8 | 31.6 |
| 18:3ω3        | 27.4          | 26.7 | 26.6 | 27.3 | 28.9 | 28.2 | 27.4 | 28.3 | 29.2 | 29.5 | 28.2 |
| 18:3ω6        | 0.2           | 1.4  | 0.3  | 0.3  | 0.4  | 0.2  | 0.5  | 0.0  | 0.5  | 0.4  | 0.6  |
| 20:0          | 1.6           | 1.4  | 1.3  | 1.4  | 1.2  | 1.4  | 1.4  | 1.8  | 2.1  | 1.9  | 2.0  |
| 18:4ω3        | 2.2           | 6.8  | 6.4  | 5.7  | 7.2  | 5.7  | 4.1  | 0.0  | 0.0  | 0.0  | 0.0  |
| 20:1d11       | 5.3           | 4.4  | 4.6  | 4.8  | 3.3  | 4.1  | 3.5  | 4.4  | 6.1  | 5.8  | 5.5  |
| 20:1iso       | 0.4           | 0.3  | 0.3  | 0.3  | 0.3  | 0.3  | 0.0  | 0.5  | 0.6  | 0.5  | 0.5  |
| 20:2ω6        | 0.8           | 0.8  | 0.9  | 0.8  | 0.6  | 0.8  | 0.7  | 1.3  | 1.5  | 1.4  | 1.4  |
| 20:3ω3        | 0.6           | 0.8  | 0.8  | 0.8  | 0.7  | 0.8  | 0.7  | 0.6  | 0.7  | 0.7  | 0.6  |
| 22:0          | 0.4           | 0.5  | 0.5  | 0.5  | 0.4  | 0.5  | 0.5  | 0.6  | 0.6  | 0.6  | 0.6  |
| 20:4ω3        | 0.2           | 0.3  | 0.3  | 0.3  | 0.4  | 0.4  | 0.5  | 0.0  | 0.0  | 0.0  | 0.0  |
| 22:1          | 1.1           | 1.1  | 1.2  | 1.1  | 0.5  | 0.9  | 0.8  | 1.6  | 2.2  | 1.9  | 2.0  |
| 20:5ω3        | 0.7           | 1.3  | 1.6  | 1.5  | 1.6  | 1.1  | 1.7  | 0.0  | 0.0  | 0.0  | 0.1  |
| 22:2ω6        | 0.1           | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.0  | 0.2  | 0.3  | 0.2  | 0.2  |
| 22:4ω6+22:3ω3 | 0.3           | 0.2  | 0.3  | 0.3  | 0.0  | 0.3  | 0.0  | 0.4  | 0.6  | 0.5  | 0.5  |
| 24:0          | 0.3           | 0.3  | 0.3  | 0.3  | 0.0  | 0.3  | 0.0  | 0.4  | 0.4  | 0.4  | 0.4  |
| 24:1          | 0.3           | 0.4  | 0.4  | 0.3  | 0.0  | 0.3  | 0.0  | 0.5  | 0.6  | 0.5  | 0.5  |
| 22:5ω3        | 0.3           | 1.1  | 1.2  | 1.1  | 1.1  | 0.9  | 0.8  | 0.0  | 0.0  | 0.0  | 0.0  |
| 22:6ω3        | 4.7           | 9.0  | 8.5  | 8.3  | 8.3  | 7.1  | 4.9  | 0.0  | 0.0  | 0.0  | 0.0  |

**Table 12.** Compiled data from the total seed lipid profiles from transgenic seed shown in Table 11. Calculations do not include the 'minor fatty acids' in Table 11.

| Parameter                      | FD5.46 pooled | #2    | #4    | #8    | #7    | #9    | #1    | #3    | #5    | #6    | #10   |
|--------------------------------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| total w3 (% of total FA)       | 36.1          | 46    | 45.4  | 45    | 48.2  | 44.2  | 40.1  | 28.9  | 29.9  | 30.2  | 28.9  |
| total w6 (% of total FA)       | 25.8          | 20.4  | 20.7  | 20.3  | 19.5  | 21.1  | 25    | 33.7  | 32.6  | 31.8  | 33.8  |
| w3 / w6 ratio                  | 1.40          | 2.25  | 2.19  | 2.22  | 2.47  | 2.09  | 1.60  | 0.86  | 0.92  | 0.95  | 0.86  |
| w6 / w3 ratio                  | 0.71          | 0.44  | 0.46  | 0.45  | 0.40  | 0.48  | 0.62  | 1.17  | 1.09  | 1.05  | 1.17  |
| total novel w3 (% of total FA) | 8.1           | 18.5  | 18    | 16.9  | 18.6  | 15.2  | 12    | 0     | 0     | 0     | 0.1   |
| total novel w6 (% of total FA) | 1.1           | 2.2   | 1.2   | 1.1   | 1     | 1     | 1.2   | 1.5   | 2.3   | 2     | 2.2   |
| novel w3 / w6 ratio            | 7.36          | 8.41  | 15.00 | 15.36 | 18.60 | 15.20 | 10.00 |       |       |       | 0.05  |
| novel w6 / w3 ratio            | 0.14          | 0.12  | 0.07  | 0.07  | 0.05  | 0.07  | 0.10  |       |       |       | 22.00 |
| OA to EPA efficiency           | 8.2%          | 15.6% | 15.5% | 15.1% | 15.1% | 12.8% | 10.5% | 0.0%  | 0.0%  | 0.0%  | 0.1%  |
| OA to DHA efficiency           | 6.7%          | 12.3% | 11.6% | 11.5% | 11.4% | 10.0% | 7.0%  | 0.0%  | 0.0%  | 0.0%  | 0.0%  |
| LA to EPA efficiency           | 9.2%          | 17.2% | 17.1% | 16.7% | 16.2% | 13.9% | 11.4% | 0.0%  | 0.0%  | 0.0%  | 0.2%  |
| LA to DHA efficiency           | 7.6%          | 13.6% | 12.9% | 12.7% | 12.3% | 10.9% | 7.5%  | 0.0%  | 0.0%  | 0.0%  | 0.0%  |
| ALA to EPA efficiency          | 15.8%         | 24.8% | 24.9% | 24.2% | 22.8% | 20.6% | 18.5% | 0.0%  | 0.0%  | 0.0%  | 0.3%  |
| ALA to DHA efficiency          | 13.0%         | 19.6% | 18.7% | 18.4% | 17.2% | 16.1% | 12.2% | 0.0%  | 0.0%  | 0.0%  | 0.0%  |
| total saturates                | 17.6          | 17.8  | 17.8  | 17.6  | 18    | 17.8  | 18.1  | 18.2  | 17.7  | 17.8  | 18.1  |
| total monounsaturates          | 19.8          | 15.5  | 16    | 16.6  | 14.3  | 16.6  | 16.8  | 18.7  | 19.3  | 19.6  | 18.6  |
| total polyunsaturates          | 62.5          | 66.6  | 66.4  | 65.6  | 67.7  | 65.6  | 65.1  | 63    | 63.1  | 62.5  | 63.2  |
| total C20                      | 9.6           | 9.3   | 9.8   | 9.9   | 8.1   | 8.9   | 8.5   | 8.6   | 11    | 10.3  | 10.1  |
| total C22                      | 5.4           | 10.3  | 10    | 9.7   | 9.4   | 8.3   | 5.7   | 0.6   | 0.9   | 0.7   | 0.7   |
| C20/C22 ratio                  | 1.78          | 0.90  | 0.98  | 1.02  | 0.86  | 1.07  | 1.49  | 14.33 | 12.22 | 14.71 | 14.43 |

[0308] DHA was present in six of the 10 individual seeds. The four other seeds did not have DHA and were presumed to be null segregants which did not have the T-DNA, based on hemizygosity of the T-DNA insertion in the parental plant. Extracted lipid from the single seed with the highest level of DHA had 9.0% DHA while the sum of the percentages for EPA, DPA and DHA was 11.4%. The sum of the percentages for the new  $\omega$ 3 fatty acids produced in this seed as a result of the transformation (SDA, ETrA, ETA, EPA, DPA, DHA) was 19.3% whilst the corresponding sum for the new  $\omega$ 6 fatty acids (GLA, EDA, DGLA, ARA and any  $\omega$ 6 elongation products) was 2.2% - only GLA and EDA were detected as new  $\omega$ 6 fatty acids. The total  $\omega$ 6 FA (including LA) to  $\omega$ 3 FA (including ALA) ratio was found to be 0.44. The new  $\omega$ 6 FA (excluding LA) to new  $\omega$ 3 FA (excluding ALA) ratio in the seed with the highest DHA level was 0.12. The level of total saturated fatty acids was about 17.8% and the level of monounsaturated fatty acids was about 15.5%. The level of total  $\omega$ 6-fatty acids was about 20.4% and the level of  $\omega$ 3-fatty acids was about 46%. Overall conversion efficiencies were calculated to be: OA to EPA = 15.6%, OA to DHA = 12.3%, LA to EPA = 17.2%, LA to DHA = 13.6%, ALA to EPA = 24.8%, ALA to DHA = 19.6%.

[0309] Homozygous seed from this line was obtained in the T4 generation. Up to 10.3% DHA was produced in event FD5-46-18-110 with an average of 7.3% DHA observed across the entire T4 generation.

[0310] Homozygous seed was planted out across several glasshouses to generate a total of over 600 individual plants. Oil is being extracted from the seed using a variety of methods including soxhlet, acetone and hexane extractions.

[0311] Since the number of independently transformed lines of *C. sativa* obtained as described above was low, further experiments to transform *C. sativa* with pJP3416-GA7 are performed. The inventors predict that DHA levels of greater than 10% as a percentage of total fatty acids in seed oil will be achieved in further transformed lines, and plants which are homozygous for the T-DNA to 20% DHA. Twenty *C. sativa* GA7\_modH events were generated and seed is being analysed for DHA content. Three GA7\_modB events were generated and analysis of the T1 seed from event CMD17.1 revealed a pooled seed DHA content of 9.8%. The highest single seed DHA value was found to be 13.5%.

#### **Example 4. Stable Expression of Transgenic DHA Pathways in *Brassica napus* Seeds**

##### *B. napus* transformation and analysis of fatty acid composition using single vector

[0312] The binary vector pJP3416-GA7 was used to generate transformed *Brassica napus* plants and seeds from the plants. The vector pJP3416-GA7 as described above was introduced into *Agrobacterium tumefaciens* strain AGL1 via standard electroporation procedures. Cultures of the transgenic *Agrobacterium* cells were grown overnight at 28°C in LB medium with agitation at 150 rpm. The bacterial cells were collected by centrifugation at 4000 rpm for 5 minutes, washed with Winans AB medium (Winans, 1988) and re-suspended in 10 mL of Winans AB medium (pH 5.2) and growth continued overnight in the presence of kanamycin (50 mg/L), rifampicin (25 mg/L) and 100  $\mu$ M acetosyringone. Two hours before infection of the *Brassica* cells, spermidine (120 mg/L) was added and the final density of the bacteria adjusted to an OD 600nm of 0.3-0.4 with fresh AB media. Freshly isolated cotyledonary petioles from 8-day old *Brassica napus* seedlings grown on 1/2 MS (Murashige and Skoog, 1962) or hypocotyl segments preconditioned by 3-4 days on MS media with 1 mg/L thidiazuron (TDZ) and 0.1 mg/L  $\alpha$ -naphthaleneacetic acid (NAA) were infected with 10 mL *Agrobacterium* cultures for 5 minutes. The explants infected with *Agrobacterium* were then blotted on sterile filter paper to remove the excess *Agrobacterium* and transferred to co-cultivation media (MS media with 1 mg/L TDZ, 0.1 mg/L NAA and 100  $\mu$ M acetosyringone) supplemented with or without different antioxidants (L-cysteine 50 mg/L and ascorbic 15 mg/L). All the plates were sealed with parafilm and incubated in the dark at 23-24°C for 48 hrs.

[0313] The treated explants were then washed with sterile distilled water containing 500 mg/L cefotaxime and 50 mg/L timentin for 10 minutes, rinsed in sterile distilled water for 10 minutes, blotted dry on sterile filter paper, transferred to pre-selection media (MS containing 1 mg/L TDZ, 0.1 mg/L NAA, 20 mg/L adenine sulphate (ADS), 1.5 mg/L AgNO<sub>3</sub>, 250 mg/L cefotaxime and 50 mg/L timentin) and cultured for five days at 24°C with a 16h/8h photoperiod. They were then transferred to selection media (MS containing 1 mg/L TDZ, 0.1 mg/L NAA, 20 mg/L ADS, 1.5 mg/L AgNO<sub>3</sub>, 250 mg/L cefotaxime and 50 mg/L timentin) with 1.5 mg/L glufosinate ammonium as the agent for selection of transformed cells, and cultured for 4 weeks at 24°C with 16h/8h photoperiod with a biweekly subculture on to the same media. Explants with green callus were transferred to shoot initiation media (MS containing 1 mg/L kinetin, 20 mg/L ADS, 1.5 mg/L AgNO<sub>3</sub>, 250 mg/L cefotaxime, 50 mg/L timentin and 1.5 mg/L glufosinate ammonium) and cultured for another 2-3 weeks. Shoots emerging from the resistant explants were transferred to shoot elongation media (MS media with 0.1 mg/L gibberelic acid, 20 mg/L ADS, 1.5 mg/L AgNO<sub>3</sub>, 250 mg/L cefotaxime and 1.5 mg/L glufosinate ammonium) and cultured for another two weeks. Healthy shoots 2-3 cm long were selected and transferred to rooting media (1/2 MS containing 1 mg/L NAA, 20 mg/L ADS, 1.5 mg/L AgNO<sub>3</sub> and 250 mg/L cefotaxime) and cultured for 2-3 weeks. Well established shoots with roots were transferred to pots containing seedling raising mix and grown in a growth cabinet for two weeks and subsequently transferred to a glasshouse. Approximately 40 (To) plants transformed with the GA7 construct were obtained by this method.

[0314] Plants were grown to maturity after being allowed to self-fertilise. Seeds obtained from transformed plants were

analysed for fatty acid composition in their seedoil as described in Example 1. Data for a transformed line with the highest DHA level are shown in Table 13. DHA levels on average were significantly lower in the seedoil of the *B. napus* seeds transformed with the T-DNA from pJP3416-GA7 than in *A. thaliana* seeds (Example 2) or *Camelina* seeds (Example 3) transformed with the same construct. The highest level of DHA in approximately 40 lines was found to be 1.52% with the majority of the transgenic lines having detectable DHA. It was noted that there was a substantial accumulation of ALA, about 35% of the total fatty acids, in these seeds which was not being converted efficiently to SDA or following products in the pathway.

**[0315]** Fatty acid profile analysis of single *B. napus* seeds from a T<sub>1</sub> event, CT125-2, was performed to better determine the amount of DHA produced in transgenic seeds. Seeds were found to contain between 0% (null seeds) and 8.5% DHA (Table 13).

**[0316]** Some of the seeds from the plant line CT116 as well as other transgenic lines showing DHA production were sown to produce progeny plants. RT-PCR was performed on total RNA isolated from developing embryos from these plants in order to determine why the GA7 construct performed poorly for DHA production relative to transgenic *A. thaliana* and *C. sativa* having the same construct, and poorly relative to the combination of the genes on pJP3115 and pJP3116 (below). RT-PCR was performed on total RNA using a one-step RT-PCR kit (Invitrogen) and gene-specific primers targeting each transgene. This confirmed that each of the genes in the GA7 construct was expressed well in the *B. napus* transformants except for the  $\Delta 6$ -desaturase which was poorly expressed in the majority of transformed seeds. The other genes from this construct functioned well in both *B. napus* and *A. thaliana* seeds, for example the  $\Delta 12$ - and  $\Delta 15$ -desaturases which functioned to produce increased levels of LA and ALA in the seeds whilst decreasing oleic acid levels. A representative RT-PCR gel is shown in Figure 7 which clearly shows the low expression of the  $\Delta 6$ -desaturase relative to the other transgenes from pJP3416-GA7.

**[0317]** Transgenic plants and seed which are homozygous for the transgenes are generated by planting out progeny from the lines with the highest DHA.

**Table 13.** Fatty acid composition as a percentage of total fatty acids in seedoil from independent T<sub>1</sub> *Brassica napus* seed transformed with pJP3416-GA7, lines CT116-11 and CT-125-2 compared to wild-type (untransformed) control. 22:6 $\omega$ 3 is DHA. Data from single CT125-2 *B. napus* seeds is denoted by 'SS'.

|                 | Control | CT116-11 | CT125-2 | CT125-2 #2 SS | CT125-2 #3 SS | CT125-2 #10 SS |
|-----------------|---------|----------|---------|---------------|---------------|----------------|
| 14:0            | 0.1     | 0.2      | 0.1     | 0.1           | 0.1           | 0.1            |
| 16:0            | 4.3     | 7.2      | 5.2     | 6.5           | 4.7           | 7.7            |
| 16:1            | 0.2     | 0.5      | 0.4     | 0.3           | 0.3           | 0.8            |
| 16:3            | 0.2     | 0.2      | 0.2     | 0.1           | 0.2           | 0.2            |
| 18:0            | 2.1     | 2.2      | 2.4     | 2.3           | 2.3           | 2.8            |
| 18:1d9          | 59.1    | 27.0     | 38.1    | 34.0          | 19.3          | 14.8           |
| 18:1d11         | 3.7     | 6.6      | 4.2     | 4.4           | 4.3           | 9.6            |
| 18:2            | 19.7    | 14.1     | 16.6    | 13.9          | 10.2          | 10.2           |
| 18:3 $\omega$ 3 | 8.3     | 35.2     | 27.7    | 34.1          | 49.5          | 37.9           |
| 20:0            | 0.6     | 0.5      | 0.6     | 0.4           | 0.3           | 0.7            |
| 18:4 $\omega$ 3 | 0.0     | 0.9      | 0.3     | 0.5           | 0.6           | 2.6            |
| 20:1d11         | 1.2     | 1.1      | 1.0     | 1.0           | 0.8           | 0.6            |
| 20:1is0         |         | 0.2      |         | 0.1           |               | 0.2            |
| 20:2 $\omega$ 6 | 0.1     | 0.1      | 0.1     | 0.1           | 0.1           | 0.1            |
| 20:3 $\omega$ 3 |         | 1.3      | 0.7     | 0.8           | 1.6           | 0.9            |
| 22:0            | 0.3     | 0.4      | 0.3     | 0.1           | 0.1           | 0.4            |
| 20:4 $\omega$ 3 |         | 0.1      | 0.3     | 0.4           | 0.6           | 0.5            |
| 22:1            |         |          |         |               |               |                |
| 20:5 $\omega$ 3 |         |          |         |               | 0.1           | 0.3            |

(continued)

|                                 | Control | CT116-11    | CT125-2    | CT125-2 #2 SS | CT125-2 #3 SS | CT125-2 #10 SS |
|---------------------------------|---------|-------------|------------|---------------|---------------|----------------|
| 22:3 $\omega$ 3                 |         |             |            |               | 0.1           |                |
| 24:0                            | 0.2     | 0.4         | 0.3        | 0.1           | 0.1           | 0.3            |
| 24:1                            | 0.1     | 0.3         | 0.1        | 0.1           | 0.2           | 0.1            |
| 22:5 $\omega$ 3                 |         | 0.1         | 0.1        | 0.1           | 0.1           | 0.5            |
| <b>22:6<math>\omega</math>3</b> |         | <b>1.52</b> | <b>1.2</b> | <b>1.3</b>    | <b>2.7</b>    | <b>8.5</b>     |

*B. napus* transformation and analysis of fatty acid composition using two vectors

**[0318]** In another experiment in *B. napus* and as an alternative format for introducing the transgenes, the binary vectors pJP3115 and pJP3116 as described in WO 2010/057246 were used to separately generate transformed *B. napus* plants and transformed seeds were obtained from the plants. The T-DNA on pJP3115 comprised chimeric genes encoding the *Crepis palestina*  $\Delta$ 12-desaturase, *Micromonas pusilla*  $\Delta$ 6-desaturase, *Pyramimonas cordata*  $\Delta$ 6-elongase and *Pavlova salina*  $\Delta$ 5-desaturase and the T-DNA on pJP3116 contained chimeric genes encoding *Perilla frutescens*  $\Delta$ 15-desaturase, *Pyramimonas cordata*  $\Delta$ 5-elongase and *Pavlova salina*  $\Delta$ 4-desaturase. The two T-DNAs, when present together and expressed in developing seeds, formed a 7-gene pathway for producing DHA from endogenously produced oleic acid. These vectors were introduced into *Agrobacterium tumefaciens* strain AGL1 via standard electroporation procedures and the transformed cells used independently to transform *B. napus* using the method as described above to generate stably transformed T<sub>0</sub> plants. 29 pJP3115 and 19 pJP3116 transformants were obtained and these plants were grown to maturity and seeds obtained after self-fertilisation were analysed for fatty acid composition in their seedoil. Transformation with the T-DNA from pJP3115 was expected to result in EPA production from endogenously produced ALA whilst transformation with the T-DNA from pJP3116 was expected to result in increased ALA production from LA. Several plants were identified which displayed these phenotypes. The majority of events displayed a decreased OA/increased LA phenotype due to  $\Delta$ 12 desaturation with a low level of EPA production. Up to 2.6% EPA was observed in pJP3115 transgenic pooled seed. Similarly, the majority of pJP3116 events were found to have an elevated ALA phenotype due to  $\Delta$ 15-desaturase activity. Up to 18.5% ALA was found in pooled seed transformed with the T-DNA from pJP3116.

**[0319]** T<sub>1</sub> plants from the lines with the highest levels of EPA and ALA were crossed and the progeny seed (F<sub>1</sub>) from 24 recovered events analysed for DHA content. DHA was found in 17 of these events with up to 1.9% DHA found in pooled seed from these events. Single-seed analysis was performed to determine the range of DHA production - the data are shown in Table 14. A large range of DHA levels were observed in the crossed progeny, probably due to the hemizygous nature of the T-DNAs in the parental plants, so that some seeds did not receive both T-DNAs. Up to 6.7% DHA was observed in total seed lipid.

**Table 14.** Fatty acid composition as a percentage of total fatty acids in seedoil from *B. napus* F1 single seeds that were from a cross of plants transgenic for the T-DNA from pJP3115 with plants transgenic for the T-DNA from pJP3116. B1, B2 and B4 designate events. 0.0 = not detectable by the GC method.

|               | B1.1       | B1.2       | B1.3       | B1.4-g     | B1.5-g     | B2.1       | B2.2       | B2.3g      | B2.4g      | B2.5g      | B3.1       | B3.2       |
|---------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 14:0          | 0.1        | 0.1        | 0.1        | 0.2        | 0.2        | 0.1        | 0.1        | 0.2        | 0.2        | 0.1        | 0.1        | 0.1        |
| 16:0          | 6.6        | 6.4        | 4.5        | 12.3       | 7.9        | 5.1        | 5.0        | 10.1       | 8.5        | 6.8        | 5.3        | 7.2        |
| 16:1          | 0.4        | 0.5        | 0.2        | 1.0        | 0.6        | 0.4        | 0.4        | 0.6        | 1.1        | 0.5        | 0.5        | 0.6        |
| 16:3          | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.2        | 0.1        | 0.1        | 0.2        |
| 18:0          | 2.3        | 2.6        | 2.2        | 1.6        | 2.9        | 2.9        | 3.4        | 2.2        | 1.8        | 2.9        | 3.4        | 2.4        |
| 18:1          | 34.1       | 39.3       | 46.9       | 14.9       | 20.7       | 41.6       | 46.3       | 14.4       | 23.4       | 38.3       | 43.6       | 32.0       |
| 18:1d11       | 4.6        | 5.8        | 2.7        | 6.8        | 6.2        | 3.8        | 4.9        | 5.9        | 8.7        | 4.5        | 5.5        | 5.1        |
| 18:2          | 33.6       | 30.7       | 30.4       | 29.2       | 34.4       | 31.7       | 27.7       | 33.2       | 23.9       | 33.3       | 27.9       | 33.4       |
| 18:3ω6        | 0.2        | 0.3        | 0.1        | 0.4        | 0.4        | 0.2        | 0.2        | 0.7        | 0.1        | 0.2        | 0.2        | 0.3        |
| 18:3ω3        | 10.3       | 7.1        | 7.7        | 18.7       | 14.9       | 8.2        | 5.9        | 14.8       | 28.1       | 6.3        | 7.3        | 10.0       |
| 20:0          | 0.6        | 0.7        | 0.6        | 0.5        | 0.7        | 0.8        | 0.9        | 0.6        | 0.4        | 0.7        | 0.9        | 0.7        |
| 18:4ω3        | 0.2        | 0.1        | 0.1        | 0.8        | 0.5        | 0.2        | 0.2        | 0.8        | 0.0        | 0.2        | 0.2        | 0.2        |
| 20:1d11       | 1.0        | 1.1        | 1.1        | 0.7        | 0.8        | 1.1        | 1.1        | 0.5        | 0.9        | 1.1        | 1.1        | 0.9        |
| 20:1iso       | 0.1        | 0.1        | 0.0        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.3        | 0.1        | 0.1        | 0.1        |
| 20:2ω6        | 0.4        | 0.3        | 0.2        | 0.5        | 0.5        | 0.4        | 0.3        | 0.4        | 0.5        | 0.5        | 0.3        | 0.5        |
| 20:3ω6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| 20:4ω6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.1        | 0.0        | 0.0        | 0.0        | 0.0        |
| 20:3ω3        | 1.8        | 1.6        | 1.1        | 2.8        | 2.1        | 1.1        | 1.0        | 2.7        | 0.7        | 1.4        | 0.9        | 1.6        |
| 22:0          | 0.3        | 0.4        | 0.3        | 0.3        | 0.4        | 0.4        | 0.5        | 0.3        | 0.3        | 0.4        | 0.5        | 0.4        |
| 20:4ω3        | 0.3        | 0.2        | 0.2        | 0.4        | 0.4        | 0.1        | 0.1        | 0.5        | 0.0        | 0.2        | 0.1        | 0.2        |
| 22:1          | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| 20:5ω3        | 0.0        | 0.0        | 0.0        | 0.1        | 0.1        | 0.0        | 0.0        | 0.2        | 0.0        | 0.0        | 0.0        | 0.0        |
| 22:2ω6        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| 22:4ω6        | 0.1        | 0.2        | 0.1        | 0.2        | 0.2        | 0.1        | 0.1        | 0.4        | 0.2        | 0.2        | 0.1        | 0.2        |
| 24:0          | 0.3        | 0.4        | 0.2        | 0.2        | 0.3        | 0.3        | 0.3        | 0.3        | 0.4        | 0.4        | 0.4        | 0.3        |
| 22:5ω6        | 0.1        | 0.2        | 0.1        | 0.2        | 0.3        | 0.1        | 0.1        | 0.5        | 0.0        | 0.2        | 0.1        | 0.2        |
| 24:1          | 0.2        | 0.2        | 0.2        | 0.3        | 0.3        | 0.2        | 0.2        | 0.3        | 0.3        | 0.2        | 0.2        | 0.2        |
| 22:5ω3        | 0.7        | 0.7        | 0.3        | 2.1        | 1.6        | 0.3        | 0.4        | 3.2        | 0.0        | 0.5        | 0.4        | 1.2        |
| <b>22:6ω3</b> | <b>1.4</b> | <b>1.0</b> | <b>0.5</b> | <b>5.5</b> | <b>3.9</b> | <b>0.8</b> | <b>0.7</b> | <b>6.7</b> | <b>0.0</b> | <b>1.1</b> | <b>0.8</b> | <b>2.0</b> |



**Table 15.** Compiled data from the total seed lipid profiles from transgenic seed shown in Table 14. Calculations do not include the ‘minor fatty acids’ in Table 14.

| Parameter                      | B1.1  | B1.2  | B1.3  | B1.4 <sup>g</sup> | B1.5 <sup>g</sup> | B2.1  | B2.2  | B2.3 <sup>g</sup> | B2.4 <sup>g</sup> | B2.5 <sup>g</sup> | B3.1  |
|--------------------------------|-------|-------|-------|-------------------|-------------------|-------|-------|-------------------|-------------------|-------------------|-------|
| total w3 (% of total FA)       | 4.6   | 3.9   | 2.3   | 12.1              | 9                 | 2.7   | 2.6   | 14.8              | 0.8               | 3.6               | 2.6   |
| total w6 (% of total FA)       | 44.5  | 38.5  | 38.5  | 48.8              | 50.3              | 40.5  | 34.1  | 49.4              | 52.7              | 40.5              | 35.7  |
| w3 / w6 ratio                  | 0.10  | 0.10  | 0.06  | 0.25              | 0.18              | 0.07  | 0.08  | 0.30              | 0.02              | 0.09              | 0.07  |
| w6 / w3 ratio                  | 9.67  | 9.87  | 16.74 | 4.03              | 5.59              | 15.00 | 13.12 | 3.34              | 65.88             | 11.25             | 13.73 |
| total novel w3 (% of total FA) | 2.6   | 2     | 1.1   | 8.9               | 6.5               | 1.4   | 1.4   | 11.4              | 0                 | 2                 | 1.5   |
| total novel w6 (% of total FA) | 10.5  | 7.5   | 7.9   | 19.1              | 15.4              | 8.4   | 6.1   | 15.8              | 28.3              | 6.7               | 7.5   |
| novel w3 / w6 ratio            | 0.25  | 0.27  | 0.14  | 0.47              | 0.42              | 0.17  | 0.23  | 0.72              | 0.00              | 0.30              | 0.20  |
| novel w6 / w3 ratio            | 4.04  | 3.75  | 7.18  | 2.15              | 2.37              | 6.00  | 4.36  | 1.39              |                   | 3.35              | 5.00  |
| OA to EPA efficiency           | 2.5%  | 2.1%  | 0.9%  | 10.1%             | 6.9%              | 1.3%  | 1.3%  | 12.8%             |                   | 1.9%              | 1.4%  |
| OA to DHA efficiency           | 1.7%  | 1.2%  | 0.6%  | 7.2%              | 4.8%              | 0.9%  | 0.8%  | 8.5%              |                   | 1.3%              | 1.0%  |
| LA to EPA efficiency           | 4.3%  | 4.0%  | 2.0%  | 12.6%             | 9.4%              | 2.5%  | 3.0%  | 15.7%             |                   | 3.6%              | 3.1%  |
| LA to DHA efficiency           | 2.9%  | 2.4%  | 1.2%  | 9.0%              | 6.6%              | 1.9%  | 1.9%  | 10.4%             |                   | 2.5%              | 2.1%  |
| ALA to EPA efficiency          | 47.7% | 44.7% | 36.4% | 68.1%             | 65.9%             | 44.0% | 45.8% | 72.1%             |                   | 47.1%             | 50.0% |
| ALA to DHA efficiency          | 31.8% | 26.3% | 22.7% | 48.7%             | 45.9%             | 32.0% | 29.2% | 47.9%             |                   | 32.4%             | 33.3% |
| total saturates                | 10.2  | 10.6  | 7.9   | 15.1              | 12.4              | 9.6   | 10.2  | 13.7              | 11.6              | 11.3              | 10.6  |
| total monounsaturates          | 40.4  | 47    | 51.1  | 23.8              | 28.7              | 47.2  | 53    | 21.8              | 34.7              | 44.7              | 51    |
| total polyunsaturates          | 49.2  | 42.5  | 40.9  | 61                | 59.4              | 43.3  | 36.8  | 64.3              | 53.7              | 44.2              | 38.4  |
| total C20                      | 4.2   | 4     | 3.2   | 5.1               | 4.7               | 3.6   | 3.5   | 5.1               | 2.8               | 4                 | 3.4   |
| total C22                      | 2.6   | 2.5   | 1.3   | 8.3               | 6.4               | 1.7   | 1.8   | 11.1              | 0.5               | 2.4               | 1.9   |
| C20/C22 ratio                  | 1.62  | 1.60  | 2.46  | 0.61              | 0.73              | 2.12  | 1.94  | 0.46              | 5.60              | 1.67              | 1.79  |

**[0320]** Compiled data from the total lipid profiles (Table 14) are shown in Table 15. From the data in Table 15, the total  $\omega$ 6 FA (including LA) to  $\omega$ 3 FA (including ALA) ratio in the seed with the highest level of DHA was 3.34. The new  $\omega$ 6 FA (excluding LA) to new  $\omega$ 3 FA (excluding ALA) ratio was 1.39. The level of total saturated fatty acids was about 13.7% and the level of monounsaturated fatty acids was about 21.8%. The level of total  $\omega$ 6-fatty acids was about 46.4% and the level of  $\omega$ 3-fatty acids was about 14.8%. Overall conversion efficiencies were calculated to be: OA to EPA = 12.8%, OA to DHA = 8.5%, LA to EPA = 15.7%, LA to DHA = 10.4%, ALA to EPA = 72.1%, ALA to DHA = 47.9%. The reduced efficiency of the  $\omega$ 6 fatty acids to  $\omega$ 3 fatty acids conversion observed in this experiment with the combination of the pJP3115 and pJP3116 was thought to be due to a lower efficiency of the plant  $\Delta$ 15-desaturase compared to the fungal  $\Delta$ 15/ $\omega$ 3 desaturase (Examples 2 and 3) when combined with the genes for conversion of ALA to DHA.

**[0321]** Progeny from DHA-containing lines which are homozygous for all of the introduced transgenes are generated for analysis.

#### **Example 5. Modifications to T-DNAs encoding DHA pathways in plant seeds**

**[0322]** In order to improve the DHA production level in *B. napus* beyond the levels described in Example 4, the binary vectors pJP3416-GA7-modA, pJP3416-GA7-modB, pJP3416-GA7-modC, pJP3416-GA7-modD, pJP3416-GA7-modE and pJP3416-GA7-modF were constructed as follows. These binary vectors were variants of the pJP3416-GA7 construct described in Example 2 and were designed to further increase the synthesis of DHA in plant seeds, particularly by improving  $\Delta$ 6-desaturase and  $\Delta$ 6-elongase functions. SDA had been observed to accumulate in some seed transformed with the GA7 construct due to a relatively low elongation efficiency compared to the  $\Delta$ 5-elongase, so amongst other modifications, the two elongase gene positions were switched in the T-DNA.

**[0323]** The two elongase coding sequences in pJP3416-GA7 were switched in their positions on the T-DNA to yield pJP3416-GA7-modA by first cloning a new *P. cordata*  $\Delta$ 6-elongase cassette between the *Sbf*I sites of pJP3416-GA7 to replace the *P. cordata*  $\Delta$ 5-elongase cassette. This construct was further modified by exchanging the FP1 promoter driving the *M. pusilla*  $\Delta$ 6-desaturase with a conlinin Cnl2 promoter (pLuCnl2) to yield pJP3416-GA7-modB. This modification was made in an attempt to increase the  $\Delta$ 6-desaturase expression and thereby enzyme efficiency. It was thought that the Cnl2 promoter might yield higher expression of the transgene in *B. napus* than the truncated napin promoter. pJP3416-GA7-modC was produced by adding a second *M. pusilla*  $\Delta$ 6-desaturase cassette with slightly different codon usage (SEQ ID NO:15) and driven by the FP1 promoter, which was inserted at the *Pme*I site just inside the right border of pJP3416-GA7-modB. The second  $\Delta$ 6-desaturase cassette was added to both pJP3416-GA7-modB and pJP3416-GA7-modF in order to increase the  $\Delta$ 6-desaturase expression level and extend the time period during seed development for expression of  $\Delta$ 6-desaturase by the use of multiple promoters. Different codon usages were used in the two nucleotide sequences to result in the translation of the same protein sequence without risking co-suppression from similar coding regions within the same T-DNA. pJP3416-GA7-modD and pJP3416-GA7-modE were similar variants in which a third MAR sequence, corresponding to nucleotides 16649-17816 of SEQ ID NO: 1, was added to pJP3416-GA7 and pJP3416-GA7-modB, respectively, at the *Pme*I site. pJP3416-GA7-modF was produced by adding a second *M. pusilla*  $\Delta$ 6-desaturase cassette containing the native  $\Delta$ 6-desaturase nucleotide sequence and driven by the FP1 promoter at the *Pme*I site at the right border of pJP3416-GA7-modB. pJP3416-GA7-modG was made by first replacing the *M. pusilla*  $\Delta$ 6-desaturase cassette with a Cnl2:*P. cordata*  $\Delta$ 5-elongase cassette by restriction cloning at the *Asc*I-*Pac*I sites. pJP3416-GA7-modG was then made by replacing the original FAE1:*P. cordata*  $\Delta$ 5-elongase cassette with a FAE1:*M. pusilla*  $\Delta$ 6-desaturase cassette by restriction cloning at the *Sbf*I sites. The nucleotide sequences of the T-DNAs from each of these genetic constructs are shown as: pJP3416-GA7-modB (SEQ ID NO:2), pJP3416-GA7-modC (SEQ ID NO:3), pJP3416-GA7-modD (SEQ ID NO:4), pJP3416-GA7-modE (SEQ ID NO:5), pJP3416-GA7-modF (SEQ ID NO:6) and pJP3416-GA7-modG (SEQ ID NO:7).

**[0324]** The binary vectors pJP3416-GA7-modB, pJP3416-GA7-modC, pJP3416-GA7-modD, pJP3416-GA7-modE, pJP3416-GA7-modF and pJP3416-GA7-modG are used to generate transformed *Brassica* somatic embryos and *Brassica napus*, *Camelina sativa* and *Arabidopsis thaliana* plants and progeny seeds. Data for pJP3416-GA7-modB are shown in the next Example.

**[0325]** Eight transgenic pJP3416-GA7-modB *A. thaliana* events and 15 transgenic pJP3416-GA7-modG *A. thaliana* events were generated. Between 3.4% and 7.2% DHA in pooled pJP3416-GA7-modB seed was observed and between 0.6 and 4.1% DHA in pooled T2 pJP3416-GA7-modG seed was observed. Several of the highest pJP3416-GA7-modB events were sown out on selectable media and surviving seedlings taken to the next generation. Seed is being analysed for DHA content. Since the pooled T1 seeds represented populations that were segregating for the transgenes and included any null segregants, it is expected that the homozygous seeds from progeny plants will have increased levels of DHA, up to 20% of the total fatty acid content in the seed oil. The other modified constructs were used to transform *A. thaliana*. Although only a small number of transformed lines were obtained, none yielded higher levels of DHA than the modB construct.

**[0326]** The pJP3416-GA7-modB construct was also used to generate transformed *B. napus* plants of cultivar Oscar

and in a breeding line designated NX005. Ten independent transformed plants (TO) were obtained so far for the Oscar transformation, and 20 independent lines for NX005. Seed (T1 seed) was harvested from these transgenic lines. Pools of seed were tested for levels of DHA in the seed oil, and two lines which showed the highest levels were selected, these were designated lines CT132.5 (in cultivar Oscar) and CT133.15 (in NX005). Twenty seeds from CT132.5 and 11 seeds from CT133.15 were imbibed and, after two days, oil was extracted from a half cotyledon from each of the individual seeds. The other half cotyledons with embryonic axes were kept and cultured on media to maintain the specific progeny lines. The fatty acid composition in the oil was determined; the data is shown in Table 16 for CT132.5. The DHA level in ten of the 20 seeds analysed was in the range of 7-20% of the total fatty acid content as determined by the GC analysis. Other seeds had less than 7% DHA and may have contained a partial (incomplete) copy of the T-DNA from pJP3416-GA7-modB. The transgenic line appeared to contain multiple transgene insertions that were genetically unlinked. The seeds of transgenic line CT133.15 exhibited DHA levels in the range 0-5%. Seeds with no DHA were likely to be null segregants. These data confirmed that the modB construct performed well for DHA production in canola seed.

**[0327]** The pJP3416-GA7-modB and pJP3416-GA7-modF constructs were also used to generate transformed *Camelina sativa* plants. At least 24 independent transformed plants (TO) were obtained and examined in more detail by progeny analysis. Seed (T1 seed) was harvested from these transgenic lines. Pools of seed were tested for levels of DHA in the seed oil, and 6 lines which showed the highest levels of DHA (between 6% and 9%) were selected. The DHA levels in 20 T1 seeds from each line were analysed-most seeds exhibited DHA levels in the range of 6-14% of the total fatty acid content as determined by the GC analysis. The fatty acid composition in the oil was determined; the data is shown in Table 17 for several transgenic seeds. These data confirmed that the modB and modF constructs both performed well for DHA production in *Camelina* seed.

**Table 16.** Fatty acid profiles of half cotyledons of germinating T1 transgenic *B. napus* seeds containing the modB construct. Up to 18.1% DHA was observed with numerous samples containing greater than 10% DHA.

| Seed | 14:0 | 16:0 | 16:1d3? | 16:1 | 16:3 | 18:0 | 18:1 | 18:1d11 | 18:2 | 18:3n6 | 18:3n3 | 20:0 | 18:4n3 | C20:1d11 | 20:1d13 | C20:2n6 | C20:3n3 | C22:0 | 20:4n3 | 20:5n3 | 22:3n3 | C24:0 | C24:1 | 22:5n3 | C22:6n3 |
|------|------|------|---------|------|------|------|------|---------|------|--------|--------|------|--------|----------|---------|---------|---------|-------|--------|--------|--------|-------|-------|--------|---------|
| 1    | 0.1  | 4.2  | 0.1     | 0.1  | 0.2  | 1.8  | 29.9 | 2.5     | 9.9  | 0.1    | 38.4   | 0.5  | 8.0    | 1.0      | 0.0     | 0.1     | 2.1     | 0.3   | 2.8    | 0.3    | 0.1    | 0.2   | 0.2   | 0.5    | 3.9     |
| 2    | 0.1  | 4.7  | 0.1     | 0.1  | 0.2  | 4.0  | 23.0 | 2.3     | 7.4  | 0.3    | 29.3   | 1.0  | 4.3    | 1.1      | 0.0     | 0.1     | 1.9     | 0.4   | 6.9    | 1.0    | 0.0    | 0.3   | 0.1   | 1.7    | 9.5     |
| 3    | 0.1  | 3.7  | 0.2     | 0.1  | 0.2  | 1.8  | 55.1 | 1.9     | 4.7  | 0.2    | 15.2   | 0.8  | 1.8    | 1.4      | 0.0     | 0.1     | 0.3     | 0.5   | 11.3   | 0.0    | 0.0    | 0.3   | 0.2   | 0.0    | 0.0     |
| 4    | 0.1  | 4.6  | 0.2     | 0.2  | 0.2  | 2.9  | 22.1 | 1.8     | 6.6  | 0.4    | 26.5   | 1.0  | 7.2    | 1.0      | 0.0     | 0.1     | 0.8     | 0.5   | 11.2   | 1.9    | 0.0    | 0.2   | 0.2   | 1.7    | 8.7     |
| 5    | 0.1  | 4.0  | 0.1     | 0.1  | 0.2  | 1.7  | 27.4 | 2.1     | 8.1  | 0.3    | 26.4   | 0.6  | 2.8    | 1.0      | 0.0     | 0.1     | 1.5     | 0.3   | 7.6    | 1.5    | 0.0    | 0.1   | 0.1   | 1.8    | 12.2    |
| 6    | 0.1  | 3.5  | 0.1     | 0.1  | 0.2  | 1.6  | 59.8 | 2.0     | 4.3  | 0.1    | 18.5   | 0.6  | 0.5    | 1.3      | 0.0     | 0.0     | 0.7     | 0.3   | 6.0    | 0.0    | 0.0    | 0.2   | 0.1   | 0.0    | 0.0     |
| 7    | 0.1  | 6.0  | 0.3     | 0.3  | 0.3  | 1.7  | 16.6 | 2.6     | 23.9 | 1.0    | 23.2   | 0.6  | 5.4    | 0.8      | 0.0     | 0.2     | 0.6     | 0.4   | 2.6    | 1.1    | 0.0    | 0.3   | 0.3   | 1.7    | 9.9     |
| 8    | 0.1  | 4.9  | 0.1     | 0.1  | 0.2  | 2.7  | 12.9 | 1.4     | 11.7 | 0.3    | 34.3   | 0.9  | 5.0    | 0.9      | 0.0     | 0.2     | 2.4     | 0.5   | 4.1    | 1.3    | 0.0    | 0.2   | 0.2   | 1.8    | 13.8    |
| 9    | 0.1  | 3.9  | 0.1     | 0.1  | 0.1  | 2.4  | 41.6 | 1.7     | 21.5 | 0.0    | 23.4   | 0.7  | 0.0    | 1.2      | 0.0     | 0.1     | 2.2     | 0.4   | 0.0    | 0.0    | 0.1    | 0.3   | 0.2   | 0.0    | 0.0     |
| 10   | 0.1  | 3.7  | 0.2     | 0.1  | 0.1  | 2.1  | 30.9 | 1.7     | 19.2 | 0.4    | 23.6   | 0.7  | 2.1    | 1.1      | 0.0     | 0.1     | 1.5     | 0.4   | 3.6    | 0.6    | 0.0    | 0.2   | 0.1   | 0.7    | 6.9     |
| 11   | 0.1  | 5.7  | 0.4     | 0.3  | 0.2  | 3.8  | 41.2 | 2.4     | 26.7 | 2.1    | 7.2    | 1.3  | 0.3    | 1.2      | 0.0     | 0.2     | 0.3     | 0.8   | 4.8    | 0.0    | 0.0    | 0.6   | 0.3   | 0.0    | 0.0     |
| 12   | 0.1  | 4.6  | 0.0     | 0.1  | 0.2  | 2.4  | 25.5 | 1.7     | 16.1 | 0.3    | 28.9   | 0.8  | 3.9    | 1.1      | 0.0     | 0.1     | 1.9     | 0.4   | 3.9    | 0.6    | 0.0    | 0.2   | 0.0   | 1.1    | 6.2     |
| 13   | 0.1  | 4.3  | 0.1     | 0.1  | 0.1  | 4.2  | 19.4 | 1.6     | 9.2  | 0.1    | 45.5   | 1.0  | 0.2    | 1.1      | 0.0     | 0.1     | 5.2     | 0.4   | 2.6    | 0.3    | 0.2    | 0.2   | 0.1   | 0.4    | 3.4     |
| 14   | 0.1  | 6.3  | 0.2     | 0.2  | 0.2  | 4.0  | 10.5 | 2.3     | 8.4  | 0.3    | 31.1   | 1.3  | 3.9    | 0.8      | 0.0     | 0.1     | 2.3     | 0.6   | 4.6    | 1.8    | 0.1    | 0.3   | 0.2   | 2.5    | 18.1    |
| 15   | 0.1  | 5.1  | 0.1     | 0.2  | 0.2  | 3.3  | 16.8 | 2.4     | 11.2 | 0.3    | 28.8   | 1.0  | 4.5    | 0.9      | 0.0     | 0.1     | 2.1     | 0.6   | 3.2    | 1.5    | 0.1    | 0.3   | 0.1   | 1.8    | 15.1    |
| 16   | 0.1  | 4.4  | 0.1     | 0.1  | 0.2  | 4.0  | 16.2 | 1.5     | 11.6 | 0.2    | 33.5   | 0.9  | 2.8    | 1.1      | 0.0     | 0.2     | 3.7     | 0.4   | 4.6    | 0.7    | 0.1    | 0.3   | 0.1   | 1.3    | 12.1    |
| 17   | 0.2  | 7.2  | 0.2     | 0.2  | 0.2  | 4.9  | 15.0 | 2.1     | 8.9  | 0.3    | 25.9   | 1.4  | 5.1    | 0.9      | 0.0     | 0.0     | 1.6     | 0.8   | 4.9    | 2.1    | 0.0    | 0.6   | 0.3   | 2.2    | 15.0    |
| 18   | 0.1  | 4.0  | 0.1     | 0.1  | 0.2  | 2.3  | 64.8 | 1.2     | 7.2  | 0.1    | 12.5   | 1.0  | 3.5    | 1.5      | 0.0     | 0.1     | 0.0     | 0.7   | 0.0    | 0.0    | 0.5    | 0.2   | 0.2   | 0.0    | 0.0     |
| 19   | 0.1  | 3.9  | 0.1     | 0.1  | 0.2  | 4.6  | 36.9 | 1.7     | 7.1  | 0.2    | 28.6   | 1.2  | 1.8    | 1.2      | 0.0     | 0.1     | 1.4     | 0.5   | 4.3    | 0.4    | 0.0    | 0.4   | 0.1   | 0.8    | 4.3     |
| 20   | 0.1  | 4.8  | 0.1     | 0.1  | 0.2  | 6.0  | 18.5 | 1.2     | 12.8 | 0.2    | 34.8   | 1.4  | 2.4    | 1.1      | 0.0     | 0.1     | 3.4     | 0.6   | 3.2    | 0.4    | 0.1    | 0.3   | 0.1   | 0.7    | 7.6     |

**Table 17.** Fatty acid profiles of T1 transgenic *C. sativa* seeds containing the modB or modF constructs

|               | C14:0 | C16:0 | C16:1 | C18:0 | C18:1 | C18:1d11 | C18:2 | C18:3n6 | C18:3n3 | C20:0 | 18:4n3 | C20:1d11 | 20:1d13 | C20:2n6 | C20:3n6 | C20:4n6 | C20:3n3 | C22:0 | 20:4n3 | C22:1 | 20:5n3 | C22:2n6 | 22:3n3 | C24:0 | C24:1 | 22:5n3 | C22:6n3 |
|---------------|-------|-------|-------|-------|-------|----------|-------|---------|---------|-------|--------|----------|---------|---------|---------|---------|---------|-------|--------|-------|--------|---------|--------|-------|-------|--------|---------|
| <b>123-8</b>  | 0.1   | 7.3   | 0.0   | 5.2   | 7.9   | 1.0      | 7.7   | 0.7     | 29.     | 2.3   | 6.0    | 7.1      | 0.4     | 0.7     | 0.0     | 0.0     | 0.9     | 0.4   | 1.3    | 1.0   | 4.6    | 0.0     | 0.1    | 0.2   | 0.3   | 1.5    | 13.3    |
| <b>123-12</b> | 0.1   | 8.3   | 0.0   | 5.3   | 7.2   | 1.2      | 8.7   | 0.9     | 27.     | 2.5   | 5.7    | 6.9      | 0.5     | 0.7     | 0.0     | 0.1     | 0.9     | 0.5   | 1.5    | 1.2   | 5.0    | 0.0     | 0.1    | 0.2   | 0.4   | 1.5    | 13.2    |
| <b>5-8</b>    | 0.1   | 8.3   | 0.1   | 3.5   | 9.4   | 1.3      | 8.1   | 1.1     | 29.     | 1.0   | 9.3    | 7.9      | 0.4     | 0.6     | 0.0     | 0.0     | 0.8     | 0.2   | 0.4    | 0.8   | 3.4    | 0.0     | 0.1    | 0.2   | 0.4   | 0.9    | 12.6    |
| <b>5-9</b>    | 0.1   | 8.1   | 0.0   | 3.5   | 9.4   | 1.2      | 8.4   | 1.2     | 29.     | 1.0   | 9.0    | 8.1      | 0.3     | 0.6     | 0.0     | 0.0     | 0.8     | 0.2   | 0.5    | 0.8   | 3.5    | 0.0     | 0.1    | 0.1   | 0.3   | 0.9    | 12.6    |
| <b>17-10</b>  | 0.1   | 8.7   | 0.1   | 4.1   | 8.4   | 1.3      | 5.5   | 1.2     | 26.     | 1.6   | 11.    | 7.2      | 0.3     | 0.0     | 0.4     | 0.0     | 0.8     | 0.3   | 0.4    | 0.7   | 5.5    | 0.0     | 0.0    | 0.2   | 0.3   | 1.3    | 13.5    |
| <b>17-26</b>  | 0.1   | 8.8   | 0.1   | 5.5   | 5.0   | 1.3      | 7.6   | 0.9     | 27.     | 2.7   | 10.    | 6.2      | 0.3     | 0.0     | 0.7     | 0.0     | 1.1     | 0.6   | 0.5    | 1.0   | 4.7    | 0.1     | 0.1    | 0.3   | 0.4   | 1.0    | 13.1    |

The inventors considered that, in general, the efficiency of rate-limiting enzyme activities in the DHA pathway can be greater in multicopy T-DNA transformants compared to single-copy T-DNA transformants, or can be increased by inserting into the T-DNA multiple genes encoding the enzyme which might be limiting in the pathway. Evidence for the possible importance of multi-copy transformants was seen in the *Arabidopsis* seeds transformed with the GA7 construct (Example 2), where the highest yielding DHA event had three T-DNAs inserted into the host genome. The multiple genes can be identical, or preferably are different variants that encode the same polypeptide, or are under the control of different promoters which have overlapping expression patterns. For example, increased expression could be achieved by expression of multiple  $\Delta 6$ -desaturase coding regions, even where the same protein is produced. In pJP3416-GA7-modF and pJP3416-GA7-modC, for instance, two versions of the *M. pusilla*  $\Delta 6$ -desaturase were present and expressed by different promoters. The coding sequences had different codon usage and therefore different nucleotide sequences, to reduce potential silencing or co-suppression effects but resulting in the production of the same protein.

#### Example 6. Activity of Seed-Specific Constructs in Somatic Embryos

[0328] In order to establish a rapid assay system which was predictive of expression of genetic constructs in seeds under the control of seed-specific promoters, a somatic embryo system was set up for *Brassica napus*. This used a vector to express the LEC2 transcription factor which is involved in initiation of somatic embryogenesis. As a demonstration, the binary vectors 35S:LEC2 and pJP107 (Petrie et al., 2010a and b) were introduced into *Agrobacterium tumefaciens* strain AGL1 via standard electroporation and the *Agrobacterium* transformants used to co-transform *Brassica napus* by co-cultivation. The T-DNA region of pJP107 contained genes encoding the *Isochrysis galbana*  $\Delta 9$ -elongase, *P. salina*  $\Delta 8$ -desaturase and *P. salina*  $\Delta 5$ -desaturase with each gene expressed by a seed-specific promoter. A control transformation used the 35S:LEC2 vector alone. 35S:LEC2 expression resulted in the generation of somatic embryos in tissue culture directly from the transformed *B. napus* callus tissue as described in Example 1.

[0329] Fatty acid analysis showed that the seed-specific genes on the T-DNA of the construct pJP107 were expressed in the transgenic somatic embryos in the presence of the co-transformed LEC2 gene and functioned to produce ARA (20:4 $\Delta 5,8,11,14$ ) from LA and EPA (20:5 $\Delta 5,8,11,14,17$ ) from ALA. The data for three co-transformed somatic embryos are shown in Table 18 and the fatty acid composition of each compared to the fatty acid composition of seed oil from *Brassica napus* seed which was transgenic for, and expressing, the T-DNA of pJP107 (Petrie et al., 2010a and b). Similar total percentages of ARA and the intermediate fatty acids EDA (20:2 $\omega 6$ ) and DGLA (20:3 $\omega 6$ ), as well as conversion efficiencies, were observed in somatic embryo tissue when compared with stably-transformed seed profiles. Similar results were observed in the fatty acid compositions of the stable T<sub>2</sub> transgenic seed and somatic embryos:  $\omega 6$  fatty acids were at a level of 26.6% and 25.6% (on average), respectively, whilst ARA levels were found to be 9.7% and 10.6% (on average), respectively.

[0330] When 35S:LEC2 alone was introduced and the somatic embryos analysed in a time-course, the fatty acid profile was found to change to a more embryo-like profile with 18:3  $\Delta 9,12,15$  decreasing and 18:1 $\Delta 9$  increasing in an inversely correlated manner (Figure 8). These results indicated that the somatic embryos were indeed becoming seed-like in character and the genes on the T-DNA from pJP107 were expressed. This demonstrated that the somatic embryo system allowed a rapid characterisation of transgenic seed-specific constructs in *B. napus* without requiring the full process of producing a transgenic plant and, from that, mature seed.

**Table 18.** Fatty acid composition of lipid obtained from *Brassica napus* somatic embryos generated by co-transforming pJP107 with 35S:LEC2, compared to the control untransformed (WT) and T<sub>2</sub> seeds transformed with pJP107. Individual enzymatic conversion efficiencies are shown in brackets after the relevant enzymatic steps. D9-Elo is  $\Delta 9$ -elongase, D8-Des is  $\Delta 8$ -desaturase and D5-Des is  $\Delta 5$ -desaturase.

|                       | WT   | T2 pJP107 transgenic seed  | LEC2:#45           | LEC2:#57           | LEC2:#58           |
|-----------------------|------|----------------------------|--------------------|--------------------|--------------------|
| 18:1 $\Delta 9$       | 57.2 | 45.7                       | 3.8                | 2.5                | 1.9                |
| 18:2 $\Delta 9,12$    | 19.1 | 8.7                        | 10                 | 10.6               | 10                 |
| 18:3 $\Delta 9,12,15$ | 10.2 | 4.1                        | 22.5               | 27.5               | 24.2               |
| 20:2 $\Delta 11,14$   |      | 7.1 $\pm$ 1.9 (67% D9-elo) | 5.2 (61.8% D9-elo) | 3.7 (56.7% D9-elo) | 4.6 (61.8% D9-elo) |
| 20:3 $\Delta 8,11,14$ |      | 1.1 $\pm$ 0.2 (60% D8-des) | 0.4 (67% D8-des)   | 0.2 (73% D8-des)   | 0.4 (73% D8-des)   |

(continued)

|                            | WT | T2 pJP107 transgenic seed  | LEC2:#45          | LEC2:#57        | LEC2:#58          |
|----------------------------|----|----------------------------|-------------------|-----------------|-------------------|
| 20:4 $\Delta$ 5,8,11,14    |    | 9.7 $\pm$ 0.9 (90% D5-des) | 10.6 (98% D5-des) | 10 (96% D5-des) | 11.2 (97% D5-des) |
| 20:3 $\Delta$ 11,14,17     |    | 4.0 $\pm$ 0.8              | 9.9               | 5.5             | 7.3               |
| 20:4 $\Delta$ 8,11,14,17   |    | 0.3 $\pm$ 0.1              | 0.4               | 0.3             | 0.4               |
| 20:5 $\Delta$ 5,8,11,14,17 |    | 2.4 $\pm$ 0.2              | 7.6               | 6.4             | 7.9               |
| Total new                  |    | 24.6                       | 34.1              | 26.1            | 31.8              |

**[0331]** Using the same system to generate somatic embryos, *Brassica napus* cells were transformed separately with pJP3416-GA7-modB and pJP3416-GA7-modD. 42 embryos were obtained, 18 for modB and 24 for modD. Total lipid was extracted from the embryos and analysed for fatty acid composition. The embryos contained between 0% and up to 16.9% DHA (Table 19). The results with 0% DHA was presumed to be due to integration of only a partial T-DNA or an insertion into a transcriptionally silent region of the genome. The total  $\omega$ 3 FA (including ALA) to total  $\omega$ 6 FA (including LA) ratio was found to be 2.3 for embryo #270 and 11.96 for embryo #284. The total  $\omega$ 6 FA (including LA) to total  $\omega$ 3 FA (including ALA) ratio was 0.08 for #284. The new  $\omega$ 6 FA (excluding LA) to new  $\omega$ 3 FA (excluding ALA) ratio was 0.03 for #284. Overall conversion efficiencies were calculated to be: (for embryos #270, #284) OA to EPA = 14.0%, 29.8%; OA to DHA = 9.7%, 24.2%; LA to EPA = 15.4%, 30.7%; LA to DHA = 10.7%, 25.0%; ALA to EPA = 22.1%, 33.3%; ALA to DHA = 15.3%, 27.0%. These efficiencies were similar, or greater than in the case of #284, to those observed for the T<sub>3</sub> pJP3416-GA7 *Arabidopsis* lines which indicated that the pJP3416-GA7-modB vector was capable of functioning well in *B. napus* cells. The SDA level was below 3.0%, indicating that the  $\Delta$ 6-elongase was performing even better than the GA7 construct. The individual enzyme efficiencies achieved in #284 were:  $\Delta$ 12-desaturase, 97.4%;  $\omega$ 3-desaturase, 92.3%;  $\Delta$ 6-desaturase, 38.2%;  $\Delta$ 6-elongase, 88.2%;  $\Delta$ 5-desaturase, 98.8%;  $\Delta$ 5-elongase, 94.1%; and  $\Delta$ 4-desaturase, 86.3%. Total saturates were 21.2%, total monounsaturates were 10.2%, total polyunsaturates were 68.6%.

**[0332]** The inventors believe this was the highest level of DHA achieved in *B. napus* cells to date, except for further data described below. This also demonstrated that the modification in pJP3416-GA7-modB relative to pJP3416-GA7 was effective in increasing the level of expression of the  $\Delta$ 6-desaturase gene. The binary vectors pJP3416-GA7, pJP3416-GA7-modA, pJP3416-GA7-modC, pJP3416-GA7-modD, pJP3416-GA7-modE and pJP3416-GA7-modF as described above are co-transformed with 35S:LEC2 to generate transformed *B. napus* somatic embryos. Up to 7.0% DHA was observed in modD embryos, 9.9% in modE embryos, 8.3% in modF embryos and 3.6% in a small number of modG embryos.

**Table 19.** Fatty acid composition of oil from *Brassica napus* somatic embryos #270 and #284 generated by co-transforming the seed-specific DHA acid construct pJP3416-GA7-modB with 35S:LEC2, and #286 and #289 (pJP3416-GA7-modD).

|                 | #270 | #284 | #286 | #289 |
|-----------------|------|------|------|------|
| 14:0            | 0.3  | 0.2  | 0.2  | 0.2  |
| 16:0            | 14.0 | 15.7 | 17.2 | 16.6 |
| 16:1d9          | 0.7  | 0.4  | 0.8  | 0.8  |
| 16:3            | 0.5  | 0.6  | 1.1  | 1.3  |
| 18:0            | 2.6  | 2.4  | 2.5  | 2.5  |
| 18:1d9          | 6.6  | 1.8  | 1.5  | 1.1  |
| 18:1d11         | 6.3  | 6.8  | 6.5  | 6.7  |
| 18:2            | 18.9 | 4.5  | 10.0 | 9.8  |
| 18:3 $\omega$ 6 | 0.7  | 0.8  | 0.3  | 0.3  |
| 18:3 $\omega$ 3 | 33.0 | 37.2 | 42.0 | 41.5 |
| 20:0            | 0.9  | 0.9  | 0.8  | 0.8  |

(continued)

|                                 | #270       | #284        | #286       | #289       |
|---------------------------------|------------|-------------|------------|------------|
| 18:4 $\omega$ 3                 | 1.9        | 2.8         | 3.6        | 4.5        |
| 20:1d11                         | 0.2        | 0.1         | 0.1        | 0.1        |
| 20:2 $\omega$ 6                 | 0.1        | 0.1         | 0.1        | 0.2        |
| 20:3 $\omega$ 3                 | 0.5        | 0.0         | 0.5        | 0.6        |
| 22:0                            | 0.8        | 1.5         | 0.6        | 0.7        |
| 20:4 $\omega$ 3                 | 0.2        | 0.9         | 0.7        | 0.7        |
| 20:5 $\omega$ 3                 | 0.7        | 0.2         | 0.3        | 0.3        |
| 22:2 $\omega$ 6                 | 0.0        | 1.2         | 0.0        | 0.0        |
| 22:3 $\omega$ 3                 | 0.0        | 0.1         | 0.0        | 0.1        |
| 24:0                            | 0.8        | 1.0         | 1.0        | 1.0        |
| 24:1                            | 0.8        | 1.0         | 0.7        | 0.9        |
| 22:5 $\omega$ 3                 | 2.4        | 2.7         | 3.2        | 3.0        |
| <b>22:6<math>\omega</math>3</b> | <b>7.0</b> | <b>16.9</b> | <b>6.1</b> | <b>6.4</b> |

**Example 7. Analysis of TAG from Transgenic *A. thaliana* Seeds Producing DHA**

**[0333]** The positional distribution of DHA on the TAG from the transformed *A. thaliana* seed was determined by NMR. Total lipid was extracted from approximately 200 mg of seed by first crushing them under hexane before transferring the crushed seed to a glass tube containing 10 mL hexane. The tube was warmed at approximately 55 °C in a water bath and then vortexed and centrifuged. The hexane solution was removed and the procedure repeated with a further 4 x 10 mL. The extracts were combined, concentrated by rotary evaporation and the TAG in the extracted lipid purified away from polar lipids by passage through a short silica column using 20 mL of 7% diethyl ether in hexane. Acyl group positional distributions on the purified TAG were determined quantitatively as previously described (Petrie et al., 2010a and b).

**[0334]** The analysis showed that the majority of the DHA in the total seed oil was located at the *sn*-1/3 positions of TAG with little found at the *sn*-2 position (Figure 9). This was in contrast to TAG from ARA producing seeds which demonstrated that 50% of the ARA (20:4 $\Delta^{5,8,11,14}$ ) was located at the *sn*-2 position of transgenic canola oil whereas only 33% would be expected in a random distribution (Petrie et al., 2012).

**[0335]** Positional distribution of DHA in the TAG from the *B. napus* seeds transformed with pJP3416-GA7 or with the combination of pJP3115 and pJP3116 is determined by essentially the same method.

**[0336]** The total lipid from transgenic *A. thaliana* seeds was also analysed by triple quadrupole LC-MS to determine the major DHA-containing triacylglycerol (TAG) species (Figure 10). The most abundant DHA-containing TAG species was found to be DHA-18:3-18:3 (TAG 58:12; nomenclature not descriptive of positional distribution) with the second-most abundant being DHA-18:3-18:2 (TAG 58:11). Tri-DHA TAG (TAG 66:18) was observed in total seed oil, albeit at low but detectable levels. Other major DHA-containing TAG species included DHA-34:3 (TAG 56:9), DHA-36:3 (TAG 58:9), DHA-36:4 (TAG 58:10), DHA-36:7 (TAG 58:13) and DHA-38:4 (TAG 60:10). The identities of the two major DHA-containing TAG were further confirmed by Q-TOF MS/MS.

**Example 8. Predicting DHA Production in *B. napus* Seeds**

**[0337]** Efficient production of DHA in *Arabidopsis* seeds at a 15% level using the GA7 genetic construct was demonstrated in Example 2. The same construct in *Brassica napus* seeds produced only about 1.5% DHA in many (but not all) of the transformants, primarily due to the poor expression of the  $\Delta 6$ -desaturase gene of GA7 in this species (Example 4). Based on the realisation that modifications to the GA7 construct would overcome the  $\Delta 6$ -desaturase gene expression problem (see Example 5, as demonstrated in Example 6), calculations were performed to determine the likely fatty acid profile of *B. napus* transgenic seeds expressing the genes from a variant of pJP3416-GA7, where each transgene-encoded enzyme was performing as efficiently as was observed in *A. thaliana* with the GA7 construct. The predicted fatty acid compositions for three calculations (#1, #2, #3) are shown in Table 20. This was based on a wild-type (non-transformed) fatty acid composition for *B. napus* that included 59% oleic acid, 20% LA and 8% ALA. The three predicted



partial fatty acid profiles shown in the lower half of the table were based on the conversion efficiencies for each enzymatic step shown in the upper half of the table. In prediction #2, a combination of  $\Delta 12$ -desaturation at 75% efficiency,  $\Delta 15$ -desaturation at 75%,  $\Delta 6$ -desaturation at 35%,  $\Delta 6$ -elongation at 80%,  $\Delta 5$ -desaturation at 90%,  $\Delta 5$ -elongation at 90% and  $\Delta 4$ -desaturation at 90% would result in the production of approximately 10% DHA in a typical canola transgenic seed. These efficiencies were all lower or about equal to the individual efficiencies seen in *Arabidopsis*, so prediction #2 represented a conservative estimate. The conversion efficiencies listed in #3 were approximations based on the efficient conversions seen in *A. thaliana* transformed with pJP3416-GA7. DHA was predicted to be produced at about 15% of the total fatty acid content in seedoil produced in *B. napus* seed, a result that mirrored the most efficient production levels observed in *A. thaliana*. Insertion of multiple T-DNAs in the homozygous state is expected to raise the DHA level to 20% in *B. napus*.

**Table 20.** Predicted fatty acid composition for selected fatty acids as a percentage of total fatty acid content in seedoil from *Brassica napus* transformed with a DHA pathway construct, based on observed enzymatic efficiencies in transgenic *Arabidopsis*. The enzymes are listed in order in the pathway for producing DHA from oleic acid. des = desaturase, elo = elongase. Predicted fatty acid compositions #1, #2 and #3 are based on the efficiencies in the upper half of the Table.

| Enzyme                |     | #1  | #2  | #3  |
|-----------------------|-----|-----|-----|-----|
| d12-des               |     | 70% | 75% | 80% |
| d15-des               |     | 70% | 75% | 80% |
| d6-des ( $\omega 3$ ) |     | 30% | 35% | 40% |
| d6-elo                |     | 80% | 80% | 90% |
| d5-des                |     | 80% | 90% | 90% |
| d5-elo                |     | 80% | 90% | 90% |
| d4-des                |     | 80% | 90% | 90% |
|                       |     |     |     |     |
| Fatty acid            | WT  | #1  | #2  | #3  |
| 18:1d9                | 59% | 26% | 22% | 18% |
| 18:2 $\omega 6$       | 20% | 19% | 17% | 14% |
| 18:3 $\omega 6$       |     | 1%  | 2%  | 3%  |
|                       |     |     |     |     |
| 18:3 $\omega 3$       | 8%  | 30% | 32% | 34% |
| 18:4 $\omega 3$       |     | 3%  | 3%  | 2%  |
| 20:4 $\omega 3$       |     | 2%  | 1%  | 2%  |
| 20:5 $\omega 3$       |     | 2%  | 1%  | 2%  |
| 22:5 $\omega 3$       |     | 1%  | 1%  | 2%  |
| 22:6 $\omega 3$       |     | 5%  | 10% | 15% |

#### Example 9. Stable Expression of a Transgenic EPA Pathway in Plant Leaf Binary vector construction

**[0338]** A binary vector, pORE04+11ABGBEC\_Cowpea\_EPA\_insert (SEQ ID NO:8), was designed for introduction of a T-DNA into plants for the synthesis of EPA in leaf tissues. It contained chimeric genes encoding the enzymes: *M. pusilla*  $\Delta 6$ -desaturase (SEQ ID NO:16), *P. cordata*  $\Delta 6$ -elongase (SEQ ID NO:25) and *P. salina*  $\Delta 5$ -desaturase (SEQ ID NO:30), each under the control of the CaMV 35S and *A. thaliana* rubisco small subunit (SSU) promoters (Figure 9). The binary vector was constructed by synthesising the region 199-10878 of SEQ ID 2 and cloning this into the recipient binary vector pORE04 (Coutu et al., 1997) at the *BsWI* and *KasI* sites. The three fatty acid biosynthesis genes coded for the enzymes required to convert ALA, 18:3 $\Delta 9,12,15$  to EPA, 20:5 $\Delta 5,8,11,14,17$ .

Transient expression of EPA construct in *N. benthamiana* leaf cells

[0339] To test that the construct was correct and would express the genes efficiently in leaf tissues, the chimeric vector pORE04+11ABGBEC\_Cowpea\_EPA\_insert was introduced into *A. tumefaciens* strain AGL1. The chimeric vector 35S:p19 was also introduced into *A. tumefaciens* strain AGL1 as described in Example 1. Cells from cultures of these infiltrated into leaf tissue of *Nicotiana benthamiana* plants in a 24 °C growth room. Several direct comparisons were infiltrated with the samples being compared located on either side of the same leaf. Experiments were performed in triplicate. Following infiltration, the plants were grown for a further five days before leaf discs were taken for fatty acid profile analysis by GC as described in Example 1. GC analysis revealed that the EPA vector was functioning to produce EPA in *Nicotiana benthamiana* leaf (Table 21) with the highest level of EPA found to be 10.7% of total leaf lipids.

*Nicotiana tabacum* stable transformation

[0340] The chimeric vector pORE04+11ABGBEC\_Cowpea\_EPA\_insert was used to stably transform *Nicotiana tabacum*. The vector was introduced into *A. tumefaciens* strain AGL1 via standard electroporation procedure. The transformed cells were grown on solid LB media supplemented with kanamycin (50 mg/L) and rifampicin (25 mg/L) and incubated at 28°C for two days. A single colony was used to initiate fresh culture. Following 48 h vigorous culture, the cells were collected by centrifugation at 2,000x g and the supernatant was removed. The cells were resuspended in fresh solution containing 50% LB and 50% MS medium at the density of OD<sub>600</sub>=0.5.

**Table 21.** Fatty acid composition of total leaf lipid from transgenic *Nicotiana benthamiana* (transient) and *Nicotiana tabacum* (stable primary transformant) events with the highest EPA levels from each experiment.

|         |          | <i>N. benthamiana</i> | <i>N. tabacum</i> |
|---------|----------|-----------------------|-------------------|
|         | 14:0     | 0.1                   | 0.1               |
|         | 16:0     | 18.5                  | 17.8              |
|         | 16:1w13t | 2.2                   | 3.8               |
|         | 16:1d9   | 0.1                   | 0                 |
|         | 16:3     | 6.2                   | 5.7               |
|         | 18:0     | 3.4                   | 3.2               |
|         | 18:1d11  | 0.3                   | 0.3               |
|         | 20:0     | 0.5                   | 0.5               |
|         | 22:0     | 0.2                   | 0.3               |
|         | 24:0     | 0.1                   | 0.4               |
|         |          |                       |                   |
|         | 18:1     | 2.9                   | 1.6               |
|         | 18:2ω6   | 12.6                  | 14.5              |
|         |          |                       |                   |
| Omega-6 | 18:3ω6   | 2.3                   | 2.9               |
|         | 20:2ω6   | 0.0                   | 0.0               |
|         | 20:3ω6   | 0.1                   | 0.0               |
|         | 20:4ω6   | 0.3                   | 0.7               |
|         |          |                       |                   |
| Omega-3 | 18:3ω3   | 37.1                  | 32.4              |
|         | 18:4ω3   | 1.6                   | 1.9               |
|         | 20:3ω3   | 0.1                   | 0.3               |
|         | 20:4ω3   | 0.3                   | 1.1               |
|         | 20:5ω3   | 10.7                  | 12.1              |
|         | 22:5ω3   | 0.3                   | 0.4               |

**[0341]** Leaf samples of *N. tabacum* cultivar W38 grown *in vitro* were excised and cut into square sections around 0.5-1 cm<sup>2</sup> in size with a sharp scalpel while immersed in the *A. tumefaciens* solution. The wounded *N. tabacum* leaf pieces submerged in *A. tumefaciens* were allowed to stand at room temperature for 10 minutes prior to being blotted dry on a sterile filter paper and transferred onto MS plates without supplement. Following a co-cultivation period of two days at 24°C, the explants were washed three times with sterile, liquid MS medium, then blotted dry with sterile filter paper and placed on the selective MS agar supplemented with 1.0 mg/L benzylaminopurine (BAP), 0.25 mg/L indoleacetic acid (IAA), 50 mg/L kanamycin and 250 mg/L cefotaxime. The plates were incubated at 24°C for two weeks to allow for shoot development from the transformed *N. tabacum* leaf pieces.

**[0342]** To establish rooted transgenic plants *in vitro*, healthy green shoots were cut off and transferred into 200 mL tissue culture pots containing MS agar medium supplemented with 25 µg/L IAA, 50 mg/L kanamycin and 250 mg/L

cefotaxime. Transgenic shoots were transferred to soil after rooting and grown to maturity in the glasshouse. Sufficiently large leaf discs were taken from 21 mature transgenic plants from and analysed for fatty acid profile as described in Example 1. All transgenic samples were found to contain EPA (Table 21) with the highest level of EPA in a hemizygous primary transformant found to be 12.1% of total leaf lipids. The leaf samples also contained a small amount (<0.5%) of DPA in their lipid, which resulted from elongation of the EPA by a low level of  $\Delta 5$ -elongation activity of the  $\Delta 6$ -elongase. The total  $\omega 3$  FA (including ALA) to  $\omega 6$  FA (including LA) ratio was found to be 2.7. Overall conversion efficiencies were calculated to be: OA to EPA = 18.4%, LA to EPA = 18.9%, ALA to EPA = 25.9%. The production of 12.1% EPA is notable especially since the events were hemizygous primary transformants. The ALA to EPA efficiency in particular is close to that observed in stable seed transformants. It is worth noting that the construct did not contain a  $\Delta 12$  or  $\Delta 15$ -desaturase to increase the conversion of OA and LA to ALA. Increased efficiencies would be expected with addition of these activities.

**[0343]** Seed from hemizygous transformants is being harvested and sown out to generate homozygous plants.

**[0344]** Seed set in the top EPA lines appeared normal and seed from lines #10 and #17 germinated well to establish the  $T_2$  generation. The ratio of EPA to null (no EPA) lines indicated that event #28 was single-locus and the  $T_3$  generation of this line was therefore also established. Fatty acid profile analysis of the  $T_3$  population indicated that the transgenes were homozygous with no null events found and a stable amount of EPA. The average amount of EPA in the total leaf lipids in the entire  $T_3$  population was found to be  $9.4\% \pm 0.3$  (Table 22).

**Table 22.** Representative fatty acid profiles of total leaf lipids from wildtype (WT) and independent transgenic or transiently-transformed lines (EPA). Species are *Nicotiana benthamiana* (transient transformation), *N. tabacum* (a stably transformed T<sub>3</sub> population), *Vigna unguiculata* (stably transformed T<sub>1</sub> event). The errors denote standard deviation of multiple samples. Apparent conversion efficiencies shown at the bottom describe the  $\omega$ 3 pathway and are calculated as the sum of product FAs / sum of substrate + product FAs.

|    |                   | <i>N. benthamiana</i> |          | <i>N. tabacum</i> |          | <i>V. unguiculata</i> |          |
|----|-------------------|-----------------------|----------|-------------------|----------|-----------------------|----------|
|    |                   | WT                    | EPA      | WT                | EPA      | WT                    | EPA      |
| 15 | 16:0              | 17.7±0.1              | 18.7±0.2 | 15.0±0.6          | 16.5±0.5 | 18.0                  | 18.2±0.2 |
|    | 16:1 $\omega$ 13t | 3.2±0.1               | 2.2±0    | 3.5±0.1           | 3.0±0.3  | 3.8                   | 2.0±0.9  |
|    | 16:3              | 6.8±0.1               | 6.2±0.1  | 5.2±0.5           | 5.4±0.3  | —                     | —        |
|    | 18:0              | 3.1±0                 | 3.5±0.3  | 2.2±0.2           | 2.6±0.1  | 1.8                   | 4.5±0.4  |
|    | Minor             | 1.4±0                 | 1.4±0.1  | 3.1±0.4           | 2.5±0.3  | 2.3                   | 2.5±0.4  |
| 20 | OA                | 1.7±0.1               | 2.7±0.2  | 1.6±0.3           | 2.1±0.3  | 2.0                   | 4.3±1.3  |
|    | LA                | 12.5±0.4              | 12.7±0.2 | 17.0±1.1          | 18.0±0.9 | 13.4                  | 18.2±3.0 |
|    | ALA               | 53.3±0.2              | 37.2±0.2 | 52.2±1.9          | 34.0±0.6 | 58.6                  | 38.2±0   |
|    | GLA               | —                     | 2.3±0.1  | —                 | 2.3±0.3  | —                     | 0.6±0.2  |
|    | 20:2 $\omega$ 6   | 0.1±0                 | —        | 0.1±0             | 0.1±0    | —                     | 0.1±0    |
| 30 | DGLA              | 0.1±0                 | 0.1±0    | —                 | —        | —                     | —        |
|    | ARA               | —                     | 0.3±0    | —                 | 0.7±0.1  | —                     | 0.2±0    |
|    | SDA               | —                     | 1.5±0.1  | —                 | 1.6±0.1  | —                     | 1.5±0    |
|    | 20:3 $\omega$ 3   | 0.1±0                 | 0.1±0    | 0.1±0             | 0.3±0    | 0.1±0                 | 1.5±0.1  |
|    | ETA               | —                     | 0.4±0    | —                 | 1.1±0.1  | —                     | 0.3±0.2  |
| 35 | EPA               | —                     | 10.2±0.5 | —                 | 9.4±0.3  | —                     | 7.1±0.2  |
|    | DPA               | —                     | 0.3±0.1  | —                 | 0.4±0    | —                     | 0.8±0.1  |
| 40 | $\Delta$ 6-des    |                       | 25%      |                   | 27%      |                       | 20%      |
|    | $\Delta$ 6-clo    |                       | 88%      |                   | 87%      |                       | 85%      |
|    | $\Delta$ 5-des    |                       | 97%      |                   | 90%      |                       | 96%      |
|    | $\Delta$ 5-clo    |                       | 3%       |                   | 4%       |                       | 10%      |
|    |                   |                       |          |                   |          |                       |          |

**[0345]** Leaf samples of homozygous T<sub>3</sub> *N. tabacum* plants were subjected to further biochemical analysis. Total lipids were extracted from freeze-dried leaf material and fractionated by thin-layer chromatography (TLC). EPA was found to be present in *N. tabacum* TAG at up to 30.1% as well as in the polar lipids at 6.3% (Table 23). It was interesting to note that the EPA produced by the transgenic pathway was present in all of the lipid fractions assessed including TAG, MGDG, DGDG, SQDG, PG, PC, PE, PI and PS. All lipid pools contained low levels of novel intermediate or  $\omega$ 6 LC-PUFA fatty acids with the TAG ratio of novel  $\omega$ 3 to  $\omega$ 6 fatty acids being 10:1.

#### Stable Transformation of Cowpea

**[0346]** The chimeric vector pORE04+11ABGBEC-Cowpea-EPA-insert was transformed into cowpea (*Vigna unguiculata*) as follows. Mature dry seeds are the preferred starting material although seeds harvested from immature pods at maximum fresh weight of seeds can also be used. Dry seeds are threshed by hand to avoid cracking of seed coats and thus reduce contamination with microorganisms.

## EP 3 266 316 A1

**[0347]** Dry seeds or immature pods are submerged in 70 % ethanol for 2 min and then treated for 30 min in 20 % commercial bleach (8.4 g/L sodium hypochlorite final concentration). The seeds are then washed several times with sterile water. Immature seeds are removed aseptically from pods while mature seeds are imbibed overnight. Two different explants can be used for multiple shoot production, ie the embryonic axis and the cotyledon itself, preferably the cotyledon with the bisected embryonic axis attached. The shoot and root tips are removed from the axis before wounding at the cotyledonary node, i.e. the point of attachment of the axis to the cotyledon. From an initial comparison of 19 cultivars and lines, it is now clear that most lines of cowpea can be transformed, the only caveat being that different tissue culture conditions need to be optimised for each line.

5

10

15

20

25

30

35

40

45

50

55

**Table 23.** Analysis of young and mature (young | mature) leaf lipid fractions triacylglycerol (TAG), total polar lipid (PL), monogalactosyldiacylglycerol (MGDG), digalactosyldiacylglycerol (DGDG), sulfoquinovosyldiacylglycerol (SQDG), phosphatidylglycerol (PG), phosphatidylcholine (PC), phosphatidylethanolamine (PE), phosphatidylinositol (PI) and phosphatidylserine (PS) from transgenic *Nicotiana tabacum* leaf samples. The errors denote standard deviation of multiple samples. Up to 30% EPA was observed in leaf TAG with EPA also distributed throughout the polar lipids. Differences between young and mature leaf profiles were also observed for several fatty acids.

|                   | TAG         | PL          | Chloroplastidic |             |             | Extra-chloroplastidic |             |             |             |             |
|-------------------|-------------|-------------|-----------------|-------------|-------------|-----------------------|-------------|-------------|-------------|-------------|
|                   |             |             | MGDG            | DGDG        | SQDG        | PG                    | PC          | PE          | PI          | PS          |
| 16:0              | 9.8   18.3  | 17.8   23.8 | 3.1   3.2       | 18.0   16.8 | 48.3   50.0 | 21.0   26.4           | 22.9   30.0 | 24.0   30.5 | 38.7   43.3 | 31.9   36.2 |
| 16:1 $\omega$ 13t | 0   0       | 3.4   3.1   | 0   0           | 0   0       | 0   0       | 34.0   32.0           | 0   0       | 0   0       | 0   0       | 1.0   1.4   |
| 16:3              | 0.2   0.9   | 5.6   6.4   | 14.8   19.4     | 1.2   1.8   | 0.4   1.2   | 0   0                 | 0   0       | 0   0       | 0   0       | 0   0       |
| 18:0              | 7.3   3.7   | 2.9   3.9   | 1.1   1.2       | 3.5   3.5   | 5.4   7.1   | 4.7   6.9             | 6.6   9.1   | 11.0   11.4 | 9.4   9.3   | 20.2   19.4 |
| Minor             | 2.5   2.9   | 1.4   2.4   | 1.0   0.4       | 0.8   1.0   | 1.9   2.1   | 1.0   1.5             | 1.4   1.6   | 4.9   4.1   | 6.5   7.7   | 2.5   3.7   |
| OA                | 5.5   0.8   | 2.8   1.1   | 0.8   0.3       | 1.8   1.0   | 2.7   1.3   | 5.3   4.9             | 8.1   2.9   | 2.5   1.1   | 2.5   0.8   | 4.9   2.3   |
| LA                | 27.7   13.7 | 17.3   12.3 | 8.0   6.8       | 9.2   10.5  | 11.7   8.9  | 17.1   13.2           | 39.2   25.2 | 37.9   28.5 | 22.0   13.4 | 24.4   17.1 |
| ALA               | 9.6   17.2  | 39.0   34.4 | 60.3   51.9     | 61.2   58.6 | 23.7   21.5 | 15.7   14.1           | 7.3   18.2  | 5.5   10.5  | 7.6   10.0  | 4.8   10.5  |
| GLA               | 2.5   3.0   | 1.5   2.1   | 2.1   3.0       | 1.1   1.8   | 1.4   1.9   | 0.2   0               | 1.8   2.5   | 1.7   2.7   | 0.8   0.9   | 1.1   1.3   |
| 20:2 $\omega$ 6   | 0   0       | 0.1   1.1   | 0   0           | 0   0       | 0   0       | 0   0                 | 0   0       | 0.5   0     | 0   0       | 0   0       |
| DGLA              | 0   0       | 0   0       | 0   0           | 0   0       | 0   0       | 0   0                 | 0   0       | 0   0       | 0   0       | 0   0       |
| ARA               | 0.6   0.9   | 0.1   0.2   | 0.2   0.4       | 0   0       | 0   0       | 0   0                 | 0.3   0.3   | 0.4   0.4   | 0.4   0.6   | 0   0.2     |
| SDA               | 4.0   7.6   | 1.6   2.0   | 1.7   2.0       | 0.6   0.7   | 1.2   1.2   | 0   0                 | 2.1   3.6   | 1.3   2.0   | 0.8   0.8   | 0.9   1.6   |
| 20:3 $\omega$ 3   | 0.2   0.3   | 0.1   0.2   | 0   0           | 0.2   0.3   | 0   0       | 0   0.1               | 0.2   0     | 0.3   0.4   | 0   0       | 0   0       |
| ETA               | 0.9   0.2   | 0.2   0.3   | 0   0.2         | 0   0.3     | 0   0       | 0   0                 | 0.2   0     | 0.4   0.2   | 0.1   0.2   | 0   0       |
| EPA               | 28.8   30.1 | 6.1   6.3   | 6.9   11.2      | 2.3   3.6   | 3.4   4.6   | 1.0   0.8             | 9.7   6.4   | 9.1   7.8   | 11.2   12.8 | 8.4   6.2   |
| DPA               | 0.4   0.5   | 0   0       | 0   0.1         | 0   0       | 0   0       | 0   0                 | 0.3   0.4   | 0.5   0.4   | 0   0.2     | 0   0.1     |

Omega-6

Omega-3

[0348] The selectable marker genes, *bar* or *NptII* can be used for transformation. The *Agrobacterium tumefaciens* strain AGL1 is the preferred strain for cowpea transformation. *Agrobacterium* containing the pORE04+11ABGBEC-Cowpea-EPA-insert vector is cultured overnight at 28°C on a shaker at 180 rpm and the suspension is centrifuged at 8000 g for 10 min and re-suspended in Medium 1 (MS-basic medium diluted one in ten and containing 30 g/l sucrose, 20 mM 2- MES, adjusted to pH 5.6 prior to autoclaving, supplemented with filter sterilized MS-vitamins, 100 mg/l myo-inositol, 1.7 mg/l BAP, 0.25mg/l GA<sub>3</sub>, 0.2 mM acetosyringone, 250 mg/l Na-thiosulphate, 150 mg/l dithiothreitol and 0.4 g/l L-cysteine). The explants are submerged without shaking in the bacterial suspension for one hour following wounding in the meristematic regions with a scalpel. The treated explants are then blotted on sterile filter paper and transferred to solidified Medium 2 (Medium 1 containing 0.8 % agar) overlaid with filter paper. After four days of co-cultivation, explants are transferred to Medium 3 (full strength MS medium, supplemented with 100 mg/l myo-inositol, 150 mg/l timentin, 30g/L sucrose, 3mM MES, 1.7 mg/L BAP, 5 mg/L PPT or 25-50 mg/L geneticin or 150 mg/L kanamycin, 0.8 g/L agar and adjusted to pH 5.6) for shoot initiation and selection of transformed shoots. After two weeks the first shoots are visible. The cotyledons are removed from the cotyledonary node region and cultures are transferred to fresh Medium 3. Cultures are transferred to fresh Medium 3 every two weeks following removal of dead and dying tissue. The first four subcultures are on kanamycin selection followed by alternating with geneticin and kanamycin. After six sub-cultures, the surviving green shoots are transferred to Medium 4 (Medium 3 without BAP but supplemented with 0.5 mg/l GA<sub>3</sub>, 50 mg/l asparagine, 0.1 mg/l 3-indoleacetic acid (IAA), 150 mg/l timentin, and either PPT (10mg/l), geneticin (50mg/L) or kanamycin (150 mg/L), for shoot elongation. The shoots are sub-cultured every two weeks until single shoots are more than 1 cm long. These larger shoots are transferred from petri dishes to culture jars (80 mm height) for further growth under selection.

[0349] The majority of the regenerated shoots can be rooted *in vitro*, and the rooted plants are transferred to soil and allowed to establish in a high humidity chamber for 14-21 days before transfer to ambient greenhouse conditions.

[0350] To enhance gene transfer to cowpea, co-culture media is supplemented with thiol compounds. The addition of L-cysteine, dithiothreitol, and sodium thiosulfate reduces browning of wounded tissue.

[0351] Large numbers of cowpea explants can be processed in a simplified protocol. In brief, the protocol consists of the following steps: imbibition of sterilized mature seeds overnight in water, explants are derived by longitudinally bisecting the seed as a result of which, the split embryonic axis (with shoot and root apices removed) is still attached to the cotyledon, infection with *Agrobacterium* strain AGL1 aided by local wounding in the meristematic regions, co-culture on medium containing thiol compounds over 4 days at 25°C in light, shoot initiation and elongation on medium containing selective agents, shoots are rooted *in vitro* and transferred to greenhouse conditions for flowering and seed setting, PCR or enzyme analysis of putative transgenic plants, and screening of next generation progeny by PCR or enzyme activity.

[0352] The progeny of transgenic T<sub>0</sub> plants are normal in phenotype. The transgenes are transmitted to the progeny and homozygous T<sub>2</sub> plants are identified by screening their T<sub>3</sub> progeny for enzyme activity or by PCR.

[0353] Using this transformation system about 10 transgenic plants are produced per 1000 explants, which is similar to the transformation frequency for other legumes. Depending on the cultivar or line to be transformed, this protocol requires 5-8 months from explant preparation to harvested T<sub>1</sub> seeds.

[0354] The transformation system is used to introduce the pORE04+11ABGBEC-Cowpea-EPA-insert binary vector into regenerated, transformed cowpea plants.

[0355] Modifications to the pORE04+11ABGBEC-Cowpea-EPA-insert binary vector are made in which genes encoding a  $\Delta 5$ -elongase and  $\Delta 4$ -desaturase are added, to provide a genetic construct which confers the ability to further convert the produced EPA to DHA. The construct is transformed into plants for production of DHA in vegetative tissues.

[0356] EPA was found to be present in the small number of events surviving chemical selection. The highest line contained 7.1%±0.2 EPA in the total leaf lipids. The rate of transformation was lower than usually experienced for cowpea with only six lines confirmed transgenic. It is, as yet, unknown what caused this effect although it is interesting to note that a larger than usual proportion of transgenic events contained incomplete T-DNA regions. It is possible that the large construct size contributed to the reduced efficiency. The apparent conversion efficiencies of each of the three transgenic enzymes were also calculated (Table 22). Results were broadly similar in all three species with good conversion to EPA after initial  $\Delta 6$ -desaturation of the native ALA. Some  $\Delta 5$ -elongation of EPA to DPA was noted despite the absence of a specific  $\Delta 5$ -elongase. The *P. cordata*  $\Delta 6$ -elongase has previously been shown to have a low level of  $\Delta 9$ -elongase activity (i.e. 18:3<sup>A9,12,15</sup> to 20:3<sup>A11,14,17</sup> conversion) although no  $\Delta 5$ -elongase activity was detected in a yeast assay.

#### **Example 10. Testing Variations of $\Delta 12$ -Desaturase Genes**

##### **Binary vector construction**

[0357] In an attempt to test and compare a series of chimeric  $\Delta 12$ -desaturase genes, several binary vectors were made which were used to transform *A. thaliana* and *B. napus*. The binary vectors pJP3365, pJP3366, pJP3367, pJP3368



and pJP3369 each contained genes that encoded the *P. pastoris*  $\omega$ 3-desaturase (SEQ ID NO: 12) and *M. pusilla*  $\Delta$ 6-desaturase (SEQ ID NO:16) enzymes, and one of a series of  $\Delta$ 12-desaturases. The  $\Delta$ 12-desaturases were from *Cryptococcus neoformans* (Accession No. XP\_570226 in pJP3365), a version of the *Cryptococcus neoformans*  $\Delta$ 12-desaturase which contained a L151M mutation in an attempt to increase gene activity (in pJP3366), *Lachancea kluyveri* (SEQ ID NO:10 in pJP3367), *Synechocystis* PCC6803 (Accession No. BAA18169 in pJP3368) and *Crepis palaestina* (Accession No. CAA76157, Lee et al., 1998, in pJP3369). The *Crepis* desaturase was the only plant desaturase in the series; the others were fungal enzymes. The vectors were made by inserting a plant codon-optimised protein coding region, except for the *Crepis palaestina*  $\Delta$ 12-desaturase which was wildtype, for each  $\Delta$ 12-desaturase into the *NotI* site of the vector pJP3364 (see Figure 12), in the orientation operably linked to the FP1 promoter to provide for seed-specific expression of each desaturase. The vector pJP3364 already contained the chimeric genes encoding the *P. pastoris*  $\omega$ 3-desaturase and *M. pusilla*  $\Delta$ 6-desaturase, each under the control of seed-specific promoters (Figure 12). The combination of the three fatty acid biosynthesis enzymes, namely  $\Delta$ 12-desaturase,  $\omega$ 3-desaturase and  $\Delta$ 6-desaturase, was designed to assemble a pathway to convert oleic acid (18:1 <sup>$\Delta$ 9</sup>) to SDA (18:4 <sup>$\Delta$ 6,9,12,15</sup>). Assays were therefore carried out to measure the level of SDA production in transformed seeds.

#### *A. thaliana* and *B. napus* transformation and analysis

**[0358]** The chimeric binary vectors were introduced into *A. tumefaciens* strain AGL1 and cells from cultures of the transformed *Agrobacterium* used to transform *fad2* mutant *A. thaliana* plants using the floral dip method for transformation (Clough and Bent, 1998). After maturation, the T<sub>1</sub> seeds from the treated plants were harvested and plated on MS plates containing kanamycin for selection of plantlets having the *NptII* selectable marker gene present on the T-DNA of each chimeric vector. Surviving T<sub>1</sub> seedlings were transferred to soil. After allowing the plants to self-fertilise and growing them to maturity, the T<sub>2</sub> seeds from these plants were harvested and the fatty acid composition of seed lipids analysed by GC.

**[0359]** The chimeric vector pJP3367 was also used to transform *B. napus* by the method described in Example 4 to generate 12 transgenic events. SDA was found to range from 0.6% to 2.2% in pooled seed of the plants, and nine individual seeds from the transgenic plant with the highest SDA transgenic plant were analysed for fatty acid composition. Fatty acid composition data from such analysis is shown in Table 24.

**[0360]** The data showed that the  $\Delta$ 12-desaturase activity expressed from each of the T-DNAs in both *A. thaliana* and *B. napus* were unexpectedly low, providing an enzyme conversion efficiency of about 20% rather than the 70-80% seen with the same expression cassette in the GA7 construct (Examples 2 and 3). The reason for this relatively poor expression of the  $\Delta$ 12-desaturase genes from these vectors is unclear but could be related to the position of the genes in the construct as a whole.

**[0361]** In contrast, RT-PCR expression analysis demonstrated that the *P. pastoris*  $\omega$ 3-desaturase and *M. pusilla*  $\Delta$ 6-desaturase genes on the T-DNAs were relatively well expressed in the transformed seed. Table 24 includes the  $\Delta$ 6-desaturase conversion efficiencies in the transformed seeds, which ranged from about 11% to about 25% in the one *B. napus* transformed line. This was considerably higher than the  $\Delta$ 6-desaturase conversion efficiency of about 7% seen in the *B. napus* seeds transformed with the GA7 construct (Example 4).

**Table 24.** Fatty acid composition as a percentage of total fatty acids in seed oil from single seeds from a T<sub>1</sub> *Brassica napus* plant transformed with the T-DNA from pJP3367. SDA (18:4 $\omega$ 3) is shown in bold.

| Sample                          | CT110-3#1  | CT110-3#2  | CT110-3#3  | CT110-3#4  | CT110-3#5  | CT110-3#6  | CT110-3#7  | CT110-3#8  | CT110-3#9  |
|---------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| C14:0                           | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        |
| C16:0                           | 4.3        | 4.2        | 4.1        | 4.5        | 3.8        | 4.3        | 4.0        | 5.0        | 4.7        |
| 16:1d7                          | 0.1        | 0.1        | 0.1        | 0.1        | 0.0        | 0.1        | 0.1        | 0.1        | 0.1        |
| C16:1d9                         | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.3        | 0.3        |
| 16:3                            | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        |
| C18:0                           | 1.9        | 1.9        | 1.3        | 1.8        | 2.1        | 1.8        | 2.4        | 3.1        | 2.2        |
| C18:1                           | 58.1       | 59.4       | 55.5       | 59.1       | 62.1       | 56.0       | 57.2       | 52.0       | 53.2       |
| C18:1d11                        | 3.5        | 3.6        | 3.0        | 3.2        | 2.9        | 3.6        | 3.2        | 4.4        | 3.5        |
| C18:2                           | 18.4       | 17.1       | 19.2       | 17.3       | 17.4       | 18.7       | 19.0       | 20.3       | 20.2       |
| C18:3 $\omega$ 6                | 0.3        | 0.2        | 0.3        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.3        |
| C18:3 $\omega$ 3                | 8.2        | 9.0        | 11.1       | 8.6        | 7.5        | 10.2       | 9.8        | 9.3        | 9.8        |
| C20:0                           | 0.5        | 0.5        | 0.4        | 0.5        | 0.6        | 0.5        | 0.6        | 0.7        | 0.6        |
| <b>18:4<math>\omega</math>3</b> | <b>2.4</b> | <b>2.0</b> | <b>2.8</b> | <b>2.5</b> | <b>1.4</b> | <b>2.6</b> | <b>1.3</b> | <b>2.4</b> | <b>3.2</b> |
| C20:1d11                        | 1.1        | 1.1        | 1.2        | 1.2        | 1.2        | 1.1        | 1.2        | 1.1        | 1.1        |
| 20:1iso                         | 0.03       | 0.03       | 0.03       | 0.03       | 0.01       | 0.03       | 0.02       | 0.03       | 0.02       |
| C20:2 $\omega$ 6                | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        |
| C22:0                           | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.2        | 0.3        | 0.2        |
| C24:0                           | 0.1        | 0.1        | 0.1        | 0.2        | 0.1        | 0.1        | 0.2        | 0.3        | 0.2        |
| C24:1                           | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        | 0.1        |
|                                 |            |            |            |            |            |            |            |            |            |
| $\Delta$ 6-des %                | 22.9       | 17.9       | 20.3       | 22.8       | 15.8       | 20.2       | 11.7       | 20.9       | 24.9       |

**[0362]** Therefore, to take advantage of the higher  $\Delta$ 6-desaturase conversion efficiencies conferred by the T-DNA from pJP3367, *B. napus* plants transformed with this T-DNA were crossed to plants transformed with the T-DNA from pJP3416-GA7 (Example 4) to produce progeny plants and seeds carrying both T-DNAs. The fatty acid composition of oil extracted from F1 seeds is analysed by GC for DHA content and other fatty acid contents. Increased DHA levels are observed as a consequence of increased expression of the  $\Delta$ 6-desaturase. Plants which are homozygous for both T-DNAs are produced and should produce higher levels of DHA.

#### **Example 11. Increasing Accumulation of Fatty Acids by using Silencing Suppressor Proteins**

##### Binary vector construction

**[0363]** WO 2010/057246 describes the use of silencing suppressor proteins (SSP) to increase transgene expression in the seeds of plants. To demonstrate that the use of such proteins could enhance and stabilise the production of LC-PUFA in oilseeds over several generations, several SSP were selected for testing, namely V2 (Accession No. GU178820.1), p19 (Accession No. AJ288943.1), p38 (Accession No. DQ286869.1) and P0<sup>PE</sup> (Accession No. L04573.1). p19 is a suppressor protein from Tomato Bushy Stunt Virus (TBSV) which binds to 21 nucleotide long siRNAs before they guide Argonaute-guided cleavage of homologous RNA (Voinnet et al., 2003). V2, a suppressor protein from Tomato Yellow Leaf Curl Virus (TYLCV), binds to the plant protein SGS3 (Glick et al., 2008), a protein thought to be required

for the production of double stranded RNA intermediates from ssRNA substrates (Beclin et al., 2002), or binds to dsRNA structures that have a 5' overhangs (Fukunaga et al., 2009). p38 is a suppressor protein from Turnip Crinkle Virus (TCV) which interferes with plant silencing mechanisms by binding to Dicer and Argonaute proteins (Azevedo et al., 2010). P0 proteins such as P0<sup>PE</sup> and RPV-P0, from poleroviruses, target Argonaute proteins for enhanced degradation (Baumberger et al., 2007; Bortolamiol et al., 2007; Fusaro et al., 2012). Genetic constructs were therefore prepared for expression of these SSP in plant seed in combination with a set of fatty acid biosynthesis genes for production of ARA (20:4<sup>Δ5,8,11,14</sup>) from LA (18:1<sup>Δ9,12</sup>), as follows.

**[0364]** The fatty acid biosynthesis genes encoding the *Isochrysis galbana* Δ9-elongase and the *Pavlova salina* Δ8- and Δ5-desaturases and the bacterial selection marker were obtained on a single DNA fragment from pJP3010 by digestion with *PmeI* and *AvrII* giving rise to a 9560 bp fragment. The Δ9-elongase coding region on this fragment was joined to an *A. thaliana* FAE1 promoter (pAtFAE1) and a conlinin transcription termination/polyadenylation region (LuCnl2-3'). The desaturase coding regions were each joined to a truncated napin FP1 promoter (pBnFP1) and a *nos3'* transcription termination/polyadenylation region. The three fatty acid biosynthesis genes on this fragment were oriented and spaced in the same manner as in pJP107 (Petrie et al., 2012) and encoded the same proteins as pJP107. The DNA fragment also comprised a pFP1:GFIP:*nos3'* gene from pCW141 (see WO2010/057246) which encoded a green fluorescent protein (GFP). This screenable marker gene was used as a visual seed-specific marker, allowing simple and non-destructive identification and thereby selection of transgenic seed comprising and expressing the gene.

**[0365]** The *PmeI*-*AvrII* fragment was inserted into the *PmeI*-*AvrII* site of each of a series of five vectors, each containing a different SSP gene (WO2010/057246), resulting in the genetic constructs designated pFN045, pFN046, pFN047, pFN048 and pFN049. These comprise the genes encoding the SSPs P0<sup>PE</sup>, p38, p19, 35S:V2 and V2, respectively. Each of the SSP genes was under the control of the FP1 promoter and *ocs3'* transcription termination/polyadenylation region except in the construct pFN048 where the V2 coding region was under the control of the constitutive CaMV 35S promoter. The SSP gene in each case was within the T-DNA region of the constructs, adjacent to the right border (RB) of the T-DNA. A sixth construct, pFN050 which lacked any SSP coding sequence, was made by digesting pFN045 with *AhdI* and *NheI* followed by recircularisation with DNA ligase to delete the FP1:P0<sup>PE</sup> gene. Each of the six constructs comprised an *NptII* selectable marker gene within the T-DNA and adjacent to the left border of the T-DNA. All of the constructs had an RK2 origin of replication for maintenance of the plasmids in *Agrobacterium*.

#### Transformation of *A. thaliana* with ARA expression vectors in combination with SSPs

**[0366]** To transform the genotype MC49 of *Arabidopsis*, which is a *fad2/fae1* double mutant with high linoleic acid levels in its seed lipid, plants were treated by the floral dip method (Clough and Bent, 1998) with *A. tumefaciens* strain GV3101 separately transformed with each of the six constructs pFN045-pFN050. The treated plants were grown to maturity and T<sub>1</sub> seeds harvested from them were plated on MS media containing kanamycin to select for transformed T<sub>1</sub> plants. Screening for GFP expression in the seed was also used as a visual marker for transformed T<sub>1</sub> seeds. The seedlings which survived on MS/Kan plates or which were obtained from GFP-positive seeds were transferred to soil and grown to maturity for T<sub>2</sub> seeds. The numbers of transformed plants obtained were 5, 14, 32, 8, 23 and 24 for the transformations with pFN045, pFN046, pFN047, pFN048, pFN049 and pFN050, respectively. It was discovered at this stage that the gene encoding p38 in pFN046 was not functional and therefore plants transformed with the vector pFN046 were considered as additional controls i.e. essentially the same as for pFN050.

**[0367]** About 100 pooled T<sub>2</sub> seeds were taken from each transformed plant for fatty acid composition determination of seed lipid by FAME preparation and GC analysis. Six T<sub>2</sub> seedlings from each transgenic line were also grown to produce T<sub>3</sub> seeds.

**[0368]** The fatty acid composition in total lipid extracted from the T<sub>2</sub> seeds was determined using GC. The analysis showed a range of levels of ARA and the intermediates EDA (20:2<sup>ω6</sup>) and DGLA (20:3<sup>ω6</sup>) in the T<sub>2</sub> populations. The data for ARA is shown in Figures 13 and 14.

**[0369]** Figure 13 shows a box-plot analysis of the ARA level in the lipid of the populations of the T<sub>2</sub> seeds. It was evident that the median (50<sup>th</sup> percentile) level of ARA in the populations of seeds which contained the FP1:p19 and 35S:V2 genes in addition to the ARA biosynthetic genes was significantly higher than in seeds containing the defective FP1:p38 gene or the control T-DNA from pFP050 which did not contain an SSP gene. The average ARA levels for seeds transformed with genes encoding p19 and V2 were greater than for seeds transformed with the p38 gene or those without an SSP (Figure 14). One FP1:p19 and two FP1:V2 lines exhibited about 19%, 20% and 23% ARA, respectively. These were outliers and therefore not included in the calculations for the box-plot analysis. Fewer plants transformed with the T-DNAs comprising the genes FP1:P0<sup>PE</sup> and 35S:V2 survived compared to the other constructs; it is thought that these genes could be detrimental to plant health in the MC49 background.

**[0370]** Not only were the ARA levels significantly different among the constructs, the levels in seed lipid of the first intermediate of the pathway from LA to ARA, namely EDA (20:2<sup>ω6</sup>), was observed to be lower in lines expressing either V2 or p19 than in seeds lacking an SSP or containing the p38 construct (Figure 15). In T<sub>3</sub> seeds, one population containing

the construct expressing p19 exhibited 38% ARA as a percentage of total fatty acids in the seed lipid.

[0371] A range of transgenic T<sub>3</sub> lines were progressed to the T<sub>4</sub> generation. The levels of ARA in the T<sub>4</sub> seeds expressing V2 were either the same as compared to the previous generation, or indeed exhibited increased levels compared to their T<sub>3</sub> parents (Figure 16). The lines expressing p19 showed more varied ARA levels. The ARA level was decreased in some lines while in others it was the same or increased compared to the T<sub>3</sub> parents. In contrast, the lines containing the defective p38 gene or lacking an SSP generally showed a decline in the level of ARA and an increase in the levels of intermediates (Figure 18). In some of these lines, ARA was reduced to about 1% and levels of EDA had increased to about 20%. The mean levels of ARA in T<sub>4</sub> seeds were higher for lines expressing p19 and V2 compared to lines expressing p38 or lacking an SSP (Figure 17).

[0372] This experiment showed that the expression of an SSP in seeds of a transgenic plant along with additional genes for a LC-PUFA biosynthetic pathway not only increased the level of production of the desired fatty acid in the first generation of progeny, but also stabilised the level of the fatty acid production in later generations such as the third or fourth generation of progeny. The increased fatty acid production was accompanied by decreased levels of intermediate fatty acids in the biosynthetic pathway. The SSP's p19 and V2 expressed from seed-specific promoters were preferred. The construct designed to express the p38 SSP was defective and no useful data were obtained with this construct. The V2 SSP and its homologs from other viruses are thought to be particularly preferred because they allow maximal expression of the biosynthetic pathway genes and the simultaneous silencing of other genes in the same cells in the developing seed.

#### Example 12. Assaying Sterol Content and Composition in Oils

[0373] The phytosterols from 12 vegetable oil samples purchased from commercial sources in Australia were characterised by GC and GC-MS analysis as O-trimethylsilyl ether (OTMSi-ether) derivatives as described in Example 1. Sterols were identified by retention data, interpretation of mass spectra and comparison with literature and laboratory standard mass spectral data. The sterols were quantified by use of a 5 $\beta$ (H)-Cholan-24-ol internal standard. The basic phytosterol structure and the chemical structures of some of the identified sterols are shown in Figure 19 and Table 25.

[0374] The vegetable oils analysed were from: sesame (*Sesamum indicum*), olive (*Olea europaea*), sunflower (*Helianthus annuus*), castor (*Ricinus communis*), canola (*Brassica napus*), safflower (*Carthamus tinctorius*), peanut (*Arachis hypogaea*), flax (*Linum usitatissimum*) and soybean (*Glycine max*). In decreasing relative abundance, across all of the oil samples, the major phytosterols were:  $\beta$ -sitosterol (range 28-55% of total sterol content),  $\Delta^5$ -avenasterol (isofucosterol) (3-24%), campesterol (2-33%),  $\Delta^5$ -stigmasterol (0.7-18%),  $\Delta^7$ -stigmasterol (1-18%) and  $\Delta^7$ -avenasterol (0.1-5%). Several other minor sterols were identified, these were: cholesterol, brassicasterol, chalinasterol, campestanol and eburicol. Four C<sub>29</sub>:2 and two C<sub>30</sub>:2 sterols were also detected, but further research is required to complete identification of these minor components. In addition, several other unidentified sterols were present in some of the oils but due to their very low abundance, the mass spectra were not intense enough to enable identification of their structures.

[0375] The sterol contents expressed as mg/g of oil in decreasing amount were: canola oil (6.8 mg/g), sesame oil (5.8 mg/g), flax oil (4.8-5.2 mg/g), sunflower oil (3.7-4.1 mg/g), peanut oil (3.2 mg/g), safflower oil (3.0 mg/g), soybean oil (3.0 mg/g), olive oil (2.4 mg/g), castor oil (1.9 mg/g). The % sterol compositions and total sterol content are presented in Table 26.

Table 25. IUPAC/systematic names of identified sterols.

| Sterol No. | Common name(s)                            | IUPAC / Systematic name                             |
|------------|-------------------------------------------|-----------------------------------------------------|
| 1          | cholesterol                               | cholest-5-en-3 $\beta$ -ol                          |
| 2          | brassicasterol                            | 24-methylcholesta-5,22E-dien-3 $\beta$ -ol          |
| 3          | chalinasterol / 24-methylene cholesterol  | 24-methylcholesta-5,24(28)E-dien-3 $\beta$ -ol      |
| 4          | campesterol / 24-methylcholesterol        | 24-methylcholest-5-en-3 $\beta$ -ol                 |
| 5          | campestanol / 24-methylcholestanol        | 24-methylcholestan-3 $\beta$ -ol                    |
| 7          | $\Delta^5$ -stigmasterol                  | 24-ethylcholesta-5,22E-dien-3 $\beta$ -ol           |
| 9          | ergost-7-en-3 $\beta$ -ol                 | 24-methylcholest-7-en-3 $\beta$ -ol                 |
| 11         | eburicol                                  | 4,4,14-trimethylergosta-8,24(28)-dien-3 $\beta$ -ol |
| 12         | $\beta$ -sitosterol / 24-ethylcholesterol | 24-ethylcholest-5-en-3 $\beta$ -ol                  |
| 13         | $\Delta^5$ -avenasterol / isofucosterol   | 24-ethylcholesta-5,24(28)Z-dien-3 $\beta$ -ol       |

# EP 3 266 316 A1

(continued)

| Sterol No. | Common name(s)                        | IUPAC / Systematic name              |
|------------|---------------------------------------|--------------------------------------|
| 19         | D7-stigmasterol / stigmast-7-en-3b-ol | 24-ethylcholest-7-en-3β-ol           |
| 20         | D7-avenasterol                        | 24-ethylcholesta 7,24(28)-dien-3β-ol |

**[0376]** Among all the seed oil samples, the major phytosterol was generally β-sitosterol (range 30-57% of total sterol content). There was a wide range amongst the oils in the proportions of the other major sterols: campesterol (2-17%), Δ5-stigmasterol (0.7-18%), Δ5-avenasterol (4-23%), Δ7-stigmasterol (1-18%). Oils from different species had a different sterol profile with some having quite distinctive profiles. In the case of canola oil, it had the highest proportion of campesterol (33.6%), while the other species samples generally had lower levels, e.g. up to 17% in peanut oil. Safflower oil had a relatively high proportion of Δ7-stigmasterol (18%), while this sterol was usually low in the other species oils, up to 9% in sunflower oil. Because they were distinctive for each species, sterol profiles can therefore be used to help in the identification of specific vegetable or plant oils and to check their genuineness or adulteration with other oils.

Table 26. Sterol content and composition of assayed plant oils.

| Sterol number* | Sterol common name                        | Sesame | Olive | Sunflower | Sunflower | Sunflower    | Castor | Canola | Saf-flower | Saf-flow-er  | Peanut | Flax (lin-seed) | Flax (lin-seed) | Soybean |
|----------------|-------------------------------------------|--------|-------|-----------|-----------|--------------|--------|--------|------------|--------------|--------|-----------------|-----------------|---------|
|                |                                           |        |       |           |           | cold-pressed |        |        |            | cold-pressed |        |                 |                 |         |
| 1              | cholesterol                               | 0.2    | 0.8   | 0.2       | 0.0       | 0.0          | 0.1    | 0.3    | 0.2        | 0.1          | 0.2    | 0.4             | 0.4             | 0.2     |
| 2              | brassicasterol                            | 0.1    | 0.0   | 0.0       | 0.0       | 0.0          | 0.3    | 0.1    | 0.0        | 0.0          | 0.0    | 0.2             | 0.2             | 0.0     |
| 3              | chalinaesterol /24-methylene cholesterol  | 1.5    | 0.1   | 0.3       | 0.1       | 0.1          | 1.1    | 2.4    | 0.2        | 0.1          | 0.9    | 1.5             | 1.4             | 0.8     |
| 4              | campesterol /24-methylcholesterol         | 16.2   | 2.4   | 7.4       | 7.9       | 7.9          | 8.4    | 33.6   | 12.1       | 8.5          | 17.4   | 15.7            | 14.4            | 16.9    |
| 5              | campestanol /24-methylcholestanol 1       | 0.7    | 0.3   | 0.3       | 0.1       | 0.1          | 0.9    | 0.2    | 0.8        | 0.8          | 0.3    | 0.2             | 0.2             | 0.7     |
| 6              | C29:2*                                    | 0.0    | 0.0   | 0.1       | 0.2       | 0.2          | 0.0    | 0.1    | 0.5        | 0.5          | 0.0    | 1.2             | 1.3             | 0.1     |
| 7              | $\Delta 5$ -stigmasterol                  | 6.4    | 1.2   | 7.4       | 7.2       | 7.2          | 18.6   | 0.7    | 7.0        | 4.6          | 6.9    | 5.1             | 5.8             | 17.6    |
| 8              | unknown                                   | 0.5    | 1.3   | 0.7       | 0.6       | 0.6          | 0.8    | 0.7    | 0.7        | 1.3          | 0.4    | 0.7             | 0.6             | 1.3     |
| 9              | ergost-7-en-3 $\beta$ -ol                 | 0.1    | 0.1   | 1.9       | 1.8       | 1.8          | 0.2    | 0.4    | 2.7        | 4.0          | 1.4    | 1.4             | 1.4             | 1.0     |
| 10             | unknown                                   | 0.0    | 1.3   | 0.9       | 0.8       | 0.8          | 1.2    | 0.9    | 1.8        | 0.7          | 1.2    | 0.7             | 0.5             | 0.7     |
| 11             | eburicol                                  | 1.6    | 1.8   | 4.1       | 4.4       | 4.4          | 1.5    | 1.0    | 1.9        | 2.9          | 1.2    | 3.5             | 3.3             | 0.9     |
| 12             | $\beta$ -sitosterol / 24-ethylcholesterol | 55.3   | 45.6  | 43.9      | 43.6      | 43.6         | 37.7   | 50.8   | 40.2       | 35.1         | 57.2   | 29.9            | 28.4            | 40.2    |
| 13             | $\Delta 5$ -avenasterol / isofucosterol   | 8.6    | 16.9  | 7.2       | 4.1       | 4.1          | 19.3   | 4.4    | 7.3        | 6.3          | 5.3    | 23.0            | 24.2            | 3.3     |
| 14             | triterpenoid alcohol                      | 0.0    | 2.4   | 0.9       | 1.1       | 1.1          | 0.0    | 0.0    | 1.6        | 1.9          | 0.0    | 0.0             | 0.0             | 0.9     |
| 15             | triterpenoid alcohol                      | 0.0    | 0.0   | 0.7       | 0.6       | 0.6          | 0.0    | 0.0    | 2.8        | 1.8          | 0.0    | 0.0             | 0.3             | 0.0     |
| 16             | C29:2*                                    | 0.0    | 0.5   | 0.7       | 0.7       | 0.7          | 1.5    | 1.2    | 2.8        | 1.9          | 2.0    | 1.0             | 0.7             | 0.5     |

(continued)

| Sterol number* | Sterol common name                                     | Sesame | Olive | Sunflower | Sunflower | Castor | Canola | Saf-flower | Saf-flow-er | Peanut | Flax (lin-seed) | Flax (lin-seed) | Soybean |
|----------------|--------------------------------------------------------|--------|-------|-----------|-----------|--------|--------|------------|-------------|--------|-----------------|-----------------|---------|
| 17             | C29:2*                                                 | 1.0    | 0.9   | 2.3       | 2.4       | 0.6    | 0.4    | 1.3        | 1.9         | 0.9    | 1.0             | 1.0             | 1.0     |
| 18             | C30:2*                                                 | 0.0    | 0.0   | 0.0       | 0.0       | 1.9    | 0.0    | 0.0        | 0.0         | 0.0    | 0.0             | 0.0             | 0.0     |
| 19             | $\Delta^7$ -stigmasterol / stigmast-7-en- $3\beta$ -ol | 2.2    | 7.1   | 9.3       | 10.9      | 2.3    | 0.9    | 10.5       | 18.3        | 1.1    | 7.9             | 8.7             | 5.6     |
| 20             | $\Delta^7$ -avenasterol                                | 1.3    | 0.1   | 4.0       | 3.6       | 0.6    | 0.2    | 2.0        | 4.7         | 0.7    | 0.4             | 0.4             | 0.6     |
| 21             | unknown                                                | 0.7    | 7.1   | 0.9       | 0.8       | 0.0    | 0.4    | 0.3        | 0.4         | 0.0    | 3.0             | 3.6             | 0.0     |
| 22             | unknown                                                | 0.3    | 0.0   | 0.3       | 0.9       | 0.0    | 0.0    | 1.2        | 1.3         | 0.2    | 0.1             | 0.0             | 0.3     |
| 23             | unknown                                                | 0.2    | 0.2   | 0.3       | 0.3       | 0.2    | 0.1    | 0.3        | 0.2         | 0.2    | 0.1             | 0.2             | 0.5     |
| 24             | unknown                                                | 0.0    | 3.1   | 0.9       | 1.3       | 0.6    | 0.4    | 0.2        | 0.4         | 0.7    | 1.7             | 1.9             | 0.8     |
| 25             | unknown                                                | 0.9    | 0.4   | 0.3       | 0.5       | 0.3    | 0.1    | 0.5        | 0.7         | 0.3    | 0.1             | 0.1             | 0.6     |
| 26             | C30:2                                                  | 2.2    | 6.0   | 4.6       | 5.7       | 1.4    | 0.6    | 1.0        | 1.2         | 1.2    | 1.2             | 1.1             | 5.2     |
| 27             | unknown                                                | 0.0    | 0.4   | 0.4       | 0.3       | 0.3    | 0.2    | 0.1        | 0.2         | 0.3    | 0.1             | 0.0             | 0.3     |
|                | Sum                                                    | 100.0  | 100.0 | 100.0     | 100.0     | 100.0  | 100.0  | 100.0      | 100.0       | 100.0  | 100.0           | 100.0           | 100.0   |
|                | Total sterol (mg/g oil)                                | 5.8    | 2.4   | 4.1       | 3.7       | 1.9    | 6.8    | 3.2        | 3.0         | 3.2    | 4.8             | 5.2             | 3.0     |

C29:2\* and C30:2\* denotes a C29 sterol with two double bonds and a C30 sterol with two double bonds, respectively

**[0377]** Two samples each of sunflower and safflower were compared, in each case one was produced by cold pressing of seeds and unrefined, while the other was not cold-pressed and refined. Although some differences were observed, the two sources of oils had similar sterol compositions and total sterol contents, suggesting that processing and refining had little effect on these two parameters. The sterol content among the samples varied three-fold and ranged from 1.9 mg/g to 6.8 mg/g. Canola oil had the highest and castor oil the lowest sterol content.

### **Example 13. Increasing accumulation of DHA at the *sn*-2 TAG position**

**[0378]** The present inventors considered that DHA accumulation at the *sn*-2 position in TAG could be increased by co-expressing an 1-acyl-glycerol-3-phosphate acyltransferase (LPAAT) together with the DHA biosynthesis pathway such as conferred by the GA7 construct or its variants. Preferred LPAATs are those which can act on polyunsaturated C22 fatty acyl-CoA as substrate, resulting in increased insertion of the polyunsaturated C22 chain at the *sn*-2 position of LPA to form PA, relative to the endogenous LPAAT. Cytoplasmic LPAAT enzymes often display varied substrate preferences, particularly where the species synthesises and accumulates unusual fatty acids in TAG. A LPAAT2 from *Limnanthes douglasii* was shown to use erucyl-CoA (C22:1-CoA) as a substrate for PA synthesis, in contrast to an LPAAT1 from the same species that could not utilise the C22 substrate (Brown et al., 2002).

**[0379]** Known LPAATs were considered and a number were selected for testing, including some which were not expected to increase DHA incorporation at the *sn*-2 position, as controls. The known LPAATs included: *Arabidopsis thaliana* LPAAT2: (SEQ ID NO: 63, Accession No. ABG48392, Kim et al., 2005), *Limnanthes alba* LPAAT (SEQ ID NO: 64, Accession No. AAC49185, Lassner et al., 1995), *Saccharomyces cerevisiae* Slc1p (SEQ ID NO: 65, Accession No. NP\_010231, Zou et al., 1997), *Mortierella alpina* LPAAT1 (SEQ ID NO: 67, Accession No. AED33305; US Patent No. 7879591) and *Brassica napus* LPAATs (SEQ ID NO: 68 and SEQ ID NO: 69, Accession Nos ADC97479 and ADC97478 respectively). These were chosen to cover three groups of LPAAT enzymes: 1) control plant seed LPAATs with typically low activity on unusual long-chain polyunsaturated fatty acids (including the *Arabidopsis* and *Brassica* LPAATs), 2. LPAATs that had previously been demonstrated to act on C22 fatty acids by using C22 acyl-CoA as substrate, in this case erucic acid C22:1 (including the *Limnanthes* and *Saccharomyces* LPAATs), 3. LPAATs which the inventors considered likely to be able to utilise long-chain polyunsaturated fatty acids such as EPA and DHA as substrates (including the *Mortierella* LPAAT).

**[0380]** The *Arabidopsis* LPAAT2 (also designated LPAT2) is an endoplasmic reticulum-localised enzyme shown to have activity on C16 and C18 substrates, however activity on C20 or C22 substrates was not tested (Kim et al., 2005). *Limnanthes alba* LPAAT2 was demonstrated to insert a C22:1 acyl chain into the *sn*-2 position of PA, although the ability to use DHA as a substrate was not tested (Lassner et al., 1995). The selected *S. cerevisiae* LPAAT Slc1p was shown to have activity using 22:1-CoA in addition to 18:1-CoA as substrates, indicating a broad substrate specificity with respect to chain length (Zou et al., 1997). Again, DHA-CoA and other LC-PUFAs were not tested as substrates. The *Mortierella* LPAAT had previously been shown to have activity on EPA and DHA fatty acid substrates in transgenic *Yarrowia lipolytica* (US 7879591).

**[0381]** Additional LPAATs were identified by the inventors. *Micromonas pusilla* is a microalga that produces and accumulates DHA in its oil, although the positional distribution of the DHA on TAG in this species has not been confirmed. The *Micromonas pusilla* LPAAT (SEQ ID NO: 66, Accession No. XP\_002501997) was identified by searching the *Micromonas pusilla* genomic sequence using the *Arabidopsis* LPAAT2 as a BLAST query sequence. Several candidate sequences emerged and the sequence XP\_002501997 was synthesised for testing as a likely LPAAT enzyme with activity on C22 LC-PUFA. The *Ricinus communis* LPAAT was annotated as a putative LPAAT in the castor genome sequence (Chan et al., 2010). Four candidate LPAATs from the castor genome were synthesised and tested in crude leaf lysates of infiltrated *N. benthamiana* leaf tissue. The candidate sequence described here showed LPAAT activity.

**[0382]** A number of candidate LPAATs were aligned with known LPAATs on a phylogenetic tree (Figure 20). It was noted that the putative *Micromonas* LPAAT did not cluster with the putative C22 LPAATs but was a divergent sequence.

**[0383]** As an initial test of various LPAATs for their ability to use DHA-CoA as substrate, chimeric genetic constructs are made for constitutive expression of exogenous LPAATs in *N. benthamiana* leaves, each under the control of the 35S promoter, as follows: 35S:Arath-LPAAT2 (*Arabidopsis* ER LPAAT); 35S:Ricco-LPAAT2; 35S:Limal-LPAAT (*Limnanthes alba* LPAAT); 35S:Sacce-Slc1p (*S. cerevisiae* LPAAT); 35S:Micpu-LPAAT (*Micromonas pusilla* LPAAT); 35S:Moral-LPAAT1 (*Mortierella alpina* LPAAT). A 35S:p19 construct lacking an exogenous LPAAT is used as a control in the experiment. Each of these constructs is introduced via *Agrobacterium* into *N. benthamiana* leaves as described in Example 1, and 5 days after infiltration, the treated leaf zones are excised and ground to make leaf lysates. Each lysate includes the exogenous LPAAT as well as the endogenous enzymes for synthesizing LPA. *In vitro* reactions are set up by separately adding <sup>14</sup>C-labelled-OA, -LA or -ALA (C18 substrates), -ARA (a C20 substrate) and -DHA (C22) to the lysates, in triplicate. Reactions are incubated at 25°C and the level of incorporation of the <sup>14</sup>C labelled fatty acids into PA determined by TLC. The ability of each LPAAT to use DHA relative to ARA and the C18 fatty acids is calculated. The meadowfoam, *Mortierella* and *Saccharomyces* LPAATs were found to have activity on DHA substrate, with radio



labelled PA appearing for these but not the other LPAATs. All LPAATs were confirmed active by a similar oleic acid feed.

[0384] To test LPAAT activity in seeds, several of the protein coding sequences or LPAATs are inserted into a binary vector under the control of a conlinin (pLuCn11) promoter. The resultant genetic constructs containing the chimeric genes, Cn11:Arath-LPAAT (negative control), Cn11:Limal-LPAAT, Cn1:Sacce-Siclp, and Cn11:Moral-LPAAT, respectively, are then used to transform *B. napus* and *A. thaliana* plants to generate stable transformants expressing the LPAATs in a seed-specific manner. The transformed plants having the Cn11:LPAAT constructs are crossed with plants expressing the GA7 construct or its variants (Example 5) which produce DHA in the seed to result in increased incorporation of DHA at the *sn*-2 position of TAG. The constructs are also used to transform *B. napus*, *C. sativa* and *A. thaliana* plants that already contain the GA7 construct and variants thereof (Examples 2 to 5) to generate progeny carrying both the parental and LPAAT genetic constructs. Increased incorporation of DHA at the *sn*-2 position of TAG is expected relative to the incorporation in plants lacking the LPAAT encoding transgenes. Oil content is also improved in the seeds, particularly for seeds producing higher levels of DHA, counteracting the trend seen in *Arabidopsis* seed as described in Example 2.

[0385] It will be appreciated by persons skilled in the art that numerous variations and/or modifications may be made to the invention as shown in the specific embodiments without departing from the spirit or scope of the invention as broadly described. The present embodiments are, therefore, to be considered in all respects as illustrative and not restrictive.

[0386] The present application claims priority from US 61/660,392 filed 15 June 2012, US 61/663,344 filed 22 June 2012, US 61/697,676 filed 6 September 2012 and US 61/782,680 filed 14 March 2013, the entire contents of each of which are incorporated herein by reference.

[0387] All publications discussed and/or referenced herein are incorporated herein in their entirety.

[0388] This application incorporates herein by reference US 61/660,392 filed 15 June 2012, US 61/663,344 filed 22 June 2012 and US 61/697,676 filed 6 September 2012.

[0389] Any discussion of documents, acts, materials, devices, articles or the like which has been included in the present specification is solely for the purpose of providing a context for the present invention. It is not to be taken as an admission that any or all of these matters form part of the prior art base or were common general knowledge in the field relevant to the present invention as it existed before the priority date of each claim of this application.

## REFERENCES

[0390]

- Abbadi et al. (2004) Plant Cell 16: 2734-2748.
- Abbott et al. (1998) Science 282:2012-2018.
- Abdullah et al. (1986) Biotech. 4:1087.
- Agaba et al. (2004) Marine Biotechnol. (NY) 6:251-261.
- Alvarez et al. (2000) Theor Appl Genet 100:319-327.
- Armbrust et al. (2004) Science 306:79-86.
- Attila Kereszt et al. (2007) Nature Protocols 2:948 - 952.
- Baumberger et al. (2007) Curr. Biol. 17:1609-1614.
- Baumlein et al. (1991) Mol. Gen. Genet. 225:459-467.
- Baumlein et al. (1992) Plant J. 2:233-239.
- Beaudoin et al. (2000) Proc. Natl. Acad. Sci. U.S.A. 97:6421-6426.
- Beclin et al. (2002) Curr. Biol. 12:684-688.
- Berberich. et al. (1998) Plant Mol. Biol. 36:297-306.
- Bortolamiol et al. (2007) Curr. Biol. 17:1615-1621.
- Broun et al. (1998) Plant J. 13:201-210.
- Brown et al. (2002) Biochem J. 364:795-805.
- Chapman et al. (2004) Gen. Dev. 18:1179-1186.
- Chen et al. (2004) The Plant Cell 16:1302-1313.
- Cheng et al. (1996) Plant Cell Rep. 15:653-657.
- Cheng et al. (2010) Transgenic Res 19: 221-229.
- Chikwamba et al. (2003) Proc. Natl. Acad. Sci. U.S.A. 100:11127-11132.
- Cho et al. (1999a) J. Biol. Chem. 274:471-477.
- Cho et al. (1999b) J. Biol. Chem. 274:37335-37339.
- Clough and Bent (1998) Plant J. 16:735-43.
- Coutu et al. (2007) Transgenic Res. 16: 771-781.
- Damude et al. (2006). Proc Natl Acad Sci USA 103: 9446-9451.
- Denic and Weissman (2007) Cell 130:663-677.

- Domergue et al (2002) *Eur. J. Biochem.* 269:4105-4113.  
 Domergue et al. (2002) *Eur. J. Biochem.* 269:4105-4113.  
 Domergue et al. (2003) *J. Biol. Chem.* 278: 35115-35126.  
 Domergue et al. (2005) *Biochem. J.* 389: 483-490.  
 5 Dunoyer et al. (2004) *The Plant Cell* 16:1235-1250.  
 Ellerstrom et al. (1996) *Plant Mol. Biol.* 32:1019-1027.  
 Fujimura et al. (1985) *Plant Tissue Culture Lett.* 2:74.  
 Fukunaga (2009) *EMBO J.* 28:545-55.  
 Gamez et al. (2003) *Food Res International* 36: 721-727.  
 10 Garcia-Maroto et al. (2002) *Lipids* 37:417-426.  
 Girke et al. (1998) *Plant J.* 15:39-48.  
 Glick et al. (2008) *Proc. Natl. Acad. Sci U.S.A.* 105:157-161.  
 Grant et al. (1995) *Plant Cell Rep.* 15:254-258.  
 Hall et al. (1991) *Proc. Natl. Acad. Sci. USA* 88:9320-9324  
 15 Hamilton and Baulcombe (1999) *Science* 286:950-952.  
 Hamilton et al. (1997) *Gene* 200:107-16.  
 Harayama (1998). *Trends Biotechnol.* 16: 76-82.  
 Hastings et al. (2001) *Proc. Natl. Acad. Sci. U.S.A.* 98:14304-14309.  
 Hinchee et al. (1988) *Biotechnology* 6:915-922.  
 20 Hoffmann et al. (2008) *J Biol. Chem.* 283:22352-22362.  
 Hong et al. (2002a) *Lipids* 37:863-868.  
 Horiguchi et al. (1998) *Plant Cell Physiol.* 39:540-544.  
 Horvath et al. (2000) *Proc. Natl. Acad. Sci. U.S.A.* 97:1914-1919.  
 Huang et al. (1999) *Lipids* 34:649-659.  
 25 Inagaki et al. (2002) *Biosci. Biotechnol. Biochem.* 66:613-621.  
 Johansen and Carrington (2001) *Plant Physiol.* 126:930-938.  
 Kajikawa et al. (2004) *Plant Mol. Biol.* 54:335-52.  
 Kajikawa et al. (2006) *FEBS Lett* 580:149-154.  
 Kim et al. (2005) *Plant Cell.* 2005 1073-89.  
 30 Knutzon et al. (1998) *J. Biol Chem.* 273:29360-6.  
 Koziel et al. (1996) *Plant Mol. Biol.* 32:393-405.  
 Lassner (1995) *Plant Physiol.* 109:1389-94.  
 Leonard et al. (2000) *Biochem. J.* 347:719-724.  
 Leonard et al. (2000b) *Biochem. J.* 350:765-770.  
 35 Leonard et al. (2002) *Lipids* 37:733-740.  
 Lewsey et al. (2007) *Plant J.* 50:240-252.  
 Lo et al. (2003) *Genome Res.* 13:455-466.  
 Lu and Kang (2008) *Plant Cell Rep.* 27:273-8.  
 Mallory et al. (2002) *Nat. Biotech.* 20:622-625.  
 40 Marangoni et al. (1995) *Trends in Food Sci. Technol.* 6: 329-335.  
 Meesapyodsuk et al. (2007) *J Biol Chem* 282: 20191-20199.  
 Meng et al. (2008) *J. Gen. Virol.* 89:2349-2358.  
 Meyer et al. (2003) *Biochem.* 42:9779-9788.  
 Meyer et al. (2004) *Lipid Res* 45:1899-1909.  
 45 Michaelson et al. (1998a) *J. Biol. Chem.* 273:19055-19059.  
 Michaelson et al. (1998b) *FEBS Lett.* 439:215-218.  
 Murashige and Skoog (1962) *Physiologia Plantarum* 15:473-497.  
 Napier et al. (1998) *Biochem. J.* 330:611-614.  
 Needleman and Wunsch (1970) *J. Mol. Biol.* 48:443-453.  
 50 Niedz et al. (1995) *Plant Cell Reports* 14:403.  
 Ow et al. (1986) *Science* 234:856-859.  
 Parker-Barnes et al. (2000) *Proc. Natl. Acad. Sci. USA* 97:8284-8289.  
 Pereira et al. (2004a) *Biochem. J.* 378:665-671.  
 Pereira et al. (2004b) *Biochem. J.* 384:357-366.  
 55 Perrin et al. (2000) *Mol Breed* 6:345-352.  
 Petrie et al. (2010a) *Metab. Eng.* 12:233-240.  
 Petrie et al. (2010b) *Plant Methods* 11:6:8.  
 Petrie et al. (2012) *Transgenic Res.* 21:139-147.

- Potenza et al. (2004) *In Vitro Cell Dev Biol - Plant* 40:1-22.  
 Prasher et al (1985) *Biochem. Biophys. Res. Commun.* 127:31-36.  
 Qi et al. (2002) *FEBS Lett.* 510:159-165.  
 Qi et al. (2004) *Nat. Biotech.* 22: 739-745.  
 5 Qiu et al. (2001) *J. Biol. Chem.* 276:31561-31566.  
 Reddy and Thomas (1996) *Nat. Biotech.* 14:639-642.  
 Reddy et al. (1993) *Plant Mol. Biol.* 22:293-300.  
 Robert et al. (2005) *Func. Plant Biol.* 32:473-479.  
 Robert et al. (2009) *Marine Biotech* 11:410-418.  
 10 Ruiz-Lopez et al. (2012) *Transgenic Res.* 21:139-147.  
 Saha et al. (2006) *Plant Physiol.* 141:1533-1543.  
 Saito et al. (2000) *Eur. J. Biochem.* 267:1813-1818.  
 Sakuradani et al. (1999) *Gene* 238:445-453.  
 Sato et al. (2004) *Crop Sci.* 44: 646-652.  
 15 Sakuradani et al. (2005) *Appl. Microbiol. Biotechnol.* 66:648-654.  
 Sayanova et al. (2006) *J Biol Chem* 281: 36533-36541.  
 Sayanova et al. (1997) *Proc. Natl. Acad. Sci. U.S.A.* 94:4211-4216.  
 Sayanova et al. (2003) *FEBS Lett.* 542:100-104.  
 Sayanova et al. (2006) *Planta* 224:1269-1277.  
 20 Sayanova et al. (2007) *Plant Physiol* 144:455-467.  
 Singh et al. (2005) *Curr. Opin. in Plant Biol.* 8:197-203.  
 Speranza et al. (2012) *Process Biochemistry* (In Press).  
 Sperling et al. (2000) *Eur. J. Biochem.* 267:3801-3811.  
 Sperling et al. (2001) *Arch. Biochem. Biophys.* 388:293-8.  
 25 Sprecher et al. (1995) *J. Lipid Res.* 36:2471-2477.  
 Spychalla et al. (1997) *Proc. Natl. Acad. Sci. U.S.A.* 94:1142-1147.  
 Stalker et al. (1998) *J. Biol. Chem.* 263:6310-6314.  
 Thillet et al. (1988) *J. Biol. Chem* 263:12500-12508.  
 Tonon et al. (2003) *FEBS Lett.* 553:440-444.  
 30 Toriyama et al. (1986) *Theor. Appl. Genet.* 205:34.  
 Trautwein (2001) *European J. Lipid Sci. and Tech.* 103:45-55.  
 Tvrdik (2000) *J. Cell Biol.* 149:707-718.  
 Venegas-Caleron et al. (2010) *Prog. Lipid Res.* 49:108-119.  
 Voinnet et al. (2003) *Plant J.* 33:949-956.  
 35 Wallis and Browse (1999) *Arch. Biochem. Biophys.* 365:307-316.  
 Watts and Browse (1999b) *Arch. Biochem. Biophys.* 362:175-182.  
 Weiss et al. (2003) *Int. J. Med. Microbiol.* 293:95:106.  
 Whitney et al. (2003) *Planta* 217:983-992.  
 Winans (1988) *J. Bacteriol.* 170:4047-54.  
 40 Wood (2009) *Plant Biotechnol J.* 7:914-24.  
 Wu et al. (2005) *Nat. Biotech.* 23:1013-1017.  
 Yang et al. (2003) *Planta* 216:597-603.  
 Zank et al. (2002) *Plant J.* 31:255-268.  
 Zank et al. (2005) *WO* 2005/012316  
 45 Zhang et al. (2004) *FEBS Lett.* 556:81-85.  
 Zhang et al. (2006) 20:3255-3268.  
 Zhang et al. (2007a) *FEBS Letters* 581: 315-319.  
 Zhang et al. (2008) *Yeast* 25: 21-27.  
 Zhou et al. (2007) *Phytochem.* 68:785-796.  
 50 Zhou et al. (2008) *Insect Mol Biol* 17: 667-676.  
 Zou et al. (1997) *Plant Cell.* 9:909-23.

# EP 3 266 316 A1

## SEQUENCE LISTING

5 <110> Nuseed Pty Ltd  
 Grain Research and Development Corporation  
 Commonwealth Scientific and Industrial Research  
 Organisation

10 <120> PRODUCTION OF LONG CHAIN POLYUNSATURATED FATTY ACIDS IN PLANT  
 CELLS

15 <130> B11119A-CA

<150> US 61/660,392  
 <151> 2012-06-15

20 <150> US 61/663,344  
 <151> 2012-06-22

<150> US 61/697,676  
 <151> 2012-09-06

25 <150> US 61/782,680  
 <151> 2013-03-14

<160> 72

30 <170> PatentIn version 3.5

<210> 1  
 <211> 21527  
 <212> DNA  
 <213> Artificial Sequence

35 <220>  
 <223> pJP3416-GA7 nucleotide sequence.

40 <400> 1

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| tcctgtggtt ggcatgcaca tacaaatgga cgaacggata aaccttttca cgccctttta  | 60  |
| aatatccgat tattctaata aacgctcttt tctcttaggt ttaccgcga atatatcctg   | 120 |
| tcaaacactg atagtttaaa ctgaaggcgg gaaacgacaa tctgctagt gatctcccag   | 180 |
| tcacgacgtt gtaaaacggg cgccccgcgg aaagcttgcg gccgcccgat ctagtaacat  | 240 |
| agatgacacc gcgcgcgata atttatccta gtttgcgcg tatattttgt tttctatcgc   | 300 |
| gtattaaatg tataattgcg ggactctaata cataaaaacc catctcataa ataacgtcat | 360 |
| gcattacatg ttaattatta cgtgcttaac gtaattcaac agaaattata tgataatcat  | 420 |
| cgcaagaccg gcaacaggat tcaatcttaa gaaactttat tgccaaatgt ttgaacgatc  | 480 |
| ggcgcgcctc attagtgagc cttctcagcc tttccgttaa cgtagtagtg ctgtcccacc  | 540 |
| ttatcaaggt tagagaaagt agccttccaa gcaccgtagt aagagagcac cttgtagttg  | 600 |
| agtccccact tcttagcgaa aggaacgaat cttctgctaa cctcaggctg tctgaattga  | 660 |
| ggcatatcag ggaagaggtg gtggataacc tgacagttaa ggtatcccat aagccagttc  | 720 |
| acgtatcctc tagaaggatc gatatcaacg gtgtgatcaa cagcgtagtt aacccaagaa  | 780 |

EP 3 266 316 A1

|    |             |            |            |             |             |             |      |
|----|-------------|------------|------------|-------------|-------------|-------------|------|
|    | aggtgcttat  | cagatggaac | aacagggagg | tgagtatgag  | aagtagagaa  | gtgagcgaaa  | 840  |
|    | aggtacatgt  | aagcgatcca | gtttccgaaa | gtgaaccacc  | agtaagcaac  | aggccaagag  | 900  |
| 5  | tatccagtag  | caagcttgat | aacagcggtt | ctaacaacat  | gagaaacgag  | catccaagaa  | 960  |
|    | gcctcttcgt  | agttcttctt | acggagaact | tgtctagggg  | ggagaacgta  | gatccagaaa  | 1020 |
|    | gcttgaacaa  | gaagtccaga | ggtaacagga | acgaaagtcc  | aagcttgaag  | tctagcccaa  | 1080 |
| 10 | gctctagaga  | atcctctagg | tctgttatcc | tcaacagcag  | tgttgaagaa  | agccacagca  | 1140 |
|    | ggagtgggtat | caagatccat | atcgtgtcta | accttttgag  | gggtagcatg  | gtgcttggtta | 1200 |
|    | tgcattctgg  | tccacatctc | accagaagta | gaaagtccga  | atccacaagt  | catagcctga  | 1260 |
| 15 | agtctcttgt  | ccacgtaaac | agatccggta | agagagttat  | gtccaccctc  | atgttgaacc  | 1320 |
|    | catccacatc  | tagctccgaa | gaaagcaccg | taaacaacag  | aagcaatgat  | agggtatcca  | 1380 |
|    | gcgtacataa  | gagcagttcc | aagagcgaat | gtagcaagaa  | gctcgagaag  | tctgtaagcc  | 1440 |
| 20 | acatgggtga  | tagaaggctt | gaagaatcca | tctctctcaa  | gctcagcacg  | ccatctagcg  | 1500 |
|    | aaatcctcaa  | gcataggagc | atcctcagac | tcagatctct  | tgatctcagc  | aggtctagaa  | 1560 |
| 25 | ggcaaagctc  | taagcatctt | ccaagccttg | agagaacgca  | tgtggaattc  | tttgaaagcc  | 1620 |
|    | tcagtagcat  | cagcaccagt | gtagcaagc  | atgtagaaga  | tcacagatcc  | accagggtgc  | 1680 |
|    | ttgaagttag  | tcacatcgta | ctcaacgtcc | tcaactctaa  | cccatctagt  | ctcgaaagta  | 1740 |
| 30 | gcagcaagct  | catgaggctc | aagagtctta | agatcaacag  | gagcagtaga  | agcatcctta  | 1800 |
|    | gcatcaagag  | cctcagcaga | agatttagac | ctggtaagtg  | gagatctagg  | agaagatctt  | 1860 |
|    | ccatcagtct  | taggagggca | catggtatgg | taattgtaaa  | tgtaattgta  | atgttgtttg  | 1920 |
| 35 | ttgtttgttg  | ttgttggtta | ttgttgtaaa | agatcctcgt  | gtatgttttt  | aatcttgttt  | 1980 |
|    | gtatcgatga  | gttttggttt | gagtaaagag | tgaagcggat  | gagttaattt  | ataggctata  | 2040 |
|    | aaggagattt  | gcatggcgat | cacgtgtaat | aatgcatgca  | cgcattgtat  | tgtatgtgtg  | 2100 |
| 40 | tgctgtgaga  | gagaagctct | taggtgtttg | aaggagtgta  | caagtggcga  | agaaaaacaa  | 2160 |
|    | ttctccgcgg  | ctgcatgcta | tgtgtaacgt | gtagctaatt  | ttctggcatg  | gcatcttatg  | 2220 |
|    | aacgattctt  | tttaaaaaa  | aggtaaaaac | ttaacttcat  | aaaattaaaa  | aaaaaaacgt  | 2280 |
| 45 | ttactaagtt  | ggtttaaaag | gggatgagac | tagtagattg  | gttggttggt  | ttccatgtac  | 2340 |
|    | cagaaggctt  | accctattag | ttgaaagttg | aaactttggt  | ccctactcaa  | ttcctagttg  | 2400 |
|    | tgtaaagtga  | tgtatatgta | atgtgtataa | aacgtagtac  | ttaaatgact  | aggagtgggt  | 2460 |
| 50 | cttgagaccg  | atgagagatg | ggagcagaac | taaagatgat  | gacataatta  | agaacgaatt  | 2520 |
|    | tgaaaggctc  | ttaggtttga | atcctattcg | agaatgtttt  | tgtcaaagat  | agtggcgatt  | 2580 |
| 55 | ttgaaccaaa  | gaaaacattt | aaaaaatcag | tatccgggtta | cgttcattgca | aatagaaaagt | 2640 |
|    | ggtctaggat  | ctgattgtaa | ttttagactt | aaagagtctc  | ttaagattca  | atcctggctg  | 2700 |

EP 3 266 316 A1

|    |             |             |             |             |             |             |      |
|----|-------------|-------------|-------------|-------------|-------------|-------------|------|
|    | tgtacaaaac  | tacaaataat  | atatttttaga | ctattttggcc | ttaactaaac  | ttccactcat  | 2760 |
|    | tattttactga | ggttagagaa  | tagacttgcg  | aataaacaca  | ttcccgagaa  | atactcatga  | 2820 |
| 5  | tcccataatt  | agtcagaggg  | tatgccaatc  | agatctaaga  | acacacattc  | cctcaaattt  | 2880 |
|    | taatgcacat  | gtaatcatag  | tttagcacaa  | ttcaaaaata  | atgtagtatt  | aaagacagaa  | 2940 |
|    | atttgtagac  | tttttttttg  | cgttaaaaga  | agactaagtt  | tatacgtaca  | ttttatttta  | 3000 |
| 10 | agtggaaaac  | cgaaattttc  | catcgaaata  | tatgaattta  | gtatatatat  | ttctgcaatg  | 3060 |
|    | tactattttg  | ctattttggc  | aactttcagt  | ggactactac  | tttattacaa  | tgtgtatgga  | 3120 |
|    | tgcattgagtt | tgagtataca  | catgtctaaa  | tgcattgctt  | gtaaaacgta  | acggaccaca  | 3180 |
| 15 | aaagaggatc  | catacaaata  | catctcatag  | cttcctccat  | tattttccga  | cacaaacaga  | 3240 |
|    | gcattttaca  | acaattacca  | acaacaacaa  | acaacaaaca  | acattacaat  | tacattttaca | 3300 |
| 20 | attaccatac  | catggaattc  | gcccagcctc  | ttgttgctat  | ggctcaagag  | caatacgctg  | 3360 |
|    | ctatcgatgc  | tgttggttgct | cctgctatct  | tctctgctac  | tgattctatc  | ggatggggac  | 3420 |
|    | ttaagcctat  | ctcttctgct  | actaaggact  | tgcctcttgt  | tgagtctcct  | acacctctca  | 3480 |
| 25 | tcctttcttt  | gcttgcttac  | ttcgctatcg  | ttggatctgg  | actcgtttac  | agaaaggttt  | 3540 |
|    | tccttagaac  | cgtgaaggga  | caagatccat  | tccttttgaa  | ggctcttatg  | cttgctcaca  | 3600 |
|    | acgtgttcct  | tatcggaactt | tctctttaca  | tgtgcctcaa  | gcttggtgtac | gagggttacg  | 3660 |
| 30 | ttaacaagta  | ctctttctgg  | ggaaacgctt  | acaaccctgc  | tcaaactgag  | atggctaagg  | 3720 |
|    | ttatctggat  | cttctacgtg  | agcaagatct  | acgagttcat  | ggataccttc  | atcatgctcc  | 3780 |
| 35 | tcaagggaaa  | tgttaaccag  | gttagcttcc  | ttcacgttta  | ccatcacgga  | tctatctctg  | 3840 |
|    | gaatctggtg  | gatgattact  | tacgctgctc  | ctgggtggtga | tgcttaacttc | tctgctgctc  | 3900 |
|    | ttaactcttg  | ggttcacgtg  | tgtatgtaca  | cctactattt  | tatggctgoc  | gtgcttccta  | 3960 |
| 40 | aggacgagaa  | aactaagaga  | aagtacctct  | gggtggggaag | ataccttact  | caaatgcaga  | 4020 |
|    | tgttccagtt  | cttcatgaac  | cttctccagg  | ctgtttacct  | tctctactct  | tcatctcctt  | 4080 |
|    | accctaagtt  | tatcgctcag  | ctcctcgctg  | tgtacatggt  | tactcttctc  | atgcttttcg  | 4140 |
| 45 | gaaacttcta  | ctacatgaag  | caccacgcta  | gcaagtgatg  | aggcgcgccg  | ggccgcccgc  | 4200 |
|    | atgtgacaga  | tcgaagggaag | aaagtgtaat  | aagacgactc  | tcactactcg  | atcgctagtg  | 4260 |
|    | attgtcattg  | ttatatataa  | taatgttata  | tttcacaact  | tatcgtaatg  | catgtgaaac  | 4320 |
| 50 | tataacacat  | taatcctact  | tgtcatatga  | taacactctc  | cccatttaaa  | actcttgtca  | 4380 |
|    | atttaaagat  | ataagattct  | ttaaatgatt  | aaaaaaaata  | tattataaat  | tcaatcactc  | 4440 |
| 55 | ctactaataa  | attattaatt  | attattttatt | gattaaaaaa  | atacttatac  | taatttagtc  | 4500 |
|    | tgaatagaat  | aattagattc  | tagtctcatc  | cccttttaaa  | ccaacttagt  | aaacgttttt  | 4560 |

EP 3 266 316 A1

|    |                                                                     |      |
|----|---------------------------------------------------------------------|------|
|    | ttttttaatt ttatgaagtt aagttttttac cttgtttttta aaaagaatcg ttcataagat | 4620 |
|    | gccatgccag aacattagct acacgttaca catagcatgc agccgcggag aattgttttt   | 4680 |
| 5  | cttcgccact tgtcactccc ttcaaacacc taagagcttc tctctcacag cacacacata   | 4740 |
|    | caatcacatg cgtgcatgca ttattacacg tgatcgccat gcaaactctcc tttatagcct  | 4800 |
|    | ataaattaac tcatccgctt cactctttac tcaaaccaaa actcatcgat acaaacaaga   | 4860 |
| 10 | ttaaaaaacat acacgaggat cttttacaac aattaccaac aacaacaaac aacaaacaac  | 4920 |
|    | attacaatta catttacaat taccatacca tgcctccaag ggactcttac tcttatgctg   | 4980 |
|    | ctcctccttc tgotcaactt cacgaagttg ataactcctca agagcacgac aagaaaagac  | 5040 |
| 15 | ttgttatcgg agatagggct tacgatgtta ccaacttcgt taagagacac cctggtggaa   | 5100 |
|    | agatcattgc ttaccaagtt ggaactgatg ctaccgatgc ttacaagcag ttccatgtta   | 5160 |
|    | gatctgctaa ggctgacaag atgcttaagt ctcttccttc tcgtcctggt cacaagggat   | 5220 |
| 20 | actctccaag aagggctgat cttatcgctg atttccaaga gttcaccaag caacttgagg   | 5280 |
|    | ctgagggaaat gttcgagcct tctcttcctc atgttgctta cagacttgct gaggttatcg  | 5340 |
| 25 | ctatgcatgt tgctgggtgct gctcttatct ggcatggata cactttcgct ggaatcgcta  | 5400 |
|    | tgcttgagat tgttcagga agatgtggat ggcttatgca tgaggggtga cattactctc    | 5460 |
|    | tcaactggaaa cattgctttc gacagagcta tccaagttgc ttgttacgga cttggatgtg  | 5520 |
| 30 | gaatgtctgg tgcttggtgg cgtaaccagc ataacaagca ccatgctact cctcaaaagc   | 5580 |
|    | ttcagcacga tgttgatctt gatacccttc ctctcggtgc tttccatgag agaatcgctg   | 5640 |
|    | ctaagggttaa gtctcctgct atgaaggctt ggctttctat gcaagctaag cttttcgctc  | 5700 |
| 35 | ctgttaccac tcttcttggt gctcttggtt ggcatgttta ccttcacact agacacatgc   | 5760 |
|    | tcaggactaa gcactacgat gagcttgcta tgctcggaat cagatacga cttgttggtt    | 5820 |
|    | accttgctgc taactacggt gctggatacg ttctcgcttg ttaccttctt tacgttcagc   | 5880 |
| 40 | ttggagctat gtacatcttc tgcaacttcg ctgtttctca tactcacctc cctgttggtg   | 5940 |
|    | agcctaacga gcatgctact tgggttgagt acgctgctaa ccacactact aactgttctc   | 6000 |
| 45 | catcttggtg gtgtgattgg tggatgtctt accttaacta ccagatcgag caccaccttt   | 6060 |
|    | acccttctat gcctcaattc agacacccta agatcgctcc tagagttaag cagcttttcg   | 6120 |
|    | agaagcacgg acttcactac gatgttagag gatacttcga ggctatggct gatactttcg   | 6180 |
| 50 | ctaaccctga taacgttgcc catgctcctg agaagaaaat gcagtaatga gatcgttcaa   | 6240 |
|    | acatttgcca ataaagtttc ttaagattga atcctgttgc cggctcttgcg atgattatca  | 6300 |
|    | tataatttct gttgaattac gttaagcacg taataattaa catgtaatgc atgacgttat   | 6360 |
| 55 | ttatgagatg gggttttatg attagagtcc cgcaattata catttaatac gcgatagaaa   | 6420 |
|    | acaaaatata gcgcgcaaac taggataaat tatcgcgcgcg ggtgtcatct atgttactag  | 6480 |

EP 3 266 316 A1

|    |             |             |             |            |            |            |      |
|----|-------------|-------------|-------------|------------|------------|------------|------|
|    | atcgggtcgat | taaaaatccc  | aattatatatt | ggtctaattt | agtttggtat | tgagtaaaac | 6540 |
|    | aaattcgaac  | caaaccaaaa  | tataaatata  | tagtttttat | atatatgcct | ttaagacttt | 6600 |
| 5  | ttatagaatt  | ttcttttaaa  | aatatctaga  | aatatttgcg | actcttctgg | catgtaatat | 6660 |
|    | ttcgttaaatt | atgaagtgc   | ccatttttat  | taactttaaa | taattgggtg | tacgatcact | 6720 |
|    | ttcttatcaa  | gtgttactaa  | aatgcgtcaa  | tctctttgtt | cttccatatt | catatgtcaa | 6780 |
| 10 | aatctatcaa  | aattcttata  | tatctttttc  | gaatttgaag | tgaaatttcg | ataattttaa | 6840 |
|    | attaaataga  | acatatcatt  | atttaggtat  | catattgatt | tttatactta | attactaaat | 6900 |
|    | ttggtttaact | ttgaaagtgt  | acatcaacga  | aaaattagtc | aaacgactaa | aataaataaa | 6960 |
| 15 | tatcatgtgt  | tattaagaaa  | attctcctat  | aagaatattt | taatagatca | tatgtttgta | 7020 |
|    | aaaaaaatta  | atttttacta  | acacatatat  | ttacttatca | aaaatttgac | aaagtaagat | 7080 |
| 20 | taaaataata  | ttcatctaac  | aaaaaaaaaa  | ccagaaaatg | ctgaaaaccc | ggcaaaaccg | 7140 |
|    | aaccaatcca  | aaccgatata  | gttgggtttg  | tttgattttg | atataaaccg | aaccaactcg | 7200 |
|    | gtccatttgc  | accctaatac  | ataatagctt  | taatatttca | agatattatt | aagttaacgt | 7260 |
| 25 | tgtcaatatc  | ctggaaattt  | tgcaaaatga  | atcaagccta | tatggctgta | atatgaattt | 7320 |
|    | aaaagcagct  | cgatgtggtg  | gtaatatgta  | atttacttga | ttctaataaa | atatcccaag | 7380 |
|    | tattaataat  | ttctgctagg  | aagaagggtta | gctacgattt | acagcaaagc | cagaatacaa | 7440 |
| 30 | agaaccataa  | agtgattgaa  | gctcgaaata  | tacgaaggaa | caaataattt | taaaaaata  | 7500 |
|    | cgcaatgact  | tggaacaaaa  | gaaagtgata  | tattttttgt | tcttaaacaa | gcacccctc  | 7560 |
| 35 | taaagaatgg  | cagttttcct  | ttgcatgtaa  | ctattatgct | cccttcgtta | caaaaatttt | 7620 |
|    | ggactactat  | tggaacttcc  | ttctgaaaat  | agtgatagaa | cccacacgag | catgtgcttt | 7680 |
|    | ccatttaatt  | ttaaaaacca  | agaaacatac  | atacataaca | ttccatcagc | ctctctctct | 7740 |
| 40 | ttttattacg  | gttaatgact  | taaaacacat  | cttattatcc | catccttaac | acctagcagt | 7800 |
|    | gtctttatac  | gatctcatcg  | atcaccactt  | caaaaccatg | cagactgctg | ctgcccctgg | 7860 |
|    | agctggcatc  | ggctaggctg  | ggtgccgcac  | tgtcccgga  | ggtccctagc | gacttggtta | 7920 |
| 45 | gattgatggg  | accacctctc  | aacttcctgc  | tgtgtgccct | gctgctggat | gtcctgcctc | 7980 |
|    | atctggccga  | ttgcacgctc  | cagtcccctg  | catgtgcact | cgctcctcaa | ttgcttaaga | 8040 |
|    | tcatcgcagc  | agctatcgaa  | gtgctggctc  | tgttgccctc | ctccacggcc | ttgggtgtag | 8100 |
| 50 | tagtagctgc  | cgccgccctt  | ctggactttt  | tcccacagga | accgccgaat | aattogatag | 8160 |
|    | aaccacacga  | gcattgtgctt | tcattttattt | taaaaaccaa | gaaacataca | taacatttca | 8220 |
| 55 | tcagcctctc  | tctctctctc  | tctctctctc  | tctctctctc | tctctctctc | tctctcttta | 8280 |
|    | ttacagctgt  | tacactaact  | taaaacacat  | tcatctcatt | attattatta | ttatccatcc | 8340 |



EP 3 266 316 A1

|    |             |             |            |            |             |             |       |
|----|-------------|-------------|------------|------------|-------------|-------------|-------|
|    | ttaacaccta  | gcagtgtctt  | tgtacgatct | cataatcgat | cacccttca   | tcaggatatcc | 8400  |
|    | ttaggcttca  | ctccaacgtt  | gttgcagtta | cgaacatgt  | acacaccatc  | atggttctca  | 8460  |
| 5  | acgaactggc  | aagatctcca  | agttttccaa | aggctaacc  | acatgttctc  | atcgggtgtgt | 8520  |
|    | ctgtagtgct  | ctcccataac  | tttcttgatg | cactcggtag | cttctctagc  | atggtagaat  | 8580  |
|    | gggatccttg  | aaacgtagtg  | atggagcaca | tgagtctcga | tgatgtcatg  | gaagatgatt  | 8640  |
| 10 | ccgaggattc  | cgaactctct  | atcgatagta | gcagcagcac | ccttagcgaa  | agtccactct  | 8700  |
|    | tgagcatcgt  | aatgaggcat  | agaagaatcg | gtgtgctgaa | ggaaggtaac  | gaaaacaagc  | 8760  |
|    | cagtgggtta  | caaggatcca  | aggacagaac | catgtgatga | aagtaggcca  | gaatccgaaa  | 8820  |
| 15 | accttgtaag  | cgggtgtaaac | agaagtgagg | gtagcaagga | ttccaagatc  | agaaagaacg  | 8880  |
|    | atgtaccagt  | agtccttctt  | atcgaaaaca | gggctagaag | gccagtagtg  | agacttgaag  | 8940  |
|    | aacttagaaa  | caccagggtg  | aggttgtcca | gtagcgttag | tagcaaggta  | aagagaaagt  | 9000  |
| 20 | cctccaagct  | gttggaacaa  | gagagcgaaa | acagagtaga | taggagtttc  | ctcagcgata  | 9060  |
|    | tcgtgaaggc  | tggttaacttg | gtgcttctct | ttgaattcct | cggcgggtgta | aggaacgaaa  | 9120  |
|    | accatatctc  | tggtcatgtg  | tccagtagcc | ttatggtgct | tagcatgaga  | gaacttccag  | 9180  |
| 25 | ctgaagtaag  | gaaccataac  | aagagagtgg | agaaccatc  | caacggtatc  | gttaacccat  | 9240  |
|    | ccgtagttag  | agaaagcaga  | atgtccacac | tcatgtccaa | ggatccagat  | tccgaatccg  | 9300  |
| 30 | aaacaagaga  | tagagaacac  | gtaagcagac | caagcagcga | atctaaggaa  | ttcgttaggg  | 9360  |
|    | agaagagggg  | tgtaggtaag  | tccaacgtaa | gcgatagcag | agatagccac  | gatatctctc  | 9420  |
|    | accacgtaag  | acatagactt  | cacgagagat | ctctcgtaac | agtgccttagg | gatagcgtca  | 9480  |
| 35 | aggatatcct  | tgatggtgta  | atctggcacc | ttgaaaacgt | ttccgaagg   | atcgatagcg  | 9540  |
|    | gtcttttgct  | gcttgaaaga  | tgcaacgttt | ccagaacgcc | taacggctct  | agtagatccc  | 9600  |
|    | tcaaggatct  | cagatccaga  | cacggtaacc | ttagacatgg | tatggtaatt  | gtaaatgtaa  | 9660  |
| 40 | ttgtaatggt  | gtttgttggt  | gtttgttggt | ggtaattggt | gtaaaatttt  | tggtggtgat  | 9720  |
|    | tggttcttta  | aggtgtgaga  | gtgagttgtg | agttgtgtgg | tgggtttgg   | gagattgggg  | 9780  |
|    | atggtgggtt  | tatatagtgg  | agactgagga | atggggctcg | gagtgttaac  | tttgcattgg  | 9840  |
| 45 | ctacacgtgg  | gttcttttgg  | gcttacacgt | agtattattc | atgcaaagtc  | agccaatata  | 9900  |
|    | tatacgggtat | tttaataatg  | tgtgggaata | caatatgccg | agtattttac  | taattttggc  | 9960  |
|    | aatgacaagt  | gtacatttgg  | attatcttac | ttggcctctc | ttgctttaat  | ttggattatt  | 10020 |
| 50 | tttattctct  | taccttggcc  | gttcattatc | acatccctaa | aggcaagaca  | gaattgaatg  | 10080 |
|    | gtggccaaaa  | attaaaacga  | tgatattgac | ctacatagtg | taggatcaat  | taacgtcgaa  | 10140 |
| 55 | ggaaaatact  | gattctctca  | agcatagcga | caagggtaaa | taacatagtc  | accagaacat  | 10200 |
|    | aataaacaaa  | aagtgcagaa  | gcaagactaa | aaaaattagc | tatggacatt  | caggttcata  | 10260 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | ttggaacat cattatccta gtcttgtgac catccttcct cctgctctag ttgagaggcc   | 10320 |
|    | ttgggactaa cgagaggtca gttgggatag cagatcctta tcctggacta gcctttctgg  | 10380 |
| 5  | tgtttcagag tcttcgtgcc gccgtctaca tctatctcca ttaggtctga agatgactct  | 10440 |
|    | tcacaccaac gacgtttaag gtctctatcc tactcctagc ttgcaatacc tggcttgcaa  | 10500 |
|    | tacctggagc atcgtgcacg atgattggat actgtggagg aggagtgttt gctgatttag  | 10560 |
| 10 | agctcccggg tgggtgattt gacttcgatt tcagtttagg cttgttgaaa tttttcaggt  | 10620 |
|    | tccattgtga agcctttaga gcttgagctt ccttccatgt taatgccttg atcgaatact  | 10680 |
|    | cctagagaaa agggaagtcg atctctgagt attgaaatcg aagtgcacat tttttttcaa  | 10740 |
| 15 | cgtgtccaat caatccacaa acaaagcaga agacaggtaa tctttcatac ttatactgac  | 10800 |
|    | aagtaatagt cttaccgtca tgcataataa cgtctcgttc cttcaagagg ggttttccga  | 10860 |
|    | catccataac gacccgaagc ctcatgaaag cattagggaa gaacttttgg ttcttcttgt  | 10920 |
| 20 | catggccttt ataggtgtca gccgagctcg ccaattcccg tccgactggc tccgcaaaat  | 10980 |
|    | attcgaacgg caagttatgg acttgcaacc ataactccac ggtattgagc aggacctatt  | 11040 |
|    | gtgaagactc atctcatgga gcttcagaat gtggttgtca gcaaaccaat gaccgaaatc  | 11100 |
|    | catcacatga cggacgtcca gtgggtgagc gaaacgaaac aggaagcgcc tatctttcag  | 11160 |
|    | agtcgtgagc tccacaccgg attccggcaa ctacgtgttg ggcaggcttc gccgtattag  | 11220 |
| 30 | agatatgttg aggcagaccc atctgtgcc actcgtacaat tacgagagtt gttttttttg  | 11280 |
|    | tgattttcct agtttctcgt tgatggtgag ctcatattct acatcgtatg gtctctcaac  | 11340 |
|    | gtcgtttcct gtcactctgat atcccgtcat ttgcatccac gtgcgcgcgc tcccgtgcc  | 11400 |
| 35 | agtccttagg tgtcatgcac gccaaattgg tgggtggtgcg ggctgccctg tgcttcttac | 11460 |
|    | cgatgggtgg aggttgagtt tgggggtctc cgcggcgatg gtagtgggtt gacggtttgg  | 11520 |
|    | tgtgggttga cggcattgat caatttactt cttgcttcaa attctttggc agaaaacaat  | 11580 |
|    | tcattagatt agaactggaa accagagtga tgagacggat taagtcagat tccaacagag  | 11640 |
|    | ttacatctct taagaaataa tgtaaccctt ttagacttta tatatttgca attaaaaaaa  | 11700 |
| 45 | taatttaact ttttagacttt atatatagtt ttaataacta agtttaacca ctctattatt | 11760 |
|    | tatatcgaaa ctatttgtat gtctcccctc taaataaact tggatttgtg ttacagaaac  | 11820 |
|    | ctataatcaa ataataata ctcaactgaa gtttgtgcag ttaattgaag ggattaacgg   | 11880 |
| 50 | ccaaaatgca ctagtattat caaccgaata gattcacact agatggccat ttccatcaat  | 11940 |
|    | atcatcgccg ttcttcttct gtccacatat cccctctgaa acttgagaga cacctgcact  | 12000 |
|    | tcattgtcct tattacgtgt tacaaaatga aaccatgca tccatgcaaa ctgaagaatg   | 12060 |
| 55 | gcgcaagaac ccttcccctc catttcttat gtggcgacca tccatttcac catctcccgc  | 12120 |

EP 3 266 316 A1

|    |             |             |            |            |             |            |       |
|----|-------------|-------------|------------|------------|-------------|------------|-------|
|    | tataaaacac  | ccccatcact  | tcacctagaa | catcatcact | acttgcttat  | ccatccaaaa | 12180 |
|    | gatacccact  | tttacaacaa  | ttaccaacaa | caacaaacaa | caaacaacat  | tacaattaca | 12240 |
| 5  | tttacaatta  | ccataccatg  | ccacctagcg | ctgctaagca | aatgggagct  | tctactggtg | 12300 |
|    | ttcatgctgg  | tggttactgac | tcttctgctt | tcaccagaaa | ggatggttgct | gatagacctg | 12360 |
|    | atctcaccat  | cgttgagat   | tctgtttacg | atgctaaggc | tttcagatct  | gagcatcctg | 12420 |
| 10 | gtggtgctca  | tttcgtttct  | ttgttcggag | gaagagatgc | tactgaggct  | ttcatggaat | 12480 |
|    | accatagaag  | ggcttggcct  | aagtctagaa | tgtctagatt | ccacgttgga  | tctcttgctt | 12540 |
|    | ctactgagga  | acctggttgct | gctgatgagg | gataccttca | actttgtgct  | aggatcgcta | 12600 |
| 15 | agatggtgcc  | ttctgtttct  | tctggattcg | ctcctgcttc | ttactggggt  | aaggctggac | 12660 |
|    | ttatccttgg  | atctgctatc  | gctcttgagg | cttacatgct | ttacgctgga  | aagagacttc | 12720 |
|    | tcccttctat  | cgttcttgga  | tggcttttcg | ctcttatcgg | tcttaacatc  | cagcatgatg | 12780 |
| 20 | ctaaccatgg  | tgctttgtct  | aagtctgctt | ctgttaacct | tgctcttgga  | ctttgtcagg | 12840 |
|    | attggatcgg  | aggatctatg  | atcctttggc | ttcaagagca | tgttggttatg | caccacctcc | 12900 |
| 25 | acactaacga  | tggtgataag  | gacctgatc  | aaaaggctca | cgggtgctctt | agactcaagc | 12960 |
|    | ctactgatgc  | ttggtcacct  | atgcattggc | ttcagcatct | ttaccttttg  | cctggtgaga | 13020 |
|    | ctatgtacgc  | tttcaagctt  | ttgttcctcg | acatctctga | gcttggttatg | tggcgttggg | 13080 |
| 30 | agggtagagcc | tatctctaag  | cttgctggat | acctctttat | gccttctttg  | cttctcaagc | 13140 |
|    | ttaccttctg  | ggctagattc  | gttgctttgc | ctctttacct | tgctccttct  | gttcatactg | 13200 |
|    | ctgtgtgtat  | cgtgctact   | gttatgactg | gatctttcta | cctcgctttc  | ttcttcttca | 13260 |
| 35 | tctcccacaa  | cttcgagggg  | gttgcttctg | ttggacctga | tggatctatc  | acttctatga | 13320 |
|    | ctagaggtgc  | tagcttcctt  | aagagacaag | ctgagacttc | ttctaacggt  | ggaggacctc | 13380 |
|    | ttcttgctac  | tcttaacggg  | ggactcaact | accaaattga | gcatcacttg  | ttccctagag | 13440 |
| 40 | ttcaccatgg  | attctaccct  | agacttgctc | ctcttggtta | ggctgagctt  | gaggctagag | 13500 |
|    | gaatcgagta  | caagcactac  | cctactatct | ggcttaacct | tgcttctacc  | ctcagacata | 13560 |
| 45 | tgtacgctct  | tggagaagag  | cctagatcta | aggctgagta | atgacaagct  | tatgtgacgt | 13620 |
|    | gaaataataa  | cggtaaaata  | tatgtaataa | taataataat | aaagccacaa  | agtgagaatg | 13680 |
|    | aggggaaggg  | gaaatgtgta  | atgagccagt | agccgggtgg | gctaattttg  | tatcgtattg | 13740 |
| 50 | tcaataaatc  | atgaattttg  | tggtttttat | gtgttttttt | aatcatgaa   | ttttaaat   | 13800 |
|    | tataaaataa  | tctccaatcg  | gaagaacaac | attccatata | catgcatgga  | tgtttcttta | 13860 |
|    | cccaaatac   | gttcttgaga  | ggatgaagca | tcaccgaaca | gttctgcaac  | tatccctcaa | 13920 |
| 55 | aagcttttaa  | atgaacaaca  | aggaacagag | caacggtcca | aagatcccaa  | acgaaacata | 13980 |
|    | ttatctatac  | taatactata  | ttattaatta | ctactgccc  | gaatcacaat  | ccctgaatga | 14040 |

EP 3 266 316 A1

|    |                                                                      |       |
|----|----------------------------------------------------------------------|-------|
|    | ttcctattaa ctacaagcct tgttggcggc ggagaagtga tcggcgcggc gagaagcagc    | 14100 |
|    | ggactcggag acgaggcctt ggaagatctg agtcgaacgg gcagaatcag tattttcctt    | 14160 |
| 5  | cgacgttaat tgatcctaca ctatgtaggt catatccatc gttttaattt ttggccacca    | 14220 |
|    | ttcaattctg tcttgccttt agggatgtga atatgaacgg ccaaggtaag agaataaaaa    | 14280 |
|    | taatccaaat taaagcaaga gaggccaaagt aagataatcc aaatgtacac ttgtcattgc   | 14340 |
| 10 | caaaattagt aaaatactcg gcatattgta ttcccacaca ttattaaaat accgtatatg    | 14400 |
|    | tattggctgc atttgcatga ataatactac gtgtaagccc aaaagaaccc acgtgtagcc    | 14460 |
|    | catgcaaagt taacactcac gaccccatte ctcagtctcc actatataaa cccaccatcc    | 14520 |
| 15 | ccaatctcac caaaccaccc acacaactca caactcactc tcacacctta aagaaccaat    | 14580 |
|    | caccaccaa aattttacaa caattaccaa caacaacaaa caacaaacaa cattacaatt     | 14640 |
| 20 | acatttacaa ttaccatacc atgagcgctg ttaccgttac tggatctgat cctaagaaca    | 14700 |
|    | gaggatcttc tagcaacacc gagcaagagg ttccaaaagt tgctatcgat accaacggaa    | 14760 |
|    | acgtgttctc tgttcctgat ttcaccatca aggacatcct tggagctatc cctcatgagt    | 14820 |
| 25 | gttacgagag aagattggct acctctctct actacgtgtt cagagatate ttctgcatgc    | 14880 |
|    | ttaccaccgg ataccttacc cataagatcc tttacctctc cctcatctct tacacctcta    | 14940 |
|    | acagcatcat caagttcact ttctgggccc tttacactta cgttcaagga cttttcggaa    | 15000 |
| 30 | ccggaatctg ggttctcgct catgagtgtg gacatcaagc tttctctgat tacggaatcg    | 15060 |
|    | tgaacgattt cgttggatgg acccttcact cttaccttat ggttccttac ttcagctgga    | 15120 |
| 35 | agtactctca tggaaagcac cataaggcta ctggacacat gaccagagat atgggttttcg   | 15180 |
|    | ttcctgccac caaagaggaa ttcaagaagt ctaggaactt cttcggtaac ctcgctgagt    | 15240 |
|    | actctgagga ttctccactt agaacccttt acgagcttct tgttcaacaa cttggaggat    | 15300 |
| 40 | ggatcgctta cctcttcgtt aacgttacag gacaacctta ccctgatgtt ccttcttgga    | 15360 |
|    | aatggaacca cttctggctt acctctccac ttttcgagca aagagatgct ctctacatct    | 15420 |
|    | tcctttctga tcttggaatc ctcaccacag gaatcgttct tactctttgg tacaagaaat    | 15480 |
| 45 | tcggaggatg gtcccttttc atcaactggg tcgttcctta catctgggtt aacctctggc    | 15540 |
|    | tcgttttcat cacattcctt cagcacactg atcctactat gcctcattac aacgctgagg    | 15600 |
|    | aatggacttt cgctaagggg gctgctgcta ctatcgatag aaagttcgga ttcacatcgac   | 15660 |
| 50 | ctcacatctt ccatgatatc atcgagactc atgtgcttca ccactactgt tctaggatcc    | 15720 |
|    | cattctacaa cgctagacct gcttctgagg ctatcaagaa agttatggga aagcactaca    | 15780 |
| 55 | ggtctagcga cgagaacatg tggaagtcac tttggaagtc tttcaggtct tgccaatacg    | 15840 |
|    | ttgacgggtga taacgggtgtt ctcattgttcc gtaacatcaa caactgcgga gttggagctg | 15900 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | ctgagaagta atgaaggggt gatcgattat gagatcgtac aaagacactg ctaggtgtta   | 15960 |
|    | aggatggata ataataataa taatgagatg aatgtgtttt aagttagtgt aacagctgta   | 16020 |
| 5  | ataaagagag agagagagag agagagagag agagagagag agagagagag agagaggctg   | 16080 |
|    | atgaaatggt atgtatgttt cttggttttt aaaataaatg aaagcacatg ctctgtgtgt   | 16140 |
|    | tctatcgaat tattcggcgg ttcctgtggg aaaaagtcca gaagggccgc cgcagctact   | 16200 |
| 10 | actacaacca aggccgtgga ggagggcaac agagccagca cttcgatagc tgctgcgatg   | 16260 |
|    | atcttaagca attgaggagc gagtgcacat gcaggggact ggagcgtgca atcgccaga    | 16320 |
|    | tgaggcagga catccagcag cagggacagc agcaggaagt tgagaggtgg tcccatcaat   | 16380 |
| 15 | ctaaacaagt cgctagggac cttccgggac agtgcggcac ccagcctagc cgatgccagc   | 16440 |
|    | tccaggggca gcagcagtct gcatggtttt gaagtgggtga tcgatgagat cgtataaaga  | 16500 |
|    | cactgctagg tgtaaggat gggataataa gatgtgtttt aagtcattaa ccgtaataaa    | 16560 |
| 20 | aagagagaga ggctgatgga atgttatgta tgtatgtttc ttggttttta aaattaaatg   | 16620 |
|    | gaaagcacat gctcgtgtgg gttctatctc gattaaaaat cccaattata tttggtctaa   | 16680 |
|    | tttagtttgg tattgagtaa aacaaattcg aaccaaacca aaatataaat atatagtttt   | 16740 |
| 25 | tatatatatg cctttaagac tttttataga attttcttta aaaaatatct agaaatattt   | 16800 |
|    | gcgactcttc tggcatgtaa tatttcgtta aatatgaagt gctccatttt tattaacttt   | 16860 |
|    | aaataattgg ttgtacgatc actttcttat caagtgttac taaaatgcgt caatctcttt   | 16920 |
| 30 | gttcttccat attcatatgt caaaatctat caaaattctt atatatcttt ttcgaatttg   | 16980 |
|    | aagtgaattt tcgataattt aaaattaaat agaacatatc attatttagg tatcataattg  | 17040 |
| 35 | atttttatag ttaattacta aatttggtta actttgaaag tgtacatcaa cgaaaaatta   | 17100 |
|    | gtcaaacgac taaaataaat aaatatcatg tgttattaag aaaattctcc tataagaata   | 17160 |
|    | ttttaataga tcatatgttt gtaaaaaaaaa ttaattttta ctaacacata tatttactta  | 17220 |
| 40 | tcaaaaattt gacaaagtaa gattaaaata atattcatct aacaaaaaaaa aaaccagaaa  | 17280 |
|    | atgctgaaaa cccggcaaaa ccgaaccaat ccaaaccgat atagttgggt tggtttgatt   | 17340 |
|    | ttgatataaa ccgaaccaac tcggtccatt tgcaccoccta atcataatag ctttaaatatt | 17400 |
| 45 | tcaagatatt attaagttaa cgttgtcaat atcctggaaa ttttgcaaaa tgaatcaagc   | 17460 |
|    | ctatatggct gtaatatgaa tttaaaagca gctcgatgtg gtggtaatat gtaatttact   | 17520 |
|    | tgattctaaa aaaatatccc aagtattaat aatttctgct aggaagaagg ttagctacga   | 17580 |
| 50 | tttacagcaa agccagaata caaagaacca taaagtgatt gaagctcgaa atatacgaag   | 17640 |
|    | gaacaaatat ttttaaaaaa atacgcaatg acttggaaca aaagaaagtg atatatTTTT   | 17700 |
|    | tgttcttaaa caagcatccc ctctaaagaa tggcagtttt cctttgcatg taactattat   | 17760 |
| 55 | gctcccttcg ttacaaaaat ttgggactac tattgggaac ttcttctgaa aatagtcctg   | 17820 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | caggctagta gattggttgg ttggtttcca tgtaccagaa ggcttaccct attagttgaa   | 17880 |
|    | agttgaaact ttgttcccta ctcaattcct agttgtgtaa atgtatgtat atgtaatgtg   | 17940 |
| 5  | tataaaacgt agtacttaaa tgactaggag tggttcctga gaccgatgag agatgggagc   | 18000 |
|    | agaactaaag atgatgacat aattaagaac gaatttgaaa ggctcctagg tttgaatcct   | 18060 |
|    | attcgagaat gtttttgtca aagatagtgg cgattttgaa ccaaagaaaa catttaaaaa   | 18120 |
| 10 | atcagtatcc ggttacgttc atgcaaatag aaagtgggtct aggatctgat tghtaatttta | 18180 |
|    | gacttaaaaga gtctcttaag attcaatcct ggctgtgtac aaaactacaa ataatatatt  | 18240 |
|    | ttagactatt tggccttaac taaacttcca ctcatatttt actgagggtta gagaatagac  | 18300 |
| 15 | ttgcgaataa acacattccc gagaaatact catgatccca taattagtca gaggggatgc   | 18360 |
|    | caatcagatc taagaacaca cattccctca aattttaatg cacatgtaat catagtttag   | 18420 |
|    | cacaattcaa aaataatgta gtattaaaga cagaaatttg tagacttttt tttggcggtta  | 18480 |
| 20 | aaagaagact aagtttatac gtacatttta ttttaagtgg aaaaccgaaa ttttccatcg   | 18540 |
|    | aaatatatga atttagtata tatattttctg caatgtacta ttttgctatt ttggcaactt  | 18600 |
| 25 | tcagtggact actactttat tacaatgtgt atggatgcat gagtttgagt atacacatgt   | 18660 |
|    | ctaaatgcat gctttgtaaa acgtaacgga ccacaaaaga ggatccatac aaatacatct   | 18720 |
|    | catagcttcc tccattatttt tccgacacaa acagagcatt ttacaacaat taccaacaac  | 18780 |
| 30 | aacaaacaac aaacaacatt acaattacat ttacaattac cataccatgg cctctatcgc   | 18840 |
|    | tatccctgct gctcttgctg gaactcctgg atacgttacc tacaatgtgg ctaaccctga   | 18900 |
|    | tatcccagct tctgagaaag ttcttgctta ctatcatgcag gttgagtact ggggacctac  | 18960 |
| 35 | tatcggaact attggatacc tcctcttcat ctacttcgga aagcgtatca tgcagaacag   | 19020 |
|    | atctcaacct ttccgactca agaacgctat gctcgtttac aacttctacc agaccttctt   | 19080 |
| 40 | caacagctac tgcactctacc ttttcgttac ttctcatagg gctcagggac ttaaggtttg  | 19140 |
|    | gggaaacatc cctgatatga ctgctaactc ttgggggaatc tctcaggtta tctggcttca  | 19200 |
|    | ctacaacaac aagtacgttg agcttctcga caccttcttc atggtgatga ggaagaagtt   | 19260 |
| 45 | cgaccagctt tctttccttc acatctacca ccacactctt ctcatctggg catgggttcgt  | 19320 |
|    | tgttatgaag cttgagcctg ttggagattg ctacttcgga tcttctgtta acaccttcgt   | 19380 |
|    | gcacgtgatc atgtactctt actacggact tgctgctctt ggagttaact gtttctggaa   | 19440 |
| 50 | gaagtacatc acccagatcc agatgcttca gttctgtatc tgtgcttctc actctatcta   | 19500 |
|    | caccgcttac gttcagaata ccgctttctg gcttccttac cttcaactct gggttatggg   | 19560 |
| 55 | gaacatgttc gttctcttcg ccaacttcta ccgtaagagg tacaagtcta aggggtgctaa  | 19620 |
|    | gaagcagtga taagggccgc cgccatgtga cagatcgaag gaagaaagtg taataagacg   | 19680 |

EP 3 266 316 A1

|    |             |             |            |             |             |             |       |
|----|-------------|-------------|------------|-------------|-------------|-------------|-------|
|    | actctcacta  | ctcgatcgct  | agtgattgtc | attggttatat | ataataatgt  | tatctttcac  | 19740 |
|    | aacttatcgt  | aatgcatgtg  | aaactataac | acattaatcc  | tacttgtcat  | atgataacac  | 19800 |
| 5  | tctccccatt  | taaaactcct  | gtcaatttaa | agatataaga  | ttctttaaat  | gattaaaaaa  | 19860 |
|    | aatatattat  | aaattcaatc  | actcctacta | ataaattatt  | aattattatt  | tattgattaa  | 19920 |
|    | aaaaatactt  | atactaattt  | agtctgaata | gaataattag  | attctagcct  | gcagggcggc  | 19980 |
| 10 | cgcggatccc  | atggagtcaa  | agattcaaat | agaggaccta  | acagaactcg  | ccgtaaagac  | 20040 |
|    | tggcgaacag  | ttcatcacaga | gtctcttacc | actcaatgac  | aagaagaaaa  | tcttcgtcaa  | 20100 |
|    | catggtggag  | cacgacacac  | ttgtctactc | caaaaatatc  | aaagatacag  | tctcagaaga  | 20160 |
| 15 | ccaaagggca  | attgagactt  | ttcaacaaag | ggtaatatcc  | ggaaacctcc  | tccgattcca  | 20220 |
|    | ttgccagct   | atctgtcact  | ttattgtgaa | gatagtggaa  | aaggaagggtg | gtcctacaaa  | 20280 |
| 20 | atgccatcat  | tgcgataaag  | gaaaggccat | cgttgaagat  | gcctctgccg  | acagtgggtcc | 20340 |
|    | caaagatgga  | ccccccacca  | cgaggagcat | cgtggaaaaa  | gaagacgttc  | caaccacgtc  | 20400 |
|    | ttcaaagcaa  | gtggattgat  | gtgatatctc | cactgacgta  | agggatgacg  | cacaatccca  | 20460 |
| 25 | ctatccttcg  | caagaccctt  | cctctatata | aggaagttca  | tttcatttgg  | agagaacacg  | 20520 |
|    | ggggactgaa  | ttaaatatga  | gccctgagag | gcgtcctggt  | gaaatcagac  | ctgctactgc  | 20580 |
|    | tgctgatatg  | gctgctgttt  | gtgatatcgt | gaaccactac  | atcgagactt  | ctaccgttaa  | 20640 |
| 30 | cttcagaact  | gagcctcaaa  | ctcctcaaga | gtggatcgat  | gatcttgaga  | gactccaaga  | 20700 |
|    | tagataccct  | tggcttggtg  | ctgaggttga | gggtggtggt  | gctggaatcg  | cttacgctgg  | 20760 |
| 35 | accttgggaag | gctagaaacg  | cttacgattg | gactgttgag  | tctaccgttt  | acgtttcaca  | 20820 |
|    | cagacatcag  | agacttggac  | ttggatctac | cctttacact  | caccttctca  | agtctatgga  | 20880 |
|    | agctcagggga | ttcaagtctg  | ttgttgctgt | tatcggactc  | cctaacgatc  | cttctgttag  | 20940 |
| 40 | acttcatgag  | gctcttggat  | acactgctag | aggaactcct  | agagctgctg  | gatacaagca  | 21000 |
|    | cgggtggatgg | catgatgttg  | gattctggca | aagagatttc  | gagcttcctg  | ctcctcctag  | 21060 |
|    | acctgttaga  | ccagttactc  | agatctgaat | ttgcgtgatc  | gttcaaacat  | ttggcaataa  | 21120 |
| 45 | agtttcttaa  | gattgaatcc  | tgttgccggt | cttgccgatga | ttatcatata  | atttctgttg  | 21180 |
|    | aattacgtta  | agcatgtaat  | aattaacatg | taatgcatga  | cgttatattat | gagatggggt  | 21240 |
|    | tttatgatta  | gagtcccgca  | attatacatt | taatacgcga  | tagaaaacaa  | aatatagcgc  | 21300 |
| 50 | gcaaactagg  | ataaattatc  | gcgcgcggtg | tcatctatgt  | tactagatca  | ctagtgatgt  | 21360 |
|    | acggttaaaa  | ccaccccagt  | acattaaaaa | cgtccgcaat  | gtgttattaa  | gttgtctaag  | 21420 |
| 55 | cgtcaatttg  | tttacaccac  | aatatatcct | gccaccagcc  | agccaacagc  | tccccgaccg  | 21480 |
|    | gcagctcggc  | acaaaatcac  | cactcgatac | aggcagccca  | tcagtcc     |             | 21527 |

# EP 3 266 316 A1

<210> 2  
<211> 23512  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> pGA7- mod\_B nucleotide sequence

<400> 2

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
| 5  | tcctgtgggtt ggcatgcaca tacaaatgga cgaacggata aaccttttca cgccctttta | 60   |
| 10 | aatatccgat tatttctaata aacgctcttt tctcttaggt ttacccgcca atatatcctg | 120  |
|    | tcaaacactg atagttttaa ctgaaggcgg gaaacgacaa tctgctagtg gatctcccag  | 180  |
| 15 | tcacgacgtt gtaaaacggg cgccccgcgg aaagcttgcg gccgcggtac cgcccgttcg  | 240  |
|    | actcagatct tccaaggcct cgtctccgag tccgctgctt ctccgccgcg cgatcacttc  | 300  |
|    | tccgccgcca acaaggcttg tagttaatag gaatcattca gggattgtga ttccgggcag  | 360  |
| 20 | tagtaattaa taatatagta ttagtataga taatatgttt cgtttgggat ctttggaacg  | 420  |
|    | ttgctctgtt ccttggtgtt cattttaaag cttttgaggg atagttgcag aactgttcgg  | 480  |
|    | tgatgcttca tcctctcaag aactagattt gggtaaagaa acatccatgc atggatatgg  | 540  |
| 25 | aatggtgttc ttccgattgg agattatttt ataaaattta aaattcatga tttaaaaaaa  | 600  |
|    | cacataaaaa ccacaaaatt catgatttat tgacaatacg atacaaaatt agcaccaccg  | 660  |
| 30 | gctactggct cattacacat ttccccttcc cctcattctc actttgtggc tttattatta  | 720  |
|    | ttattattac atatatttta ccgttattat ttcacgtcac ataagcttgt taattaatca  | 780  |
|    | ttagtgagcc ttctcagcct ttccgttaac gtagtagtgc tgtcccacct tatcaagggt  | 840  |
| 35 | agagaaagta gccttccaag caccgtagta agagagcacc ttgtagttga gtccccactt  | 900  |
|    | cttagcgaaa ggaacgaatc ttctgctaac ctccagctgt ctgaattgag gcatatcagg  | 960  |
|    | gaagaggtgg tggataacct gacagttaag gtatcccata agccagttca cgtatcctct  | 1020 |
| 40 | agaaggatcg atatcaacgg tgtgatcaac agcgtagtta acccaagaaa ggtgcttatt  | 1080 |
|    | agatggaaca acagggaggt gagtatgaga agtagagaag tgagcgaaaa ggtacatgta  | 1140 |
|    | agcgatccag tttccgaaaag tgaaccacca gtaagcaaca ggccaagagt atccagtagc | 1200 |
| 45 | aagcttgata acagcggttc taacaacatg agaaacgagc atccaagaag cctcttcgta  | 1260 |
|    | gttcttctta cgagaaactt gtctagggtg gagaacgtag atccagaaaag cttgaacaag | 1320 |
|    | aagtccagag gtaacaggaa cgaaagtcca agcttgaagt ctagcccaag ctctagagaa  | 1380 |
| 50 | tcctctaggt ctgttatcct caacagcagt gttgaagaaa gccacagcag gagtgggtatc | 1440 |
|    | aagatccata tcgtgtctaa ccttttgagg ggtagcatgg tgcttggttat gcatctgggt | 1500 |
| 55 | ccacatctca ccagaagtag aaagtccgaa tccacaagtc atagcctgaa gtctcttgtc  | 1560 |
|    | cacgtaaaca gatccggtaa gagagttatg tccaccctca tgttgaaccc atccacatct  | 1620 |



EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | agctccgaag aaagcaccgt aaacaacaga agcaatgata gggatatccag cgtacataag | 1680 |
|    | agcagttcca agagcgaatg tagcaagaag ctcgagaagt ctgtaagcca catgggtgat  | 1740 |
| 5  | agaaggcttg aagaatccat ctctctcaag ctcagcacgc catctagcga aatcctcaag  | 1800 |
|    | cataggagca tcctcagact cagatctctt gatctcagca ggtctagaag gcaaagctct  | 1860 |
|    | aagcatcttc caagccttga gagaacgcat gtggaattct ttgaaagcct cagtagcatc  | 1920 |
| 10 | agcaccagtg ttagcaagca tgtagaagat cacagatcca ccagggtgct tgaagttagt  | 1980 |
|    | cacatcgtac tcaacgtcct caactctaac ccatctagtc tcgaaagtag cagcaagctc  | 2040 |
|    | atgaggctca agagtcttaa gatcaacagg agcagtagaa gcatccttag catcaagagc  | 2100 |
| 15 | ctcagcagaa gatttagacc tggtaagtgg agatctagga gaagatcttc catcagtctt  | 2160 |
|    | aggagggcac atggtatggt aattgtaaat gtaattgtaa tgttgtttgt tgtttgttgt  | 2220 |
|    | tgttggtaat tgttgtaaaa ttaattaagt gggatatctt tggatggata agcaagtagt  | 2280 |
| 20 | gatgatgttc taggtgaagt gatgggggtg ttttatagcg ggagatggtg aaatggatgg  | 2340 |
|    | tcgccacata agaaatggag gggaaggggt cttgcgccat tcttcagttt gcatggatgc  | 2400 |
| 25 | atgggtttca ttttgtaaca cgtaataagg acaatgaagt gcaggtgtct ctcaagtttc  | 2460 |
|    | agaggggata tgtggacaga agaagaacgg cgatgatatt gatggaaatg gccatctagt  | 2520 |
|    | gtgaatctat tcggttgata atactagtgc attttgggcg ttaatccctt caattaactg  | 2580 |
| 30 | cacaaacttc agttgagtat tgattatttg attatagggt ctgtaaacac aataccaagt  | 2640 |
|    | ttatttagag gggagacata caaatagttt cgatataaat aatagagtgg ttaaacttag  | 2700 |
|    | ttattaaaac tatatataaa gtctaaaagt taaattattt ttttaattgc aaatatataa  | 2760 |
| 35 | agtctaaagg gggttacatta tttcttaaga gatgtaactc tgttggaatc tgacttaatc | 2820 |
|    | cgtctcatca ctctggtttc cagttctaata ctaatgaatt gttttctgcc aaagaatttg | 2880 |
|    | aagcaagaag taaattgatc aatgccgtca acccacacca aaccgtcaac ccactaccat  | 2940 |
| 40 | cgccgcggag acccccaaac tcaacctcca cccatcggta agaagcacag ggcagccgcg  | 3000 |
|    | accaccacca atttggcgtg catgacacct agggacttgg cacgggaggc ggcgcacgtg  | 3060 |
|    | gatgcaaagt acgggatatc agatgacagg aaacgacggt gagagaccat acgatgtaga  | 3120 |
| 45 | atatgagctc accatcaacg agaaactagg aaaatcacia aaaaaacaac tctcgttaatt | 3180 |
|    | gtacgagtgg cacagatggg tctgcctcaa catatctcta atacggcgaa gcctgccccaa | 3240 |
|    | cacgtagttg ccggaatccg gtgtggagct cacgactctg aaagataggc gcttcctggt  | 3300 |
| 50 | tcgtttcgct caccactgg acgtccgtca tgtgatggat ttcggtcatt ggtttgctga   | 3360 |
|    | caaccacatt ctgaagctcc atgagatgag tcttcacaat aggtcctgct caataccgtg  | 3420 |
| 55 | gagttatggg tgcaagcca taacttgccg ttcgaaatatt ttgcggagcc agtcggacgg  | 3480 |
|    | gaattggcga gctcggctga cacctataaa ggccatgaca agaagaacca aaagttcttc  | 3540 |

EP 3 266 316 A1

|    |             |            |             |             |             |             |      |
|----|-------------|------------|-------------|-------------|-------------|-------------|------|
|    | cctaatagctt | tcatgaggct | tggggtcggt  | atggatgtcg  | gaaaaccctt  | cttgaaggaa  | 3600 |
|    | cgagacgtta  | ttatgcatga | cggttaagact | attacttgtc  | agtataagta  | tgaaagatta  | 3660 |
| 5  | cctgtcttct  | gctttgtttg | tggattgatt  | ggacacgttg  | aaaaaaaaatg | tgcacttcga  | 3720 |
|    | tttcaatact  | cagagatcga | cttccctttt  | ctctaggagt  | attcgatcaa  | ggcattaaca  | 3780 |
|    | tgggaaggaag | ctcaagctct | aaaggcttca  | caatggaacc  | tgaaaaattt  | caacaagcct  | 3840 |
| 10 | aaactgaaat  | cgaagtcaaa | tcacccaacc  | gggagctcta  | aatcagcaaa  | cactcctcct  | 3900 |
|    | ccacagtatc  | caatcatcgt | gcacgatgct  | ccagggtattg | caagccaggt  | attgcaagct  | 3960 |
| 15 | aggagtagga  | tagagacctt | aaacgtcggt  | gggtgtgaaga | gtcatcttca  | gacctaatgg  | 4020 |
|    | agatagatgt  | agacggcggc | acgaagactc  | tgaaacacca  | gaaaggctag  | tccaggataa  | 4080 |
|    | ggatctgcta  | tcccaactga | cctctcggtt  | gtcccaaggc  | ctctcaacta  | gagcaggagg  | 4140 |
| 20 | aaggatggtc  | acaagactag | gataatgatg  | tttccaatat  | gaacctgaat  | gtccatagct  | 4200 |
|    | aatTTTTTTT  | gtcttgcttc | tgcacttttt  | gtttattatg  | ttctgggtgac | tatgttattt  | 4260 |
|    | acccttgtcc  | gtatgcttga | gggtacccta  | gtagattggg  | tggttgggtt  | ccatgtacca  | 4320 |
| 25 | gaaggcttac  | cctattagtt | gaaagttgaa  | actttgttcc  | ctactcaatt  | cctagtgtgtg | 4380 |
|    | taaatgtatg  | tatatgtaat | gtgtataaaa  | cgtagtactt  | aaatgactag  | gagtggttct  | 4440 |
|    | tgagaccgat  | gagagatggg | agcagaacta  | aagatgatga  | cataattaag  | aacgaatttg  | 4500 |
| 30 | aaaggctctt  | aggtttgaat | cctattcgag  | aatgtttttg  | tcaaagatag  | tggcgatttt  | 4560 |
|    | gaaccaaaga  | aaacatttaa | aaaatcagta  | tccggttacg  | ttcatgcaaa  | tagaaagtgg  | 4620 |
| 35 | tctaggatct  | gattgtaatt | ttagacttaa  | agagtctctt  | aagattcaat  | cctggctgtg  | 4680 |
|    | tacaaaacta  | caaataatat | atttttagact | atttggcctt  | aactaaactt  | ccactcatta  | 4740 |
|    | tttactgagg  | ttagagaata | gacttgcgaa  | taaacacatt  | cccgagaaat  | actcatgac   | 4800 |
| 40 | ccataattag  | tcagagggta | tgccaatcag  | atctaagaac  | acacattccc  | tcaaatttta  | 4860 |
|    | atgcacatgt  | aatcatagtt | tagcacaatt  | caaaaataat  | gtagtattaa  | agacagaaat  | 4920 |
|    | ttgtagactt  | ttttttggcg | ttaaaagaag  | actaagttta  | tacgtacatt  | ttattttaag  | 4980 |
| 45 | tggaaaaccg  | aaattttcca | tcgaaatata  | tgaatttagt  | atatatat    | ctgcaatgta  | 5040 |
|    | ctattttgct  | attttggcaa | ctttcagtg   | actactactt  | tattacaatg  | tgtatggatg  | 5100 |
|    | catgagtttg  | agtatacaca | tgtctaaatg  | catgctttgt  | aaaacgtaac  | ggaccacaaa  | 5160 |
| 50 | agaggatcca  | tacaaataca | tctcatagct  | tcctccatta  | ttttccgaca  | caaacagagc  | 5220 |
|    | attttacaac  | aattaccaac | aacaacaaac  | aacaaacaac  | attacaatta  | catttacaat  | 5280 |
| 55 | taccatacca  | tggcctctat | cgctatccct  | gctgctcttg  | ctggaactct  | tggatacggt  | 5340 |
|    | acctacaatg  | tggctaaccc | tgatatccca  | gcttctgaga  | aagttcctgc  | ttacttcatg  | 5400 |

EP 3 266 316 A1

|    |             |             |             |            |             |            |      |
|----|-------------|-------------|-------------|------------|-------------|------------|------|
|    | caggttgagt  | actggggacc  | tactatcggg  | actattggat | acctcctctt  | catctacttc | 5460 |
|    | ggaaagcgta  | tcatgcagaa  | cagatctcaa  | cctttcggac | tcaagaacgc  | tatgctcggt | 5520 |
| 5  | tacaacttct  | accagacctt  | cttcaacagc  | tactgcacat | accttttcgt  | tacttctcat | 5580 |
|    | agggtcagg   | gacttaaggt  | ttggggaaac  | atccctgata | tgactgctaa  | ctcttgggga | 5640 |
|    | atctctcagg  | ttatctggct  | tcactacaac  | aacaagtacg | ttgagcttct  | cgacaccttc | 5700 |
| 10 | ttcatggtga  | tgaggaagaa  | gttcgaccag  | ctttctttcc | ttcacatcta  | ccaccacact | 5760 |
|    | cttctcatct  | ggtcatgggt  | cggtgttatg  | aagcttgagc | ctggttgaga  | ttgctacttc | 5820 |
|    | ggatcttctg  | ttaacacctt  | cgtgcacgtg  | atcatgtact | cttactacgg  | acttgctgct | 5880 |
| 15 | cttggagtta  | actgtttctg  | gaagaagtac  | atcaccacga | tccagatgct  | tcagttctgt | 5940 |
|    | atctgtgctt  | ctcactctat  | ctacaccgct  | tacgttcaga | ataccgcttt  | ctggcttcct | 6000 |
|    | taccttcaac  | tctgggttat  | ggtgaacatg  | ttcgttctct | tgcgcaactt  | ctaccgtaag | 6060 |
| 20 | aggtacaagt  | ctaaggggtg  | taagaagcag  | tgataaggcg | cgcggcgcgc  | cgggccgcgc | 6120 |
|    | ccatgtgaca  | gatcgaagga  | agaaagtgtg  | ataagacgac | tctcactact  | cgatcgctag | 6180 |
| 25 | tgattgtcat  | tggtatatat  | aataatgtta  | tctttcacia | cttatcgtaa  | tgcatgtgaa | 6240 |
|    | actataacac  | attaatccta  | cttgtcatat  | gataaacctc | tccccattta  | aaactcttgt | 6300 |
|    | caattttaaag | atataagatt  | ctttaaatga  | ttaaaaaaaa | tattattataa | attcaatcac | 6360 |
| 30 | tcctactaat  | aaattattaa  | ttattattta  | ttgattaaaa | aaataacttat | actaatttag | 6420 |
|    | tctgaataga  | ataattagat  | tctagtctca  | tcccccttta | aaccaactta  | gtaaacgttt | 6480 |
|    | tttttttttaa | ttttatgaag  | ttaaagtttt  | accttggttt | taaaaagaat  | cgttcataag | 6540 |
| 35 | atgccatgcc  | agaacattag  | ctacacgtta  | cacatagcat | gcagccgcgc  | agaattgttt | 6600 |
|    | ttcttcgcca  | cttgtcactc  | ccttcaaaca  | cctaagagct | tctctctcac  | agcacacaca | 6660 |
|    | tacaatcaca  | tgctgtcatg  | cattattaca  | cgtgatcgcc | atgcaaactc  | cctttatagc | 6720 |
| 40 | ctataaatta  | actcatccgc  | ttcactcttt  | actcaaacca | aaactcatcg  | atacaaacaa | 6780 |
|    | gattaaaaaac | atacacgagg  | atctttttaca | acaattacca | acaacaacaa  | acaacaacaa | 6840 |
|    | acattacaat  | tacattttaca | attaccatac  | catgcctcca | agggactctt  | actcttatgc | 6900 |
| 45 | tgctcctcct  | tctgctcaac  | ttcacgaagt  | tgatactcct | caagagcacg  | acaagaaaga | 6960 |
|    | gcttggttatc | ggagataggg  | cttacgatgt  | taccaacttc | gttaagagac  | accctggtgg | 7020 |
|    | aaagatcatt  | gottaccaag  | ttggaactga  | tgctacogac | gcttacaagc  | agttccatgt | 7080 |
| 50 | tagatctgct  | aaggctgaca  | agatgcttaa  | gtctcttcct | tctcgtcctg  | ttcacaaggg | 7140 |
|    | atactctcca  | agaagggctg  | atcttatcgc  | tgattttcaa | gagttcacca  | agcaacttga | 7200 |
| 55 | ggctgagggg  | atgttcgagc  | cttctcttcc  | tcatgttgct | tacagacttg  | ctgaggttat | 7260 |
|    | cgctatgcat  | gttgctgggtg | ctgctcttat  | ctggcatgga | tacactttcg  | ctggaatcgc | 7320 |

EP 3 266 316 A1

|    |             |             |            |             |             |             |      |
|----|-------------|-------------|------------|-------------|-------------|-------------|------|
|    | tatgcttggg  | gttggttcagg | gaagatgtgg | atggcttatg  | catgaggggtg | gacattactc  | 7380 |
|    | tctcactgga  | aacattgctt  | tgcacagagc | tatccaagtt  | gcttggttacg | gacttgggatg | 7440 |
| 5  | tggaaatgtct | ggtgcttggg  | ggcgtaacca | gcataacaag  | caccatgcta  | ctcctcaaaa  | 7500 |
|    | gcttcagcac  | gatgttgatc  | ttgataccct | tcctctcggt  | gctttccatg  | agagaatcgc  | 7560 |
|    | tgctaagggt  | aagtctcctg  | ctatgaaggc | ttggcttttct | atgcaagcta  | agctttttcgc | 7620 |
| 10 | tcctgttacc  | actcttcttg  | ttgctcttgg | atggcagctt  | taccttcac   | ctagacacat  | 7680 |
|    | gctcaggact  | aagcactacg  | atgagcttgc | tatgctcgga  | atcagatacg  | gacttgttgg  | 7740 |
| 15 | ataccttgct  | gctaactacg  | gtgctggata | cgctctcgct  | tgttaccttc  | tttaagttca  | 7800 |
|    | gcttggagct  | atgtacatct  | tctgcaactt | cgctgttttct | catactcacc  | tcctgttgt   | 7860 |
|    | tgagcctaac  | gagcatgcta  | cttgggttga | gtacgctgct  | aaccacacta  | ctaactgttc  | 7920 |
| 20 | tccatcttgg  | tggtgtgatt  | ggtggatgtc | ttaccttaac  | taccagatcg  | agcaccacct  | 7980 |
|    | ttacccttct  | atgcctcaat  | tcagacaccc | taagatcgct  | cctagagtta  | agcagctttt  | 8040 |
|    | cgagaagcac  | ggacttcact  | acgatgttag | aggatacttc  | gaggctatgg  | ctgatacttt  | 8100 |
| 25 | cgctaaccct  | gataacgttg  | cccatgctcc | tgagaagaaa  | atgcagtaat  | gagatcgttc  | 8160 |
|    | aaacatttgg  | caataaagtt  | tcttaagatt | gaatcctgtt  | gccgggtcttg | cgatgattat  | 8220 |
|    | catataat    | ctgttgaatt  | acgttaagca | cgtaataatt  | aacatgtaat  | gcatgacgtt  | 8280 |
| 30 | atttatgaga  | tggtgtttta  | tgattagagt | cccgcaatta  | tacatttaat  | acgcgataga  | 8340 |
|    | aaacaaaata  | tagcgcgcaa  | actaggataa | attatcgcg   | gcgggtgtcat | ctatgttact  | 8400 |
| 35 | agatcggtcg  | attaaaaatc  | ccaattatat | ttggtcta    | ttagtgttgg  | attgagtaaa  | 8460 |
|    | acaaattcga  | accaaacc    | aatataaata | tatagttttt  | atataatgc   | ctttaagact  | 8520 |
|    | ttttatagaa  | ttttcttta   | aaaatatcta | gaaatatttg  | cgactcttct  | ggcatgtaat  | 8580 |
| 40 | atttcgttaa  | atatgaagtg  | ctccattttt | attaacttta  | aataattgg   | tgtaacgatca | 8640 |
|    | ctttcttata  | aagtgttact  | aaaatgcgtc | aatctctttg  | ttcttccata  | ttcatatgtc  | 8700 |
|    | aaaatctatc  | aaaattctta  | tatatctttt | tcgaatttga  | agtgaatttt  | cgataattta  | 8760 |
| 45 | aaattaaata  | gaacatatca  | ttatttaggt | atcatattga  | tttttatact  | taattactaa  | 8820 |
|    | atttggttaa  | ctttgaaagt  | gtacatcaac | gaaaaattag  | tcaaacgact  | aaaataaata  | 8880 |
| 50 | aatatcatgt  | gttattaaga  | aaattctcct | ataagaatat  | tttaatagat  | catatgtttg  | 8940 |
|    | taaaaaaaa   | taatttttac  | taacacatat | atttacttat  | caaaaatttg  | acaaagtaag  | 9000 |
|    | attaaaataa  | tattcatcta  | acaaaaaaaa | aaccagaaaa  | tgctgaaaac  | ccggcaaaac  | 9060 |
| 55 | cgaaccaatc  | caaaccgata  | tagttgggtt | ggtttgattt  | tgatataaac  | cgaaccaact  | 9120 |
|    | cggtccattt  | gcacccctaa  | tcataatagc | tttaatat    | caagatatta  | ttaagttaac  | 9180 |

EP 3 266 316 A1

|    |            |             |             |             |            |             |       |
|----|------------|-------------|-------------|-------------|------------|-------------|-------|
|    | gttgtcaata | tcctggaaat  | tttgcaaaat  | gaatcaagcc  | tatatggctg | taatatgaat  | 9240  |
|    | ttaaaagcag | ctcgatgtgg  | tggtaatatg  | taatttactt  | gattctaaaa | aaatatccca  | 9300  |
| 5  | agtattaata | atttctgcta  | ggaagaaggt  | tagctacgat  | ttacagcaaa | gccagaatac  | 9360  |
|    | aaagaaccat | aaagtgattg  | aagctcgaaa  | tatacgaagg  | aacaaatatt | tttaaaaaaa  | 9420  |
|    | tacgcaatga | cttggaaaca  | aagaaagtga  | tatatTTTTT  | gttcttaaac | aagcatcccc  | 9480  |
| 10 | tctaaagaat | ggcagttttc  | ctttgcatgt  | aactattatg  | ctcccttcgt | tacaaaaaatt | 9540  |
|    | ttggactact | attgggaact  | tcttctgaaa  | atagtgatag  | aaccacacg  | agcatgtgct  | 9600  |
|    | ttccatttaa | ttttaaaaaac | caagaaacat  | acatacataa  | cattccatca | gcctctctct  | 9660  |
| 15 | ctttttatta | cggttaatga  | cttaaaacac  | atcttattat  | cccatcctta | acacctagca  | 9720  |
|    | gtgtctttat | acgatctcat  | cgatcaccac  | ttcaaaacca  | tgcagactgc | tgctgccctt  | 9780  |
|    | ggagctggca | tcggctaggc  | tgggtgccgc  | actgtcccg   | aaggcccta  | gcgacttggt  | 9840  |
| 20 | tagattgatg | ggaccacctc  | tcaacttcct  | gctgctgtcc  | ctgctgctgg | atgtcctgcc  | 9900  |
|    | tcctctggcc | gattgcacgc  | tccagtcctc  | tgcagtgtgc  | ctcgctcctc | aattgcttaa  | 9960  |
|    | gatcatcgca | gcagctatcg  | aagtgtggc   | tctgttgccc  | tcctccacgg | ccttggttgt  | 10020 |
| 25 | agtagtagct | gccgccgccc  | ttctggactt  | tttcccacag  | gaaccgccga | ataattcgat  | 10080 |
|    | agaaccacac | gagcatgtgc  | tttcatttat  | tttaaaaacc  | aagaaacata | cataacattt  | 10140 |
| 30 | catcagcctc | tctctctctc  | tctctctctc  | tctctctctc  | tctctctctc | tctctctctt  | 10200 |
|    | tattacagct | gttactacta  | cttaaaacac  | attcatctca  | ttattattat | tattatccat  | 10260 |
|    | ccttaacacc | tagcagtgtc  | ttgtacgat   | ctcataatcg  | atcaccctt  | catcagggtat | 10320 |
| 35 | ccttaggctt | cactccaacg  | ttgttgacgt  | tacggaacat  | gtacacacca | tcattggtct  | 10380 |
|    | caacgaactg | gcaagatctc  | caagttttcc  | aaaggctaac  | ccacatgttc | tcctcggtgt  | 10440 |
|    | gtctgtagtg | ctctcccata  | actttcttga  | tgcactcggt  | agcttctcta | gcatggtaga  | 10500 |
| 40 | atgggatcct | tgaaacgtag  | tgatggagca  | catgagtctc  | gatgatgtca | tggaagatga  | 10560 |
|    | ttccgaggat | tccgaactct  | ctatcgatag  | tagcagcagc  | acccttagcg | aaagtccact  | 10620 |
|    | cttgagcatc | gtaatgaggc  | atagaagaat  | cgggtgtgctg | aaggaaggta | acgaaaacaa  | 10680 |
| 45 | gccagtgggt | aacaaggatc  | caaggacaga  | accatgtgat  | gaaagtaggc | cagaatccga  | 10740 |
|    | aaaccttgta | agcgggtgta  | acagaaagtga | gggtagcaag  | gattccaaga | tcagaaagaa  | 10800 |
|    | cgatgtacca | gtagtccttc  | ttatcgaaaa  | cagggctaga  | aggccagtag | tgagacttga  | 10860 |
| 50 | agaacttaga | aacaccaggg  | taagggtgtc  | cagtagcggt  | agtagcaagg | taaagagaaa  | 10920 |
|    | gtcctccaag | ctgttggaac  | aagagagcga  | aaacagagta  | gataggagtt | tcctcagcga  | 10980 |
| 55 | tatcgtgaag | gctggtaact  | tgggtcttct  | ctttgaattc  | ctcggcggtg | taaggaacga  | 11040 |
|    | aaaccatata | tctgggtcatg | tgtccagtag  | ccttatgggtg | cttagcatga | gagaacttcc  | 11100 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | agctgaagta aggaaccata acaagagagt ggagaaccca tccaacggta tegttaaccc   | 11160 |
|    | atccgtagtt agagaaagca gaatgtccac actcatgtcc aaggatccag attccgaatc   | 11220 |
| 5  | cgaaacaaga gatagagaac acgtaagcag accaagcagc gaatctaagg aattcgttag   | 11280 |
|    | ggagaagagg gatgtaggta agtccaacgt aagcgatagc agagatagcc acgatatctc   | 11340 |
|    | tcaccacgta agacatagac ttcacgagag atctctcgta acagtgccta gggatagcgt   | 11400 |
| 10 | caaggatatc cttgatggtg taatctggca ccttgaaaac gtttccgaag gtatcgatag   | 11460 |
|    | cgggtcttttg ctgcttgaaa gatgcaacgt ttccagaacg cctaacggtc ttagtagatc  | 11520 |
|    | cctcaaggat ctcagatcca gacacggtaa ccttagacat ggtatggtaa ttgtaaatgt   | 11580 |
| 15 | aattgtaatg ttgtttgttg tttgttgttg ttggtaattg ttgtaaaatt tttggtggtg   | 11640 |
|    | attggttctt taagggtgta gagtgagttg tgagtttgtt ggtgggtttg gtgagattgg   | 11700 |
| 20 | ggatggtggg tttatatagt ggagactgag gaatggggtc gtgagtgtta actttgcatg   | 11760 |
|    | ggctacacgt ggggttctttt gggcttacac gtagtattat tcatgcaaata gcagccaata | 11820 |
|    | catatacggg attttaataa tgtgtgggaa tacaatatgc cgagtatttt actaattttg   | 11880 |
| 25 | gcaatgacaa gtgtacattt ggattatctt acttggcctc tcttgcttta atttgatta    | 11940 |
|    | tttttattct cttaccttgg ccgttcatat tcacatccct aaaggcaaga cagaattgaa   | 12000 |
|    | tggtggccaa aaattaaaac gatggatatg acctacatag tgtaggatca attaacgtcg   | 12060 |
| 30 | aaggaaaata ctgattctct caagcatacg gacaagggtta aataacatag tcaccagaac  | 12120 |
|    | ataataaaca aaaagtgcag aagcaagact aaaaaatta gctatggaca ttcaggttca    | 12180 |
| 35 | tattggaaac atcattatcc tagtcttgtg accatccttc ctctgctct agttgagagg    | 12240 |
|    | ccttgggact aacgagagggt cagttgggat agcagatcct tatcctggac tagcctttct  | 12300 |
|    | ggtgtttcag agtcttcgtg ccgccgtcta catctatctc cattaggtct gaagatgact   | 12360 |
| 40 | cttcacacca acgacgttta aggtctctat cctactccta gcttgcaata cctggcttgc   | 12420 |
|    | aatacctgga gcatcgtgca cgatgattgg atactgtgga ggaggagtgt ttgctgattt   | 12480 |
|    | agagctcccg gttgggtgat ttgacttcga tttcagttta ggcttggtga aatttttcag   | 12540 |
| 45 | gttccattgt gaagccttta gagcttgagc ttccctccat gttaatgcct tgatogaata   | 12600 |
|    | ctcctagaga aaagggaagt cgatctctga gtattgaaat cgaagtgcac attttttttc   | 12660 |
|    | aacgtgtcca atcaatccac aaacaaagca gaagacagggt aatctttcat acttatactg  | 12720 |
| 50 | acaagtaata gtcttaccgt catgcataat aacgtctcgt tccttcaaga ggggttttcc   | 12780 |
|    | gacatccata acgacccgaa gcctcatgaa agcattaggg aagaactttt ggttcttctt   | 12840 |
| 55 | gtcatggcct ttataggtgt cagccgagct cgccaattcc cgtccgactg gctccgcaaa   | 12900 |
|    | atattcgaac ggcaagttat ggacttgcaa ccataactcc acggtattga gcaggacct    | 12960 |

EP 3 266 316 A1

|    |            |            |            |            |            |             |       |
|----|------------|------------|------------|------------|------------|-------------|-------|
|    | ttgtgaagac | tcatctcatg | gagcttcaga | atgtggttgt | cagcaaacca | atgaccgaaa  | 13020 |
|    | tccatcacat | gacggacgtc | cagtgggtga | gcgaaacgaa | acaggaagcg | cctatctttc  | 13080 |
| 5  | agagtcgtga | gctccacacc | ggattccggc | aactacgtgt | tgggcaggct | tcgccgtatt  | 13140 |
|    | agagatatgt | tgaggcagac | ccatctgtgc | cactcgtaca | attacgagag | ttgttttttt  | 13200 |
|    | tgtgattttc | ctagtttctc | gttgatggtg | agctcatatt | ctacatcgta | tggctctctca | 13260 |
| 10 | acgtcgtttc | ctgtcatctg | atatcccgtc | atttgcattc | acgtgcgccg | cctcccgtgc  | 13320 |
|    | caagtcccta | ggtgtcatgc | acgccaaatt | ggtggtggtg | cgggctgccc | tgtgcttctt  | 13380 |
|    | accgatgggt | ggaggttgag | tttgggggtc | tccgcggcga | tggtagtggg | ttgacggttt  | 13440 |
| 15 | ggtgtgggtt | gacggcattg | atcaatttac | ttcttgcttc | aaattctttg | gcagaaaaca  | 13500 |
|    | attcattaga | ttagaactgg | aaaccagagt | gatgagacgg | attaagtcag | attccaacag  | 13560 |
|    | agttacatct | cttaagaaat | aatgtaacct | ctttagactt | tatatatttg | caattaaaaa  | 13620 |
| 20 | aataatttaa | cttttagact | ttatatatag | ttttaataac | taagttaaac | cactctatta  | 13680 |
|    | tttatatcga | aactatttgt | atgtctcccc | tctaaataaa | cttggtattg | tgtttacaga  | 13740 |
|    | acctataatc | aaataatcaa | tactcaactg | aagtttgctc | agttaattga | agggattaac  | 13800 |
| 25 | ggccaaaatg | cactagtatt | atcaaccgaa | tagattcaca | ctagatggcc | atttccatca  | 13860 |
|    | atatcatcgc | cgttcttctt | ctgtccacat | atccctcttg | aaacttgaga | gacacctgca  | 13920 |
| 30 | cttcattgtc | cttattacgt | gttacaaaat | gaaacccatg | catccatgca | aactgaagaa  | 13980 |
|    | tggcgcaaga | acccttcccc | tccatttctt | atgtggcgac | catccatttc | accatctccc  | 14040 |
|    | gctataaaac | accccatca  | cttcacctag | aacatcatca | ctacttgctt | atccatccaa  | 14100 |
| 35 | aagataccca | cttttacaac | aattaccaac | aacaacaaac | aacaaacaac | attacaatta  | 14160 |
|    | catttacaat | taccatacca | tgccacctag | cgctgctaag | caaagggag  | cttctactgg  | 14220 |
|    | tgttcattgt | ggtgttactg | actcttctgc | tttcaccaga | aaggatgttg | ctgatagacc  | 14280 |
| 40 | tgatctcacc | atcgttgag  | attctgttta | cgatgctaag | gctttcagat | ctgagcatcc  | 14340 |
|    | tgggtggtgt | catttcgttt | ctttgttcgg | aggaagagat | gctactgagg | ctttcatgga  | 14400 |
|    | ataccataga | agggtctggc | ctaagtctag | aatgtctaga | ttccacgttg | gatctcttgc  | 14460 |
| 45 | ttctactgag | gaacctgttg | ctgctgatga | gggatacctt | caactttgtg | ctaggatcgc  | 14520 |
|    | taagatggtg | ccttctgttt | cttctggatt | cgctcctgct | tcttactggg | ttaaggctgg  | 14580 |
|    | acttatcctt | ggatctgcta | tcgctcttga | ggcttacatg | ctttacgctg | gaaagagact  | 14640 |
| 50 | tctcccttct | atcgttcttg | gatggctttt | cgctcttata | ggtcttaaca | tccagcatga  | 14700 |
|    | tgctaaccat | ggtgctttgt | ctaagtctgc | ttctgttaac | cttgctcttg | gactttgtca  | 14760 |
| 55 | ggattggatc | ggaggatcta | tgatcctttg | gcttcaagag | catgttggtt | tgcaccacct  | 14820 |
|    | ccacactaac | gatgttgata | aggatcctga | tcaaaaggct | cacggtgctc | ttagactcaa  | 14880 |

EP 3 266 316 A1

|    |                                                                      |       |
|----|----------------------------------------------------------------------|-------|
|    | gcctactgat gcttgggtcac ctatgcattg gcttcagcat ctttaccttt tgccctgggtga | 14940 |
|    | gactatgtac gctttcaagc ttttgttcct cgacatctct gagcttggtta tgtggcggttg  | 15000 |
| 5  | ggaggggtgag cctatctcta agcttgctgg atacctcttt atgccttctt tgcttctcaa   | 15060 |
|    | gcttaccttc tgggctagat tcgttgcttt gcctctttac cttgctcctt ctgttcatac    | 15120 |
|    | tgctgtgtgt atcgctgcta ctgttatgac tggatctttc tacctcgctt tcttcttctt    | 15180 |
| 10 | catctcccac aacttcgagg gtgttgcttc tgttggacct gatggatcta tcacttctat    | 15240 |
|    | gactagaggt gctagcttcc ttaagagaca agctgagact tcttctaacg ttggaggacc    | 15300 |
|    | tcttcttgct actcttaacg gtggactcaa ctaccaaatt gagcatcaact tgttcacctag  | 15360 |
| 15 | agttcaccat ggattctacc ctagacttgc tcctcttggt aaggctgagc ttgaggctag    | 15420 |
|    | aggaatcgag tacaagcact accctactat ctgggtctaac cttgcttcta ccctcagaca   | 15480 |
| 20 | tatgtacgct cttggaagaa ggcctagatc taaggctgag taatgacaag cttatgtgac    | 15540 |
|    | gtgaaataat aacggtaaaa tatatgtaat aataataata ataaagccac aaagtgagaa    | 15600 |
|    | tgaggggaag gggaaatgtg taatgagcca gtagccggtg gtgctaattt tgtatcgtat    | 15660 |
| 25 | tgtcaataaa tcatgaattt tgtgggtttt atgtgtttt ttaaatacatg aattttaaat    | 15720 |
|    | tttataaaat aatctccaat cggaagaaca acattccata tccatgcatg gatgtttctt    | 15780 |
|    | tacccaaatc tagttcttga gaggatgaag catcaccgaa cagttctgca actatccctc    | 15840 |
| 30 | aaaagcttta aaatgaacaa caaggaacag agcaacgttc caaagatccc aaacgaaaca    | 15900 |
|    | tattatctat actaatacta tattattaat tactactgcc cggaatcaca atccctgaat    | 15960 |
| 35 | gattcctatt aactacaagc cttgttggcg gcggagaagt gatcggcgcg gcgagaagca    | 16020 |
|    | gcggactcgg agacgaggcc ttggaagatc tgagtcgaac gggcagaatc agtattttcc    | 16080 |
|    | ttcgacgtta attgatccta cactatgtag gtcatatcca tcgttttaaat ttttggccac   | 16140 |
| 40 | cattcaattc tgtcttgcct ttagggatgt gaatatgaac ggccaaggta agagaataaa    | 16200 |
|    | aataatccaa attaaagcaa gagaggccaa gtaagataat ccaaagtac acttgtcatt     | 16260 |
|    | gccaaaatta gtaaaatact cggcatattg tattcccaca cattattaaa ataccgtata    | 16320 |
| 45 | tgtattggct gcatttgcac gaataatact acgtgtaagc ccaaaagaac ccacgtgtag    | 16380 |
|    | cccatgcaaa gttaacactc acgaccccat tcctcagtct ccactatata aaccaccat     | 16440 |
|    | ccccaatctc accaaaccca ccacacaact cacaactcac tctcacacct taaagaacca    | 16500 |
| 50 | atcaccacca aaaattttac aacaattacc aacaacaaca aacaacaaac aacattacaa    | 16560 |
|    | ttacatttac aattaccata ccatgagcgc tgttacggtt actggatctg atcctaagaa    | 16620 |
| 55 | cagaggatct tctagcaaca ccgagcaaga ggttccaaaa gttgctatcg ataccaacgg    | 16680 |
|    | aaacgtgttc tctgttctctg atttcaccat caaggacatc cttggagcta tcctcatga    | 16740 |



EP 3 266 316 A1

|    |            |            |            |            |             |            |       |
|----|------------|------------|------------|------------|-------------|------------|-------|
|    | gtgttacgag | agaagattgg | ctacctctct | ctactacgtg | ttcagagata  | tcttctgcat | 16800 |
|    | gcttaccacc | ggatacctta | cccataagat | cctttaccct | ctcctcatct  | cttacacctc | 16860 |
| 5  | taacagcatc | atcaagttca | ctttctgggc | cctttacact | tacgttcaag  | gacttttcgg | 16920 |
|    | aaccggaatc | tgggttctcg | ctcatgagtg | tggacatcaa | gctttctctg  | attacggaat | 16980 |
|    | cgtgaacgat | ttcgttgat  | ggacccttca | ctcttacctt | atgggttcctt | acttcagctg | 17040 |
| 10 | gaagtactct | catggaaagc | accataaggc | tactggacac | atgaccagag  | atatggtttt | 17100 |
|    | cgttcctgcc | accaaagagg | aattcaagaa | gtctaggaac | ttcttcggta  | acctcgctga | 17160 |
|    | gtactctgag | gattctccac | ttagaaccct | ttacgagctt | cttggttcaac | aacttgagg  | 17220 |
| 15 | atggatcgct | tacctcttcg | ttaacgttac | aggacaacct | tacctgatg   | ttccttcttg | 17280 |
|    | gaaatggaac | cacttctggc | ttacctctcc | acttttcgag | caaagagatg  | ctctctacat | 17340 |
|    | cttcctttct | gatcttgga  | tcctcaccca | gggaatcggt | cttactcttt  | ggtacaagaa | 17400 |
| 20 | attcgaggga | tgggtccctt | tcatcaactg | gttcgttctt | tacatctggg  | ttaaccactg | 17460 |
|    | gctcgttttc | atcacattcc | ttcagcacac | tgatcctact | atgcctcatt  | acaacgctga | 17520 |
| 25 | ggaatggact | ttcgctaagg | gtgctgctgc | tactatcgat | agaaagtctg  | gattcatcgg | 17580 |
|    | acctcacatc | ttccatgata | tcatcgagac | tcatgtgctt | caccactact  | gttctaggat | 17640 |
|    | cccattctac | aacgctagac | ctgcttctga | ggctatcaag | aaagttatgg  | gaaagcacta | 17700 |
| 30 | caggtctagc | gacgagaaca | tgtggaagtc | actttggaag | tctttcaggt  | cttgccaata | 17760 |
|    | cgttgacggt | gataacggtg | ttctcatggt | ccgtaacatc | aacaactgcg  | gagttggagc | 17820 |
|    | tgctgagaag | taatgaagg  | gtgatcgatt | atgagatcgt | acaaagacac  | tgctaggtgt | 17880 |
| 35 | taaggatgga | taataataat | aataatgaga | tgaatgtggt | ttaagttagt  | gtaacagctg | 17940 |
|    | taataaagag | agagagagag | agagagagag | agagagagag | agagagagag  | agagagaggc | 18000 |
|    | tgatgaaatg | ttatgtatgt | ttcttggttt | ttaaataaaa | tgaaagcaca  | tgctcgtgtg | 18060 |
| 40 | gttctatcga | attattcggc | ggttcctgtg | ggaaaaagtc | cagaagggcc  | gccgcagcta | 18120 |
|    | ctactacaac | caaggccgtg | gaggagggca | acagagccag | cacttcgata  | gctgctgcga | 18180 |
|    | tgatcttaag | caattgagga | gcgagtgcac | atgcagggga | ctggagcgtg  | caatcggcca | 18240 |
| 45 | gatgaggcag | gacatccagc | agcagggaca | gcagcaggaa | gttgagaggt  | gtcccatca  | 18300 |
|    | atctaaacaa | gtcgctaggg | accttcggg  | acagtgcggc | accagccta   | gccgatgcc  | 18360 |
|    | gctccagggg | cagcagcagt | ctgcatggtt | ttgaagtgg  | gatcgatgag  | atcgataaaa | 18420 |
| 50 | gacactgcta | ggtgttaagg | atgggataat | aagatgtggt | ttaagtcatt  | aaccgtaata | 18480 |
|    | aaaagagaga | gaggctgatg | gaatgttatg | tatgtatggt | tcttggtttt  | taaaattaaa | 18540 |
| 55 | tggaaagcac | atgctcgtgt | gggttctatc | tcgattaaaa | atcccaatta  | tatttggtct | 18600 |
|    | aatttagttt | ggtattgagt | aaaacaaatt | cgaaccaaac | caaaatataa  | atatatagtt | 18660 |

EP 3 266 316 A1

|    |             |             |             |             |             |             |       |
|----|-------------|-------------|-------------|-------------|-------------|-------------|-------|
|    | tttatatata  | tgccctttaag | actttttata  | gaattttctt  | taaaaaatat  | ctagaaatat  | 18720 |
|    | ttgcgactct  | tctggcatgt  | aatatttctg  | taaatatgaa  | gtgctccatt  | tttattaact  | 18780 |
| 5  | ttaaataatt  | ggttgtaga   | tcactttctt  | atcaagtgtt  | actaaaatgc  | gtcaatctct  | 18840 |
|    | ttgttcttcc  | atattcatat  | gtcaaaatct  | atcaaaattc  | ttatatatct  | ttttcgaatt  | 18900 |
|    | tgaagtga    | tttcgataat  | ttaaaattaa  | atagaacata  | tcattatttt  | ggtatcatat  | 18960 |
| 10 | tgatttttat  | acttaattac  | taaatttgg   | taactttgaa  | agtgtacatc  | aacgaaaaat  | 19020 |
|    | tagtcaaacg  | actaaaataa  | ataaatatca  | tgtgttatta  | agaaaattct  | cctataagaa  | 19080 |
|    | tattttaata  | gatcatatgt  | ttgtaaaaaa  | aattaatttt  | tactaacaca  | tatattttact | 19140 |
| 15 | tatcaaaaat  | ttgacaaagt  | aagattaaaa  | taatattcat  | ctaacaaaaa  | aaaaaccaga  | 19200 |
|    | aaatgctgaa  | aaccgggcaa  | aaccgaacca  | atccaaaccg  | atatagttgg  | tttgggttga  | 19260 |
| 20 | ttttgatata  | aaccgaacca  | actcgggtcca | tttgcacccc  | taatcataat  | agctttaata  | 19320 |
|    | tttcaagata  | ttattaagtt  | aacgttgtca  | atatcctgga  | aattttgcaa  | aatgaatcaa  | 19380 |
|    | gcctatatgg  | ctgtaatatg  | aattttaaag  | cagctcgatg  | tgggtggtaat | atgtaattta  | 19440 |
| 25 | cttgattcta  | aaaaaatatc  | ccaagtatta  | ataatttctg  | ctaggaagaa  | ggttagctac  | 19500 |
|    | gatttacagc  | aaagccagaa  | tacaaagaac  | cataaagtga  | ttgaagctcg  | aaatatacga  | 19560 |
|    | aggaacaaat  | attttttaaaa | aaatacgcaa  | tgactttggaa | caaaagaaag  | tgatatattt  | 19620 |
| 30 | tttgttctta  | aacaagcatc  | ccctctaaag  | aatggcagtt  | ttcctttgca  | tgtaactatt  | 19680 |
|    | atgctccctt  | cgttacaaaa  | attttggact  | actattggga  | acttcttctg  | aaaatagtcc  | 19740 |
| 35 | tgcaggctag  | tagattgggt  | ggttgggttc  | catgtaccag  | aaggcttacc  | ctattagttg  | 19800 |
|    | aaagttgaaa  | ctttgttccc  | tactcaattc  | ctagtttgtg  | aaatgtatgt  | atatgtaatg  | 19860 |
|    | tgtataaaac  | gtagtactta  | aatgactagg  | agtggttctt  | gagaccgatg  | agagatggga  | 19920 |
| 40 | gcagaactaa  | agatgatgac  | ataattaaga  | acgaatttga  | aaggctctta  | ggtttgaatc  | 19980 |
|    | ctattcgaga  | atgtttttgt  | caaagatagt  | ggcgattttg  | aaccaaagaa  | aacattttaa  | 20040 |
|    | aaatcagtat  | ccggttacgt  | tcatgcaa    | agaaagtgg   | ctaggatctg  | attgtaattt  | 20100 |
| 45 | tagacttaaa  | gagtctctta  | agattcaatc  | ctggctgtgt  | acaaaactac  | aaataatata  | 20160 |
|    | tttttagacta | tttggcctta  | actaaacttc  | cactcattat  | ttactgaggt  | tagagaatag  | 20220 |
|    | acttgcgaa   | aaacacattc  | ccgagaaata  | ctcatgatcc  | cataattagt  | cagaggggat  | 20280 |
| 50 | gccaatcaga  | tctaagaaca  | cacattccct  | caaattttta  | tgcacatgta  | atcatagttt  | 20340 |
|    | agcacaattc  | aaaaataatg  | tagtattaaa  | gacagaaatt  | tgtagacttt  | tttttggcgt  | 20400 |
| 55 | taaaagaaga  | ctaagtttat  | acgtacattt  | tatttttaagt | ggaaaaccga  | aattttccat  | 20460 |
|    | cgaatatatat | gaatttagta  | tatatatttc  | tgcaatgtac  | tatttttgcta | ttttggcaac  | 20520 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | tttcagtgga ctactacttt attacaatgt gtatggatgc atgagtttga gtatacacat  | 20580 |
|    | gtctaaatgc atgcttttga aaacgtaacg gaccacaaaa gaggatccat acaaatacat  | 20640 |
| 5  | ctcatagctt cctccattat tttccgacac aaacagagca ttttacaaca attaccaaca  | 20700 |
|    | acaacaaaaca acaaacaaca ttacaattac atttacaatt accataccat ggaatttgct | 20760 |
|    | caacctctcg ttgctatggc tcaagagcag tacgctgcta tcgatgctgt tgttgcctct  | 20820 |
| 10 | gctatcttct ctgctaccga ctctattgga tggggactca agcctatctc ttctgctact  | 20880 |
|    | aaggatctcc ctctcggtga atctcctacc cctcttatcc tttctctcct cgcttacttc  | 20940 |
|    | gctatcggtg gttctggact cgtttaccgt aaagtgttcc ctagaaccgt taagggacag  | 21000 |
| 15 | gatcctttcc ttctcaaggc tcttatgctc gctcacaacg ttttccttat cggactcagc  | 21060 |
|    | ctttacatgt gcctcaagct cgtttacgag gcttacgtga acaagtactc cttctgggga  | 21120 |
|    | aacgcttaca accctgctca aaccgagatg gctaagggtga tctggatctt ctacgtgtcc | 21180 |
| 20 | aagatctacg agttcatgga caccttcacg atgcttctca agggaaacgt taaccagggt  | 21240 |
|    | tccttcctcc atgtttacca ccacggatct atctctggaa tctgggtggat gatcacttat | 21300 |
| 25 | gctgctccag gtggagatgc ttacttctct gctgctctca actcttgggt tcatgtgtgc  | 21360 |
|    | atgtacacct actacttcat ggctgctgtt ctccctaagg acgaaaagac caagagaaag  | 21420 |
|    | tacctttggt ggggaagata ccttaccag atgcaaatgt tccagttctt catgaacctt   | 21480 |
| 30 | ctccaggctg tttacctcct ctactcttct tctccttacc ctaagttcat tgctcaactc  | 21540 |
|    | ctcgttgttt acatgggttac cctcctcatg cttttcggaa acttctacta catgaagcac | 21600 |
|    | cacgcttcta agtgataagg gccgccgcca tgtgacagat cgaaggaaga aagtgtata   | 21660 |
| 35 | agacgactct cactactcga tcgctagtga ttgtcattgt tatatataat aatgttatct  | 21720 |
|    | ttcacaactt atcgtaatgc atgtgaaact ataacacatt aatcctactt gtcatatgat  | 21780 |
|    | aacactctcc ccatttaaaa ctcttgtaa tttaaagata taagattctt taaatgatta   | 21840 |
| 40 | aaaaaaatat attataaatt caatcactcc tactaataaa ttattaatta ttatttattg  | 21900 |
|    | attaaaaaaa tacttatact aatttagtct gaatagaata attagattct agcctgcagg  | 21960 |
| 45 | gcggccgcgg atcccatgga gtcaaagatt caaatagagg acctaacaga actcgccgta  | 22020 |
|    | aagactggcg aacagttcat acagagtctc ttacgactca atgacaagaa gaaaatcttc  | 22080 |
|    | gtcaacatgg tggagcacga cacacttgct tactccaaaa atatcaaaga tacagtctca  | 22140 |
| 50 | gaagaccaa gggcaattga gacttttcaa caaagggtaa tatccgaaa cctcctcgga    | 22200 |
|    | ttccattgcc cagctatctg tcactttatt gtgaagatag tggaaaagga aggtggctcc  | 22260 |
|    | tacaaatgcc atcattgcga taaaggaaag gccatcggtg aagatgcctc tgccgacagt  | 22320 |
| 55 | ggtcccaaag atggaccccc acccacgagg agcatcggtg aaaaagaaga cgttccaacc  | 22380 |
|    | acgtcttcaa agcaagtgga ttgatgtgat atctccactg acgtaaggga tgacgcacaa  | 22440 |

EP 3 266 316 A1

|    |                                                                                |       |
|----|--------------------------------------------------------------------------------|-------|
|    | tcccactatc cttcgcaaga cccttcctct atataaggaa gttcatttca tttggagaga              | 22500 |
|    | acacggggga ctgaattaaa tatgagccct gagaggcgtc ctgttgaaat cagacctgct              | 22560 |
| 5  | actgctgctg atatggctgc tgtttgtgat atcgtgaacc actacatcga gacttctacc              | 22620 |
|    | gttaacttca gaactgagcc tcaaactcct caagagtgga tcgatgatct tgagagactc              | 22680 |
|    | caagatagat acccttggct tgttgctgag gttgagggtg ttgttgctgg aatcgcttac              | 22740 |
| 10 | gctggacctt ggaaggctag aaacgcttac gattggactg ttgagtctac cgtttacgtt              | 22800 |
|    | tcacacagac atcagagact tggacttggga tctacccttt acactcacct tctcaagtct             | 22860 |
|    | atggaagctc agggattcaa gtctgttggt gctgttatcg gactccctaa cgatccttct              | 22920 |
| 15 | gttagacttc atgaggctct tggatacact gctagaggaa ctcttagagc tgctggatac              | 22980 |
|    | aagcacggtg gatggcatga tgttggattc tggcaaagag atttcgagct tcctgctcct              | 23040 |
| 20 | cctagacctg ttagaccagt tactcagatc tgaatttgcg tgatcgttca aacatttggc              | 23100 |
|    | aataaagttt cttaagattg aatcctgttg ccggtcttgc gatgattatc atataatttc              | 23160 |
|    | tgttgaatta cgttaagcat gtaataatta acatgtaatg catgacgtta tttatgagat              | 23220 |
| 25 | gggtttttat gattagagtc ccgcaattat acatttaata cgcgatagaa aacaaaatat              | 23280 |
|    | agcgcgcaaa ctaggataaa ttatcgcgcg cgggtgtcatc tatgttacta gatcactagt             | 23340 |
|    | gatgtacggt taaaaccacc ccagtacatt aaaaacgtcc gcaatgtgtt attaagttgt              | 23400 |
| 30 | ctaagcgtca atttgtttac accacaatat atcctgccac cagccagcca acagctcccc              | 23460 |
|    | gaccggcagc tcggcacaaa atcaccactc gatacaggca gcccatcagt cc                      | 23512 |
| 35 | <210> 3<br><211> 25787<br><212> DNA<br><213> Artificial Sequence               |       |
| 40 | <220><br><223> pGA7- mod_C nucleotide sequence                                 |       |
|    | <400> 3<br>tcctgtggtt ggcattgcaca tacaatatgga cgaacggata aaccttttca cgccctttta |       |
| 45 | aatatccgat tattctaata aacgctcttt tctcttaggt ttaccgcgca atatatcctg              | 120   |
|    | tcaaacactg atagtttaaa ctgaaggcgg gaaacgacaa tctgctagtg gatctcccag              | 180   |
|    | tcacgacgtt gtaaaacggg cgccccgatc tagtaacata gatgacaccg cgcgcgataa              | 240   |
| 50 | tttatcctag ttgcgcgct atattttgtt ttctatcgcg tattaaatgt ataattgagg               | 300   |
|    | gactctaata ataaaaacc atctcataaa taacgtcatg cattacatgt taattattac               | 360   |
| 55 | gtgtttaacg taattcaaca gaaattatat gataatcatc gcaagaccgg caacaggatt              | 420   |
|    | caatcttaag aaactttatt gccaaatgtt tgaacgatct gcccggaagc ggccaactcg              | 480   |

EP 3 266 316 A1

|    |                                                                     |      |
|----|---------------------------------------------------------------------|------|
|    | aaaatttaaat taatcatcag tgagccttct cagcctttcc gttaacgtag tagtgctgtc  | 540  |
|    | caactttgtc gaggttgctg aaagtagcct tccaagcacc gtagtaagag agcaccttgt   | 600  |
| 5  | agttgagtcc ccacttctta gcgaaagga cgaatcttct tgacacctca ggctgtctga    | 660  |
|    | attgaggcat atcaggggaag agatggtgga taacctggca gttaaaggtat ccataaagcc | 720  |
|    | agttaacgta tccacgagaa ggatcgatgt caacggtgtg atcaacagcg tagttaaccc   | 780  |
| 10 | agctaagggtg cttgtcagat ggaacaacag ggaggtgagt gtgagaagta gagaagtgag  | 840  |
|    | cgaagaggta catgtaagcg atccagtttc cgaaagtga ccaccagtaa gcaacaggcc    | 900  |
|    | aagagtatcc ggtagcaagc ttgataacag cggttctaac aacgtgagaa acgagcatcc   | 960  |
| 15 | aagaagcttc ctcgtagttc ttcttcctga gcacctgtct aggatggaga acgtagatcc   | 1020 |
|    | agaaagcctg aacgagaagt ccagaagtaa caggaacgaa ggtccaagct tgaagtctag   | 1080 |
|    | cccaagctct agagaatccc ctaggtctat tatcctccac agcgggtgtg aagaaagcca   | 1140 |
| 20 | cagcaggagt ggtatcaaga tccatgtcgt gtctaacttt ctgaggggta gcatggtgct   | 1200 |
|    | tgttatgcat ctggttccac atctctccgc tggtagaaag tccgaatccg caagtcatag   | 1260 |
|    | cctgaagtct cttatccacg tacacagatc cggtaaagaga gttgtgtcca ccctcatgtt  | 1320 |
| 25 | gaacccatcc acatctagct ccgaagaaag caccgtacac aacgctagca atgatagggt   | 1380 |
|    | atccagcgtata cataagagcg gttccaagag cgaaagtagc aagaagctcc aaaagacggt | 1440 |
| 30 | aagcaacatg ggtgatagaa ggcttgaaga atccgtccct ctcaagttca gctctccacc   | 1500 |
|    | tagcgaaatc ctcaagcata ggagcatcct cagactcaga tctcttgatc tcagcaggtc   | 1560 |
|    | tagaaggcaa agctctaagc atcttccaag ccttgagggt acgcatgtga aattctttga   | 1620 |
| 35 | aagcctcagt agcatcagca ccagtgttag caagcatgta gaagatcacg cttccaccag   | 1680 |
|    | gatgtttgaa gttggtcacg tcgtactcaa catcctcaac cctaaccat ctagtctcga    | 1740 |
|    | aggtagcagc aagttcatga ggctcaagg tcttaagatc aacaggagcg gtagaagcat    | 1800 |
| 40 | ccttagcatc aagagcctca gcagatgact tagacctggt gagaggagat ctaggagaag   | 1860 |
|    | atcttccatc ggtcttagga ggacacatgg cgcgcgatt ttcgagatgg taattgtaaa    | 1920 |
|    | tgtaattgta atgttgtttg ttgtttgttg ttgttggtaa ttgttgtaaa attcgagttg   | 1980 |
| 45 | gccgcttccg gggatcctcg tgtatgtttt taatcttggt tgatcgtatg agttttgggt   | 2040 |
|    | tgagtaaaga gtgaagcgga tgagttaatt tataggctat aaaggagatt tgcattggcg   | 2100 |
|    | tcacgtgtaa taatgcatgc acgcatgtga ttgtatgtgt gtgctgtgag agagaagctc   | 2160 |
| 50 | ttaggtgttt gaaggagtg acaagtggcg aagaaaaaca attctccgcg gctgcatgct    | 2220 |
|    | atgtgtaacg tgtagctaatt gttctggcat ggcattctat gaacgattct ttttaaaaac  | 2280 |
| 55 | aaggtaaaaa ctttaacttca taaaattaaa aaaaaaacg tttactaagt tggtttaaaa   | 2340 |
|    | ggggatgaga ggcgccccgc ggaaagcttg ctagccaatt ggggccaac gttctcgagt    | 2400 |

EP 3 266 316 A1

|    |            |            |            |            |             |            |      |
|----|------------|------------|------------|------------|-------------|------------|------|
|    | ttttctagaa | ggaaactgaa | ggcgggaaac | gacaatctgc | tagtggatct  | cccagtcacg | 2460 |
|    | acgttgtaaa | acgggcgccc | cgcggaagc  | ttgcggccgc | ggtaccgccc  | gttcgactca | 2520 |
| 5  | gatcttccaa | ggcctcgtct | ccgagtcgc  | tgtttctcgc | cgcgcgcgac  | acttctccgc | 2580 |
|    | cgccaacaag | gcttgtagtt | aataggaatc | attcagggat | tgtgattccg  | ggcagtagta | 2640 |
|    | attaataata | tagtattagt | atagataata | tgtttcgttt | gggatctttg  | gaacgttgct | 2700 |
| 10 | ctgttccttg | ttgttcattt | taaagctttt | gagggatagt | tgcagaactg  | ttcggtagtg | 2760 |
|    | cttcaccttc | tcaagaacta | gatttgggta | aagaaacatc | catgcatgga  | tatggaatgt | 2820 |
|    | tgttcttccg | attggagatt | attttataaa | atttaaaatt | catgatttaa  | aaaaacacat | 2880 |
| 15 | aaaaaccaca | aaattcatga | tttattgaca | atacgataca | aaattagcac  | caccggctac | 2940 |
|    | tggctcatta | cacatttccc | cttcccctca | ttctcacttt | gtggctttat  | tattattatt | 3000 |
| 20 | attacatata | ttttaccgtt | attatttcac | gtcacataag | cttggttaatt | aatcattagt | 3060 |
|    | gagccttctc | agcctttccg | ttaacgtagt | agtgtgtgtc | caccttatca  | aggttagaga | 3120 |
|    | aagtagcctt | ccaagcaccg | tagtaagaga | gcaccttgta | gttgagtccc  | cacttcttag | 3180 |
| 25 | cgaaaggaac | gaatcttctg | ctaacctcag | gctgtctgaa | ttgaggcata  | tcagggaaga | 3240 |
|    | ggtggtggat | aacctgacag | ttaaggtatc | ccataagcca | gttcacgtat  | cctctagaag | 3300 |
|    | gatcgatatc | aacggtgtga | tcaacagcgt | agttaaccca | agaaagggtc  | ttatcagatg | 3360 |
| 30 | gaacaacagg | gaggtgagta | tgagaagtag | agaagtgagc | gaaaagggtac | atgtaagcga | 3420 |
|    | tccagtttcc | gaaagtgaac | caccagtaag | caacaggcca | agagtatcca  | gtagcaagct | 3480 |
| 35 | tgataacagc | ggttctaaca | acatgagaaa | cgagcatcca | agaagcctct  | tcgtagttct | 3540 |
|    | tcttacggag | aacttgtcta | gggtggagaa | cgtagatcca | gaaagcttga  | acaagaagtc | 3600 |
|    | cagaggtaac | aggaacgaaa | gtccaagctt | gaagtctagc | ccaagctcta  | gagaatcctc | 3660 |
| 40 | taggtctgtt | atcctcaaca | gcagtgttga | agaaagccac | agcaggagtg  | gtatcaagat | 3720 |
|    | ccatatcgtg | tctaaccctt | tgaggggtag | catggtgctt | gttatgcac   | tggttccaca | 3780 |
|    | tctcaccaga | agtagaaagt | ccgaatccac | aagtcatagc | ctgaagtctc  | ttgtccacgt | 3840 |
| 45 | aaacagatcc | ggtaagagag | ttatgtccac | cctcatgttg | aacctatcca  | catctagctc | 3900 |
|    | cgaagaaagc | accgtaaaca | acagaagcaa | tgatagggtg | tccagcgtac  | ataagagcag | 3960 |
|    | ttccaagagc | gaatgtagca | agaagctcga | gaagtctgta | agccacatgg  | gtgatagaag | 4020 |
| 50 | gcttgaagaa | tccatctctc | tcaagctcag | cacgccatct | agcgaaatcc  | tcaagcatag | 4080 |
|    | gagcatcctc | agactcagat | ctcttgatct | cagcaggtct | agaaggcaaa  | gctctaagca | 4140 |
| 55 | tcttccaagc | cttgagagaa | cgcatgtgga | attctttgaa | agcctcagta  | gcacagcac  | 4200 |
|    | cagtgttagc | aagcatgtag | aagatcacag | atccaccagg | gtgcttgaag  | ttagtcacat | 4260 |

EP 3 266 316 A1

|    |            |            |            |            |            |            |      |
|----|------------|------------|------------|------------|------------|------------|------|
|    | cgtactcaac | gtcctcaact | ctaaccatc  | tagtctcgaa | agtagcagca | agctcatgag | 4320 |
|    | gctcaagagt | cttaagatca | acaggagcag | tagaagcatc | cttagcatca | agagcctcag | 4380 |
| 5  | cagaagattt | agacctggta | agtggagatc | taggagaaga | tcttccatca | gtcttaggag | 4440 |
|    | ggcacatgg  | atggtaattg | taaatgtaat | tgtaatgttg | tttgttggtt | gttgttggtg | 4500 |
|    | gtaattgttg | taaaattaat | taagtgggta | tcttttggat | ggataagcaa | gtagtgatga | 4560 |
| 10 | tgttctaggt | gaagtgatgg | gggtgtttta | tagcgggaga | tggtgaaatg | gatggtcgcc | 4620 |
|    | acataagaaa | tggaggggaa | gggttcttgc | gccattcttc | agtttgcatg | gatgcatggg | 4680 |
|    | tttcatTTTT | taacacgtaa | taaggacaat | gaagtgcagg | tgtctctcaa | gtttcagagg | 4740 |
| 15 | ggatatgtgg | acagaagaag | aacggcgatg | atattgatgg | aatggccat  | ctagtgtgaa | 4800 |
|    | tctattcgg  | tgataatact | agtgcatttt | ggccgttaat | cccttcaatt | aactgcacaa | 4860 |
|    | acttcagttg | agtattgatt | atttgattat | aggttctgta | aacacaatac | caagtttatt | 4920 |
| 20 | tagaggggag | acatacaaat | agtttcgata | taaataatag | agtgggttaa | cttagttatt | 4980 |
|    | aaaactatat | ataaagtcta | aaagttaa   | tattttttta | attgcaaata | tataaagtct | 5040 |
| 25 | aaaggggtta | cattatttct | taagagatgt | aactctgttg | gaatctgact | taatccgtct | 5100 |
|    | catcactctg | gtttccagtt | ctaatact   | gaattgtttt | ctgccaaaga | atttgaagca | 5160 |
|    | agaagtaaat | tgatcaatgc | cgtcaaccca | caccaaaccg | tcaacccact | accatcgccg | 5220 |
| 30 | cggagacccc | caaactcaac | ctccacccat | cggtaagaag | cacagggcag | cccgaccac  | 5280 |
|    | caccaatttg | gogtgcagta | cacctagga  | cttggcacgg | gaggcgccgc | acgtggatgc | 5340 |
|    | aatgacggg  | atatcagatg | acaggaaacg | acgttgagag | accatacgat | gtagaatatg | 5400 |
| 35 | agctcaccat | caacgagaaa | ctaggaaa   | cacaaaaaaa | acaactctcg | taattgtacg | 5460 |
|    | agtggcacag | atgggtctgc | ctcaacatat | ctctaatacg | gcgaagcctg | ccaacacgt  | 5520 |
|    | agttgccgga | atccggtgtg | gagctcacga | ctctgaaaga | taggcgcttc | ctgtttcggt | 5580 |
| 40 | tcgctcacc  | actggacgtc | cgtcatgtga | tggatttcgg | tcattgggtt | gctgacaacc | 5640 |
|    | acattctgaa | gctccatgag | atgagcttc  | acaataggtc | ctgctcaata | ccgtggagtt | 5700 |
|    | atggttgcaa | gtccataact | tgccgttcga | atattttgcg | gagccagtcg | gacgggaatt | 5760 |
| 45 | ggcgagctcg | gctgacacct | ataaaggcca | tgacaagaag | aaccaaagt  | tcttccctaa | 5820 |
|    | tgctttcatg | aggcttcggg | tcgttatgga | tgtcgaaaaa | cccctcttga | aggaacgaga | 5880 |
|    | cgttattatg | catgacggta | agactattac | ttgtcagtat | aagtatgaaa | gattacctgt | 5940 |
| 50 | cttctgcttt | gtttgtggat | tgattggaca | cgttgaaaaa | aatgtgcac  | ttcgatttca | 6000 |
|    | atactcagag | atcgacttcc | cttttctcta | ggagtattcg | atcaaggcat | taacatggaa | 6060 |
| 55 | ggaagctcaa | gctctaaagg | cttcacaatg | gaacctgaaa | aatttcaaca | agcctaaact | 6120 |
|    | gaaatcgaag | tcaaatcacc | caaccgggag | ctctaaatca | gcaaactc   | ctcctccaca | 6180 |

EP 3 266 316 A1

|    |                                                                      |      |
|----|----------------------------------------------------------------------|------|
|    | gtatccaatc atcgtgcacg atgctccagg tattgcaagc caggtattgc aagctaggag    | 6240 |
|    | taggatatagag accttaaacg tcgttgggtgt gaagagtcac cttcagacct aatggagata | 6300 |
| 5  | gatgtagacg gcggcacgaa gactctgaaa caccagaaag gctagtccag gataaggatc    | 6360 |
|    | tgctatccca actgacctct cgttagtccc aaggcctctc aactagagca ggaggaagga    | 6420 |
|    | tggtcacaag actaggataa tgatgtttcc aatatgaacc tgaatgtcca tagctaattt    | 6480 |
| 10 | tttttagtctt gcttctgcac tttttgttta ttatgttctg gtgactatgt tattttacct   | 6540 |
|    | tgtccgtatg cttgagggta ccctagtaga ttgggttggtt ggtttccatg taccagaagg   | 6600 |
|    | cttacctat tagttgaaag ttgaaacttt gttccctact caattcctag ttgtgtaa       | 6660 |
| 15 | gtatgtatat gtaatgtgta taaaacgtag tacttaa                             | 6720 |
|    | ccgatgagag atgggagcag aactaaagat gatgacataa ttaagaacga atttgaaagg    | 6780 |
| 20 | ctcttaggtt tgaatcctat tcgagaatgt ttttgtcaaa gatagtggcg attttgaacc    | 6840 |
|    | aaagaaaaca tttaaaaaat cagtatccgg ttacgttcat gcaaatagaa agtgggtctag   | 6900 |
|    | gatctgattg taatttttaga cttaaagagt ctcttaagat tcaatcctgg ctgtgtacaa   | 6960 |
| 25 | aactacaaat aatatatttt agactatttg gccttaacta aacttccact cattatttac    | 7020 |
|    | tgagggttaga gaatagactt gcgaataaac acattcccg                          | 7080 |
|    | attagtcaga gggtagcca atcagatcta agaacacaca ttccctcaaa tttta          | 7140 |
| 30 | catgtaatca tagtttagca caattcaaaa ataatgtagt attaaagaca gaaattt       | 7200 |
|    | gacttttttt tggcggttaa agaagactaa gtttatacgt acattttatt ttaagt        | 7260 |
|    | aaccgaaatt ttccatcgaa atatatgaat ttagtatata ttttctgca atgtactatt     | 7320 |
| 35 | ttgctatttt ggcaactttc agtggactac tactttatta caatgtgtat ggatgcatga    | 7380 |
|    | gtttgagtat acacatgtct aaatgcatgc tttgtaaaac gtaacggacc acaaaagagg    | 7440 |
| 40 | atccatacaa atacatctca tagcttctc cattattttc cgacacaaac agagcatttt     | 7500 |
|    | acaacaatta ccaacaacaa caaacaacaa acaacattac aattacattt acaattacca    | 7560 |
|    | taccatggcc tctatcgcta tccctgctgc tcttgctgga actcttgga acgttaccta     | 7620 |
| 45 | caatgtggct aacctgata tccagcttc tgagaaagtt cctgcttact tcatgcagg       | 7680 |
|    | tgagtactgg ggacctacta tcggaactat tggatacctc ctcttcatct acttcggaaa    | 7740 |
|    | gcgtatcatg cagaacagat ctcaaccttt cggactcaag aacgctatgc tcgtttacaa    | 7800 |
| 50 | cttctaccag accttcttca acagctactg catctacctt ttogttactt ctcatagggc    | 7860 |
|    | tcagggactt aagggttggg gaaacatccc tgatatgact gctaactctt ggggaatctc    | 7920 |
|    | tcaggttata tggcttcact acaacaacaa gtacgttgag cttctcgaca ccttcttcat    | 7980 |
| 55 | ggtgatgagg aagaagttcg accagctttc tttccttcac atctaccacc acactcttct    | 8040 |



EP 3 266 316 A1

|    |             |             |            |            |            |            |      |
|----|-------------|-------------|------------|------------|------------|------------|------|
|    | catctggtca  | tggttcggtg  | ttatgaagct | tgagcctggt | ggagattgct | acttcggatc | 8100 |
|    | ttctgttaac  | accttcgtgc  | acgtgatcat | gtactcttac | tacggacttg | ctgctcttgg | 8160 |
| 5  | agttaactgt  | ttctggaaga  | agtacatcac | ccagatccag | atgcttcagt | tctgtatctg | 8220 |
|    | tgcttctcac  | tctatctaca  | ccgcttacgt | tcagaatacc | gctttctggc | ttccttacct | 8280 |
|    | tcaactctgg  | gttatggtga  | acatgttcgt | tctcttcgcc | aacttctacc | gtaagaggta | 8340 |
| 10 | caagtctaag  | ggtgctaaga  | agcagtgata | aggcgcgagg | cgcgccgggc | cgccgccatg | 8400 |
|    | tgacagatcg  | aaggaagaaa  | gtgtaataag | acgactctca | ctactcgatc | gctagtgatt | 8460 |
|    | gtcattgtta  | tatataataa  | tgttatcttt | cacaacttat | cgtaatgcat | gtgaaactat | 8520 |
| 15 | aacacattaa  | tcctacttgt  | catatgataa | cactctcccc | atttaaaact | cttgtcaatt | 8580 |
|    | taaagatata  | agattcttta  | aatgattaaa | aaaaatatat | tataaattca | atcactccta | 8640 |
|    | ctaataaatt  | attaattatt  | atttattgat | taaaaaata  | cttatactaa | tttagtctga | 8700 |
| 20 | atagaataat  | tagattctag  | tctcatcccc | ttttaaacca | acttagtaaa | cgtttttttt | 8760 |
|    | tttaatttta  | tgaagttaag  | tttttacctt | gtttttaaaa | agaatcgttc | ataagatgcc | 8820 |
|    | atgccagaac  | attagctaca  | cgttacacat | agcatgcagc | cgcgaggaga | tgtttttctt | 8880 |
| 25 | cgccacttgt  | cactcccttc  | aaacacctaa | gagcttctct | ctcacagcac | acacatacaa | 8940 |
|    | tcacatgcgt  | gcatgcatta  | ttacacgtga | tcgccatgca | aatctccttt | atagcctata | 9000 |
|    | aattaactca  | tccgcttcac  | tctttactca | aacaaaaact | catcgataca | aacaagatta | 9060 |
| 30 | aaaacataca  | cgaggatctt  | ttacaacaat | taccaacaac | aacaaacaac | aaacaacatt | 9120 |
|    | acaattacat  | ttacaattac  | cataccatgc | ctccaaggga | ctcttactct | tatgctgctc | 9180 |
|    | ctccttctgc  | tcaacttcac  | gaagttgata | ctcctcaaga | gcacgacaag | aaagagcttg | 9240 |
| 35 | ttatcggaga  | tagggcttac  | gatgttacca | acttcgttaa | gagacaccct | ggtggaaaga | 9300 |
|    | tcattgctta  | ccaagttgga  | actgatgcta | ccgatgctta | caagcagttc | catgttagat | 9360 |
| 40 | ctgctaaggc  | tgacaagatg  | cttaagtctc | ttccttctcg | tcctgttcac | aagggatact | 9420 |
|    | ctccaagaag  | ggctgatctt  | atcgctgatt | tccaagagtt | caccaagcaa | cttgaggctg | 9480 |
|    | agggaaatgtt | cgagccttct  | cttcctcatg | ttgcttacag | acttgctgag | gttatcgcta | 9540 |
| 45 | tgcatgttgc  | tggtgctgct  | cttatctggc | atggatacac | tttcgctgga | atcgctatgc | 9600 |
|    | ttggagttgt  | tcaggaaga   | tgtggatggc | ttatgcatga | gggtggacat | tactctctca | 9660 |
|    | ctggaaacat  | tgctttcgac  | agagctatcc | aagttgcttg | ttacggactt | ggatgtggaa | 9720 |
| 50 | tgtctggtgc  | ttggtggcgt  | aaccagcata | acaagcacca | tgctactcct | caaaagcttc | 9780 |
|    | agcacgatgt  | tgatcttgat  | acccttcctc | tcgttgcttt | ccatgagaga | atcgctgcta | 9840 |
| 55 | aggttaagtc  | tcctgctatg  | aaggcttggc | tttctatgca | agctaagctt | ttcgctcctg | 9900 |
|    | ttaccactct  | tcttggttgct | cttggatggc | agctttacct | tcctcctaga | cacatgctca | 9960 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | ggactaagca ctacgatgag cttgctatgc tcggaatcag atacggactt gttggataacc  | 10020 |
|    | ttgctgctaa ctacgggtgct ggatacgttc tcgcttggtta ccttctttac gttcagcttg | 10080 |
| 5  | gagctatgta catcttctgc aacttcgctg tttctcatac tcacctccct gttggtgagc   | 10140 |
|    | ctaacgagca tgctacttgg gttgagtacg ctgctaacca cactactaac tgttctccat   | 10200 |
|    | cttggtggtg tgattggtgg atgtcttacc ttaactacca gatcgagcac cacctttacc   | 10260 |
| 10 | cttctatgcc tcaattcaga caccctaaga tcgctcctag agttaagcag cttttcgaga   | 10320 |
|    | agcacggact tcactacgat gttagaggat acttcgaggc tatggctgat actttcgcta   | 10380 |
| 15 | accttgataa cgttgcccac gctcctgaga agaaaatgca gtaatgagat cgttcaaaca   | 10440 |
|    | tttggaata aagtttctta agattgaatc ctggtgccgg tcttgcgatg attatcatat    | 10500 |
|    | aatttctgtt gaattacgtt aagcacgtaa taattaacat gtaatgcatg acgttattta   | 10560 |
| 20 | tgagatgggt ttttatgatt agagtccgc aattatacat ttaatacgcg atagaaaaca    | 10620 |
|    | aaatatagcg cgcaaactag gataaattat cgcgcgcgggt gtcacttatg ttactagatc  | 10680 |
|    | ggtcgattaa aaatcccaat tatatttggt ctaatttagt ttggtattga gtaaaacaaa   | 10740 |
| 25 | ttcgaaccaa accaaaatat aaatatatag tttttatata tatgccttta agacttttta   | 10800 |
|    | tagaattttc tttaaaaaat atctagaaat atttgcgact cttctggcat gtaatatttc   | 10860 |
|    | gttaaatatg aagtgtcca tttttattaa ctttaaataa ttggttgtag gatcactttc    | 10920 |
| 30 | ttatcaagtg ttactaaaat gcgtcaatct ctttggttctt ccatattcat atgtcaaaat  | 10980 |
|    | ctatcaaaat tcttatatat ctttttcgaa tttgaagtga aatttcgata atttaaaatt   | 11040 |
| 35 | aaatagaaca tatcattatt taggtatcat attgattttt atacttaatt actaaatttg   | 11100 |
|    | gttaactttg aaagtgtaca tcaacgaaaa attagtcaaa cgactaaaat aaataaatat   | 11160 |
|    | catgtgttat taagaaaatt ctccataaag aatattttta tagatcatat gtttgtaaaa   | 11220 |
| 40 | aaaattaatt ttactaaca catatattta cttatcaaaa atttgacaaa gtaagattaa    | 11280 |
|    | aataatattc atctaacaaa aaaaaaacca gaaaatgctg aaaaccggc aaaaccgaac    | 11340 |
|    | caatccaaac cgatatagtt ggtttggttt gattttgata taaaccgaac caactcggtc   | 11400 |
| 45 | catttgacc cctaatacata atagctttta tatttcaaga tattattaag ttaacgttgt   | 11460 |
|    | caatatcctg gaaattttgc aaaatgaatc aagcctatat ggctgtaata tgaattttaa   | 11520 |
|    | agcagctcga tgtggtggtg atatgtaatt tacttgattc taaaaaata tccaagtat     | 11580 |
| 50 | taataatttc tgctaggaag aaggtagct acgatttaca gcaaagccag aatacaaaga    | 11640 |
|    | accataaagt gattgaagct cgaaatatac gaaggaacaa atatttttaa aaaaatacgc   | 11700 |
| 55 | aatgacttgg aacaaaagaa agtgatatat ttttggttct taaacaagca tccctctaa    | 11760 |
|    | agaatggcag ttttcctttg catgtaacta ttatgctccc ttcgttacaa aaattttgga   | 11820 |

EP 3 266 316 A1

|    |            |             |            |             |             |             |       |
|----|------------|-------------|------------|-------------|-------------|-------------|-------|
|    | ctactattgg | gaacttcttc  | tgaaaatagt | gatagaaccc  | acacgagcat  | gtgctttcca  | 11880 |
|    | tttaatttta | aaaaccaaga  | aacatacata | cataacattc  | catcagcctc  | tctctctttt  | 11940 |
| 5  | tattacgggt | aatgacttaa  | aacacatctt | attatcccat  | ccttaacacc  | tagcagtgtc  | 12000 |
|    | tttatacgat | ctcatcgatc  | accacttcaa | aaccatgcag  | actgctgctg  | ccctgggagc  | 12060 |
|    | tggcatcggc | taggctgggt  | gccgcactgt | cccggaaggt  | ccctagcgac  | ttgttttagat | 12120 |
| 10 | tgatgggacc | acctctcaac  | ttcctgctgc | tgtccctgct  | gctggatgtc  | ctgcctcatc  | 12180 |
|    | tggccgattg | cacgctccag  | ttccctgcat | gtgcactcgc  | tcctcaattg  | cttaagatca  | 12240 |
|    | tcgcagcagc | tatcgaagtg  | ctggctctgt | tgcctcctc   | cacggccttg  | gttgtagtag  | 12300 |
| 15 | tagctgccgc | cgcccttctg  | gactttttcc | cacaggaacc  | gccgaataat  | tcgatagaac  | 12360 |
|    | cacacgagca | tgtgctttca  | tttattttaa | aaaccaagaa  | acatacataa  | catttcatca  | 12420 |
|    | gcctctctct | ctctctctct  | ctctctctct | ctctctctct  | ctctctctct  | ctctttatta  | 12480 |
| 20 | cagctgttac | actaacttaa  | aacacattca | tctcattatt  | attattatta  | tccatcctta  | 12540 |
|    | acacctagca | gtgtctttgt  | acgatctcat | aatcgatcac  | cccttcatca  | ggtatcctta  | 12600 |
| 25 | ggcttcactc | caacgttggt  | gcagttacgg | aacatgtaca  | caccatcatg  | gttctcaacg  | 12660 |
|    | aactggcaag | atctccaagt  | tttccaaagg | ctaaccacaca | tgttctcatc  | ggtgtgtctg  | 12720 |
|    | tagtgctctc | ccataacttt  | cttgatgcac | tcggtagctt  | ctctagcatg  | gtagaatggg  | 12780 |
| 30 | atccttgaaa | cgtagtgatg  | gagcacatga | gtctcgatga  | tgtcatggaa  | gatgattccg  | 12840 |
|    | aggattccga | actctctatc  | gatagtagca | gcagcaccct  | tagcgaaagt  | ccactcttga  | 12900 |
|    | gcatcgtaat | gaggcataga  | agaatcgggt | tgctgaagga  | aggtaacgaa  | aacaagccag  | 12960 |
| 35 | tggttaacaa | ggatccaagg  | acagaaccat | gtgatgaaag  | taggccagaa  | tccgaaaacc  | 13020 |
|    | ttgtaagcgg | tgtaaacaga  | agtgagggtg | gcaaggattc  | caagatcaga  | aagaacgatg  | 13080 |
|    | taccagtagt | ccttcttata  | gaaaacaggg | ctagaaggcc  | agtagtgaga  | cttgaagaac  | 13140 |
| 40 | ttagaaacac | cagggttaagg | ttgtccagta | gcgttagtag  | caaggtaaag  | agaaagtcct  | 13200 |
|    | ccaagctggt | ggaacaagag  | agcgaaaaca | gagtagatag  | gagtttcctc  | agcgatatcg  | 13260 |
|    | tgaaggctgg | taacttggtg  | cttctctttg | aattcctcgg  | cgggtgtaagg | aacgaaaacc  | 13320 |
| 45 | atatctctgg | tcatgtgtcc  | agtagcctta | tggtgcttag  | catgagagaa  | cttccagctg  | 13380 |
|    | aagtaaggaa | ccataacaag  | agagtggaga | acccatccaa  | cggtatcggt  | aacccatccg  | 13440 |
|    | tagttagaga | aagcagaatg  | tccacactca | tgtccaagga  | tccagattcc  | gaatccgaaa  | 13500 |
| 50 | caagagatag | agaacacgta  | agcagaccaa | gcagcgaatc  | taaggaattc  | gttagggaga  | 13560 |
|    | agagggatgt | aggtaagtcc  | aacgtaagcg | atagcagaga  | tagccacgat  | atctctcacc  | 13620 |
|    | acgtaagaca | tagacttcac  | gagagatctc | tcgtaacagt  | gcttagggat  | agcgtcaagg  | 13680 |
| 55 | atatccttga | tggtgtaatc  | tggcaccttg | aaaacgtttc  | cgaaggtatc  | gatagcggtc  | 13740 |

EP 3 266 316 A1

|    |            |             |             |             |             |             |       |
|----|------------|-------------|-------------|-------------|-------------|-------------|-------|
|    | ttttgctgct | tgaagatgc   | aacgtttcca  | gaacgcctaa  | cggtccttagt | agatccctca  | 13800 |
|    | aggatctcag | atccagacac  | ggtaacctta  | gacatgggtat | ggtaattgta  | aatgtaattg  | 13860 |
| 5  | taatgttggt | tgttggttgt  | tgttggttgg  | aattgttgta  | aaatTTTTgg  | tggtgattgg  | 13920 |
|    | ttctttaagg | tgtgagagt   | agttgtgagt  | tgtgtgggtgg | gtttgggtgag | attgggggatg | 13980 |
|    | gtgggtttat | atagtggaga  | ctgaggaatg  | gggtcgtgag  | tgttaacttt  | gcatgggcta  | 14040 |
| 10 | cacgtgggtt | cttttgggct  | tacacgtagt  | attattcatg  | caaatgcagc  | caatacatat  | 14100 |
|    | acggtatttt | aataatgtgt  | gggaatacaa  | tatgccgagt  | attttactaa  | ttttggcaat  | 14160 |
|    | gacaagtgt  | catttggtt   | atcttacttg  | gcctctcttg  | ctttaatttg  | gattatTTTT  | 14220 |
| 15 | attctcttac | cttggccgtt  | catattcaca  | tccctaaagg  | caagacagaa  | ttgaatgggtg | 14280 |
|    | gccaaaaatt | aaaacgatg   | atatgacct   | catagtgtag  | gatcaattaa  | cgtcgaagga  | 14340 |
| 20 | aaatactgat | tctctcaagc  | atacggacaa  | gggtaaataa  | catagtcacc  | agaacataat  | 14400 |
|    | aaacaaaaag | tgcagaagca  | agactaaaaa  | aattagctat  | ggacattcag  | gttcatattg  | 14460 |
|    | gaaacatcat | tatcctagtc  | ttgtgaccat  | ccttcctcct  | gctctagttg  | agaggccttg  | 14520 |
| 25 | ggactaacga | gaggtcagtt  | gggatagcag  | atccttatcc  | tggactagcc  | tttctgggtg  | 14580 |
|    | ttcagagtct | tcgtgccgcc  | gtctacatct  | atctccatta  | ggtctgaaga  | tgaactctca  | 14640 |
|    | caccaacgac | gtttaaggct  | tctatcctac  | tcctagcttg  | caatacctgg  | cttgcaatac  | 14700 |
| 30 | ctggagcatc | gtgcacgatg  | attggatact  | gtggaggagg  | agtgtttgct  | gatttagagc  | 14760 |
|    | tcccggttgg | gtgatttgac  | ttcgatttca  | gtttaggctt  | gttgaaattt  | ttcaggttcc  | 14820 |
| 35 | attgtgaagc | cttttagagct | tgagcttcct  | tccatgttaa  | tgccttgatc  | gaatactcct  | 14880 |
|    | agagaaaagg | gaagtcgatc  | tctgagtatt  | gaaatcgaag  | tgcacatttt  | ttttcaacgt  | 14940 |
|    | gtccaatcaa | tccacaaaca  | aagcagaaga  | caggtaatct  | ttcatactta  | tactgacaag  | 15000 |
| 40 | taatagtctt | accgtcatgc  | ataataacgt  | ctcgttcctt  | caagaggggt  | tttccgacat  | 15060 |
|    | ccataacgac | ccgaagcctc  | atgaaagcat  | tagggaagaa  | cttttggttc  | ttcttgatcat | 15120 |
|    | ggcctttata | ggtgtcagcc  | gagctcgcca  | attcccgctc  | gactggctcc  | gcaaaatatt  | 15180 |
| 45 | cgaacggcaa | gttatggact  | tgcaaccata  | actccacgg   | attgagcagg  | acctattgtg  | 15240 |
|    | aagactcatc | tcatggagct  | tcagaatgtg  | gttgtcagca  | aaccaatgac  | cgaaatccat  | 15300 |
|    | cacatgacgg | acgtccagt   | gggtgagcgaa | acgaaacagg  | aagcgcctat  | ctttcagagt  | 15360 |
| 50 | cgtgagctcc | acaccggatt  | ccggcaacta  | cgtgttgggc  | aggcttcgcc  | gtattagaga  | 15420 |
|    | tatgttgagg | cagacccatc  | tgtgccactc  | gtacaattac  | gagagttggt  | ttttttgtga  | 15480 |
| 55 | ttttcctagt | ttctcgttga  | tgggtgagctc | atattctaca  | tcgtatggtc  | tctcaacgtc  | 15540 |
|    | gtttcctgtc | atctgatatc  | ccgtcatttg  | catccacgtg  | cgcgcctcc   | cgtgccaaagt | 15600 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | ccctaggtgt catgcacgcc aaattggtgg tgggtgcgggc tgccctgtgc ttcttaccga | 15660 |
|    | tgggtggagg ttgagtttgg gggctctccgc ggcgatggta gtgggttgac ggtttggtgt | 15720 |
| 5  | gggttgacgg cattgatcaa tttacttctt gcttcaaatt ctttggcaga aaacaattca  | 15780 |
|    | ttagattaga actggaaacc agagtgatga gacggattaa gtcagattcc aacagagtta  | 15840 |
|    | catctcttaa gaaataatgt aacccttcta gactttatat atttgcaatt aaaaaataa   | 15900 |
| 10 | tttaactttt agactttata tatagtttta ataactaagt ttaaccactc tattatttat  | 15960 |
|    | atcgaaacta tttgtatgtc tcccctctaa ataaacttgg tattgtgttt acagaaccta  | 16020 |
|    | taatcaaata atcaatactc aactgaagtt tgtgcagtta attgaaggga ttaacggcca  | 16080 |
| 15 | aaatgcacta gtattatcaa ccgaatagat tcacactaga tggccatttc catcaatata  | 16140 |
|    | atcgccgttc ttcttctgtc cacatatccc ctctgaaact tgagagacac ctgcacttca  | 16200 |
|    | ttgtccttat tacgtgttac aaaatgaaac ccatgcatcc atgcaaactg aagaatggcg  | 16260 |
| 20 | caagaaccct tcccctccat ttcttatgtg ggcaccatcc atttcaccat ctcccgtat   | 16320 |
|    | aaaacacccc catcacttca cctagaacat catcactact tgcttatcca tccaaaagat  | 16380 |
|    | acccactttt acaacaatta ccaacaacaa caaacaacaa acaacattac aattacattt  | 16440 |
| 25 | acaattacca taccatgcca cctagcgctg ctaagcaaat gggagcttct actggtgttc  | 16500 |
|    | atgctggtgt tactgactct tctgctttca ccagaaagga tgttgctgat agacctgatc  | 16560 |
|    | tcaccatcgt tggagattct gtttacgatg ctaaggcttt cagatctgag catcctggtg  | 16620 |
| 30 | gtgctcattt cgtttctttg ttcggaggaa gagatgctac tgaggctttc atggaatacc  | 16680 |
|    | atagaagggc ttggcctaag tctagaatgt ctagattcca cgttggatct cttgcttcta  | 16740 |
| 35 | ctgaggaacc tgttgctgct gatgagggat accttcaact ttgtgctagg atcgctaaga  | 16800 |
|    | tgggtgccttc tgtttcttct ggattcgctc ctgcttctta ctgggttaag gctggactta | 16860 |
|    | tccttggtatc tgctatcgct cttgaggctt acatgcttta cgctggaaag agacttctcc | 16920 |
| 40 | cttctatcgt tcttggtatg cttttcgctc ttatcggctc taacatccag catgatgcta  | 16980 |
|    | accatggtgc tttgtctaag tctgcttctg ttaaccttgc tcttggaact tgtcaggatt  | 17040 |
|    | ggatcggagg atctatgatc ctttggttcc aagagcatgt tgttatgcac cacctccaca  | 17100 |
| 45 | ctaacgatgt tgataaggat cctgatcaaa aggcctcacgg tgctcttaga ctcaagccta | 17160 |
|    | ctgatgcttg gtcacctatg cattggcttc agcatcttta ccttttgcct ggtgagacta  | 17220 |
|    | tgtacgcttt caagcttttg ttcctcgaca tctctgagct tgttatgtgg cgttgggagg  | 17280 |
| 50 | gtgagcctat ctctaagctt gctggatacc tctttatgcc ttctttgctt ctcaagctta  | 17340 |
|    | ccttctgggc tagattcggt gctttgcctc tttaccttgc tccttctgtt catactgctg  | 17400 |
| 55 | tgtgtatcgc tgctactgtt atgactggat ctttctacct cgctttcttc ttcttcatct  | 17460 |
|    | cccacaactt cgagggtgtt gcttctgttg gacctgatgg atctatcact tctatgacta  | 17520 |

EP 3 266 316 A1

|    |            |            |             |            |            |            |       |
|----|------------|------------|-------------|------------|------------|------------|-------|
|    | gaggtgctag | cttccttaag | agacaagctg  | agacttcttc | taacggttga | ggacctcttc | 17580 |
|    | ttgctactct | taacggttga | ctcaactacc  | aaattgagca | tcacttggtc | cctagagttc | 17640 |
| 5  | accatggatt | ctaccctaga | cttgctcctc  | ttgttaaggc | tgagcttgag | gctagaggaa | 17700 |
|    | tcgagtacaa | gcactaccct | actatctggt  | ctaaccttgc | ttctaccctc | agacatatgt | 17760 |
|    | acgctcttgg | aagaaggcct | agatctaagg  | ctgagtaatg | acaagcttat | gtgacgtgaa | 17820 |
| 10 | ataataacgg | taaaatatat | gtaataataa  | taataataaa | gccacaaagt | gagaatgagg | 17880 |
|    | ggaaggggaa | atgtgtaatg | agccagtagc  | cggtggtgct | aattttgtat | cgtattgtca | 17940 |
|    | ataaatcatg | aattttgtgg | tttttatgtg  | tttttttaaa | tcatgaattt | taaattttat | 18000 |
| 15 | aaaataatct | ccaatcggaa | gaacaacatt  | ccatatccat | gcatggatgt | ttctttaccc | 18060 |
|    | aaatctagtt | cttgagagga | tgaagcatca  | ccgaacagtt | ctgcaactat | ccctcaaaag | 18120 |
| 20 | ctttaaaatg | aacaacaagg | aacagagcaa  | cgttccaaag | atcccaaacg | aaacatatta | 18180 |
|    | tctatactaa | tactatatta | ttaattacta  | ctgcccggaa | tcacaatccc | tgaatgattc | 18240 |
|    | ctattaacta | caagccttgt | tggcggcgga  | gaagtgatcg | gcgcggcgag | aagcagcgga | 18300 |
| 25 | ctcggagacg | aggccttggg | agatctgagt  | cgaacgggca | gaatcagtat | tttccttcga | 18360 |
|    | cgttaattga | tcctacacta | tgtaggatcat | atccatcggt | ttaatttttg | gccaccattc | 18420 |
|    | aattctgtct | tgcccttagg | gatgtgaata  | tgaacggcca | aggtaagaga | ataaaaataa | 18480 |
| 30 | tccaaattaa | agcaagagag | gccaagtaag  | ataatccaaa | tgtacacttg | tcattgccaa | 18540 |
|    | aattagtaaa | atactcggca | tattgtattc  | ccacacatta | ttaaaatacc | gtatatgtat | 18600 |
| 35 | tggctgcatt | tgcatgaata | atactacgtg  | taagcccaaa | agaaccacag | tgtagcccat | 18660 |
|    | gcaaagttaa | cactcacgac | cccatctctc  | agtctccact | atataaaacc | accatcccca | 18720 |
|    | atctcaccaa | accaccaca  | caactcaca   | ctcactctca | caccttaaag | aaccaatcac | 18780 |
| 40 | caccaaaaat | tttacaacaa | ttaccaacaa  | caacaaacaa | caaacaacat | tacaattaca | 18840 |
|    | tttacaatta | ccataccatg | agcgtgttta  | ccgttactgg | atctgatcct | aagaacagag | 18900 |
|    | gatcttctag | caacaccgag | caagagggtc  | caaaagttgc | tatcgatacc | aacggaaacg | 18960 |
| 45 | tgttctctgt | tcctgatttc | accatcaagg  | acatccttgg | agctatccct | catgagtgtt | 19020 |
|    | acgagagaag | attggctacc | tctctctact  | acgtgttcag | agatatcttc | tgcatgctta | 19080 |
|    | ccaccggata | ccttaccat  | aagatccttt  | acccctctct | catctcttac | acctctaaca | 19140 |
| 50 | gcatcatcaa | gttcactttc | tgggcccttt  | acacttaoct | tcaaggactt | ttcggaaccg | 19200 |
|    | gaatctgggt | tctcgctcat | gagtgtggac  | atcaagcttt | ctctgattac | ggaatcgtga | 19260 |
| 55 | acgatttcgt | tggatggacc | cttcactctt  | accttatggg | tccttacttc | agctggaagt | 19320 |
|    | actctcatgg | aaagcaccat | aaggctactg  | gacacatgac | cagagatatg | gttttcgttc | 19380 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | ctgccaccaa agaggaattc aagaagtcta ggaacttctt cggtaacctc gctgagtact   | 19440 |
|    | ctgaggattc tccacttaga accctttacg agcttcttgt tcaacaactt ggaggatgga   | 19500 |
| 5  | tcgcttacct cttcgttaac gttacaggac aaccttacct tgatgttcct tcttggaat    | 19560 |
|    | ggaaccactt ctggcttacc tctccacttt tcgagcaaaag agatgctctc tacatcttcc  | 19620 |
|    | tttctgatct tggaatcctc acccagggaa tcgttcttac tctttggtac aagaaattcg   | 19680 |
| 10 | gaggatggtc ccttttcac cactgggttcg ttccttacat ctgggttaac cactggctcg   | 19740 |
|    | ttttcatcac attccttcag cactactgatc ctactatgcc tcattacaac gctgaggaat  | 19800 |
|    | ggactttcgc taaggggtgct gctgctacta tcgatagaaa gttcggattc atcggacctc  | 19860 |
| 15 | acatcttcca tgatatcatc gagactcatg tgcttcacca ctactgttct aggatcccat   | 19920 |
|    | tctacaacgc tagacctgct tctgaggcta tcaagaaagt tatgggaaag cactacaggt   | 19980 |
|    | ctagcgacga gaacatgtgg aagtcacttt ggaagtcttt caggtcttgc caatacgttg   | 20040 |
| 20 | acggtgataa cgggtgttctc atgttccgta acatcaacaa ctgctggagtt ggagctgctg | 20100 |
|    | agaagtaatg aaggggtgat cgattatgag atcgtacaaa gacactgcta ggtgttaagg   | 20160 |
| 25 | atggataata ataataataa tgagatgaat gtgttttaag ttagtgtaac agctgtaata   | 20220 |
|    | aagagagaga gagagagaga gagagagaga gagagagaga gagagagaga gaggctgatg   | 20280 |
|    | aaatgttatg tatgtttctt ggtttttaaa ataaatgaaa gcacatgctc gtgtggttct   | 20340 |
| 30 | atcgaattat tcggcggttc ctgtgggaaa aagtccagaa gggccgccgc agctactact   | 20400 |
|    | acaaccaagg ccgtggagga gggcaacaga gccagcactt cgatagctgc tgcgatgatc   | 20460 |
|    | ttaagcaatt gaggagcgag tgcacatgca ggggactgga gcgtgcaatc ggccagatga   | 20520 |
| 35 | ggcaggacat ccagcagcag ggacagcagc aggaagttga gaggtggtcc catcaatcta   | 20580 |
|    | aacaagtgc tagggacctt ccgggacagt gcggcaccca gcctagccga tgccagctcc    | 20640 |
|    | aggggcagca gcagtctgca tggttttgaa gtggtgatcg atgagatcgt ataaagacac   | 20700 |
| 40 | tgctaggtgt taaggatggg ataataagat gtgttttaag tcattaaccg taataaaaag   | 20760 |
|    | agagagaggc tgatggaatg ttatgtatgt atgtttcttg gtttttaaaa ttaaattgga   | 20820 |
|    | agcacatgct cgtgtgggtt ctatctcgat taaaaatccc aattatattt ggtctaattt   | 20880 |
| 45 | agtttggtat tgagtaaac aaattcgaac caaaccaaaa tataaatata tagtttttat    | 20940 |
|    | atatatgcct ttaagacttt ttatagaatt ttcttttaaaa aatatctaga aatatttgcg  | 21000 |
|    | actcttctgg catgtaatat ttcgttaaat atgaagtgt ccatttttat taactttaaa    | 21060 |
| 50 | taattgggtg tacgatcact ttcttatcaa gtgttactaa aatgcgtcaa tctctttggt   | 21120 |
|    | cttccatatt catatgtcaa aatctatcaa aattcttata tatctttttc gaatttgaag   | 21180 |
| 55 | tgaattttcg ataattttaa attaaataga acatatcatt atttaggtat catattgatt   | 21240 |
|    | tttatactta attactaaat ttggttaact ttgaaagtgt acatcaacga aaaattagtc   | 21300 |

EP 3 266 316 A1

|    |                                                                      |       |
|----|----------------------------------------------------------------------|-------|
|    | aaacgactaa aataaataaa tatcatgtgt tattaagaaa attctcctat aagaatattt    | 21360 |
|    | taatagatca tatgtttgta aaaaaaatta atttttacta acacatatat ttacttatca    | 21420 |
| 5  | aaaatttgac aaagtaagat taaaataata ttcatctaac aaaaaaaaaa ccagaaaatg    | 21480 |
|    | ctgaaaaccc ggcaaaaccg aaccaatcca aaccgatata gttggtttgg tttgattttg    | 21540 |
|    | atataaacccg aaccaactcg gtccatttgc acccctaatac ataatagott taatattttca | 21600 |
| 10 | agatattatt aagttaacgt tgtcaatatc ctggaaattt tgcaaaatga atcaagccta    | 21660 |
|    | tatggctgta atatgaattt aaaagcagct cgatgtggtg gtaatatgta atttacttga    | 21720 |
|    | ttctaaaaaa atatcccaag tattaataat ttctgctagg aagaaggtta gctacgattt    | 21780 |
| 15 | acagcaaagc cagaatacaa agaaccataa agtgattgaa gctcgaaata tacgaaggaa    | 21840 |
|    | caaatatttt taaaaaata cgcaatgact tggaaacaaa gaaagtgata tattttttgt     | 21900 |
| 20 | tcttaaacia gcatcccctc taaagaatgg cagttttcct ttgcatgtaa ctattatgct    | 21960 |
|    | cccttcgtta caaaaatttt ggactactat tgggaacttc ttctgaaaat agtcctgcag    | 22020 |
|    | gctagtagat tggttggttg gtttccatgt accagaaggc ttaccctatt agttgaaagt    | 22080 |
| 25 | tgaaactttg ttccctactc aattcctagt tgtgtaaatg tatgtatatg taatgtgtat    | 22140 |
|    | aaaacgtagt acttaaatga ctaggagtggt ttcttgagac cgatgagaga tgggagcaga   | 22200 |
|    | actaaagatg atgacataat taagaacgaa tttgaaaggc tcttaggttt gaatcctatt    | 22260 |
| 30 | cgagaatggt tttgtcaaag atagtggcga ttttgaacca aagaaaacat ttaaaaaatc    | 22320 |
|    | agtatccggt tacgttcatg caaatagaaa gtggtctagg atctgattgt aatttttagac   | 22380 |
| 35 | ttaaagagtc tcttaagatt caatcctggc tgtgtacaaa actacaaata atatatttta    | 22440 |
|    | gactatttgg ccttaactaa acttccactc attatttact gaggttagag aatagacttg    | 22500 |
|    | cgaataaaca cattcccagag aaatactcat gatcccataa ttagtcagag ggtatgccaa   | 22560 |
| 40 | tcagatctaa gaacacacat tccctcaaat tttaatgcac atgtaatcat agtttagcac    | 22620 |
|    | aattcaaaaa taatgtagta ttaaagacag aaattttagt actttttttt ggcgttaaaa    | 22680 |
|    | gaagactaag ttatatacgt catttttatt taagtggaaa accgaaattt tccatcgaaa    | 22740 |
| 45 | tatatgaatt tagtatatat atttctgcaa tgtactattt tgctattttg gcaactttca    | 22800 |
|    | gtggactact actttattac aatgtgtatg gatgcatgag tttgagtata cacatgtcta    | 22860 |
|    | aatgcatgct ttgtaaaacg taacggacca caaaagagga tccatacaaa tacatctcat    | 22920 |
| 50 | agcttcctcc attattttcc gacacaaaca gagcatttta caacaattac caacaacaac    | 22980 |
|    | aaacaacaaa caacattaca attacattta caattacat accatggaat ttgctcaacc     | 23040 |
| 55 | tctcgttgct atggctcaag agcagtagcg tgctatcgat gctgttggtg ctctctgctat   | 23100 |
|    | cttctctgct accgactcta ttggatgggg actcaagcct atctcttctg ctactaagga    | 23160 |



EP 3 266 316 A1

|    |             |            |             |            |             |             |       |
|----|-------------|------------|-------------|------------|-------------|-------------|-------|
|    | tctccctctc  | gttgaatctc | ctaccctctc  | tatcctttct | ctcctcgctt  | acttcgctat  | 23220 |
|    | cgttggttct  | ggactcgttt | accgtaaagt  | gttccctaga | accgttaagg  | gacaggatcc  | 23280 |
| 5  | tttccttctc  | aaggctctta | tgctcgctca  | caacgttttc | cttatcggac  | tcagccttta  | 23340 |
|    | catgtgcctc  | aagctcgttt | acgaggctta  | cgtgaacaag | tactccttct  | ggggaaacgc  | 23400 |
|    | ttacaaccct  | gctcaaaccg | agatggctaa  | ggtgatctgg | atcttctacg  | tgtccaagat  | 23460 |
| 10 | ctacgagttc  | atggacacct | tcatcatgct  | tctcaagga  | aacgttaacc  | aggtttcctt  | 23520 |
|    | cctccatggt  | taccaccacg | gatctatctc  | tggaatctgg | tggatgatca  | cttatgctgc  | 23580 |
|    | tccagggtga  | gatgcttact | tctctgctgc  | tctcaactct | tgggttcattg | tgtgcatgta  | 23640 |
| 15 | cacctactac  | ttcatggctg | ctgttcttcc  | taaggacgaa | aagaccaaga  | gaaagtacct  | 23700 |
|    | ttggtgggga  | agatacctta | cccagatgca  | aatgttccag | ttcttcatga  | accttctcca  | 23760 |
|    | ggctgtttac  | ctcctctact | cttcttctcc  | ttaccctaag | ttcattgctc  | aactcctcgt  | 23820 |
| 20 | tgtttacatg  | gttaccctcc | tcatgctttt  | cggaaacttc | tactacatga  | agcaccacgc  | 23880 |
|    | ttctaagtga  | taagggccgc | cgccatgtga  | cagatogaag | gaagaaagtg  | taataagacg  | 23940 |
| 25 | actctcacta  | ctcgatcgct | agtgattgtc  | attgttatat | ataataatgt  | tatctttcac  | 24000 |
|    | aacttatcgt  | aatgcatgtg | aaactataac  | acattaatcc | tacttgatcat | atgataacac  | 24060 |
|    | tctccccatt  | taaaactctt | gtcaatttaa  | agatataaga | ttctttaaat  | gattaaaaaa  | 24120 |
| 30 | aatatattat  | aaattcaatc | actcctacta  | ataaattatt | aattattatt  | tattgattaa  | 24180 |
|    | aaaaataactt | atactaattt | agtctgaata  | gaataattag | attctagcct  | gcagggcggc  | 24240 |
|    | cgcggatccc  | atggagtcaa | agattcaaatt | agaggacctc | acagaactcg  | ccgtaaagac  | 24300 |
| 35 | tggcgaacag  | ttcatacaga | gtctcttact  | actcaatgac | aagaagaaaa  | tcttcgtcaa  | 24360 |
|    | catggtggag  | cacgacacac | ttgtctactc  | caaaaatatc | aaagatacag  | tctcagaaga  | 24420 |
|    | ccaaagggca  | attgagactt | ttcaacaaag  | ggtaatatcc | ggaaacctcc  | tccgattcca  | 24480 |
| 40 | ttgcccagct  | atctgtcact | ttattgtgaa  | gatagtggaa | aaggaaggtg  | gctcctacaa  | 24540 |
|    | atgccatcat  | tgcgataaag | gaaaggccat  | cgttgaagat | gcctctgccg  | acagtgggtcc | 24600 |
|    | caaagatgga  | ccccacccca | cgaggagcat  | cgtggaaaaa | gaagacgttc  | caaccacgtc  | 24660 |
| 45 | ttcaaagcaa  | gtggattgat | gtgatatctc  | cactgacgta | agggatgacg  | cacaatccca  | 24720 |
|    | ctatccttcg  | caagaccctt | cctctatata  | aggaagttca | tttcatttgg  | agagaacacg  | 24780 |
|    | ggggactgaa  | ttaaatatga | gccctgagag  | gcgtcctggt | gaaatcagac  | ctgctactgc  | 24840 |
| 50 | tgctgatatg  | gctgctgttt | gtgatatcgt  | gaaccactac | atcgagactt  | ctaccgttaa  | 24900 |
|    | cttcagaact  | gagcctcaaa | ctcctcaaga  | gtggatcgat | gatcttgaga  | gactccaaga  | 24960 |
| 55 | tagataccct  | tggcttggtg | ctgagggtga  | gggtgttggt | gctggaatcg  | cttacgctgg  | 25020 |
|    | accttgggaag | gctagaaacg | cttacgattg  | gactgttgag | tctaccgttt  | acgtttcaca  | 25080 |

# EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | cagacatcag agacttggac ttggatctac cctttacact caccttctca agtctatgga   | 25140 |
|    | agctcagggga ttcaagtctg ttgttgctgt tatcggactc cctaacgata cttctgttag  | 25200 |
| 5  | acttcatgag gctcttggat aactgctag aggaactctt agagctgctg gatacaagca    | 25260 |
|    | cgggtggatgg catgatgttg gattctggca aagagatttc gagcttctctg ctctctctag | 25320 |
|    | acctgttaga ccagttactc agatctgaat ttgcgtgata gttcaaacaat ttggcaataa  | 25380 |
| 10 | agtttcttaa gattgaatcc tgttgccggg cttgcgatga ttatcatata atttctgttg   | 25440 |
|    | aattacgtta agcatgtaat aattaacatg taatgcatga cgttatttat gagatggggt   | 25500 |
|    | tttatgatta gagtcccgca attatacatt taatacgcga tagaaaacaa aatatagcgc   | 25560 |
| 15 | gcaaactagg ataaattatc gcgcgcgggt tcatctatgt tactagatca ctagtgatgt   | 25620 |
|    | acggttaaaa ccaccccagt acattaaaaa cgtccgcaat gtgttattaa gttgtctaag   | 25680 |
|    | cgtcaatttg ttacaccac aatatatcct gccaccagcc agccaacagc tccccgaccg    | 25740 |
| 20 | gcagctcggc acaaaatcac cactcgatac aggcagccca tcagtc                  | 25787 |
|    | <210> 4                                                             |       |
| 25 | <211> 22824                                                         |       |
|    | <212> DNA                                                           |       |
|    | <213> Artificial Sequence                                           |       |
|    | <220>                                                               |       |
| 30 | <223> pGA7- mod_D nucleotide sequence                               |       |
|    | <400> 4                                                             |       |
|    | tcctgtggtt ggcattgcaca tacaaatgga cgaacggata aaccttttca cgccctttta  | 60    |
|    | aatatccgat tattctaata aacgctcttt tctcttaggt ttaccgcga atatatcctg    | 120   |
| 35 | tcaaactctg atagttttaa ctgaaggcgg gaaacgacaa tctgctagtg gatctccag    | 180   |
|    | tcacgacgtt gtaaaacggg cgcctcgatt aaaaatccca attatatttg gtctaattta   | 240   |
|    | gttttggtatt gagtaaaaca aattcgaacc aaacaaaaat ataaatatat agtttttata  | 300   |
| 40 | tatatgcctt taagactttt tatagaattt tctttaaaaa atatctagaa atatttgca    | 360   |
|    | ctcttctggc atgtaatat tctgttaaata tgaagtgtc catttttatt aactttaaat    | 420   |
| 45 | aattggttgt acgatcactt tcttatcaag tgttactaaa atgcgtcaat ctctttgttc   | 480   |
|    | ttccatattc atatgtcaaa atctatcaaa attcttatat atctttttcg aatttgaagt   | 540   |
|    | gaaatttcga taatttaaaa ttaaatagaa catatcatta tttaggtatc atattgattt   | 600   |
| 50 | ttataactta ttactaaatt tgggttaact tgaagtgtg catcaacgaa aaattagtca    | 660   |
|    | aacgactaaa ataaataaat atcatgtgtt attaagaaaa ttctctata agaatatatt    | 720   |
| 55 | aatagatcat atgtttgtaa aaaaaattaa tttttactaa cacatatatt tacttatcaa   | 780   |
|    | aaatttgaca aagtaagatt aaaataatat tcatctaaca aaaaaaaaaac cagaaaatgc  | 840   |

EP 3 266 316 A1

|    |             |             |             |             |             |            |      |
|----|-------------|-------------|-------------|-------------|-------------|------------|------|
|    | tgaaaacccg  | gcaaaaccga  | accaatccaa  | accgatatag  | ttggtttggt  | ttgattttga | 900  |
|    | tataaaccga  | accaactcgg  | tccatttgca  | cccctaataca | taatagcttt  | aatatttcaa | 960  |
| 5  | gatattatta  | agttaacggt  | gtcaatatcc  | tggaaatfff  | gcaaaatgaa  | tcaagcctat | 1020 |
|    | atggctgtaa  | tatgaattta  | aaagcagctc  | gatgtgggtg  | taatatgtaa  | tttacttgat | 1080 |
|    | tctaaaaaaa  | tatcccaagt  | attaataaatt | tctgctagga  | agaagggttag | ctacgattta | 1140 |
| 10 | cagcaaagcc  | agaatacaaa  | gaaccataaa  | gtgattgaag  | ctcgaaatat  | acgaaggaac | 1200 |
|    | aaatattfff  | aaaaaaatac  | gcaatgactt  | ggaacaaaag  | aaagtgatat  | attttttggt | 1260 |
|    | cttaaaacaag | catcccctct  | aaagaatggc  | agttttcctt  | tgcattgtaac | tattatgctc | 1320 |
| 15 | ccttcgttac  | aaaaattttg  | gactactatt  | gggaacttct  | tctgaaaata  | gtggcgcccc | 1380 |
|    | gcggaaagct  | tgctagccaa  | ttggggccca  | acgttctcga  | gtttttctag  | aaggaaactg | 1440 |
|    | aaggcgggaa  | acgacaatct  | gctagtggat  | ctcccagtc   | cgacgttgta  | aaacgggcgc | 1500 |
| 20 | cccgcggaaa  | gcttgccggc  | gcccgatcta  | gtaacataga  | tgacaccgcg  | cgcgataatt | 1560 |
|    | tatcctagtt  | tgccgcgctat | attttgtttt  | ctatcgcgta  | ttaaatgtat  | aattgcggga | 1620 |
|    | ctctaatacat | aaaaacccat  | ctcataaata  | acgtcatgca  | ttacatgtta  | attattacgt | 1680 |
| 25 | gcttaacgta  | attcaacaga  | aattatatga  | taatcatcgc  | aagaccggca  | acaggattca | 1740 |
|    | atcttaagaa  | actttattgc  | caaagtgttg  | aacgatcggc  | gcgcctcatt  | agtgagcctt | 1800 |
| 30 | ctcagccttt  | ccgttaacgt  | agtagtgctg  | tcccacctta  | tcaagggttag | agaaagtagc | 1860 |
|    | cttccaagca  | ccgtagtaag  | agagcacctt  | gtagttgagt  | cccacttct   | tagcgaaagg | 1920 |
|    | aacgaatctt  | ctgctaacct  | caggctgtct  | gaattgaggc  | atatcaggga  | agaggtggtg | 1980 |
| 35 | gataaacctga | cagtttaagg  | atcccataag  | ccagttcacg  | tatcctctag  | aaggatcgat | 2040 |
|    | atcaacgggtg | tgatcaacag  | cgtagttaac  | ccaagaaagg  | tgcttatcag  | atggaacaac | 2100 |
|    | agggaggtga  | gtatgagaag  | tagagaagtg  | agcgaaaagg  | tacatgtaag  | cgatccagtt | 2160 |
| 40 | tccgaaagtg  | aaccaccagt  | aagcaacagg  | ccaagagtat  | ccagtagcaa  | gcttgataac | 2220 |
|    | agcgggttcta | acaacatgag  | aaacgagcat  | ccaagaagcc  | tcttcgtagt  | tcttcttacg | 2280 |
|    | gagaacttgt  | ctaggggtgga | gaacgtagat  | ccagaaagct  | tgaacaagaa  | gtccagaggt | 2340 |
| 45 | aacaggaacg  | aaagtccaag  | cttgaagtct  | agcccaagct  | ctagagaatc  | ctctaggtct | 2400 |
|    | gttatcctca  | acagcagtg   | tgaagaaagc  | cacagcagga  | gtggatatcaa | gatccatatc | 2460 |
|    | gtgtctaacc  | ttttgagggg  | tagcatgggt  | cttggttatgc | atctgggtcc  | acatctcacc | 2520 |
| 50 | agaagtagaa  | agtccgaatc  | cacaagtc    | agcctgaagt  | ctcttggtcca | cgtaaacaga | 2580 |
|    | tccggtaaga  | gagttatgtc  | caccctcatg  | ttgaacccat  | ccacatctag  | ctccgaagaa | 2640 |
| 55 | agcaccgtaa  | acaacagaag  | caatgatagg  | gtatccagcg  | tacataagag  | cagttccaag | 2700 |
|    | agcgaatgta  | gcaagaagct  | cgagaagtct  | gtaagccaca  | tgggtgatag  | aaggcttgaa | 2760 |

EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | gaatccatct ctctcaagct cagcacgcca tctagcgaaa tcctcaagca taggagcatc  | 2820 |
|    | ctcagactca gatctcttga tctcagcagg tctagaaggc aaagctctaa gcatcttcca  | 2880 |
| 5  | agccttgaga gaacgcatgt ggaattcttt gaaagcctca gtagcatcag caccagtgtt  | 2940 |
|    | agcaagcatg tagaagatca cagatccacc aggggtgcttg aagttagtca catcgtactc | 3000 |
|    | aacgtcctca actctaacc atctagtctc gaaagtagca gcaagctcat gaggctcaag   | 3060 |
| 10 | agtcttaaga tcaacaggag cagtagaagc atccttagca tcaagagcct cagcagaaga  | 3120 |
|    | tttagacctg gtaagtggag atctaggaga agatcttcca tcagtcttag gagggcacat  | 3180 |
|    | ggatatggtaa ttgtaaatgt aattgtaatg ttgtttgttg tttgttgttg ttggtaattg | 3240 |
| 15 | ttgtaaaaga tcctcgtgta tgtttttaat cttgtttgta tcgatgagtt ttggtttgag  | 3300 |
|    | taaagagtga agcggatgag ttaatttata ggctataaag gagatttgca tggcgatcac  | 3360 |
| 20 | gtgtaataat gcatgcacgc atgtgattgt atgtgtgtgc tgtgagagag aagctcttag  | 3420 |
|    | gtgtttgaag ggagtgcaca gtggcggaaga aaaacaattc tccgoggctg catgctatgt | 3480 |
|    | gtaacgtgta gctaattgtc tggcatggca tcttatgaac gattcttttt aaaaacaagg  | 3540 |
| 25 | taaaaactta acttcataaa attaaaaaaa aaaacgttta ctaagttggt ttaaaagggg  | 3600 |
|    | atgagactag tagattgggt gggttggtttc catgtaccag aaggcttacc ctattagttg | 3660 |
|    | aaagttgaaa ctttgttccc tactcaattc ctagtttgtgt aaatgtatgt atatgtaatg | 3720 |
| 30 | tgtataaaac gtagtactta aatgactagg agtggttctt gagaccgatg agagatggga  | 3780 |
|    | gcagaactaa agatgatgac ataattaaga acgaatttga aaggctctta ggtttgaatc  | 3840 |
| 35 | ctattcgaga atgtttttgt caaagatagt ggcgattttg aaccaaagaa aacatttaaa  | 3900 |
|    | aaatcagtat ccggttacgt tcatgcaa atgaaagtgg ctaggatctg attgtaattt    | 3960 |
|    | tagacttaaa gagtctctta agattcaatc ctggctgtgt acaaaactac aaataatata  | 4020 |
| 40 | ttttagacta tttggcctta actaaacttc cactcattat ttactgaggt tagagaatag  | 4080 |
|    | acttgcgat aaacacattc ccgagaaata ctcatgatcc cataattagt cagaggggtat  | 4140 |
|    | gccaatcaga tctaagaaca cacattccct caaattttaa tgcacatgta atcatagttt  | 4200 |
| 45 | agcacaaatc aaaaataatg tagtattaaa gacagaaatt tgtagacttt tttttggcgt  | 4260 |
|    | taaaagaaga ctaagtttat acgtacattt tatttttaagt ggaaaaccga aattttccat | 4320 |
|    | cgaaatatat gaatttagta tatatatattc tgcaatgtac tattttgcta ttttggcaac | 4380 |
| 50 | tttcagtgga ctactacttt attacaatgt gtatggatgc atgagtttga gtatacacat  | 4440 |
|    | gtctaaatgc atgctttgta aaacgtaacg gaccacaaaa gaggatccat acaaatacat  | 4500 |
| 55 | ctcatagctt cctccattat tttccgacac aaacagagca ttttacaaca attaccaaca  | 4560 |
|    | acaacaaaca acaacaaca ttacaattac atttacaatt accataccat ggaattcgcc   | 4620 |

EP 3 266 316 A1

|    |            |             |             |             |            |            |      |
|----|------------|-------------|-------------|-------------|------------|------------|------|
|    | cagcctcttg | ttgctatggc  | tcaagagcaa  | tacgctgcta  | tcgatgctgt | tgttgctcct | 4680 |
|    | gctatcttct | ctgctactga  | ttctatcgga  | tggggactta  | agcctatctc | ttctgctact | 4740 |
| 5  | aaggacttgc | ctcttggtga  | gtctcctaca  | cctctcatcc  | tttctttgct | tgcttacttc | 4800 |
|    | gctatcgttg | gatctggact  | cgtttacaga  | aagggtttcc  | ctagaaccgt | gaagggacaa | 4860 |
|    | gatccattcc | ttttgaaggc  | tcttatgctt  | gctcacaacg  | tgttccttat | cggactttct | 4920 |
| 10 | ctttacatgt | gcctcaagct  | tgtgtacgag  | gcttacgtta  | acaagtactc | tttctgggga | 4980 |
|    | aacgcttaca | accctgctca  | aactgagatg  | gctaagggtta | tctggatctt | ctacgtgagc | 5040 |
|    | aagatctacg | agttcatgga  | taccttcacg  | atgctcctca  | agggaaatgt | taaccagggt | 5100 |
| 15 | agcttccttc | acgtttacca  | tcacggatct  | atctctggaa  | tctggtggat | gattacttac | 5160 |
|    | gctgctcctg | gtggtgatgc  | ttacttctct  | gctgctctta  | actcttgggt | tcacgtgtgt | 5220 |
|    | atgtacacct | actattttat  | ggctgccgtg  | cttcctaagg  | acgagaaaac | taagagaaag | 5280 |
| 20 | tacctctggt | ggggaagata  | ccttactcaa  | atgcagatgt  | tccagttctt | catgaacctt | 5340 |
|    | ctccaggctg | tttaccttct  | ctactcttca  | tctccttacc  | ctaagtttat | cgctcagctc | 5400 |
| 25 | ctcgtggtgt | acatggttac  | tcttctcatg  | cttttcggaa  | acttctacta | catgaagcac | 5460 |
|    | cacgctagca | agtgatgagg  | cgcgccgggc  | cgccgccatg  | tgacagatcg | aaggaagaaa | 5520 |
|    | gtgtaataag | acgactctca  | ctactcgatc  | gctagtgttt  | gtcattgtta | tatataataa | 5580 |
| 30 | tgttatcttt | cacaacttat  | cgtaatgcat  | gtgaaactat  | aacacattaa | tcctacttgt | 5640 |
|    | catatgataa | cactctcccc  | atttaaaact  | cttgtcaatt  | taaagatata | agattcttta | 5700 |
|    | aatgattaaa | aaaaatatat  | tataaattca  | atcactccta  | ctaataaatt | attaattatt | 5760 |
| 35 | atttattgat | taaaaaaata  | cttatactaa  | tttagtctga  | atagaataat | tagattctag | 5820 |
|    | tctcatcccc | ttttaaacca  | acttagtaaa  | cgtttttttt  | tttaatttta | tgaagttaag | 5880 |
|    | tttttacctt | gtttttaaaa  | agaatcgttc  | ataagatgcc  | atgccagaac | attagctaca | 5940 |
| 40 | cgttacacat | agcatgcagc  | cgcgagagaat | tgtttttctt  | cgccacttgt | cactcccttc | 6000 |
|    | aaacacctaa | gagcttctct  | ctcacagcac  | acacatacaa  | tcacatgcgt | gcatgcatta | 6060 |
|    | ttacacgtga | tcgccatgca  | aatctccttt  | atagcctata  | aattaactca | tccgcttcac | 6120 |
| 45 | tctttactca | aacccaaaact | catcgataca  | aacaagatta  | aaaacataca | cgaggatctt | 6180 |
|    | ttacaacaat | taccaacaac  | aacaaacaac  | aaacaacatt  | acaattacat | ttacaattac | 6240 |
|    | cataccatgc | ctccaaggga  | ctcttactct  | tatgctgctc  | ctccttctgc | tcaacttcac | 6300 |
| 50 | gaagttgata | ctcctcaaga  | gcacgacaag  | aaagagcttg  | ttatcggaga | tagggcttac | 6360 |
|    | gatgttacca | acttcgttaa  | gagacaccct  | ggtggaaaga  | tcattgctta | ccaagttgga | 6420 |
| 55 | actgatgcta | ccgatgctta  | caagcagttc  | catgttagat  | ctgctaaggc | tgacaagatg | 6480 |
|    | cttaagtctc | ttccttctcg  | tcctgttcac  | aagggatact  | ctccaagaag | ggctgatctt | 6540 |

EP 3 266 316 A1

|    |             |             |             |            |             |             |      |
|----|-------------|-------------|-------------|------------|-------------|-------------|------|
|    | atcgctgatt  | tccaagagtt  | caccaagcaa  | cttgaggctg | agggaaatgtt | cgagccttct  | 6600 |
|    | cttcctcatg  | ttgcttacag  | acttgctgag  | gttatcgcta | tgcatgttgc  | tggtgctgct  | 6660 |
| 5  | cttatctggc  | atggatacac  | tttcgctgga  | atcgctatgc | ttggagttgt  | tcagggaaga  | 6720 |
|    | tgtggatggc  | ttatgcatga  | gggtggacat  | tactctctca | ctggaaacat  | tgctttcgac  | 6780 |
|    | agagctatcc  | aagttgcttg  | ttacggactt  | ggatgtggaa | tgtctggtgc  | ttggtggcgt  | 6840 |
| 10 | aaccagcata  | acaagcacca  | tgctactcct  | caaaagcttc | agcacgatgt  | tgatcttgat  | 6900 |
|    | acccttcctc  | tcgtttgcttt | ccatgagaga  | atcgctgcta | aggttaagtc  | tcctgctatg  | 6960 |
|    | aaggcttggc  | tttctatgca  | agctaagctt  | ttcgctcctg | ttaccactct  | tcttgttgct  | 7020 |
| 15 | cttggatggc  | agctttacct  | tcacctctaga | cacatgctca | ggactaagca  | ctacgatgag  | 7080 |
|    | cttgctatgc  | tcggaatcag  | atacggactt  | gttggatacc | ttgctgctaa  | ctacggtgct  | 7140 |
| 20 | ggatacgctc  | tcgcttggtta | ccttcctttac | gttcagcttg | gagctatgta  | catcttctgc  | 7200 |
|    | aacttcgctg  | tttctcatac  | tcacctccct  | gttggtgagc | ctaacgagca  | tgctacttgg  | 7260 |
|    | gttgagtacg  | ctgctaacca  | cactactaac  | tgttctccat | cttggtggtg  | tgattggtgg  | 7320 |
| 25 | atgtcttacc  | ttaactacca  | gatcgagcac  | cacctttacc | cttctatgcc  | tcaattcaga  | 7380 |
|    | caccctaaga  | tcgctcctag  | agttaagcag  | cttttcgaga | agcacggact  | tcactacgat  | 7440 |
|    | gttagaggat  | acttcgaggc  | tatggctgat  | actttcgcta | accttgataa  | cgttgcccac  | 7500 |
| 30 | gctcctgaga  | agaaaatgca  | gtaatgagat  | cgttcaaaca | tttggcaata  | aagtttctta  | 7560 |
|    | agattgaatc  | ctgttgccgg  | tcttgcgatg  | attatcatat | aatttctggt  | gaattacgtt  | 7620 |
| 35 | aagcacgtaa  | taattaacat  | gtaatgcatg  | acgttattta | tgagatgggt  | ttttatgatt  | 7680 |
|    | agagtcgccg  | aattatacat  | ttaatacgcg  | atagaaaaca | aaatatagcg  | cgcaaaactag | 7740 |
|    | gataaattat  | cgcgcgcggg  | gtcatctatg  | ttactagatc | ggtcgattaa  | aaatcccaat  | 7800 |
| 40 | tatatattggt | ctaatttagt  | ttgggtattga | gtaaaacaaa | ttogaaccaa  | acaaaaatat  | 7860 |
|    | aaatatatag  | tttttatata  | tatgccttta  | agacttttta | tagaattttc  | tttaaaaaat  | 7920 |
|    | atctagaaat  | atttgcgact  | cttctggcat  | gtaatatttc | gttaaatatg  | aagtgtcca   | 7980 |
| 45 | tttttattaa  | ctttaaataa  | ttggttgtac  | gatcactttc | ttatcaagtg  | ttactaaaat  | 8040 |
|    | gcgtcaatct  | ctttgttctt  | ccatattcat  | atgtcaaaat | ctatcaaaat  | tcttatatat  | 8100 |
|    | ctttttcgaa  | tttgaagtga  | aatttcgata  | atttaaaatt | aaatagaaca  | tatcattatt  | 8160 |
| 50 | taggtatcat  | attgattttt  | atacttaatt  | actaaatttg | gttaactttg  | aaagtgtaca  | 8220 |
|    | tcaacgaaaa  | attagtcaaa  | cgactaaaat  | aaataaatat | catgtgttat  | taagaaaatt  | 8280 |
| 55 | ctcctataag  | aatattttta  | tagatcatat  | gtttgtaaaa | aaaattaatt  | tttactaaca  | 8340 |
|    | catatatatta | cttatcaaaa  | atttgacaaa  | gtaagattaa | aataatattc  | atctaacaaa  | 8400 |

EP 3 266 316 A1

|    |             |             |             |             |             |             |       |
|----|-------------|-------------|-------------|-------------|-------------|-------------|-------|
|    | aaaaaaacca  | gaaaatgctg  | aaaacccggc  | aaaaccgaac  | caatccaaac  | cgatatagtt  | 8460  |
|    | ggttttggtt  | gattttgata  | taaaccgaac  | caactcgggtc | catttgcacc  | cctaatacata | 8520  |
| 5  | atagctttta  | tattttcaaga | tattattaag  | ttaacgttgt  | caatatcctg  | gaaattttgc  | 8580  |
|    | aaaatgaatc  | aagcctatat  | ggctgtaata  | tgaattttaa  | agcagctcga  | tgtggtggta  | 8640  |
|    | atatgtaatt  | tacttgattc  | taaaaaaata  | tccaagtat   | taataatttc  | tgctaggaag  | 8700  |
| 10 | aaggttagct  | acgatttaca  | gcaaagccag  | aatacaaaga  | accataaagt  | gattgaagct  | 8760  |
|    | cgaaatatac  | gaaggaacaa  | atatttttaa  | aaaaatacgc  | aatgacttgg  | aacaaaagaa  | 8820  |
|    | agtgatatat  | tttttgttct  | taaacaagca  | tcccctctaa  | agaatggcag  | ttttcctttg  | 8880  |
| 15 | catgtaacta  | ttatgctccc  | ttcgttacaa  | aaattttgga  | ctactattgg  | gaacttcttc  | 8940  |
|    | tgaaaatagt  | gatagaaccc  | acacgagcat  | gtgctttcca  | tttaatttta  | aaaaccaaga  | 9000  |
|    | aacatacata  | cataacattc  | catcagcctc  | tctctctttt  | tattacgggt  | aatgacttaa  | 9060  |
| 20 | aacacatctt  | attatcccat  | ccttaacacc  | tagcagtgtc  | tttatacgat  | ctcatcgatc  | 9120  |
|    | accacttcaa  | aaccatgcag  | actgctgctg  | cccctggagc  | tggcatcggc  | taggctgggt  | 9180  |
| 25 | gccgcactgt  | cccggaaggt  | ccctagcgac  | ttgttttagat | tgatgggacc  | acctctcaac  | 9240  |
|    | ttcctgctgc  | tgtccctgct  | gctggatgtc  | ctgcctcatc  | tggccgattg  | cacgctccag  | 9300  |
|    | tcccctgcat  | gtgcactcgc  | tcctcaattg  | cttaagatca  | tgcgagcagc  | tatcgaagtg  | 9360  |
| 30 | ctggctctgt  | tgccctcctc  | cacggccttg  | gttgtagtag  | tagctgccgc  | cgcccttctg  | 9420  |
|    | gactttttcc  | cacaggaacc  | gccgaataat  | togatagaac  | cacacgagca  | tgtgctttca  | 9480  |
|    | tttattttta  | aaaccaagaa  | acatacataa  | catttcatca  | gcctctctct  | ctctctctct  | 9540  |
| 35 | ctctctctct  | ctctctctct  | ctctctctct  | ctctttatta  | cagctgttac  | actaacttaa  | 9600  |
|    | aacacattca  | tctcattatt  | attattatta  | tccatcctta  | acacctagca  | gtgtctttgt  | 9660  |
|    | acgatctcat  | aatcgatcac  | cccttcatca  | ggtatcctta  | ggcttcactc  | caacgttggt  | 9720  |
| 40 | gcagttacgg  | aacatgtaca  | caccatcatg  | gttctcaacg  | aactggcaag  | atctccaagt  | 9780  |
|    | tttccaaagg  | ctaaccacaa  | tgttctcatc  | ggtgtgtctg  | tagtgctctc  | ccataaacttt | 9840  |
|    | cttgatgcac  | tcggtagctt  | ctctagcatg  | gtagaatggg  | atccttgaaa  | cgtagtgatg  | 9900  |
| 45 | gagcacatga  | gtctcgatga  | tgtcatggaa  | gatgattccg  | aggattccga  | actctctatc  | 9960  |
|    | gatagtagca  | gcagcaccct  | tagcgaaaagt | ccactcttga  | gcatacgtaat | gaggcataga  | 10020 |
|    | agaatcgggtg | tgctgaagga  | aggtaacgaa  | aacaagccag  | tggttaacaa  | ggatccaagg  | 10080 |
| 50 | acagaaccat  | gtgatgaaag  | taggccagaa  | tccgaaaacc  | ttgtaagcgg  | tgtaaacaga  | 10140 |
|    | agtgagggta  | gcaaggattc  | caagatcaga  | aagaacgatg  | taccagtagt  | ccttcttatc  | 10200 |
| 55 | gaaaacaggg  | ctagaaggcc  | agtagtgaga  | cttgaagaac  | ttagaaacac  | cagggtaagg  | 10260 |
|    | ttgtccagta  | gcgttagtag  | caaggtaaag  | agaaagtcc   | ccaagctgtt  | ggaacaagag  | 10320 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | agcgaaaaca gagtagatag gagtttcctc agcgatatcg tgaaggctgg taacttggtg  | 10380 |
|    | cttctctttg aattcctcgg cgggtgtaagg aacgaaaacc atatctctgg tcatgtgtcc | 10440 |
| 5  | agtagcctta tgggtgcttag catgagagaa cttccagctg aagtaaggaa ccataacaag | 10500 |
|    | agagtggaga acccatccaa cgggtatcgtt aacccatccg tagttagaga aagcagaatg | 10560 |
|    | tccacactca tgtccaagga tccagattcc gaatccgaaa caagagatag agaacacgta  | 10620 |
| 10 | agcagacca gacgcgaatc taaggaattc gttagggaga agagggatgt aggttaagtcc  | 10680 |
|    | aacgtaagcg atagcagaga tagccacgat atctctcacc acgtaagaca tagacttcac  | 10740 |
|    | gagagatctc tcgtaacagt gcttagggat agcgtcaagg atatccttga tgggtgtaatc | 10800 |
| 15 | tggcaccttg aaaacgtttc cgaaggatc gatagcggtc ttttgctgct tgaaagatgc   | 10860 |
|    | aacgtttcca gaacgcctaa cgggtcttagt agatccctca aggatctcag atccagacac | 10920 |
| 20 | ggtaacctta gacatggtat ggtaattgta aatgtaattg taatgttggt tgttggttgt  | 10980 |
|    | tgttggttgg aattgttgta aaatTTTTTg tgggtgattgg ttctttaagg tgtgagagtg | 11040 |
|    | agttgtgagt tgtgtggtgg gtttggtgag attggggatg gtgggtttat atagtggaga  | 11100 |
| 25 | ctgaggaatg gggtcgtgag tgttaacttt gcatgggcta cacgtgggtt cttttgggct  | 11160 |
|    | tacacgtagt attattcatg caaatgcagc caatacatat acggtatTTTt aataatgtgt | 11220 |
|    | gggaatacaa tatgccgagt attttactaa ttttggcaat gacaagtgtta catttggtt  | 11280 |
| 30 | atcttacttg gcctctcttg ctttaatttg gattatTTTTt attctcttac cttggccggt | 11340 |
|    | catattcaca tccctaaagg caagacagaa ttgaatggtg gccaaaaatt aaaacgatgg  | 11400 |
| 35 | atatgaccta catagtgtag gatcaattaa cgtcgaagga aaatactgat tctctcaagc  | 11460 |
|    | atacggacaa gggtaaataa catagtcacc agaacataat aaacaaaaag tgcagaagca  | 11520 |
|    | agactaaaaa aattagctat ggacattcag gttcatattg gaaacatcat tatcctagtc  | 11580 |
| 40 | ttgtgaccat ccttcctcct gctctagttg agaggccttg ggactaacga gaggtcagtt  | 11640 |
|    | gggtagcag atccttatcc tggactagcc tttctggtgt ttcagagtct tcgtgccgcc   | 11700 |
|    | gtctacatct atctccatta ggtctgaaga tgactcttca caccaacgac gtttaaggtc  | 11760 |
| 45 | tctatcctac tcctagcttg caatacctgg cttgcaatac ctggagcatc gtgcacgatg  | 11820 |
|    | attggatact gtggaggagg agtgtttgct gatttagagc tcccggttgg gtgatttgac  | 11880 |
|    | ttcgatttca gtttaggctt gttgaaattt ttcaggttcc attgtgaagc ctttagagct  | 11940 |
| 50 | tgagcttcct tccatgttaa tgccttgatc gaatactcct agagaaaagg gaagtcgatc  | 12000 |
|    | tctgagtatt gaaatcgaag tgcacatttt ttttcaacgt gtccaatcaa tccacaaaca  | 12060 |
| 55 | aagcagaaga caggtaatct ttcatactta tactgacaag taatagtctt accgtcatgc  | 12120 |
|    | ataataacgt ctcgttcctt caagaggggt tttccgacat ccataacgac ccgaagcctc  | 12180 |



EP 3 266 316 A1

|    |            |            |             |             |             |             |       |
|----|------------|------------|-------------|-------------|-------------|-------------|-------|
|    | atgaaagcat | tagggaagaa | cttttggttc  | ttcttgtcat  | ggcctttata  | ggtgtcagcc  | 12240 |
|    | gagctcgcca | attcccgtcc | gactggctcc  | gcaaaatatt  | cgaacggcaa  | gttatggact  | 12300 |
| 5  | tgcaaccata | actccacggt | attgagcagg  | acctattgtg  | aagactcatc  | tcattggagct | 12360 |
|    | tcagaatgtg | gttgtcagca | aaccaatgac  | cgaaatccat  | cacatgacgg  | acgtccagtg  | 12420 |
|    | ggtgagcgaa | acgaaacagg | aagcgcctat  | ctttcagagt  | cgtgagctcc  | acaccggatt  | 12480 |
| 10 | ccggcaacta | cgtgttgggc | aggcttcgcc  | gtattagaga  | tatgttgagg  | cagacccatc  | 12540 |
|    | tgtgccactc | gtacaattac | gagagtgtgt  | ttttttgtga  | ttttcctagt  | ttctcgttga  | 12600 |
|    | tgttgagctc | atattctaca | tcgtatggtc  | tctcaacgtc  | gtttcctgtc  | atctgatata  | 12660 |
| 15 | ccgtcatttg | catccacgtg | cgccgcctcc  | cgtgccaaagt | ccctaggtgt  | catgcacgcc  | 12720 |
|    | aaattggtgg | tgggtcgggc | tgccctgtgc  | ttcttaccga  | tgggtggagg  | ttgagtttgg  | 12780 |
|    | gggtctccgc | ggcgatggta | gtgggttgac  | ggtttggtgt  | gggttgacgg  | cattgatcaa  | 12840 |
| 20 | tttacttctt | gottcaaatt | ctttggcaga  | aaacaattca  | ttagattaga  | actggaaacc  | 12900 |
|    | agagtgatga | gacggattaa | gtcagattcc  | aacagagtta  | catctcttaa  | gaaataatgt  | 12960 |
| 25 | aaccctttta | gactttatat | atttgcaatt  | aaaaaataa   | tttaactttt  | agactttata  | 13020 |
|    | tatagtttta | ataactaagt | ttaaccactc  | tattatttat  | atcgaaacta  | tttgtatgtc  | 13080 |
|    | tcccctctaa | ataaacttgg | tattgtgttt  | acagaaccta  | taatcaaata  | atcaatactc  | 13140 |
| 30 | aactgaagtt | tgtgcagtta | attgaaggga  | ttaacggcca  | aatgcacta   | gtattatcaa  | 13200 |
|    | ccgaatagat | tcacactaga | tggccatttc  | catcaatata  | atcgccgttc  | ttcttctgtc  | 13260 |
|    | cacatatccc | ctctgaaact | tgagagacac  | ctgcacttca  | ttgtccttat  | tacgtgttac  | 13320 |
| 35 | aaaatgaaac | ccatgcatcc | atgcaaaactg | aagaatggcg  | caagaaccct  | tcccctccat  | 13380 |
|    | ttcttatgtg | gcgaccatcc | atttcaccat  | ctcccgtat   | aaaacacccc  | catcacttca  | 13440 |
|    | cctagaacat | catcactact | tgcttatcca  | tccaaaagat  | accactttt   | acaacaatta  | 13500 |
| 40 | ccaacaacaa | caaacaacaa | acaacattac  | aattacattt  | acaattacca  | taccatgcc   | 13560 |
|    | cctagcgctg | ctaagcaa   | gggagcttct  | actggtgttc  | atgctggtgt  | tactgactct  | 13620 |
|    | tctgctttca | ccagaaagga | tgttgctgat  | agacctgata  | tcaccatcgt  | tggagattct  | 13680 |
| 45 | gtttacgatg | ctaaggcttt | cagatctgag  | catcctggtg  | gtgctcattt  | cgtttctttg  | 13740 |
|    | ttcggaggaa | gagatgctac | tgaggctttc  | atggaatacc  | atagaagggc  | ttggcctaag  | 13800 |
|    | tctagaatgt | ctagattcca | cgttggatct  | cttgcttcta  | ctgaggaacc  | tgttgctgct  | 13860 |
| 50 | gatgagggat | accttcaact | ttgtgctagg  | atcgctaaga  | tgggtgccttc | tgtttcttct  | 13920 |
|    | ggattcgctc | ctgcttctta | ctgggttaag  | gctggactta  | tccttgatac  | tgctatcgct  | 13980 |
| 55 | cttgaggctt | acatgcttta | cgctggaaag  | agacttctcc  | cttctatcgt  | tcttgatgg   | 14040 |
|    | cttttcgctc | ttatcggtct | taacatccag  | catgatgcta  | accatggtgc  | tttgtctaag  | 14100 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | tctgcttctg ttaaccttgc tcttggactt tgtcaggatt ggatcggagg atctatgac   | 14160 |
|    | ctttggcttc aagagcatgt tgttatgcac cacctccaca ctaacgatgt tgataaggat  | 14220 |
| 5  | cctgatcaaa aggcctcacgg tgctcttaga ctcaagccta ctgatgcttg gtcacctatg | 14280 |
|    | cattggcttc agcatcttta ccttttgcct ggtgagacta tgtacgcttt caagcttttg  | 14340 |
|    | ttcctcgaca tctctgagct tgttatgtgg cgttgggagg gtgagcctat ctctaagctt  | 14400 |
| 10 | gctggatacc tctttatgcc ttctttgctt ctcaagctta ccttctgggc tagattcggt  | 14460 |
|    | gctttgcctc tttaccttgc tccttctggt catactgctg tgtgtatcgc tgctactggt  | 14520 |
| 15 | atgactggat ctttctacct cgtttcttctc ttcttcatct cccacaaact cgagggtggt | 14580 |
|    | gcttctgttg gacctgatgg atctatcact tctatgacta gaggtgctag cttccttaag  | 14640 |
|    | agacaagctg agacttcttc taacgttggg ggacctcttc ttgctactct taacgggtgga | 14700 |
| 20 | ctcaactacc aaattgagca tcacttgctc cctagagttc accatggatt ctaccctaga  | 14760 |
|    | cttgctcctc ttgttaaggc tgagcttgag gctagaggaa tcgagtacaa gcactaccct  | 14820 |
|    | actatctggt ctaaccttgc ttctaccctc agacatatgt acgctcttgg aagaaggcct  | 14880 |
| 25 | agatctaagg ctgagtaatg acaagcttat gtgacgtgaa ataataacgg taaaatatat  | 14940 |
|    | gtaataataa taataataaa gccacaaagt gagaatgagg ggaaggggaa atgtgtaatg  | 15000 |
|    | agccagtagc cgggtggtgct aattttgtat cgtattgtca ataaatcatg aattttgtgg | 15060 |
| 30 | tttttatgtg tttttttaa tcatgaattt taaattttat aaaataatct ccaatcggaa   | 15120 |
|    | gaacaacatt ccatatccat gcatggatgt ttctttaccc aaatctagtt cttgagagga  | 15180 |
| 35 | tgaagcatca ccgaacagtt ctgcaactat ccctcaaaag cttttaaagt aacaacaagg  | 15240 |
|    | aacagagcaa cgttccaaag atcccaaag aaacatatta tctatactaa tactatatta   | 15300 |
|    | ttaattacta ctgcccggaa tcacaatccc tgaatgattc ctattaacta caagccttgt  | 15360 |
| 40 | tggcggcgga gaagtgatcg gcgcggcgag aagcagcgga ctcgagagcg aggccctgga  | 15420 |
|    | agatctgagt cgaacgggca gaatcagtat tttccttcga cgttaattga tcctacacta  | 15480 |
|    | tgtaggatcat atccatcggt ttaatttttg gccaccattc aattctgtct tgcccttagg | 15540 |
| 45 | gatgtgaata tgaacggcca aggtaagaga ataaaaataa tccaaattaa agcaagagag  | 15600 |
|    | gccaagtaag ataatccaaa tgtacacttg tcattgccaa aattagttaa atactcggca  | 15660 |
|    | tattgtattc ccacacatta ttaaaataacc gtatatgtat tggctgcatt tgcatgaata | 15720 |
| 50 | atactacgtg taagcccaaa agaaccacg tgtagcccat gcaaagttaa cactcacgac   | 15780 |
|    | cccatcctc agtctccact atataaacc accatccca atctcacca acccaccaca      | 15840 |
| 55 | caactcacia ctactctca caccttaaag aaccaatcac caccaaaaat tttaacaaca   | 15900 |
|    | ttaccaacaa caacaacaa caacaacat tacaattaca tttaacaatta ccataccatg   | 15960 |

EP 3 266 316 A1

|    |             |            |            |             |            |            |       |
|----|-------------|------------|------------|-------------|------------|------------|-------|
|    | agcgctgtta  | ccgttactgg | atctgacct  | aagaacagag  | gatcttctag | caacaccgag | 16020 |
|    | caagaggttc  | caaaagttgc | tatcgatacc | aacggaaacg  | tgttctctgt | tcttgatttc | 16080 |
| 5  | accatcaagg  | acatccttgg | agctatccct | catgagtgtt  | acgagagaag | attggctacc | 16140 |
|    | tctctctact  | acgtgttcag | agatatcttc | tgcattgctta | ccaccggata | ccttaccat  | 16200 |
|    | aagatccttt  | accctctcct | catctcttac | acctctaaca  | gcattcatca | gttcactttc | 16260 |
| 10 | tgggcccttt  | acacttacgt | tcaaggactt | ttcggaaccg  | gaatctgggt | tctcgctcat | 16320 |
|    | gagtgtggac  | atcaagcttt | ctctgattac | ggaatcgtga  | acgatttcgt | tggatggacc | 16380 |
|    | cttcactctt  | acottatggg | tccttacttc | agctggaagt  | actctcatgg | aaagcaccat | 16440 |
| 15 | aaggctactg  | gacacatgac | cagagatatg | gttttcgttc  | ctgccaccaa | agaggaattc | 16500 |
|    | aagaagtcta  | ggaacttctt | cggtaacctc | gctgagtact  | ctgaggattc | tccacttaga | 16560 |
|    | accctttacg  | agcttcttgt | tcaacaactt | ggaggatgga  | tcgcttacct | cttcgttaac | 16620 |
| 20 | gttacaggac  | aaccttacc  | tgatgttcct | tcttggaat   | ggaaccactt | ctggcttacc | 16680 |
|    | tctccacttt  | tcgagcaaag | agatgctctc | tacatcttcc  | tttctgatct | tggaatcctc | 16740 |
|    | acccagggaa  | tcgttcttac | tctttgttac | aagaaattcg  | gaggatgggc | ccttttcac  | 16800 |
| 25 | aactgggttcg | ttccttacat | ctgggttaac | cactggctcg  | ttttcatcac | attccttcag | 16860 |
|    | cacactgac   | ctactatgcc | tcattacaac | gctgaggaat  | ggactttcgc | taagggtgct | 16920 |
| 30 | gctgctacta  | tcgatagaaa | gttcggattc | atcggacctc  | acatcttcca | tgatatcatc | 16980 |
|    | gagactcatg  | tgcttcacca | ctactgttct | aggatcccat  | tctacaacgc | tagacctgct | 17040 |
|    | tctgaggcta  | tcaagaaagt | tatgggaaag | cactacaggt  | ctagcgacga | gaacatgtgg | 17100 |
| 35 | aagtcacttt  | ggaagtcttt | caggtcttgc | caatacgttg  | acggtgataa | cggtgttctc | 17160 |
|    | atgttccgta  | acatcaacaa | ctgcggagtt | ggagctgctg  | agaagtaatg | aaggggtgat | 17220 |
|    | cgattatgag  | atcgtacaaa | gacactgcta | ggtgttaagg  | atggataata | ataataataa | 17280 |
| 40 | tgagatgaat  | gtgttttaag | ttagtgtaac | agctgttaata | aagagagaga | gagagagaga | 17340 |
|    | gagagagaga  | gagagagaga | gagagagaga | gaggctgatg  | aatgttatg  | tatgtttctt | 17400 |
|    | ggtttttaaa  | ataaatgaaa | gcacatgctc | gtgtggttct  | atcgaattat | tcggcggttc | 17460 |
| 45 | ctgtgggaaa  | aagtccagaa | gggccgccgc | agctactact  | acaaccaagg | ccgtggagga | 17520 |
|    | gggcaacaga  | gccagcactt | cgatagctgc | tgcatgatc   | ttaagcaatt | gaggagcgag | 17580 |
|    | tgacatgca   | ggggactgga | gcgtgcaatc | ggccagatga  | ggcaggacat | ccagcagcag | 17640 |
| 50 | ggacagcagc  | aggaagttga | gaggtggtcc | catcaatcta  | aacaagtcgc | tagggacctt | 17700 |
|    | ccgggacagt  | gcggcaccga | gcctagccga | tgccagctcc  | aggggcagca | gcagtctgca | 17760 |
| 55 | tggttttgaa  | gtggtgatcg | atgagatcgt | ataaagacac  | tgctaggtgt | taaggatggg | 17820 |
|    | ataataagat  | gtgttttaag | tcattaaccg | taataaaaag  | agagagaggc | tgatggaatg | 17880 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | ttatgtatgt atgtttcttg gtttttaaaa tttaatggaa agcacatgct cgtgtggggtt  | 17940 |
|    | ctatctcgat taaaaatccc aattatattt ggtctaattt agtttggtat tgagtaaaac   | 18000 |
| 5  | aaattcgaac caaaccaaaa tataaatata tagtttttat atatatgcct ttaagacttt   | 18060 |
|    | ttatagaatt ttcttttaaaa aatatctaga aatatttgcg actcttctgg catgtaatat  | 18120 |
|    | ttcgttaaatt atgaagtgt ccatttttat taactttaaa taattgggtt tacgatcact   | 18180 |
| 10 | ttcttatcaa gtgttactaa aatgcgtcaa tctctttggt cttccatatt catatgtcaa   | 18240 |
|    | aatctatcaa aattcttata tatctttttc gaatttgaag tgaaatttcg ataattttaa   | 18300 |
|    | attaaataga acatatcatt atttaggtat catattgatt ttatatactta attactaaat  | 18360 |
| 15 | ttggttaact ttgaaagtgt acatcaacga aaaattagtc aaacgactaa aataaataaa   | 18420 |
|    | tatcatgtgt tattaagaaa attctcctat aagaatattt taatagatca tatgtttgta   | 18480 |
| 20 | aaaaaaatta atttttacta acacatatat ttacttatca aaaatttgac aaagtaagat   | 18540 |
|    | taaaataata ttcatctaac aaaaaaaaaa ccagaaaatg ctgaaaaccc ggcaaaaccg   | 18600 |
|    | aaccaatcca aaccgatata gttggtttggt tttgattttg atataaaccc aaccaactcg  | 18660 |
| 25 | gtccatttgc acccctaatac ataatagctt taatatttca agatattatt aagttaacgt  | 18720 |
|    | tgtcaatatc ctggaaattt tgcaaaatga atcaagccta tatggctgta atatgaattt   | 18780 |
|    | aaaagcagct cgatgtggtg gtaatatgta atttacttga ttctaaaaaa atatcccaag   | 18840 |
| 30 | tattaataat ttctgctagg aagaagggtta gctacgattt acagcaaagc cagaatacaa  | 18900 |
|    | agaaccataa agtgattgaa gctcgaaata tacgaaggaa caaatatttt taaaaaata    | 18960 |
| 35 | cgcaatgact tggaacaaaa gaaagtgata tattttttgt tcttaaaaca gcatcccctc   | 19020 |
|    | taaagaatgg cagttttcct ttgcatgtaa ctattatgct cccttcgtta caaaaatttt   | 19080 |
|    | ggactactat tgggaacttc ttctgaaaat agtcctgcag gctagtagat tggttggttg   | 19140 |
| 40 | gtttccatgt accagaaggc ttaccctatt agttgaaagt tgaaactttg ttccctactc   | 19200 |
|    | aattcctagt tgtgtaaatg tatgtatatg taatgtgtat aaaacgtagt acttaaatga   | 19260 |
|    | ctaggagtgg ttcttgagac cgatgagaga tgggagcaga actaaagatg atgacataat   | 19320 |
| 45 | taagaacgaa tttgaaaggc tcttaggttt gaatcctatt cgagaatgtt tttgtcaaag   | 19380 |
|    | atagtggcga ttttgaacca aagaaaacat ttaaaaaatc agtatccggt tacgttcatg   | 19440 |
|    | caaatagaaa gtgggtctagg atctgattgt aatttttagac ttaaagagtc tcttaagatt | 19500 |
| 50 | caatcctggc tgtgtacaaa actacaaata atatatttta gactatttgg ccttaactaa   | 19560 |
|    | acttccactc attatttact gaggttagag aatagacttg cgaataaaca cattcccag    | 19620 |
| 55 | aaatactcat gatcccataa ttagtcagag ggtatgccaa tcagatctaa gaacacacat   | 19680 |
|    | tcctcaaatt tttaatgcac atgtaatcat agtttagcac aattcaaaaa taatgtagta   | 19740 |

EP 3 266 316 A1

|    |             |             |             |             |            |             |       |
|----|-------------|-------------|-------------|-------------|------------|-------------|-------|
|    | ttaaagacag  | aaatttgtag  | actttttttt  | ggcgttaaaa  | gaagactaag | tttatacgta  | 19800 |
|    | cattttatatt | taagtggaaa  | accgaaattt  | tccatcgaaa  | tatatgaatt | tagtatatat  | 19860 |
| 5  | atttctgcaa  | tgtactat    | tgctat      | gcaactttca  | gtggactact | actttattac  | 19920 |
|    | aatgtgtatg  | gatgcatgag  | tttgagtata  | cacatgtcta  | aatgcatgct | ttgtaaaacg  | 19980 |
|    | taacggacca  | caaaagagga  | tccatacaaa  | tacatctcat  | agcttcctcc | attat       | 20040 |
| 10 | gacacaaaca  | gagcatttta  | caacaattac  | caacaacaac  | aaacaacaaa | caacattaca  | 20100 |
|    | attacattta  | caattaccat  | accatggcct  | ctatcgctat  | ccctgctgct | cttgctggaa  | 20160 |
|    | ctcttgata   | cgttacctac  | aatgtggcta  | accctgatat  | cccagcttct | gagaaaagttc | 20220 |
| 15 | ctgcttactt  | catgcagggt  | gagtactggg  | gacctactat  | cggaactatt | ggatacctcc  | 20280 |
|    | tcttcatcta  | cttcggaaaag | cgtatcatgc  | agaacagatc  | tcaacctttc | ggactcaaga  | 20340 |
|    | acgctatgct  | cgtttacaac  | ttctaccaga  | ccttcttcaa  | cagctactgc | atctaccttt  | 20400 |
| 20 | tcgttacttc  | tcatagggct  | cagggactta  | aggtttgggg  | aaacatccct | gatatgactg  | 20460 |
|    | ctaactcttg  | gggaatctct  | cagggttatct | ggcttcaacta | caacaacaag | tacgttgagc  | 20520 |
| 25 | ttctcgacac  | cttcttcatg  | gtgatgagga  | agaagttcga  | ccagctttct | ttccttcaca  | 20580 |
|    | tctaccacca  | cactcttctc  | atctggcat   | ggttcgttgt  | tatgaagctt | gagcctgttg  | 20640 |
|    | gagattgcta  | cttcggatct  | tctgttaaca  | ccttcgtgca  | cgtgatcatg | tactcttact  | 20700 |
| 30 | acggacttgc  | tgctcttgga  | gttaactgtt  | tctggaagaa  | gtacatcacc | cagatccaga  | 20760 |
|    | tgcttcagtt  | ctgtatctgt  | gcttctcact  | ctatctacac  | cgcttacggt | cagaataccg  | 20820 |
|    | ctttctggct  | tccttacctt  | caactctggg  | ttatggtgaa  | catgttcgtt | ctcttcgcca  | 20880 |
| 35 | acttctaccg  | taagaggtac  | aagtctaagg  | gtgctaagaa  | gcagtgataa | gggccgccgc  | 20940 |
|    | catgtgacag  | atcgaaggaa  | gaaagtgtaa  | taagacgact  | ctcactactc | gatcgctagt  | 21000 |
|    | gattgtcatt  | gttatatata  | ataatgttat  | ctttcacaaac | ttatcgtaat | gcatgtgaaa  | 21060 |
| 40 | ctataacaca  | ttaatcctac  | ttgtcatatg  | ataaacactct | ccccatttaa | aactcttgtc  | 21120 |
|    | aatttaaaga  | tataagattc  | tttaaatgat  | taaaaaaaaat | atattataaa | ttcaatcact  | 21180 |
|    | cctactaata  | aattattaat  | tattat      | tgattaaaaa  | aatacttata | ctaatttagt  | 21240 |
| 45 | ctgaatagaa  | taattagatt  | ctagcctgca  | gggcggccgc  | ggatcccatg | gagtcaaaga  | 21300 |
|    | ttcaaataga  | ggacctaaca  | gaactcgccg  | taaagactgg  | cgaacagttc | atacagagtc  | 21360 |
|    | tcttacgact  | caatgacaag  | aagaaaatct  | tcgtcaacat  | ggtggagcac | gacacacttg  | 21420 |
| 50 | tctactccaa  | aaatatcaaa  | gatacagtct  | cagaagacca  | aagggaatt  | gagacttttc  | 21480 |
|    | aacaaaggggt | aatatccgga  | aacctcctcg  | gattccattg  | cccagctatc | tgctacttta  | 21540 |
| 55 | ttgtgaagat  | agtggaaaag  | gaaggtggct  | cctacaaatg  | ccatcattgc | gataaaggaa  | 21600 |
|    | aggccatcgt  | tgaagatgcc  | tctgccgaca  | gtgggtccaa  | agatggaccc | ccacccacga  | 21660 |

EP 3 266 316 A1

ggagcatcgt ggaaaaagaa gacgttccaa ccacgtcttc aaagcaagtg gattgatgtg 21720  
 atatctccac tgacgtaagg gatgacgcac aatcccacta tccttcgcaa gacccttcct 21780  
 5 ctatataagg aagttcattt catttgagga gaacacgggg gactgaatta aatatgagcc 21840  
 ctgagaggcg tcctgttgaa atcagacctg ctactgctgc tgatatggct gctgtttgtg 21900  
 atatcgtgaa ccactacatc gagacttcta ccgttaactt cagaactgag cctcaaaactc 21960  
 10 ctcaagagtg gatcgatgat cttgagagac tccaagatag atacccttgg cttgttgctg 22020  
 aggttgaggg tggtgttgct ggaatcgctt acgctggacc ttggaaggct agaaacgctt 22080  
 acgattggac tggtgagtct accgtttacg tttcacacag acatcagaga cttggacttg 22140  
 15 gatctaccct ttacactcac ctctcgaagt ctatggaagc tcagggattc aagtctgttg 22200  
 ttgctgttat cggactccct aacgatcctt ctgttagact tcatgaggct cttggataca 22260  
 20 ctgctagagg aactcctaga gctgctggat acaagcacgg tggatggcat gatgttggat 22320  
 tctggcaaag agatttcgag ctctctgctc ctctagacc tgttagacca gttactcaga 22380  
 tctgaatttg cgtgatcgtt caaacatttg gcaataaagt ttcttaagat tgaatcctgt 22440  
 25 tgccggtctt gcgatgatta tcatataatt tctgttgaat tacgttaagc atgtaataat 22500  
 taacatgtaa tgcattgacgt tatttatgag atgggttttt atgattagag tcccgcaatt 22560  
 atacatttaa tacgcgatag aaaacaaaat atagcgcgca aactaggata aattatcgcg 22620  
 30 cgcggtgtca tctatgttac tagatcacta gtgatgtacg gttaaaacca cccagtaga 22680  
 ttaaaaacgt ccgcaatgtg ttattaagtt gtctaagcgt caatttggtt acaccacaat 22740  
 35 atatcctgcc accagccagc caacagctcc ccgaccggca gctcggcaca aaatcaccac 22800  
 tcgatacagg cagcccatca gtcc 22824  
  
 <210> 5  
 40 <211> 24809  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 45 <223> pga7- mod\_e nucleotide sequence  
  
 <400> 5  
 tcctgtggtt ggcattgcaca tacaaatgga cgaacggata aaccttttca cgccttttta 60  
 aatatccgat tattctaata aacgctcttt tctcttaggt ttaccggcca atatatcctg 120  
 50 tcaaacactg atagttttaa ctgaaggcgg gaaacgacaa tctgctagtg gatctcccag 180  
 tcacgacgtt gtaaaacggg cgcctcgatt aaaaatccca attatatttg gtctaattta 240  
 gtttggtatt gagtaaaaca aattcgaacc aaacaaaat ataaatatat agtttttata 300  
 55 tatatgcctt taagactttt tatagaattt tctttaaaaa atatctagaa atatttgoga 360

EP 3 266 316 A1

|    |                                                                     |      |
|----|---------------------------------------------------------------------|------|
|    | ctcttctggc atgtaatat tctgttaaata tgaagtgtc catttttatt aacttttaaat   | 420  |
|    | aattggttgt acgatcactt tcttatcaag tgttactaaa atgCGTcaat ctctttgttc   | 480  |
| 5  | ttccatattc atatgtcaaa atctatcaaa attcttatat atctttttcg aatttgaagt   | 540  |
|    | gaaatttcga taattttaaaa ttaaatagaa catatcatta tttaggtatc atattgattt  | 600  |
|    | ttatacttaa ttactaaatt tggttaactt tgaaagtgt catcaacgaa aaattagtca    | 660  |
| 10 | aacgactaaa ataaataaat atcatgtgtt attaagaaaa ttctcctata agaatatatt   | 720  |
|    | aatagatcat atgtttgtaa aaaaaattaa tttttactaa cacatatatt tacttatcaa   | 780  |
|    | aaatttgaca aagtaagatt aaaataatat tcatctaaca aaaaaaaaaac cagaaaaatgc | 840  |
| 15 | tgaaaacccg gcaaaaccga accaatccaa accgatatag ttgggttggt ttgattttga   | 900  |
|    | tataaaccca accaactcgg tccatttgca cccctaataca taatagcttt aatatttcaa  | 960  |
|    | gatattatta agttaacggt gtcaatatcc tggaaatttt gcaaaatgaa tcaagcctat   | 1020 |
| 20 | atggctgtaa tatgaattta aaagcagctc gatgtgggtg taatatgtaa ttacttgat    | 1080 |
|    | tctaaaaaaa tatcccaagt attaataatt tctgctagga agaaggtag ctacgattta    | 1140 |
|    | cagcaaagcc agaatacaaa gaaccataaa gtgattgaag ctCGaaatat acgaaggaac   | 1200 |
| 25 | aaatattttt aaaaaaatac gcaatgactt ggaacaaaag aaagtgatat attttttggt   | 1260 |
|    | cttaaaccaag catccctct aaagaatggc agttttcctt tgcattgtaac tattatgtc   | 1320 |
|    | ccttcgttac aaaaattttg gactactatt gggaacttct tctgaaaata gtggcgcccc   | 1380 |
|    | gcggaaagct tgctagccaa ttggggccca acgttctcga gtttttctag aaggaaactg   | 1440 |
|    | aaggcgggaa acgacaatct gctagtggat ctcccagtca cgacgttgta aaacgggcgc   | 1500 |
| 35 | cccgcggaaa gcttgcgggc gcggtaccgc ccgttcgact cagatcttcc aaggcctcgt   | 1560 |
|    | ctccgagtcc gctgcttctc gccgcgccga tcacttctcc gccgccaaca aggctttag    | 1620 |
|    | ttaataggaa tcattcaggg attgtgattc cgggcagtag taattaataa tatagtatta   | 1680 |
| 40 | gtatagataa tatgtttcgt ttgggatctt tggaaagtgt ctctgttcct tgtgttcat    | 1740 |
|    | tttaaagctt ttgagggata gttgcagaac tgttcggtga tgcttcatcc tctcaagaac   | 1800 |
|    | tagatttggg taaagaaaca tccatgcatg gatatggaat gttgttcttc cgattggaga   | 1860 |
| 45 | ttattttata aaattttaaaa ttcattgattt aaaaaaacac ataaaaacca caaaattcat | 1920 |
|    | gatttattga caatacgata caaaattagc accaccggct actggctcat tacacatttc   | 1980 |
|    | cccttccctt cattctcact ttgtggcttt attattatta ttattacata tattttaccg   | 2040 |
| 50 | ttattatttc acgtcacata agcttggtta ttaatcatta gtgagccttc tcagcctttc   | 2100 |
|    | cgtaaacgta gtagtgctgt cccaccttat caaggtaga gaaagtagcc ttccaagcac    | 2160 |
|    | cgtagtaaga gagcaccttg tagttgagtc ccacttctt agcgaaagga acgaatcttc    | 2220 |
| 55 | tgctaacctc aggtgtctg aattgaggca tatcaggga gaggtggtg ataacctgac      | 2280 |

EP 3 266 316 A1

|    |                                                                     |      |
|----|---------------------------------------------------------------------|------|
|    | agttaaggta tcccataagc cagttcacgt atcctctaga aggatcgata tcaacgggtgt  | 2340 |
|    | gatcaacagc gtagttaacc caagaaagggt gcttatcaga tggaacaaca gggagggtgag | 2400 |
| 5  | tatgagaagt agagaagtga gcgaaaagggt acatgtaagc gatccagttt ccgaaagtga  | 2460 |
|    | accaccagta agcaacaggc caagagtatc cagtagcaag cttgataaca gcggttctaa   | 2520 |
|    | caacatgaga aacgagcatc caagaagcct cttcgtagtt cttcttacgg agaacttgtc   | 2580 |
| 10 | taggggtggag aacgtagatc cagaaagcct gaacaagaag tccagaggta acaggaacga  | 2640 |
|    | aagtccaagc ttgaagtcta gcccaagctc tagagaatcc tctaggtctg ttatcctcaa   | 2700 |
|    | cagcagtgtt gaagaaagcc acagcaggag tggatatcaag atccatatcg tgtctaacct  | 2760 |
| 15 | tttgaggggt agcatggtgc ttgttatgca tctggttcca catctacca gaagtagaaa    | 2820 |
|    | gtccgaatcc acaagtcata gcctgaagtc tcttgtccac gtaaacagat ccggtaaagag  | 2880 |
| 20 | agttatgtcc accctcatgt tgaacccatc cacatctagc tccgaagaaa gcaccgtaaa   | 2940 |
|    | caacagaagc aatgataggg tatccagcgt acataagagc agttccaaga gcgaatgtag   | 3000 |
|    | caagaagctc gagaagtctg taagccacat gggatgata aggcttgaag aatccatctc    | 3060 |
| 25 | tctcaagctc agcacgccat ctagcgaaat cctcaagcat aggagcatcc tcagactcag   | 3120 |
|    | atctcttgat ctacagcagg ctagaaggca aagctctaag catcttccaa gccttgagag   | 3180 |
|    | aacgcatgtg gaattctttg aaagcctcag tagcatcagc accagtgtta gcaagcatgt   | 3240 |
| 30 | agaagatcac agatccacca ggggtgcttga agttagtcac atcgtactca acgtcctcaa  | 3300 |
|    | ctctaaccce tctagtctcg aaagtagcag caagctcatg aggctcaaga gtcttaagat   | 3360 |
|    | caacaggagc agtagaagca tccttagcat caagagcctc agcagaagat ttagacctgg   | 3420 |
| 35 | taagtggaga tctaggagaa gatcttccat cagtcttagg agggcacatg gtatggtaat   | 3480 |
|    | tgtaaatgta attgtaatgt tgtttgttgt ttgttgttgt tggtaattgt tgtaaaatta   | 3540 |
| 40 | attaagtggg tatcttttgg atggataagc aagtagtgat gatgttctag gtgaagtgat   | 3600 |
|    | gggggtgttt tatagcggga gatggtgaaa tggatggtcg ccacataaga aatggagggg   | 3660 |
|    | aagggttctt gcgccattct tcagtttgca tggatgcatg ggtttcattt tgtaaacagt   | 3720 |
| 45 | aataaggaca atgaagtgca ggtgtctctc aagtttcaga ggggatatgt ggacagaaga   | 3780 |
|    | agaacggcga tgatattgat ggaaatggcc atctagtgtg aatctattcg gttgataata   | 3840 |
|    | ctagtgcatt ttggccgtta atcccttcaa ttaactgcac aaacttcagt tgagtattga   | 3900 |
| 50 | ttatttgatt ataggttctg taaacacaat accaagttta tttagagggg agacatacaa   | 3960 |
|    | atagtttcga tataaataat agagtgggtta aacttagtta ttaaaactat atataaagtc  | 4020 |
| 55 | taaaagttaa attatttttt taattgcaaa tatataaagt cttaaaggggt tacattattt  | 4080 |
|    | cttaagagat gtaactctgt tggaatctga cttaatccgt ctcatcactc tggtttccag   | 4140 |



EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | ttctaatacta atgaattgtt ttctgccaaa gaatttgaag caagaagtaa attgatcaat | 4200 |
|    | gccgtcaacc cacaccaaac cgtcaaccca ctaccatcgc cgcggagacc cccaaactca  | 4260 |
| 5  | acctccaccc atcggtaaga agcacagggc agcccgccacc accaccaatt tggcgtgcat | 4320 |
|    | gacacctagg gacttggcac gggaggcggc gcacgtggat gcaaatacag ggatatcaga  | 4380 |
|    | tgacaggaaa cgacgttgag agaccatacg atgtagaata tgagctcacc atcaacgaga  | 4440 |
| 10 | aactaggaaa atcacaaaaa aaacaactct cgtaattgta cgagtggcac agatgggtct  | 4500 |
|    | gcctcaacat atctctaata cggcgaagcc tgcccaacac gtagttgccg gaatccggtg  | 4560 |
|    | tggagctcac gactctgaaa gataggcgct tcctgtttcg tttcgctcac ccactggacg  | 4620 |
| 15 | tccgtcatgt gatggatttc ggtcattggt ttgctgacaa ccacattctg aagctccatg  | 4680 |
|    | agatgagtct tcacaatagg tcctgctcaa taccgtggag ttatggttgc aagtccataa  | 4740 |
|    | cttgccgttc gaatatTTTTG cggagccagt cggacgggaa ttggcgagct cggctgacac | 4800 |
| 20 | ctataaaggc catgacaaga agaaccaaaa gttcttccct aatgctttca tgaggcttcg  | 4860 |
|    | ggtcgttatg gatgtcggaa aaccctctct gaaggaacga gacgttatta tgcatacagg  | 4920 |
| 25 | taagactatt acttgtcagt ataagtatga aagattacct gtcttctgct ttgtttgtgg  | 4980 |
|    | attgattgga cacgttgaaa aaaaatgtgc acttcgattt caatactcag agatcgactt  | 5040 |
|    | ccctttttctc taggagtatt cgatcaaggc attaacatgg aaggaagctc aagctctaaa | 5100 |
| 30 | ggcttcacaa tggaacctga aaaatttcaa caagcctaaa ctgaaatcga agtcaaataca | 5160 |
|    | cccaaccggg agctctaaat cagcaaacac tcctcctcca cagtatccaa tcatcgtgca  | 5220 |
|    | cgatgctcca ggtattgcaa gccagggtatt gcaagctagg agtaggatag agaccttaaa | 5280 |
| 35 | cgctcgttgg gtgaagagtc atcttcagac ctaatggaga tagatgtaga cggcggcacg  | 5340 |
|    | aagactctga aacaccagaa aggctagtcc aggataagga tctgctatcc caactgacct  | 5400 |
|    | ctcgttagtc ccaaggcctc tcaactagag caggaggaag gatggtcaca agactaggat  | 5460 |
| 40 | aatgatgttt ccaatatgaa cctgaatgtc catagctaat ttttttagtc ttgcttctgc  | 5520 |
|    | actttttgtt tattatgttc tggtgactat gttatttacc cttgtccgta tgcttgaggg  | 5580 |
| 45 | taccctagta gattgggttg ttggtttcca tgtaccagaa ggcttaccct attagttgaa  | 5640 |
|    | agttgaaact ttgttcctta ctcaattcct agttgtgtaa atgtatgtat atgtaatgtg  | 5700 |
|    | tataaaacgt agtacttaaa tgactaggag tggttcttga gaccgatgag agatgggagc  | 5760 |
| 50 | agaactaaag atgatgacat aattaagaac gaatttgaaa ggctcttagg tttgaatcct  | 5820 |
|    | attcgagaat gtttttgtca aagatagtgg cgattttgaa ccaaagaaaa catttaaaaa  | 5880 |
|    | atcagtatcc ggttacgttc atgcaaatag aaagtggctc aggatctgat tgtaatttta  | 5940 |
| 55 | gacttaaaga gtctcttaag attcaatcct ggctgtgtac aaaactacaa ataatatatt  | 6000 |
|    | ttagactatt tggccttaac taaacttcca ctcatatttt actgagggtta gagaatagac | 6060 |

## EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | ttgcgaataa acacattccc gagaaatact catgatccca taattagtca gaggggatgc  | 6120 |
|    | caatcagatc taagaacaca cattccctca aattttaatg cacatgtaat catagtttag  | 6180 |
| 5  | cacaattcaa aaataatgta gtattaaaga cagaaatttg tagacttttt tttggcggtta | 6240 |
|    | aaagaagact aagtttatac gtacatttta ttttaagtgg aaaaccgaaa ttttccatcg  | 6300 |
|    | aaatatatga atttagtata tatattttctg caatgtacta ttttgctatt ttggcaactt | 6360 |
| 10 | tcagtggact actactttat tacaatgtgt atggatgcat gagtttgagt atacacatgt  | 6420 |
|    | ctaaatgcat gctttgtaaa acgtaacgga ccacaaaaga ggatccatac aaatacatct  | 6480 |
| 15 | catagcttcc tccattatft tccgacacaa acagagcatt ttacaacaat taccaacaac  | 6540 |
|    | aacaaacaac aaacaacatt acaattacat ttacaattac cataccatgg cctctatcgc  | 6600 |
|    | tatccctgct gctcttgctg gaactcttgg atacgttacc tacaatgtgg ctaaccctga  | 6660 |
| 20 | tatcccagct tctgagaaag ttcttgctta cttcatgcag gttgagtact ggggacctac  | 6720 |
|    | tatcgggaact attggatacc tcctcttcat ctacttcgga aagcgtatca tgcagaacag | 6780 |
|    | atctcaacct ttccgactca agaacgctat gctcgtttac aacttctacc agaccttctt  | 6840 |
| 25 | caacagctac tgcactctacc ttttcgttac ttctcatagg gctcagggac ttaagggttg | 6900 |
|    | gggaaacatc cctgatatga ctgctaactc ttgggggaatc tctcaggtta tctggcttca | 6960 |
|    | ctacaacaac aagtacgttg agcttctcga cacttcttct atggtgatga ggaagaagtt  | 7020 |
| 30 | cgaccagctt tctttccttc acatctacca ccacactctt ctcatctggt catggttcgt  | 7080 |
|    | tgttatgaag cttgagcctg ttggagattg ctacttcgga tcttctgtta acaccttct   | 7140 |
| 35 | gcacgtgatc atgtactctt actacggact tgctgctctt ggagttaact gtttctggaa  | 7200 |
|    | gaagtacatc acccagatcc agatgcttca gttctgtatc tgtgcttctc actctatcta  | 7260 |
|    | caccgcttac gttcagaata ccgctttctg gcttccttac cttcaactct gggttatggt  | 7320 |
| 40 | gaacatgttc gttctcttcg ccaacttcta ccgtaagagg tacaagtcta aggggtgctaa | 7380 |
|    | gaagcagtga taaggcgcgc ggcgcgcgcg gccgcgcgcca tgtgacagat cgaaggaaga | 7440 |
|    | aagtgtataa agacgactct cactactcga tcgctagtga ttgtcattgt tatatataat  | 7500 |
| 45 | aatgttatct ttcacaactt atcgtaatgc atgtgaaact ataacacatt aatcctactt  | 7560 |
|    | gtcatatgat aacactctcc ccatttaaaa ctcttgtcaa tttaaagata taagattctt  | 7620 |
| 50 | taaatgatta aaaaaaatat attataaatt caatcactcc tactaataaa ttattaatta  | 7680 |
|    | ttattttattg attaaaaaaa tacttatact aatttagtct gaatagaata attagattct | 7740 |
|    | agtctcatcc ccttttaaac caacttagta aacgtttttt tttttaattt tatgaagtta  | 7800 |
| 55 | agtttttacc ttgtttttta aaagaatcgt tcataagatg ccattgccaga acattagcta | 7860 |
|    | cacgttacac atagcatgca gccgcggaga attgtttttt ttccgcactt gtcactccct  | 7920 |

EP 3 266 316 A1

|    |             |             |             |             |             |            |      |
|----|-------------|-------------|-------------|-------------|-------------|------------|------|
|    | tcaaacacct  | aagagcttct  | ctctcacagc  | acacacatac  | aatcacatgc  | gtgcatgcat | 7980 |
|    | tattacacgt  | gatcgccatg  | caaatctcct  | ttatagccta  | taaattaact  | catccgcttc | 8040 |
| 5  | actctttact  | caaaccaaaa  | ctcatcgata  | caaacaagat  | taaaaacata  | cacgaggatc | 8100 |
|    | ttttacaaca  | attaccaaca  | acaacaaaca  | acaacaaca   | ttacaattac  | atttacaatt | 8160 |
|    | accataccat  | gcctccaagg  | gactcttact  | cttatgctgc  | tcctccttct  | gctcaacttc | 8220 |
| 10 | acgaagttga  | tactcctcaa  | gagcacgaca  | agaaagagct  | tgttatcgga  | gatagggctt | 8280 |
|    | acgatgttac  | caacttcggt  | aagagacacc  | ctgggtggaa  | gatcattgct  | taccaagttg | 8340 |
|    | gaactgatgc  | taccgatgct  | tacaagcagt  | tccatggtag  | atctgctaag  | gctgacaaga | 8400 |
| 15 | tgcttaagtc  | tcttccttct  | cgtcctgttc  | acaagggata  | ctctccaaga  | agggctgata | 8460 |
|    | ttatcgctga  | tttccaagag  | ttcaccaagc  | aacttgaggc  | tgagggaatg  | ttcgagcctt | 8520 |
|    | ctcttcctca  | tggttgcttac | agacttgctg  | aggttatcgc  | tatgcatggt  | gctggtgctg | 8580 |
| 20 | ctcttatctg  | gcatggatac  | actttcgctg  | gaatcgctat  | gcttgagggt  | gttcagggaa | 8640 |
|    | gatgtggatg  | gcttatgcat  | gagggtggac  | attactctct  | cactggaaac  | attgctttcg | 8700 |
| 25 | acagagctat  | ccaagttgct  | tggttacggac | ttggatgtgg  | aatgtctggt  | gcttggtggc | 8760 |
|    | gtaaccagca  | taacaagcac  | catgctactc  | ctcaaaagct  | tcagcacgat  | gttgatcttg | 8820 |
|    | atacccttcc  | tctcggttgc  | ttccatgaga  | gaatcgctgc  | taagggttaag | tctcctgcta | 8880 |
| 30 | tgaaggcttg  | gctttctatg  | caagctaagc  | ttttcgctcc  | tgttaccact  | cttcttggtg | 8940 |
|    | ctcttggtatg | gcagctttac  | cttcaccta   | gacacatgct  | caggactaag  | cactacgatg | 9000 |
|    | agcttgctat  | gctcggaatc  | agatacggac  | ttggttgata  | ccttgctgct  | aactacggtg | 9060 |
| 35 | ctggatacgt  | tctcgcttgc  | taccttcttt  | acgttcagct  | tggagctatg  | tacatcttct | 9120 |
|    | gcaacttcgc  | tgtttctcat  | actcacctcc  | ctggttggtga | gcctaacgag  | catgctactt | 9180 |
|    | gggttgagta  | cgctgctaac  | cacactacta  | actggtctcc  | atcttggtgg  | tgtgattggt | 9240 |
| 40 | ggatgtctta  | ccttaactac  | cagatcgagc  | accaccttta  | cccttctatg  | cctcaattca | 9300 |
|    | gacaccctaa  | gatcgctcct  | agagttaagc  | agcttttcga  | gaagcacgga  | cttcactacg | 9360 |
|    | atgttagagg  | atacttcgag  | gctatggctg  | atactttcgc  | taaccttgat  | aacgttgccc | 9420 |
| 45 | atgctcctga  | gaagaaaatg  | cagtaatgag  | atcggtcaaa  | catttggaac  | taaagtttct | 9480 |
|    | taagattgaa  | tcctggtgcc  | ggtcttgcca  | tgattatcat  | ataatttctg  | ttgaattacg | 9540 |
|    | ttaagcacgt  | aataattaac  | atgtaatgca  | tgacgttatt  | tatgagatgg  | gtttttatga | 9600 |
| 50 | ttagagtccc  | gcaattatac  | atttaatacg  | cgatagaaaa  | caaaatatag  | cgcgcaaact | 9660 |
|    | aggataaatt  | atcgcgcgcg  | gtgtcatcta  | tgttactaga  | tcggtcgatt  | aaaaatccca | 9720 |
| 55 | attatatattg | gtctaattta  | gtttggtatt  | gagtaaaaca  | aattcgaacc  | aaacccaaat | 9780 |
|    | ataaatatat  | agttttttata | tatatgcctt  | taagactttt  | tatagaattt  | tctttaaaaa | 9840 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | atatctagaa atatttgoga ctcttctggc atgtaatat tctgttaaata tgaagtgtc   | 9900  |
|    | catttttatt aacttttaaat aattgggtgt acgatcactt tcttatcaag tgttactaaa | 9960  |
| 5  | atgcgtcaat ctctttgttc ttccatattc atatgtcaaa atctatcaaa attcttatat  | 10020 |
|    | atctttttcg aatttgaagt gaaatttoga taatttataa ttaaatagaa catatcatta  | 10080 |
|    | tttaggtatc atattgattt ttataactta ttactaaatt tggttaaact tgaagtgt    | 10140 |
| 10 | catcaacgaa aaattagtca aacgactaaa ataaataaat atcatgtgtt attaagaaaa  | 10200 |
|    | ttctcctata agaataattt aatagatcat atgtttgtta aaaaaattaa tttttactaa  | 10260 |
|    | cacatatatt tacttatcaa aaatttgaca aagtaagatt aaaataatat tcatctaaca  | 10320 |
| 15 | aaaaaaaaac cagaaaatgc tgaaaaccgc gcaaaaccga accaatccaa accgatatag  | 10380 |
|    | ttggtttggg ttgattttga tataaaccga accaactcgg tccatttgca cccctaata   | 10440 |
| 20 | taatagcttt aatatttcaa gatattatta agttaacgtt gtcaatatcc tggaaatttt  | 10500 |
|    | gcaaaatgaa tcaagcctat atggctgtta tatgaattta aaagcagctc gatgtggtgg  | 10560 |
|    | taatatgtaa tttacttgat tctaaaaaaa tatcccaagt attaataatt tctgctagga  | 10620 |
| 25 | agaaggtag ctacgattta cagcaaagcc agaatacaaa gaaccataaa gtgattgaag   | 10680 |
|    | ctcgaaatat acgaaggaac aaatattttt aaaaaataac gcaatgactt ggaacaaaag  | 10740 |
|    | aaagtgatat attttttgtt cttaaacaag catcccctct aaagaatggc agttttcctt  | 10800 |
| 30 | tgcattgtaac tattatgctc ccttcgttac aaaaattttg gactactatt gggaacttct | 10860 |
|    | tctgaaaata gtgatagaac ccacacgagc atgtgctttc catttaattt taaaaacca   | 10920 |
| 35 | gaaacataca tacataacat tccatcagcc tctctctctt tttattacgg ttaatgactt  | 10980 |
|    | aaaacacatc ttattatccc atccttaaca cctagcagtg tctttatacg atctcatga   | 11040 |
|    | tcaccacttc aaaaccatgc agactgctgc tgcccctgga gctggcatcg gctaggctgg  | 11100 |
| 40 | gtgccgcact gtcccgaag gtccctagcg acttggttag attgatggga ccacctctca   | 11160 |
|    | acttcctgct gctgtccctg ctgctggatg tccctgctca tctggccgat tgcacgctcc  | 11220 |
|    | agtcccctgc atgtgcactc gctcctcaat tgcttaagat catcgcagca gctatcgaag  | 11280 |
| 45 | tgctggctct gttgccctcc tccacggcct tgggtgtagt agtagctgcc gccgcccttc  | 11340 |
|    | tggacttttt cccacaggaa ccgccgaata attcgataga accacacgag catgtgcttt  | 11400 |
|    | catttatattt aaaaaccaag aaacatacat aacatttcat cagcctctct ctctctctct | 11460 |
| 50 | ctctctctct ctctctctct ctctctctct ctctctttat tacagctgtt aactaactt   | 11520 |
|    | aaaacacatt catctcatta ttattattat tatccatcct taacacctag cagtgtcttt  | 11580 |
| 55 | gtacgatctc ataatcgatc accccttcat caggatcct taggcttcac tccaacgttg   | 11640 |
|    | ttgcagttac ggaacatgta cacaccatca tggttctcaa cgaactggca agatctccaa  | 11700 |

EP 3 266 316 A1

|    |             |             |            |             |             |            |       |
|----|-------------|-------------|------------|-------------|-------------|------------|-------|
|    | gttttccaaa  | ggctaacca   | catgttctca | tcggtgtgtc  | tgtagtgtctc | tcccataact | 11760 |
|    | ttcttgatgc  | actcggtagc  | ttctctagca | tggtagaatg  | ggatccttga  | aacgtagtga | 11820 |
| 5  | tggagcacat  | gagtctcgat  | gatgtcatgg | aagatgattc  | cgaggattcc  | gaactctcta | 11880 |
|    | tcgatagtag  | cagcagcacc  | cttagcgaaa | gtccactcct  | gagcatcgta  | atgaggcata | 11940 |
|    | gaagaatcgg  | tgtgctgaag  | gaaggtaacg | aaaacaagcc  | agtggttaac  | aaggatccaa | 12000 |
| 10 | ggacagaacc  | atgtgatgaa  | agtaggccag | aatccgaaaa  | ccttgtaagc  | ggtgtaaaca | 12060 |
|    | gaagtgaggg  | tagcaaggat  | tccaagatca | gaaagaacga  | tgtaccagta  | gtccttctta | 12120 |
|    | tcgaaaacag  | ggctagaagg  | ccagtagtga | gacttgaaaga | acttagaaac  | accagggtaa | 12180 |
| 15 | ggttgtccag  | tagcgttagt  | agcaaggtaa | agagaaagtc  | ctccaagctg  | ttggaacaag | 12240 |
|    | agagcgaaaa  | cagagtagat  | aggagtttcc | tcagcgatat  | cgtgaaggct  | ggtaacttgg | 12300 |
|    | tgccttctctt | tgaattcctc  | ggcgggtgaa | ggaacgaaaa  | ccatatctct  | ggtcatgtgt | 12360 |
| 20 | ccagtagcct  | tatgggtgctt | agcatgagag | aacttccagc  | tgaagtaagg  | aaccataaca | 12420 |
|    | agagagtgga  | gaacccatcc  | aacggtatcg | ttaacccatc  | cgtagttaga  | gaaagcagaa | 12480 |
| 25 | tgtccacact  | catgtccaag  | gatccagatt | ccgaatccga  | aacaagagat  | agagaacacg | 12540 |
|    | taagcagacc  | aagcagcgaa  | tctaaggaat | tcgttaggga  | gaagagggat  | gtaggtaagt | 12600 |
|    | ccaacgtaag  | cgatagcaga  | gatagccacg | atatctctca  | ccacgtaaga  | catagacttc | 12660 |
| 30 | acgagagatc  | tctcgttaaca | gtgcttaggg | atagcgtcaa  | ggatatcctt  | gatggtgtaa | 12720 |
|    | tctggcacct  | tgaaaacgtt  | tccgaaggta | tcgatagcgg  | tcttttgctg  | cttgaaagat | 12780 |
|    | gcaacgtttc  | cagaacgcct  | aacggtctta | gtagatccct  | caaggatctc  | agatccagac | 12840 |
| 35 | acggtaacct  | tagacatggg  | atggtaattg | taaatgtaat  | tgtaatgttg  | tttgttggtt | 12900 |
|    | gttgttggtg  | gtaattgttg  | taaaattttt | ggtgggtgatt | ggttctttta  | ggtgtgagag | 12960 |
|    | tgagttgtga  | gttgtgtggt  | gggtttggtg | agattgggga  | tgggtgggtt  | atatagtgga | 13020 |
| 40 | gactgaggaa  | tggggtcgtg  | agtgttaact | ttgcatgggc  | tacacgtggg  | ttcttttggg | 13080 |
|    | cttacacgta  | gtattattca  | tgcaaagtca | gccaatacat  | atacgttatt  | ttaataatgt | 13140 |
|    | gtgggaatac  | aatatgccga  | gtattttact | aattttggca  | atgacaagtg  | tacatttgga | 13200 |
| 45 | ttatcttact  | tggcctctct  | tgctttaatt | tggattatct  | ttattctctt  | accttggccg | 13260 |
|    | ttcatattca  | catccctaaa  | ggcaagacag | aattgaatgg  | tggccaaaaa  | ttaaaacgat | 13320 |
|    | ggatatgacc  | tacatagtgt  | aggatcaatt | aacgtogaag  | gaaaatactg  | attctctcaa | 13380 |
| 50 | gcatacggac  | aagggtaaat  | aacatagtca | ccagaacata  | ataaacaaaa  | agtgcagaag | 13440 |
|    | caagactaaa  | aaaattagct  | atggacattc | aggttcatat  | tggaaacatc  | attatcctag | 13500 |
| 55 | tcttgtgacc  | atccttcctc  | ctgctctagt | tgagaggcct  | tgggactaac  | gagaggtcag | 13560 |
|    | ttgggtagag  | agatccttat  | cctggactag | cctttctggg  | gtttcagagt  | cttcgtgccg | 13620 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | ccgtctacat ctatctccat taggtctgaa gatgactctt cacaccaacg acgtttaagg   | 13680 |
|    | tctctatcct actcctagct tgcaatacct ggcttgcaat acctggagca tcgtgcacga   | 13740 |
| 5  | tgattggata ctgtggagga ggagtgtttg ctgatttaga gctcccgggt ggggtgatttg  | 13800 |
|    | acttcgattt cagtttaggc ttgttgaaat ttttcagggt ccattgtgaa gcctttagag   | 13860 |
|    | cttgagcttc cttccatgtt aatgccttga tcgaatactc ctagagaaaa gggaagtoga   | 13920 |
| 10 | tctctgagta ttgaaatoga agtgcacatt ttttttcaac gtgtccaatc aatccacaaa   | 13980 |
|    | caaagcagaa gacaggtaat ctttcatact tatactgaca agtaatagtc ttaccgtcat   | 14040 |
|    | gcataataac gtctcgttcc ttcaagaggg gttttccgac atccataacg acccgaagcc   | 14100 |
| 15 | tcatgaaagc attagggag aacttttgggt tcttcttgtc atggccttta taggtgtcag   | 14160 |
|    | ccgagctcgc caattcccggt ccgactggct ccgcaaaata ttogaacggc aagttatgga  | 14220 |
| 20 | cttgcaacca taactccacg gtattgagca ggacctattg tgaagactca tctcatggag   | 14280 |
|    | cttcagaatg tggttgtcag caaaccaatg accgaaatcc atcacatgac ggacgtccag   | 14340 |
|    | tgggtgagcg aaacgaaaca ggaagcgcct atctttcaga gtctgtgagct ccacaccgga  | 14400 |
| 25 | ttccggcaac tacgtgttgg gcaggcttcg ccgtattaga gatatgttga ggcagacca    | 14460 |
|    | tctgtgccac tcgtacaatt acgagagttg ttttttttgt gatttttcta gtttctcgtt   | 14520 |
|    | gatggtgagc tcatattcta catcgtatgg tctctcaacg tcgttttctg tcatctgata   | 14580 |
| 30 | tcccgtcatt tgcattccacg tgcgcgcgcct cccgtgccaa gtccctaggt gtcatgcacg | 14640 |
|    | ccaaattgggt ggtggtgcgg gctgccctgt gcttcttacc gatgggtgga ggttgagttt  | 14700 |
| 35 | gggggtctcc gcggcgatgg tagtgggttg acggtttgggt gtgggttgac ggcattgatc  | 14760 |
|    | aatttacttc ttgcttcaaa ttctttggca gaaaacaatt cattagatta gaactggaaa   | 14820 |
|    | ccagagtgat gagacggatt aagtcagatt ccaacagagt tacatctctt aagaaataat   | 14880 |
| 40 | gtaaccctt tagactttat atatttgcaa ttaaaaaaat aatttaactt ttagacttta    | 14940 |
|    | tatatagttt taataactaa gtttaaccac tctattattt atatcgaaac tatttgtatg   | 15000 |
|    | tctcccctct aaataaactt ggtattgtgt ttacagaacc tataatcaa taatcaatac    | 15060 |
| 45 | tcaactgaag tttgtgcagt taattgaagg gattaacggc caaatgcac tagtattatc    | 15120 |
|    | aaccgaatag attcacacta gatggccatt tccatcaata tcatcgccgt tcttcttctg   | 15180 |
|    | tccacatatc cctctgaaa cttgagagac acctgcactt cattgtcctt attacgtgtt    | 15240 |
| 50 | acaaaatgaa acccatgcat ccatgcaaac tgaagaatgg cgcaagaacc cttcccctcc   | 15300 |
|    | atttcttatg tggcgaccat ccatttcacc atctcccgct ataaaacacc cccatcactt   | 15360 |
| 55 | cacctagaac atcatcacta cttgcttatc catccaaaag ataccactt ttacaacaat    | 15420 |
|    | taccaacaac aacaaacaac aaacaacatt acaattacat ttacaattac cataccatgc   | 15480 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | cacctagcgc tgctaagcaa atgggagctt ctactggtgt tcatgctggt gttactgact  | 15540 |
|    | cttctgcttt caccagaaag gatgttgctg atagacctga tctcaccatc gttggagatt  | 15600 |
| 5  | ctgtttacga tgctaaggct ttcagatctg agcatcctgg tgggtgctcat ttcgtttctt | 15660 |
|    | tgttcggagg aagagatgct actgaggctt tcatggaata ccatagaagg gcttggccta  | 15720 |
|    | agtctagaat gtctagattc cacgttggat ctcttgcttc tactgaggaa cctgttgctg  | 15780 |
| 10 | ctgatgaggg ataccttcaa ctttgtgcta ggatcgctaa gatgggtgcct tctgtttctt | 15840 |
|    | ctggattcgc tcctgcttct tactgggtta aggctggact tatccttgga tctgctatcg  | 15900 |
|    | ctcttgaggc ttacatgctt tacgctggaa agagacttct cccttctatc gttcttgcat  | 15960 |
| 15 | ggcttttcgc tcttatcggg cttaacatcc agcatgatgc taaccatggg gctttgtcta  | 16020 |
|    | agtctgcttc tgttaacctt gctcttgga tttgtcagga ttggatcgga ggatctatga   | 16080 |
|    | tcctttggct tcaagagcat gttgttatgc accacctcca cactaacgat gttgataagg  | 16140 |
| 20 | atcctgatca aaaggctcac ggtgctctta gactcaagcc tactgatgct tggtcaccta  | 16200 |
|    | tgcataggct tcagcatctt taccttttgc ctggtgagac tatgtacgct ttcaagcttt  | 16260 |
|    | tgttcctcga catctctgag cttgttatgt ggcgttggga ggggtgagcct atctctaagc | 16320 |
| 25 | ttgctggata cctctttatg ccttctttgc ttctcaagct taccttctgg gctagattcg  | 16380 |
|    | ttgctttgcc tctttacctt gctccttctg ttcatactgc tgtgtgtatc gctgctactg  | 16440 |
|    | ttatgactgg atctttctac ctgcgtttct tcttcttcat ctcccacaac ttcgaggggtg | 16500 |
|    | ttgcttctgt tggacctgat ggatctatca cttctatgac tagagggtgct agcttcctta | 16560 |
|    | agagacaagc tgagacttct tctaacgttg gaggacctct tcttgctact cttaacgggtg | 16620 |
| 35 | gactcaacta ccaaattgag catcacttgt tccttagagt tcaccatgga ttctacccta  | 16680 |
|    | gacttgctcc tcttggttaag gctgagcttg aggctagagg aatcgagtac aagcactacc | 16740 |
|    | ctactatctg gtctaacctt gcttctaccc tcagacatat gtacgctctt ggaagaaggc  | 16800 |
| 40 | ctagatctaa ggctgagtaa tgacaagctt atgtgacgtg aaataataac ggtaaaatat  | 16860 |
|    | atgtaataat aataataata aagccacaaa gtgagaatga ggggaagggg aaatgtgtaa  | 16920 |
|    | tgagccagta gccgggtggtg ctaattttgt atcgtattgt caataaatca tgaattttgt | 16980 |
| 45 | ggtttttatg tgttttttta aatcatgaat tttaaatttt ataaaataat ctccaatcgg  | 17040 |
|    | aagaacaaca ttccatatcc atgcatggat gtttctttac ccaaactctag ttcttgagag | 17100 |
|    | gatgaagcat caccgaacag ttctgcaact atccctcaaa agcttttaaaa tgaacaacaa | 17160 |
| 50 | ggaacagagc aacgttccaa agatcccaaa cgaaacatat tatctatact aatactatat  | 17220 |
|    | tattaattac tactgcccg aatcacaatc cctgaatgat tcctattaac tacaagcctt   | 17280 |
|    | gttggcggcg gagaagtgat cggcgcggcg agaagcagcg gactcggaga cgaggccttg  | 17340 |
| 55 | gaagatctga gtcgaacggg cagaatcagt attttcttct gacgttaatt gatcctacac  | 17400 |

EP 3 266 316 A1

|    |            |            |             |             |             |             |       |
|----|------------|------------|-------------|-------------|-------------|-------------|-------|
|    | tatgtaggtc | atatccatcg | ttttaatttt  | tggccacccat | tcaattctgt  | cttgcccttta | 17460 |
|    | gggatgtgaa | tatgaacggc | caaggtaaga  | gaataaaaat  | aatccaaatt  | aaagcaagag  | 17520 |
| 5  | aggccaagta | agataatcca | aatgtacact  | tgtcattgcc  | aaaattagta  | aaatactcgg  | 17580 |
|    | catattgtat | tcccacacat | tattaaaata  | ccgtatatgt  | attggctgca  | tttgcatgaa  | 17640 |
|    | taatactacg | tgtaaagcca | aaagaaccca  | cgtgtagccc  | atgcaaagtt  | aacactcacg  | 17700 |
| 10 | accccatctc | tcagtctcca | ctatataaac  | ccaccatccc  | caatctcacc  | aaaccaccca  | 17760 |
|    | cacaactcac | aactcactct | cacaccttaa  | agaaccaatc  | accaccaaaa  | atttttacaac | 17820 |
| 15 | aattaccaac | aacaacaaac | aacaaacaac  | attacaatta  | cattttacaat | taccatacca  | 17880 |
|    | tgagcgcctg | taccgttact | ggatctgata  | ctaagaacag  | aggatcttct  | agcaacaccg  | 17940 |
|    | agcaagaggt | tccaaaagtt | gctatcgata  | ccaacggaaa  | cgtgttctct  | gttcctgatt  | 18000 |
| 20 | tcaccatcaa | ggacatcctt | ggagctatcc  | ctcatgagtg  | ttacgagaga  | agattggcta  | 18060 |
|    | cctctctcta | ctacgtgttc | agagatatct  | tctgcatgct  | taccaccgga  | taccttacct  | 18120 |
|    | ataagatcct | ttaccctctc | ctcatctctt  | acacctctaa  | cagcatcatc  | aagttcactt  | 18180 |
| 25 | tctgggccc  | ttacacttac | gttcaaggac  | ttttcggaac  | cggaatctgg  | gttctcgctc  | 18240 |
|    | atgagtgtgg | acatcaagct | ttctctgatt  | acggaatcgt  | gaacgatttc  | gttggatgga  | 18300 |
|    | cccttcactc | ttaccttatg | gttccttact  | tcagctggaa  | gtactctcat  | ggaaagcacc  | 18360 |
| 30 | ataaggctac | tggacacatg | accagagata  | tggttttcgt  | tcctgccacc  | aaagaggaat  | 18420 |
|    | tcaagaagtc | taggaacttc | ttcggttaacc | tcgctgagta  | ctctgaggat  | tctccactta  | 18480 |
| 35 | gaacccttta | cgagcttctt | gttcaacaac  | ttggaggatg  | gacgcttac   | ctcttcgtta  | 18540 |
|    | acgttacagg | acaaccttac | cctgatgttc  | cttcttggaa  | atggaaccac  | ttctggctta  | 18600 |
|    | cctctccact | tttcgagcaa | agagatgctc  | tctacatctt  | cctttctgat  | cttggaatcc  | 18660 |
| 40 | tcacccaggg | aatcgttctt | actctttggt  | acaagaaatt  | cggaggatgg  | tcctttttca  | 18720 |
|    | tcaactgggt | cgttccttac | atctgggtta  | accactggct  | cgttttcatc  | acattccttc  | 18780 |
|    | agcacactga | tcctactatg | cctcattaca  | acgctgagga  | atggactttc  | gctaagggtg  | 18840 |
| 45 | ctgctgctac | tatcgataga | aagttcggat  | tcacatcttc  | catgatata   | ca          | 18900 |
|    | tcgagactca | tgtgcttcac | cactactgtt  | ctaggatccc  | attctacaac  | gctagacctg  | 18960 |
|    | cttctgaggg | tatcaagaaa | gttatgggaa  | agcactacag  | gtctagcgac  | gagaacatgt  | 19020 |
| 50 | ggaagtcact | ttggaagtct | ttcaggtctt  | gccaatcgt   | tgacgggtgat | aacgggtgtc  | 19080 |
|    | tcatgttccg | taacatcaac | aactgcggag  | ttggagctgc  | tgagaagtaa  | tgaaggggtg  | 19140 |
| 55 | atcgattatg | agatcgtaca | aagacactgc  | taggtgttaa  | ggatggataa  | taataataat  | 19200 |
|    | aatgagatga | atgtgtttta | agttagtgt   | acagctgtaa  | taaagagaga  | gagagagaga  | 19260 |



EP 3 266 316 A1

|    |            |             |            |             |            |             |       |
|----|------------|-------------|------------|-------------|------------|-------------|-------|
|    | gagagagaga | gagagagaga  | gagagagaga | gagaggctga  | tgaaatgtta | tgtatgtttc  | 19320 |
|    | ttggttttta | aaataaatga  | aagcacatgc | tcgtgtgggt  | ctatcgaatt | attcggcggt  | 19380 |
| 5  | tcctgtggga | aaaagtccag  | aagggccgcc | gcagctacta  | ctacaaccaa | ggccgtggag  | 19440 |
|    | gagggcaaca | gagccagcac  | ttcgatagct | gctgcgatga  | tcttaagcaa | ttgaggagcg  | 19500 |
|    | agtgcacatg | caggggactg  | gagcgtgcaa | tcggccagat  | gaggcaggac | atccagcagc  | 19560 |
| 10 | agggacagca | gcaggaagtt  | gagaggtggt | cccatcaatc  | taaacaagtc | gctagggacc  | 19620 |
|    | ttccgggaca | gtgcggcacc  | cagcctagcc | gatgccagct  | ccaggggcag | cagcagtctg  | 19680 |
|    | catggttttg | aagtggatgat | cgatgagatc | gtataaagac  | actgctaggt | gttaaggatg  | 19740 |
| 15 | ggataataag | atgtgtttta  | agtcattaac | cgtataaaaa  | agagagagag | gctgatggaa  | 19800 |
|    | tgttatgtat | gtatgtttct  | tggtttttaa | aattaaatgg  | aaagcacatg | ctcgtgtggg  | 19860 |
|    | ttctatctcg | attaaaaatc  | ccaattatat | ttggtctaata | ttagtttggt | attgagtaaa  | 19920 |
| 20 | acaaattcga | accaaaccac  | aatataaata | tatagttttt  | atatatatgc | ctttaagact  | 19980 |
|    | ttttatagaa | ttttctttta  | aaaatatcta | gaaatatttg  | cgactcttct | ggcatgtaat  | 20040 |
| 25 | atttcgttaa | atatgaagtg  | ctccattttt | attaacttta  | aataattggt | tgtacgatca  | 20100 |
|    | ctttcttata | aagtgttact  | aaaatgcgtc | aatctctttg  | ttcttccata | ttcatatgtc  | 20160 |
|    | aaaatctatc | aaaattctta  | tatatctttt | tcgaatttga  | agtgaatttt | cgataattta  | 20220 |
| 30 | aaattaaata | gaacatatca  | ttatttaggt | atcatattga  | tttttatact | taattactaa  | 20280 |
|    | atttggttaa | ctttgaaagt  | gtacatcaac | gaaaaattag  | tcaaacgact | aaaataaata  | 20340 |
|    | aatatcatgt | gttattaaga  | aaattctcct | ataagaatat  | tttaatagat | catatgtttg  | 20400 |
| 35 | taaaaaaaaa | taattttttac | taacacatat | atttaacttat | caaaaatttg | acaaagtaag  | 20460 |
|    | attaaaataa | tattcatcta  | acaaaaaaaa | aaccagaaaa  | tgctgaaaac | ccggcaaaac  | 20520 |
|    | cgaaccaatc | caaaccgata  | tagttggttt | ggtttgattt  | tgatataaac | cgaaccaact  | 20580 |
| 40 | cggtccattt | gcaccacctaa | tcataatagc | tttaatatatt | caagatatta | ttaagttaac  | 20640 |
|    | gttgtcaata | tcctggaaat  | tttgcaaaat | gaatcaagcc  | tatatggctg | taatataaat  | 20700 |
|    | ttaaaagcag | ctcgatgtgg  | tggtaatatg | taatttactt  | gattctaaaa | aaatatccca  | 20760 |
| 45 | agtattaata | atttctgcta  | ggaagaaggt | tagctacgat  | ttacagcaaa | gccagaatac  | 20820 |
|    | aaagaaccat | aaagtgattg  | aagctcgaaa | tatacgaagg  | aacaaatatt | tttaaaaaaa  | 20880 |
|    | tacgcaatga | cttggaacaa  | aagaaagtga | tatatTTTTT  | gttcttaaac | aagcatcccc  | 20940 |
| 50 | tctaaagaat | ggcagttttc  | ctttgcatgt | aactattatg  | ctcccttcgt | tacaaaaaatt | 21000 |
|    | ttggactact | attgggaact  | tcttctgaaa | atagtcctgc  | aggctagtag | attggttggt  | 21060 |
| 55 | tggtttccat | gtaccagaag  | gcttacccta | ttagttgaaa  | gttgaaactt | tgttccctac  | 21120 |
|    | tcaattccta | gttgtgtaaa  | tgtatgtata | tgtaatgtgt  | ataaaacgta | gtacttaaat  | 21180 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | gactaggagt ggttcttgag accgatgaga gatgggagca gaactaaaga tgatgacata   | 21240 |
|    | attaagaacg aatttgaaag gctcttaggt ttgaatccta ttogagaatg tttttgtcaa   | 21300 |
| 5  | agatagtggc gattttgaac caaagaaaac atttaaaaaa tcagtatccg gttacgttca   | 21360 |
|    | tgcaaataga aagtgggtcta ggatctgatt gtaatttttag acttaaagag tctcttaaga | 21420 |
|    | ttcaatcctg gctgtgtaca aaactacaaa taatatatatt tagactatatt ggccttaact | 21480 |
| 10 | aaacttccac tcattatttta ctgagggttag agaatagact tgogaataaa cacattcccg | 21540 |
|    | agaaatactc atgatcccat aattagtcag aggggtatgcc aatcagatct aagaacacac  | 21600 |
| 15 | attccctcaa attttaatgc acatgtaatc atagtttagc acaattcaaa aataatgtag   | 21660 |
|    | tattaaagac agaaatttgt agactttttt ttggcggttaa aagaagacta agtttatacg  | 21720 |
|    | tacattttat ttttaagtga aaaccgaaat tttccatcga aatatatgaa tttagtatat   | 21780 |
| 20 | atatttctgc aatgtactat tttgctatatt tggcaacttt cagtggacta ctactttatt  | 21840 |
|    | acaatgtgta tggatgcatg agtttgagta tacacatgtc taaatgcatg ctttgtaaaa   | 21900 |
|    | cgtaacggac cacaaaagag gatccatata aatacatctc atagcttcct ccattatttt   | 21960 |
| 25 | ccgacacaaa cagagcattt tacaacaatt accaacaaca acaaacaaca aacaacatta   | 22020 |
|    | caattacatt tacaattacc ataccatgga atttgctcaa cctctcggtt ctatggctca   | 22080 |
|    | agagcagtac gctgctatcg atgctgttgt tgctcctgct atcttctctg ctaccgactc   | 22140 |
| 30 | tattggatgg ggactcaagc ctatctcttc tgctactaag gatctccctc tcgttgaatc   | 22200 |
|    | tcctacccct cttatccctt ctctcctcgc ttacttcgct atcggttggt ctggactcgt   | 22260 |
| 35 | ttaccgtaaa gtgttcctta gaaccgttaa gggacaggat cctttccttc tcaaggctct   | 22320 |
|    | tatgctcgct cacaacgttt tccttatcgg actcagcctt tacatgtgcc tcaagctcgt   | 22380 |
|    | ttacgaggct tacgtgaaca agtactcctt ctggggaaac gcttacaacc ctgctcaaac   | 22440 |
| 40 | cgagatggct aaggtgatct ggatcttcta cgtgtccaag atctacgagt tcatggacac   | 22500 |
|    | cttcatcatg cttctcaagg gaaacgttaa ccaggtttcc ttctccatg tttaccacca    | 22560 |
|    | cggatctatc tctggaatct ggtggatgat cacttatgct gctccagggtg gagatgctta  | 22620 |
| 45 | cttctctgct gctctcaact cttgggttca tgtgtgcatg tacacctact acttcatggc   | 22680 |
|    | tgctgttctt cctaaggacg aaaagaccaa gagaaagtac ctttggtggg gaagatacct   | 22740 |
|    | taccacagatg caaatgttcc agttcttcat gaaccttctc caggctgttt acctcctcta  | 22800 |
| 50 | ctcttcttct ccttacccta agttcattgc tcaactcctc gttgtttaca tggttaccct   | 22860 |
|    | cctcatgctt ttcggaaact tctactacat gaagcaccac gcttctaagt gataagggcc   | 22920 |
| 55 | gccgccatgt gacagatcga aggaagaaag tgtaataaga cgactctcac tactcgatcg   | 22980 |
|    | ctagtgattg tcattgttat atataataat gttatctttc acaacttatc gtaatgcatg   | 23040 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | tgaaactata acacattaat cctacttgtc atatgataac actctcccca tttaaaactc  | 23100 |
|    | ttgtcaattt aaagatataa gattctttaa atgattaaaa aaaatatatt ataaattcaa  | 23160 |
| 5  | tcactcctac taataaatta ttaattatta tttattgatt aaaaaaatac ttatactaata | 23220 |
|    | ttagtctgaa tagaataatt agattctagc ctgcagggcg gccgcggatc ccatggagtc  | 23280 |
|    | aaagattcaa atagaggacc taacagaact cgccgtaaag actggcgaac agttcataca  | 23340 |
| 10 | gagtctctta cgactcaatg acaagaagaa aatcttcgtc aacatggtgg agcacgacac  | 23400 |
|    | acttgtctac tccaaaaata tcaaagatac agtctcagaa gaccaaaggg caattgagac  | 23460 |
|    | ttttcaacaa agggtaatat ccggaacact cctcggattc cattgcccag ctatctgtca  | 23520 |
| 15 | ctttattgtg aagatagtgg aaaaggaagg tggctcctac aaatgccatc attgcgataa  | 23580 |
|    | aggaaaggcc atcgttgaag atgcctctgc cgacagtggc ccaaagatg gacccccacc   | 23640 |
|    | cacgaggagc atcgttgaaa aagaagacgt tccaaccacg tcttcaaagc aagtggattg  | 23700 |
| 20 | atgtgatatc tccactgacg taagggatga cgcacaatcc cactatcctt cgcaagaccc  | 23760 |
|    | ttcctctata taaggaagtt catttcattt ggagagaaca cgggggactg aattaaatat  | 23820 |
|    | gagccctgag aggcgtcctg ttgaaatcag acctgctact gctgctgata tggctgctgt  | 23880 |
| 25 | ttgtgatatc gtgaaccact acatcgagac ttctaccgtt aacttcagaa ctgagcctca  | 23940 |
|    | aactcctcaa gagtggatcg atgatcttga gagactccaa gatagatacc cttggcttgt  | 24000 |
| 30 | tgctgagggt gaggggtgtg ttgctggaat cgcttacgct ggaccttga aggctagaaa   | 24060 |
|    | cgcttacgat tggactgttg agtctaccgt ttacgtttca cacagacatc agagacttgg  | 24120 |
|    | acttggatct accctttaca ctcaccttct caagtctatg gaagctcagg gattcaagtc  | 24180 |
| 35 | tgttggttgc gttatcggac tccctaacga tcttctgtt agacttcatg aggtcttgg    | 24240 |
|    | atacactgct agaggaactc ttagagctgc tggatacaag cacggtggat ggcatgatgt  | 24300 |
|    | tggattctgg caaagagatt tcgagcttcc tgcctcctct agacctgtta gaccagttac  | 24360 |
| 40 | tcagatctga atttgcgtga tcgttcaaac atttggcaat aaagtttctt aagattgaat  | 24420 |
|    | cctgttgccg gtcttgcatg gattatcata taatttctgt tgaattacgt taagcatgta  | 24480 |
|    | ataattaaca tgtaatgcat gacgttattt atgagatggg tttttatgat tagagtcccg  | 24540 |
| 45 | caattataca tttaatcgc gatagaaaac aaaatatagc gcgcaaacta ggataaatta   | 24600 |
|    | tcgcgcgcgg tgtcatctat gttactagat cactagtgat gtacggttaa aaccaccca   | 24660 |
|    | gtacattaaa aacgtccgca atgtgttatt aagttgtcta agcgtcaatt tgtttacacc  | 24720 |
| 50 | acaatatatc ctgccaccag ccagccaaca gctccccgac cggcagctcg gcacaaaatc  | 24780 |
|    | accactcgat acaggcagcc catcagtc                                     | 24809 |
| 55 | <210> 6                                                            |       |
|    | <211> 26543                                                        |       |

# EP 3 266 316 A1

<212> DNA

<213> Artificial Sequence

<220>

<223> pGA7- mod\_F nucleotide sequence

<400> 6

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
| 5  | tcctgtggtt ggcatgcaca tacaaatgga cgaacggata aaccttttca cgccctttta  | 60   |
| 10 | aatatccgat tatttctaata aacgctcttt tctcttaggt ttacccgcca atatatcctg | 120  |
|    | tcaaacactg atagtttaaa ctgaaggcgg gaaacgacaa tctgctagtg gatctcccag  | 180  |
|    | tcacgacgtt gtaaacggg cgggcggccg cctagaatct aattattcta ttcagactaa   | 240  |
| 15 | attagtataa gtattttttt aatcaataaa tattaattaa taatttatta gtaggagtga  | 300  |
|    | ttgaatttat aatatatttt ttttaatcat ttaaagaatc ttatatcttt aaattgacaa  | 360  |
|    | gagttttaaa tggggagagt gttatcatat gacaagtagg attaagtgtg tatagtttca  | 420  |
| 20 | catgcattac gataagttgt gaaagataac attattatat ataacaatga caatcactag  | 480  |
|    | cgatcgagta gtgagagtcg tcttattaca ctttcttctt tcgatctgtc acatggcggc  | 540  |
|    | ggcccgcgat cgcgataatt ctgagtcgct cttctccgcc ttgccgttga cgtagtagtg  | 600  |
| 25 | ctgcccagacc ttatccaagt tcgagaacgt cgccttccag gcgccgtaat aggacagcac | 660  |
|    | cttgtagttc agccccact tcttcgcgaa cgggacgaac cgccggctca cctccggctg   | 720  |
|    | gcgaaactgc ggcatgtccg ggaacaggtg atgaatgacc tggcagttca gatatcccat  | 780  |
| 30 | caaccagttc acgtaccgcg cgcacgggtc gatgtccacg gtgtgatcga ccgcgtagtt  | 840  |
|    | caccagctc aggtgcttat ccgagggcac gaccgggagg tgcgtgtggc tcgtggagaa   | 900  |
| 35 | gtgcgcgaag aggtacatgt acgcgatcca gttgccgaag gtgaaccacc agtacgcgac  | 960  |
|    | gggccacgag taccctctcg cgagtttaat caccgcggct ctgacgacgt gagagacgag  | 1020 |
|    | catccacgac gcctcctcgt agttcttctt tcgcaacacc tgccgcgggt gcaggacgta  | 1080 |
| 40 | gatccagaac gcctggacga gcagcccga ggtcaccggg acgaacgtcc acgcctgaag   | 1140 |
|    | ccgagcccac gcgcgggaga accccctcgg ccggttgtcc tccacggcgg tgttaaaaaa  | 1200 |
|    | cgccaccgcg ggggtcgtgt ccaggtccat gtcgtgcctc actttctgcg gcgtcgcgtg  | 1260 |
| 45 | gtgcttattg tgcacatctc cccgctcgtg gacagcccga acccgcacgt             | 1320 |
|    | catcgcttgg aggcgcttgt cgacgtagac ggaccccggt agcgagttgt gcccgccctc  | 1380 |
|    | gtgctggacc caaccgcacc gagcggcgaa gaacgcgccg tacacgacgg acgcgatgat  | 1440 |
| 50 | cgggtacctg gcgtacatga gggcgggtgc gagggcgaa gtgcgcgagga gctcgagtaa  | 1500 |
|    | ccgatacgcg acgtgcgtta tcgagggcct aaagaaccgg tcgcgttcga gctccgcgcg  | 1560 |
| 55 | ccaccgcgcg aaatcctcca acatcggcgc gtcctcgctc tcgctgcgtt tgatctccgc  | 1620 |
|    | ggggcgcgac ggcagcgctc tgagcatctt ccacgcctta agcgatcgca tgtggaactc  | 1680 |

EP 3 266 316 A1

|    |            |            |            |             |             |            |      |
|----|------------|------------|------------|-------------|-------------|------------|------|
|    | cttgaacgcc | tccgtggcgt | ccgcgcccgt | gttcgcgagc  | atgtagaata  | tcacgctgcc | 1740 |
|    | tcccgggtgt | ttgaagtttg | tgacgtcgta | ctcgacgtcc  | tccacgcgca  | cccatcgcgt | 1800 |
| 5  | ctcgaacgtc | gccgcgagct | cgtgcggctc | gagcgttttg  | agatcgacgg  | gcgcggtcga | 1860 |
|    | cgcgtccttg | gcgtcgagcg | cctccgcgga | ggatttgctg  | cgcgtcagcg  | gcgatcgcg  | 1920 |
|    | ggacgatcgg | ccgtccgtct | tcggcgggca | catcgtcgcg  | cgcgcgactt  | aaaccgacga | 1980 |
| 10 | cggacggacg | aacctgcaac | ggcgaattat | caattgacgc  | gttgctctgt  | ttgtgtcgga | 2040 |
|    | aaataatgga | ggaagctatg | agatgtatgt | gcatggatcc  | tcttttgtgg  | tccgttacgt | 2100 |
|    | tttgcaaagc | atgcatttag | acatgtgtat | actcaaaactc | atgcattccat | acacattgta | 2160 |
| 15 | ataaagtagt | agtccactga | aagttgcaa  | aatagcaaaa  | tagtacattg  | cagaaatata | 2220 |
|    | tatactaaat | tcatatattt | cgatggaaaa | tttcggtttt  | ccacttaaaa  | taaaatgtac | 2280 |
|    | gtataaactt | agtcttcctt | taacgccaaa | aaaagtcta   | caaatttctg  | tctttaatac | 2340 |
| 20 | tacattatgt | ttgaattgtg | ctaaactatg | attacatgtg  | cattaaaatt  | tgagggaatg | 2400 |
|    | tgtgttctta | gatctgattg | gcataccctc | tgactaatta  | tgggatcatg  | agtatttctc | 2460 |
|    | gggaatgtgt | ttattcgcaa | gtctattctc | taacctcagt  | aaataatgag  | tggaagttaa | 2520 |
| 25 | gttaaggcca | aatagtctaa | aatatattat | ttgtagtttt  | gtacacagcc  | aggattgaat | 2580 |
|    | cttaagagac | tctttaagtc | taaaattaca | atcagatcct  | agaccacttt  | ctatttgcac | 2640 |
|    | gaacgtaacc | ggatactgat | tttttaaatg | ttttcttttg  | ttcaaaatcg  | ccactatctt | 2700 |
| 30 | tgacaaaaac | attctcgaat | aggattcaaa | cctaagagcc  | tttcaaattc  | gttcttaatt | 2760 |
|    | atgtcatcat | ctttagttct | gctcccatct | ctcatcggtc  | tcaagaacca  | ctcctagtca | 2820 |
| 35 | tttaagtact | acgttttata | cgcattacat | atacatacat  | ttacacaact  | aggaattgag | 2880 |
|    | tagggaacaa | agtttcaact | ttcaactaat | agggttaagcc | ttctggtaca  | tggaaaccaa | 2940 |
|    | ccaaccaatc | tactaggcgg | ccgcccgtcg | ggatcttctg  | caagcatctc  | tatttcctga | 3000 |
| 40 | aggtctaacc | tcgaagattt | aagatttaat | tacgtttata  | attacaaaat  | tgattctagt | 3060 |
|    | atctttaatt | taatgcttat | acattattaa | ttaatttagt  | actttcaatt  | tgttttcaga | 3120 |
|    | aattatttta | ctatTTTTTT | taaaataaaa | gggagaaaaat | ggctatttaa  | actgaaggcg | 3180 |
| 45 | ggaaacgaca | atctgctagt | ggatctccca | gtcacgcagc  | tgtaaaacgg  | gcgccccgcg | 3240 |
|    | gaaagcttgc | ggccgcggta | ccgcccgttc | gactcagatc  | ttccaaggcc  | tcgtctccga | 3300 |
|    | gtccgctgct | tctcgccgcg | ccgatcactt | ctccgcgcgc  | aacaaggctt  | gtagttaata | 3360 |
| 50 | ggaatcattc | agggattgtg | attccgggca | gtagtaatta  | ataatatagt  | attagtatag | 3420 |
|    | ataatatgtt | tcgtttggga | tctttggaac | gttgctctgt  | tccttggtgt  | tcattttaaa | 3480 |
| 55 | gcttttgagg | gatagttgca | gaactgttcg | gtgatgcttc  | atcctctcaa  | gaactagatt | 3540 |
|    | tgggtaaaga | aacatccatg | catggatatg | gaatgttggt  | cttccgattg  | gagattatgt | 3600 |

EP 3 266 316 A1

|    |             |             |             |             |             |             |            |            |      |
|----|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|------|
|    | tataaaat    | ttt         | aaaattcatg  | attt        | aaaaaa      | acacataaaa  | accacaaaat | tcatgattta | 3660 |
|    | ttgacaatac  | gatacaaaaat | tagcaccacc  | ggctactggc  | tcattacaca  | tttccccttc  |            | 3720       |      |
| 5  | ccctcattct  | cactttgtgg  | ctttattatt  | attattatta  | catatatttt  | accgttatta  |            | 3780       |      |
|    | tttcacgtca  | cataagcttg  | ttaattaatc  | attagtgage  | cttctcagcc  | tttccgttaa  |            | 3840       |      |
|    | cgtagtagtg  | ctgtcccacc  | ttatcaaggt  | tagagaaagt  | agccttccaa  | gcaccgtagt  |            | 3900       |      |
| 10 | aagagagcac  | cttgtagttg  | agtccccact  | tcttagcgaa  | aggaacgaat  | cttctgctaa  |            | 3960       |      |
|    | cctcaggctg  | tctgaattga  | ggcatatcag  | ggaagaggtg  | gtggataaacc | tgacagttaa  |            | 4020       |      |
|    | ggatatcccat | aagccagttc  | acgtatcctc  | tagaaggatc  | gatatcaacg  | gtgtgatcaa  |            | 4080       |      |
| 15 | cagcgtagtt  | aacccaagaa  | aggtgcttat  | cagatggaac  | aacagggagg  | tgagtatgag  |            | 4140       |      |
|    | aagtagagaa  | gtgagcgaaa  | aggtacatgt  | aagcgatcca  | gtttccgaaa  | gtgaaccacc  |            | 4200       |      |
| 20 | agtaagcaac  | aggccaagag  | tatccagtag  | caagcttgat  | aacagcgggt  | ctaacaacat  |            | 4260       |      |
|    | gagaaacgag  | catccaagaa  | gcctcttcgt  | agttcttctt  | acggagaact  | tgtctaggggt |            | 4320       |      |
|    | ggagaacgta  | gatccagaaa  | gcttgaacaa  | gaagtccaga  | ggtaacagga  | acgaaagtcc  |            | 4380       |      |
| 25 | aagcttgaag  | tctagcccaa  | gctctagaga  | atcctctagg  | tctgttatcc  | tcaacagcag  |            | 4440       |      |
|    | tgttgaagaa  | agccacagca  | ggagtgggtat | caagatccat  | atcgtgtcta  | accttttgag  |            | 4500       |      |
|    | gggtagcatg  | gtgcttggtta | tgcattctgg  | tccacatctc  | accagaagta  | gaaagtccga  |            | 4560       |      |
| 30 | atccacaagt  | catagcctga  | agtctcttgt  | ccacgtaaac  | agatccggta  | agagagttat  |            | 4620       |      |
|    | gtccaccctc  | atgttgaacc  | catccacatc  | tagctccgaa  | gaaagcaccg  | taaacaacag  |            | 4680       |      |
| 35 | aagcaatgat  | agggtatcca  | gcgtacataa  | gagcagttcc  | aagagcgaat  | gtagcaagaa  |            | 4740       |      |
|    | gctcgagaag  | tctgtaagcc  | acatgggtga  | tagaaggctt  | gaagaatcca  | tctctctcaa  |            | 4800       |      |
|    | gctcagcacg  | ccatctagcg  | aaatcctcaa  | gcataaggagc | atcctcagac  | tcagatctct  |            | 4860       |      |
| 40 | tgatctcagc  | aggtctagaa  | ggcaaagctc  | taagcatctt  | ccaagccttg  | agagaacgca  |            | 4920       |      |
|    | tgtggaattc  | tttgaaagcc  | tcagtagcat  | cagcaccagt  | gttagcaagc  | atgtagaaga  |            | 4980       |      |
|    | tcacagatcc  | accaggggtgc | ttgaagttag  | tcacatcgta  | ctcaacgtcc  | tcaactctaa  |            | 5040       |      |
| 45 | cccatctagt  | ctcgaaagta  | gcagcaagct  | catgaggctc  | aagagtcctta | agatcaacag  |            | 5100       |      |
|    | gagcagtaga  | agcatcctta  | gcatacaagag | cctcagcaga  | agatttagac  | ctggtaagtg  |            | 5160       |      |
|    | gagatctagg  | agaagatctt  | ccatcagttc  | taggagggca  | catgggtatgg | taattgtaaa  |            | 5220       |      |
| 50 | tgtaattgta  | atgttggttg  | ttgttggttg  | ttgttggtta  | ttgttgtaaa  | attaattaag  |            | 5280       |      |
|    | tgggtatctt  | ttggatggat  | aagcaagtag  | tgatgatggt  | ctaggtgaag  | tgatgggggt  |            | 5340       |      |
| 55 | gttttatagc  | gggagatggg  | gaaatggatg  | gtcgccacat  | aagaaatgga  | ggggaagggg  |            | 5400       |      |
|    | tcttgcgcca  | ttcttcagtt  | tgcattggatg | catgggtttc  | attttgtaac  | acgtaataag  |            | 5460       |      |

EP 3 266 316 A1

|    |                                                                     |      |
|----|---------------------------------------------------------------------|------|
|    | gacaatgaag tgcaggtgtc tctcaagttt cagaggggat atgtggacag aagaagaacg   | 5520 |
|    | gcgatgatat tgatggaaat ggccatctag tgtgaatcta ttcggttgat aatactagtg   | 5580 |
| 5  | cattttggcc gttaatccct tcaattaact gcacaaactt cagttgagta ttgattat     | 5640 |
|    | gattataggt tctgtaaaca caataccaag tttat                              | 5700 |
|    | tcgatataaa taatagagt gttaaactta gttattaaaa ctatatataa agtctaaaag    | 5760 |
| 10 | ttaaattatt tttttaattg caaatatata aagtctaaag gggttacatt atttcttaag   | 5820 |
|    | agatgtaact ctggttgaat ctgacttaat ccgtctcatc actctggttt ccagttctaa   | 5880 |
|    | tctaataaat tgttttctgc caaagaattt gaagcaagaa gtaaattgat caatgccgtc   | 5940 |
| 15 | aaccacacc aaaccgtcaa cccactacca tcgccgggga gacccccaaa ctcaacctcc    | 6000 |
|    | acccatcggg aagaagcaca gggcagcccg caccaccacc aatttggcgt gcatgacacc   | 6060 |
|    | tagggacttg gcacgggagg cggcgacagt ggatgcaaat gacgggatat cagatgacag   | 6120 |
| 20 | gaaacgacgt tgagagacca tacgatgtag aatatgagct caccatcaac gagaaactag   | 6180 |
|    | gaaaatcaca aaaaaaaca ctctcgtaat tgtacgagt gcacagatgg gtctgcctca     | 6240 |
|    | acatatctct aatacggcga agcctgcccacacgtagtt gccggaatcc ggtgtggagc     | 6300 |
| 25 | tcacgactct gaaagatagg cgcttcctgt ttcggttcgc tcaccactg gacgtccgtc    | 6360 |
|    | atgtgatgga tttcgggtcat tggtttgcgt acaaccacat tctgaagctc catgagatga  | 6420 |
|    | gtcttcacaa taggtcctgc tcaataccgt ggagttatgg ttgcaagtcc ataacttgcc   | 6480 |
| 30 | gttcgaatat tttgcggagc cagtcggacg ggaattggcg agctcggctg acacctataa   | 6540 |
|    | aggccatgac aagaagaacc aaaagttctt ccctaattgct ttcattgaggc ttcgggtcgt | 6600 |
| 35 | tatggatgtc ggaaaacccc tcttgaagga acgagacgtt attatgcatg acggtgaagac  | 6660 |
|    | tattacttgt cagtataagt atgaaagatt acctgtcttc tgctttgttt gtggattgat   | 6720 |
|    | tggacacgtt gaaaaaaat gtgcacttcg atttcaatac tcagagatcg acttcccttt    | 6780 |
| 40 | tctctaggag tattcgatca aggcattaac atggaaggaa gctcaagctc taaaggcttc   | 6840 |
|    | acaatggaac ctgaaaaatt tcaacaagcc taaactgaaa tcgaagtcaa atcaccacaac  | 6900 |
|    | cgggagctct aaatcagcaa acactcctcc tccacagtat ccaatcatcg tgcacgatgc   | 6960 |
| 45 | tccaggtatt gcaagccagg tattgcaagc taggagtagg atagagacct taaacgtcgt   | 7020 |
|    | tgggtggaag agtcatcttc agacctaatg gagatagatg tagacggcgg cacgaagact   | 7080 |
|    | ctgaaacacc agaaaggcta gtccaggata aggatctgct atcccaactg acctctcgtt   | 7140 |
| 50 | agtcccaagg cctctcaact agagcaggag gaaggatggc cacaagacta ggataatgat   | 7200 |
|    | gtttccaata tgaacctgaa tgtccatagc taat                               | 7260 |
|    | tgtttattat gttctggtga ctatgttatt tacccttgctc cgtatgcttg agggtaacct  | 7320 |
| 55 | agtagattgg ttggttggtt tccatgtacc agaaggctta ccctattagt tgaaagttga   | 7380 |

EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | aactttgttc cctactcaat tcctagttgt gtaaagtgtat gtatatgtaa tgtgtataaa | 7440 |
|    | acgtagtact taaatgacta ggagtgggtc ttgagaccga tgagagatgg gagcagaact  | 7500 |
| 5  | aaagatgatg acataattaa gaacgaattt gaaaggctct taggtttgaa tcctattcga  | 7560 |
|    | gaatgttttt gtcaaagata gtggcgattt tgaaccaaag aaaacattta aaaaatcagt  | 7620 |
|    | atccggttac gttcatgcaa atagaaagtg gtctaggatc tgattgtaat tttagactta  | 7680 |
| 10 | aagagtctct taagattcaa tcctggctgt gtacaaaact acaaataata tatttttagac | 7740 |
|    | tatttggcct taactaaact tccactcatt atttactgag gttagagaat agacttgcca  | 7800 |
|    | ataaacacat tcccagagaa tactcatgat ccataatta gtcagagggt atgccaatca   | 7860 |
| 15 | gatctaagaa cacacattcc ctcaaatttt aatgcacatg taatcatagt ttagcacaat  | 7920 |
|    | tcaaaaataa tgtagtatta aagacagaaa tttgtagact tttttttggc gttaaaagaa  | 7980 |
| 20 | gactaagttt atacgtacat tttattttta gtggaaaacc gaaattttcc atcgaaatat  | 8040 |
|    | atgaatttag tatatatatt tctgcaatgt actattttgc tattttggca actttcagt   | 8100 |
|    | gactactact ttattacaat gtgtatggat gcatgagttt gagtatacac atgtctaat   | 8160 |
| 25 | gcatgctttg taaaacgtaa cggaccacaa aagaggatcc atacaaatac atctcatagc  | 8220 |
|    | ttcctccatt attttccgac acaaacagag cattttacaa caattaccaa caacaacaaa  | 8280 |
|    | caacaacaaa cattacaatt acattttacaa ttaccatacc atggcctcta tcgctatccc | 8340 |
| 30 | tgctgctctt gctggaactc ttggatacgt taacctacaat gtggctaacc ctgatatccc | 8400 |
|    | agcttctgag aaagttcctg cttacttcat gcaggttgag tactggggac ctactatcgg  | 8460 |
|    | aactattgga tacctcctct tcatctactt cggaaagcgt atcatgcaga acagatctca  | 8520 |
| 35 | acctttcgga ctcaagaacg ctatgctcgt ttacaacttc taccagacct tcttcaacag  | 8580 |
|    | ctactgcac taccctttcg ttacttctca tagggctcag ggacttaagg tttggggaaa   | 8640 |
| 40 | catccctgat atgactgcta actcttgggg aatctctcag gttatctggc ttcactacaa  | 8700 |
|    | caacaagtac gttgagcttc tcgacacctt cttcatggtg atgaggaaga agttcgacca  | 8760 |
|    | gctttctttc cttcacatct accaccacac tcttctcatc tggatcatgg tctgtgttat  | 8820 |
| 45 | gaagcttgag cctgttggag attgctactt cggatcttct gttaacacct tctgacacgt  | 8880 |
|    | gatcatgtac tcttactacg gacttgctgc tcttggagtt aactgtttct ggaagaagta  | 8940 |
|    | catcaccacg atccagatgc ttcagttctg tatctgtgct tctcactcta tctacaccgc  | 9000 |
| 50 | ttacgttcag aataccgctt tctggcttcc ttaccttcaa ctctgggtta tgggtgaacat | 9060 |
|    | gttcgttctc ttccccaact tctaccgtaa gaggtacaag tctaagggtg ctaagaagca  | 9120 |
| 55 | gtgataaggc gcgcggcgcg ccgggccgcc gccatgtgac agatcgaagg aagaaagtgt  | 9180 |
|    | aataagacga ctctcactac tcgatcgcta gtgattgtca ttgttatata taataatgtt  | 9240 |



EP 3 266 316 A1

|    |            |             |             |             |             |            |       |
|----|------------|-------------|-------------|-------------|-------------|------------|-------|
|    | atctttcaca | acttatcgta  | atgcatgtga  | aactataaca  | cattaatcct  | acttgtcata | 9300  |
|    | tgataaact  | ctccccattt  | aaaactcttg  | tcaatttaaa  | gatataagat  | tctttaaatg | 9360  |
| 5  | attaaaaaaa | atatattata  | aattcaatca  | ctcctactaa  | taaattatta  | attattattt | 9420  |
|    | attgattaaa | aaaataactta | tactaattta  | gtctgaatag  | aataattaga  | ttctagtctc | 9480  |
|    | atcccctttt | aaaccaactt  | agtaaacggt  | ttttttttta  | attttatgaa  | gttaagtttt | 9540  |
| 10 | taccttggtt | ttaaaaagaa  | tcgttcataa  | gatgccatgc  | cagaacatta  | gctacacggt | 9600  |
|    | acacatagca | tgcagccgcg  | gagaattggt  | tttcttcgcc  | acttgtcact  | cccttcaaac | 9660  |
|    | acctaagagc | ttctctctca  | cagcacacac  | atacaatcac  | atgctgtcat  | gcattattac | 9720  |
| 15 | acgtgatcgc | catgcaaata  | tcctttatag  | cctataaatt  | aactcatccg  | cttactctt  | 9780  |
|    | tactcaaacc | aaaactcatc  | gatacaaaca  | agattaaaaa  | catacacgag  | gatcttttac | 9840  |
|    | aacaattacc | aacaacaaca  | aacaacaaac  | aacattacaa  | ttacatttac  | aattaccata | 9900  |
| 20 | ccatgcctcc | aagggactct  | tactcttatg  | ctgctcctcc  | ttctgctcaa  | cttcacgaag | 9960  |
|    | ttgatactcc | tcaagagcac  | gacaagaaag  | agcttggtat  | cggagatagg  | gcttacgatg | 10020 |
| 25 | ttaccaactt | cgttaagaga  | caccctggtg  | gaaagatcat  | tgcttaccaa  | gttggaactg | 10080 |
|    | atgctaccga | tgcttacaa   | cagttccatg  | ttagatctgc  | taaggctgac  | aagatgctta | 10140 |
|    | agtctcttcc | ttctcgtcct  | gttcacaagg  | gatactctcc  | aagaagggct  | gatcttatcg | 10200 |
| 30 | ctgatttcca | agagttcacc  | aagcaacttg  | aggctgaggg  | aatgttcgag  | ccttctcttc | 10260 |
|    | ctcatgttgc | ttacagactt  | gctgagggtta | tcgctatgca  | tggtgctggt  | gctgctctta | 10320 |
|    | tctggcatgg | atacactttc  | gctggaatcg  | ctatgcttgg  | agttgttcag  | ggaagatgtg | 10380 |
| 35 | gatggcttat | gcatgagggg  | ggacattact  | ctctcaactg  | aaacattgct  | ttcgacagag | 10440 |
|    | ctatccaagt | tgcttggtac  | ggacttggtg  | gtggaatgtc  | tggtgcttgg  | tggcgtaacc | 10500 |
|    | agcataacaa | gcaccatgct  | actcctcaaa  | agcttcagca  | cgatgttgat  | cttgataccc | 10560 |
| 40 | ttcctctcgt | tgctttccat  | gagagaatcg  | ctgctaagggt | taagtctcct  | gctatgaagg | 10620 |
|    | cttggtcttc | tatgcaagct  | aagcttttcg  | ctcctgttac  | cactcttctt  | gttgctcttg | 10680 |
|    | gatggcagct | ttaccttcac  | cctagacaca  | tgctcaggac  | taagcactac  | gatgagcttg | 10740 |
| 45 | ctatgctcgg | aatcagatac  | ggacttggtg  | gataccttgc  | tgctaactac  | ggtgctggat | 10800 |
|    | acgttctcgc | ttgttacctt  | ctttacgttc  | agcttgagag  | tatgtacatc  | ttctgcaact | 10860 |
|    | tcgctgtttc | tcatactcac  | ctccctgttg  | ttgagcctaa  | cgagcatgct  | acttggggtg | 10920 |
| 50 | agtacgctgc | taaccacact  | actaactggt  | ctccatcttg  | gtgggtgtgat | tggtggatgt | 10980 |
|    | cttaccttaa | ctaccagatc  | gagcaccacc  | tttacccttc  | tatgcctcaa  | ttcagacacc | 11040 |
| 55 | ctaagatcgc | tcctagagtt  | aagcagcttt  | tcgagaagca  | cggacttcac  | tacgatgtta | 11100 |
|    | gaggatactt | cgaggctatg  | gctgatactt  | tcgctaacct  | tgataacggt  | gcccagcttc | 11160 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | ctgagaagaa aatgcagtaa tgagatcggtt caaacatttg gcaataaagt ttcttaagat | 11220 |
|    | tgaatcctgt tgccgggtctt gcgatgatta tcatataatt tctgttgaat tacgttaagc | 11280 |
| 5  | acgtaataat taacatgtaa tgcatgacgt tatttatgag atgggttttt atgattagag  | 11340 |
|    | tcccgcgaatt atacatttaa tacgcgatag aaaacaaaat atagcgcgca aactaggata | 11400 |
|    | aattatcgcg cgcggtgtca tctatgttac tagatcggtc gattaaaaat cccaattata  | 11460 |
| 10 | tttgggtctaa tttagtttgg tattgagtaa aacaaattcg aaccaaacca aaatataaat | 11520 |
|    | atatagtttt tatatatatg cctttaagac tttttataga attttcttta aaaaatatct  | 11580 |
|    | agaaatattt gcgactcttc tggcatgtaa tatttcgtta aatatgaagt gctccatttt  | 11640 |
| 15 | tattaacttt aaataattgg ttgtacgac actttcttat caagtgttac taaaatgcgt   | 11700 |
|    | caatctcttt gttcttccat attcatatgt caaaatctat caaaattctt atatatcttt  | 11760 |
|    | ttcgaatttg aagtgaattt tcgataattt aaaattaaat agaacatatc attatttagg  | 11820 |
| 20 | tatcatattg atttttatac ttaattacta aatttggtta actttgaaag tgtacatcaa  | 11880 |
|    | cgaaaaatta gtcaaacgac taaaataaat aaatatcatg tgttattaag aaaattctcc  | 11940 |
| 25 | tataagaata ttttaataga tcatatgttt gtaaaaaaa ttaattttta ctaacacata   | 12000 |
|    | tatttactta tcaaaaattt gacaaagtaa gattaaaata atattcatct aacaaaaaaa  | 12060 |
|    | aaaccagaaa atgctgaaaa cccggcaaaa ccgaaccaat ccaaaccgat atagttgggt  | 12120 |
| 30 | tgggttgatt ttgatataaa ccgaaccaac tcggtccatt tgcaccccta atcataatag  | 12180 |
|    | ctttaatatt tcaagatatt attaagttaa cgttgtcaat atcctggaaa ttttgcaaaa  | 12240 |
|    | tgaatcaagc ctatatggct gtaatatgaa tttaaaagca gctcgatgtg gtggtaatat  | 12300 |
| 35 | gtaatttact tgattctaaa aaaatatccc aagtattaat aatttctgct aggaagaagg  | 12360 |
|    | ttagctacga ttacagcaa agccagaata caaagaacca taaagtgatt gaagctcgaa   | 12420 |
| 40 | atatacgaag gaacaaatat ttttaaaaaa atacgcaatg acttggaaca aaagaaagtg  | 12480 |
|    | atataattttt tgttcttaaa caagcatccc ctctaaagaa tggcagtttt cctttgcatg | 12540 |
|    | taactattat gctcccttcg ttacaaaaat tttggactac tattgggaac ttcttctgaa  | 12600 |
| 45 | aatagtgata gaaccacac gagcatgtgc tttccattta attttaaaaa ccaagaaaca   | 12660 |
|    | tacatacata acattccatc agcctctctc tctttttatt acggttaatg acttaaaaca  | 12720 |
|    | catcttatta tcccatcctt aacacctagc agtgtcttta tacgatctca tcgatcacca  | 12780 |
| 50 | cttcaaaacc atgcagactg ctgctgcccc tggagctggc atcggttagg ctgggtgccg  | 12840 |
|    | cactgtcccg gaaggccct agcgacttgt ttagattgat gggaccacct ctcaacttcc   | 12900 |
|    | tgctgctgtc cctgctgctg gatgtcctgc ctcatctggc cgattgcacg ctccagctcc  | 12960 |
| 55 | ctgcatgtgc actcgctcct caattgctta agatcatcgc agcagctatc gaagtgtctg  | 13020 |

EP 3 266 316 A1

|    |             |            |             |             |             |             |       |
|----|-------------|------------|-------------|-------------|-------------|-------------|-------|
|    | ctctgttgcc  | ctcctccacg | gccttggttg  | tagtagtagc  | tgccgccgcc  | cttctggact  | 13080 |
|    | ttttcccaca  | ggaaccgccg | aataattcga  | tagaaccaca  | cgagcatgtg  | ctttcattta  | 13140 |
| 5  | ttttaaaaac  | caagaaacat | acataacatt  | tcatacagcct | ctctctctct  | ctctctctct  | 13200 |
|    | ctctctctct  | ctctctctct | ctctctctct  | ttattacagc  | tgttacacta  | acttaaaaaca | 13260 |
|    | cattcatctc  | attattatta | ttattatcca  | tccttaacac  | ctagcagtgt  | ctttgtacga  | 13320 |
| 10 | tctcataatc  | gatcaccct  | tcatacagta  | tccttaggct  | tcactccaac  | gttggtgcag  | 13380 |
|    | ttacggaaca  | tgtacacacc | atcatgggtc  | tcaacgaact  | ggcaagatct  | ccaagttttc  | 13440 |
|    | caaaggctaa  | cccacatgtt | ctcatcgggtg | tgtctgtagt  | gctctcccat  | aactttcttg  | 13500 |
| 15 | atgcactcgg  | tagcttctct | agcatggtag  | aatgggatcc  | ttgaaacgta  | gtgatggagc  | 13560 |
|    | acatgagtct  | cgatgatgtc | atggaagatg  | attccgagga  | ttccgaactc  | tctatcgata  | 13620 |
|    | gtagcagcag  | cacccttagc | gaaagtccac  | tcttgagcat  | cgtaatgagg  | catagaagaa  | 13680 |
| 20 | tcggtgtgct  | gaaggaaggt | aacgaaaaca  | agccagtggg  | taacaaggat  | ccaaggacag  | 13740 |
|    | aaccatgtga  | tgaaagtagg | ccagaatccg  | aaaaccttgt  | aagcgggtga  | aacagaagtg  | 13800 |
|    | agggtagcaa  | ggattccaag | atcagaaaaga | acgatgtacc  | agtagtcctt  | cttatcgaaa  | 13860 |
| 25 | acagggctag  | aaggccagta | gtgagacttg  | aagaacttag  | aaacaccagg  | gtaaggttgt  | 13920 |
|    | ccagtagcgt  | tagtagcaag | gtaaagagaa  | agtcctccaa  | gctgttgga   | caagagagcg  | 13980 |
|    | aaaacagagt  | agataggagt | ttcctcagcg  | atatcgtgaa  | ggctggtaac  | ttggtgcttc  | 14040 |
| 30 | tctttgaatt  | cctcggcggg | gtaaggaacg  | aaaaccatat  | ctctggtcac  | gtgtccagta  | 14100 |
|    | gccttatggg  | gcttagcatg | agagaacttc  | cagctgaagt  | aaggaacct   | aacaagagag  | 14160 |
| 35 | tggagaacc   | atccaacggg | atcgtaaac   | catccgtagt  | tagagaaagc  | agaatgtcca  | 14220 |
|    | cactcatgtc  | caaggatcca | gattccgaat  | ccgaaacaag  | agatagagaa  | cacgtaagca  | 14280 |
|    | gaccaagcag  | cgaatctaag | gaattcgta   | gggagaagag  | ggatgtaggt  | aagtccaacg  | 14340 |
| 40 | taagcgatag  | cagagatagc | cacgatctct  | ctcaccacgt  | aagacataga  | cttcacgaga  | 14400 |
|    | gatctctcgt  | aacagtgcct | agggatagcg  | tcaaggatat  | ccttgatggg  | gtaatctggc  | 14460 |
|    | accttgaaaa  | cgtttccgaa | ggatcagata  | gcggctcttt  | gctgcttgaa  | agatgcaacg  | 14520 |
| 45 | tttccagaac  | gcctaacggg | cttagtagat  | ccctcaagga  | tctcagatcc  | agacacggta  | 14580 |
|    | accttagaca  | tggtatggta | attgtaaaatg | taattgtaat  | gttggttggt  | gttggttggt  | 14640 |
|    | gttggttaatt | gttgtaaaat | tttggtggg   | gattggttct  | ttaagggtgtg | agagtgtgtt  | 14700 |
| 50 | gtgagttgtg  | tggtggggtt | ggtgagattg  | gggatgggtg  | gtttatatag  | tggagactga  | 14760 |
|    | ggaatggggg  | cgtgagtgtt | aactttgcat  | gggctacacg  | tgggttcttt  | tgggcttaca  | 14820 |
| 55 | cgtagtatta  | ttcatgcaaa | tgcagccaat  | acataacggg  | tattttaata  | atgtgtggga  | 14880 |
|    | atacaatatg  | ccgagtattt | tactaatttt  | ggcaatgaca  | agtgtacatt  | tggattatct  | 14940 |

EP 3 266 316 A1

|    |             |             |             |             |             |            |       |
|----|-------------|-------------|-------------|-------------|-------------|------------|-------|
|    | tacttggcct  | ctcttgcttt  | aatttggatt  | atTTTTattc  | tcttaccttg  | gccgttcata | 15000 |
|    | ttcacatccc  | taaaggcaag  | acagaattga  | atggtggcca  | aaaattaaaa  | cgatggatat | 15060 |
| 5  | gacctacata  | gtgtaggatc  | aattaacgtc  | gaaggaaaat  | actgattctc  | tcaagcatac | 15120 |
|    | ggacaagggt  | aaataacata  | gtcaccagaa  | cataataaac  | aaaaagtgca  | gaagcaagac | 15180 |
|    | taaaaaaatt  | agctatggac  | attcaggttc  | atattggaaa  | catcattatc  | ctagtcttgt | 15240 |
| 10 | gaccatcctt  | cctcctgctc  | tagttgagag  | gccttgggac  | taacgagagg  | tcagttggga | 15300 |
|    | tagcagatcc  | ttatcctgga  | ctagcctttc  | tgggtgtttca | gagtcttcgt  | gccgccgtct | 15360 |
|    | acatctatct  | ccattaggtc  | tgaagatgac  | tcttcacacc  | aacgacgttt  | aaggtctcta | 15420 |
| 15 | tcctactcct  | agcttgcaat  | acctggcttg  | caatacctgg  | agcatcgtgc  | acgatgattg | 15480 |
|    | gatactgtgg  | aggaggagtg  | tttgctgatt  | tagagctccc  | ggttgggtga  | tttgacttcg | 15540 |
|    | atctcagttt  | aggcttggtg  | aaatttttca  | ggttccattg  | tgaagccttt  | agagcttgag | 15600 |
| 20 | cttccttcca  | tgttaatgcc  | ttgatcgaat  | actcctagag  | aaaagggaag  | tcgatctctg | 15660 |
|    | agtattgaaa  | tcgaagtgca  | catttttttt  | caacgtgtcc  | aatcaatcca  | caaacaaagc | 15720 |
| 25 | agaagacagg  | taatctttca  | tacttatact  | gacaagtaat  | agtcttacog  | tcatgcataa | 15780 |
|    | taacgtctcg  | ttccttcaag  | aggggttttc  | cgacatccat  | aacgacccga  | agcctcatga | 15840 |
|    | aagcattagg  | gaagaacttt  | tggttcttct  | tgtcatggcc  | tttatagggtg | tcagccgagc | 15900 |
| 30 | tcgccaattc  | ccgtccgact  | ggctccgcaa  | aatattcgaa  | cggcaagtta  | tggacttgca | 15960 |
|    | accataactc  | cacggtattg  | agcaggacct  | attgtgaaga  | ctcatctcat  | ggagcttcag | 16020 |
|    | aatgtgggtg  | tcagcaaacc  | aatgaccgaa  | atccatcaca  | tgacggacgt  | ccagtgggtg | 16080 |
| 35 | agcgaaacga  | aacaggaagc  | gcctatcttt  | cagagtcgtg  | agctccacac  | cggattccgg | 16140 |
|    | caactacgtg  | ttgggcaggc  | ttcgccgtat  | tagagatatg  | ttgaggcaga  | cccatctgtg | 16200 |
| 40 | ccactcgtac  | aattacgaga  | gttggtttttt | ttgtgatttt  | cctagtctct  | cgttgatggt | 16260 |
|    | gagctcatat  | tctacatcgt  | atggtctctc  | aacgtcgttt  | cctgtcatct  | gatatcccg  | 16320 |
|    | catttgcatc  | cacgtgcgcc  | gcctcccgtg  | ccaagtccct  | aggtgtcatg  | cacgccaaat | 16380 |
| 45 | tgggtgggtg  | gcgggctgcc  | ctgtgcttct  | taccgatggg  | tggagggttg  | gtttgggggt | 16440 |
|    | ctccgcggcg  | atggtagtgg  | gttgacggtt  | tgggtgtgggt | tgacggcatt  | gatcaattta | 16500 |
|    | cttcttgctt  | caaattcttt  | ggcagaaaac  | aattcattag  | attagaactg  | gaaaccagag | 16560 |
| 50 | tgatgagacg  | gattaagtca  | gattccaaca  | gagttacatc  | tottaagaaa  | taatgtaacc | 16620 |
|    | ccttttagact | ttatatat    | gcaattaaaa  | aaataattta  | acttttagac  | tttatatata | 16680 |
| 55 | gttttaataa  | ctaagtttta  | ccactctatt  | atttatatcg  | aaactatttg  | tatgtctccc | 16740 |
|    | ctctaaataa  | acttgggtatt | gtgttttacag | aacctataat  | caaataatca  | atactcaact | 16800 |

EP 3 266 316 A1

|    |            |             |            |             |             |             |       |
|----|------------|-------------|------------|-------------|-------------|-------------|-------|
|    | gaagtttgtg | cagttaattg  | aagggattaa | cggccaaaat  | gcactagtat  | tatcaaccga  | 16860 |
|    | atagattcac | actagatggc  | catttccatc | aatatcatcg  | ccgttcttct  | tctgtccaca  | 16920 |
| 5  | tatcccctct | gaaacttgag  | agacacctgc | acttcattgt  | ccttattacg  | tgttacaaaa  | 16980 |
|    | tgaaacccat | gcattccatgc | aaactgaaga | atggcgcaag  | aacccttccc  | ctccatttct  | 17040 |
|    | tatgtggcga | ccatccattt  | caccatctcc | cgctataaaa  | cacccccatc  | acttcaccta  | 17100 |
| 10 | gaacatcatc | actacttgct  | tatccatcca | aaagataccc  | acttttacia  | caattaccaa  | 17160 |
|    | caacaacaaa | caacaacaaa  | cattacaatt | acatttacia  | ttaccatacc  | atgccaccta  | 17220 |
|    | gcgctgctaa | gcaaatggga  | gcttctactg | gtgttcatgc  | tgggtgttact | gactcttctg  | 17280 |
| 15 | ctttcaccag | aaaggatggt  | gctgatagac | ctgatctcac  | catcggttga  | gattctgttt  | 17340 |
|    | acgatgctaa | ggctttcaga  | tctgagcatc | ctgggtggtgc | tcatttcggt  | tctttgttcg  | 17400 |
|    | gaggaagaga | tgctactgag  | gctttcatgg | aataccatag  | aagggttgg   | cctaagtcta  | 17460 |
| 20 | gaatgtctag | attccacggt  | ggatctcttg | cttctactga  | ggaacctgtt  | gctgctgatg  | 17520 |
|    | agggatacct | tcaactttgt  | gctaggatcg | ctaagatggt  | gccttctgtt  | tcttctggat  | 17580 |
| 25 | tcgctcctgc | ttcttactgg  | gttaaggctg | gacttatcct  | tggatctgct  | atcgctcttg  | 17640 |
|    | aggcttacat | gctttacgct  | ggaaagagac | ttctcccttc  | tatcggtctt  | ggatggcttt  | 17700 |
|    | tcgctcttat | cggctctaac  | atccagcatg | atgctaacca  | tgggtgcttg  | tctaagtctg  | 17760 |
| 30 | cttctgttaa | ccttgctctt  | ggactttgtc | aggattggat  | cggaggatct  | atgatccttt  | 17820 |
|    | ggcttcaaga | gcattgttgt  | atgcaccacc | tccacactaa  | cgatgttgat  | aaggatcctg  | 17880 |
|    | atcaaaaagg | tcacggtgct  | cttagactca | agcctactga  | tgcttgggtca | cctatgcatt  | 17940 |
| 35 | ggcttcagca | tctttacctt  | ttgcctggtg | agactatgta  | cgctttcaag  | cttttgttcc  | 18000 |
|    | tcgacatctc | tgagcttggt  | atgtggcggt | gggaggggtga | gcctatctct  | aagcttgctg  | 18060 |
|    | gatacctctt | tatgccttct  | ttgcttctca | agcttacctt  | ctgggctaga  | ttcggttgctt | 18120 |
| 40 | tgcctcttta | ccttgctcct  | tctgttcata | ctgctgtgtg  | tatcgctgct  | actgttatga  | 18180 |
|    | ctggatcttt | ctacctcgct  | ttcttcttct | tcatctocca  | caacttcgag  | ggtgttgctt  | 18240 |
|    | ctgttggacc | tgatggatct  | atcacttcta | tgactagagg  | tgctagcttc  | cttaagagac  | 18300 |
| 45 | aagctgagac | ttcttctaac  | gttggaggac | ctcttcttgc  | tactcttaac  | ggtggactca  | 18360 |
|    | actaccaa   | tgagcatcac  | ttgttcccta | gagttcacca  | tggattctac  | cctagacttg  | 18420 |
|    | ctcctcttgt | taaggctgag  | cttgaggcta | gaggaatoga  | gtacaagcac  | taccctacta  | 18480 |
| 50 | tctggtctaa | ccttgcttct  | accctcagac | atatgtacgc  | tcttggaaga  | aggcctagat  | 18540 |
|    | ctaaggctga | gtaatgacaa  | gcttatgtga | cgtgaaataa  | taacggtaaa  | atatatgtaa  | 18600 |
| 55 | taataataat | aataaagcca  | caaagtgaga | atgaggggaa  | ggggaaatgt  | gtaatgagcc  | 18660 |
|    | agtagccggt | ggtgctaatt  | ttgtatcgta | ttgtcaataa  | atcatgaatt  | ttgtggtttt  | 18720 |

EP 3 266 316 A1

|    |            |            |             |             |             |            |            |       |
|----|------------|------------|-------------|-------------|-------------|------------|------------|-------|
|    | tatgtgtttt | tttaa      | atcat       | gaatttttaa  | ttttataaaa  | taatctccaa | tcggaagaac | 18780 |
|    | aacattccat | atccatgcat | ggatgtttct  | ttacccaaat  | ctagtctcttg | agaggatgaa |            | 18840 |
| 5  | gcatcaccga | acagttctgc | aactatccct  | caaaagcttt  | aaaatgaaca  | acaaggaaca |            | 18900 |
|    | gagcaacgtt | ccaaagatcc | caaacgaaac  | atattatcta  | tactaatact  | atattattaa |            | 18960 |
|    | ttactactgc | ccggaatcac | aatccctgaa  | tgattcctat  | taactacaag  | ccttgttggc |            | 19020 |
| 10 | ggcggagaag | tgatcggcgc | ggcgagaagc  | agcggactcg  | gagacgaggc  | cttggagat  |            | 19080 |
|    | ctgagtcgaa | cgggcagaat | cagtattttc  | cttcgacgtt  | aattgatcct  | acactatgta |            | 19140 |
|    | ggtcatatcc | atcgttttaa | tttttggcca  | ccattcaatt  | ctgtcttgcc  | tttagggatg |            | 19200 |
| 15 | tgaatatgaa | cggccaaggt | aagagaataa  | aaataatcca  | aattaaagca  | agagaggcca |            | 19260 |
|    | agtaagataa | tccaaatgta | cacttgtcat  | tgccaaaatt  | agtaaaatac  | tcggcatatt |            | 19320 |
| 20 | gtattcccac | acattattaa | aataccgtat  | atgtattggc  | tgcatttgca  | tgaataatac |            | 19380 |
|    | tacgtgtaag | cccaaaagaa | cccacgtgta  | gcccattgcaa | agttaacact  | cacgacccca |            | 19440 |
|    | ttcctcagtc | tccactatat | aaaccaccca  | tccccaatct  | caccaaacc   | accacacaac |            | 19500 |
| 25 | tcacaactca | ctctcacacc | ttaaagaacc  | aatcaccacc  | aaaaatttta  | caacaattac |            | 19560 |
|    | caacaacaac | aaacaacaaa | caacattaca  | attacattta  | caattaccat  | accatgagcg |            | 19620 |
|    | ctgttaccgt | tactggatct | gatacctaaga | acagaggatc  | ttctagcaac  | accgagcaag |            | 19680 |
| 30 | aggttccaaa | agttgctatc | gataccaacg  | gaaacgtgtt  | ctctgttcct  | gatttcacca |            | 19740 |
|    | tcaaggacat | ccttgagct  | atccctcatg  | agtgttacga  | gagaagattg  | gctacctctc |            | 19800 |
|    | tctactacgt | gttcagagat | atcttctgca  | tgcttaccac  | cggatacctt  | accataaga  |            | 19860 |
| 35 | tcctttaccc | tctcctcatc | tcttacacct  | ctaacagcat  | catcaagttc  | actttctggg |            | 19920 |
|    | ccctttacac | ttacgttcaa | ggacttttcg  | gaaccggaat  | ctgggttctc  | gctcatgagt |            | 19980 |
| 40 | gtggacatca | agctttctct | gattacggaa  | tcgtgaacga  | tttcggttga  | tggaaccttc |            | 20040 |
|    | actcttacct | tatggttcct | tacttcagct  | ggaagtactc  | tcatggaaag  | caccataagg |            | 20100 |
|    | ctactggaca | catgaccaga | gatatggttt  | tcgttcctgc  | caccaaagag  | gaattcaaga |            | 20160 |
| 45 | agtctaggaa | cttcttcggt | aacctcgctg  | agtactctga  | ggattctcca  | cttagaacco |            | 20220 |
|    | tttacgagct | tcttggtcaa | caacttggag  | gatggatcgc  | ttacctcttc  | gttaacgtta |            | 20280 |
|    | caggacaacc | ttacctgat  | gttccttctt  | ggaaatggaa  | ccacttctgg  | cttacctctc |            | 20340 |
| 50 | cacttttcga | gcaaagagat | gctctctaca  | tcttcctttc  | tgatcttgga  | atcctcacco |            | 20400 |
|    | agggaatcgt | tcttactctt | tggtacaaga  | aattcggagg  | atggtccctt  | ttcatcaact |            | 20460 |
| 55 | ggttcgttcc | ttacatctgg | gttaaccact  | ggctcgtttt  | catcacattc  | cttcagcaca |            | 20520 |
|    | ctgatcctac | tatgcctcat | tacaacgctg  | aggaatggac  | tttcgctaag  | ggtgctgctg |            | 20580 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | ctactatcga tagaaagttc ggattcatcg gacctcacat cttccatgat atcatcgaga  | 20640 |
|    | ctcatgtgct tcaccactac tgttctagga tcccattcta caacgctaga cctgcttctg  | 20700 |
| 5  | aggctatcaa gaaagttatg ggaaagcact acaggctctag cgacgagaac atgtggaagt | 20760 |
|    | cactttggaa gtcttttcagg tcttgccaat acgttgacgg tgataacggg gttctcatgt | 20820 |
|    | tccgtaacat caacaactgc ggagttggag ctgctgagaa gtaatgaagg ggtgatcgat  | 20880 |
| 10 | tatgagatcg tacaagaca ctgctaggtg ttaaggatgg ataataataa taataatgag   | 20940 |
|    | atgaatgtgt ttttaagttag tgtaacagct gtaataaaga gagagagaga gagagagaga | 21000 |
|    | gagagagaga gagagagaga gagagagagg ctgatgaaat gttatgtatg tttcttggtt  | 21060 |
| 15 | tttaaaataa atgaaagcac atgctcgtgt ggttctatcg aattattcgg cggttcctgt  | 21120 |
|    | gggaaaaagt ccagaagggc cgccgcagct actactacaa ccaaggccgt ggaggagggc  | 21180 |
|    | aacagagcca gcacttcgat agctgctgcy atgatcttaa gcaattgagg agcgagtcca  | 21240 |
| 20 | catgcagggg actggagcgt gcaatcgccc agatgaggca ggacatccag cagcagggac  | 21300 |
|    | agcagcagga agttgagagg tgggtccatc aatctaaaca agtcgctagg gaccttccgg  | 21360 |
| 25 | gacagtgcgg caccagcct agccgatgcc agctccaggg gcagcagcag tctgcatggt   | 21420 |
|    | tttgaagtgg tgatcgatga gatcgtataa agacactgct aggtgttaag gatgggataa  | 21480 |
|    | taagatgtgt ttttaagtcat taaccgtaat aaaaagagag agaggctgat ggaatgttat | 21540 |
| 30 | gtatgtatgt ttcttggttt ttaaaattaa atggaaagca catgctcgtg tgggttctat  | 21600 |
|    | ctcgattaaa aatcccaatt atatttggtc taatttagtt tggatttgag taaaacaaat  | 21660 |
|    | tcgaacccaaa ccaaaatata aatatatagt ttttatatat atgcctttaa gactttttat | 21720 |
| 35 | agaattttct ttaaaaaata tctagaaata tttgcgactc ttctggcatg taatatttcg  | 21780 |
|    | ttaaataatga agtgctccat ttttattaac tttaaataat tgggtgtacg atcactttct | 21840 |
|    | tatcaagtgt tactaaaatg cgtcaatctc tttgttcttc catattcata tgtcaaaatc  | 21900 |
| 40 | tatcaaaatt cttatatatc tttttcgaat ttgaagtga atttcgataa tttaaaatta   | 21960 |
|    | aatagaacat atcattatct aggtatcata ttgattttta tacttaatta cttaaatttg  | 22020 |
|    | ttaactttga aagtgtacat caacgaaaaa ttagtcaaac gactaaaata aataaatatc  | 22080 |
| 45 | atgtgttatt aagaaaattc tcctataaga atattttaat agatcatatg tttgtaaaaa  | 22140 |
|    | aaattaattt ttactaacac atatatctac ttatcaaaaa tttgacaaag taagattaaa  | 22200 |
|    | ataatattca tctaacaaaa aaaaaaccag aaaatgctga aaaccggca aaaccgaacc   | 22260 |
| 50 | aatccaaacc gatatagttg gtttggtttg attttgatat aaaccgaacc aactcgggtcc | 22320 |
|    | atttgcaccc ctaatcataa tagctttaat atttcaagat attattaagt taacgttgctc | 22380 |
| 55 | aatatcctgg aaattttgca aaatgaatca agcctatatg gctgtaatat gaatttaaaa  | 22440 |
|    | gcagctcgat gtggttggtta tatgtaattt acttgattct aaaaaatat cccaagtatt  | 22500 |

EP 3 266 316 A1

|    |             |             |            |            |             |             |       |
|----|-------------|-------------|------------|------------|-------------|-------------|-------|
|    | aataatttct  | gctaggaaga  | aggttagcta | cgatttacag | caaagccaga  | atacaaagaa  | 22560 |
|    | ccataaagtg  | attgaagctc  | gaaatatacg | aaggaacaaa | tattttttaa  | aaaatacgca  | 22620 |
| 5  | atgacttggg  | acaaaagaaa  | gtgatatatt | ttttgttctt | aaacaagcat  | cccctctaaa  | 22680 |
|    | gaatggcagt  | tttcctttgc  | atgtaactat | tatgctccct | togttacaaa  | aattttggac  | 22740 |
|    | tactattggg  | aacttcttct  | gaaaatagtc | ctgcaggcta | gtagattggg  | tgggttggttt | 22800 |
| 10 | ccatgtacca  | gaaggcttac  | cctattagtt | gaaagttgaa | actttgttcc  | ctactcaatt  | 22860 |
|    | cctagtgtg   | taaatgtatg  | tatatgtaat | gtgtataaaa | cgtagtactt  | aaatgactag  | 22920 |
|    | gagtggttct  | tgagaccgat  | gagagatggg | agcagaacta | aagatgatga  | cataattaag  | 22980 |
| 15 | aacgaatttg  | aaaggctctt  | aggtttgaat | cctattcgag | aatgtttttg  | tcaaagatag  | 23040 |
|    | tggcgatttt  | gaaccaaaga  | aaacatttaa | aaaatcagta | tccggttacg  | ttcatgcaaa  | 23100 |
| 20 | tagaaagtgg  | tctaggatct  | gattgtaatt | ttagacttaa | agagtctctt  | aagattcaat  | 23160 |
|    | cctggctgtg  | tacaaaacta  | caaataatat | attttagact | atttggcctt  | aactaaactt  | 23220 |
|    | ccactcatta  | tttactgagg  | ttagagaata | gacttgcgaa | taaacacatt  | cccgagaaat  | 23280 |
| 25 | actcatgatc  | ccataattag  | tcagagggta | tgccaatcag | atctaagaac  | acacattccc  | 23340 |
|    | tcaaatttta  | atgcacatgt  | aatcatagtt | tagcacaaat | caaaaataat  | gtagtattaa  | 23400 |
|    | agacagaaat  | ttgtagactt  | ttttttggcg | ttaaagaag  | actaagttta  | tacgtacatt  | 23460 |
| 30 | ttatttttaag | tggaaaaccg  | aaattttcca | tcgaaatata | tgaatttagt  | atatatatatt | 23520 |
|    | ctgcaatgta  | ctattttgct  | attttggcaa | ctttcagtgg | actactactt  | tattacaatg  | 23580 |
| 35 | tgtatggatg  | catgagtttg  | agtatacaca | tgtctaaatg | catgctttgt  | aaaacgtaac  | 23640 |
|    | ggaccacaaa  | agaggatcca  | tacaaataca | tctcatagct | tcctccatta  | ttttccgaca  | 23700 |
|    | caaacagagc  | atttttacaac | aattaccaac | aacaacaaac | aacaaacaac  | attacaatta  | 23760 |
| 40 | cattttacaat | taccatacca  | tgggaatttg | tcaacctctc | gttgctatgg  | ctcaagagca  | 23820 |
|    | gtacgctgct  | atcgatgctg  | ttgttgctcc | tgctatcttc | tctgctaccg  | actctattgg  | 23880 |
|    | atggggactc  | aagcctatct  | cttctgctac | taaggatctc | cctctogttg  | aatctcctac  | 23940 |
| 45 | ccctcttata  | ctttctctcc  | tcgcttactt | cgctatcggt | ggttctggac  | tcgtttaccg  | 24000 |
|    | taaagtgttc  | cctagaaccg  | ttaagggaca | ggatcctttc | cttctcaagg  | ctcttatgct  | 24060 |
|    | cgctcacaa   | gttttccctta | tcggactcag | cctttacatg | tgccctcaagc | tcgtttacga  | 24120 |
| 50 | ggcttacgtg  | aacaagtact  | ccttctgggg | aaacgcttac | aacctgctc   | aaacogagat  | 24180 |
|    | ggctaagggtg | atctggatct  | tctacgtgtc | caagatctac | gagttcatgg  | acaccttcac  | 24240 |
| 55 | catgcttctc  | aagggaacg   | ttaaccaggt | ttccttcctc | catgtttacc  | accacggatc  | 24300 |
|    | tatctctgga  | atctgggtgga | tgatcactta | tgctgctcca | ggtggagatg  | cttacttctc  | 24360 |



EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | tgctgctctc aactcttggg ttcattgtgtg catgtacacc tactacttca tggctgctgt | 24420 |
|    | tcttcctaag gacgaaaaga ccaagagaaa gtacctttgg tggggaagat accttacc    | 24480 |
| 5  | gatgcaaagt ttccagttct tcatgaacct tctccaggct gtttacctcc tctactcttc  | 24540 |
|    | ttctccttac cctaagttca ttgctcaact cctcgttggt tacatggtta cctcctcat   | 24600 |
|    | gcttttcgga aacttctact acatgaagca ccacgcttct aagtataag ggccgccgcc   | 24660 |
| 10 | atgtgacaga tcgaaggaag aaagtataat aagacgactc tcactactcg atcgctagt   | 24720 |
|    | attgtcattg ttatatataa taatgttatc ttccacaact tatcgtaagt catgtgaaac  | 24780 |
|    | tataacacat taatcctact tgtcatatga taacactctc cccattttaa actcttgtca  | 24840 |
| 15 | atttaaagat ataagattct ttaaatgatt aaaaaaata tattataaat tcaatcactc   | 24900 |
|    | ctactaataa attattaatt attatttatt gattaaaaaa atacttatac taatttagtc  | 24960 |
|    | tgaatagaat aattagattc tagcctgcag ggcggccgag gatcccatgg agtcaaagat  | 25020 |
| 20 | tcaaataagag gacctaacag aactcgccgt aaagactggc gaacagttca tacagagtct | 25080 |
|    | cttacgactc aatgacaaga agaaaatctt cgtcaacatg gtggagcacg acacacttgt  | 25140 |
|    | ctactccaaa aatatcaaag atacagtctc agaagaccaa agggcaattg agacttttca  | 25200 |
| 25 | acaaagggtg atatccgga acctcctcgg attccattgc ccagctatct gtcactttat   | 25260 |
|    | tgtgaagata gtggaaaagg aaggtggctc ctacaaatgc catcattgag ataaaggaaa  | 25320 |
| 30 | ggccatcgtt gaagatgcct ctgccgacag tgggtcccaa gatggacccc caccacgag   | 25380 |
|    | gagcatcgtg gaaaaagaag acgttccaac cactgtctca aagcaagtgg attgatgtga  | 25440 |
|    | tatctccact gacgtaaggg atgacgcaca atccactat ccttcgcaag acccttctc    | 25500 |
| 35 | tatataagga agttcatttc atttgagag aacacggggg actgaattaa atatgagccc   | 25560 |
|    | tgagaggcgt cctgttgaaa tcagacctgc tactgctgct gatattggctg ctgtttgtga | 25620 |
|    | tatcgtgaac cactacatcg agacttctac cgttaacttc agaactgagc ctcaaactcc  | 25680 |
| 40 | tcaagagtgg atcgatgac ttgagagact ccaagataga tacccttggc ttgttgctga   | 25740 |
|    | ggttgagggt gttgttgctg gaatcgctta cgtggacct tgggaaggcta gaaacgctta  | 25800 |
|    | cgattggact gttgagtcta ccgtttacgt ttccacacaga catcagagac ttggacttgg | 25860 |
| 45 | atctaccctt tacactcacc ttctcaagtc tatggaagct cagggattca agtctgttgt  | 25920 |
|    | tgctgttatc ggactcccta acgatccttc tgttagactt catgaggctc ttggatacac  | 25980 |
|    | tgctagagga actcttagag ctgctggata caagcacggg ggatggcatg atgttgatt   | 26040 |
| 50 | ctggcaaaga gatttcgagc ttctgctcc tcttagacct gttagaccag ttactcagat   | 26100 |
|    | ctgaatttgc gtgatcgctc aaacatttgg caataaagtt tcttaagatt gaatcctgtt  | 26160 |
| 55 | gccggtcttg cgatgattat catataattt ctgttggaatt acgttaagca tgtaataatt | 26220 |
|    | aacatgtaat gcatgacgtt atttatgaga tgggttttta tgattagagt cccgcaatta  | 26280 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | tacattttaat acgcgataga aaacaaaata tagcgcgcaa actaggataa attatcgcgc | 26340 |
|    | gcggtgtcat ctatgttact agatcactag tgatgtacgg ttaaaaccac ccagttacat  | 26400 |
| 5  | taaaaacgtc cgcaatgtgt tattaagttg tctaagcgtc aatttgttta caccacaata  | 26460 |
|    | tatcctgccca ccagccagcc aacagctccc cgaccggcag ctcggcacaa aatcaccact | 26520 |
|    | cgatacaggc agcccatcag tcc                                          | 26543 |
| 10 |                                                                    |       |
|    | <210> 7                                                            |       |
|    | <211> 23760                                                        |       |
|    | <212> DNA                                                          |       |
|    | <213> Artificial Sequence                                          |       |
| 15 |                                                                    |       |
|    | <220>                                                              |       |
|    | <223> pGA7- mod_G nucleotide sequence                              |       |
|    |                                                                    |       |
|    | <400> 7                                                            |       |
| 20 | tcctgtggtt ggcattgcaca tacaatgga cgaacggata aaccttttca cgccctttta  | 60    |
|    | aatatccgat tattctaata aacgctcttt tctcttaggt ttaccgcgca atatatcctg  | 120   |
|    | tcaaacactg atagttttaa ctgaaggcgg gaaacgacaa tctgctagtg gatctcccag  | 180   |
| 25 | tcacgacgtt gtaaaacggg cgccccgcgg aaagcttgcg gcgcgggtac cgcccggtcg  | 240   |
|    | actcagatct tccaaggcct cgtctccgag tccgctgctt ctgcgcgcgc cgatcacttc  | 300   |
|    | tccgcgcgca acaaggcttg tagttaatag gaatcattca gggatttgtga ttccgggcag | 360   |
| 30 | tagtaattaa taatatagta ttagtataga taatatgttt cgtttgggat ctttggaacg  | 420   |
|    | ttgctctgtt ccttgttggt cattttaaag cttttgaggg atagttgcag aactgttcgg  | 480   |
|    | tgatgcttca tcctctcaag aactagattt gggtaaagaa acatccatgc atggatatgg  | 540   |
| 35 | aatgttggtt ttccgattgg agattatatt ataaaattta aaattcatga tttaaaaaaa  | 600   |
|    | cacataaaaa ccacaaaatt catgatttat tgacaatacg atacaaaatt agcaccaccg  | 660   |
| 40 | gctactggct cattacacat ttccccttcc cctcattctc actttgtggc tttattatta  | 720   |
|    | ttattattac atatatttta ccgttattat ttcacgtcac ataagcttgt taattaatta  | 780   |
|    | tcactgcttc ttagcaccct tagacttgta cctcttacgg tagaagttgg cgaagagaac  | 840   |
| 45 | gaacatgttc accataaacc agagttgaag gtaaggaagc cagaaagcgg tattctgaac  | 900   |
|    | gtaagcgggt tagatagagt gagaagcaca gatacagaac tgaagcatct ggatctgggt  | 960   |
|    | gatgtacttc ttccagaaac agttaactcc aagagcagca agtccgtagt aagagtacat  | 1020  |
| 50 | gatcacgtgc acgaaggtgt taacagaaga tccgaagtag caatctccaa caggctcaag  | 1080  |
|    | cttcataaca acgaaccatg accagatgag aagagtgtgg tggtagatgt gaaggaaaga  | 1140  |
| 55 | aagctgggtc aacttcttcc tcatcaccat gaagaaggtg tcgagaagct caacgtactt  | 1200  |
|    | gttggtgtag tgaagccaga taacctgaga gattcccca gagtttagcag tcatatcagg  | 1260  |

# EP 3 266 316 A1

|    |             |             |            |             |            |             |      |
|----|-------------|-------------|------------|-------------|------------|-------------|------|
|    | gatgtttccc  | caaaccttaa  | gtccctgagc | cctatgagaa  | gtaacgaaaa | ggtagatgca  | 1320 |
|    | gtagctgttg  | aagaaggtct  | ggtagaagtt | gtaaacgagc  | atagcgttct | tgagtccgaa  | 1380 |
| 5  | aggttgagat  | ctgttctgca  | tgatacgctt | tccgaagtag  | atgaagagga | ggtatccaat  | 1440 |
|    | agttccgata  | gtaggtcccc  | agtactcaac | ctgcatgaag  | taagcaggaa | ctttctcaga  | 1500 |
|    | agctgggata  | tcaggggttag | ccacattgta | ggtaacgtat  | ccaagagttc | cagcaagagc  | 1560 |
| 10 | agcagggata  | gcgatagagg  | ccatggtatg | gtaattgtaa  | atgtaattgt | aatgttggtt  | 1620 |
|    | gttgtttgtt  | gttgttggtg  | attgttgtaa | aattaattaa  | gtgggtatct | tttggtatgga | 1680 |
|    | taagcaagta  | gtgatgatgt  | tctaggtgaa | gtgatggggg  | tgttttatag | cgggagatgg  | 1740 |
| 15 | tgaaatggat  | ggtcggcaca  | taagaaatgg | aggggaaggg  | ttcttgcgcc | attcttcagt  | 1800 |
|    | ttgcatggat  | gcatgggttt  | cattttgtaa | cacgtaataa  | ggacaatgaa | gtgcaggtgt  | 1860 |
|    | ctctcaagtt  | tcagagggga  | tatgtggaca | gaagaagaac  | ggcgatgata | ttgatggaaa  | 1920 |
| 20 | tggccatcta  | gtgtgaatct  | attcgggtga | taataactagt | gcattttggc | cgtaaatccc  | 1980 |
|    | ttcaattaac  | tgacaaaact  | tcagttgagt | attgattatt  | tgattatagg | ttctgtaaac  | 2040 |
| 25 | acaataccaa  | gtttatttag  | aggggagaca | tacaaatagt  | ttcgatataa | ataatagagt  | 2100 |
|    | ggttaaactt  | agttattaaa  | actatatata | aagtctaaaa  | gttaaattat | ttttttaatt  | 2160 |
|    | gcaaatatat  | aaagtctaaa  | ggggttacat | tattttcttaa | gagatgtaac | tctgttgga   | 2220 |
| 30 | tctgacttaa  | tccgtctcat  | cactctggtt | tccagttcta  | atctaataa  | ttgttttctg  | 2280 |
|    | ccaaagaatt  | tgaagcaaga  | agtaaattga | tcaatgccgt  | caaccacac  | caaaccgtca  | 2340 |
|    | accactacc   | atcgccgagg  | agaccccaa  | actcaacctc  | cacccatcgg | taagaagcac  | 2400 |
| 35 | agggcagccc  | gcaccaccac  | caatttgagg | tgcatgacac  | ctagggactt | ggcacgggag  | 2460 |
|    | gcggcgcacg  | tggatgcaaa  | tgacgggata | tcagatgaca  | ggaaacgacg | ttgagagacc  | 2520 |
|    | atacgatgta  | gaatatgagc  | tcaccatcaa | cgagaaacta  | ggaaaatcac | aaaaaaaaa   | 2580 |
| 40 | actctcgtaa  | ttgtacgagt  | ggcacagatg | gggtctgcctc | aacatatctc | taatacggcg  | 2640 |
|    | aagcctgccc  | aacacgtagt  | tgccggaatc | cggtgtggag  | ctcacgactc | tgaaagatag  | 2700 |
|    | gcgcttcctg  | tttcgtttcg  | ctcaccact  | ggacgtccgt  | catgtgatgg | atttcgggtca | 2760 |
| 45 | ttggtttgct  | gacaaccaca  | ttctgaagct | ccatgagatg  | agtcttcaca | ataggtcctg  | 2820 |
|    | ctcaataaccg | tggagttatg  | gttgcaagtc | cataacttgc  | cgttcgaata | ttttgcggag  | 2880 |
|    | ccagtcggac  | gggaattggc  | gagctcggct | gacacctata  | aaggccatga | caagaagaac  | 2940 |
| 50 | caaaagttct  | tccctaatac  | tttcatgagg | cttcgggtcg  | ttatggatgt | cggaaaaccc  | 3000 |
|    | ctcttgaagg  | aacgagacgt  | tattatgcat | gacggtaaga  | ctattacttg | tcagtataag  | 3060 |
| 55 | tatgaaagat  | tacctgtctt  | ctgctttgtt | tgtggattga  | ttggacacgt | tgaaaaaaa   | 3120 |
|    | tgtgcacttc  | gatttcaata  | ctcagagatc | gacttccctt  | ttctctagga | gtattcgatc  | 3180 |

EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | aaggcattaa catggaagga agctcaagct ctaaaggctt cacaatggaa cctgaaaaat  | 3240 |
|    | ttcaacaagc ctaaactgaa atogaagtca aatcacccaa ccgggagctc taaatcagca  | 3300 |
| 5  | aacactcctc ctccacagta tccaatcatc gtgcacgatg ctccaggtat tgcaagccag  | 3360 |
|    | gtattgcaag ctaggagtag gatagagacc ttaaacgtcg ttggtgtgaa gagtcatctt  | 3420 |
|    | cagacctaat ggagatagat gtagacggcg gcacgaagac tctgaaacac cagaaaggct  | 3480 |
| 10 | agtccaggat aaggatctgc tatcccaact gacctctcgt tagtcccaag gcctctcaac  | 3540 |
|    | tagagcagga ggaaggatgg tcacaagact aggataatga tgtttccaat atgaacctga  | 3600 |
|    | atgtccatag ctaatTTTTT tagtcttgct tctgcacttt ttgtttatta tgttctggtg  | 3660 |
| 15 | actatgttat ttacccttgt ccgtatgctt gagggtagcc tagtagattg gttggttggt  | 3720 |
|    | ttccatgtac cagaaggctt accctattag ttgaaagttg aaactttgtt ccctactcaa  | 3780 |
|    | ttcctagttag tgtaaatgta tgtatatgta atgtgtataa aacgtagtac ttaaatgact | 3840 |
| 20 | aggagtgggt cttgagaccg atgagagatg ggagcagaac taaagatgat gacataatta  | 3900 |
|    | agaacgaatt tgaaaggctc ttaggtttga atcctattcg agaatgtttt tgtcaaagat  | 3960 |
| 25 | agtggcgatt ttgaaccaa gaaaacattt aaaaaatcag tatccgggta cgttcatgca   | 4020 |
|    | aatagaaaagt ggtctaggat ctgattgtaa ttttagactt aaagagtctc ttaagattca | 4080 |
|    | atcctggctg tgtacaaaac tacaaataat atattttaga ctatttggcc ttaactaaac  | 4140 |
| 30 | ttccactcat tatttactga ggtagagaa tagacttgcg aataaacaca ttcccgagaa   | 4200 |
|    | atactcatga tcccataatt agtcagaggg tatgccaatc agatctaaga acacacattc  | 4260 |
| 35 | cctcaaattt taatgcacat gtaatcatag ttagcacaa ttcaaaaata atgtagtatt   | 4320 |
|    | aaagacagaa atttgtagac ttttttttgg cgtaaaaaga agactaagtt tatacgtaca  | 4380 |
|    | ttttatttta agtggaaaac cgaaattttc catcgaaata tatgaattta gtatatatat  | 4440 |
| 40 | ttctgcaatg tactattttg ctattttggc aactttcagt ggactactac tttattacaa  | 4500 |
|    | tgtgtatgga tgcattgagt tgagtataca catgtctaaa tgcattgctt gtaaaacgta  | 4560 |
|    | acggaccaca aaagaggatc catacaaata catctcatag ctccctccat tattttccga  | 4620 |
| 45 | cacaaacaga gcattttaca acaattacca acaacaacaa acaacaacaa acattacaat  | 4680 |
|    | tacatttaca attaccatac catggaattc gccagcctc ttgttgctat ggctcaagag   | 4740 |
|    | caatacgtcg ctatcgatgc tgttggttgct cctgctatct tctctgctac tgattctatc | 4800 |
| 50 | ggatggggac ttaagcctat ctcttctgct actaaggact tgccctctgt tgagtctcct  | 4860 |
|    | acacctctca tcctttcttt gcttgcttac ttogctatcg ttggatctgg actcgtttac  | 4920 |
|    | agaaagggtt tccctagaac cgtgaaggga caagatccat tccttttgaa ggctcttatg  | 4980 |
| 55 | cttgctcaca acgtgttcct tatcggactt tctctttaca tgtgctcaa gcttgtgtac   | 5040 |

EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | gaggcttacg ttaacaagta ctctttctgg ggaaacgctt acaaccctgc tcaaactgag  | 5100 |
|    | atggctaagg ttatctggat cttctacgtg agcaagatct acgagttcat ggataccttc  | 5160 |
| 5  | atcatgctcc tcaagggaag tgtaaccag gttagcttcc ttcacgttta ccatcacgga   | 5220 |
|    | tctatctctg gaatctggtg gatgattact tacgtgctc ctggtggtga tgcttacttc   | 5280 |
|    | tctgctgctc ttaactcttg gggtcacgtg tgtatgtaca cctactatct tatggctgcc  | 5340 |
| 10 | gtgcttccta aggacgagaa aactaagaga aagtacctct ggtggggaag ataccttact  | 5400 |
|    | caaatgcaga tgttccagtt cttcatgaac cttctccagg ctgtttacct tctctactct  | 5460 |
|    | tcatctcctt accctaagtt tatcgctcag ctccctggtg tgtacatggt tactcttctc  | 5520 |
| 15 | atgcttttctg gaaacttcta ctacatgaag caccacgcta gcaagtgatg aggcgcgccg | 5580 |
|    | ggccgccgcc atgtgacaga tcgaaggaag aaagtgtaat aagacgactc tcactactcg  | 5640 |
|    | atcgctagtg attgtcattg ttatatataa taatgttatc tttcacaact tatcgtaatg  | 5700 |
| 20 | catgtgaaac tataacacat taatcctact tgtcatatga taacactctc cccatttaaa  | 5760 |
|    | actcttgtca atttaaagat ataagattct ttaaagtatt aaaaaaata tattataaat   | 5820 |
| 25 | tcaatcactc ctactaataa attattaatt attatttatt gattaaaaaa atacttatac  | 5880 |
|    | taatttagtc tgaatagaat aattagattc tagtctcatc cccttttaaa ccaacttagt  | 5940 |
|    | aaacgttttt ttttttaatt ttatgaagtt aagtttttac cttgttttta aaaagaatcg  | 6000 |
| 30 | ttcataagat gccatgccag aacattagct acacggtaca catagcatgc agccgcggag  | 6060 |
|    | aattgttttt cttcgccact tgtcactccc ttcaaacacc taagagcttc tctctcacag  | 6120 |
|    | cacacacata caatcacatg cgtgcatgca ttattacacg tgatcgccat gcaaactctcc | 6180 |
| 35 | tttatagcct ataaattaac tcatccgctt cactctttac tcaaaccaaa actcatcgat  | 6240 |
|    | acaaacaaga ttaaaaacat acacgaggat cttttacaac aattaccaac aacaacaaac  | 6300 |
|    | aacaacaaac attacaatta catttacaat taccatacca tgctccaag ggactcttac   | 6360 |
| 40 | tcttatgctg ctccctcctc tgctcaactt cacgaagttg atactcctca agagcacgac  | 6420 |
|    | aagaaagagc ttgttatcgg agatagggct tacgatgtta ccaacttcgt taagagacac  | 6480 |
|    | cctggtggaa agatcattgc ttaccaagtt ggaactgatg ctaccgatgc ttacaagcag  | 6540 |
| 45 | ttccatgtta gatctgctaa ggctgacaag atgcttaagt ctcttccttc tcgtcctggt  | 6600 |
|    | cacaagggat actctccaag aagggctgat cttatcgctg atttccaaga gttcaccaag  | 6660 |
|    | caacttgagg ctgaggggaat gttcgagcct tctcttcctc atgttgctta cagacttgct | 6720 |
| 50 | gaggttatcg ctatgcatgt tgctggtgct gctcttatct ggcatggata cactttcgct  | 6780 |
|    | ggaatcgcta tgcttgaggt tggtcagga agatgtggat ggcttatgca tgaggggtgga  | 6840 |
| 55 | cattactctc tcaactgaaa cattgcttct gacagagcta tccaagttgc ttgttacgga  | 6900 |
|    | cttggtatgtg gaatgtctgg tgcttggtgg cgtaaccagc ataacaagca ccatgctact | 6960 |

EP 3 266 316 A1

|    |                                                                      |      |
|----|----------------------------------------------------------------------|------|
|    | cctcaaaagc ttcagcacga tgttgatctt gatacccttc ctctcgttgc tttccatgag    | 7020 |
|    | agaatcgctg ctaagggttaa gtctcctgct atgaaggctt ggctttctat gcaagctaag   | 7080 |
| 5  | cttttcgctc ctgttaccac tcttcttggt gctcttggtt ggcagcttta ccttcacctc    | 7140 |
|    | agacacatgc tcaggactaa gcactacgat gagcttgcta tgctcggaat cagatacgga    | 7200 |
|    | cttggttggt accttgctgc taactacggt gctggatacg ttctcgtttg ttaccttctt    | 7260 |
| 10 | tacgttcagc ttggagctat gtacatcttc tgcaacttcg ctgtttctca tactcacctc    | 7320 |
|    | cctgttggtg agcctaacga gcatgctact tgggttgagt acgctgctaa ccacactact    | 7380 |
|    | aactgttctc catcttggtg gtgtgattgg tggatgtctt accttaacta ccagatcgag    | 7440 |
| 15 | caccaccttt acccttctat gcctcaattc agacacccta agatcgctcc tagagttaag    | 7500 |
|    | cagcttttcg agaagcacgg acttcactac gatgttagag gatacttcga ggctatggct    | 7560 |
| 20 | gatactttcg ctaaccttga taacgttgcc catgctcctg agaagaaaat gcagtaatga    | 7620 |
|    | gatcgttcaa acat ttggca ataaagt ttc ttaagattga atcctgttgc cggctcttgcg | 7680 |
|    | atgattatca tataat tct gttgaattac gttaa gcacg taataattaa catgtaatgc   | 7740 |
| 25 | atgacgttat ttatgagatg ggtttttatg attagagtcc cgcaattata catttaatac    | 7800 |
|    | gcgatagaaa acaaaatata gcgcgcgaaac taggataaat tatcgcgcgcg ggtgtcatct  | 7860 |
|    | atgttactag atcggtcgat taaaaatccc aatttatattt ggtctaattt agtttggtat   | 7920 |
| 30 | tgagtataaac aaattcgaac caaaccaaaa tataaatata tagtttttat atatatgcct   | 7980 |
|    | ttaagacttt ttatagaatt ttcttttaaaa aatatctaga aatatttgcg actcttctgg   | 8040 |
| 35 | catgtaatat ttcgtttaat atgaagtgtt ccatttttat taactttaaa taattgggtt    | 8100 |
|    | tacgatcact ttcttatcaa gtgttactaa aatgcgtcaa tctctttgtt cttccatatt    | 8160 |
|    | catatgtcaa aatctatcaa aattcttata tatctttttc gaatttgaag tgaaatttcg    | 8220 |
| 40 | ataattttaa attaaataga acatatcatt atttaggtat catattgatt ttataactta    | 8280 |
|    | attactaaat ttggttaact ttgaaagtgt acatcaacga aaaattagtc aaacgactaa    | 8340 |
|    | aataaataaa tatcatgtgt tattaagaaa attctcctat aagaatattt taatagatca    | 8400 |
| 45 | tatgtttgta aaaaaaatta atttttacta acacatatat ttacttatca aaaatttgac    | 8460 |
|    | aaagtaagat taaaataata ttcattctaac aaaaaaaaaa ccagaaaatg ctgaaaaccc   | 8520 |
|    | ggcaaaaaccg aaccaatcca aaccgatata gttgggtttgg tttgattttg atataaaccg  | 8580 |
| 50 | aaccaactcg gtccatttgc acccctaatac ataatagctt taatatttca agatattatt   | 8640 |
|    | aagttaacgt tgtcaatatc ctggaaattt tgcaaaatga atcaagccta tatggctgta    | 8700 |
| 55 | atatgaattt aaaagcagct cgatgtggtg gtaatatgta atttacttga ttctaaaaaa    | 8760 |
|    | atatcccaag tattaataat ttctgctagg aagaaggtta gctacgattt acagcaaagc    | 8820 |

EP 3 266 316 A1

|    |             |             |             |             |             |            |       |
|----|-------------|-------------|-------------|-------------|-------------|------------|-------|
|    | cagaatacaa  | agaaccataa  | agtgattgaa  | gctcgaaata  | tacgaaggaa  | caaatatttt | 8880  |
|    | taaaaaaata  | cgcaatgact  | tggacaacaaa | gaaagtgata  | tattttttgt  | tcttaaacaa | 8940  |
| 5  | gcatcccctc  | taaagaatgg  | cagttttcct  | ttgcatgtaa  | ctattatgct  | cccttcgtta | 9000  |
|    | caaaaatttt  | ggactactat  | tgggaacttc  | ttctgaaaat  | agtgatagaa  | cccacacgag | 9060  |
|    | catgtgcttt  | ccatttaatt  | ttaaaaacca  | agaaacatac  | atacataaca  | ttccatcagc | 9120  |
| 10 | ctctctctct  | ttttattacg  | gttaatgact  | taaaacacat  | cttattatcc  | catccttaac | 9180  |
|    | acctagcagt  | gtctttatac  | gatctcatcg  | atcaccactt  | caaaaccatg  | cagactgctg | 9240  |
|    | ctgcccctgg  | agctggcatc  | ggctaggctg  | ggtgccgcac  | tgtcccggaa  | ggtccctagc | 9300  |
| 15 | gacttgttta  | gattgatggg  | accacctctc  | aacttcctgc  | tgctgtccct  | gctgctggat | 9360  |
|    | gtcctgcctc  | atctggccga  | ttgcacgctc  | cagtcccctg  | catgtgcact  | cgctcctcaa | 9420  |
|    | ttgcttaaga  | tcacgcgagc  | agctatcgaa  | gtgctggctc  | tgttgccctc  | ctccacggcc | 9480  |
| 20 | ttggttgtag  | tagtagctgc  | cgcgcgccct  | ctggactttt  | tcccacagga  | accgccgaat | 9540  |
|    | aattcgatag  | aaccacacga  | gcatgtgctt  | tcatttatatt | taaaaaccaa  | gaaacataca | 9600  |
| 25 | taacatttca  | tcagcctctc  | tctctctctc  | tctctctctc  | tctctctctc  | tctctctctc | 9660  |
|    | tctctcttta  | ttacagctgt  | tacactaact  | taaaacacat  | tcactctcatt | attattatta | 9720  |
|    | ttatccatcc  | ttaacaccta  | gcagtgtcct  | tgtacgatct  | cataatcgat  | caccccttca | 9780  |
| 30 | tcaggatatcc | ttaggcttca  | ctccaacggt  | gttgcagtta  | cggaacatgt  | acacaccatc | 9840  |
|    | atggttctca  | acgaactggc  | aagatctcca  | agttttccaa  | aggctaacc   | acatgttctc | 9900  |
|    | atcgggtgtgt | ctgtagtgct  | ctcccataac  | tttcttgatg  | cactcggtag  | cttctctagc | 9960  |
| 35 | atggttagaat | gggatccttg  | aaacgtagtg  | atggagcaca  | tgagtctcga  | tgatgtcatg | 10020 |
|    | gaagatgatt  | ccgaggattc  | cgaactctct  | atcgatagta  | gcagcagcac  | ccttagcgaa | 10080 |
|    | agtccactct  | tgagcatcgt  | aatgaggcat  | agaagaatcg  | gtgtgctgaa  | ggaaggtaac | 10140 |
| 40 | gaaaacaagc  | cagtgggttaa | caaggatcca  | aggacagaac  | catgtgatga  | aagtaggcca | 10200 |
|    | gaatccgaaa  | accttgtaag  | cggtgtaaac  | agaagtgagg  | gtagcaagga  | ttccaagatc | 10260 |
|    | agaaagaacg  | atgtaccagt  | agtccttctt  | atcgaaaaca  | gggctagaag  | gccagtagtg | 10320 |
| 45 | agacttgaag  | aacttagaaa  | caccagggtg  | aggttgtcca  | gtagcgtag   | tagcaaggta | 10380 |
|    | aagagaaaagt | cctccaagct  | gttggaacaa  | gagagcgaaa  | acagagtaga  | taggagtttc | 10440 |
|    | ctcagcgata  | togtgaaggc  | tggttaacttg | gtgcttctct  | ttgaattcct  | cggcgggtga | 10500 |
| 50 | aggaacgaaa  | accatatctc  | tggtcatgtg  | tccagtagcc  | ttatggtgct  | tagcatgaga | 10560 |
|    | gaacttccag  | ctgaagtaag  | gaaccataac  | aagagagtgg  | agaacccatc  | caacggtatc | 10620 |
| 55 | gttaacccat  | ccgtagttag  | agaaagcaga  | atgtccacac  | tcatgtccaa  | ggatccagat | 10680 |
|    | tccgaatccg  | aaacaagaga  | tagagaacac  | gtaagcagac  | caagcagcga  | atctaaggaa | 10740 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | ttcgttaggg agaagagggga tgtaggtaag tccaacgtaa gcgatagcag agatagccac | 10800 |
|    | gatatctctc accacgtaag acatagactt cacgagagat ctctcgtaac agtgcttagg  | 10860 |
| 5  | gatagcgtca aggatatcct tgatggtgta atctggcacc ttgaaaacgt ttccgaaggt  | 10920 |
|    | atcgatagcg gtcttttgct gcttgaaaga tgcaacgttt ccagaacgcc taacgggtctt | 10980 |
|    | agtagatccc tcaaggatct cagatccaga cacggtaacc ttagacatgg tatggtaatt  | 11040 |
| 10 | gtaaatgtaa ttgtaatggt gtttgttggt tgttgttggt ggtaattggt gtaaaatttt  | 11100 |
|    | tgggtggtgat tggttcttta aggtgtgaga gtgagttgtg agttgtgtgg tgggtttggt | 11160 |
|    | gagattgggg atggtgggtt tatatagtgg agactgagga atggggtcgt gagtgttaac  | 11220 |
| 15 | tttgcatggg ctacacgtgg gttcttttgg gcttacacgt agtattattc atgcaaatgc  | 11280 |
|    | agccaatata tatacggtat ttaataatg tgtgggaata caatatgccg agtattttac   | 11340 |
| 20 | taattttggc aatgacaagt gtacatttggt attatcttac ttggcctctc ttgctttaat | 11400 |
|    | ttggattatt tttattctct taccttggcc gttcatattc acatccctaa aggcaagaca  | 11460 |
|    | gaattgaatg gtggccaaaa attaaaacga tggatatgac ctacatagtg taggatcaat  | 11520 |
| 25 | taacgtcgaa ggaaaatact gattctctca agcatacggga caagggtaaa taacatagtc | 11580 |
|    | accagaacat aataaacaac aagtgcagaa gcaagactaa aaaaattagc tatggacatt  | 11640 |
|    | caggttcata ttggaaacat cattatccta gtcttgtgac catccttcct cctgctctag  | 11700 |
| 30 | ttgagaggcc ttgggactaa cgagagggtca gttgggatag cagatcctta tcctggacta | 11760 |
|    | gcctttctgg tgtttcagag tcttcgtgcc gccgtctaca tctatctcca ttaggtctga  | 11820 |
| 35 | agatgactct tcacaccaac gacgtttaag gtctctatcc tactcctagc ttgcaatacc  | 11880 |
|    | tggcttgcaa tacctggagc atcgtgcacg atgattggat actgtggagg aggagtgttt  | 11940 |
|    | gctgatttag agctcccgggt tgggtgattt gacttcgatt tcagtttagg cttgttgaaa | 12000 |
| 40 | tttttcagggt tccattgtga agcctttaga gcttgagctt ccttccatgt taatgccttg | 12060 |
|    | atcgaatact cctagagaaa agggaagtcg atctctgagt attgaaatcg aagtgcacat  | 12120 |
|    | tttttttcaa cgtgtccaat caatccacaa acaaagcaga agacaggtaa tctttcatac  | 12180 |
| 45 | ttatactgac aagtaatagt cttaccgtca tgcataataa cgtctcgttc cttcaagagg  | 12240 |
|    | ggttttccga catccataac gacccgaagc ctcatgaaag cattagggaa gaacttttgg  | 12300 |
|    | ttcttcttgt catggccttt atagggtgtca gccgagctcg ccaattcccg tccgactggc | 12360 |
| 50 | tccgcaaaat attcgaacgg caagttatgg acttgcaacc ataactccac ggtattgagc  | 12420 |
|    | aggacctatt gtgaagactc atctcatgga gcttcagaat gtggttgtca gcaaaccaat  | 12480 |
| 55 | gaccgaaatc catcacatga cggacgtcca gtgggtgagc gaaacgaaac aggaagcgcc  | 12540 |
|    | tatctttcag agtcgtgagc tccacaccgg attccggcaa ctacgtgttg ggcaggcttc  | 12600 |



EP 3 266 316 A1

|    |                                                                      |       |
|----|----------------------------------------------------------------------|-------|
|    | gccgtattag agatatgttg aggcagaccc atctgtgcca ctctgataat tacgagagtt    | 12660 |
|    | gttttttttg tgattttcct agttttctcgt tgatgggtgag ctcatattct acatcgtatg  | 12720 |
| 5  | gtctctcaac gtcgtttcct gtcattctgat atcccgtcat ttgcatccac gtgcgccgcc   | 12780 |
|    | tcccgtgcca agtcacctaggt gtgcatgcac gccaaattgg tgggtggtgcg ggtgcccctg | 12840 |
|    | tgcttcttac cgatgggttg aggttgagtt tgggggtctc cgcggcgatg gtagtggggtt   | 12900 |
| 10 | gacggtttggt tgtgggttga cggcattgat caatttactt cttgcttcaa attctttggc   | 12960 |
|    | agaaaacaat tcattagatt agaactggaa accagagtga tgagacggat taagtcagat    | 13020 |
|    | tccaacagag ttacatctct taagaaataa tgtaacccct ttagacttta tatatttgca    | 13080 |
| 15 | attaaaaaaa taatttaact ttagactttt atatatagtt ttaataacta agtttaacca    | 13140 |
|    | ctctattatt tatatcgaaa ctatttgtat gtctcccctc taaataaact tggatttgtg    | 13200 |
|    | tttacagaac ctataatcaa ataatacaata ctcaactgaa gtttgtgcag ttaattgaag   | 13260 |
| 20 | ggattaaagg ccaaaatgca ctagtattat caaccgaata gattcacact agatggccat    | 13320 |
|    | ttccatcaat atcatcgccg ttcttcttct gtccacatat cccctctgaa acttgagaga    | 13380 |
|    | cacctgcact tcattgtcct tattacgtgt taaaaaatga aacctatgca tccatgcaaa    | 13440 |
| 25 | ctgaagaatg ggcgaagaac cttcccctc catttcttat gtggcgacca tccatttcac     | 13500 |
|    | catctccgc tataaaacac ccccatcact tcacctagaa catcatcact acttgcttat     | 13560 |
|    | ccatccaaaa gataccact ttacaacaa ttaccaacaa caacaaacaa caaacaacat      | 13620 |
|    | tacaattaca ttacaatta ccataccatg ccacctagcg ctgctaagca aatgggagct     | 13680 |
|    | tctactggtg ttcattgctg gtgtactgac tcttctgctt tcaccagaaa ggatgttgct    | 13740 |
| 35 | gatagacctg atctcaccat cgttgagat tctgtttacg atgctaaggc tttcagatct     | 13800 |
|    | gagcatcctg gtgggtgctca tttcgtttct ttgttcggag gaagagatgc tactgaggct   | 13860 |
|    | ttcatggaat accatagaag ggcttggcct aagtctagaa tgtctagatt ccacgttgga    | 13920 |
| 40 | tctcttgctt ctactgagga acctgttgct gctgatgagg gataccttca actttgtgct    | 13980 |
|    | aggatcgcta agatgggtgcc ttctgtttct tctggattcg ctctgcttc ttactggggtt   | 14040 |
|    | aaggctggac ttatccttgg atctgctatc gctcttgagg cttacatgct ttacgctgga    | 14100 |
| 45 | aagagacttc tcccttctat cgttcttga tggcttttcg ctcttatcgg tcttaacatc     | 14160 |
|    | cagcatgatg ctaaccatgg tgctttgtct aagtctgctt ctgttaacct tgctcttgga    | 14220 |
|    | ctttgtcagg attggatcgg aggatctatg atcctttggc ttcaagagca tgttgttatg    | 14280 |
| 50 | caccacctcc aactaacga tgttgataag gatcctgac aaaaggctca cgggtgctctt     | 14340 |
|    | agactcaagc ctactgatgc ttggcacct atgcattggc ttcagcatct ttaccttttg     | 14400 |
| 55 | cctggtgaga ctatgtacgc tttcaagctt ttgttcctcg acatctctga gcttgttatg    | 14460 |
|    | tggcggtggg aggggtgagcc tatctctaag cttgctggat acctctttat gccttctttg   | 14520 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | cttctcaagc ttaccttctg ggctagattc gttgctttgc ctctttacct tgctccttct   | 14580 |
|    | gttcatactg ctgtgtgtat cgctgctact gttatgactg gatctttcta cctcgctttc   | 14640 |
| 5  | ttctttcttca tctcccacaa ctctcgagggt gttgcttctg ttggacctga tggatctatc | 14700 |
|    | acttctatga ctagagggtgc tagcttcctt aagagacaag ctgagacttc ttctaacggt  | 14760 |
|    | ggaggacctc ttcttgctac tcttaacggt ggactcaact accaaattga gcatcacttg   | 14820 |
| 10 | ttccctagag ttcaccatgg attctaccct agacttgctc ctcttggtta ggctgagctt   | 14880 |
|    | gaggctagag gaatcgagta caagcactac cctactatct ggtctaacct tgcttctacc   | 14940 |
| 15 | ctcagacata tgtacgctct tggaagaagg cctagatcta aggctgagta atgacaagct   | 15000 |
|    | tatgtgacgt gaaataataa cggtaaaata tatgtaataa taataataat aaagccacaa   | 15060 |
|    | agtgagaatg aggggaagg gaaatgtgta atgagccagt agccggtggg gctaattttg    | 15120 |
| 20 | tatcgtattg tcaataaatc atgaattttg tggtttttat gtgttttttt aaatcatgaa   | 15180 |
|    | ttttaaattt tataaaataa tctccaatcg gaagaacaac attccatata catgcatgga   | 15240 |
|    | tgtttcttta cccaaatcta gttcttgaga ggatgaagca tcaccgaaca gttctgcaac   | 15300 |
| 25 | tatccctcaa aagcttttaa atgaacaaca aggaacagag caacggtcca aagatcccaa   | 15360 |
|    | acgaaacata ttatctatac taatactata ttattaatta ctactgcccg gaatcacaat   | 15420 |
|    | ccctgaatga ttctatttaa ctacaagcct tggtggcggc ggagaagtga tcggcgcggc   | 15480 |
| 30 | gagaagcagc ggactcggag acgaggcctt ggaagatctg agtcgaacgg gcagaatcag   | 15540 |
|    | tattttcctt cgacgttaat tgatcctaca ctatgtaggc catatccatc gttttaattt   | 15600 |
| 35 | ttggccacca ttcaattctg tcttgccctt agggatgtga atatgaacgg ccaaggtaag   | 15660 |
|    | agaataaaaa taatccaat taaagcaaga gaggccaagt aagataatcc aaatgtacac    | 15720 |
|    | ttgtcattgc caaaattagt aaaatactcg gcatattgta ttcccacaca ttattaaaat   | 15780 |
| 40 | accgtatatg tattggctgc atttgcatga ataatactac gtgtaagccc aaaagaaccc   | 15840 |
|    | acgtgtagcc catgcaaagt taacactcac gaccccatc ctcagtctcc actatataaa    | 15900 |
| 45 | cccaccatcc ccaatctcac caaaccacc acacaactca caactcactc tcacacctta    | 15960 |
|    | aagaaccaat caccaccaa aattttacaa caattaccaa caacaacaaa caacaaacaa    | 16020 |
|    | cattacaatt acattttacaa ttaccatacc atgagcgctg ttaccgttac tggatctgat  | 16080 |
| 50 | cctaagaaca gaggatcttc tagcaacacc gagcaagagg ttccaaaagt tgctatcgat   | 16140 |
|    | accaacggaa acgtgttctc tgttcctgat ttcaccatca aggacatcct tggagctatc   | 16200 |
|    | cctcatgagt gttacgagag aagattggct acctctctct actacgtgtt cagagatata   | 16260 |
| 55 | ttctgcatgc ttaccaccgg ataccttacc cataagatcc tttaccctct cctcatctct   | 16320 |
|    | tacacctcta acagcatcat caagttcact ttctggggcc tttacactta cgttcaagga   | 16380 |

EP 3 266 316 A1

|    |                                                                     |       |
|----|---------------------------------------------------------------------|-------|
|    | cttttcggaa ccggaatctg ggttctcgct catgagtgtg gacatcaagc tttctctgat   | 16440 |
|    | tacggaatcg tgaacgattt cgttggatgg acccttcaact cttaccttat ggttccttac  | 16500 |
| 5  | ttcagctgga agtactctca tggaaagcac cataaggcta ctggacacat gaccagagat   | 16560 |
|    | atggtttttcg ttcttgccac caaagaggaa ttcaagaagt ctaggaactt cttcggtaac  | 16620 |
|    | ctcgctgagt actctgagga ttctccactt agaacccttt acgagcttct tgttcaacaa   | 16680 |
| 10 | cttggaggat ggatcgctta cctcttcggt aacgttacag gacaacctta ccctgatggt   | 16740 |
|    | ccttcttgga aatggaacca cttctggctt acctctccac ttttcgagca aagagatgct   | 16800 |
|    | ctctacatct tcctttctga tcttggaatc ctcacccagg gaatcgttct tactctttgg   | 16860 |
| 15 | tacaagaaat tcggaggatg gtcccttttc atcaactggg tcggttcctta catctggggt  | 16920 |
|    | aaccactggc tcggtttcat cacattcctt cagcactg atcctactat gcctcattac     | 16980 |
|    | aacgctgagg aatggacttt cgctaagggt gctgctgcta ctatcgatag aaagtccgga   | 17040 |
| 20 | ttcatcgga ctcacatctt ccatgatatc atcgagactc atgtgcttca ccactactgt    | 17100 |
|    | tctaggatcc cattctacaa cgctagacct gcttctgagg ctatcaagaa agttatggga   | 17160 |
|    | aagcactaca ggtctagcga cgagaacatg tggaagtcac tttggaagtc tttcaggtct   | 17220 |
| 25 | tgccaatacg ttgacggtga taacggtgtt ctcatgttcc gtaacatcaa caactgcgga   | 17280 |
|    | gttgagctg ctgagaagta atgaaggggt gatcgattat gagatcgtag aaagacactg    | 17340 |
|    | ctagggtgta aggatggata ataataataa taatgagatg aatgtgtttt aagttagtgt   | 17400 |
|    | aacagctgta ataaagagag agagagagag agagagagag agagagagag agagagagag   | 17460 |
|    | agagaggctg atgaaatgtt atgtatgttt cttgggttttt aaaataaatg aaagcacatg  | 17520 |
| 35 | ctcgtgtggt tctatcgaat tattcggcgg ttctgtggtg aaaaagtcca gaagggccgc   | 17580 |
|    | cgcagctact actacaacca aggccgtgga ggagggcaac agagccagca cttcgatagc   | 17640 |
|    | tgctgcgatg atcttaagca attgaggagc gagtgcacat gcaggggact ggagcgtgca   | 17700 |
| 40 | atcggccaga tgaggcagga catccagcag cagggacagc agcaggaagt tgagaggtgg   | 17760 |
|    | tcccatcaat ctaaacaagt cgctagggac cttccgggac agtgcggcac ccagcctagc   | 17820 |
|    | cgatgccagc tccaggggca gcagcagtct gcatgggtttt gaagtgggtga tcgatgagat | 17880 |
| 45 | cgtataaaga cactgctagg tgtaaggat gggataataa gatgtgtttt aagtcattaa    | 17940 |
|    | ccgtaataaa aagagagaga ggctgatgga atgttatgta tgtatgtttc ttggttttta   | 18000 |
|    | aaattaaatg gaaagcacat gctcgtgtgg gttctatctc gattaaaaat cccaattata   | 18060 |
| 50 | tttgggtctaa tttagtttgg tattgagtaa aacaaattcg aaccaaacca aaatataaat  | 18120 |
|    | atatagtttt tatatatatg ctttaagac tttttataga attttcttta aaaaatatct    | 18180 |
|    | agaaatattt gcgactcttc tggcatgtaa tatttcgtta aatatgaagt gctccatttt   | 18240 |
| 55 | tattaacttt aaataattgg ttgtacgac actttcttat caagtgttac taaaatgcgt    | 18300 |

EP 3 266 316 A1

|    |                                                                    |       |
|----|--------------------------------------------------------------------|-------|
|    | caatctcttt gttcttccat attcatatgt caaaatctat caaaattctt atatatcttt  | 18360 |
|    | ttcgaatttg aagtgaatt tcgataattt aaaattaaat agaacatatc attatttagg   | 18420 |
| 5  | tatcatattg atttttatac ttaattacta aatttggtta actttgaaag tgtacatcaa  | 18480 |
|    | cgaaaaatta gtcaaacgac taaaataaat aaatatcatg tgttattaag aaaattctcc  | 18540 |
|    | tataagaata ttttaataga tcatatgttt gtaaaaaaaa ttaattttta ctaacacata  | 18600 |
| 10 | tatttactta tcaaaaattt gacaaagtaa gattaaaata atattcatct aacaaaaaaa  | 18660 |
|    | aaaccagaaa atgctgaaaa cccggcaaaa ccgaaccaat ccaaaccgat atagttggtt  | 18720 |
|    | tggtttgatt ttgatataaa ccgaaccaac tcggtccatt tgcaccccta atcataatag  | 18780 |
| 15 | ctttaatatt tcaagatatt attaagttaa cgttgtcaat atcctggaaa ttttgcaaaa  | 18840 |
|    | tgaatcaagc ctatatggct gtaatatgaa tttaaaagca gctcgatgtg gtggtaatat  | 18900 |
| 20 | gtaatttact tgattctaaa aaaatatccc aagtattaat aatttctgct aggaagaagg  | 18960 |
|    | ttagctacga ttacagcaa agccagaata caaagaacca taaagtgatt gaagctcgaa   | 19020 |
|    | atatacgaag gaacaaatat ttttaaaaaa atacgcaatg acttggaaca aaagaaagtg  | 19080 |
| 25 | atataattttt tgttcttaaa caagcatccc ctctaaagaa tggcagtttt cctttgcatg | 19140 |
|    | taactattat gctcccttcg ttacaaaaat tttggactac tattgggaac ttcttctgaa  | 19200 |
|    | aatagtcctg caggctagta gattggttgg ttggtttcca tgtaccagaa ggcttacct   | 19260 |
| 30 | attagttgaa agttgaaact ttgttcccta ctcaattcct agttgtgtaa atgtatgtat  | 19320 |
|    | atgtaatgcg tataaaacgt agtacttaaa tgactaggag tggttcttga gaccgatgag  | 19380 |
|    | agatgggagc agaactaaag atgatgacat aattaagaac gaatttgaaa ggctcttagg  | 19440 |
| 35 | tttgaatcct attcgagaat gtttttgtca aagatagtg gatttttgaa ccaaagaaaa   | 19500 |
|    | catttaaaaa atcagtatcc ggttacgttc atgcaaatag aaagtggctc aggatctgat  | 19560 |
| 40 | tgtaatttta gacttaaaga gtctcttaag attcaatcct ggctgtgtac aaaactacaa  | 19620 |
|    | ataatatatt ttagactatt tggccttaac taaacttcca ctcatattt actgaggtta   | 19680 |
|    | gagaatagac ttgcgaataa acacattccc gagaaatact catgatccca taattagtca  | 19740 |
| 45 | gagggtatgc caatcagatc taagaacaca cattccctca aattttaatg cacatgtaat  | 19800 |
|    | catagtttag cacaattcaa aaataatgta gtattaaaga cagaaatttg tagacttttt  | 19860 |
|    | tttggcgtta aaggaagact aagtttatac gtacatttta ttttaagtgg aaaaccgaaa  | 19920 |
| 50 | ttttccatcg aaatatatga atttagtata tatatttctg caatgtacta ttttgctatt  | 19980 |
|    | ttggcaactt tcagtggact actactttat tacaatgtgt atggatgcat gagtttgagt  | 20040 |
| 55 | atacacatgt ctaaatgcat gctttgcaaa acgtaacgga ccacaaaaga ggatccatgc  | 20100 |
|    | aaatacatct catagcttcc tccattattt tccgacacaa acagagcaga ctctagagga  | 20160 |

EP 3 266 316 A1

|    |            |            |             |             |            |            |       |
|----|------------|------------|-------------|-------------|------------|------------|-------|
|    | tcccccggtt | ttacaacaat | taccaacaac  | aacaaacaac  | aaacaacatt | acaattacat | 20220 |
|    | ttacaattac | catcccaaat | cggcgcgcca  | tgtgtcctcc  | taagaccgat | ggaagatctt | 20280 |
| 5  | ctcctagatc | tcctctcacc | aggtctaagt  | catctgctga  | ggctcttgat | gctaaggatg | 20340 |
|    | cttctaccgc | tcctgttgat | cttaagaccc  | ttgagcctca  | tgaacttgct | gctaccttcg | 20400 |
|    | agactagatg | ggttaggggt | gaggatgttg  | agtacgacgt  | gaccaacttc | aaacatcctg | 20460 |
| 10 | gtggaagcgt | gatcttctac | atgcttgcta  | acactgggtgc | tgatgctact | gaggctttca | 20520 |
|    | aagaatttca | catgcgtagc | ctcaaggctt  | ggaagatgct  | tagagctttg | ccttctagac | 20580 |
|    | ctgctgagat | caagagatct | gagtctgagg  | atgctcctat  | gcttgaggat | ttcgctaggt | 20640 |
| 15 | ggagagctga | acttgagagg | gacggattct  | tcaagccttc  | tatcacccat | gttgcttacc | 20700 |
|    | gtcttttgga | gcttcttgct | actttcgctc  | ttggaaccgc  | tcttatgtac | gctggatacc | 20760 |
|    | ctatcattgc | tagcgttggt | tacggtgctt  | tcttcggagc  | tagatgtgga | tgggttcaac | 20820 |
| 20 | atgaggggtg | acacaactct | cttaccggat  | ctgtgtacgt  | ggataagaga | cttcaggcta | 20880 |
|    | tgacttgccg | attcggactt | tctaccagcg  | gagagatgtg  | gaaccagatg | cataacaagc | 20940 |
| 25 | accatgctac | ccctcagaaa | gtagacacg   | acatggatct  | tgataccact | cctgctgtgg | 21000 |
|    | ctttcttcaa | caccgctgtg | gaggataata  | gacctagggg  | attctctaga | gcttgggcta | 21060 |
|    | gacttcaagc | ttggaccttc | gttcctgtta  | cttctggact  | tctcgttcag | gctttctgga | 21120 |
| 30 | tctacgttct | ccatcctaga | cagggtgctca | ggaagaagaa  | ctacgaggaa | gcttcttgga | 21180 |
|    | tgctcgtttc | tcacgttggt | agaaccgctg  | ttatcaagct  | tgctaccgga | tactcttggc | 21240 |
|    | ctgttgctta | ctggtgggtc | actttcggaa  | actggatcgc  | ttacatgtac | ctcttcgctc | 21300 |
| 35 | acttctctac | ttctcacact | cacctccctg  | ttgttccatc  | tgacaagcac | cttagctggg | 21360 |
|    | ttaactacgc | tgttgatcac | accgttgaca  | tcgatccttc  | tcgtggatac | gttaactggc | 21420 |
|    | ttatgggata | ccttaactgc | caggttatcc  | accatctctt  | ccctgatatg | cctcaattca | 21480 |
| 40 | gacagcctga | ggtgtcaaga | agattcgtcc  | ctttcgctaa  | gaagtgggga | ctcaactaca | 21540 |
|    | aggtgctctc | ttactacggt | gcttggaagg  | ctactttcag  | caacctcgac | aaagttggac | 21600 |
|    | agcactacta | cgttaacgga | aaggctgaga  | aggctcactg  | atgattaatt | aaatttgggc | 21660 |
| 45 | tcgaaccggt | tcgagcaagc | ttatgtgacg  | tgaaataata  | acggtaaaat | atatgtaata | 21720 |
|    | ataataataa | taaagccaca | aagtgagaat  | gaggggaagg  | ggaaatgtgt | aatgagccag | 21780 |
|    | tagccggtgg | tgctaatttt | gtatcgtatt  | gtcaataaat  | catgaatttt | gtggttttta | 21840 |
| 50 | tgtgtttttt | taaatcatga | attttaaatt  | ttataaaata  | atctccaatc | ggaagaacaa | 21900 |
|    | cattccatat | ccatgcatgg | atgtttcttt  | acccaaatct  | agttcttgag | aggatgaagc | 21960 |
| 55 | atcacccaac | agttctgcaa | ctatccctca  | aaagctttta  | aatgaacaac | aaggaacaga | 22020 |
|    | gcaacgttcc | aaagatccca | aacgaaacat  | attatctata  | ctaatactat | attattaatt | 22080 |

EP 3 266 316 A1

actactgccc ggaatcaciaa tccctgaatg attcctatta actacaagcc ttgttggcgg 22140  
 cggagaagtg atcggcgcgg cgagaagcag cggactcgga gacgaggcct tggaagatct 22200  
 5 cctgcagggc ggccgcggat cccatggagt caaagattca aatagaggac ctaacagaac 22260  
 tcgccgtaaa gactggcgaa cagttcatac agagtctctt acgactcaat gacaagaaga 22320  
 aaatcttcgt caacatggtg gagcacgaca cacttgtcta ctccaaaaat atcaaagata 22380  
 10 cagtctcaga agaccaaagg gcaattgaga cttttcaaca aagggttaata tccggaaacc 22440  
 tcctcggatt ccattgcccc gctatctgtc actttattgt gaagatagtg gaaaaggaag 22500  
 gtggctccta caaatgccat cattgcgata aaggaaaggc catcgttgaa gatgcctctg 22560  
 15 ccgacagtgg tcccaaagat ggacccccac ccacgaggag catcgttgaa aaagaagacg 22620  
 ttccaaccac gtcttcaaag caagtggatt gatgtgatat ctccactgac gtaagggatg 22680  
 acgcacaatc ccactatcct tcgcaagacc ctctctctat ataaggaagt tcatttcatt 22740  
 20 tggagagaac acggggggact gaattaaata tgagccctga gaggcgtcct gttgaaatca 22800  
 gacctgctac tgctgctgat atggctgctg tttgtgatat cgtgaaccac tacatcgaga 22860  
 25 ctctaccgt taacttcaga actgagcctc aaactcctca agagtggatc gatgatcttg 22920  
 agagactcca agatagatac ccttggcttg ttgctgaggt tgagggtgtt gttgctggaa 22980  
 tcgcttacgc tggaccttg aaggctagaa acgcttacga ttggactgtt gagtctaccg 23040  
 30 ttacgtttc acacagacat cagagacttg gacttggatc taccctttac actcaccttc 23100  
 tcaagtctat ggaagctcag ggattcaagt ctgttggtgc tgttatcgga ctccctaacg 23160  
 atccttctgt tagacttcat gaggcctctg gatacactgc tagaggaact cttagagctg 23220  
 35 ctggatacaa gcacggtgga tggcatgatg ttggattctg gcaaagagat ttcgagcttc 23280  
 ctgctcctcc tagacctgtt agaccagtta ctcagatctg aatttgctg atcgttcaaa 23340  
 40 cat ttggcaa taaagtttct taagattgaa tcctgttgcc ggtcttgoga tgattatcat 23400  
 ataatttctg ttgaattacg ttaagcatgt aataattaac atgtaatgca tgacgttatt 23460  
 tatgagatgg gtttttatga ttagagtccc gcaattatac atttaatacg cgatagaaaa 23520  
 45 caaaatatag cgcgcaaact aggataaatt atcgcgcgcg gtgtcatcta tgttactaga 23580  
 tcactagtga tgtacggtta aaaccacccc agtacattaa aaacgtccgc aatgtgttat 23640  
 taagtgtct aagcgtcaat ttgtttacac cacaatatat cctgccacca gccagccaac 23700  
 50 agctccccga ccggcagctc ggcacaaaat caccactoga tacaggcagc ccatcagtcc 23760

55 <210> 8  
 <211> 11042  
 <212> DNA  
 <213> Artificial Sequence

# EP 3 266 316 A1

<220>

<223> pORE04+11ABGBEC\_Cowpea\_EPA\_insert nucleotide sequence

<400> 8

|    |                                                                      |      |
|----|----------------------------------------------------------------------|------|
| 5  | tcctgtgggtt ggcattgcaca tacaaatgga cgaacggata aaccttttca cgccctttta  | 60   |
|    | aatatccgat tatttctaata aacgctcttt tctcttaggt ttacccgcca atatatcctg   | 120  |
|    | tcaaacactg atagttttaa ctgaaggcgg gaaacgacaa tctgctagtg gatctcccag    | 180  |
| 10 | tcacgacgtt gtaaaacggg cgccctagaa tctaattatt ctattcagac taaattagta    | 240  |
|    | taagtatttt tttaatcaat aaataataat taataattta ttagtaggag tgattgaatt    | 300  |
|    | tataatatat tttttttaat catttaaaga atcttatatc tttaaattga caagagtttt    | 360  |
| 15 | aaatggggag agtggttatca tatcacaagt aggattaatg tgttatagtt tcacatgcat   | 420  |
|    | tacgataagt tgtgaaagat aacattatta tatataacaa tgacaatcac tagcgatcga    | 480  |
|    | gtagtgagag tctgtcttatt acacttttctt ccttcgatct gtcacatggc ggcggcccgga | 540  |
| 20 | attctcatca cttagaagcg tgggtgcttca tgtagtagaa gtttccgaaa agcatgagaa   | 600  |
|    | gagtcacccat gtacaccacg aggagctgag cgataaactt agggtaaggt gaagaagagt   | 660  |
| 25 | agaggaggta cacagcctgg agaaggttca tgaagaactg gaacatttgc atctgggtga    | 720  |
|    | ggtatcttcc ccaccagagg tacttttctt tagttttctc atccttaggg agcacagcag    | 780  |
|    | ccataaagta gtaggtgtac atgcacacgt gcaccaaga gttgagagca gcagagaaat     | 840  |
| 30 | aagcatcacc acctggagca gcgtagggtga tcatccacca gattccagag atagatccgt   | 900  |
|    | gatggtacac gtggaggaat gacacctggt tcacatttcc cttgaggagc atgatgaagg    | 960  |
|    | tatccatgaa ctctgtagatc tttagacacgt agaaaatcca gatcacctta gccatctcgg  | 1020 |
| 35 | tctgagcagg gttgtaagcg tttccccaga aagagtactt gttcacgtaa gcctcgtaca    | 1080 |
|    | cgagcttgag gcacatgtag agtgagagtc cgatgaggaa cacgttatga gcgagcatga    | 1140 |
|    | gagccttgag caagaatgga tcctgtccct tcacagttct agggaaacacc tttctgtaca   | 1200 |
| 40 | cgagtccaga tcccacgata gcgaagtaag cgaggagaga caagataaga ggggtaggag    | 1260 |
|    | attccacgag agggagatcc ttagtagcag aagagatagg cttgagtccc catccgatag    | 1320 |
|    | aatcggtagc agagaagata gcaggagcca caacagcatc gatagcagcg tattgttctt    | 1380 |
| 45 | gagccatagc cacgagaggc tgagcaaatt ccatgaattc tgttcttctt tactctttgt    | 1440 |
|    | gtgactgagg tttggtctag tgctttggtc atctatatat aatgataaca acaatgagaa    | 1500 |
|    | caagctttgg agtgatcgga gggcttagga tacatgagat tcaagtggac taggatctac    | 1560 |
| 50 | accgttggat tttgagtgtg gatatgtgtg aggttaattt tacttggtaa cggccacaaa    | 1620 |
|    | ggcctaagga gaggtgttga gacccttatc ggcttgaacc gctggaataa tgccacgtgg    | 1680 |
| 55 | aagataattc catgaatctt atcgttatct atgagtgaat ttgtgtgatg gtggagtggt    | 1740 |
|    | gcttgctcat tttacttgcc tgggtgactt ggccctttcc ttatggggaa tttatatattt   | 1800 |

EP 3 266 316 A1

|    |             |             |             |            |            |             |      |
|----|-------------|-------------|-------------|------------|------------|-------------|------|
|    | acttactata  | gagctttcat  | accttttttt  | taccttggat | ttagttaata | tataatggta  | 1860 |
|    | tgattcatga  | ataaaaatgg  | gaaatttttg  | aatttgtact | gctaaatgca | taagattagg  | 1920 |
| 5  | tgaaactgtg  | gaatatatat  | ttttttcatt  | taaaagcaaa | atttgccttt | tactagaatt  | 1980 |
|    | ataaatatag  | aaaaatatat  | aacattcaaa  | taaaatgaa  | aataagaact | ttcaaaaaac  | 2040 |
|    | agaactatgt  | ttaatgtgta  | aagattagtc  | gcacatcaag | tcatctgtta | caatatgtta  | 2100 |
| 10 | caacaagtca  | taagcccaac  | aaagttagca  | cgtctaaata | aactaaagag | tccacgaaaa  | 2160 |
|    | tattacaaat  | cataagccca  | acaaagttat  | tgatcaaaaa | aaaaaaacgc | ccaacaaagc  | 2220 |
|    | taaacaaagt  | ccaaaaaaa   | cttctcaagt  | ctccatcttc | ctttatgaac | attgaaaact  | 2280 |
| 15 | atacacaaaa  | caagtcagat  | aaatctcttt  | ctgggcctgt | cttcccaacc | tcctacatca  | 2340 |
|    | cttccctatc  | ggattgaatg  | ttttacttgt  | accttttccg | ttgcaatgat | attgatagta  | 2400 |
| 20 | tgtttgtgaa  | aactaatagg  | gttaacaatc  | gaagtcatgg | aatatggatt | tggtccaaga  | 2460 |
|    | ttttccgaga  | gctttctagt  | agaaagccca  | tcaccagaaa | tttactagta | aaataaatca  | 2520 |
|    | ccaattaggt  | ttcttattat  | gtgccaaatt  | caatataatt | atagaggata | tttcaaataga | 2580 |
| 25 | aaacgtatga  | atgttattag  | taaatggtca  | ggtaagacat | taaaaaaatc | ctacgtcaga  | 2640 |
|    | tattcaactt  | taaaaattcg  | atcagtggtg  | aattgtacaa | aaatttggga | tctactatat  | 2700 |
|    | atatataatg  | ctttacaaca  | cttggatttt  | tttttggagg | ctggaatttt | taatctacat  | 2760 |
| 30 | atttgttttg  | gccatgcacc  | aactcattgt  | ttagtgtaat | actttgattt | tgtcaaatat  | 2820 |
|    | atgtgttcgt  | gtatatattg  | ataagaattt  | ctttgaccat | atacacacac | acatatatat  | 2880 |
| 35 | atatatatat  | atattatata  | tcatgcactt  | ttaattgaaa | aaataatata | tatatatata  | 2940 |
|    | gtgcattttt  | tctaacaacc  | atatatgttg  | cgattgatct | gcaaaaatac | tgctagagta  | 3000 |
|    | atgaaaaata  | taatctattg  | ctgaaattat  | ctcagatggt | aagattttct | taaagtaaat  | 3060 |
| 40 | tctttcaaata | tttagctaaa  | agtcttgtaa  | taactaaaga | ataatacaca | atctcgacca  | 3120 |
|    | cggaaaaaaa  | acacataata  | aatttggggc  | ccctagaatc | taattattct | attcagacta  | 3180 |
|    | aattagtata  | agtatttttt  | taatcaataa  | ataataatta | ataatttatt | agtaggagtg  | 3240 |
| 45 | attgaattta  | taatatatatt | tttttaataca | tttaaagaat | cttatatctt | taaattgaca  | 3300 |
|    | agagttttaa  | atggggagag  | tgttatcata  | tcacaagtag | gattaatgtg | ttatagtttc  | 3360 |
| 50 | acatgcatta  | cgataagttg  | tgaaagataa  | cattattata | tataacaatg | acaatcacta  | 3420 |
|    | gcgatcgagt  | agtgagagtc  | gtcttattac  | actttcttcc | ttcgatctgt | cacatggcgg  | 3480 |
|    | cggcccgcg   | ccgctcatca  | gtgagccttc  | tcagcctttc | cgttcacgta | gtagtgtctg  | 3540 |
| 55 | cccaccttat  | cgagggttga  | gaaggtagcc  | ttccaagcac | cgtagtaaga | gagcaccttg  | 3600 |
|    | tagttgagtc  | cccacttctt  | agcgaaagga  | acgaatcttc | ttgacacctc | aggctgtctg  | 3660 |



EP 3 266 316 A1

|    |                                                                     |      |
|----|---------------------------------------------------------------------|------|
|    | aactgtggca tatctgggaa gaggtgatgg atcacctggc agttgaggtg tcccatgagc   | 3720 |
|    | cagttcacgt aaccctaga aggatcgata tccacgggtg gatccacagc gtagttcacc    | 3780 |
| 5  | caagaaagggt gcttatcaga tggcaccact gggagatggg tatgagaggt agagaagtga  | 3840 |
|    | gcgaagagggt acatgtaagc gatccagttt ccgaagggtga accaccaata agcaacaggc | 3900 |
|    | caagagtatc cggtagcgag cttgataaca gcggttctca caacgtgaga cacgagcatc   | 3960 |
| 10 | caagaagcct cttcgtagtt cttctttctg agcacctgtc taggatggag aacgtagatc   | 4020 |
|    | cagaaagcct gcacgagaag tccagaagtc acaggaacga aagccaagc ctgaagtcta    | 4080 |
|    | gcccaagctc tagaaaatcc cctaggcctg ttatcctcaa cagcgggtgt gaagaaagcc   | 4140 |
| 15 | acagcaggag tggtagcgag atccatatca tgcctcacct tttgtggggt tgcgtggtgc   | 4200 |
|    | ttgttggtgca tctggttcca catctcacca gaggtagaaa gtccgaatcc gcaagtcata  | 4260 |
|    | gcctggagcc tcttatccac atacacagat ccggtgagag agttatgacc accctcgtgt   | 4320 |
| 20 | tgaacccatc cacatctagc tccgaagaaa gcaccgtaca ccacagaagc gataataggg   | 4380 |
|    | tatccagcat acatgagagc agttccgaga gcgaaagtag caagaagctc gagaagtctg   | 4440 |
|    | tatgccacgt gggtagataga aggcctgaag aatccatccc tctcaagctc agctctccac  | 4500 |
| 25 | ctagcgaaat cttcgagcat aggagcatcc tcagactcag acctcttgat ctgagctggt   | 4560 |
|    | ctagaaggca aagccctaag catcttccaa gccttgagag atctcatgtg aaattctttg   | 4620 |
|    | aaagcctcag tagcatcagc accggtgtta gcgagcatgt agaagatcac agaaccacca   | 4680 |
| 30 | gggtgcttga agttagtaac atcgtactca acatcctcaa ctctcaccca tctagtctcg   | 4740 |
|    | aaggtagcag ccaactcatg aggctcaaga gtcttgagat ccacaggagc agtagaagca   | 4800 |
| 35 | tccttagcat cgagagcctc agcagatgac ttagacctgg taagaggtga cctaggagaa   | 4860 |
|    | gatcttccat cagtctttgg agggcacatg cggccgctgt tcttctttac tctttgtgtg   | 4920 |
|    | actgaggttt ggtctagtgc tttggtcatc tatatataat gataacaaca atgagaacaa   | 4980 |
| 40 | gctttggagt gatcgagggg tctaggatac atgagattca agtggactag gatctacacc   | 5040 |
|    | gttggtatgtt gagtgtggat atgtgtgagg ttaattttac ttggtaacgg ccacaaaggc  | 5100 |
|    | ctaaggagag gtgttgagac cttatcggc ttgaaccgct ggaataatgc cacgtggaag    | 5160 |
| 45 | ataattccat gaatcttacc gttatctatg agtgaaattg tgtgatggtg gagtgggtgct  | 5220 |
|    | tgctcatttt acttgccctg tggacttggc cctttcctta tggggaattt atattttact   | 5280 |
|    | tactatagag ctttcatacc ttttttttac cttggattta gttaatatat aatggtatga   | 5340 |
| 50 | ttcatgaata aaaatgggaa atttttgaat ttgtactgct aaatgcataa gattaggtga   | 5400 |
|    | aactgtggaa tatatatattt tttcatttaa aagcaaaatt tgccttttac tagaattata  | 5460 |
| 55 | aatatagaaa aatatataac attcaaataa aaatgaaaat aagaactttc aaaaaacaga   | 5520 |
|    | actatgttta atgtgtaaag attagtcgca catcaagtca tctgttataa tatgttataa   | 5580 |

EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | caagtcataa gccaacaaa gttagcacgt ctaaataaac taaagagtcc acgaaaatat   | 5640 |
|    | tacaaatcat aagcccaaca aagttattga tcaaaaaaaaa aaaacgcca acaaagctaa  | 5700 |
| 5  | acaaagtcca aaaaaaactt ctcaagtcct catcttcctt tatgaacatt gaaaactata  | 5760 |
|    | cacaaaacaa gtcagataaa tctctttctg ggccctgtctt cccaacctcc tacatcactt | 5820 |
|    | ccctatcgga ttgaatgttt tacttgtacc ttttcggttg caatgatatt gatagtatgt  | 5880 |
| 10 | ttgtgaaaac taatagggtt aacaatcgaa gtcagtgaat atggatttgg tccaagattt  | 5940 |
|    | tccgagagct ttctagtaga aagcccatca ccagaaattt actagtaaaa taaatcacca  | 6000 |
|    | attaggtttc ttattatgtg ccaaattcaa tataattata gaggatattt caaatgaaaa  | 6060 |
| 15 | cgtatgaatg ttattagtaa atggtcaggt aagacattaa aaaaatccta cgtcagatat  | 6120 |
|    | tcaactttta aaattcgatc agtgtggaat tgtacaaaaa tttgggatct actatatata  | 6180 |
| 20 | tataatgctt tacaacactt ggattttttt ttggaggctg gaatttttta tctacatatt  | 6240 |
|    | tgttttggcc atgcaccaac tcattgttta gtgtaatact ttgattttgt caaatatatg  | 6300 |
|    | tgttcgtgta tatttgtata agaatttctt tgaccatata cacacacaca tatatatata  | 6360 |
| 25 | tatatatata ttatatatca tgcactttta attgaaaaaa taatatatat atatatagt   | 6420 |
|    | cattttttct aacaaccata tatgttgcga ttgatctgca aaaatactgc tagagtaatg  | 6480 |
|    | aaaaatataa tctattgctg aaattatctc agatgttaag attttcttaa agtaaattct  | 6540 |
| 30 | ttcaaatttt agctaaaagt cttgtaataa ctaaagaata atacacaatc tcgaccacgg  | 6600 |
|    | aaaaaaaaa cataataaat ttgggcgcgc cgcgtattgg ctagagcagc ttgccaat     | 6660 |
| 35 | ggtggagcac gacactctcg tctactccaa gaatatcaaa gatacagtct cagaagacca  | 6720 |
|    | aagggtctatt gagacttttc acaaagggt aatatcgga aacctcctcg gattccattg   | 6780 |
|    | cccagctatc tgtcacttca tcaaaaggac agtagaaaag gaaggtggca cctacaaatg  | 6840 |
| 40 | ccatcattgc gataaaggaa aggctatcgt tcaagatgcc tctgccgaca gtggtcccaa  | 6900 |
|    | agatggaccc ccaccacga ggagcatcgt ggaaaaagaa gacgttccaa ccacgtcttc   | 6960 |
|    | aaagcaagtg gattgatgtg ataacatggt ggagcacgac actctcgtct actccaagaa  | 7020 |
| 45 | tatcaaagat acagtctcag aagaccaaag ggctattgag acttttcaac aaagggtaat  | 7080 |
|    | atcgggaaac ctctcggat tccattgccc agctatctgt cacttcatca aaaggacagt   | 7140 |
|    | agaaaaggaa ggtggcacct acaaagcca tcattgcgat aaaggaaagg ctatcgttca   | 7200 |
| 50 | agatgcctct gccgacagtg gtcccaaaga tggaccccca cccacgagga gcatcgtgga  | 7260 |
|    | aaaagaagac gttccaacca cgtcttcaaa gcaagtggat tgatgtgata tctccactga  | 7320 |
| 55 | cgtaagggat gacgcacaat cccactatcc ttgcgaagac cttcctctat ataagggaagt | 7380 |
|    | tcatttcatt tggagaggac acgctgaaat caccagtctc tctctacaaa tctatctctg  | 7440 |

EP 3 266 316 A1

|    |                                                                    |      |
|----|--------------------------------------------------------------------|------|
|    | cgatcgcacg cctcctaggg attccttactc ttacgctgct cctccatctg ctcagctcca | 7500 |
|    | tgaagttgat actcctcaag agcacgataa gaaagaactc gtgatcggag atagggctta  | 7560 |
| 5  | cgatgtgacc aacttcgtga agagacaccc tgggtggaaag attatcgctt accaggttgg | 7620 |
|    | aactgatgct accgatgctt acaagcagtt ccacgtgaga tctgctaagg ctgataagat  | 7680 |
|    | gctcaagtct ctcccatcta ggcctgtgca caagggatat tctccaagaa gggctgatct  | 7740 |
| 10 | tatcgctgat ttccaagagt tcaccaagca gcttgaggct gagggaatgt tcgaaccttc  | 7800 |
|    | tctccctcat gtggcttaca gactcgctga ggttatcgct atgcatgttg ctgggtgctgc | 7860 |
|    | tctcatctgg cacggatata ctttcgctgg aatcgctatg ctcgaggtgg ttcagggaag  | 7920 |
| 15 | atgtggatgg cttatgcatg aggggtggaca ctactctctc accggaaca ttgctttcga  | 7980 |
|    | tagggctatc caggtggcat gctatggact tggatgtgga atgtctggtg cttggtggag  | 8040 |
|    | aaaccagcat aacaagcacc atgctacccc tcaaaagctc cagcatgatg tggatctcga  | 8100 |
| 20 | tactctccct ctcggtgctt tccatgagag aatcgctgct aaggtgaagt ctctgctat   | 8160 |
|    | gaaggcttgg ctctctatgc aggctaagct tttcgctcct gtgactactc ttctcgttgc  | 8220 |
| 25 | tcttggtatg cagctctacc tccatcctag acacatgctc aggaccaagc actacgatga  | 8280 |
|    | gcttgctatg ctcggtatca gatacggact cggttgatac ctcgctgcta attacggtgc  | 8340 |
|    | tggatacgtt ctcgcttgct accttcttta cgttcagctc ggagctatgt acatcttctg  | 8400 |
| 30 | caacttcgct gtgtctcaca ctcatctccc tgttggttgaa cctaacgagc atgctacttg | 8460 |
|    | ggttgagtac gctgctaacc aactaccaa ctgctctcca tcttggtggt gtgattggtg   | 8520 |
|    | gatgtcttac ctcaactacc agatcgagca ccacctctac ccttctatgc ctcagttcag  | 8580 |
| 35 | acaccctaag atcgctccta gagtgaagca gcttttcgag aagcacggac tccactacga  | 8640 |
|    | tgtgagagga tactttgagg ctatggctga taccttcgct aacctcgata atgtggctca  | 8700 |
|    | cgctcctgag aagaaaatgc agtgatgagc gatcgcgac gttcaaacat ttggcaataa   | 8760 |
| 40 | agtttcttaa gattgaatcc tgttgccggt cttgcgatga ttatcatata atttctgttg  | 8820 |
|    | aattacgtta agcatgtaat aattaacatg taatgcatga cgttatttat gagatggggtt | 8880 |
|    | tttatgatta gagtcccgca attatacatt taatacgcga tagaaaacaa aatatagcgc  | 8940 |
| 45 | gcaaactagg ataaattatc gcgcgcggtg tcatctatgt tactagatcc ctgcagggcg  | 9000 |
|    | tattggctag agcagcttgc caacatggtg gagcaogaca ctctcgtcta ctccaagaat  | 9060 |
|    | atcaaagata cagtctcaga agaccaaagg gctattgaga cttttcaaca aagggtataa  | 9120 |
| 50 | tcgggaaacc tcctcggtt ccattgccca gctatctgtc acttcatcaa aaggacagta   | 9180 |
|    | gaaaaggaag gtggcaccta caaatgccat cattgcgata aaggaaaggc tatcgttcaa  | 9240 |
| 55 | gatgcctctg ccgacagtgg tcccaaagat ggacccccac ccacgaggag catcgtggaa  | 9300 |
|    | aaagaagacg ttccaaccac gtcttcaaag caagtggatt gatgtgataa catggtggag  | 9360 |

EP 3 266 316 A1

|    |             |             |            |             |             |            |       |
|----|-------------|-------------|------------|-------------|-------------|------------|-------|
|    | cacgacactc  | tcgtctactc  | caagaatatc | aaagatacag  | tctcagaaga  | ccaaagggct | 9420  |
|    | attgagactt  | ttcaacaaaag | ggtaatatcg | ggaaacctcc  | tcggattcca  | ttgcccagct | 9480  |
| 5  | atctgtcact  | tcatcaaaaag | gacagtagaa | aaggaaggtg  | gcacctacaa  | atgccatcat | 9540  |
|    | tgcgataaaag | gaaaggctat  | cgttcaagat | gcctctgccg  | acagtgggtcc | caaagatgga | 9600  |
|    | ccccaccca   | cgaggagcat  | cgtggaaaaa | gaagacgttc  | caaccacgtc  | ttcaaagcaa | 9660  |
| 10 | gtggattgat  | gtgatatctc  | cactgacgta | agggatgacg  | cacaatccca  | ctatccttcg | 9720  |
|    | caagaccttc  | ctctatataa  | ggaagttcat | ttcatttgga  | gaggacacgc  | tgaaatcacc | 9780  |
|    | agtctctctc  | tacaaatcta  | tctctctcga | gatgattgaa  | caagatggat  | tgacgcagg  | 9840  |
| 15 | ttctccggcc  | gcttgggtg   | agaggctatt | cggctatgac  | tgggcacaac  | agacaatcgg | 9900  |
|    | ctgctctgat  | gccgccgtgt  | tccggctgtc | agcgcagggg  | aggccgggtc  | tttttgtcaa | 9960  |
|    | gaccgacctg  | tccggtgccc  | tgaatgaact | tcaagacgag  | gcagcgcggc  | tatcgtggct | 10020 |
| 20 | ggccacgacg  | ggcgttcctt  | gcgcagctgt | gctcgacgtt  | gtcactgaag  | cggaaggga  | 10080 |
|    | ctggctgcta  | ttgggcgaag  | tgccggggca | ggatctcctg  | tcatctcacc  | ttgctcctgc | 10140 |
|    | cgagaaagta  | tccatcatgg  | ctgatgcaat | gcggcggtg   | catacgcttg  | atccggctac | 10200 |
| 25 | ctgcccattc  | gaccaccaag  | cgaaacatcg | catcgagcga  | gcacgtactc  | ggatggaagc | 10260 |
|    | cggctctgtc  | gatcaggatg  | atctggacga | agagcatcag  | gggctcgcg   | cagccgaact | 10320 |
| 30 | gttcgccagg  | ctcaaggcgc  | gcatgcccga | cggcgaggat  | ctcgtcgtga  | ctcatggcga | 10380 |
|    | tgccctgctt  | ccgaatatca  | tgggtgaaaa | tggccgcttt  | tctggattca  | tcgactgtgg | 10440 |
|    | ccggctgggt  | gtggcgacc   | gctatcagga | catagcgttg  | gctaccctg   | atattgctga | 10500 |
| 35 | agagcttggc  | ggcgaatggg  | ctgaccgctt | cctcgtgctt  | tacggtatcg  | ccgctcccga | 10560 |
|    | ttcgcagcgc  | atcgccttct  | atcgccttct | tgacgagttc  | ttctgaaacg  | cgtgatcgtt | 10620 |
|    | caaacatttg  | gcaataaaagt | ttcttaagat | tgaatcctgt  | tgccggtctt  | gcgatgatta | 10680 |
| 40 | tcatataatt  | tctgttgaat  | tacgttaagc | atgtaataat  | taacatgtaa  | tgcatgacgt | 10740 |
|    | tatttatgag  | atgggttttt  | atgattagag | tcccgcgaatt | atacatttaa  | tacgcgatag | 10800 |
| 45 | aaaacaaaat  | atagcgcgca  | aactaggata | aattatcgcg  | cgcggtgtca  | tctatgttac | 10860 |
|    | tagatcgacg  | tccgtacggt  | taaaaccacc | ccagtacatt  | aaaaacgtcc  | gcaatgtgtt | 10920 |
|    | attaagttgt  | ctaagcgtca  | atgtgtttac | accacaatat  | atcctgccac  | cagccagcca | 10980 |
| 50 | acagctcccc  | gaccggcagc  | tcggcacaaa | atcaccactc  | gatacaggca  | gcccacagct | 11040 |
|    | cc          |             |            |             |             |            | 11042 |
| 55 | <210>       | 9           |            |             |             |            |       |
|    | <211>       | 1254        |            |             |             |            |       |
|    | <212>       | DNA         |            |             |             |            |       |

# EP 3 266 316 A1

<213> Artificial Sequence

<220>

<223> Codon-optimized open reading frame for expression of Lachancea kluyveri 12 desaturase in plants

<400> 9

```

atgagcgctg ttaccgttac tggatctgat cctaagaaca gaggatcttc tagcaacacc      60
gagcaagagg ttccaaaagt tgctatcgat accaacggaa acgtgttctc tgttcctgat      120
ttcaccatca aggacatcct tggagctatc cctcatgagt gttacgagag aagattggct      180
acctctctct actacgtggt cagagatatc ttctgcatgc ttaccaccgg ataccttacc      240
cataagatcc ttaccctct cctcatctct tacacctcta acagcatcat caagttcact      300
ttctgggccc ttacactta cgttcaagga cttttcgaa cgggaatctg ggttctcgct      360
catgagtgtg gacatcaagc tttctctgat tacggaatcg tgaacgattt cgttggatgg      420
acccttcact cttaccttat ggttccttac ttcagctgga agtactctca tggaaagcac      480
cataaggcta ctggacacat gaccagagat atggttttcg ttcttgccac caaaggaggaa      540
ttcaagaagt ctaggaactt cttcgtaaac ctcgctgagt actctgagga ttctccactt      600
agaacccttt acgagcttct tgttcaacaa cttggaggat ggatcgctta cctcttcggt      660
aacgttacag gacaacctta ccctgatggt ccttcttgga aatggaacca cttctggctt      720
acctctccac ttttcgagca aagagatgct ctctacatct tcctttctga tcttggaatc      780
ctcaccacag gaatcgttct tactcttttg tacaagaaat tcggaggatg gtcccttttc      840
atcaactggt tcgttcctta catctgggtt aaccactggc tcgttttcat cacattcctt      900
cagcacactg atcctactat gcctcattac aacgctgagg aatggacttt cgctaagggt      960
gctgctgcta ctatcgatag aaagttcgga ttcacggac ctcacatctt ccatgatatc     1020
atcgagactc atgtgcttca ccactactgt tctaggatcc cattctacaa cgctagacct     1080
gcttctgagg ctatcaagaa agttatggga aagcactaca ggtctagcga cgagaacatg     1140
tggaagtcac tttggaagtc tttcaggtct tgccaatacg ttgacggtga taacggtggt     1200
ctcatgttcc gtaacatcaa caactgcgga gttggagctg ctgagaagta atga           1254

```

<210> 10

<211> 416

<212> PRT

<213> Lachancea kluyveri

<400> 10

Met Ser Ala Val Thr Val Thr Gly Ser Asp Pro Lys Asn Arg Gly Ser  
1 5 10 15

Ser Ser Asn Thr Glu Gln Glu Val Pro Lys Val Ala Ile Asp Thr Asn  
20 25 30

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Gly | Asn | Val | Phe | Ser | Val | Pro | Asp | Phe | Thr | Ile | Lys | Asp | Ile | Leu | Gly |  |
|    |     |     | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
| 5  | Ala | Ile | Pro | His | Glu | Cys | Tyr | Glu | Arg | Arg | Leu | Ala | Thr | Ser | Leu | Tyr |  |
|    |     |     | 50  |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |
| 10 | Tyr | Val | Phe | Arg | Asp | Ile | Phe | Cys | Met | Leu | Thr | Thr | Gly | Tyr | Leu | Thr |  |
|    | 65  |     |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |
| 15 | His | Lys | Ile | Leu | Tyr | Pro | Leu | Leu | Ile | Ser | Tyr | Thr | Ser | Asn | Ser | Ile |  |
|    |     |     |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
| 20 | Ile | Lys | Phe | Thr | Phe | Trp | Ala | Leu | Tyr | Thr | Tyr | Val | Gln | Gly | Leu | Phe |  |
|    |     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |
| 25 | Gly | Thr | Gly | Ile | Trp | Val | Leu | Ala | His | Glu | Cys | Gly | His | Gln | Ala | Phe |  |
|    |     |     |     | 115 |     |     |     | 120 |     |     |     |     | 125 |     |     |     |  |
| 30 | Ser | Asp | Tyr | Gly | Ile | Val | Asn | Asp | Phe | Val | Gly | Trp | Thr | Leu | His | Ser |  |
|    |     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |  |
| 35 | Tyr | Leu | Met | Val | Pro | Tyr | Phe | Ser | Trp | Lys | Tyr | Ser | His | Gly | Lys | His |  |
|    | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |  |
| 40 | His | Lys | Ala | Thr | Gly | His | Met | Thr | Arg | Asp | Met | Val | Phe | Val | Pro | Ala |  |
|    |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
| 45 | Thr | Lys | Glu | Glu | Phe | Lys | Lys | Ser | Arg | Asn | Phe | Phe | Gly | Asn | Leu | Ala |  |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 50 | Glu | Tyr | Ser | Glu | Asp | Ser | Pro | Leu | Arg | Thr | Leu | Tyr | Glu | Leu | Leu | Val |  |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
| 55 | Gln | Gln | Leu | Gly | Gly | Trp | Ile | Ala | Tyr | Leu | Phe | Val | Asn | Val | Thr | Gly |  |
|    |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
| 60 | Gln | Pro | Tyr | Pro | Asp | Val | Pro | Ser | Trp | Lys | Trp | Asn | His | Phe | Trp | Leu |  |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 65 | Thr | Ser | Pro | Leu | Phe | Glu | Gln | Arg | Asp | Ala | Leu | Tyr | Ile | Phe | Leu | Ser |  |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 70 | Asp | Leu | Gly | Ile | Leu | Thr | Gln | Gly | Ile | Val | Leu | Thr | Leu | Trp | Tyr | Lys |  |
|    |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| 75 | Lys | Phe | Gly | Gly | Trp | Ser | Leu | Phe | Ile | Asn | Trp | Phe | Val | Pro | Tyr | Ile |  |

# EP 3 266 316 A1

|    | 275                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 280 | 285 |     |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|
| 5  | Trp Val Asn His Trp Leu Val Phe Ile Thr Phe Leu Gln His Thr Asp<br>290 295 300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |     |     |
| 10 | Pro Thr Met Pro His Tyr Asn Ala Glu Glu Trp Thr Phe Ala Lys Gly<br>305 310 315 320                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     |     |     |
|    | Ala Ala Ala Thr Ile Asp Arg Lys Phe Gly Phe Ile Gly Pro His Ile<br>325 330 335                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |     |     |
| 15 | Phe His Asp Ile Ile Glu Thr His Val Leu His His Tyr Cys Ser Arg<br>340 345 350                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |     |     |
| 20 | Ile Pro Phe Tyr Asn Ala Arg Pro Ala Ser Glu Ala Ile Lys Lys Val<br>355 360 365                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |     |     |
| 25 | Met Gly Lys His Tyr Arg Ser Ser Asp Glu Asn Met Trp Lys Ser Leu<br>370 375 380                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |     |     |
|    | Trp Lys Ser Phe Arg Ser Cys Gln Tyr Val Asp Gly Asp Asn Gly Val<br>385 390 395 400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     |     |     |
| 30 | Leu Met Phe Arg Asn Ile Asn Asn Cys Gly Val Gly Ala Ala Glu Lys<br>405 410 415                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |     |     |     |
| 35 | <210> 11<br><211> 1251<br><212> DNA<br><213> Pichia pastoris                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |     |     |     |
| 40 | <400> 11<br>atgtctaagg ttaccgtgtc tggatctgag atccttgagg gatctactaa gaccgtagg<br>cgttcttgaa acgttgcatac tttcaagcag caaaagaccg ctatcgatac cttcggaac<br>gttttcaagg tgccagatta caccatcaag gatataccttg acgctatccc taagcactgt<br>tacgagagat ctctcgtgaa gtctatgtct tacgtggtga gagatatcgt ggctatctct<br>gctatcgctt acgttggact tacctacatc cctcttctcc ctaacgaatt ccttagattc<br>gctgcttggt ctgcttacgt gttctctatc tcttggttcg gattcggaat ctggatcctt<br>ggacatgagt gtggacattc tgctttctct aactacggat gggttaacga taccgttgga<br>tgggttctcc actctcttgt tatggttcct tacttcagct ggaagttctc tcatgctaag<br>caccataagg ctactggaca catgaccaga gatatggttt tcgttcctta caccgccgag<br>gaattcaaag agaagcacca agttaccagc cttcacgata tcgctgagga aactcctatc<br>tactctgttt tcgctctctt gttccaacag cttggaggac tttctcttta ccttgctact |     |     |     |
| 45 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 60  |
| 50 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 120 |
| 55 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 180 |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 240 |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 300 |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 360 |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 420 |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 480 |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 540 |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 600 |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |     | 660 |

# EP 3 266 316 A1

aacgctactg gacaacctta ccctggtggt tctaagttct tcaagtctca ctactggcct 720  
 tctagccctg ttttcgataa gaaggactac tggtagatcg ttctttctga tcttggaatc 780  
 5 cttgctaccc tcacttctgt ttacaccgct tacaaggttt tcggattctg gcctactttc 840  
 atcacatggt tctgtccttg gatccttggt aaccactggc ttgttttcgt taccttcctt 900  
 cagcacaccg attcttctat gcctcattac gatgctcaag agtggacttt cgctaagggt 960  
 10 gctgctgcta ctatcgatag agagttcgga atcctcggaa tcatcttcca tgacatcatc 1020  
 gagactcatg tgctccatca ctacgtttca aggatcccat tctaccatgc tagagaagct 1080  
 accgagtga tcaagaaagt tatgggagag cactacagac acaccgatga gaacatgtgg 1140  
 15 gttagccttt ggaaaacttg gagatcttgc cagttcgttg agaaccatga tgggtgtgtac 1200  
 atgttccgta actgcaacaa cgttggagtg aagcctaagg atacctgatg a 1251  
  
 20 <210> 12  
 <211> 415  
 <212> PRT  
 <213> *Pichia pastoris*  
  
 25 <400> 12  
  
 Met Ser Lys Val Thr Val Ser Gly Ser Glu Ile Leu Glu Gly Ser Thr  
 1 5 10 15  
  
 30 Lys Thr Val Arg Arg Ser Gly Asn Val Ala Ser Phe Lys Gln Gln Lys  
 20 25 30  
  
 Thr Ala Ile Asp Thr Phe Gly Asn Val Phe Lys Val Pro Asp Tyr Thr  
 35 35 40 45  
  
 Ile Lys Asp Ile Leu Asp Ala Ile Pro Lys His Cys Tyr Glu Arg Ser  
 50 55 60  
  
 40 Leu Val Lys Ser Met Ser Tyr Val Val Arg Asp Ile Val Ala Ile Ser  
 65 70 75 80  
  
 45 Ala Ile Ala Tyr Val Gly Leu Thr Tyr Ile Pro Leu Leu Pro Asn Glu  
 85 90 95  
  
 Phe Leu Arg Phe Ala Ala Trp Ser Ala Tyr Val Phe Ser Ile Ser Cys  
 50 100 105 110  
  
 Phe Gly Phe Gly Ile Trp Ile Leu Gly His Glu Cys Gly His Ser Ala  
 115 120 125  
  
 55 Phe Ser Asn Tyr Gly Trp Val Asn Asp Thr Val Gly Trp Val Leu His  
 130 135 140



EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|    | Ser | Leu | Val | Met | Val | Pro | Tyr | Phe | Ser | Trp | Lys | Phe | Ser | His | Ala | Lys | 145 | 150 | 155 | 160 |
| 5  | His | His | Lys | Ala | Thr | Gly | His | Met | Thr | Arg | Asp | Met | Val | Phe | Val | Pro | 165 | 170 | 175 |     |
| 10 | Tyr | Thr | Ala | Glu | Glu | Phe | Lys | Glu | Lys | His | Gln | Val | Thr | Ser | Leu | His | 180 | 185 | 190 |     |
|    | Asp | Ile | Ala | Glu | Glu | Thr | Pro | Ile | Tyr | Ser | Val | Phe | Ala | Leu | Leu | Phe | 195 | 200 | 205 |     |
| 15 | Gln | Gln | Leu | Gly | Gly | Leu | Ser | Leu | Tyr | Leu | Ala | Thr | Asn | Ala | Thr | Gly | 210 | 215 | 220 |     |
| 20 | Gln | Pro | Tyr | Pro | Gly | Val | Ser | Lys | Phe | Phe | Lys | Ser | His | Tyr | Trp | Pro | 225 | 230 | 235 | 240 |
|    | Ser | Ser | Pro | Val | Phe | Asp | Lys | Lys | Asp | Tyr | Trp | Tyr | Ile | Val | Leu | Ser | 245 | 250 | 255 |     |
| 25 | Asp | Leu | Gly | Ile | Leu | Ala | Thr | Leu | Thr | Ser | Val | Tyr | Thr | Ala | Tyr | Lys | 260 | 265 | 270 |     |
| 30 | Val | Phe | Gly | Phe | Trp | Pro | Thr | Phe | Ile | Thr | Trp | Phe | Cys | Pro | Trp | Ile | 275 | 280 | 285 |     |
|    | Leu | Val | Asn | His | Trp | Leu | Val | Phe | Val | Thr | Phe | Leu | Gln | His | Thr | Asp | 290 | 295 | 300 |     |
| 35 | Ser | Ser | Met | Pro | His | Tyr | Asp | Ala | Gln | Glu | Trp | Thr | Phe | Ala | Lys | Gly | 305 | 310 | 315 | 320 |
| 40 | Ala | Ala | Ala | Thr | Ile | Asp | Arg | Glu | Phe | Gly | Ile | Leu | Gly | Ile | Ile | Phe | 325 | 330 | 335 |     |
| 45 | His | Asp | Ile | Ile | Glu | Thr | His | Val | Leu | His | His | Tyr | Val | Ser | Arg | Ile | 340 | 345 | 350 |     |
|    | Pro | Phe | Tyr | His | Ala | Arg | Glu | Ala | Thr | Glu | Cys | Ile | Lys | Lys | Val | Met | 355 | 360 | 365 |     |
| 50 | Gly | Glu | His | Tyr | Arg | His | Thr | Asp | Glu | Asn | Met | Trp | Val | Ser | Leu | Trp | 370 | 375 | 380 |     |
| 55 | Lys | Thr | Trp | Arg | Ser | Cys | Gln | Phe | Val | Glu | Asn | His | Asp | Gly | Val | Tyr | 385 | 390 | 395 | 400 |

# EP 3 266 316 A1

Met Phe Arg Asn Cys Asn Asn Val Gly Val Lys Pro Lys Asp Thr  
405 410 415

5 <210> 13  
<211> 1392  
<212> DNA  
<213> Micromonas pusilla

10 <400> 13  
atgtgcccgc cgaagacgga cggccgatcg tccccgcgat cgccgctgac ggcgagcaaa 60  
tcctccgcgg aggcgctcga cgccaaggac gcgtcgaccg cgcccgtcga tctcaaaacg 120  
ctcgagccgc acgagctcgc ggcgacgttc gagacgcgat gggcgccggt ggaggacgtc 180  
15 gagtacgacg tcacaaactt caaacacccg ggaggcagcg tgatattcta catgctcgcg 240  
aacacgggcg cggacgccac ggaggcgttc aaggagttcc acatgcgatc gcttaaggcg 300  
20 tggaagatgc tcagagcgct gccgtcgcgc cccgcggaga tcaaacgcag cgagagcgag 360  
gacgcgccga tgttggagga ttctgcgcgg tggcgccgag agctcgaacg cgacgggttc 420  
tttaagccct cgataacgca cgtcgcgtat cggttactcg agctcctcgc gaccttcgcc 480  
25 ctccgcaccg ccctcatgta cgccgggtac ccgatcatcg cgtccgtcgt gtacggcgcg 540  
ttcttcggcg ctccgtgcgg ttgggtccag cagcagggcg ggcacaactc gctcacgggg 600  
tccgtctacg tcgacaagcg cctccaagcg atgacgtgcg ggttcgggct gtccacgagc 660  
30 ggggagatgt ggaaccagat gcacaataag caccacgcga cgccgcagaa agtgaggcac 720  
gacatggacc tggacacgac ccccgcggtg gcgtttttta acaccgccgt ggaggacaac 780  
35 cggccgaggg ggttctcccg cgcgtgggct cggcttcagg cgtggacgtt cgtcccggtg 840  
acctccgggc tgctcgtcca ggcgttctgg atctacgtcc tgcacccgcg gcagggtgtg 900  
cgaaagaaga actacgagga ggcgtcgtgg atgctcgtct ctacacgtcgt caggaccgcg 960  
40 gtgattaaac tcgcgacggg gtactcgtgg cccgtcgcgt actggtggtt caccttcggc 1020  
aactggatcg cgtacatgta cctcttcgcg cacttctcca cgagccacac gcacctccg 1080  
gtcgtgccct cggataagca cctgagctgg gtgaactacg cggtcgatca caccgtggac 1140  
45 atcgacccgt cgcgcgggta cgtgaactgg ttgatgggat atctgaactg ccaggtcatt 1200  
catcacctgt tcccggacat gccgcagttt cgccagccgg aggtgagccg gcggttcgtc 1260  
ccgttcgcga agaagtgggg gctgaactac aagggtcgtg cctattacgg cgcctggaag 1320  
50 gcgacgttct cgaacttgga taaggtcggg cagcactact acgtcaacgg caaggcggag 1380  
aaggcgact ga 1392

55 <210> 14  
<211> 1395

# EP 3 266 316 A1

<212> DNA

<213> Artificial Sequence

<220>

<223> Codon-optimized open reading frame for expression of *Micromonas pusilla* 6 desaturase in plants (version 1)

<400> 14

```

atgtgccctc ctaagactga tggaagatct tctcctagat ctccacttac caggtctaaa      60
tcttctgctg aggctcttga tgctaaggat gcttctactg ctctgttga tcttaagact      120
cttgagcctc atgagcttgc tgctactttc gagactagat gggttagagt tgaggacgtt      180
gagtaacgat tgactaactt caagcaccct ggtggatctg tgatcttcta catgcttgct      240
aacactggtg ctgatgctac tgaggctttc aaagaattcc acatgcgttc tctcaaggct      300
tggaagatgc ttagagcttt gccttctaga cctgctgaga tcaagagatc tgagtctgag      360
gatgctccta tgcttgagga tttcgctaga tggcgtgctg agcttgagag agatggattc      420
ttcaagcctt ctatcaccca tgtggcttac agacttctcg agcttcttgc tacattcgct      480
cttggaactg ctcttatgta cgctggatac cctatcattg cttctgttgt ttacggtgct      540
ttcttcggag ctagatgtgg atgggttcaa catgaggggtg gacataactc tcttaccgga      600
tctgtttacg tggacaagag acttcaggct atgacttgtg gattcggact ttctacttct      660
ggtgagatgt ggaaccagat gcataacaag caccatgcta cccctcaaaa ggtagacac      720
gatatggatc ttgataccac tcctgctgtg gctttcttca aactgctgt tgaggataac      780
agacctagag gattctctag agcttgggct agacttcaag cttggacttt cgttcctggt      840
acctctggac ttcttggtca agctttcttg atctacgttc tccaccctag acaagttctc      900
cgtaagaaga actacgaaga ggcttcttgg atgctcgttt ctcatgttgt tagaaccgct      960
gttatcaagc ttgctactgg atactcttgg cctgttgctt actggtggtt cactttcgga     1020
aactggatcg cttacatgta ccttttcgct cacttctcta cttctcatac tcacctccct     1080
gttggttccat ctgataagca cctttcttgg gttaactacg ctggtgatca caccgttgat     1140
atcgatcctt ctagaggata cgtgaactgg cttatgggat accttaactg tcaggttatc     1200
caccacctct tccctgatat gcctcaattc agacagcctg aggttagcag aagattcggt     1260
cctttcgcta agaagtgggg actcaactac aaggtgctct cttactacgg tgcttggaag     1320
gctactttct ctaaccttga taaggtggga cagcactact acgttaacgg aaaggctgag     1380
aaggctcact aatga                                           1395

```

<210> 15

<211> 1395

<212> DNA

<213> Artificial Sequence

<220>

# EP 3 266 316 A1

<223> Codon-optimized open reading frame for expression of *Micromonas pusilla* 6 desaturase in plants (version 2)

<400> 15

```

5 atgtgtcctc ctaagaccga tggaagatct tctcctagat ctctctcac caggtctaag      60
  tcatctgctg aggctcttga tgctaaggat gcttctaccg ctctgttga tcttaagacc      120
  cttgagcctc atgaacttgc tgctaccttc gagactagat gggttagggt tgaggatggt      180
10 gagtacgacg tgaccaactt caaacatcct ggtggaagcg tgatcttcta catgcttgct      240
  aacactggtg ctgatgctac tgaggctttc aaagaatttc acatgcgtag cctcaaggct      300
  tggaagatgc ttagagcttt gccttctaga cctgctgaga tcaagagatc tgagtctgag      360
15 gatgctccta tgcttgagga tttcgctagg tggagagctg aacttgagag ggacggattc      420
  ttcaagcctt ctatcaccca tgttgcttac cgtcttttgg agcttcttgc tactttcgct      480
  cttggaaccg ctcttatgta cgctggatac cctatcattg ctacggttgt gtacgggtgct      540
20 ttcttcggag ctagatgtgg atgggttcaa catgaggggtg gacacaactc tcttaccgga      600
  tctgtgtacg tggataagag acttcaggct atgacttgcg gattcggact ttctaccagc      660
25 ggagagatgt ggaaccagat gcataacaag caccatgcta cccctcagaa agttagacac      720
  gacatggatc ttgataccac tcctgctgtg gctttcttca acaccgctgt ggaggataat      780
  agacctaggg gattctctag agcttgggct agacttcaag cttggacctt cgttcctggt      840
30 acttctggac ttctcgttca ggctttctgg atctacgttc tccatcctag acaggtgctc      900
  aggaagaaga actacgagga agcttcttgg atgctcgttt ctacggttgt tagaaccgct      960
  gttatcaagc ttgctaccgg atactcttgg cctggttgcct actggtgggt cactttcgga     1020
35 aactggatcg cttacatgta cctcttcgct cacttctcta cttctcacac tcacctccct     1080
  gttgttccat ctgacaagca ccttagctgg gttaactacg ctggtgatca caccgttgac     1140
  atcgatcctt ctctggtgata cgtaactggt cttatgggat accttaactg ccaggttatc     1200
40 caccatctct tccctgatat gcctcaattc agacagcctg aggtgtcaag aagattcgct     1260
  cctttcgcta agaagtgggg actcaactac aaggtgctct cttactacgg tgcttggaag     1320
45 gctactttca gcaacctcga caaagttgga cagcactact acgttaacgg aaaggctgag     1380
  aaggctcact gatga                                           1395

```

<210> 16

<211> 463

<212> PRT

<213> *Micromonas pusilla*

<400> 16

```

55 Met Cys Pro Pro Lys Thr Asp Gly Arg Ser Ser Pro Arg Ser Pro Leu
   1           5           10           15

```

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Thr | Arg | Ser | Lys | Ser | Ser | Ala | Glu | Ala | Leu | Asp | Ala | Lys | Asp | Ala | Ser |  |
|    |     |     |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| 5  | Thr | Ala | Pro | Val | Asp | Leu | Lys | Thr | Leu | Glu | Pro | His | Glu | Leu | Ala | Ala |  |
|    |     |     | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
|    | Thr | Phe | Glu | Thr | Arg | Trp | Val | Arg | Val | Glu | Asp | Val | Glu | Tyr | Asp | Val |  |
| 10 |     | 50  |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |
|    | Thr | Asn | Phe | Lys | His | Pro | Gly | Gly | Ser | Val | Ile | Phe | Tyr | Met | Leu | Ala |  |
|    | 65  |     |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |
| 15 | Asn | Thr | Gly | Ala | Asp | Ala | Thr | Glu | Ala | Phe | Lys | Glu | Phe | His | Met | Arg |  |
|    |     |     |     | 85  |     |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
|    | Ser | Leu | Lys | Ala | Trp | Lys | Met | Leu | Arg | Ala | Leu | Pro | Ser | Arg | Pro | Ala |  |
| 20 |     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |
|    | Glu | Ile | Lys | Arg | Ser | Glu | Ser | Glu | Asp | Ala | Pro | Met | Leu | Glu | Asp | Phe |  |
| 25 |     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |  |
|    | Ala | Arg | Trp | Arg | Ala | Glu | Leu | Glu | Arg | Asp | Gly | Phe | Phe | Lys | Pro | Ser |  |
|    | 130 |     |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |  |
| 30 | Ile | Thr | His | Val | Ala | Tyr | Arg | Leu | Leu | Glu | Leu | Leu | Ala | Thr | Phe | Ala |  |
|    | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |  |
|    | Leu | Gly | Thr | Ala | Leu | Met | Tyr | Ala | Gly | Tyr | Pro | Ile | Ile | Ala | Ser | Val |  |
| 35 |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
|    | Val | Tyr | Gly | Ala | Phe | Phe | Gly | Ala | Arg | Cys | Gly | Trp | Val | Gln | His | Glu |  |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 40 | Gly | Gly | His | Asn | Ser | Leu | Thr | Gly | Ser | Val | Tyr | Val | Asp | Lys | Arg | Leu |  |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
|    | Gln | Ala | Met | Thr | Cys | Gly | Phe | Gly | Leu | Ser | Thr | Ser | Gly | Glu | Met | Trp |  |
| 45 |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
|    | Asn | Gln | Met | His | Asn | Lys | His | His | Ala | Thr | Pro | Gln | Lys | Val | Arg | His |  |
| 50 | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     | 240 |     |  |
|    | Asp | Met | Asp | Leu | Asp | Thr | Thr | Pro | Ala | Val | Ala | Phe | Phe | Asn | Thr | Ala |  |
|    |     |     |     | 245 |     |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 55 | Val | Glu | Asp | Asn | Arg | Pro | Arg | Gly | Phe | Ser | Arg | Ala | Trp | Ala | Arg | Leu |  |
|    |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |

# EP 3 266 316 A1

|    |            |                          |             |            |            |            |     |     |     |     |     |     |     |     |     |     |     |
|----|------------|--------------------------|-------------|------------|------------|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|    | Gln        | Ala                      | Trp         | Thr        | Phe        | Val        | Pro | Val | Thr | Ser | Gly | Leu | Leu | Val | Gln | Ala |     |
|    |            | 275                      |             |            |            |            |     | 280 |     |     |     |     | 285 |     |     |     |     |
| 5  | Phe        | Trp                      | Ile         | Tyr        | Val        | Leu        | His | Pro | Arg | Gln | Val | Leu | Arg | Lys | Lys | Asn |     |
|    |            | 290                      |             |            |            |            | 295 |     |     |     |     | 300 |     |     |     |     |     |
| 10 | Tyr        | Glu                      | Glu         | Ala        | Ser        | Trp        | Met | Leu | Val | Ser | His | Val | Val | Arg | Thr | Ala |     |
|    | 305        |                          |             |            |            | 310        |     |     |     |     | 315 |     |     |     |     | 320 |     |
| 15 | Val        | Ile                      | Lys         | Leu        | Ala        | Thr        | Gly | Tyr | Ser | Trp | Pro | Val | Ala | Tyr | Trp | Trp |     |
|    |            |                          |             |            | 325        |            |     |     |     | 330 |     |     |     |     | 335 |     |     |
| 20 | Phe        | Thr                      | Phe         | Gly        | Asn        | Trp        | Ile | Ala | Tyr | Met | Tyr | Leu | Phe | Ala | His | Phe |     |
|    |            |                          |             | 340        |            |            |     |     | 345 |     |     |     |     | 350 |     |     |     |
| 25 | Ser        | Thr                      | Ser         | His        | Thr        | His        | Leu | Pro | Val | Val | Pro | Ser | Asp | Lys | His | Leu |     |
|    |            |                          | 355         |            |            |            |     | 360 |     |     |     |     | 365 |     |     |     |     |
| 30 | Ser        | Trp                      | Val         | Asn        | Tyr        | Ala        | Val | Asp | His | Thr | Val | Asp | Ile | Asp | Pro | Ser |     |
|    | 370        |                          |             |            |            |            | 375 |     |     |     |     | 380 |     |     |     |     |     |
| 35 | Arg        | Gly                      | Tyr         | Val        | Asn        | Trp        | Leu | Met | Gly | Tyr | Leu | Asn | Cys | Gln | Val | Ile |     |
|    | 385        |                          |             |            |            | 390        |     |     |     |     | 395 |     |     |     |     | 400 |     |
| 40 | His        | His                      | Leu         | Phe        | Pro        | Asp        | Met | Pro | Gln | Phe | Arg | Gln | Pro | Glu | Val | Ser |     |
|    |            |                          |             |            | 405        |            |     |     |     | 410 |     |     |     |     | 415 |     |     |
| 45 | Arg        | Arg                      | Phe         | Val        | Pro        | Phe        | Ala | Lys | Lys | Trp | Gly | Leu | Asn | Tyr | Lys | Val |     |
|    |            |                          |             | 420        |            |            |     |     | 425 |     |     |     |     | 430 |     |     |     |
| 50 | Leu        | Ser                      | Tyr         | Tyr        | Gly        | Ala        | Trp | Lys | Ala | Thr | Phe | Ser | Asn | Leu | Asp | Lys |     |
|    |            |                          | 435         |            |            |            |     | 440 |     |     |     |     | 445 |     |     |     |     |
| 55 | Val        | Gly                      | Gln         | His        | Tyr        | Tyr        | Val | Asn | Gly | Lys | Ala | Glu | Lys | Ala | His |     |     |
|    |            | 450                      |             |            |            |            | 455 |     |     |     |     | 460 |     |     |     |     |     |
| 60 | <210>      | 17                       |             |            |            |            |     |     |     |     |     |     |     |     |     |     |     |
|    | <211>      | 1449                     |             |            |            |            |     |     |     |     |     |     |     |     |     |     |     |
|    | <212>      | DNA                      |             |            |            |            |     |     |     |     |     |     |     |     |     |     |     |
|    | <213>      | Ostreococcus lucimarinus |             |            |            |            |     |     |     |     |     |     |     |     |     |     |     |
| 65 | <400>      | 17                       |             |            |            |            |     |     |     |     |     |     |     |     |     |     |     |
|    | atgtgcgtcg | aaacgaccga               | aggcacatcg  | cgaacgatgg | cgaacgaacg | cacgagctcg |     |     |     |     |     |     |     |     |     |     | 60  |
|    | tcgtcgtcgc | tgagcgaagg               | cggaaacgccg | acggtgacgg | tcgggatggg | aagcgaagac |     |     |     |     |     |     |     |     |     |     | 120 |
|    | gcggggaaga | agactcgaaa               | cgcgagcgtc  | acggcgtgga | cgaagagatt | ggagccgcac |     |     |     |     |     |     |     |     |     |     | 180 |
|    | gcgatcgcga | agacgttcga               | acggcgggtac | gtgacgatcg | aaggcgtgga | atacgatgtg |     |     |     |     |     |     |     |     |     |     | 240 |

# EP 3 266 316 A1

|    |                                                                                                                            |      |
|----|----------------------------------------------------------------------------------------------------------------------------|------|
|    | acggatttta agcatcccgg aggatcgggtt atttattaca tgctgtcgaa cacgggagcg                                                         | 300  |
|    | gacgcgacgg aggccttttaa agagtttcat tatcggtcga aaaaggcgcg caaggcggtg                                                         | 360  |
| 5  | gcggcggttg cgcataagcc agtggacgcg gcgacgcggg aaccgatcga agatgaggcg                                                          | 420  |
|    | atgctgaagg atttcgcgca gtggcgcaag gaattggagc gtgagggtt ttttaagccc                                                           | 480  |
|    | tcgccggcg acgtggcgta tcgattcgcc gagctcgcg cgatgttcgc gctcggcacg                                                            | 540  |
| 10 | gcgttgatgc acgcgcggtg gcacgtcgct tccgtgatcg tgtactcgtg tttcttcggc                                                          | 600  |
|    | gcgcgatgcg gttgggtgca gcacgagggt gggcacaatt cgttgactgg aaacatttgg                                                          | 660  |
|    | tgggacaagc gaatccaagc cttcgccgcg gggttcggct tggcgctcgag tggcgacatg                                                         | 720  |
| 15 | tggaacaaca tgcacaacaa gcatcacgcg acgccccaaa aggtgcgaca cgatatggat                                                          | 780  |
|    | ctcgacacca ctcccacggt ggcgttcttc aactccgcgg ttgaagaaaa tcgcccgcg                                                           | 840  |
| 20 | ggattcagta agttgtggtt gcgccttcaa gcgtggacct tcgtgcccg gacgtccggt                                                           | 900  |
|    | atggttttgt tcttctggat gttcgtcttg caccgcgta acgcgctgcg acgcaaagc                                                            | 960  |
|    | ttcgaagaag cggcttggtt gttttccgcg cacgtcattc gcacggcggt tatcaaagcc                                                          | 1020 |
| 25 | gtcaccggct actcctggat cgcctcgta ggcctgttcg cggcgacgat gtggcgagc                                                            | 1080 |
|    | ggatgttact tgctcgcgca cttttccacg tctcacacgc acttgatgt cgtgccgagc                                                           | 1140 |
|    | gataaacacc tctcgtgggt gcgatacgcc gtcgatcaca cgatcgacat caatccgaac                                                          | 1200 |
| 30 | aacagcgtcg tcaactggtt gatgggctac ttgaactgcc aagtcatcca tcacctgttc                                                          | 1260 |
|    | ccggatatgc ctcaagtccg ccaaccggaa gtctcccgcc gattcgtccc gtttgcaag                                                           | 1320 |
|    | aagtggaact taaactacaa ggtcttgacg tattatgggg cctggaaggc gacgttcggc                                                          | 1380 |
| 35 | aacttgaacg acgtcgggaa gcaactattac gtgcacggat ctcagcgcg ccaatcaaag                                                          | 1440 |
|    | tcggcgtga                                                                                                                  | 1449 |
| 40 | <210> 18<br><211> 1449<br><212> DNA<br><213> Artificial Sequence                                                           |      |
| 45 | <220><br><223> Codon-optimized open reading frame for expression of <i>Ostreococcus lucimarinus</i> 6-desaturase in plants |      |
|    | <400> 18                                                                                                                   |      |
| 50 | atgtgtgttg agactactga gggaacctct agaactatgg ctaacgagag gacctcttct                                                          | 60   |
|    | tcttcttcac tctctgaggg tggaactcct actgttactg tgggaatggg atctgaggat                                                          | 120  |
|    | gctggaaaga aaaccagaaa cgcttctgtt actgcttgga ccaaagagct tgagcctcac                                                          | 180  |
| 55 | gctatcgcta agaccttcga gagaagatac gttaccatcg aggggtgttg gtacgatgtg                                                          | 240  |
|    | accgatttca aacaccttg tggtctgtg atctactaca tgctctctaa cactggtgct                                                            | 300  |

# EP 3 266 316 A1

gatgctactg aggcctttcaa agagttccac taccgttcta agaaggctag aaaggctctt 360  
 gctgctcttc ctcacaagcc tgttgatgct gctactagag agcctattga ggacgaggct 420  
 5 atgcttaagg atttcgctca gtggagaaaa gagttggaga gagagggatt cttcaagcct 480  
 tctcctgctc atgttgctta ccgtttcgct gaactcgctg ctatgttcgc tcttggaacc 540  
 gctcttatgc atgctagatg gcacgttgct agcgttatcg tgtactcctg tttcttcgga 600  
 10 gctagatgtg gatgggttca acatgagggt ggacacaact ctcttaccgg aaacatctgg 660  
 tgggataaga gaatccaagc tttcgctgct ggattcggac ttgcttcttc tggtgacatg 720  
 tggaacaaca tgcacaacaa gcaccatgct actcctcaga aagtgagaca cgatatggat 780  
 15 cttgatacca cccctaccgt tgctttcttc aactctgctg tggaggaaaa cagacctagg 840  
 ggattctcta agctttggct cagacttcaa gcttggacct tcgttcctgt tacctctgga 900  
 20 atgggtgctct tcttctggat gttcgttctc catcctagaa acgctctccg tcgtaagtct 960  
 ttcgaagagg ctgcttgat gttctctgct caggttatca gaaccgctgt tatcaaggct 1020  
 gttaccggat actcttgat cgctagctac ggacttttcg ctgctactat gtgggcttct 1080  
 25 ggatgctacc ttttcgctca cttctctact tctcacacc acctcgatgt tgttccatct 1140  
 gataagcacc ttagctgggt taggtacgct gttgatcaca ccatcgacat caaccctaac 1200  
 aactctgttg tgaactggct tatgggatac ctttaactgcc aggttatcca ccatctcttc 1260  
 30 cctgatatgc ctcaattcag acagcctgag gtgtcaagaa gattcgtccc tttcgctaag 1320  
 aagtgaacc tcaactacaa ggtgctcact tactacggtg cttggaaggc tactttcggga 1380  
 aacctcaacg atgttggaag gcactactac gttcacggat ctgagagagt gaagagcaag 1440  
 35 agcgcttga 1449

<210> 19  
 <211> 482  
 40 <212> PRT  
 <213> *Ostreococcus lucimarinus*

<400> 19

45 Met Cys Val Glu Thr Thr Glu Gly Thr Ser Arg Thr Met Ala Asn Glu  
 1 5 10 15

Arg Thr Ser Ser Ser Ser Ser Leu Ser Glu Gly Gly Thr Pro Thr Val  
 20 25 30

Thr Val Gly Met Gly Ser Glu Asp Ala Gly Lys Lys Thr Arg Asn Ala  
 35 40 45

55 Ser Val Thr Ala Trp Thr Lys Glu Leu Glu Pro His Ala Ile Ala Lys  
 50 55 60



EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |     |     |     |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|
|    | Thr | Phe | Glu | Arg | Arg | Tyr | Val | Thr | Ile | Glu | Gly | Val | Glu | Tyr | Asp | Val | 65 | 70  | 75  | 80  |
| 5  | Thr | Asp | Phe | Lys | His | Pro | Gly | Gly | Ser | Val | Ile | Tyr | Tyr | Met | Leu | Ser |    | 85  | 90  | 95  |
| 10 | Asn | Thr | Gly | Ala | Asp | Ala | Thr | Glu | Ala | Phe | Lys | Glu | Phe | His | Tyr | Arg |    | 100 | 105 | 110 |
| 15 | Ser | Lys | Lys | Ala | Arg | Lys | Ala | Leu | Ala | Ala | Leu | Pro | His | Lys | Pro | Val |    | 115 | 120 | 125 |
| 20 | Asp | Ala | Ala | Thr | Arg | Glu | Pro | Ile | Glu | Asp | Glu | Ala | Met | Leu | Lys | Asp |    | 130 | 135 | 140 |
| 25 | Phe | Ala | Gln | Trp | Arg | Lys | Glu | Leu | Glu | Arg | Glu | Gly | Phe | Phe | Lys | Pro |    | 145 | 150 | 155 |
| 30 | Ser | Pro | Ala | His | Val | Ala | Tyr | Arg | Phe | Ala | Glu | Leu | Ala | Ala | Met | Phe |    | 165 | 170 | 175 |
| 35 | Ala | Leu | Gly | Thr | Ala | Leu | Met | His | Ala | Arg | Trp | His | Val | Ala | Ser | Val |    | 180 | 185 | 190 |
| 40 | Ile | Val | Tyr | Ser | Cys | Phe | Phe | Gly | Ala | Arg | Cys | Gly | Trp | Val | Gln | His |    | 195 | 200 | 205 |
| 45 | Glu | Gly | Gly | His | Asn | Ser | Leu | Thr | Gly | Asn | Ile | Trp | Trp | Asp | Lys | Arg |    | 210 | 215 | 220 |
| 50 | Ile | Gln | Ala | Phe | Ala | Ala | Gly | Phe | Gly | Leu | Ala | Ser | Ser | Gly | Asp | Met |    | 225 | 230 | 235 |
| 55 | Trp | Asn | Asn | Met | His | Asn | Lys | His | His | Ala | Thr | Pro | Gln | Lys | Val | Arg |    | 245 | 250 | 255 |
|    | His | Asp | Met | Asp | Leu | Asp | Thr | Thr | Pro | Thr | Val | Ala | Phe | Phe | Asn | Ser |    | 260 | 265 | 270 |
|    | Ala | Val | Glu | Glu | Asn | Arg | Pro | Arg | Gly | Phe | Ser | Lys | Leu | Trp | Leu | Arg |    | 275 | 280 | 285 |
|    | Leu | Gln | Ala | Trp | Thr | Phe | Val | Pro | Val | Thr | Ser | Gly | Met | Val | Leu | Phe |    | 290 | 295 | 300 |
|    | Phe | Trp | Met | Phe | Val | Leu | His | Pro | Arg | Asn | Ala | Leu | Arg | Arg | Lys | Ser |    |     |     |     |

EP 3 266 316 A1

|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|----|-------|--------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|    | 305   |                          | 310 |     | 315 |     | 320 |     |     |     |     |     |     |     |     |     |
| 5  | Phe   | Glu                      | Glu | Ala | Ala | Trp | Met | Phe | Ser | Ala | His | Val | Ile | Arg | Thr | Ala |
|    |       |                          |     | 325 |     |     |     |     |     | 330 |     |     |     |     | 335 |     |
| 10 | Val   | Ile                      | Lys | Ala | Val | Thr | Gly | Tyr | Ser | Trp | Ile | Ala | Ser | Tyr | Gly | Leu |
|    |       |                          | 340 |     |     |     |     |     | 345 |     |     |     |     | 350 |     |     |
| 15 | Phe   | Ala                      | Ala | Thr | Met | Trp | Ala | Ser | Gly | Cys | Tyr | Leu | Phe | Ala | His | Phe |
|    |       |                          | 355 |     |     |     |     | 360 |     |     |     |     | 365 |     |     |     |
| 20 | Ser   | Thr                      | Ser | His | Thr | His | Leu | Asp | Val | Val | Pro | Ser | Asp | Lys | His | Leu |
|    |       | 370                      |     |     |     |     | 375 |     |     |     |     | 380 |     |     |     |     |
| 25 | Ser   | Trp                      | Val | Arg | Tyr | Ala | Val | Asp | His | Thr | Ile | Asp | Ile | Asn | Pro | Asn |
|    | 385   |                          |     |     |     | 390 |     |     |     |     | 395 |     |     |     |     | 400 |
| 30 | Asn   | Ser                      | Val | Val | Asn | Trp | Leu | Met | Gly | Tyr | Leu | Asn | Cys | Gln | Val | Ile |
|    |       |                          |     | 405 |     |     |     |     |     | 410 |     |     |     |     | 415 |     |
| 35 | His   | His                      | Leu | Phe | Pro | Asp | Met | Pro | Gln | Phe | Arg | Gln | Pro | Glu | Val | Ser |
|    |       |                          | 420 |     |     |     |     |     | 425 |     |     |     |     | 430 |     |     |
| 40 | Arg   | Arg                      | Phe | Val | Pro | Phe | Ala | Lys | Lys | Trp | Asn | Leu | Asn | Tyr | Lys | Val |
|    |       |                          | 435 |     |     |     |     | 440 |     |     |     |     | 445 |     |     |     |
| 45 | Leu   | Thr                      | Tyr | Tyr | Gly | Ala | Trp | Lys | Ala | Thr | Phe | Gly | Asn | Leu | Asn | Asp |
|    | 450   |                          |     |     |     |     | 455 |     |     |     |     | 460 |     |     |     |     |
| 50 | Val   | Gly                      | Lys | His | Tyr | Tyr | Val | His | Gly | Ser | Gln | Arg | Val | Lys | Ser | Lys |
|    | 465   |                          |     |     |     | 470 |     |     |     |     | 475 |     |     |     |     | 480 |
| 55 | Ser   | Ala                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <210> | 20                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <211> | 456                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <212> | PRT                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <213> | Ostreococcus lucimarinus |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <400> | 20                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | Met   | Cys                      | Val | Glu | Thr | Glu | Asn | Asn | Asp | Gly | Ile | Pro | Thr | Val | Glu | Ile |
|    | 1     |                          |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |
|    | Ala   | Phe                      | Asp | Gly | Glu | Arg | Glu | Arg | Ala | Glu | Ala | Asn | Val | Lys | Leu | Ser |
|    |       |                          |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |
|    | Ala   | Glu                      | Lys | Met | Glu | Pro | Ala | Ala | Leu | Ala | Lys | Thr | Phe | Ala | Arg | Arg |

EP 3 266 316 A1

|    | 35                                                                                 | 40 | 45 |
|----|------------------------------------------------------------------------------------|----|----|
| 5  | Tyr Val Val Ile Glu Gly Val Glu Tyr Asp Val Thr Asp Phe Lys His<br>50 55 60        |    |    |
| 10 | Pro Gly Gly Thr Val Ile Phe Tyr Ala Leu Ser Asn Thr Gly Ala Asp<br>65 70 75 80     |    |    |
| 15 | Ala Thr Glu Ala Phe Lys Glu Phe His His Arg Ser Arg Lys Ala Arg<br>85 90 95        |    |    |
| 20 | Lys Ala Leu Ala Ala Leu Pro Ser Arg Pro Ala Lys Thr Ala Lys Val<br>100 105 110     |    |    |
| 25 | Asp Asp Ala Glu Met Leu Gln Asp Phe Ala Lys Trp Arg Lys Glu Leu<br>115 120 125     |    |    |
| 30 | Glu Arg Asp Gly Phe Phe Lys Pro Ser Pro Ala His Val Ala Tyr Arg<br>130 135 140     |    |    |
| 35 | Phe Ala Glu Leu Ala Ala Met Tyr Ala Leu Gly Thr Tyr Leu Met Tyr<br>145 150 155 160 |    |    |
| 40 | Ala Arg Tyr Val Val Ser Ser Val Leu Val Tyr Ala Cys Phe Phe Gly<br>165 170 175     |    |    |
| 45 | Ala Arg Cys Gly Trp Val Gln His Glu Gly Gly His Ser Ser Leu Thr<br>180 185 190     |    |    |
| 50 | Gly Asn Ile Trp Trp Asp Lys Arg Ile Gln Ala Phe Thr Ala Gly Phe<br>195 200 205     |    |    |
| 55 | Gly Leu Ala Gly Ser Gly Asp Met Trp Asn Ser Met His Asn Lys His<br>210 215 220     |    |    |
| 60 | His Ala Thr Pro Gln Lys Val Arg His Asp Met Asp Leu Asp Thr Thr<br>225 230 235 240 |    |    |
| 65 | Pro Ala Val Ala Phe Phe Asn Thr Ala Val Glu Asp Asn Arg Pro Arg<br>245 250 255     |    |    |
| 70 | Gly Phe Ser Lys Tyr Trp Leu Arg Leu Gln Ala Trp Thr Phe Ile Pro<br>260 265 270     |    |    |
| 75 | Val Thr Ser Gly Leu Val Leu Leu Phe Trp Met Phe Phe Leu His Pro<br>275 280 285     |    |    |

# EP 3 266 316 A1

Ser Lys Ala Leu Lys Gly Gly Lys Tyr Glu Glu Leu Val Trp Met Leu  
290 295 300

5 Ala Ala His Val Ile Arg Thr Trp Thr Ile Lys Ala Val Thr Gly Phe  
305 310 315 320

10 Thr Ala Met Gln Ser Tyr Gly Leu Phe Leu Ala Thr Ser Trp Val Ser  
325 330 335

Gly Cys Tyr Leu Phe Ala His Phe Ser Thr Ser His Thr His Leu Asp  
340 345 350

15 Val Val Pro Ala Asp Glu His Leu Ser Trp Val Arg Tyr Ala Val Asp  
355 360 365

20 His Thr Ile Asp Ile Asp Pro Ser Gln Gly Trp Val Asn Trp Leu Met  
370 375 380

Gly Tyr Leu Asn Cys Gln Val Ile His His Leu Phe Pro Ser Met Pro  
385 390 395 400

25 Gln Phe Arg Gln Pro Glu Val Ser Arg Arg Phe Val Ala Phe Ala Lys  
405 410 415

30 Lys Trp Asn Leu Asn Tyr Lys Val Met Thr Tyr Ala Gly Ala Trp Lys  
420 425 430

35 Ala Thr Leu Gly Asn Leu Asp Asn Val Gly Lys His Tyr Tyr Val His  
435 440 445

Gly Gln His Ser Gly Lys Thr Ala  
450 455

40 <210> 21  
<211> 894  
<212> DNA  
<213> Pyramimonas cordata

45 <400> 21  
atggagttcg ctcagcctct tgtggctatg gcacaggagc agtatgccgc aattgacgcg 60  
gtggtagccc ctgcaatttt ctcagctacc gacagcatcg gttgggggtct taagcccatt 120  
agcagcgcgga caaaggatct tcctctcggt gagagtccga cgccgctcat actgagcctg 180  
50 ttggcctatt ttgcgatcgt cggctctggg ctggtgtacc gcaaagtatt ccctcgcaca 240  
gtaaagggggc aagaccctt cctgctgaag gcgctcatgc ttgcgcacaa cgtgttcctc 300  
attggcctca gtctatacat gtgcttgaag cttgtctacg aggcttacgt caacaagtac 360  
55 tccttctggg gaaacgccta caaccccgca cagaccgaga tggcgaaggt catctggatt 420

EP 3 266 316 A1

5      ttctacgtct ccaagatcta tgagttcatg gacacgttca tcatgctctt gaagggcaac      480  
 gtcaaccagg tctcttttcct gcatgtgtac catcatgggt ccatctctgg tatctggtgg      540  
 atgatcacct acgctgcccc tggcggtgac gcgtacttct cggcggcgct caactcgtgg      600  
 gtgcacgtgt gcatgtacac gtactacttc atggcgggcg tgctgcccac ggacgagaag      660  
 accaagcgca agtacctctg gtggggcgcc tacctgaccc agatgcagat gttccagttc      720  
 10      ttcatgaacc tgctccaggc ggtctacctc ctctactcct ctagccccta cccaagtctc      780  
 atcgcccagc tgctggtggt gtacatgggt acgctgctga tgctcttcgg caacttctac      840  
 tacatgaagc accacgcgag caagaagcag aagctggcca gcaagaagca gtag      894  
 15  
 <210> 22  
 <211> 870  
 <212> DNA  
 <213> Artificial Sequence  
 20  
 <220>  
 <223> Codon-optimized open reading frame for expression of Pyramimonas  
 cordata 6 elongase in plants (truncated at 3' end and encoding  
 functional elongase) (version 1)  
 25  
 <400> 22  
 atggaattcg cccagcctct tgttgctatg gctcaagagc aatacgctgc tatcgatgct      60  
 gttgttgctc ctgctatctt ctctgctact gattctatcg gatggggact taagcctatc      120  
 30      tcttctgcta ctaaggactt gcctcttggt gagtctccta cacctctcat cctttctttg      180  
 cttgcttact tgcctatcgt tggatctgga ctcggtttaca gaaagggttt ccctagaacc      240  
 gtgaaggagc aagatccatt ccttttgaag gctcttatgc ttgctcaca cgtgttcctt      300  
 35      atcggacttt ctctttacat gtgcctcaag cttgtgtacg aggcttacgt taacaagtac      360  
 tctttctggg gaaacgctta caaccctgct caaactgaga tggctaaggt tatctggatc      420  
 ttctacgtga gcaagatcta cgagttcatg gataccttca tcatgctcct caagggaaat      480  
 40      gttaaccagg ttagcttcct tcacgtttac catcacggat ctatctctgg aatctggtgg      540  
 atgattactt acgctgctcc tgggtggtgat gcttacttct ctgctgctct taactcttgg      600  
 gttcacgtgt gtatgtacac ctactatttt atggctgccg tgcttcctaa ggacgagaaa      660  
 45      actaagagaa agtacctctg gtggggaaga taccttactc aaatgcagat gttccagttc      720  
 ttcatgaacc ttctccaggc tgtttacctt ctctactcct catctcctta ccctaagttt      780  
 50      atcgctcagc tcctcgtggt gtacatgggt actcttctca tgcttttcgg aaacttctac      840  
 tacatgaagc accacgctag caagtgatga      870  
 55      <210> 23  
 <211> 870  
 <212> DNA

# EP 3 266 316 A1

<213> Artificial Sequence

<220>

<223> Codon-optimized open reading frame for expression of Pyramimonas cordata 6 elongase in plants (truncated at 3' end and encoding functional elongase) (version 2)

<400> 23

```

atggaattcg cccagcctct tgttgctatg gctcaagagc aatacgctgc tatcgatgct      60
gttgttgctc ctgctatctt ctctgctact gattctatcg gatggggact taagcctatc      120
tcttctgcta ctaaggactt gcctcttggt gagtctccta cacctctcat cctttctttg      180
cttgcttact tcgctatcgt tggatctgga ctcgtttaca gaaagggttt ccctagaacc      240
gtgaaggggac aagatccatt ccttttgaag gctcttatgc ttgctcacia cgtgttcctt      300
atcggacttt ctctttacat gtgcctcaag cttgtgtacg aggcttacgt taacaagtac      360
tctttctggg gaaacgctta caaccctgct caaactgaga tggctaagggt tatctggatc      420
ttctactgtg gcaagatcta cgagttcatg gataccttca tcatgctcct caagggaat      480
gttaaccagg ttagcttcct tcacgtttac catcacggat ctatctctgg aatctggtgg      540
atgattactt acgctgctcc tgggtggtgat gcttacttct ctgctgctct taactcttgg      600
gttcacgtgt gtatgtacac ctactatttt atggctgccg tgcttcctaa ggacgagaaa      660
actaagagaa agtacctctg gtggggaaga taccttactc aaatgcagat gttccagttc      720
ttcatgaacc ttctccaggc tgtttacctt ctctactctt catctcctta ccctaagttt      780
atcgctcagc tcctcgtggt gtacatggtt actcttctca tgcttttcgg aaacttctac      840
tacatgaagc accacgctag caagtgatga      870

```

<210> 24

<211> 870

<212> DNA

<213> Artificial Sequence

<220>

<223> Codon-optimized open reading frame for expression of Pyramimonas cordata 6 elongase in plants (truncated at 3' end and encoding functional elongase) (version 3)

<400> 24

```

atggaatttg ctcaacctct cgttgctatg gctcaagagc agtacgctgc tatcgatgct      60
gttgttgctc ctgctatctt ctctgctacc gactctattg gatggggact caagcctatc      120
tcttctgcta ctaaggatct ccctctcgtt gaatctccta cccctcttat cctttctctc      180
ctcgcttact tcgctatcgt tggttctgga ctcgtttacc gttaaagtgtt ccctagaacc      240
gttaaggggac aggatccttt ccttctcaag gctcttatgc tcgctcacia cgttttcctt      300
atcggactca gcctttacat gtgcctcaag ctcgtttacc aggcttacgt gaacaagtac      360
tccttctggg gaaacgctta caaccctgct caaaccgaga tggctaagggt gatctggatc      420

```

EP 3 266 316 A1

ttctacgtgt ccaagatcta cgagttcatg gacaccttca tcatgcttct caagggaaac 480  
 gttaaccagg tttccttcct ccatgtttac caccacggat ctatctctgg aatctggtgg 540  
 5 atgatcactt atgctgctcc aggtggagat gcttacttct ctgctgctct caactcttgg 600  
 gttcatgtgt gcatgtacac ctactacttc atggctgctg ttcttcctaa ggacgaaaag 660  
 accaagagaa agtacctttg gtggggaaga taccttacct agatgcaa atgttccagttc 720  
 10 ttcatgaacc ttctccaggc tgtttacctc ctctactctt cttctcctta ccctaagttc 780  
 attgctcaac tcctcgttgt ttacatgggt accctcctca tgcttttcgg aaacttctac 840  
 tacatgaagc accacgcttc taagtataa 870  
 15  
 <210> 25  
 <211> 297  
 <212> PRT  
 <213> *Pyramimonas cordata*  
 20  
 <400> 25  
 Met Glu Phe Ala Gln Pro Leu Val Ala Met Ala Gln Glu Gln Tyr Ala  
 1 5 10 15  
 25  
 Ala Ile Asp Ala Val Val Ala Pro Ala Ile Phe Ser Ala Thr Asp Ser  
 20 25 30  
 30 Ile Gly Trp Gly Leu Lys Pro Ile Ser Ser Ala Thr Lys Asp Leu Pro  
 35 40 45  
 Leu Val Glu Ser Pro Thr Pro Leu Ile Leu Ser Leu Leu Ala Tyr Phe  
 35 50 55 60  
 Ala Ile Val Gly Ser Gly Leu Val Tyr Arg Lys Val Phe Pro Arg Thr  
 65 70 75 80  
 40 Val Lys Gly Gln Asp Pro Phe Leu Leu Lys Ala Leu Met Leu Ala His  
 85 90 95  
 45 Asn Val Phe Leu Ile Gly Leu Ser Leu Tyr Met Cys Leu Lys Leu Val  
 100 105 110  
 Tyr Glu Ala Tyr Val Asn Lys Tyr Ser Phe Trp Gly Asn Ala Tyr Asn  
 115 120 125  
 50 Pro Ala Gln Thr Glu Met Ala Lys Val Ile Trp Ile Phe Tyr Val Ser  
 130 135 140  
 55 Lys Ile Tyr Glu Phe Met Asp Thr Phe Ile Met Leu Leu Lys Gly Asn  
 145 150 155 160

# EP 3 266 316 A1

|    |       |                     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|---------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Val   | Asn                 | Gln | Val | Ser | Phe | Leu | His | Val | Tyr | His | His | Gly | Ser | Ile | Ser |  |
|    |       |                     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
| 5  | Gly   | Ile                 | Trp | Trp | Met | Ile | Thr | Tyr | Ala | Ala | Pro | Gly | Gly | Asp | Ala | Tyr |  |
|    |       |                     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 10 | Phe   | Ser                 | Ala | Ala | Leu | Asn | Ser | Trp | Val | His | Val | Cys | Met | Tyr | Thr | Tyr |  |
|    |       |                     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
| 15 | Tyr   | Phe                 | Met | Ala | Ala | Val | Leu | Pro | Lys | Asp | Glu | Lys | Thr | Lys | Arg | Lys |  |
|    |       | 210                 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
| 20 | Tyr   | Leu                 | Trp | Trp | Gly | Arg | Tyr | Leu | Thr | Gln | Met | Gln | Met | Phe | Gln | Phe |  |
|    | 225   |                     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 25 | Phe   | Met                 | Asn | Leu | Leu | Gln | Ala | Val | Tyr | Leu | Leu | Tyr | Ser | Ser | Ser | Pro |  |
|    |       |                     |     | 245 |     |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 30 | Tyr   | Pro                 | Lys | Phe | Ile | Ala | Gln | Leu | Leu | Val | Val | Tyr | Met | Val | Thr | Leu |  |
|    |       |                     |     | 260 |     |     |     | 265 |     |     |     |     |     | 270 |     |     |  |
| 35 | Leu   | Met                 | Leu | Phe | Gly | Asn | Phe | Tyr | Tyr | Met | Lys | His | His | Ala | Ser | Lys |  |
|    |       | 275                 |     |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
| 40 | Lys   | Gln                 | Lys | Leu | Ala | Ser | Lys | Lys | Gln |     |     |     |     |     |     |     |  |
|    |       | 290                 |     |     |     |     | 295 |     |     |     |     |     |     |     |     |     |  |
| 45 | <210> | 26                  |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 288                 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <212> | PRT                 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <213> | Pyramimonas cordata |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 50 | <400> | 26                  |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 55 | Met   | Glu                 | Phe | Ala | Gln | Pro | Leu | Val | Ala | Met | Ala | Gln | Glu | Gln | Tyr | Ala |  |
|    | 1     |                     |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
| 60 | Ala   | Ile                 | Asp | Ala | Val | Val | Ala | Pro | Ala | Ile | Phe | Ser | Ala | Thr | Asp | Ser |  |
|    |       |                     | 20  |     |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| 65 | Ile   | Gly                 | Trp | Gly | Leu | Lys | Pro | Ile | Ser | Ser | Ala | Thr | Lys | Asp | Leu | Pro |  |
|    |       | 35                  |     |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
| 70 | Leu   | Val                 | Glu | Ser | Pro | Thr | Pro | Leu | Ile | Leu | Ser | Leu | Leu | Ala | Tyr | Phe |  |
|    |       | 50                  |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |
| 75 | Ala   | Ile                 | Val | Gly | Ser | Gly | Leu | Val | Tyr | Arg | Lys | Val | Phe | Pro | Arg | Thr |  |
|    | 65    |                     |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |



# EP 3 266 316 A1

|    |                                                                   |     |
|----|-------------------------------------------------------------------|-----|
|    | Val Lys Gly Gln Asp Pro Phe Leu Leu Lys Ala Leu Met Leu Ala His   |     |
|    | 85 90 95                                                          |     |
| 5  | Asn Val Phe Leu Ile Gly Leu Ser Leu Tyr Met Cys Leu Lys Leu Val   |     |
|    | 100 105 110                                                       |     |
| 10 | Tyr Glu Ala Tyr Val Asn Lys Tyr Ser Phe Trp Gly Asn Ala Tyr Asn   |     |
|    | 115 120 125                                                       |     |
| 15 | Pro Ala Gln Thr Glu Met Ala Lys Val Ile Trp Ile Phe Tyr Val Ser   |     |
|    | 130 135 140                                                       |     |
| 20 | Lys Ile Tyr Glu Phe Met Asp Thr Phe Ile Met Leu Leu Lys Gly Asn   |     |
|    | 145 150 155 160                                                   |     |
| 25 | Val Asn Gln Val Ser Phe Leu His Val Tyr His His Gly Ser Ile Ser   |     |
|    | 165 170 175                                                       |     |
| 30 | Gly Ile Trp Trp Met Ile Thr Tyr Ala Ala Pro Gly Gly Asp Ala Tyr   |     |
|    | 180 185 190                                                       |     |
| 35 | Phe Ser Ala Ala Leu Asn Ser Trp Val His Val Cys Met Tyr Thr Tyr   |     |
|    | 195 200 205                                                       |     |
| 40 | Tyr Phe Met Ala Ala Val Leu Pro Lys Asp Glu Lys Thr Lys Arg Lys   |     |
|    | 210 215 220                                                       |     |
| 45 | Tyr Leu Trp Trp Gly Arg Tyr Leu Thr Gln Met Gln Met Phe Gln Phe   |     |
|    | 225 230 235 240                                                   |     |
| 50 | Phe Met Asn Leu Leu Gln Ala Val Tyr Leu Leu Tyr Ser Ser Ser Pro   |     |
|    | 245 250 255                                                       |     |
| 55 | Tyr Pro Lys Phe Ile Ala Gln Leu Leu Val Val Tyr Met Val Thr Leu   |     |
|    | 260 265 270                                                       |     |
| 60 | Leu Met Leu Phe Gly Asn Phe Tyr Tyr Met Lys His His Ala Ser Lys   |     |
|    | 275 280 285                                                       |     |
| 65 | <210> 27                                                          |     |
| 70 | <211> 1278                                                        |     |
| 75 | <212> DNA                                                         |     |
| 80 | <213> Pavlova salina                                              |     |
| 85 | <400> 27                                                          |     |
| 90 | atgccgccgc gcgatagcta ctcgtacgcc gccccgccgt cggcccagct gcacgaggtc | 60  |
| 95 | gataccccgc aggagcatga taagaaggag ctcgtcatcg gtgaccgcgc gtacgacgtg | 120 |

# EP 3 266 316 A1

|    |                                                                                                              |      |
|----|--------------------------------------------------------------------------------------------------------------|------|
|    | accaaactttg tgaagcgcca cccgggtggc aagatcatcg cataccaggt tggcacagat                                           | 180  |
|    | gcgacggacg cgtacaagca gttccatgtg cggctctgcc aggcggacaa gatgctcaag                                            | 240  |
| 5  | tcgctgcctt cgcgcccgtt gcacaagggc tactcgcccc gccgcgctga cctcattgcc                                            | 300  |
|    | gacttccagg agttcaccaa gcagctggag gcggagggca tgtttgagcc gtcgctgccg                                            | 360  |
|    | cacgtggcat accgcctggc ggaggtgatc gcgatgcacg tggccggcgc cgcgctcatc                                            | 420  |
| 10 | tggcacgggt acaccttcgc gggcattgcc atgctcggcg ttgtgcaggg ccgctgcggc                                            | 480  |
|    | tggctcatgc acgagggcgc ccactactcg ctacacgggca acattgcttt tgaccgtgcc                                           | 540  |
|    | atccaagtgc cgtgctacgg ccttggctgc ggcattgtcg gccgctggtg gcgcaaccag                                            | 600  |
| 15 | cacaacaagc accacgcgac gccgcagaag ttgcagcacg acgtcgacct cgacaccctc                                            | 660  |
|    | ccgctcgtcg ccttccacga gcggatagcc gccaaagtga agagccccgc gatgaaggcg                                            | 720  |
| 20 | tggcttagta tgcaggcgaa gctcttcgcg ccagtgaaca cgctgctggt cgcgctgggc                                            | 780  |
|    | tggcagctgt acctgcaccg gcgccatatg ctgcgcacca agcactacga cgagctcgcg                                            | 840  |
|    | atgctcggca ttcgctacgg ccttgtcggc tacctcgcgg cgaactacgg cgcggggtag                                            | 900  |
| 25 | gtgctcgcgt gctacctgct gtacgtgcag ctcggcgcca tgtacatctt ctgcaacttt                                            | 960  |
|    | gccgtgtcgc acacacacct gccggttgtc gagcctaacg agcacgcaac gtgggtggag                                            | 1020 |
|    | tacgccgcga accacacgac caactgctcg ccctcgtggt ggtgcgactg gtggatgtcg                                            | 1080 |
| 30 | tacctcaact accagatcga gcaccacctc taccogtcca tgccgcagtt ccgccaccgc                                            | 1140 |
|    | aagattgcgc cgcgggtgaa gcagctcttc gagaagcacg gcctgcacta cgacgtgcgt                                            | 1200 |
|    | ggctacttcg aggccatggc ggacacgttt gccaaccttg acaacgtcgc gcacgcgccg                                            | 1260 |
| 35 | gagaagaaga tgcagtga                                                                                          | 1278 |
|    | <210> 28                                                                                                     |      |
|    | <211> 1281                                                                                                   |      |
| 40 | <212> DNA                                                                                                    |      |
|    | <213> Artificial Sequence                                                                                    |      |
|    | <220>                                                                                                        |      |
| 45 | <223> Codon-optimized open reading frame for expression of Pavlova salina 5 desaturase in plants (version 1) |      |
|    | <400> 28                                                                                                     |      |
|    | atgcctccaa gggactctta ctcttatgct gctcctcctt ctgctcaact tcacgaagtt                                            | 60   |
|    | gatactcctc aagagcacga caagaaagag cttgttatcg gagatagggc ttacgatgtt                                            | 120  |
| 50 | accaaacttcg ttaagagaca ccctgggtgga aagatcattg cttaccaagt tggaactgat                                          | 180  |
|    | gctaccgatg cttacaagca gttccatgtt agatctgcta aggctgacaa gatgcttaag                                            | 240  |
| 55 | tctcttcctt ctcgctcctgt tcacaaggga tactctccaa gaagggtgga tcttatcgtc                                           | 300  |
|    | gatttccaag agttcaccaa gcaacttgag gctgagggaa tgttcgagcc ttctcttcct                                            | 360  |

# EP 3 266 316 A1

|    |                                                                                                                          |      |
|----|--------------------------------------------------------------------------------------------------------------------------|------|
|    | catggttgctt acagacttgc tgaggttatc gctatgcatg ttgctggtgc tgctcttata                                                       | 420  |
|    | tggcatggat acactttcgc tggaatcgct atgcttggag ttgttcaggg aagatgtgga                                                        | 480  |
| 5  | tggcttatgc atgaggggtg acattactct ctactggaa acattgcttt cgacagagct                                                         | 540  |
|    | atccaagttg cttgttacgg acttggtatg ggaatgtctg gtgcttggtg gcgtaaccag                                                        | 600  |
|    | cataacaagc accatgctac tcctcaaaag cttcagcacg atgttgatct tgataccctt                                                        | 660  |
| 10 | cctctcgttg ctttccatga gagaatcgct gctaaggtta agtctcctgc tatgaaggct                                                        | 720  |
|    | tggctttcta tgcaagctaa gcttttcgct cctgttacca ctcttcttgt tgctcttgga                                                        | 780  |
|    | tggcagcttt accttcatcc tagacacatg ctcaggacta agcactacga tgagcttgct                                                        | 840  |
| 15 | atgctcggaa tcagatacgg acttggttga taccttgctg ctaactacgg tgctggatac                                                        | 900  |
|    | gttctcgctt gttaccttct ttacgttcag cttggagcta tgtacatctt ctgcaacttc                                                        | 960  |
|    | gctgtttctc atactcacct ccctgttggt gagcctaacg agcatgctac ttgggttgag                                                        | 1020 |
| 20 | tacgttgcta accacactac taactgttct ccatcttggt ggtgtgattg gtggatgtct                                                        | 1080 |
|    | taccttaact accagatcga gcaccacctt tacccttcta tgctcaatt cagacacctt                                                         | 1140 |
|    | aagatcgctc cttagagtaa gcagcttttc gagaagcacg gacttcacta cgatgttaga                                                        | 1200 |
| 25 | ggatacttcg aggctatggc tgatactttc gctaaccttg ataacgttgc ccatgctcct                                                        | 1260 |
|    | gagaagaaaa tgcaagtaatg a                                                                                                 | 1281 |
| 30 | <210> 29<br><211> 1281<br><212> DNA<br><213> Artificial Sequence                                                         |      |
| 35 | <220><br><223> Codon-optimized open reading frame for expression of Pavlova<br>salina 5 desaturase in plants (version 2) |      |
| 40 | <400> 29<br>atgcctccta gggactctta ctcttacgct gctcctcctt ctgctcaact tcacgaggtt                                            | 60   |
|    | gacactcctc aagagcacga caagaaagag cttgttatcg gagatagggc ttacgatgtg                                                        | 120  |
|    | accaacttcg ttaagagaca ccctgggtgga aagatcattg cttaccaagt gggaaactgat                                                      | 180  |
| 45 | gctaccgatg cttacaagca gttccatgtg agatctgcta aggctgacaa gatgctcaag                                                        | 240  |
|    | tctctccctt ctagacctgt tcacaaggga tactctccta gaagagctga tcttatcgct                                                        | 300  |
|    | gacttccaag agttcactaa gcaacttgag gctgagggaa tggtcgaacc ttctctccct                                                        | 360  |
| 50 | catggttgctt accgtcttgc tgaggttatc gctatgcatg ttgctggtgc tgctcttata                                                       | 420  |
|    | tggcacggat acactttcgc tggaatcgct atgcttggag ttgttcaggg aagatgcgga                                                        | 480  |
| 55 | tggcttatgc atgaggggtg acactactct cttaccggaa acattgcttt cgatagggct                                                        | 540  |
|    | atccaagttg cttgttacgg acttggtatg ggaatgtctg gtgcttggtg gagaaaccag                                                        | 600  |

# EP 3 266 316 A1

cataacaagc accatgctac tcctcaaaag ctccagcacg atgttgatct tgataccctc 660  
cctctcgttg ctttccatga gagaatcgct gctaaggtta agtctcctgc tatgaaggct 720  
5 tggctctcca tgcaagctaa actcttcgct cctgttacca ctcttcttgt tgctcttgga 780  
tggcagcttt accttcaccc tagacacatg ctccagaacta agcactacga cgagcttgct 840  
atgcttggtta tcagatacgg acttgtggga taccttgctg ctaactacgg tgctggatac 900  
10 gttcttgctt gctaccttct ctacgttcag cttggagcta tgtacatctt ctgcaacttc 960  
gctgtttctc aactcatct ccctgttggt gagcctaacg agcatgctac ttgggttgag 1020  
tacgtgcta accacactac taactgctct ccatcttggt ggtgtgattg gtggatgagc 1080  
15 tacctcaact accagatcga gcatcacctt tacccttcta tgccctcagtt caggcatcct 1140  
aagatcgctc ctagagtga gcaactcttc gagaagcacg gacttcacta cgatgtgcgt 1200  
20 ggatacttcg aggctatggc tgatactttc gctaacctcg ataacgttgc tcatgctcct 1260  
gagaagaaaa tgcaatgatg a 1281

<210> 30  
25 <211> 425  
<212> PRT  
<213> Pavlova salina  
<400> 30

30 Met Pro Pro Arg Asp Ser Tyr Ser Tyr Ala Ala Pro Pro Ser Ala Gln  
1 5 10 15

35 Leu His Glu Val Asp Thr Pro Gln Glu His Asp Lys Lys Glu Leu Val  
20 25 30

Ile Gly Asp Arg Ala Tyr Asp Val Thr Asn Phe Val Lys Arg His Pro  
35 40 45

40 Gly Gly Lys Ile Ile Ala Tyr Gln Val Gly Thr Asp Ala Thr Asp Ala  
50 55 60

45 Tyr Lys Gln Phe His Val Arg Ser Ala Lys Ala Asp Lys Met Leu Lys  
65 70 75 80

50 Ser Leu Pro Ser Arg Pro Val His Lys Gly Tyr Ser Pro Arg Arg Ala  
85 90 95

Asp Leu Ile Ala Asp Phe Gln Glu Phe Thr Lys Gln Leu Glu Ala Glu  
100 105 110

55 Gly Met Phe Glu Pro Ser Leu Pro His Val Ala Tyr Arg Leu Ala Glu  
115 120 125

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Val | Ile | Ala | Met | His | Val | Ala | Gly | Ala | Ala | Leu | Ile | Trp | His | Gly | Tyr |  |
|    | 130 |     |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |  |
| 5  | Thr | Phe | Ala | Gly | Ile | Ala | Met | Leu | Gly | Val | Val | Gln | Gly | Arg | Cys | Gly |  |
|    | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |  |
|    | Trp | Leu | Met | His | Glu | Gly | Gly | His | Tyr | Ser | Leu | Thr | Gly | Asn | Ile | Ala |  |
| 10 |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
|    | Phe | Asp | Arg | Ala | Ile | Gln | Val | Ala | Cys | Tyr | Gly | Leu | Gly | Cys | Gly | Met |  |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 15 | Ser | Gly | Ala | Trp | Trp | Arg | Asn | Gln | His | Asn | Lys | His | His | Ala | Thr | Pro |  |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
|    | Gln | Lys | Leu | Gln | His | Asp | Val | Asp | Leu | Asp | Thr | Leu | Pro | Leu | Val | Ala |  |
| 20 |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
|    | Phe | His | Glu | Arg | Ile | Ala | Ala | Lys | Val | Lys | Ser | Pro | Ala | Met | Lys | Ala |  |
| 25 | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
|    | Trp | Leu | Ser | Met | Gln | Ala | Lys | Leu | Phe | Ala | Pro | Val | Thr | Thr | Leu | Leu |  |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 30 | Val | Ala | Leu | Gly | Trp | Gln | Leu | Tyr | Leu | His | Pro | Arg | His | Met | Leu | Arg |  |
|    |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
|    | Thr | Lys | His | Tyr | Asp | Glu | Leu | Ala | Met | Leu | Gly | Ile | Arg | Tyr | Gly | Leu |  |
| 35 |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
|    | Val | Gly | Tyr | Leu | Ala | Ala | Asn | Tyr | Gly | Ala | Gly | Tyr | Val | Leu | Ala | Cys |  |
| 40 |     | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
|    | Tyr | Leu | Leu | Tyr | Val | Gln | Leu | Gly | Ala | Met | Tyr | Ile | Phe | Cys | Asn | Phe |  |
|    | 305 |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |
| 45 | Ala | Val | Ser | His | Thr | His | Leu | Pro | Val | Val | Glu | Pro | Asn | Glu | His | Ala |  |
|    |     |     |     |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |
|    | Thr | Trp | Val | Glu | Tyr | Ala | Ala | Asn | His | Thr | Thr | Asn | Cys | Ser | Pro | Ser |  |
| 50 |     |     |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
|    | Trp | Trp | Cys | Asp | Trp | Trp | Met | Ser | Tyr | Leu | Asn | Tyr | Gln | Ile | Glu | His |  |
|    |     |     | 355 |     |     |     |     | 360 |     |     |     |     | 365 |     |     |     |  |
| 55 | His | Leu | Tyr | Pro | Ser | Met | Pro | Gln | Phe | Arg | His | Pro | Lys | Ile | Ala | Pro |  |

## EP 3 266 316 A1

370

375

380

Arg Val Lys Gln Leu Phe Glu Lys His Gly Leu His Tyr Asp Val Arg  
385 390 395 400

Gly Tyr Phe Glu Ala Met Ala Asp Thr Phe Ala Asn Leu Asp Asn Val  
405 410 415

Ala His Ala Pro Glu Lys Lys Met Gln  
420 425

<210> 31  
<211> 1329  
<212> DNA  
<213> *Pyramimonas cordata*

<400> 31  
atgggaaagg gaggcaatgc tagcgctcct actgcgaaga aggaggtggt gatcgagggg 60  
aagttttacg atgtcaccga cttcaggcac cccggtgggt cgatcatcaa gtttctctcg 120  
ggttcttggtg ctgacgccac cgcttcctac cgcgagttcc acgttaggtc agcgaaggca 180  
gacaagttct tgaagacgct gccctcccg cgaagccactc cccaggagct gaagcaggcg 240  
gttgagttct ccaagctcaa cccgccctcc gcggagagtg cctctgctcc cctgaccgac 300  
cttgccaagg tggaagcgct gaacaaggac ttcgaggctt tccgtgagca gctcattcag 360  
gagggcttct ttaagcccaa tatcccgcat gtggtcaagc gcatcacgga agtcgtggcg 420  
atgatggccg tagcctcctg gatgatggtg cagaccaacg ctcttggtgt gaccctcgga 480  
gttctgatcc gcggcattgc acagggcccg tgcggttggc ttatgcacga gggcggccac 540  
tatagtctta ctgggaagat ctccattgat aggcgtctgc aggagtcaat ttacggattc 600  
ggctgtggaa tgtccggcgc ctggtggcgc aaccagcaca acaagcacca cgcaacccca 660  
cagaagctgc agcatgacgt cgacctggag acccttcctc tgatggcttt caacaacgct 720  
gttaccgata gacgcaagggt gaagcctggt agtctccagg ctctgtggct caagtaccag 780  
gccttcctct tcttccccgt gacctccctt ctggtcggcc tcggttggac caccgtcctc 840  
caccacaggc acagcttgcg caccaagcac tatttcgagc tgctctgcat ggctgctcgt 900  
tacgcgagtt tcgctgctct tttcgtctcc aagtacggac ttgcaggagc tgccgggctc 960  
tacctcgcca ccttcgctgt cgggtgcaac tatattttca tcaacttctc ggtctctcac 1020  
actcacctgc ccgtgagcgg tgcgagcgag tacctgcatt gggtcgtgta ttcggccatc 1080  
cacaccacta acatcaaata cagcatgctg tgcgattggt ggatgtcatt cctcaacttc 1140  
cagatcgagc atcacctgtt cccttcaatg cccagttcc gccacaagat tatctccccg 1200  
cgtgtaaagg ccttgtttga gaagcacggt cttgtgtatg atgtgcgccc ctattggggg 1260

EP 3 266 316 A1

gccatggctg acaccttcaa gaacttgaat gacgttggca ctcacgcac tcactccaag 1320

gcgcactag 1329

5

<210> 32  
<211> 442  
<212> PRT  
<213> *Pyramimonas cordata*

10

<400> 32

Met Gly Lys Gly Gly Asn Ala Ser Ala Pro Thr Ala Lys Lys Glu Val  
1 5 10 15

15

Leu Ile Glu Gly Lys Phe Tyr Asp Val Thr Asp Phe Arg His Pro Gly  
20 25 30

20

Gly Ser Ile Ile Lys Phe Leu Ser Gly Ser Gly Ala Asp Ala Thr Ala  
35 40 45

Ser Tyr Arg Glu Phe His Val Arg Ser Ala Lys Ala Asp Lys Phe Leu  
50 55 60

25

Lys Thr Leu Pro Ser Arg Glu Ala Thr Pro Gln Glu Leu Lys Gln Ala  
65 70 75 80

30

Val Glu Phe Ser Lys Leu Asn Pro Pro Ser Ala Glu Ser Ala Ser Ala  
85 90 95

35

Pro Leu Thr Asp Leu Ala Lys Val Glu Ala Leu Asn Lys Asp Phe Glu  
100 105 110

Ala Phe Arg Glu Gln Leu Ile Gln Glu Gly Phe Phe Lys Pro Asn Ile  
115 120 125

40

Pro His Val Val Lys Arg Ile Thr Glu Val Val Ala Met Met Ala Val  
130 135 140

45

Ala Ser Trp Met Met Val Gln Thr Asn Ala Leu Val Val Thr Leu Gly  
145 150 155 160

50

Val Leu Ile Arg Gly Ile Ala Gln Gly Arg Cys Gly Trp Leu Met His  
165 170 175

Glu Gly Gly His Tyr Ser Leu Thr Gly Lys Ile Ser Ile Asp Arg Arg  
180 185 190

55

Leu Gln Glu Ser Ile Tyr Gly Phe Gly Cys Gly Met Ser Gly Ala Trp  
195 200 205

EP 3 266 316 A1

|    |       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Trp   | Arg | Asn | Gln | His | Asn | Lys | His | His | Ala | Thr | Pro | Gln | Lys | Leu | Gln |  |
|    | 210   |     |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
| 5  | His   | Asp | Val | Asp | Leu | Glu | Thr | Leu | Pro | Leu | Met | Ala | Phe | Asn | Asn | Ala |  |
|    | 225   |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
|    | Val   | Thr | Asp | Arg | Arg | Lys | Val | Lys | Pro | Gly | Ser | Leu | Gln | Ala | Leu | Trp |  |
| 10 |       |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
|    | Leu   | Lys | Tyr | Gln | Ala | Phe | Leu | Phe | Phe | Pro | Val | Thr | Ser | Leu | Leu | Val |  |
|    |       |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| 15 | Gly   | Leu | Gly | Trp | Thr | Thr | Val | Leu | His | Pro | Arg | His | Ser | Leu | Arg | Thr |  |
|    |       |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
|    | Lys   | His | Tyr | Phe | Glu | Leu | Leu | Cys | Met | Ala | Ala | Arg | Tyr | Ala | Ser | Phe |  |
| 20 |       | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
|    | Ala   | Ala | Leu | Phe | Ala | Pro | Lys | Tyr | Gly | Leu | Ala | Gly | Ala | Ala | Gly | Leu |  |
| 25 | 305   |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |
|    | Tyr   | Leu | Ala | Thr | Phe | Ala | Val | Gly | Cys | Asn | Tyr | Ile | Phe | Ile | Asn | Phe |  |
|    |       |     |     |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |
| 30 | Ser   | Val | Ser | His | Thr | His | Leu | Pro | Val | Ser | Gly | Ala | Ser | Glu | Tyr | Leu |  |
|    |       |     |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
|    | His   | Trp | Val | Val | Tyr | Ser | Ala | Ile | His | Thr | Thr | Asn | Ile | Lys | Ser | Ser |  |
| 35 |       |     | 355 |     |     |     |     | 360 |     |     |     |     | 365 |     |     |     |  |
|    | Met   | Leu | Cys | Asp | Trp | Trp | Met | Ser | Phe | Leu | Asn | Phe | Gln | Ile | Glu | His |  |
| 40 |       | 370 |     |     |     |     | 375 |     |     |     |     | 380 |     |     |     |     |  |
|    | His   | Leu | Phe | Pro | Ser | Met | Pro | Gln | Phe | Arg | His | Lys | Ile | Ile | Ser | Pro |  |
|    | 385   |     |     |     |     | 390 |     |     |     |     | 395 |     |     |     |     | 400 |  |
| 45 | Arg   | Val | Lys | Ala | Leu | Phe | Glu | Lys | His | Gly | Leu | Val | Tyr | Asp | Val | Arg |  |
|    |       |     |     |     | 405 |     |     |     |     | 410 |     |     |     |     | 415 |     |  |
|    | Pro   | Tyr | Trp | Gly | Ala | Met | Ala | Asp | Thr | Phe | Lys | Asn | Leu | Asn | Asp | Val |  |
| 50 |       |     |     | 420 |     |     |     |     | 425 |     |     |     |     | 430 |     |     |  |
|    | Gly   | Thr | His | Ala | Ser | His | Ser | Lys | Ala | His |     |     |     |     |     |     |  |
|    |       |     |     | 435 |     |     |     | 440 |     |     |     |     |     |     |     |     |  |
| 55 | <210> | 33  |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 804 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |



# EP 3 266 316 A1

<212> DNA

<213> *Pyramimonas cordata*

<400> 33

|    |                                                                     |     |
|----|---------------------------------------------------------------------|-----|
| 5  | atggcgctcta ttgcgattcc ggctgcgctg gcagggactc ttggttatgt gacgtacaat  | 60  |
|    | gtcgcaaacc cagatattcc tgcattccgag aagggtgcctg cttactttat gcaggtcgag | 120 |
|    | tattgggggc caacgattgg gaccatcggg tatcttctgt tcatctactt tggtaaaccg   | 180 |
| 10 | attatgcaaa acaggagcca gccgtttggc ctgaagaacg ctatgctggg gtacaacttc   | 240 |
|    | tatcagactt tcttcaactc gtactgcata tacctttttg tcacgtcgca ccgcgctcag   | 300 |
|    | gggctgaaag tttggggaaa catccccgat atgactgcca acagctgggg gatctcacag   | 360 |
| 15 | gtgatctggc tgcactacaa caacaagtac gttgagctgc tggacacgtt cttcatgggc   | 420 |
|    | atgcgcaaga agtttgacca gctttcgttc ctgcacattt accatcatac cctgttgatc   | 480 |
| 20 | tgggtcttggg tcgtggtgat gaaattggag cccgttgggg actgctactt tggctctagc  | 540 |
|    | gtcaacacgt ttgtgcacgt cattatgtac tcgtactatg gccttgccgc gctcgggggtg  | 600 |
|    | aattgcttct ggaagaagta cattacgcag attcagatgc tgcagttctg tatctgcgct   | 660 |
| 25 | tcgcactcga tttataccgc ctatgtgcag aacaccgcgt tctgggtgcc ttacttgcag   | 720 |
|    | ctgtgggtga tgggtgaacat gttcgtgttg ttccgcaact tctatcgcaa gcgctacaag  | 780 |
|    | agcaagggtg ccaagaagca gtaa                                          | 804 |

30

<210> 34

<211> 807

<212> DNA

<213> Artificial Sequence

35

<220>

<223> Codon-optimized open reading frame for expression of *Pyramimonas cordata* 5 elongase in plants (version 1)

<400> 34

|    |                                                                    |     |
|----|--------------------------------------------------------------------|-----|
| 40 | atggcctcta tcgctatccc tgctgctctt gctggaactc ttggatacgt tacctacaat  | 60  |
|    | gtggctaacc ctgatatccc agcttctgag aaagttcctg cttacttcat gcaggttgag  | 120 |
|    | tactggggac ctactatcgg aactattgga tacctcctct tcatctactt cggaaagcgt  | 180 |
| 45 | atcatgcaga acagatctca acctttcgga ctcaagaacg ctatgctcgt ttacaacttc  | 240 |
|    | taccagacct tcttcaacag ctactgcata taccttttctg ttacttctca tagggctcag | 300 |
|    | ggacttaagg tttggggaaa catccctgat atgactgcta actcttgggg aatctctcag  | 360 |
| 50 | gttatctggc ttcactacaa caacaagtac gttgagcttc tcgacacctt cttcatgggtg | 420 |
|    | atgaggaaga agttcgacca gctttctttc cttcacatct accaccacac tcttctcatc  | 480 |
| 55 | tggatcatggg tcgttggtat gaagcttgag cctgttggag attgctactt cggatcttct | 540 |
|    | gttaacacct tcgtgcacgt gatcatgtac tcttactacg gacttgctgc tcttggagtt  | 600 |

# EP 3 266 316 A1

aactgtttct ggaagaagta catcaccag atccagatgc ttcagttctg tatctgtgct 660

tctcactcta tctacaccgc ttacgttcag aataccgctt tctggcttcc ttaccttcaa 720

5 ctctgggtta tggatgaacat gtctgttctc ttccccaact tctaccgtaa gaggtacaag 780

tctaagggtg ctaagaagca gtgataa 807

<210> 35  
 <211> 867  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Codon-optimized open reading frame for expression of Pyramimonas  
 15 cordata 5 elongase in plants (version 2)

<400> 35  
 atggaatttg ctcaacctct cgttgctatg gctcaagagc agtacgctgc tatcgatgct 60

20 gttgttgctc ctgctatctt ctctgctacc gactctattg gatggggact caagcctatc 120

tcttctgcta ctaaggatct ccctctcgtt gaatctccta cccctcttat cctttctctc 180

ctcgtttact tcgctatcgt tggttctgga ctcgtttacc gtaaagtgtt ccctagaacc 240

25 gttaaggagc aggatccttt ccttctcaag gctcttatgc tcgctcacia cgttttcctt 300

atcggactca gcctttacat gtgcctcaag ctcgtttacc aggcttacgt gaacaagtac 360

tccttctggg gaaacgctta caaccctgct caaaccgaga tggctaaggt gatctggatc 420

30 ttctacgtgt ccaagatcta cgagttcatg gacaccttca tcatgcttct caagggaac 480

gttaaccagg tttccttctt ccatgtttac caccacggat ctatctctgg aatctggtgg 540

atgatcactt atgctgctcc aggtggagat gcttacttct ctgctgctct caactcttgg 600

35 gttcatgtgt gcatgtacac ctactacttc atggctgctg ttcttcctaa ggacgaaaag 660

accaagagaa agtacctttg gtggggaaga taccttacct agatgcaaat gttccagttc 720

40 ttcatgaacc ttctccaggc tgtttacctc ctctactctt cttctcctta ccctaagttc 780

attgctcaac tcctcgttgt ttacatggtt accctcctca tgcttttcgg aaacttctac 840

tacatgaagc accacgcttc taagtga 867

45 <210> 36  
 <211> 807  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Codon-optimized open reading frame for expression of Pyramimonas  
 50 cordata 5 elongase in plants (version 3)

<400> 36  
 55 atggcttcta tcgctatccc tgctgctctt gctggaactc ttggatacgt gacctacaac 60

gtggctaacc ctgatattcc tgcttctgag aaggttccag cttacttcat gcaagtggag 120

# EP 3 266 316 A1

tactggggac ctactatcgg aactatcggg tacctcctct tcatctactt cggaaagcgt 180  
atcatgcaaa acagaagcca gcctttcggg cttagaagac ctatgctcgt gtacaacttc 240  
5 taccagacct tcttcaacag ctactgcatc tacctcttctg ttacctctca tagggctcag 300  
ggacttaaag tttggggaaa catccctgat atgaccgcta actcttgggg aatctctcag 360  
gttatctggc tccactacaa caacaagtac gtggagcttc tcgatacctt cttcatgggtg 420  
10 atgaggaaga agttcgacca gctttctttc cttcacatct accaccacac tcttctcatc 480  
tggtcatggg tcgtgggttat gaagctcgag cctgttggag attgctactt cggatctagc 540  
gttaacacct tcgtgcacgt gatcatgtac tcttactacg gacttgctgc tcttggagtt 600  
15 aactgcttct ggaagaagta catcaccag atccagatgc ttcagttctg tatctgcgct 660  
tctcactcta tctacaccgc ttacgttcag aacactgctt tctggcttcc ttaccttcag 720  
ctctgggtga tgggtaacat gttcgtgctc ttcgctaact tctaccgtaa aaggtacaag 780  
20 agcaagggtg ctaagaagca gtgataa 807

<210> 37  
25 <211> 267  
<212> PRT  
<213> *Pyramimonas cordata*  
<400> 37

30 Met Ala Ser Ile Ala Ile Pro Ala Ala Leu Ala Gly Thr Leu Gly Tyr  
1 5 10 15

35 Val Thr Tyr Asn Val Ala Asn Pro Asp Ile Pro Ala Ser Glu Lys Val  
20 25 30

Pro Ala Tyr Phe Met Gln Val Glu Tyr Trp Gly Pro Thr Ile Gly Thr  
35 40 45

40 Ile Gly Tyr Leu Leu Phe Ile Tyr Phe Gly Lys Arg Ile Met Gln Asn  
50 55 60

45 Arg Ser Gln Pro Phe Gly Leu Lys Asn Ala Met Leu Val Tyr Asn Phe  
65 70 75 80

50 Tyr Gln Thr Phe Phe Asn Ser Tyr Cys Ile Tyr Leu Phe Val Thr Ser  
85 90 95

His Arg Ala Gln Gly Leu Lys Val Trp Gly Asn Ile Pro Asp Met Thr  
100 105 110

55 Ala Asn Ser Trp Gly Ile Ser Gln Val Ile Trp Leu His Tyr Asn Asn  
115 120 125

# EP 3 266 316 A1

|    |                                                                     |     |
|----|---------------------------------------------------------------------|-----|
|    | Lys Tyr Val Glu Leu Leu Asp Thr Phe Phe Met Val Met Arg Lys Lys     |     |
|    | 130 135 140                                                         |     |
| 5  | Phe Asp Gln Leu Ser Phe Leu His Ile Tyr His His Thr Leu Leu Ile     |     |
|    | 145 150 155 160                                                     |     |
| 10 | Trp Ser Trp Phe Val Val Met Lys Leu Glu Pro Val Gly Asp Cys Tyr     |     |
|    | 165 170 175                                                         |     |
| 15 | Phe Gly Ser Ser Val Asn Thr Phe Val His Val Ile Met Tyr Ser Tyr     |     |
|    | 180 185 190                                                         |     |
| 20 | Tyr Gly Leu Ala Ala Leu Gly Val Asn Cys Phe Trp Lys Lys Tyr Ile     |     |
|    | 195 200 205                                                         |     |
| 25 | Thr Gln Ile Gln Met Leu Gln Phe Cys Ile Cys Ala Ser His Ser Ile     |     |
|    | 210 215 220                                                         |     |
| 30 | Tyr Thr Ala Tyr Val Gln Asn Thr Ala Phe Trp Leu Pro Tyr Leu Gln     |     |
|    | 225 230 235 240                                                     |     |
| 35 | Leu Trp Val Met Val Asn Met Phe Val Leu Phe Ala Asn Phe Tyr Arg     |     |
|    | 245 250 255                                                         |     |
| 40 | Lys Arg Tyr Lys Ser Lys Gly Ala Lys Lys Gln                         |     |
|    | 260 265                                                             |     |
| 45 | <210> 38                                                            |     |
|    | <211> 1344                                                          |     |
|    | <212> DNA                                                           |     |
|    | <213> Pavlova salina                                                |     |
| 50 | <400> 38                                                            |     |
|    | atgcctccga gcgcggcgaa gcagatgggc gcgagcacgg gcgtgcatgc gggcgtcaca   | 60  |
|    | gattcgctcg ccttcacgcg caaggatgtc gccgacaggc cggacctcac gatcgtgggt   | 120 |
|    | gacagcgtgt acgatgcgaa ggcgttccgc tccgagcatc cgggtggcgc gcactttgtg   | 180 |
|    | tcgctgttcg gcgggcgcga tgccacggag gcgttcatgg agtaccaccg gcgcgcctgg   | 240 |
|    | cccaagtcgc gcatgtgcgc cttccacgtc ggctctctgg catcgaccga ggagcccgtc   | 300 |
|    | gccgccgatg agggctacct ccagctgtgc gctcgcatcg ccaagatggg gccgtcggtc   | 360 |
|    | agcagcgggt tcgcgccggc gtcgtactgg gtgaaggccg ggctgatcct cggctccgcg   | 420 |
|    | atcgcgctcg aggcgtacat gctgtacgcg ggcaagcgcc tgctcccgtc gatcgtgctc   | 480 |
|    | gggtggctgt ttgcgtgat tggcctgaac atccagcacg atgccaacca cggcgcgctc    | 540 |
|    | tccaagtcgg cctcgggtcaa cctggcgctc gggttgtgcc aggactggat cggcggggagc | 600 |

# EP 3 266 316 A1

|    |                                                                                                                          |      |
|----|--------------------------------------------------------------------------------------------------------------------------|------|
|    | atgatcctct ggctgcagga gcacgttgtc atgcaccact tgcacaccaa cgacgttgac                                                        | 660  |
|    | aaggacccgg accagaaggc gcacggcgcc ctgcggctca agccgaccga cgcgtggagc                                                        | 720  |
| 5  | ccgatgcact ggctgcagca cctctacctg ctgcctgggg agacgatgta cgccttcaag                                                        | 780  |
|    | ctgctgtttc tgcacatcag cgagctggtg atgtggcggg gggagggcga gcccatcagc                                                        | 840  |
|    | aagctggccg ggtacctctt catgccctcg ctgctcctca agctcacctt ctggggcgcg                                                        | 900  |
| 10 | tttgtcgcgc tgcgctgta cctcgcgccc agcgtgcaca cggcgggtgtg catcgcggcg                                                        | 960  |
|    | acggtaatga cggggagctt ctacctcgcc ttctttcttct tcatctcgca caacttcgag                                                       | 1020 |
|    | ggcgtggcga gcgtcggacc ggacggcagc atcaccagca tgacgcgcgg cgcctccttc                                                        | 1080 |
| 15 | ctcaagcggc aggccgagac ctcgccaac gtgggcggcc cgctgctcgc cagctcaac                                                          | 1140 |
|    | ggcggcctca actaccaaact cgagcaccac ctcttcccc ggggtgcacca cggcttctac                                                       | 1200 |
|    | cctcgcctcg cgcggttggc caaggcggag ctcgaggcgc ggggcattga gtacaagcac                                                        | 1260 |
| 20 | tacccacca tatggagcaa cctggcatcc acgctgaggc acatgtacgc gctcggccgc                                                         | 1320 |
|    | aggccgcgca gcaaggcgga gtga                                                                                               | 1344 |
| 25 | <210> 39<br><211> 1347<br><212> DNA<br><213> Artificial Sequence                                                         |      |
| 30 | <220><br><223> Codon-optimized open reading frame for expression of Pavlova<br>salina 4 desaturase in plants (version 1) |      |
|    | <400> 39                                                                                                                 |      |
| 35 | atgccaccta gcgctgctaa gcaaatggga gcttctactg gtgttcatgc tgggtgttact                                                       | 60   |
|    | gactcttctg ctttcaccag aaaggatggt gctgatagac ctgatctcac catcgttgga                                                        | 120  |
|    | gattctgttt acgatgctaa ggctttcaga tctgagcatc ctgggtggtgc tcatttcggt                                                       | 180  |
| 40 | tctttgttcg gaggaagaga tgctactgag gctttcatgg aataccatag aagggtcttg                                                        | 240  |
|    | cctaagtcta gaatgtctag attccacggt ggatctcttg cttctactga ggaacctgtt                                                        | 300  |
|    | gctgctgatg agggatacct tcaactttgt gctaggatcg ctaagatggt gccttctgtt                                                        | 360  |
| 45 | tcttctggat tcgctcctgc ttcttactgg gttaaggctg gacttatcct tggatctgct                                                        | 420  |
|    | atcgctcttg aggcttacat gctttacgct ggaaagagac ttctcccttc tatcgttctt                                                        | 480  |
|    | ggatggcttt tcgctcttat cggctctaac atccagcatg atgctaacca tgggtgcttg                                                        | 540  |
| 50 | tctaagtctg cttctgttaa ccttgctctt ggactttgtc aggattggat cggaggatct                                                        | 600  |
|    | atgatccttt ggcttcaaga gcatgttggt atgcaccacc tccacactaa cgatgttgat                                                        | 660  |
| 55 | aaggatcctg atcaaaaggc tcacggtgct cttagactca agcctactga tgcttgggtca                                                       | 720  |
|    | cctatgcatt ggcttcagca tctttacctt ttgcctgggtg agactatgta cgctttcaag                                                       | 780  |

# EP 3 266 316 A1

|    |                                                                                                                          |      |
|----|--------------------------------------------------------------------------------------------------------------------------|------|
|    | cttttgttcc tgcacatctc tgagcttggt atgtggcggt gggaggggtga gcctatctct                                                       | 840  |
|    | aagcttgctg gatacctctt tatgccttct ttgctttctca agcttacctt ctgggctaga                                                       | 900  |
| 5  | ttcgttgctt tgcctcttta ccttgctcct tctgttcata ctgctgtgtg tatcgctgct                                                        | 960  |
|    | actgttatga ctggatcttt ctacctcgct ttctttctct tcatctccca caacttcgag                                                        | 1020 |
|    | ggtgttgctt ctggtggacc tgatggatct atcacttcta tgactagagg tgctagcttc                                                        | 1080 |
| 10 | cttaagagac aagctgagac ttctttctaac gttggaggac ctcttcttgc tactcttaac                                                       | 1140 |
|    | ggtggactca actaccaaact tgagcatcac ttgttcccta gagttcacca tggattctac                                                       | 1200 |
|    | cctagacttg ctctctttgt taaggctgag cttgaggcta gaggaatcga gtacaagcac                                                        | 1260 |
| 15 | taccctacta tctggtctaa ccttgcttct accctcagac atatgtacgc tcttggaaga                                                        | 1320 |
|    | aggcctagat ctaaggctga gtaatga                                                                                            | 1347 |
| 20 | <210> 40<br><211> 1347<br><212> DNA<br><213> Artificial Sequence                                                         |      |
| 25 | <220><br><223> Codon-optimized open reading frame for expression of Pavlova<br>salina 4 desaturase in plants (version 2) |      |
|    | <400> 40                                                                                                                 |      |
| 30 | atgcctccat ctgctgctaa acagatggga gcttctactg gtgttcacgc tgggtgttacc                                                       | 60   |
|    | gattcttctg ctttcaccag aaaggatgtg gctgatagac ctgatcttac catcgttggt                                                        | 120  |
|    | gactctgtgt acgatgctaa ggctttcaga tctgagcatc ctggtggtgc tcatctcggt                                                        | 180  |
| 35 | tcactcttcg gaggaagaga tgctactgag gctttcatgg aataccacag aagagcttgg                                                        | 240  |
|    | cctaagtcta ggatgtctag gttccatggt ggatctcttg cttctaccga ggaacctgtt                                                        | 300  |
|    | gctgctgatg agggatacct tcagctttgt gctaggatcg ctaagatggt gccttctgtg                                                        | 360  |
| 40 | tcatctggat tcgctccagc ttcttactgg gttaaggctg gacttatcct cggatctgct                                                        | 420  |
|    | atcgctcttg aggcttacat gctctacgct ggaaagagac ttctcccttc tatcgttctt                                                        | 480  |
|    | ggatggctct tcgctcttat cggacttaac atccagcatg acgctaacca tgggtgcttg                                                        | 540  |
| 45 | tctaagtctg ctagcgtaaa ccttgctctt ggactttgtc aggattggat cggaggatct                                                        | 600  |
|    | atgatccttt ggctccaaga gcatgttggt atgcaccacc tccacaccaa cgatgttgat                                                        | 660  |
|    | aaggaccctg atcaaaaaggc tcatgggtgct cttagactca agcctaccga tgcttggtca                                                      | 720  |
| 50 | cctatgcatt ggcttcagca cctttacctt ctccctgggtg aaactatgta cgctttcaag                                                       | 780  |
|    | ctcctcttcc tcgatatctc tgagcttggt atgtggagat gggaggggtga acctatctct                                                       | 840  |
| 55 | aagctcgctg gatacctctt catgccttct cttctcctca agcttacctt ctgggctaga                                                        | 900  |
|    | ttcgttgctc ttctcttta cctcgctcct tctgttcata ctgctgtgtg tatcgctgct                                                         | 960  |

EP 3 266 316 A1

actgttatga ccggaagctt ctaccttgct ttctttcttct tcatcagcca caacttcgag 1020  
 ggtgttgctt ctgttgacc tgatggatct atcacctcta tgaccagggg agcttctttc 1080  
 5 cttagagggc aggctgagac ttcttctaata gtgggaggac ctcttcttgc tactcttaac 1140  
 ggtggactca actaccaaata cgagcaccac cttttcccta gagttcacca cggattctac 1200  
 cctagacttg ctctcttctg gaaggctgaa cttgaggcta gaggaatcga gtacaagcac 1260  
 10 taccctacca tctggtctaa cctcgcttct accctcagac atatgtacgc tcttggaaga 1320  
 aggcctagat ctaaggctga gtgatga 1347

15 <210> 41  
 <211> 447  
 <212> PRT  
 <213> Pavlova salina

20 <400> 41

Met Pro Pro Ser Ala Ala Lys Gln Met Gly Ala Ser Thr Gly Val His  
 1 5 10 15

25 Ala Gly Val Thr Asp Ser Ser Ala Phe Thr Arg Lys Asp Val Ala Asp  
 20 25 30

30 Arg Pro Asp Leu Thr Ile Val Gly Asp Ser Val Tyr Asp Ala Lys Ala  
 35 40 45

35 Phe Arg Ser Glu His Pro Gly Gly Ala His Phe Val Ser Leu Phe Gly  
 50 55 60

Gly Arg Asp Ala Thr Glu Ala Phe Met Glu Tyr His Arg Arg Ala Trp  
 65 70 75 80

40 Pro Lys Ser Arg Met Ser Arg Phe His Val Gly Ser Leu Ala Ser Thr  
 85 90 95

45 Glu Glu Pro Val Ala Ala Asp Glu Gly Tyr Leu Gln Leu Cys Ala Arg  
 100 105 110

Ile Ala Lys Met Val Pro Ser Val Ser Ser Gly Phe Ala Pro Ala Ser  
 115 120 125

50 Tyr Trp Val Lys Ala Gly Leu Ile Leu Gly Ser Ala Ile Ala Leu Glu  
 130 135 140

55 Ala Tyr Met Leu Tyr Ala Gly Lys Arg Leu Leu Pro Ser Ile Val Leu  
 145 150 155 160

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Gly | Trp | Leu | Phe | Ala | Leu | Ile | Gly | Leu | Asn | Ile | Gln | His | Asp | Ala | Asn |  |
|    |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
| 5  | His | Gly | Ala | Leu | Ser | Lys | Ser | Ala | Ser | Val | Asn | Leu | Ala | Leu | Gly | Leu |  |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 10 | Cys | Gln | Asp | Trp | Ile | Gly | Gly | Ser | Met | Ile | Leu | Trp | Leu | Gln | Glu | His |  |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
| 15 | Val | Val | Met | His | His | Leu | His | Thr | Asn | Asp | Val | Asp | Lys | Asp | Pro | Asp |  |
|    |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
| 20 | Gln | Lys | Ala | His | Gly | Ala | Leu | Arg | Leu | Lys | Pro | Thr | Asp | Ala | Trp | Ser |  |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 25 | Pro | Met | His | Trp | Leu | Gln | His | Leu | Tyr | Leu | Leu | Pro | Gly | Glu | Thr | Met |  |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 30 | Tyr | Ala | Phe | Lys | Leu | Leu | Phe | Leu | Asp | Ile | Ser | Glu | Leu | Val | Met | Trp |  |
|    |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| 35 | Arg | Trp | Glu | Gly | Glu | Pro | Ile | Ser | Lys | Leu | Ala | Gly | Tyr | Leu | Phe | Met |  |
|    |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
| 40 | Pro | Ser | Leu | Leu | Leu | Lys | Leu | Thr | Phe | Trp | Ala | Arg | Phe | Val | Ala | Leu |  |
|    |     | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
| 45 | Pro | Leu | Tyr | Leu | Ala | Pro | Ser | Val | His | Thr | Ala | Val | Cys | Ile | Ala | Ala |  |
|    | 305 |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |
| 50 | Thr | Val | Met | Thr | Gly | Ser | Phe | Tyr | Leu | Ala | Phe | Phe | Phe | Phe | Ile | Ser |  |
|    |     |     |     |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |
| 55 | His | Asn | Phe | Glu | Gly | Val | Ala | Ser | Val | Gly | Pro | Asp | Gly | Ser | Ile | Thr |  |
|    |     |     |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
| 60 | Ser | Met | Thr | Arg | Gly | Ala | Ser | Phe | Leu | Lys | Arg | Gln | Ala | Glu | Thr | Ser |  |
|    |     |     | 355 |     |     |     |     | 360 |     |     |     |     | 365 |     |     |     |  |
| 65 | Ser | Asn | Val | Gly | Gly | Pro | Leu | Leu | Ala | Thr | Leu | Asn | Gly | Gly | Leu | Asn |  |
|    |     | 370 |     |     |     |     | 375 |     |     |     |     | 380 |     |     |     |     |  |
| 70 | Tyr | Gln | Ile | Glu | His | His | Leu | Phe | Pro | Arg | Val | His | His | Gly | Phe | Tyr |  |
|    | 385 |     |     |     |     | 390 |     |     |     |     | 395 |     |     |     |     | 400 |  |
| 75 | Pro | Arg | Leu | Ala | Pro | Leu | Val | Lys | Ala | Glu | Leu | Glu | Ala | Arg | Gly | Ile |  |
|    |     |     |     | 405 |     |     |     |     |     | 410 |     |     |     |     | 415 |     |  |



EP 3 266 316 A1

Glu Tyr Lys His Tyr Pro Thr Ile Trp Ser Asn Leu Ala Ser Thr Leu  
420 425 430

5 Arg His Met Tyr Ala Leu Gly Arg Arg Pro Arg Ser Lys Ala Glu  
435 440 445

<210> 42  
<211> 792  
<212> DNA  
<213> Isochrysis galbana

<400> 42  
15 atggccctcg caaacgacgc gggagagcgc atctgggcgg ctgtgaccga cccggaaatc 60  
ctcattggca ctttctcgta cttgctactc aaaccgctgc tccgcaattc cgggctggtg 120  
gatgagaaga agggcgcata caggacgtcc atgatctggt acaacgttct gctggcgctc 180  
20 ttctctgcgc tgagcttcta cgtgacggcg accgccctcg gctgggacta tggtaggggc 240  
gcgtaggctgc gcaggcaaac cggcgacaca ccgcagccgc tcttcagtg cccgtccccg 300  
gtttgggact cgaagctctt cacatggacc gccaaaggcat tctattactc caagtacgtg 360  
25 gagtacctcg acacggcctg gctggtgctc aagggaaga gggctctcctt tctccaggcc 420  
ttccaccact ttggcgcgcc gtgggatgtg tacctcgga ttcggctgca caacgagggc 480  
gtatggatct tcatgttttt caactcggtc attcacacca tcatgtacac ctactacggc 540  
30 ctcaccgccg ccgggtataa gttcaaggcc aagccgctca tcaccgcgat gcagatctgc 600  
cagttcgtgg gcggcttctt gttggtctgg gactacatca acgtcccctg cttcaactcg 660  
35 gacaaaggga agttgttcag ctgggctttc aactatgcat acgtcggctc ggtcttcttg 720  
ctcttctgcc actttttcta ccaggacaac ttggcaacga agaaatcggc caaggcgggc 780  
aagcagctct ag 792

40  
<210> 43  
<211> 263  
<212> PRT  
<213> Isochrysis galbana

<400> 43

Met Ala Leu Ala Asn Asp Ala Gly Glu Arg Ile Trp Ala Ala Val Thr  
1 5 10 15

Asp Pro Glu Ile Leu Ile Gly Thr Phe Ser Tyr Leu Leu Leu Lys Pro  
20 25 30

Leu Leu Arg Asn Ser Gly Leu Val Asp Glu Lys Lys Gly Ala Tyr Arg  
35 40 45

# EP 3 266 316 A1

|    |            |                  |            |             |            |            |     |     |     |     |     |     |     |     |     |     |    |
|----|------------|------------------|------------|-------------|------------|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|
|    | Thr        | Ser              | Met        | Ile         | Trp        | Tyr        | Asn | Val | Leu | Leu | Ala | Leu | Phe | Ser | Ala | Leu |    |
|    | 50         |                  |            |             |            |            | 55  |     |     |     |     | 60  |     |     |     |     |    |
| 5  | Ser        | Phe              | Tyr        | Val         | Thr        | Ala        | Thr | Ala | Leu | Gly | Trp | Asp | Tyr | Gly | Thr | Gly |    |
|    | 65         |                  |            |             |            | 70         |     |     |     |     | 75  |     |     |     |     | 80  |    |
|    | Ala        | Trp              | Leu        | Arg         | Arg        | Gln        | Thr | Gly | Asp | Thr | Pro | Gln | Pro | Leu | Phe | Gln |    |
| 10 |            |                  |            |             | 85         |            |     |     |     | 90  |     |     |     |     | 95  |     |    |
|    | Cys        | Pro              | Ser        | Pro         | Val        | Trp        | Asp | Ser | Lys | Leu | Phe | Thr | Trp | Thr | Ala | Lys |    |
|    |            |                  |            | 100         |            |            |     |     | 105 |     |     |     |     |     | 110 |     |    |
| 15 | Ala        | Phe              | Tyr        | Tyr         | Ser        | Lys        | Tyr | Val | Glu | Tyr | Leu | Asp | Thr | Ala | Trp | Leu |    |
|    |            |                  | 115        |             |            |            |     | 120 |     |     |     |     | 125 |     |     |     |    |
|    | Val        | Leu              | Lys        | Gly         | Lys        | Arg        | Val | Ser | Phe | Leu | Gln | Ala | Phe | His | His | Phe |    |
| 20 |            | 130              |            |             |            |            | 135 |     |     |     |     | 140 |     |     |     |     |    |
|    | Gly        | Ala              | Pro        | Trp         | Asp        | Val        | Tyr | Leu | Gly | Ile | Arg | Leu | His | Asn | Glu | Gly |    |
|    | 145        |                  |            |             |            | 150        |     |     |     |     | 155 |     |     |     |     | 160 |    |
| 25 | Val        | Trp              | Ile        | Phe         | Met        | Phe        | Phe | Asn | Ser | Phe | Ile | His | Thr | Ile | Met | Tyr |    |
|    |            |                  |            |             | 165        |            |     |     |     | 170 |     |     |     |     | 175 |     |    |
|    | Thr        | Tyr              | Tyr        | Gly         | Leu        | Thr        | Ala | Ala | Gly | Tyr | Lys | Phe | Lys | Ala | Lys | Pro |    |
| 30 |            |                  |            | 180         |            |            |     |     | 185 |     |     |     |     | 190 |     |     |    |
|    | Leu        | Ile              | Thr        | Ala         | Met        | Gln        | Ile | Cys | Gln | Phe | Val | Gly | Gly | Phe | Leu | Leu |    |
| 35 |            |                  | 195        |             |            |            |     | 200 |     |     |     |     | 205 |     |     |     |    |
|    | Val        | Trp              | Asp        | Tyr         | Ile        | Asn        | Val | Pro | Cys | Phe | Asn | Ser | Asp | Lys | Gly | Lys |    |
|    |            | 210              |            |             |            |            | 215 |     |     |     |     | 220 |     |     |     |     |    |
| 40 | Leu        | Phe              | Ser        | Trp         | Ala        | Phe        | Asn | Tyr | Ala | Tyr | Val | Gly | Ser | Val | Phe | Leu |    |
|    | 225        |                  |            |             |            | 230        |     |     |     |     | 235 |     |     |     |     | 240 |    |
|    | Leu        | Phe              | Cys        | His         | Phe        | Phe        | Tyr | Gln | Asp | Asn | Leu | Ala | Thr | Lys | Lys | Ser |    |
| 45 |            |                  |            |             | 245        |            |     |     |     | 250 |     |     |     |     | 255 |     |    |
|    | Ala        | Lys              | Ala        | Gly         | Lys        | Gln        | Leu |     |     |     |     |     |     |     |     |     |    |
|    |            |                  |            | 260         |            |            |     |     |     |     |     |     |     |     |     |     |    |
| 50 | <210>      | 44               |            |             |            |            |     |     |     |     |     |     |     |     |     |     |    |
|    | <211>      | 801              |            |             |            |            |     |     |     |     |     |     |     |     |     |     |    |
|    | <212>      | DNA              |            |             |            |            |     |     |     |     |     |     |     |     |     |     |    |
|    | <213>      | Emiliana huxleyi |            |             |            |            |     |     |     |     |     |     |     |     |     |     |    |
| 55 | <400>      | 44               |            |             |            |            |     |     |     |     |     |     |     |     |     |     |    |
|    | atgctcgatc | gcgctctgctc      | cgacgcggcc | atctgggtctg | cggtgtccga | tccggaaatc |     |     |     |     |     |     |     |     |     |     | 60 |

# EP 3 266 316 A1

|    |                                                                                                                  |     |
|----|------------------------------------------------------------------------------------------------------------------|-----|
|    | ctgatcggca ctttctccta cctgctgctc aagccgctgc tacgcaactc agggctcgtg                                                | 120 |
|    | gacgagcgga aaggcgcta ccggacctcg atgatctggt acaacgtggt gctcgcgctc                                                 | 180 |
| 5  | ttctccgcga cgagcttcta cgtgactgcg accgcgctcg ggtgggacaa gggcaccggc                                                | 240 |
|    | gagtggctcc gcagtctcac gggcgacagc ccgcagcagc tgtggcaatg cccgtcgagg                                                | 300 |
|    | gtatgggact ccaagctgtt cctgtggacg gccaaaggcct tctactactc aaagtacgtg                                               | 360 |
| 10 | gagtacctcg acacggcgtg gctcgtcctc aaggggaaga aggtctcctt cctgcagggc                                                | 420 |
|    | ttccaccact ttggcgcgcc gtgggacgtg tacctgggca ttcggctgaa gaacgagggc                                                | 480 |
|    | gtgtggatct tcatgttctt caactcgttc atccacacgg tcatgtacac gtactacggc                                                | 540 |
| 15 | ctcaccgccg cgggctacaa gatccgcggc aagccgatca tcaccgcgat gcaaataagc                                                | 600 |
|    | cagttcgtcg gcggctttgt cctagtgtgg gactacatca acgtgccgtg cttccacgcc                                                | 660 |
| 20 | gacgccgggc aggtcttcag ctgggtcttt aactatgctt acgtcggctc cgtctttctg                                                | 720 |
|    | ctgttctgcc acttcttcta catggacaac atcgcgaagg ccaaggccaa gaaggccgtc                                                | 780 |
|    | gctacccgca aggcgctgtg a                                                                                          | 801 |
| 25 | <210> 45<br><211> 801<br><212> DNA<br><213> Artificial Sequence                                                  |     |
| 30 | <220><br><223> Codon-optimized open reading frame for expression of <i>Emiliana huxleyi</i> 9 elongase in plants |     |
|    | <400> 45                                                                                                         |     |
| 35 | atgcttgata gagcttcata tgatgctgct atttggagcg ctgtttctga tcctgagatc                                                | 60  |
|    | cttatcgga ccttctctta ccttttgctt aagcctctcc tcagaaactc tggacttggt                                                 | 120 |
|    | gatgagagaa agggagctta ccgtacttct atgatctggt acaacgttgt tcttgctctt                                                | 180 |
| 40 | ttctctgcta cctctttcta cgttactgct actgctcttg gatgggataa gggaactggt                                                | 240 |
|    | gagtggctta gatctcttac tggtgattct cctcaacaac tttggcagtg cccttctaga                                                | 300 |
|    | gtttgggaca gcaaactctt cttgtggact gctaaagcct tctactactc caagtacgtt                                                | 360 |
| 45 | gagtaccttg atactgcttg gcttgttctc aagggaaaga aggtttcatt cctccagga                                                 | 420 |
|    | ttccatcatt tcggtgctcc atgggatgtt taccttggaa tcaggcttaa gaacgagga                                                 | 480 |
|    | gtttggatct tcatgttctt caacagcttc atccacactg ttatgtacac ttactacgga                                                | 540 |
| 50 | cttactgctg ctggatacaa gatcagagga aagcctatca tcaccgctat gcaaactctc                                                | 600 |
|    | caattcggtg gtggattcgt tcttggtgtg gactacatca acgttccttg tttccatgct                                                | 660 |
| 55 | gatgctggac aagttttctc ttgggtgttc aactacgctt atgtgggatc tgttttcctt                                                | 720 |
|    | cttttctgcc acttcttcta catggacaac attgctaagg ctaaggctaa aaaggctgtt                                                | 780 |

gctaccagaa aggctctttg a

<210> 46  
 <211> 266  
 <212> PRT  
 <213> *Emiliana huxleyi*

<400> 46

Met Leu Asp Arg Ala Ser Ser Asp Ala Ala Ile Trp Ser Ala Val Ser  
 1 5 10 15

Asp Pro Glu Ile Leu Ile Gly Thr Phe Ser Tyr Leu Leu Leu Lys Pro  
 20 25 30

Leu Leu Arg Asn Ser Gly Leu Val Asp Glu Arg Lys Gly Ala Tyr Arg  
 35 40 45

Thr Ser Met Ile Trp Tyr Asn Val Val Leu Ala Leu Phe Ser Ala Thr  
 50 55 60

Ser Phe Tyr Val Thr Ala Thr Ala Leu Gly Trp Asp Lys Gly Thr Gly  
 65 70 75 80

Glu Trp Leu Arg Ser Leu Thr Gly Asp Ser Pro Gln Gln Leu Trp Gln  
 85 90 95

Cys Pro Ser Arg Val Trp Asp Ser Lys Leu Phe Leu Trp Thr Ala Lys  
 100 105 110

Ala Phe Tyr Tyr Ser Lys Tyr Val Glu Tyr Leu Asp Thr Ala Trp Leu  
 115 120 125

Val Leu Lys Gly Lys Lys Val Ser Phe Leu Gln Gly Phe His His Phe  
 130 135 140

Gly Ala Pro Trp Asp Val Tyr Leu Gly Ile Arg Leu Lys Asn Glu Gly  
 145 150 155 160

Val Trp Ile Phe Met Phe Phe Asn Ser Phe Ile His Thr Val Met Tyr  
 165 170 175

Thr Tyr Tyr Gly Leu Thr Ala Ala Gly Tyr Lys Ile Arg Gly Lys Pro  
 180 185 190

Ile Ile Thr Ala Met Gln Ile Ser Gln Phe Val Gly Gly Phe Val Leu  
 195 200 205

# EP 3 266 316 A1

Val Trp Asp Tyr Ile Asn Val Pro Cys Phe His Ala Asp Ala Gly Gln  
210 215 220

5 Val Phe Ser Trp Val Phe Asn Tyr Ala Tyr Val Gly Ser Val Phe Leu  
225 230 235 240

10 Leu Phe Cys His Phe Phe Tyr Met Asp Asn Ile Ala Lys Ala Lys Ala  
245 250 255

Lys Lys Ala Val Ala Thr Arg Lys Ala Leu  
260 265

15 <210> 47  
<211> 819  
<212> DNA  
<213> Pavlova pinguis

20 <400> 47  
atggttgccg caccatcac gctcgagtgg ctgctttcgc cgaagctcaa ggatgcagtg 60  
ttcgggtgggg aggtgctcta cttctccatt gcctacctgt ttcttgccgc cattttgaag 120  
cgacccccgt tgggtggacac gcggaagggc gcgtataaga gtggtatgat cgcgtacaac 180  
25 gtgatcatgt gcgtgttctc gctgggtgtgc ttcactctgcc agctcgcagc cctgggctat 240  
gacatgggct acttgccagtg ggtgcgtgac ctacacagggg acgagattgt cccctctac 300  
caggacgtgt ccccgctccc cgccttctcc aacaagctct tcaagtattc gtctattgcc 360  
ttccactact ccaagtatgt tgagtacatg gacaccgcat ggctggtgat gaagggcaag 420  
cccgtgtcct tgctccaggg cttccaccac tttggcgccg cctgggacac ctactttggc 480  
35 atcaccttcc agaacgaggg catctacgtg ttcggtgtgc tcaacgcctt catccacacg 540  
atcatgtacg catactacgc ggccactgcg gcgggtctca agttctcact gaagttcgtc 600  
atcacgctca tgcagatcac ccaattcaac gtgggcttcg taatggtgta tcaactacatc 660  
40 accctggagt acttccgcaa ctaccggag ctgctcttct cctacctttt caactatgcg 720  
tacgtctgca cggttctcct cctcttcacg cagttcttct acatggacaa ctttggcaag 780  
aagaaggccg ctgccgccgc gggcaagaag aagaagtag 819

45 <210> 48  
<211> 272  
<212> PRT  
<213> Pavlova pinguis

50 <400> 48

Met Val Ala Pro Pro Ile Thr Leu Glu Trp Leu Leu Ser Pro Lys Leu  
1 5 10 15

55 Lys Asp Ala Val Phe Gly Gly Glu Val Leu Tyr Phe Ser Ile Ala Tyr

EP 3 266 316 A1

|    | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |     |     |     |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 5  | Leu | Phe | Leu | Ala | Pro | Ile | Leu | Lys | Arg | Thr | Pro | Leu | Val | Asp | Thr | Arg |
|    |     |     | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |
| 10 | Lys | Gly | Ala | Tyr | Lys | Ser | Gly | Met | Ile | Ala | Tyr | Asn | Val | Ile | Met | Cys |
|    |     | 50  |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |
| 15 | Val | Phe | Ser | Leu | Val | Cys | Phe | Ile | Cys | Gln | Leu | Ala | Ala | Leu | Gly | Tyr |
|    | 65  |     |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |
| 20 | Asp | Met | Gly | Tyr | Leu | Gln | Trp | Val | Arg | Asp | Leu | Thr | Gly | Asp | Glu | Ile |
|    |     |     |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |
| 25 | Val | Pro | Leu | Tyr | Gln | Asp | Val | Ser | Pro | Ser | Pro | Ala | Phe | Ser | Asn | Lys |
|    |     |     |     | 100 |     |     |     |     | 105 |     |     |     |     |     | 110 |     |
| 30 | Leu | Phe | Lys | Tyr | Ser | Ser | Ile | Ala | Phe | His | Tyr | Ser | Lys | Tyr | Val | Glu |
|    |     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |
| 35 | Tyr | Met | Asp | Thr | Ala | Trp | Leu | Val | Met | Lys | Gly | Lys | Pro | Val | Ser | Leu |
|    |     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |
| 40 | Leu | Gln | Gly | Phe | His | His | Phe | Gly | Ala | Ala | Trp | Asp | Thr | Tyr | Phe | Gly |
|    | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |
| 45 | Ile | Thr | Phe | Gln | Asn | Glu | Gly | Ile | Tyr | Val | Phe | Val | Val | Leu | Asn | Ala |
|    |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |
| 50 | Phe | Ile | His | Thr | Ile | Met | Tyr | Ala | Tyr | Tyr | Ala | Ala | Thr | Ala | Ala | Gly |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |
| 55 | Leu | Lys | Phe | Ser | Leu | Lys | Phe | Val | Ile | Thr | Leu | Met | Gln | Ile | Thr | Gln |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |
| 60 | Phe | Asn | Val | Gly | Phe | Val | Met | Val | Tyr | His | Tyr | Ile | Thr | Leu | Glu | Tyr |
|    |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |
| 65 | Phe | Arg | Asn | Ser | Pro | Glu | Leu | Val | Phe | Ser | Tyr | Leu | Phe | Asn | Tyr | Ala |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |
| 70 | Tyr | Val | Cys | Thr | Val | Leu | Leu | Leu | Phe | Met | Gln | Phe | Phe | Tyr | Met | Asp |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |
| 75 | Asn | Phe | Gly | Lys | Lys | Lys | Ala | Ala | Ala | Ala | Ala | Gly | Lys | Lys | Lys | Lys |
|    |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |

# EP 3 266 316 A1

<210> 49  
 <211> 840  
 <212> DNA  
 <213> Pavlova salina

5  
 <400> 49  
 atggcgactg aagggatgcc ggcgataacg ctggactggc tgctctcgcc cgggctgaag 60  
 gatgccgtaa ttggcgggga ggtgctctac ttttcgcttg ggtatctgct gctcgagccc 120  
 10 atcctcaagc gctcaccgtt tgtggacaag cgcaagggcg cataaccgaa cggcatgatc 180  
 gcgtacaaca tcctcatgtg cggtttctcg ctggtatgct tcgtgtgcca gatggcggcg 240  
 ctccgccttg atcgcggcca cctgcagttt gtccgcgacc tcacgggcca cagcgtggtg 300  
 15 cagctctacc aggacgtgag cccatcccct gcattcgcga acaagctctt ccgtactca 360  
 gcggtggcgt tccactactc aaagtacgtg gagtacatgg acacagcgtg gcttgtgctg 420  
 aagggcaagc ccgtctcgtt cctgcagggc ttccaccact tcggcgccgc gtgggacacc 480  
 20 tactttggca tcacgtttca gaacgagggc acctacgtct ttgtgctgct caacgcattc 540  
 atccacacaa tcatgtacac ctactacggc gcgacggcag cgggcatcaa aatctcgatg 600  
 aagccgctga tcaccctcat gcagatcacg cagttcctgc tgggcttcgc gctcgtctac 660  
 25 ccgtacattg acctcggcta cttccgtgcg tcgcccgcgc tcgtgtggag ctacctgttc 720  
 aactatgcgt acgtactcat ggtgctcttc ctcttcatgc gcttcttcta ccacgacaac 780  
 30 tttagcaagc acaagccaat ctgcgcgcatc gactccagca accgcatgaa aaccgagtag 840

<210> 50  
 <211> 279  
 <212> PRT  
 <213> Pavlova salina

35  
 <400> 50  
 Met Ala Thr Glu Gly Met Pro Ala Ile Thr Leu Asp Trp Leu Leu Ser  
 1 5 10 15  
 40 Pro Gly Leu Lys Asp Ala Val Ile Gly Gly Glu Val Leu Tyr Phe Ser  
 20 25 30  
 45 Leu Gly Tyr Leu Leu Leu Glu Pro Ile Leu Lys Arg Ser Pro Phe Val  
 35 40 45  
 50 Asp Lys Arg Lys Gly Ala Tyr Arg Asn Gly Met Ile Ala Tyr Asn Ile  
 50 55 60  
 Leu Met Cys Gly Phe Ser Leu Val Cys Phe Val Cys Gln Met Ala Ala  
 65 70 75 80  
 55 Leu Gly Leu Asp Arg Gly His Leu Gln Phe Val Arg Asp Leu Thr Gly

# EP 3 266 316 A1

|     | 85                                                                                 | 90  | 95 |
|-----|------------------------------------------------------------------------------------|-----|----|
| 5   | Asp Ser Val Val Gln Leu Tyr Gln Asp Val Ser Pro Ser Pro Ala Phe<br>100 105 110     |     |    |
| 10  | Ala Asn Lys Leu Phe Arg Tyr Ser Ala Val Ala Phe His Tyr Ser Lys<br>115 120 125     |     |    |
| 15  | Tyr Val Glu Tyr Met Asp Thr Ala Trp Leu Val Leu Lys Gly Lys Pro<br>130 135 140     |     |    |
| 20  | Val Ser Phe Leu Gln Gly Phe His His Phe Gly Ala Ala Trp Asp Thr<br>145 150 155 160 |     |    |
| 25  | Tyr Phe Gly Ile Thr Phe Gln Asn Glu Gly Thr Tyr Val Phe Val Leu<br>165 170 175     |     |    |
| 30  | Leu Asn Ala Phe Ile His Thr Ile Met Tyr Thr Tyr Tyr Gly Ala Thr<br>180 185 190     |     |    |
| 35  | Ala Ala Gly Ile Lys Ile Ser Met Lys Pro Leu Ile Thr Leu Met Gln<br>195 200 205     |     |    |
| 40  | Ile Thr Gln Phe Leu Leu Gly Phe Ala Leu Val Tyr Pro Tyr Ile Asp<br>210 215 220     |     |    |
| 45  | Leu Gly Tyr Phe Arg Ala Ser Pro Glu Leu Val Trp Ser Tyr Leu Phe<br>225 230 235 240 |     |    |
| 50  | Asn Tyr Ala Tyr Val Leu Met Val Leu Phe Leu Phe Met Arg Phe Phe<br>245 250 255     |     |    |
| 55  | Tyr His Asp Asn Phe Ser Lys His Lys Pro Ile Ser Arg Ile Asp Ser<br>260 265 270     |     |    |
| 60  | Ser Asn Arg Met Lys Thr Glu<br>275                                                 |     |    |
| 65  | <210> 51                                                                           |     |    |
| 70  | <211> 1284                                                                         |     |    |
| 75  | <212> DNA                                                                          |     |    |
| 80  | <213> Pavlova salina                                                               |     |    |
| 85  | <400> 51                                                                           |     |    |
| 90  | atgggacgcg gcggagacag cagtgggcag gcgcatccgg cggcggagct ggcggtcccg                  | 60  |    |
| 95  | agcgaccgcg cggaggtgag caacgctgac agcaaagcgc tgcacatcgt gctgtatggc                  | 120 |    |
| 100 | aagcgcgtgg atgtgaccaa gttccaacgc acgcacccgg gtggtagcaa ggtcttccgg                  | 180 |    |



# EP 3 266 316 A1

atcttccagg accgcgatgc gacggagcag ttcgagtcct accactcgaa gcgcgcgatc 240  
aagatgatgg agggcatgct caagaagtct gaggatgctc ccgccgacac gcccttgccc 300  
5 tcccagtcac cgatggggaa ggacttcaag gcgatgatcg agcggcacgt tgcagcgggt 360  
tactacgatc catgcccgtc cgatgagctg ttcaagctca gcctcgtgct cctcccgacc 420  
tttgcgggca tgtacatgct caaggcgggc gtcggctccc cgctctgcgg cgccctcatg 480  
10 gtgagctttg gctggtacct cgatggctgg ctgcgcacag actatctgca ccaactccgtc 540  
ttcaaggggt ccgtcgcacg caccgtcggg tggaacaacg cggcgggcta cttcctcggc 600  
ttcgtgcagg ggtatgcggg cgagtgggtg cgcgcgcggc ataacacgca ccacgtgtgc 660  
15 accaatgagg acggctcgga ccccgacatc aaaacggcgc cgctgctcat atacgtgcgc 720  
aacaagccga gcatcgccaa gcgcctgaac gccttccagc gctaccagca gtactactat 780  
gtgccggtga tggcaatcct cgacctgtac tggcggctcg agtcgatcgc ctacgtcgcg 840  
20 atgcgcctgc cgaagatgct gccgcaggcc ctgcgactcg tcgcgcacta cgccatcgtc 900  
gcgtgggtct ttgcgggcaa ctaccacctg ctcccgtcg tgacgggttct gcgcgggttt 960  
ggcactggga tcaccgtttt cgcgacgcac tacggtgagg acattctcga cgcggaccag 1020  
25 gtgcgtcaca tgacgtcgt cgagcagacg gcactcacct cgcgcaacat ctcgggcggc 1080  
tggctcgtga acgtgctcac cggcttcac tcactgcaga cggagcacca cctgttcccg 1140  
30 atgatgcaa ccggcaacct catgactatc cagcccaggg tcgcgcctt cttcaagaag 1200  
cacggacttg agtaccgca gggcaacctc attgagtgcg tcgggcagaa catccgtgcg 1260  
cttgcatctg agcacctgct ttga 1284

35 <210> 52  
<211> 427  
<212> PRT  
<213> Pavlova salina

40 <400> 52

Met Gly Arg Gly Gly Asp Ser Ser Gly Gln Ala His Pro Ala Ala Glu  
1 5 10 15

45 Leu Ala Val Pro Ser Asp Arg Ala Glu Val Ser Asn Ala Asp Ser Lys  
20 25 30

50 Ala Leu His Ile Val Leu Tyr Gly Lys Arg Val Asp Val Thr Lys Phe  
35 40 45

Gln Arg Thr His Pro Gly Gly Ser Lys Val Phe Arg Ile Phe Gln Asp  
50 55 60

55 Arg Asp Ala Thr Glu Gln Phe Glu Ser Tyr His Ser Lys Arg Ala Ile

## EP 3 266 316 A1

|    | 65  |     |     |     |     | 70  |     |     |     |     |     | 75  |     |     |     | 80  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 5  | Lys | Met | Met | Glu | Gly | Met | Leu | Lys | Lys | Ser | Glu | Asp | Ala | Pro | Ala | Asp |
|    |     |     |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |
| 10 | Thr | Pro | Leu | Pro | Ser | Gln | Ser | Pro | Met | Gly | Lys | Asp | Phe | Lys | Ala | Met |
|    |     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |
| 15 | Ile | Glu | Arg | His | Val | Ala | Ala | Gly | Tyr | Tyr | Asp | Pro | Cys | Pro | Leu | Asp |
|    |     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |
| 20 | Glu | Leu | Phe | Lys | Leu | Ser | Leu | Val | Leu | Leu | Pro | Thr | Phe | Ala | Gly | Met |
|    |     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |
| 25 | Tyr | Met | Leu | Lys | Ala | Gly | Val | Gly | Ser | Pro | Leu | Cys | Gly | Ala | Leu | Met |
|    | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |
| 30 | Val | Ser | Phe | Gly | Trp | Tyr | Leu | Asp | Gly | Trp | Leu | Ala | His | Asp | Tyr | Leu |
|    |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |
| 35 | His | His | Ser | Val | Phe | Lys | Gly | Ser | Val | Ala | Arg | Thr | Val | Gly | Trp | Asn |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |
| 40 | Asn | Ala | Ala | Gly | Tyr | Phe | Leu | Gly | Phe | Val | Gln | Gly | Tyr | Ala | Val | Glu |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |
| 45 | Trp | Trp | Arg | Ala | Arg | His | Asn | Thr | His | His | Val | Cys | Thr | Asn | Glu | Asp |
|    |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |
| 50 | Gly | Ser | Asp | Pro | Asp | Ile | Lys | Thr | Ala | Pro | Leu | Leu | Ile | Tyr | Val | Arg |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |
| 55 | Asn | Lys | Pro | Ser | Ile | Ala | Lys | Arg | Leu | Asn | Ala | Phe | Gln | Arg | Tyr | Gln |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |
| 60 | Gln | Tyr | Tyr | Tyr | Val | Pro | Val | Met | Ala | Ile | Leu | Asp | Leu | Tyr | Trp | Arg |
|    |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |
| 65 | Leu | Glu | Ser | Ile | Ala | Tyr | Val | Ala | Met | Arg | Leu | Pro | Lys | Met | Leu | Pro |
|    |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |
| 70 | Gln | Ala | Leu | Ala | Leu | Val | Ala | His | Tyr | Ala | Ile | Val | Ala | Trp | Val | Phe |
|    |     | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |
| 75 | Ala | Gly | Asn | Tyr | His | Leu | Leu | Pro | Leu | Val | Thr | Val | Leu | Arg | Gly | Phe |
|    | 305 |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |

# EP 3 266 316 A1

|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|--------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Gly   | Thr                      | Gly | Ile | Thr | Val | Phe | Ala | Thr | His | Tyr | Gly | Glu | Asp | Ile | Leu |  |
|    |       |                          |     |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |
| 5  | Asp   | Ala                      | Asp | Gln | Val | Arg | His | Met | Thr | Leu | Val | Glu | Gln | Thr | Ala | Leu |  |
|    |       |                          |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
| 10 | Thr   | Ser                      | Arg | Asn | Ile | Ser | Gly | Gly | Trp | Leu | Val | Asn | Val | Leu | Thr | Gly |  |
|    |       |                          | 355 |     |     |     |     | 360 |     |     |     |     | 365 |     |     |     |  |
| 15 | Phe   | Ile                      | Ser | Leu | Gln | Thr | Glu | His | His | Leu | Phe | Pro | Met | Met | Pro | Thr |  |
|    |       | 370                      |     |     |     |     | 375 |     |     |     |     | 380 |     |     |     |     |  |
| 20 | Gly   | Asn                      | Leu | Met | Thr | Ile | Gln | Pro | Glu | Val | Arg | Ala | Phe | Phe | Lys | Lys |  |
|    | 385   |                          |     |     |     | 390 |     |     |     |     | 395 |     |     |     |     | 400 |  |
| 25 | His   | Gly                      | Leu | Glu | Tyr | Arg | Glu | Gly | Asn | Leu | Ile | Glu | Cys | Val | Arg | Gln |  |
|    |       |                          |     |     | 405 |     |     |     |     | 410 |     |     |     |     | 415 |     |  |
| 30 | Asn   | Ile                      | Arg | Ala | Leu | Ala | Phe | Glu | His | Leu | Leu |     |     |     |     |     |  |
|    |       |                          |     | 420 |     |     |     |     | 425 |     |     |     |     |     |     |     |  |
|    | <210> | 53                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 172                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <212> | PRT                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <213> | Tomato bushy stunt virus |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <400> | 53                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 35 | Met   | Glu                      | Arg | Ala | Ile | Gln | Gly | Asn | Asp | Ala | Arg | Glu | Gln | Ala | Asn | Ser |  |
|    | 1     |                          |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
| 40 | Glu   | Arg                      | Trp | Asp | Gly | Gly | Ser | Gly | Gly | Thr | Thr | Ser | Pro | Phe | Lys | Leu |  |
|    |       |                          |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| 45 | Pro   | Asp                      | Glu | Ser | Pro | Ser | Trp | Thr | Glu | Trp | Arg | Leu | His | Asn | Asp | Glu |  |
|    |       |                          | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
| 50 | Thr   | Asn                      | Ser | Asn | Gln | Asp | Asn | Pro | Leu | Gly | Phe | Lys | Glu | Ser | Trp | Gly |  |
|    |       | 50                       |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |
| 55 | Phe   | Gly                      | Lys | Val | Val | Phe | Lys | Arg | Tyr | Leu | Arg | Tyr | Asp | Arg | Thr | Glu |  |
|    | 65    |                          |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |
| 60 | Ala   | Ser                      | Leu | His | Arg | Val | Leu | Gly | Ser | Trp | Thr | Gly | Asp | Ser | Val | Asn |  |
|    |       |                          |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
| 65 | Tyr   | Ala                      | Ala | Ser | Arg | Phe | Phe | Gly | Phe | Asp | Gln | Ile | Gly | Cys | Thr | Tyr |  |
|    |       |                          |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |

# EP 3 266 316 A1

Ser Ile Arg Phe Arg Gly Val Ser Ile Thr Val Ser Gly Gly Ser Arg  
115 120 125

5 Thr Leu Gln His Leu Cys Glu Met Ala Ile Arg Ser Lys Gln Glu Leu  
130 135 140

10 Leu Gln Leu Ala Pro Ile Glu Val Glu Ser Asn Val Ser Arg Gly Cys  
145 150 155 160

Pro Glu Gly Thr Glu Thr Phe Glu Lys Glu Ser Glu  
165 170

15 <210> 54  
<211> 116  
<212> PRT  
<213> Tomato yellow leaf curl virus

20 <400> 54

Met Trp Asp Pro Leu Leu Asn Glu Phe Pro Glu Ser Val His Gly Phe  
1 5 10 15

25 Arg Cys Met Leu Ala Ile Lys Tyr Leu Gln Ser Val Glu Glu Thr Tyr  
20 25 30

30 Glu Pro Asn Thr Leu Gly His Asp Leu Ile Arg Asp Leu Ile Ser Val  
35 40 45

Val Arg Ala Arg Asp Tyr Val Glu Ala Thr Arg Arg Tyr Asn His Phe  
50 55 60

35 His Ala Arg Leu Glu Gly Ser Pro Lys Ala Glu Leu Arg Gln Pro Ile  
65 70 75 80

40 Gln Gln Pro Cys Cys Cys Pro His Cys Pro Arg His Lys Gln Ala Thr  
85 90 95

Ile Met Asp Val Gln Ala His Val Pro Glu Ala Gln Asn Ile Gln Asn  
100 105 110

45 Val Ser Lys Pro  
115

50 <210> 55  
<211> 351  
<212> PRT  
<213> Turnip crinkle virus

55 <400> 55

Met Glu Asn Asp Pro Arg Val Arg Lys Phe Ala Ser Glu Gly Ala Gln

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|    | 1   |     |     | 5   |     |     |     |     | 10  |     |     |     | 15  |     |     |     |
| 5  | Trp | Ala | Ile | Lys | Trp | Gln | Lys | Lys | Gly | Trp | Ser | Ser | Leu | Thr | Ser | Arg |
|    |     |     |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |
| 10 | Gln | Lys | Gln | Thr | Ala | Arg | Ala | Ala | Met | Gly | Ile | Lys | Leu | Ser | Pro | Val |
|    |     |     | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |
| 15 | Ala | Gln | Pro | Val | Gln | Lys | Val | Thr | Arg | Leu | Ser | Ala | Pro | Val | Ala | Leu |
|    |     |     | 50  |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |
| 20 | Ala | Tyr | Arg | Glu | Val | Ser | Thr | Gln | Pro | Arg | Val | Ser | Thr | Ala | Arg | Asp |
|    | 65  |     |     |     |     | 70  |     |     |     |     | 75  |     |     |     | 80  |     |
| 25 | Gly | Ile | Thr | Arg | Ser | Gly | Ser | Glu | Leu | Ile | Thr | Thr | Leu | Lys | Lys | Asn |
|    |     |     |     |     | 85  |     |     |     |     | 90  |     |     |     | 95  |     |     |
| 30 | Thr | Asp | Thr | Glu | Pro | Lys | Tyr | Thr | Thr | Ala | Val | Leu | Asn | Pro | Ser | Glu |
|    |     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |
| 35 | Pro | Gly | Thr | Phe | Asn | Gln | Leu | Ile | Lys | Glu | Ala | Ala | Gln | Tyr | Glu | Lys |
|    |     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |
| 40 | Tyr | Arg | Phe | Thr | Ser | Leu | Arg | Phe | Arg | Tyr | Ser | Pro | Met | Ser | Pro | Ser |
|    |     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |
| 45 | Thr | Thr | Gly | Gly | Lys | Val | Ala | Leu | Ala | Phe | Asp | Arg | Asp | Ala | Ala | Lys |
|    | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |
| 50 | Pro | Pro | Pro | Asn | Asp | Leu | Ala | Ser | Leu | Tyr | Asn | Ile | Glu | Gly | Cys | Val |
|    |     |     |     | 165 |     |     |     |     |     | 170 |     |     |     |     | 175 |     |
| 55 | Ser | Ser | Val | Pro | Trp | Thr | Gly | Phe | Ile | Leu | Thr | Val | Pro | Thr | Asp | Ser |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |
| 60 | Thr | Asp | Arg | Phe | Val | Ala | Asp | Gly | Ile | Ser | Asp | Pro | Lys | Leu | Val | Asn |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |
| 65 | Phe | Gly | Lys | Leu | Ile | Met | Ala | Thr | Tyr | Gly | Gln | Gly | Ala | Asn | Asp | Ala |
|    |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |
| 70 | Ala | Gln | Leu | Gly | Glu | Val | Arg | Val | Glu | Tyr | Thr | Val | Gln | Leu | Lys | Asn |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |
| 75 | Arg | Thr | Gly | Ser | Thr | Ser | Asp | Ala | Gln | Ile | Gly | Asp | Phe | Ala | Gly | Val |
|    |     |     |     | 245 |     |     |     |     |     | 250 |     |     |     |     | 255 |     |

# EP 3 266 316 A1

|    |       |                  |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Lys   | Asp              | Gly | Pro | Arg | Leu | Val | Ser | Trp | Ser | Lys | Thr | Lys | Gly | Thr | Ala |  |
|    |       |                  |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| 5  | Gly   | Trp              | Glu | His | Asp | Cys | His | Phe | Leu | Gly | Thr | Gly | Asn | Phe | Ser | Leu |  |
|    |       |                  | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
| 10 | Thr   | Leu              | Phe | Tyr | Glu | Lys | Ala | Pro | Val | Ser | Gly | Leu | Glu | Asn | Ala | Asp |  |
|    |       | 290              |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
| 15 | Ala   | Ser              | Asp | Phe | Ser | Val | Leu | Gly | Glu | Ala | Ala | Ala | Gly | Ser | Val | Gln |  |
|    | 305   |                  |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |
| 20 | Trp   | Ala              | Gly | Val | Lys | Val | Ala | Glu | Arg | Gly | Gln | Ser | Val | Lys | Met | Val |  |
|    |       |                  |     |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |
| 25 | Thr   | Thr              | Glu | Glu | Gln | Pro | Arg | Gly | Lys | Trp | Gln | Ala | Leu | Arg | Ile |     |  |
|    |       |                  |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
|    | <210> | 56               |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 303              |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <212> | PRT              |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <213> | Pea mosaic virus |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <400> | 56               |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 30 | Met   | His              | Gly | Ile | Glu | Gln | Pro | Gln | Leu | Pro | Leu | Asp | Tyr | Val | His | Arg |  |
|    | 1     |                  |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
| 35 | Cys   | Ala              | Ser | Thr | Ser | Phe | Leu | Leu | Ala | Ser | Leu | Asp | Gly | Leu | Leu | Ser |  |
|    |       |                  |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| 40 | Glu   | Ala              | Arg | Glu | Leu | Ser | Gly | Pro | Leu | Ala | Leu | Ile | Thr | Ser | Ser | Tyr |  |
|    |       |                  | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
| 45 | Tyr   | Leu              | Leu | Val | Ser | Ile | Ala | Leu | Cys | Trp | Ala | Ile | Pro | Gly | Ser | Phe |  |
|    |       | 50               |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |
| 50 | Trp   | Tyr              | Arg | Pro | Gly | Cys | Trp | Leu | Gln | Pro | Val | Ser | Gly | Arg | Asn | Leu |  |
|    | 65    |                  |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |
| 55 | Ile   | Phe              | Cys | Gly | Pro | Thr | Glu | Ala | Leu | Gln | Arg | Phe | Arg | Leu | Tyr | Ala |  |
|    |       |                  |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
| 60 | Ala   | Arg              | Leu | Gly | Leu | Val | Leu | Ser | Glu | Asn | Cys | Pro | Arg | His | Gly | Gln |  |
|    |       |                  |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |
| 65 | Ser   | Ala              | Ala | Ile | Thr | Leu | Gln | Ser | Tyr | Trp | Ala | Leu | Pro | Asn | Asn | Ile |  |
|    |       |                  | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |  |

EP 3 266 316 A1

|    |       |                           |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|---------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Trp   | Met                       | Asp | Met | Ala | Gln | Leu | Asp | Leu | Leu | Thr | Phe | Ser | Met | Pro | Ile |  |
|    | 130   |                           |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |  |
| 5  | Ala   | Asn                       | Thr | Phe | Ala | Tyr | Leu | Ala | Asp | Cys | Glu | Ala | Arg | Phe | Pro | Pro |  |
|    | 145   |                           |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |  |
| 10 | Ile   | Val                       | Glu | Gly | Val | Gly | Ser | Ala | Tyr | Tyr | Val | Pro | Thr | Leu | Leu | Gly |  |
|    |       |                           |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
| 15 | Leu   | Thr                       | His | Gln | Asp | Pro | Arg | Leu | Tyr | Leu | Ala | Leu | Arg | Arg | Arg | Asn |  |
|    |       |                           |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 20 | Leu   | Asp                       | Leu | Ser | Gly | Glu | Pro | His | Arg | Val | Arg | Pro | Gly | Val | Leu | Glu |  |
|    |       |                           | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
| 25 | Ser   | Met                       | Ala | Leu | Leu | Cys | Ser | Ser | Val | Arg | Ser | Thr | Ser | Arg | Ser | Arg |  |
|    |       | 210                       |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
| 30 | Gln   | Ile                       | Pro | Pro | Leu | Tyr | Gly | Ser | Val | Leu | His | His | Val | Leu | Gly | Leu |  |
|    | 225   |                           |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 35 | Ala   | Glu                       | Arg | Asp | Cys | Ile | Leu | Phe | Asp | Thr | Asp | Ser | Asn | Tyr | Ser | Ser |  |
|    |       |                           |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 40 | Tyr   | Thr                       | His | Arg | Val | Leu | Glu | Gln | Asp | Arg | Asn | Arg | Ala | Asp | Gln | Ser |  |
|    |       |                           |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| 45 | Leu   | Phe                       | Ser | Ile | Asp | Leu | Glu | Tyr | Val | His | Asp | Leu | Glu | Leu | Ile | Ala |  |
|    |       |                           | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
| 50 | Leu   | Gly                       | Tyr | Ser | Asp | Glu | Asp | Asp | Glu | Asp | Leu | Asp | Asn | Phe | Phe |     |  |
|    | 290   |                           |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
| 55 | <210> | 57                        |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 256                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <212> | PRT                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <213> | Cereal yellow dwarf virus |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <400> | 57                        |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 60 | Met   | Phe                       | Ile | Ala | Gln | Pro | Cys | Gly | Arg | Val | Leu | Val | Phe | Asp | Val | Ala |  |
|    | 1     |                           |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
| 65 | Ser   | Arg                       | Thr | Pro | Ser | Phe | Phe | Thr | Arg | Tyr | Ser | Val | Glu | Leu | Ser | Leu |  |
|    |       |                           |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| 70 | Arg   | Val                       | Leu | Asp | Pro | Phe | Phe | Thr | Arg | Ala | Val | Thr | Asp | Phe | Arg | Tyr |  |
|    |       | 35                        |     |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |

# EP 3 266 316 A1

|    |            |                          |            |            |            |            |     |     |     |     |     |     |     |     |     |     |  |
|----|------------|--------------------------|------------|------------|------------|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Thr        | Gln                      | Asn        | Glu        | Ile        | Asp        | Leu | Phe | Cys | Val | Ser | Leu | Gly | Phe | Leu | Leu |  |
|    | 50         |                          |            |            |            |            | 55  |     |     |     |     | 60  |     |     |     |     |  |
| 5  | Pro        | Ile                      | Leu        | Leu        | Thr        | Gly        | Glu | Ser | Tyr | Ser | Trp | Arg | Gly | His | Leu | Asn |  |
|    | 65         |                          |            |            |            | 70         |     |     |     |     | 75  |     |     |     |     | 80  |  |
|    | Leu        | Pro                      | Leu        | Ser        | Tyr        | Thr        | Glu | Leu | Leu | Val | Arg | Trp | Gly | Leu | Ala | Val |  |
| 10 |            |                          |            |            | 85         |            |     |     |     | 90  |     |     |     |     | 95  |     |  |
|    | Gly        | Tyr                      | Phe        | Pro        | Thr        | Phe        | Ser | Thr | Asp | Gly | Asp | Ile | Arg | Gln | Asn | Pro |  |
|    |            |                          |            | 100        |            |            |     |     | 105 |     |     |     |     | 110 |     |     |  |
| 15 | Glu        | Leu                      | Arg        | Ile        | Asp        | Leu        | Ser | Thr | Met | Ser | Thr | Arg | Ser | Phe | Tyr | Glu |  |
|    |            |                          | 115        |            |            |            |     |     | 120 |     |     |     |     | 125 |     |     |  |
|    | Gln        | Phe                      | Leu        | Leu        | Arg        | Tyr        | Asn | Thr | Ser | Gly | Leu | Ala | Lys | Ala | Ile | Val |  |
| 20 |            |                          | 130        |            |            |            | 135 |     |     |     |     | 140 |     |     |     |     |  |
|    | Gly        | Gln                      | Gln        | Glu        | Cys        | Phe        | Gln | Ser | Gly | Met | Glu | Ser | Phe | Lys | Arg | Phe |  |
|    | 145        |                          |            |            |            | 150        |     |     |     | 155 |     |     |     |     |     | 160 |  |
| 25 | Leu        | His                      | Tyr        | Arg        | Leu        | Thr        | Cys | Phe | Glu | Ser | Cys | Leu | Pro | Arg | Pro | Arg |  |
|    |            |                          |            |            | 165        |            |     |     |     | 170 |     |     |     |     | 175 |     |  |
|    | Trp        | Glu                      | Ser        | Pro        | Leu        | Ala        | Pro | Gly | Pro | Tyr | Leu | Asp | Arg | Ala | Phe | Glu |  |
| 30 |            |                          |            | 180        |            |            |     |     | 185 |     |     |     |     | 190 |     |     |  |
|    | Ala        | Thr                      | Leu        | Leu        | Gly        | Arg        | Met | Val | Gly | His | Asn | Gln | Leu | Leu | Phe | Thr |  |
| 35 |            |                          | 195        |            |            |            | 200 |     |     |     |     |     | 205 |     |     |     |  |
|    | Gly        | Leu                      | Ser        | Ser        | Asp        | Ile        | Thr | Arg | Tyr | Tyr | Asn | Glu | Leu | Val | Val | Glu |  |
|    | 210        |                          |            |            |            | 215        |     |     |     |     | 220 |     |     |     |     |     |  |
| 40 | Gly        | Val                      | Pro        | Val        | Ala        | Phe        | Trp | Asp | Ala | Ala | Gly | Ile | Thr | Leu | His | His |  |
|    | 225        |                          |            |            | 230        |            |     |     |     | 235 |     |     |     |     |     | 240 |  |
|    | Ala        | Gly                      | Glu        | Glu        | Tyr        | Phe        | Ser | Asn | Ser | Tyr | Ile | Gln | Lys | Ile | Leu | Gln |  |
| 45 |            |                          |            |            | 245        |            |     |     |     | 250 |     |     |     |     | 255 |     |  |
|    | <210>      | 58                       |            |            |            |            |     |     |     |     |     |     |     |     |     |     |  |
|    | <211>      | 519                      |            |            |            |            |     |     |     |     |     |     |     |     |     |     |  |
|    | <212>      | DNA                      |            |            |            |            |     |     |     |     |     |     |     |     |     |     |  |
| 50 | <213>      | Tomato bushy stunt virus |            |            |            |            |     |     |     |     |     |     |     |     |     |     |  |
|    | <400>      | 58                       |            |            |            |            |     |     |     |     |     |     |     |     |     |     |  |
|    | atggaacgag | ctatacaagg               | aaacgacgct | agggaacaag | ctaacagtga | acgttgggat |     |     |     |     |     |     |     |     |     | 60  |  |
| 55 | ggaggatcag | gaggtaccac               | ttctcccttc | aaacttcctg | acgaaagtcc | gagttggact |     |     |     |     |     |     |     |     |     | 120 |  |
|    | gagtggcggc | tacataacga               | tgagacgaat | tcgaatcaag | ataatcccct | tggtttcaag |     |     |     |     |     |     |     |     |     | 180 |  |



EP 3 266 316 A1

|    |                                                                    |     |
|----|--------------------------------------------------------------------|-----|
|    | gaaagctggg gtttcgggaa agttgtatatt aagagatatc tcagatacga caggacggaa | 240 |
|    | gcttcactgc acagagtcct tggatcttgg acgggagatt cggttaacta tgcagcatct  | 300 |
| 5  | cgatTTTTcg gtttcgacca gatcggatgt acctatagta ttcggtttcg aggagttagt  | 360 |
|    | atcacCGttt ctggagggtc gcgaactctt cagcatctct gtgagatggc aattcgggtct | 420 |
|    | aagcaagaac tgctacagct tgccccaatc gaagtggaaa gtaatgtatc aagaggatgc  | 480 |
| 10 | cctgaaggta ctgagacctt cgaaaaagaa agcgagtaa                         | 519 |
|    | <210> 59                                                           |     |
|    | <211> 351                                                          |     |
| 15 | <212> DNA                                                          |     |
|    | <213> Tomato yellow leaf curl virus                                |     |
|    | <400> 59                                                           |     |
|    | atgtgggatc cacttctaaa tgaatttcct gaatctgttc acggatttcg ttgtatgtta  | 60  |
| 20 | gctattaaat atttgcagtc cgttgaggaa acttacgagc ccaatacatt gggccacgat  | 120 |
|    | ttaattaggg atcttatatc tgttgtaagg gcccgtagct atgtcgaagc gaccaggcga  | 180 |
|    | tataatcatt tccacgcccg cctcgaaggT tcgccgaagg ctgaacttcg acagcccata  | 240 |
| 25 | cagcagccgt gctgctgtcc ccattgtcca aggcacaaac aagcgacgat catggacgta  | 300 |
|    | caggcccatg taccggaagc ccagaatata cagaatgtat cgaagccctg a           | 351 |
| 30 | <210> 60                                                           |     |
|    | <211> 1056                                                         |     |
|    | <212> DNA                                                          |     |
|    | <213> Turnip crinkle virus                                         |     |
| 35 | <400> 60                                                           |     |
|    | atggaaaatg atcctagagt ccgaaagtTc gcatccgagg gcgccaatg ggcgataaag   | 60  |
|    | tggcagaaga agggctggTc atccctaacc agcagacaga aacagaccgc ccgcgcagcg  | 120 |
| 40 | atgggggatca agctctcccc tgtggcgcaa cctgtgcaga aagtgactcg actgagtgt  | 180 |
|    | ccggtgggtc tcgcctaccg cgaggtttcc acccagcctc gggtttctac tgccagggac  | 240 |
|    | ggcataacca gaagcggTtc tgaactgatc acaaccctga agaagaacac tgacactgaa  | 300 |
| 45 | cctaagtaca ccacagctgt gcttaacca agcgaaccgc gaacattcaa ccaactcatc   | 360 |
|    | aaggaggcgg cccagtatga aaaataccga ttcacgtcac tcagatttag gtactctccc  | 420 |
|    | atgagccctt caaccaccgg gggcaaggTg gctctggcat tcgaccgaga cgctgccaaa  | 480 |
| 50 | cctccgcca acgacctgc ttccctctac aacatagagg gttgtgtatc tagcgtgccc    | 540 |
|    | tggacagggt ttatTTtgac cgtcccaaca gattctactg accgctttgt ggcggatggt  | 600 |
|    | atcagcgatc caaagctTgt caatttcggc aagctcatca tggccacctt tggccaagg   | 660 |
| 55 | gccaatgatg ccgccaact cggTgaagtg cgagtcgagt acaccgtgca gctcaagaac   | 720 |

EP 3 266 316 A1

agaactggct caaccagcga cgcccagatt ggggacttcg cgggtgttaa ggacggaccc 780  
 aggttggctc cgtgggtccaa gaccaaggga acagctgggt gggagcacga ttgtcatttt 840  
 5 ctcggaaccg gaaactttctc gttgacactg ttctacgaga aggcgcccgt ttcggggcta 900  
 gaaaaacgcag acgcctctga cttctcggtc ctgggagaag ccgcagcagg tagtgtccaa 960  
 tgggctggag tgaaggtagc agaaagggga caaagcgtga aaatggtcac aactgaggag 1020  
 10 cagccaaggg gaaaatggca agcactcagg atttag 1056

<210> 61  
 <211> 912  
 <212> DNA  
 15 <213> Pea mosaic virus

<400> 61  
 atgcacggaa ttgagcagcc tcaactaccg ctagattacg ttcaccgttg cgcacgaacc 60  
 20 tccttcttgc tcgcatcact agatggcctc ctttctgaag cccgtgaact ctgaggcctc 120  
 ctggctctca ttacttctag ctattactta cttgtttcta ttgccctctg ctgggcaatc 180  
 cctggatcct tctggatatag gcctggctgc tggttgcagc cagtctcagg gcggaatctc 240  
 25 atcttttgcg gccctaccga ggccttgcaa cgattccgtc tgtacgctgc cagacttggg 300  
 ttggtcctgt cagagaactg cccaagacac ggccaatcag cagcaatcac ccttcaatca 360  
 tactgggcac ttcctaacaa catctggatg gacatggccc aattggactt gctcaccttc 420  
 30 tcaatgccaa ttgctaatac atttgcctac ttggcagatt gtgaagcaag atttcctcct 480  
 attgttgaag gagtgggatc tgcttactat gtgccaacgc tgctcggact tactcaccaa 540  
 gaccccaggc tttatcttgc gcttcgcagg agaaaccttg atcttagtgg cgaacctcat 600  
 35 agagtccgtc ctggtgtcct ggagtctatg gctttgctct gttctagtgt acgtagcaca 660  
 agccgttcca ggcaaattcc tcctttatat ggcagcgttt tgcaccacgt tttgggcctg 720  
 gccgagagag actgcaccc ctttgatacg gatagtaact actcctctta cactcatcgg 780  
 40 gttcttgaac aagaccggaa tcgggctgat cagtcattgt ttagcattga cttggaatat 840  
 gttcatgacc tggagcttat tgccctgggt tactctgatg aagatgatga agatcttgat 900  
 45 aacttcttct ag 912

<210> 62  
 <211> 771  
 <212> DNA  
 50 <213> Cereal yellow dwarf virus

<400> 62  
 atgttcatcg cccaaccttg cgggcgagtt cttgtgttcg acgtcgcctc ccgcacgcca 60  
 55 tcgttcttca ctcgttatag tgttgaactc tcgctccgtg ttctagaccc attcttcacg 120  
 cgagcagtaa cagatttccg atacacccaa aatgaaatcg atttattttg tgtgtctctt 180

EP 3 266 316 A1

ggcttttctgt tgccaattct cctcacagga gaattcttact cttggcgcggtg tcacctcaac 240  
 ctcccccttt cttacaccga attacttggt cgatggggggc tgcagtggtg gtacttcctt 300  
 5 accttctcca ctgatggtga cattcgacag aaccacagaac tccgcatcga cctgtccacc 360  
 atgtcaaccc gctctttcta cgagcagttc ctactcagat ataacacgag tgggttggtgca 420  
 aaagctatcg tcggacagca agagtgtttt caaagcggca tggagtcttt taaaagattc 480  
 10 ctacactacc gcctcacgtg ctttgaaagc tgccttccac gacctcgttg ggaaagtcct 540  
 ttggctcctg gtccttatct ggacagggct tttgaggcaa ctcttctcgg ccgtatggtc 600  
 ggtcataacc aactactctt taccggtttg tcttctgata tcaactaggta ttataacgag 660  
 15 ttggttggtg aaggcgtgcc ggtggctttt tgggacgctg ccggcattac tttgcatcac 720  
 gctggtgaag aatatttttc gaattcttac attcaaaaga ttcttcaatg a 771  
  
 20 <210> 63  
 <211> 389  
 <212> PRT  
 <213> Arabidopsis thaliana  
  
 25 <400> 63  
  
 Met Val Ile Ala Ala Val Ile Val Pro Leu Gly Leu Leu Phe Phe  
 1 5 10 15  
  
 30 Ile Ser Gly Leu Ala Val Asn Leu Phe Gln Ala Val Cys Tyr Val Leu  
 20 25 30  
  
 35 Ile Arg Pro Leu Ser Lys Asn Thr Tyr Arg Lys Ile Asn Arg Val Val  
 35 40 45  
  
 Ala Glu Thr Leu Trp Leu Glu Leu Val Trp Ile Val Asp Trp Trp Ala  
 50 55 60  
  
 40 Gly Val Lys Ile Gln Val Phe Ala Asp Asn Glu Thr Phe Asn Arg Met  
 65 70 75 80  
  
 45 Gly Lys Glu His Ala Leu Val Val Cys Asn His Arg Ser Asp Ile Asp  
 85 90 95  
  
 Trp Leu Val Gly Trp Ile Leu Ala Gln Arg Ser Gly Cys Leu Gly Ser  
 100 105 110  
 50  
  
 Ala Leu Ala Val Met Lys Lys Ser Ser Lys Phe Leu Pro Val Ile Gly  
 115 120 125  
  
 55 Trp Ser Met Trp Phe Ser Glu Tyr Leu Phe Leu Glu Arg Asn Trp Ala  
 130 135 140

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|    | Lys | Asp | Glu | Ser | Thr | Leu | Lys | Ser | Gly | Leu | Gln | Arg | Leu | Ser | Asp | Phe | 145 | 150 | 155 | 160 |
| 5  | Pro | Arg | Pro | Phe | Trp | Leu | Ala | Leu | Phe | Val | Glu | Gly | Thr | Arg | Phe | Thr |     | 165 | 170 | 175 |
| 10 | Glu | Ala | Lys | Leu | Lys | Ala | Ala | Gln | Glu | Tyr | Ala | Ala | Ser | Ser | Glu | Leu |     | 180 | 185 | 190 |
| 15 | Pro | Ile | Pro | Arg | Asn | Val | Leu | Ile | Pro | Arg | Thr | Lys | Gly | Phe | Val | Ser |     | 195 | 200 | 205 |
| 20 | Ala | Val | Ser | Asn | Met | Arg | Ser | Phe | Val | Pro | Ala | Ile | Tyr | Asp | Met | Thr |     | 210 | 215 | 220 |
| 25 | Val | Thr | Ile | Pro | Lys | Thr | Ser | Pro | Pro | Pro | Thr | Met | Leu | Arg | Leu | Phe |     | 225 | 230 | 235 |
| 30 | Lys | Gly | Gln | Pro | Ser | Val | Val | His | Val | His | Ile | Lys | Cys | His | Ser | Met |     | 245 | 250 | 255 |
| 35 | Lys | Asp | Leu | Pro | Glu | Ser | Asp | Asp | Ala | Ile | Ala | Gln | Trp | Cys | Arg | Asp |     | 260 | 265 | 270 |
| 40 | Gln | Phe | Val | Ala | Lys | Asp | Ala | Leu | Leu | Asp | Lys | His | Ile | Ala | Ala | Asp |     | 275 | 280 | 285 |
| 45 | Thr | Phe | Pro | Gly | Gln | Gln | Glu | Gln | Asn | Ile | Gly | Arg | Pro | Ile | Lys | Ser |     | 290 | 295 | 300 |
| 50 | Leu | Ala | Val | Val | Leu | Ser | Trp | Ala | Cys | Val | Leu | Thr | Leu | Gly | Ala | Ile |     | 305 | 310 | 315 |
| 55 | Lys | Phe | Leu | His | Trp | Ala | Gln | Leu | Phe | Ser | Ser | Trp | Lys | Gly | Ile | Thr |     | 325 | 330 | 335 |
|    | Ile | Ser | Ala | Leu | Gly | Leu | Gly | Ile | Ile | Thr | Leu | Cys | Met | Gln | Ile | Leu |     | 340 | 345 | 350 |
|    | Ile | Arg | Ser | Ser | Gln | Ser | Glu | Arg | Ser | Thr | Pro | Ala | Lys | Val | Val | Pro |     | 355 | 360 | 365 |
|    | Ala | Lys | Pro | Lys | Asp | Asn | His | His | Pro | Glu | Ser | Ser | Ser | Gln | Thr | Glu |     | 370 | 375 | 380 |
|    | Thr | Glu | Lys | Glu | Lys |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |

EP 3 266 316 A1

385

5  
 <210> 64  
 <211> 281  
 <212> PRT  
 <213> Limnanthes alba  
 <400> 64

10  
 Met Ala Lys Thr Arg Thr Ser Ser Leu Arg Asn Arg Arg Gln Leu Lys  
 1 5 10 15

15  
 Thr Ala Val Ala Ala Thr Ala Asp Asp Asp Lys Asp Gly Ile Phe Met  
 20 25 30

20  
 Val Leu Leu Ser Cys Phe Lys Ile Phe Val Cys Phe Ala Ile Val Leu  
 35 40 45

25  
 Ile Thr Ala Val Ala Trp Gly Leu Ile Met Val Leu Leu Leu Pro Trp  
 50 55 60

30  
 Pro Tyr Met Arg Ile Arg Leu Gly Asn Leu Tyr Gly His Ile Ile Gly  
 65 70 75 80

35  
 Gly Leu Val Ile Trp Leu Tyr Gly Ile Pro Ile Glu Ile Gln Gly Ser  
 85 90 95

40  
 Glu His Thr Lys Lys Arg Ala Ile Tyr Ile Ser Asn His Ala Ser Pro  
 100 105 110

45  
 Ile Asp Ala Phe Phe Val Met Trp Leu Ala Pro Ile Gly Thr Val Gly  
 115 120 125

50  
 Val Ala Lys Lys Glu Val Ile Trp Tyr Pro Leu Leu Gly Gln Leu Tyr  
 130 135 140

55  
 Thr Leu Ala His His Ile Arg Ile Asp Arg Ser Asn Pro Ala Ala Ala  
 145 150 155 160

Ile Gln Ser Met Lys Glu Ala Val Arg Val Ile Thr Glu Lys Asn Leu  
 165 170 175

Ser Leu Ile Met Phe Pro Glu Gly Thr Arg Ser Gly Asp Gly Arg Leu  
 180 185 190

Leu Pro Phe Lys Lys Gly Phe Val His Leu Ala Leu Gln Ser His Leu  
 195 200 205

Pro Ile Val Pro Met Ile Leu Thr Gly Thr His Leu Ala Trp Arg Lys

EP 3 266 316 A1

|    | 210   |                          | 215 |     | 220 |     |     |     |     |     |     |     |     |     |     |     |     |
|----|-------|--------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 5  | Gly   | Thr                      | Phe | Arg | Val | Arg | Pro | Val | Pro | Ile | Thr | Val | Lys | Tyr | Leu | Pro |     |
|    | 225   |                          |     |     |     | 230 |     |     |     |     | 235 |     |     |     | 240 |     |     |
|    |       | Pro                      | Ile | Asn | Thr | Asp | Asp | Trp | Thr | Val | Asp | Lys | Ile | Asp | Asp | Tyr | Val |
|    |       |                          |     |     | 245 |     |     |     |     |     | 250 |     |     |     | 255 |     |     |
| 10 |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | Lys   | Met                      | Ile | His | Asp | Ile | Tyr | Val | Arg | Asn | Leu | Pro | Ala | Ser | Gln | Lys |     |
|    |       |                          |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |     |
| 15 |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | Pro   | Leu                      | Gly | Ser | Thr | Asn | Arg | Ser | Lys |     |     |     |     |     |     |     |     |
|    |       |                          | 275 |     |     |     |     | 280 |     |     |     |     |     |     |     |     |     |
|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 20 | <210> | 65                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <211> | 303                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <212> | PRT                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <213> | Saccharomyces cerevisiae |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <400> | 65                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 25 | Met   | Ser                      | Val | Ile | Gly | Arg | Phe | Leu | Tyr | Tyr | Leu | Arg | Ser | Val | Leu | Val |     |
|    | 1     |                          |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |     |
|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 30 | Val   | Leu                      | Ala | Leu | Ala | Gly | Cys | Gly | Phe | Tyr | Gly | Val | Ile | Ala | Ser | Ile |     |
|    |       |                          |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |     |
|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | Leu   | Cys                      | Thr | Leu | Ile | Gly | Lys | Gln | His | Leu | Ala | Gln | Trp | Ile | Thr | Ala |     |
|    |       |                          | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |     |
| 35 | Arg   | Cys                      | Phe | Tyr | His | Val | Met | Lys | Leu | Met | Leu | Gly | Leu | Asp | Val | Lys |     |
|    |       | 50                       |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |     |
|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 40 | Val   | Val                      | Gly | Glu | Glu | Asn | Leu | Ala | Lys | Lys | Pro | Tyr | Ile | Met | Ile | Ala |     |
|    | 65    |                          |     |     |     | 70  |     |     |     |     | 75  |     |     |     | 80  |     |     |
|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | Asn   | His                      | Gln | Ser | Thr | Leu | Asp | Ile | Phe | Met | Leu | Gly | Arg | Ile | Phe | Pro |     |
|    |       |                          |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |     |
| 45 |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | Pro   | Gly                      | Cys | Thr | Val | Thr | Ala | Lys | Lys | Ser | Leu | Lys | Tyr | Val | Pro | Phe |     |
|    |       |                          |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |     |
|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 50 | Leu   | Gly                      | Trp | Phe | Met | Ala | Leu | Ser | Gly | Thr | Tyr | Phe | Leu | Asp | Arg | Ser |     |
|    |       |                          | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |     |
|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | Lys   | Arg                      | Gln | Glu | Ala | Ile | Asp | Thr | Leu | Asn | Lys | Gly | Leu | Glu | Asn | Val |     |
|    |       | 130                      |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |     |
| 55 |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | Lys   | Lys                      | Asn | Lys | Arg | Ala | Leu | Trp | Val | Phe | Pro | Glu | Gly | Thr | Arg | Ser |     |

EP 3 266 316 A1

|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|----|-------|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|    | 145   |                    | 150 |     | 155 |     | 160 |     |     |     |     |     |     |     |     |     |
| 5  | Tyr   | Thr                | Ser | Glu | Leu | Thr | Met | Leu | Pro | Phe | Lys | Lys | Gly | Ala | Phe | His |
|    |       |                    |     | 165 |     |     |     |     |     | 170 |     |     |     |     | 175 |     |
| 10 | Leu   | Ala                | Gln | Gln | Gly | Lys | Ile | Pro | Ile | Val | Pro | Val | Val | Val | Ser | Asn |
|    |       |                    |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |
| 15 | Thr   | Ser                | Thr | Leu | Val | Ser | Pro | Lys | Tyr | Gly | Val | Phe | Asn | Arg | Gly | Cys |
|    |       |                    | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |
| 20 | Met   | Ile                | Val | Arg | Ile | Leu | Lys | Pro | Ile | Ser | Thr | Glu | Asn | Leu | Thr | Lys |
|    |       | 210                |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |
| 25 | Asp   | Lys                | Ile | Gly | Glu | Phe | Ala | Glu | Lys | Val | Arg | Asp | Gln | Met | Val | Asp |
|    | 225   |                    |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |
| 30 | Thr   | Leu                | Lys | Glu | Ile | Gly | Tyr | Ser | Pro | Ala | Ile | Asn | Asp | Thr | Thr | Leu |
|    |       |                    |     | 245 |     |     |     |     |     | 250 |     |     |     |     | 255 |     |
| 35 | Pro   | Pro                | Gln | Ala | Ile | Glu | Tyr | Ala | Ala | Leu | Gln | His | Asp | Lys | Lys | Val |
|    |       |                    | 260 |     |     |     |     | 265 |     |     |     |     |     | 270 |     |     |
| 40 | Asn   | Lys                | Lys | Ile | Lys | Asn | Glu | Pro | Val | Pro | Ser | Val | Ser | Ile | Ser | Asn |
|    |       | 275                |     |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |
| 45 | Asp   | Val                | Asn | Thr | His | Asn | Glu | Gly | Ser | Ser | Val | Lys | Lys | Met | His |     |
|    | 290   |                    |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |
| 50 | <210> | 66                 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <211> | 373                |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <212> | PRT                |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|    | <213> | Micromonas pusilla |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 55 | <400> | 66                 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 60 | Met   | Thr                | Pro | Tyr | Gln | Trp | Phe | Asn | Val | Val | Ser | Ser | Leu | Gly | Tyr | Val |
|    | 1     |                    |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |
| 65 | Leu   | Phe                | Thr | Ala | Thr | Thr | Ser | Thr | Val | Thr | Met | Leu | Val | Pro | Ala | Ile |
|    |       |                    |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |
| 70 | Ile   | Leu                | Leu | Arg | Pro | Val | Ser | Ala | Asn | Leu | Tyr | Ala | Arg | Cys | Thr | Ser |
|    |       | 35                 |     |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |
| 75 | Trp   | Ile                | Phe | Ala | Cys | Trp | Trp | Thr | Ser | Cys | Leu | Phe | Ile | Thr | Glu | Arg |
|    | 50    |                    |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |
| 80 | Leu   | Asn                | Gly | Val | Lys | Val | Arg | Val | Thr | Gly | Asp | Ala | Leu | Pro | Leu | Asn |

EP 3 266 316 A1

|    | 65  |     |     |     |     | 70  |     |     |     |     |     | 75  |     |     |     | 80  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 5  | Ala | Pro | Leu | Leu | Ile | Met | Ser | Asn | His | Lys | Cys | Asn | Leu | Asp | Trp | Met |
|    |     |     |     |     | 85  |     |     |     |     | 90  |     |     |     | 95  |     |     |
|    | Phe | Leu | Trp | Ser | Ser | Ala | Ile | Arg | Thr | Gly | Ser | Met | Phe | His | Val | Gly |
| 10 |     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |
|    | Val | Phe | Lys | Ala | Val | Ala | Lys | Ser | Glu | Ile | Arg | Val | Ile | Pro | Ile | Phe |
|    |     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |
| 15 | Gly | Trp | Gly | Cys | Lys | Leu | Asn | Gly | Phe | Ala | Tyr | Val | Arg | Arg | Arg | Trp |
|    |     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |
|    | Ser | Ser | Asp | Ala | Ser | His | Leu | Thr | Ser | Trp | Ile | Gln | Ser | Gln | Ile | Arg |
| 20 | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |
|    | Arg | Arg | Leu | Asn | Ala | Asn | Trp | Thr | Leu | Ile | Phe | Pro | Glu | Gly | Thr | Arg |
| 25 |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |
|    | Tyr | Thr | Asp | Arg | Asn | Lys | Glu | Arg | Ser | Asp | Leu | Ser | Cys | Ala | Lys | Asp |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |
| 30 | Gly | Leu | Glu | Pro | Met | Ala | Gly | Glu | Ile | Leu | Arg | Pro | Arg | Thr | Lys | Gly |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |
|    | Leu | Ala | Leu | Leu | Leu | Arg | Glu | Ser | Ala | Lys | Gly | Gly | Gly | Tyr | Tyr | Arg |
| 35 |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |
|    | Lys | Ile | Val | Asp | Met | Thr | Ile | Gln | Tyr | Thr | Asp | Ala | Asp | Gly | Lys | Pro |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |
| 40 | Leu | Lys | Gly | Ala | Ala | Leu | Gly | Thr | Arg | Cys | Phe | Gly | Gln | Leu | Ala | Lys |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |
|    | Gly | Gln | Leu | Pro | Val | Ala | Thr | Cys | His | Val | His | Phe | Asp | Val | Phe | Ser |
| 45 |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |
|    | His | Lys | Asp | Val | Pro | Ala | Gly | Glu | Asp | Glu | Asp | Glu | Val | Glu | Ala | Trp |
| 50 |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |
|    | Val | Trp | Lys | Arg | Trp | Arg | Lys | Lys | Ala | Asn | Met | Leu | Glu | Ala | Cys | Ala |
|    |     | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |
| 55 | Ser | Ala | Gly | Gln | Phe | Glu | Gly | Val | Arg | Glu | Trp | Ser | Thr | Ser | Gly | Thr |
|    | 305 |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |



# EP 3 266 316 A1

Ala Val Pro Leu Lys Thr Gln Thr Ala Leu Arg Cys Phe Phe Val Leu  
325 330 335

5 Gln Gly Leu Val Cys Val Gly Val Ala Cys Ser Ser Thr Ala Phe Leu  
340 345 350

10 Ala Tyr Val Ala Cys Ala Ala Val Gly Ala Ala Val Ile Ala Gln Thr  
355 360 365

Asp Pro Ala Trp Trp  
370

15 <210> 67  
<211> 314  
<212> PRT  
<213> Mortierella alpina

20 <400> 67

Met Ser Ile Gly Ser Ser Asn Pro Val Leu Leu Ala Ala Ile Pro Phe  
1 5 10 15

25 Val Tyr Leu Phe Val Leu Pro Arg Val Leu Ala Phe Leu Pro Gln Lys  
20 25 30

30 Ala Gln Phe Leu Ala Lys Cys Ile Val Val Leu Ile Ala Thr Leu Ile  
35 40 45

35 Met Ser Val Ala Gly Cys Phe Ile Ser Ile Val Cys Ala Leu Leu Asp  
50 55 60

Lys Arg Tyr Val Ile Asn Tyr Val Val Ser Arg Leu Phe Ser Phe Leu  
65 70 75 80

40 Ala Ala Arg Pro Cys Gly Val Thr Tyr Lys Ile Val Gly Glu Glu His  
85 90 95

45 Leu Asp Lys Tyr Pro Ala Ile Val Val Cys Asn His Gln Ser Ser Met  
100 105 110

Asp Met Met Val Leu Gly Arg Val Phe Pro Lys His Cys Val Val Met  
115 120 125

50 Ala Lys Lys Glu Leu Leu Tyr Phe Pro Phe Leu Gly Met Phe Met Lys  
130 135 140

55 Leu Ser Asn Ala Ile Phe Ile Asp Arg Lys Asn His Lys Lys Ala Ile  
145 150 155 160

EP 3 266 316 A1

|    |       |                |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Glu   | Ser            | Thr | Thr | Gln | Ala | Val | Ala | Asp | Met | Lys | Lys | His | Asn | Ser | Gly |  |
|    |       |                |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
| 5  | Ile   | Trp            | Ile | Phe | Pro | Glu | Gly | Thr | Arg | Ser | Arg | Leu | Asp | Lys | Ala | Asp |  |
|    |       |                |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 10 | Leu   | Leu            | Pro | Phe | Lys | Lys | Gly | Ala | Phe | His | Leu | Ala | Ile | Gln | Ala | Gln |  |
|    |       |                | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
| 15 | Leu   | Pro            | Ile | Leu | Pro | Ile | Ile | Ser | Gln | Gly | Tyr | Ser | His | Ile | Tyr | Asp |  |
|    |       | 210            |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
| 20 | Ser   | Ser            | Lys | Arg | Tyr | Phe | Pro | Gly | Gly | Glu | Leu | Glu | Ile | Arg | Val | Leu |  |
|    | 225   |                |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 25 | Glu   | Pro            | Ile | Pro | Thr | Thr | Gly | Leu | Thr | Thr | Asp | Asp | Val | Asn | Asp | Leu |  |
|    |       |                |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 30 | Met   | Asp            | Lys | Thr | Arg | Asn | Leu | Met | Leu | Lys | His | Leu | Lys | Glu | Met | Asp |  |
|    |       |                |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| 35 | Ser   | Gln            | Tyr | Ser | Ser | Ser | Thr | Ala | Glu | Asn | Gly | Ser | Thr | His | Ile | Asp |  |
|    |       |                | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
| 40 | Ala   | Asp            | Ile | Ala | Lys | Ser | Thr | Ala | Thr | Ser | Ile | Gly | Asn | Thr | Asp | Asp |  |
|    |       | 290            |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
| 45 | Ala   | Ile            | Thr | Lys | Arg | Arg | Thr | Pro | Lys | Glu |     |     |     |     |     |     |  |
|    | 305   |                |     |     |     | 310 |     |     |     |     |     |     |     |     |     |     |  |
| 50 | <210> | 68             |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 391            |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <212> | PRT            |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <213> | Braccisa napus |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 55 | <400> | 68             |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Met   | Ala            | Met | Ala | Ala | Ala | Ala | Val | Ile | Val | Pro | Leu | Gly | Ile | Leu | Phe |  |
|    | 1     |                |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
| 60 | Phe   | Ile            | Ser | Gly | Leu | Val | Val | Asn | Leu | Leu | Gln | Ala | Val | Cys | Tyr | Val |  |
|    |       |                |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| 65 | Leu   | Ile            | Arg | Pro | Leu | Ser | Lys | Asn | Thr | Tyr | Arg | Lys | Ile | Asn | Arg | Val |  |
|    |       |                | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
| 70 | Val   | Ala            | Glu | Thr | Leu | Trp | Leu | Glu | Leu | Val | Trp | Ile | Val | Asp | Trp | Trp |  |
|    |       | 50             |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Ala | Gly | Val | Lys | Ile | Gln | Val | Phe | Ala | Asp | Asp | Glu | Thr | Phe | Asn | Arg |  |
|    | 65  |     |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |
| 5  | Met | Gly | Lys | Glu | His | Ala | Leu | Val | Val | Cys | Asn | His | Arg | Ser | Asp | Ile |  |
|    |     |     |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
|    | Asp | Trp | Leu | Val | Gly | Trp | Ile | Leu | Ala | Gln | Arg | Ser | Gly | Cys | Leu | Gly |  |
| 10 |     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |
|    | Ser | Ala | Leu | Ala | Val | Met | Lys | Lys | Ser | Ser | Lys | Phe | Leu | Pro | Val | Ile |  |
|    |     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |  |
| 15 | Gly | Trp | Ser | Met | Trp | Phe | Ser | Glu | Tyr | Leu | Phe | Leu | Glu | Arg | Asn | Trp |  |
|    |     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |  |
|    | Ala | Lys | Asp | Glu | Ser | Thr | Leu | Lys | Ser | Gly | Leu | Gln | Arg | Leu | Asn | Asp |  |
| 20 | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |  |
|    | Phe | Pro | Arg | Pro | Phe | Trp | Leu | Ala | Leu | Phe | Val | Glu | Gly | Thr | Arg | Phe |  |
| 25 |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
|    | Thr | Glu | Ala | Lys | Leu | Lys | Ala | Ala | Gln | Glu | Tyr | Ala | Ala | Ser | Ser | Gln |  |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 30 | Leu | Pro | Val | Pro | Arg | Asn | Val | Leu | Ile | Pro | Arg | Thr | Lys | Gly | Phe | Val |  |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
|    | Ser | Ala | Val | Ser | Asn | Met | Arg | Ser | Phe | Val | Pro | Ala | Ile | Tyr | Asp | Met |  |
| 35 |     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
|    | Thr | Val | Ala | Ile | Pro | Lys | Thr | Ser | Pro | Pro | Pro | Thr | Met | Leu | Arg | Leu |  |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 40 | Phe | Lys | Gly | Gln | Pro | Ser | Val | Val | His | Val | His | Ile | Lys | Cys | His | Ser |  |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
|    | Met | Lys | Asp | Leu | Pro | Glu | Ser | Asp | Asp | Ala | Ile | Ala | Gln | Trp | Cys | Arg |  |
| 45 |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
|    | Asp | Gln | Phe | Val | Ala | Lys | Asp | Ala | Leu | Leu | Asp | Lys | His | Ile | Ala | Ala |  |
| 50 |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
|    | Asp | Thr | Phe | Pro | Gly | Gln | Lys | Glu | His | Asn | Ile | Gly | Arg | Pro | Ile | Lys |  |
|    |     | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
| 55 | Ser | Leu | Ala | Val | Val | Val | Ser | Trp | Ala | Cys | Leu | Leu | Thr | Leu | Gly | Ala |  |
|    | 305 |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |

# EP 3 266 316 A1

|    |       |          |       |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|----------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Met   | Lys      | Phe   | Leu | His | Trp | Ser | Asn | Leu | Phe | Ser | Ser | Leu | Lys | Gly | Ile |  |
|    |       |          |       |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |
| 5  | Ala   | Leu      | Ser   | Ala | Leu | Gly | Leu | Gly | Ile | Ile | Thr | Leu | Cys | Met | Gln | Ile |  |
|    |       |          |       | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
| 10 | Leu   | Ile      | Arg   | Ser | Ser | Gln | Ser | Glu | Arg | Ser | Thr | Pro | Ala | Lys | Val | Ala |  |
|    |       |          | 355   |     |     |     |     | 360 |     |     |     |     | 365 |     |     |     |  |
| 15 | Pro   | Ala      | Lys   | Pro | Lys | Asp | Lys | His | Gln | Ser | Gly | Ser | Ser | Ser | Gln | Thr |  |
|    |       | 370      |       |     |     |     | 375 |     |     |     |     | 380 |     |     |     |     |  |
| 20 | Glu   | Val      | Glu   | Glu | Lys | Gln | Lys |     |     |     |     |     |     |     |     |     |  |
|    | 385   |          |       |     |     | 390 |     |     |     |     |     |     |     |     |     |     |  |
|    | <210> | 69       |       |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 390      |       |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <212> | PRT      |       |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <213> | Braccisa | napus |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 25 | <400> | 69       |       |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Met   | Ala      | Met   | Ala | Ala | Ala | Val | Ile | Val | Pro | Leu | Gly | Ile | Leu | Phe | Phe |  |
|    | 1     |          |       |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
| 30 | Ile   | Ser      | Gly   | Leu | Val | Val | Asn | Leu | Leu | Gln | Ala | Ile | Cys | Tyr | Val | Leu |  |
|    |       |          |       | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| 35 | Ile   | Arg      | Pro   | Leu | Ser | Lys | Asn | Thr | Tyr | Arg | Lys | Ile | Asn | Arg | Val | Val |  |
|    |       |          | 35    |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
| 40 | Ala   | Glu      | Thr   | Leu | Trp | Leu | Glu | Leu | Val | Trp | Ile | Val | Asp | Trp | Trp | Ala |  |
|    |       | 50       |       |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |
| 45 | Gly   | Val      | Lys   | Ile | Gln | Val | Phe | Ala | Asp | Asn | Glu | Thr | Phe | Asn | Arg | Met |  |
|    | 65    |          |       |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |
| 50 | Gly   | Lys      | Glu   | His | Ala | Leu | Val | Val | Cys | Asn | His | Arg | Ser | Asp | Ile | Asp |  |
|    |       |          |       |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
| 55 | Trp   | Leu      | Val   | Gly | Trp | Ile | Leu | Ala | Gln | Arg | Ser | Gly | Cys | Leu | Gly | Ser |  |
|    |       |          |       | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |
| 60 | Ala   | Leu      | Ala   | Val | Met | Lys | Lys | Ser | Ser | Lys | Phe | Leu | Pro | Val | Ile | Gly |  |
|    |       |          |       |     | 115 |     |     | 120 |     |     |     |     | 125 |     |     |     |  |
| 65 | Trp   | Ser      | Met   | Trp | Phe | Ser | Glu | Tyr | Leu | Phe | Leu | Glu | Arg | Asn | Trp | Ala |  |
|    |       | 130      |       |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |  |

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |  |     |     |     |     |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|-----|-----|-----|-----|
|    | Lys | Asp | Glu | Ser | Thr | Leu | Lys | Ser | Gly | Leu | Gln | Arg | Leu | Asn | Asp | Phe | 145 | 150 | 155 |  |  |  |  |  |     |     |     | 160 |
| 5  | Pro | Arg | Pro | Phe | Trp | Leu | Ala | Leu | Phe | Val | Glu | Gly | Thr | Arg | Phe | Thr |     | 165 | 170 |  |  |  |  |  |     |     | 175 |     |
| 10 | Glu | Ala | Lys | Leu | Lys | Ala | Ala | Gln | Glu | Tyr | Ala | Ala | Ser | Ser | Glu | Leu |     | 180 | 185 |  |  |  |  |  |     | 190 |     |     |
|    | Pro | Val | Pro | Arg | Asn | Val | Leu | Ile | Pro | Arg | Thr | Lys | Gly | Phe | Val | Ser |     | 195 | 200 |  |  |  |  |  | 205 |     |     |     |
| 15 | Ala | Val | Ser | Asn | Met | Arg | Ser | Phe | Val | Pro | Ala | Ile | Tyr | Asp | Met | Thr |     | 210 | 215 |  |  |  |  |  | 220 |     |     |     |
| 20 | Val | Ala | Ile | Pro | Lys | Thr | Ser | Pro | Pro | Pro | Thr | Met | Leu | Arg | Leu | Phe |     | 225 | 230 |  |  |  |  |  | 235 |     | 240 |     |
|    | Lys | Gly | Gln | Pro | Ser | Val | Val | His | Val | His | Ile | Lys | Cys | His | Ser | Met |     | 245 | 250 |  |  |  |  |  |     | 255 |     |     |
| 25 | Lys | Asp | Leu | Pro | Glu | Ser | Asp | Asp | Ala | Ile | Ala | Gln | Trp | Cys | Arg | Asp |     | 260 | 265 |  |  |  |  |  | 270 |     |     |     |
| 30 | Gln | Phe | Val | Ala | Lys | Asp | Ala | Leu | Leu | Asp | Lys | His | Ile | Ala | Ala | Asp |     | 275 | 280 |  |  |  |  |  | 285 |     |     |     |
|    | Thr | Phe | Pro | Gly | Gln | Gln | Glu | Gln | Asn | Ile | Gly | Arg | Pro | Ile | Lys | Ser |     | 290 | 295 |  |  |  |  |  | 300 |     |     |     |
| 35 | Leu | Ala | Val | Val | Leu | Ser | Trp | Ser | Cys | Leu | Leu | Ile | Leu | Gly | Ala | Met |     | 305 | 310 |  |  |  |  |  | 315 |     | 320 |     |
| 40 | Lys | Phe | Leu | His | Trp | Ser | Asn | Leu | Phe | Ser | Ser | Trp | Lys | Gly | Ile | Ala |     | 325 | 330 |  |  |  |  |  |     | 335 |     |     |
|    | Phe | Ser | Ala | Leu | Gly | Leu | Gly | Ile | Ile | Thr | Leu | Cys | Met | Gln | Ile | Leu |     | 340 | 345 |  |  |  |  |  | 350 |     |     |     |
| 45 | Ile | Arg | Ser | Ser | Gln | Ser | Glu | Arg | Ser | Thr | Pro | Ala | Lys | Val | Val | Pro |     | 355 | 360 |  |  |  |  |  | 365 |     |     |     |
| 50 | Ala | Lys | Pro | Lys | Asp | Asn | His | Asn | Asp | Ser | Gly | Ser | Ser | Ser | Gln | Thr |     | 370 | 375 |  |  |  |  |  | 380 |     |     |     |
| 55 | Glu | Val | Glu | Lys | Gln | Lys |     |     |     |     |     |     |     |     |     |     |     | 385 | 390 |  |  |  |  |  |     |     |     |     |

EP 3 266 316 A1

<210> 70  
 <211> 361  
 <212> PRT  
 <213> Phytophthora infestans

<400> 70

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Met | Ala | Thr | Lys | Glu | Ala | Tyr | Val | Phe | Pro | Thr | Leu | Thr | Glu | Ile | Lys |
| 1   |     |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |
| Arg | Ser | Leu | Pro | Lys | Asp | Cys | Phe | Glu | Ala | Ser | Val | Pro | Leu | Ser | Leu |
|     |     |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |
| Tyr | Tyr | Thr | Val | Arg | Cys | Leu | Val | Ile | Ala | Val | Ala | Leu | Thr | Phe | Gly |
|     |     | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |
| Leu | Asn | Tyr | Ala | Arg | Ala | Leu | Pro | Glu | Val | Glu | Ser | Phe | Trp | Ala | Leu |
|     | 50  |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |
| Asp | Ala | Ala | Leu | Cys | Thr | Gly | Tyr | Ile | Leu | Leu | Gln | Gly | Ile | Val | Phe |
| 65  |     |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |
| Trp | Gly | Phe | Phe | Thr | Val | Gly | His | Asp | Ala | Gly | His | Gly | Ala | Phe | Ser |
|     |     |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |
| Arg | Tyr | His | Leu | Leu | Asn | Phe | Val | Val | Gly | Thr | Phe | Met | His | Ser | Leu |
|     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |
| Ile | Leu | Thr | Pro | Phe | Glu | Ser | Trp | Lys | Leu | Thr | His | Arg | His | His | His |
|     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |
| Lys | Asn | Thr | Gly | Asn | Ile | Asp | Arg | Asp | Glu | Val | Phe | Tyr | Pro | Gln | Arg |
|     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |
| Lys | Ala | Asp | Asp | His | Pro | Leu | Ser | Arg | Asn | Leu | Ile | Leu | Ala | Leu | Gly |
| 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |
| Ala | Ala | Trp | Leu | Ala | Tyr | Leu | Val | Glu | Gly | Phe | Pro | Pro | Arg | Lys | Val |
|     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |
| Asn | His | Phe | Asn | Pro | Phe | Glu | Pro | Leu | Phe | Val | Arg | Gln | Val | Ser | Ala |
|     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |
| Val | Val | Ile | Ser | Leu | Leu | Ala | His | Phe | Phe | Val | Ala | Gly | Leu | Ser | Ile |
|     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |
| Tyr | Leu | Ser | Leu | Gln | Leu | Gly | Leu | Lys | Thr | Met | Ala | Ile | Tyr | Tyr | Tyr |
|     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |

# EP 3 266 316 A1

|    |       |                          |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|--------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Gly   | Pro                      | Val | Phe | Val | Phe | Gly | Ser | Met | Leu | Val | Ile | Thr | Thr | Phe | Leu |  |
|    | 225   |                          |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 5  | His   | His                      | Asn | Asp | Glu | Glu | Thr | Pro | Trp | Tyr | Ala | Asp | Ser | Glu | Trp | Thr |  |
|    |       |                          |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 10 | Tyr   | Val                      | Lys | Gly | Asn | Leu | Ser | Ser | Val | Asp | Arg | Ser | Tyr | Gly | Ala | Leu |  |
|    |       |                          |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| 15 | Ile   | Asp                      | Asn | Leu | Ser | His | Asn | Ile | Gly | Thr | His | Gln | Ile | His | His | Leu |  |
|    |       |                          | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
| 20 | Phe   | Pro                      | Ile | Ile | Pro | His | Tyr | Lys | Leu | Lys | Lys | Ala | Thr | Ala | Ala | Phe |  |
|    |       | 290                      |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
| 25 | His   | Gln                      | Ala | Phe | Pro | Glu | Leu | Val | Arg | Lys | Ser | Asp | Glu | Pro | Ile | Ile |  |
|    | 305   |                          |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |
| 30 | Lys   | Ala                      | Phe | Phe | Arg | Val | Gly | Arg | Leu | Tyr | Ala | Asn | Tyr | Gly | Val | Val |  |
|    |       |                          |     |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |
| 35 | Asp   | Gln                      | Glu | Ala | Lys | Leu | Phe | Thr | Leu | Lys | Glu | Ala | Lys | Ala | Ala | Thr |  |
|    |       |                          |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
| 40 | Glu   | Ala                      | Ala | Ala | Lys | Thr | Lys | Ser | Thr |     |     |     |     |     |     |     |  |
|    |       |                          | 355 |     |     |     |     | 360 |     |     |     |     |     |     |     |     |  |
| 45 | <210> | 71                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 418                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <212> | PRT                      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <213> | Thalassiosira pseudonana |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 50 | <400> | 71                       |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 55 | Met   | Tyr                      | Arg | Leu | Thr | Ser | Thr | Phe | Leu | Ile | Ala | Leu | Ala | Phe | Ser | Ser |  |
|    | 1     |                          |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
| 60 | Ser   | Ile                      | Asn | Ala | Phe | Ser | Pro | Gln | Arg | Pro | Pro | Arg | Thr | Ile | Thr | Lys |  |
|    |       |                          |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| 65 | Ser   | Lys                      | Val | Gln | Ser | Thr | Val | Leu | Pro | Ile | Pro | Thr | Lys | Asp | Asp | Leu |  |
|    |       |                          | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
| 70 | Asn   | Phe                      | Leu | Gln | Pro | Gln | Leu | Asp | Glu | Asn | Asp | Leu | Tyr | Leu | Asp | Asp |  |
|    |       | 50                       |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |
| 75 | Val   | Asn                      | Thr | Pro | Pro | Arg | Ala | Gly | Thr | Ile | Met | Lys | Met | Leu | Pro | Lys |  |
|    | 65    |                          |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |

EP 3 266 316 A1

|    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    | Glu | Thr | Phe | Asn | Ile | Asp | Thr | Ala | Thr | Ser | Leu | Gly | Tyr | Phe | Gly | Met |  |
|    |     |     |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
| 5  | Asp | Met | Ala | Ala | Val | Val | Ser | Ser | Met | Thr | Leu | Leu | Asn | Ala | Ile | Val |  |
|    |     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |
| 10 | Thr | Ser | Asp | Gln | Tyr | His | Ala | Leu | Pro | Leu | Pro | Leu | Gln | Ala | Ala | Thr |  |
|    |     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |  |
| 15 | Val | Ile | Pro | Phe | Gln | Leu | Leu | Ala | Gly | Phe | Ala | Met | Trp | Cys | Met | Trp |  |
|    |     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |  |
| 20 | Cys | Ile | Gly | His | Asp | Ala | Gly | His | Ser | Thr | Val | Ser | Lys | Thr | Lys | Trp |  |
|    | 145 |     |     |     | 150 |     |     |     |     |     | 155 |     |     |     |     | 160 |  |
| 25 | Ile | Asn | Arg | Val | Val | Gly | Glu | Val | Ala | His | Ser | Val | Val | Cys | Leu | Thr |  |
|    |     |     |     | 165 |     |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
| 30 | Pro | Phe | Val | Pro | Trp | Gln | Met | Ser | His | Arg | Lys | His | His | Leu | Asn | His |  |
|    |     |     | 180 |     |     |     |     | 185 |     |     |     |     |     | 190 |     |     |  |
| 35 | Asn | His | Ile | Glu | Lys | Asp | Tyr | Ser | His | Lys | Trp | Tyr | Ser | Arg | Asp | Glu |  |
|    |     | 195 |     |     |     |     | 200 |     |     |     |     |     | 205 |     |     |     |  |
| 40 | Phe | Asp | Asp | Ile | Pro | Gln | Leu | Tyr | Lys | Thr | Phe | Gly | Tyr | Asn | Pro | Arg |  |
|    | 210 |     |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
| 45 | Met | Met | Gln | Leu | Pro | Phe | Leu | Tyr | Phe | Met | Tyr | Leu | Ala | Leu | Gly | Ile |  |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 50 | Pro | Asp | Gly | Gly | His | Val | Val | Phe | Tyr | Gly | Arg | Met | Trp | Glu | Gly | Val |  |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 55 | Ser | Leu | Gln | Lys | Lys | Phe | Asp | Ala | Ala | Ile | Ser | Val | Ala | Val | Ser | Cys |  |
|    |     |     | 260 |     |     |     |     | 265 |     |     |     |     |     | 270 |     |     |  |
| 60 | Ala | Thr | Ala | Gly | Ser | Leu | Trp | Met | Asn | Met | Gly | Thr | Ala | Asp | Phe | Thr |  |
|    |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
| 65 | Val | Val | Cys | Met | Val | Pro | Trp | Leu | Val | Leu | Ser | Trp | Trp | Leu | Phe | Met |  |
|    |     | 290 |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
| 70 | Val | Thr | Tyr | Leu | Gln | His | His | Ser | Glu | Asp | Gly | Lys | Leu | Tyr | Thr | Asp |  |
|    | 305 |     |     |     | 310 |     |     |     |     |     | 315 |     |     |     |     | 320 |  |
| 75 | Glu | Thr | Phe | Thr | Phe | Glu | Lys | Gly | Ala | Phe | Glu | Thr | Val | Asp | Arg | Ser |  |



EP 3 266 316 A1

|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-------|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 5  | Tyr   | Gly                | Lys | Leu | Ile | Asn | Arg | Met | Ser | His | His | Met | Met | Asp | Gly | His |  |
|    |       |                    |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Val   | Val                | His | His | Leu | Phe | Phe | Glu | Arg | Val | Pro | His | Tyr | Arg | Leu | Glu |  |
|    |       |                    | 355 |     |     |     |     | 360 |     |     |     |     | 365 |     |     |     |  |
| 10 |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Ala   | Ala                | Thr | Glu | Ala | Leu | Val | Lys | Gly | Met | Asp | Glu | Thr | Gly | Gln | Lys |  |
|    |       |                    |     |     |     |     |     | 375 |     |     |     | 380 |     |     |     |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 15 | His   | Leu                | Tyr | Lys | Tyr | Ile | Asp | Thr | Pro | Asp | Phe | Asn | Ala | Glu | Ile | Val |  |
|    | 385   |                    |     |     |     | 390 |     |     |     |     | 395 |     |     |     |     | 400 |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Asn   | Gly                | Phe | Arg | Asp | Asn | Trp | Phe | Leu | Val | Glu | Glu | Glu | Asn | Ile | Lys |  |
|    |       |                    |     |     | 405 |     |     |     |     | 410 |     |     |     |     | 415 |     |  |
| 20 |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Arg   | Glu                |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 25 | <210> | 72                 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <211> | 363                |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <212> | PRT                |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | <213> | Pythium irregulare |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 30 | <400> | 72                 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Met   | Ala                | Ser | Thr | Ser | Ala | Ala | Gln | Asp | Ala | Ala | Pro | Tyr | Glu | Phe | Pro |  |
|    | 1     |                    |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 35 | Ser   | Leu                | Thr | Glu | Ile | Lys | Arg | Ala | Leu | Pro | Ser | Glu | Cys | Phe | Glu | Ala |  |
|    |       |                    |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Ser   | Val                | Pro | Leu | Ser | Leu | Tyr | Tyr | Thr | Ala | Arg | Ser | Leu | Ala | Leu | Ala |  |
|    |       |                    | 35  |     |     |     | 40  |     |     |     |     |     | 45  |     |     |     |  |
| 40 |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Gly   | Ser                | Leu | Ala | Val | Ala | Leu | Ser | Tyr | Ala | Arg | Ala | Leu | Pro | Leu | Val |  |
|    |       | 50                 |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 45 | Gln   | Ala                | Asn | Ala | Leu | Leu | Asp | Ala | Thr | Leu | Cys | Thr | Gly | Tyr | Val | Leu |  |
|    | 65    |                    |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Leu   | Gln                | Gly | Ile | Val | Phe | Trp | Gly | Phe | Phe | Thr | Val | Gly | His | Asp | Cys |  |
|    |       |                    |     | 85  |     |     |     |     |     | 90  |     |     |     |     | 95  |     |  |
| 50 |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|    | Gly   | His                | Gly | Ala | Phe | Ser | Arg | Ser | His | Val | Leu | Asn | Phe | Ser | Val | Gly |  |
|    |       |                    |     | 100 |     |     |     |     | 105 |     |     |     |     |     | 110 |     |  |
|    |       |                    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
| 55 | Thr   | Leu                | Met | His | Ser | Ile | Ile | Leu | Thr | Pro | Phe | Glu | Ser | Trp | Lys | Leu |  |

EP 3 266 316 A1

|    | 115 |     | 120 |     | 125 |     |     |     |     |     |     |     |     |     |     |     |  |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| 5  | Ser | His | Arg | His | His | His | Lys | Asn | Thr | Gly | Asn | Ile | Asp | Lys | Asp | Glu |  |
|    | 130 |     |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |  |
| 10 | Ile | Phe | Tyr | Pro | Gln | Arg | Glu | Ala | Asp | Ser | His | Pro | Val | Ser | Arg | His |  |
|    | 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |  |
| 15 | Leu | Val | Met | Ser | Leu | Gly | Ser | Ala | Trp | Phe | Ala | Tyr | Leu | Phe | Ala | Gly |  |
|    |     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |  |
| 20 | Phe | Pro | Pro | Arg | Thr | Met | Asn | His | Phe | Asn | Pro | Trp | Glu | Ala | Met | Tyr |  |
|    |     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |  |
| 25 | Val | Arg | Arg | Val | Ala | Ala | Val | Ile | Ile | Ser | Leu | Gly | Val | Leu | Phe | Ala |  |
|    |     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |  |
| 30 | Phe | Ala | Gly | Leu | Tyr | Ser | Tyr | Leu | Thr | Phe | Val | Leu | Gly | Phe | Thr | Thr |  |
|    | 210 |     |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |  |
| 35 | Met | Ala | Ile | Tyr | Tyr | Phe | Gly | Pro | Leu | Phe | Ile | Phe | Ala | Thr | Met | Leu |  |
|    | 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |  |
| 40 | Val | Val | Thr | Thr | Phe | Leu | His | His | Asn | Asp | Glu | Glu | Thr | Pro | Trp | Tyr |  |
|    |     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |  |
| 45 | Ala | Asp | Ser | Glu | Trp | Thr | Tyr | Val | Lys | Gly | Asn | Leu | Ser | Ser | Val | Asp |  |
|    |     |     |     | 260 |     |     |     |     | 265 |     |     |     |     | 270 |     |     |  |
| 50 | Arg | Ser | Tyr | Gly | Ala | Leu | Ile | Asp | Asn | Leu | Ser | His | Asn | Ile | Gly | Thr |  |
|    |     |     | 275 |     |     |     |     | 280 |     |     |     |     | 285 |     |     |     |  |
| 55 | His | Gln | Ile | His | His | Leu | Phe | Pro | Ile | Ile | Pro | His | Tyr | Lys | Leu | Asn |  |
|    | 290 |     |     |     |     |     | 295 |     |     |     |     | 300 |     |     |     |     |  |
| 60 | Asp | Ala | Thr | Ala | Ala | Phe | Ala | Lys | Ala | Phe | Pro | Glu | Leu | Val | Arg | Lys |  |
|    | 305 |     |     |     |     | 310 |     |     |     |     | 315 |     |     |     |     | 320 |  |
| 65 | Asn | Ala | Ala | Pro | Ile | Ile | Pro | Thr | Phe | Phe | Arg | Met | Ala | Ala | Met | Tyr |  |
|    |     |     |     |     | 325 |     |     |     |     | 330 |     |     |     |     | 335 |     |  |
| 70 | Ala | Lys | Tyr | Gly | Val | Val | Asp | Thr | Asp | Ala | Lys | Thr | Phe | Thr | Leu | Lys |  |
|    |     |     |     | 340 |     |     |     |     | 345 |     |     |     |     | 350 |     |     |  |
| 75 | Glu | Ala | Lys | Ala | Ala | Ala | Lys | Thr | Lys | Ser | Ser |     |     |     |     |     |  |
|    |     |     | 355 |     |     |     |     | 360 |     |     |     |     |     |     |     |     |  |

## Claims

1. A recombinant *Brassica napus* cell comprising exogenous polynucleotides encoding a  $\Delta$ 12-desaturase, a  $\omega$ 3-desaturase or a  $\Delta$ 15-desaturase, a  $\Delta$ 6-desaturase, a  $\Delta$ 5-desaturase, a  $\Delta$ 4-desaturase, a  $\Delta$ 6-elongase and an  $\Delta$ 5-elongase, wherein each polynucleotide is operably linked to one or more promoters that are capable of directing expression of said polynucleotides in the cell, and wherein the cell comprises lipid which comprises fatty acids in an esterified form, the fatty acids comprising oleic acid, palmitic acid,  $\omega$ 6 fatty acids which comprise linoleic acid (LA),  $\omega$ 3 fatty acids which comprise  $\alpha$ -linolenic acid (ALA) and docosahexaenoic acid (DHA), and optionally one or more of stearidonic acid (SDA), eicosapentaenoic acid (EPA), docosapentaenoic acid (DPA) and eicosatetraenoic acid (ETA), and wherein at least 70% of the DHA esterified in the form of TAG is in the sn-1 or sn-3 position of the TAG.
2. The cell of claim 1, wherein the  $\omega$ -desaturase and/or the  $\Delta$ 15-desaturase are a fungal desaturase.
3. The cell of claim 1 or claim 2, which has one or more of the following features:
  - i) the sum total of arachidonic acid (ARA), EPA, DPA and DHA is between 7% and 25% of the total fatty acid content in the lipid;
  - ii) the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the lipid is between 9% and 33%;
  - iii) at least 80% of the DHA esterified in the form of TAG is in the sn-1 or sn-3 position of the TAG.
4. The cell according to any one of claims 1 to 3 which has one or more or all of the following features
  - i. the level of palmitic acid in the total fatty acid content of the lipid is between about 2% and 16%, or between about 2% and 15%,
  - ii. the level of oleic acid in the total fatty acid content of the lipid is between about 1% and about 30%, between about 3% and about 30%, or between about 6% and about 30%, or between 1% and about 20%, or between about 30% and about 60%, or about 45% to about 60%, or is about 30%,
  - iii. the level of linoleic acid (LA) in the total fatty acid content of the lipid is between about 4% and about 35%, or between about 4% and about 20%, or between about 4% and 17%,
  - iv. the level of  $\alpha$ -linolenic acid (ALA) in the total fatty acid content of the lipid is between about 4% and about 40%, between about 7% and about 40%, or between about 10% and about 35%, or between about 20% and about 35%, or between about 4% and 16%, or between about 2% and 16%,
  - v. the level of  $\gamma$ -linolenic acid (GLA) in the total fatty acid content of the lipid is less than 4%, less than about 3%, less than about 2%, less than about 1%, less than about 0.5%, between 0.05% and 7%, between 0.05% and 4%, or between 0.05% and about 3%, or between 0.05% and about 2%,
  - vi. the level of stearidonic acid (SDA) in the total fatty acid content of the lipid is less than about 7%, less than about 6%, less than about 4%, less than about 3%, between about 0.05% and about 7%, between about 0.05% and about 6%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between 0.05% and about 2%,
  - vii. the level of eicosatetraenoic acid (ETA) in the total fatty acid content of the lipid is less than about 6%, less than about 5%, less than about 4%, less than about 1%, less than about 0.5%, between about 0.05% and about 6%, between about 0.05% and about 5%, between about 0.05% and about 4%, between about 0.05% and about 3%, or between about 0.05% and about 2%,
  - viii. the level of eicosatrienoic acid (ETra) in the total fatty acid content of the lipid is less than 4%, less than about 2%, less than about 1%, between 0.05% and 4%, between 0.05% and 3%, or between 0.05% and about 2%, or between 0.05% and about 1%,
  - ix. the level of eicosapentaenoic acid (EPA) in the total fatty acid content of the lipid is less than 4%, less than about 3%, less than about 2%, between 0.05% and 10%, between 0.05% and 5%, or between 0.05% and about 3%, or between 0.05% and about 2%,
  - x. the level of docosapentaenoic acid (DPA) in the total fatty acid content of the lipid is less than 4%, less than about 3%, less than about 2%, between 0.05% and 8%, between 0.05% and 5%, or between 0.05% and about 3%, or between 0.05% and about 2%,
  - xi. the level of DHA in the total fatty acid content of the lipid is about 8%, about 9%, about 10%, about 11%, about 12%, about 13%, about 14%, about 15%, about 16%, about 17%, about 18%, between about 8% and 20%, between about 10% and 20%, between about 11% and 20%, between about 10% and about 16%, or between about 14% and 20%,
  - xii. the lipid comprises  $\omega$ 6-docosapentaenoic acid (22:5 $\Delta$ 4,7,10,13,16) in its fatty acid content, or the lipid is essentially free of  $\omega$ 6-docosapentaenoic acid (22:5 $\Delta$ 4,7,10,13,16) in its fatty acid content,

- xiii. the lipid is essentially free of SDA, EPA and ETA in its fatty acid content,
- xiv. the level of total saturated fatty acids in the total fatty acid content of the lipid is between about 4% and about 25%, or between about 4% and about 20%, between about 6% and about 20%, between about 4% and about 60%, between about 30% and about 60%, or between about 45% and about 60%,
- xv. the level of total monounsaturated fatty acids in the total fatty acid content of the lipid is between about 4% and about 35%, or between about 8% and about 25%, or between 8% and about 22%,
- xvi. the level of total polyunsaturated fatty acids in the total fatty acid content of the lipid is between about 20% and about 75%, or between about 50% and about 75%, or between about 60% and about 75%,
- xvii. the level of total  $\omega$ 6 fatty acids in the total fatty acid content of the lipid is between about 35% and about 50%, between about 20% and about 35%, between about 6% and 20%, less than 20%, less than about 16%, less than about 10%, between about 1% and about 16%, between about 2% and about 10%, or between about 4% and about 10%,
- xviii. the level of new  $\omega$ 6 fatty acids in the total fatty acid content of the lipid is less than about 10%, less than about 8%, less than about 6%, less than 4%, between about 1% and about 20%, between about 1% and about 10%, between about 0.5% and about 8%, or between about 0.5% and 4%,
- xix. the level of total  $\omega$ 3 fatty acids in the total fatty acid content of the lipid is between 36% and about 65%, between 40% and about 60%, between about 20% and about 35%, between about 10% and about 20%, about 25%, about 30%, about 35% or about 40%,
- xx. the level of new  $\omega$ 3 fatty acids in the total fatty acid content of the lipid is between 9% and about 33%, between about 10% and about 20%, between about 20% and about 30%, between about 12% and about 25%, about 13%, about 15%, about 17% or about 20%,
- xxi. the ratio of total  $\omega$ 6 fatty acids: total  $\omega$ 3 fatty acids in the fatty acid content of the lipid is between about 1.0 and about 3.0, between about 0.1 and about 1, between about 0.1 and about 0.5, less than about 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 1.0, about 0.1 or about 0.2,
- xxii. the ratio of new  $\omega$ 6 fatty acids: new  $\omega$ 3 fatty acids in the fatty acid content of the lipid is between about 1.0 and about 3.0, between about 0.1 and about 1, between about 0.1 and about 0.5, less than about 0.50, less than about 0.40, less than about 0.30, less than about 0.20, less than about 0.15, about 0.1, about 0.2 or about 1.0,
- xxiii. the fatty acid composition of the lipid is based on an efficiency of conversion of oleic acid to LA by  $\Delta$ 12-desaturase of at least about 60%, at least about 70%, at least about 80%, between about 60% and about 98%, between about 70% and about 95%, or between about 75% and about 90%,
- xxiv. the fatty acid composition of the lipid is based on an efficiency of conversion of ALA to SDA by  $\Delta$ 6-desaturase of at least about 30%, at least about 40%, at least about 50%, at least about 60%, at least about 70%, between about 30% and about 70%, between about 35% and about 60%, or between about 50% and about 70%,
- xxv. the fatty acid composition of the lipid is based on an efficiency of conversion of SDA to ETA acid by  $\Delta$ 6-elongase of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 95%, between about 70% and about 88%, or between about 75% and about 85%,
- xxvi. the fatty acid composition of the lipid is based on an efficiency of conversion of ETA to EPA by  $\Delta$ 5-desaturase of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 99%, between about 70% and about 99%, or between about 75% and about 98%,
- xxvii. the fatty acid composition of the lipid is based on an efficiency of conversion of EPA to DPA by  $\Delta$ 5-elongase of at least about 80%, at least about 85%, at least about 90%, between about 50% and about 95%, or between about 85% and about 95%,
- xxviii. the fatty acid composition of the lipid is based on an efficiency of conversion of DPA to DHA by  $\Delta$ 4-desaturase of at least about 80%, at least about 90%, at least about 93%, between about 50% and about 95%, between about 80% and about 95%, or between about 85% and about 95%,
- xxix. the fatty acid composition of the lipid is based on an efficiency of conversion of oleic acid to DHA of at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 10% and about 30%, or between about 10% and about 25%,
- xxx. the fatty acid composition of the lipid is based on an efficiency of conversion of LA to DHA of at least about 15%, at least about 20%, at least about 22%, at least about 25%, between about 15% and about 50%, between about 20% and about 40%, or between about 20% and about 30%,
- xxxi. the fatty acid composition of the lipid is based on an efficiency of conversion of ALA to DHA of at least about 17%, at least about 22%, at least about 24%, between about 17% and about 55%, between about 22% and about 35%, or between about 24% and about 35%,
- xxxii. the total fatty acid in the lipid has less than 1% C20:1,
- xxxiii. the triacylglycerol (TAG) content of the lipid is at least about 70%, at least about 80%, at least about 90%, at least 95%, between about 70% and about 99%, or between about 90% and about 99%,
- xxxiv. the lipid comprises diacylglycerol (DAG),

xxxv. the lipid comprises less than about 10%, less than about 5%, less than about 1%, or between about 0.001% and about 5%, free (non-esterified) fatty acids and/or phospholipid, or is essentially free thereof,  
 xxxvi. the most abundant DHA-containing TAG species in the lipid is DHA/18:3/18:3 (TAG 58:12),  
 xxxvii. the lipid comprises tri-DHA TAG (TAG 66:18),  
 xxxviii. the level of myristic acid (C14:0) in the total fatty acid content of the extracted lipid is less than 1%, and  
 xxxix. the level of DHA in the total fatty acid content of the lipid is 7% to 20%.

5. The cell according to any one of claims 1 to 4 which has one or more or all of the following features

- i) the  $\Delta 12$ -desaturase converts oleic acid to linoleic acid in the cell with an efficiency of at least about 60%, at least about 70%, at least about 80%, between about 60% and about 95%, between about 70% and about 90%, or between about 75% and about 85%,
- ii) the  $\omega 3$ -desaturase converts  $\omega 6$  fatty acids to  $\omega 3$  fatty acids in the cell with an efficiency of at least about 65%, at least about 75%, at least about 85%, between about 65% and about 95%, between about 75% and about 91%, or between about 80% and about 91 %,
- iii) the  $\Delta 6$ -desaturase converts ALA to SDA in the cell with an efficiency of at least about 30%, at least about 40%, at least about 50%, at least about 60%, at least about 70%, between about 30% and about 70%, between about 35% and about 60%, or between about 50% and about 70%,
- iv) the  $\Delta 6$ -desaturase converts linoleic acid to  $\gamma$ -linolenic acid in the cell with an efficiency of less than about 5%, less than about 2.5%, less than about 1%, between about 0.1% and about 5%, between about 0.5% and about 2.5%, or between about 0.5% and about 1%,
- v) the  $\Delta 6$ -elongase converts SDA to ETA in the cell with an efficiency of at least about 60%, at least about 70%, at least about 75%, between about 60% and about 95%, between about 70% and about 80%, or between about 75% and about 80%,
- vi) the  $\Delta 5$ -desaturase converts ETA to EPA in the cell with an efficiency of at least about 60%, at least about 70%, at least about 75%, at least about 80%, at least about 90%, between about 60% and about 95%, between about 70% and about 95%, or between about 75% and about 95%,
- vii) the  $\Delta 5$ -elongase converts EPA to DPA in the cell with an efficiency of at least about 80%, at least about 85%, at least about 90%, between about 50% and about 90%, or between about 85% and about 95%,
- viii) the  $\Delta 4$ -desaturase converts DPA to DHA in the cell with an efficiency of at least about 80%, at least about 90%, at least about 93%, between about 50% and about 95%, between about 80% and about 95%, or between about 85% and about 95%,
- ix) the efficiency of conversion of oleic acid to DHA in the cell is at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 10% and about 30%, or between about 10% and about 25%,
- x) the efficiency of conversion of LA to DHA in the cell is at least about 15%, at least about 20%, at least about 22%, at least about 25%, between about 15% and about 50%, between about 20% and about 40%, or between about 20% and about 30%,
- xi) the efficiency of conversion of ALA to DHA in the cell is at least about 17%, at least about 22%, at least about 24%, between about 17% and about 55%, between about 22% and about 35%, or between about 24% and about 35%,
- xii) the cell comprises at least about 15%, at least about 20%, between about 15% and about 30%, or between about 22.5% and about 27.5%, more  $\omega 3$  fatty acids than corresponding cells lacking the exogenous polynucleotides,
- xiii) the  $\Delta 6$ -desaturase preferentially desaturates  $\alpha$ -linolenic acid (ALA) relative to linoleic acid (LA),
- xiv) the  $\Delta 6$ -elongase also has  $\Delta 9$ -elongase activity,
- xv) the  $\Delta 12$ -desaturase also has  $\Delta 15$ -desaturase activity,
- xvi) the  $\Delta 6$ -desaturase also has  $\Delta 8$ -desaturase activity,
- xvii) the  $\Delta 8$ -desaturase also has  $\Delta 6$ -desaturase activity or does not have  $\Delta 6$ -desaturase activity,
- xviii) the  $\Delta 15$ -desaturase also has  $\omega 3$ -desaturase activity on GLA,
- xix) the  $\omega 3$ -desaturase also has  $\Delta 15$ -desaturase activity on LA,
- xx) the  $\omega 3$ -desaturase desaturates both LA and/or GLA,
- xxi) the  $\omega 3$ -desaturase preferentially desaturates GLA relative to LA,
- xxii) the level of DHA in the cell is based on an efficiency of conversion of oleic acid to DHA in the cell of at least about 10%, at least about 15%, at least about 20%, between about 10% and about 50%, between about 15% and about 30%, or between about 20% and about 25%,
- xxiii) the level of DHA in the cell is based on an efficiency of conversion of LA to DHA in the cell of at least about 15%, at least about 20%, at least about 22%, between about 15% and about 60%, between about 20% and

about 40%, or between about 22% and about 30%,

xxiv) the level of DHA in the cell is based on an efficiency of conversion of ALA to DHA in the cell of at least about 17%, at least about 22%, at least about 24%, between about 17% and about 65%, between about 22% and about 35%, or between about 24% and about 35%,

xxx) one or more or all of the desaturases have greater activity on an acyl-CoA substrate than a corresponding acyl-PC substrate,

xxxi) the  $\Delta 6$ -desaturase has greater  $\Delta 6$ -desaturase activity on ALA than LA as fatty acid substrate,

xxxii) the  $\Delta 6$ -desaturase has greater  $\Delta 6$ -desaturase activity on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate,

xxxiii) the  $\Delta 6$ -desaturase has at least about a 2-fold greater  $\Delta 6$ -desaturase activity, at least 3-fold greater activity, at least 4-fold greater activity, or at least 5-fold greater activity, on ALA as a substrate compared to LA,

xxxiv) the  $\Delta 6$ -desaturase has greater activity on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate,

xxxv) the  $\Delta 6$ -desaturase has at least about a 5-fold greater  $\Delta 6$ -desaturase activity or at least 10-fold greater activity, on ALA-CoA as fatty acid substrate than on ALA joined to the *sn*-2 position of PC as fatty acid substrate,

xxxvi) the desaturase is a front-end desaturase,

xxxvii) the  $\Delta 6$ -desaturase has no detectable  $\Delta 5$ -desaturase activity on ETA.

6. The cell according to any one of claims 1 to 5, wherein the exogenous polynucleotides are covalently linked in a DNA molecule, such as a T-DNA molecule, integrated into the genome of the cell.

7. The cell according to any one of claims 1 to 6 which comprises at least two different, exogenous polynucleotides each encoding a  $\Delta 6$ -desaturase which have the same or different amino acid sequences.

8. A transgenic *Brassica napus* plant comprising one or more cells according to any one of claims 1 to 7.

9. A transgenic seed of a transgenic *Brassica napus* plant comprising one or more cells according to any one of claims 1 to 7.

10. A process for producing extracted plant lipid, comprising the steps of

i) obtaining seed of claim 9,

ii) extracting lipid from the seed; and

iii) optionally, purifying the lipid.

11. Lipid, or oil, produced by, or obtained from, using the process of claim 10, the cell according to any one of claims 1 to 7, the transgenic plant of claim 8, or the seed of claim 9.


12. Seedmeal obtained from seed of claim 9.

13. A method of producing a foodstuff for human or animal consumption, the method comprising mixing one or more of the lipid or oil of claim 11, the cell according to any one of claims 1 to 7, the transgenic plant of claim 8, the seed of claim 9, or the seedmeal of claim 12, with at least one other food ingredient.

14. Cosmetics, chemicals or foodstuffs for human or animal consumption, comprising one or more of the lipid or oil of claim 11, the cell according to any one of claims 1 to 7, the transgenic plant of claim 8, the seed of claim 9 or the seedmeal of claim 12.

15. The lipid or oil of claim 11, the cell according to any one of claims 1 to 7, the transgenic plant of claim 8, the seed of claim 9, the seedmeal of claim 12, or the foodstuff produced by the method of claim 13 for use in treating or preventing a condition which would benefit from a PUFA.

16. A process for producing ethyl esters of polyunsaturated fatty acids, the process comprising transesterifying triacylglycerols in lipid extracted from the seed of claim 9, thereby producing the ethyl esters.



## Figure 1




Figure 2









Figure 3



## Figure 4

**Figure 5**

**Figure 6**





**Figure 7**

**Figure 8**






**Figure 9**

**Figure 10**





## Figure 11





**Figure 12**

**Figure 13**





**Figure 14**

**Figure 15**




**Figure 16**






**Figure 17**

**Figure 18**



A)



B)




Figure 19




Figure 20




Figure 21



## EUROPEAN SEARCH REPORT

Application Number  
EP 17 16 8626

5

10

15

20

25

30

35

40

45

50

55

| DOCUMENTS CONSIDERED TO BE RELEVANT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                  |                                                              |                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|------------------------------------------------------------------------|
| Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Citation of document with indication, where appropriate, of relevant passages                                                                                                                                                                                                                                                                                                    | Relevant to claim                                            | CLASSIFICATION OF THE APPLICATION (IPC)                                |
| X,P                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | JAMES R. PETRIE ET AL: "Metabolic Engineering Plant Seeds with Fish Oil-Like Levels of DHA",<br>PLOS ONE,<br>vol. 7, no. 11,<br>7 November 2012 (2012-11-07), page e49165,<br>XP55350859,<br>DOI: 10.1371/journal.pone.0049165<br>* Page 4, right column;<br>figures 1, 5; table 1 *                                                                                             | 1-16                                                         | INV.<br>A23L33/12<br>C11C3/00<br>C12N15/52<br>C12N15/82<br>A01H5/10    |
| X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | JAMES R. PETRIE ET AL: "Metabolic Engineering Camelina sativa with Fish Oil-Like Levels of DHA",<br>PLOS ONE,<br>vol. 9, no. 1, 1 January 2012 (2012-01-01),<br>page e85061, XP55181995,<br>DOI: 10.1371/journal.pone.0085061<br>* figures 1, 8; table 1 *                                                                                                                       | 11-16                                                        |                                                                        |
| Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | -----<br>* figures 1, 8; table 1 *                                                                                                                                                                                                                                                                                                                                               | 1-10                                                         |                                                                        |
| X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | YASUHIRO ANDO ET AL: "Positional distribution of docosahexaenoic acid in triacyl-sn-glycerols of rotifers Brachionus plicatilis enriched with fish oil fatty acid ethyl esters",<br>AQUACULTURE RESEARCH,<br>vol. 35, no. 14,<br>1 November 2004 (2004-11-01), pages<br>1391-1394, XP55406768,<br>GB<br>ISSN: 1355-557X, DOI:<br>10.1111/j.1365-2109.2004.01162.x<br>* table 2 * | 11,13-15                                                     | TECHNICAL FIELDS<br>SEARCHED (IPC)<br><br>A23L<br>C11C<br>C12N<br>A01H |
| The present search report has been drawn up for all claims                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                  |                                                              |                                                                        |
| Place of search<br><b>Munich</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                  | Date of completion of the search<br><b>15 September 2017</b> | Examiner<br><b>Saunders, Thomas</b>                                    |
| CATEGORY OF CITED DOCUMENTS<br>X : particularly relevant if taken alone<br>Y : particularly relevant if combined with another document of the same category<br>A : technological background<br>O : non-written disclosure<br>P : intermediate document<br>T : theory or principle underlying the invention<br>E : earlier patent document, but published on, or after the filing date<br>D : document cited in the application<br>L : document cited for other reasons<br>& : member of the same patent family, corresponding document |                                                                                                                                                                                                                                                                                                                                                                                  |                                                              |                                                                        |

EPO FORM 1503 03.82 (P04C01)



## EUROPEAN SEARCH REPORT

 Application Number  
 EP 17 16 8626

5

10

15

20

25

30

35

40

45

50

55

| DOCUMENTS CONSIDERED TO BE RELEVANT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                             |                                                       |                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-----------------------------------------|
| Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Citation of document with indication, where appropriate, of relevant passages                                                                                                                                                                                                               | Relevant to claim                                     | CLASSIFICATION OF THE APPLICATION (IPC) |
| X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | YASUHIRO ANDO ET AL: "Lipids and Fatty Acids in Artemia Nauplii Enriched with Fish Oil Triacylglycerols Containing Docosahexaenoic Acid in Different Positional Distribution Patterns", FISHERIES SCIENCE, vol. 63, 1 January 1997 (1997-01-01), pages 605-609, XP55406774, * tables 1, 2 * | 11,13-15                                              |                                         |
| Y,D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | WO 2005/103253 A1 (COMMW SCIENT IND RES ORG [AU]; SINGH SURINDER PAL [AU]; ROBERT STANLEY) 3 November 2005 (2005-11-03) * page 14, paragraph 3; table 4 *                                                                                                                                   | 1-10                                                  |                                         |
| A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                             | 11-16                                                 |                                         |
| The present search report has been drawn up for all claims                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                             |                                                       | TECHNICAL FIELDS SEARCHED (IPC)         |
| Place of search<br>Munich                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                             | Date of completion of the search<br>15 September 2017 | Examiner<br>Saunders, Thomas            |
| CATEGORY OF CITED DOCUMENTS<br>X : particularly relevant if taken alone<br>Y : particularly relevant if combined with another document of the same category<br>A : technological background<br>O : non-written disclosure<br>P : intermediate document<br>T : theory or principle underlying the invention<br>E : earlier patent document, but published on, or after the filing date<br>D : document cited in the application<br>L : document cited for other reasons<br>& : member of the same patent family, corresponding document |                                                                                                                                                                                                                                                                                             |                                                       |                                         |

 1  
 EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 17 16 8626

5 This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

15-09-2017

| Patent document<br>cited in search report | Publication<br>date | Patent family<br>member(s) | Publication<br>date |
|-------------------------------------------|---------------------|----------------------------|---------------------|
| WO 2005103253 A1                          | 03-11-2005          | BR PI0510132 A             | 02-10-2007          |
|                                           |                     | CA 2563875 A1              | 03-11-2005          |
|                                           |                     | CA 2884237 A1              | 03-11-2005          |
|                                           |                     | EP 1756280 A1              | 28-02-2007          |
|                                           |                     | EP 2357243 A2              | 17-08-2011          |
|                                           |                     | EP 2357244 A2              | 17-08-2011          |
|                                           |                     | EP 2363492 A2              | 07-09-2011          |
|                                           |                     | US 2008268539 A1           | 30-10-2008          |
|                                           |                     | US 2011054198 A1           | 03-03-2011          |
|                                           |                     | US 2011201065 A1           | 18-08-2011          |
|                                           |                     | US 2012083615 A1           | 05-04-2012          |
|                                           |                     | US 2012215018 A1           | 23-08-2012          |
|                                           |                     | US 2014011247 A1           | 09-01-2014          |
|                                           |                     | US 2014314727 A1           | 23-10-2014          |
|                                           |                     | US 2017073712 A1           | 16-03-2017          |
|                                           |                     | WO 2005103253 A1           | 03-11-2005          |
| -----                                     |                     |                            |                     |

## REFERENCES CITED IN THE DESCRIPTION

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

## Patent documents cited in the description

- WO 04017467 A [0010]
- WO 2004071467 A [0010]
- WO 02081668 A [0137]
- WO 03078639 A [0137]
- WO 03093482 A [0137]
- WO 0159128 A [0137]
- WO 0208401 A2 [0137]
- WO 08128241 A [0137]
- WO 2010057246 A [0137] [0235] [0237] [0280] [0318] [0363] [0364] [0365]
- WO 06008099 A [0137]
- WO 2008054565 A [0141]
- WO 2005083053 A [0144]
- US 7211656 B [0144] [0151]
- WO 2008022963 A [0144]
- WO 2005 A, Sakuradani [0144]
- WO 2006019192 A [0144]
- WO 2004 A, Armbrust [0144]
- WO 2005012316 A [0144] [0151] [0390]
- US 5952544 A [0149]
- WO 200114538 A [0149]
- WO 2009016202 A [0151]
- WO 2003099216 A [0151]
- WO 2007133425 A [0151]
- WO 2007042510 A [0152]
- WO 2005103253 A [0157]
- US 2010088776 A [0157]
- EP 256223 A [0191]
- WO 8705327 A [0191]
- EP 275957 A [0191]
- WO 9102071 A [0191]
- EP 154204 A [0191]
- WO 9706269 A [0198]
- US 5608152 A [0200]
- WO 9845461 A [0200]
- US 5504200 A [0200]
- WO 9113980 A [0200]
- WO 9515389 A [0200]
- WO 9523230 A [0200]
- WO 9916890 A [0200]
- US 20070192902 A [0200]
- US 20030159173 A [0200]
- US 5362865 A [0201]
- US 5859347 A [0201]
- US 5177010 A [0223]
- US 5104310 A [0223]
- US 5004863 A [0223]
- US 5159135 A [0223]
- US 5451513 A [0225]
- US 5545818 A [0225]
- US 5877402 A [0225]
- US 5932479 A [0225]
- WO 9905265 A [0225]
- US 7879591 B [0379] [0380]
- US 61660392 B [0386] [0388]
- US 61663344 B [0386] [0388]
- US 61697676 B [0386] [0388]
- US 61782680 B [0386]

## Non-patent literature cited in the description

- **J. PERBAL.** A Practical Guide to Molecular Cloning. John Wiley and Sons, 1984 [0114]
- **J. SAMBROOK et al.** Molecular Cloning: A Laboratory Manual. Cold Spring Harbour Laboratory Press, 1989 [0114]
- **Essential Molecular Biology: A Practical Approach.** IRL Press, 1991, vol. 1 and 2 [0114]
- **DNA Cloning: A Practical Approach.** IRL Press, 1995, vol. 1-4 [0114]
- **Current Protocols in Molecular Biology.** Greene Pub. Associates and Wiley-Interscience, 1988 [0114]
- **Antibodies: A Laboratory Manual.** Cold Spring Harbour Laboratory, 1988 [0114]
- **Current Protocols in Immunology.** John Wiley & Sons [0114]
- **SAHA et al.** *Arachis hypogaea*, 2006 [0163]
- **NEEDLEMAN ; WUNSCH.** *GCG program*, 1970 [0166]
- **POUWELS et al.** Cloning Vectors: A Laboratory Manual. 1985 [0195]
- **WEISSBACH ; WEISSBACH.** Methods for Plant Molecular Biology. Academic Press, 1989 [0195]
- **GELVIN et al.** Plant Molecular Biology Manual. Kluwer Academic Publishers, 1990 [0195]
- **A. SLATER et al.** Plant Biotechnology - The Genetic Manipulation of Plants. Oxford University Press, 2003 [0221]
- **P. CHRISTOU ; H. KLEE.** Handbook of Plant Biotechnology. John Wiley and Sons, 2004 [0221]
- **KLEE et al.** Plant DNA Infectious Agents. Springer-Verlag, 1985, 179-203 [0223]

- **YANG et al.** Particle Bombardment Technology for Gene Transfer. Oxford Press, 1994 [0224]
- **WEISSBACH et al.** Methods for Plant Molecular Biology. Academic Press, 1988 [0227]
- **FEHR.** Breeding Methods for Cultivar Development. American Society of Agronomy, 1987 [0231]
- **ABBADI et al.** *Plant Cell*, 2004, vol. 16, 2734-2748 [0390]
- **ABBOTT et al.** *Science*, 1998, vol. 282, 2012-2018 [0390]
- **ABDULLAH et al.** *Biotech*, 1986, vol. 4, 1087 [0390]
- **AGABA et al.** *Marine Biotechnol.*, 2004, vol. 6, 251-261 [0390]
- **ALVAREZ et al.** *Theor Appl Genet*, 2000, vol. 100, 319-327 [0390]
- **ARMBRUST et al.** *Science*, 2004, vol. 306, 79-86 [0390]
- **ATTILA KERESZT et al.** *Nature Protocols*, 2007, vol. 2, 948-952 [0390]
- **BAUMBERGER et al.** *Curr. Biol.*, 2007, vol. 17, 1609-1614 [0390]
- **BAUMLEIN et al.** *Mol. Gen. Genet.*, 1991, vol. 225, 459-467 [0390]
- **BAUMLEIN et al.** *Plant J.*, 1992, vol. 2, 233-239 [0390]
- **BEAUDOIN et al.** *Proc. Natl. Acad. Sci. U.S.A.*, 2000, vol. 97, 6421-6426 [0390]
- **BECLIN et al.** *Curr. Biol.*, 2002, vol. 12, 684-688 [0390]
- **BERBERICH. et al.** *Plant Mol. Biol.*, 1998, vol. 36, 297-306 [0390]
- **BORTOLAMIOL et al.** *Curr. Biol.*, 2007, vol. 17, 1615-1621 [0390]
- **BROUN et al.** *Plant J.*, 1998, vol. 13, 201-210 [0390]
- **BROWN et al.** *Biochem J.*, 2002, vol. 364, 795-805 [0390]
- **CHAPMAN et al.** *Gen. Dev.*, 2004, vol. 18, 1179-1186 [0390]
- **CHEN et al.** *The Plant Cell*, 2004, vol. 16, 1302-1313 [0390]
- **CHENG et al.** *Plant Cell Rep.*, 1996, vol. 15, 653-657 [0390]
- **CHENG et al.** *Transgenic Res*, 2010, vol. 19, 221-229 [0390]
- **CHIKWAMBA et al.** *Proc. Natl. Acad. Sci. U.S.A.*, 2003, vol. 100, 11127-11132 [0390]
- **CHO et al.** *J. Biol. Chem.*, 1999, vol. 274, 471-477 [0390]
- **CHO et al.** *J. Biol. Chem.*, 1999, vol. 274, 37335-37339 [0390]
- **CLOUGH ; BEN.** *Plant J.*, 1998, vol. 16, 735-43 [0390]
- **COUTU et al.** *Transgenic Res.*, 2007, vol. 16, 771-781 [0390]
- **DAMUDE et al.** *Proc Natl Acad Sci USA*, 2006, vol. 103, 9446-9451 [0390]
- **DENIC ; WEISSMAN.** *Cell*, 2007, vol. 130, 663-677 [0390]
- **DOMERGUE et al.** *Eur. J. Biochem.*, 2002, vol. 269, 4105-4113 [0390]
- **DOMERGUE et al.** *J. Biol. Chem.*, 2003, vol. 278, 35115-35126 [0390]
- **DOMERGUE et al.** *Biochem. J. I*, 2005, vol. 389, 483-490 [0390]
- **DUNOYER et al.** *The Plant Cell*, 2004, vol. 16, 1235-1250 [0390]
- **ELLERSTROM et al.** *Plant Mol. Biol.*, 1996, vol. 32, 1019-1027 [0390]
- **FUJIMURA et al.** *Plant Tissue Culture Lett.*, 1985, vol. 2, 74 [0390]
- **FUKUNAGA.** *EMBO J.*, 2009, vol. 28, 545-55 [0390]
- **GAMEZ et al.** *Food Res International*, 2003, vol. 36, 721-727 [0390]
- **GARCIA-MAROTO et al.** *Lipids*, 2002, vol. 37, 417-426 [0390]
- **GIRKE et al.** *Plant J.*, 1998, vol. 15, 39-48 [0390]
- **GLICK et al.** *Proc. Natl. Acad. Sci. U.S.A.*, 2008, 105-157, 161 [0390]
- **GRANT et al.** *Plant Cell Rep.*, 1995, vol. 15, 254-258 [0390]
- **HALL et al.** *Proc. Natl. Acad. Sci. USA*, 1991, vol. 88, 9320-9324 [0390]
- **HAMILTON ; BAULCOMBE.** *Science*, 1999, vol. 286, 950-952 [0390]
- **HAMILTON et al.** *Gene*, 1997, vol. 200, 107-16 [0390]
- **HARAYAMA.** *Trends Biotechnol.*, 1998, vol. 16, 76-82 [0390]
- **HASTINGS et al.** *Proc. Natl. Acad. Sci. U.S.A.*, 2001, vol. 98, 14304-14309 [0390]
- **HINCHEE et al.** *Biotechnology*, 1988, vol. 6, 915-922 [0390]
- **HOFFMANN et al.** *J Biol. Chem.*, 2008, vol. 283, 22352-22362 [0390]
- **HONG et al.** *Lipids*, 2002, vol. 37, 863-868 [0390]
- **HORIGUCHI et al.** *Plant Cell Physiol.*, 1998, vol. 39, 540-544 [0390]
- **HORVATH et al.** *Proc. Natl. Acad. Sci. U.S.A.*, 2000, vol. 97, 1914-1919 [0390]
- **HUANG et al.** *Lipids*, 1999, vol. 34, 649-659 [0390]
- **INAGAKI et al.** *Biosci. Biotechnol. Biochem.*, 2002, vol. 66, 613-621 [0390]
- **JOHANSEN ; CARRINGTON.** *Plant Physiol.*, 2001, 126-930, 938 [0390]
- **KAJIKAWA et al.** *Plant Mol. Biol.*, 2004, vol. 54, 335-52 [0390]
- **KAJIKAWA et al.** *FEBS Lett*, 2006, vol. 580, 149-154 [0390]
- **KIM et al.** *Plant Cell.*, 2005, 1073-89 [0390]
- **KNUTZON et al.** *J. Biol. Chem.*, 1998, vol. 273, 29360-6 [0390]
- **KOZIEL et al.** *Plant Mol. Biol.*, 1996, vol. 32, 393-405 [0390]
- **LASSNER.** *Plant Physiol.*, 1995, vol. 109, 1389-94 [0390]



- **LEONARD et al.** *Biochem. J.*, 2000, vol. 347, 719-724 [0390]
- **LEONARD et al.** *Biochem. J.*, 2000, vol. 350, 765-770 [0390]
- **LEONARD et al.** *Lipids*, 2002, vol. 37, 733-740 [0390]
- **LEWSEY et al.** *Plant J.*, 2007, vol. 50, 240-252 [0390]
- **LO et al.** *Genome Res.*, 2003, vol. 13, 455-466 [0390]
- **LU ; KANG.** *Plant Cell Rep.*, 2008, vol. 27, 273-8 [0390]
- **MALLORY et al.** *Nat. Biotech.*, 2002, vol. 20, 622-625 [0390]
- **MARANGONI et al.** *Trends in Food Sci. Technol.*, 1995, vol. 6, 329-335 [0390]
- **MEESAPYODSUK et al.** *J Biol Chem*, 2007, vol. 282, 20191-20199 [0390]
- **MENG et al.** *J. Gen. Virol.*, 2008, vol. 89, 2349-2358 [0390]
- **MEYER et al.** *Biochem.*, 2003, vol. 42, 9779-9788 [0390]
- **MEYER et al.** *Lipid Res*, 2004, vol. 45, 1899-1909 [0390]
- **MICHAELSON et al.** *J. Biol. Chem.*, 1998, vol. 273, 19055-19059 [0390]
- **MICHAELSON et al.** *FEBS Lett.*, 1998, vol. 439, 215-218 [0390]
- **MURASHIGE ; SKOOG.** *Physiologia Plantarum*, 1962, vol. 15, 473-497 [0390]
- **NAPIER et al.** *Biochem. J.*, 1998, vol. 330, 611-614 [0390]
- **NEEDLEMAN ; WUNSCH.** *J. Mol. Biol.*, 1970, vol. 48, 443-453 [0390]
- **NIEDZ et al.** *Plant Cell Reports*, 1995, vol. 14, 403 [0390]
- **OW et al.** *Science*, 1986, vol. 234, 856-859 [0390]
- **PARKER-BARNES et al.** *Proc. Natl. Acad. Sci. USA*, 2000, vol. 97, 8284-8289 [0390]
- **PEREIRA et al.** *Biochem. J.*, 2004, vol. 378, 665-671 [0390]
- **PEREIRA et al.** *Biochem. J.*, 2004, vol. 384, 357-366 [0390]
- **PERRIN et al.** *Mol Breed*, 2000, vol. 6, 345-352 [0390]
- **PETRIE et al.** *Metab. Eng.*, 2010, vol. 12, 233-240 [0390]
- **PETRIE et al.** *Plant Methods*, 2010, vol. 11 (6), 8 [0390]
- **PETRIE et al.** *Transgenic Res.*, 2012, vol. 21, 139-147 [0390]
- **POTENZA et al.** *In Vitro Cell Dev Biol - Plant*, 2004, vol. 40, 1-22 [0390]
- **PRASHER et al.** *Biochem. Biophys. Res. Commun.*, 1985, vol. 127, 31-36 [0390]
- **QI et al.** *FEBS Lett.*, 2002, vol. 510, 159-165 [0390]
- **QI et al.** *Nat. Biotech.*, 2004, vol. 22, 739-745 [0390]
- **QIU et al.** *J. Biol. Chem.*, vol. 276, 31561-31566 [0390]
- **REDDY ; THOMAS.** *Nat. Biotech.*, 1996, vol. 14, 639-642 [0390]
- **REDDY et al.** *Plant Mol. Biol.*, 1993, vol. 22, 293-300 [0390]
- **ROBERT et al.** *Func. Plant Biol.*, 2005, vol. 32, 473-479 [0390]
- **ROBERT et al.** *Marine Biotech*, 2009, vol. 11, 410-418 [0390]
- **RUIZ-LOPEZ et al.** *Transgenic Res.*, 2012, vol. 21, 139-147 [0390]
- **SAHA et al.** *Plant Physiol.*, 2006, vol. 141, 1533-1543 [0390]
- **SAITO et al.** *Eur. J. Biochem.*, 2000, vol. 267, 1813-1818 [0390]
- **SAKURADANI et al.** *Gene*, 1999, vol. 238, 445-453 [0390]
- **SATO et al.** *Crop Sci.*, 2004, vol. 44, 646-652 [0390]
- **SAKURADANI et al.** *Appl. Microbiol. Biotechnol.*, 2005, vol. 66, 648-654 [0390]
- **SAYANOVA et al.** *J Biol Chem*, 2006, vol. 281, 36533-36541 [0390]
- **SAYANOVA et al.** *Proc. Natl. Acad. Sci. U.S.A.*, vol. 94, 4211-4216 [0390]
- **SAYANOVA et al.** *FEBS Lett.*, 2003, vol. 542, 100-104 [0390]
- **SAYANOVA et al.** *Planta*, 2006, vol. 224, 1269-1277 [0390]
- **SAYANOVA et al.** *Plant Physiol*, 2007, vol. 144, 455-467 [0390]
- **SINGH et al.** *Curr. Opin. in Plant Biol.*, 2005, vol. 8, 197-203 [0390]
- **SPERANZA et al.** *Process Biochemistry*. In Press, 2012 [0390]
- **SPERLING et al.** *Eur. J. Biochem.*, 2000, vol. 267, 3801-3811 [0390]
- **SPERLING et al.** *Arch. Biochem. Biophys.*, 2001, vol. 388, 293-8 [0390]
- **SPRECHER et al.** *J. Lipid Res.*, 1995, vol. 36, 2471-2477 [0390]
- **SPYCHALLA et al.** *Proc. Natl. Acad. Sci. U.S.A.*, 1997, vol. 94, 1142-1147 [0390]
- **STALKER et al.** *J. Biol. Chem.*, 1998, vol. 263, 6310-6314 [0390]
- **THILLET et al.** *J. Biol. Chem*, 1988, vol. 263, 12500-12508 [0390]
- **TONON et al.** *FEBS Lett.*, 2003, vol. 553, 440-444 [0390]
- **TORIYAMA et al.** *Theor. Appl. Genet.*, 1986, vol. 205, 34 [0390]
- **TRAUTWEIN.** *European J. Lipid Sci. and Tech.*, 2001, vol. 103, 45-55 [0390]
- **TVRDIK.** *J. Cell Biol.*, 2000, vol. 149, 707-718 [0390]
- **VENEGAS-CALERON et al.** *Prog. Lipid Res.*, 2010, vol. 49, 108-119 [0390]
- **VOINNET et al.** *Plant J.*, 2003, vol. 33, 949-956 [0390]
- **WALLIS ; BROWSE.** *Arch. Biochem. Biophys.*, 1999, vol. 365, 307-316 [0390]

- **WATTS ; BROWSE.** *Arch. Biochem. Biophys.*, 1999, vol. 362, 175-182 **[0390]**
- **WEISS et al.** *Int. J. Med. Microbiol.*, 2003, vol. 293 (95), 106 **[0390]**
- **WHITNEY et al.** *Planta*, 2003, vol. 217, 983-992 **[0390]**
- **WINANS.** *J. Bacteriol.*, 1988, vol. 170, 4047-54 **[0390]**
- **WOOD.** *Plant Biotechnol J.*, 2009, vol. 7, 914-24 **[0390]**
- **WU et al.** *Nat. Biotech.*, 2005, vol. 23, 1013-1017 **[0390]**
- **YANG et al.** *Planta*, 2003, vol. 216, 597-603 **[0390]**
- **ZANK et al.** *Plant J.*, 2002, vol. 31, 255-268 **[0390]**
- **ZHANG et al.** *FEBS Lett.*, 2004, vol. 556, 81-85 **[0390]**
- **ZHANG et al.** *FEBS Letters*, 2007, vol. 581, 315-319 **[0390]**
- **ZHANG et al.** *Yeast*, 2008, vol. 25, 21-27 **[0390]**
- **ZHOU et al.** *Phytochem.*, 2007, vol. 68, 785-796 **[0390]**
- **ZHOU et al.** *Insect Mol Biol*, 2008, vol. 17, 667-676 **[0390]**
- **ZOU et al.** *Plant Cell*, 1997, vol. 9, 909-23 **[0390]**

## 摘要

本發明涉及在重組植物細胞中合成長鏈多不飽和脂肪酸，尤其是二十二碳六烯酸的方法。