



US00D843099S

(12) **United States Design Patent**
Bunch

(10) **Patent No.:** **US D843,099 S**

(45) **Date of Patent:** **** Mar. 19, 2019**

- (54) **TRACTION DEVICE**
- (71) Applicant: **Kahtoola, Inc.**, Flagstaff, AZ (US)
- (72) Inventor: **Christopher Bunch**, Flagstaff, AZ (US)
- (73) Assignee: **KAHTOOLA, INC.**, Flagstaff, AZ (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/512,443**
- (22) Filed: **Dec. 18, 2014**
- (51) **LOC (11) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/962**
- (58) **Field of Classification Search**
USPC D2/896, 909, 910, 911, 914, 915, 946,
D2/962, 963; 36/83, 88, 89, 91, 92, 96,
36/124, 132, 136, 58.5, 58.6, 68, 69,
36/59 R, 61.62, 64, 65, 66, 67 R, 67 B,
36/67 C, 67 D, 59 C, 70 R
CPC A43C 15/00; A43C 15/005; A43C 15/02;
A43C 15/04; A43C 15/06; A43C 15/061;
A43C 15/063; A43C 15/065; A43C
15/066; A43C 15/068; A43C 15/08; A43C
15/09; A43C 15/10; A43C 15/12; A43C
15/14; A43C 13/00; A43C 13/02; A43C
13/06; A43C 13/08; A43C 13/10; A43C
13/12
See application file for complete search history.

2,166,958 A *	7/1939	Lawson	A43C 15/063
				36/62
2,170,691 A *	8/1939	Mutter	A43C 15/06
				36/59 R
2,685,141 A *	8/1954	Davenport	A43C 15/02
				280/11.3
3,214,850 A *	11/1965	McNair	A43C 15/06
				36/62
3,229,389 A *	1/1966	Adams	A43C 15/06
				36/62
D293,160 S *	12/1987	Le Droit	D2/962
D299,285 S *	1/1989	Watson	D2/962
D313,111 S *	12/1990	McKinstry	D2/962
D368,359 S *	4/1996	O'Grady	D2/910
D376,255 S *	12/1996	Ehmann	D2/962
D559,515 S *	1/2008	Norton	D2/962
D559,516 S *	1/2008	Norton	D2/962
D628,372 S *	12/2010	Bell	D2/906
D670,491 S *	11/2012	Ko	D2/962
D747,597 S *	1/2016	Raisanen	D2/962

* cited by examiner

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(57) **CLAIM**

The ornamental design for a traction device, as shown and described.


DESCRIPTION

FIG. 1 is a front top perspective view of a traction device showing my design attached to a shoe in broken lines; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a side view thereof; FIG. 5 is another side view thereof; FIG. 6 is a front view thereof; and, FIG. 7 is a back view thereof.

The broken lines shown in the drawings represent portions of the traction device that form no part of the claimed design. All surfaces not shown form no part of the claimed design.

1 Claim, 7 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
1,386,028 A * 8/1921 Roe A43C 15/06
36/7.6
1,437,376 A * 11/1922 Young E06C 7/18
36/7.5
2,075,229 A * 3/1937 Rose A43B 5/08
15/227






FIG. 1

FIG. 2




FIG. 3





FIG. 4






FIG. 6




FIG. 7

