

[54] **HANDLE FOR CURLING IRON**

- [75] **Inventor: Chi M. Chui, North Point, Hong Kong**  
[73] **Assignee: Well Treasure Ind. Ltd., Kwun Tong, Hong Kong**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 323,992**  
[22] **Filed: Mar. 15, 1989**

[30] **Foreign Application Priority Data**

- Sep. 15, 1988 [GB] United Kingdom ..... 1053560  
[52] **U.S. Cl. .... D28/35**  
[58] **Field of Search ..... D28/35, 38; 132/117, 132/118, 212, 229-232, 269, 271-272; 219/222-225**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- 4,354,092 10/1982 Manabe et al. .... 219/225  
4,567,905 2/1986 Stewart et al. .... 132/212  
4,857,702 8/1989 Cafaro ..... 219/225

**OTHER PUBLICATIONS**

Best: 1986-7 Cat., p. 211, bottom #26.  
Hong Kong Enterprise 11/86, p. 337: #HB-88 on bottom left.  
Hong Kong Enterprise 11/87, p. 213: top right; middle curling brush.


*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—C. Tuttle  
*Attorney, Agent, or Firm*—Burns, Doane, Swecker & Mathis

**CLAIM**


[57] The ornamental design for a handle for curling iron, as shown and described.

**DESCRIPTION**


FIG. 1 is a front elevational view of a handle for a curling iron showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; and FIG. 7 is a perspective view thereof.





*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*FIG. 6*



*FIG. 7*