



US00D602425S

(12) **United States Design Patent**
Guspodin et al.

(10) **Patent No.:** **US D602,425 S**
(45) **Date of Patent:** **** Oct. 20, 2009**

(54) **TIRE TREAD**

(75) Inventors: **James G. Guspodin**, Akron, OH (US);
Scott H. Smith, New Haven, CT (US);
Francis C. Hausz, Wadsworth, OH (US)

(73) Assignee: **Bridgestone Corporation** (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/323,453**

(22) Filed: **Aug. 26, 2008**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/602**

(58) **Field of Classification Search** D12/568,
D12/581-603, 900-901; 152/209.1, 209.8-209.18,
152/209.25-209.28, 455

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D269,005 S	5/1983	Hammond et al.	
D313,383 S	1/1991	Enoki	
D332,767 S	1/1993	Tsuda et al.	
D344,477 S	2/1994	Lardo	
D379,785 S	6/1997	Galante et al.	
D380,711 S	7/1997	McKisson	
D384,615 S	10/1997	Lim et al.	
D403,632 S *	1/1999	Guspodin et al.	D12/603
D416,523 S *	11/1999	Guspodin et al.	D12/603
D421,416 S *	3/2000	Edwards et al.	D12/603
D446,480 S *	8/2001	Guspodin et al.	D12/603
D446,754 S *	8/2001	Guspodin et al.	D12/603
D447,448 S	9/2001	Guspodin	
D456,767 S	5/2002	Willet et al.	
D457,127 S	5/2002	Warchol	
D458,212 S	6/2002	Guspodin	
D458,587 S *	6/2002	Shimizu et al.	D12/603
D458,899 S	6/2002	Nopper et al.	

D475,010 S	5/2003	Takei et al.	
D480,681 S	10/2003	Fukunaga	
D484,457 S *	12/2003	Kindig et al.	D12/603
D490,367 S *	5/2004	Kindig et al.	D12/602
D490,369 S *	5/2004	Lassan et al.	D12/603
D491,887 S *	6/2004	Lassan et al.	D12/603
D492,933 S *	7/2004	Lassan et al.	D12/602
D500,732 S	1/2005	Lo	
D514,504 S	2/2006	Robert	
D527,339 S	8/2006	Lassan et al.	
D534,117 S	12/2006	Welbes et al.	
D537,033 S *	2/2007	Dumigan et al.	D12/602
D537,407 S *	2/2007	Dumigan et al.	D12/602
D547,717 S	7/2007	Yamane et al.	

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Thomas R. Kingsbury

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;



FIG. 2 is a front elevational view thereof,

FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The broken lines defining the tire sidewall, inner bead, and the peripheral boundary between the claimed tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4