

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
2 October 2003 (02.10.2003)

PCT

(10) International Publication Number
WO 03/081780 A2

(51) International Patent Classification⁷: **H03M**
(21) International Application Number: PCT/US03/08010
(22) International Filing Date: 18 March 2003 (18.03.2003)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
60/366,196 21 March 2002 (21.03.2002) US
60/366,292 21 March 2002 (21.03.2002) US
10/384,328 7 March 2003 (07.03.2003) US

(71) Applicant: **DOCOMO COMMUNICATIONS LABORATORIES USA, INC.** [US/US]; 181 Metro Drive, Suite 300, San Jose, CA 95110 (US).

(72) Inventors: **GENTRY, Craig, B.**; 708 Muir Drive, Mountain View, CA 94041 (US). **SILVERBERG, Alice**; 181 Metro Drive, Suite 300, San Jose, CA 95110 (US).

(74) Agent: **HORIE, Tadashi**; Brinks Hofer Gilson & Lione, P.O. Box 10087, Chicago, IL 60610 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HIERARCHICAL IDENTITY-BASED ENCRYPTION AND SIGNATURE SCHEMES

(57) Abstract: Methods are provided for encoding and decoding a digital message between a sender and a recipient in a system including a plurality of private key generators ("PKGs"). The PKGs include at least a root PKG and n lower-level PKG in the hierarchy between the root PKG and the recipient. A root key generation secret is selected and is known only to the root PKG. A root key generation parameter is generated based on the root key generation secret. A lower-level key generation secret is selected for each of the n lower-level PKGs, wherein each lower-level key generation secret is known only to its associated lower-level PKG. A lower-level key generation parameter also is generated for each of the n lower-level PKGs using at least the lower-level key generation secret for its associated lower-level private key generator. The message is encoded to form a ciphertext using at least the root key generation parameter and recipient identity information associated with the recipient. A recipient private key is generated such that the recipient private key is related to at least the root key generation secret, one or more of the n lower-level key generation secrets, and the recipient identity information. The ciphertext is decoded to recover the message using at least the recipient private key.



WO 03/081780 A2

HIERARCHICAL IDENTITY-BASED ENCRYPTION AND SIGNATURE SCHEMES

RELATED APPLICATIONS

[1] Applicants hereby claim priority under 35 U.S.C. § 119(e) to provisional U.S. patent applications Ser. No. 60/366,292, filed on March 21, 2002, and Ser. No. 60/366,196, filed on March 21, 2002, both of which are incorporated herein by reference.

BACKGROUND OF THE INVENTION

[2] The present invention relates in general to cryptography and secure communication via computer networks or via other types of systems and devices, and more particularly to hierarchical, identity-based schemes for encrypting and decrypting communications.

[3] Roughly speaking, identity-based cryptosystems are public key cryptosystems in which the public key of an entity is derived from information associated with the entity's identity. For instance, the identity information may be personal information (*i.e.*, name, address, email address, etc.), or computer information (*i.e.*, IP address, etc.). However, identity information may include not only information that is strictly related to an entity's identity, but also widely available information such as the time or date. That is, the importance of the concept of identity information is not its strict relation to the entity's identity, but that the information is readily available to anyone who wishes to encrypt a message to the entity.

[4] An entity's private key is generated and distributed by a trusted party or logical process, typically known as a private key generator ("PKG"). The PKG uses a master secret to generate private keys. Because an entity's public key may be derived from its identity, when Alice wants to send a message to Bob, she does not need to retrieve Bob's public key from a database. Instead, Alice merely derives the key directly from Bob's identifying information. Databases of public keys are unnecessary. Certificate

authorities ("CAs") also are unnecessary. There is no need to "bind" Bob's identity to his public key because his identity is his public key.

[5] The concept of identity-based cryptosystems is not new. It was proposed in A. Shamir, *Identity-Based Cryptosystems and Signatures Schemes*, ADVANCES IN CRYPTOGRAPHY — CRYPTO '84, Lecture Notes in Computer Science 196 (1984), Springer, 47-53. However, practical identity-based encryption schemes have not been found until recently. For instance, identity-based schemes were proposed in C. Cocks, *An Identity-Based Encryption Scheme Based on Quadratic Residues*, available at <http://www.cesg.gov.uk/technology/id-pkc/media/ciren.pdf>; D. Boneh, M. Franklin, *Identity Based Encryption from the Weil Pairing*, ADVANCES IN CRYPTOLOGY — CRYPTO 2001, Lecture Notes in Computer Science 2139 (2001), Springer, 213-229; and D. Boneh, M. Franklin, *Identity Based Encryption from the Weil Pairing* (extended version), available at <http://www.cs.stanford.edu/~dabo/papers/ibe.pdf>. Cocks's scheme is based on the "Quadratic Residuosity Problem," and although encryption and decryption are reasonably fast (about the speed of RSA), there is significant message expansion (*i.e.*, the bit-length of the ciphertext is many times the bit-length of the plaintext). The Boneh-Franklin scheme bases its security on the "Bilinear Diffie-Hellman Problem," and it is quite fast and efficient when using Weil or Tate pairings on supersingular elliptic curves or abelian varieties.

[6] However, the known identity-based encryption schemes have a significant shortcoming—they are not hierarchical. In non-identity-based public key cryptography, it has been possible to have a hierarchy of CAs in which the root CA can issue certificates for other CAs, who in turn can issue certificates for users in particular domains. This is desirable because it reduces the workload on the root CA. A practical hierarchical scheme for identity-based cryptography has not been developed.

[7] Ideally, a hierarchical identity-based encryption scheme would involve a hierarchy of logical or actual PKGs. For instance, a root PKG may issue private keys to other PKGs, who in turn would issue private keys to users in particular domains. It also would be possible to send an encrypted communication without an online lookup of the recipient's public key or lower-

-3-

level public parameters, even if the sender is not in the system at all, as long as the sender obtained the public parameters of the root PKG. Another advantage of a hierarchical identity-based encryption scheme would be damage control. For instance, disclosure of a domain PKG's secret would not compromise the secrets of higher-level PKGs, or of any other PKGs that are not direct descendants of the compromised domain PKG. The schemes taught by Cocks and Boneh-Franklin do not have these properties.

[8] A secure and practical hierarchical identity-based encryption scheme has not been developed. A hierarchical identity-based key sharing scheme with partial collusion-resistance is given in G. Hanaoka, T. Nishioaka, Y. Zheng, H. Imai, *An Efficient Hierarchical Identity-Based Key-Sharing Method Resistant Against Collusion Attacks*, ADVANCES IN CRYPTOGRAPHY—ASIACRYPT 1999, Lecture Notes in Computer Science 1716 (1999), Springer 348-362; and G. Hanaoka, T. Nishioaka, Y. Zheng, H. Imai, *A Hierarchical Non-Interactive Key-Sharing Scheme With Low Memory Size and High Resistance Against Collusion Attacks*, to appear in THE COMPUTER JOURNAL. In addition, an introduction to hierarchical identity-based encryption was provided in J. Horwitz, B. Lynn, *Toward Hierarchical Identity-Based Encryption*, to appear in ADVANCES IN CRYPTOGRAPHY—EUROCRYPT 2002, Lecture Notes in Computer Science. Springer. Horwitz and Lynn proposed a two-level hierarchical scheme with total collusion-resistance at the first level and partial collusion-resistance at the second level (*i.e.*, users can collude to obtain the secret of their domain PKG and thereafter masquerade as that domain PKG). However, the complexity of the Horwitz-Lynn system increases with the collusion-resistance at the second level, and therefore that scheme cannot be both practical and secure.

[9] Accordingly, there has been a need for a secure and practical hierarchical identity-based encryption scheme. It is therefore an object of the present invention to provide a secure and practical hierarchical identity-based encryption scheme. It is another object of the present invention to provide a secure and practical hierarchical identity-based signature scheme. It is a further object of the present invention that the encryption and signature schemes be fully scalable. It is a still further object of the present invention

that the encryption and signature schemes have total collusion resistance on an arbitrary number of levels, and that they have chosen-ciphertext security in the random oracle model.

BRIEF SUMMARY OF THE PREFERRED EMBODIMENTS

[10] In accordance with the present invention, methods are provided for implementing secure and practical hierarchical identity-based encryption and signature schemes.

[11] According to one aspect of the present invention, a method is provided for encoding and decoding a digital message between a sender and a recipient in a system including a plurality of private key generators ("PKGs"). The PKGs include at least a root PKG and n lower-level PKG in the hierarchy between the root PKG and the recipient, wherein $n \geq 1$. A root key generation secret is selected and is known only to the root PKG. A root key generation parameter is generated based on the root key generation secret. A lower-level key generation secret is selected for each of the n lower-level PKGs, wherein each lower-level key generation secret is known only to its associated lower-level PKG. A lower-level key generation parameter also is generated for each of the n lower-level PKGs using at least the lower-level key generation secret for its associated lower-level private key generator. The message is encoded to form a ciphertext using at least the root key generation parameter and recipient identity information. A recipient private key is generated such that the recipient private key is related to at least the root key generation secret, one or more of the n lower-level key generation secrets associated with the n lower-level PKGs in the hierarchy between the root PKG and the recipient, and the recipient identity information. The ciphertext is decoded to recover the message using at least the recipient private key.

[12] According to another aspect of the present invention, a method is provided for encoding and decoding a digital message between a sender and a recipient in a system including a plurality of private key generators ("PKGs"). The PKGs include at least a root PKG, m lower-level PKGs in the

hierarchy between the root PKG and the sender, wherein $m \geq 1$, n lower-level PKG in the hierarchy between the root PKG and the recipient, wherein $n \geq 1$, and PKG_l , which is a common ancestor PKG to both the sender and the recipient. In the hierarchy, l of the m private key generators are common ancestors to both the sender and the recipient, wherein $l \geq 1$.

[13] According to this aspect of the invention, a lower-level key generation secret is selected for each of the m lower-level PKGs in the hierarchy between the root PKG and the sender. A sender private key is generated such that the sender private key is related to at least the root key generation secret, one or more of the m lower-level key generation secrets associated with the m lower-level PKGs in the hierarchy between the root PKG and the sender, and sender identity information. A recipient private key is generated such that the recipient private key is related to at least the root key generation secret, one or more of the n lower-level key generation secrets associated with the n lower-level PKGs in the hierarchy between the root PKG and the recipient, and recipient identity information. The message is encoded using at least the recipient identity information, the sender private key, and zero or more of the lower-level key generation parameters associated with the $(m - l + 1)$ private key generators at or below the level of the common ancestor PKG_l , but not using any of the lower-level key generation parameters that are associated with the $(l - 1)$ PKGs above the common ancestor PKG_l . The message is decoded using at least the sender identity information, the recipient private key, and zero or more of the lower-level key generation parameters associated with the $(n - l + 1)$ private key generators at or below the level of the common ancestor PKG_l , but not using any of the lower-level key generation parameters that are associated with the $(l - 1)$ PKGs above the common ancestor PKG_l .

[14] According to another aspect of the present invention, a method is provided for generating and verifying a digital signature of a message between a sender and a recipient in a system including a plurality of PKGs. The PKGs include at least a root PKG and n lower-level PKG in the hierarchy between the root PKG and the sender, wherein $n \geq 1$. A root key generation secret is selected and is known only to the root PKG. A root key generation

-6-

parameter is generated based on the root key generation secret. A lower-level key generation secret is selected for each of the n lower-level PKGs, wherein each lower-level key generation secret is known only to its associated lower-level PKG. A lower-level key generation parameter also is generated for each of the n lower-level PKGs using at least the lower-level key generation secret for its associated lower-level private key generator. A private key is generated for the sender such that the private key is related to at least the root key generation secret and sender identity information. The message is signed to generate the digital signature using at least the sender private key. The digital message is verified using at least the root key generation parameter and the sender identity information.

BRIEF DESCRIPTION OF THE DRAWINGS

[15] The subsequent description of the preferred embodiments of the present invention refers to the attached drawings, wherein:

[16] **FIG. 1** shows a flow diagram illustrating a method of encoding and decoding a digital message according to one presently preferred embodiment of the invention;

[17] **FIG. 2** shows a flow diagram illustrating a method of encoding and decoding a digital message between a sender y and a recipient z according to another presently preferred embodiment of the invention;

[18] **FIG. 3** shows a block diagram illustrating a typical hierarchical structure in which this method of **FIG. 2** may be performed;

[19] **FIG. 4** shows a flow diagram illustrating a method of encoding and decoding a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention;

[20] **FIG. 5** shows a flow diagram illustrating a method of encoding and decoding a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention;

-7-

[21] FIG. 6 shows a flow diagram illustrating a method of encoding and decoding a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention;

[22] FIG. 7 shows a flow diagram illustrating a method of generating and verifying a digital signature according to another presently preferred embodiment of the invention;

[23] FIG. 8 shows a flow diagram illustrating a method of generating and verifying a digital signature Sig of a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention; and

[24] FIG. 9 shows a flow diagram illustrating a method of generating and verifying a digital signature Sig of a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[25] The presently preferred methods of the invention provide secure and practical hierarchical identity-based encryption ("HIDE") and signature ("HIDS") schemes. The hierarchical schemes are fully scalable, have total collusion resistance on an arbitrary number of levels, and have chosen-ciphertext security in the random oracle model. These objectives are achieved, in part, by introducing additional random information at each of the lower-level PKGs. One intuitively surprising aspect of these schemes is that, even though lower level PKGs generate additional random information, this does not necessitate adding public parameters below the root level of the hierarchy. In addition, the random information generated by a lower-level PKG does not adversely affect the ability of users not under the lower-level PKG to send encrypted communications to users under the lower-level PKG.

[26] Each of the HIDE and HIDS schemes of the present invention requires a hierarchical structure of PKGs, including at least one root PKG and a plurality of lower-level PKGs. The hierarchy and the lower-level PKGs may

be logical or actual. For instance, a single entity may generate both a root key generation secret and the lower-level key generation secrets from which lower-level users' encryption or signature keys are generated. In this case, the lower-level PKGs are not separate entities, but are merely processes or information arranged in a logical hierarchy and used to generate keys for descendent PKGs and users in the hierarchy. Alternatively, each lower-level PKG may be a separate entity. Another alternative involves a hybrid of actual and logical lower-level PKGs. For purposes of this disclosure, the term "lower-level PKG" will be used generically to refer to any of these alternatives.

[27] In the context of the hierarchical identity-based cryptosystems disclosed herein, identity-based public keys may be based on time periods. For instance, a particular recipient's identity may change with each succeeding time period. Alternatively, a recipient may arrange the time periods as children or descendents of itself in a hierarchy, and a sender would use the identity of the proper time period when encoding the message. Either way, each key may be valid for encrypting messages to Bob only during the associated time period.

[28] The HIDE schemes of the present invention generally include five randomized algorithms: Root Setup, Lower-level Setup, Extraction, Encryption, and Decryption. Three of these algorithms rely upon the identities of the relevant entities in the hierarchy. Each user preferably has a position in the hierarchy that may be defined by its tuple of IDs: (ID_1, \dots, ID_t) . The user's ancestors in the hierarchy are the root PKG and the users, or PKGs, whose ID-tuples are $\{(ID_1, \dots, ID_i) : 1 \leq i \leq (t-1)\}$. The ID-tuples preferably are represented as binary strings for purposes of computations.

[29] In the Root Setup algorithm, the root PKG uses a security parameter k to generate public system parameters *params* and a root key generation secret. The system parameters include a description of the message space M and the ciphertext space X . The system parameters will be publicly available, while only the root PKG will know the root key generation secret.

[30] In the Lower-level Setup algorithm, each lower-level PKG preferably generates its own lower-level key generation secret for purposes of

extraction. Alternatively, a lower-level PKG may generate random one-time secrets for each extraction.

[31] In the Extraction algorithm, a PKG (whether the root PKG or a lower-level PKG) generates a private key for any of its children. The private key is generated using the system parameters, the generating PKG's private key, and any other preferred secret information.

[32] In the Encryption algorithm, a sender receives the system parameters from the root PKG, preferably via some secure means outside the present system. It is not necessary for the sender to receive any of the lower-level key generation parameters. The sender encodes a message M to generate a ciphertext C using *params* and the ID-tuple of the intended recipient. Conversely, in the Decryption algorithm, the recipient decodes the ciphertext C to recover the message M using *params* and the recipient's private key d . Encryption and decryption preferably satisfy the standard consistency constraint:

$$\forall M : \text{Decryption}(\text{params}, d, C) = M$$

$$\text{where } C = \text{Encryption}(\text{params}, \text{ID-tuple}, M).$$

[33] Like the HIDE schemes, the HIDS schemes of the present invention also generally include five randomized algorithms: Root Setup, Lower-level Setup, Extraction, Signing, and Verification. For Root Setup, the system parameters are supplemented to include a description of the signature space Σ . Lower-level Setup and Extraction preferably are the same as for HIDE, as described above.

[34] In the Signing algorithm, the sender of a digital message signs the message M to generate a signature S using *params* and the sender's private key d . In the Verification algorithm, the recipient of the signed message verifies the signature S using *params* and the ID-tuple of the sender. The Verification algorithm preferably outputs "valid" or "invalid". Signing and Verification also preferably satisfies a consistency constraint:

$$\forall M : \text{Verification}(\text{params}, \text{ID-tuple}, S) = \text{"valid"}$$

$$\text{where } S = \text{Signing}(\text{params}, d, M).$$

Security of HIDE and HIDS Schemes

[35] The security of the schemes embodying the present invention will now be discussed with respect to both HIDE and HIDS. It has been noted in the context of non-hierarchical identity-based cryptography that the standard definition of chosen-ciphertext security must be strengthened for identity-based systems. This is because it should be assumed, for purposes of a security analysis, that an adversary can obtain the private key associated with any identity of its choice (other than the particular identity being attacked). The same applies to hierarchical identity-based cryptography. Accordingly, to establish that the HIDE schemes of the present invention are chosen-ciphertext secure, a simulated attacker is allowed to make private key extraction queries. Also, the simulated adversary is allowed to choose the identity on which it wishes to be challenged.

[36] It should also be noted that an adversary may choose the identity of its target adaptively or nonadaptively. An adversary that chooses its target adaptively will first make hash queries and extraction queries, and then choose its target based on the results of these queries. Such an adversary might not have a particular target in mind when it begins the attack. Rather, the adversary is successful if it is able to hack somebody. A nonadaptive adversary, on the other hand, chooses its target independently from results of hash queries and extraction queries. For example, such an adversary might target a personal enemy. The adversary may still make hash queries and extraction queries, but its target choice is based strictly on the target's identity, not on the query results. Obviously, security against an adaptively-chosen-target adversary is the stronger, and therefore preferable, notion of security. However, the security analysis of the HIDE schemes in the present invention address both types of security.

[37] A HIDE scheme is said to be semantically secure against adaptive chosen ciphertext and adaptive chosen target attack if no polynomially bounded adversary A has a non-negligible advantage against the challenger in the following game.

[38] SETUP: The challenger takes a security parameter k and runs the Root Setup algorithm. It gives the adversary the resulting system parameters $params$. It keeps the root key generation secret to itself.

[39] PHASE 1: The adversary issues queries q_1, \dots, q_m , where q_i is one of:

1. Public-key query (ID-tuple _{i}): The challenger runs a hash algorithm on ID-tuple _{i} to obtain the public key H (ID-tuple _{i}) corresponding to ID-tuple _{i} .
2. Extraction query (ID-tuple _{i}): The challenger runs the Extraction algorithm to generate the private key d_i corresponding to ID-tuple _{i} , and sends d_i to the adversary.
3. Decryption query (ID-tuple _{i} , C_i): The challenger runs the Extraction algorithm to generate the private key d_i corresponding to ID-tuple _{i} , runs the Decryption algorithm to decrypt C_i using d_i , and sends the resulting plaintext to the adversary.

These queries may be asked adaptively. In addition, the queried ID-tuple _{i} may correspond to a position at any level of the hierarchy.

[40] CHALLENGE: Once the adversary decides that Phase 1 is over, it outputs two equal-length plaintexts $M_0, M_1 \in \mathcal{M}$ and an ID-tuple on which it wishes to be challenged. The only constraints are that neither this ID-tuple nor its ancestors appear in any private key extraction query in Phase 1. The challenger picks a random bit $b \in \{0, 1\}$ and sets $C = \text{Encryption}(params, \text{ID-tuple}, M_b)$. It sends C as a challenge to the adversary.

[41] PHASE 2: The adversary issues more queries q_{m+1}, \dots, q_n where q_i is one of:

1. Public-key query (ID-tuple _{i}): The challenger responds as in Phase 1.
2. Extraction query (ID-tuple _{i}): The challenger responds as in Phase 1.
3. Decryption query (C , ID-tuple _{i}): The challenger responds as in Phase 1.

The queries in Phase 2 are subject to the constraint that the challenger cannot make an Extraction query on the ID-tuple associated with the challenge ciphertext C , or make a Decryption query using that ID-tuple and the ciphertext C . This same constraint also applies to all ancestors of the ID-tuple.

[42] GUESS: The adversary outputs a guess $b' \in \{0,1\}$. The adversary wins the game if $b = b'$. The adversary's advantage in attacking the scheme is defined to be $|\Pr[b = b'] - \frac{1}{2}|$.

[43] A HIDE schemes is said to be a one-way encryption scheme if no polynomial time adversary has a non-negligible advantage in the game described below. In this game, the adversary A is given a random public key K_{pub} and a ciphertext C that is the encryption of a random message M using K_{pub} , and outputs a guess for the plaintext. The adversary is said to have an advantage ε against the scheme if ε is the probability that A outputs M . The game is played as follows:

[44] SETUP: The challenger takes a security parameter k and runs the Root Setup algorithm. It gives the adversary the resulting system parameters $params$. It keeps the root key generation secret to itself.

[45] PHASE 1: The adversary makes public key and/or extraction queries as in Phase 1 of the chosen-ciphertext security analysis described above.

[46] CHALLENGE: Once the adversary decides that Phase 1 is over, it outputs a new ID-tuple ID on which it wishes to be challenged. The challenger picks a random $M \in \mathcal{M}$ and sets $C = \text{Encryption}(params, ID\text{-tuple}, M)$. It sends C as a challenge to the adversary.

[47] PHASE 2: The adversary issues more public-key queries and more extraction queries on identities other than ID and its ancestors, and the challenger responds as in Phase 1.

[48] GUESS: The adversary outputs a guess $M' \in \mathcal{M}$. The adversary wins the game if $M = M'$. The adversary's advantage in attacking the scheme is defined to be $\Pr[M = M']$.

[49] The schemes of the present invention are secure against the challenges described above. In addition, the HIDS schemes of the present

invention are secure against existential forgery on adaptively chosen messages. An adversary should be unable to forge its target's signature on other messages that the target has not signed previously, even after (adaptively) obtaining the target's signature on messages of the adversary's choosing. A HIDS adversary also will have the ability to make public key queries and private key extraction queries on entities other than the target and its ancestors, and the ability to choose its target. As with HIDE, the adversary's choice of target may be adaptive or nonadaptive.

Pairings

[50] The presently preferred HIDE and HIDS schemes of the present invention are based on pairings, such as, for instance, the Weil or Tate pairings associated with elliptic curves or abelian varieties. The methods also are based on the Bilinear Diffie-Hellman problem. They use two cyclic groups Γ_1 and Γ_2 , preferably of the same large prime order q . The first group Γ_1 preferably is a group of points on an elliptic curve or abelian variety, and the group law on Γ_1 may be written additively. The second group Γ_2 preferably is a multiplicative subgroup of a finite field, and the group law on Γ_2 may be written multiplicatively. However, other types of groups may be used as Γ_1 and Γ_2 consistent with the present invention.

[51] The methods also use a generator P_0 of the first group Γ_1 . In addition, a pairing or function $\hat{e} : \Gamma_1 \times \Gamma_1 \rightarrow \Gamma_2$ is provided for mapping two elements of the first group Γ_1 to one element of the second group Γ_2 . The function \hat{e} preferably satisfies three conditions. First, the function \hat{e} preferably is bilinear, such that if Q and R are in Γ_1 and a and b are integers, then $\hat{e}(aQ, bR) = \hat{e}(Q, R)^{ab}$. Second, the function \hat{e} preferably is non-degenerate, such that the map does not send all pairs in $\Gamma_1 \times \Gamma_1$ to the identity in Γ_2 . Third, the function \hat{e} preferably is efficiently computable. A function \hat{e} satisfying these three conditions is considered to be admissible.

[52] The function \hat{e} also preferably is symmetric, such that $\hat{e}(Q, R) = \hat{e}(R, Q)$ for all $Q, R \in \Gamma_1$. Symmetry, however, follows immediately from the bilinearity and the fact that Γ_1 is a cyclic group. Weil and Tate pairings associated with supersingular elliptic curves or abelian varieties can

be modified to create such bilinear maps according to methods known in the art. However, even though reference to elements of the first cyclic group Γ_1 as "points" may suggest that the function \hat{e} is a modified Weil or Tate pairing, it should be noted that any admissible pairing \hat{e} will work.

[53] The security of the HIDE and HIDS schemes of the present invention is based primarily on the difficulty of the Bilinear Diffie-Hellman problem. The Bilinear Diffie-Hellman problem is that of finding $\hat{e}(P, P)^{abc}$ given a randomly chosen $P \in \Gamma_1$, as well as aP , bP , and cP (for unknown randomly chosen $a, b, c \in \mathbb{Z}/q\mathbb{Z}$). Solving the Diffie-Hellman problem in Γ_1 solves the Bilinear Diffie-Hellman problem because $\hat{e}(P, P)^{abc} = \hat{e}(abP, cP)$. Similarly, solving the Diffie-Hellman problem in Γ_2 solves the Bilinear Diffie-Hellman problem because, if $g = \hat{e}(P, P)$, then $g^{abc} = (g^{ab})^c$ where $g^{ab} = \hat{e}(aP, bP)$ and $g^c = \hat{e}(P, cP)$. For the Bilinear Diffie-Hellman problem to be hard, Γ_1 and Γ_2 should be chosen such that there is no known algorithm for efficiently solving the Diffie-Hellman problem in either Γ_1 or Γ_2 . If the Bilinear Diffie-Hellman problem is hard for a pairing \hat{e} , then it follows that \hat{e} is non-degenerate.

[54] A randomized algorithm Π is a Bilinear Diffie-Hellman generator if Π takes a security parameter $k > 0$, runs in time polynomial in k , and outputs the description of two groups Γ_1 and Γ_2 , preferably of the same prime order q , and the description of an admissible pairing $\hat{e} : \Gamma_1 \times \Gamma_1 \rightarrow \Gamma_2$. If Π is a Bilinear Diffie-Hellman parameter generator, the advantage $\text{Adv}_{\Pi}(\mathcal{B})$ that an algorithm \mathcal{B} has in solving the Bilinear Diffie-Hellman problem is defined to be the probability that the algorithm \mathcal{B} outputs $\hat{e}(P, P)^{abc}$ when the inputs to the algorithm are $\Gamma_1, \Gamma_2, \hat{e}, P, aP, bP$, and cP , where $(\Gamma_1, \Gamma_2, \hat{e})$ is the output of Π for a sufficiently large security parameter k , P is a random generator of Γ_1 , and a, b , and c are random elements of $\mathbb{Z}/q\mathbb{Z}$. The assumption underlying the Bilinear Diffie-Hellman problem is that $\text{Adv}_{\Pi}(\mathcal{B})$ is negligible for all efficient algorithms \mathcal{B} .

HIDE Schemes

[55] Referring now to the accompanying drawings, **FIG. 1** shows a flow diagram illustrating a method of encoding and decoding a digital

message according to one presently preferred embodiment of the invention. The method is performed in a HIDE system including a plurality of PKGs. The PKGs include at least a root PKG and n lower-level PKGs in the hierarchy between the root PKG and the recipient, wherein $n \geq 1$.

[56] In block **102**, the root PKG selects a root key generation secret known only to the root PKG. The root key generation secret may be used to generate private keys for PKGs and/or users below the root PKG in the hierarchy. The root PKG then generates a root key generation parameter based on the root key generation secret in block **104**. The root key generation parameter is used to mask the root key generation secret. The root key generation parameter may be revealed to lower-level PKGs without compromising the root key generation secret. The lower-level PKGs select lower-level key generation secrets in block **106**. The lower-level key generation secret associated with a given lower-level PKG may be used to generate private keys for PKGs and/or users below the associated lower-level PKG in the hierarchy. Like the root key generation secret, each of the lower-level key generation secrets is known only to its associated lower-level PKG.

[57] In block **108**, lower-level key generation parameters are generated for each of the n lower-level PKGs. Each of the lower-level key generation parameters is generated using at least the lower-level key generation secret for its associated lower-level PKG. Like the root key generation parameter, each of the lower-level key generation parameters masks its associated lower-level key generation secret.

[58] Using at least the root key generation parameter and identity information associated with the recipient, the sender encodes the message in block **110** to form a ciphertext. For instance, the message may be encoded using only the root key generation parameter and the recipient's identity. Alternatively, one of the lower-level key generation parameters may be used, such as is described in more detail below with respect to dual-HIDE schemes. In block **112**, a lower-level PKG generates a private key for the recipient such that the private key is related to at least the root key generation secret, one or more of the n lower-level key generation secrets associated with the n lower-level PKGs in the hierarchy between the root PKG and the recipient, and the

recipient's identity information. For instance, in addition to root key generation secret and the recipient's identity information, the recipient's private key preferably also is related at least to the lower-level key generation secret of the PKG that issued the private key to the recipient. Alternatively, the recipient's private key may be related to all n of its ancestral PKG's lower-level key generation secrets, as well as the root key generation secret. In block 114, the recipient uses at least its private key to decode the ciphertext and recover the message. In addition to using its private key to decode, the recipient preferably also uses the n lower-level key generation parameters associated with the n lower-level PKGs in the hierarchy between the root PKG and the recipient.

[59] Each lower-level PKG has a key generation secret, just like the root PKG. As described above, a lower-level PKG preferably uses this secret to generate a private key for each of its children, just as the root PKG does. As a result, the children's private keys are related to the lower-level PKG's key generation secret. This is true even if the lower-level PKG uses a modified version of its key generation secret to obscure that secret for purposes of restricting key escrow, as described more fully below. At the same time, the lower-level PKGs need not always use the same secret for each private key extraction. Rather, a new key generation secret could be generated randomly for each of the PKG's children, resulting in a different key generation parameter for each child.

[60] Because a lower-level PKG is able to generate a private key for the recipient (block 112), the root PKG need not generate all of the private keys itself. In addition, because the lower-level PKGs use their own key generation secrets to generate private keys for their descendants, compromising a lower-level key generation secret causes only limited security damage to the hierarchy. Rather than compromising all of the private keys in the hierarchy, a breach of a lower-level PKG compromises only the private key of that PKG and those private keys that were generated using that PKG's key generation secret (*i.e.*, the private keys of those users that are direct hierarchical descendants of the compromised PKG).

[61] Another advantage of this embodiment is that the sender need not be in the hierarchy to send an encoded message to the recipient. The sender merely needs to know the identity information associated with the recipient and the system parameters generated by the root PKG. There are however, certain additional advantages of the HIDE schemes of the present invention that become available when the sender is positioned within the hierarchy. For instance, when both the sender and the recipient are in the hierarchy, the efficiency of the message encryption may be improved by using the identities of both parties. This type of HIDE scheme may be referred to as dual-HIDE because the identities of both the sender and the recipient are used as input for the encryption and decryption algorithms. A method of encoding and decoding a message using a dual-HIDE scheme will now be discussed with reference to **FIGS. 2 and 3**.

Dual-HIDE

[62] **FIG. 2** shows a flow diagram illustrating a method of encoding and decoding a digital message between a sender y and a recipient z according to another presently preferred embodiment of the invention. **FIG. 3** shows a block diagram illustrating a typical hierarchical structure in which this method may be performed. Like the previous embodiment, this method is performed in a HIDE system including at least a root PKG **302** and n lower-level PKGs **304a,b,d** in the hierarchy between the root PKG **302** and the recipient z **308**, wherein $n \geq 1$. The sender y **306** in this embodiment also must be in the hierarchy, and the hierarchy also includes m lower-level PKGs **304a,b,c** between the root PKG **302** and the sender y **306**, wherein $m \geq 1$. Of the m PKGs **304a,b,c** between the root PKG **302** and the sender y **306**, and the n PKGs **304a,b,d** between the root PKG **302** and the recipient z **308**, there are l PKGs **304a,b** that are common ancestors to both the sender y **306** and the recipient z **308**, wherein $1 \leq l \leq m, n$. For instance, two of these l common ancestral PKGs ($\text{PKG}_{y1}/\text{PKG}_{z1}$ **304a** and $\text{PKG}_{yl}/\text{PKG}_{zl}$ **304b**) are shown in **FIG. 3**.

[63] The method of this embodiment begins in block **202**, when the root PKG **302** selects a root key generation secret known only to the root PKG

302. The root PKG **302** then generates a root key generation parameter based on the root key generation secret in block **204**. The lower-level PKGs **304a-d** select lower-level key generation secrets in block **206**. Like the root key generation secret, each of the lower-level key generation secrets is known only to its associated lower-level PKG **304a-d**. In block **208**, lower-level key generation parameters are generated for each of the n lower-level PKGs **304a-d**. Each of the lower-level key generation parameters is generated using at least the lower-level key generation secret for its associated lower-level PKG **304a-d**.

[64] In block **210**, the sender's parent PKG _{ym} **304c** generates a private key for the sender y **306** such that the private key is related to at least the root key generation secret, one or more of the m lower-level key generation secrets associated with the m lower-level PKGs **304a,b,c** between the root PKG **302** and the sender y **306**, and the sender's identity information. For instance, in addition to root key generation secret and the sender's identity information, the sender's private key preferably is related at least to the lower-level key generation secret of the sender's parent PKG _{ym} **304c**. Alternatively, the sender's private key may be related to all m of its direct ancestral PKGs' lower-level key generation secrets, as well as the root key generation secret. In block **212**, the recipient's parent PKG _{zn} **304d** generates a private key for the recipient z in a similar manner that the sender's parent PKG _{ym} **304c** used to generate the sender's private key.

[65] In block **214**, the sender y encodes the message to form a ciphertext using at least the sender's private key and one or more of the lower-level key generation parameters associated with the $(m - l + 1)$ PKGs (i.e., PKG _{yl} , **304b** and PKG _{ym} **304c**) between the root PKG **302** and the sender y **306** that are at or below the level of the lowest ancestor PKG (PKG _{yl} /PKG _{zl} **304b**) that is common to both the sender y **306** and the recipient z **308**. In encoding the message, the sender y **306** preferably does not use any of the lower-level key generation parameters that are associated with the $(l - 1)$ PKGs (i.e., PKG _{$y1$} **304a**) that are above the lowest common ancestor PKG (PKG _{yl} /PKG _{zl} **304b**).

[66] The recipient z 308 then decodes the ciphertext to recover the message in block 216 using at least the recipient's private key and one or more of the lower-level key generation parameters associated with the $(n - l + 1)$ PKGs (i.e., PKG_{z_l} 304b and PKG_{z_n} 304c) between the root PKG 302 and the recipient z 308 that are at or below the level of the lowest ancestor PKG ($\text{PKG}_{y/l}/\text{PKG}_{z/l}$ 304b) that is common to both the sender y 306 and the recipient z 308. In decoding the message, the recipient z 306 preferably does not use any of the lower-level key generation parameters that are associated with the $(l - 1)$ PKGs (i.e., PKG_{z_1} 304a) that are above the lowest common ancestor PKG ($\text{PKG}_{y/l}/\text{PKG}_{z/l}$ 304b).

[67] This dual-HIDE embodiment of the invention provides a more efficient scheme for encoding and decoding the message because it requires the use of fewer key generation parameters. For instance, decoding in a regular HIDE scheme preferably requires all n of the key generation parameters, but decoding in a dual-HIDE scheme preferably requires only $(n - l + 1)$ of the key generation parameters. Dual-HIDE schemes require the sender y 306 to obtain its private key before sending an encoded message to the recipient z 308, as opposed to merely obtaining the public system parameters of the root PKG. The dual-HIDE schemes also enable the sender y 306 and the recipient z 308 to restrict the scope of key escrow, as described more fully below. This shared secret is unknown to third parties other than their lowest common ancestor PKG $\text{PKG}_{y/l}/\text{PKG}_{z/l}$ 304b.

BasicHIDE

[68] FIG. 4 shows a flow diagram illustrating a method of encoding and decoding a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention. The recipient z 308 is $n+1$ levels below the root PKG in the hierarchy, as shown in FIG. 3, and is associated with the ID-tuple $(\text{ID}_{z_1}, \dots, \text{ID}_{z(n+1)})$. The recipient's ID-tuple includes identity information $\text{ID}_{z(n+1)}$ associated with the recipient, as well as identity information ID_{z_i} associated with each of its n ancestral lower-level PKGs in the hierarchy. The method begins in block 402 by generating first and second cyclic groups Γ_1

and Γ_2 of elements. In block **404**, a function \hat{e} is selected, such that the function \hat{e} is capable of generating an element of the second cyclic group Γ_2 from two elements of the first cyclic group Γ_1 . The function \hat{e} preferably is an admissible pairing, as described above. A root generator P_0 of the first cyclic group Γ_1 is selected in block **406**. In block **408**, a random root key generation secret s_0 associated with and known only to the root PKG **302** is selected. Preferably, s_0 is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$. A root key generation parameter $Q_0 = s_0 P_0$ is generated in block **410**. Preferably, Q_0 is an element of the first cyclic group Γ_1 . In block **412**, a first function H_1 is selected such that H_1 is capable of generating an element of the first cyclic group Γ_1 from a first string of binary digits. A second function H_2 is selected in block **414**, such that H_2 is capable of generating a second string of binary digits from an element of the second cyclic group Γ_2 . The functions of blocks **402** through **414** are part of the HIDE Root Setup algorithm described above, and preferably are performed at about the same time. By way of example, the functions such as those disclosed in Boneh-Franklin may be used as H_1 and H_2 .

[69] The next series of blocks (blocks **416** through **424**) show the functions performed as part of Lower-level Setup algorithm. In block **416**, a public element P_{zi} is generated for each of the recipients' n ancestral lower-level PKGs. Each of the public elements, $P_{zi} = H_1(\text{ID}_1, \dots, \text{ID}_{zi})$ for $1 \leq i \leq n$, preferably is an element of the first cyclic group Γ_1 . Although represented in a single block, generation of all the public elements P_{zi} may take place over time, rather than all at once.

[70] A lower-level key generation secret s_{zi} is selected (block **418**) for each of the recipients' n ancestral lower-level PKGs **304a,b,d**. The lower-level key generation secrets s_{zi} preferably are elements of the cyclic group $\mathbb{Z}/q\mathbb{Z}$ for $1 \leq i \leq n$, and each lower-level key generation secret s_{zi} preferably is known only to its associated lower-level PKG. Again, although represented in a single block, selection of all the lower-level key generation secrets s_{zi} may take place over time, rather than all at once.

[71] A lower-level secret element S_{zi} is generated (block **420**) for each of the sender's n ancestral lower-level PKGs. Each lower-level secret

element, $S_{zi} = S_{z(i-1)} + s_{z(i-1)}P_{zi}$ for $1 \leq i \leq n$, preferably is an element of the first cyclic group Γ_1 . Although represented in a single block like the public elements P_{zi} and the secrets s_{zi} , generation of all the secret elements S_{zi} may take place over time, rather than all at once. For purposes of these iterative key generation processes, S_0 may be defined to be the identity element of Γ_1 .

[72] A lower-level key generation parameter Q_{zi} also is generated (block **422**) for each of the recipients' n ancestral lower-level PKGs. Each of the key generation parameters, $Q_{zi} = s_{zi}P_0$ for $1 \leq i \leq n$, preferably is an element of the first cyclic group Γ_1 . Again, although represented in a single block, generation of all the key generation parameters Q_{zi} may take place over time, rather than all at once.

[73] The functions of the next two blocks (blocks **424** and **426**) are performed as part of the Extraction algorithm described above. A recipient public element $P_{z(n+1)}$ associated with the recipient z is generated in block **424**. The recipient public element, $P_{z(n+1)} = H_1(\text{ID}_{z1}, \dots, \text{ID}_{z(n+1)})$, preferably is an element of the first cyclic group Γ_1 . A recipient secret element $S_{z(n+1)}$ associated with the recipient z is then generated in block **426**. The recipient secret element $S_{z(n+1)} = S_{zn} + s_{zn}P_{z(n+1)} = \mathring{a} \prod_{i=1}^{n+1} s_{z(i-1)}P_{zi}$, also preferably is an element of the first cyclic group Γ_1 .

[74] For convenience, the first function H_1 optionally may be chosen to be an iterated function so that, for example, the public points P_i may be computed as $H_1(P_{z(i-1)}, \text{ID}_{zi})$ rather than $H_1(\text{ID}_1, \dots, \text{ID}_{zi})$.

[75] The last two blocks shown in **FIG. 4** (blocks **428** and **430**) represent the Encryption and Decryption algorithms described above. In block **428**, the message M is encoded to generate a ciphertext C . The encoding preferably uses at least the root key generation parameter Q_0 and the ID-tuple $(\text{ID}_{z1}, \dots, \text{ID}_{z(n+1)})$. The ciphertext C is then decoded in block **430** to recover the message M . The decoding preferably uses at least the lower-level key generation parameters Q_{zi} for $1 < i < n$, and the recipient secret element $S_{z(n+1)}$.

[76] The blocks shown in **FIG. 4** need not all occur in sequence. For instance, a sender who knows a recipient's identity may encrypt communications to the recipient before the recipient obtains its private key.

[77] The specific use of the parameters and elements described above in the encoding and decoding of the message M and the ciphertext C will now be discussed with reference to **FIGS. 5** and **6**. **FIG. 5** shows a flow diagram illustrating a method of encoding and decoding a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention. In this scheme, which may be referred to as BasicHIDE, the Root Setup, Lower-level Setup, and Extraction algorithms are the same as for the embodiment shown in blocks **402** through **426** of **FIG. 4**. The flow diagram of **FIG. 5** illustrates the Encryption and Decryption algorithms, beginning with the selection of a random encryption parameter r in block **528a**. Preferably, r is an integer of the cyclic group Z/qZ . The ciphertext C is then generated in block **528b** using the formula $C = [U_0, U_2, \dots, U_{n+1}, V]$. The ciphertext C includes elements $U_i = rP_{zi}$ for $i = 0$ and for $2 \leq i \leq n+1$, which relate to the location of the recipient in the hierarchy. The other part of the ciphertext C is the actual message in encrypted form, $V = M \oplus H_2(g^r)$, wherein $g = \hat{e}(Q_0, P_{z1})$. The element g preferably is a member of the second cyclic group Γ_2 . After the message has been encoded, it may be decoded according to the BasicHIDE Decryption algorithm, in which the message M is recovered from the

ciphertext C (block **530**) using the formula $M = V \oplus H_2\left(\frac{\hat{e}(U_0, S_{n+1})}{\prod_{i=2}^{n+1} \hat{e}(Q_{i-1}, U_i)}\right)$.

FullHIDE

[78] Using known methods for making one-way encryption schemes secure against chosen-ciphertext attacks, a BasicHIDE scheme may be converted to a FullHIDE scheme that is chosen ciphertext secure in the random oracle model. A FullHIDE scheme that is chosen ciphertext secure will now be discussed with reference to **FIG. 6**.

[79] **FIG. 6** shows a flow diagram illustrating a method of encoding and decoding a digital message M communicated between a sender y and a

recipient z according to another presently preferred embodiment of the invention. The Root Setup, Lower-level Setup, and Extraction algorithms are the same for this embodiment of the invention as for the embodiment described with reference to **FIG. 4**, except that the Root Setup algorithm of this embodiment requires two additional functions. Accordingly, the flow diagram of **FIG. 6** begins with the selection of the additional functions (blocks **615a** and **615b**) and continues with the Encryption and Decryption algorithms (blocks **628a** through **630d**).

[80] The Root Setup algorithm is completed by selecting a third function H_3 (block **615a**) and a fourth function H_4 (block **615b**). The third function H_3 preferably is capable of generating an integer of the cyclic group $\mathbb{Z}/q\mathbb{Z}$ from two strings of binary digits. The fourth function H_4 preferably is capable of generating one binary string from another binary string.

[81] The Encryption algorithm begins with block **628a**, which shows the selection of a random binary string σ . The random binary string σ is then used to generate a random integer $r = H_3(\sigma, M, W)$, as shown in block **628b**, wherein W is a symmetric encryption of the actual message M . The encryption preferably is generated using a symmetric encryption algorithm E , and using $H_4(\sigma)$ as the encryption key. Accordingly, $W = E_{H_4(\sigma)}(M)$. In block **628c**, the ciphertext $C = [U_0, U_2, \dots, U_{n+1}, V, W]$ is generated. The ciphertext C includes elements $U_i = rP_{zi}$ for $i = 0$ and for $2 \leq i \leq n+1$, which relate to the location of the recipient in the hierarchy. The second part of the ciphertext C is the random binary string σ in encrypted form, $V = \sigma \oplus H_2(g')$, wherein $g = \hat{e}(Q_0, P_{z1})$. The element g preferably is a member of the second cyclic group Γ_2 . The third part of the ciphertext C is W , the actual message in symmetrically encrypted form, as described above.

[82] The Decryption algorithm begins with block **630a**, which shows the recovery of the random binary string σ . The random binary string σ is

recovered using the formula $s = V \wedge H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)})}{\prod_{i=2}^{n+1} \hat{e}(Q_{i-1}, U_i)} \right)^{\frac{1}{z}}$. The message M

is then recovered from the ciphertext C (block **630b**) using the formula $M = E_{H_4(s)}^{-1}(W)$. The ciphertext optionally may be checked for internal

-24-

consistency. For instance, an experimental random integer $r' = H_3(\sigma, M, W)$ may be generated, as shown in block **630c**. The experimental random integer r' then may be used in block **630d** to confirm that $U_0 = r'P_0$ and $U_i = r'P_{zi}$ for $2 \leq i \leq n+1$. If so, then the ciphertext C is considered to be authentic.

Dual-BasicHIDE and Dual-FullHIDE

[83] The concept of dual-HIDE described with reference to **FIGS. 2** and **3** may be applied to BasicHIDE and FullHIDE schemes. When both the sender and recipient are within the hierarchical structure, as shown in **FIG. 3**, dual-HIDE allows them to increase the efficiency and security of their encrypted communications. The application of dual-HIDE to BasicHIDE and FullHIDE schemes requires the determination of additional information, most of which is determined via the Lower-level Setup algorithm described above. For instance, public elements P_{yi} , lower-level key generation secrets S_{yi} , lower-level secret elements S_{yi} , and lower-level key generation parameters Q_{yi} must be determined for the sender's m ancestral lower-level PKGs. Note, however, that for the lower-level PKGs that are common ancestors to both the sender y and the recipient z , these parameters preferably will be the same for purposes of analyzing both the sender y and the recipient z (i.e., preferably for all $i \leq l : P_{yi} = P_{zi}, S_{yi} = S_{zi}, S_{yi} = S_{zi}$, and $Q_{yi} = Q_{zi}$). Dual-HIDE also requires determination of a sender public element $P_{y(m+1)}$ and a sender secret element $S_{y(m+1)}$ for the sender, using the same methods for which these parameters are determined for the recipient as described above.

[84] Given these additional parameters, a message M may be encoded to generate a ciphertext C according the principles of dual-HIDE by using the lower-level key generation parameters Q_{yi} for $i \geq l$ and the sender secret element $S_{y(m+1)}$, but not using the lower-level key generation parameters Q_{yi} for $i < l$. Similarly, the ciphertext C may be decoded to recover the message M using the lower-level key generation parameters Q_{zi} for $i \geq l$ and the recipient secret element $S_{z(n+1)}$, but not using the lower-level key generation parameters Q_{zi} for $i < l$.

[85] For instance, in a BasicHIDE scheme (**FIGS. 4** and **5**), application of dual-HIDE changes the encoding of the message M to generate

-25-

a ciphertext $C = [U_0, U_{l+1}, \dots, U_{n+1}, V]$, wherein $U_i = rP_{zi}$ for $i = 0$ and for $l+1 \leq i \leq n+1$, wherein $V = M \mathbin{\mathbb{A}} H_2(g_{yl}^r)$, and wherein

$$g_{yl} = \frac{\hat{e}(P_0, S_{y(m+1)})}{\tilde{O}_{i=l+1}^{m+1} \hat{e}(Q_{y(i-1)}, P_{yi})}. \text{ The } U_i \text{ factors are calculated in the same way as}$$

before, but fewer of them are necessary. However, dual-BasicHIDE does require the sender y to use more key generation parameters Q_{yi} to generate g_{yl} than are necessary to generate g as describe above. This is because the sender's identity is being incorporated into the Encryption algorithm.

[86] The increase in efficiency of the Decryption algorithm is more dramatic. The message M is recovered using

$$M = V \mathbin{\mathbb{A}} H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)})}{\tilde{O}_{i=l+1}^{n+1} \hat{e}(Q_{z(i-1)}, U_{zi})} \right)^{\frac{\tilde{O}}{\tilde{O}}}. \text{ Again, fewer } U_i \text{ parameters are}$$

necessary. Similarly, the recipient requires fewer key generation parameters Q_{zi} for dual-HIDE than would otherwise be necessary.

[87] FullHIDE also may be modified to create a dual-FullHIDE scheme. Generation of the ciphertext C in the Encryption algorithm is modified such that $C = [U_0, U_{l+1}, \dots, U_{n+1}, V, W]$, wherein $U_i = rP_{zi}$ for $i = 0$ and for $l+1 \leq i \leq n+1$. The W and r parameters is still generated the same way, $W = E_{H_4(s)}(M)$, and the g_{yl} parameter in $V = s \mathbin{\mathbb{A}} H_2(g_{yl}^r)$ is

$$\text{generated using } g_{yl} = \frac{\hat{e}(P_0, S_{y(m+1)})}{\tilde{O}_{i=l+1}^{m+1} \hat{e}(Q_{y(i-1)}, P_{yi})}.$$

[88] The Decryption algorithm also is modified in a dual-FullHIDE scheme. The random binary string σ is recovered using

$$s = V \mathbin{\mathbb{A}} H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)})}{\tilde{O}_{i=l+1}^{n+1} \hat{e}(Q_{z(i-1)}, U_{zi})} \right)^{\frac{\tilde{O}}{\tilde{O}}}. \text{ Otherwise, recovery of the message } M$$

does not change.

[89] Although these dual-HIDE schemes have been described using PKG_l **304b** as the lowest ancestor PKG common to both the sender y and the recipient z , PKG_l **304b** may be any common ancestor PKG. The encryption and decryption algorithms are the same. For maximum efficiency however, it is preferable that PKG_l **304b** be the lowest common ancestor PKG.

[90] In addition to the increase in efficiency, the dual-HIDE schemes of the present invention also offer increased security by restricting key escrow. In the BasicHIDE and FullHIDE schemes described above, all of the recipient's direct ancestor PKGs are able to decrypt messages to the recipient. However, because the dual-HIDE schemes incorporate the key generation secret of PKG_{l-1} (the immediate parent of PKG_l), which is unknown to the common ancestor PKGs above PKG_{l-1} , those common ancestor PKGs are not able to decrypt messages between the sender y and the recipient z . The immediate parent of PKG_l **304b** is still able to decrypt messages, however, because it knows its own key generation secret.

[91] Key escrow may be further restricted such that even the immediate parent of PKG_l may not decrypt messages between the sender y and the recipient z . This may be accomplished by obscuring PKG_l 's private key in the process of generating private keys for the sender y and the recipient z (or private keys for children of PKG_l that are ancestors of the sender y and the recipient z). For instance, PKG_l **304b** may easily change its private key by setting $S'_l := S_l + bP_l$, and $Q'_{l-1} := Q_{l-1} + bP_0$, for some random $b \in \mathbb{Z}/q\mathbb{Z}$. The new private key S'_l is just as effective, but is unknown to PKG_l 's immediate parent. Accordingly, no PKGs above PKG_l are able to decode messages encrypted to the recipient z . More specifically, only ancestors of the recipient z that are within PKG_l 's domain are able to decrypt messages to the recipient z .

[92] When PKG_l **304b** changes its private key by setting $S'_l := S_l + bP_l$, and $Q'_{l-1} := Q_{l-1} + bP_0$, the new private key is still related to PKG_{l-1} 's key generation secret s_{l-1} , because the new private key is derived from a private key generated by PKG_{l-1} using s_{l-1} . In general, in all of the schemes discussed herein, a user or PKG may change its own secret element $S_{z(n+1)}$ and key generation parameters Q_{zi} for $1 \leq i \leq n$ by choosing values for b_i for $1 \leq i \leq n$ and setting $S'_{z(n+1)} := S_{z(n+1)} + \sum_{i=1}^n b_i P_{z(i+1)}$ and $Q'_{zi} := Q_{zi} + b_i P_0$ for $1 \leq i \leq n$. For purposes of the present invention,

however, this new private key is still considered to be related to the original private key, and is thus related to the original values of the key generation secrets S_{zi} .

Dual-HIDE Scheme With More Efficient Encryption or Decryption

[93]

[94] In the dual-HIDE schemes described above, it is possible to decrease by one the number of values of the pairing that the encrypter must compute without increasing the number of values of the pairing that the decrypter must compute. For instance, the dual-BasicHIDE Encryption algorithm described above may be modified such that the ciphertext

$C = \{P_0, r(P_{y(l+1)} - P_{z(l+1)}), rP_{z(l+2)}, K, rP_{z(n+1)}, M \wedge H_2(g_{y(l+1)}^r)\}_t$, where

$$g_{y(l+1)} = \frac{\hat{e}(P_0, S_{y(n+1)})}{\prod_{i=l+2}^m \hat{e}(Q_{y(i-1)}, P_{yi})} = \hat{e}(P_0, S_{y(l+1)}).$$

If the ciphertext is represented as $C = [U_0, U_{l+1}, K, U_{n+1}, V]$, then it may be decrypted using

$$M = V \wedge H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)}) \hat{e}(U_{l+1}, Q_{zl})}{\prod_{i=l+2}^n \hat{e}(Q_{z(i-1)}, U_i)} \right)^{\frac{1}{\hat{e}(P_0, S_{z(l+1)}}}.$$

[95] Likewise, it is possible to decrease by one the number of values of the pairing that the decrypter must compute without increasing the number of values that the encrypter must compute. For instance, the dual-BasicHIDE Encryption algorithm may be modified such that the ciphertext

$C = \{P_0, rP_{y(l+2)}, K, rP_{y(n)}, M \wedge H_2(g_{z(l+1)}^r)\}_t$, where

$$g_{z(l+1)} = \frac{\hat{e}(P_0, S_{y(m+1)}) \hat{e}(Q_{yl}, (P_{z(l+1)} - P_{y(l+1)}))}{\prod_{i=l+2}^m \hat{e}(Q_{y(i-1)}, P_{yi})} = \hat{e}(P_0, S_{z(l+1)}).$$

is represented as $C = [U_0, U_{l+2}, K, U_n, V]$, then it may be decrypted using

$$M = V \wedge H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)})}{\prod_{i=l+2}^n \hat{e}(Q_{z(i-1)}, U_i)} \right)^{\frac{1}{\hat{e}(P_0, S_{z(l+1)}}}.$$

Authenticated Lower-Level Root PKGs

[96] The efficiencies of the dual-HIDE schemes described above may be extended to message senders who are outside the hierarchy by

creating an authenticated lower-level root PKG. To "authenticate" the lower-level PKG, the root PKG may issue an additional parameter, such as a random message M' . The lower-level PKG then "signs" M' , generating the signature $Sig = S_{zl} + s_{zl}P_{M'}$, where S_l is the lower-level PKG's private key, and s_l is its lower-level key generation secret. The lower-level PKG also publishes Q_i for $1 \leq i \leq t$.

[97] Taking advantage of the authenticated lower-level root PKG, a sender outside the hierarchy may send an encrypted message to the recipient z without computing public elements P_{zi} for all n of the recipient's ancestor PKGs. Rather, the sender may use the parameters for the lower-level authenticated root PKG to encrypt the message more efficiently. In particular, the sender computes $P_{zi} = H_1(ID_1, \dots, ID_{zi})^{\Gamma_1}$ for $l+1 \leq i \leq n+l$. The sender then chooses a random $r \in \mathbb{Z}/q\mathbb{Z}$, and generates the ciphertext $C = (P_0, rP_{z(l+1)}, \dots, rP_{z(n+l)}, M \wedge H_2(g_{zl}^r))$, where

$$g_{zl} = \frac{\hat{e}(P_0, Sig)}{\hat{e}(s_{zl}P_0, P_{M'})} = \hat{e}(P_0, S_{zl}).$$

Letting the received ciphertext

$C = [U_0, U_{l+1}, \dots, U_{n+l}, V]$, the recipient may then decrypt the ciphertext to recover the message

$$M = V \wedge H_2 \left(\frac{\hat{e}(U_0, S_{z(n+l)})}{\prod_{i=l+1}^{n+l} \hat{e}(Q_{z(i-1)}, U_i)} \right),$$

where $S_{z(n+l)}$ is the recipient's private key.

Distributed PKGs

[98] To further protect the key generation secrets of the HIDE schemes described above, and to make the schemes robust against dishonest PKGs, the key generation secrets and private keys may be distributed using known techniques of threshold cryptography.

More Efficient Encryption

[99] The efficiency of encryption for the HIDE schemes described above may be increased by merging the highest two levels of the hierarchy into a single root PKG. In that case, $g = \hat{e}(Q_0, P_1)$ is included in the system parameters. This saves encrypters the task of computing the value of this

pairing. However, the decrypters must compute one extra pairing (as a result of being one level lower down the tree).

HIDS Schemes

[100] Turning now to the signature, or HIDS, schemes of the present invention, **FIG. 7** shows a flow diagram illustrating a method of generating and verifying a digital signature according to another presently preferred embodiment of the invention. The method is performed in a HIDS system including a plurality of PKGs. The PKGs include at least a root PKG and n lower-level PKGs in the hierarchy between the root PKG and the sender, or signer, wherein $n \geq 1$. In block **702**, the root PKG selects a root key generation secret known only to the root PKG. The root key generation secret may be used to generate private keys for PKGs or users below the root PKG in the hierarchy. The root PKG then generates a root key generation parameter based on the root key generation secret in block **704**. The lower-level PKGs select lower-level key generation secrets in block **706**. The lower-level key generation associated with a given lower-level PKG may be used to generate private keys for PKGs or users below the associated lower-level PKG in the hierarchy. Like the root key generation secret, each of the lower-level key generation secrets is known only to its associated lower-level PKG. In block **708**, lower-level key generation parameters are generated for each of the n lower-level PKGs. Each of the lower-level key generation parameters is generated using at least the lower-level key generation secret for its associated lower-level PKG.

[101] In block **710**, a lower-level PKG generates a private key for the recipient such that the private key is related to at least one of the n lower-level key generation secrets. For instance, the sender's private key may be related at least to the lower-level key generation secret of the PKG that issued the private key to the recipient. Preferably, however, the recipient's private key may be related to all n of its ancestral PKG's lower-level key generation secrets, as well as the root key generation secret. In block **712**, the sender uses at least its private key to sign the message and generate the digital signature. The recipient, or verifier, then verifies the digital signature in block

714 using at least one of the lower-level key generation parameters. For instance, the signature may be verified using only the root key generation parameter. Alternatively, one or more of the lower-level key generation parameters also may be used.

[102] FIG. 8 shows a flow diagram illustrating a method of generating and verifying a digital signature Sig of a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention. The sender y 306 is $m+1$ levels below the root PKG in the hierarchy, as shown in FIG. 3, and is associated with the ID-tuple $(ID_{y1}, \dots, ID_{y(m+1)})$. The sender's ID-tuple includes identity information $ID_{y(m+1)}$ associated with the sender, as well as identity information ID_{yi} associated with each of its m ancestral lower-level PKGs in the hierarchy. The method begins in block 802 by generating first and second cyclic groups Γ_1 and Γ_2 of elements. In block 804, a function \hat{e} is selected, such that the function \hat{e} is capable of generating an element of the second cyclic group Γ_2 from two elements of the first cyclic group Γ_1 . The function \hat{e} preferably is an admissible pairing, as described above. A root generator P_0 of the first cyclic group Γ_1 is selected in block 806. In block 808, a random root key generation secret s_0 associated with and known only to the root PKG 302 is selected. Preferably, s_0 is an element of the cyclic group Z/qZ . A root key generation parameter $Q_0 = s_0 P_0$ is generated in block 810. Preferably, Q_0 is an element of the first cyclic group Γ_1 . In block 812, a first function H_1 is selected such that H_1 is capable of generating an element of the first cyclic group Γ_1 from a first string of binary digits. A second function H_3 is selected in block 814, such that H_3 is capable of generating a second string of binary digits from an element of the second cyclic group Γ_2 . The functions of blocks 802 through 814 are part of the HIDS Root Setup algorithm described above, and preferably are performed at about the same time. By way of example, functions such as those disclosed in Boneh-Franklin may be used as H_1 and H_3 . In fact, the functions H_1 and H_3 may be exactly the same function. However, there is a potential pitfall. An attacker may try to get the signer to sign $M = ID_i$, wherein ID_i represents an actual identity. In this case, the signer's signature may actually be a private key, which thereafter may be

used to decrypt messages and forge signatures. This pitfall may be avoided, however, by using some expedient—such as a bit prefix or a different function for H_3 —that distinguishes between signing and private key extraction.

[103] The next series of blocks (blocks **816** through **824**) show the functions performed as part of Lower-level Setup algorithm. In block **816**, a public element P_{yi} is generated for each of the sender's m ancestral lower-level PKGs. Each of the public elements, $P_{yi} = H_1(\text{ID}_1, \dots, \text{ID}_{yi})$ for $1 \leq i \leq m$, preferably is an element of the first cyclic group Γ_1 . Although represented in a single block, generation of all the public elements P_{yi} may take place over time, rather than all at once.

[104] A lower-level key generation secret s_{yi} is selected (block **818**) for each of the sender's m ancestral lower-level PKGs **304a,b,d**. The lower-level key generation secrets s_{yi} preferably are elements of the cyclic group $\mathbb{Z}/q\mathbb{Z}$ for $1 \leq i \leq m$, and each lower-level key generation secret s_{yi} preferably is known only to its associated lower-level PKG. Again, although represented in a single block, selection of all the secrets s_{yi} may take place over time, rather than all at once.

[105] A lower-level secret element S_{yi} is generated (block **820**) for each of the sender's m ancestral lower-level PKGs. Each lower-level secret element, $S_{yi} = S_{y(i-1)} + s_{y(i-1)}P_{yi}$ for $1 \leq i \leq m$, preferably is an element of the first cyclic group Γ_1 . Although represented in a single block like the public elements P_{yi} and the secrets s_{yi} , generation of all the secret elements S_{yi} may take place over time, rather than all at once. For purposes of these iterative key generation processes, S_0 preferably is defined to be the identity element of Γ_1 .

[106] A lower-level key generation parameter Q_{yi} also is generated (block **824**) for each of the sender's m ancestral lower-level PKGs. Each of the key generation parameters, $Q_{yi} = s_{yi}P_0$ for $1 \leq i \leq m$, preferably is an element of the first cyclic group Γ_1 . Again, although represented in a single block, generation of all the key generation parameters Q_{yi} may take place over time, rather than all at once.

[107] The functions of the next two blocks (blocks **824** and **826**) are performed as part of the Extraction algorithm described above. A sender

-32-

public element $P_{y(m+1)}$ associated with the sender y is generated in block **824**. The sender public element, $P_{y(m+1)} = H_1(\text{ID}_{y1}, \dots, \text{ID}_{y(m+1)})$, preferably is an element of the first cyclic group Γ_1 . A sender secret element $S_{y(m+1)}$ associated with the sender y is then generated in block **826**. The sender secret element $S_{y(m+1)} = S_{ym} + s_{ym} P_{y(m+1)} = \sum_{i=1}^{m+1} s_{y(i-1)} P_{yi}$, also preferably is an element of the first cyclic group Γ_1 .

[108] For convenience, the first function H_1 optionally may be chosen to be an iterated function so that, for example, the public points P_i may be computed as $H_1(P_{y(i-1)}, \text{ID}_{yi})$ rather than $H_1(\text{ID}_1, \dots, \text{ID}_{yi})$.

[109] The last two blocks shown in **FIG. 8** (blocks **828** and **830**) represent the Signing and Verification algorithms described above. In block **828**, the message M is signed to generate a digital signature Sig . The signing preferably uses at least the sender secret element $S_{y(m+1)}$. The digital signature Sig is then verified in block **830**. The verification preferably uses at least the root key generation parameter Q_0 and the lower-level key generation parameters Q_{yi} . The specific use of these parameters and elements in the signing of the message M and verification of the digital signature Sig will now be discussed with reference to **FIG. 9**.

[110] **FIG. 9** shows a flow diagram illustrating a method of generating and verifying a digital signature Sig of a digital message M communicated between a sender y and a recipient z according to another presently preferred embodiment of the invention. In this scheme the Root Setup, Lower-level Setup, and Extraction algorithms are the same as for the embodiment shown in blocks **802** through **826** of **FIG. 8**. Accordingly, the flow diagram of **FIG. 9** begins with the selection of a sender key generation secret $s_{y(m+1)}$, known only to the sender y , in block **927a**. A sender key generation parameter $Q_{y(m+1)}$ associated with the sender is generated in block **927b** using the formula $Q_{y(m+1)} = s_{y(m+1)} P_0$. The Signing algorithm then begins with the sender generating a message element $P_M = H_3(\text{ID}_{y1}, \dots, \text{ID}_{y(m+1)}, M)$ in block **928a**. The message element P_M preferably is a member of the first cyclic group Γ_1 . The digital signature Sig itself is generated in block **928b** using the formula $Sig = S_{y(m+1)} + s_{y(m+1)} P_M$. The recipient verifies the digital signature Sig (block **930**) by confirming that the formula

-33-

$$\frac{\hat{e}(P_0, Sig)}{\hat{e}(Q_{y(m+1)}, P_M) \tilde{O}_{i=2}^{m+1} \hat{e}(Q_{y(i-1)}, P_{yi})} = \hat{e}(Q_0, P_1) \text{ is satisfied.}$$

[111] The invention has been described in detail with particular reference to preferred embodiments thereof and illustrative examples, but it will be understood that variations and modifications can be effected within the spirit and scope of the invention.

CLAIMS

1. A method of encoding and decoding a digital message between a sender and a recipient, wherein the recipient is $n+1$ levels below a root PKG in a hierarchical system including a plurality of PKGs, the plurality of PKGs including at least the root PKG and n lower-level PKGs in the hierarchy between the root PKG and the recipient, wherein $n \geq 1$, the method comprising:
 - selecting a root key generation secret that is known only to the root PKG;
 - generating a root key generation parameter based on the root key generation secret;
 - selecting a lower-level key generation secret for each of the n lower-level PKGs, wherein each lower-level key generation secret is known only to its associated lower-level PKG;
 - generating a lower-level key generation parameter for each of the n lower-level PKGs, wherein each lower-level key generation parameter is generated using at least the lower-level key generation secret for its associated lower-level PKG;
 - encoding the message to form a ciphertext using at least the root key generation parameter and recipient identity information;
 - generating a recipient private key such that the recipient private key is related to at least the root key generation secret, one or more of the n lower-level key generation secrets associated with the n lower-level PKGs in the hierarchy between the root PKG and the recipient, and the recipient identity information; and
 - decoding the ciphertext to recover the message using at least the recipient private key.

-35-

2. A method of encoding and decoding a message as in claim 1, wherein the recipient identity information comprises a recipient ID-tuple $(ID_{z1}, \dots, ID_{z(n+1)})$ that includes identity information $ID_{z(n+1)}$ associated with the recipient and identity information ID_{zi} associated with each of n lower-level PKGs in the hierarchy between the root PKG and the recipient.
3. A method of encoding and decoding a message as in claim 1, wherein the recipient private key is related to all of the n lower-level key generation secrets associated with the n lower-level PKGs in the hierarchy between the root PKG and the recipient.
4. A method of encoding and decoding a message as in claim 1, wherein encoding the message further includes securing the ciphertext against chosen-ciphertext attacks.
5. A method of encoding and decoding a message as in claim 4:
 - wherein encoding the message further includes
 - encrypting the message according to a symmetrical encryption scheme to form a symmetrical encryption; and
 - encrypting the symmetrical encryption according to a one-way encryption scheme to form the ciphertext; and
 - wherein decoding the ciphertext further includes
 - decrypting the ciphertext according to the one-way encryption scheme to recover the symmetrical encryption; and
 - decrypting the symmetrical encryption according to the symmetrical encryption scheme to recover the message.
6. A method of encoding and decoding a message between a sender and a recipient in a system including a plurality of PKGs, the plurality of PKGs including m lower-level PKGs in the

-36-

hierarchy between the root PKG and the sender, wherein $m \geq 1$, and n lower-level PKGs in the hierarchy between the root PKG and the recipient, wherein $n \geq 1$, wherein at least l of the plurality of PKGs in the hierarchy are common ancestors to both the sender and the recipient, wherein $l \geq 1$, and wherein PKG _{l} is a common ancestor PKG to both the sender and the recipient, the method further comprising:

- selecting a root key generation secret that is known only to the root PKG;

- generating a root key generation parameter based on the root key generation secret;

- selecting a lower-level key generation secret for each of the m and n lower-level PKGs, wherein each lower-level key generation secret is known only to its associated lower-level PKG;

- generating a lower-level key generation parameter for each of the m and n lower-level PKGs, wherein each lower-level key generation parameter is generated using at least the lower-level key generation secret for its associated lower-level PKG;

- generating a sender private key such that the sender private key is related to at least sender identity information, the root key generation secret, and one or more of the m lower-level key generation secrets associated with the m PKGs between the root PKG and the sender;

- generating a recipient private key such that is related to at least recipient identity information, the root key generation secret, and one or more of the n lower-level key generation secrets associated with the n lower-level PKGs in the hierarchy between the root PKG and the recipient;

- encoding the message using at least the recipient identity

-37-

information, the sender private key, and zero or more of the lower-level key generation parameters associated with the $(m - l + 1)$ PKGs between the root PKG and the sender that are at or below the level of the common ancestor PKG_l , but not any of the lower-level key generation parameters that are associated with the $(l - 1)$ PKGs above the common ancestor PKG_l ; and

decoding the ciphertext using at least the recipient private key and zero or more of the lower-level key generation parameters associated with the $(n - l + 1)$ PKGs between the root PKG and the recipient that are at or below the level of the lowest common ancestor PKG_l , but not using any of the lower-level key generation parameters that are associated with the $(l - 1)$ PKGs that above the common ancestor PKG_l .

7. A method of encoding and decoding a message as in claim 6:
 - wherein encoding the message further includes using one or more of the lower-level key generation parameters associated with the $(m - l + 1)$ PKGs between the root PKG and the sender that are at or below the level of the common ancestor PKG_l ; and
 - wherein decoding the message further includes using one or more of the lower-level key generation parameters associated with the $(n - l + 1)$ PKGs between the root PKG and the recipient that are at or below the level of the lowest common ancestor PKG_l .
8. A method of encoding and decoding a message as in claim 6:
 - wherein encoding the message further includes using one or more of the lower-level key generation parameters associated with the $(m - l + 1)$ PKGs between the root PKG and the sender that are at or below the level of the common ancestor PKG_l ; and

-38-

wherein decoding the message further includes using zero of the lower-level key generation parameters associated with the $(n - l + 1)$ PKGs between the root PKG and the recipient that are at or below the level of the lowest common ancestor PKG_{*l*}.

9. A method of encoding and decoding a message as in claim 6:
wherein encoding the message further includes using zero of the lower-level key generation parameters associated with the $(m - l + 1)$ PKGs between the root PKG and the sender that are at or below the level of the common ancestor PKG_{*l*}; and
wherein decoding the message further includes using one or more of the lower-level key generation parameters associated with the $(n - l + 1)$ PKGs between the root PKG and the recipient that are at or below the level of the lowest common ancestor PKG_{*l*}.
10. A method of encoding and decoding a message as in claim 6, wherein the message is encoded using all of the lower-level key generation parameters associated with the $(m - l + 1)$ PKGs between the root PKG and the sender that are at or below the level of the common ancestor PKG_{*l*}.
11. A method of encoding and decoding a message as in claim 6, wherein the message is decoded using all of the lower-level key generation parameters associated with the $(n - l + 1)$ PKGs between the root PKG and the recipient that are at or below the level of the common ancestor PKG_{*l*}.
12. A method of generating and verifying a digital signature of a message between a sender and a recipient, wherein the sender is $m+1$ levels below a root PKG in a hierarchical system

-39-

including a plurality of PKGs, the plurality of PKGs including at least the root PKG and m lower-level PKGs in the hierarchy between the root PKG and the sender, wherein $m \geq 1$, the method comprising:

- selecting a root key generation secret that is known only to the root PKG;

- generating a root key generation parameter based on the root key generation secret;

- generating a lower-level key generation secret for each of the m lower-level PKGs, wherein each lower-level key generation secret is known only to its associated lower-level PKG;

- generating a lower-level key generation parameter for each of the m lower-level PKGs, wherein each lower-level key generation parameter is generated using at least the lower-level key generation secret for its associated lower-level PKG;

- generating a sender private key for the sender such that the sender private key is related to at least sender identity information, the root key generation secret, and one or more of the m lower-level key generation secrets associated with the m lower-level PKGs in the hierarchy between the root PKG and the sender;

- signing the message to generate the digital signature using at least the sender private key; and

- verifying the digital signature using at least the root key generation parameter and the sender identity information.

13. A method of generating and verifying a digital signature as in claim 12, wherein:

- one or more of the lower-level key generation parameters also is used to verify the digital signature.

-40-

14. A method of generating a private key for an entity in a system including a plurality of PKGs, the plurality of PKGs including at least a root PKG and n lower-level PKGs in the hierarchy between the root PKG and the entity, wherein $n \geq 1$, the method comprising:
 - generating a root key generation secret that is known only to the root PKG;
 - generating a root key generation parameter based on the root key generation secret;
 - generating a lower-level key generation secret for each of the n lower-level PKGs, wherein each lower-level key generation secret is known only to its associated lower-level PKG;
 - generating a lower-level key generation parameter for each of the n lower-level PKGs, wherein each lower-level key generation parameter is generated using at least the lower-level key generation secret for its associated lower-level PKG;
 - generating a private key for the entity such that the private key is related to at least identity information associated with the entity, the root key generation secret, and one or more of the n lower-level key generation secrets associated with the n lower-level PKGs in the hierarchy between the root PKG and the entity; and
 - providing the private key to the entity.
15. A method of generating a private key for a recipient z in a system, wherein the recipient z is $n+1$ levels below a root PKG in the hierarchy, and wherein the recipient is associated with a recipient ID-tuple $(ID_{z1}, \dots, ID_{z(n+1)})$ that includes identity information $ID_{z(n+1)}$ associated with the recipient and identity information ID_{zi} associated with each of n lower-level PKGs in the hierarchy between the root PKG and the recipient, the

-41-

method comprising:

generating a first cyclic group Γ_1 of elements and a second cyclic group Γ_2 of elements;
 selecting a function \hat{e} capable of generating an element of the second cyclic group Γ_2 from two elements of the first cyclic group Γ_1 ;

selecting a root generator P_0 of the first cyclic group Γ_1 ;

selecting a random root key generation secret

s_0 associated with and known only to the root PKG;

generating a root key generation parameter $Q_0 = s_0 P_0$;

selecting a function H_1 capable of generating an element of the first cyclic group Γ_1 from a first string of binary digits;

generating a public element P_{zi} for each of the n lower-level PKGs, wherein $P_{zi} = H_1(\text{ID}_1, \dots, \text{ID}_{zi})$ for $1 \leq i \leq n$;

selecting a lower-level key generation secret s_{zi} for each of the n lower-level PKGs, wherein each lower-level key generation secret s_{zi} is known only to its associated lower-level PKG;

generating a lower-level secret element S_{zi} for each of the n lower-level PKGs, wherein $S_{zi} = S_{z(i-1)} + s_{z(i-1)} P_{zi}$ for $1 \leq i \leq n$, wherein $s_{z0} = s_0$, and wherein S_{z0} is defined to be zero;

generating a lower-level key generation parameter Q_{zi} for each of the n lower-level PKGs, wherein $Q_{zi} = s_{zi} P_0$ for $1 \leq i \leq n$;

generating a recipient public element

$P_{z(n+1)} = H_1(\text{ID}_{z1}, \dots, \text{ID}_{z(n+1)})$ associated with the recipient,

wherein $P_{z(n+1)}$ is an element of the first cyclic group Γ_1 ; and

generating a recipient private key

-42-

$S_{z(n+1)} = S_{zn} + s_{zn} P_{z(n+1)} = \hat{a} \prod_{i=1}^{n+1} s_{z(i-1)} P_{zi}$ associated with the recipient.

16. A method of generating a private key as in claim 15, wherein:
both the first group Γ_1 and the second group Γ_2 are of the same prime order q .
17. A method of generating a private key as in claim 15, wherein:
the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.
18. A method of generating a private key as in claim 15, wherein:
the function \hat{e} is an admissible pairing.
19. A method of generating a private key as in claim 15, wherein:
 s_0 is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 Q_0 is an element of the first cyclic group Γ_1 ;
each of the public elements P_{zi} is an element of the first cyclic group Γ_1 ;
each of the lower-level key generation secrets s_{zi} is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
each secret element S_{zi} is an element of the first cyclic group Γ_1 ;
each of the lower-level key generation parameters Q_{zi} is an element of the first cyclic group Γ_1 ;
the recipient public element $P_{z(n+1)}$ is an element of the first cyclic group Γ_1 ; and
the recipient private key $S_{z(n+1)}$ is an element of the first cyclic group Γ_1 .

20. A method of encoding and decoding a digital message M communicated between a sender and a recipient z , wherein the recipient z is $n+1$ levels below a root PKG in a hierarchical system, and wherein the recipient is associated with a recipient ID-tuple $(ID_{z1}, \dots, ID_{z(n+1)})$ that includes identity information $ID_{z(n+1)}$ associated with the recipient and identity information ID_{zi} associated with each of n lower-level PKGs in the hierarchy between the root PKG and the recipient, the method comprising:
- generating a first cyclic group Γ_1 of elements and a second cyclic group Γ_2 of elements;
 - selecting a function \hat{e} capable of generating an element of the second cyclic group Γ_2 from two elements of the first cyclic group Γ_1 ;
 - selecting a root generator P_0 of the first cyclic group Γ_1 ;
 - selecting a random root key generation secret s_0 associated with and known only to the root PKG;
 - generating a root key generation parameter $Q_0 = s_0 P_0$;
 - selecting a first function H_1 capable of generating an element of the first cyclic group Γ_1 from a first string of binary digits;
 - selecting a second function H_2 capable of generating a second string of binary digits from an element of the second cyclic group Γ_2 ;
 - generating a public element P_{zi} for each of the n lower-level PKGs, wherein $P_{zi} = H_1(ID_1, \dots, ID_{zi})$ for $1 \leq i \leq n$;
 - selecting a lower-level key generation secret s_{zi} for each of the n lower-level PKGs, wherein each lower-level key generation secret s_{zi} is known only to its associated lower-level PKG;

-44-

generating a lower-level secret element S_{zi} for each of the n lower-level PKGs, wherein $S_{zi} = S_{z(i-1)} + s_{z(i-1)}P_{zi}$ for $1 \leq i \leq n$, wherein $s_{z0} = s_0$, and wherein S_{z0} is defined to be zero;

generating a lower-level key generation parameter Q_{zi} for each of the n lower-level PKGs, wherein $Q_{zi} = s_{zi}P_0$ for $1 \leq i \leq n$;

generating a recipient public element $P_{z(n+1)} = H_1(\text{ID}_{z1}, \dots, \text{ID}_{z(n+1)})$ associated with the recipient;

generating a recipient secret element $S_{z(n+1)} = S_{zn} + s_{zn}P_{z(n+1)} = \hat{a} \prod_{i=1}^{n+1} s_{z(i-1)}P_{zi}$ associated with the recipient;

encoding the message M to generate a ciphertext C using at least the recipient ID-tuple $(\text{ID}_1, \dots, \text{ID}_{zi})$ and the root key generation parameter Q_0 ; and

decoding the ciphertext C to recover the message M using at least the recipient secret element $S_{z(n+1)}$.

21. A method of encoding and decoding a digital message M as in claim 20, wherein:

both the first group Γ_1 and the second group Γ_2 are of the same prime order q .
22. A method of encoding and decoding a digital message M as in claim 20, wherein:

the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.
23. A method of encoding and decoding a digital message M as in claim 20, wherein:

-45-

the function \hat{e} is a bilinear, non-degenerate, and efficiently computable pairing.

24. A method of encoding and decoding a digital message M as in claim 20, wherein:
- s_0 is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 - Q_0 is an element of the first cyclic group Γ_1 ;
 - each of the public elements P_{zi} is an element of the first cyclic group Γ_1 ;
 - each of the lower-level key generation secrets s_{zi} is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 - each secret element S_{zi} is an element of the first cyclic group Γ_1 ;
 - each of the lower-level key generation parameters Q_{zi} is an element of the first cyclic group Γ_1 ;
 - the recipient public element $P_{z(n+1)}$ is an element of the first cyclic group Γ_1 ; and
 - the recipient secret element $S_{z(n+1)}$ is an element of the first cyclic group Γ_1 .
25. A method of encoding and decoding a digital message M as in claim 20, wherein:
- encoding the message M further includes:
 - selecting a random parameter r ; and
 - generating the ciphertext
$$C = [U_0, U_2, \dots, U_{n+1}, V],$$
 wherein $U_i = rP_{zi}$ for $i = 0$ and for $2 \leq i \leq n+1$, wherein $V = M \oplus H_2(g^r)$, and wherein $g = \hat{e}(Q_0, P_{z1})$; and
 - decoding the ciphertext C further includes:

-46-

recovering the message M , using

$$m = V \cdot H_2 \left(\hat{e}(U_0, S_{z(n+1)}) \right) \cdot \prod_{i=2}^{n+1} \hat{e}(Q_{i-1}, U_i)^{\frac{1}{q}}$$

26. A method of encoding and decoding a digital message M as in claim 25, wherein:
 - both the first group Γ_1 and the second group Γ_2 are of the same prime order q .
27. A method of encoding and decoding a digital message M as in claim 25, wherein:
 - the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.
28. A method of encoding and decoding a digital message M as in claim 25, wherein:
 - the function \hat{e} is a bilinear, non-degenerate, and efficiently computable pairing.
29. A method of encoding and decoding a digital message M as in claim 25, wherein:
 - s_0 is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 - Q_0 is an element of the first cyclic group Γ_1 ;
 - each of the public elements P_{zi} is an element of the first cyclic group Γ_1 ;
 - each of the lower-level key generation secrets s_{zi} is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 - each secret element S_{zi} is an element of the first cyclic group Γ_1 ;

-47-

each of the lower-level key generation parameters Q_{zi} is an element of the first cyclic group Γ_1 ;

the recipient public element $P_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;

the recipient secret element $S_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;

r is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$; and

g is an element of the second cyclic group Γ_2 .

30. A method of encoding and decoding a digital message M as in claim 20, further comprising:

selecting a third function H_3 capable of generating an integer of the cyclic group $\mathbb{Z}/q\mathbb{Z}$ from a third string of binary digits; and

selecting a fourth function H_4 capable of generating a fourth string of binary digits from a fifth string of binary digits;

wherein encoding the message M further includes:

selecting a random binary string σ ;

selecting a symmetric encryption scheme E ;

generating a random integer $r = H_3(\sigma, M, W)$,

wherein $W = E_{H_4(s)}(M)$; and

generating the ciphertext

$C = [U_0, U_2, \dots, U_{n+1}, V, W]$, wherein $U_i = rP_{zi}$ for $i = 0$ and for $2 \leq i \leq n+1$, wherein $V = \sigma \oplus H_2(g^r)$, and wherein $g = \hat{e}(Q_0, P_{z1})$;

and

wherein decoding the ciphertext C further includes:

recovering the random binary string σ using

-48-

$$s = V \cdot H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)})}{\prod_{i=2}^{n+1} \hat{e}(Q_{i-1}, U_i)} \right) \text{ and}$$

recovering the message M using $M = E_{H_4(s)}^{-1}(W)$.

31. A method of encoding and decoding a digital message M as in claim 30, wherein:
 - both the first cyclic group Γ_1 and the second cyclic group Γ_2 are of the same prime order q .
32. A method of encoding and decoding a digital message M as in claim 30, wherein:
 - the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.
33. A method of encoding and decoding a digital message M as in claim 30, wherein:
 - the function \hat{e} is a bilinear, non-degenerate, and efficiently computable pairing.
34. A method of encoding and decoding a digital message M as in claim 30, further comprising:
 - confirming the internal consistency of the ciphertext C by:
 - computing an experimental random integer $r' = H_3(\sigma, M, W)$; and
 - confirming that $U_0 = r'P_0$ and $U_i = r'P_{zi}$ for $2 \leq i \leq n+1$.
35. A method of encoding and decoding a digital message M as in claim 30, wherein:

-49-

s_0 is an element of the cyclic group Z/qZ ;

Q_0 is an element of the first cyclic group Γ_1 ;

each of the public elements P_{zi} is an element of the first cyclic group Γ_1 ;

each of the lower-level key generation secrets s_{zi} is an element of the cyclic group Z/qZ ;

each secret element S_{zi} is an element of the first cyclic group Γ_1 ;

each of the lower-level key generation parameters Q_{zi} is an element of the first cyclic group Γ_1 ;

the recipient public element $P_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;

the recipient secret element $S_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;

r is an element of the cyclic group Z/qZ ; and

g is an element of the second cyclic group Γ_2 .

36. A method of encoding and decoding a digital message M between a sender y and a recipient z in a system including a plurality of PKGs, the plurality of PKGs including m lower-level PKGs in the hierarchy between the root PKG and the sender y , wherein $m \geq 1$, and n lower level PKGs in the hierarchy between the root PKG and the recipient z , wherein $n \geq 1$, wherein at least l of the PKGs in the hierarchy are common ancestors to both the sender y and the recipient z , wherein $l \geq 1$, wherein PKG_l is a common ancestor PKG to both the sender and the recipient, wherein the sender y is associated with a sender ID-tuple $(\text{ID}_{y1}, \dots, \text{ID}_{y(m+1)})$ that includes identity information $\text{ID}_{y(m+1)}$ associated

-50-

with the sender y and identity information ID_{yi} associated with each of m lower-level PKGs in the hierarchy between the root PKG and the sender y , and wherein the recipient is associated with a recipient ID-tuple $(ID_{z1}, \dots, ID_{z(n+1)})$ that includes identity information $ID_{z(n+1)}$ associated with the recipient and identity information ID_{zi} associated with each of n lower-level PKGs in the hierarchy between the root PKG and the recipient, the method further comprising:

generating a first cyclic group Γ_1 of elements and a second cyclic group Γ_2 of elements;

selecting a function \hat{e} capable of generating an element of the second cyclic group Γ_2 from two elements of the first cyclic group Γ_1 ;

selecting a root generator P_0 of the first cyclic group Γ_1 ;

selecting a random root key generation secret s_0 associated with and known only to the root PKG;

generating a root key generation parameter $Q_0 = s_0 P_0$;

selecting a first function H_1 capable of generating an element of the first cyclic group Γ_1 from a first string of binary digits;

selecting a second function H_2 capable of generating a second string of binary digits from an element of the second cyclic group Γ_2 ;

generating a public element P_{yi} for each of the m lower-level PKGs, wherein $P_{yi} = H_1(ID_{y1}, \dots, ID_{yi})$ for $1 \leq i \leq m$, and wherein $P_{yi} = P_{zi}$ for all $i \leq l$;

generating a public element P_{zi} for each of the n lower-level PKGs, wherein $P_{zi} = H_1(ID_1, \dots, ID_{zi})$ for $1 \leq i \leq n$;

-51-

selecting a lower-level key generation secret s_{yi} for each of the m lower-level PKGs, wherein $s_{yi} = s_{zi}$ for all $i \leq l$;

selecting a lower-level key generation secret s_{zi} for each of the n lower-level PKGs, wherein each lower-level key generation secret s_{zi} is known only to its associated lower-level PKG;

generating a lower-level secret element S_{yi} for each of the m lower-level PKGs, wherein $S_{yi} = S_{y(i-1)} + s_{y(i-1)}P_{yi}$ for $1 \leq i \leq m$, and wherein $S_{yi} = S_{zi}$ for all $i \leq l$;

generating a lower-level secret element S_{zi} for each of the n lower-level PKGs, wherein $S_{zi} = S_{z(i-1)} + s_{z(i-1)}P_{zi}$ for $1 \leq i \leq n$, wherein $s_{z0} = s_0$, and wherein S_{z0} is defined to be zero;

generating a lower-level key generation parameter Q_{yi} for each of the m lower-level PKGs, wherein $Q_{yi} = s_{yi}P_0$ for $1 \leq i \leq m$, and wherein $Q_{yi} = Q_{zi}$ for all $i \leq l$;

generating a lower-level key generation parameter Q_{zi} for each of the n lower-level PKGs, wherein $Q_{zi} = s_{zi}P_0$ for $1 \leq i \leq n$;

generating a sender public element

$P_{y(m+1)} = H_1(\text{ID}_{y1}, \dots, \text{ID}_{y(m+1)})$ associated with the sender y ;

generating a recipient public element

$P_{z(n+1)} = H_1(\text{ID}_{z1}, \dots, \text{ID}_{z(n+1)})$ associated with the recipient;

generating a sender secret element

$S_{y(m+1)} = S_{ym} + s_{ym}P_{y(m+1)} = \mathring{a} \prod_{i=1}^{m+1} s_{y(i-1)}P_{yi}$ associated with the sender;

generating a recipient secret element

$S_{z(n+1)} = S_{zn} + s_{zn}P_{z(n+1)} = \mathring{a} \prod_{i=1}^{n+1} s_{z(i-1)}P_{zi}$ associated with the recipient;

encoding the message M to generate a ciphertext C

-52-

using at least the lower-level key generation parameters Q_{yi} for $l < i \leq m$ and the sender secret element $S_{y(m+1)}$, but not using the lower-level key generation parameters Q_{yi} for $i < l$; and

decoding the ciphertext C to recover the message M using at least the lower-level key generation parameters Q_{zi} for $l < i \leq n$ and the recipient secret element $S_{z(n+1)}$, but not using the lower-level key generation parameters Q_{zi} for $i < l$.

37. A method of encoding and decoding a digital message M as in claim 36, wherein encoding the message M further includes using the lower level key generation parameter Q_{yl} .
38. A method of encoding and decoding a digital message M as in claim 36, wherein decoding the message M further includes using the lower level key generation parameter Q_{zl} .
39. A method of encoding and decoding a digital message M as in claim 36, wherein:

both the first cyclic group Γ_1 and the second cyclic group Γ_2 are of the same prime order q .
40. A method of encoding and decoding a digital message M as in claim 36, wherein:

the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.
41. A method of encoding and decoding a digital message M as in claim 36, wherein:

the function \hat{e} is a bilinear, non-degenerate, and efficiently computable pairing.

42. A method of encoding and decoding a digital message M as in claim 36, wherein:
- s_0 is an element of the cyclic group Z/qZ ;
 - Q_0 is an element of the first cyclic group Γ_1 ;
 - each of the public elements P_{zi} is an element of the first cyclic group Γ_1 ;
 - each of the public elements P_{yi} is an element of the first cyclic group Γ_1 ;
 - each of the lower-level key generation secrets s_{zi} is an element of the cyclic group Z/qZ ;
 - each of the lower-level key generation secrets s_{yi} is an element of the cyclic group Z/qZ ;
 - each secret element S_{zi} is an element of the first cyclic group Γ_1 ;
 - each secret element S_{yi} is an element of the first cyclic group Γ_1 ;
 - each of the lower-level key generation parameters Q_{zi} is an element of the first cyclic group Γ_1 ;
 - each of the lower-level key generation parameters Q_{yi} is an element of the first cyclic group Γ_1 ;
 - the recipient public element $P_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;
 - the sender public element $P_{y(m+1)}$ is an element of the first cyclic group Γ_1 ;
 - the recipient secret element $S_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;
 - the sender secret element $S_{y(m+1)}$ is an element of the first cyclic group Γ_1 ;

-54-

r is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$; and

g is an element of the second cyclic group Γ_2 .

43. A method of encoding and decoding a message as in claim 36:

wherein encoding the message M further includes:

selecting a random parameter r ; and

encoding the message M to generate a ciphertext

$C = [U_0, U_{l+1}, \dots, U_{n+1}, V]$, wherein $U_0 = rP_0$, wherein

$U_i = rP_{zi}$ for $l+1 \leq i \leq n+1$, wherein $V = M \mathbin{\mathbb{A}} H_2(g_{yl}')$, and

wherein $g_{yl} = \frac{\hat{e}(P_0, S_{y(m+1)})}{\tilde{\mathcal{O}}_{i=l+1}^{m+1} \hat{e}(Q_{y(i-1)}, P_{yl})}$; and

decoding the ciphertext C further includes:

recovering the message M using

$$M = V \mathbin{\mathbb{A}} H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)})}{\tilde{\mathcal{O}}_{i=l+1}^{n+1} \hat{e}(Q_{z(i-1)}, U_{zi})} \right)^{\frac{\tilde{\mathcal{O}}_{i=l+1}^{\frac{1}{m+1}}}{\tilde{\mathcal{O}}_{i=l+1}^{\frac{1}{n+1}}}}$$

44. A method of encoding and decoding a digital message M as in claim 43, wherein:

both the first cyclic group Γ_1 and the second cyclic group Γ_2 are of the same prime order q .

45. A method of encoding and decoding a digital message M as in claim 43, wherein:

the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.

46. A method of encoding and decoding a digital message M as in claim 43, wherein:

-55-

the function \hat{e} is a bilinear, non-degenerate, and efficiently computable pairing.

47. A method of encoding and decoding a digital message M as in claim 43, wherein:

s_0 is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;

Q_0 is an element of the first cyclic group Γ_1 ;

each of the public elements P_{zi} is an element of the first cyclic group Γ_1 ;

each of the public elements P_{yi} is an element of the first cyclic group Γ ;

each of the lower-level key generation secrets s_{zi} is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;

each of the lower-level key generation secrets s_{yi} is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;

each secret element S_{zi} is an element of the first cyclic group Γ_1 ;

each secret element S_{yi} is an element of the first cyclic group Γ_1 ;

each of the lower-level key generation parameters Q_{zi} is an element of the first cyclic group Γ_1 ;

each of the lower-level key generation parameters Q_{yi} is an element of the first cyclic group Γ_1 ;

the recipient public element $P_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;

the sender public element $P_{y(m+1)}$ is an element of the first cyclic group Γ_1 ;

the recipient secret element $S_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;

-56-

the sender secret element $S_{y(m+1)}$ is an element of the first cyclic group Γ_1 ;

r is an element of the cyclic group Z/qZ ; and

g_{yl} is an element of the second cyclic group Γ_2 .

48. A method of encoding and decoding a digital message M as in claim 36:

wherein encoding the message M further includes:

selecting a random parameter r ; and

encoding the message M to generate a ciphertext

$C = [U_0, U_{l+1}, \dots, U_{n+1}, V]$, wherein $U_0 = rP_0$, wherein $U_{l+1} = r(P_{y(l+1)} - P_{z(l+1)})$, wherein $U_i = rP_{zi}$ for $l+2 \leq i \leq n$, wherein $V = M \mathbin{\mathbb{A}} H_2(g_{y(l+1)}^r)$, and wherein

$$g_{y(l+1)} = \frac{\hat{e}(P_0, S_{y(n+1)})}{\prod_{i=l+2}^n \hat{e}(Q_{y(i-1)}, P_{yi})} = \hat{e}(P_0, S_{y(l+1)}); \text{ and}$$

decoding the ciphertext C further includes:

recovering the message M using

$$M = V \mathbin{\mathbb{A}} H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)}) \hat{e}(U_{l+1}, Q_{zl})}{\prod_{i=l+2}^n \hat{e}(Q_{z(i-1)}, U_i)} \right)^{\frac{1}{\hat{e}(P_0, S_{y(l+1)})}}$$

49. A method of encoding and decoding a digital message M as in claim 36:

wherein encoding the message M further includes:

selecting a random parameter r ; and

encoding the message M to generate a ciphertext

$C = [U_0, U_{l+2}, \dots, U_n, V]$, wherein $U_0 = rP_0$, wherein $U_i = rP_{zi}$ for $l+2 \leq i \leq n$ wherein $V = M \mathbin{\mathbb{A}} H_2(g_{z(l+1)}^r)$, and wherein

-57-

$$g_{z(l+1)} = \frac{\hat{e}(P_0, S_{y(m+1)}) \hat{e}(Q_{yl}, (P_{z(l+1)} - P_{y(l+1)}))}{\tilde{O}_{i=l+2}^m \hat{e}(Q_{y(i-1)}, P_{yi})} = \hat{e}(P_0, S_{z(l+1)}); \text{ and}$$

decoding the ciphertext C further includes:

recovering the message M using

$$M = V \mathring{A} H_2 \frac{\mathring{e}(U_0, S_{z(n+1)})}{\tilde{O}_{i=l+2}^n \hat{e}(Q_{z(i-1)}, U_i)^{\frac{1}{\tilde{O}}}}$$

50. A method of encoding and decoding a digital message M as in claim 36, further comprising:

selecting a third function H_3 capable of generating an integer of the cyclic group $\mathbb{Z}/q\mathbb{Z}$ from a third string of binary digits; and

selecting a fourth function H_4 capable of generating a fourth string of binary digits from a fifth string of binary digits;

wherein encoding the message M further includes:

selecting a random binary string σ ,

computing a random integer $r = H_3(\sigma, M, W)$,

wherein $W = E_{H_4(s)}(M)$; and

generating the ciphertext

$C = [U_0, U_{l+1}, \dots, U_{n+1}, V, W]$, wherein $U_i = rP_{zi}$ for $i = 0$ and for $l+1 \leq i \leq n+1$, wherein $V = s \mathring{A} H_2(g_{yl}^r)$, and wherein

$$g_{yl} = \frac{\hat{e}(P_0, S_{y(m+1)})}{\tilde{O}_{i=l+1}^{m+1} \hat{e}(Q_{y(i-1)}, P_{yi})}; \text{ and}$$

wherein decoding the ciphertext C further includes:

recovering the random binary string σ using

-58-

$$s = V \cdot H_2 \left(\frac{\hat{e}(U_0, S_{z(n+1)})}{\prod_{i=1}^{n+1} \hat{e}(Q_{z(i-1)}, U_{zi})} \right)^{\frac{1}{\alpha}}, \text{ and}$$

recovering the message M using $M = E_{H_4(s)}^{-1}(W)$.

51. A method of encoding and decoding a digital message M as in claim 49, wherein:
both the first cyclic group Γ_1 and the second cyclic group Γ_2 are of the same prime order q .
52. A method of encoding and decoding a digital message M as in claim 49, wherein:
the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.
53. A method of encoding and decoding a digital message M as in claim 49, wherein:
the function \hat{e} is a bilinear, non-degenerate, and efficiently computable pairing.
54. A method of encoding and decoding a digital message M as in claim 49, wherein:
 s_0 is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 Q_0 is an element of the first cyclic group Γ_1 ;
each of the public elements P_{zi} is an element of the first cyclic group Γ_1 ;
each of the public elements P_{yi} is an element of the first cyclic group Γ ;
each of the lower-level key generation secrets s_{zi} is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;

-59-

each of the lower-level key generation secrets s_{yi} is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;

each secret element S_{zi} is an element of the first cyclic group Γ_1 ;

each secret element S_{yi} is an element of the first cyclic group Γ_1 ;

each of the lower-level key generation parameters Q_{zi} is an element of the first cyclic group Γ_1 ;

each of the lower-level key generation parameters Q_{yi} is an element of the first cyclic group Γ_1 ;

the recipient public element $P_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;

the sender public element $P_{y(m+1)}$ is an element of the first cyclic group Γ_1 ;

the recipient secret element $S_{z(n+1)}$ is an element of the first cyclic group Γ_1 ;

the sender secret element $S_{y(m+1)}$ is an element of the first cyclic group Γ_1 ;

r is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$; and

g_{yl} is an element of the second cyclic group Γ_2 .

55. A method of encoding and decoding a digital message M as in claim 49, further comprising:

confirming the internal consistency of the ciphertext C by:

computing an experimental random integer

$r' = H_3(\sigma, M, W)$; and

confirming that $U_0 = r'P_0$ and $U_i = r'P_{zi}$ for

$l+1 \leq i \leq n+1$.

56. A method of generating and verifying a digital signature Sig of a digital message M communicated between a sender and a recipient, wherein the sender is $m+1$ levels below a root PKG in a hierarchical system, and wherein the sender is associated with a sender ID-tuple $(ID_{y1}, \dots, ID_{y(m+1)})$ that includes identity information $ID_{y(m+1)}$ associated with the sender and identity information ID_{yi} associated with each of m lower-level PKGs in the hierarchy between the root PKG and the sender, the method comprising:
- generating a first cyclic group Γ_1 of elements and a second cyclic group Γ_2 of elements;
 - selecting a bilinear, non-degenerate pairing \hat{e} capable of generating an element of the second cyclic group Γ_2 from two elements of the first cyclic group Γ_1 ;
 - selecting a root generator P_0 of the first cyclic group Γ_1 ;
 - selecting a random root key generation secret s_0 associated with and known only to the root PKG;
 - generating a root key generation parameter $Q_0 = s_0 P_0$;
 - selecting a first function H_1 capable of generating an element of the first cyclic group Γ_1 from a first string of binary digits;
 - generating a public element P_{yi} for each of the m lower-level PKGs, wherein $P_{yi} = H_1(ID_{y1}, \dots, ID_{yi})$ for $1 \leq i \leq m$;
 - selecting a lower-level key generation secret s_{yi} for each of the n lower-level PKGs, wherein each lower-level key generation secret s_{yi} is known only to its associated lower-level PKG;
 - generating a lower-level secret element S_{yi} for each of the m lower-level PKGs, wherein $S_{yi} = S_{y(i-1)} + s_{y(i-1)} P_{yi}$ for $1 \leq i \leq m$;

-61-

generating a lower-level key generation parameter Q_{yi} for each of the m lower-level PKGs, wherein $Q_{yi} = s_{yi}P_0$ for

$$1 \leq i \leq m;$$

generating a sender public element

$$P_{y(m+1)} = H_1(\text{ID}_{y1}, \dots, \text{ID}_{y(m+1)}) \text{ associated with the sender;}$$

generating a sender secret element

$$S_{y(m+1)} = S_{ym} + s_{ym}P_{y(m+1)} = \sum_{i=1}^{m+1} s_{y(i-1)}P_{yi} \text{ associated with the}$$

sender;

signing the message M to generate a digital signature

Sig using at least the sender secret element $S_{y(m+1)}$; and

verifying the digital signature Sig using at least the root key generation parameter Q_0 and the lower-level key generation parameters Q_{yi} .

57. A method of generating and verifying a digital signature Sig as in claim 56, wherein:
 - both the first group Γ_1 and the second group Γ_2 are of the same prime order q .
58. A method of generating and verifying a digital signature Sig as in claim 56, wherein:
 - the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.
59. A method of encoding and decoding a digital message M as in claim 56, wherein:
 - the function \hat{e} is a bilinear, non-degenerate, and efficiently computable pairing.

-62-

60. A method of encoding and decoding a digital message M as in claim 56, wherein:
- s_0 is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 - Q_0 is an element of the first cyclic group Γ_1 ;
 - each of the public elements P_{yi} is an element of the first cyclic group Γ ;
 - each of the lower-level key generation secrets s_{yi} is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 - each secret element S_{yi} is an element of the first cyclic group Γ_1 ;
 - each of the lower-level key generation parameters Q_{yi} is an element of the first cyclic group Γ_1 ;
 - the sender public element $P_{y(m+1)}$ is an element of the first cyclic group Γ_1 ; and
 - the sender secret element $S_{y(m+1)}$ is an element of the first cyclic group Γ_1 .
61. A method of generating and verifying a digital signature Sig as in claim 56, further comprising:
- selecting a second function H_3 capable of generating an element of the first cyclic group Γ_1 from a second string of binary digits;
 - selecting a sender key generation secret $s_{y(m+1)}$ for the sender y , wherein the sender key generation secret $s_{y(m+1)}$ is known only to the sender; and
 - generating a sender key generation parameter $Q_{y(m+1)}$ associated with the sender, wherein $Q_{y(m+1)} = s_{y(m+1)}P_0$;
 - wherein signing the message M further includes:
 - generating a message element

-63-

$P_M = H_3(\text{ID}_{y1}, \dots, \text{ID}_{y(m+1)}, M)$, wherein the message element P_M is an element of the first cyclic group Γ_1 ; and

generating the digital signature Sig using

$Sig = S_{y(m+1)} + s_{y(m+1)} P_M$; and

wherein verifying the digital signature Sig further includes:

confirming that

$$\frac{\hat{e}(P_0, Sig)}{\hat{e}(Q_{y(m+1)}, P_M) \prod_{i=2}^{m+1} \hat{e}(Q_{y(i-1)}, P_{yi})} = \hat{e}(Q_0, P_1).$$

62. A method of generating and verifying a digital signature Sig as in claim 61, wherein:
 - both the first group Γ_1 and the second group Γ_2 are of the same prime order q .
63. A method of generating and verifying a digital signature Sig as in claim 61, wherein:
 - the first cyclic group Γ_1 is an additive group of points on a supersingular elliptic curve or abelian variety, and the second cyclic group Γ_2 is a multiplicative subgroup of a finite field.
64. A method of encoding and decoding a digital message M as in claim 61, wherein:
 - the function \hat{e} is a bilinear, non-degenerate, and efficiently computable pairing.
65. A method of encoding and decoding a digital message M as in claim 61, wherein:
 - s_0 is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;
 - Q_0 is an element of the first cyclic group Γ_1 ;
 - each of the public elements P_{yi} is an element of the first

-64-

cyclic group Γ ;


each of the lower-level key generation secrets s_{yi} and the sender key generation secret $s_{y(m+1)}$ is an element of the cyclic group $\mathbb{Z}/q\mathbb{Z}$;


each secret element S_{yi} is an element of the first cyclic group Γ_1 ;

each of the lower-level key generation parameters Q_{yi} and the sender key generation parameter $Q_{y(m+1)}$ is an element of the first cyclic group Γ_1 ;

the sender public element $P_{y(m+1)}$ is an element of the first cyclic group Γ_1 ; and

the sender secret element $S_{y(m+1)}$ is an element of the first cyclic group Γ_1 .

*FIG. 1*

*FIG. 2*




FIG. 3





FIG. 4

*FIG. 5*





FIG. 6

*FIG. 7*





FIG. 8

**FIG. 9**