



US00RE48725E

(19) **United States**
(12) **Reissued Patent**
Majee et al.

(10) **Patent Number:** **US RE48,725 E**
(45) **Date of Reissued Patent:** **Sep. 7, 2021**

(54) **METHODS FOR ACCESSING DATA IN A COMPRESSED FILE SYSTEM AND DEVICES THEREOF**

5,218,695 A 6/1993 Noveck et al.
5,282,201 A 1/1994 Frank
5,303,368 A 4/1994 Kotaki
5,473,362 A 12/1995 Fitzgerald et al.

(Continued)

(71) Applicants: **Sumandra Majee**, San Jose, CA (US);
David Hansen, Seattle, WA (US)

FOREIGN PATENT DOCUMENTS

(72) Inventors: **Sumandra Majee**, San Jose, CA (US);
David Hansen, Seattle, WA (US)

AU 2003300350 A1 7/2004
CA 2080530 A1 4/1994

(Continued)

(73) Assignee: **F5 NETWORKS, INC.**, Seattle, WA (US)

OTHER PUBLICATIONS

(21) Appl. No.: **15/499,499**

(22) Filed: **Apr. 27, 2017**

“Diameter MBLB Support Phase 2: Generic Message Based Load Balancing (GMBLB)”, last accessed Mar. 29, 2010, pp. 1-10, (<http://peterpan.f5net.com/twiki/bin/view/TMOS/TMOSDiameterMBLB>).

(Continued)

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **9,020,912**
Issued: **Apr. 28, 2015**
Appl. No.: **13/400,202**
Filed: **Feb. 20, 2012**

Primary Examiner — Joshua D Campbell
(74) *Attorney, Agent, or Firm* — Troutman Pepper Hamilton Sanders LLP (Rochester)

(51) **Int. Cl.**
H04L 12/46 (2006.01)
G06F 12/10 (2016.01)
H04L 12/24 (2006.01)
H04L 29/06 (2006.01)

(57) **ABSTRACT**

(52) **U.S. Cl.**
CPC **H04L 12/4675** (2013.01); **H04L 41/0233** (2013.01); **H04L 69/04** (2013.01)

A method, computer readable medium, and network traffic management apparatus that accesses data in a compressed file system includes obtaining an original write request from a client computing device including at least object data. The object data is compressed into a plurality of compressed blocks. A mapping of each compressed block to a portion of the object data compressed therein is generated, wherein the portion of the object data compressed therein is represented in the mapping by a unique object identifier, a start offset, and a length. The compressed blocks and the mapping are stored in at least one data storage device. At least one data access request for at least a portion of the object data is serviced based on the mapping.


(58) **Field of Classification Search**
CPC .. H04L 12/4675; H04L 41/0233; H04L 69/04
USPC 707/693, 736; 380/28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,843,480 A 6/1989 Nishikawa et al.
4,993,030 A 2/1991 Krakauer et al.

24 Claims, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | | |
|-----------|----|---------|---------------------|-----------|------|---------|----------------------|
| 5,511,177 | A | 4/1996 | Kagimasa et al. | 6,370,527 | B1 | 4/2002 | Singhal |
| 5,537,585 | A | 7/1996 | Blickenstaff et al. | 6,370,543 | B2 | 4/2002 | Hoffert et al. |
| 5,548,724 | A | 8/1996 | Akizawa et al. | 6,374,263 | B1 | 4/2002 | Bunger et al. |
| 5,550,816 | A | 8/1996 | Hardwick et al. | 6,374,336 | B1 | 4/2002 | Peters et al. |
| 5,550,965 | A | 8/1996 | Gabbe et al. | 6,389,433 | B1 | 5/2002 | Bolosky et al. |
| 5,583,995 | A | 12/1996 | Gardner et al. | 6,389,462 | B1 | 5/2002 | Cohen et al. |
| 5,586,260 | A | 12/1996 | Hu | 6,393,581 | B1 | 5/2002 | Friedman et al. |
| 5,590,320 | A | 12/1996 | Maxey | 6,397,246 | B1 | 5/2002 | Wolfe |
| 5,606,665 | A | 2/1997 | Yang et al. | 6,412,004 | B1 | 6/2002 | Chen et al. |
| 5,623,490 | A | 4/1997 | Richter et al. | 6,438,595 | B1 | 8/2002 | Blumenau et al. |
| 5,649,194 | A | 7/1997 | Miller et al. | 6,446,108 | B1 | 9/2002 | Rosenberg et al. |
| 5,649,200 | A | 7/1997 | Leblang et al. | 6,466,580 | B1 | 10/2002 | Leung |
| 5,668,943 | A | 9/1997 | Attanasio et al. | 6,469,983 | B2 | 10/2002 | Narayana et al. |
| 5,692,180 | A | 11/1997 | Lee | 6,477,544 | B1 | 11/2002 | Bolosky et al. |
| 5,721,779 | A | 2/1998 | Funk | 6,487,561 | B1 | 11/2002 | Ofek et al. |
| 5,724,512 | A | 3/1998 | Winterbottom | 6,493,804 | B1 | 12/2002 | Soltis et al. |
| 5,806,061 | A | 9/1998 | Chaudhuri et al. | 6,513,061 | B1 | 1/2003 | Ebata et al. |
| 5,832,496 | A | 11/1998 | Anand et al. | 6,514,085 | B2 | 2/2003 | Slattery et al. |
| 5,832,522 | A | 11/1998 | Blickenstaff et al. | 6,516,350 | B1 | 2/2003 | Lumelsky et al. |
| 5,838,970 | A | 11/1998 | Thomas | 6,516,351 | B2 | 2/2003 | Borr |
| 5,862,325 | A | 1/1999 | Reed et al. | 6,542,909 | B1 | 4/2003 | Tamer et al. |
| 5,884,303 | A | 3/1999 | Brown | 6,542,936 | B1 | 4/2003 | Mayle et al. |
| 5,889,935 | A | 3/1999 | Ofek et al. | 6,549,916 | B1 | 4/2003 | Sedlar |
| 5,893,086 | A | 4/1999 | Schmuck et al. | 6,553,352 | B2 | 4/2003 | Delurgio et al. |
| 5,897,638 | A | 4/1999 | Lasser et al. | 6,556,997 | B1 | 4/2003 | Levy |
| 5,901,327 | A | 5/1999 | Ofek | 6,556,998 | B1 | 4/2003 | Mukherjee et al. |
| 5,905,990 | A | 5/1999 | Inglett | 6,560,230 | B1 | 5/2003 | Li et al. |
| 5,917,998 | A | 6/1999 | Cabrera et al. | 6,578,069 | B1 | 6/2003 | Hopmann et al. |
| 5,920,873 | A | 7/1999 | Van Huben et al. | 6,601,101 | B1 | 7/2003 | Lee et al. |
| 5,926,816 | A | 7/1999 | Bauer et al. | 6,606,663 | B1 | 8/2003 | Liao et al. |
| 5,937,406 | A | 8/1999 | Balabine et al. | 6,612,490 | B1 | 9/2003 | Herrendoerfer et al. |
| 5,991,302 | A | 11/1999 | Berl et al. | 6,615,267 | B1 | 9/2003 | Whalen et al. |
| 5,995,491 | A | 11/1999 | Richter et al. | 6,631,422 | B1 | 10/2003 | Althaus et al. |
| 5,999,664 | A | 12/1999 | Mahoney et al. | 6,654,346 | B1 | 11/2003 | Mahalingaiah et al. |
| 6,012,083 | A | 1/2000 | Savitzky et al. | 6,697,871 | B1 * | 2/2004 | Hansen 709/234 |
| 6,029,168 | A | 2/2000 | Frey | 6,701,415 | B1 | 3/2004 | Hendren, III |
| 6,029,175 | A | 2/2000 | Chow et al. | 6,704,755 | B2 | 3/2004 | Midgley et al. |
| 6,041,365 | A | 3/2000 | Kleinerman | 6,708,220 | B1 | 3/2004 | Olin |
| 6,044,367 | A | 3/2000 | Wolff | 6,721,794 | B2 | 4/2004 | Taylor et al. |
| 6,044,444 | A | 3/2000 | Ofek | 6,728,265 | B1 | 4/2004 | Yavatkar et al. |
| 6,047,129 | A | 4/2000 | Frye | 6,728,704 | B2 | 4/2004 | Mao et al. |
| 6,047,356 | A | 4/2000 | Anderson et al. | 6,738,357 | B1 | 5/2004 | Richter et al. |
| 6,067,558 | A | 5/2000 | Wendt et al. | 6,738,790 | B1 | 5/2004 | Klein et al. |
| 6,072,942 | A | 6/2000 | Stockwell et al. | 6,742,035 | B1 | 5/2004 | Zayas et al. |
| 6,078,929 | A | 6/2000 | Rao | 6,744,776 | B1 | 6/2004 | Kalkunte et al. |
| 6,085,234 | A | 7/2000 | Pitts et al. | 6,748,420 | B1 | 6/2004 | Quatrano et al. |
| 6,088,694 | A | 7/2000 | Burns et al. | 6,754,215 | B1 | 6/2004 | Arikawa et al. |
| 6,104,706 | A | 8/2000 | Richter et al. | 6,754,699 | B2 | 6/2004 | Swildens et al. |
| 6,128,627 | A | 10/2000 | Mattis et al. | 6,757,706 | B1 | 6/2004 | Dong et al. |
| 6,128,717 | A | 10/2000 | Harrison et al. | 6,760,337 | B1 | 7/2004 | Snyder, II et al. |
| 6,154,777 | A | 11/2000 | Ebrahim | 6,775,672 | B2 | 8/2004 | Mahalingam et al. |
| 6,157,950 | A | 12/2000 | Krishnan | 6,775,673 | B2 | 8/2004 | Mahalingam et al. |
| 6,161,145 | A | 12/2000 | Bainbridge et al. | 6,775,679 | B2 | 8/2004 | Gupta |
| 6,161,185 | A | 12/2000 | Guthrie et al. | 6,782,450 | B2 | 8/2004 | Arnott et al. |
| 6,181,336 | B1 | 1/2001 | Chiu et al. | 6,795,860 | B1 | 9/2004 | Shah |
| 6,202,156 | B1 | 3/2001 | Kalajan | 6,801,960 | B1 | 10/2004 | Ericson et al. |
| 6,223,206 | B1 | 4/2001 | Dan et al. | 6,826,613 | B1 | 11/2004 | Wang et al. |
| 6,233,648 | B1 | 5/2001 | Tomita | 6,839,761 | B2 | 1/2005 | Kadyk et al. |
| 6,237,008 | B1 | 5/2001 | Beal et al. | 6,847,959 | B1 | 1/2005 | Arrouye et al. |
| 6,256,031 | B1 | 7/2001 | Meijer et al. | 6,847,970 | B2 | 1/2005 | Keller et al. |
| 6,259,405 | B1 | 7/2001 | Stewart et al. | 6,850,997 | B1 | 2/2005 | Rooney et al. |
| 6,260,070 | B1 | 7/2001 | Shah | 6,857,009 | B1 | 2/2005 | Ferreria et al. |
| 6,282,610 | B1 | 8/2001 | Bergsten | 6,862,282 | B1 | 3/2005 | Oden |
| 6,289,345 | B1 | 9/2001 | Yasue | 6,865,593 | B1 | 3/2005 | Reshef et al. |
| 6,292,832 | B1 | 9/2001 | Shah et al. | 6,868,439 | B2 | 3/2005 | Basu et al. |
| 6,304,913 | B1 | 10/2001 | Rune | 6,868,447 | B1 | 3/2005 | Slaughter et al. |
| 6,308,162 | B1 | 10/2001 | Ouimet et al. | 6,871,221 | B1 | 3/2005 | Styles |
| 6,324,581 | B1 | 11/2001 | Xu et al. | 6,871,245 | B2 | 3/2005 | Bradley |
| 6,329,985 | B1 | 12/2001 | Tamer et al. | 6,880,017 | B1 | 4/2005 | Marce et al. |
| 6,330,574 | B1 | 12/2001 | Murashita | 6,883,137 | B1 | 4/2005 | Girardot et al. |
| 6,338,082 | B1 | 1/2002 | Schneider | 6,889,249 | B2 | 5/2005 | Miloushev et al. |
| 6,339,785 | B1 | 1/2002 | Feigenbaum | 6,904,040 | B2 | 6/2005 | Salapura et al. |
| 6,349,343 | B1 | 2/2002 | Foody et al. | 6,914,881 | B1 | 7/2005 | Mansfield et al. |
| 6,353,848 | B1 | 3/2002 | Morris | 6,922,688 | B1 | 7/2005 | Frey, Jr. |
| 6,363,056 | B1 | 3/2002 | Beigi et al. | 6,928,518 | B2 | 8/2005 | Talagala |
| | | | | 6,934,706 | B1 | 8/2005 | Mancuso et al. |
| | | | | 6,938,039 | B1 | 8/2005 | Bober et al. |
| | | | | 6,938,059 | B2 | 8/2005 | Tamer et al. |
| | | | | 6,959,373 | B2 | 10/2005 | Testardi |

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | | |
|-----------|----|---------|----------------------|-----------|-----|---------|-----------------------------|
| 6,961,815 | B2 | 11/2005 | Kistler et al. | 7,292,541 | B1 | 11/2007 | C S |
| 6,970,475 | B1 | 11/2005 | Fraser et al. | 7,293,097 | B2 | 11/2007 | Borr |
| 6,970,924 | B1 | 11/2005 | Chu et al. | 7,293,099 | B1 | 11/2007 | Kalajan |
| 6,973,455 | B1 | 12/2005 | Vahalia et al. | 7,293,133 | B1 | 11/2007 | Colgrove et al. |
| 6,973,490 | B1 | 12/2005 | Robertson et al. | 7,296,263 | B1 | 11/2007 | Jacob |
| 6,973,549 | B1 | 12/2005 | Testardi | 7,299,250 | B2 | 11/2007 | Douceur et al. |
| 6,975,592 | B1 | 12/2005 | Seddigh et al. | 7,308,475 | B1 | 12/2007 | Pruitt et al. |
| 6,985,936 | B2 | 1/2006 | Agarwalla et al. | 7,324,533 | B1 | 1/2008 | DeLiberato et al. |
| 6,985,956 | B2 | 1/2006 | Luke et al. | 7,330,486 | B2 | 2/2008 | Ko et al. |
| 6,986,015 | B2 | 1/2006 | Testardi | 7,340,571 | B2 | 3/2008 | Saze |
| 6,990,074 | B2 | 1/2006 | Wan et al. | 7,343,398 | B1 | 3/2008 | Lownsbrough |
| 6,990,114 | B1 | 1/2006 | Erimli et al. | 7,346,664 | B2 | 3/2008 | Wong et al. |
| 6,990,547 | B2 | 1/2006 | Ulrich et al. | 7,373,345 | B2 | 5/2008 | Carpentier et al. |
| 6,990,667 | B2 | 1/2006 | Ulrich et al. | 7,373,438 | B1 | 5/2008 | Debergalis et al. |
| 6,996,841 | B2 | 2/2006 | Kadyk et al. | 7,373,520 | B1 | 5/2008 | Borthakur et al. |
| 6,999,912 | B2 | 2/2006 | Loisey et al. | 7,383,288 | B2 | 6/2008 | Miloushev et al. |
| 7,003,533 | B2 | 2/2006 | Noguchi et al. | 7,383,463 | B2 | 6/2008 | Hayden et al. |
| 7,003,564 | B2 | 2/2006 | Greuel et al. | 7,401,220 | B2 | 7/2008 | Bolosky et al. |
| 7,006,502 | B2 | 2/2006 | Lin | 7,406,484 | B1 | 7/2008 | Srinivasan et al. |
| 7,006,981 | B2 | 2/2006 | Rose et al. | 7,409,440 | B1 | 8/2008 | Jacob |
| 7,010,553 | B2 | 3/2006 | Chen et al. | 7,415,488 | B1 | 8/2008 | Muth et al. |
| 7,013,379 | B1 | 3/2006 | Testardi | 7,415,608 | B2 | 8/2008 | Bolosky et al. |
| 7,020,644 | B2 | 3/2006 | Jameson | 7,418,439 | B2 | 8/2008 | Wong |
| 7,020,669 | B2 | 3/2006 | McCann et al. | 7,437,358 | B2 | 10/2008 | Arrouye et al. |
| 7,020,713 | B1 | 3/2006 | Shah et al. | 7,440,982 | B2 | 10/2008 | Lu et al. |
| 7,023,974 | B1 | 4/2006 | Brannam et al. | 7,443,321 | B1* | 10/2008 | Kaufman G06F 17/30312 |
| 7,024,427 | B2 | 4/2006 | Bobbitt et al. | | | | 341/106 |
| 7,035,212 | B1 | 4/2006 | Mittal et al. | 7,457,982 | B2 | 11/2008 | Rajan |
| 7,039,061 | B2 | 5/2006 | Connor et al. | 7,467,158 | B2 | 12/2008 | Marinescu |
| 7,051,112 | B2 | 5/2006 | Dawson | 7,475,241 | B2 | 1/2009 | Patel et al. |
| 7,054,998 | B2 | 5/2006 | Arnott et al. | 7,477,796 | B2 | 1/2009 | Sasaki et al. |
| 7,055,010 | B2 | 5/2006 | Lin et al. | 7,509,322 | B2 | 3/2009 | Miloushev et al. |
| 7,065,482 | B2 | 6/2006 | Shorey et al. | 7,512,673 | B2 | 3/2009 | Miloushev et al. |
| 7,072,917 | B2 | 7/2006 | Wong et al. | 7,519,813 | B1 | 4/2009 | Cox et al. |
| 7,075,924 | B2 | 7/2006 | Richter et al. | 7,555,608 | B2 | 6/2009 | Naik et al. |
| 7,076,689 | B2 | 7/2006 | Atkinson | 7,562,110 | B2 | 7/2009 | Miloushev et al. |
| 7,080,314 | B1 | 7/2006 | Garofalakis et al. | 7,571,168 | B2 | 8/2009 | Bahar et al. |
| 7,089,286 | B1 | 8/2006 | Malik | 7,574,433 | B2 | 8/2009 | Engel |
| 7,089,491 | B2 | 8/2006 | Feinberg et al. | 7,577,723 | B2 | 8/2009 | Matsuda et al. |
| 7,111,115 | B2 | 9/2006 | Peters et al. | 7,587,471 | B2 | 9/2009 | Yasuda et al. |
| 7,113,962 | B1 | 9/2006 | Kee et al. | 7,590,747 | B2 | 9/2009 | Coates et al. |
| 7,113,996 | B2 | 9/2006 | Kronenberg | 7,599,941 | B2 | 10/2009 | Bahar et al. |
| 7,120,728 | B2 | 10/2006 | Krakirian et al. | 7,610,307 | B2 | 10/2009 | Havewala et al. |
| 7,120,746 | B2 | 10/2006 | Campbell et al. | 7,610,390 | B2 | 10/2009 | Yared et al. |
| 7,127,556 | B2 | 10/2006 | Blumenau et al. | 7,624,109 | B2 | 11/2009 | Testardi |
| 7,133,863 | B2 | 11/2006 | Teng et al. | 7,639,883 | B2 | 12/2009 | Gill |
| 7,133,967 | B2 | 11/2006 | Fujie et al. | 7,640,347 | B1 | 12/2009 | Sloat et al. |
| 7,143,146 | B2 | 11/2006 | Nakatani et al. | 7,644,109 | B2 | 1/2010 | Manley et al. |
| 7,146,524 | B2 | 12/2006 | Patel et al. | 7,653,699 | B1 | 1/2010 | Colgrove et al. |
| 7,152,184 | B2 | 12/2006 | Maeda et al. | 7,656,788 | B2 | 2/2010 | Ma et al. |
| 7,155,466 | B2 | 12/2006 | Rodriguez et al. | 7,680,836 | B2 | 3/2010 | Anderson et al. |
| 7,161,904 | B2 | 1/2007 | Hussain et al. | 7,684,423 | B2 | 3/2010 | Tripathi et al. |
| 7,165,095 | B2 | 1/2007 | Sim | 7,685,126 | B2 | 3/2010 | Patel et al. |
| 7,167,821 | B2 | 1/2007 | Hardwick et al. | 7,685,177 | B1 | 3/2010 | Hagerstrom et al. |
| 7,171,469 | B2 | 1/2007 | Ackaouy et al. | 7,689,596 | B2 | 3/2010 | Tsunoda |
| 7,173,929 | B1 | 2/2007 | Testardi | 7,694,082 | B2 | 4/2010 | Golding et al. |
| 7,181,523 | B2 | 2/2007 | Sim | 7,698,458 | B1 | 4/2010 | Liu et al. |
| 7,191,163 | B2 | 3/2007 | Herrera et al. | 7,711,771 | B2 | 5/2010 | Kirnos |
| 7,194,579 | B2 | 3/2007 | Robinson et al. | 7,725,763 | B2 | 5/2010 | Vertes et al. |
| 7,197,615 | B2 | 3/2007 | Arakawa et al. | 7,734,603 | B1 | 6/2010 | McManis |
| 7,219,260 | B1 | 5/2007 | de Forest et al. | 7,739,540 | B2 | 6/2010 | Akutsu et al. |
| 7,228,359 | B1 | 6/2007 | Monteiro | 7,743,031 | B1 | 6/2010 | Cameron et al. |
| 7,234,074 | B2 | 6/2007 | Cohn et al. | 7,743,035 | B2 | 6/2010 | Chen et al. |
| 7,236,491 | B2 | 6/2007 | Tsao et al. | 7,752,294 | B2 | 7/2010 | Meyer et al. |
| 7,237,076 | B2 | 6/2007 | Nakano et al. | 7,769,711 | B2 | 8/2010 | Srinivasan et al. |
| 7,240,100 | B1 | 7/2007 | Wein et al. | 7,788,335 | B2 | 8/2010 | Miloushev et al. |
| 7,243,089 | B2 | 7/2007 | Becker-Szendy et al. | 7,805,470 | B2 | 9/2010 | Armangau et al. |
| 7,243,094 | B2 | 7/2007 | Tabellion et al. | 7,809,691 | B1 | 10/2010 | Karmarkar et al. |
| 7,257,633 | B2 | 8/2007 | Masputra et al. | 7,818,299 | B1 | 10/2010 | Federwisch et al. |
| 7,263,610 | B2 | 8/2007 | Parker et al. | 7,822,839 | B1 | 10/2010 | Pruitt et al. |
| 7,269,168 | B2 | 9/2007 | Roy et al. | 7,822,939 | B1 | 10/2010 | Veprinsky et al. |
| 7,269,582 | B2 | 9/2007 | Winter et al. | 7,831,639 | B1 | 11/2010 | Panchbudhe et al. |
| 7,272,613 | B2 | 9/2007 | Sim et al. | 7,849,112 | B2 | 12/2010 | Mane et al. |
| 7,280,536 | B2 | 10/2007 | Testardi | 7,853,958 | B2 | 12/2010 | Mathew et al. |
| 7,284,150 | B2 | 10/2007 | Ma et al. | 7,861,085 | B1 | 12/2010 | Case et al. |
| | | | | 7,870,154 | B2 | 1/2011 | Shitomi et al. |
| | | | | 7,877,511 | B1 | 1/2011 | Berger et al. |
| | | | | 7,885,970 | B2 | 2/2011 | Lacapra |
| | | | | 7,886,218 | B2 | 2/2011 | Watson |

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | | |
|--------------|-----|---------|---------------------------------------|--------------|----|---------|----------------------|
| 7,895,653 | B2 | 2/2011 | Calo et al. | 2002/0065810 | A1 | 5/2002 | Bradley |
| 7,900,002 | B2 | 3/2011 | Lyon | 2002/0065848 | A1 | 5/2002 | Walker et al. |
| 7,903,554 | B1 | 3/2011 | Manur et al. | 2002/0072048 | A1 | 6/2002 | Slattery et al. |
| 7,904,466 | B1 | 3/2011 | Valencia et al. | 2002/0073105 | A1 | 6/2002 | Noguchi et al. |
| 7,908,245 | B2 | 3/2011 | Nakano et al. | 2002/0083118 | A1 | 6/2002 | Sim |
| 7,913,053 | B1 | 3/2011 | Newland | 2002/0087571 | A1 | 7/2002 | Stapel et al. |
| 7,937,421 | B2 | 5/2011 | Mikesell et al. | 2002/0087744 | A1 | 7/2002 | Kitchin |
| 7,953,085 | B2 | 5/2011 | Chang et al. | 2002/0087887 | A1 | 7/2002 | Busam et al. |
| 7,953,701 | B2 | 5/2011 | Okitsu et al. | 2002/0099829 | A1 | 7/2002 | Richards et al. |
| 7,958,222 | B1 | 6/2011 | Pruitt et al. | 2002/0099842 | A1 | 7/2002 | Jennings et al. |
| 7,958,347 | B1 | 6/2011 | Ferguson | 2002/0103823 | A1 | 8/2002 | Jackson et al. |
| 7,974,478 | B2* | 7/2011 | Bashyam G06T 9/004 382/232 | 2002/0106263 | A1 | 8/2002 | Winker |
| 7,984,108 | B2 | 7/2011 | Landis et al. | 2002/0120763 | A1 | 8/2002 | Miloushev et al. |
| 7,984,500 | B1 | 7/2011 | Khanna et al. | 2002/0133330 | A1 | 9/2002 | Loisey et al. |
| 8,005,953 | B2 | 8/2011 | Miloushev et al. | 2002/0133491 | A1 | 9/2002 | Sim et al. |
| 8,015,157 | B2 | 9/2011 | Kamei et al. | 2002/0143819 | A1 | 10/2002 | Han et al. |
| 8,024,443 | B1 | 9/2011 | Jacob | 2002/0143852 | A1 | 10/2002 | Guo et al. |
| 8,037,528 | B2 | 10/2011 | Williams et al. | 2002/0143909 | A1 | 10/2002 | Botz et al. |
| 8,046,547 | B1 | 10/2011 | Chatterjee et al. | 2002/0147630 | A1 | 10/2002 | Rose et al. |
| 8,055,724 | B2 | 11/2011 | Amegadzie et al. | 2002/0150253 | A1 | 10/2002 | Brezak et al. |
| 8,064,342 | B2 | 11/2011 | Badger | 2002/0156905 | A1 | 10/2002 | Weissman |
| 8,069,225 | B2 | 11/2011 | McCanne et al. | 2002/0161911 | A1 | 10/2002 | Pinckney, III et al. |
| 8,074,107 | B2 | 12/2011 | Sivasubramanian et al. | 2002/0162118 | A1 | 10/2002 | Levy et al. |
| 8,099,758 | B2 | 1/2012 | Schaefer et al. | 2002/0174216 | A1 | 11/2002 | Shorey et al. |
| 8,103,622 | B1 | 1/2012 | Karinta | 2002/0178410 | A1 | 11/2002 | Haitsma et al. |
| 8,112,392 | B1 | 2/2012 | Bunnell et al. | 2002/0188667 | A1 | 12/2002 | Kirnos |
| 8,117,244 | B2 | 2/2012 | Marinov et al. | 2002/0194112 | A1 | 12/2002 | DePinto et al. |
| 8,151,082 | B2* | 4/2012 | Flynn G06F 3/0613 711/202 | 2002/0194342 | A1 | 12/2002 | Lu et al. |
| 8,155,128 | B2 | 4/2012 | Balyan et al. | 2002/0198956 | A1 | 12/2002 | Dunsha et al. |
| 8,161,353 | B2* | 4/2012 | Flynn G06F 17/30949 714/53 | 2003/0005172 | A1 | 1/2003 | Chessell |
| 8,171,124 | B2 | 5/2012 | Kondamuru | 2003/0009429 | A1 | 1/2003 | Jameson |
| 8,209,403 | B2 | 6/2012 | Szabo et al. | 2003/0009528 | A1 | 1/2003 | Sharif et al. |
| 8,271,620 | B2 | 9/2012 | Witchey | 2003/0012382 | A1 | 1/2003 | Ferchichi et al. |
| 8,271,751 | B2 | 9/2012 | Hinrichs, Jr. | 2003/0018450 | A1 | 1/2003 | Carley |
| 8,306,948 | B2 | 11/2012 | Chou et al. | 2003/0018585 | A1 | 1/2003 | Butler et al. |
| 8,326,798 | B1 | 12/2012 | Driscoll et al. | 2003/0022723 | A1 | 1/2003 | Johnston |
| 8,351,600 | B2* | 1/2013 | Resch 380/28 | 2003/0028514 | A1 | 2/2003 | Lord et al. |
| 8,396,836 | B1 | 3/2013 | Ferguson et al. | 2003/0033308 | A1 | 2/2003 | Patel et al. |
| 8,417,746 | B1 | 4/2013 | Gillett, Jr. et al. | 2003/0033535 | A1 | 2/2003 | Fisher et al. |
| 8,463,850 | B1 | 6/2013 | McCann | 2003/0034905 | A1 | 2/2003 | Anton et al. |
| 8,468,542 | B2 | 6/2013 | Jacobson et al. | 2003/0051045 | A1 | 3/2003 | Connor |
| 8,484,348 | B2 | 7/2013 | Subramanian et al. | 2003/0055723 | A1 | 3/2003 | English |
| 8,498,951 | B1 | 7/2013 | Baluja et al. | 2003/0061240 | A1 | 3/2003 | McCann et al. |
| 8,572,007 | B1 | 10/2013 | Manadhata et al. | 2003/0065956 | A1 | 4/2003 | Belapurkar et al. |
| 8,576,283 | B1 | 11/2013 | Foster et al. | 2003/0074301 | A1 | 4/2003 | Solomon |
| 8,595,547 | B1 | 11/2013 | Sivasubramanian et al. | 2003/0105846 | A1 | 6/2003 | Zhao et al. |
| 8,601,000 | B1 | 12/2013 | Stefani et al. | 2003/0108000 | A1 | 6/2003 | Chaney et al. |
| 8,620,879 | B2 | 12/2013 | Cairns | 2003/0108002 | A1 | 6/2003 | Chaney et al. |
| 8,635,194 | B2* | 1/2014 | Pandey H03M 7/30 386/328 | 2003/0115218 | A1 | 6/2003 | Bobbitt et al. |
| 8,645,337 | B2* | 2/2014 | Kapoor G06F 17/30501 707/693 | 2003/0115439 | A1 | 6/2003 | Mahalingam et al. |
| 8,676,753 | B2 | 3/2014 | Sivasubramanian et al. | 2003/0128708 | A1 | 7/2003 | Inoue et al. |
| 8,745,266 | B2 | 6/2014 | Agarwal et al. | 2003/0130945 | A1 | 7/2003 | Force et al. |
| 8,745,338 | B1* | 6/2014 | Yadav G06F 17/30153 707/693 | 2003/0139934 | A1 | 7/2003 | Mandera |
| 8,838,817 | B1 | 9/2014 | Biswas | 2003/0140210 | A1 | 7/2003 | Testardi |
| 8,879,431 | B2 | 11/2014 | Ridel et al. | 2003/0149781 | A1 | 8/2003 | Yared et al. |
| 8,959,215 | B2 | 2/2015 | Koponen et al. | 2003/0156586 | A1 | 8/2003 | Lee et al. |
| 9,143,451 | B2 | 9/2015 | Amdahl et al. | 2003/0159072 | A1 | 8/2003 | Bellinger et al. |
| 2001/0007560 | A1 | 7/2001 | Masuda et al. | 2003/0171978 | A1 | 9/2003 | Jenkins et al. |
| 2001/0014891 | A1 | 8/2001 | Hoffert et al. | 2003/0177364 | A1 | 9/2003 | Walsh et al. |
| 2001/0047293 | A1 | 11/2001 | Waller et al. | 2003/0177388 | A1 | 9/2003 | Botz et al. |
| 2001/0051955 | A1 | 12/2001 | Wong | 2003/0179755 | A1 | 9/2003 | Fraser |
| 2002/0010757 | A1 | 1/2002 | Granik et al. | 2003/0189936 | A1 | 10/2003 | Terrell et al. |
| 2002/0012352 | A1 | 1/2002 | Hansson et al. | 2003/0191812 | A1 | 10/2003 | Agarwalla et al. |
| 2002/0012382 | A1 | 1/2002 | Schilling | 2003/0195813 | A1 | 10/2003 | Pallister et al. |
| 2002/0032758 | A1 | 3/2002 | Yen et al. | 2003/0195962 | A1 | 10/2003 | Kikuchi et al. |
| 2002/0035537 | A1 | 3/2002 | Waller et al. | 2003/0200207 | A1 | 10/2003 | Dickinson |
| 2002/0038360 | A1 | 3/2002 | Andrews et al. | 2003/0204635 | A1 | 10/2003 | Ko et al. |
| 2002/0059263 | A1 | 5/2002 | Shima et al. | 2003/0212954 | A1 | 11/2003 | Patrudu |
| | | | | 2003/0220835 | A1 | 11/2003 | Barnes, Jr. |
| | | | | 2003/0229665 | A1 | 12/2003 | Ryman |
| | | | | 2003/0236995 | A1 | 12/2003 | Fretwell, Jr. |
| | | | | 2004/0003266 | A1 | 1/2004 | Moshir et al. |
| | | | | 2004/0006575 | A1 | 1/2004 | Visharam et al. |
| | | | | 2004/0006591 | A1 | 1/2004 | Matsui et al. |
| | | | | 2004/0010654 | A1 | 1/2004 | Yasuda et al. |
| | | | | 2004/0015347 | A1 | 1/2004 | Mee |
| | | | | 2004/0015783 | A1 | 1/2004 | Lennon et al. |
| | | | | 2004/0017825 | A1 | 1/2004 | Stanwood et al. |
| | | | | 2004/0025013 | A1 | 2/2004 | Parker et al. |

| (56) | | References Cited | | | | | |
|--------------|----|-----------------------|----------------------|--------------|-----|---------|------------------------------|
| | | U.S. PATENT DOCUMENTS | | | | | |
| 2004/0028043 | A1 | 2/2004 | Maveli et al. | 2006/0112151 | A1 | 5/2006 | Manley et al. |
| 2004/0028063 | A1 | 2/2004 | Roy et al. | 2006/0112367 | A1 | 5/2006 | Harris |
| 2004/0030627 | A1 | 2/2004 | Sedukhin | 2006/0112399 | A1 | 5/2006 | Lessly |
| 2004/0030740 | A1 | 2/2004 | Stelting | 2006/0123062 | A1 | 6/2006 | Bobbitt et al. |
| 2004/0030857 | A1 | 2/2004 | Krakirian et al. | 2006/0123210 | A1 | 6/2006 | Pritchett et al. |
| 2004/0043758 | A1 | 3/2004 | Sorvari et al. | 2006/0130133 | A1 | 6/2006 | Andreev et al. |
| 2004/0044705 | A1 | 3/2004 | Stager et al. | 2006/0133374 | A1 | 6/2006 | Sekiguchi |
| 2004/0054748 | A1 | 3/2004 | Ackaouy et al. | 2006/0140193 | A1 | 6/2006 | Kakani et al. |
| 2004/0054777 | A1 | 3/2004 | Ackaouy et al. | 2006/0153201 | A1 | 7/2006 | Hepper et al. |
| 2004/0059789 | A1 | 3/2004 | Shum | 2006/0167838 | A1 | 7/2006 | Lacapra |
| 2004/0064544 | A1 | 4/2004 | Barsness et al. | 2006/0179261 | A1 | 8/2006 | Rajan |
| 2004/0064554 | A1 | 4/2004 | Kuno et al. | 2006/0184589 | A1 | 8/2006 | Lees et al. |
| 2004/0093361 | A1 | 5/2004 | Therrien et al. | 2006/0190496 | A1 | 8/2006 | Tsunoda |
| 2004/0093474 | A1 | 5/2004 | Lin et al. | 2006/0200470 | A1 | 9/2006 | Lacapra et al. |
| 2004/0098383 | A1 | 5/2004 | Tabellion et al. | 2006/0206547 | A1* | 9/2006 | Kulkarni et al. 707/205 |
| 2004/0098595 | A1 | 5/2004 | Aupperle et al. | 2006/0209669 | A1 | 9/2006 | Nishio |
| 2004/0122926 | A1 | 6/2004 | Moore et al. | 2006/0212746 | A1 | 9/2006 | Amegadzie et al. |
| 2004/0123277 | A1 | 6/2004 | Schrader et al. | 2006/0218135 | A1 | 9/2006 | Bisson et al. |
| 2004/0133577 | A1 | 7/2004 | Miloushev et al. | 2006/0224636 | A1 | 10/2006 | Kathuria et al. |
| 2004/0133605 | A1 | 7/2004 | Chang et al. | 2006/0224687 | A1 | 10/2006 | Popkin et al. |
| 2004/0133606 | A1 | 7/2004 | Miloushev et al. | 2006/0229861 | A1 | 10/2006 | Tatsuoka et al. |
| 2004/0138858 | A1 | 7/2004 | Carley | 2006/0230014 | A1* | 10/2006 | Kedem G06F 3/0605 |
| 2004/0139355 | A1 | 7/2004 | Axel et al. | 2006/0230265 | A1 | 10/2006 | Krishna |
| 2004/0148380 | A1 | 7/2004 | Meyer et al. | 2006/0235998 | A1 | 10/2006 | Stecher et al. |
| 2004/0153479 | A1 | 8/2004 | Mikesell et al. | 2006/0242179 | A1 | 10/2006 | Chen et al. |
| 2004/0167967 | A1 | 8/2004 | Bastian et al. | 2006/0259320 | A1 | 11/2006 | LaSalle et al. |
| 2004/0177165 | A1 | 9/2004 | Masputra et al. | 2006/0259949 | A1 | 11/2006 | Schaefer et al. |
| 2004/0181605 | A1 | 9/2004 | Nakatani et al. | 2006/0268692 | A1 | 11/2006 | Wright et al. |
| 2004/0199547 | A1 | 10/2004 | Winter et al. | 2006/0270341 | A1 | 11/2006 | Kim et al. |
| 2004/0213156 | A1 | 10/2004 | Smallwood et al. | 2006/0271598 | A1 | 11/2006 | Wong et al. |
| 2004/0215665 | A1 | 10/2004 | Edgar et al. | 2006/0277225 | A1 | 12/2006 | Mark et al. |
| 2004/0236798 | A1 | 11/2004 | Srinivasan et al. | 2006/0282442 | A1 | 12/2006 | Lennon et al. |
| 2004/0236826 | A1 | 11/2004 | Harville et al. | 2006/0282461 | A1 | 12/2006 | Marinescu |
| 2004/0250032 | A1 | 12/2004 | Ji et al. | 2006/0282471 | A1 | 12/2006 | Mark et al. |
| 2005/0008017 | A1 | 1/2005 | Dana et al. | 2006/0294164 | A1 | 12/2006 | Armangau et al. |
| 2005/0021615 | A1 | 1/2005 | Arnott et al. | 2007/0005807 | A1 | 1/2007 | Wong |
| 2005/0021703 | A1 | 1/2005 | Cherry et al. | 2007/0016613 | A1 | 1/2007 | Foresti et al. |
| 2005/0027841 | A1 | 2/2005 | Rolfe | 2007/0016754 | A1 | 1/2007 | Testardi |
| 2005/0027862 | A1 | 2/2005 | Nguyen et al. | 2007/0019636 | A1 | 1/2007 | Lau et al. |
| 2005/0044158 | A1 | 2/2005 | Malik | 2007/0024919 | A1 | 2/2007 | Wong et al. |
| 2005/0050107 | A1 | 3/2005 | Mane et al. | 2007/0027929 | A1 | 2/2007 | Whelan |
| 2005/0071589 | A1 | 3/2005 | Tross et al. | 2007/0027935 | A1 | 2/2007 | Haselton et al. |
| 2005/0091214 | A1 | 4/2005 | Probert et al. | 2007/0028068 | A1 | 2/2007 | Golding et al. |
| 2005/0108575 | A1 | 5/2005 | Yung | 2007/0038994 | A1 | 2/2007 | Davis et al. |
| 2005/0114291 | A1 | 5/2005 | Becker-Szendy et al. | 2007/0061441 | A1 | 3/2007 | Landis et al. |
| 2005/0114701 | A1 | 5/2005 | Atkins et al. | 2007/0067771 | A1 | 3/2007 | Kulbak et al. |
| 2005/0117589 | A1 | 6/2005 | Douady et al. | 2007/0088702 | A1 | 4/2007 | Fridella et al. |
| 2005/0160161 | A1 | 7/2005 | Barrett et al. | 2007/0112775 | A1 | 5/2007 | Ackerman |
| 2005/0160243 | A1 | 7/2005 | Lubbers et al. | 2007/0124415 | A1 | 5/2007 | Lev-Ran et al. |
| 2005/0165656 | A1 | 7/2005 | Fredrick et al. | 2007/0124502 | A1 | 5/2007 | Li |
| 2005/0174944 | A1 | 8/2005 | Legault et al. | 2007/0130255 | A1 | 6/2007 | Wolovitz et al. |
| 2005/0175013 | A1 | 8/2005 | Le Pennec et al. | 2007/0136308 | A1 | 6/2007 | Tsirigottis et al. |
| 2005/0187866 | A1 | 8/2005 | Lee | 2007/0139227 | A1* | 6/2007 | Speirs et al. 341/50 |
| 2005/0193245 | A1 | 9/2005 | Hayden et al. | 2007/0147246 | A1 | 6/2007 | Hurley et al. |
| 2005/0198234 | A1 | 9/2005 | Leib et al. | 2007/0162891 | A1 | 7/2007 | Burner et al. |
| 2005/0198501 | A1 | 9/2005 | Andreev et al. | 2007/0168320 | A1 | 7/2007 | Borthakur et al. |
| 2005/0213587 | A1 | 9/2005 | Cho et al. | 2007/0168525 | A1 | 7/2007 | Deleon et al. |
| 2005/0234928 | A1 | 10/2005 | Shkvarchuk et al. | 2007/0180314 | A1 | 8/2007 | Kawashima et al. |
| 2005/0240664 | A1 | 10/2005 | Chen et al. | 2007/0192543 | A1 | 8/2007 | Naik et al. |
| 2005/0246393 | A1 | 11/2005 | Coates et al. | 2007/0208748 | A1 | 9/2007 | Li |
| 2005/0256806 | A1 | 11/2005 | Tien et al. | 2007/0209075 | A1 | 9/2007 | Coffman |
| 2005/0273456 | A1 | 12/2005 | Revanuru et al. | 2007/0226331 | A1 | 9/2007 | Srinivasan et al. |
| 2005/0289109 | A1 | 12/2005 | Arrouye et al. | 2007/0233826 | A1 | 10/2007 | Tindal et al. |
| 2005/0289111 | A1 | 12/2005 | Tribble et al. | 2007/0239944 | A1 | 10/2007 | Rupanagunta et al. |
| 2006/0010502 | A1 | 1/2006 | Mimatsu et al. | 2007/0250560 | A1 | 10/2007 | Wein et al. |
| 2006/0031374 | A1 | 2/2006 | Lu et al. | 2007/0260830 | A1 | 11/2007 | Faibish et al. |
| 2006/0031778 | A1 | 2/2006 | Goodwin et al. | 2008/0004022 | A1 | 1/2008 | Johannesson et al. |
| 2006/0045089 | A1 | 3/2006 | Bacher et al. | 2008/0010372 | A1 | 1/2008 | Khedouri et al. |
| 2006/0045096 | A1 | 3/2006 | Farmer et al. | 2008/0022059 | A1 | 1/2008 | Zimmerer et al. |
| 2006/0047785 | A1 | 3/2006 | Wang et al. | 2008/0046432 | A1 | 2/2008 | Anderson et al. |
| 2006/0074922 | A1 | 4/2006 | Nishimura | 2008/0070575 | A1 | 3/2008 | Claussen et al. |
| 2006/0075475 | A1 | 4/2006 | Boulos et al. | 2008/0104347 | A1 | 5/2008 | Iwamura et al. |
| 2006/0080353 | A1 | 4/2006 | Miloushev et al. | 2008/0104443 | A1 | 5/2008 | Akutsu et al. |
| 2006/0100752 | A1 | 5/2006 | Kim et al. | 2008/0114718 | A1 | 5/2008 | Anderson et al. |
| 2006/0106882 | A1 | 5/2006 | Douceur et al. | 2008/0120592 | A1 | 5/2008 | Tanguay et al. |
| | | | | 2008/0141246 | A1 | 6/2008 | Kuck et al. |
| | | | | 2008/0189468 | A1 | 8/2008 | Schmidt et al. |
| | | | | 2008/0200207 | A1 | 8/2008 | Donahue et al. |
| | | | | 2008/0208917 | A1 | 8/2008 | Smoot et al. |

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0208933 A1 8/2008 Lyon
 2008/0209073 A1 8/2008 Tang
 2008/0215836 A1 9/2008 Sutoh et al.
 2008/0222223 A1 9/2008 Srinivasan et al.
 2008/0243769 A1 10/2008 Arbour et al.
 2008/0263401 A1 10/2008 Stenzel
 2008/0270578 A1 10/2008 Zhang et al.
 2008/0281908 A1 11/2008 McCanne et al.
 2008/0281944 A1 11/2008 Vorne et al.
 2008/0282047 A1 11/2008 Arakawa et al.
 2008/0294446 A1* 11/2008 Guo et al. 704/501
 2009/0007162 A1 1/2009 Sheehan
 2009/0013138 A1 1/2009 Sudhakar
 2009/0019535 A1 1/2009 Mishra et al.
 2009/0037500 A1* 2/2009 Kirshenbaum 707/206
 2009/0037975 A1 2/2009 Ishikawa et al.
 2009/0041230 A1 2/2009 Williams
 2009/0055507 A1 2/2009 Oeda
 2009/0055607 A1 2/2009 Schack et al.
 2009/0077097 A1 3/2009 Lacapra et al.
 2009/0080440 A1 3/2009 Balyan et al.
 2009/0089344 A1 4/2009 Brown et al.
 2009/0089487 A1 4/2009 Kwon et al.
 2009/0094252 A1 4/2009 Wong et al.
 2009/0094311 A1 4/2009 Awadallah et al.
 2009/0097480 A1 4/2009 Curtis et al.
 2009/0106255 A1 4/2009 Lacapra et al.
 2009/0106263 A1 4/2009 Khalid et al.
 2009/0106413 A1 4/2009 Salo et al.
 2009/0125955 A1 5/2009 DeLorme
 2009/0132616 A1 5/2009 Winter et al.
 2009/0138314 A1 5/2009 Bruce
 2009/0161542 A1 6/2009 Ho
 2009/0187915 A1 7/2009 Chew et al.
 2009/0204649 A1 8/2009 Wong et al.
 2009/0204650 A1 8/2009 Wong et al.
 2009/0204705 A1 8/2009 Marinov et al.
 2009/0210431 A1 8/2009 Marinkovic et al.
 2009/0210875 A1 8/2009 Bolles et al.
 2009/0217163 A1 8/2009 Jaroker
 2009/0217386 A1 8/2009 Schneider
 2009/0240705 A1 9/2009 Miloushev et al.
 2009/0240899 A1 9/2009 Akagawa et al.
 2009/0241176 A1 9/2009 Beletski et al.
 2009/0254592 A1 10/2009 Marinov et al.
 2009/0265396 A1 10/2009 Ram et al.
 2009/0265467 A1 10/2009 Peles
 2009/0289828 A1 11/2009 Hinchey
 2009/0292957 A1 11/2009 Bower et al.
 2009/0300161 A1 12/2009 Pruitt et al.
 2009/0313503 A1 12/2009 Atluri et al.
 2009/0316708 A1 12/2009 Yahyaoui et al.
 2009/0319600 A1 12/2009 Sedan et al.
 2010/0017423 A1* 1/2010 Koifman G06F 3/0623
 707/E17.009
 2010/0017643 A1 1/2010 Baba et al.
 2010/0030777 A1 2/2010 Panwar et al.
 2010/0042743 A1 2/2010 Jeon et al.
 2010/0061232 A1 3/2010 Zhou et al.
 2010/0064001 A1 3/2010 Daily
 2010/0070476 A1 3/2010 O'Keefe et al.
 2010/0082542 A1 4/2010 Feng et al.
 2010/0093318 A1 4/2010 Zhu et al.
 2010/0122248 A1 5/2010 Robinson et al.
 2010/0131654 A1 5/2010 Malakapalli et al.
 2010/0179984 A1 7/2010 Sebastian
 2010/0199042 A1 8/2010 Bates et al.
 2010/0205206 A1 8/2010 Rabines et al.
 2010/0211547 A1 8/2010 Kamei et al.
 2010/0228814 A1 9/2010 McKenna et al.
 2010/0228819 A1 9/2010 Wei
 2010/0242092 A1 9/2010 Harris et al.
 2010/0250497 A1 9/2010 Redlich et al.
 2010/0274772 A1 10/2010 Samuels
 2010/0306169 A1 12/2010 Pishevar et al.

2010/0325257 A1 12/2010 Goel et al.
 2010/0325634 A1 12/2010 Ichikawa et al.
 2011/0055921 A1 3/2011 Narayanaswamy et al.
 2011/0066736 A1 3/2011 Mitchell et al.
 2011/0072321 A1 3/2011 Dhuse
 2011/0075667 A1 3/2011 Li et al.
 2011/0083185 A1 4/2011 Sheleheda et al.
 2011/0087696 A1 4/2011 Lacapra
 2011/0093471 A1 4/2011 Brockway et al.
 2011/0098087 A1 4/2011 Tseng
 2011/0099146 A1 4/2011 McAlister et al.
 2011/0099420 A1 4/2011 McAlister et al.
 2011/0107112 A1* 5/2011 Resch 713/193
 2011/0113095 A1 5/2011 Hatami-Hama
 2011/0119234 A1 5/2011 Schack et al.
 2011/0153985 A1 6/2011 Saha et al.
 2011/0185082 A1 7/2011 Thompson
 2011/0188415 A1 8/2011 Graziano
 2011/0213911 A1 9/2011 Eldus et al.
 2011/0296411 A1 12/2011 Tang et al.
 2011/0320882 A1 12/2011 Beaty et al.
 2012/0042115 A1 2/2012 Young
 2012/0078856 A1 3/2012 Linde
 2012/0117028 A1 5/2012 Gold et al.
 2012/0144229 A1 6/2012 Nadolski
 2012/0150699 A1 6/2012 Trapp et al.
 2012/0150805 A1 6/2012 Pafumi et al.
 2012/0195273 A1 8/2012 Iwamura et al.
 2012/0254293 A1 10/2012 Winter et al.
 2012/0257506 A1 10/2012 Bazlamacci et al.
 2012/0258766 A1 10/2012 Cho et al.
 2013/0007239 A1 1/2013 Agarwal et al.
 2013/0058229 A1 3/2013 Casado et al.
 2013/0058252 A1 3/2013 Casado et al.
 2013/0058255 A1 3/2013 Casado et al.
 2013/0182713 A1 7/2013 Giacomoni et al.
 2013/0238472 A1 9/2013 Fan et al.
 2015/0058595 A1 2/2015 Gura et al.

FOREIGN PATENT DOCUMENTS

CA 2512312 A1 7/2004
 EP 0605088 A3 7/1994
 EP 0605088 A3 2/1996
 EP 0 738 970 A1 10/1996
 EP 1081918 A2 3/2001
 JP 63010250 A 1/1988
 JP 06-205006 7/1994
 JP 6205006 A 7/1994
 JP 06-332782 12/1994
 JP 8021924 B 3/1996
 JP 08-328760 12/1996
 JP 08-339355 12/1996
 JP 9016510 A 1/1997
 JP 11282741 A 10/1999
 NZ 566291 A 12/2008
 WO WO 00/58870 A2 10/2000
 WO WO 02/39696 A2 5/2002
 WO WO 02/056181 A2 7/2002
 WO WO 2004/061605 A2 7/2004
 WO WO 2006/091040 A1 8/2006
 WO WO 2008/130983 A1 10/2008
 WO WO 2008/147973 A2 12/2008

OTHER PUBLICATIONS

"Market Research & Releases, Solstice Diameter Requirements", last accessed Mar. 29, 2010, (<http://mainstreet/sites/PD/Teams/ProdMgmt/MarketResearch/Unisversal>).
 "Respond to server depending on TCP::client_port", DevCentral Forums iRules, pp. 1-6, last accessed Mar. 26, 2010, (<http://devcentral.f5.com/Default.aspx?tabid=53&forumid=5&tpage=1&v>).
 "UDDI Overview", Sep. 6, 2000, pp. 1-21, uddi.org, (<http://www.uddi.org/>).
 "UDDI Technical White Paper," Sep. 6, 2000, pp. 1-12, uddi-org, (<http://www.uddi.org/>).
 "UDDI Version 3.0.1" UDDI Spec Technical Committee Specification, Oct. 14, 2003, pp. 1-383, uddi.org, (<http://www.uddi.org/>).

(56)

References Cited

OTHER PUBLICATIONS

- "3-DNS® Reference Guide version 4.5," Sep. 2002, pp. 2-1-2-28, 3-1-3-12, 5-1-5-24, F5 etworks, Inc., Seattle, Washington.
- "BIG-IP® Reference Guide version 4.5," Sep. 2002, pp. 11-1-11-32, F5 Networks, Inc., Seattle Washington.
- "CSA Persistent File System Technology," A White Paper, Jan. 1, 1999, p. 1-3, http://www.csoa.com/white_papers/pfs.php, Colorado Software Architecture, Inc.
- "NERSC Tutorials: I/O on the Cray T3E, 'Chapter 8, Disk Striping'," National Energy Research Scientific Computing Center (NERSC), <http://hpcfnesc.gov>, last accessed on Dec. 27, 2002.
- "Routing Global Internet Users to the Appropriate Data Center and Applications Using F5's 3-DNS Controller," Aug. 2001, pp. 1-4, F5 Networks, Inc., Seattle, Washington, <http://www.f5.com/f5products/3dns/relatedMaterials/3DNSRouting.html>.
- "Scaling Next Generation Web Infrastructure with Content-Intelligent Switching: White Paper," Apr. 2000, p. 1-9 Alteon Web Systems, Inc.
- "Using F5's 3-DNS Controller to Provide High Availability Between Two or More Data Centers," F5 Networks, Inc., Aug. 2001, pp. 1-3, F5 Networks, Inc., Seattle, Washington, <http://www.f5.com/f5products/3dns/relatedMaterials/UsingF5.html>.
- "Veritas SANPoint Foundation Suite(tm) and SANPoint Foundation Suite(tm) HA: New Veritas Volume Management and File System Technology for Cluster Environments," Sep. 2001, Veritas Software Corp.
- "Windows Clustering Technologies—An Overview," Nov. 2001, Microsoft Corp., www.microsoft.com, last accessed on Dec. 30, 2002.
- Aguilera, Marcos K. et al., "Improving recoverability in multi-tier storage systems," International Conference on Dependable Systems and Networks (DSN-2007), Jun. 2007, 10 pages, Edinburgh, Scotland.
- Anderson et al., "Serverless Network File System," in the 15th Symposium on Operating Systems Principles, Dec. 1995, Association for Computing Machinery, Inc.
- Anderson, Darrell C. et al., "Interposed Request Routing for Scalable Network Storage," ACM Transactions on Computer Systems 20(1): (Feb. 2002), pp. 1-24.
- Anonymous, "How DFS Works: Remote File Systems," Distributed File System (DFS) Technical Reference, retrieved from the Internet on Feb. 13, 2009: URL<<http://technet.microsoft.com/en-us/library/cc782417WS.10.printer.aspx>> (Mar. 2003).
- Apple, Inc., "Mac OS X Tiger Keynote Intro. Part 2," Jun. 2004, [www.youtube.com <http://www.youtube.com/watch?v=zSBjwEmRjBY>](http://www.youtube.com/watch?v=zSBjwEmRjBY), p. 1.
- Baer, T., et al., "The elements of Web services" ADTmag.com, Dec. 1, 2002, pp. 1-6, (<http://www.adtmag.com>).
- Basney et al., "Credential Wallets: A Classification of Credential Repositories Highlighting MyProxy," TPRC 2003, Sep. 19-21, 2003, pp. 1-20.
- Bill Schilit, "Bootstrapping Location-Enhanced Web Services," Dec. 4, 2003, University of Washington, Seattle, Washington, <http://www.cs.washington.edu/news/colloq.info.html>.
- Blue Coat, "Technology Primer: CIFS Protocol Optimization," Blue Coat Systems Inc., 2007, pp. 1-3, (<http://www.bluecoat.com>).
- Botzum, Keys, "Single Sign On—A Contrarian View," Open Group Website, <<http://www.opengroup.org/security/topics.htm>>, Aug. 6, 2001, pp. 1-8.
- Brent Sleeper, "The Evolution of UDDI: UDDI.org White Paper," Jul. 19, 2002, pp. 1-15, The Stencil Group, Inc., San Francisco, California, http://www.uddi.org/pubs/the_evolution_of_uddi_20020719.pdf.
- Brent Sleeper, "Why UDDI Will Succeed, Quietly: Two Factors Push Web Services Forward," Apr. 2001, pp. 1-7, The Stencil Group, Inc., San Francisco, California, http://www.stencilgroup.com/ideas_scope_200104uddi.pdf.
- Cabrera et al., "Using Data Striping in a Local Area Network," 1992, technical report No. UCSC-CRL-92-09 of the Computer & Information Sciences Department of University of California at Santa Cruz.
- Callaghan et al., "NFS Version 3 Protocol Specifications" (RFC 1813), Jun. 1995, The Internet Engineering Task Force (IETF), www.ietf.org, last accessed on Dec. 30, 2002.
- Cavale, M. R., "Introducing Microsoft Cluster Service (MSCS) in the Windows Server 2003", Microsoft Corporation, Nov. 2002.
- Dawn Kawamoto, "Amazon Files for Web Services Patent," CNET News.com, Jul. 28, 2005, pp. 1-2, <http://www.news.com>.
- F5 Networks Inc., "Case Information Log for 'Issues with BoNY upgrade to 4.3'", as early as Feb. 2008.
- F5 Networks Inc., "Deploying the BIG-IP LTM for Diameter Traffic Management," F5® Deployment Guide, Publication date Sep. 2010, Version 1.2, pp. 1-19.
- F5 Networks Inc., "F5 Diameter RM", Powerpoint document, Jul. 16, 2009, pp. 1-7.
- F5 Networks Inc., "F5 WANJet CIFS Acceleration", White Paper, F5 Networks Inc., Mar. 2006, pp. 1-5, Seattle, Washington.
- F5 Networks Inc., "Routing Global Internet Users to the Appropriate Data Center and Applications Using F5's 3-DNS Controller", F5 Networks Inc., Aug. 2001, pp. 1-4, Seattle, Washington, (<http://www.f5.com/f5products/3dns/relatedMaterials/UsingF5.html>).
- F5 Networks Inc., "Using F5's-DNS Controller To Provide High Availability Between Two or More Data Centers", F5 Networks Inc., Aug. 2001, pp. 1-4, Seattle, Washington, (<http://www.f5.com/f5products/3dns/relatedMaterials/3DNSRouting.html>).
- Fajardo V., "Open Diameter Software Architecture," Jun. 25, 2004, pp. 1-6, Version 1.0.7.
- Fan et al., "Summary Cache: A Scalable Wide-Area Protocol", Computer Communications Review, Association Machinery, New York, USA, Oct. 1998, vol. 28, Web Cache Sharing for Computing No. 4, pp. 254-265.
- Farley, M., "Building Storage Networks," Jan. 2000, McGraw Hill, ISBN 0072120509.
- Frank Sommers, "What's New in UDDI 3.0—Part 1," Jan. 27, 2003, pp. 1-5, Web Services.Org, <http://www.webservices.org/index.php/article/articleview/871/1/24>.
- Frank Sommers, "What's New in UDDI 3.0—Part 2," Feb. 3, 2003, pp. 1-7, Web Services.Org, <http://www.webservices.org/index.php/article/articleview/881/1/24/>.
- Frank Sommers, "What's New in UDDI 3.0—Part 3," Feb. 2, 2003, pp. 1-4, WebServices.Org, <http://www.webservices.org/index.php/article/articleview/894/1/24/>.
- Gibson et al., "File Server Scaling with Network-Attached Secure Disks," in Proceedings of the ACM International Conference on Measurement and Modeling of Computer Systems (Sigmetrics '97), Association for Computing Machinery, Inc., Jun. 15-18, 1997.
- Gibson et al., "NASD Scalable Storage Systems," Jun. 1999, USENIX99, Extreme Linux Workshop, Monterey, California.
- Heinz G., "Priorities in Stream Transmission Control Protocol (SCTP) Multistreaming", Thesis submitted to the Faculty of the University of Delaware, Spring 2003, pp. 1-35.
- International Search Report for International Patent Application No. PCT/US2008/083117 (dated Jun. 23, 2009).
- International Search Report for International Patent Application No. PCT/US2008/060449 (dated Apr. 9, 2008).
- International Search Report for International Patent Application No. PCT/US2008/064677 (dated Sep. 6, 2009).
- International Search Report for International Patent Application No. PCT/US02/00720, dated Mar. 19, 2005.
- International Search Report from International Application No. PCT/US03/41202, dated Sep. 15, 2005.
- Karamanolis, C. et al., "An Architecture for Scalable and Manageable File Services," HPL-2001-173, Jul. 26, 2001, p. 1-114.
- Kawamoto, D., "Amazon files for Web services patent", CNET News.com, Jul. 28, 2005, pp. 1-2, (<http://news.com>).
- Kohl et al., "The Kerberos Network Authentication Service (V5)," RFC 1510, Sep. 1993. (<http://www.ietf.org/rfc/rfc1510.txt?number=1510>).

(56)

References Cited

OTHER PUBLICATIONS

- Korkuzas, V., Communication pursuant to Article 96(2) EPC dated Sep. 11, 2007 in corresponding European patent application No. 02718824.2-2201.
- LaMonica M., "Infravio spiffs up Web services registry idea", CNET News.com, May 11, 2004, pp. 1-2, last accessed Sep. 20, 2004, (<http://www.news.com>).
- Lelil, S., "Storage Technology News: AutoVirt adds tool to help data migration projects," Feb. 25, 2011, last accessed Mar. 17, 2011, <http://searchstorage.techtarget.com/news/article/0,289142,sid5_gci1527986,00.html>.
- Long et al., "Swift/RAID: A distributed RAID System", Computing Systems, Summer 1994, vol. 7, pp. 333-359.
- Mac Vittie, L., "Message-Based Load Balancing: Using F5 solutions to address the challenges of scaling Diameter, RADIUS, and message-oriented protocols", F5 Technical Brief, 2005, pp. 1-9, F5 Networks Inc., Seattle, Washington.
- Modiano E., "Scheduling Algorithms for Message Transmission Over a Satellite Broadcast System," MIT Lincoln Laboratory Advanced Network Group, Nov. 1997, pp. 1-7.
- Nichols K., et al., "Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers", (RFC:2474) Network Working Group, Dec. 1998, pp. 1-19, (<http://www.ietf.org/rfc/rfc2474.txt>).
- Norton et al., "CIFS Protocol Version CIFS-Spec 0.9," 2001, Storage Networking Industry Association (SNIA), www.snia.org, last accessed on Mar. 26, 2001.
- Ott D., et al., "A Mechanism for TCP-Friendly Transport-level Protocol Coordination", USENIX Annual Technical Conference, Jun. 10, 2002, University of North Carolina at Chapel Hill, pp. 1-12.
- Patterson et al., "A case for redundant arrays of inexpensive disks (RAID)", Chicago, Illinois, Jun. 1-3, 1998, in Proceedings of ACM SIGMOD conference on the Management of Data, pp. 109-116, Association for Computing Machinery, Inc., www.acm.org, last accessed on Dec. 20, 2002.
- Pearson, P.K., "Fast Hashing of Variable-Length Text Strings," Comm. of the ACM, Jun. 1990, pp. 1-4, vol. 33, No. 6.
- Peterson, M., "Introducing Storage Area Networks," Feb. 1998, InfoStor, www.infostor.com, last accessed on Dec. 20, 2002.
- Preslan et al., "Scalability and Failure Recovery in a Linux Cluster File System," in Proceedings of the 4th Annual Linux Showcase & Conference, Atlanta, Georgia, Oct. 10-14, 2000, pp. 169-180 of the Proceedings, www.usenix.org, last accessed on Dec. 20, 2002.
- Response filed Jul. 6, 2007 to Office action dated Feb. 6, 2007 for related U.S. Appl. No. 10/336,784.
- Response filed Mar. 20, 2008 to Final Office action dated Sep. 21, 2007 for related U.S. Appl. No. 10/336,784.
- Rich Seeley, "Can Infravio technology revive UDDI?," Application Development Trends, Oct. 22, 2003, p. 1, Application Development Trends, Framingham, MA, <http://www.admag.com>.
- Rodriguez et al., "Parallel-access for mirror sites in the Internet," InfoCom 2000. Nineteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE Tel Aviv, Israel Mar. 26-30, 2000, Piscataway, NJ, USA, IEEE, US, Mar. 26, 2000 (Mar. 26, 2000), pp. 864-873, XP010376176 ISBN: 0-7803-5880-5 p. 867, col. 2, last paragraph—p. 868, col. 1, paragraph 1.
- RSYNC, "Welcome to the RSYNC Web Pages," Retrieved from the Internet URL: <http://samba.anu.edu.au/rsync/>. (Retrieved on Dec. 18, 2009).
- Shohoud, Y., "Building XML Web Services with VB .NET and VB 6", Addison Wesley, 2002, pp. 1-14.
- Soltis et al., "The Global File System," Sep. 17-19, 1996, in Proceedings of the Fifth NASA Goddard Space Flight Center Conference on Mass Storage Systems and Technologies, College Park, Maryland.
- Sorenson, K.M., "Installation and Administration: Kimberlite Cluster Version 1.1.0, Rev. Dec. 2000," Mission Critical Linux, <http://oss.missioncriticallinux.com/kimberlite/kimberlite.pdf>.
- Stakutis, C., "Benefits of SAN-based file system sharing," Jul. 2000, pp. 1-4, InfoStor, www.infostor.com, last accessed on Dec. 30, 2002.
- Uesugi, H., Nov. 26, 2008 amendment filed by Japanese associate in response to office action dated May 26, 2008 in corresponding Japanese patent application No. 2002-556371.
- Uesugi, H., English translation of office action dated May 26, 2008 in corresponding Japanese patent application No. 2002-556371.
- Wikipedia, "Diameter (protocol)", pp. 1-11, last accessed Oct. 27, 2010, ([http://en.wikipedia.org/wiki/Diameter_\(protocol\)](http://en.wikipedia.org/wiki/Diameter_(protocol))).
- Wilkes, J., et al., "The HP AutoRAID Hierarchical Storage System," Feb. 1996, vol. 14, No. 1, ACM Transactions on Computer Systems.
- Woo T.Y.C., "A Modular Approach to Packet Classification: Algorithms and Results", Nineteenth Annual Conference of the IEEE Computer and Communications Societies 3(3):1213-22, Mar. 26-30, 2000, abstract only, (http://ieeexplore.ieee.org/xpl/freeabs_all.jsp?arnumber=832499).
- Yasser Shohoud, "Building XML Web Services with VB .NET and VB 6," 2002, pp. 1-14, Addison Wesley, Boston, Massachusetts.
- Zayas, E., "AFS-3 Programmer's Reference: Architectural Overview," Transarc Corp., version 1.0 of Sep. 2, 1991, doc. No. FS-00-D160.
- "The AFS File System in Distributed Computing Environment," www.transarc.ibm.com/Library/whitepapers/AFS/afsoverview.html, last accessed on Dec. 20, 2002.
- Aguilera et al., "Improving recoverability in multi-tier storage systems," International Conference on Dependable Systems and Networks (DSN-2007), Jun. 2007, 10 pages, Edinburgh, Scotland.
- Anderson et al., "Interposed Request Routing for Scalable Network Storage," ACM Transactions on Computer Systems 20(1): (Feb. 2002), pp. 1-24.
- Anderson et al., "Serverless Network File System," in the 15th Symposium on Operating Systems Principles, Dec. 1995, 40 pages, Association for Computing Machinery, Inc.
- Anonymous, "How DFS Works: Remote File Systems," Distributed File System (DFS) Mar. 2003, 54 pages, Technical Reference retrieved from the Internet on Feb. 13, 2009, URL <[http://technet.microsoft.com/en-us/library/cc782417\(WS.10,printer\).aspx](http://technet.microsoft.com/en-us/library/cc782417(WS.10,printer).aspx)>.
- Apple, Inc., "Mac OS X Tiger Keynote Intro. Part 2," Jun. 2004, [www.youtube.com <http://www.youtube.com/watch?v=zSBjwEmRJbY>](http://www.youtube.com/watch?v=zSBjwEmRJbY), 1 page.
- Apple, Inc., "Tiger Developer Overview Series: Working with Spotlight," Nov. 23, 2004, www.apple.com using www.archive.org <http://web.archive.org/web/20041123005335/developer.apple.com/macosx/tiger/spo_tlight.html>, pp. 1-6.
- "A Storage Architecture Guide," Second Edition, 2001, Auspex Systems, Inc., www.auspex.com, last accessed on Dec. 30, 2002.
- Basney et al., "Credential Wallets: A Classification of Credential Repositories Highlighting MyProxy," Sep. 19-21, 2003, pp. 1-20, 31st Research Conference on Communication, Information and Internet Policy (TPRC 2003), Arlington, Virginia.
- Botzum, Keys, "Single Sign on—A Contrarian View," Aug. 6, 2001, pp. 1-8, Open Group Website, <http://www.opengroup.org/security/topics.htm>.
- Cabrera et al., "Swift: A Storage Architecture for Large Objects," In Proceedings of the—Eleventh IEEE Symposium on Mass Storage Systems, Oct. 1991, pp. 123-128.
- Cabrera et al., "Swift: Using Distributed Disk Striping to Provide High I/O Data Rates," Fall 1991, pp. 405-436, vol. 4, No. 4, Computing Systems.
- Cabrera et al., "Using Data Striping in a Local Area Network," 1992, 22 pages, Technical report No. UCSC-CRL-92-09 of the Computer & Information Sciences Department of University of California at Santa Cruz.
- Callaghan et al., "NFS Version 3 Protocol Specifications" (RFC 1813), Jun. 1995, 127 pages, The Internet Engineering Task Force (IETF), www.ietf.org, last accessed on Dec. 30, 2002.
- Carns et al., "PVFS: A Parallel File System for Linux Clusters," in Proceedings of the Extreme Linux Track: 4th Annual Linux Showcase and Conference, Oct. 2000, pp. 317-327, Atlanta, Georgia, USENIX Association.

(56)

References Cited

OTHER PUBLICATIONS

- Cavale, M. R., "Introducing Microsoft Cluster Service (MSCS) in the Windows Server 2003", Nov. 2002, 10 pages, Microsoft Corporation.
- "CSA Persistent File System Technology," A White Paper, Jan. 1, 1999, pp. 1-3, http://www.cosoa.com/white_papers/pfs.php, Colorado Software Architecture, Inc.
- "Distributed File System: A Logical View of Physical Storage: White Paper," 1999, Microsoft Corp., www.microsoft.com, <<http://www.eu.microsoft.com/TechNet/prodtechnol/windows2000serv/maint-ain/DFSnt95>>, pp. 1-26, last accessed on Dec. 20, 2002.
- English Translation of Notification of Reason(s) for Refusal for JP 2002-556371 (Dispatch Date: Jan. 22, 2007).
- Fan et al., "Summary Cache: A Scalable Wide-Area Protocol", Computer Communications Review, Association Machinery, New York, USA, Oct. 1998, pp. 254-265, vol. 28, Web Cache Sharing for Computing No. 4.
- Farley, M., "Enterprise Storage Forum," Jan. 2000, 2 pages, Book Review-Building Storage Networks, 2nd Edition, http://www.enterprisestorageforum.com/sans/features/print/0,,10556_1441201.00.html, Enterprise Storage Forum Staff, last accessed Dec. 20, 2002.
- Gibson et al., "File Server Scaling with Network-Attached Secure Disks," in Proceedings of the ACM International Conference on Measurement and Modeling of Computer Systems (Sigmetrics '97), Association for Computing Machinery, Inc., Jun. 15-18, 1997, 13 pages.
- Gibson et al., "NASD Scalable Storage Systems," Jun. 1999, 6 pages, USENIX99, Extreme Linux Workshop, Monterey, California.
- Harrison, C., May 19, 2008 response to Communication pursuant to Article 96(2) EPC dated Nov. 9, 2007 in corresponding European patent application No. 02718824.2.
- Hartman, J., "The Zebra Striped Network File System," 1994, Ph.D. dissertation submitted in the Graduate Division of the University of California at Berkeley.
- Haskin et al., "The Tiger Shark File System," 1996, in proceedings of IEEE, Spring COMPCON, Santa Clara, CA, www.research.ibm.com, last accessed on Dec. 30, 2002.
- Hu, J., Final Office action dated Sep. 21, 2007 for related U.S. Appl. No. 10/336,784.
- Hu, J., Office action dated Feb. 6, 2007 for related U.S. Appl. No. 10/336,784.
- Hwang et al., "Designing SSI Clusters with Hierarchical Checkpointing and Single I/O Space," IEEE Concurrency, Jan.-Mar. 1999, pp. 60-69.
- International Search Report for International Patent Application No. PCT/US2008/083117 (Jun. 23, 2009).
- International Search Report for International Patent Application No. PCT/US2008/060449 (Apr. 9, 2008).
- International Search Report for International Patent Application No. PCT/US2008/064677 (Sep. 6, 2009).
- International Search Report for International Patent Application No. PCT/US02/00720, Jul. 8, 2004.
- International Search Report from International Application No. PCT/US03/41202, mailed Sep. 15, 2005.
- Karamanolis, C. et al., "An Architecture for Scalable and Manageable File Services," HPL-2001-173, Jul. 26, 2001, pp. 1-114.
- Katsurashima, W. et al., "NAS Switch: A Novel CIFS Server Virtualization, Proceedings," 20th IEEE/11th NASA Goddard Conference on Mass Storage Systems and Technologies, 2003 (MSST 2003), Apr. 2003.
- Kimball, C.E. et al., "Automated Client-Side Integration of Distributed Application Servers," 13th LISA Conf., 1999, pp. 275-282 of the Proceedings.
- Klayman, J., Nov. 13, 2008 e-mail to Japanese associate including instructions for response to office action dated May 26, 2008 in corresponding Japanese patent application No. 2002-556371.
- Klayman, J., Response filed by Japanese associate to office action dated Jan. 22, 2007 in corresponding Japanese patent application No. 2002-556371.
- Klayman, J., Jul. 18, 2007 e-mail to Japanese associate including instructions for response to office action dated Jan. 22, 2007 in corresponding Japanese patent application No. 2002-556371.
- Kohl et al., "The Kerberos Network Authentication Service (V5)," RFC 1510, Sep. 1993, 105 pages, <http://www.ietf.org/rfc/rfc1510.txt?number=1510>.
- Korkuzas, V., Communication pursuant to Article 96(2) EPC dated Sep. 11, 2007 in corresponding European patent application No. 02718824.2-2201, 3 pages.
- Lelil, S., "Storage Technology News: AutoVirt adds tool to help data migration projects," Feb. 25, 2011, last accessed Mar. 17, 2011, 3 pages, <http://searchstorage.techtarget.com/news/article/0,289142,sid_gci1527986,00.html>.
- Long et al., "Swift/RAID: A distributed RAID System", Computing Systems, Summer 1994, 20 pages, vol. 7.
- "NERSC Tutorials: I/O on the Cray T3E, 'Chapter 8, Disk Striping'," National Energy Research Scientific Computing Center (NERSC), <http://hpcfnesc.gov>, last accessed on Dec. 27, 2002, 9 pages.
- Noghani et al., "A Novel Approach to Reduce Latency on the Internet: 'Component-Based Download'," Proceedings of the Computing, Las Vegas, NV, Jun. 2000, pp. 1-6 on the Internet: Intl Conf. on Internet.
- Norton et al., "CIFS Protocol Version CIFS-Spec 0.9," 2001, 125 pages, Storage Networking Industry Association (SNIA), www.snia.org, last accessed on Mar. 26, 2001.
- Novotny et al., "An Online Credential Repository for the Grid: MyProxy," 2001, pp. 1-8.
- Pashalidis et al., "A Taxonomy of Single Sign-On Systems," 2003, pp. 1-16, Royal Holloway, University of London, Egham Surrey, TW20, 0EX, United Kingdom.
- Pashalidis et al., "Impostor: A Single Sign-On System for Use from Untrusted Devices," Global Telecommunications Conference, 2004, GLOBECOM '04, IEEE, Issue Date: Nov. 29-Dec. 3, 2004, 5 pages, Royal Holloway, University of London.
- Patterson et al., "A case for redundant arrays of inexpensive disks (RAID)", Chicago, Illinois, Jun. 1-3, 1998, pp. 109-116, in Proceedings of ACM SIGMOD conference on the Management of Data, Association for Computing Machinery, Inc., www.acm.org, last accessed on Dec. 20, 2002.
- Pearson, P.K., "Fast Hashing of Variable-Length Text Strings," Comm. of the ACM, Jun. 1990, pp. 677-680, vol. 33, No. 6.
- Peterson, M., "Introducing Storage Area Networks," Feb. 1998, 6 pages, InfoStor, www.infostor.com, last accessed on Dec. 20, 2002.
- Preslan et al., "Scalability and Failure Recovery in a Linux Cluster File System," in Proceedings of the 4th Annual Linux Showcase & Conference, Atlanta, Georgia, Oct. 10-14, 2000, pp. 169-180 of the Proceedings, www.usenix.org/publications/library/proceedings/als2000/full_papers-/preslan/presl, last accessed on Dec. 20, 2002.
- Response filed Jul. 6, 2007 to Office action dated Feb. 6, 2007 for related U.S. Appl. No. 10/336,784, 24 pages.
- Response filed Mar. 20, 2008 to Final Office action dated Sep. 21, 2007 for related U.S. Appl. No. 10/336,784, 22 pages.
- Rodriguez et al., "Parallel-access for mirror sites in the Internet," InfoCom 2000. Nineteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE Tel Aviv, Israel Mar. 26-30, 2000, Piscataway, NJ, USA, IEEE, US, Mar. 26, 2000, pp. 864-873, XP010376176 ISBN: 0-7803-5880-5 p. 867, col. 2, last paragraph—p. 868, col. 1, paragraph 1.
- Rsync, "Welcome to the Rsync Web Pages," Retrieved from the Internet URL: <http://samba.anu.edu.au/rsync/>. (Retrieved on Dec. 18, 2009), 5 pages.
- Savage, et al., "AFRAID—A Frequently Redundant Array of Independent Disks," Jan. 22-26, 1996, pp. 1-13, USENIX Technical Conference, San Diego, California.
- "Scaling Next Generation Web Infrastructure with Content-Intelligent Switching: White Paper," Apr. 2000, pp. 1-9, Alteon Web Systems, Inc.
- Soltis et al., "The Design and Performance of a Shared Disk File System for IRIX," Mar. 23-26, 1998, pp. 1-17, Sixth NASA Goddard Space Flight Center Conference on Mass Storage and

(56)

References Cited

OTHER PUBLICATIONS

Technologies in cooperation with the Fifteenth IEEE Symposium on Mass Storage Systems, University of Minnesota.

Soltis et al., "The Global File System," Sep. 17-19, 1996, 24 pages, in Proceedings of the Fifth NASA Goddard Space Flight Center Conference on Mass Storage Systems and Technologies, College Park, Maryland.

Sorenson, K.M., "Installation and Administration: Kimberlite Cluster Version 1.1.0, Rev. Dec. 2000," 137 pages, Mission Critical Linux, <http://oss.missioncriticallinux.com/kimberlite/kimberlite.pdf>.

Stakutis, C., "Benefits of SAN-based file system sharing," Jul. 2000, pp. 1-4, InfoStor, www.infostor.com, last accessed on Dec. 30, 2002, Penn Well Corporation.

Thekkath et al., "Frangipani: A Scalable Distributed File System," in Proceedings of the 16th ACM Symposium on Operating Systems Principles, Oct. 1997, pp. 1-14, Association for Computing Machinery, Inc.

Tulloch, Mitch, "Microsoft Encyclopedia of Security," 2003, pp. 218, 300-301, Microsoft Press, Redmond, Washington.

Uesugi, H., Nov. 26, 2008 amendment filed by Japanese associate in response to office action dated May 26, 2008 in corresponding Japanese patent application No. 2002-556371, 5 pages.

Uesugi, H., English translation of office action dated May 26, 2008 in corresponding Japanese patent application No. 2002-556371, 2 pages.

Uesugi, H., Jul. 15, 2008 letter from Japanese associate reporting office action dated May 26, 2008 in corresponding Japanese patent application No. 2002-556371, 2 pages.

"Veritas SANPoint Foundation Suite(tm) and SANPoint Foundation Suite(tm) HA:New Veritas volume Management and File System Technology for Cluster Environments," Sep. 2001, 26 pages, Veritas Software Corp.

Wilkes, J., et al., "The HP AutoRAID Hierarchical Storage System," Feb. 1996, 29 pages, vol. 14, No. 1, ACM Transactions on Computer Systems.

"Windows Clustering Technologies—An Overview," Nov. 2001, 31 pages, Microsoft Corp., www.microsoft.com, last accessed on Dec. 30, 2002.

Zayas, E., "AFS-3 Programmer's Reference: Architectural Overview," Sep. 2, 1991, 37 pages, Version 1.0 (doc. No. FS-00-D160) Transarc Corporation.

Gupta et al., "Algorithms for Packet Classification", Computer Systems Laboratory, Stanford University, CA, Mar./Apr. 2001, pp. 1-29.

Heinz II G., "Priorities in Stream Transmission Control Protocol (SCTP) Multistreaming", Thesis submitted to the Faculty of the University of Delaware, Spring 2003, pp. 1-35.

Internet Protocol, "DARPA Internet Program Protocol Specification", (RFC:791), Information Sciences Institute, University of Southern California, Sep. 1981, pp. 1-49.

Ilvesmaki M., et al., "On the capabilities of application level traffic measurements to differentiate and classify Internet traffic", Presented in SPIE's International Symposium ITcom, Aug. 19-21, 2001, pp. 1-11, Denver, Colorado.

Modiano E., "Scheduling Algorithms for Message Transmission Over a Satellite Broadcast System," MIT Lincoln Laboratory Advanced Network Group, Nov. 1997, pp. 1-7.

Ott D., et al., "A Mechanism for TCP-Friendly Transport-level Protocol Coordination", USENIX Annual Technical Conference, 2002, University of North Carolina at Chapel Hill, pp. 1-12.

Padmanabhan V., et al., "Using Predictive Prefetching to Improve World Wide Web Latency", SIGCOM, 1996, pp. 1-15.

Rosen E., et al., "MPLS Label Stack Encoding", (RFC:3032) Network Working Group, Jan. 2001, pp. 1-22, (<http://www.ietf.org/rfc/rfc3032.txt>).

Wang B., "Priority and Realtime Data Transfer Over the Best-Effort Internet", Dissertation Abstract, Sep. 2005, ScholarWorks@UMASS.

Woo T.Y.C., "A Modular Approach to Packet Classification: Algorithms and Results", Nineteenth Annual Conference of the IEEE Computer and Communications Societies 3(3):1213-22, Mar. 26-30, 2000, abstract only, (http://ieeexplore.ieee.org/xpl/freeabs_all.jsp?arnumber=832499).

* cited by examiner




FIG. 2




FIG. 3

1

**METHODS FOR ACCESSING DATA IN A
COMPRESSED FILE SYSTEM AND DEVICES
THEREOF**

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue; a claim printed with strikethrough indicates that the claim was canceled, disclaimed, or held invalid by a prior post-patent action or proceeding.

FIELD

This technology generally relates to accessing object data in a compressed file system, and, more particularly, to efficient methods and devices for servicing read and write data access requests independent of protocol.

BACKGROUND

In order to optimize utilization of relatively fast storage devices having limited capacity, such as in a tiered file storage system, relatively infrequently accessed files are often compressed into blocks of data and archived in relatively slow storage devices of the tiered storage system. Accessing an archived file, such as in response to a read or write request, generally requires decompressing the entire file, as identified based on a file handle or other identifier included in the request, in order to locate a portion of the file identified by a start offset and/or a length included in the request.

Accordingly, although such read and write requests often identify only a portion of the original file, all of the compressed blocks associated with the original file must be retrieved and decompressed in order to locate the requested portion, in order to service a read request, or locate the portion to be written, in order to service a write request. Additionally, in order to service a write request, the entire original file generally must be recompressed, subsequent to the write procedure, even though only a portion of the original file may have been modified. Retrieving and decompressing all of the compressed blocks associated with a file, and in the case of a write request, recompressing an entire file, requires significant time and resources thereby increasing the response time to the requesting client computing device, which is undesirable.

SUMMARY

A method for managing requests for content includes obtaining with a network traffic management apparatus an original write request from a client computing device including at least object data. The object data is compressed with the network traffic management apparatus into a plurality of compressed blocks. A mapping of each compressed block to a portion of the object data compressed therein is generated with the network traffic management apparatus, wherein the portion of the object data compressed therein is represented in the mapping by a unique object identifier, a start offset, and a length. The compressed blocks and the mapping are stored with the network traffic management apparatus in at least one data storage device. At least one data access request for at least a portion of the object data is serviced with the network traffic management based on the mapping.

A non-transitory computer readable medium having stored thereon instructions for managing requests for content

2

comprising machine executable code which when executed by at least one processor, causes the processor to perform steps including obtaining an original write request from a client computing device including at least object data. The object data is compressed into a plurality of compressed blocks. A mapping of each compressed block to a portion of the object data compressed therein is generated, wherein the portion of the object data compressed therein is represented in the mapping by a unique object identifier, a start offset, and a length. The compressed blocks and the mapping are stored in at least one data storage device. At least one data access request for at least a portion of the object data is serviced based on the mapping.

A network traffic management apparatus includes a memory, configurable logic, and a processor coupled to the memory and the configurable logic, at least one of the configurable logic configured to implement or the processor configured to execute programmed instructions stored in the memory including obtaining an original write request from a client computing device including at least object data. The object data is compressed into a plurality of compressed blocks. A mapping of each compressed block to a portion of the object data compressed therein is generated, wherein the portion of the object data compressed therein is represented in the mapping by a unique object identifier, a start offset, and a length. The compressed blocks and the mapping are stored in at least one data storage device. At least one data access request for at least a portion of the object data is serviced based on the mapping.

This technology provides a number of advantages including methods, non-transitory computer readable medium, and devices that efficiently access data in a compressed file system, the data being required to service read or write data access requests received from networked client computing devices. With this technology, a mapping of object data to compressed blocks including compressed object data is stored and utilized to retrieve only a portion of the compressed blocks storing the object data required to service a read or write request. Accordingly, only a subset of the compressed blocks storing object data needs to be decompressed to service a read request for only a portion of a file. Additionally, only a subset of the compressed blocks storing object data needs to be decompressed, modified, and rewritten to service a write request that does not require additional storage space beyond the fixed size of the compressed blocks. As a result, resource utilization is improved as well as response time, thereby improving the user experience with the file storage system.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of a network environment with an exemplary network traffic management apparatus that accesses data in a compressed file system;

FIG. 2 is a flowchart of an exemplary method for servicing read data access requests in a compressed file system; and

FIG. 3 is a flowchart of an exemplary method for servicing write data access requests in a compressed file system.

DETAILED DESCRIPTION

A network environment **10** with an exemplary network traffic management apparatus **14** for accessing data in a compressed file system is illustrated in FIG. 1. In this example, the environment **10** includes client computing devices **12**, network traffic management apparatus **14**, and

servers **16**, which are coupled together by local area networks (LAN) **28** and wide area network (WAN) **30**, although other types and numbers of devices, components, and elements in other topologies could be used. While not shown, the environment **10** also may include additional network components, such as routers, switches and other devices, which are well known to those of ordinary skill in the art and thus will not be described here. This technology provides a number of advantages including methods, non-transitory computer readable medium, and apparatus that efficiently service data access requests in a compressed file storage system.

In this example, the network traffic management apparatus **14** is coupled to client computing devices **12** through one of the LANs **28**, although the client computing devices **12**, or other devices, and network traffic management apparatus **14** may be coupled together via other topologies. Additionally, the network traffic management apparatus **14** is coupled to the servers **16** through another one of the LANs **28**, although the servers **16**, or other devices, and the network traffic management apparatus **14** may be coupled together via other topologies. LANs **28** each may employ any suitable interface mechanisms and network communication technologies including, for example, teletraffic in any suitable form (e.g., voice, modem, and the like), Public Switched Telephone Network (PSTNs), Ethernet-based Packet Data Networks (PDNs), combinations thereof, and the like. The network traffic management apparatus **14** is further coupled to client computing devices **12** through WAN **30**, which may comprise any wide area network (e.g., Internet), although any other type of traffic network topology may be used. Various network processing applications, such as CIFS applications, NFS applications, HTTP Web Server applications, and/or FTP applications, may be operating on servers **16** and transmitting data (e.g., files, Web pages) through the network traffic management apparatus **14** in response to requests for content from client computing devices **12**.

The network traffic management apparatus **14** facilitates servicing of data access requests in a compressed file storage system as illustrated and described with the examples herein, although network traffic management apparatus **14** may perform other types and numbers of functions, such as optimizing, securing and accelerating the traffic between client computing devices **12** and servers **16**, and/or one or more applications. Network traffic management apparatus **14** includes at least one processor **18**, memory **20**, optional configurable logic device **21**, I/O interface **22**, and interface device **24** which are coupled together by bus **26**, although network traffic management apparatus **14** may comprise other types and numbers of elements in other configurations. Although network traffic management apparatus **14** is shown in this example as being a standalone device, such as a BIGIP® device offered by F5 Networks, Inc., of Seattle, Wash., it should be appreciated that the network traffic management apparatus **14** could also be one of several blades servers coupled to a chassis device, such as a VIPRION® device, also offered by F5 Networks, Inc., of Seattle, Wash.

Processor(s) **18** may execute one or more computer-executable instructions stored in the memory **20** for the methods illustrated and described with reference to the examples, although the processor(s) can execute other types and numbers of instructions and perform other types and numbers of operations. The processor(s) **18** may comprise one or more central processing units (CPUs) or general

purpose processors with one or more processing cores, such as AMD® processor(s), although other types of processor(s) could be used (e.g., Intel®).

Memory **20** may comprise one or more tangible storage media and/or devices, such as RAM, ROM, flash memory, CD-ROM, floppy disk, hard disk drive(s), solid state memory, DVD, or any other memory storage types or devices, including combinations thereof, which are known to those of ordinary skill in the art. The various storage devices of the memory **20** may be arranged in a tiered storage system to allow for less expensive and larger capacity storage devices, for example, to store less frequently accessed, compressed and/or archived data.

Memory **20** may store one or more non-transitory computer-readable instructions of this technology as illustrated and described with reference to the examples herein that may be executed by the one or more processor(s) **18**. The flow charts shown in FIGS. **2** and **3** are representative of example steps or actions of this technology that may be embodied or expressed as one or more non-transitory computer or machine readable instructions stored in memory **20** that may be executed by the processor(s) **18** and/or may be implemented by configured logic in optional configurable logic device **21**.

The optional configurable logic device **21** may comprise specialized hardware configured to implement one or more steps of this technology as illustrated and described with reference to the examples herein. By way of example only, the optional configurable logic device **21** may comprise one or more of field programmable gate arrays (FPGAs), field programmable logic devices (FPLDs), application specific integrated circuits (ASICs) and/or programmable logic units (PLUs).

Input and display devices **22** enable a user, such as an administrator, to interact with the network traffic management apparatus **14**, such as to input and/or view data and/or to configure, program and/or operate it by way of example only. Input devices may include a keyboard and/or a computer mouse and display devices may include a computer monitor, although other types and numbers of input devices and display devices could be used.

The interface device **24** in the network traffic management apparatus **14** is used to operatively couple and communicate between the network traffic management apparatus **14** and the client computing devices **12** and the servers **16**, which are all coupled together by one or more local area networks (LAN) **28** and wide area networks (WAN) **30**, although other types and numbers of communication networks or systems with other types and numbers of connections and configurations to other devices and elements. By way of example only, the local area networks (LAN) **28** and wide area networks (WAN) **30** can use TCP/IP over Ethernet and industry-standard protocols, including NFS, CIFS, SOAP, XML, LDAP, and SNMP, although other types and numbers of communication networks, can be used. In this example, the bus **26** is a hyper-transport bus in this example, although other bus types and links may be used, such as PCI.

Each of the client computing devices **12** and the servers **16** include a central processing unit (CPU) or processor, a memory, an interface device, and an I/O system, which are coupled together by a bus or other link, although other numbers and types of network devices could be used. The client computing devices **12**, in this example, may run interface applications, such as Web browsers, that may provide an interface to make requests for and send content and/or data to different server-based applications via the LANs **28** and/or WANs **30**.

5

Generally, servers **16** process requests received from client computing devices **12** via LANs **28** and/or WANs **30** according to the HTTP-based application RFC protocol or the CIFS or NFS protocol in this example, but the principles discussed herein are not limited to this example and can include other application protocols. A series of applications may run on the servers **16** that allow the transmission of data, such as object data, files, and/or metadata, requested by the client computing devices **12**. The servers **16** may provide data or receive data in response to requests directed toward the respective applications on the servers **16** from the client computing devices **12**. In some example, the servers **16** may further include various storage devices including a tiered file storage system and/or may be one or more tiers of a tiered file storage system including one or more other network devices. Accordingly the servers **16** can provide backup, archived, and/or compressed data storage services for other networked devices. It is to be understood that the servers **16** may be hardware or software or may represent a system with multiple servers **16** in a server pool, which may include internal or external networks. In this example the servers **16** may be any version of Microsoft® IIS servers or Apache® servers, although other types of servers may be used. Further, additional servers may be coupled to the LAN **28** and many different types of applications may be available on servers coupled to the LAN **28**.

Although an exemplary network environment **10** with client computing devices **12**, network traffic management apparatus **14**, servers **16**, LANs **28** and WANs **30** are described and illustrated herein, other types and numbers of systems, devices, blades, components, and elements in other topologies can be used. It is to be understood that the systems of the examples described herein are for exemplary purposes, as many variations of the specific hardware and software used to implement the examples are possible, as will be appreciated by those skilled in the relevant art(s).

Furthermore, each of the systems of the examples may be conveniently implemented using one or more general purpose computer systems, microprocessors, digital signal processors, and micro-controllers, programmed according to the teachings of the examples, as described and illustrated herein, and as will be appreciated by those of ordinary skill in the art.

In addition, two or more computing systems or devices can be substituted for any one of the systems or devices in any example. Accordingly, principles and advantages of distributed processing, such as redundancy and replication also can be implemented, as desired, to increase the robustness and performance of the devices and systems of the examples. The examples may also be implemented on computer system(s) that extend across any suitable network using any suitable interface mechanisms and traffic technologies, including by way of example only teletraffic in any suitable form (e.g., voice and modem), wireless traffic media, wireless traffic networks, cellular traffic networks, G3 traffic networks, Public Switched Telephone Network (PSTNs), Packet Data Networks (PDNs), the Internet, intranets, and combinations thereof.

The examples may also be embodied as a non-transitory computer readable medium having instructions stored thereon for one or more aspects of the technology as described and illustrated by way of the examples herein, which when executed by a processor (or configurable hardware), cause the processor to carry out the steps necessary to implement the methods of the examples, as described and illustrated herein.

6

An exemplary method for servicing read data access requests in a compressed file system will now be described with reference to FIGS. 1-2. In this particular example, in step **200**, the network traffic management apparatus **14** obtains at least one original write request including at least the object data to be stored, although in other examples the data may already be compressed and stored as described here with reference to steps **200**, **202**, **204**, and **206**.

In step **202**, the network traffic management apparatus **14** compresses the object data into at least one compressed block. In some examples, each compressed block has a fixed size or length, such as 64 kilobytes, for example, although the compressed blocks may be any other fixed size or of variable size.

In step **204**, the network traffic management apparatus **14** stores the compressed blocks in the memory **20**, although the compressed blocks can be stored in other data storage devices and at other locations. For example, the compressed blocks could be stored in one or more file server devices **16**, a tiered storage system including the memory **20** and/or one or more file server devices **16**, and/or any other data storage device(s).

In step **206**, the network traffic management apparatus **14** maintains and stores a mapping of the original object data to the compressed blocks of object data, which the network traffic management apparatus **14** in the memory **20**, although the mapping could be stored in other locations. One exemplary mapping is a table including object identifier, start offset, and length values for the object data included in the original write request associated with a unique identifier of the compressed block storing the compressed object data for the portion of the object data indicated by the associated start offset and length values, although other mappings of the original object data to the compressed object data can be used.

In one example, the unique identifier for each compressed block includes a file handle or other identifier shared by a plurality of compressed blocks storing compressed data for the same object as well as a start offset and a length value that together uniquely identify each compressed block. In the latter example, and in the exemplary operation in which the compressed blocks are of a fixed size, the length values will all be the same and the start offsets will all be intervals determined by the length value. In order to locate the compressed blocks at a later time, the network traffic management apparatus **14** can store a mapping of the unique identifier for each compressed block to a location of the compressed block in the data storage device or utilize any other method of maintaining the location of the compressed blocks.

In step **208**, the network traffic management apparatus **14** obtains a read data access request from a client computing device **12** for object data previously stored as described and illustrated earlier with respect to steps **200**, **202**, **204**, and **206**. The read request can be based on any protocol requiring at least object identifier or file handle, start offset, and length parameters, the length parameter indicating a number of bytes, for example, including a common Internet file system (CIFS) protocol, a network file system (NFS) protocol, or a file transfer protocol (FTP), for example.

In step **210**, the network traffic management apparatus **14** identifies at least one compressed block storing compressed object data required to service the read request by querying the table based on the read request parameter values. Accordingly, in one example, a read request is obtained by the network traffic management apparatus **14** from a client computing device **12** including at least parameter values F_0

for the object identifier, 50 for the start offset, and 100 for the length. In this example, the mapping stored in step 206 for object F_0 indicates that the compressed block having a unique identifier of C_0 is storing start offset 0 and length 100, the compressed block having a unique identifier of C_1 is storing start offset 100 and length 100, and the compressed block having a unique identifier of C_2 is storing start offset 200 and length 75. Accordingly, in step 210, the network traffic management apparatus 14 identifies compressed blocks C_0 and C_1 based on the mapping of the object data byte range 50-150, as identified by the read request parameter values of 50 for the start offset and 100 for the length.

In step 212, the network traffic management apparatus 14 retrieves the identified compressed blocks from the data storage device. Accordingly, in this example, the network traffic management apparatus 14 retrieves compressed blocks C_0 and C_1 from a data storage device, such as one of server devices 16.

In step 214, the network traffic management apparatus 14 obtains the requested object data by decompressing the retrieved compressed blocks. Accordingly, in this example, blocks C_0 and C_1 are decompressed by the network traffic management apparatus 14 and the object data responsive to the received read request in step 208 is obtained based on the read request parameter values.

In step 216, the obtained object data is sent by the network traffic management apparatus 14 to the requesting one of the client computing devices 12. Because the read request included parameter values of 50 for the start offset and 100 for the length, in this example, only the second 50 bytes of object data included in compressed block C_0 and only the first 50 bytes of object data included in compressed block C_1 are obtained by the network traffic management apparatus 14, in step 214, and sent by the network traffic management apparatus 14, in step 216, to the requesting one of the client computing devices 12.

Accordingly, in this example, the read request received from the client computing device 12 is serviced by the network traffic management apparatus 14 without retrieving compressed block C_2 from the data storage device and without decompressing compressed block C_2 . The ability of the network traffic management apparatus 14 to retrieve and decompress only those compressed blocks necessary to service a read request from a client computing device 12 is made possible by the mapping, stored in step 206, which allows the network traffic management apparatus 14 to identify only a subset of compressed blocks. As compressed files and objects are often archived in relatively slow data storage devices due to their relatively infrequent access by users of client computing devices 12, retrieving and decompressing only those necessary compressed blocks, instead of all compressed blocks storing object data for the object identified in the read request, can reduce resource utilization and response time, particularly when the number of compressed blocks not required to service the read request is substantial.

Referring to FIGS. 1 and 3, an exemplary method for servicing write data access requests in a compressed file system will now be described. In this particular example, the write request is a request to modify object data previously stored in the compressed file system as described with reference to steps 300, 302, 304, and 306.

In step 300, the network traffic management apparatus 14 obtains an original write request including at least the object data to be stored.

In step 302, the network traffic management apparatus 14 compresses the object data into at least one compressed

block. In this example, each of the compressed blocks includes compressed object data and at least one empty portion. In some examples, the compressed blocks each have a fixed size, such as 64 kilobytes, 4 kilobytes of which is empty and does not include compressed object data, although any size of compressed block, compressed object data, and empty storage space can be used.

In step 304, the network traffic management apparatus 14 stores the compressed blocks in a data storage device such as the memory 20 of the network traffic management apparatus 14, one or more file server devices 16, a tiered storage system including the memory 20 and/or one or more file server devices 16, and/or any other data storage device(s).

In step 306, the network traffic management apparatus 14 maintains and stores a mapping of the original object data to the compressed blocks of object data.

In step 308, the network traffic management apparatus 14 obtains a write request from a client computing device 12 including a plurality of parameter values and object data to be used to modify object data previously stored as described and illustrated earlier with respect to steps 300, 302, 304, and 306. The write request can be based on any protocol requiring at least an object identifier or parameter value identifying the object to be modified, a start offset parameter value indicating the beginning location in the object to be modified, and a length parameter value indicating the portion of the object data to be modified. Accordingly, the protocol can include CIFS, NFS, or FTP, for example.

In step 310, the network traffic management apparatus 14 identifies at least one compressed block storing compressed object data required to service the write request by referencing the mapping, such as by querying a table storing the mapping, based on the write request parameter values. In step 312, the network traffic management apparatus 14 retrieves the identified compressed blocks.

In step 314, the network traffic management apparatus 14 obtains the object data to be modified by decompressing the retrieved compressed blocks. As at least a subset of the parameters are the same for a read request as for a write request, the identification of step 310, retrieval of step 312, and obtaining of step 314 can be performed by the network traffic management apparatus 14 as described and illustrated earlier with respect to steps 210, 212, and 214, respectively.

In step 316, the network traffic management apparatus 14 modifies the object data obtained in step 314 to include at least a portion of the object data included in the write request. In step 318, the network traffic management apparatus 14 generates modified compressed blocks by compressing the modified object data. Accordingly, the modified compressed blocks include compressed write request object data along with compressed object data that was previously stored and not currently modified.

The modified compressed blocks may be smaller, the same size, or larger than the corresponding compressed blocks retrieved, in step 312, by the network traffic management apparatus 14, depending on the size of the write request object data, the size of any previously stored object data that is replaced by the write request object data, and/or the compressibility of the object data as modified, for example. If a modified compressed block is not greater than the corresponding retrieved compressed block, the network traffic management apparatus 14 completes service of the write request by replacing, in step 320, the retrieved compressed block with the modified compressed block.

If the size of any compressed block is greater than the corresponding retrieved compressed block, the network traffic management apparatus 14 can retrieve every compressed

block storing object data for the object identified by the write request object identifier parameter value, as identified based on the mapping. The network traffic management apparatus 14 can then decompress all of the retrieved compressed blocks, recompress the object data, and update the mapping. 5 Because such an operation is relatively expensive, particularly with respect to compressed and archived data stored on relatively slow data storage device(s), including the empty portion in each compressed block when compressing the object data, in step 302, can provide for expansion of the compressed data upon servicing the write request, thereby 10 reducing the number of instances in which a modified compressed block is greater in size than a corresponding retrieved compressed block.

Accordingly, in this example, in order to service a write data access request received from a client computing device 12, only those compressed blocks storing compressed object data required to service the write request are retrieved and decompressed by the network traffic management apparatus 14. Additionally, in examples in which a space for expansion 20 is included by the network traffic management apparatus 14 in the form of an empty portion in the compressed blocks, the number of instances in which compressed blocks other than those necessary to service the write request will need to be retrieved, decompressed, recompressed, and stored can 25 be reduced, thereby reducing resource utilization and response time.

The examples described herein have particular advantages for applications in which only portions of an archived object or file are read by a client computing device 12. 30 Additionally, the examples described herein have particular advantages for applications in which only portions of an object or file are written such as databases and document and source control systems, for example, although these examples also provide advantages for other applications. 35

With this technology a mapping of object data to compressed blocks, each including compressed object data, is maintained and stored by the network traffic management apparatus 14 upon receiving an original write request. Subsequent read and write requests requiring access to the object data can be serviced by the network traffic management apparatus 14 based on the mapping and by only 40 retrieving and decompressing, and in the case of some write requests, modifying and recompressing, only the compressed blocks required to service the requests. By accessing fewer compressed blocks in order to service data access requests, resource utilization is reduced and response time for servicing the data access request is reduced for the user of the requesting one of the client computing devices 12. 45

Having thus described the basic concept of the invention, it will be rather apparent to those skilled in the art that the foregoing detailed disclosure is intended to be presented by way of example only, and is not limiting. Various alterations, improvements, and modifications will occur and are intended to those skilled in the art, though not expressly 55 stated herein. These alterations, improvements, and modifications are intended to be suggested hereby, and are within the spirit and scope of the invention. Additionally, the recited order of processing elements or sequences, or the use of numbers, letters, or other designations therefore, is not intended to limit the claimed processes to any order except as may be specified in the claims. Accordingly, the invention is limited only by the following claims and equivalents thereto. 60

What is claimed is:

1. A method for accessing data in a compressed file system, comprising:

[obtaining, by a network traffic management apparatus, at least one original write request from a client computing device comprising object data;]

compressing, by [the] a network traffic management apparatus, [the] object data *included in an original write request from a client computing device* into a plurality of compressed blocks, *wherein the object data is associated with a file system object*;

generating, by the network traffic management apparatus, a mapping of each of the plurality of compressed blocks to a corresponding portion of the object data, wherein every corresponding portion of the object data is represented in the mapping by [a corresponding unique] *an object identifier for the object*, a start offset, and a length *that corresponds to a size of the portion of the object data*; and

servicing, by the network traffic management apparatus, at least one subsequent data access request for [at least a portion] *one of the portions* of the object data, the servicing comprising obtaining at least the requested portion of the object data from the mapped one of the plurality of compressed blocks based on the [unique] object identifier, the start offset and the length.

2. The method as set forth in claim 1 wherein the servicing further comprises:

obtaining, by the network traffic management apparatus, the data access request from the client computing device, wherein the data access request comprises a value for a plurality of parameters comprising the object identifier, the start offset, and the length;

identifying, by the network traffic management apparatus, the mapped [at least] *one of the plurality of compressed [block] blocks* based at least in part on the mapping and one or more of the data access request parameter values;

retrieving, by the network traffic management apparatus, the identified compressed block;

obtaining, by the network traffic management apparatus, at least a portion of the object data identified by the data access request parameter values; and

decompressing, by the network traffic management apparatus, the retrieved compressed block.

3. The method as set forth in claim 2 wherein the data access request is a read request, the method further comprising:

sending, by the network traffic management apparatus, the obtained object data to the requesting client computing device.

4. The method as set forth in claim 2 wherein the data access request is a write request, the write request further comprises *additional object data, each of the plurality of compressed blocks includes compressed object data and an empty portion*, and [wherein the compressing, with the network traffic management apparatus, the object data into a plurality of compressed blocks] *the method* further comprises[:

compressing, by the network traffic management apparatus, the object data into a plurality of compressed blocks each including compressed object data and an empty portion, the method further comprising] replacing, by the network traffic management apparatus, the retrieved compressed block with a modified compressed block comprising[.] *a compressed [write request] at least a portion of the additional object data when a size of the modified compressed block is not greater than a size of the retrieved compressed block.*

11

5. The method as set forth in claim 4 further comprising: modifying, by the network traffic management apparatus, the object data to include *the* at least a portion of the *additional* object data included in the write request; generating, by the network traffic management apparatus, the modified compressed block; and compressing, by the network traffic management apparatus, the modified object data.

6. The method as set forth in claim 2 wherein the data access request is based on a protocol comprising a common Internet file system (CIFS) protocol, a network file system (NFS) protocol, or a file transfer protocol (FTP).

7. The method as set forth in claim 1 further comprising: storing, by the network traffic management apparatus, the compressed blocks and the mapping in at least one data storage device.

8. The method as set forth in claim 7, wherein the at least one data storage device comprises tiered storage, a memory of a network traffic management apparatus, or a file server device.

9. A non-transitory computer readable medium having stored thereon instructions for accessing data in a compressed file system comprising machine executable code which when executed by at least one processor, causes the processor to perform steps comprising:

[obtaining at least one original write request from a client computing device comprising object data;]

compressing [the] object data *included in an original write request from a client computing device* into a plurality of compressed blocks, *wherein the object data is associated with a file system object*;

generating a mapping of each of the plurality of compressed blocks to a portion of the object data, wherein every corresponding portion of the object data is represented in the mapping by [a corresponding unique] *an object identifier for the object*, a start offset, and a length *that corresponds to a size of the portion of the object data*; and

servicing at least one subsequent data access request for one of the portions of the object data, wherein the servicing comprises obtaining at least the requested portion of the object data from the mapped one of the plurality of compressed blocks based on the [unique] object identifier, the start offset and the length.

10. The medium as set forth in claim 9 wherein the servicing further comprises:

obtaining the data access request from the client computing device, wherein the data access request comprises a value for a plurality of parameters comprising the object identifier, the start offset, and the length;

identifying the mapped [at least] *one of the plurality of compressed block blocks* based at least in part on the mapping and one or more of the data access request parameter values;

retrieving the identified compressed block[;]

obtaining at least a portion of the object data identified by the data access request parameter values; and decompressing the retrieved compressed block.

11. The medium as set forth in claim 10 wherein the data access request is a read request, the medium further having stored thereon instructions that when executed by the at least one processor cause the processor to perform steps further comprising:

sending the obtained object data to the requesting client computing device.

12. The medium as set forth in claim 10 wherein the data access request is a write request, the write request further

12

comprises *additional* object data, *each of the plurality of compressed blocks includes compressed object data and an empty portion*, and [the compressing the object data into a plurality of compressed blocks further comprises] *the medium further having stored thereon instructions that when executed by the processor further cause the processor to perform one or more steps further comprising:*

[compressing the object data into a plurality of compressed blocks each comprising compressed object data and an empty portion, the medium further comprising] replacing the retrieved compressed block with a modified compressed block comprising *a compressed [write request] at least a portion of the additional object data* when a size of the modified compressed block is not greater than a size of the retrieved compressed block.

13. The medium as set forth in claim 12 further having stored thereon instructions that when executed by the processor cause the processor to perform steps further comprising:

modifying the object data to include *the* at least a portion of the *additional* object data included in the write request; [and]

generating the modified compressed block; and

compressing the modified object data.

14. The medium as set forth in claim 10 wherein the data access request is based on a protocol comprising a common Internet file system (CIFS) protocol, a network file system (NFS) protocol, or a file transfer protocol (FTP).

15. The medium as set forth in claim 9 further having stored thereon instructions that when executed by the processor cause the processor to perform steps further comprising:

storing, the compressed blocks and the mapping in at least one data storage device.

16. The medium as set forth in claim 15, wherein the at least one data storage device comprises tiered storage, a memory of a network traffic management apparatus, or a file server device.

17. A network traffic management apparatus comprising: a memory; configurable logic; and

a processor coupled to the memory and the configurable logic, at least one of the configurable logic configured to implement or the processor configured to execute programmed instructions stored in the memory comprising:

[obtaining at least one original write request from a client computing device comprising object data;]

compressing [the] object data *included in an original write request from a client computing device* into a plurality of compressed blocks, *wherein the object data is associated with a file system object*;

generating a mapping of each of the plurality of compressed blocks to a portion of the object data, wherein every corresponding portion of the object data is represented in the mapping by [a corresponding unique] *an object identifier for the object*, a start offset, and a length *that corresponds to a size of the portion of the object data*; and

servicing at least one subsequent data access request for one of the portions of the object data, wherein the servicing comprises *obtaining* at least the requested portion of the object data from the mapped one of the plurality of compressed blocks based on the [unique] object identifier, the start offset and the length.

13

18. The apparatus as set forth in claim 17 wherein the servicing further comprises:

obtaining[.] the data access request from the client computing device, wherein the data access request comprises a value for a plurality of parameters comprising the object identifier, the start offset, and the length;

identifying[.] the mapped at least one *of the plurality of* compressed [block] blocks based at least in part on the mapping and one or more of the data access request parameter values;

retrieving[.] the identified compressed block[.];
obtaining[.] at least a portion of the object data identified by the data access request parameter values; and
decompressing the retrieved compressed block.

19. The apparatus as set forth in claim 18 wherein the data access request is a read request and wherein at least one of the configurable logic is configured to implement or the processor is further configured to execute, programmed instructions stored in the memory further comprising:

sending the obtained object data to the requesting client computing device.

20. The apparatus as set forth in claim 18 wherein the data access request is a write request, the write request further includes *additional* object data, [wherein the compressing the object data into a plurality of compressed blocks further comprises:

compressing the object data into a plurality of compressed blocks each including compressed object data and an empty portion, and wherein] *each of the plurality of compressed blocks includes compressed object data and an empty portion, and* at least one of the configurable logic *is further* configured to implement or the

14

processor [are] *is further* configured to execute programmed instructions stored in the memory further comprising[.];

replacing the retrieved compressed block with a modified compressed block [including] *comprising a* compressed [write request] *at least a portion of the additional* object data when a size of the modified compressed block is not greater than a size of the retrieved compressed block.

21. The apparatus as set forth in claim 20 wherein at least one of the configurable logic is *further* configured to implement or the processor is further configured to execute[.] programmed instructions stored in the memory further comprising:

modifying the object data to include *the* at least a portion of the *additional* object data included in the write request; [and]

generating the modified compressed block; and
compressing the modified object data.

22. The apparatus as set forth in claim 18 wherein the data access request is based on a protocol comprising a common Internet file system (CIFS) protocol, a network file system (NFS) protocol, or a file transfer protocol (FTP).

23. The apparatus as set forth in claim 17 wherein the processor is further configured to execute programmed instructions stored in the memory further comprising:

storing, the compressed blocks and the mapping in at least one data storage device.

24. The apparatus as set forth in claim 23, wherein the at least one data storage device comprises tiered storage, a memory of a network traffic management apparatus, or a file server device.

* * * * *