

[54] **MARKING PEN**

[75] **Inventors:** Akira Ohashi; Keiichi Mizutani, both of Nagoya, Japan

[73] **Assignee:** Shachihata Industrial Co., Ltd., Nagoya, Japan

[**] **Term:** 14 Years

[21] **Appl. No.:** 824,256

[22] **Filed:** Jan. 23, 1986

[30] **Foreign Application Priority Data**

Jul. 27, 1985 [JP] Japan 60-32194
 Jul. 27, 1985 [JP] Japan 60-32195

[52] **U.S. Cl. D19/43; D19/51**

[58] **Field of Search D19/41-51, D19/81, 54-58, 77, 100, 35, 36; D9/350-355, 361, 377, 392, 403, 406, 408, 337, 338, 339, 391, 392; 401/35, 88, 95, 195, 198, 213, 217, 221-224, 202, 6, 13, 17, 29, 104, 116, 131, 161, 199, 209, 233-234, 34, 52, 98, 213, 243-247, 262, 269**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 193,918 10/1962 Ayres D19/43
 D. 201,852 8/1965 Housman .
 D. 260,656 9/1981 Funahashi D19/43
 D. 268,598 4/1983 Mizutani et al. .
 2,983,946 5/1961 Edystone et al. 401/195
 4,522,523 6/1985 Vogelsang 401/195

FOREIGN PATENT DOCUMENTS

335833 10/1971 Japan .
 57-5263 4/1982 Japan .

OTHER PUBLICATIONS

Shachihata, Inc. Advertisement, Sep., 1969, p. 23, middle right.

Incentive Merchandising, Nov., 1962, p. 51.

Primary Examiner—Bernard Ansher

Assistant Examiner—Lucy Lieberman

Attorney, Agent, or Firm—Fleit, Jacobson, Cohn & Price

[57] **CLAIM**

The ornamental design for a marking pen, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a marking pen in a disassembled condition;

FIG. 2 is a front elevation thereof;

FIG. 3 is a rear elevation thereof;

FIG. 4 is a left side elevation thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view of the marking pen illustrated in FIG. 1 with the cap member in a fully assembled position;

FIG. 8 is a front elevation thereof;

FIG. 9 is a left side elevation thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a front elevation of the marking pen shown with the cap member omitted for purposes of clarity;

FIG. 12 is a front elevation of the cap member disclosed separately for clarity of illustration;

FIG. 13 is a perspective view of a second modified form of the pen illustrated in FIG. 1;

FIG. 14 is a front elevation thereof;

FIG. 15 is a rear elevation thereof;

FIG. 16 is a left side elevation thereof;

FIG. 17 is a top plan view thereof;

FIG. 18 is a bottom plan view thereof;

FIG. 19 is a perspective view of the marking pen illustrated in FIG. 13 with the cap member in a fully assembled position;

FIG. 20 is a front elevation thereof;

FIG. 21 is a left side elevation thereof;

FIG. 22 is a bottom plan view thereof;

FIG. 23 is a front elevation of the marking pen shown with the cap member omitted for purposes of clarity; and

FIG. 24 is a front elevation of the cap member disclosed separately for clarity of illustration.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 10




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 23




FIG. 24




FIG. 22

