

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(10) International Publication Number

WO 2013/181634 A2

(43) International Publication Date  
5 December 2013 (05.12.2013)

(51) International Patent Classification:  
*C07K 16/28 (2006.01)*

(21) International Application Number:  
PCT/US2013/043775

(22) International Filing Date:  
31 May 2013 (31.05.2013)

(25) Filing Language:  
English

(26) Publication Language:  
English

(30) Priority Data:  
61/654,022 31 May 2012 (31.05.2012) US  
61/739,982 20 December 2012 (20.12.2012) US

(71) Applicant: SORRENTO THERAPEUTICS INC.  
[US/US]; 6042 Cornerstone Court West, Suite B, San Diego, CA 92121 (US).

(72) Inventors: ZHOU, Heyue; 10936 Via Banco, San Diego, CA 92126 (US). GASTWIRT, Randy; 4083 Sequoia Street, San Diego, CA 92109 (US). SWANSON, Barbara, A.; 1402 Willowspring Dr. North, Encinitas, CA 92024 (US). GRAY, John, Dixon; 9878 Erma Road Apt 38, San Diego, CA 92130 (US). KAUFMANN, Gunnar, F.; 7152 Camininito Zabala, San Diego, CA 92122 (US).

(74) Agent: OSTER, Jeffrey, B.; Sorrento Therapeutics Inc., 6042 Cornerstone Court West, Suite B, San Diego, CA 92121 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- without international search report and to be republished upon receipt of that report (Rule 48.2(g))
- with sequence listing part of description (Rule 5.2(a))



WO 2013/181634 A2

(54) Title: ANTIGEN BINDING PROTEINS THAT BIND PD-L1

(57) Abstract: There is disclosed compositions and methods relating to or derived from anti-PD-L1 antibodies. More specifically, there is disclosed fully human antibodies that bind PD-L1, PD-L1-binding fragments and derivatives of such antibodies, and PD-L1-binding polypeptides comprising such fragments. Further still, there is disclosed nucleic acids encoding such antibodies, antibody fragments and derivatives and polypeptides, cells comprising such polynucleotides, methods of making such antibodies, antibody fragments and derivatives and polypeptides, and methods of using such antibodies, antibody fragments and derivatives and polypeptides, including methods of treating or diagnosing subjects having PD-L1 related disorders or conditions, including various inflammatory disorders and various cancers.

## Antigen Binding Proteins that Bind PD-L1

### Technical Field

The present disclosure provides compositions and methods relating to or derived from 5 anti-PD-L1 antibodies. More specifically, the present disclosure provides human antibodies that bind PD-L1, PD-L1-binding fragments and derivatives of such antibodies, and PD-L1 - binding polypeptides comprising such fragments. Further still, the present disclosure provides nucleic acids encoding such antibodies, antibody fragments and derivatives and polypeptides, cells comprising such polynucleotides, methods of making such antibodies, antibody fragments 10 and derivatives and polypeptides, and methods of using such antibodies, antibody fragments and derivatives and polypeptides, including methods of treating or diagnosing subjects having PD-L1 related disorders or conditions, including various inflammatory disorders and various cancers.

### Background

15 Programmed death ligand 1 (PD-L1) is a 40 kDa type 1 transmembrane protein. PD-L1 (human PD-L1 cDNA is composed of the base sequence shown by EMBL/GenBank Acc. No. NM\_001267706 and mouse PD-L1 cDNA is composed of the base sequence shown by NM\_021893) that is a ligand of PD-1 is expressed in so-called antigen-presenting cells such as activated monocytes and dendritic cells. These cells present interaction molecules that 20 induce a variety of immuno-inductive signals to T lymphocytes, and PD-L1 is one of these molecules that induce the inhibitory signal by ligating PD-1. It has been revealed that PD-L1 ligation suppressed the activation (cellular proliferation and induction of various cytokine productions) of PD-1 expressing T lymphocytes. PD-L1 expression has been confirmed in not only immunocompetent cells but also a certain kind of tumor cell lines (cell lines derived from 25 monocytic leukemia, cell lines derived from mast cells, cell lines derived from hepatic carcinomas, cell lines derived from neuroblasts, and cell lines derived from breast carcinomas) (*Nature Immunology* (2001), vol. 2, issue 3, p. 261-267.).

Programmed death 1 (PD-1) is a member of the CD28 family of receptors, which 30 includes CD28, CTLA-4, ICOS, PD-L1, and BTLA. The initial member of the family, CD28, was discovered by functional effect on augmenting T cell proliferation following the addition of monoclonal antibodies (Hutloff et al. (1999) *Nature* 397:263-266; Hansen et al. (1980) *Immunogenetics* 10:247-260). Two cell surface glycoprotein ligands for PD-1 have been identified, PD-L1 and PDL-2, and have been shown to down-regulate T cell activation and cytokine secretion occur upon binding to PD-1 (Freeman et al. (2000) *J. Exp. Med.* 192:1027-

34; Latchman et al. (2001) *Nat. Immunol.* 2:261-8; Carter et al. (2002) *Eur. J. Immunol.* 32:634-43; Ohigashi et al. (2005) *Clin. Cancer Res.* 11:2947-53). Both PD-L1 (B7-H1) and PD-L2 (B7-DC) are B7 homologs that bind to PD-1. Expression of PD-L1 on the cell surface has also been shown to be upregulated through IFN- $\gamma$  stimulation.

5 PD-L1 expression has been found in several murine and human cancers, including human lung, ovarian and colon carcinoma and various myelomas (Iwai et al. (2002) *Proc. Natl. Acad. Sci. USA* 99:12293-7; Ohigashi et al. (2005) *Clin. Cancer Res.* 11:2947-53). PD-L1 has been suggested to play a role in tumor immunity by increasing apoptosis of antigen-specific T-cell clones (Dong et al. (2002) *Nat. Med.* 8:793-800). It has also been suggested that PD-L1 10 might be involved in intestinal mucosal inflammation and inhibition of PD-L1 suppresses wasting disease associated with colitis (Kanai et al. (2003) *J. Immunol.* 171:4156-63).

### Summary

The present disclosure provides a fully human antibody of an IgG class that binds to a PD-L1 epitope with a binding affinity of at least  $10^{-6}$  M, which has a heavy chain variable 15 domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, 20 SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID 25 NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 30 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO.

197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO.

5 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, 10 SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, 20 SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, 25 SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, 30 SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof. Preferably, the fully human antibody has both a heavy chain and a light chain wherein the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2 (called E6 herein), SEQ ID NO. 3/SEQ ID NO. 4 (called E7 herein), SEQ ID NO. 5/SEQ ID NO. 6 (called E9 herein), SEQ ID NO. 7/SEQ ID NO. 8 (called E11

herein), SEQ ID NO. 9/SEQ ID NO. 10 (called F1 herein), SEQ ID NO. 11/SEQ ID NO. 12 (called F4 herein), SEQ ID NO. 13/SEQ ID NO. 14 (called F7 herein), SEQ ID NO. 15/SEQ ID NO. 16 (called F8 herein), SEQ ID NO. 17/SEQ ID NO. 18 (called F11 herein), SEQ ID NO. 19/SEQ ID NO. 20 (called G4 herein), SEQ ID NO. 21/SEQ ID NO. 22 (called G9

5 herein), SEQ ID NO. 23/SEQ ID NO. 24 (called G11 herein), SEQ ID NO. 25/SEQ ID NO. 26 (called G12 herein), SEQ ID NO. 27/SEQ ID NO. 28 (called H1 herein), SEQ ID NO. 29/SEQ ID NO. 30 (called H3 herein), SEQ ID NO. 31/SEQ ID NO. 32 (called H4 herein), SEQ ID NO. 33/SEQ ID NO. 34 (called H5 herein), SEQ ID NO. 35/SEQ ID NO. 36 (called H6 herein), SEQ ID NO. 37/SEQ ID NO. 38 (called H10 herein), SEQ ID NO. 39/SEQ ID NO. 40 (called H12 herein), SEQ ID NO. 41/SEQ ID NO. 42 (called PDL-D2 herein), SEQ ID NO. 43/SEQ ID NO. 44 (called PDL-D11 herein), SEQ ID NO. 45/SEQ ID NO. 46 (called PDL-H1 herein), SEQ ID NO. 47/SEQ ID NO. 48 (called RB4 herein), SEQ ID NO. 49/SEQ ID NO. 50 (called RB11 herein), SEQ ID NO. 51/SEQ ID NO. 52 (called RC5 herein), SEQ ID NO. 53/SEQ ID NO. 54 (called RF5 herein), SEQ ID NO. 55/SEQ ID NO. 56 (called RG9 herein), 15 SEQ ID NO. 57/SEQ ID NO. 58 (called RD1 herein), SEQ ID NO. 59/SEQ ID NO. 60 (called RF11 herein), SEQ ID NO. 61/SEQ ID NO. 62 (called RH11 herein), SEQ ID NO. 63/SEQ ID NO. 64 (called RD9 herein), SEQ ID NO. 65/SEQ ID NO. 66 (called RE10 herein), SEQ ID NO. 67/SEQ ID NO. 68 (called RA3 herein), SEQ ID NO. 69/SEQ ID NO. 70 (called RG1 herein), SEQ ID NO. 71/SEQ ID NO. 72 (called RB1 herein), SEQ ID NO. 73/SEQ ID NO. 74 (called RG7 herein), SEQ ID NO. 75/SEQ ID NO. 76 (called RA6 herein), SEQ ID NO. 77/SEQ ID NO. 78 (called RA8 herein), SEQ ID NO. 79/SEQ ID NO. 80 (called RA9 herein), SEQ ID NO. 81/SEQ ID NO. 82 (called RB5 herein), SEQ ID NO. 83/SEQ ID NO. 84 (called RB8 herein), SEQ ID NO. 85/SEQ ID NO. 86 (called RC8 herein), SEQ ID NO. 87/SEQ ID NO. 88 (called RC10 herein), SEQ ID NO. 89/SEQ ID NO. 90 (called RD2 herein), SEQ ID 25 NO. 91/SEQ ID NO. 92 (called RE8 herein), SEQ ID NO. 93/SEQ ID NO. 94 (called RE9 herein), SEQ ID NO. 95/SEQ ID NO. 96 (called RG12 herein), SEQ ID NO. 97/SEQ ID NO. 98 (called RSA1 herein), SEQ ID NO. 99/SEQ ID NO. 100 (called R2A7 herein), SEQ ID NO. 101/SEQ ID NO. 102 (called R2B12 herein), SEQ ID NO. 103/SEQ ID NO. 104 (called R2C9 herein), SEQ ID NO. 105/SEQ ID NO. 106 (called R2D5 herein), SEQ ID NO. 107/SEQ ID NO. 108 (called R2D7 herein), SEQ ID NO. 109/SEQ ID NO. 110 (called R2F4 herein), SEQ ID NO. 111/SEQ ID NO. 112 (called R2A10 herein), SEQ ID NO. 113/SEQ ID NO. 114 (called R2E2 herein), SEQ ID NO. 115/SEQ ID NO. 116 (called R3B8 herein), SEQ ID NO. 117/SEQ ID NO. 118 (called R3C3 herein), SEQ ID NO. 119/SEQ ID NO. 120 (called R3E9 herein), SEQ ID NO. 121/SEQ ID NO. 122 (called R3E10 herein), SEQ ID NO. 123/SEQ ID

NO. 124 (called R3F7 herein), SEQ ID NO. 125/SEQ ID NO. 126 (called R3F10 herein), SEQ ID NO. 127/SEQ ID NO. 128 (called R4B10 herein), SEQ ID NO. 129/SEQ ID NO. 130 (called R4H1 herein), SEQ ID NO. 131/SEQ ID NO. 132 (called R4A11 herein), SEQ ID NO. 133/SEQ ID NO. 134 (called R3D2 herein), SEQ ID NO. 135/SEQ ID NO. 136 (called R5B8 herein), SEQ ID NO. 137/SEQ ID NO. 138 (called SH1A1Q herein), SEQ ID NO. 139/SEQ ID NO. 140 (called SH1B7B(K) herein), SEQ ID NO. 141/SEQ ID NO. 142 (called SH1C1 herein), SEQ ID NO. 143/SEQ ID NO. 144 (called SH1C8 herein), SEQ ID NO. 145/SEQ ID NO. 146 (called SH1E10 herein), SEQ ID NO. 147/SEQ ID NO. 148 (called SH1E2 herein), SEQ ID NO. 149/SEQ ID NO. 150 (called SH1A9 herein), SEQ ID NO. 151/SEQ ID NO. 152 (called SH1B11 herein), SEQ ID NO. 153/SEQ ID NO. 154 (called SH1E4 herein), SEQ ID NO. 155/SEQ ID NO. 156 (called SH1B3 herein), SEQ ID NO. 157/SEQ ID NO. 158 (called SH1D1 herein), SEQ ID NO. 159/SEQ ID NO. 160 (called SH1D2 herein), SEQ ID NO. 161/SEQ ID NO. 162 (called SH1D12 herein), SEQ ID NO. 163/SEQ ID NO. 164 (called SH1E1 herein), SEQ ID NO. 165/SEQ ID NO. 166 (called SH1G9 herein), SEQ ID NO. 167/SEQ ID NO. 168 (called SH1A11 herein), SEQ ID NO. 169/SEQ ID NO. 170 (called SH1C2 herein), SEQ ID NO. 171/SEQ ID NO. 172 (called SH1G8 herein), SEQ ID NO. 173/SEQ ID NO. 174 (called SH1H2 herein), SEQ ID NO. 175/SEQ ID NO. 176 (called SH1B10 herein), SEQ ID NO. 177/SEQ ID NO. 178 (called SH1B7A(L) herein), SEQ ID NO. 179/SEQ ID NO. 180 (called SH1E6 herein), SEQ ID NO. 181/SEQ ID NO. 182 (called SH1C11 herein), SEQ ID NO. 183/SEQ ID NO. 184 (called SH1A2 herein), SEQ ID NO. 185/SEQ ID NO. 186 (called SH1B1 herein), SEQ ID NO. 187/SEQ ID NO. 188 (called R6B2 herein), SEQ ID NO. 189/SEQ ID NO. 190 (called R6B7 herein), SEQ ID NO. 191/SEQ ID NO. 192 (called R6B11 herein), SEQ ID NO. 193/SEQ ID NO. 194 (called R6D1 herein), SEQ ID NO. 195/SEQ ID NO. 196 (called R6C8 herein), SEQ ID NO. 197/SEQ ID NO. 198 (called R9G8 herein), SEQ ID NO. 199/SEQ ID NO. 200 (called R7D1 herein), SEQ ID NO. 201/SEQ ID NO. 202 (called R7D2 herein), SEQ ID NO. 203/SEQ ID NO. 204 (called R7E7 herein), SEQ ID NO. 205/SEQ ID NO. 206 (called R7F2 herein), SEQ ID NO. 207/SEQ ID NO. 208 (called R7F7 herein), SEQ ID NO. 209/SEQ ID NO. 210 (called R9H2 herein), SEQ ID NO. 211/SEQ ID NO. 212 (called R9H6 herein), SEQ ID NO. 213/SEQ ID NO. 214 (called H6B1L herein), SEQ ID NO. 215/SEQ ID NO. 216 (called H6A1 herein), SEQ ID NO. 217/SEQ ID NO. 218 (called H6B1 herein), SEQ ID NO. 219/SEQ ID NO. 220 (called H6B2 herein), SEQ ID NO. 221/SEQ ID NO. 222 (called H19C herein), SEQ ID NO. 223/SEQ ID NO. 224 (called H110D herein), SEQ ID NO. 225/SEQ ID NO. 226 (called H11F herein), SEQ ID NO. 227/SEQ ID NO. 228 (called H1C1 herein), SEQ ID NO. 229/SEQ ID NO. 230

(called GPG1A2 herein), SEQ ID NO. 231/SEQ ID NO. 232 (called GPGG8 herein), SEQ ID NO. 233/SEQ ID NO. 234 (called GPGG10 herein), SEQ ID NO. 235/SEQ ID NO. 236 (called GPGH7 herein), SEQ ID NO. 237/SEQ ID NO. 238 (called GPGH10 herein), SEQ ID NO. 239/SEQ ID NO. 240 (called GPGH11 herein), SEQ ID NO. 241/SEQ ID NO. 242 (called GPGH10P herein), and combinations thereof.

The present disclosure provides a Fab fully human antibody fragment, having a variable domain region from a heavy chain and a variable domain region from a light chain, wherein the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2,

SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof. Preferably, the fully human antibody Fab fragment has both a heavy chain variable domain region and a light chain variable domain region wherein the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO.

44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 5 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ 10 ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 15 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 20 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 25 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 30 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO.

224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

5 The present disclosure provides a single chain human antibody, having a variable domain region from a heavy chain and a variable domain region from a light chain and a peptide linker connection the heavy chain and light chain variable domain regions, wherein the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID

NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof. Preferably, the fully human single chain antibody has both a heavy chain variable domain region and a light chain variable domain region, wherein the single chain fully human antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ

ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ 5 ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 10 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ 15 ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ 20 ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ 25 ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ 30 ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ

ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

5 The present disclosure further provides a method for treating a broad spectrum of mammalian cancers or a broad-spectrum of inflammatory diseases and autoimmune diseases, comprising administering an effective amount of an anti-PD-L1 polypeptide, wherein the anti-PD-L1 polypeptide is selected from the group consisting of a fully human antibody of an IgG class that binds to a PD-L1 epitope with a binding affinity of at least  $10^{-6}$ M, a Fab fully human  
10 antibody fragment, having a variable domain region from a heavy chain and a variable domain region from a light chain, a single chain human antibody, having a variable domain region from a heavy chain and a variable domain region from a light chain and a peptide linker connection the heavy chain and light chain variable domain regions, and combinations thereof;  
wherein the fully human antibody has a heavy chain variable domain sequence that is at  
15 least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO.  
20 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ  
25 ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID  
30 NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID

NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID 5 NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, 10 SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID 15 NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, 20 SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, 25 SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, 30 SEQ ID NO. 242, and combinations thereof;

wherein the Fab fully human antibody fragment has the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID

NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has the light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116,

SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156,

5 SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, 10 SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof; and

wherein the single chain human antibody has the heavy chain variable domain sequence 15 that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO.

11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO.

33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ

20 ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO.

55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO.

77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ

ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO.

99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109,

SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119,

SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129,

SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139,

SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149,

30 SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159,

SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169,

SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179,

SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189,

SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199,

SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, 5 SEQ ID NO. 241, and combinations thereof, and that has the light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, 10 SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID 15 NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, 20 SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, 25 SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, 30 SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof.

Preferably, the fully human antibody has both a heavy chain and a light chain wherein the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2 (called E6 herein), SEQ ID NO. 3/SEQ ID NO. 4 (called E7 herein), SEQ ID NO. 5/SEQ ID NO. 6 (called E9 herein), SEQ ID NO. 7/SEQ ID

NO. 8 (called E11 herein), SEQ ID NO. 9/SEQ ID NO. 10 (called F1 herein), SEQ ID NO. 11/SEQ ID NO. 12 (called F4 herein), SEQ ID NO. 13/SEQ ID NO. 14 (called F7 herein), SEQ ID NO. 15/SEQ ID NO. 16 (called F8 herein), SEQ ID NO. 17/SEQ ID NO. 18 (called F11 herein), SEQ ID NO. 19/SEQ ID NO. 20 (called G4 herein), SEQ ID NO. 21/SEQ ID NO. 22 (called G9 herein), SEQ ID NO. 23/SEQ ID NO. 24 (called G11 herein), SEQ ID NO. 25/SEQ ID NO. 26 (called G12 herein), SEQ ID NO. 27/SEQ ID NO. 28 (called H1 herein), SEQ ID NO. 29/SEQ ID NO. 30 (called H3 herein), SEQ ID NO. 31/SEQ ID NO. 32 (called H4 herein), SEQ ID NO. 33/SEQ ID NO. 34 (called H5 herein), SEQ ID NO. 35/SEQ ID NO. 36 (called H6 herein), SEQ ID NO. 37/SEQ ID NO. 38 (called H10 herein), SEQ ID NO. 39/SEQ ID NO. 40 (called H12 herein), SEQ ID NO. 41/SEQ ID NO. 42 (called PDL-D2 herein), SEQ ID NO. 43/SEQ ID NO. 44 (called PDL-D11 herein), SEQ ID NO. 45/SEQ ID NO. 46 (called PDL-H1 herein), SEQ ID NO. 47/SEQ ID NO. 48 (called RB4 herein), SEQ ID NO. 49/SEQ ID NO. 50 (called RB11 herein), SEQ ID NO. 51/SEQ ID NO. 52 (called RC5 herein), SEQ ID NO. 53/SEQ ID NO. 54 (called RF5 herein), SEQ ID NO. 55/SEQ ID NO. 56 (called RG9 herein), SEQ ID NO. 57/SEQ ID NO. 58 (called RD1 herein), SEQ ID NO. 59/SEQ ID NO. 60 (called RF11 herein), SEQ ID NO. 61/SEQ ID NO. 62 (called RH11 herein), SEQ ID NO. 63/SEQ ID NO. 64 (called RD9 herein), SEQ ID NO. 65/SEQ ID NO. 66 (called RE10 herein), SEQ ID NO. 67/SEQ ID NO. 68 (called RA3 herein), SEQ ID NO. 69/SEQ ID NO. 70 (called RG1 herein), SEQ ID NO. 71/SEQ ID NO. 72 (called RB1 herein), SEQ ID NO. 73/SEQ ID NO. 74 (called RG7 herein), SEQ ID NO. 75/SEQ ID NO. 76 (called RA6 herein), SEQ ID NO. 77/SEQ ID NO. 78 (called RA8 herein), SEQ ID NO. 79/SEQ ID NO. 80 (called RA9 herein), SEQ ID NO. 81/SEQ ID NO. 82 (called RB5 herein), SEQ ID NO. 83/SEQ ID NO. 84 (called RB8 herein), SEQ ID NO. 85/SEQ ID NO. 86 (called RC8 herein), SEQ ID NO. 87/SEQ ID NO. 88 (called RC10 herein), SEQ ID NO. 89/SEQ ID NO. 90 (called RD2 herein), SEQ ID NO. 91/SEQ ID NO. 92 (called RE8 herein), SEQ ID NO. 93/SEQ ID NO. 94 (called RE9 herein), SEQ ID NO. 95/SEQ ID NO. 96 (called RG12 herein), SEQ ID NO. 97/SEQ ID NO. 98 (called RSA1 herein), SEQ ID NO. 99/SEQ ID NO. 100 (called R2A7 herein), SEQ ID NO. 101/SEQ ID NO. 102 (called R2B12 herein), SEQ ID NO. 103/SEQ ID NO. 104 (called R2C9 herein), SEQ ID NO. 105/SEQ ID NO. 106 (called R2D5 herein), SEQ ID NO. 107/SEQ ID NO. 108 (called R2D7 herein), SEQ ID NO. 109/SEQ ID NO. 110 (called R2F4 herein), SEQ ID NO. 111/SEQ ID NO. 112 (called R2A10 herein), SEQ ID NO. 113/SEQ ID NO. 114 (called R2E2 herein), SEQ ID NO. 115/SEQ ID NO. 116 (called R3B8 herein), SEQ ID NO. 117/SEQ ID NO. 118 (called R3C3 herein), SEQ ID NO. 119/SEQ ID NO. 120 (called R3E9 herein), SEQ ID NO. 121/SEQ ID NO. 122 (called

R3E10 herein), SEQ ID NO. 123/SEQ ID NO. 124 (called R3F7 herein), SEQ ID NO. 125/SEQ ID NO. 126 (called R3F10 herein), SEQ ID NO. 127/SEQ ID NO. 128 (called R4B10 herein), SEQ ID NO. 129/SEQ ID NO. 130 (called R4H1 herein), SEQ ID NO. 131/SEQ ID NO. 132 (called R4A11 herein), SEQ ID NO. 133/SEQ ID NO. 134 (called R3D2 herein), SEQ ID NO. 135/SEQ ID NO. 136 (called R5B8 herein), SEQ ID NO. 137/SEQ ID NO. 138 (called SH1A1Q herein), SEQ ID NO. 139/SEQ ID NO. 140 (called SH1B7B(K) herein), SEQ ID NO. 141/SEQ ID NO. 142 (called SH1C1 herein), SEQ ID NO. 143/SEQ ID NO. 144 (called SH1C8 herein), SEQ ID NO. 145/SEQ ID NO. 146 (called SH1E10 herein), SEQ ID NO. 147/SEQ ID NO. 148 (called SH1E2 herein), SEQ ID NO. 149/SEQ ID NO. 150 (called SH1A9 herein), SEQ ID NO. 151/SEQ ID NO. 152 (called SH1B11 herein), SEQ ID NO. 153/SEQ ID NO. 154 (called SH1E4 herein), SEQ ID NO. 155/SEQ ID NO. 156 (called SH1B3 herein), SEQ ID NO. 157/SEQ ID NO. 158 (called SH1D1 herein), SEQ ID NO. 159/SEQ ID NO. 160 (called SH1D2 herein), SEQ ID NO. 161/SEQ ID NO. 162 (called SH1D12 herein), SEQ ID NO. 163/SEQ ID NO. 164 (called SH1E1 herein), SEQ ID NO. 165/SEQ ID NO. 166 (called SH1G9 herein), SEQ ID NO. 167/SEQ ID NO. 168 (called SH1A11 herein), SEQ ID NO. 169/SEQ ID NO. 170 (called SH1C2 herein), SEQ ID NO. 171/SEQ ID NO. 172 (called SH1G8 herein), SEQ ID NO. 173/SEQ ID NO. 174 (called SH1H2 herein), SEQ ID NO. 175/SEQ ID NO. 176 (called SH1B10 herein), SEQ ID NO. 177/SEQ ID NO. 178 (called SH1B7A(L) herein), SEQ ID NO. 179/SEQ ID NO. 180 (called SH1E6 herein), SEQ ID NO. 181/SEQ ID NO. 182 (called SH1C11 herein), SEQ ID NO. 183/SEQ ID NO. 184 (called SH1A2 herein), SEQ ID NO. 185/SEQ ID NO. 186 (called SH1B1 herein), SEQ ID NO. 187/SEQ ID NO. 188 (called R6B2 herein), SEQ ID NO. 189/SEQ ID NO. 190 (called R6B7 herein), SEQ ID NO. 191/SEQ ID NO. 192 (called R6B11 herein), SEQ ID NO. 193/SEQ ID NO. 194 (called R6D1 herein), SEQ ID NO. 195/SEQ ID NO. 196 (called R6C8 herein), SEQ ID NO. 197/SEQ ID NO. 198 (called R9G8 herein), SEQ ID NO. 199/SEQ ID NO. 200 (called R7D1 herein), SEQ ID NO. 201/SEQ ID NO. 202 (called R7D2 herein), SEQ ID NO. 203/SEQ ID NO. 204 (called R7E7 herein), SEQ ID NO. 205/SEQ ID NO. 206 (called R7F2 herein), SEQ ID NO. 207/SEQ ID NO. 208 (called R7F7 herein), SEQ ID NO. 209/SEQ ID NO. 210 (called R9H2 herein), SEQ ID NO. 211/SEQ ID NO. 212 (called R9H6 herein), SEQ ID NO. 213/SEQ ID NO. 214 (called H6B1L herein), SEQ ID NO. 215/SEQ ID NO. 216 (called H6A1 herein), SEQ ID NO. 217/SEQ ID NO. 218 (called H6B1 herein), SEQ ID NO. 219/SEQ ID NO. 220 (called H6B2 herein), SEQ ID NO. 221/SEQ ID NO. 222 (called H19C herein), SEQ ID NO. 223/SEQ ID NO. 224 (called H110D herein), SEQ ID NO. 225/SEQ ID NO. 226 (called H11F herein), SEQ ID NO. 227/SEQ ID NO. 228

(called H1C1 herein), SEQ ID NO. 229/SEQ ID NO. 230 (called GPG1A2 herein), SEQ ID NO. 231/SEQ ID NO. 232 (called GPGG8 herein), SEQ ID NO. 233/SEQ ID NO. 234 (called GPGG10 herein), SEQ ID NO. 235/SEQ ID NO. 236 (called GPGH7 herein), SEQ ID NO. 237/SEQ ID NO. 238 (called GPGH10 herein), SEQ ID NO. 239/SEQ ID NO. 240 (called GPGH11 herein), SEQ ID NO. 241/SEQ ID NO. 242 (called GPGH10P herein), and combinations thereof. Preferably, the fully human antibody Fab fragment has both a heavy chain variable domain region and a light chain variable domain region wherein the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2 (called E6 herein), SEQ ID NO. 3/SEQ ID NO. 4 (called E7 herein), SEQ ID NO. 5/SEQ ID NO. 6 (called E9 herein), SEQ ID NO. 7/SEQ ID NO. 8 (called E11 herein), SEQ ID NO. 9/SEQ ID NO. 10 (called F1 herein), SEQ ID NO. 11/SEQ ID NO. 12 (called F4 herein), SEQ ID NO. 13/SEQ ID NO. 14 (called F7 herein), SEQ ID NO. 15/SEQ ID NO. 16 (called F8 herein), SEQ ID NO. 17/SEQ ID NO. 18 (called F11 herein), SEQ ID NO. 19/SEQ ID NO. 20 (called G4 herein), SEQ ID NO. 21/SEQ ID NO. 22 (called G9 herein), SEQ ID NO. 23/SEQ ID NO. 24 (called G11 herein), SEQ ID NO. 25/SEQ ID NO. 26 (called G12 herein), SEQ ID NO. 27/SEQ ID NO. 28 (called H1 herein), SEQ ID NO. 29/SEQ ID NO. 30 (called H3 herein), SEQ ID NO. 31/SEQ ID NO. 32 (called H4 herein), SEQ ID NO. 33/SEQ ID NO. 34 (called H5 herein), SEQ ID NO. 35/SEQ ID NO. 36 (called H6 herein), SEQ ID NO. 37/SEQ ID NO. 38 (called H10 herein), SEQ ID NO. 39/SEQ ID NO. 40 (called H12 herein), SEQ ID NO. 41/SEQ ID NO. 42 (called PDL-D2 herein), SEQ ID NO. 43/SEQ ID NO. 44 (called PDL-D11 herein), SEQ ID NO. 45/SEQ ID NO. 46 (called PDL-H1 herein), SEQ ID NO. 47/SEQ ID NO. 48 (called RB4 herein), SEQ ID NO. 49/SEQ ID NO. 50 (called RB11 herein), SEQ ID NO. 51/SEQ ID NO. 52 (called RC5 herein), SEQ ID NO. 53/SEQ ID NO. 54 (called RF5 herein), SEQ ID NO. 55/SEQ ID NO. 56 (called RG9 herein), SEQ ID NO. 57/SEQ ID NO. 58 (called RD1 herein), SEQ ID NO. 59/SEQ ID NO. 60 (called RF11 herein), SEQ ID NO. 61/SEQ ID NO. 62 (called RH11 herein), SEQ ID NO. 63/SEQ ID NO. 64 (called RD9 herein), SEQ ID NO. 65/SEQ ID NO. 66 (called RE10 herein), SEQ ID NO. 67/SEQ ID NO. 68 (called RA3 herein), SEQ ID NO. 69/SEQ ID NO. 70 (called RG1 herein), SEQ ID NO. 71/SEQ ID NO. 72 (called RB1 herein), SEQ ID NO. 73/SEQ ID NO. 74 (called RG7 herein), SEQ ID NO. 75/SEQ ID NO. 76 (called RA6 herein), SEQ ID NO. 77/SEQ ID NO. 78 (called RA8 herein), SEQ ID NO. 79/SEQ ID NO. 80 (called RA9 herein), SEQ ID NO. 81/SEQ ID NO. 82 (called RB5 herein), SEQ ID NO. 83/SEQ ID NO. 84 (called RB8 herein), SEQ ID NO. 85/SEQ ID NO. 86 (called RC8 herein), SEQ ID NO. 87/SEQ ID NO. 88 (called RC10 herein), SEQ ID NO. 89/SEQ ID NO. 90 (called RD2 herein), SEQ ID

NO. 91/SEQ ID NO. 92 (called RE8 herein), SEQ ID NO. 93/SEQ ID NO. 94 (called RE9 herein), SEQ ID NO. 95/SEQ ID NO. 96 (called RG12 herein), SEQ ID NO. 97/SEQ ID NO. 98 (called RSA1 herein), SEQ ID NO. 99/SEQ ID NO. 100 (called R2A7 herein), SEQ ID NO. 101/SEQ ID NO. 102 (called R2B12 herein), SEQ ID NO. 103/SEQ ID NO. 104 (called R2C9 herein), SEQ ID NO. 105/SEQ ID NO. 106 (called R2D5 herein), SEQ ID NO. 107/SEQ ID NO. 108 (called R2D7 herein), SEQ ID NO. 109/SEQ ID NO. 110 (called R2F4 herein), SEQ ID NO. 111/SEQ ID NO. 112 (called R2A10 herein), SEQ ID NO. 113/SEQ ID NO. 114 (called R2E2 herein), SEQ ID NO. 115/SEQ ID NO. 116 (called R3B8 herein), SEQ ID NO. 117/SEQ ID NO. 118 (called R3C3 herein), SEQ ID NO. 119/SEQ ID NO. 120 (called R3E9 herein), SEQ ID NO. 121/SEQ ID NO. 122 (called R3E10 herein), SEQ ID NO. 123/SEQ ID NO. 124 (called R3F7 herein), SEQ ID NO. 125/SEQ ID NO. 126 (called R3F10 herein), SEQ ID NO. 127/SEQ ID NO. 128 (called R4B10 herein), SEQ ID NO. 129/SEQ ID NO. 130 (called R4H1 herein), SEQ ID NO. 131/SEQ ID NO. 132 (called R4A11 herein), SEQ ID NO. 133/SEQ ID NO. 134 (called R3D2 herein), SEQ ID NO. 135/SEQ ID NO. 136 (called R5B8 herein), SEQ ID NO. 137/SEQ ID NO. 138 (called SH1A1Q herein), SEQ ID NO. 139/SEQ ID NO. 140 (called SH1B7B(K) herein), SEQ ID NO. 141/SEQ ID NO. 142 (called SH1C1 herein), SEQ ID NO. 143/SEQ ID NO. 144 (called SH1C8 herein), SEQ ID NO. 145/SEQ ID NO. 146 (called SH1E10 herein), SEQ ID NO. 147/SEQ ID NO. 148 (called SH1E2 herein), SEQ ID NO. 149/SEQ ID NO. 150 (called SH1A9 herein), SEQ ID NO. 151/SEQ ID NO. 152 (called SH1B11 herein), SEQ ID NO. 153/SEQ ID NO. 154 (called SH1E4 herein), SEQ ID NO. 155/SEQ ID NO. 156 (called SH1B3 herein), SEQ ID NO. 157/SEQ ID NO. 158 (called SH1D1 herein), SEQ ID NO. 159/SEQ ID NO. 160 (called SH1D2 herein), SEQ ID NO. 161/SEQ ID NO. 162 (called SH1D12 herein), SEQ ID NO. 163/SEQ ID NO. 164 (called SH1E1 herein), SEQ ID NO. 165/SEQ ID NO. 166 (called SH1G9 herein), SEQ ID NO. 167/SEQ ID NO. 168 (called SH1A11 herein), SEQ ID NO. 169/SEQ ID NO. 170 (called SH1C2 herein), SEQ ID NO. 171/SEQ ID NO. 172 (called SH1G8 herein), SEQ ID NO. 173/SEQ ID NO. 174 (called SH1H2 herein), SEQ ID NO. 175/SEQ ID NO. 176 (called SH1B10 herein), SEQ ID NO. 177/SEQ ID NO. 178 (called SH1B7A(L) herein), SEQ ID NO. 179/SEQ ID NO. 180 (called SH1E6 herein), SEQ ID NO. 181/SEQ ID NO. 182 (called SH1C11 herein), SEQ ID NO. 183/SEQ ID NO. 184 (called SH1A2 herein), SEQ ID NO. 185/SEQ ID NO. 186 (called SH1B1 herein), SEQ ID NO. 187/SEQ ID NO. 188 (called R6B2 herein), SEQ ID NO. 189/SEQ ID NO. 190 (called R6B7 herein), SEQ ID NO. 191/SEQ ID NO. 192 (called R6B11 herein), SEQ ID NO. 193/SEQ ID NO. 194 (called R6D1 herein), SEQ ID NO. 195/SEQ ID NO. 196 (called R6C8 herein), SEQ ID NO. 197/SEQ ID NO. 198

(called R9G8 herein), SEQ ID NO. 199/SEQ ID NO. 200 (called R7D1 herein), SEQ ID NO. 201/SEQ ID NO. 202 (called R7D2 herein), SEQ ID NO. 203/SEQ ID NO. 204 (called R7E7 herein), SEQ ID NO. 205/SEQ ID NO. 206 (called R7F2 herein), SEQ ID NO. 207/SEQ ID NO. 208 (called R7F7 herein), SEQ ID NO. 209/SEQ ID NO. 210 (called R9H2 herein), SEQ 5 ID NO. 211/SEQ ID NO. 212 (called R9H6 herein), SEQ ID NO. 213/SEQ ID NO. 214 (called H6B1L herein), SEQ ID NO. 215/SEQ ID NO. 216 (called H6A1 herein), SEQ ID NO. 217/SEQ ID NO. 218 (called H6B1 herein), SEQ ID NO. 219/SEQ ID NO. 220 (called H6B2 herein), SEQ ID NO. 221/SEQ ID NO. 222 (called H19C herein), SEQ ID NO. 223/SEQ ID NO. 224 (called H110D herein), SEQ ID NO. 225/SEQ ID NO. 226 (called H11F herein), 10 SEQ ID NO. 227/SEQ ID NO. 228 (called H1C1 herein), SEQ ID NO. 229/SEQ ID NO. 230 (called GPG1A2 herein), SEQ ID NO. 231/SEQ ID NO. 232 (called GPGG8 herein), SEQ ID NO. 233/SEQ ID NO. 234 (called GPGG10 herein), SEQ ID NO. 235/SEQ ID NO. 236 (called GPGH7 herein), SEQ ID NO. 237/SEQ ID NO. 238 (called GPGH10 herein), SEQ ID NO. 239/SEQ ID NO. 240 (called GPGH11 herein), SEQ ID NO. 241/SEQ ID NO. 242 (called 15 GPGH10P herein), and combinations thereof. Preferably, the fully human single chain antibody has both a heavy chain variable domain region and a light chain variable domain region, wherein the single chain fully human antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, 20 SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 25, 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ 30 ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO.

91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, 5 SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, 10 SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, 15 SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, 20 SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, 25 SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, 30 and combinations thereof.

Preferably, the broad spectrum of mammalian cancers to be treated is selected from the group consisting of ovarian, colon, breast, lung cancers, myelomas, neuroblastic-derived CNS tumors, monocytic leukemias, B-cell derived leukemias, T-cell derived leukemias, B-cell derived lymphomas, T-cell derived lymphomas, mast cell derived tumors, and combinations

thereof. Preferably, the autoimmune disease or inflammatory disease is selected from the group consisting of intestinal mucosal inflammation, wasting disease associated with colitis, multiple sclerosis, systemic lupus erythematosus, viral infections, rheumatoid arthritis, osteoarthritis, psoriasis, Cohn's disease, and inflammatory bowel disease.

## 5 Brief Description of the Figures

Figure 1 shows anti-PD-L1 antibodies H6 and H10 binding to human PD-L1 expressed on human lymphocytes and the EC<sub>50</sub> determination in the 100 pM range

Figure 2 shows disclosed anti-PD-L1 antibodies binding to human lymphocytes by FACS Aria analysis.

10 Figure 3 shows disclosed anti-PD-L1 antibodies H1, H6 and H10 inhibit lymphocyte proliferation.

Figure 4 shows disclosed anti-PD-L1 antibody H10 inhibit NK cell proliferation.

Figure 5 shows disclosed anti-PD-L1 antibodies H6 and H10 enhance cell activation and that the responsive lymphocyte population is the NK cell.

15 Figure 6 shows effect of anti-PD-L1 antibodies H6 and H10 on the progression of disease in a murine model of multiple sclerosis (MS)

Figure 7 shows the results of EC50 cell binding flow cytometry experiments, demonstrating that anti-PD-L1 antibody G12 binds the cell surface of CHO cells transfected with full length PD-L1 in a concentration dependent manner.

20 Figure 8 shows the results of EC50 cell binding flow cytometry experiments, demonstrating that anti-PD-L1 antibody G12 binds in a concentration dependent manner to the cell surface of ES-2 ovarian carcinoma cells induced with IFN $\gamma$  to increase the level of PD-L1 expression on these cells.

Figure 9 shows IC50 data for the blocking of the interaction between recombinant 25 human PD-1 and human PD-L1 expressed on CHO cells by anti-PD-L1 antibody G12.

Figure 10 shows a mixed lymphocyte reaction (MLR) to evaluate the effect of the antibodies on lymphocyte activity in lymphocyte effector cells. IL-2 secretion was measured in the presence or absence of the anti-PD-L1 human monoclonal antibody. The antibodies used were the disclosed G12 antibody as compared to prior disclosed antibodies 10A5 and 12A4 30 (Bristol-Myers/Medarex) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 2009/0055944 the disclosure of which is incorporated by reference herein).

Figure 11 shows a mixed lymphocyte reaction (MLR) was employed to demonstrate the effect of blocking the PD-L1/PD-1 pathway by the listed anti-PD-L1 antibodies on

lymphocyte effector cells. IFN- $\gamma$  secretion was measured in the presence or absence of the anti-PD-L1 human monoclonal antibody. The antibodies used were the disclosed G12 antibody as compared to prior disclosed antibody 10A5 (Bristol-Myers/Medarex) that was obtained via in-house production from prior-disclosed antibody sequences (see U.S. Patent Application 5 2009/0055944, the disclosure of which is incorporated by reference herein).

Figure 12 shows a mixed lymphocyte reaction (MLR) was employed to evaluate the effect of the antibodies on lymphocyte activity by the anti-PD-L1 antibodies on lymphocyte effector cells. T cell activation was measured in the presence or absence of the anti-PD-L1 human monoclonal antibody. The antibodies used were the disclosed G12 antibody as 10 compared to prior disclosed antibodies 10A5 and 12A4 (Bristol-Myers/Medarex) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 2009/0055944 the disclosure of which is incorporated by reference herein).

Figure 13 shows a mixed lymphocyte reaction (MLR) was employed to evaluate the effect of the antibodies on lymphocyte activity by the anti-PD-L1 antibodies on lymphocyte 15 effector cells. T cell activation was measured in the presence or absence of the anti-PD-L1 human monoclonal antibody. The antibodies used were the disclosed H6B1L, RSA1, RA3, RC5, SH1E2, SH1E4, SH1B11, and SH1C8 as compared to prior disclosed antibodies 10A5 (Bristol-Myers-Squibb/Medarex) and YW243.55S70 (Roche/Genentech) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 20 2009/0055944 and U.S. Patent Application US 2010/0203056; the disclosure of which are incorporated by reference herein).

Figure 14 shows a mixed lymphocyte reaction (MLR) to evaluate the effect of the antibodies on lymphocyte activity in lymphocyte effector cells. IL-2 secretion was measured in the presence or absence of the anti-PD-L1 human monoclonal antibody. The antibodies used 25 were the disclosed H6B1L, RSA1, RA3, RC5, SH1E2, SH1E4, SH1B11, and SH1C8 as compared to prior disclosed antibodies 10A5 (Bristol-Myers-Squibb/Medarex) and YW243.55S70 (Roche/Genentech) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 2009/0055944 and U.S. Patent Application US 2010/0203056; the disclosure of which are incorporated by reference herein).

Figure 15 shows a mixed lymphocyte reaction (MLR) was employed to demonstrate 30 the effect of blocking the PD-L1/PD-1 pathway by the listed anti-PD-L1 antibodies on lymphocyte effector cells. IFN- $\gamma$  secretion was measured in the presence or absence of the anti-PD-L1 human monoclonal antibody. The antibodies used were the disclosed H6B1L, RSA1, RA3, RC5, SH1E2, SH1E4, SH1B11, and SH1C8 as compared to prior disclosed antibodies

10A5 (Bristol-Myers-Squibb/Medarex) and YW243.55S70 (Roche/Genentech) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 2009/0055944 and U.S. Patent Application US 2010/0203056; the disclosure of which are incorporated by reference herein).

## 5 Detailed Description

The present disclosure provides a fully human antibody of an IgG class that binds to a PD-L1 epitope with a binding affinity of  $10^{-6}$ M or less, that has a heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8,

SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, 5 SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, 10 SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, 15 SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, 20 SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof. Preferably, the fully human antibody has both a heavy chain and a light chain wherein the antibody has a 25 heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2 (called E6 herein), SEQ ID NO. 3/SEQ ID NO. 4 (called E7 herein), SEQ ID NO. 5/SEQ ID NO. 6 (called E9 herein), SEQ ID NO. 7/SEQ ID NO. 8 (called E11 herein), SEQ ID NO. 9/SEQ ID NO. 10 (called F1 herein), SEQ ID NO. 11/SEQ ID NO. 12 (called F4 herein), SEQ ID NO. 13/SEQ ID NO. 14 (called F7 herein), SEQ ID NO. 15/SEQ 30 ID NO. 16 (called F8 herein), SEQ ID NO. 17/SEQ ID NO. 18 (called F11 herein), SEQ ID NO. 19/SEQ ID NO. 20 (called G4 herein), SEQ ID NO. 21/SEQ ID NO. 22 (called G9 herein), SEQ ID NO. 23/SEQ ID NO. 24 (called G11 herein), SEQ ID NO. 25/SEQ ID NO. 26 (called G12 herein), SEQ ID NO. 27/SEQ ID NO. 28 (called H1 herein), SEQ ID NO. 29/SEQ ID NO. 30 (called H3 herein), SEQ ID NO. 31/SEQ ID NO. 32 (called H4 herein), SEQ ID

NO. 33/SEQ ID NO. 34 (called H5 herein), SEQ ID NO. 35/SEQ ID NO. 36 (called H6 herein), SEQ ID NO. 37/SEQ ID NO. 38 (called H10 herein), SEQ ID NO. 39/SEQ ID NO. 40 (called H12 herein), SEQ ID NO. 41/SEQ ID NO. 42 (called PDL-D2 herein), SEQ ID NO. 43/SEQ ID NO. 44 (called PDL-D11 herein), SEQ ID NO. 45/SEQ ID NO. 46 (called PDL-H1 herein), SEQ ID NO. 47/SEQ ID NO. 48 (called RB4 herein), SEQ ID NO. 49/SEQ ID NO. 50 (called RB11 herein), SEQ ID NO. 51/SEQ ID NO. 52 (called RC5 herein), SEQ ID NO. 53/SEQ ID NO. 54 (called RF5 herein), SEQ ID NO. 55/SEQ ID NO. 56 (called RG9 herein), SEQ ID NO. 57/SEQ ID NO. 58 (called RD1 herein), SEQ ID NO. 59/SEQ ID NO. 60 (called RF11 herein), SEQ ID NO. 61/SEQ ID NO. 62 (called RH11 herein), SEQ ID NO. 63/SEQ ID NO. 64 (called RD9 herein), SEQ ID NO. 65/SEQ ID NO. 66 (called RE10 herein), SEQ ID NO. 67/SEQ ID NO. 68 (called RA3 herein), SEQ ID NO. 69/SEQ ID NO. 70 (called RG1 herein), SEQ ID NO. 71/SEQ ID NO. 72 (called RB1 herein), SEQ ID NO. 73/SEQ ID NO. 74 (called RG7 herein), SEQ ID NO. 75/SEQ ID NO. 76 (called RA6 herein), SEQ ID NO. 77/SEQ ID NO. 78 (called RA8 herein), SEQ ID NO. 79/SEQ ID NO. 80 (called RA9 herein), SEQ ID NO. 81/SEQ ID NO. 82 (called RB5 herein), SEQ ID NO. 83/SEQ ID NO. 84 (called RB8 herein), SEQ ID NO. 85/SEQ ID NO. 86 (called RC8 herein), SEQ ID NO. 87/SEQ ID NO. 88 (called RC10 herein), SEQ ID NO. 89/SEQ ID NO. 90 (called RD2 herein), SEQ ID NO. 91/SEQ ID NO. 92 (called RE8 herein), SEQ ID NO. 93/SEQ ID NO. 94 (called RE9 herein), SEQ ID NO. 95/SEQ ID NO. 96 (called RG12 herein), SEQ ID NO. 97/SEQ ID NO. 98 (called RSA1 herein), SEQ ID NO. 99/SEQ ID NO. 100 (called R2A7 herein), SEQ ID NO. 101/SEQ ID NO. 102 (called R2B12 herein), SEQ ID NO. 103/SEQ ID NO. 104 (called R2C9 herein), SEQ ID NO. 105/SEQ ID NO. 106 (called R2D5 herein), SEQ ID NO. 107/SEQ ID NO. 108 (called R2D7 herein), SEQ ID NO. 109/SEQ ID NO. 110 (called R2F4 herein), SEQ ID NO. 111/SEQ ID NO. 112 (called R2A10 herein), SEQ ID NO. 113/SEQ ID NO. 114 (called R2E2 herein), SEQ ID NO. 115/SEQ ID NO. 116 (called R3B8 herein), SEQ ID NO. 117/SEQ ID NO. 118 (called R3C3 herein), SEQ ID NO. 119/SEQ ID NO. 120 (called R3E9 herein), SEQ ID NO. 121/SEQ ID NO. 122 (called R3E10 herein), SEQ ID NO. 123/SEQ ID NO. 124 (called R3F7 herein), SEQ ID NO. 125/SEQ ID NO. 126 (called R3F10 herein), SEQ ID NO. 127/SEQ ID NO. 128 (called R4B10 herein), SEQ ID NO. 129/SEQ ID NO. 130 (called R4H1 herein), SEQ ID NO. 131/SEQ ID NO. 132 (called R4A11 herein), SEQ ID NO. 133/SEQ ID NO. 134 (called R3D2 herein), SEQ ID NO. 135/SEQ ID NO. 136 (called R5B8 herein), SEQ ID NO. 137/SEQ ID NO. 138 (called SH1A1Q herein), SEQ ID NO. 139/SEQ ID NO. 140 (called SH1B7B(K) herein), SEQ ID NO. 141/SEQ ID NO. 142 (called SH1C1 herein), SEQ ID NO. 143/SEQ ID NO. 144 (called SH1C8 herein), SEQ ID NO. 145/SEQ ID

NO. 146 (called SH1E10 herein), SEQ ID NO. 147/SEQ ID NO. 148 (called SH1E2 herein), SEQ ID NO. 149/SEQ ID NO. 150 (called SH1A9 herein), SEQ ID NO. 151/SEQ ID NO. 152 (called SH1B11 herein), SEQ ID NO. 153/SEQ ID NO. 154 (called SH1E4 herein), SEQ ID NO. 155/SEQ ID NO. 156 (called SH1B3 herein), SEQ ID NO. 157/SEQ ID NO. 158 (called SH1D1 herein), SEQ ID NO. 159/SEQ ID NO. 160 (called SH1D2 herein), SEQ ID NO. 161/SEQ ID NO. 162 (called SH1D12 herein), SEQ ID NO. 163/SEQ ID NO. 164 (called SH1E1 herein), SEQ ID NO. 165/SEQ ID NO. 166 (called SH1G9 herein), SEQ ID NO. 167/SEQ ID NO. 168 (called SH1A11 herein), SEQ ID NO. 169/SEQ ID NO. 170 (called SH1C2 herein), SEQ ID NO. 171/SEQ ID NO. 172 (called SH1G8 herein), SEQ ID NO. 173/SEQ ID NO. 174 (called SH1H2 herein), SEQ ID NO. 175/SEQ ID NO. 176 (called SH1B10 herein), SEQ ID NO. 177/SEQ ID NO. 178 (called SH1B7A(L) herein), SEQ ID NO. 179/SEQ ID NO. 180 (called SH1E6 herein), SEQ ID NO. 181/SEQ ID NO. 182 (called SH1C11 herein), SEQ ID NO. 183/SEQ ID NO. 184 (called SH1A2 herein), SEQ ID NO. 185/SEQ ID NO. 186 (called SH1B1 herein), SEQ ID NO. 187/SEQ ID NO. 188 (called R6B2 herein), SEQ ID NO. 189/SEQ ID NO. 190 (called R6B7 herein), SEQ ID NO. 191/SEQ ID NO. 192 (called R6B11 herein), SEQ ID NO. 193/SEQ ID NO. 194 (called R6D1 herein), SEQ ID NO. 195/SEQ ID NO. 196 (called R6C8 herein), SEQ ID NO. 197/SEQ ID NO. 198 (called R9G8 herein), SEQ ID NO. 199/SEQ ID NO. 200 (called R7D1 herein), SEQ ID NO. 201/SEQ ID NO. 202 (called R7D2 herein), SEQ ID NO. 203/SEQ ID NO. 204 (called R7E7 herein), SEQ ID NO. 205/SEQ ID NO. 206 (called R7F2 herein), SEQ ID NO. 207/SEQ ID NO. 208 (called R7F7 herein), SEQ ID NO. 209/SEQ ID NO. 210 (called R9H2 herein), SEQ ID NO. 211/SEQ ID NO. 212 (called R9H6 herein), SEQ ID NO. 213/SEQ ID NO. 214 (called H6B1L herein), SEQ ID NO. 215/SEQ ID NO. 216 (called H6A1 herein), SEQ ID NO. 217/SEQ ID NO. 218 (called H6B1 herein), SEQ ID NO. 219/SEQ ID NO. 220 (called H6B2 herein), SEQ ID NO. 221/SEQ ID NO. 222 (called H19C herein), SEQ ID NO. 223/SEQ ID NO. 224 (called H110D herein), SEQ ID NO. 225/SEQ ID NO. 226 (called H11F herein), SEQ ID NO. 227/SEQ ID NO. 228 (called H1C1 herein), SEQ ID NO. 229/SEQ ID NO. 230 (called GPG1A2 herein), SEQ ID NO. 231/SEQ ID NO. 232 (called GPGG8 herein), SEQ ID NO. 233/SEQ ID NO. 234 (called GPGG10 herein), SEQ ID NO. 235/SEQ ID NO. 236 (called GPGH7 herein), SEQ ID NO. 237/SEQ ID NO. 238 (called GPGH10 herein), SEQ ID NO. 239/SEQ ID NO. 240 (called GPGH11 herein), SEQ ID NO. 241/SEQ ID NO. 242 (called GPGH10P herein), and combinations thereof.

The present disclosure provides a Fab fully human antibody fragment, having a variable domain region from a heavy chain and a variable domain region from a light chain,

wherein the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO.

80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO.

5 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO.

132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO.

142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO.

152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO.

162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO.

10 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO.

182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO.

192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO.

202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO.

212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO.

15 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO.

232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO.

242, and combinations thereof. Preferably, the fully human antibody Fab fragment has both a

heavy chain variable domain region and a light chain variable domain region wherein the

antibody has a heavy chain/light chain variable domain sequence selected from the group

20 consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO.

5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO.

11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ

ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO.

22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ

25 ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO.

33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ

ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO.

44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ

ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO.

30 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ

ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO.

66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ

ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO.

77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ

ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, 5 SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, 10 SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, 15 SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, 20 SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, 25 SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, 30 SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

The present disclosure provides a single chain human antibody, having a variable domain region from a heavy chain and a variable domain region from a light chain and a peptide linker connection the heavy chain and light chain variable domain regions, wherein the

heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, 5 SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID 10 NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID 15 NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID 20 NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID 25 NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID 30 NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82,

SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 5 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 10 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 15 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof. Preferably, the fully human single chain antibody has both a heavy chain variable domain region and a light chain variable domain region, wherein the single chain fully human antibody has a heavy chain/light chain variable domain sequence selected from the 20 group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 25 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ 30 ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO.

82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

The present disclosure further provides a method for treating a broad spectrum of mammalian cancers or inflammatory diseases or autoimmune diseases, comprising administering an effective amount of an anti-PD-L1 polypeptide, wherein the anti-PD-L1

polypeptide is selected from the group consisting of a fully human antibody of an IgG class that binds to a PD-L1 epitope with a binding affinity of at least  $10^{-6}$ M, a Fab fully human antibody fragment, having a variable domain region from a heavy chain and a variable domain region from a light chain, a single chain human antibody, having a variable domain region

5 from a heavy chain and a variable domain region from a light chain and a peptide linker connection the heavy chain and light chain variable domain regions, and combinations thereof;

wherein the fully human antibody has a heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO.

10 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID

15 NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID

20 NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID

25 NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12,

SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, 5 SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, 10 SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, 15 SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, 20 SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof;

25 wherein the Fab fully human antibody fragment has the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97,

SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, 5 SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, 10 SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, 15 SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has the light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, 20 SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, 25 SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, 30 SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186,

SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, 5 SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof; and

wherein the single chain human antibody has the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO.

10 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ 15 ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, 20 SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, 25 SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, 30 SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has the light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10,

SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, 5 SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, 10 SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, 15 SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, 20 SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof.

Preferably, the fully human antibody has both a heavy chain and a light chain wherein 25 the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 30 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ

ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ 5 ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 10 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 15 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 20 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 25 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 30 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO.

229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof. Preferably, the fully human antibody Fab fragment has both a heavy chain variable domain region and a light chain variable domain region wherein the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO.

154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof. Preferably, the fully human single chain antibody has both a heavy chain variable domain region and a light chain variable domain region, wherein the single chain fully human antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO.

76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO.

5 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO.

10 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO.

15 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO.

20 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO.

25 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO.

30 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

Preferably, the broad spectrum of mammalian cancers to be treated is selected from the group consisting of ovarian, colon, breast, lung cancers, myelomas, neuroblastic-derived CNS tumors, monocytic leukemias, B-cell derived leukemias, T-cell derived leukemias, B-cell derived lymphomas, T-cell derived lymphomas, mast cell derived tumors, and combinations thereof. Preferably, the autoimmune disease or inflammatory disease is selected from the group consisting of intestinal mucosal inflammation, wasting disease associated with colitis, multiple sclerosis, systemic lupus erythematosus, viral infections, rheumatoid arthritis, osteoarthritis, psoriasis, Cohn's disease, and inflammatory bowel disease.

An "antigen binding protein" is a protein comprising a portion that binds to an antigen and, optionally, a scaffold or framework portion that allows the antigen binding portion to adopt a conformation that promotes binding of the antigen binding protein to the antigen. Examples of antigen binding proteins include antibodies, antibody fragments (e.g., an antigen binding portion of an antibody), antibody derivatives, and antibody analogs. The antigen binding protein can comprise, for example, an alternative protein scaffold or artificial scaffold with grafted CDRs or CDR derivatives. Such scaffolds include, but are not limited to, antibody-derived scaffolds comprising mutations introduced to, for example, stabilize the three-dimensional structure of the antigen binding protein as well as wholly synthetic scaffolds comprising, for example, a biocompatible polymer. See, for example, Korndorfer et al., 2003, *Proteins: Structure, Function, and Bioinformatics*, Volume 53, Issue 1:121-129; Roque et al., 2004, *Biotechnol. Prog.* 20:639-654. In addition, peptide antibody mimetics ("PAMs") can be used, as well as scaffolds based on antibody mimetics utilizing fibronectin components as a scaffold.

An antigen binding protein can have, for example, the structure of a naturally occurring immunoglobulin. An "immunoglobulin" is a tetrameric molecule. In a naturally occurring immunoglobulin, each tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kDa) and one "heavy" chain (about 50-70 kDa). The amino-terminal portion of each chain includes a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The carboxy-terminal portion of each chain defines a constant region primarily responsible for effector function. Human light chains are classified as kappa or lambda light chains. Heavy chains are classified as mu, delta, gamma, alpha, or epsilon, and define the antibody's isotype as IgM, IgD, IgG, IgA, and IgE, respectively. Within light and heavy chains, the variable and constant regions are joined by a "J" region of about 12 or more amino acids, with the heavy chain also including a "D" region of about 10 more amino acids. See generally, *Fundamental Immunology* Ch. 7 (Paul, W., ed.,

2nd ed. Raven Press, N.Y. (1989)) (incorporated by reference in its entirety for all purposes). The variable regions of each light/heavy chain pair form the antibody binding site such that an intact immunoglobulin has two binding sites.

The variable regions of naturally occurring immunoglobulin chains exhibit the same 5 general structure of relatively conserved framework regions (FR) joined by three hypervariable regions, also called complementarity determining regions or CDRs. From N-terminus to C-terminus, both light and heavy chains comprise the domains FR1, CDR1, FR2, CDR2, FR3, CDR3 and FR4. The assignment of amino acids to each domain is in accordance with the definitions of Kabat et al. in Sequences of Proteins of Immunological Interest, 5<sup>th</sup> Ed., US 10 Dept. of Health and Human Services, PHS, NIH, NIH Publication no. 91-3242, 1991. Other numbering systems for the amino acids in immunoglobulin chains include IMGT.RTM. (international ImMunoGeneTics information system; Lefranc et al, *Dev. Comp. Immunol.* 29:185-203; 2005) and AHo (Honegger and Pluckthun, *J. Mol. Biol.* 309(3):657-670; 2001).

Antibodies can be obtained from sources such as serum or plasma that contain 15 immunoglobulins having varied antigenic specificity. If such antibodies are subjected to affinity purification, they can be enriched for a particular antigenic specificity. Such enriched preparations of antibodies usually are made of less than about 10% antibody having specific binding activity for the particular antigen. Subjecting these preparations to several rounds of affinity purification can increase the proportion of antibody having specific binding activity for the particular antigen. Antibodies prepared in this manner are often referred to as "monospecific." 20 Monospecific antibody preparations can be made up of about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, 97%, 99%, or 99.9% antibody having specific binding activity for the particular antigen.

An "antibody" refers to an intact immunoglobulin or to an antigen binding portion 25 thereof that competes with the intact antibody for specific binding, unless otherwise specified. Antigen binding portions may be produced by recombinant DNA techniques or by enzymatic or chemical cleavage of intact antibodies. Antigen binding portions include, *inter alia*, Fab, Fab', F(ab')<sub>2</sub>, Fv, domain antibodies (dAbs), and complementarity determining region (CDR) fragments, single-chain antibodies (scFv), chimeric antibodies, diabodies, triabodies, 30 tetrabodies, and polypeptides that contain at least a portion of an immunoglobulin that is sufficient to confer specific antigen binding to the polypeptide.

A Fab fragment is a monovalent fragment having the V<sub>L</sub>, V<sub>H</sub>, C<sub>L</sub> and C<sub>H1</sub> domains; a F(ab')<sub>2</sub> fragment is a bivalent fragment having two Fab fragments linked by a disulfide bridge at the hinge region; a Fd fragment has the V<sub>H</sub> and C<sub>H1</sub> domains; an Fv fragment has the V<sub>L</sub> and

$V_H$  domains of a single arm of an antibody; and a dAb fragment has a  $V_H$  domain, a  $V_L$  domain, or an antigen-binding fragment of a  $V_H$  or  $V_L$  domain (U.S. Patents 6,846,634; 6,696,245, US App. Pub. 20/0202512; 2004/0202995; 2004/0038291; 2004/0009507; 2003/0039958, and Ward et al., *Nature* 341:544-546, 1989).

5 A single-chain antibody (scFv) is an antibody in which a  $V_L$  and a  $V_H$  region are joined via a linker (*e.g.*, a synthetic sequence of amino acid residues) to form a continuous protein chain wherein the linker is long enough to allow the protein chain to fold back on itself and form a monovalent antigen binding site (see, *e.g.*, Bird et al., 1988, *Science* 242:423-26 and Huston et al., 1988, *Proc. Natl. Acad. Sci. USA* 85:5879-83). Diabodies are bivalent antibodies  
10 comprising two polypeptide chains, wherein each polypeptide chain comprises  $V_H$  and  $V_L$  domains joined by a linker that is too short to allow for pairing between two domains on the same chain, thus allowing each domain to pair with a complementary domain on another polypeptide chain (see, *e.g.*, Holliger et al., 1993, *Proc. Natl. Acad. Sci. USA* 90:6444-48, and Poljak et al., 1994, *Structure* 2:1121-23). If the two polypeptide chains of a diabody are  
15 identical, then a diabody resulting from their pairing will have two identical antigen binding sites. Polypeptide chains having different sequences can be used to make a diabody with two different antigen binding sites. Similarly, tribodies and tetrabodies are antibodies comprising three and four polypeptide chains, respectively, and forming three and four antigen binding sites, respectively, which can be the same or different.

20 Complementarity determining regions (CDRs) and framework regions (FR) of a given antibody may be identified using the system described by Kabat et al. *supra*; Lefranc et al., *supra* and/or Honegger and Pluckthun, *supra*. One or more CDRs may be incorporated into a molecule either covalently or noncovalently to make it an antigen binding protein. An antigen binding protein may incorporate the CDR(s) as part of a larger polypeptide chain, may  
25 covalently link the CDR(s) to another polypeptide chain, or may incorporate the CDR(s) noncovalently. The CDRs permit the antigen binding protein to specifically bind to a particular antigen of interest.

30 An antigen binding protein may have one or more binding sites. If there is more than one binding site, the binding sites may be identical to one another or may be different. For example, a naturally occurring human immunoglobulin typically has two identical binding sites, while a "bispecific" or "bifunctional" antibody has two different binding sites.

The term "human antibody" includes all antibodies that have one or more variable and constant regions derived from human immunoglobulin sequences. In one embodiment, all of the variable and constant domains are derived from human immunoglobulin sequences (a fully

human antibody). These antibodies may be prepared in a variety of ways, examples of which are described below, including through the immunization with an antigen of interest of a mouse that is genetically modified to express antibodies derived from human heavy and/or light chain-encoding genes.

5 A humanized antibody has a sequence that differs from the sequence of an antibody derived from a non-human species by one or more amino acid substitutions, deletions, and/or additions, such that the humanized antibody is less likely to induce an immune response, and/or induces a less severe immune response, as compared to the non-human species antibody, when it is administered to a human subject. In one embodiment, certain amino acids  
10 in the framework and constant domains of the heavy and/or light chains of the non-human species antibody are mutated to produce the humanized antibody. In another embodiment, the constant domain(s) from a human antibody are fused to the variable domain(s) of a non-human species. In another embodiment, one or more amino acid residues in one or more CDR sequences of a non-human antibody are changed to reduce the likely immunogenicity of the  
15 non-human antibody when it is administered to a human subject, wherein the changed amino acid residues either are not critical for immunospecific binding of the antibody to its antigen, or the changes to the amino acid sequence that are made are conservative changes, such that the binding of the humanized antibody to the antigen is not significantly worse than the binding of the non-human antibody to the antigen. Examples of how to make humanized antibodies may  
20 be found in U.S. Patents 6,054,297, 5,886,152 and 5,877,293.

The term "chimeric antibody" refers to an antibody that contains one or more regions from one antibody and one or more regions from one or more other antibodies. In one embodiment, one or more of the CDRs are derived from a human anti-PD-L1 antibody. In another embodiment, all of the CDRs are derived from a human anti-PD-L1 antibody. In  
25 another embodiment, the CDRs from more than one human anti-PD-L1 antibodies are mixed and matched in a chimeric antibody. For instance, a chimeric antibody may comprise a CDR1 from the light chain of a first human anti-PAR-2 antibody, a CDR2 and a CDR3 from the light chain of a second human anti-PD-L1 antibody, and the CDRs from the heavy chain from a third anti-PD-L1 antibody. Other combinations are possible.

30 Further, the framework regions may be derived from one of the same anti-PD-L1 antibodies, from one or more different antibodies, such as a human antibody, or from a humanized antibody. In one example of a chimeric antibody, a portion of the heavy and/or light chain is identical with, homologous to, or derived from an antibody from a particular species or belonging to a particular antibody class or subclass, while the remainder of the

chain(s) is/are identical with, homologous to, or derived from an antibody (-ies) from another species or belonging to another antibody class or subclass. Also included are fragments of such antibodies that exhibit the desired biological activity (*i.e.*, the ability to specifically bind PD-L1).

5 A "neutralizing antibody" or an "inhibitory antibody" is an antibody that inhibits the proteolytic activation of PD-L1 when an excess of the anti-PD-L1 antibody reduces the amount of activation by at least about 20% using an assay such as those described herein in the Examples. In various embodiments, the antigen binding protein reduces the amount of amount of proteolytic activation of PD-L1 by at least 30%, 40%, 50%, 60%, 70%, 75%, 80%, 85%,  
10 90%, 95%, 97%, 99%, and 99.9%.

Fragments or analogs of antibodies can be readily prepared by those of ordinary skill in the art following the teachings of this specification and using techniques known in the art.

Preferred amino- and carboxy-termini of fragments or analogs occur near boundaries of functional domains. Structural and functional domains can be identified by comparison of the 15 nucleotide and/or amino acid sequence data to public or proprietary sequence databases. Computerized comparison methods can be used to identify sequence motifs or predicted protein conformation domains that occur in other proteins of known structure and/or function. Methods to identify protein sequences that fold into a known three-dimensional structure are known. See, Bowie et al., 1991, *Science* 253:164.

20 A "CDR grafted antibody" is an antibody comprising one or more CDRs derived from an antibody of a particular species or isotype and the framework of another antibody of the same or different species or isotype.

25 A "multi-specific antibody" is an antibody that recognizes more than one epitope on one or more antigens. A subclass of this type of antibody is a "bi-specific antibody" which recognizes two distinct epitopes on the same or different antigens.

An antigen binding protein "specifically binds" to an antigen (*e.g.*, human PD-L1) if it binds to the antigen with a dissociation constant of 1 nanomolar or less.

30 An "antigen binding domain," "antigen binding region," or "antigen binding site" is a portion of an antigen binding protein that contains amino acid residues (or other moieties) that interact with an antigen and contribute to the antigen binding protein's specificity and affinity for the antigen. For an antibody that specifically binds to its antigen, this will include at least part of at least one of its CDR domains.

An "epitope" is the portion of a molecule that is bound by an antigen binding protein (*e.g.*, by an antibody). An epitope can comprise non-contiguous portions of the molecule (*e.g.*,

in a polypeptide, amino acid residues that are not contiguous in the polypeptide's primary sequence but that, in the context of the polypeptide's tertiary and quaternary structure, are near enough to each other to be bound by an antigen binding protein).

The "percent identity" of two polynucleotide or two polypeptide sequences is  
5 determined by comparing the sequences using the GAP computer program (a part of the GCG Wisconsin Package, version 10.3 (Accelrys, San Diego, Calif.)) using its default parameters.

The terms "polynucleotide," "oligonucleotide" and "nucleic acid" are used interchangeably throughout and include DNA molecules (*e.g.*, cDNA or genomic DNA), RNA molecules (*e.g.*, mRNA), analogs of the DNA or RNA generated using nucleotide analogs

10 (*e.g.*, peptide nucleic acids and non-naturally occurring nucleotide analogs), and hybrids thereof. The nucleic acid molecule can be single-stranded or double-stranded. In one embodiment, the nucleic acid molecules of the invention comprise a contiguous open reading frame encoding an antibody, or a fragment, derivative, mutein, or variant thereof.

Two single-stranded polynucleotides are "the complement" of each other if their  
15 sequences can be aligned in an anti-parallel orientation such that every nucleotide in one polynucleotide is opposite its complementary nucleotide in the other polynucleotide, without the introduction of gaps, and without unpaired nucleotides at the 5' or the 3' end of either sequence. A polynucleotide is "complementary" to another polynucleotide if the two polynucleotides can hybridize to one another under moderately stringent conditions. Thus, a  
20 polynucleotide can be complementary to another polynucleotide without being its complement.

A "vector" is a nucleic acid that can be used to introduce another nucleic acid linked to it into a cell. One type of vector is a "plasmid," which refers to a linear or circular double stranded DNA molecule into which additional nucleic acid segments can be ligated. Another type of vector is a viral vector (*e.g.*, replication defective retroviruses, adenoviruses and adeno-  
25 associated viruses), wherein additional DNA segments can be introduced into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (*e.g.*, bacterial vectors comprising a bacterial origin of replication and episomal mammalian vectors). Other vectors (*e.g.*, non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along  
30 with the host genome. An "expression vector" is a type of vector that can direct the expression of a chosen polynucleotide.

A nucleotide sequence is "operably linked" to a regulatory sequence if the regulatory sequence affects the expression (*e.g.*, the level, timing, or location of expression) of the nucleotide sequence. A "regulatory sequence" is a nucleic acid that affects the expression (*e.g.*,

the level, timing, or location of expression) of a nucleic acid to which it is operably linked. The regulatory sequence can, for example, exert its effects directly on the regulated nucleic acid, or through the action of one or more other molecules (e.g., polypeptides that bind to the regulatory sequence and/or the nucleic acid). Examples of regulatory sequences include

5 promoters, enhancers and other expression control elements (e.g., polyadenylation signals). Further examples of regulatory sequences are described in, for example, Goeddel, 1990, Gene Expression Technology: *Methods in Enzymology* 185, Academic Press, San Diego, Calif. and Baron et al., 1995, *Nucleic Acids Res.* 23:3605-06.

A "host cell" is a cell that can be used to express a nucleic acid, e.g., a nucleic acid of 10 the invention. A host cell can be a prokaryote, for example, *E. coli*, or it can be a eukaryote, for example, a single-celled eukaryote (e.g., a yeast or other fungus), a plant cell (e.g., a tobacco or tomato plant cell), an animal cell (e.g., a human cell, a monkey cell, a hamster cell, a rat cell, a mouse cell, or an insect cell) or a hybridoma. Examples of host cells include the COS-7 line of 15 monkey kidney cells (ATCC CRL 1651) (see Gluzman et al., 1981, *Cell* 23:175), L cells, C127 cells, 3T3 cells (ATCC CCL 163), Chinese hamster ovary (CHO) cells or their derivatives such as Veggie CHO and related cell lines which grow in serum-free media (see Rasmussen et 20 al., 1998, *Cytotechnology* 28:31) or CHO strain DX-B11, which is deficient in DHFR (see Urlaub et al., 1980, *Proc. Natl. Acad. Sci. USA* 77:4216-20), HeLa cells, BHK (ATCC CRL 10) cell lines, the CV1/EBNA cell line derived from the African green monkey kidney cell line 25 CV1 (ATCC CCL 70) (see McMahan et al., 1991, *EMBO J.* 10:2821), human embryonic kidney cells such as 293,293 EBNA or MSR 293, human epidermal A431 cells, human Colo205 cells, other transformed primate cell lines, normal diploid cells, cell strains derived from in vitro culture of primary tissue, primary explants, HL-60, U937, HaK or Jurkat cells. Typically, a host cell is a cultured cell that can be transformed or transfected with a 25 polypeptide-encoding nucleic acid, which can then be expressed in the host cell. The phrase "recombinant host cell" can be used to denote a host cell that has been transformed or transfected with a nucleic acid to be expressed. A host cell also can be a cell that comprises the nucleic acid but does not express it at a desired level unless a regulatory sequence is introduced into the host cell such that it becomes operably linked with the nucleic acid. It is understood 30 that the term host cell refers not only to the particular subject cell but also to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to, e.g., mutation or environmental influence, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

Preferably, the mammalian cancer to be treated is selected from the group consisting of ovarian, colon, breast or hepatic carcinoma cell lines, myelomas, neuroblastic-derived CNS tumors, monocytic leukemias, B-cell derived leukemia's, T-cell derived leukemias, B-cell derived lymphomas, T-cell derived lymphomas, mast cell derived tumors, and combinations thereof.

5 Polypeptides of the present disclosure can be produced using any standard methods known in the art. In one example, the polypeptides are produced by recombinant DNA methods by inserting a nucleic acid sequence (e.g., a cDNA) encoding the polypeptide into a recombinant expression vector and expressing the DNA sequence under conditions promoting expression.

10 Nucleic acids encoding any of the various polypeptides disclosed herein may be synthesized chemically. Codon usage may be selected so as to improve expression in a cell. Such codon usage will depend on the cell type selected. Specialized codon usage patterns have been developed for *E. coli* and other bacteria, as well as mammalian cells, plant cells, yeast 15 cells and insect cells. See for example: Mayfield et al., *Proc. Natl. Acad. Sci. USA*. 2003 100(2):438-42; Sinclair et al. *Protein Expr. Purif.* 2002 (1):96-105; Connell N D. *Curr. Opin. Biotechnol.* 2001 12(5):446-9; Makrides et al. *Microbiol. Rev.* 1996 60(3):512-38; and Sharp et al. *Yeast*. 1991 7(7):657-78.

20 General techniques for nucleic acid manipulation are described for example in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Vols. 1-3, Cold Spring Harbor Laboratory Press, 2 ed., 1989, or F. Ausubel et al., *Current Protocols in Molecular Biology* (Green Publishing and Wiley-Interscience: New York, 1987) and periodic updates, herein incorporated by reference. The DNA encoding the polypeptide is operably linked to suitable transcriptional or translational regulatory elements derived from mammalian, viral, or insect 25 genes. Such regulatory elements include a transcriptional promoter, an optional operator sequence to control transcription, a sequence encoding suitable mRNA ribosomal binding sites, and sequences that control the termination of transcription and translation. The ability to replicate in a host, usually conferred by an origin of replication, and a selection gene to facilitate recognition of transformants is additionally incorporated.

30 The recombinant DNA can also include any type of protein tag sequence that may be useful for purifying the protein. Examples of protein tags include but are not limited to a histidine tag, a FLAG tag, a myc tag, an HA tag, or a GST tag. Appropriate cloning and expression vectors for use with bacterial, fungal, yeast, and mammalian cellular hosts can be found in *Cloning Vectors: A Laboratory Manual*, (Elsevier, N.Y., 1985).

The expression construct is introduced into the host cell using a method appropriate to the host cell. A variety of methods for introducing nucleic acids into host cells are known in the art, including, but not limited to, electroporation; transfection employing calcium chloride, rubidium chloride, calcium phosphate, DEAE-dextran, or other substances; microprojectile bombardment; lipofection; and infection (where the vector is an infectious agent). Suitable host cells include prokaryotes, yeast, mammalian cells, or bacterial cells.

5 Suitable bacteria include gram negative or gram positive organisms, for example, *E. coli* or *Bacillus spp.* Yeast, preferably from the *Saccharomyces* species, such as *S. cerevisiae*, may also be used for production of polypeptides. Various mammalian or insect cell culture 10 systems can also be employed to express recombinant proteins. *Baculovirus* systems for production of heterologous proteins in insect cells are reviewed by Luckow and Summers, (*Bio/Technology*, 6:47, 1988). Examples of suitable mammalian host cell lines include endothelial cells, COS-7 monkey kidney cells, CV-1, L cells, C127, 3T3, Chinese hamster 15 ovary (CHO), human embryonic kidney cells, HeLa, 293, 293T, and BHK cell lines. Purified polypeptides are prepared by culturing suitable host/vector systems to express the recombinant proteins. For many applications, the small size of many of the polypeptides disclosed herein would make expression in *E. coli* as the preferred method for expression. The protein is then purified from culture media or cell extracts.

20 Proteins disclosed herein can also be produced using cell-translation systems. For such purposes the nucleic acids encoding the polypeptide must be modified to allow in vitro transcription to produce mRNA and to allow cell-free translation of the mRNA in the particular cell-free system being utilized (eukaryotic such as a mammalian or yeast cell-free translation system or prokaryotic such as a bacterial cell-free translation system).

25 PD-L1-binding polypeptides can also be produced by chemical synthesis (e.g., by the methods described in Solid Phase Peptide Synthesis, 2nd ed., 1984, The Pierce Chemical Co., Rockford, Ill.). Modifications to the protein can also be produced by chemical synthesis.

30 The polypeptides of the present disclosure can be purified by isolation/purification methods for proteins generally known in the field of protein chemistry. Non-limiting examples include extraction, recrystallization, salting out (e.g., with ammonium sulfate or sodium sulfate), centrifugation, dialysis, ultrafiltration, adsorption chromatography, ion exchange chromatography, hydrophobic chromatography, normal phase chromatography, reversed-phase chromatography, gel filtration, gel permeation chromatography, affinity chromatography, electrophoresis, countercurrent distribution or any combinations of these. After purification,

polypeptides may be exchanged into different buffers and/or concentrated by any of a variety of methods known to the art, including, but not limited to, filtration and dialysis.

The purified polypeptide is preferably at least 85% pure, more preferably at least 95% pure, and most preferably at least 98% pure. Regardless of the exact numerical value of the 5 purity, the polypeptide is sufficiently pure for use as a pharmaceutical product.

#### Post-Translational Modifications of Polypeptides

In certain embodiments, the binding polypeptides of the invention may further comprise post-translational modifications. Exemplary post-translational protein modifications include phosphorylation, acetylation, methylation, ADP-ribosylation, ubiquitination, 10 glycosylation, carbonylation, sumoylation, biotinylation or addition of a polypeptide side chain or of a hydrophobic group. As a result, the modified soluble polypeptides may contain non-amino acid elements, such as lipids, poly- or mono-saccharide, and phosphates. A preferred form of glycosylation is sialylation, which conjugates one or more sialic acid moieties to the polypeptide. Sialic acid moieties improve solubility and serum half-life while also reducing the 15 possible immunogenicity of the protein. See Raju et al. *Biochemistry*. 2001 31; 40(30):8868-76. Effects of such non-amino acid elements on the functionality of a polypeptide may be tested for its antagonizing role in PD-L1 or PD-1 function, *e.g.*, its inhibitory effect on angiogenesis or on tumor growth.

In one specific embodiment, modified forms of the subject soluble polypeptides 20 comprise linking the subject soluble polypeptides to nonproteinaceous polymers. In one specific embodiment, the polymer is polyethylene glycol ("PEG"), polypropylene glycol, or polyoxyalkylenes, in the manner as set forth in U.S. Patents 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

PEG is a water soluble polymer that is commercially available or can be prepared by 25 ring-opening polymerization of ethylene glycol according to methods well known in the art (Sandler and Karo, *Polymer Synthesis*, Academic Press, New York, Vol. 3, pages 138-161). The term "PEG" is used broadly to encompass any polyethylene glycol molecule, without regard to size or to modification at an end of the PEG, and can be represented by the formula: X--O(CH<sub>2</sub>CH<sub>2</sub>O)<sub>n</sub>-1CH<sub>2</sub>CH<sub>2</sub>OH (1), where n is 20 to 2300 and X is H or a terminal 30 modification, *e.g.*, a C<sub>1-4</sub> alkyl. In one embodiment, the PEG of the invention terminates on one end with hydroxy or methoxy, *i.e.*, X is H or CH<sub>3</sub> ("methoxy PEG"). A PEG can contain further chemical groups which are necessary for binding reactions; which results from the chemical synthesis of the molecule; or which is a spacer for optimal distance of parts of the molecule. In addition, such a PEG can consist of one or more PEG side-chains which are

linked together. PEGs with more than one PEG chain are called multiarmed or branched PEGs. Branched PEGs can be prepared, for example, by the addition of polyethylene oxide to various polyols, including glycerol, pentaerythriol, and sorbitol. For example, a four-armed branched PEG can be prepared from pentaerythriol and ethylene oxide. Branched PEG are described in, 5 for example, EP-A 0 473 084 and U.S. Patent. 5,932,462. One form of PEGs includes two PEG side-chains (PEG2) linked via the primary amino groups of a lysine (Monfardini et al., *Bioconjugate Chem.* 6 (1995) 62-69).

Although PEG is well-known, this is, to our knowledge, the first demonstration that a pegylated<sup>10F</sup>n3 polypeptide can be pegylated and retain ligand binding activity. In a preferred 10 embodiment, the pegylated<sup>10F</sup>n3 polypeptide is produced by site-directed pegylation, particularly by conjugation of PEG to a cysteine moiety at the N- or C-terminus. Accordingly, the present disclosure provides a target-binding<sup>10F</sup>n3 polypeptide with improved 15 pharmacokinetic properties, the polypeptide comprising: a<sup>10F</sup>n3 domain having from about 80 to about 150 amino acids, wherein at least one of the loops of said<sup>10F</sup>n3 domain participate in target binding; and a covalently bound PEG moiety, wherein said<sup>10F</sup>n3 polypeptide binds to the target with a K<sub>D</sub> of less than 100 nM and has a clearance rate of less than 30 mL/hr/kg in a mammal. The PEG moiety may be attached to the<sup>10F</sup>n3 polypeptide by site directed 20 pegylation, such as by attachment to a Cys residue, where the Cys residue may be positioned at the N-terminus of the<sup>10F</sup>n3 polypeptide or between the N-terminus and the most N-terminal beta or beta-like strand or at the C-terminus of the<sup>10F</sup>n3 polypeptide or between the C-terminus and the most C-terminal beta or beta-like strand. A Cys residue may be situated at other positions as well, particularly any of the loops that do not participate in target binding. A PEG moiety may also be attached by other chemistry, including by conjugation to amines.

PEG conjugation to peptides or proteins generally involves the activation of PEG and 25 coupling of the activated PEG-intermediates directly to target proteins/peptides or to a linker, which is subsequently activated and coupled to target proteins/peptides (see Abuchowski et al., *J. Biol. Chem.*, 252, 3571 (1977) and *J. Biol. Chem.*, 252, 3582 (1977), Zalipsky, et al., and Harris et. al., in: *Poly(ethylene glycol) Chemistry: Biotechnical and Biomedical Applications*; (J. M. Harris ed.) Plenum Press: New York, 1992; Chap.21 and 22). It is noted that a binding 30 polypeptide containing a PEG molecule is also known as a conjugated protein, whereas the protein lacking an attached PEG molecule can be referred to as unconjugated.

A variety of molecular mass forms of PEG can be selected, e.g., from about 1,000 Daltons (Da) to 100,000 Da (n is 20 to 2300), for conjugating to PD-L1-binding polypeptides. The number of repeating units "n" in the PEG is approximated for the molecular mass

described in Daltons. It is preferred that the combined molecular mass of PEG on an activated linker is suitable for pharmaceutical use. Thus, in one embodiment, the molecular mass of the PEG molecules does not exceed 100,000 Da. For example, if three PEG molecules are attached to a linker, where each PEG molecule has the same molecular mass of 12,000 Da (each n is about 270), then the total molecular mass of PEG on the linker is about 36,000 Da (total n is about 820). The molecular masses of the PEG attached to the linker can also be different, *e.g.*, of three molecules on a linker two PEG molecules can be 5,000 Da each (each n is about 110) and one PEG molecule can be 12,000 Da (n is about 270).

5 In a specific embodiment of the disclosure an PD-L1 binding polypeptide is covalently linked to one poly(ethylene glycol) group of the formula: --CO--(CH<sub>2</sub>)<sub>x</sub>--(OCH<sub>2</sub>CH<sub>2</sub>)<sub>m</sub>--OR , 10 with the --CO (*i.e.* carbonyl) of the poly(ethylene glycol) group forming an amide bond with one of the amino groups of the binding polypeptide; R being lower alkyl; x being 2 or 3; m being from about 450 to about 950; and n and m being chosen so that the molecular weight of the conjugate minus the binding polypeptide is from about 10 to 40 kDa. In one embodiment, a 15 binding polypeptide's 6-amino group of a lysine is the available (free) amino group.

The above conjugates may be more specifically presented by formula (II): P--NHCO--(CH<sub>2</sub>)<sub>x</sub>--(OCH<sub>2</sub>CH<sub>2</sub>)<sub>m</sub>--OR (II) , wherein P is the group of a binding polypeptide as described herein, (*i.e.* without the amino group or amino groups which form an amide linkage with the carbonyl shown in formula (II); and wherein R is lower alkyl; x is 2 or 3; m is from about 450 20 to about 950 and is chosen so that the molecular weight of the conjugate minus the binding polypeptide is from about 10 to about 40 kDa. As used herein, the given ranges of "m" have an orientational meaning. The ranges of "m" are determined in any case, and exactly, by the molecular weight of the PEG group.

One skilled in the art can select a suitable molecular mass for PEG, *e.g.*, based on how 25 the pegylated binding polypeptide will be used therapeutically, the desired dosage, circulation time, resistance to proteolysis, immunogenicity, and other considerations. For a discussion of PEG and its use to enhance the properties of proteins, see Katre, *Advanced Drug Delivery Reviews* 10: 91-114 (1993).

In one embodiment, PEG molecules may be activated to react with amino groups on a 30 binding polypeptide, such as with lysines (Bencham et al., *Anal. Biochem.*, 131, 25 (1983); Veronese et al., *Appl. Biochem.*, 11, 141 (1985).; Zalipsky et al., *Polymeric Drugs and Drug Delivery Systems*, adrs 9-110 ACS Symposium Series 469 (1999); Zalipsky et al., *Europ. Polym. J.*, 19, 1177-1183 (1983); Delgado et al., *Biotechnology and Applied Biochemistry*, 12, 119-128 (1990)).

In one specific embodiment, carbonate esters of PEG are used to form the PEG-binding polypeptide conjugates. N,N'-disuccinimidylcarbonate (DSC) may be used in the reaction with PEG to form active mixed PEG-succinimidyl carbonate that may be subsequently reacted with a nucleophilic group of a linker or an amino group of a binding polypeptide (see U.S. Patents 5,281,698 and 5,932,462). In a similar type of reaction, 1,1'-(dibenzotriazolyl)carbonate and di-(2-pyridyl)carbonate may be reacted with PEG to form PEG-benzotriazolyl and PEG-pyridyl mixed carbonate (U.S. Patent 5,382,657), respectively.

Pegylation of a  $^{10}\text{F}$ n3 polypeptide can be performed according to the methods of the state of the art, for example by reaction of the binding polypeptide with electrophilically active PEGs (supplier: Shearwater Corp., USA, [www.shearwatercorp.com](http://www.shearwatercorp.com)). Preferred PEG reagents of the present invention are, e.g., N-hydroxysuccinimidyl propionates (PEG-SPA), butanoates (PEG-SBA), PEG-succinimidyl propionate or branched N-hydroxysuccinimides such as mPEG2-NHS (Monfardini et al., *Bioconjugate Chem.* 6 (1995) 62-69). Such methods may be used to pegylate at an f-amino group of a binding polypeptide lysine or the N-terminal amino group of the binding polypeptide.

In another embodiment, PEG molecules may be coupled to sulphydryl groups on a binding polypeptide (Sartore et al., *Appl. Biochem. Biotechnol.*, 27, 45 (1991); Morpurgo et al., *Biocon. Chem.*, 7, 363-368 (1996); Goodson et al., *Bio/Technology* (1990) 8, 343; U.S. Patent 5,766,897). U.S. Patents 6,610,281 and 5,766,897 describes exemplary reactive PEG species that may be coupled to sulphydryl groups.

In some embodiments where PEG molecules are conjugated to cysteine residues on a binding polypeptide, the cysteine residues are native to the binding polypeptide, whereas in other embodiments, one or more cysteine residues are engineered into the binding polypeptide. Mutations may be introduced into a binding polypeptide coding sequence to generate cysteine residues. This might be achieved, for example, by mutating one or more amino acid residues to cysteine. Preferred amino acids for mutating to a cysteine residue include serine, threonine, alanine and other hydrophilic residues. Preferably, the residue to be mutated to cysteine is a surface-exposed residue. Algorithms are well-known in the art for predicting surface accessibility of residues based on primary sequence or a protein. Alternatively, surface residues may be predicted by comparing the amino acid sequences of binding polypeptides, given that the crystal structure of the framework based on which binding polypeptides are designed and evolved has been solved (see Himanen et al., *Nature*. (2001) 20-27; 414(6866):933-8) and thus the surface-exposed residues identified. In one embodiment, cysteine residues are introduced into binding polypeptides at or near the N- and/or C-terminus, or within loop regions.

In some embodiments, the pegylated binding polypeptide comprises a PEG molecule covalently attached to the alpha amino group of the N-terminal amino acid. Site specific N-terminal reductive amination is described in Pepinsky et al., (2001) *JPET*, 297, 1059, and U.S. Patent 5,824,784. The use of a PEG-aldehyde for the reductive amination of a protein utilizing other available nucleophilic amino groups is described in U.S. Patent 4,002,531, in Wieder et al., (1979) *J. Biol. Chem.* 254,12579, and in Chamow et al., (1994) *Bioconjugate Chem.* 5, 133.

5 In another embodiment, pegylated binding polypeptide comprises one or more PEG molecules covalently attached to a linker, which in turn is attached to the alpha amino group of the amino acid residue at the N-terminus of the binding polypeptide. Such an approach is  
10 disclosed in U.S. Patent Publication 2002/0044921 and in WO094/01451.

In one embodiment, a binding polypeptide is pegylated at the C-terminus. In a specific embodiment, a protein is pegylated at the C-terminus by the introduction of C-terminal azido-methionine and the subsequent conjugation of a methyl-PEG-triarylphosphine compound via the Staudinger reaction. This C-terminal conjugation method is described in Cazalis et al.,  
15 *Bioconjug. Chem.* 2004; 15(5):1005-1009.

Monopegylation of a binding polypeptide can also be produced according to the general methods described in WO 94/01451. WO 94/01451 describes a method for preparing a recombinant polypeptide with a modified terminal amino acid alpha-carbon reactive group. The steps of the method involve forming the recombinant polypeptide and protecting it with  
20 one or more biologically added protecting groups at the N-terminal alpha-amine and C-terminal alpha-carboxyl. The polypeptide can then be reacted with chemical protecting agents to selectively protect reactive side chain groups and thereby prevent side chain groups from being modified. The polypeptide is then cleaved with a cleavage reagent specific for the biological protecting group to form an unprotected terminal amino acid alpha-carbon reactive group. The unprotected terminal amino acid alpha-carbon reactive group is modified with a  
25 chemical modifying agent. The side chain protected terminally modified single copy polypeptide is then deprotected at the side chain groups to form a terminally modified recombinant single copy polypeptide. The number and sequence of steps in the method can be varied to achieve selective modification at the N- and/or C-terminal amino acid of the  
30 polypeptide.

The ratio of a binding polypeptide to activated PEG in the conjugation reaction can be from about 1:0.5 to 1:50, between from about 1:1 to 1:30, or from about 1:5 to 1:15. Various aqueous buffers can be used in the present method to catalyze the covalent addition of PEG to the binding polypeptide. In one embodiment, the pH of a buffer used is from about 7.0 to 9.0.

In another embodiment, the pH is in a slightly basic range, *e.g.*, from about 7.5 to 8.5. Buffers having a pKa close to neutral pH range may be used, *e.g.*, phosphate buffer.

Conventional separation and purification techniques known in the art can be used to purify PEGylated binding polypeptide, such as size exclusion (*e.g.* gel filtration) and ion exchange chromatography. Products may also be separated using SDS-PAGE. Products that may be separated include mono-, di-, tri- poly- and un-pegylated binding polypeptide, as well as free PEG. The percentage of mono-PEG conjugates can be controlled by pooling broader fractions around the elution peak to increase the percentage of mono-PEG in the composition. About ninety percent mono-PEG conjugates represents a good balance of yield and activity.

Compositions in which, for example, at least ninety-two percent or at least ninety-six percent of the conjugates are mono-PEG species may be desired. In an embodiment of this invention the percentage of mono-PEG conjugates is from ninety percent to ninety-six percent.

In one embodiment, PEGylated binding polypeptide of the invention contain one, two or more PEG moieties. In one embodiment, the PEG moiety(ies) are bound to an amino acid residue which is on the surface of the protein and/or away from the surface that contacts the target ligand. In one embodiment, the combined or total molecular mass of PEG in PEG-binding polypeptide is from about 3,000 Da to 60,000 Da, optionally from about 10,000 Da to 36,000 Da. In a one embodiment, the PEG in pegylated binding polypeptide is a substantially linear, straight-chain PEG.

In one embodiment of the invention, the PEG in pegylated binding polypeptide is not hydrolyzed from the pegylated amino acid residue using a hydroxylamine assay, *e.g.*, 450 mM hydroxylamine (pH 6.5) over 8 to 16 hours at room temperature, and is thus stable. In one embodiment, greater than 80% of the composition is stable mono-PEG-binding polypeptide, more preferably at least 90%, and most preferably at least 95%.

In another embodiment, the pegylated binding polypeptides of the invention will preferably retain at least 25%, 50%, 60%, 70%, 80%, 85%, 90%, 95% or 100% of the biological activity associated with the unmodified protein. In one embodiment, biological activity refers to its ability to bind to PD-L1, as assessed by KD,  $k_{on}$  or  $k_{off}$ . In one specific embodiment, the pegylated binding polypeptide protein shows an increase in binding to PD-L1 relative to unpegylated binding polypeptide.

The serum clearance rate of PEG-modified polypeptide may be decreased by about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, or even 90%, relative to the clearance rate of the unmodified binding polypeptide. The PEG-modified polypeptide may have a half-life ( $t_{1/2}$ ) which is enhanced relative to the half-life of the unmodified protein. The half-life of PEG-

binding polypeptide may be enhanced by at least 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 125%, 150%, 175%, 200%, 250%, 300%, 400% or 500%, or even by 1000% relative to the half-life of the unmodified binding polypeptide. In some embodiments, the protein half-life is determined *in vitro*, such as in a buffered saline solution or in serum. In 5 other embodiments, the protein half-life is an *in vivo* half life, such as the half-life of the protein in the serum or other bodily fluid of an animal.

#### Therapeutic Formulations and Modes of Administration

The present disclosure features methods for treating conditions or preventing pre-conditions which respond to an inhibition of PD-L1 biological activity. Preferred examples are 10 conditions that are characterized by inflammation or cellular hyperproliferation. Techniques and dosages for administration vary depending on the type of specific polypeptide and the specific condition being treated but can be readily determined by the skilled artisan. In general, regulatory agencies require that a protein reagent to be used as a therapeutic is formulated so as to have acceptably low levels of pyrogens. Accordingly, therapeutic formulations will 15 generally be distinguished from other formulations in that they are substantially pyrogen free, or at least contain no more than acceptable levels of pyrogen as determined by the appropriate regulatory agency (e.g., FDA).

Therapeutic compositions of the present disclosure may be administered with a pharmaceutically acceptable diluent, carrier, or excipient, in unit dosage form. Administration 20 may be parenteral (e.g., intravenous, subcutaneous), oral, or topical, as non-limiting examples. In addition, any gene therapy technique, using nucleic acids encoding the polypeptides of the invention, may be employed, such as naked DNA delivery, recombinant genes and vectors, cell-based delivery, including *ex vivo* manipulation of patients' cells, and the like.

The composition can be in the form of a pill, tablet, capsule, liquid, or sustained release 25 tablet for oral administration; or a liquid for intravenous, subcutaneous or parenteral administration; gel, lotion, ointment, cream, or a polymer or other sustained release vehicle for local administration.

Methods well known in the art for making formulations are found, for example, in "Remington: The Science and Practice of Pharmacy" (20th ed., ed. A. R. Gennaro A R., 2000, 30 Lippincott Williams & Wilkins, Philadelphia, Pa.). Formulations for parenteral administration may, for example, contain excipients, sterile water, saline, polyalkylene glycols such as polyethylene glycol, oils of vegetable origin, or hydrogenated naphthalenes. Biocompatible, biodegradable lactide polymer, lactide/glycolide copolymer, or polyoxyethylene-polyoxypropylene copolymers may be used to control the release of the compounds.

Nanoparticulate formulations (*e.g.*, biodegradable nanoparticles, solid lipid nanoparticles, liposomes) may be used to control the biodistribution of the compounds. Other potentially useful parenteral delivery systems include ethylene-vinyl acetate copolymer particles, osmotic pumps, implantable infusion systems, and liposomes. The concentration of the compound in the formulation varies depending upon a number of factors, including the dosage of the drug to be administered, and the route of administration.

The polypeptide may be optionally administered as a pharmaceutically acceptable salt, such as non-toxic acid addition salts or metal complexes that are commonly used in the pharmaceutical industry. Examples of acid addition salts include organic acids such as acetic, lactic, pamoic, maleic, citric, malic, ascorbic, succinic, benzoic, palmitic, suberic, salicylic, tartaric, methanesulfonic, toluenesulfonic, or trifluoroacetic acids or the like; polymeric acids such as tannic acid, carboxymethyl cellulose, or the like; and inorganic acid such as hydrochloric acid, hydrobromic acid, sulfuric acid phosphoric acid, or the like. Metal complexes include zinc, iron, and the like. In one example, the polypeptide is formulated in the presence of sodium acetate to increase thermal stability.

Formulations for oral use include tablets containing the active ingredient(s) in a mixture with non-toxic pharmaceutically acceptable excipients. These excipients may be, for example, inert diluents or fillers (*e.g.*, sucrose and sorbitol), lubricating agents, glidants, and anti-adhesives (*e.g.*, magnesium stearate, zinc stearate, stearic acid, silicas, hydrogenated vegetable oils, or talc).

Formulations for oral use may also be provided as chewable tablets, or as hard gelatin capsules wherein the active ingredient is mixed with an inert solid diluent, or as soft gelatin capsules wherein the active ingredient is mixed with water or an oil medium.

A therapeutically effective dose refers to a dose that produces the therapeutic effects for which it is administered. The exact dose will depend on the disorder to be treated, and may be ascertained by one skilled in the art using known techniques. In general, the polypeptide is administered at about 0.01  $\mu$ g/kg to about 50 mg/kg per day, preferably 0.01 mg/kg to about 30 mg/kg per day, most preferably 0.1 mg/kg to about 20 mg/kg per day. The polypeptide may be given daily (*e.g.*, once, twice, three times, or four times daily) or preferably less frequently (*e.g.*, weekly, every two weeks, every three weeks, monthly, or quarterly). In addition, as is known in the art, adjustments for age as well as the body weight, general health, sex, diet, time of administration, drug interaction, and the severity of the disease may be necessary, and will be ascertainable with routine experimentation by those skilled in the art.

#### Pharmaceutical Formulations of Disclosed Antibodies with Tumor Vaccines

A combined therapeutic product or formulation of a disclosed anti-PD-L1 antibody with a therapeutic vaccine provides synergistic oncologic therapeutic benefit. For example, the present disclosure provides a combination of a disclosed anti-PD-L1 antibody with “Neuvax” which is a E75-derived 9 mer synthetic peptide isolated from HER2/neu combined with GM-CSF as an adjuvant as described in U.S. Patent 8,222,214, the disclosure of which is incorporated by reference herein. In addition, the present disclosure provides a combination of a disclosed anti-PD-L1 antibody with ALVAC-CEA vaccine, which is a canary pox virus combined with carcinoembryonic antigen.

Exemplary Uses

The PD-L1 binding proteins described herein and their related variants are useful in a number of therapeutic and diagnostic applications. These include the inhibition of the biological activity of PD-L1 by competing for or blocking the binding to a PD-L1 as well as the delivery of cytotoxic or imaging moieties to cells, preferably cells expressing PD-L1. The small size and stable structure of these molecules can be particularly valuable with respect to manufacturing of the drug, rapid clearance from the body for certain applications where rapid clearance is desired or formulation into novel delivery systems that are suitable or improved using a molecule with such characteristics.

On the basis of their efficacy as inhibitors of PD-L1 biological activity, the polypeptides of this disclosure are effective against a number of cancer conditions as well as complications arising from cancer, such as pleural effusion and ascites. Preferably, the PD-L1-binding polypeptides of the disclosure can be used for the treatment of prevention of hyperproliferative diseases or cancer and the metastatic spread of cancers. Preferred indications for the disclosed anti-PD-L1 antibodies include colorectal cancers, head and neck cancers, small cell lung cancer, non-small cell lung cancer (NSCLC) and pancreatic cancer. Non-limiting examples of cancers include bladder, blood, bone, brain, breast, cartilage, colon, kidney, liver, lung, lymph node, nervous tissue, ovary, pancreatic, prostate, skeletal muscle, skin, spinal cord, spleen, stomach, testes, thymus, thyroid, trachea, urogenital tract, ureter, urethra, uterus, or vaginal cancer.

In addition, various inflammatory disorders can be treated with the disclosed anti-PD-L1 binding polypeptides disclosed herein. Such inflammatory disorders include, for example, intestinal mucosa inflammation wasting diseases associated with colitis, multiple sclerosis, systemic lupus erythematosus, viral infections, rheumatoid arthritis, osteoarthritis, psoriasis, and Crohn’s disease.

A PD-L1 binding polypeptide can be administered alone or in combination with one or more additional therapies such as chemotherapy radiotherapy, immunotherapy, surgical intervention, or any combination of these. Long-term therapy is equally possible as is adjuvant therapy in the context of other treatment strategies, as described above.

5 In certain embodiments of such methods, one or more polypeptide therapeutic agents can be administered, together (simultaneously) or at different times (sequentially). In addition, polypeptide therapeutic agents can be administered with another type of compounds for treating cancer or for inhibiting angiogenesis.

10 In certain embodiments, the subject anti-PD-L1 antibodies agents of the invention can be used alone. Alternatively, the subject agents may be used in combination with other conventional anti-cancer therapeutic approaches directed to treatment or prevention of proliferative disorders (*e.g.*, tumor). For example, such methods can be used in prophylactic cancer prevention, prevention of cancer recurrence and metastases after surgery, and as an adjuvant of other conventional cancer therapy. The present disclosure recognizes that the 15 effectiveness of conventional cancer therapies (*e.g.*, chemotherapy, radiation therapy, phototherapy, immunotherapy, and surgery) can be enhanced through the use of a subject polypeptide therapeutic agent.

20 A wide array of conventional compounds have been shown to have anti-neoplastic activities. These compounds have been used as pharmaceutical agents in chemotherapy to shrink solid tumors, prevent metastases and further growth, or decrease the number of malignant cells in leukemic or bone marrow malignancies. Although chemotherapy has been effective in treating various types of malignancies, many anti-neoplastic compounds induce undesirable side effects. It has been shown that when two or more different treatments are combined, the treatments may work synergistically and allow reduction of dosage of each of 25 the treatments, thereby reducing the detrimental side effects exerted by each compound at higher dosages. In other instances, malignancies that are refractory to a treatment may respond to a combination therapy of two or more different treatments.

30 When a polypeptide therapeutic agent of the present invention is administered in combination with another conventional anti-neoplastic agent, either concomitantly or sequentially, such therapeutic agent may be found to enhance the therapeutic effect of the anti-neoplastic agent or overcome cellular resistance to such anti-neoplastic agent. This allows decrease of dosage of an anti-neoplastic agent, thereby reducing the undesirable side effects, or restores the effectiveness of an anti-neoplastic agent in resistant cells.

Pharmaceutical compounds that may be used for combinatory anti-tumor therapy include, merely to illustrate: aminoglutethimide, amsacrine, anastrozole, asparaginase, bcg, bicalutamide, bleomycin, buserelin, busulfan, camptothecin, capecitabine, carboplatin, carmustine, chlorambucil, cisplatin, cladribine, clodronate, colchicine, cyclophosphamide, 5 cyproterone, cytarabine, dacarbazine, dactinomycin, daunorubicin, dienestrol, diethylstilbestrol, docetaxel, doxorubicin, epirubicin, estradiol, estramustine, etoposide, exemestane, filgrastim, fludarabine, fludrocortisone, fluorouracil, fluoxymesterone, flutamide, gemcitabine, genistein, goserelin, hydroxyurea, idarubicin, ifosfamide, imatinib, interferon, irinotecan, ironotecan, letrozole, leucovorin, leuprolide, levamisole, lomustine, 10 mechlorethamine, medroxyprogesterone, megestrol, melphalan, mercaptapurine, mesna, methotrexate, mitomycin, mitotane, mitoxantrone, nilutamide, nocodazole, octreotide, oxaliplatin, paclitaxel, pamidronate, pentostatin, plicamycin, porfimer, procarbazine, raltitrexed, rituximab, streptozocin, suramin, tamoxifen, temozolomide, teniposide, testosterone, thioguanine, thiotepa, titanocene dichloride, topotecan, trastuzumab, tretinoin, 15 vinblastine, vincristine, vindesine, and vinorelbine.

Certain chemotherapeutic anti-tumor compounds may be categorized by their mechanism of action into, for example, following groups: anti-metabolites/anti-cancer agents, such as pyrimidine analogs (5-fluorouracil, floxuridine, capecitabine, gemcitabine and cytarabine) and purine analogs, folate antagonists and related inhibitors (mercaptopurine, 20 thioguanine, pentostatin and 2-chlorodeoxyadenosine (cladribine)); antiproliferative/antimitotic agents including natural products such as vinca alkaloids (vinblastine, vincristine, and vinorelbine), microtubule disruptors such as taxane (paclitaxel, docetaxel), vincristin, vinblastin, nocodazole, epothilones and navelbine, epidipodophyllotoxins (etoposide, teniposide), DNA damaging agents (actinomycin, amsacrine, anthracyclines, bleomycin, 25 busulfan, camptothecin, carboplatin, chlorambucil, cisplatin, cyclophosphamide, cytoxin, dactinomycin, daunorubicin, doxorubicin, epirubicin, hexamethylmelamineoxaliplatin, iphosphamide, melphalan, mechlorethamine, mitomycin, mitoxantrone, nitrosourea, plicamycin, procarbazine, taxol, taxotere, teniposide, triethylenethiophosphoramide and etoposide (VP16)); antibiotics such as dactinomycin (actinomycin D), daunorubicin, 30 doxorubicin (adriamycin), idarubicin, anthracyclines, mitoxantrone, bleomycins, plicamycin (mithramycin) and mitomycin; enzymes (L-asparaginase which systemically metabolizes L-asparagine and deprives cells which do not have the capacity to synthesize their own asparagine); antiplatelet agents; antiproliferative/antimitotic alkylating agents such as nitrogen mustards (mechlorethamine, cyclophosphamide and analogs, melphalan, chlorambucil),

ethylenimines and methylmelamines (hexamethylmelamine and thiotepa), alkyl sulfonates- busulfan, nitrosoureas (carmustine (BCNU) and analogs, streptozocin), trazenes--dacarbazine (DTIC); antiproliferative/antimitotic antimetabolites such as folic acid analogs (methotrexate); platinum coordination complexes (cisplatin, carboplatin), procarbazine, hydroxyurea, mitotane, 5 aminoglutethimide; hormones, hormone analogs (estrogen, tamoxifen, goserelin, bicalutamide, nilutamide) and aromatase inhibitors (letrozole, anastrozole); anticoagulants (heparin, synthetic heparin salts and other inhibitors of thrombin); fibrinolytic agents (such as tissue plasminogen activator, streptokinase and urokinase), aspirin, dipyridamole, ticlopidine, clopidogrel, abciximab; antimigratory agents; antisecretory agents (breveldin); immunosuppressives 10 (cyclosporine, tacrolimus (FK-506), sirolimus (rapamycin), azathioprine, mycophenolate mofetil); anti-angiogenic compounds (TNP-470, genistein) and growth factor inhibitors (*e.g.*, VEGF inhibitors, fibroblast growth factor (FGF) inhibitors); angiotensin receptor blocker; nitric oxide donors; anti-sense oligonucleotides; antibodies (trastuzumab); cell cycle inhibitors and differentiation inducers (tretinoin); mTOR inhibitors, topoisomerase inhibitors 15 (doxorubicin (adriamycin), amsacrine, camptothecin, daunorubicin, dactinomycin, eniposide, epirubicin, etoposide, idarubicin and mitoxantrone, topotecan, irinotecan), corticosteroids (cortisone, dexamethasone, hydrocortisone, methylprednisolone, prednisone, and prenisolone); growth factor signal transduction kinase inhibitors; mitochondrial dysfunction inducers and caspase activators; and chromatin disruptors.

20 Depending on the nature of the combinatory therapy, administration of the polypeptide therapeutic agents may be continued while the other therapy is being administered and/or thereafter. Administration of the polypeptide therapeutic agents may be made in a single dose, or in multiple doses. In some instances, administration of the polypeptide therapeutic agents is commenced at least several days prior to the conventional therapy, while in other instances, 25 administration is begun either immediately before or at the time of the administration of the conventional therapy.

30 In one example of a diagnostic application, a biological sample, such as serum or a tissue biopsy, from a patient suspected of having a condition characterized by inappropriate angiogenesis is contacted with a detectably labeled polypeptide of the disclosure to detect levels of PD-L1. The levels of PD-L1 detected are then compared to levels of PD-L1 detected in a normal sample also contacted with the labeled polypeptide. An increase of at least 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, or 90% in the levels of the PD-L1 may be considered a diagnostic indicator.

In certain embodiments, the PD-L1 binding polypeptides are further attached to a label that is able to be detected (*e.g.*, the label can be a radioisotope, fluorescent compound, enzyme or enzyme co-factor). The active moiety may be a radioactive agent, such as: radioactive heavy metals such as iron chelates, radioactive chelates of gadolinium or manganese, positron emitters of oxygen, nitrogen, iron, carbon, or gallium, <sup>43</sup>K, <sup>52</sup>Fe, <sup>57</sup>Co, <sup>67</sup>Cu, <sup>67</sup>Ga, <sup>68</sup>Ga, <sup>123</sup>I, <sup>125</sup>I, <sup>131</sup>I, <sup>132</sup>I, or <sup>99</sup>Tc. A binding agent affixed to such a moiety may be used as an imaging agent and is administered in an amount effective for diagnostic use in a mammal such as a human and the localization and accumulation of the imaging agent is then detected. The localization and accumulation of the imaging agent may be detected by radioscintigraphy, nuclear magnetic resonance imaging, computed tomography or positron emission tomography. Immunoscintigraphy using PD-L1 binding polypeptides directed at PD-L1 may be used to detect and/or diagnose cancers and vasculature. For example, any of the binding polypeptide against a PD-L1 marker labeled with <sup>99</sup>Technetium, <sup>111</sup>Indium, or <sup>125</sup>Iodine may be effectively used for such imaging. As will be evident to the skilled artisan, the amount of radioisotope to be administered is dependent upon the radioisotope. Those having ordinary skill in the art can readily formulate the amount of the imaging agent to be administered based upon the specific activity and energy of a given radionuclide used as the active moiety. Typically 0.1-100 millicuries per dose of imaging agent, preferably 1-10 millicuries, most often 2-5 millicuries are administered. Thus, compositions according to the present invention useful as imaging agents comprising a targeting moiety conjugated to a radioactive moiety comprise 0.1-100 millicuries, in some embodiments preferably 1-10 millicuries, in some embodiments preferably 2-5 millicuries, in some embodiments more preferably 1-5 millicuries.

The PD-L1 binding polypeptides can also be used to deliver additional therapeutic agents (including but not limited to drug compounds, chemotherapeutic compounds, and radiotherapeutic compounds) to a cell or tissue expressing PD-L1. In one example, the PD-L1 binding polypeptide is fused to a chemotherapeutic agent for targeted delivery of the chemotherapeutic agent to a tumor cell or tissue expressing PD-L1.

The PD-L1 binding polypeptides are useful in a variety of applications, including research, diagnostic and therapeutic applications. For instance, they can be used to isolate and/or purify receptor or portions thereof, and to study receptor structure (*e.g.*, conformation) and function.

In certain aspects, the various binding polypeptides can be used to detect or measure the expression of PD-L1, for example, on endothelial cells (*e.g.*, venous endothelial cells), or on cells transfected with a PD-L1 gene. Thus, they also have utility in applications such as cell

sorting and imaging (*e.g.*, flow cytometry, and fluorescence activated cell sorting), for diagnostic or research purposes.

In certain embodiments, the binding polypeptides of fragments thereof can be labeled or unlabeled for diagnostic purposes. Typically, diagnostic assays entail detecting the formation of a complex resulting from the binding of a binding polypeptide to PD-L1. The binding polypeptides or fragments can be directly labeled, similar to antibodies. A variety of labels can be employed, including, but not limited to, radionuclides, fluorescers, enzymes, enzyme substrates, enzyme cofactors, enzyme inhibitors and ligands (*e.g.*, biotin, haptens). Numerous appropriate immunoassays are known to the skilled artisan (U.S. Patents. 3,817,827; 3,850,752; 3,901,654; and 4,098,876). When unlabeled, the binding polypeptides can be used in assays, such as agglutination assays. Unlabeled binding polypeptides can also be used in combination with another (one or more) suitable reagent which can be used to detect the binding polypeptide, such as a labeled antibody reactive with the binding polypeptide or other suitable reagent (*e.g.*, labeled protein A).

In one embodiment, the binding polypeptides of the present invention can be utilized in enzyme immunoassays, wherein the subject polypeptides are conjugated to an enzyme. When a biological sample comprising a PD-L1 protein is combined with the subject binding polypeptides, binding occurs between the binding polypeptides and the PD-L1 protein. In one embodiment, a sample containing cells expressing a PD-L1 protein (*e.g.*, endothelial cells) is combined with the subject antibodies, and binding occurs between the binding polypeptides and cells bearing a PD-L1 protein recognized by the binding polypeptide. These bound cells can be separated from unbound reagents and the presence of the binding polypeptide-enzyme conjugate specifically bound to the cells can be determined, for example, by contacting the sample with a substrate of the enzyme which produces a color or other detectable change when acted on by the enzyme. In another embodiment, the subject binding polypeptides can be unlabeled, and a second, labeled polypeptide (*e.g.*, an antibody) can be added which recognizes the subject binding polypeptide.

In certain aspects, kits for use in detecting the presence of a PD-L1 protein in a biological sample can also be prepared. Such kits will include a PD-L1 binding polypeptide which binds to a PD-L1 protein or portion of said receptor, as well as one or more ancillary reagents suitable for detecting the presence of a complex between the binding polypeptide and the receptor protein or portions thereof. The polypeptide compositions of the present invention can be provided in lyophilized form, either alone or in combination with additional antibodies specific for other epitopes. The binding polypeptides and/or antibodies, which can be labeled

or unlabeled, can be included in the kits with adjunct ingredients (*e.g.*, buffers, such as Tris, phosphate and carbonate, stabilizers, excipients, biocides and/or inert proteins, *e.g.*, bovine serum albumin). For example, the binding polypeptides and/or antibodies can be provided as a lyophilized mixture with the adjunct ingredients, or the adjunct ingredients can be separately provided for combination by the user. Generally these adjunct materials will be present in less than about 5% weight based on the amount of active binding polypeptide or antibody, and usually will be present in a total amount of at least about 0.001% weight based on polypeptide or antibody concentration. Where a second antibody capable of binding to the binding polypeptide is employed, such antibody can be provided in the kit, for instance in a separate vial or container. The second antibody, if present, is typically labeled, and can be formulated in an analogous manner with the antibody formulations described above.

Similarly, the present disclosure also provides a method of detecting and/or quantitating expression of PD-L1, wherein a composition comprising a cell or fraction thereof (*e.g.*, membrane fraction) is contacted with a binding polypeptide which binds to a PD-L1 or portion of the receptor under conditions appropriate for binding thereto, and the binding is monitored. Detection of the binding polypeptide, indicative of the formation of a complex between binding polypeptide and PD-L1 or a portion thereof, indicates the presence of the receptor. Binding of a polypeptide to the cell can be determined by standard methods, such as those described in the working examples. The method can be used to detect expression of PD-L1 on cells from an individual. Optionally, a quantitative expression of PD-L1 on the surface of endothelial cells can be evaluated, for instance, by flow cytometry, and the staining intensity can be correlated with disease susceptibility, progression or risk.

The present disclosure also provides a method of detecting the susceptibility of a mammal to certain diseases. To illustrate, the method can be used to detect the susceptibility of a mammal to diseases which progress based on the amount of PD-L1 present on cells and/or the number of PD-L1-positive cells in a mammal.

Polypeptide sequences are indicated using standard one- or three-letter abbreviations. Unless otherwise indicated, each polypeptide sequence has amino termini at the left and a carboxy termini at the right; each single-stranded nucleic acid sequence, and the top strand of each double-stranded nucleic acid sequence, has a 5' termini at the left and a 3' termini at the right. A particular polypeptide sequence also can be described by explaining how it differs from a reference sequence.

The terms "PD-L1 inhibitor" and "PD-L1 antagonist" are used interchangeably. Each is a molecule that detectably inhibits at least one function of PD-L1. Conversely, a "PD-L1

"agonist" is a molecule that detectably increases at least one function of PD-L1. The inhibition caused by a PD-L1 inhibitor need not be complete so long as it is detectable using an assay.

Any assay of a function of PD-L1 can be used, examples of which are provided herein.

Examples of functions of PD-L1 that can be inhibited by a PD-L1 inhibitor, or increased by a

5 PD-L1 agonist, include cancer cell growth or apoptosis (programmed cell death), and so on.

Examples of types of PD-L1 inhibitors and PD-L1 agonists include, but are not limited to, PD-L1 binding polypeptides such as antigen binding proteins (*e.g.*, PD-L1 inhibiting antigen binding proteins), antibodies, antibody fragments, and antibody derivatives.

The terms "peptide," "polypeptide" and "protein" each refers to a molecule comprising

10 two or more amino acid residues joined to each other by peptide bonds. These terms

encompass, *e.g.*, native and artificial proteins, protein fragments and polypeptide analogs (such as muteins, variants, and fusion proteins) of a protein sequence as well as post-translationally, or otherwise covalently or non-covalently, modified proteins. A peptide, polypeptide, or protein may be monomeric or polymeric.

15 A "variant" of a polypeptide (for example, an antibody) comprises an amino acid

sequence wherein one or more amino acid residues are inserted into, deleted from and/or substituted into the amino acid sequence relative to another polypeptide sequence. Disclosed variants include, for example, fusion proteins.

A "derivative" of a polypeptide is a polypeptide (*e.g.*, an antibody) that has been

20 chemically modified, *e.g.*, via conjugation to another chemical moiety (such as, for example, polyethylene glycol or albumin, *e.g.*, human serum albumin), phosphorylation, and glycosylation. Unless otherwise indicated, the term "antibody" includes, in addition to antibodies comprising two full-length heavy chains and two full-length light chains, derivatives, variants, fragments, and muteins thereof, examples of which are described below.

25 An "antigen binding protein" is a protein comprising a portion that binds to an antigen and, optionally, a scaffold or framework portion that allows the antigen binding portion to adopt a conformation that promotes binding of the antigen binding protein to the antigen.

Examples of antigen binding proteins include antibodies, antibody fragments (*e.g.*, an antigen binding portion of an antibody), antibody derivatives, and antibody analogs. The antigen

30 binding protein can comprise, for example, an alternative protein scaffold or artificial scaffold with grafted CDRs or CDR derivatives. Such scaffolds include, but are not limited to, antibody-derived scaffolds comprising mutations introduced to, for example, stabilize the three-dimensional structure of the antigen binding protein as well as wholly synthetic scaffolds comprising, for example, a biocompatible polymer. See, for example, Korndorfer et al., 2003,

*Proteins: Structure, Function, and Bioinformatics*, Volume 53, Issue 1:121-129; Roque et al., 2004, *Biotechnol. Prog.* 20:639-654. In addition, peptide antibody mimetics ("PAMs") can be used, as well as scaffolds based on antibody mimetics utilizing fibronectin components as a scaffold.

5 An antigen binding protein can have, for example, the structure of a naturally occurring immunoglobulin. An "immunoglobulin" is a tetrameric molecule. In a naturally occurring immunoglobulin, each tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kDa) and one "heavy" chain (about 50-70 kDa). The amino-terminal portion of each chain includes a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The carboxy-terminal portion of each chain defines a constant region primarily responsible for effector function. Human light chains are classified as kappa or lambda light chains. Heavy chains are classified as mu, delta, gamma, alpha, or epsilon, and define the antibody's isotype as IgM, IgD, IgG, IgA, and IgE, respectively. Preferably, the anti-PD-L1 antibodies disclosed herein are characterized by their 10 variable domain region sequences in the heavy  $V_H$  and light  $V_L$  amino acid sequences. The preferred antibody is A6 which is a kappa IgG antibody. Within light and heavy chains, the variable and constant regions are joined by a "J" region of about 12 or more amino acids, with the heavy chain also including a "D" region of about 10 more amino acids. See generally, 15 *Fundamental Immunology* Ch. 7 (Paul, W., ed., 2nd ed. Raven Press, N.Y. (1989)). The variable regions of each light/heavy chain pair form the antibody binding site such that an intact immunoglobulin has two binding sites.

A "multi-specific antibody" is an antibody that recognizes more than one epitope on one or more antigens. A subclass of this type of antibody is a "bi-specific antibody" which recognizes two distinct epitopes on the same or different antigens.

20 25 An antigen binding protein "specifically binds" to an antigen (e.g., human PD-L1) if it binds to the antigen with a dissociation constant of 1 nanomolar or less.

An "antigen binding domain," "antigen binding region," or "antigen binding site" is a portion of an antigen binding protein that contains amino acid residues (or other moieties) that interact with an antigen and contribute to the antigen binding protein's specificity and affinity 30 for the antigen. For an antibody that specifically binds to its antigen, this will include at least part of at least one of its CDR domains.

An "epitope" is the portion of a molecule that is bound by an antigen binding protein (e.g., by an antibody). An epitope can comprise non-contiguous portions of the molecule (e.g., in a polypeptide, amino acid residues that are not contiguous in the polypeptide's primary

sequence but that, in the context of the polypeptide's tertiary and quaternary structure, are near enough to each other to be bound by an antigen binding protein).

The "percent homology" of two polynucleotide or two polypeptide sequences is determined by comparing the sequences using the GAP computer program (a part of the GCG 5 Wisconsin Package, version 10.3 (Accelrys, San Diego, Calif.)) using its default parameters.

A "host cell" is a cell that can be used to express a nucleic acid. A host cell can be a prokaryote, for example, *E. coli*, or it can be a eukaryote, for example, a single-celled eukaryote (e.g., a yeast or other fungus), a plant cell (e.g., a tobacco or tomato plant cell), an animal cell (e.g., a human cell, a monkey cell, a hamster cell, a rat cell, a mouse cell, or an 10 insect cell) or a hybridoma. Examples of host cells include the COS-7 line of monkey kidney cells (ATCC CRL 1651) (Gluzman et al., 1981, *Cell* 23:175), L cells, C127 cells, 3T3 cells (ATCC CCL 163), Chinese hamster ovary (CHO) cells or their derivatives such as Veggie CHO and related cell lines which grow in serum-free media (Rasmussen et al., 1998, *Cytotechnology* 28:31) or CHO strain DX-B11, which is deficient in DHFR (Urlaub et al., 15 1980, *Proc. Natl. Acad. Sci. USA* 77:4216-20), HeLa cells, BHK (ATCC CRL 10) cell lines, the CV1/EBNA cell line derived from the African green monkey kidney cell line CV1 (ATCC CCL 70) (McMahan et al., 1991, *EMBO J.* 10:2821), human embryonic kidney cells such as 20 293,293 EBNA or MSR 293, human epidermal A431 cells, human Colo205 cells, other transformed primate cell lines, normal diploid cells, cell strains derived from in vitro culture of primary tissue, primary explants, HL-60, U937, HaK or Jurkat cells. Typically, a host cell is a 25 cultured cell that can be transformed or transfected with a polypeptide-encoding nucleic acid, which can then be expressed in the host cell. The phrase "recombinant host cell" can be used to denote a host cell that has been transformed or transfected with a nucleic acid to be expressed. A host cell also can be a cell that comprises the nucleic acid but does not express it at a desired level unless a regulatory sequence is introduced into the host cell such that it becomes operably 30 linked with the nucleic acid. It is understood that the term host cell refers not only to the particular subject cell but also to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to, e.g., mutation or environmental influence, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

#### Antigen Binding Proteins

Antigen binding proteins (e.g., antibodies, antibody fragments, antibody derivatives, antibody muteins, and antibody variants) are polypeptides that bind to PD-L1, (preferably,

human PD-L1). Antigen binding proteins include antigen binding proteins that inhibit a biological activity of PD-L1.

Oligomers that contain one or more antigen binding proteins may be employed as PD-L1 antagonists. Oligomers may be in the form of covalently-linked or non-covalently-linked 5 dimers, trimers, or higher oligomers. Oligomers comprising two or more antigen binding protein are contemplated for use, with one example being a homodimer. Other oligomers include heterodimers, homotrimers, heterotrimers, homotetramers, heterotetramers, etc.

One embodiment is directed to oligomers comprising multiple antigen binding proteins joined via covalent or non-covalent interactions between peptide moieties fused to the antigen 10 binding proteins. Such peptides may be peptide linkers (spacers), or peptides that have the property of promoting oligomerization. Leucine zippers and certain polypeptides derived from antibodies are among the peptides that can promote oligomerization of antigen binding proteins attached thereto, as described in more detail below.

In particular embodiments, the oligomers comprise from two to four antigen binding 15 proteins. The antigen binding proteins of the oligomer may be in any form, such as any of the forms described above, *e.g.*, variants or fragments. Preferably, the oligomers comprise antigen binding proteins that have PD-L1 binding activity.

In one embodiment, an oligomer is prepared using polypeptides derived from immunoglobulins. Preparation of Fusion Proteins Comprising Certain Heterologous 20 Polypeptides Fused to Various Portions of antibody-derived polypeptides (including the Fc domain) has been described, *e.g.*, by Ashkenazi et al., 1991, *Proc. Natl. Acad. Sci. USA* 88:10535; Byrn et al., 1990, *Nature* 344:677; and Hollenbaugh et al., 1992 "Construction of Immunoglobulin Fusion Proteins", in *Current Protocols in Immunology*, Suppl. 4, pages 10.19.1-10.19.11.

One embodiment is directed to a dimer comprising two fusion proteins created by 25 fusing a PD-L1 binding fragment of an anti-PD-L1 antibody to the Fc region of an antibody. The dimer can be made by, for example, inserting a gene fusion encoding the fusion protein into an appropriate expression vector, expressing the gene fusion in host cells transformed with the recombinant expression vector, and allowing the expressed fusion protein to assemble 30 much like antibody molecules, whereupon interchain disulfide bonds form between the Fc moieties to yield the dimer.

The term "Fc polypeptide" includes native and mutein forms of polypeptides derived from the Fc region of an antibody. Truncated forms of such polypeptides containing the hinge region that promotes dimerization also are included. Fusion proteins comprising Fc moieties

(and oligomers formed therefrom) offer the advantage of facile purification by affinity chromatography over Protein A or Protein G columns.

Another method for preparing oligomeric antigen binding proteins involves use of a leucine zipper. Leucine zipper domains are peptides that promote oligomerization of the proteins in which they are found. Leucine zippers were originally identified in several DNA-binding proteins (Landschulz et al., 1988, *Science* 240:1759), and have since been found in a variety of different proteins. Among the known leucine zippers are naturally occurring peptides and derivatives thereof that dimerize or trimerize. Examples of leucine zipper domains suitable for producing soluble oligomeric proteins are described in WO 94/10308, and the leucine zipper derived from lung surfactant protein D (SPD) described in Hoppe et al., 1994, *FEBS Letters* 344:191. The use of a modified leucine zipper that allows for stable trimerization of a heterologous protein fused thereto is described in Fanslow et al., 1994, *Semin. Immunol.* 6:267-78. In one approach, recombinant fusion proteins comprising an anti-PD-L1 antibody fragment or derivative fused to a leucine zipper peptide are expressed in suitable host cells, and the soluble oligomeric anti-PD-L1 antibody fragments or derivatives that form are recovered from the culture supernatant.

Antigen-binding fragments of antigen binding proteins of the invention may be produced by conventional techniques. Examples of such fragments include, but are not limited to, Fab and F(ab')<sub>2</sub> fragments.

The present disclosure provides monoclonal antibodies that bind to PD-L1. Monoclonal antibodies may be produced using any technique known in the art, e.g., by immortalizing spleen cells harvested from the transgenic animal after completion of the immunization schedule. The spleen cells can be immortalized using any technique known in the art, e.g., by fusing them with myeloma cells to produce hybridomas. Myeloma cells for use in hybridoma-producing fusion procedures preferably are non-antibody-producing, have high fusion efficiency, and enzyme deficiencies that render them incapable of growing in certain selective media which support the growth of only the desired fused cells (hybridomas). Examples of suitable cell lines for use in mouse fusions include Sp-20, P3-X63/Ag8, P3-X63-Ag8.653, NS1/1.Ag 4 1, Sp210-Ag14, FO, NSO/U, MPC-11, MPC11-X45-GTG 1.7 and S194/5XX0 Bul; examples of cell lines used in rat fusions include R210.RCY3, Y3-Ag 1.2.3, IR983F and 48210. Other cell lines useful for cell fusions are U-266, GM1500-GRG2, LICR-LON-HMy2 and UC729-6.

Antigen binding proteins directed against PD-L1 can be used, for example, in assays to detect the presence of PD-L1 polypeptides, either *in vitro* or *in vivo*. The antigen binding

proteins also may be employed in purifying PD-L1 proteins by immunoaffinity chromatography. Blocking antigen binding proteins can be used in the methods disclosed herein. Such antigen binding proteins that function as PD-L1 antagonists may be employed in treating any PD-L1-induced condition, including but not limited to various cancers.

5 Antigen binding proteins may be employed in an *in vitro* procedure, or administered *in vivo* to inhibit PD-L1-induced biological activity. Disorders caused or exacerbated (directly or indirectly) by the proteolytic activation of PD-L1, examples of which are provided herein, thus may be treated. In one embodiment, the present invention provides a therapeutic method comprising *in vivo* administration of a PD-L1 blocking antigen binding protein to a mammal in  
10 need thereof in an amount effective for reducing an PD-L1-induced biological activity.

Antigen binding proteins include fully human monoclonal antibodies that inhibit a biological activity of PD-L1.

15 Antigen binding proteins may be prepared by any of a number of conventional techniques. For example, they may be purified from cells that naturally express them (e.g., an antibody can be purified from a hybridoma that produces it), or produced in recombinant expression systems, using any technique known in the art. See, for example, Monoclonal Antibodies, Hybridomas: A New Dimension in Biological Analyses, Kennet et al. (eds.), Plenum Press, New York (1980); and Antibodies: A Laboratory Manual, Harlow and Land (eds.), Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., (1988).

20 Any expression system known in the art can be used to make the recombinant polypeptides of the invention. In general, host cells are transformed with a recombinant expression vector that comprises DNA encoding a desired polypeptide. Among the host cells that may be employed are prokaryotes, yeast or higher eukaryotic cells. Prokaryotes include gram negative or gram positive organisms, for example *E. coli* or *bacilli*. Higher eukaryotic  
25 cells include insect cells and established cell lines of mammalian origin. Examples of suitable mammalian host cell lines include the COS-7 line of monkey kidney cells (ATCC CRL 1651) (Gluzman et al., 1981, *Cell* 23:175), L cells, 293 cells, C127 cells, 3T3 cells (ATCC CCL 163), Chinese hamster ovary (CHO) cells, HeLa cells, BHK (ATCC CRL 10) cell lines, and the CV1/EBNA cell line derived from the African green monkey kidney cell line CV1 (ATCC  
30 CCL 70) as described by McMahan et al., 1991, *EMBO J.* 10: 2821. Appropriate cloning and expression vectors for use with bacterial, fungal, yeast, and mammalian cellular hosts are described by Pouwels et al. (Cloning Vectors: A Laboratory Manual, Elsevier, N.Y., 1985).

The transformed cells can be cultured under conditions that promote expression of the polypeptide, and the polypeptide recovered by conventional protein purification procedures.

One such purification procedure includes the use of affinity chromatography, *e.g.*, over a matrix having all or a portion (*e.g.*, the extracellular domain) of PD-L1 bound thereto.

Polypeptides contemplated for use herein include substantially homogeneous recombinant mammalian anti-PD-L1 antibody polypeptides substantially free of contaminating endogenous materials.

Antigen binding proteins may be prepared, and screened for desired properties, by any of a number of known techniques. Certain of the techniques involve isolating a nucleic acid encoding a polypeptide chain (or portion thereof) of an antigen binding protein of interest (*e.g.*, an anti-PD-L1 antibody), and manipulating the nucleic acid through recombinant DNA technology. The nucleic acid may be fused to another nucleic acid of interest, or altered (*e.g.*, by mutagenesis or other conventional techniques) to add, delete, or substitute one or more amino acid residues, for example.

Single chain antibodies may be formed by linking heavy and light chain variable domain (Fv region) fragments via an amino acid bridge (short peptide linker), resulting in a single polypeptide chain. Such single-chain Fvs (scFvs) have been prepared by fusing DNA encoding a peptide linker between DNAs encoding the two variable domain polypeptides (V<sub>L</sub> and V<sub>H</sub>). The resulting polypeptides can fold back on themselves to form antigen-binding monomers, or they can form multimers (*e.g.*, dimers, trimers, or tetramers), depending on the length of a flexible linker between the two variable domains (Kortt et al., 1997, *Prot. Eng.* 10:423; Kortt et al., 2001, *Biomol. Eng.* 18:95-108). By combining different V<sub>L</sub> and V<sub>H</sub>-comprising polypeptides, one can form multimeric scFvs that bind to different epitopes (Kriangkum et al., 2001, *Biomol. Eng.* 18:31-40). Techniques developed for the production of single chain antibodies include those described in U.S. Patent 4,946,778; Bird, 1988, *Science* 242:423; Huston et al., 1988, *Proc. Natl. Acad. Sci. USA* 85:5879; Ward et al., 1989, *Nature* 334:544, de Graaf et al., 2002, *Methods Mol. Biol.* 178:379-87.

Techniques are known for deriving an antibody of a different subclass or isotype from an antibody of interest, *i.e.*, subclass switching. Thus, IgG antibodies may be derived from an IgM antibody, for example, and vice versa. Such techniques allow the preparation of new antibodies that possess the antigen-binding properties of a given antibody (the parent antibody), but also exhibit biological properties associated with an antibody isotype or subclass different from that of the parent antibody. Recombinant DNA techniques may be employed. Cloned DNA encoding particular antibody polypeptides may be employed in such procedures, *e.g.*, DNA encoding the constant domain of an antibody of the desired isotype (Lantto et al., 2002, *Methods Mol. Biol.* 178:303-16). Moreover, if an IgG4 is desired, it may also be desired

to introduce a point mutation (CPSCP->CPPCP) in the hinge region (Bloom et al., 1997, *Protein Science* 6:407) to alleviate a tendency to form intra-H chain disulfide bonds that can lead to heterogeneity in the IgG4 antibodies.

5 In particular embodiments, antigen binding proteins of the present invention have a binding affinity ( $K_a$ ) for PD-L1 of at least  $10^6$ . In other embodiments, the antigen binding proteins exhibit a  $K_a$  of at least  $10^7$ , at least  $10^8$ , at least  $10^9$ , or at least  $10^{10}$ . In another embodiment, the antigen binding protein exhibits a  $K_a$  substantially the same as that of an antibody described herein in the Examples.

10 In another embodiment, the present disclosure provides an antigen binding protein that has a low dissociation rate from PD-L1. In one embodiment, the antigen binding protein has a  $K_{off}$  of  $1 \times 10^{-4}$  to  $10^{-1}$  or lower. In another embodiment, the  $K_{off}$  is  $5 \times 10^{-5}$  to  $10^{-1}$  or lower. In another embodiment, the  $K_{off}$  is substantially the same as an antibody described herein. In another embodiment, the antigen binding protein binds to PD-L1 with substantially the same  $K_{off}$  as an antibody described herein.

15 In another aspect, the present disclosure provides an antigen binding protein that inhibits an activity of PD-L1. In one embodiment, the antigen binding protein has an  $IC_{50}$  of 1000 nM or lower. In another embodiment, the  $IC_{50}$  is 100 nM or lower; in another embodiment, the  $IC_{50}$  is 10 nM or lower. In another embodiment, the  $IC_{50}$  is substantially the same as that of an antibody described herein in the Examples. In another embodiment, the 20 antigen binding protein inhibits an activity of PD-L1 with substantially the same  $IC_{50}$  as an antibody described herein.

25 In another aspect, the present disclosure provides an antigen binding protein that binds to human PD-L1 expressed on the surface of a cell and, when so bound, inhibits PD-L1 signaling activity in the cell without causing a significant reduction in the amount of PD-L1 on the surface of the cell. Any method for determining or estimating the amount of PD-L1 on the surface and/or in the interior of the cell can be used. In other embodiments, binding of the antigen binding protein to the PD-L1-expressing cell causes less than about 75%, 50%, 40%, 30%, 20%, 15%, 10%, 5%, 1%, or 0.1% of the cell-surface PD-L1 to be internalized.

30 In another aspect, the present disclosure provides an antigen binding protein having a half-life of at least one day *in vitro* or *in vivo* (e.g., when administered to a human subject). In one embodiment, the antigen binding protein has a half-life of at least three days. In another embodiment, the antigen binding protein has a half-life of four days or longer. In another embodiment, the antigen binding protein has a half-life of eight days or longer. In another embodiment, the antigen binding protein is derivatized or modified such that it has a longer

half-life as compared to the underderivatized or unmodified antigen binding protein. In another embodiment, the antigen binding protein contains one or more point mutations to increase serum half life, such as described in WO00/09560, incorporated by reference herein.

The present disclosure further provides multi-specific antigen binding proteins, for example, bispecific antigen binding protein, *e.g.*, antigen binding protein that bind to two different epitopes of PD-L1, or to an epitope of PD-L1 and an epitope of another molecule, via two different antigen binding sites or regions. Moreover, bispecific antigen binding protein as disclosed herein can comprise a PD-L1 binding site from one of the herein-described antibodies and a second PD-L1 binding region from another of the herein-described antibodies, including those described herein by reference to other publications. Alternatively, a bispecific antigen binding protein may comprise an antigen binding site from one of the herein described antibodies and a second antigen binding site from another PD-L1 antibody that is known in the art, or from an antibody that is prepared by known methods or the methods described herein.

Numerous methods of preparing bispecific antibodies are known in the art. Such methods include the use of hybrid-hybridomas as described by Milstein et al., 1983, *Nature* 305:537, and chemical coupling of antibody fragments (Brennan et al., 1985, *Science* 229:81; Glennie et al., 1987, *J. Immunol.* 139:2367; U.S. Patent 6,010,902). Moreover, bispecific antibodies can be produced via recombinant means, for example by using leucine zipper moieties (*i.e.*, from the *Fos* and *Jun* proteins, which preferentially form heterodimers; Kostelnik et al., 1992, *J. Immunol.* 148:1547) or other lock and key interactive domain structures as described in U.S. Patent 5,582,996. Additional useful techniques include those described in U.S. Patents 5,959,083; and 5,807,706.

In another aspect, the antigen binding protein comprises a derivative of an antibody. The derivatized antibody can comprise any molecule or substance that imparts a desired property to the antibody, such as increased half-life in a particular use. The derivatized antibody can comprise, for example, a detectable (or labeling) moiety (*e.g.*, a radioactive, colorimetric, antigenic or enzymatic molecule, a detectable bead (such as a magnetic or electrodense (*e.g.*, gold bead), or a molecule that binds to another molecule (*e.g.*, biotin or streptavidin), a therapeutic or diagnostic moiety (*e.g.*, a radioactive, cytotoxic, or pharmaceutically active moiety), or a molecule that increases the suitability of the antibody for a particular use (*e.g.*, administration to a subject, such as a human subject, or other *in vivo* or *in vitro* uses). Examples of molecules that can be used to derivatize an antibody include albumin (*e.g.*, human serum albumin) and polyethylene glycol (PEG). Albumin-linked and PEGylated derivatives of antibodies can be prepared using techniques well known in the art. In one

embodiment, the antibody is conjugated or otherwise linked to transthyretin (TTR) or a TTR variant. The TTR or TTR variant can be chemically modified with, for example, a chemical selected from the group consisting of dextran, poly(n-vinyl pyrrolidone), polyethylene glycols, propylene glycol homopolymers, polypropylene oxide/ethylene oxide co-polymers, 5 polyoxyethylated polyols and polyvinyl alcohols.

Indications

In one aspect, the present disclosure provides methods of treating a subject. The method can, for example, have a generally salubrious effect on the subject, *e.g.*, it can increase the subject's expected longevity. Alternatively, the method can, for example, treat, prevent, 10 cure, relieve, or ameliorate ("treat") a disease, disorder, condition, or illness ("a condition").

Among the conditions to be treated are conditions characterized by inappropriate expression or activity of PD-L1. In some such conditions, the expression or activity level is too high, and the treatment comprises administering a PD-L1 antagonist as described herein. The disorders or conditions are cancer-related. In particular, those cancers include, but are not limited to, lung, 15 ovarian and colon carcinoma and various myelomas.

Specific medical conditions and diseases that are treatable or preventable with the antigen binding proteins of this disclosure include various cancers.

Therapeutic Methods and Administration of Antigen Binding Proteins

Certain methods provided herein comprise administering a PD-L1 binding antigen 20 binding protein to a subject, thereby reducing a PD-L1-induced biological response that plays a role in a particular condition. In particular embodiments, methods of the invention involve contacting endogenous PD-L1 with a PD-L1 binding antigen binding protein, *e.g.*, via administration to a subject or in an *ex vivo* procedure.

The term "treatment" encompasses alleviation or prevention of at least one symptom or 25 other aspect of a disorder, or reduction of disease severity, and the like. An antigen binding protein need not effect a complete cure, or eradicate every symptom or manifestation of a disease, to constitute a viable therapeutic agent. As is recognized in the pertinent field, drugs employed as therapeutic agents may reduce the severity of a given disease state, but need not abolish every manifestation of the disease to be regarded as useful therapeutic agents.

30 Similarly, a prophylactically administered treatment need not be completely effective in preventing the onset of a condition in order to constitute a viable prophylactic agent. Simply reducing the impact of a disease (for example, by reducing the number or severity of its symptoms, or by increasing the effectiveness of another treatment, or by producing another beneficial effect), or reducing the likelihood that the disease will occur or worsen in a subject,

is sufficient. One embodiment of the invention is directed to a method comprising administering to a patient a PD-L1 antagonist in an amount and for a time sufficient to induce a sustained improvement over baseline of an indicator that reflects the severity of the particular disorder.

5 As is understood in the pertinent field, pharmaceutical compositions comprising the antibodies and fragments thereof of the disclosure are administered to a subject in a manner appropriate to the indication. Pharmaceutical compositions may be administered by any suitable technique, including but not limited to, parenterally, topically, or by inhalation. If injected, the pharmaceutical composition can be administered, for example, via intra-articular, 10 intravenous, intramuscular, intralesional, intraperitoneal or subcutaneous routes, by bolus injection, or continuous infusion. Localized administration, *e.g.* at a site of disease or injury is contemplated, as are transdermal delivery and sustained release from implants. Delivery by inhalation includes, for example, nasal or oral inhalation, use of a nebulizer, inhalation of the antagonist in aerosol form, and the like. Other alternatives include eyedrops; oral preparations 15 including pills, syrups, lozenges or chewing gum; and topical preparations such as lotions, gels, sprays, and ointments.

Use of antigen binding proteins in *ex vivo* procedures also is contemplated. For example, a patient's blood or other bodily fluid may be contacted with an antigen binding protein that binds PD-L1 *ex vivo*. The antigen binding protein may be bound to a suitable 20 insoluble matrix or solid support material.

Advantageously, antigen binding proteins are administered in the form of a composition comprising one or more additional components such as a physiologically acceptable carrier, excipient or diluent. Optionally, the composition additionally comprises one or more physiologically active agents, for example, a second inflammation- or immune- 25 inhibiting substance, an anti-angiogenic substance, an analgesic substance, etc., non-exclusive examples of which are provided herein. In various particular embodiments, the composition comprises one, two, three, four, five, or six physiologically active agents in addition to a PD-L1 binding antigen binding protein

#### Combination Therapy

30 In another aspect, the present disclosure provides a method of treating a subject with a PD-L1 inhibiting antigen binding protein and one or more other treatments. In one embodiment, such a combination therapy achieves synergy or an additive effect by, for example, attacking multiple sites or molecular targets in a tumor. Types of combination therapies that can be used in connection with the present invention include inhibiting or

activating (as appropriate) multiple nodes in a single disease-related pathway, multiple pathways in a target cell, and multiple cell types within a target tissue.

In another embodiment, a combination therapy method comprises administering to the subject two, three, four, five, six, or more of the PD-L1 agonists or antagonists described

5 herein. In another embodiment, the method comprises administering to the subject two or more treatments that together inhibit or activate (directly or indirectly) PD-L1-mediated signal transduction. Examples of such methods include using combinations of two or more PD-L1 inhibiting antigen binding proteins, of a PD-L1 inhibiting antigen binding protein and one or more other therapeutic moiety having anti-cancer properties (for example, cytotoxic agents, and/or immunomodulators), or of a PD-L1 inhibiting antigen binding protein and one or more other treatments (*e.g.*, surgery, or radiation). Furthermore, one or more anti-PD-L1 antibodies or antibody derivatives can be used in combination with one or more molecules or other treatments, wherein the other molecule(s) and/or treatment(s) do not directly bind to or affect PD-L1, but which combination is effective for treating or preventing the condition being treated. In one embodiment, one or more of the molecule(s) and/or treatment(s) treats or prevents a condition that is caused by one or more of the other molecule(s) or treatment(s) in the course of therapy, *e.g.*, nausea, fatigue, alopecia, cachexia, insomnia, etc. In every case where a combination of molecules and/or other treatments is used, the individual molecule(s) and/or treatment(s) can be administered in any order, over any length of time, which is effective, *e.g.*, simultaneously, consecutively, or alternately. In one embodiment, the method of treatment comprises completing a first course of treatment with one molecule or other treatment before beginning a second course of treatment. The length of time between the end of the first course of treatment and beginning of the second course of treatment can be any length of time that allows the total course of therapy to be effective, *e.g.*, seconds, minutes, hours, days, weeks, months, or even years.

In another embodiment, the method comprises administering one or more of the PD-L1 antagonists described herein and one or more other treatments (*e.g.*, a therapeutic or palliative treatment). Where a method comprises administering more than one treatment to a subject, it is to be understood that the order, timing, number, concentration, and volume of the

30 administrations is limited only by the medical requirements and limitations of the treatment, *i.e.*, two treatments can be administered to the subject, *e.g.*, simultaneously, consecutively, alternately, or according to any other regimen.

### Example 1

This example provides a characterization of the disclosed anti-PD-L1 antibodies binding to human PD-L1 expressed on human lymphocytes. Human peripheral blood mononuclear cells were activated by culture with anti-CD3 for three days to promote expression of PD-L1. Binding was assessed by adding serial dilutions of the antibody to the activated lymphocytes. After washing, binding was detected by staining with a phycoerythrin labeled anti-human Ig reagent followed by analysis using a FACS Aria (Becton Dickinson, San Jose, CA). Since the anti-human Ig reagent reacts with immunoglobulin on B lymphocytes the cells were co-staining with an anti-human CD19 APC-Cy5 reagent. Data were obtained by gating on the CD19 negative lymphocytes and the results are shown in Figure 1. Both H6 and H10 antibodies show potent binding activity with an EC<sub>50</sub> in the 100 pM range.

### **Example 2**

This example provides the results from binding the disclosed anti-PD-L1 antibodies to human lymphocytes. Anti-PD-L1 antibodies were assayed for binding to non-activated lymphocytes. Peripheral blood mononuclear cells were incubated with anti-PD-L1 antibodies (1 µg/ml) followed by washing. Binding of the anti-PD-L1 antibody was detected by staining with a phycoerythrin conjugated and human Ig reagent. To identify the stained populations the cells were co-stained with an anti-CD3 FITC or an anti-CD56 APC reagent. Since the anti-human Ig reagent reacts with immunoglobulin on B lymphocytes the cells were also stained with an anti-human CD19 APC-Cy5 reagent. The data in Figure 2 were derived from the CD19 negative lymphocytes following analysis using a FACS Aria (Becton Dickinson, San Jose, CA). The results show that CD56 positive NK cells, but not CD3+ T cells, react with the anti-PD-L1 antibodies.

### **Example 3**

This example provides a showing of the effect of disclosed anti-PD-L1 antibodies on lymphocyte proliferation. Anti-PD-L1 antibodies were assayed for their ability to modulate the response of lymphocytes to stimulation. The anti-PD-L1 antibodies H1, H6 and H10 were added at 10 µg/ml to cultures of peripheral blood mononuclear cells labeled with the fluorescent dye carboxyfluorescein (CFSE) and stimulated with anti-CD3 (1 ng/ml). After three days of culture, the cells were assayed for proliferative activity by flow cytometry using a FACS Aria (Becton Dickinson, San Jose, CA). The results, shown in Figure 3, show that the anti-PD-L1 antibodies inhibited lymphocyte proliferation.

### **Example 4**

This example provides a showing of the effect of NK cells on the disclosed anti-PD-L1 antibodies on mediated inhibition of proliferation. With the anti-PD-L1 antibodies showing a

preferential binding to NK cells, the significance of this in the inhibition of proliferation was tested. By cell sorting using a FACS Aria (Becton Dickinson, Dan Jose, CA) purified population of CD4+, CD8+, CD56+ (NK) and monocytes were obtained. As a base culture,  $1.5 \times 10^5$  CD4+ cells and  $3 \times 10^4$  monocytes were stimulated with anti-CD3 (1 ng/ml) with or 5 without H10 anti-PD-L1 antibody (10  $\mu$ g/ml). In separate cultures, either CD8+ cells or NK cells (both at  $3 \times 10^4$ ) were added to this base culture. After three days of culture, cells were stained for expression of CD25 as a measure of lymphocyte activation as measured by flow cytometry. The results shown in Figure 4 were compared to those obtained using whole, 10 unfractionated PBMC ( $1.5 \times 10^5$ ). The anti-PD-L1 antibody inhibited the activation of lymphocytes in the cultures containing whole PBMC and those where NK cells were added, but not in the absence of NK cells.

#### **Example 5**

This example provides a showing of an effect of anti-PD-L1 on NK cell activation. Disclosed anti-PD-L1 antibodies were assayed for their ability to promote the activation of 15 lymphocytes. Peripheral blood mononuclear cells or purified populations of lymphocyte subsets isolated by cell sorting were cultured with IL-2 (100 U/ml) in the presence or absence of added anti-PD-L1 antibodies (10  $\mu$ g/ml). After five days of culture, cells were stained for expression of CD25 as a measure of cell activation and analyzed by flow cytometry. The results shown in Figure 5 reveal that H6 and H10 enhance cell activation and that the 20 responsive lymphocyte population is the NK cell.

#### **Example 6**

This example provides a showing of an effect of disclosed anti-PD-L1 antibodies on the progression of disease in a murine model of multiple sclerosis (MS). Anti-PD-L1 antibodies were assayed for their ability to modulate the course of disease in mice induced to develop 25 experimental autoimmune encephalitis (EAE) as a model of MS. Disease was induced in C57Bl/6 mice following injection of myelin oligodendrocyte glycoprotein (MOG) peptide and pertussis toxin. Once symptoms of disease developed, the mice were treated every second day with an intraperitoneal injection of anti-PD-L1 antibody (0.1 mg). The results shown in Figure 6 provide that both anti-PD-L1 antibodies H6 and H10 impacted the course of disease 30 development with H6 greatly reducing disease severity.

#### **Example 7**

This example provides a characterization of the disclosed G12 anti-PD-L1 antibody. rhPD-L1 was immobilized on CM5 sensor chip using standard NHS/EDC coupling methodology. All measurements were conducted in HBS-EP buffer with a flow rate of 30

$\mu\text{L}/\text{min}$ . Antibody was diluted so as to obtain a series of concentrations. A 1:1 (Langmuir) binding model was used to fit the data.

Table 1 provides the binding data for G12.

		<b>G12</b>
<b>Biacore</b>	$k_{\text{on}} (\text{M}^{-1} \text{s}^{-1})$	1.31E+07
	$k_{\text{off}} (\text{s}^{-1})$	4.90E-04
	$K_d (\text{M})$	3.74E-11

### **Example 8**

5 This example provides the results from an experiment showing that G12 blocks the interaction between rhPD-1 and rhPD-L1. A 96-well ELISA plate was coated with 1 ng/ $\mu\text{L}$  PD1/His at 4 °C overnight, then blocked with casein in PBS. Pre-mixed 20  $\mu\text{l}$  serial 2-fold diluted IgGs (started from 20  $\mu\text{g}/\text{ml}$ ) and 20  $\mu\text{l}$  0.25  $\mu\text{l}/\text{ml}$  PD-L1/Fc and incubated the mixtures 30 min. washed the plate with PBS-Tween (PBST) 3 times. Transferred 25  $\mu\text{l}$  the mixtures to the ELISA plate and incubated 30 min with shaking. Washed 3 times with PBST. Added HRP conjugated Goat anti-human Fc (1:500 in casein), used TMB as substrate and developed 30 min. 2M  $\text{H}_2\text{SO}_4$  was added to stop the reaction. Read the OD at 450nm.

10

Table 2

		<b>G12</b>
<b>Blocking PD-1/PD-L1 interaction (M)</b>	$IC_{50}$	7.288E-11

### **Example 9**

15 This example illustrates *in vitro*  $EC_{50}$  data for the binding of G12 to human PD-L1 expressed on the surface of CHO cells. This example shows the binding characteristic for this antibody in terms of the maximal cell binding and the concentration at which 50% binding saturation ( $EC_{50}$ ) is reached. In this example, the experimental procedure is as follows: 50,000 CHO-PD-L1 cells were aliquoted into the wells of a 96-well, v-bottom plate in 100  $\mu\text{l}$  FACS Buffer (PBS + 2% FBS). A dilution curve of the antibody was made in FACS Buffer encompassing the concentrations shown in Figure 7. Cells were spun down, washed 1x with FACS Buffer, and then resuspended in 25  $\mu\text{l}$  of antibody solution in triplicate. After 0.5 hr incubation, cells were washed 1x with FACS Buffer and resuspended in 50  $\mu\text{l}$  PE-conjugated, goat anti-human IgG ( $\gamma$ -chain specific) secondary antibody (Southern Biotech Cat #2040-09).

20 Cells were further incubated for 0.5 hr and then washed 1x with FACS Buffer. Cells were resuspended in 25  $\mu\text{l}$  FACS Buffer and the median fluorescence intensity in the FL2-H channel was determined using the Intellicyt HTFC flow cytometer.

25

Results: As shown in Figure 7 and Table 3, the cell binding  $EC_{50}$  for the G12 anti-PD-L1 antibody on CHO-PD-L1 cells was 1.71E-09 M. Data was collected on the Intellicyt HTFC

flow cytometer, processed using FlowJo software, and analyzed and plotted in Graph Pad Prism using non-linear regression fit. Data points are shown as the median fluorescence intensity (MFI) of positively labeled cells +/- Std Error.

Table 3

		G12 5
<b>Cell Binding EC<sub>50</sub> (M)</b>	CHO-PD-L1	1.71E-09

### Example 10

This example provides *in vitro* IC<sub>50</sub> data for the blocking of the interaction between recombinant human PD-1 (PD-1-Fc Chimera; Sino Biologics) and human PD-L1 expressed CHO cells by anti-PD-L1 antibody G12. Here, CHO cells expressing PD-L1 were pre-incubated with G12 prior to the addition of rhPD-1-Fc chimeric protein. After incubation and washing, PD-1 binding to cell surface expressed PD-L1 was detected using an Alexa-Fluor 647 tagged anti-PD-1 antibody by flow cytometry (Intellicyt HTFC; FL-4H). This example shows that anti-PD-L1 monoclonal antibody G12 was able to inhibit efficiently the binding of PD-1 to PD-L1 expressed on the surface of CHO cells.

Results: As shown in Figure 8 and Table 4, the IC<sub>50</sub> for blocking of the PD-1/PD-L1 cellular interaction by G12 is 1.76E-09 M. Data was collected on the Intellicyt HTFC flow cytometer, processed using FlowJo software, and analyzed and plotted in Graph Pad Prism using non-linear regression fit. Data points are shown as the median fluorescence detected in the FL-4H channel +/- Std Error.

Table 4

		G12
<b>Inhibition of PD-1/PD-L1 Interaction IC<sub>50</sub> (M)</b>	CHO-PD-L1/ rhPD-1-Fc	1.76E-09

### Example 11

This example illustrates *in vitro* EC<sub>50</sub> data for the binding of G12 to PD-L1 expressed on the surface of ES-2 human ovarian carcinoma cells. This example shows the binding characteristic for this antibody in terms of the maximal cell binding and the concentration at which 50% binding saturation (EC<sub>50</sub>) is reached. In this example, the experimental procedure is as follows:

ES-2 cells were treated with 500IU/ml IFN $\gamma$  for 18 hours to increase PD-L1 levels above basal expression. After induction, 50,000 ES-2 cells were aliquoted into the wells of a 96-well, v-bottom plate in 100  $\mu$ l FACS Buffer (PBS + 2% FBS). A dilution curve of the antibody was made in FACS Buffer encompassing the concentrations shown in Figure 9. Cells were spun down, washed 1x with FACS Buffer, and then resuspended in 25  $\mu$ l of antibody solution in triplicate. After 0.5 hr incubation, cells were washed 1x with FACS Buffer and resuspended in

50  $\mu$ l PE-conjugated, goat anti-human IgG ( $\gamma$ -chain specific) secondary antibody (Southern Biotech Cat #2040-09). Cells were further incubated for 0.5 hr and then washed 1x with FACS Buffer. Cells were resuspended in 25  $\mu$ l FACS Buffer and the median fluorescence intensity in the FL2-H channel was determined using the Intellicyt HTFC flow cytometer.

5         Results: As shown in Figure 9 and Table 5, the cell binding EC<sub>50</sub> for the G12 anti-PD-L1 antibody on ES-2 ovarian carcinoma cells was 4.58E-11 M. Data was collected on the Intellicyt HTFC flow cytometer, processed using FlowJo software, and analyzed and plotted in Graph Pad Prizm using non-linear regression fit. Data points are shown as the median fluorescence detected in the FL-2H channel +/- Std Error. Cell binding EC<sub>50</sub> for anti-PD-L1  
10 mAb G12 against human PD-L1 expressed on ES-2 ovarian cancer cells after treatment with 500 IU/ml recombinant hIFN $\gamma$  for 18hr is shown in Table 5.

**Table 5**

		G12 15
<b>Cell Binding EC50 (M)</b>	ES-2	4.58E-11

**Example 12**

20         This example provides a mixed lymphocyte reaction (MLR) to evaluate the effect of the antibodies on lymphocyte activity in lymphocyte effector cells. IL-2 secretion was measured in the presence or absence of an anti-PD-L1 human monoclonal antibody (Figure 10). The functional activity of the antibodies was assessed in an allogeneic mixed lymphocyte reaction (MLR) consisting of purified CD4+ T lymphocytes and allogeneic dendritic cells. The 25 antibodies used were the disclosed G12 antibody as compared to prior disclosed antibodies 10A5 and 12A4 (Bristol-Myers/Medarex) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 2009/0055944 the disclosure of which is incorporated by reference herein). To prepare the dendritic cells, monocytes, purified using a discontinuous Percoll gradient, were cultured with GM-CSF (1,000 U/ml) plus IL-4  
30 (500 U/ml) for seven days. The CD4+ cells were prepared by negative selection using biotinylated antibodies reactive with CD8, CD16, CD19 and CD20. Removal of the reactive cells was achieved using biotin binding magnetic beads. The antibodies were added at the indicated concentrations to wells containing 10<sup>5</sup> CD4+ cells labeled with carboxyfluorecein (CFSE) and 10<sup>4</sup> dendritic cells. After five days of culture, supernatants were harvested for  
35 cytokine determination.

**Example 13**

This example provides a mixed lymphocyte reaction (MLR) was employed to demonstrate the effect of blocking the PD-L1/PD-1 pathway by the anti-PD-L1 antibodies on lymphocyte effector cells. T cell activation was measured in the presence or absence of the anti-PD-L1 human monoclonal antibody (Figure 12). The functional activity of the antibodies was assessed in an allogeneic mixed lymphocyte reaction (MLR) consisting of purified CD4+ T lymphocytes and allogeneic dendritic cells. The antibodies used were the disclosed H6B1L, RSA1, RA3, RC5, SH1E2, SH1E4, SH1B11, and SH1C8 as compared to prior disclosed antibodies 10A5 (Bristol-Myers-Squibb/Medarex) and YW243.55S70 (Roche/Genentech) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 2009/0055944 and U.S. Patent Application US 2010/0203056; the disclosure of which are incorporated by reference herein). To prepare the dendritic cells, monocytes, purified using a discontinuous Percoll gradient, were cultured with GM-CSF (1,000 U/ml) plus IL-4 (500 U/ml) for seven days. The CD4+ cells were prepared by negative selection using biotinylated antibodies reactive with CD8, CD16, CD19 and CD20. Removal of the reactive cells was achieved using biotin binding magnetic beads. The antibodies were added at the indicated concentrations to wells containing  $10^5$  CD4+ cells labeled with carboxyfluorecein (CFSE) and  $10^4$  dendritic cells. After five days of culture, the cells were collected and stained for CD25 expression as a measure of cell activation. Cell activation was measured by flow cytometry.

The results for cell activation are shown in Figure 13. With all anti-PD-L1 antibodies there was an increase in cell activation. In Figure 13, the data are expressed as a percentage of test value with respect to that obtained in the absence of any added antibody. In this way, the percent increase in cell activation was realized.

**Example 14**

The ability of anti-PD-L1 antibodies to modulate immune responsiveness was assessed using a mixed lymphocyte reaction (MLR). With this assay, the effects anti-PD-L1 antibodies on cell activation and the production of IL-2 were measured. The MLR was performed by culturing  $10^5$  purified human CD4+ cells from one donor with  $10^4$  monocyte derived dendritic cells prepared from another donor. To prepare the dendritic cells, purified monocytes were cultured with GM-CSF (1,000 U/ml) and IL-4 (500 U/ml) for seven days. Anti-PD-L1 or control antibodies were added to the allogeneic MLR cultures at 10  $\mu$ g/ml unless stated otherwise. Parallel plates were set up to allow collection of supernatants at day 3 and at day 5 to measure IL-2 using a commercial ELISA kit (Biolegend). The antibodies used were the

disclosed H6B1L, RSA1, RA3, RC5, SH1E2, SH1E4, SH1B11, and SH1C8 as compared to prior disclosed antibodies 10A5 (Bristol-Myers-Squibb/Medarex) and YW243.55S70 (Roche/Genentech) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 2009/0055944 and U.S. Patent Application US 2010/0203056; the disclosure of which are incorporated by reference herein).

5 Production of IL-2 was enhanced by the addition of the anti-PD-L1 antibodies.

### Example 15

This example provides a mixed lymphocyte reaction (MLR) was employed to demonstrate the effect of blocking the PD-L1/PD-1 pathway by the anti-PD-L1 antibodies on 10 lymphocyte effector cells. IFN- $\gamma$  secretion was measured in the presence or absence of the anti-PD-L1 human monoclonal antibody (Figure 11). The functional activity of the antibodies was assessed in an allogeneic mixed lymphocyte reaction (MLR) consisting of purified CD4+ T lymphocytes and allogeneic dendritic cells. The antibodies used were the disclosed H6B1L, RSA1, RA3, RC5, SH1E2, SH1E4, SH1B11, and SH1C8 as compared to prior disclosed 15 antibodies 10A5 (Bristol-Myers-Squibb/Medarex) and YW243.55S70 (Roche/Genentech) that were obtained via in-house production from prior-disclosed antibody sequences (U.S. Patent Application 2009/0055944 and U.S. Patent Application US 2010/0203056; the disclosure of which are incorporated by reference herein).

To prepare the dendritic cells, monocytes, purified using a discontinuous Percoll gradient, were 20 cultured with GM-CSF (1,000 U/ml) plus IL-4 (500 U/ml) for seven days. The CD4+ cells were prepared by negative selection using biotinylated antibodies reactive with CD8, CD16, CD19 and CD20. Removal of the reactive cells was achieved using biotin binding magnetic beads. The antibodies were added at the indicated concentrations to wells containing  $10^5$  CD4+ cells labeled with carboxyfluorecein (CFSE) and  $10^4$  dendritic cells. After five days of culture, 25 supernatants were harvested for cytokine determination.

Production of IFN- $\gamma$  was enhanced by the addition of the anti-PD-L1 antibodies.

### Sequence Listing

	Heavy chain variable domain region	Light chain variable domain region
E6	QMQLVQSGAEVKPGSSVKVSCKASGGTFNTYAIS WVRQAPGQGLEWMGGIPLFGKADYAQKFQDRVT ITADESTSTAYMELSSLRSEDTAVYYCARDKGREELG GNYYYAVDVGPGTTVTSS SEQ ID NO. 1	DIVMTQTPYSVSASVGDRVTITCRASQEVR WVAWYQQKPGQAPKSLIYASSRLQSGVPS RFTASGSGTDFTLVISSLQPEDFATYYCQQYS RFPLTFGGGTKVEIK SEQ ID NO. 2

E7	QVQLQQQLPGPLVKPSQTLSLTCAISGDSVSSNSAA WNWIRQSPSRGLEWLGRYYRSKWYNTNYAVSMRS RITINPDTSKNQFSQLQNSVPEDTAVYYFCAGGNSS HDDYWGQGTLTVSS SEQ ID NO. 3	QPVLQPASVSGSPGQSITISCTGTSSDVGG YNYVSWYQQHPGKAPKLMVYDVSKRPSGV SNRFSGSKSGNTASLTISGLQTEDEADYYCSS YTSSNTRVFGTGTKLTVL SEQ ID NO. 4
E9	EVQLVQSGAEVKKPGASVKVSCKASGYTFTSYGISW VRQAPGQGLEWMGWINPNSSGNTNYAQKLFQGRV MTTDTSTSTAYMELRSLSRSDDTAVYYCARDLFPTIF WEGGAFDIWGQGTMVTVSS SEQ ID NO. 5	DIVMTQSPSTLSASVGDRVITCRASQSFTT YLAWYQQKPGKAPKLLIYQTSNLESGVPSRF SGSGSGTEFTLTISSLQPDDFATYYCQQYSRY WWSFGQGTRLEIK SEQ ID NO. 6
E11	EVQLVQSGAEVKKPGASLKVVSCKASGYTFNSYDINW VRQAPGQGLEWMGWINPNSSGNTNYAQKLFQGRV MTTDTSTSTVYMELOSSLTSED TAVYYCARDLFPHIY GNYGMDIWGQGTTVTVSS SEQ ID NO. 7	AIQMTQSPSSLSASVGDRVITCRASQSISYY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQSSSTP LTFGQGTTKVEIK SEQ ID NO. 8
F1	EVQLVESGGGVQPGRLSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 9	QAVLTQPRSVSGSPGQSVTISCTGTSSDVG GNYVSWYQQHPGKAPKLMYDVVRTRPSG VSDFSGSKSGNTASLSISGLQAEDEADYYC SSHSSTTVIFGGGTKLTVL SEQ ID NO. 10
F4	EVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMH WVRQAPGQGLEWMGWINPNSDNTGSAQKFQGR VFMTKTTSLNTAYMELSGLRSED TAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 11	DIVMTQSPSSLSASVGDRVITCRASQSISYY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQSYSTP ITFGQGTRLEIK SEQ ID NO. 12
F7	EVQLVESGGGVQPGRLSRLSCAASGFTFSSYWMS WVRQAPGKGLEWVANIKQDGSEKYYDSVKGRFTI SRDNKNSLYLQMNSLRaed TAVYYCAREGEHDAF DIWGQGTMVTVSS SEQ ID NO. 13	QAVLTQPPSVAAPGQRTVTCSGSNSNIAD TYVSWYQQLPGTAPRLLIYDNDQRPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSGVFGTGTKLTVL SEQ ID NO. 14
F8	QVQLVQSGGGVVQPGSPRLSCAASGFTFNTYGM HWVRQAPGKGLEWVAVISDGGNNKKYADSVKGRF TISRDNAKNSLYLQMNSLRaed TALYYCAKDICESYY YYMDVWGKGTTVTVSS SEQ ID NO. 15	QSVLTQPASVSGSPGQSVTISCTGTSSDVGG FNSVSWYQQHPGKAPKLMYDVSKRPSSEIS DRFSGSKSGNTASLTISGLQPEDEADYYCSSY TSSSTLVFGGGTKLTVL SEQ ID NO. 16
F11	QVQLQQSGPGLVKPSQSLTCAISGDSLSSNSAAW NWIRQSPSGGLEWLGRYYRSKWYNEYVESLKSRT INSDISRNQFSLHLNSVTPEDTAVYYCASGTGARGM DVWGQGTTVTVSS SEQ ID NO. 17	SYVLTQPPSVSPGQTAISCSGYKLENKYV SWYQQRAGQSPVLVIYQDNKRPSGIPERFS GSNSGNTASLTITGLQPEDEADYYCSAWDS SLRAWVFGGGTQLTVL SEQ ID NO. 18
G4	QVQLQQSGPGLVKPSETSLTCAISGDSVSENSAAW NWIRQSPSGGLEWLGRYYRSKWYNEYVESLKSRT INSDISRNQFSLHLNSVTPEDTAVYYCASGTGARGM DVWGQGTTVTVSS SEQ ID NO. 19	QPVLQPASVSGSPGQTAISITCSGDELGNKY VYVYQQKPGRSPVLIYQDSKRPSGFPARF SGANSGNTATLTISGTQAMDEADYFCQAW DSSTAWVFGGGTKLTVL SEQ ID NO. 20
G9	EVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMH WVRQAPGQGLEWMGWINPNSDNTGSAQKFQGR VFMTKTTSLNTAYMELSGLRSED TAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 21	DIVMTQSPSSLSASVGDRVITCRASQSISYY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQSYSTP ITFGQGTRLEIK SEQ ID NO. 22
G11	QVQLVQSGAEVKKPGSSVKVSCKASGGTFSRYGVH WVRQAPGQGLEWMGR利PIVSMTNYAQKFQDRV SITTDKSTGTAYMELRSLSLTSED TALYYCASVGQQQLP WVFFAWGQGTLTVSS SEQ ID NO. 23	LPVLQPASVSGSPGQSVTISCTGTSSDVGG HNYVSWYQQHPGKAPKLMYEVNKRPSGV PDRFSGSKSDYTAISLTISGLQPDDEADYFCSS YTATTGVVFGTGTKLTVL SEQ ID NO. 24

G12	EVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMH WVRQAPGQGLEWMGWINPNSDNTGSAQKFQGR VFMTKTTSLNTAYMELSGLRSEDTAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 25 QVQLVQSGAEVKKPGASVKVSCKTSGNTFTNYYMH WVRQAPGQGLEWMGIMNPSSGTSYAQKFQGR VTMTRDKSTSTVYMELSSLTSEDTAVYYCARDLFPHI YGNYYGMDIWGQGTTVSS SEQ ID NO. 27 QVQLVQSGAEVKKPGSSVKVSCKASGGTFSSYAIW VRQAPGQGLEWMGGIIPIFGTASYAQKFQGRVTIT ADESTTAYMELSSLRSEDTAVYYCAREGPEYCSGG TCYSADAFDIWGQGTMVTVSS SEQ ID NO. 29	DIVMTQSPSSLSASVGDRVTITCRASQSISSY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTSSLQPEDFATYYCQQSYSTP ITFGQGTRLEIK SEQ ID NO. 26 DIVMTQSPSSLSASVGDRVTITCRASQSISSY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTSSLQPEDFATYYCQQSYSTP YTFGQGTTKVEIK SEQ ID NO. 28 QSVVTQPPSVSAAPGQKVTCISCGSTSNIEN YSVSWYQQQLPGTAPKLLIYDNNKRPSGIPDR FSGSKSGTSATLGITGLQTGDEADYYCGTW DNRLSSVVFGGGTKTVL SEQ ID NO. 30 QPVLTQPPSVSAAPGQKVTCISCGSSNIGN SHVSWFQQQLPGTAPKLVYDNDKRPSGIAD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAGVFGGGTKLTVL SEQ ID NO. 32
H1	QVQLVQSGAEVKKPGQGLEWMGIIPIFGTASYAQKFQGRVTIT ADESTTAYMELSSLRSEDTAVYYCAREGPEYCSGG TCYSADAFDIWGQGTMVTVSS SEQ ID NO. 29	QSVVTQPPSVSAAPGQKVTCISCGSTSNIEN YSVSWYQQQLPGTAPKLLIYDNNKRPSGIPDR FSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAGVFGGGTKLTVL SEQ ID NO. 32
H3	QVQLVQSGAEVKKPGQGLEWMGIIPIFGTASYAQKFQGRVTIT ADESTTAYMELSSLRSEDTAVYYCAREGPEYCSGG TCYSADAFDIWGQGTMVTVSS SEQ ID NO. 29	QAVVTQPPSASGTPGQRTISCGSSNIGN VNHFVWYQHLPGMAPKLLIHTRNQWPSG VPDRFSGSKSGTSATLGITGLQTGDEADYYC GTWDSSLSAVFGGGTKLTVL SEQ ID NO. 32
H4	QVQLVQSGAEVKKPGQGLEWMGIIPIFGTASYAQKFQGRVTIT ADESTTAYMELSSLRSEDTAVYYCAREGPEYCSGG TCYSADAFDIWGQGTMVTVSS SEQ ID NO. 29	QAVVTQPPSASGTPGQRTISCGSSNIGN VNHFVWYQHLPGMAPKLLIHTRNQWPSG VPDRFSGSKSGTSATLGITGLQTGDEADYYC GTWDSSLSAVFGGGTKLTVL SEQ ID NO. 32
H5	QVQLVQSGAEVKKPGQGLEWMGIIPIFGTASYAQKFQGRVTIT ADESTTAYMELSSLRSEDTAVYYCAREGPEYCSGG TCYSADAFDIWGQGTMVTVSS SEQ ID NO. 29	QAVVTQPPSASGTPGQRTISCGSSNIGN VNHFVWYQHLPGMAPKLLIHTRNQWPSG VPDRFSGSKSGTSATLGITGLQTGDEADYYC GTWDSSLSAVFGGGTKLTVL SEQ ID NO. 32
H6	QVQLVQSGAEVKKPGQGLEWMGIIPIFGTASYAQKFQGRVTIT ADESTTAYMELSSLRSEDTAVYYCAREGPEYCSGG TCYSADAFDIWGQGTMVTVSS SEQ ID NO. 29	QAVVTQPPSASGTPGQRTISCGSSNIGN VNHFVWYQHLPGMAPKLLIHTRNQWPSG VPDRFSGSKSGTSATLGITGLQTGDEADYYC GTWDSSLSAVFGGGTKLTVL SEQ ID NO. 32
H10	EVQLVQSGGGLVQPGGSLRLSCAASGFTFSSYMN WVRQAPGKGLEWVSYISSLSTIYYADSVKGRFTISR DNAKNSLYLQMNSLRDEDTAVYYCARGDYYGMD VWQGTTVSS SEQ ID NO. 37	EIVLTQSPSSLSASIGDRVTLCRASQSIIRFL NWYQQKPGKAPPELLIYTASSLQSGVPSRFSG SGSGTDFLTINSLQPEDFATYYCQQSYAVS PYTFGQGTTKVEIR SEQ ID NO. 38
H12	EVQLVQSGGGLVQPGGSLRLSCAASGFTFSSYMN WVRQAPGKGLEWVSYISSLSTIYYADSVKGRFTISR DNAKNSLYLQMNSLRDEDTAVYYCARGDYYGMD VWQGTTVSS SEQ ID NO. 37	QSVVTQPPSVSAAPGQKVTCISCGSSNIGN NYVSWYQQQLPGTAPKLLIYDNNKRPSGIPDR RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAVVFGGGTKLTVL SEQ ID NO. 40
PDL-D2	EVQLVQSGGGLVQPGGSLRLSCAASGFTFSSYMN WVRQAPGKGLEWVSYISSLSTIYYADSVKGRFTISR DNAKNSLYLQMNSLRDEDTAVYYCARGDYYGMD VWQGTTVSS SEQ ID NO. 37	QSVVTQPPSVSAAPGQKVTCISCGSSNIGN NYVSWYQQQLPGTAPKLLIYDNNKRPSGIPDR RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAVVFGGGTKLTVL SEQ ID NO. 40
PDL-D11	EVQLVQSGGGLVQPGGSLRLSCAASGFTFSSYMN WVRQAPGKGLEWVSYISSLSTIYYADSVKGRFTISR DNAKNSLYLQMNSLRDEDTAVYYCARGDYYGMD VWQGTTVSS SEQ ID NO. 37	EVILQSPSSLSASIGDRVTLCRASQSIIRFL NWYQQKPGKAPPELLIYTASSLQSGVPSRFSG SGSGTDFLTINSLQPEDFATYYCQQSYAVS PYTFGQGTTKVEIR SEQ ID NO. 46
PDL-H1	EVQLVQSGGGLVQPGGSLRLSCAASGFTFSSYMN WVRQAPGKGLEWVSYISSLSTIYYADSVKGRFTISR DNAKNSLYLQMNSLRDEDTAVYYCARGDYYGMD VWQGTTVSS SEQ ID NO. 37	EVILQSPSSLSASIGDRVTLCRASQSIIRFL NWYQQKPGKAPPELLIYTASSLQSGVPSRFSG SGSGTDFLTINSLQPEDFATYYCQQSYAVS PYTFGQGTTKVEIR SEQ ID NO. 46

RB4	EVQLVESGGGLVQPGGSLRLSCAASGFYLGSYWMA WVRQAPGKGLEWVAAIRQDGSETIYVDSVKGRFIIS RDNGGNSVTQMTTLRAGDTAVYYCARAHYFGFD NWGQGTLTVSS SEQ ID NO. 47	QSVLTQPASVSGSPGQSIISVCTGTSSDVGR YNFVSWYQQHPGKAPKLMVFDVSNRPSGI SNRFSGSKSGNTASLTISGLQAEDEADYYCS SYTTNSTYVFGSGTKVTVL SEQ ID NO. 48 QPVLTQPPSVAAAPGQKVTCISCGSSNIAN
RB11	QMQLVQSGAEVKPGASVKISCKASGYPFRNYYIH WVRQAPGQGLEWVGIINPDGGTITYAGKFQGRVS MTRDTSTSTVYMEMLSSLTSEDTAVYYCARDLFPHIYG NYYGMDIWGQGTTVTVSS SEQ ID NO. 49	NYVSWYQQLPGTAPKLLIFANNKRPSGIPD RFSGSKSGTSAALDITGLQTGDEADYYCGT WDSDLRAGVFGGGTKLTVL SEQ ID NO. 50
RC5	EVQLLESGGGVVQPGGSLRLSCAASGFTFSSYWMS WVRQAPGKGLEWVANIKQDGSEKYYVDSVKGRFTI SRDNSKNTVSLQMNSLRAEDTAVYYCAKDRYYNFP LGMDVWQGQGTTVTVSS SEQ ID NO. 51	AIRMTQSPSSLSASVGDRVITCRASQSISSY LNWYQQKPGKAPKLLIYTSSLKSGVPSRFS GSGSGTDFTLTISRLQPEDFATYYCQQSYSST WTFGRGKVEIK SEQ ID NO. 52
RF5	EVQLLESGAEVKKPGSSVKVSKCKASGGTFTNFAINWI RQAPGQGLEWMGRIIPLFGTTNYAQKFQGRVTITA DESTSTAFMDLNSLTSEDTAVYYCARTLGGDDYDSR GYYNWQGQGTLTVSS SEQ ID NO. 53	EVQLTQPASVSGSPGQSIISCTGTSSDVGSY NLVSWYQQYPGKAPKLMIIYEVSERPSGVPD RFSGSKSGNTASLTVSGLQAEDEADYYCSSY TDSNNFRVFGGGTKLTVL SEQ ID NO. 54
RG9	QVQLQQSGPGLVKPSQTLSTCAISGDSVSSNSVV WNWFRQSPSRGLEWLGRAYRSKWYNDYAVSVKS RITINPDTSKNQLSQLNQNSVTPEDTAVYYCAKGLDV WGQGTTVTVSS SEQ ID NO. 55	EIVMTQSPSSLIASVGDRVITCRASQSISSY LNWYQQKPGKVPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTISGLQPEDFATYYCQQSYSYP AWTFGQGKTLKLEIK SEQ ID NO. 56
RD1	QVQLVQSGAEVKPGSSVKVSKCKASGGTFSSYAIW VRQAPGQGLEWMGGIIPFGTANYAQKFQGRVTIT ADESTSTAYMELSSLRSEDTAVYYCARDGIVADFQH WGQGTLTVSS SEQ ID NO. 57	QSVLTQPASVSGSPGQSIISCTGTSSDVGSY NYVSWYQQVPGTAPKLLIYDNDKRPSPGIPD RFSGSKSGTSAATLAITGLQTGDEADYYCGT WDSSLNAWVFGGGTKLTVL SEQ ID NO. 58
RF11	QVQLVQSGAEVKPGASVRVSKCKASGGTFSSYAI WVRQAPGQGLEWMGGIIPFGTANYAQKFQGRVT ITADESTSTAYMELSSLRSEDTAVYYCARDGIVADFQ HWGQGTLTVSS SEQ ID NO. 59	QSVLTQPASVSGSPGQSIISCTGTSSDVGSY NYVSWYQHLPGTAPKLLIYDDFKRPSPGIPDR FSGSKSGTSATLGITGLQTGDEADYYCGTW DSSLNAWVFGGGTKLTVL SEQ ID NO. 60
RH11	QMQLVQSGAEVKPGSSVKVSKCKASGGTFNSYPI WVRQAPGQGLEWMGGIIPFGTANYAQKFQGRVT ITADESTSTAYMELSSLRSEDTAMYYCAKNHPTATL DYWGQGTLTVSS SEQ ID NO. 61	QSVLTQPASVSGSPGQSIISCTGTSSDVGSY NYVSWYQQHPGKAPKLMIIYEVSKRPSGV PDRFSGSKSGNTASLTVSGLQAEDEADYYCS SYAGSNNLGVFGGGTKLTVL SEQ ID NO. 62
RD9	QVQLVQSGGNLVKPGGSLRLSCAASGFSFSSYDMN WVRQAPGRGLEWVSSISGTGRYEYSPSVKGRFTIS RDNANTSLYLQMNSLTADDTAVYFCTRGDIITGASA MDVWQGQGTTVTVSS SEQ ID NO. 63	DIQLTQSPSSLSASVGDRVITCRASQGISS WLAWYQQKPGKAPKLLIYAASSLQSGVPSRFS FSGSGSGTDFTLTISLQPEDFATYYCQQQAN SFPLTFGGGTKEIK SEQ ID NO. 64
RE10	EVQLLESGGNLVKPGGSLRLSCAASGFSFSSYDMN WVRQAPGRGLEWVSSISGTGRYEYSPSVKGRFTIS RDNANTSLYLQMNSLTADDTAVYFCTRGDIITGASA MDVWQGQGTTVTVSS SEQ ID NO. 65	DVVMQTQSPSTLSASVGDRVITCRASQSIGT WLAWYQQKPGKAPNLLIYKASSLESGVPSRFS FSGSGSGTEFTLTISLQPEDFATYYCQQQAN SFPLTFGGGTKEIK SEQ ID NO. 66
RA3	QMQLVQSGAEVKPGSSVKVSKCKASGGTFSRYGVH WVRQAPGQGLEWMGRILIPIVSMTNYAQKFQDRV SITTDKSTGTAYMELRLSLTSEDTALYYCASVGQQLP WVFFAWGQGTLTVSS SEQ ID NO. 67	DIQMTQSPSSLSASVGDRVITCQASQDISN YLNWYQQKPGKAPKLLIYDASTLQSGVPSRFS FSGSGSGTDFTLTISLQPEDFATYYCQQSYS SHWTFGQGKTLKLEIK SEQ ID NO. 68
RG1	EVQLVQSGAEVKPGSSVKVSKCKASGGTFSRYGVH WVRQAPGQGLEWMGRILIPIVSMTNYAQKFQDRV SITTDKSTGTAYMELRLSLTSEDTALYYCASVGQQLP WVFFAWGQGTLTVSS SEQ ID NO. 69	QSVVTQPPSVSGAPGQRTISCTGSSNIAG GYGVHWYQHLPGSAPKLLIYGNNSNRPSPGVT DRISGSKSGTSASLAITGLQAEDEAVYYCQSY DSSLSTSVFGGGTKLTVL SEQ ID NO. 70

RB1	QMQLVQSGGLIQPGGSLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 71 EVQLVESGGGVLPGRSLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 73	QAGLTQPASVSGSPGQSITISCTGTSSDVGG YNYVSWYQQHPGKAPKLMYDVTKRPSGV SNRFSGSKSGNTASLTISGLQAEDEANYYCS SYTSRSTSVLFGGGTKLTVL SEQ ID NO. 72 QPVLTQPPSVSEAPRQRTISCGSSNIGH NAVTVWYQQVPGKAPKLLIYYDDLLPSGVSD RFSGSKSGTSASLAISGLQSEDEADYYCAAW DDSLNGWVFGGGTKLTVL SEQ ID NO. 74 QAGLTQPASVSGSPGQSITISCTGTSSDVGG YNYVSWYQQHPGKAPKLMYDVSNRPSGV PDRFSGSKSGNTASLTISGLQAEEDDADYYCA SYTSTSTLGVVFGGGTKLTVL SEQ ID NO. 76
RG7	QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 75 QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 77	QVPLTQPPSVSEAPRQRTISCGSSNIGH YNYVSWYQQHPGKAPKLMYDVSNRPSGV PDRFSGSKSGNTASLTISGLQAEEDDADYYCA SYTSTSTLGVVFGGGTKLTVL SEQ ID NO. 78 QSVLTQPPSASGTPGQRTISCGSSNIGS NTVHWYQQLPGTAPKVLITYTNQRPSGV DRFSGSKSGTSASLAISGLQSEDEADYYCAA WDGRLQGWVFGGGTKLTVL SEQ ID NO. 80
RA6	QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 79 QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 81	QSVLTQPPSVSAAPGQKVTCGSSNSNIAN NYVSWYQQLPGTAPKLLIYDSNKRPSGIPDR FSGSKSGTSATLGITGLQTGDEADYYCGSW DSSLVWMFGGGTKLTVL SEQ ID NO. 82 LPVLTQPRSVSGSPGQSVTISCTGTSSDVGG YNYVSWYQQHPGKAPKLMYDVTKRPSGV PDRFSGSKSGNTASLTISGLQAEDEADYYCS SYTGSTLGPVFGGGTKLTVL SEQ ID NO. 84
RA8	QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 83 EVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 85	QSVLTQPPSVSAAPGQKVTCGSSNSNIGN NYVSWYQQLPGTAPKLLIYDSNKRPSGIPD FSGSKSGTSASLAISELRFEDADYYCAAW DDTSGHVFGPGTKLTVL SEQ ID NO. 86 SYELMQPPSVVPPGETARITCGGNNIGNK NVHWYQQKPGQAPVVLVREDSARPAGIPE RFSGSNSGNSATLTISRVEAGDEADYYCQV WDNTSDHVVFGGGTKLTVL SEQ ID NO. 88
RB5	QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 87 EVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 89	QSVLTQPPSVSAAPGQKVTCGSSNSNIGN NYVSWYQQLPGTAPKLLIYDSNKRPSGIPD FSGSKSGTSASLAISELRFEDADYYCAAW DDTSGHVFGPGTKLTVL SEQ ID NO. 86 SYELMQPPSVVPPGETARITCGGNNIGNK NVHWYQQKPGQAPVVLVREDSARPAGIPE RFSGSNSGNSATLTISRVEAGDEADYYCQV WDNTSDHVVFGGGTKLTVL SEQ ID NO. 88
RB8	EVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 90 QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 91	QSVLTQPPSVSAAPGQKVTCGSSNSNIGN NYVSWYQQLPGTAPKLLIYDSNKRPSGIPD FSGSKSGTSASLAISELRFEDADYYCAAW DDTSGHVFGPGTKLTVL SEQ ID NO. 86 SYELMQPPSVVPPGETARITCGGNNIGNK NVHWYQQKPGQAPVVLVREDSARPAGIPE RFSGSNSGNSATLTISRVEAGDEADYYCQV WDNTSDHVVFGGGTKLTVL SEQ ID NO. 88
RC8	EVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 92 QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 93	QSVLTQPPSVSAAPGQKVTCGSSNSNIGN NYVSWYQQLPGTAPKLLIYDSNKRPSGIPD FSGSKSGTSASLAISELRFEDADYYCAAW DDTSGHVFGPGTKLTVL SEQ ID NO. 86 SYELMQPPSVVPPGETARITCGGNNIGNK NVHWYQQKPGQAPVVLVREDSARPAGIPE RFSGSNSGNSATLTISRVEAGDEADYYCQV WDNTSDHVVFGGGTKLTVL SEQ ID NO. 88
RC10	EVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 94 QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 95	QSVLTQPPSVSAAPGQKVTCGSSNSNIGN NYVSWYQQLPGTAPKLLIYDSNKRPSGIPD FSGSKSGTSASLAISELRFEDADYYCAAW DDTSGHVFGPGTKLTVL SEQ ID NO. 86 SYELMQPPSVVPPGETARITCGGNNIGNK NVHWYQQKPGQAPVVLVREDSARPAGIPE RFSGSNSGNSATLTISRVEAGDEADYYCQV WDNTSDHVVFGGGTKLTVL SEQ ID NO. 88
RD2	EVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 96 QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 97	QSVLTQPPSVSAAPGQKVTCGSSNSNIGN NYVSWYQQLPGTAPKLLIYDSNKRPSGIPD FSGSKSGTSASLAISELRFEDADYYCAAW DDTSGHVFGPGTKLTVL SEQ ID NO. 86 SYELMQPPSVVPPGETARITCGGNNIGNK NVHWYQQKPGQAPVVLVREDSARPAGIPE RFSGSNSGNSATLTISRVEAGDEADYYCQV WDNTSDHVVFGGGTKLTVL SEQ ID NO. 88
RE8	EVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 98 QVQLVESGGGVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 99	QSVLTQPPSVSAAPGQKVTCGSSNSNIGN NYVSWYQQLPGTAPKLLIYDSNKRPSGIPD FSGSKSGTSATLGITGLQTGDEADYYCGTW DDSLNGWVFGGGTKLTVL SEQ ID NO. 92

RE9	EVQLVESGGVVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTMVTVSS SEQ ID NO. 93	QSALTQPASVSGSPGQSITISCTGTSSDVGG YNYVSWYQQHPGKAPKLMIIYDVSNRPSGV SNRFSGSKSGNTASLTISGLQAEDEADYYCS SYRSSTLGPVFGGGTKLTVL SEQ ID NO. 94 QAGLTQPPSASGSPGQSVTISCTGTSSDVGG GNYVSWYQQHPGKAPKLMIIYDVSNRPSGV VPDRFSGSKSGNTASLTISGLQAEDEADYYCS SSYTSSSTLVVFGGGTKLTVL SEQ ID NO. 96
RG12	QVQLVESGGVVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 95	NIQMTQSPSSVSASVGDRVTITCRASQDISR WLAWYQQKPGKAPKLLIIYASSLQSGVPSR FSGSGSGTDFALTISLQPEDFATYYCQQQAD SFFSITFGQGTRLEIK SEQ ID NO. 98
RSA1	EVQLVQSGGGLVQPGGSLRLSCAASGFTFSSYMMN WVRQAPGKGLEWVSYISSSSSTIYYADSVKGRFTISR DNAKNSLYLQMNSLRDEDTAVYYCARGDYYGMD VWGQGTTVTVSS SEQ ID NO. 97	AIQLTQSPATLSLSPGERATLSCRASQSVGVY LAWYQQKPGQSPRLLIYDTSKRATGIPDRFS ASGSGTDFTLTISLEPVEDFAYYCHQRHSW PTTFGQGTRLEIK SEQ ID NO. 100
R2A7	DHFDTWGQGTLTVSS SEQ ID NO. 99	NIQMTQSPSSLSASVGDRVTITCRASQSISSY LNWYQQKPGKAPKLLIIYASSLQSGVPSRFS
R2B12	EVQLVQSGAEVKPGASVKVSCASGGTFTSYMH WVRQAPGQGLEWMGMINPSSATTYTQKFQGRV SMTRDTSTSTVYMEMLSSLTSEDTAVYYCARDLFPHIY GNYGMDIWGQGTTVTVSS SEQ ID NO. 101	FSGSGTDFTLTISLQPEDFATYYCQQSYSTL TFGGGKVEIK SEQ ID NO. 102
R2C9	EVQLVQSGAEVKPGSSVKVSCASGGTFSSHVISW VRQAPGQGLEWMGGIPIFGTANYAQKFQGRVTIT ADESTSTAYMELESSMRSEDTAVYYCATSGVVAATHF GYWGQGTLTVSS SEQ ID NO. 103	QSVLTQPASVSGSPGQSITISCTGTSSDVGD YNLVSWYQQHPGKAPKLIYEVNKRPSGV NRFSGSKSGNTASLTISGLQAEDEADYYCSS YAGYNLYVFGTGTKVTVL SEQ ID NO. 104
R2D5	EVQLVQSGAEVKPGSSVKVSCASGGTFSYAIW VRQAPGQGLEWMGGIPIFGTANYAQKFQGRVTIT ADESTSTAYMELESSLRSEDTAVYYCARGASGSYFITT YVDYWGQGTLTVSS SEQ ID NO. 105	QSALTQPPSASGSPGQSVTISCTGTSSDVGG YNYVSWYQQHPGKAPKLIYDVNMRPSGV PDRFSGSKSGNTASLTISGLQAEDEADYYCS SYAGLYFPLFGGGTQLTVL SEQ ID NO. 106
R2D7	EVQLVESGGGLVQPGGPLRLSCAASGFTLSSYWMS WVRQAPGKGLEWVANIKYDGSETYYADSVKGRFTI SRDNAKNSLYLQMNRRLLEDTAVYYCAREVSSAATS PLDRWGRGTLTVSS SEQ ID NO. 107	DIVMTQSPSSLSASVGDRVTITCRASQSISSY LNWYQQKPGKAPKLLIIYASSLQSGVPSRFS GSGSGTDFTLTISLQPEDFATYYCQQSHSS RYTFGQGKLEIK SEQ ID NO. 108
R2F4	EVQLVQSGAEVKPGSSVKVSCASGGTFSRYGVH WVRQAPGQGLEWMGRILIPIVSMTNYAQKFQDRV SITTDKSTGTAYMEMLSLTSEDTALYYCASVGQQLP WVFFAWGQGTLTVSS SEQ ID NO. 109	QSVVTQPPSVSGAPGQRTVTISCTGSSSNIGA GYGVHWYQHLPGSAPKLLIYGNNSNRPSGV DRISGSKSGTSASLAITGLQAEDEAVYYCQSY DSSLSTSUVFGGGTKLTVL SEQ ID NO. 110
R2A10	EVQLVESGGVVQPGGSLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 111	QSVLTQPPSASGTPGQRTVTISCGSSSNIGS NTVHWYQQLPGTAPKVLITYTNNQRPSGV DRFSGSKSGTSASLAISGLQSEDEADYYCAA WDGRLQGWVFGGGTQLTVL SEQ ID NO. 112
R2E2	EVQLVESGGVVQPGGSLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 113	QAGLTQPPSASGTPGQRTVTISCFGSSSDIGS NTVNWYQQVSGRAPKLLYTNGQRPSGV DRFSGSKSGSSASLAISGLQSEDEADYYCAS WDDSLKGYVFGTGTKVTVL SEQ ID NO. 114

	EVQLVQSGAEVKPGSSVKVSCKASGGTFSSYAIW VRQAPGQGLEWMGRIIPILGIANYAQKFQGRVTITA DKSTSTAYMELSSLRSEDTAVYYCARVGGGAQTPFD YWGQGTLTVSS SEQ ID NO. 115 QVQLVQSGSEVKRPGASVRVSCKASGYIFSQYTIHW VRQAPGERLEWLGINAVTGNTKYAQKFQGRVTIT MDSSASTAFMEMSSLRSEDAVGYFCARDMVPFGG	QSVLTQPPSVAAPGQKVTCSCGSSSNIGN SYVSWYQHLPGTAPKLLIYDNNKRPSGIPDR FSGSKSATSLGITGLQTADEADYYCGTW DSSLGVVFGGGTKLTVL SEQ ID NO. 116 QSALTQPPSVSGSPGQSITISCTGTSSDVGG YNYVSWYQQHPGKAPKLMYINVSKRPSGV SNRFSGSKSGNTASLTISGLQAEDEADYYCS
R3B8	EIKYGFDFWGQGTMIVTSS SEQ ID NO. 117 QVQLVESGGGVQPGRSRLSCAASGFTFSSYGMH WVRQAPGKGLEWMGIINPSDGSTSQAQKFQGRVT SRDNKNTLFLQMNSLRAEDTAVYYCAKTLMPASI MGYFTHWGQGTLTVSS SEQ ID NO. 119 QVQLVQSGAEVKPGASVKVSCKASGYTFTSYMH WVRQAPGQGLEWMGGIIPFGTANYAQKFQGRVTIT MTRDTSTSTVYMEMLSSLRSEDTAVYYCARGYYGSGI AMDVWGQGTTVTVSS SEQ ID NO. 121 QVQLVQSGAEVKPGSSVKVSCKASGGTFSSYAIW VRQAPGQGLEWMGGIIPFGTANYAQKFQGRVTIT ADESTSTAYMELSSLRPEDTAVYYCARDNGDLGFDY WGQGTLTVSS SEQ ID NO. 123 EVQLVESGGGLIQPGGSLRLSCAASGFTVSSNYMS WVRQAPGKGLEWVSVIYSGGTIYYADSVKGRFTISR DSSKNTLYLHMNSLRAEDTGVYYCAKGVGWSIFD YWGQGTLTVSS SEQ ID NO. 125 EVQLVESGAELKKPGSSMKVSCKASGGTFSSYAIW VRQAPGQGLEYIGRIIPIFGVTYYAQKFQGRVTISAD KSTSTVYDLRSLRSEDTAVYYCARDLGGGDGDWG QGTLTVSS SEQ ID NO. 127 EVQLVQSGAEVKPGSSVKVSCKASGYTFTGYMH WVRQAPGQGLEWMGRIIPIFGTANYAQKFQGRVT ITADESTSTAYMELSSLRSEDTAVYFCVTSAWSDWG QGTLTVSS SEQ ID NO. 129	SYTSSSTFVFGTGTKVTVL SEQ ID NO. 118 SYELMQPPSVVAPGETARITCGGNINIGSKS VHWYQQKPGQAPIVLVYDGRPSGIPERFS GSNSGNTATLTISRAEAGDEADYYCHVWD YTDHVVFGGGTKLTVL SEQ ID NO. 120 QPVLTQPPSLSVAPGKTAISIACGGNNIGSKR VHWYQQKPGQAPVLIYEDRPSGIPERF SGTISQNTATLSISRVEAGDEADYYCQVWD RSSAHVVFGGGTKVTVL SEQ ID NO. 122 AIQMTQSPSSLSASVGDRVTITCRASQISTY LNWYQQKPGKAPKLLIYAASSLQNGVPSRF SGSGSGTDFLTISLQPEDFATYYCQQSYT PRTFGPGTKVDIK SEQ ID NO. 124 DIQMTQSPSSLSASVGDRVTITCQASQDISN YLNWYQQKPGKAPKLLIFAGSNLQSGVPSR FSGSGSGTDFLTISLQPEDFATYYCQQSYT TPTFGQGTVKEIK SEQ ID NO. 126 QSVVTQPPSVSGSPGQSITISCTGTSSDVGS YNLVSWYQQHPGKAPKLMYEGSKRPSGV TRFSGSKSGNTASLTISGLQAEDESDYYCSSY TGSAWVFGGGTKLTVL SEQ ID NO. 128 QSVVTQPPSVSATPGQKVTCSCGSDSNIGN NYVSWFLQLPGTAPKLLIHNNDQRPSGV RFSGSKSGTSASLAITGLQAEDEADYYCQSF DDSLRGYLFGTGTKVTVL SEQ ID NO. 130 QAVLTQPPSVAAPGQKVTCSCGSSNIAN NYVSWYQHLPGTAPKLLIYDDNNKRPSGIPD RFSGSKSGTSATLGITGLQTDGADYYCGT WDNSLNSDWVFGGGTKL SEQ ID NO. 132 QSVLTQPPSVVAPGKTAITCGGNINIGSKS VHWYQQKPGQAPVLIYEDRPSGIPERF SGSNSGNTATLTISRVEAGDEADYYCQVWD SSSDHYVFGTGTKLTVL SEQ ID NO. 134 VIWMTQSPSSLSASVGDRVTITCRASQTISS YLNWYQQKPGKAPKLLIYAASSLQSGVPSRF SGSGSGTDFLTISLQPEDFATYYCQQANS FPLTFGGGTKEIK SEQ ID NO. 136 QSVLTQPPSVAAPGQKVTCSCGNNSNIA NNYVSWYQQLPGTAPKLLIYDNNYRPSGIP DRFSGSKSGTSATLDITGLQTDGADYYCGV WDGSLTTGVFGGGTKLTVL SEQ ID NO. 138
R3C3		
R3E9		
R3E10		
R3F7		
R3F10		
R4B10		
R4H1		
R4A11		
R3D2		
R5B8		
SH1A1Q	SFDYWGQGTLTVSS SEQ ID NO. 137	

SH1B7B(K)	EVQLVQSGAEVKKPGSSVKVSCKASGGTFSSYAIW VRQAPGQGLEWMGIINPSGGSTSYAQKFQGRVSM TRDTSTSTVYMELOSSLTSEDTAVYYCARDLFPHIYGN YYGMDIWGQGTTVTVSS SEQ ID NO. 139	AIQMTQSPSSLSASVGDRVTITCRASQGISN YLAWYQQKPGKVKLIYAASTLESGVPSRF SGSGSGTDFLTISLQLQPEDLATYYCQQLHTF PLTFGGGTKEIK SEQ ID NO. 140 QPVLTQPPSASGSPGQSVTISCTGTSSDVGA
SH1C1	QVQLVQSGAEVKKPGSSVKVSCKASGGTFSSYAIW VRQAPGQGLEWMGGIIPIFGTANYAQKFQGRVTIT ADKSTSTAYMELOSSLRSEDTAVYYCARLAVPGAFDI WGQGTMVTVSS SEQ ID NO. 141	YNFVSWYRQHPGKAPKLMYEVNKRPSGV PDRFSGSKSGNTASLTVSGLQAEDEADYYCS SYAGTNSLGIFGTGTKLTVL SEQ ID NO. 142 QSVTQPPSVAAPGQKVTCSCGSSSDIGN
SH1C8	EVQLVESGGVVQPGRLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISYDGSNKYYADSVKGRFTI SRDNSKNTLYLQMNSLRAEDTAVYYCARGQWLVT LDYWQGQGTLTVSS SEQ ID NO. 143	HYVSWYQQLPGTAPKLLIYDNNQRPSGIP RFSFGSKSGTSATLAITGLQTGDEADYYCGT WDNSLSPHLLFGGGTKLTVL SEQ ID NO. 144 QSVLTQPPSVAAPGQKVTCSCGSSSNMG
SH1E10	EVQLVESGGSEVEKPGSSVKVSCKASGGTFSDSGISW VRQAPGQGLEWMGGIIPMFATPYYAQKFQDRVTI TADESTSTVYMELOSSLRSEDTAVFYCARDRGRGHL WYFDLWGRGTLTVSS SEQ ID NO. 145	NNYVSWYKQVPGTAPKLLIYENDKRPSGIP DRFSGSKSGTSATLGITGLQTGDEADYYCGT WDNSLSGFVFASGTVKTVL SEQ ID NO. 146 QSALTQPASVSGSLQSVTISCTGSSSDVGS
SH1E2	EVQLVESGAEVKKPGSSVKVSCKASGGTFSYAIW VRQAPGQGLEWMGGIIPIFGTANYAQKFQGRVTIT ADESTSTAYMELOSSLRSEDTAVYYCARAPYYYYYMD VWGQGTTVTVSS SEQ ID NO. 147	YNLVSWYQQHPGKAPNLMIYDVSKRSGVS NRFSGSKSGNTASLTISGLQAEDEADYYCSS YTGISTVVFGGGTKLTVL SEQ ID NO. 148 QSVLTQPASVSGSPGQSVTISCTGTSSDVGSY
SH1A9	EVQLLESGAEVKKPGSSVKVSCKASGGTLSRYALSW VRQAPGQGPEWVGAIIPIFGTPHYSKKFQDRVIITV DTSTNTAFMELOSSLRFEDTALYFCARGHDEYDISGYH RLDYWGQGTLTVSS SEQ ID NO. 149	NLVSWYQQHPGKAPKLMYEVSKRPSGV NRFSGSKSGNTASLTISGLQAEDEADYYCSS YGGFNNLLFGGGTKLTVL SEQ ID NO. 150 DIVMTQSPSSLSASIGDRVTITCRASQRISAY
SH1B11	QVQLVQSGSELEKKPGSSVKVSCKASGYSFGYYIHW VRQAPGQGLEWMGWIDPNSGVTNYVRRFQGRVT MTRDTSLSTAYMELOSSLRSEDTAVYYCARGWLD FGYLDYWQGQGTLTVSS SEQ ID NO. 151	VNWYQQKPGKAPKVLIAASSLRSGVPSRF SGSGSGTDFLTISLQLQPEDFATYYCQQTYS PWTFGQGTVKEIK SEQ ID NO. 152 QSVLTQPPSASGSPGQSVTISCTGTSSDVG
SH1E4	QVQLVQSGAEVKKPGSSVKVSCKASGGTFSYGVH WVRQAPGQGLEWMGRILIPIVSMTNYAQKFQDRV SITTDKSTGTAYMELOSSLRSEDTALYCCASVGQQLP WVFFAWGQGTLTVSS SEQ ID NO. 153	YDSVSWYQQHPGKAPKLMYDVSKRPSGV SNRFSGSKSGNTASLTISGLQAEDEADYYCS SYTSSIFFYVFGTGTKLTVL SEQ ID NO. 154 LPVLTQPASVSGSPGQSVTISCTGTSSDVG
SH1B3	QVQLVESGGVVQPGRLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLD DYWGQGTLTVSS SEQ ID NO. 155	DYVSWYQQHPGKAPKLMYDVSKRPSGV NRFSGSKSGNTASLTISGLQAEDEADYYCSS YTSSSTHVFGTGTKLTVL SEQ ID NO. 156 QSALTQPASVSGSPGQSVTISCTGTSSDVG
SH1D1	EVQLVESGGVVQPGRLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLD DYWGQGTLTVSS SEQ ID NO. 157	YNYVSWYQQHPGKAPKLMYDVSNRPSGV SNRFSGSKSGNTASLTISGLQAEDEADYYCS SYRSSTLGPVFGGGTKLTVL SEQ ID NO. 158 QAGLTQPPSVSEAPRQRTISCGSSSNIGN
SH1D2	QVQLVESGGVVQPGRLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLD DYWGQGTLTVSS SEQ ID NO. 159	NAVNWYQQLPKGAPKLLIYDDLLPSGVSD RFSFGSKSGTSASLAISGLQSEDEADYYCAAW DDSLNGYVFGTGTKLTVL SEQ ID NO. 160

SH1D12	EVQLVESGGVVQPGRLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 161	QSALTQPRSVSGSPGQSVTISCTGTSSDVGG YNYVSWYQQHPGKAPKLMYDVSKRPSGV PDRFSGSKSGNTASLTISGLQAEDADYYCS SYTSSTHVFGTGTKVTVL SEQ ID NO. 162 QSVVTQPPSVAAPGQKVTCISCGSSNIGN NYVSWYQQLPGTAPKLLIYDNNKRPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSVWVFGGGTQLTVL SEQ ID NO. 164
SH1E1	EVQLVESGGVVQPGRLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 163	QSVLTQPVASVSGSPGQSVTISCTGTSSDVGG YNYVSWYQQHPGRAPRMLIYDVSNRPSGV SNRFSGSKSGNTASLTISGLQAEDEGDYYCS SYTSGGLGPVFGGGTKLTVL SEQ ID NO. 166
SH1G9	QVQLVESGGVVQPGRLRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 165	QAGLTQPPSASGTPGQRVTCISCGSSNIGS NTVNWYQQLPGTAPKLLIYSNNQRPSGV DRFSGSKSGTSASLAISGLQSEDEADYYCAA WDDSLNGWVFGGGTKLTVL SEQ ID NO. 168
SH1A11	EVQLVQSGGLVQPGGSLRLSCAASGFTFSDYGMH WVRQPPGKGLEWLAVISYDGSYKIHADSVQGRFTI RDNAKNSVFLQMNSLKTEDTAVYYCTTDRKWAW HGMDVWQGTTTVSS SEQ ID NO. 167	AIRMTQSPSSLSASVGDRVTCRASQSIISNY LNWYQQRPGKAPNLLIYAASSLQSGVPSRF SGSGSGTDFTLTISLQPEDFATYYCQQTYST PYTFGQGTLKLEIK SEQ ID NO. 170
SH1C2	EVQLVESGAEVKKPGASVKVSCKASGDTFSRYGITW VRQAPGRGLEWMGNIVPFFGATNYAQKFQGRVTIT ADESTSTAYMELSSLRSED TAVYYCARDGIVADFQH WGQGTLTVSS SEQ ID NO. 169	QSVLTQPVASVSGSPGQSVTISCTGTSSDVGG YNYVSWYRQHPGKAPKLMYDVSYRPSGV NRFSGSKSGNTASLTISGLQAEDADYYCSS YTDSSTRYVFGTGTKLTIVL SEQ ID NO. 172
SH1G8	EVQLVESGAEVKKPGASVKVSCKASGTYFNSYDINW VRQAPGQGLEWMGGIIPVFGTANYAESFQGRVTM TADHSTSTAYMELNNLRSED TAVYYCARDRWHYES RPMDVWQGTTTVSS SEQ ID NO. 171	QVPLTQPPSASGTPGQRVVAISCGSRSNIEI NSVNWYQQLPGTAPKLLIYDNNKRPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGS WDSSLSADVFGTGTKLTIVL SEQ ID NO. 174
SH1H2	EVQLLESGAEVKKPGASVKVSCKASGTYFNSYDINW VRQAPGQGLEWMGGIIPVFGTANYAESFQGRVTM TADHSTSTAYMELNNLRSED TAVYYCARDRWHYES RPMDVWQGTTTVSS SEQ ID NO. 173	QSVLTQPPSVAAPGKVKVTCISCGSSNIGN NYVSWYQQLPGTAPKLLIYRNNQRPSGV RFSGSKSGTSASLAISGLQSEDEADYYCATW DDSLNGWVFGGGTKLTVL SEQ ID NO. 176
SH1B10	EVQLVESGGGLVRPGGSLRLACAASGFSFSDYYMT WIRQAPGRGLEWIAISDSGQTVHYADSVKGRFTI RDNTKNSLFLQVNTRAE TAVYYCAREDLGYYLQ SWGQGTLTVSS SEQ ID NO. 175	QSVVTQPPSVSGAPGQRVTCISCTGSSNIGA GYDVHWYQQLPGTAPKLLIYGNNNRHSGV PDRFSGSKSGTSASLAITGLQAEDEAEFFCG TWDSSLTTYVFGSGTKLTVL SEQ ID NO. 178
SH1B7A(L)	EVQLQQSGPGLVKPSQTLSTCAISGDSVSSNSAA WNWIRQSPSRGLEWLGRYYRSKWYNDYAVSVKS RITINPDTSKNQFSQLNSVTPED TAVYYCARDEPRA VAGSQAYYYGMDVWQGTTTVSS SEQ ID NO. 177	QSVVTQPPSVSAAPGQKVTCISCGSSNIGN NYVSWYQQLPGTAPKLLIYDNNKRPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAVVFGGGTKLTVL SEQ ID NO. 180
SH1E6	QVQLVQSGAEVKPGSSVKVSCKASGGTFSRYGVH WVRQAPGQGLEWMGRILIPIVSMTNYAQKFQDRV SITTDKSTGTAYMELRLS LTSED TALYYCASVGQQLP WVFFAWQGTTTVSS SEQ ID NO. 179	VIWMTQSPSSLSASVGDRVTCRASQSISS YLNWYQQKPGKAPKLLIYEASTLESGVPSRF SGSGSGTEFTLTISSLQPEDFATYYCQQSYST PYTFGQGTLKLEIK SEQ ID NO. 182
SH1C11	EVQLVQSGAEVKPGASVKVSCKASGTYFTSYYMH WVRQAPGQGLEWMGIINPSDGSTSQAQKFQGRVT MTRDTSTTVHME LSSLRSED TAVYYCARDLFPHIY GNYYGMDIWQGTTTVSS SEQ ID NO. 181	

		QSVVTQPPSVAAPGQKVTCSCGSSNIGN NYVSWYQQVPGTAPKLLIYDNNKRPSGIPD RFSGSNSDTSATLGITGLQTGDEADYYCGT WDSSLSAWVFGGGTKLTVL SEQ ID NO. 184
SH1A2	QMQLVQSGGGVVQPGRSRLSCAASGFTFSSYAM HWVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFT TISRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDR DIDYWGQGTLTVSS SEQ ID NO. 183	QSVVTQPPSVAAPGQKVTCSCGSSNIGN NYVSWYQQVPGTAPKLLIYDNNKRPSGIPD RFSGSNSDTSATLGITGLQTGDEADYYCGT WDSSLSAWVFGGGTKLTVL SEQ ID NO. 184
SH1B1	QVQLVQSGGGVVQPGRSRLSCAASGFTFSSYAMH WVRQAPGKGLEWVAVISFDGSNKYYADSVRGRFTI SRDNSKNTLYLQMNSLRTEDTAVYYCARGWLDRDI DYWGQGTLTVSS SEQ ID NO. 185	QSVVTQPPSVAAPGQKVTCSCGSSNIGN NYVSWYQQVPGTAPKLLIYDNNKRPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAGSVVFGGGTKLTVL SEQ ID NO. 186
R6B2	EVQLVQSGAEVKPGSSVKVSCKASGGTFSSYAIW VRQAPGQGLEWMGGIIPIFGTANYAQKFQGRVTIT ADESTSTAYMELSSLRSEDTAVYYCARDGIVADFQH WGQGTLTVSS SEQ ID NO. 187	QPVLTQPRSVSGSPGQSVTISCTGTSSDVGG YNFVSWYQQNPGKAPKLMYDVSKRPSGV PDRFSGSKSGNTASLTSGLRAEDEADYYCA SYAGGRTFVFGGGTKVTVL SEQ ID NO. 188
R6B7	QMQLVQSGAEVKPGSSVKVSCKASGGTFNSYPIS WVRQAPGQGLEWMGGIIPIFGTANYAQKFQGRVT ITADESTSTAYMELSSLRSEDTAMYYCAKNHPTATL DYWGQGTLTVSS SEQ ID NO. 189	QSVLTQSPSSFSASTGDRVTITCRASQGISSY LAWYQQKPGKAPKLLIYAASTLQSGVPSRFS GSGSGTDFTLTISCLQSEDFAVYYCQQYYSYPL LTFGGGTKLTVL SEQ ID NO. 190
R6B11	QVQLVQSGGGVVQPGRSRLSCAASGFPFRSYDM HWVRQAPGEGLEWVALISSLGSNKYYLDSVKGRFT ISRDNSKNTLYLQMNSLRAEDTAVYYCAKDLLPYSS WDYYYYYGMDDVWGQGTTVSS SEQ ID NO. 191	LPVLTQPVASASAGQSIASCTGISSDIGDY NSVSWYQRHPGKAPKLLIYDVSRRPSGVAD RFSGSKSGSTASLSISGLQAEDEADYYCASYT ASDNPVFGGGTKLTVL SEQ ID NO. 192
R6D1	EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHW VRQAPGKGLEWVARIYPTNGYTRYADSVKGRFTISA DTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYA MDYWGQGTLTVSS SEQ ID NO. 193	SYELMQPPSVVAPGKTATIACGGENIGRKT VHWYQQKPGQAPVLVIYYDSDRPSGIPERF SGSNSGNTATLTISRVEAGDEADYYCQVWD SSSDHRIFFGGGTKLTVL SEQ ID NO. 194
R6C8	EVQLVESGGGLVKPGGSRKLSCAASGFTFSNYGMH WVRQAPEKGLEWVAYISSGSTIYYADTVKGRFTISR DNAKNTLFLQMTSLRSEDTAMYYCARRGLLDYWG QGTTLVSS SEQ ID NO. 195	QSVLTQPPSVAAPGQEVTCSCGSNSNIGN NYVSWYQQVPGTAPKLLIYDNNERPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAGVFGGGTKLTVL SEQ ID NO. 196
R9G8	EVQLVQSGAEVKPGASVKVSCKASGYTFTSYGISW VRQAPGQGLEWMGWISAYNGNTNYAQKLQGRVT MTTDTSTSTAYMELRSLSRSDDTAVYYCARDLFPTIF WEAGAFDIWGQGTMVTVSS SEQ ID NO. 197	QSVLTQPPSVAAPGQEVTCSCGSNSNIGN NYVSWYQQVPGTAPKLLIYDNNERPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAGVFGGGTKLTVL SEQ ID NO. 198
R7D1	QVQLVQSGSEVEKPGSSVKVSCKASGGTFSDSGISW VRQAPGQGLEWMGGIIPMFATPYYAQKFQDRVTI TADESTSTVYMEGLRSRSDDTAVFYCARDRGRGHLP WYFDLWGRGTLTVSS SEQ ID NO. 199	QSVLTQPPSVAAPGQEVTCSCGSNSNIGN NYVSWYQQVPGTAPKLLIYDNNERPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAGVFGGGTKLTVL SEQ ID NO. 200
R7D2	QVQLVQSGAEVKPGSSVKVSCKASGGTFSSYAIW VRQAPGQGLEWMGGIIPIFGTANYAQKFQGRVTIT ADESTSTAYMELSSLRSEDTAVYYCARDGIVADFQH WGQGTLTVSS SEQ ID NO. 201	AIRMTQSPSSLSASVGDRVTITCRASQSIISNY LNWYQQRPGKAPNLLIYAASSLQSGVPSRF SGSGSGTDFTLTISLQPEDFAVYYCQQTYST PYTFGQGKTLKIEI SEQ ID NO. 202
R7E7	EVQLLESGAEVKKPGSSVKVSCKASGGTFSSYAIWV RQAPGQGLEWMGRIIPILGIAODYAQKFQGRVTITAD KFTSTAYMELSSLRSEDTAVYYCATVEGWGAVTTFD YWGQGTLTVSS SEQ ID NO. 203	QSVLTQPPSVAAPGQEVTCSCGSNSNIGN NYVSWYQQVPGTAPKLLIYDNNERPSGIPD RFSGSKSGTSATLGITGLQTGDEADYYCGT WDSSLSAGVFGGGTKLTVL SEQ ID NO. 204

	QVQLVQSGAEVKPGSSVKVSCKASGGTLSSYAIW VRQVPGHGLEWMGRIISMLGVNSYAQNQFQGRVTI TADKSTSTAYMELRSLTSDDTAVYYCATVTIFGDYY AMDVWGQGTTVTVSS SEQ ID NO. 205 EVQLVQSGAEVKPGSSVKVSCKASGGTFSSHVISW VRQAPGQGLEWMGIILPSFGKTNYAQKFQGRVTM TGDTSTSTVYMEMLSSLTSEDTAVYYCREFSGGYFDY WGQGTLTVSS SEQ ID NO. 207 QVQLVQSGAEVKPGASVKVSCKASGYTFTSYVIH WVRQAPGQRLWMGWIHAGNGHTKYAQNFQGR VTITRDTSATTAVEVSSLGSEDTALYYCAREGSDIGL DLHYWGQGTLTVSS SEQ ID NO. 209 EVQLVQSGGGVVQPGRSRLSCEASGFTFRNFAMH WVRQAPGKGLEWAAVISVDSREHYADSVKGRFTI SRDNSQNTVYLQMNGLRPEDTAEYYCAREGEGST WSSFDYWGQGTLTVSS SEQ ID NO. 211 QMQLVQSGAEVKPGSSVKVSCKASGGTFSSYAYS WVRQAPGQGLEWMGGIIPSGTANYAQKFQGRV TITADESTSTAYMELSSLRSEDTAVYYCARGPIVATIT PLDYWGQGTLTVSS SEQ ID NO. 213 QMQLVQSGAEVKPGSSVKVSCKASGGTFSSYAYS WVRQAPGQGLEWMGGIIPSGTANYAQKFQGRV TITADESTSTAYMELSSLRSEDTAVYYCARGPIVATITP LDYWGQGTLTVSS SEQ ID NO. 215 QMQLVQSGAEVKPGSSVKVSCKASGGTFSSYAYS WVRQAPGQGLEWMGGIIPSGTANYAQKFQGRV TITADESTSTAYMELSSLRSEDTAVYYCARGPIVATIT PLDYWGQGTLTVSS SEQ ID NO. 217 QMQLVQSGAEVKPGSSVKVSCKASGGTFSSYAI WVRQAPGQGLEWMGGIIPAFGTANYAQKFQGRV TITADESTSTAYMELSSLRSEDTAVYYCARGPIVATIT PLDYWGQGTLTVSS SEQ ID NO. 219 QVQLVQSGAEVKPGASVKVSCKTSNTFTNYALH WVRQAPGQGLEWMGGMKPSGGSTSIAQKFQGR VTMTRDKSTSTVYMEMLSSLTSEDTAVYYCARDLPHI FGNYYGMDIWGQGTTVTVSS SEQ ID NO. 221 QVQLVQSGAEVKPGASVKVSCKTSNTFTNYMH WVRQAPGQGLEWMGSMQPSGGSTSIAQKFQGR VTMTRDKSTSTVYMEMLSSLTSEDTAVYYCARDLPHI LGNYYGMDIWGQGTTVTVSS SEQ ID NO. 223 QVQLVQSGAEVKPGASVKVSCKTSNTFTNYPM HWVRQAPGQGLEWMGSMKPSGGSTSIAQKFQGR VTMTRDKSTSTVYMEMLSSLTSEDTAVYYCARDLPHI IGNYYGMDIWGQGTTVTVSS SEQ ID NO. 225 QVQLVQSGAEVKPGASVKVSCKTSNTFTNYSMH WVRQAPGQGLEWMGIMNPSSGTSYAQKFQGR VTMTRDKSTSTVYMEMLSSLTSEDTAVYYCARDLPHI YGNYYGMDIWGQGTTVTVSS SEQ ID NO. 227 EVQLVQSGAEVKPGASVKVSCKASGYTFTGYMH WVRQAPGQGLEWMGWINPNSDNTGSAQKFQGR VFMTKTTSLNTAYMELSLRSEDTAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 229	QSVLTQPPSVGAPGQRTISCTGSSNIGA GYDVYWYQHLLGKAPKLLIYGNNSRPGSVS DRFSASKSGTSVSLAITGLQAEDADYYCQS YDSSLSGYVFGTGTKLTVL SEQ ID NO. 206 QPVLQPASVSGSPGQTSITISCTGTSSDVGS YNLVSWYQQHPGKAPKLMYEVSKRPGSVS NRFSGSKSGNTASLTISGLQAEDADYYCNT YTSSGTYVIGTGTKTVL SEQ ID NO. 208 QPVLQPASVSGSPGQTSITISCTGTSSDIGR NYVSWYQQHPGKAPKVMYDVSNRPGSVS NRFSGSKSGNTASLTISGLQAEDADYYCSS YTSSSTWVFGGGTKLTVL SEQ ID NO. 210 QS VVTQPPSVAAPGQKVTSICSGSSNIGN NYVSWYQQLPGTAPKILYDNDKRPSPGIPDR FSGSKSGTSATLGITGLQTGDEADYYCGTW DRSLSGYVFGTGTKTVL SEQ ID NO. 212 SYELMQPPSVVAPGKTATIACGGENIGRKT VHWYQQKPGQAPVLVIYYDSDRPSGIPERF SGNSGNTATLTISRVEAGDEADYYCLVWD SSSDHRIFGGGTKLTVL SEQ ID NO. 214 SYELMQPPSVVAPGKTATIACGGENIGRKT VHWYQQKPGQAPVLVIYYDSDRPSGIPERF SGNSGNTATLTISRVEAGDEADYYCQVWD SSSDHRIFGGGTKLTVL SEQ ID NO. 216 SYELMQPPSVVAPGKTATIACGGENIGRKT VHWYQQKPGQAPVLVIYYDSDRPSGIPERF SGNSGNTATLTISRVEAGDEADYYCQVWD SSSDHRIFGGGTKLTVL SEQ ID NO. 218 SYELMQPPSVVAPGKTATIACGGENIGRKT VHWYQQKPGQAPVLVIYYDSDRPSGIPERF SGNSGNTATLTISRVEAGDEADYYCQVWD SSSDHRIFGGGTKLTVL SEQ ID NO. 220 DIVMTQSPPSLASVGDRVTITCRASQSISSY LNWYQQKPGKAPKLLIYASSLQSGVPSRFS GSGSGTDFTLTISLQPEDFATYYCQGSYSTP YTFGQGTTKVEIK SEQ ID NO. 222 DIVMTQSPPSLASVGDRVTITCRASQSISSY LNWYQQKPGKAPKLLIYASSLQSGVPSRFS GSGSGTDFTLTISLQPEDFATYYCQGSYSTP YTFGQGTTKVEIK SEQ ID NO. 224 DIVMTQSPPSLASVGDRVTITCRASQSISSY LNWYQQKPGKAPKLLIYASSLQSGVPSRFS GSGSGTDFTLTISLQPEDFATYYCQGSYSTP YTFGQGTTKVEIK SEQ ID NO. 226 DIVMTQSPPSLASVGDRVTITCRASQSISSY LNWYQQKPGKAPKLLIYASSLQSGVPSRFS GSGSGTDFTLTISLQPEDFATYYCQGSYSTP YTFGQGTTKVEIK SEQ ID NO. 228 DIVMTQSPPSLASVGDRVTITCRASQSISSF LNWYQQKPGKAPKLLIYASSLQSGVPSRFS GSGSGTDFTLTISLQPEDFATYYCQGSYSTP ITFGQGTTKVEIK SEQ ID NO. 230
R7F2		
R7F7		
R9H2		
R9H6		
H6B1L		
H6A1		
H6B1		
H6B2		
H19C		
H110D		
H11F		
H1C1		
PGP1A2		

	QVQLVQSGAEVKLGASVKVSKASGYPFTGYYMH WVRQAPGQGLEWMGWINPNGDNTGLAQKFQGR VFMTKTTSLNTAYMELSGLRSEDTAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 231	DIVMTQSPSSLSASVGDRVITCRATPSTSSY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQSYSTP ITFGQGKLEIK SEQ ID NO. 232
GP GG8	QVQLVQSGAEVKPGASVKVSKTSGYPFTGYYMH WVRQAPGQGLEWMGWINPLSDTTGSAQKFQGR VFMTKTTSLNTAYMELSGLRSEDTAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 233	DIVMTQSPSSLSASVGDRVITCRASQSISSY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQSYSTP ITFGQGKLEIK SEQ ID NO. 234
GP GG10	QVQLVQSGAEVKPGASVKVSKTSGYPFTGYYMH WVRQAPGQGLEWMGWINPLSDNTGSAQKFQGR VFMTKTTSLNTAYMELSGLRSEDTAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 233	DIVMTQSPSSLSASVGDRVITCRASQSISSF LNWYQQKPGKAPKLLIYASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQSYSTP ITFGQGKLEIK SEQ ID NO. 234
GP GH7	QVQLVQSGAEVKPGASVKVSKTSGYTFTGYYMH WVRQAPGQGLEWMGWINPLSDNTGSAQKFQGR VFMTKTTSLNTAYMELSGLRSEDTAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 235	DIVMTQSPSSLSASVGDRVITCRASQSISSF LNWYQQKPGKAPKLLIYASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQSYSTP ITFGQGKVEIK SEQ ID NO. 236
GP GH10	QVQLVQSGAEVKPGASVKVSKTSGYTFTGYYMH WVRQAPGQGLEWMGWINPLSDNTGSAQKFQGR VFMTKTTSLNTAYMELSGLRSEDTAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 237	DIVMTQSPSSLSASVGDRVITCRASQSISSY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQAYST ITFGQGKVEIK SEQ ID NO. 238
GP GH11	QVQLVQSGAEVKPGASVKVSKTSGYTFTGYYMH WVRQAPGQGLEWMGWINPLSDNTGSAQKFQGRV FMTKTTSLNTAYMELSGLRSEDTAIYYCARERSSGY DFWGQGTLTVSS SEQ ID NO. 239 SEQ ID NO. 239	DIVMTQSPSSLSASVGDRVITCRASQSISSY LNWYQQKPGKAPKLLIYAASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQSYSTP ITFGQGKLEIK SEQ ID NO. 240
GP GH10P	QVQLVQSGAEVKPGASVKVSKTSGYTFTGYYMH WVRQAPGQGLEWMGWINPLSDNTGSAQKFQGR VFMTKTTSLNTAYMELSGLRSEDTAIYYCARERSSGY FDFWGQGTLTVSS SEQ ID NO. 241	DIVMTQSPSSLSASVGDRVITCRASQSISSF LNWYQQKPGKAPKLLIYASSLQSGVPSRFS GSGSGTDFTLTISSLQPEDFATYYCQQPYSTP ITFGQGKVEIK SEQ ID NO. 242

We claim:

1. A fully human antibody of an IgG class that binds to a PD-L1 epitope with a binding affinity of at least  $10^{-6}$ M, that has a heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56,

SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, 5 SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, 10 SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, 15 SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof.

20       2.     The fully human antibody of claim 1, wherein the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2 (called E6 herein), SEQ ID NO. 3/SEQ ID NO. 4 (called E7 herein), SEQ ID NO. 5/SEQ ID NO. 6 (called E9 herein), SEQ ID NO. 7/SEQ ID NO. 8 (called E11 herein), SEQ ID NO. 9/SEQ ID NO. 10 (called F1 herein), SEQ ID NO. 11/SEQ ID NO. 12 (called F4 herein), SEQ ID NO. 13/SEQ ID NO. 14 (called F7 herein), SEQ ID NO. 15/SEQ ID NO. 16 (called F8 herein), SEQ ID NO. 17/SEQ ID NO. 18 (called F11 herein), SEQ ID NO. 19/SEQ ID NO. 20 (called G4 herein), SEQ ID NO. 21/SEQ ID NO. 22 (called G9 herein), SEQ ID NO. 23/SEQ ID NO. 24 (called G11 herein), SEQ ID NO. 25/SEQ ID NO. 26 (called G12 herein), SEQ ID NO. 27/SEQ ID NO. 28 (called H1 herein), SEQ ID NO. 29/SEQ ID NO. 30 (called H3 herein), SEQ ID NO. 31/SEQ ID NO. 32 (called H4 herein), SEQ ID NO. 33/SEQ ID NO. 34 (called H5 herein), SEQ ID NO. 35/SEQ ID NO. 36 (called H6 herein), SEQ ID NO. 37/SEQ ID NO. 38 (called H10 herein), SEQ ID NO. 39/SEQ ID NO. 40 (called H12 herein), SEQ ID NO. 41/SEQ ID NO. 42 (called PDL-D2 herein), SEQ ID NO. 43/SEQ ID NO. 44 (called PDL-D11 herein), SEQ ID NO. 45/SEQ ID NO. 46 (called PDL-H1 herein),

SEQ ID NO. 47/SEQ ID NO. 48 (called RB4 herein), SEQ ID NO. 49/SEQ ID NO. 50 (called RB11 herein), SEQ ID NO. 51/SEQ ID NO. 52 (called RC5 herein), SEQ ID NO. 53/SEQ ID NO. 54 (called RF5 herein), SEQ ID NO. 55/SEQ ID NO. 56 (called RG9 herein), SEQ ID NO. 57/SEQ ID NO. 58 (called RD1 herein), SEQ ID NO. 59/SEQ ID NO. 60 (called RF11 herein), SEQ ID NO. 61/SEQ ID NO. 62 (called RH11 herein), SEQ ID NO. 63/SEQ ID NO. 64 (called RD9 herein), SEQ ID NO. 65/SEQ ID NO. 66 (called RE10 herein), SEQ ID NO. 67/SEQ ID NO. 68 (called RA3 herein), SEQ ID NO. 69/SEQ ID NO. 70 (called RG1 herein), SEQ ID NO. 71/SEQ ID NO. 72 (called RB1 herein), SEQ ID NO. 73/SEQ ID NO. 74 (called RG7 herein), SEQ ID NO. 75/SEQ ID NO. 76 (called RA6 herein), SEQ ID NO. 77/SEQ ID NO. 78 (called RA8 herein), SEQ ID NO. 79/SEQ ID NO. 80 (called RA9 herein), SEQ ID NO. 81/SEQ ID NO. 82 (called RB5 herein), SEQ ID NO. 83/SEQ ID NO. 84 (called RB8 herein), SEQ ID NO. 85/SEQ ID NO. 86 (called RC8 herein), SEQ ID NO. 87/SEQ ID NO. 88 (called RC10 herein), SEQ ID NO. 89/SEQ ID NO. 90 (called RD2 herein), SEQ ID NO. 91/SEQ ID NO. 92 (called RE8 herein), SEQ ID NO. 93/SEQ ID NO. 94 (called RE9 herein), SEQ ID NO. 95/SEQ ID NO. 96 (called RG12 herein), SEQ ID NO. 97/SEQ ID NO. 98 (called RSA1 herein), SEQ ID NO. 99/SEQ ID NO. 100 (called R2A7 herein), SEQ ID NO. 101/SEQ ID NO. 102 (called R2B12 herein), SEQ ID NO. 103/SEQ ID NO. 104 (called R2C9 herein), SEQ ID NO. 105/SEQ ID NO. 106 (called R2D5 herein), SEQ ID NO. 107/SEQ ID NO. 108 (called R2D7 herein), SEQ ID NO. 109/SEQ ID NO. 110 (called R2F4 herein), SEQ ID NO. 111/SEQ ID NO. 112 (called R2A10 herein), SEQ ID NO. 113/SEQ ID NO. 114 (called R2E2 herein), SEQ ID NO. 115/SEQ ID NO. 116 (called R3B8 herein), SEQ ID NO. 117/SEQ ID NO. 118 (called R3C3 herein), SEQ ID NO. 119/SEQ ID NO. 120 (called R3E9 herein), SEQ ID NO. 121/SEQ ID NO. 122 (called R3E10 herein), SEQ ID NO. 123/SEQ ID NO. 124 (called R3F7 herein), SEQ ID NO. 125/SEQ ID NO. 126 (called R3F10 herein), SEQ ID NO. 127/SEQ ID NO. 128 (called R4B10 herein), SEQ ID NO. 129/SEQ ID NO. 130 (called R4H1 herein), SEQ ID NO. 131/SEQ ID NO. 132 (called R4A11 herein), SEQ ID NO. 133/SEQ ID NO. 134 (called R3D2 herein), SEQ ID NO. 135/SEQ ID NO. 136 (called R5B8 herein), SEQ ID NO. 137/SEQ ID NO. 138 (called SH1A1Q herein), SEQ ID NO. 139/SEQ ID NO. 140 (called SH1B7B(K) herein), SEQ ID NO. 141/SEQ ID NO. 142 (called SH1C1 herein), SEQ ID NO. 143/SEQ ID NO. 144 (called SH1C8 herein), SEQ ID NO. 145/SEQ ID NO. 146 (called SH1E10 herein), SEQ ID NO. 147/SEQ ID NO. 148 (called SH1E2 herein), SEQ ID NO. 149/SEQ ID NO. 150 (called SH1A9 herein), SEQ ID NO. 151/SEQ ID NO. 152 (called SH1B11 herein), SEQ ID NO. 153/SEQ ID NO. 154 (called SH1E4 herein), SEQ ID NO. 155/SEQ ID NO. 156 (called SH1B3 herein), SEQ ID NO. 157/SEQ ID NO. 158 (called

SH1D1 herein), SEQ ID NO. 159/SEQ ID NO. 160 (called SH1D2 herein), SEQ ID NO. 161/SEQ ID NO. 162 (called SH1D12 herein), SEQ ID NO. 163/SEQ ID NO. 164 (called SH1E1 herein), SEQ ID NO. 165/SEQ ID NO. 166 (called SH1G9 herein), SEQ ID NO. 167/SEQ ID NO. 168 (called SH1A11 herein), SEQ ID NO. 169/SEQ ID NO. 170 (called 5 SH1C2 herein), SEQ ID NO. 171/SEQ ID NO. 172 (called SH1G8 herein), SEQ ID NO. 173/SEQ ID NO. 174 (called SH1H2 herein), SEQ ID NO. 175/SEQ ID NO. 176 (called SH1B10 herein), SEQ ID NO. 177/SEQ ID NO. 178 (called SH1B7A(L) herein), SEQ ID NO. 179/SEQ ID NO. 180 (called SH1E6 herein), SEQ ID NO. 181/SEQ ID NO. 182 (called SH1C11 herein), SEQ ID NO. 183/SEQ ID NO. 184 (called SH1A2 herein), SEQ ID NO. 10 185/SEQ ID NO. 186 (called SH1B1 herein), SEQ ID NO. 187/SEQ ID NO. 188 (called R6B2 herein), SEQ ID NO. 189/SEQ ID NO. 190 (called R6B7 herein), SEQ ID NO. 191/SEQ ID NO. 192 (called R6B11 herein), SEQ ID NO. 193/SEQ ID NO. 194 (called R6D1 herein), SEQ ID NO. 195/SEQ ID NO. 196 (called R6C8 herein), SEQ ID NO. 197/SEQ ID NO. 198 (called R9G8 herein), SEQ ID NO. 199/SEQ ID NO. 200 (called R7D1 herein), SEQ ID NO. 15 201/SEQ ID NO. 202 (called R7D2 herein), SEQ ID NO. 203/SEQ ID NO. 204 (called R7E7 herein), SEQ ID NO. 205/SEQ ID NO. 206 (called R7F2 herein), SEQ ID NO. 207/SEQ ID NO. 208 (called R7F7 herein), SEQ ID NO. 209/SEQ ID NO. 210 (called R9H2 herein), SEQ ID NO. 211/SEQ ID NO. 212 (called R9H6 herein), SEQ ID NO. 213/SEQ ID NO. 214 (called H6B1L herein), SEQ ID NO. 215/SEQ ID NO. 216 (called H6A1 herein), SEQ ID NO. 20 217/SEQ ID NO. 218 (called H6B1 herein), SEQ ID NO. 219/SEQ ID NO. 220 (called H6B2 herein), SEQ ID NO. 221/SEQ ID NO. 222 (called H19C herein), SEQ ID NO. 223/SEQ ID NO. 224 (called H110D herein), SEQ ID NO. 225/SEQ ID NO. 226 (called H11F herein), SEQ ID NO. 227/SEQ ID NO. 228 (called H1C1 herein), SEQ ID NO. 229/SEQ ID NO. 230 (called GPG1A2 herein), SEQ ID NO. 231/SEQ ID NO. 232 (called GPGG8 herein), SEQ ID 25 NO. 233/SEQ ID NO. 234 (called GPGG10 herein), SEQ ID NO. 235/SEQ ID NO. 236 (called GPGH7 herein), SEQ ID NO. 237/SEQ ID NO. 238 (called GPGH10 herein), SEQ ID NO. 239/SEQ ID NO. 240 (called GPGH11 herein), SEQ ID NO. 241/SEQ ID NO. 242 (called GPGH10P herein), and combinations thereof.

3. A Fab fully human antibody fragment, having a variable domain region from a 30 heavy chain and a variable domain region from a light chain, wherein the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID

NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126,

SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, 5 SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, 10 SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof.

4. The fully human antibody Fab fragment of claim 3, wherein the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ 15 ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ 20 ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ 25 ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ 30 ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110,

SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO.

5 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO.

10 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO.

15 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO.

20 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO.

25 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

5. A single chain human antibody, having a variable domain region from a heavy chain and a variable domain region from a light chain and a peptide linker connection the heavy chain and light chain variable domain regions, wherein the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID

NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136,

SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, 5 SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, 10 SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof.

6. The fully human single chain antibody of claim 5, wherein the single chain fully human antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID 15 NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ 20 ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ 30 ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114,

SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO.

5 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO.

10 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO.

15 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO.

20 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO.

25 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

7. The fully human single chain antibody of claim 5, wherein the fully human single chain antibody has both a heavy chain variable domain region and a light chain variable domain region, wherein the single chain fully human antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO.

30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 5 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ 10 ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID 15 NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID 20 NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID 25 NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID 30 NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID

NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

8. A method for treating a broad spectrum of mammalian cancers or treating inflammatory diseases or autoimmune diseases, comprising administering an effective amount of an anti-PD-L1 polypeptide, wherein the anti-PD-L1 polypeptide is selected from the group consisting of a fully human antibody of an IgG class that binds to a PD-L1 epitope with a binding affinity of at least  $10^{-6}$  M, a Fab fully human antibody fragment, having a variable domain region from a heavy chain and a variable domain region from a light chain, a single chain human antibody, having a variable domain region from a heavy chain and a variable domain region from a light chain and a peptide linker connection the heavy chain and light chain variable domain regions, and combinations thereof;

wherein the fully human antibody has a heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID

NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID 5 NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has a light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ 10 ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof;

wherein the Fab fully human antibody fragment has the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169, SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, and combinations thereof, and that has the light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90,

SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof; and

wherein the single chain human antibody has the heavy chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group consisting of SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 5, SEQ ID NO. 7, SEQ ID NO. 9, SEQ ID NO. 11, SEQ ID NO. 13, SEQ ID NO. 15, SEQ ID NO. 17, SEQ ID NO. 19, SEQ ID NO. 21, SEQ ID NO. 23, SEQ ID NO. 25, SEQ ID NO. 27, SEQ ID NO. 29, SEQ ID NO. 31, SEQ ID NO. 33, SEQ ID NO. 35, SEQ ID NO. 37, SEQ ID NO. 39, SEQ ID NO. 41, SEQ ID NO. 43, SEQ ID NO. 45, SEQ ID NO. 47, SEQ ID NO. 49, SEQ ID NO. 51, SEQ ID NO. 53, SEQ ID NO. 55, SEQ ID NO. 57, SEQ ID NO. 59, SEQ ID NO. 61, SEQ ID NO. 63, SEQ ID NO. 65, SEQ ID NO. 67, SEQ ID NO. 69, SEQ ID NO. 71, SEQ ID NO. 73, SEQ ID NO. 75, SEQ ID NO. 77, SEQ ID NO. 79, SEQ ID NO. 81, SEQ ID NO. 83, SEQ ID NO. 85, SEQ ID NO. 87, SEQ ID NO. 89, SEQ ID NO. 91, SEQ ID NO. 93, SEQ ID NO. 95, SEQ ID NO. 97, SEQ ID NO. 99, SEQ ID NO. 101, SEQ ID NO. 103, SEQ ID NO. 105, SEQ ID NO. 107, SEQ ID NO. 109, SEQ ID NO. 111, SEQ ID NO. 113, SEQ ID NO. 115, SEQ ID NO. 117, SEQ ID NO. 119, SEQ ID NO. 121, SEQ ID NO. 123, SEQ ID NO. 125, SEQ ID NO. 127, SEQ ID NO. 129, SEQ ID NO. 131, SEQ ID NO. 133, SEQ ID NO. 135, SEQ ID NO. 137, SEQ ID NO. 139, SEQ ID NO. 141, SEQ ID NO. 143, SEQ ID NO. 145, SEQ ID NO. 147, SEQ ID NO. 149, SEQ ID NO. 151, SEQ ID NO. 153, SEQ ID NO. 155, SEQ ID NO. 157, SEQ ID NO. 159, SEQ ID NO. 161, SEQ ID NO. 163, SEQ ID NO. 165, SEQ ID NO. 167, SEQ ID NO. 169,

SEQ ID NO. 171, SEQ ID NO. 173, SEQ ID NO. 175, SEQ ID NO. 177, SEQ ID NO. 179, SEQ ID NO. 181, SEQ ID NO. 183, SEQ ID NO. 185, SEQ ID NO. 187, SEQ ID NO. 189, SEQ ID NO. 191, SEQ ID NO. 193, SEQ ID NO. 195, SEQ ID NO. 197, SEQ ID NO. 199, SEQ ID NO. 201, SEQ ID NO. 203, SEQ ID NO. 205, SEQ ID NO. 207, SEQ ID NO. 209, 5 SEQ ID NO. 211, SEQ ID NO. 213, SEQ ID NO. 215, SEQ ID NO. 217, SEQ ID NO. 219, SEQ ID NO. 221, SEQ ID NO. 223, SEQ ID NO. 225, SEQ ID NO. 227, SEQ ID NO. 229, SEQ ID NO. 231, SEQ ID NO. 233, SEQ ID NO. 235, SEQ ID NO. 237, SEQ ID NO. 239, SEQ ID NO. 241, and combinations thereof, and that has the light chain variable domain sequence that is at least 95% identical to the amino acid sequences selected from the group 10 consisting of SEQ ID NO. 2, SEQ ID NO. 4, SEQ ID NO. 6, SEQ ID NO. 8, SEQ ID NO. 10, SEQ ID NO. 12, SEQ ID NO. 14, SEQ ID NO. 16, SEQ ID NO. 18, SEQ ID NO. 20, SEQ ID NO. 22, SEQ ID NO. 24, SEQ ID NO. 26, SEQ ID NO. 28, SEQ ID NO. 30, SEQ ID NO. 32, SEQ ID NO. 34, SEQ ID NO. 36, SEQ ID NO. 38, SEQ ID NO. 40, SEQ ID NO. 42, SEQ ID NO. 44, SEQ ID NO. 46, SEQ ID NO. 48, SEQ ID NO. 50, SEQ ID NO. 52, SEQ ID NO. 54, 15 SEQ ID NO. 56, SEQ ID NO. 58, SEQ ID NO. 60, SEQ ID NO. 62, SEQ ID NO. 64, SEQ ID NO. 66, SEQ ID NO. 68, SEQ ID NO. 70, SEQ ID NO. 72, SEQ ID NO. 74, SEQ ID NO. 76, SEQ ID NO. 78, SEQ ID NO. 80, SEQ ID NO. 82, SEQ ID NO. 84, SEQ ID NO. 86, SEQ ID NO. 88, SEQ ID NO. 90, SEQ ID NO. 92, SEQ ID NO. 94, SEQ ID NO. 96, SEQ ID NO. 98, SEQ ID NO. 100, SEQ ID NO. 102, SEQ ID NO. 104, SEQ ID NO. 106, SEQ ID NO. 108, 20 SEQ ID NO. 110, SEQ ID NO. 112, SEQ ID NO. 114, SEQ ID NO. 116, SEQ ID NO. 118, SEQ ID NO. 120, SEQ ID NO. 122, SEQ ID NO. 124, SEQ ID NO. 126, SEQ ID NO. 128, SEQ ID NO. 130, SEQ ID NO. 132, SEQ ID NO. 134, SEQ ID NO. 136, SEQ ID NO. 138, SEQ ID NO. 140, SEQ ID NO. 142, SEQ ID NO. 144, SEQ ID NO. 146, SEQ ID NO. 148, SEQ ID NO. 150, SEQ ID NO. 152, SEQ ID NO. 154, SEQ ID NO. 156, SEQ ID NO. 158, 25 SEQ ID NO. 160, SEQ ID NO. 162, SEQ ID NO. 164, SEQ ID NO. 166, SEQ ID NO. 168, SEQ ID NO. 170, SEQ ID NO. 172, SEQ ID NO. 174, SEQ ID NO. 176, SEQ ID NO. 178, SEQ ID NO. 180, SEQ ID NO. 182, SEQ ID NO. 184, SEQ ID NO. 186, SEQ ID NO. 188, SEQ ID NO. 190, SEQ ID NO. 192, SEQ ID NO. 194, SEQ ID NO. 196, SEQ ID NO. 198, SEQ ID NO. 200, SEQ ID NO. 202, SEQ ID NO. 204, SEQ ID NO. 206, SEQ ID NO. 208, 30 SEQ ID NO. 210, SEQ ID NO. 212, SEQ ID NO. 214, SEQ ID NO. 216, SEQ ID NO. 218, SEQ ID NO. 220, SEQ ID NO. 222, SEQ ID NO. 224, SEQ ID NO. 226, SEQ ID NO. 228, SEQ ID NO. 230, SEQ ID NO. 232, SEQ ID NO. 234, SEQ ID NO. 236, SEQ ID NO. 238, SEQ ID NO. 240, SEQ ID NO. 242, and combinations thereof.

9. The method for treating a broad spectrum of mammalian cancers of claim 8, wherein the fully human antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170,

SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO.

5 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO.

10 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

15 10. The method for treating a broad spectrum of mammalian cancers of claim 8, wherein the fully human antibody Fab fragment has both a heavy chain variable domain region and a light chain variable domain region wherein the antibody has a heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO.

20 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO.

25 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ

30 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO.

85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO. 178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

11. The method for treating a broad spectrum of mammalian cancers of claim 8, wherein the fully human single chain antibody has both a heavy chain variable domain region and a light chain variable domain region, wherein the single chain fully human antibody has a

heavy chain/light chain variable domain sequence selected from the group consisting of SEQ ID NO. 1/SEQ ID NO. 2, SEQ ID NO. 3/SEQ ID NO. 4, SEQ ID NO. 5/SEQ ID NO. 6, SEQ ID NO. 7/SEQ ID NO. 8, SEQ ID NO. 9/SEQ ID NO. 10, SEQ ID NO. 11/SEQ ID NO. 12, SEQ ID NO. 13/SEQ ID NO. 14, SEQ ID NO. 15/SEQ ID NO. 16, SEQ ID NO. 17/SEQ ID NO. 18, SEQ ID NO. 19/SEQ ID NO. 20, SEQ ID NO. 21/SEQ ID NO. 22, SEQ ID NO. 23/SEQ ID NO. 24, SEQ ID NO. 25/SEQ ID NO. 26, SEQ ID NO. 27/SEQ ID NO. 28, SEQ ID NO. 29/SEQ ID NO. 30, SEQ ID NO. 31/SEQ ID NO. 32, SEQ ID NO. 33/SEQ ID NO. 34, SEQ ID NO. 35/SEQ ID NO. 36, SEQ ID NO. 37/SEQ ID NO. 38, SEQ ID NO. 39/SEQ ID NO. 40, SEQ ID NO. 41/SEQ ID NO. 42, SEQ ID NO. 43/SEQ ID NO. 44, SEQ ID NO. 45/SEQ ID NO. 46, SEQ ID NO. 47/SEQ ID NO. 48, SEQ ID NO. 49/SEQ ID NO. 50, SEQ ID NO. 51/SEQ ID NO. 52, SEQ ID NO. 53/SEQ ID NO. 54, SEQ ID NO. 55/SEQ ID NO. 56, SEQ ID NO. 57/SEQ ID NO. 58, SEQ ID NO. 59/SEQ ID NO. 60, SEQ ID NO. 61/SEQ ID NO. 62, SEQ ID NO. 63/SEQ ID NO. 64, SEQ ID NO. 65/SEQ ID NO. 66, SEQ ID NO. 67/SEQ ID NO. 68, SEQ ID NO. 69/SEQ ID NO. 70, SEQ ID NO. 71/SEQ ID NO. 72, SEQ ID NO. 73/SEQ ID NO. 74, SEQ ID NO. 75/SEQ ID NO. 76, SEQ ID NO. 77/SEQ ID NO. 78, SEQ ID NO. 79/SEQ ID NO. 80, SEQ ID NO. 81/SEQ ID NO. 82, SEQ ID NO. 83/SEQ ID NO. 84, SEQ ID NO. 85/SEQ ID NO. 86, SEQ ID NO. 87/SEQ ID NO. 88, SEQ ID NO. 89/SEQ ID NO. 90, SEQ ID NO. 91/SEQ ID NO. 92, SEQ ID NO. 93/SEQ ID NO. 94, SEQ ID NO. 95/SEQ ID NO. 96, SEQ ID NO. 97/SEQ ID NO. 98, SEQ ID NO. 99/SEQ ID NO. 100, SEQ ID NO. 101/SEQ ID NO. 102, SEQ ID NO. 103/SEQ ID NO. 104, SEQ ID NO. 105/SEQ ID NO. 106, SEQ ID NO. 107/SEQ ID NO. 108, SEQ ID NO. 109/SEQ ID NO. 110, SEQ ID NO. 111/SEQ ID NO. 112, SEQ ID NO. 113/SEQ ID NO. 114, SEQ ID NO. 115/SEQ ID NO. 116, SEQ ID NO. 117/SEQ ID NO. 118, SEQ ID NO. 119/SEQ ID NO. 120, SEQ ID NO. 121/SEQ ID NO. 122, SEQ ID NO. 123/SEQ ID NO. 124, SEQ ID NO. 125/SEQ ID NO. 126, SEQ ID NO. 127/SEQ ID NO. 128, SEQ ID NO. 129/SEQ ID NO. 130, SEQ ID NO. 131/SEQ ID NO. 132, SEQ ID NO. 133/SEQ ID NO. 134, SEQ ID NO. 135/SEQ ID NO. 136, SEQ ID NO. 137/SEQ ID NO. 138, SEQ ID NO. 139/SEQ ID NO. 140, SEQ ID NO. 141/SEQ ID NO. 142, SEQ ID NO. 143/SEQ ID NO. 144, SEQ ID NO. 145/SEQ ID NO. 146, SEQ ID NO. 147/SEQ ID NO. 148, SEQ ID NO. 149/SEQ ID NO. 150, SEQ ID NO. 151/SEQ ID NO. 152, SEQ ID NO. 153/SEQ ID NO. 154, SEQ ID NO. 155/SEQ ID NO. 156, SEQ ID NO. 157/SEQ ID NO. 158, SEQ ID NO. 159/SEQ ID NO. 160, SEQ ID NO. 161/SEQ ID NO. 162, SEQ ID NO. 163/SEQ ID NO. 164, SEQ ID NO. 165/SEQ ID NO. 166, SEQ ID NO. 167/SEQ ID NO. 168, SEQ ID NO. 169/SEQ ID NO. 170, SEQ ID NO. 171/SEQ ID NO. 172, SEQ ID NO. 173/SEQ ID NO. 174, SEQ ID NO. 175/SEQ ID NO. 176, SEQ ID NO. 177/SEQ ID NO.

178, SEQ ID NO. 179/SEQ ID NO. 180, SEQ ID NO. 181/SEQ ID NO. 182, SEQ ID NO. 183/SEQ ID NO. 184, SEQ ID NO. 185/SEQ ID NO. 186, SEQ ID NO. 187/SEQ ID NO. 188, SEQ ID NO. 189/SEQ ID NO. 190, SEQ ID NO. 191/SEQ ID NO. 192, SEQ ID NO. 193/SEQ ID NO. 194, SEQ ID NO. 195/SEQ ID NO. 196, SEQ ID NO. 197/SEQ ID NO. 198, SEQ ID NO. 199/SEQ ID NO. 200, SEQ ID NO. 201/SEQ ID NO. 202, SEQ ID NO. 203/SEQ ID NO. 204, SEQ ID NO. 205/SEQ ID NO. 206, SEQ ID NO. 207/SEQ ID NO. 208, SEQ ID NO. 209/SEQ ID NO. 210, SEQ ID NO. 211/SEQ ID NO. 212, SEQ ID NO. 213/SEQ ID NO. 214, SEQ ID NO. 215/SEQ ID NO. 216, SEQ ID NO. 217/SEQ ID NO. 218, SEQ ID NO. 219/SEQ ID NO. 220, SEQ ID NO. 221/SEQ ID NO. 222, SEQ ID NO. 223/SEQ ID NO. 224, SEQ ID NO. 225/SEQ ID NO. 226, SEQ ID NO. 227/SEQ ID NO. 228, SEQ ID NO. 229/SEQ ID NO. 230, SEQ ID NO. 231/SEQ ID NO. 232, SEQ ID NO. 233/SEQ ID NO. 234, SEQ ID NO. 235/SEQ ID NO. 236, SEQ ID NO. 237/SEQ ID NO. 238, SEQ ID NO. 239/SEQ ID NO. 240, SEQ ID NO. 241/SEQ ID NO. 242, and combinations thereof.

12. The method for treating a broad spectrum of mammalian cancers or inflammatory diseases or autoimmune diseases of claim 8, wherein the broad spectrum of mammalian cancers to be treated is selected from the group consisting of ovarian, colon, breast, lung cancers, myelomas, neuroblastic-derived CNS tumors, monocytic leukemias, B-cell derived leukemias, T-cell derived leukemias, B-cell derived lymphomas, T-cell derived lymphomas, mast cell derived tumors, and combinations thereof.

13. The method for treating a broad spectrum of mammalian cancers or inflammatory diseases or autoimmune diseases of claim 8, wherein the broad the autoimmune disease or inflammatory disease is selected from the group consisting of intestinal mucosal inflammation, wasting disease associated with colitis, multiple sclerosis, systemic lupus erythematosus, viral infections, rheumatoid arthritis, osteoarthritis, psoriasis, Cohn's disease, and inflammatory bowel disease.

Figure 1





Figure 2



**Gated on CD56+****Gated on CD3+**

Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12





Figure 13



Values on ordinate are %CD25+

Figure 14





Figure 15

Ordinate is IFN $\gamma$  pg/ml