



(22) Date de dépôt/Filing Date: 2004/03/04

(41) Mise à la disp. pub./Open to Public Insp.: 2004/09/04

(45) Date de délivrance/Issue Date: 2011/08/23

(30) Priorité/Priority: 2003/03/04 (US10/377,623)

(51) Cl.Int./Int.Cl. *E04G 11/08* (2006.01),
E02D 29/02 (2006.01), *E04C 3/04* (2006.01),
E04G 11/10 (2006.01)


(72) Inventeur/Inventor:
DILORENZO, NICK, CA

(73) Propriétaire/Owner:
BRENTMUIR DEVELOPMENTS (1993) LIMITED, CA

(74) Agent: BLAKE, CASSELS & GRAYDON LLP

(54) Titre : MONTANTS POUR COFFRAGES A BETON ET COFFRAGES AINSI EQUIPES

(54) Title: STUD FOR CONCRETE FORMS AND FORMS USING SUCH STUDS



(57) Abrégé/Abstract:

A concrete form comprises cross members, plywood, and metal studs. The studs include a front wall, a rear wall, and a pair of side walls, the walls arranged to form a generally rectangular cross-section. A pair of inner walls extends between and perpendicular to

(57) **Abrégé(suite)/Abstract(continued):**

the pair of side walls. A pair of flanges extends from the side walls. The flanges are aligned with each other and positioned between the front wall and the pair of inner walls. A portion of each stud is adapted for complementary engagement with the cross members. The cross members are attached to at least one of the inner walls and the flanges of the cut portion of the studs, and the plywood is mounted to the rear wall.

