



US0D1007779S

(12) **United States Design Patent**
Williams et al.

(10) **Patent No.:** **US D1,007,779 S**

(45) **Date of Patent:** **** Dec. 12, 2023**

(54) **ROWEL FOR BULL RIDING SPUR**

2021. Retrieved from <https://rglamicell.com/product/metalab-ss-spur-with-rubber-hexagon-rowel/>.*

(71) Applicant: **Bullrider Spur Company LLC**,
Brighton, CO (US)

(Continued)

(72) Inventors: **Terry W. Williams**, Brighton, CO
(US); **Billy G. Martin**, Brighton, CO
(US)

Primary Examiner — Kendra Leslie Hamilton
(74) *Attorney, Agent, or Firm* — Aileen Law; Oppedahl
Patent Law Firm LLC

(73) Assignee: **Bullrider Spur Company LLC**

(57) **CLAIM**

(**) Term: **15 Years**

The ornamental design for a rowel for bull riding spur, as shown and described.

(21) Appl. No.: **29/869,942**

DESCRIPTION

(22) Filed: **Jan. 12, 2023**

Related U.S. Application Data

(63) Continuation of application No. 29/777,283, filed on
Apr. 5, 2021, now Pat. No. Des. 978,454.

(51) **LOC (14) Cl.** **30-05**

(52) **U.S. Cl.** **D30/157**
USPC

(58) **Field of Classification Search**
USPC D30/157; D2/642, 946, 976
(Continued)

FIG. 1 is a top, back, left, perspective view of a rowel for bull riding spur, showing our new design in a condition for use;

FIG. 2 is a top, back, right, perspective view thereof;

FIG. 3 is a top, front, right, perspective view thereof;

FIG. 4 is a top, front, left, perspective view thereof;

FIG. 5 is a bottom, left perspective view thereof;

FIG. 6 is a back elevation view thereof;

FIG. 7 is a front elevation view thereof;

FIG. 8 is a left side elevation view thereof;

FIG. 9 is a right side elevation view thereof;

FIG. 10 is a top plan view thereof; and

FIG. 11 is a bottom view thereof.

FIG. 12 is a top, front, left, perspective view of the rowel of FIG. 1;

FIG. 13 is a back elevation view thereof;

FIG. 14 is a front elevation view thereof;

FIG. 15 is a left side elevation view thereof;

FIG. 16 is a right side elevation view thereof;

FIG. 17 is a top view thereof; and,

FIG. 18 is a bottom view thereof.

In the drawings, the broken lines on the rowel for bull riding spur depict unclaimed elements on the rowel that form no part of the claimed design. The broken lines showing a spur and spur hardware depicts environmental subject matter and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

215,504 A 5/1879 Brown
655,555 A 8/1900 Jackson

(Continued)


FOREIGN PATENT DOCUMENTS

EP 2364608 A1 9/2011

OTHER PUBLICATIONS

“LamiCell: Metalab Spur with Rubber Hexagonal Rowel”. Found online Dec. 14, 2021 at rglamicell.com. Reference dated Dec. 14,

1 Claim, 18 Drawing Sheets



(58) **Field of Classification Search**
 CPC A43C 17/02; A43C 17/04; A43C 17/06
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D35,697	S	2/1902	Underwood	
D45,816	S	5/1914	Monier	
2,290,445	A *	7/1942	Oleyar	A43C 17/02 54/83.2
2,438,978	A *	4/1948	Rosen	A43C 17/02 36/1
2,454,228	A *	11/1948	Smith	A43C 17/02 446/26
2,468,918	A *	5/1949	Bowers	A43C 17/00 36/8.3
2,479,741	A	8/1949	Grimland	
2,484,898	A *	10/1949	MacDonald	A43C 17/02 446/26
2,907,161	A *	10/1959	Chandler	A43C 17/02 54/83.1
D190,818	S	7/1961	Norton	
3,153,888	A	10/1964	Garrett	
3,157,013	A *	11/1964	Hayward	A43C 17/02 54/49.5
D209,063	S	10/1967	Natzgar	
3,953,958	A	5/1976	Beaston	
4,513,561	A *	4/1985	Welton	A43C 17/02 54/83.1
4,642,910	A	2/1987	Carter, Jr.	
D289,809	S	5/1987	Pela	
5,394,677	A *	3/1995	Van Scoyk	A43C 17/02 54/83.1
D383,257	S	9/1997	Clark	
5,913,800	A *	6/1999	Williams	A43C 17/00 54/83.1
D437,980	S	2/2001	Anderson	
6,192,663	B1	2/2001	Gaitlin	
6,339,915	B1	1/2002	Bradbury	
D527,496	S	8/2006	Peart	
D613,911	S	4/2010	Hauck-Hasmatali	
D629,600	S	12/2010	Mandalia	
8,127,521	B2 *	3/2012	Cates	A01K 13/006 54/80.2

D689,268	S	9/2013	Dawson
D718,920	S	12/2014	Jones
D915,691	S	4/2021	Williams
2002/0108357	A1	8/2002	Martin
2006/0042201	A1	3/2006	Curry
2007/0033911	A1	2/2007	Sprenger
2008/0016828	A1	1/2008	Strauss
2008/0083136	A1	4/2008	McNeely
2009/0064641	A1	3/2009	Wetherell
2011/0225937	A1	9/2011	Chang
2012/0266575	A1	10/2012	Chang
2015/0335101	A1	11/2015	Monroy et al.

OTHER PUBLICATIONS

“Of Horse! Article: Spurs—Do You Really Need Them?”. Found online Dec. 14, 2021 at ofhorse.com. Reference dated May 26, 2014. Retrieved from <https://www.ofhorse.com/view-post/Spurs-Do-You-Really-Need-Them>.*

“GWG: Super Grip Gator Bull Spur”. Found online May 29, 2020 at getwesterngear.com. Reference dated Jul. 22, 2008. Retrieved from <https://tineye.com/search/fd6fd1a9159435c2f4bce0>.

“Tanner Spurs: Custom Offset”. Found online May 29, 2020 at facebook.com. Reference dated May 19, 2014. Retrieved from <https://www.facebook.com/562644177157315/photos/a.5645400669>.

“BBar: Bull Riding Spur”. Found online May 29, 2020 at bbarbwholesale.com. Reference dated Sep. 4, 2010. Retrieved from www.bbarbwholesale.com/bull-riding-spurs-degree-p-452.html.

“TK Rodeo Specialties: Stainless Steel Spurs, Offset”. Found online May 29, 2020 at tkrodeo.com. Reference dated Jun. 14, 2014. Retrieved from <https://tineye.com/search/fd4cedf7124>.

“Kelly: Bull Riding Spurs—Double Off-set 30 degree”. Found online May 29, 2020 at wikimedia.org. Reference dated Apr. 24, 2007. Retrieved from <https://commons.wikimedia.org/wiki/F>.

“LamiCell: Metalab Spur with Internal Rubber Grip”. Found online Dec. 14, 2021 at facebook.com. Reference dated Jan. 28, 2021. Retrieved from <https://www.facebook.com/lamicell1998/p>.

“Intrepid International: Western Show Spur with Brass Rowel”. Found online Feb. 4, 2022 at amazon.com. Reference dated Apr. 11, 2012. Retrieved from <https://www.amazon.com/Intrepi>.

* cited by examiner




FIG. 1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG. 7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18