



US00D791670S

(12) **United States Design Patent**
Valencia Pollex

(10) **Patent No.:** **US D791,670 S**

(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Andreas Valencia Pollex**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/578,287**

(22) Filed: **Sep. 20, 2016**

(30) **Foreign Application Priority Data**

Mar. 21, 2016 (EM) 003 037 712-0009

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/209**

(58) **Field of Classification Search**
USPC D12/204–213
CPC B60B 7/00; B60B 7/02; B60B 7/04; B60B 7/01; B60B 7/06; B60B 3/02; B60B 3/04; B60B 3/06; B60B 3/10; B60B 1/00; B60B 1/08; B60B 1/10; B60B 1/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D379,612 S *	6/1997	Honarkhah	D12/209
D569,322 S *	5/2008	Scheu	D12/211
D574,311 S *	8/2008	Chung	D12/209
D590,322 S *	4/2009	Rak	D12/211
D655,657 S *	3/2012	Juergens	D12/209
D660,767 S *	5/2012	von Holzhausen	D12/209

D666,958 S *	9/2012	Suzuki	D12/211
D678,164 S *	3/2013	Badstuebner	D12/211
D686,132 S *	7/2013	Truebsbach	D12/209
D691,081 S *	10/2013	Watkin	D12/211
D695,185 S *	12/2013	Juergens	D12/209
D695,186 S *	12/2013	Pollmann	D12/209
D726,628 S *	4/2015	Kong	D12/211
D729,138 S *	5/2015	Davidson	D12/209
D744,928 S *	12/2015	Valencia Pollex	D12/209
D746,212 S *	12/2015	Valencia Pollex	D12/211
D756,287 S *	5/2016	Koglin	D12/211
D756,878 S *	5/2016	Valencia Pollex	D12/209
D759,562 S *	6/2016	Wheel	D12/209
D759,564 S *	6/2016	Valencia Pollex	D12/209
D759,566 S *	6/2016	Valencia Pollex	D12/211
D762,545 S *	8/2016	Hodges	D12/209
D769,172 S *	10/2016	Ishii	D12/211
D781,769 S *	3/2017	Valencia Pollex	D12/211
D785,537 S *	5/2017	Valencia Pollex	D12/211

FOREIGN PATENT DOCUMENTS

CA 168729 S 3/2017

* cited by examiner

Primary Examiner — Stacia Cadmus
(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP; Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,
FIG. 2 is a front, side perspective view thereof.

1 Claim, 2 Drawing Sheets






Fig. 1



Fig. 2