



(12) **United States Design Patent**
Wakabayashi

(10) **Patent No.:** **US D909,951 S**
(45) **Date of Patent:** **** Feb. 9, 2021**

(54) **MOTORCYCLE TIRE**
(71) Applicant: **BRIDGESTONE CORPORATION**,
Tokyo (JP)
(72) Inventor: **Tomoyuki Wakabayashi**, Tokyo (JP)
(73) Assignee: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

D613,672 S * 4/2010 Larregain D12/536
D637,140 S * 5/2011 Hikita D12/536
D640,965 S * 7/2011 Hikita D12/536
D670,233 S * 11/2012 Hikita D12/536
D678,180 S * 3/2013 Hikita D12/536
D710,788 S * 8/2014 Oba D12/536
D742,304 S 11/2015 Ito

(Continued)

(**) Term: **15 Years**
(21) Appl. No.: **29/681,317**
(22) Filed: **Feb. 25, 2019**

FOREIGN PATENT DOCUMENTS

JP 1495547 S 4/2014
JP 1534040 S 9/2015
JP 2017087677 A 5/2017

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Kenja IP Law PC

(30) **Foreign Application Priority Data**

Sep. 5, 2018 (JP) 2018-019379

(51) **LOC (13) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/604**

(58) **Field of Classification Search**

USPC D12/604, 533–567
CPC B60C 1/0016; B60C 2200/10; B60C 9/17;
B60C 11/0306; B60C 11/0302; B60C
11/032; B60C 11/0327
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D521,926 S * 5/2006 Matsumura D12/536
D577,656 S * 9/2008 Sueishi D12/536
D579,406 S * 10/2008 Sueishi B60C 11/1369
D12/536
D581,348 S * 11/2008 Sueishi D12/536
D584,678 S * 1/2009 Sueishi D12/536
D592,587 S * 5/2009 Sueishi D12/536
D593,933 S * 6/2009 Sueishi D12/536
D595,637 S * 7/2009 Sueishi D12/536
D597,927 S * 8/2009 Sueishi D12/536


(57) **CLAIM**

The ornamental design for a motorcycle tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a motorcycle tire showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a fragmentary enlarged front view;
FIG. 6 is an end view taken along line 6-6 in FIG. 5; and,
FIG. 7 is an end view taken along line 7-7 in FIG. 5.
The broken lines shown illustrate portions of the motorcycle tire that form no part of the claimed design. The dash-dot-dash broken lines are used to show the boundary between unclaimed and claimed subject matter, and thus form no part of the claimed design. The light stippled surface shading represents the surface of the tire tread, and the dark stippled surface shading represents the recessed portion of the tread grooves, having the depth as shown in FIGS. 6 and 7.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D747,679	S	*	1/2016	Miwa	D12/536
D747,680	S	*	1/2016	Sueishi	D12/536
D753,581	S	*	4/2016	Oba	D12/571
D755,113	S	*	5/2016	Maeda	D12/536
D777,085	S	*	1/2017	Oba	D12/536
D798,225	S	*	9/2017	Oba	D12/536
D811,318	S	*	2/2018	Oba	D12/571
D820,772	S	*	6/2018	Matsuda	D12/536
D820,776	S	*	6/2018	Matsuda	D12/571
D825,438	S	*	8/2018	Oba	D12/512
D833,376	S	*	11/2018	Matsuda	D12/571

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

