



US00D564571S

(12) **United States Design Patent**
Jannard et al.

(10) **Patent No.:** **US D564,571 S**
(45) **Date of Patent:** **** Mar. 18, 2008**

(54) **EYEGLASS AND EYEGLASS COMPONENTS**

D545,351 S * 6/2007 Jannard et al. D16/326
2006/0238700 A1* 10/2006 Del Vecchio 351/103

(75) Inventors: **James H. Jannard**, Spieden Island, WA (US); **Lek Thixton**, Orcas, WA (US); **Colin Baden**, Irvine, CA (US); **Peter Yee**, Irvine, CA (US)

OTHER PUBLICATIONS

Pending U.S. Appl. No. 29/215,624, filed Oct. 20, 2004, Thixton.
Pending U.S. Appl. No. 29/222,726, filed Feb. 2, 2005, Yee et al.
Oakley, Inc., "Oakley Eyewear Catalog, 2005-2006," published 2005, pp. 12, 22, and 23, "Half Wire," "Half Jacket," and "Bottlecap" models, Foothill Ranch, California.
"Nike Skylong EXP" sunglass, printed from www.sunglassshut.com on Mar. 25, 2005, unknown publication date.
"Bolle Mongel" sunglass, printed from www.sunglassshut.com on Mar. 25, 2005, unknown publication date.

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/266,786**

(22) Filed: **Sep. 27, 2006**

* cited by examiner

(51) **LOC (8) CL.** **16-06**

Primary Examiner—Raphael Barkai

(52) **U.S. CL.** **D16/326; D16/335**

(74) *Attorney, Agent, or Firm*—Gregory K. Nelson

(58) **Field of Classification Search** D16/300-330,
D16/101, 332-338; D29/109-110; D24/110.2;
351/41, 44, 51-52, 62, 158, 92, 103-111,
351/156, 61, 114-119, 121-123; 2/426-432,
2/447-449, 441, 434-437

See application file for complete search history.

(57) **CLAIM**

The ornamental design for eyeglass and eyeglass components, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|---------------|---------|
| 2,397,243 A | 3/1946 | Cooper | |
| D168,903 S | 2/1953 | Neary | |
| D196,000 S | 8/1963 | McNeill | |
| 3,565,517 A | 2/1971 | Gitlin et al. | |
| 3,838,914 A | 10/1974 | Fernandez | |
| 4,787,730 A | 11/1988 | Bristol | |
| 4,951,322 A | 8/1990 | Lin | |
| D468,337 S * | 1/2003 | Chen | D16/314 |
| D469,459 S | 1/2003 | Moritz | |
| D476,354 S * | 6/2003 | Chen | D16/315 |
| D478,929 S | 8/2003 | Baden et al. | |
| D483,392 S * | 12/2003 | Chen | D16/315 |
| D508,515 S * | 8/2005 | Yee et al. | D16/335 |

FIG. 1 is a front perspective view of the eyeglass and the eyeglass components of the present invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

Phantom lining, where utilized, is for illustrative purposes only and is not intended to limit the claimed design to the features shown in phantom.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6