



US00D896744S

(12) **United States Design Patent**  
**Sato**

(10) **Patent No.:** **US D896,744 S**

(45) **Date of Patent:** **\*\* Sep. 22, 2020**

(54) **TIRE**

(71) Applicant: **Toyo Tire Corporation**, Itami-shi,  
Hyogo (JP)

(72) Inventor: **Yoshiki Sato**, Itami (JP)

(73) Assignee: **Toyo Tire Corporation**, Itami-shi (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/695,596**

(22) Filed: **Jun. 20, 2019**

(30) **Foreign Application Priority Data**

Dec. 26, 2018 (JP) ..... 2018-028516

(51) **LOC (12) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/605**

(58) **Field of Classification Search**  
USPC ..... D12/604, 605, 579  
CPC ..... B60C 13/00; B60C 1/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|          |   |   |         |               |       |         |
|----------|---|---|---------|---------------|-------|---------|
| D610,977 | S | * | 3/2010  | Osaka         | ..... | D12/605 |
| D615,031 | S | * | 5/2010  | Osaka         | ..... | D12/605 |
| D713,328 | S |   | 9/2014  | Umstot et al. | ..... |         |
| D736,699 | S | * | 8/2015  | Dixon         | ..... | D12/605 |
| D761,721 | S | * | 7/2016  | Kuwano        | ..... | D12/579 |
| D763,786 | S | * | 8/2016  | Mathis        | ..... | D12/605 |
| D768,064 | S | * | 10/2016 | Kuwano        | ..... | D12/605 |
| D768,065 | S | * | 10/2016 | Takahashi     | ..... | D12/605 |
| D768,066 | S | * | 10/2016 | Sato          | ..... | D12/605 |
| D768,564 | S | * | 10/2016 | Kuwano        | ..... | D12/605 |
| D777,095 | S | * | 1/2017  | Sato          | ..... | D12/605 |
| D778,233 | S | * | 2/2017  | Kuwano        | ..... | D12/605 |
| D778,814 | S | * | 2/2017  | Sato          | ..... | D12/605 |
| D779,425 | S | * | 2/2017  | Scheifele     | ..... | D12/605 |

|          |   |   |         |           |       |         |
|----------|---|---|---------|-----------|-------|---------|
| D782,970 | S | * | 4/2017  | Sato      | ..... | D12/605 |
| D783,519 | S | * | 4/2017  | Fujioka   | ..... | D12/605 |
| D783,520 | S | * | 4/2017  | Fujioka   | ..... | D12/605 |
| D788,695 | S | * | 6/2017  | Scheifele | ..... | D12/605 |
| D799,413 | S | * | 10/2017 | Sato      | ..... | D12/605 |
| D799,414 | S | * | 10/2017 | Sato      | ..... | D12/605 |
| D799,415 | S | * | 10/2017 | Sato      | ..... | D12/605 |

(Continued)

**FOREIGN PATENT DOCUMENTS**

|    |         |   |         |
|----|---------|---|---------|
| JP | 1540172 | S | 12/2015 |
| JP | 1527963 | S | 6/2016  |

*Primary Examiner* — Michelle E. Wilson

*Assistant Examiner* — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Sterne, Kessler,  
Goldstein & Fox P.L.L.C.

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a tire showing the claimed design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top plan view thereof, the bottom plan view being the same;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;


FIG. 7 is an enlarged view taken along line 7-7 in FIG. 1;

FIG. 8 is an enlarged view of the portion 8-8 in FIG. 2; and,

FIG. 9 is a cross-sectional view taken along line 9-9 in FIG. 8.

In the drawings, the broken lines show portions of the tire that form no part of the claimed design. The outermost broken lines of the sidewall form the boundary of the claim and form no part thereof.

**1 Claim, 9 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

|          |   |   |         |                 |         |
|----------|---|---|---------|-----------------|---------|
| D799,416 | S | * | 10/2017 | Sato .....      | D12/605 |
| D800,642 | S | * | 10/2017 | Takahashi ..... | D12/605 |
| D806,641 | S | * | 1/2018  | Fujioka .....   | D12/605 |
| D833,381 | S | * | 11/2018 | Fujioka .....   | D12/605 |
| D847,088 | S | * | 4/2019  | Scheifele ..... | D12/605 |
| D848,942 | S | * | 5/2019  | Scheifele ..... | D12/605 |

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9