(19)	Europäisches Patentamt European Patent Office Office européen des brevets	(11) EP 1 139 110 A3			
(12)	EUROPEAN PATE	INT APPLICATION			
(88)	Date of publication A3: 01.10.2003 Bulletin 2003/40	(51) Int CI. <sup>7</sup> : <b>G01R 33/34</b>			
(43)	Date of publication A2: 04.10.2001 Bulletin 2001/40				
(21)	Application number: 01302547.3				
(22)	Date of filing: 19.03.2001				
(84)	Designated Contracting States: AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR Designated Extension States: AL LT LV MK RO SI	<ul> <li>(72) Inventors:</li> <li>Viswanathan, Raju R. Towson, Maryland 21204 (US)</li> <li>Ragavahan, Raghu Baltimore, Maryland 21210 (US)</li> </ul>			
(30)	Priority: 21.03.2000 US 532145 21.03.2000 US 532667 21.03.2000 US 532037	<ul> <li>(74) Representative: Bowman, Paul Alan</li> <li>Lloyd Wise</li> <li>Commonwealth House,</li> <li>1-19 New Oxford Street</li> </ul>			
(71)	Applicant: Image-Guided Neurologics, Inc. Melbourne, FL 32935 (US)	London WC1A 1LW (GB)			

#### (54) **Device with field-modifying structure**

(57) A device, such as a medical device, having a distribution of microcoils may be used within an organism under Magnetic Resonant Imaging visualization. The distribution of microcoils on the device being selected from the group consisting of a) at least one pair of opposed RF receiver microcoils having a space between each microcoil of said pair of microcoils, at least one of the coils of said microcoils having at least one adjacent pair of windings on at least one microcoil in which a diameter of one winding on the at least one microcoil increases in winding diameter with respect to a diameter of an adjacent winding; b) at least one pair of radially opposed microcoils physically associated with the solid body, each microcoil having an outside microcoil diameter of 6mm or less, individual windings of said each microcoil together defining a geometric plane for each microcoil, and the plane of each microcoil being parallel to the plane of another microcoil in the pair of radially opposed microcoils; c) at least one RF receiver, the coils of said microcoils defining a cross-section that lies in a plane oriented at 0 to 80 degrees to the longest axis of the device; d) at least one wound microcoil with at least three windings on the microcoil, each winding having an aspect ratio of greater than one, the aspect ratio of each winding being measured as the ratio of longest to shortest dimension in a cross section situated approximately transverse to the winding axis of the coil windings, said winding axis also being transverse to the longest axis of said device; e) at least one microcoil in

which a diameter of one winding on the at least one microcoil increases in winding diameter with respect to a diameter of an adjacent winding; f) diameters of at least three consecutive windings within a microcoils increase in diameter with respect to an adjacent winding while moving along the same direction parallel to an axis of the microcoil; g) an element having at least one RF receiver microcoil, the coils of said microcoils defining a cross-sectional contour having an alignment value of at least 0.75 with the longest axis of the device; h) said device is cylindrical, and in response to radiofrequency transmission, generates a reception field which has an average strength that diminishes by a factor of at least 10 from an area defined by a cylinder of 1.5 cm about a core axis of said cylindrical device to an area defined by a cylinder of 4.0 cm about the core axis of said cylindrical device; i) a solid body having at least one pair of opposed microcoils physically associated with the solid body, each microcoil having an outside microcoil diameter of 6mm or less, collective individual windings of said each microcoil defining a geometric plane, and the plane of each microcoil being parallel to the plane of another microcoil in the pair of opposed microcoils; j) a solid body having at least one pair of opposed microcoils physically associated with the solid body, each microcoil having an outside microcoil diameter of 6mm or less, at least 50 number % of individual windings of said each microcoil intersecting a geometric plane, and the geometric plane of each microcoil being parallel to the plane

of another microcoil in the pair of opposed microcoils, and there being at least four windings within each microcoil in said at least one pair of opposed microcoils; k) a solid body having at least one pair of radially opposed microcoils physically associated with the solid body, each microcoil having an outside microcoil diameter of 6mm or less, with at least one pair of opposed microcoils physically associated with the solid body at a distal end, at least 50 number % of individual windings of said each microcoil lying within a geometric plane; 1) a solid body having at least one pair of radially opposed microcoils physically associated with the solid body, each microcoil having an outside microcoil diameter of 6mm or less, all individual windings of said each microcoil intersecting a geometric plane, and the plane of each microcoil being parallel to the plane of another microcoil in the pair of radially opposed microcoils; m) a solid body having at least one microcoil physically associated with the solid body, each microcoil having an outside microcoil diameter of 6mm or less, at least 50 number % of individual windings of said each microcoil intersecting a geometric plane perpendicular to an axis of said microcoil; and n) a solid body having at least one microcoil physically associated with the solid body, each microcoil having an outside microcoil diameter of 6mm or less and a common axis, with at least one microcoil physically associated with the solid body at a distal end, at least 50% of individual windings of said each microcoil intersecting a geometric plane perpendicular to said common axis.




Figure 1: The microcoil configuration with a single pair of radially-opposed spirals. The z-axis points upward in this plot.



EUROPEAN SEARCH REPORT

Application Number EP 01 30 2547

	DOCUMENTS CONSID	ERED TO BE RELEVAN	T		
Category	Citation of document with indication, where appropriate, of relevant passages			CLASSIFICATION OF THE APPLICATION (Int.CI.7)	
X D	INC.) 4 March 1999 * page 5, line 25 -	page 11, line 2 * - page 19, line 9 * page 24, line 4 *	, 1,10	GD1R33/34	
x	G.C. HURST ET AL.: (Catheter) NMR Rece MAGNETIC RESONANCE vol. 24, 1992, page * the whole documen	iver Probe" IN MEDICINE, s 343-357, XP0002750	1,10		
X	GMBH) 14 July 1999	LIPS PATENTVERWALTUN (1999-07-14) - line 25; figure 4			
X	US 5 357 958 A (L. 25 October 1994 (19 * column 2, line 11 figures 2-5 *		1,10	TECHNICAL FIELDS SEARCHED (Int.Cl.7) G01R	
	The present search report has	been drawn up for all claims			
	Place of search	Date of completion of the sear		Examiner	
	THE HAGUE	19 October 20	01 VO	LMER, W	
X : parti Y : parti docu A : tech O : non-	ATEGORY OF CITED DOCUMENTS cularly relevant if taken alone cularly relevant if combined with anot ment of the same category nological background -written disclosure mediate document	E : earlier pate after the fili her D : document L : document o	cited in the application	blished on, or on is	



Application Number

EP 01 30 2547

CLAIMS INCURRING FEES
The present European patent application comprised at the time of filing more than ten claims.
Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.
LACK OF UNITY OF INVENTION
The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:
see sheet B
All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
<ul> <li>None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:</li> <li>1, a)</li> </ul>



## LACK OF UNITY OF INVENTION SHEET B

Application Number

EP 01 30 2547

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely: 1. Claims: 1, a) 2. Claims: 13 other groups of inventions specified in claims 1b) - 1n),and in claims 2 - 9 as dependent upon the specific part of claim 1 3. Claim : 1 c) 4. Claim : 1 d) 5. Claim : 1 e) 6. Claim : 1 f) 7. Claim : 1 g) 8. Claim : 1 h) 9. Claim : 1 i) 10. Claim : 1 j) 11. Claim : 1 k) 12. Claim : 1 1)



# LACK OF UNITY OF INVENTION SHEET B

Application Number

EP 01 30 2547

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

13. Claim : 1 m)

14. Claim : 1 n)

•

### EP 1 139 110 A3

### ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 01 30 2547

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

19-10-2001

	Patent docume cited in search re		Publication date		Patent fam member(s		Publication date
WO	9910035	A	04-03-1999	US AU EP JP WO	5964705 9106598 1007132 2001513407 9910035	A A2 T	12-10-1999 16-03-1999 14-06-2000 04-09-2001 04-03-1999
EP	928972	A	14-07-1999	DE EP JP	19800471 0928972 11244260	A2	15-07-1999 14-07-1999 14-09-1999
US	5357958	Α	25-10-1994	DE JP	4408761 7000373		22-09-1994 06-01-1995

FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82