# United States Patent [19]

Asaki et al.

[11] Des. 260,997

[45] ** Sep. 29, 1981


[54] CAMERA WITH INTEGRATED FLASH


[75] Inventors: **James T. Asaki**, Middletown; **William G. MacKenzie**, Matawan, both of N.J.

[73] Assignee: **International Telephone and Telegraph Corporation**, New York, N.Y.



[**] Term: **14 Years**

[21] Appl. No.: **930,770**

[22] Filed: **Aug. 3, 1978**

[51] **Int. Cl.** ..... **D16—01**

[52] **U.S. Cl.** ..... **D16/06**

[58] **Field of Search** ..... D16/1-10; 354/126, 145, 152, 158, 170, 173, 174, 187, 202, 288



[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---|---|---|---|
| D. 236,851 | 9/1975 | Quinn | D16/5 |
| D. 250,120 | 10/1978 | Munakata et al. | D16/6 |
| 3,938,170 | 2/1976 | Winkler et al. | 354/187 X |
| 4,032,940 | 6/1977 | Chan | 354/187 X |



*Primary Examiner*—Catherine E. Kemper

*Attorney, Agent, or Firm*—John T. O'Halloran


[57] **CLAIM**

The ornamental design for a camera with integrated flash, substantially as shown and described.

**DESCRIPTION**

FIG. **1***a* is a perspective view of the camera of the present invention shown in the closed position;

FIG. **1***b* is perspective view of the camera shown in FIG. **1***a* in the open position;

FIG. **2***a* is a front view of a camera of FIG. **1***a* shown in the closed position;

FIG. **2***b* is a front view of the camera shown in FIG. **1***b* in the open position;

FIG. **3***a* is a top view of the camera in FIG. **1***a* shown in the closed position;

FIG. **3***b* is a top view of the camera in FIG. **1***b* shown in the open position;

FIG. **4***a* is a rear view of the camera in FIG. **1***a* shown in the closed position;


FIG. **4***b* is a rear view of the camera in FIG. **1***b* shown in the open position;

FIG. **5** is a left end view of the camera shown in FIG. **1***a;*

FIG. **6** is a right end view of the camera shown in FIG. **1***a;*

FIG. **7***a* is a bottom view of the camera shown in FIG. **1***a* in the closed position;

FIG. **7***a* is a bottom view of the camera shown in FIG. **1***b* in the open position.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12