



US00PP34651P2

(12) **United States Plant Patent**  
**Koot**

(10) **Patent No.:** **US PP34,651 P2**

(45) **Date of Patent:** **Oct. 11, 2022**

- (54) **CALIBRACHOA PLANT NAMED ‘DOCALRAIPIPEP’**
- (50) Latin Name: *Calibrachoa parviflora*  
Varietal Denomination: **‘Docalraipipep’**
- (71) Applicant: **DUMMEN GROUP B.V.**, De Lier (NL)
- (72) Inventor: **Arjan Koot**, Oeffelt (NL)
- (73) Assignee: **DUMMEN GROUP B.V.**, De Lier (NL)
- (\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **17/698,802**
- (22) Filed: **Mar. 18, 2022**

- (51) **Int. Cl.**  
*A01H 6/82* (2018.01)  
*A01H 5/02* (2018.01)
- (52) **U.S. Cl.**  
USPC ..... **Plt./413**
- (58) **Field of Classification Search**  
USPC ..... **Plt./413**  
See application file for complete search history.

*Primary Examiner* — Annette H Para  
(74) *Attorney, Agent, or Firm* — C. Anne Whealy

(57) **ABSTRACT**  
A new and distinct cultivar of *Calibrachoa* plant named ‘Docalraipipep’, characterized by its outwardly spreading, trailing and decumbent plant habit; moderately vigorous growth habit and moderate growth rate; freely branching habit; early and freely flowering habit; large flowers with yellow and pink-colored petals with yellow and dark purple-colored centers; and good container and garden performance.

**2 Drawing Sheets**

**1**

Botanical designation: *Calibrachoa parviflora*.  
Cultivar denomination: ‘DOCALRAIPIPEP’.

CROSS-REFERENCED TO RELATED APPLICATIONS

Title: *Calibrachoa* Plant Named ‘DOCALRAIBEBU’  
Inventor: Arjan Koot  
Applicant: Dümme Group B.V.  
Filed: Concurrently with the instant application

STATEMENT REGARDING PRIOR DISCLOSURES BY INVENTOR & APPLICANT/ASSIGNEE

The Inventor and Applicant/Assignee assert that no publications nor advertisements relating to sales, offers for sale or public distribution occurred more than one year prior to the effective filing date of this application. Any information about the claimed plant would have been obtained from a direct or indirect disclosure from the Inventor and/or Applicant/Assignee. Inventor and Applicant/Assignee claim a prior art exception under 35 U.S.C. 102(b)(1) for disclosure and/or sales prior to the filing date but less than one year prior to the effective filing date.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Calibrachoa* plant, botanically known as *Calibrachoa parviflora* and hereinafter referred to by the name ‘Docalraipipep’.

The new *Calibrachoa* plant is a product of a planned breeding program conducted by the Inventor in Rheinberg, Germany. The objective of the breeding program is to create new freely branching and early-flowering *Calibrachoa* plants with numerous large and attractive flowers.

**2**

The new *Calibrachoa* plant originated from a cross-pollination made by the Inventor in July, 2018 in Rheinberg, Germany of a proprietary selection of *Calibrachoa parviflora* identified as code number AA17-033088-002, not patented, as the female, or seed, parent with a proprietary selection of *Calibrachoa parviflora* identified as code number AA-0584, not patented, as the male, or pollen, parent. The new *Calibrachoa* plant was discovered and selected by the Inventor as a single flowering plant from within the progeny of the stated cross-pollination in a controlled greenhouse environment in Rheinberg, Germany in May, 2021.

Asexual reproduction of the new *Calibrachoa* plant by vegetative terminal cuttings in a controlled greenhouse environment in Rheinberg, Germany since June, 2021 has shown that the unique features of this new *Calibrachoa* plant are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

Plants of the new *Calibrachoa* have not been observed under all possible combinations of environmental conditions and cultural practices. The phenotype may vary somewhat with variations in environmental conditions such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of ‘Docalraipipep’. These characteristics in combination distinguish ‘Docalraipipep’ as a new and distinct *Calibrachoa* plant:

1. Outwardly spreading, trailing and decumbent plant habit.
2. Moderately vigorous growth habit and moderate growth rate.
3. Freely branching habit.
4. Early and freely flowering habit.

5. Large flowers with yellow and pink-colored petals with yellow and dark purple-colored centers.

6. Good container and garden performance.

The new *Calibrachoa* can be compared to plants of the female parent selection. Plants of the new *Calibrachoa* differ primarily from plants of the female parent selection in flower color as plants of the new *Calibrachoa* have yellow and pink-colored flowers with yellow and dark purple-colored centers whereas plants of the female parent selection have purple-colored flowers.

The new *Calibrachoa* can be compared to plants of the male parent selection. Plants of the new *Calibrachoa* differ primarily from plants of the male parent selection in flower color as plants of the new *Calibrachoa* have yellow and pink-colored flowers with yellow and dark purple-colored centers whereas plants of the male parent selection have orange-colored flowers.

Plants of the new *Calibrachoa* can be compared to plants of *Calibrachoa* sp. 'Wesachablusc', not patented. In side-by-side comparisons, plants of the new *Calibrachoa* differ primarily from plants of 'Wesachablusc' in the following characteristics:

1. Plants of the new *Calibrachoa* are more freely branching than plants of 'Wesachablusc'.
2. Plants of the new *Calibrachoa* have broader leaves than plants of 'Wesachablusc'.
3. Plants of the new *Calibrachoa* have yellow and pink-colored flowers with yellow and dark purple-colored centers whereas plants of 'Wesachablusc' have light purple-colored flowers with yellow-colored centers.

The new *Calibrachoa* can also be compared to plants of *Calibrachoa parviflora* 'Docalraibebu', disclosed in a U.S. Plant patent application Ser. No. 17/698,694. Plants of the new *Calibrachoa* differ primarily from plants of 'Docalraibebu' in flower color as flowers of plants of the new *Calibrachoa* have yellow and pink-colored petals with yellow and dark purple-colored centers whereas flowers of plants of 'Docalraibebu' have purple and light purple-colored petals with bright yellow-colored centers.

#### BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new *Calibrachoa* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Calibrachoa* plant.

The photograph on the first sheet (FIG. 1) is a side perspective view of a typical flowering plant of 'Docalraipep' grown in a container.

The photograph on the second sheet (FIG. 2) is a close-up view of a typical flowering plant of 'Docalraipep'.

#### DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations, measurements and values describe plants grown during the spring and early summer in 22-cm containers in a glass-covered greenhouse in Rheinberg, Germany and under cultural practices typical of commercial *Calibrachoa* production. During the production of the plants, day and night temperatures averaged 18° C. and light levels averaged 4,500 lux. Rooted young plants were pinched one time three weeks after planting. Plants were twelve weeks old when the

photographs were taken and 25 weeks old when the description was taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, Fifth Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Calibrachoa parviflora* 'Docalraipep'.

Parentage:

*Female, or seed, parent.*—Proprietary selection of *Calibrachoa parviflora* identified as code number AA17-033088-002, not patented.

*Male, or pollen, parent.*—Proprietary selection of *Calibrachoa parviflora* identified as code number AA-0584, not patented.

Propagation:

*Type.*—By vegetative cuttings.

*Time to initiate roots, summer.*—About five days at temperatures about 20° C.

*Time to initiate roots, winter.*—About seven days at temperatures about 20° C.

*Time to produce a rooted young plant, summer.*—About three weeks at temperatures about 20° C.

*Time to produce a rooted young plant, winter.*—About four weeks at temperatures about 20° C.

*Root description.*—Fine, fibrous; close to 158A in color, actual color of the roots is dependent on substrate composition, water quality, fertilizers, substrate temperature and age of roots.

*Rooting habit.*—Freely branching; dense.

Plant description:

*Plant and growth habit.*—Outwardly spreading to trailing and decumbent plant habit; freely branching habit with about eight primary lateral branches each with about 13 secondary lateral branches developing per plant; pinching enhances branching; dense and full appearance; moderately vigorous growth habit and moderate growth rate.

*Plant height, soil level to top of foliar plane.*—About 21 cm.

*Plant height, soil level to top of floral plane.*—About 22 cm.

*Plant diameter (spread of plant).*—About 69.5 cm.

Lateral branch description:

*Length.*—About 48 cm.

*Diameter.*—About 4 mm.

*Internode length.*—About 1.75 cm.

*Strength.*—Strong.

*Aspect.*—Initially upright to outwardly spreading to trailing and decumbent.

*Texture and luster.*—Pubescent; glossy.

*Color, developing.*—Close to 152A.

*Color, developed.*—Close to 144A.

Leaf description:

*Arrangement.*—Before flowering, alternate, and after flowering, opposite; simple.

*Length.*—About 3.1 cm.

*Width.*—About 1.5 cm.

*Shape.*—Oblanceolate.

*Apex.*—Rounded.

*Base.*—Attenuate.

*Margin.*—Entire.

*Texture and luster, upper and lower surfaces.*—Pubescent; matte.

*Venation pattern.*—Pinnate; arcuate.

*Color*.—Developing and fully expanded leaves, upper surface: Close to 137B; venation, close to 144B. Developing and fully expanded leaves, lower surface: Close to 137C; venation, close to 141D.

*Petioles*.—Length: About 3.8 mm. Diameter: About 1.9 mm. Strength: Moderately strong. Texture and luster, upper and lower surfaces: Pubescent; matte. Color, upper surface: Close to 143C. Color, lower surface: Close to 141D.

Flower description:

*Flower arrangement and habit*.—Single salverform flowers arising from leaf axils; freely flowering habit with usually about 400 flowers and flower buds developing per plant; flowers face mostly upright to outwardly.

*Fragrance*.—None detected.

*Natural flowering season*.—Early flowering habit, plants of the new *Calibrachoa* initiate and develop flowers about six weeks after planting; plants flower continuously from the spring throughout the summer in Germany.

*Flower longevity*.—Individual flowers last about seven to ten days on the plant; flowers not persistent.

*Flower buds*.—Length: About 1.2 cm. Diameter: About 5.5 mm. Shape: Elongated oblong. Texture and luster: Rippled; semi-glossy. Color: Close to 154C.

*Flower diameter*.—About 3.1 cm by 3.25 cm.

*Flower depth (height)*.—About 3.1 cm.

*Flower throat diameter*.—About 6.8 mm.

*Flower tube length*.—About 1.7 cm.

*Flower tube diameter*.—About 8 mm.

*Corolla*.—Arrangement: Five petals fused at the base and opening into a flared trumpet. Petal length from throat: About 1.5 cm. Petal lobe width: About 1.6 cm. Petal shape: Roughly spatulate. Petal apex: Rounded. Petal margin: Entire; slightly undulate. Petal texture and luster, upper and lower surfaces: Smooth, glabrous; matte. Throat texture: Smooth, glabrous. Tube texture: Smooth, glabrous. Color: Petal, when opening, upper surface: Close to 3A and 48B. Petal, when opening, lower surface: Close to 1D. Petal, fully opened, upper surface: Close to 3C; venation, close to 150A and 48B; colors becoming closer to 3D with subsequent development. Petal, fully opened, lower surface: Close to 1D; venation,

close to 150A; color does not change with subsequent development. Throat: Close to 6A and 79B; venation, close to 167A. Tube: Close to 1D and 79B; venation, close to 149A and 79A.

*Calyx*.—Arrangement: Star-shaped calyx with five sepals; sepals fused at the base. Sepal length: About 6 mm. Sepal width: About 3 mm. Sepal shape: Lanceolate. Sepal apex: Acute. Sepal margin: Entire. Sepal texture and luster, upper and lower surfaces: Pubescent; matte. Color: When opening and fully opened, upper surface: Close to 146A. When opening and fully opened, lower surface: Close to 146A.

*Peduncles*.—Length: About 7.4 mm. Diameter: About 1 mm. Angle: About 45° from stem axis. Strength: Moderately strong. Texture and luster: Pubescent; matte. Color: Close to 144C.

*Reproductive organs*.—Stamens: Quantity: Five per flower. Filament length: About 1.1 cm. Filament color: Close to 145B. Anther length: About 1 mm. Anther shape: Ellipsoidal. Anther color: Close to 12B. Pollen amount: Scarce. Pollen color: Close to 13A. Pistils: Quantity: One per flower. Pistil length: About 1.2 cm. Style length: About 8 mm. Style color: Close to 144C. Stigma diameter: About 0.8 mm. Stigma shape: Ellipsoidal. Stigma color: Close to 144A. Ovary color: Close to 149A. Fruits: Quantity produced per plant: About 496 per plant. Length: About 6 mm. Diameter: About 4 mm. Texture: Smooth, glabrous. Color: Close to 165B. Seeds: Quantity per flower: About 72. Length: About 1 mm. Diameter: About 1 mm. Texture: Smooth, glabrous. Color: Close to 200B.

Garden performance: Plants of the new *Calibrachoa* have been observed to have good garden performance and to tolerate wind, rain, temperatures ranging from about 5° C. to about 40° C. and to be suitable for USDA Hardiness Zone 11.

Pathogen & pest resistance: To date, plants of the new *Calibrachoa* have not been observed to be resistant to pathogens and pests common to *Calibrachoa* plants.

It is claimed:

1. A new and distinct *Calibrachoa* plant named ‘Docal-raipep’ as illustrated and described.

\* \* \* \* \*



FIG. 1



FIG. 2