



Office de la Propriété
Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2647441 A1 2007/10/11

(21) **2 647 441**

(12) **DEMANDE DE BREVET CANADIEN
CANADIAN PATENT APPLICATION**

(13) **A1**

(86) Date de dépôt PCT/PCT Filing Date: 2007/03/29
(87) Date publication PCT/PCT Publication Date: 2007/10/11
(85) Entrée phase nationale/National Entry: 2008/09/25
(86) N° demande PCT/PCT Application No.: EP 2007/053057
(87) N° publication PCT/PCT Publication No.: 2007/113222
(30) Priorités/Priorities: 2006/03/30 (US60/787,587);
2006/03/30 (US60/787,249); 2006/03/30 (GB0606416.6)

(51) Cl.Int./Int.Cl. *A61K 39/085* (2006.01),
A61K 31/70 (2006.01), *A61P 31/04* (2006.01)

(71) Demandeur/Applicant:
GLAXOSMITHKLINE BIOLOGICALS S.A., BE

(72) Inventeurs/Inventors:
DENOEL, PHILIPPE, BE;
POOLMAN, JAN, BE

(74) Agent: OGILVY RENAULT LLP/S.E.N.C.R.L.,S.R.L.

(54) Titre : COMPOSITION IMMUNOGENE
(54) Title: IMMUNOGENIC COMPOSITION

(57) **Abrégé/Abstract:**

The present application relates to immunogenic compositions comprising Type 5 and/or 8 capsular polysaccharide or oligosaccharide from *S. aureus* having between 30-100% O- acetylation. Vaccines, methods of treatment using and processes to make an immunogenic composition comprising Type 5 and/or 8 capsular polysaccharides with 30-100% O- acetylation are also described.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 October 2007 (11.10.2007)

PCT

(10) International Publication Number
WO 2007/113222 A3

(51) International Patent Classification:

A61K 39/085 (2006.01) A61P 31/04 (2006.01)
A61K 31/70 (2006.01)

(21) International Application Number:

PCT/EP2007/053057

(22) International Filing Date: 29 March 2007 (29.03.2007)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

0606416.6	30 March 2006 (30.03.2006)	GB
60/787,249	30 March 2006 (30.03.2006)	US
60/787,587	30 March 2006 (30.03.2006)	US

(71) Applicant (for all designated States except US): **GLAXOSMITHKLINE BIOLOGICALS S.A.** [BE/BE]; rue de l'Institut, 89, B-1330 Rixensart (BE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **DENOEL, Philippe** [BE/BE]; GlaxoSmithKline Biologicals s.a., Rue de l'Institut 89, B-1330 Rixensart (BE). **POOLMAN, Jan** [NL/BE]; GlaxoSmithKline Biologicals SA, Rue de l'Institut 89, B-1330 Rixensart (BE).

(74) Agents: **JOHNSTON, Caroline, Louise** et al.; Glaxo-SmithKline, Corporate Intellectual Property, (CN925.1), Brentford, Middlesex TW8 9GS (GB).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH,

CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))
- of inventorship (Rule 4.17(iv))

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:

29 November 2007

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: IMMUNOGENIC COMPOSITION

(57) Abstract: The present application relates to immunogenic compositions comprising Type 5 and/or 8 capsular polysaccharide or oligosaccharide from *S. aureus* having between 30-100% O- acetylation. Vaccines, methods of treatment using and processes to make an immunogenic composition comprising Type 5 and/or 8 capsular polysaccharides with 30-100% O- acetylation are also described.

WO 2007/113222 A3

IMMUNOGENIC COMPOSITION

Technical Field

The present invention relates to the field of Staphylococcal immunogenic compositions and vaccines, their manufacture and the use of such compositions in medicine. More particularly, it relates to vaccine compositions comprising type 5 and/or 8 polysaccharides from *S. aureus* in which the degree of O-acetylation is between 30-100%. Methods for the treatment or prevention of staphylococcal infections using such vaccines are also provided.

Background

The number of both community acquired and hospital acquired infections have increased over recent years with the increased use of intravascular devices. Hospital acquired (nosocomial) infections are a major cause of morbidity and mortality, more particularly in the US, where they affect more than 2 million patients annually. Following various studies, about 6 percent of the US patients will acquire an infection during their stay in hospital. The economic burden in the USA was estimated to be more than \$4.5 billion in 1992 (Emori and Gaynes, 1993, Clin. Microbiol. Rev. 6; 428). The most frequent infections are urinary tract infections (UTI-33% of the infections), followed by pneumonia (15.5%), surgical site infections (14.8%) and primary bloodstream infections (13%) Emori and Gaynes, 1993, Clin. Microbiol. Rev. 6; 428).

Staphylococcus aureus, Coagulase-negative Staphylococci (mostly *Staphylococcus epidermidis*), *enterococcus* spp, *Escherichia coli* and *Pseudomonas aeruginosa* are the major nosocomial pathogens. Although those pathogens almost cause the same number of infections, the severity of the disorders they can produce combined with the frequency of antibiotic resistant isolates balance this ranking towards *S. aureus* and *S. epidermidis* as being the most significant nosocomial pathogens.

Staphylococcus aureus is the most common cause of nosocomial infections with a significant morbidity and mortality (Romero-Vivas et al 1995, Infect. Dis. 21; 1417). It is

the cause of some cases of osteomyelitis, endocarditis, septic arthritis, pneumonia, abscesses and toxic shock syndrome.

5 *S. epidermidis* is a normal skin commensal which is also an important opportunistic pathogen responsible for infections of implanted medical devices and infections at sites of surgery. Medical devices infected by *S. epidermidis* include cardiac pacemakers, cerebrospinal fluid shunts, continuous ambulatory peritoneal dialysis catheters, orthopaedic devices and prosthetic heart valves.

10 *S. aureus* and *S. epidermidis* infections are treated with antibiotics, with penicillin being the drug of choice whereas vancomycin is used for methicillin resistant isolates. The percentage of staphylococcal strains exhibiting wide-spectrum resistance to antibiotics has become increasingly prevalent since the 1980's (Panlilo et al 1992, Infect.Control. Hosp. Epidemiol. 13; 582), posing a threat for effective antimicrobial therapy. In addition,
15 the recent emergence of vancomycin resistant *S. aureus* strain has aroused fear that methicillin resistant *S. aureus* strains will emerge and spread for which no effective therapy is available.

An alternative approach of using antibodies against staphylococcal antigens in passive
20 immunotherapy has been investigated. Therapy involving administration of polyclonal antisera are under development (WO 00/15238, WO 00/12132) as well as treatment with a monoclonal antibody against lipoteichoic acid (WO 98/57994).

An alternative approach would be use of active vaccination to generate an immune
25 response against staphylococci. Several candidates for inclusion as vaccine components have been identified. These include Fibronectin binding protein (US5840846), MHC II analogue (US5648240), fibrinogen binding protein (US6008341), GehD (US 2002/0169288), collagen binding protein (US6288214), SdrF, SdrG and SdrH (WO 00/12689), mutant SEA and SEB exotoxins (WO 00/02523) and 52kDa vitronectin binding
30 protein (WO 01/60852).

The *S. aureus* genome has been sequenced and many of the coding sequences have been identified (EP786519, WO02/094868). The same is true for *S. epidermidis* (WO 01/34809). As a refinement of this approach, others have identified proteins that are

recognised by hyperimmune sera from patients who have suffered staphylococcal infection (WO01/98499, WO 02/059148).

5 The first generation of vaccines targeted against *S. aureus* or against the exoproteins it produces have met with limited success (Lee 1996 Trends Microbiol. 4; 162). There remains a need to develop effective vaccines against staphylococcal infections.

Description of Figures

10 Figure 1 – Polypeptide sequences of proteins for inclusion in an immunogenic composition. Table 1 provides information on which protein is represented by each SEQ ID.

15 Figure 2 – Nucleotide sequences encoding proteins for inclusion in an immunogenic composition. Table 1 provides information on which protein is encoded by each SEQ ID.

Figure 3 – Purification of alpha toxin under native conditions. Panel A shows a coomassie stained SDS-PAGE of samples prepared during the purification of alpha toxin. Lane 1 – molecular weight markers, lane 2 – soluble fraction containing over-expressed alpha toxin, lane 3 – flow through from the Ni-NTA column, lane 4 – fractions eluted with 10% buffer B, lane 5 – fractions eluted with 20% buffer B, lane 6 – fractions eluted with 30% buffer B, lane 7 – fractions eluted with 50% buffer B, lane 8 – fractions eluted with 75% buffer B, lane 9 and 10 fractions eluted with 100% buffer B, lane 11 bacteria at T=0 before induction, lane 12 – bacteria at T=4 hours after induction, lane 13 – cell lysate, lane 14 – soluble fraction, lane 15 – insoluble fraction.

25 Panel B shows a coomassie stained SDS-PAGE of 10, 5, 2 and 1µl of the purified alpha toxin.

Figure 4 – Purification of SdrC underdenaturing conditions. Panel A shows a coomassie stained SDS-PAGE of samples prepared during the purification of alpha toxin. Lane M – molecular weight markers, lane Start – supernatant from the insoluble fraction containing over-expressed SdrC, lane FT1 – flow through from the Ni-NTA column, lane C – fractions eluted with wash buffer C, lane D – fractions eluted with buffer D, lane E – fractions eluted with buffer E.

Panel B shows a coomassie stained SDS-PAGE of 1, 2, 5 and 10µl of the purified SdrC.

35

Figure 5 – ELISA results for antisera against staphylococcal proteins in plates coated with purified proteins.

Pool mice pre – result using pooled sera extracted from mice pre-innoculation. Pool mice Post III – result using pooled mouse sera extracted post-immunisation. Pool rabbit pre – result using pooled sera extracted from rabbits pre-innoculation. Pool rabbit Post III – result using pooled rabbit sera extracted post-immunisation. Blc- negative control.

5

Figure 6 – ELISA results for mouse antisera raised against staphylococcal proteins in plates coated with killed staphylococci.

Panel A uses plates coated with *S. aureus* serotype 5 killed whole cells. Panel B uses plates coated with *S. aureus* serotype 8 killed whole cells. Panel C uses plates coated with *S. epidermidis* killed whole cells.

The line marked with square signs shows the ELISA result using antisera from mice immunised three times with the indicated staphylococcal protein. The line marked with diamond signs shows the ELISA result for pre-immune mouse sera.

Figure 7 - ELISA results for rabbit antisera raised against staphylococcal proteins in plates coated with killed staphylococci.

Panel A uses plates coated with *S. aureus* serotype 5 killed whole cells. Panel B uses plates coated with *S. aureus* serotype 8 killed whole cells. Panel C uses plates coated with *S. epidermidis* killed whole cells.

The line marked with square signs shows the ELISA result using antisera from rabbits immunised three times with the indicated staphylococcal protein (except for HarA where only one immunisation was given). The line marked with diamond signs shows the ELISA result for pre-immune rabbit sera.

Detailed description

30

The present invention discloses immunogenic compositions which comprise *S. aureus* polysaccharides Type 5 and/or 8 in which the Type 5 and/or Type 8 capsular polysaccharide or oligosaccharide is between 30% and 100% O-acetylated. In particular embodiments, the immunogenic composition of the invention additionally comprises PNAG or staphylococcal protein(s). PNAG is highly conserved among Gram positive bacteria and provides protection against a broad range of bacteria whereas Type 5 and 8 polysaccharides are potent immunogens that elicit an immune response against most strains of *S. aureus* which is the most common cause of nosocomial infection.

35

Polysaccharides

The immunogenic compositions of the invention comprise PNAG and type 5 and 8 polysaccharides from *S. aureus* either or both of which are between 30% and 100% O-acetylated.

Poly N-acetylated glucosamine (PNAG)

PNAG is a polysaccharide intercellular adhesin and is composed of a polymer of β -(1 $\rightarrow$ 6)-linked glucosamine, optionally substituted with N-acetyl and/or O-succinyl constituents. This polysaccharide is present in both *S. aureus* and *S. epidermidis* and can be isolated from either source (Joyce et al 2003, Carbohydrate Research 338; 903; Maira-Litran et al 2002, Infect. Immun. 70; 4433). For example, PNAG may be isolated from *S. aureus* strain MN8m (WO 04/43407). The preparation of dPNAG is described in WO 04/43405.

15

The polysaccharide previously known as poly-N-succinyl- β -(1 $\rightarrow$ 6)-glucosamine (PNSG) was recently shown not to have the expected structure since the identification of N-succinylation was incorrect (Maira-Litran et al 2002, Infect. Immun. 70; 4433). Therefore the polysaccharide formally known as PNSG and now found to be PNAG is also encompassed by the term PNAG.

20

PNAG may be of different sizes varying from over 400kDa to between 75 and 400kDa to between 10 and 75kDa to oligosaccharides composed of up to 30 repeat units (of β -(1 $\rightarrow$ 6)-linked glucosamine, optionally substituted with N-acetyl and O-succinyl constituents). Any size of PNAG polysaccharide or oligosaccharide may be use in an immunogenic composition of the invention, for example a size of over 40kDa can be used. Sizing may be achieved by any method known in the art, for instance by microfluidisation, ultrasonic irradiation or by chemical cleavage (WO 03/53462, EP497524, EP497525).

25

Size ranges of PNAG are for example 40-400kDa, 50-350kDa, 40-300kDa, 60-300kDa, 50-250kDa and 60-200kDa.

30

PNAG can have different degree of acetylation due to substitution on the amino groups by acetate. PNAG produced in vitro is almost fully substituted on amino groups (95-100%).

Alternatively, a deacetylated PNAG can be used having less than 50%, 40%, 30%, 20%, 10% or 5% N-acetylation. Use of a deacetylated PNAG allows opsonic killing of Gram positive bacteria, optionally *S. aureus* and/or *S. epidermidis* (WO 04/43405). In an embodiment, the PNAG has a size between 40kDa and 300kDa and is deacetylated so that less than 50%, 40%, 30%, 20%, 10% or 5% of amino groups are N acetylated.

In an embodiment, the PNAG is not O-succinylated or is O-succinylated on less than 25, 20, 15, 10, 5, 2, 1 or 0.1% of residues.

10 The term deacetylated PNAG (dPNAG) refers to a PNAG polysaccharide or oligosaccharide in which less than 50%, 40%, 30%, 20%, 10% or 5% of the amino groups are acetylated.

As used herein, the term PNAG encompasses both acetylated and deacetylated forms of the saccharide.

In an embodiment, PNAG is deacetylated to form dPNAG, by chemically treating the native polysaccharide. For example, the native PNAG is treated with a basic solution such that the pH rises to above 10. For instance the PNAG is treated with 0.1-5M, 0.2-4M, 0.3-3M, 0.5-2M, 0.75-1.5M or 1M NaOH, KOH or NH₄OH. Treatment is for at least 10 or 30 minutes, or 1, 2, 3, 4, 5, 10, 15 or 20 hours at a temperature of 20-100, 25-80, 30-60 or 30-50 or 35-45 °C. dPNAG may be prepared as described in WO 04/43405.

In an embodiment, the polysaccharide(s) included in the immunogenic composition of the invention are conjugated to a carrier protein as described below or alternatively unconjugated.

Type 5 and Type 8 polysaccharides from *S. aureus*

Most strains of *S. aureus* that cause infection in man contain either Type 5 or Type 8 polysaccharides. Approximately 60% of human strains are Type 8 and approximately 30% are Type 5. The structures of Type 5 and Type 8 capsular polysaccharide antigens are described in Moreau et al Carbohydrate Res. 201; 285 (1990) and Fournier et al Infect. Immun. 45; 87 (1984). Both have FucNAcp in their repeat unit as well as ManNAcA which can be used to introduce a sulfhydryl group.

Recently (Jones Carbohydrate Research 340, 1097-1106 (2005)) NMR spectroscopy revised the structures of the capsular polysaccharides to :

Type 5

5

→4)-β-D-ManNAcA-(1 →4)-α-L-FucNAc(3OAc)-(1 →3)-β-D-FucNAc-(1 →

Type 8

10

→3)-β-D-ManNAcA(4OAc)-(1 →3)-α-L-FucNAc(1 →3)-α-D-FucNAc(1 →

15

Polysaccharides may be extracted from the appropriate strain of *S. aureus* using methods well known to the skilled man, for instance as described in US6294177 or Infection and Immunity (1990) 58(7); 2367. For example, ATCC 12902 is a Type 5 *S. aureus* strain and ATCC 12605 is a Type 8 *S. aureus* strain.

20

Polysaccharides are of native size or alternatively may be sized, for instance by microfluidisation, ultrasonic irradiation or by chemical treatment. The invention also covers oligosaccharides derived from the type 5 and 8 polysaccharides from *S. aureus*.

25

The type 5 and/or 8 capsular polysaccharide or oligosaccharides included in the immunogenic composition of the invention are O-acetylated. In an embodiment, the degree of O-acetylation of type 5 capsular polysaccharide or oligosaccharide is 10-100%, 20-100%, 30-100%, 40-100%, 50-100%, 60-100%, 70-100%, 80-100%, 90-100%, 50-90%, 60-90%, 70-90% or 80-90%. In an embodiment, the degree of O-acetylation of type 8 capsular polysaccharide or oligosaccharide is 10-100%, 20-100%, 30-100%, 40-100%, 50-100%, 60-100%, 70-100%, 80-100%, 90-100%, 50-90%, 60-90%, 70-90% or 80-90%. In an embodiment, the degree of O-acetylation of type 5 and type 8 capsular polysaccharides or oligosaccharides is 10-100%, 20-100%, 30-100%, 40-100%, 50-100%, 60-100%, 70-100%, 80-100%, 90-100%, 50-90%, 60-90%, 70-90% or 80-90%.

30

35

The degree of O-acetylation of the polysaccharide or oligosaccharide can be determined by any method known in the art, for example, by proton NMR (Lemercinier and Jones 1996, Carbohydrate Research 296; 83-96, Jones and Lemercinier 2002, J Pharmaceutical and Biomedical analysis 30; 1233-1247, WO 05/033148 or WO 00/56357). A further commently used method is that described by Hestrin (1949) J. Biol. Chem. 180; 249-261.

O-acetyl groups can be removed by hydrolysis, for example by treatment with a base such as anhydrous hydrazine (Konadu et al 1994; Infect. Immun. 62; 5048-5054) or treatment with 0.1N NaOH for 1-8 hours. In order to maintain high levels of O-acetylation on type 5 and/or 8 polysaccharide or oligosaccharide, treatments which would lead to hydrolysis of the O-acetyl groups are minimised. For example treatment at extremes of pH are minimised.

The type 5 and 8 polysaccharides included in the immunogenic composition of the invention are optionally conjugated to a carrier protein as described below or are alternatively unconjugated.

The immunogenic compositions of the invention alternatively contains either type 5 or type 8 polysaccharide.

15 S. aureus 336 antigen

In an embodiment, the immunogenic composition of the invention comprises the *S. aureus* 336 antigen described in US6294177.

20 The 336 antigen comprises β -linked hexosamine, contains no O-acetyl groups and specifically binds to antibodies to *S. aureus* Type 336 deposited under ATCC 55804.

In an embodiment, the 336 antigen is a polysaccharide which is of native size or alternatively may be sized, for instance by microfluidisation, ultrasonic irradiation or by chemical treatment. The invention also covers oligosaccharides derived from the 336 antigen.

The 336 antigen, where included in the immunogenic composition of the invention is optionally conjugated to a carrier protein as described below or are alternatively unconjugated.

Type I, II and III polysaccharides from *S. epidermidis*

Strains ATCC-31432, SE-360 and SE-10 of *S. epidermidis* are characteristic of three different capsular types, I, II and III respectively (Ichiman and Yoshida 1981, J. Appl. Bacteriol. 51; 229). Capsular polysaccharides extracted from each serotype of *S. epidermidis* constitute Type I, II and III polysaccharides. Polysaccharides may be

extracted by several methods including the method described in US4197290 or as described in Ichiman et al 1991, J. Appl. Bacteriol. 71; 176.

5 In one embodiment of the invention, the immunogenic composition comprises type I and/or II and/or III polysaccharides or oligosaccharides from *S. epidermidis*.

Polysaccharides are of native size or alternatively may be sized, for instance by microfluidisation, ultrasonic irradiation or chemical cleavage. The invention also covers oligosaccharides extracted from *S. epidermidis* strains.

10

These polysaccharides are unconjugated or are optionally conjugated as described below.

Conjugation of polysaccharides

15

Amongst the problems associated with the use of polysaccharides in vaccination, is the fact that polysaccharides *per se* are poor immunogens. Strategies, which have been designed to overcome this lack of immunogenicity, include the linking of the polysaccharide to large protein carriers, which provide bystander T-cell help. In an embodiment, the polysaccharides utilised in the invention are linked to a protein carrier which provide bystander T –cell help. Examples of these carriers which may be used for coupling to polysaccharide or oligosaccharide immunogens include the Diphtheria and Tetanus toxoids (DT, DT Crm197 and TT), Keyhole Limpet Haemocyanin (KLH), *Pseudomonas aeruginosa* exoprotein A (rEPA) and the purified protein derivative of Tuberculin (PPD), protein D from *Haemophilus influenzae*, pneumolysin or fragments of any of the above. Fragments suitable for use include fragments encompassing T-helper epitopes. In particular protein D fragment will optionally contain the N-terminal 1/3 of the protein. Protein D is an IgD-binding protein from *Haemophilus influenzae* (EP 0 594 610 B1).

25
30

An alternative carrier protein to use in the immunogenic composition of the invention is a single staphylococcal protein or fragment thereof or a fusion protein comprising at least or exactly 1, 2, 3 or 4 or more of the staphylococcal proteins or fragments thereof listed in the section below.

35

A new carrier protein that would be particularly advantageous to use in the context of a staphylococcal vaccine is staphylococcal alpha toxoid. The native form may be conjugated to a polysaccharide since the process of conjugation reduces toxicity. Optionally a genetically detoxified alpha toxin such as the His35Leu or His 35 Arg variants
5 are used as carriers since residual toxicity is lower. Alternatively the alpha toxin is chemically detoxified by treatment with a cross-linking reagent, formaldehyde or glutaraldehyde. A genetically detoxified alpha toxin is optionally chemically detoxified, optionally by treatment with a cross-linking reagent, formaldehyde or glutaraldehyde to further reduce toxicity.

10 The polysaccharides may be linked to the carrier protein(s) by any known method (for example, by Likhite, U.S. Patent 4,372,945 by Armor et al., U.S. Patent 4,474,757, WO and Jennings et al., U.S. Patent 4,356,170). Optionally, CDAP conjugation chemistry is carried out (see WO95/08348).

15 In CDAP, the cyanylating reagent 1-cyano-dimethylaminopyridinium tetrafluoroborate (CDAP) is optionally used for the synthesis of polysaccharide-protein conjugates. The cyanilation reaction can be performed under relatively mild conditions, which avoids hydrolysis of the alkaline sensitive polysaccharides. This synthesis allows direct coupling
20 to a carrier protein.

The polysaccharide may be solubilized in water or a saline solution. CDAP may be dissolved in acetonitrile and added immediately to the polysaccharide solution. The CDAP reacts with the hydroxyl groups of the polysaccharide to form a cyanate ester.
25 After the activation step, the carrier protein is added. Amino groups of lysine react with the activated polysaccharide to form an isourea covalent link. After the coupling reaction, a large excess of glycine is then added to quench residual activated functional groups. The product is then passed through a gel permeation column to remove unreacted carrier protein and residual reagents.

30 Proteins

The immunogenic composition of the invention optionally further comprises a staphylococcal protein, for example a protein from *S. aureus* or *S. epidermidis*. Some
35 embodiments of the invention contain proteins from both *S. aureus* and *S. epidermidis*.

Immunogenic compositions of the invention comprise an isolated protein which comprises an amino acid sequence which has at least 85% identity, optionally at least 90% identity, at least 95% identity, at least 97-99% or exact identity, to that of any sequence of figure 1.

5

Where a protein is specifically mentioned herein, it is optionally a reference to a native or recombinant, full-length protein or optionally a mature protein in which any signal sequence has been removed. The protein may be isolated directly from the staphylococcal strain or produced by recombinant DNA techniques. Immunogenic fragments of the protein may be incorporated into the immunogenic composition of the invention. These are fragments comprising at least 10 amino acids, at least 20 amino acids, at least 30 amino acids, at least 40 amino acids, at least 50 amino acids or at least 100 amino acids, taken contiguously from the amino acid sequence of the protein. In addition, such immunogenic fragments are typically immunologically reactive with antibodies generated against the Staphylococcal proteins or with antibodies generated by infection of a mammalian host with Staphylococci or contain T cell epitopes. In an embodiment, immunogenic fragments also includes fragments that when administered at an effective dose, (either alone or as a hapten bound to a carrier), elicit a protective immune response against Staphylococcal infection, optionally it is protective against *S. aureus* and/or *S. epidermidis* infection. Such an immunogenic fragment may include, for example, the protein lacking an N-terminal leader sequence, and/or a transmembrane domain and/or a C-terminal anchor domain. In an embodiment, the immunogenic fragment according to the invention comprises substantially all of the extracellular domain of a protein which has at least 85%, 90%, 95%, 97% or 99% identity, to that a sequence selected from Figure 1 over the entire length of the fragment sequence.

25

In an embodiment, immunogenic compositions of the invention may contain fusion proteins of Staphylococcal proteins, or fragments of staphylococcal proteins. Such fusion proteins may be made recombinantly and may comprise one portion of at least 2, 3, 4, 5 or 6 staphylococcal proteins, for example the combinations of staphylococcal proteins listed below. Alternatively, a fusion protein may comprise multiple portions of at least 2, 3, 4 or 5 staphylococcal proteins. These may combine different Staphylococcal proteins or fragments thereof in the same protein. Alternatively, the invention also includes individual fusion proteins of Staphylococcal proteins or fragments thereof, as a fusion protein with heterologous sequences such as a provider of T-cell epitopes or purification tags, for example: β -galactosidase, glutathione-S-transferase, green fluorescent proteins (GFP),

35

epitope tags such as FLAG, myc tag, poly histidine, or viral surface proteins such as influenza virus haemagglutinin, or bacterial proteins such as tetanus toxoid, diphtheria toxoid, CRM197. The fusion protein may be present in the immunogenic composition of the invention as a free protein or it may be a carrier protein linked to a saccharide.

5 Proteins

In an embodiment, the immunogenic composition of the invention further comprises one or more of the proteins mentioned below or immunogenic fragments thereof. Many of the proteins fall into the categories of extracellular component binding proteins, transporter proteins or toxins and regulators of virulence. The immunogenic composition of the invention optionally further comprises a staphylococcal extracellular component binding protein or a staphylococcal transporter protein or a staphylococcal toxin or regulator of virulence. The immunogenic composition of the invention optionally comprises at least or exactly 1, 2, 3, 4, 5 or 6 staphylococcal proteins.

Table 1

The following table sets out the SEQ ID numbers of preferred protein sequences and DNA sequences that are found in Figure 1 and Figure 2 respectively. SA indicates a sequence from *S. aureus* and SE indicates a sequence from *S. epidermidis*.

Name	Protein sequence	DNA sequence
Immunodominant ABC transporter		
SA	SEQ ID 1	SEQ ID 34
SE	SEQ ID 2	SEQ ID 35
Laminin receptor		
SA	SEQ ID 3	SEQ ID 36
SE	SEQ ID 4	SEQ ID 37
Secretory Antigen A SsaA		
SA 1	SEQ ID 5	SEQ ID 38
SA 2	SEQ ID 6	SEQ ID 39
SE	SEQ ID 7	SEQ ID 40
SitC		
SA	SEQ ID 8	SEQ ID 41
SE	SEQ ID 9	SEQ ID 42
IsaA / PisA (lssA)		
SA	SEQ ID 10	SEQ ID 43
SE	SEQ ID 11	SEQ ID 44

EbhA / B		
SA EbhA	SEQ ID 12	SEQ ID 45
SA EbhB	SEQ ID 13	SEQ ID 46
SE EbhA	SEQ ID 14	SEQ ID 47
SE EbhB	SEQ ID 15	SEQ ID 48
Accumulation-assoc pro Aap		
SA	SEQ ID 16	SEQ ID 49
SE	SEQ ID 17	SEQ ID 50
RNA III activating protein RAP		
SA	SEQ ID 18	SEQ ID 51
SE	SEQ ID 19	SEQ ID 52
FIG / SdrG		
SA	SEQ ID 20	SEQ ID 53
SE	SEQ ID 21	SEQ ID 54
Elastin binding protein EbpS		
SA	SEQ ID 22	SEQ ID 55
SE	SEQ ID 23	SEQ ID 56
Extracellular protein EFB SA	SEQ ID 24	SEQ ID 57
alpha toxin SA	SEQ ID 25	SEQ ID 58
SBI SA	SEQ ID 26	SEQ ID 59
IsdA SA	SEQ ID 27	SEQ ID 60
IsdB SA	SEQ ID 28	SEQ ID 61
SdrC SA	SEQ ID 29	SEQ ID 62
ClfA SA	SEQ ID 30	SEQ ID 63
FnbA SA	SEQ ID 31	SEQ ID 64
ClfB SA	SEQ ID 32	SEQ ID 65
Coagulase SA	SEQ ID 33	SEQ ID 66
FnbB SA	SEQ ID 67	SEQ ID 77
MAP SA	SEQ ID 68	SEQ ID 78
HarA SA	SEQ ID 69	SEQ ID 79
Autolysin glucosaminidase SA	SEQ ID 70	SEQ ID 80
Autolysin amidase SA	SEQ ID 71	SEQ ID 81
Ebh fragment SA	SEQ ID 72	SEQ ID 82
Autolysin Ant SA	SEQ ID 73	SEQ ID 83
SdrC SA	SEQ ID 74	SEQ ID 84
MRPII SA	SEQ ID 75	SEQ ID 85
SdrG SA	SEQ ID 76	SEQ ID 86
SdrE SA	SEQ ID 87	SEQ ID 88
SdrD SA	SEQ ID 89	SEQ ID 90
SasF SA	SEQ ID 91	SEQ ID 92

Extracellular component binding proteins

Extracellular component binding proteins are proteins that bind to host extracellular components. The term includes, but is not limited to adhesins.

5

Examples of extracellular component binding proteins include laminin receptor (Naidu et al J. Med. Microbiol. 1992, 36; 177), SitC/MntC/saliva binding protein (US5801234, Wiltshire and Foster Infect. Immun. 2001, 69; 5198), EbhA (Williams et al Infect. Immun. 2002, 70; 6805), EbhB, Elastin binding protein (EbpS) (Park et al 1999, J. Biol. Chem. 274; 2845), EFB (FIB) (Wastfelt and Flock 1995, J. Clin. Microbiol. 33; 2347), SBI (Zhang et al FEMS Immun. Med. Microbiol. 2000, 28; 211), autolysin (Rupp et al 2001, J. Infect. Dis. 183; 1038), ClfA (US6008341, McDevitt et al Mol. Microbiol. 1994, 11; 237), SdrC, SdrG (McCrea et al Microbiology 2000, 146; 1535), SdrH (McCrea et al Microbiology 2000, 146; 1535), Lipase GehD (US2002/0169288), SasA (Roche et al Microbiology 2003, 149; 643), SasC (Roche et al Microbiology 2003, 149; 643), SasK (Roche et al Microbiology 2003, 149; 643), FnbA (Flock et al Mol Microbiol. 1994, 12; 599, US6054572), FnbB (WO 97/14799, Booth et al 2001 Infect. Immun. 69; 345), collagen binding protein Cna (Visai et al 2000, J. Biol. Chem. 275; 39837), ClfB (WO 99/27109), SdrD (WO 99/27109), SdrE (WO 99/27109), FbpA (Phonimdaeng et al 1988 J. Gen Microbiol. 134; 75), Npase (Flock 2001 J. Bacteriol. 183; 3999), IsaA/PisA (Lonzén et al FEMS Immun. Med. Microbiol. 2000, 29; 145), SsaA (Lang et al FEMS Immunol. Med. Microbiol. 2000, 29; 213), EPB (Hussain and Hermann symposium on Staph Denmark 14-17th 2000), SSP-1 (Veenstra et al 1996, J. Bacteriol. 178; 537), SSP-2 (Veenstra et al 1996, J. Bacteriol. 178; 537), 17 kDa heparin binding protein HBP (Fallgren et al 2001, J. Med. Microbiol. 50; 547), Vitronectin binding protein (Li et al 2001, Curr. Microbiol. 42; 361), fibrinogen binding protein, coagulase, Fig (WO 97/48727) and MAP (US5648240)

SitC/MntC/saliva binding protein

30 This is an ABC transporter protein which is a homologue of adhesin PsaA in *S. pneumoniae*. It is a highly immunogenic 32kDa lipoprotein which is distributed through the bacterial cell wall (Cockayne et al Infect. Immun. 1998 66; 3767). It is expressed in *S. aureus* and *S. epidermidis* as a 32kDa lipoprotein and a 40kDa homologue is present in *S. hominis*. In *S. epidermidis*, it is a component of an iron-regulated operon. It shows
35 considerable homology to both adhesins including FimA of *Streptococcus parasanguis*, and with lipoproteins of a family of ABC transporters with proven or putative metal iron transport functions. Therefore SitC is included as an extracellular binding protein and as a metal ion transporter.

The saliva binding protein disclosed in US5,801,234 is also a form of SitC and can be included in an immunogenic composition of the invention.

ClfA and ClfB

5

Both these proteins have fibrinogen binding activity and trigger *S. aureus* to form clumps in the presence of plasma. They contain a LPXTG motif common to wall associated proteins.

10 ClfA is described in US6008341 and ClfB is described in WO 99/27109.

Coagulase (FbpA)

15

This is a fibrinogen binding protein which triggers *S. aureus* to form clumps in the presence of plasma. It is described in references related to Coagulase : Phonimdaeng et al (J. Gen. Microbio. 1988, 134:75-83), Phonimdaeng et al. (Mol Microbiol 1990; 4:393-404), Cheung et al. (Infect Immun 1995; 63:1914-1920) and Shopsin et al. (J. Clin. Microbiol. 2000; 38:3453-3456). In an embodiment, fragments for inclusion in the immunogenic composition of the invention include the mature protein in which the signal peptide has been removed (amino acids 27 to the C-terminus).

20

Coagulase has three distinct domains. Amino acids 59-297 which is a coiled coil region, amino acids 326-505 which is a proline and glycine rich region and the C-terminal domain from amino acid 506 to 645 which has a beta sheet conformation. Each of these domains is a fragment which may be incorporated into the immunogenic composition of the invention.

25

SdrG

30 This protein is described in WO 00/12689. SdrG is found in coagulase negative staphylococci and is a cell wall associated protein containing a LPXTG sequence.

SdrG contains a signal peptide (amino acids 1-51), a region containing fibrinogen binding sites and collagen binding sites (amino acids 51-825), two CnaB domains (amino acids 627-698 and 738-809), a SD repeat region (amino acids 825-1000) and an anchor domain (amino acids 1009-1056).

35

In an embodiment fragments of SdrG include polypeptides in which the signal peptide and/or the SD repeats and the anchor domain have been removed. These include polypeptides comprising or consisting of amino acids 50-825, amino acids 50-633, amino acids 50-597 (SEQ ID NO 2 of WO 03/76470), amino acids 273-597 (SEQ ID NO 4 of WO

40

03/76470), amino acids 273-577 (SEQ ID NO 6 of WO 03/76470) amino acids 1-549, amino acids 219-549, amino acids 225-549, amino acids 219-528, amino acids 225-528 of SEQ ID NO: 70 or 20 or 21.

- 5 Optionally, an SdrG polypeptide having a sequence at least 80%, 85%, 90%, 92%, 95%, 97%, 98%, 99% or 100% homologous to the sequence of SEQ ID NO: 70, 20 or 21 is incorporated into the immunogenic composition of the invention.

The compositions of the invention optionally comprise a fragment of the SdrG
10 polypeptides described above.

In an embodiment fragments have the signal peptide and/or the SD repeat domain and/or the anchoring domain deleted. For example sequences corresponding to amino acids 1-713 , 1-549, 225-549, 225-529, 24-717, 1-707, 1-690, 1-680, 1-670, 1-660, 1-650, 1-640,
15 1-630, 1-620, 1-610, 1-600, 34-707, 44-697, 36-689 of SEQ ID 70 or sequences having 85%, 90%, 92%, 95%, 97%, 98%, 99% or 100% identity to SEQ ID 70 or 20 or 21.

In an embodiment, fragments with the signal peptide deleted have a methionine residue at the N-terminus of the fragment to ensure correct translation.

20

In an embodiment, the fragment has the following sequence:-

MEENSVQDVKDSNTDDELSDSNDQSSDEEKNDVINNNQSINTDDNNQIIKKEETNNYDGLIEKRSEDRTESTTN
VDENEATFLQKTPQDNTHLTEEEVKESSVESSNSSIDTAQQPSHTTINREESVQTSNVEDSHVSDFANSKI
25 KESNTESGKEENTIEQPNKVKEDSTTSQPSGYTNIDEKISNQDE
LLNLPINEYENKARPLSTTSAQPSIKRVTVNQLAAEQGSNVNHLIKVTDQSITEGYDDSEGVIIKAHDAENLIY
DVTFEVDDKVKSGDTMTVDIDKNTVPSDLTDSFTIPKIKDNSGEIIATGTYDNKNKQITYTFTDYVDKYENIK
AHLKLTSYIDKSKVPNNNTKLDVEYKTALSSVNKTIITVEYQRPNENRTANLQSMFTNIDTKNHTVEQTIYINP
LRYSAKETNVNISGNGDEGST
30 IIDDSTIIKVYKVGDNQNLPSNRIDYSEYEDVTNDDYAQLGNNNDVNINFGNIDSPYIIKVISKYDPNKDD
YTTIQQTVMQTTINEYTGEFRTASYDNTIAFSTSSGQGQGDLPPEKTYKIGDYVWEDVDKDGIIQNTNDNEKP
LSNVLVTLTYPDGTSKSVRTDEDGKYQFDGLKNGLTYKITFETPEGYTPTLKHSGTNPALDSEGNSVWVTING
QDDMTIDSGFYQTPKYSLGNY
VWYDTNKDGIQGDDEKGISGVKVTCLKDENGNIISTTTTDENGKYQFDNLNSGNYIVHFDKPSGMTQTTTDSGD
35 DDEQDADGEEVHVTITDHDDFSIDNGYYDDE

EbhA and EbhB

EbhA and EbhB are proteins that are expressed in both *S. aureus* and *S. epidermidis* (Clarke and Foster Infect. Immun. 2002, 70; 6680 , Williams et al Infect. Immun. 2002, 20; 6805) and which bind to fibronectin. Since fibronectin is an important component of extracellular matrix, EbhA and EbhB have an important function in adhering staphylococci to host extracellular
5 matrix.

The Ebh proteins are large, having a molecular weight of 1.1 megadaltons. It is advantageous to use a fragment of the Ebh protein rather than the complete sequence due to ease of production and formulation. The central region of the protein contains imperfect repeats which
10 contain fibronectin binding sites. Fragments containing one or more of the repeat domains described below are some fragments suitable for incorporation into the immunogenic composition of the invention.

Ebh proteins contain imperfect repeats units of 127 amino acids in length which are
15 characterised by containing the consensus sequence:-

L.G.{10}A.{13}Q.{26}L...M..L.{33}A

or

..{19}L.G.{10}A.{13}Q.{26}L...M..L.{33}A.{12}

20 or

.....I/V..A...I/V..AK.ALN/DG..NL..AK..A.{6}L..LN.AQK..L..QI/V..A..V..
V.{6}A..LN/D.AM..L...I/V.D/E...TK.S.NY/F.N/DAD..K..AY/F..AV..A..I/V.N
/D.....

25 Where '.' means any amino acid and '{10}' means any 10 amino acids and I/V indicates alternative choices of amino acid.

By reference to the sequence disclosed in Kuroda et al (2001) Lancet 357; 1225-1240, and Table 2, the repeat sequences within Ebh proteins are readily deduced.

30

In an embodiment, fragments to be included in the immunogenic composition of the invention include proteins containing of one, two, three, four, five, six, seven, eight, nine, ten or more than 10 of the 127 amino acid repeat units. Such fragments may consist of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more repeats of the 127 amino acid repeat region or may consist of 1, 2, 3, 4, 5, 6, 7,
35 8, 9, 10 or more repeats with additional amino acid residues present at either or both ends of

the fragment. Optionally the fragment is the H2 polypeptide of about 44kDa spanning three repeats (amino acids 3202-3595) as described in Clarke et al Infection and Immunity 70, 6680-6687, 2002. Such fragments will optionally be able to bind fibronectin and/or to elicit antibodies that are reactive against the whole Ebh protein.

5

The Ebh proteins are capable of binding to fibronectin. In an embodiment, fragments of these polypeptides sequences retain the ability to bind to fibronectin. Binding to fibronectin can be assessed by ELISA as described by Clarke et al (Infection and Immunity 70; 6680-6687 2002).

10

In an embodiment, the fragment is one which comprises a B-cell or T-helper epitope, for example those fragments/peptides described in Tables 3 and 4.

TABLE 2 Repeat sequences in the full-length sequence of Ebh.

15

The full-length sequence of Ebh is disclosed in Kuroda et al (2001) Lancet 357; 1225-1240. The following table shows the amino acid residues at which the 127 amino acid repeats begin and end within the full length sequence.

	Begin	End
1	3204	3330
2	3331	3457
3	3457	3583
4	3583	3709
5	3709	3835
6	3835	3961
7	3961	4087
8	4200	4326
9	4326	4452
10	4452	4578
11	4578	4704
12	4704	4830
13	4830	4956
14	4956	5082
15	5082	5208
16	5208	5334
17	5334	5460
18	5460	5586
19	5585	5711

20	5711	5837
21	5837	5963
22	5963	6089
23	6089	6215
24	6215	6341
25	6341	6467
26	6467	6593
27	6593	6719
28	6719	6845
29	6845	6971
30	6971	7097
31	7097	7223
32	7223	7349
33	7349	7475
34	7475	7601
35	7601	7727
36	7727	7853
37	7852	7978
38	7978	8104
39	8104	8230
40	8230	8356
41	8356	8482
42	8482	8608
43	8604	8730
44	8858	8984

Table 3 B-cell epitope prediction for a 127 amino acid repeat :

5 The full-length sequence is disclosed in Kuroda et al (2001) Lancet 357; 1225-1240. One of these repeats, encoded by amino acids 3204-3331 of the full-length sequence was chosen to carry out an epitope prediction:-

MDVNTVNQKAASVKSTKDALDGQQNLQRAKTEATNAITHASDLNQAQKNALTQQVN
 10 SAQNVHAVNDIKQTTQSLNTAMTGLKRGVANHNQVVQSDNYVNADTNKKNDYNNAY
 NHANDIINGNAQHPVI

Begin	End	Epitope sequence	Start	Stop
5	10	TVNQKA	3208	3213
14	19	KSTKDA	3217	3222
21	33	DGQQNLQRAKTEA	3224	3236

42	51	DLNQAQKNAL	3245	3254
66	74	DIKQTTQSL	3269	3277
100	112	ADTNKKNDYNNAY	3303	3315
117	123	DIINGNA	3320	3326

- The "Begin" and "End" columns present the position of the predicted B-cell epitopes in the 127 amino acid repeat
- 5 - The "Start" and "Stop" columns present the position of the predicted B-cell epitopes in the Ebh full length sequence

Table 4 T-helper cell epitope prediction in Ebh :

- 10 The full-length sequence is disclosed in TrEMBL database, sequence reference Q8NWQ6. One of these repeats, encoded by amino acids 3204-3331 of the full-length sequence was chosen to carry out an epitope prediction:-

15 MDVNTVNQKAASVKSTKDALDGQQNLQRAKTEATNAITHASDLNQAQKNALTQQVN
SAQNVHAVNDIKQTTQSLNTAMTGLKRGVANHNQVVQSDNYVNADTNKKNDYNNAY
NHANDIINGNAQHPVI

Position repeat	Epitope sequence	Position sequence
1	MDVNTVNQK	3204
3	VNTVNQKAA	3206
6	VNQKAASVK	3209
26	LQRAKTEAT	3229
37	ITHASDLNQ	3240
43	LNQAQKNAL	3246
51	LTQQVNSAQ	3254
55	VNSAQNVHA	3258
61	VHAVNDIKQ	3264
64	VNDIKQTTQ	3267
67	IKQTTQSLN	3270
74	LNTAMTGLK	3277
78	MTGLKRGVA	3281
81	LKRGVANHN	3284
85	VANHNQVVQ	3288
91	VVQSDNYVN	3294
92	VQSDNYVNA	3295
97	YVNADTNKK	3301

98	VNADTNKKN	3302
108	YNNAYNHAN	3311
112	YNHANDIIN	3315
118	IINGNAQHP	3321
119	INGNAQHPV	3322

- The "Position repeat" column presents the position of the predicted T-cell epitopes in the repeat
- The "Position sequence" column presents the position of the predicted T-cell epitopes in the Ebh full length sequence

Fragments of the proteins of the invention may be employed for producing the corresponding full-length polypeptide by peptide synthesis; therefore, these fragments may be employed as intermediates for producing the full-length proteins of the invention.

In an embodiment, variants are used in which several, 5-10, 1-5, 1-3, 1-2 or 1 amino acids are substituted, deleted, or added in any combination.

Elastin binding protein (EbpS)

EbpS is a protein containing 486 amino acids with a molecular weight of 83kDa. It is associated with the cytoplasmic membrane of *S. aureus* and has three hydrophobic regions which hold the protein in the membrane (Downer et al 2002, J. Biol. Chem. 277; 243; Park et al 1996, J. Biol. Chem. 271; 15803).

Two regions between amino acids 1-205 and 343-486 are surface exposed on the outer face of the cytoplasmic membrane. The ligand binding domain of EbpS is located between residues 14-34 at the N-terminus (Park et al 1999, J. Biol. Chem. 274; 2845).

In an embodiment, the fragment to be incorporated into the immunogenic composition of the invention is the surface exposed fragment containing the elastin binding region (amino acids 1-205). Optionally the fragments do not contain the entire exposed loop but should contain the elastin binding region (amino acids 14-34). An alternative fragment which could be used consists of amino acids forming the second surface exposed loop (amino acids 343-486). Alternative fragments containing up to 1, 2, 5, 10, 20, 50 amino acids less at one or both ends are also possible.

Laminin receptors

The laminin receptor of *S. aureus* plays an important role in pathogenicity. A characteristic feature of infection is bloodstream invasion which allows widespread metastatic abscess formation. Bloodstream invasion requires the ability to extravasate across the vascular basement membrane. This is achieved through binding to laminin through the laminin receptor (Lopes et al Science 1985, 229; 275).

Laminin receptors are surface exposed and are present in many strains of staphylococci including *S. aureus* and *S. epidermidis*.

SBI

10

Sbi is a second IgG binding protein in addition to protein A and it is expressed in most strains of *S. aureus* (Zhang et al 1998, Microbiology 144; 985).

15

The N-terminus of the sequence of Sbi has a typical signal sequence with a cleavage site after amino acid 29. Therefore a fragment of Sbi which could be used in an immunogenic composition of the invention starts at amino acid residue 30, 31, 32 or 33 and continues to the C-terminus of Sbi, for example of SEQ ID NO: 26.

20

The IgG binding domain of Sbi has been identified as a region towards the N-terminus of the protein from amino acids 41-92. This domain is homologous to the IgG binding domains of protein A.

The minimal IgG binding domain of Sbi contains the following sequence:-

25

QTTQNNYVTDQQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLK

 ** *** * *** * * * * *

* - denotes amino acids which are similar between IgG binding domains

30

In an embodiment, a fragment of Sbi to be included in the immunogenic composition of the invention contains an IgG binding domain. This fragment contains the consensus sequence for an IgG binding domain as designated by * as shown in the above sequence. Optionally the fragment contains or consists of the complete sequence shown above. Optionally, the fragment contains or consists of amino acids 30-92, 33-92, 30-94, 33-94, 30-146, 33-146, 30-150, 33-150, 30-160, 33-160, 33-170, 33-180, 33-190, 33-200, 33-205 or 33-210 of Sbi, for example of SEQ ID NO:26.

35

A fragment may contain 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 amino acid substitutions from the sequences indicated.

40

A fragments may contain multiple repeats (2, 3, 4, 5, 6, 7,8, 9 or 10) of the IgG binding domain.

5 EFB - FIB

Fib is a 19kDa fibrinogen binding protein which is secreted into the extracellular medium by *S. aureus*. It is produced by all *S aureus* isolates tested (Wastfelt and Flock 1995, J. Clin. Microbiol. 33; 2347).

10

S. aureus clumps in the presence of fibrinogen and binds to fibrinogen coated surfaces. This ability facilitates staphylococcal colonisation of catheters and endothelial cells.

15

Fib contains a signal sequence at the N-terminus of the protein with a putative cleavage site at about amino acid 30. In an embodiment, the immunogenic composition of the invention comprises or consists of the sequence of the mature protein (from about amino acid 30 to the C-terminus of the protein).

Fbe – EfB/FIG

20

Fbe is a fibrinogen binding protein that is found in many isolates of *S. epidermidis* and has a deduced molecular weight of 119 kDa (Nilsson et al 1998. Infect. Immun. 66; 2666). Its sequence is related to that of clumping factor from *S. aureus* (ClfA). Antibodies against Fbe can block the binding of *S. epidermidis* to fibrinogen coated plates and to catheters (Pei and Flock 2001, J. Infect. Dis. 184; 52).

25

Fbe has a putative signal sequence with a cleavage site between amino acids 51 and 52. Therefore a potential fragment of Fbe contains the mature form of Fbe extending from amino acid 52 to the C-terminus (amino acid 1,092).

30

The domain of Fbe from amino acid 52 to amino acid 825 is responsible for fibrinogen binding. In an embodiment, the fragment of Fbe consists of or contains amino acids 52-825.

35

The region between amino acid 373 and 516 of Fbe shows the most conservation between Fbe and ClfA. In an embodiment, the fragment contains amino acids 373-516 of Fbe.

Amino acids 825 – 1041 of Fbe contains a highly repetitive region composed of tandemly repeated aspartic acid and serine residues.

IsaA/PisA

5

IsaA is a 29kDa protein, also known as PisA has been shown to be a immunodominant staphylococcal protein during sepsis in hospital patients (Lorenz et al 2000, FEMS Immunol. Med. Microb. 29; 145).

- 10 The first 29 amino acids of the IsaA sequence are thought to be a signal sequence. In an embodiment, the fragment of IsaA to be included in an immunogenic composition of the invention contains amino acid residues 30 onwards, to the end of the coded sequence.

Fibronectin binding protein

15

Fibronectin binding protein A contains several domains that are involved in binding to fibronectin (WO 94/18327). These are called D1, D2, D3 and D4. In an embodiment fragments of fibronectin binding protein A or B comprise or consist of D1, D2, D3, D4, D1-D2, D2-D3, D3-D4, D1-D3, D2-D4 or D1-D4.

20

Fibronectin binding protein contains a 36 amino acid signal sequence. For example:

VKNNLRYGIRKHKLGAA SVFLGTMIVVG MGQDKEAA

- 25 Optionally, the mature protein omitting this signal sequence is included in the immunogenic composition of the invention.

Transporter proteins

- 30 The cell wall of Gram positive bacteria acts as a barrier preventing free diffusion of metabolites into the bacterium. A family of proteins orchestrates the passage of essential nutrients into the bacterium and are therefore essential for the viability of the bacterium. The term transporter protein covers proteins involved in the initial step of binding to metabolites such as iron as well as those involved in actually transporting the metabolite into the bacterium.

35

Molecular iron is an essential co-factor for bacterial growth. Siderophores are secreted that bind free iron and then are captured by bacterial surface receptors that deliver iron for transport across the cytoplasmic membrane. Iron acquisition is critical for the establishment of human infections so that the generation of an immune response against this class of proteins leads to a loss of staphylococcal viability.

Examples of transporter proteins include Immunodominant ABC transporter (Burnie et al 2000 Infect. Immun. 68; 3200), IsdA (Mazmanian et al 2002 PNAS 99; 2293), IsdB (Mazmanian et al 2002 PNAS 99; 2293), IsdC (WO 06/59247), Mg²⁺ transporter, SitC (Wiltshire and Foster 2001 Infect. Immun. 69; 5198) and Ni ABC transporter.

Immunodominant ABC transporter

Immunodominant ABC transporter is a well conserved protein which may be capable of generating an immune response that is cross-protective against different staphylococcal strains (Mei et al 1997, Mol. Microbiol. 26; 399). Antibodies against this protein have been found in patients with septicaemia (Burnie et al 2000, Infect. Immun. 68; 3200).

Optional fragments of immunodominant ABC transporter will include the peptides DRHFLN, GNYD, RRYPF, KTTLLK, GVTTSLS, VDWLR, RGFL, KIKVYVGNFYDFWYQS, TVIVVSHDRHFLYNNV and/or TETFLRGFLGRMLFS since these sequences contain epitopes that are recognised by the human immune system.

IsdA-IsdB

The *isd* genes (iron-regulated surface determinant) of *S. aureus* encode proteins responsible for haemoglobin binding and passage of haem iron to the cytoplasm, where it acts as an essential nutrient. IsdA and IsdB are located in the cell wall of staphylococci. IsdA appear to be exposed on the surface of bacterium since it is susceptible to proteinase K digestion. IsdB was partially digested suggesting that it is partially exposed on the surface of the bacterium (Mazmanian et al 2003 Science 299; 906).

IsdA and IsdB are both 29kDa proteins which bind heme. Their expression is regulated by the availability of iron via the Fur repressor. Their expression will be high during infection in a host where the concentration of iron will be low.

- 5 They are also known as FrpA and FrpB (Morrissey et al 2002, Infect. Immun. 70; 2399). FrpA and FrpB are major surface proteins with a high charge. They have been shown to provide a major contribution to adhesion to plastic.

In an embodiment, the immunogenic composition of the invention comprises a fragment of
10 IsdA and/or IsdB which is described in WO 01/98499 or WO 03/11899.

Toxins and regulators of virulence

Members of this family of proteins include toxin such as alpha toxin, hemolysin, enterotoxin B and TSST-1 as well as proteins that regulate the production of toxins such
15 as RAP.

Alpha toxin (Hla)

Alpha toxin is an important virulence determinant produced by most strains of *S. aureus*. It
20 is a pore forming toxin with haemolytic activity. Antibodies against alpha toxin have been shown to neutralise the detrimental and lethal effects of alpha toxin in animal models (Adlam et al 1977 Infect. Immun. 17; 250). Human platelets, endothelial cells and mononuclear cells are susceptible to the effects of alpha toxin.

25 The high toxicity of alpha toxin requires that it should be detoxified before being used as an immunogen. This can be achieved by chemical treatment, for instance by treating with formaldehyde, glutaraldehyde or other cross-linking reagents or by chemically conjugating it to bacterial polysaccharides as described below.

30 A further way of removing toxicity is to introduce point mutations that remove toxicity while retaining the antigenicity of the toxin. The introduction of a point mutation at amino acid 35 of alpha toxin where a histidine residue is replaced with a leucine residue results in the removal of toxicity whilst retaining immunogenicity (Menzies and Kernodle 1996; Infect.

Immun. 64; 1839). Histidine 35 appears to be critical for the proper oligomerization required for pore formation and mutation of this residue leads to loss of toxicity.

When incorporated into immunogenic compositions of the invention, alpha toxin is optionally detoxified by mutation of His 35, for example by replacing His 35 with Leu or Arg. In an alternative embodiment, alpha toxin is detoxified by conjugation to other components of the immunogenic composition, for example capsular polysaccharides or PNAG, optionally to *S. aureus* type 5 polysaccharide and/or *S. aureus* Type 8 polysaccharide and/or PNAG.

RNA III activating protein (RAP)

RAP is not itself a toxin, but is a regulator of the expression of virulence factors. RAP is produced and secreted by staphylococci. It activates the agr regulatory system of other staphylococci and activates the expression and subsequent release of virulence factors such as hemolysin, enterotoxin B and TSST-1.

Other immunodominant proteins

Accumulation-associated protein (Aap)

Aap is a 140kDa protein which is essential for the accumulation of *S. epidermidis* strains on surfaces (Hussain et al Infect. Immun. 1997, 65; 519). Strains expressing this protein produced significantly larger amounts of biofilm and Aap appear to be involved in biofilm formation. Antibodies against Aap are able to inhibit biofilm formation and inhibit the accumulation of *S. epidermidis*.

Staphylococcal Secretory antigen SsaA

SsaA is a strongly immunogenic protein of 30kDa found in both *S. aureus* and *S. epidermidis* (Lang et al 2000 FEMS Immunol. Med. Microbiol. 29; 213). Its expression during endocarditis suggested a virulence role specific to the pathogenesis of the infectious disease.

SsaA contains an N-terminal leader sequence and a signal peptidase cleavage site. The leader peptide is followed by a hydrophilic region of approximately 100 amino acids from residue 30 to residue 130.

- 5 An optional fragment of SsaA to be incorporated into the immunogenic composition of the invention is made up of the mature protein (amino acids 27 to the C-terminus or amino acids 30 to the C-terminus).

10 A further optional fragments contains the hydrophilic area of SsaA from amino acid 30 to amino acid 130.

Combinations

15 Staphylococcal infections progress through several different stages. For example, the staphylococcal life cycle involves commensal colonisation, initiation of infection by accessing adjoining tissues or the bloodstream, anaerobic multiplication in the blood, interplay between *S. aureus* virulence determinants and the host defence mechanisms and induction of complications including endocarditis, metastatic abscess formation and sepsis syndrome. Different molecules on the surface of the bacterium will be involved in different steps of the infection cycle. By targeting the immune response against a
20 combination of particular antigens involved in different processes of Staphylococcal infection, multiple aspects of staphylococcal function are affected and this can result in good vaccine efficacy.

25 In particular, combinations of certain antigens from different classes, some of which are involved in adhesion to host cells, some of which are involved in iron acquisition or other transporter functions, some of which are toxins or regulators of virulence and immunodominant antigens can elicit an immune response which protects against multiple stages of infection.

30 Some combinations of antigens are particularly effective at inducing an immune response. This can be measured either in animal model assays as described in the examples and/or using an opsonophagocytic assay as described in the examples. Without wishing to be bound by theory, such effective combinations of antigens are thought to be enabled by a number of characteristics of the immune response to the antigen combination. The

antigens themselves are usually exposed on the surface of Staphylococcal cells, they tend to be conserved but also tend not to be present in sufficient quantity on the surface cell for an optimal bactericidal response to take place using antibodies elicited against the single antigen. Combining the antigens of the invention can result in a formulation eliciting an advantageous combination of antibodies which interact with the Staphylococcal cell beyond a critical threshold. At this critical level, sufficient antibodies of sufficient quality bind to the surface of the bacterium to allow either efficient killing by complement or neutralisation of the bacterium. This can be measured in either an animal challenge model or an opsonisation assay as described in the examples.

Preferred immunogenic compositions of the invention comprise a plurality of proteins selected from at least two different categories of protein, having different functions within Staphylococci. Examples of such categories of proteins are extracellular binding proteins, transporter proteins such as Fe acquisition proteins, toxins or regulators of virulence and other immunodominant proteins.

In a preferred embodiment, immunogenic composition of the invention further comprises a number of proteins equal to or greater than 2, 3, 4, 5 or 6 selected from 2, 3 or 4 different groups selected from;

- Group a) extracellular component binding proteins;
- Group b) transporter proteins;
- Group c) toxins or regulators of virulence
- Group d) structural proteins.

In a preferred embodiment, immunogenic composition of the invention further comprises a number of proteins equal to or greater than 2, 3, 4, 5 or 6 selected from 2, 3 or 4 of the following groups:

- group a) - at least one staphylococcal extracellular component binding protein or fragment thereof selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, SasF, lipase GehD, SasA, SasB, SasC, SasD, SasK, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig and MAP;
- group b) - at least one staphylococcal transporter protein or fragment thereof selected from the group consisting of Immunodominant ABC transporter, IsdA, IsdB, IsdC, Mg²⁺ transporter, HarA, SitC and Ni ABC transporter;

- group c) - at least one staphylococcal regulator of virulence, toxin or fragment thereof selected from the group consisting of alpha toxin (Hla), alpha toxin H35R mutant, RNA III activating protein (RAP);
- group d) – at least one staphylococcal structural protein or immunogenic fragment thereof selected from the group consisting of MRPII and autolysin.

In a preferred embodiment, the immunogenic composition of the invention comprises a number of proteins equal to or greater than 2, 3, 4, 5 or 6 selected from 2 or 3 of the following groups:

- group a) - at least one staphylococcal extracellular component binding protein or immunogenic fragment thereof selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, SasF, Lipase GehD, SasA, , SasB, SasC, SasD, SasK, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig and MAP;
- group b) - at least one staphylococcal transporter protein or immunogenic fragment thereof selected from the group consisting of Immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC and Ni ABC transporter;
- group c) - at least one staphylococcal regulator of virulence, toxin or immunogenic fragment thereof selected from the group consisting of alpha toxin (Hla), alpha toxin H35R mutant, RNA III activating protein (RAP).

In a preferred embodiment, the immunogenic composition of the invention contains at least one protein selected from group a) and an additional protein selected from group b) and/or group c).

In a further embodiment, the immunogenic composition of the invention contains at least one antigen selected from group b) and an additional protein selected from group c) and/or group a).

In a further embodiment, the immunogenic composition of the invention contains at least one antigen selected from group c) and an additional protein selected from group a) and/or group b).

An optional combination of proteins in the immunogenic composition of the invention comprises laminin receptor and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises SitC and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni
5 ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises EbhA and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni
10 ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises EbhB and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni
15 ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises EbpS and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdA, HarA, Mg²⁺ transporter, SitC, Ni
20 ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises EFB(FIB) and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺
25 transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises SBI and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni
30 ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises autolysin and 1, 2, 3, 4 or 5 further antigens selected from the group
35 consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺

transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

5 A further combination of proteins in the immunogenic composition of the invention comprises ClfA and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

10 A further combination of proteins in the immunogenic composition of the invention comprises SdrC and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

15 A further combination of proteins in the immunogenic composition of the invention comprises SdrD and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

20 A further combination of proteins in the immunogenic composition of the invention comprises SdrE and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

25 A further combination of proteins in the immunogenic composition of the invention comprises SdrG and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant and RAP.

30 A further combination of proteins in the immunogenic composition of the invention comprises SdrH and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

35 A further combination of proteins in the immunogenic composition of the invention comprises SasF and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of

immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

5 A further combination of proteins in the immunogenic composition of the invention comprises Lipase GehD and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

10 A further combination of proteins in the immunogenic composition of the invention comprises SasF and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

15 A further combination of proteins in the immunogenic composition of the invention comprises FnbA and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

20 A further combination of proteins in the immunogenic composition of the invention comprises FnbB and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

25 A further combination of proteins in the immunogenic composition of the invention comprises Cna and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

30 A further combination of proteins in the immunogenic composition of the invention comprises ClfB and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises FbpA and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

5

A further combination of proteins in the immunogenic composition of the invention comprises Npase and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

10

A further combination of proteins in the immunogenic composition of the invention comprises IsaA/PisA and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

15

A further combination of proteins in the immunogenic composition of the invention comprises SsaA and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

20

A further combination of proteins in the immunogenic composition of the invention comprises EPB and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

25

A further combination of proteins in the immunogenic composition of the invention comprises SSP-1 and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

30

A further combination of proteins in the immunogenic composition of the invention comprises SSP-2 and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

35

A further combination of proteins in the immunogenic composition of the invention comprises HPB and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni
5 ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises vitronectin binding protein and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺
10 transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises fibrinogen binding protein and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺
15 the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises coagulase and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺
20 consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises Fig and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni
25 ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of proteins in the immunogenic composition of the invention comprises MAP and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni
30 ABC transporter, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of protein in the immunogenic composition of the invention comprises immunodominant ABC transporter and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE,
 5 SdrG, SdrH, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfA, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig, MAP, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of protein in the immunogenic composition of the invention
 10 comprises IsdA and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrC, SdrE, SdrG, SdrH, SasF, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfA, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig, MAP,
 15 alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of protein in the immunogenic composition of the invention comprises IsdB and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein
 20 (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrG, SdrH, SasF, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfA, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig, MAP, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

25 A further combination of protein in the immunogenic composition of the invention comprises SitC and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, SasF, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfA, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1,
 30 SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig, MAP, alpha toxin, alpha toxin H35L or H35R mutant, RAP, Aap and SsaA.

A further combination of protein in the immunogenic composition of the invention comprises alpha toxin and 1, 2, 3, 4 or 5 further antigens selected from the group
 35 consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin

binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, SasF, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig, MAP, immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter,
 5 SitC, Ni ABC transporter, Aap and SsaA.

A further combination of protein in the immunogenic composition of the invention comprises alpha toxin H35L OR H35R variant and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA,
 10 EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, SasF, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig, MAP, immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, Aap and SsaA.

15

A further combination of protein in the immunogenic composition of the invention comprises RAP and 1, 2, 3, 4 or 5 further antigens selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, SasF, Lipase
 20 GehD, SasA, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig, MAP, immunodominant ABC transporter, IsdA, IsdB, IsdC, HarA, Mg²⁺ transporter, SitC, Ni ABC transporter, Aap and SsaA.

25 A further combinations of protein in the immunogenic composition of the invention comprises IsdA and IsdB; IsdA and ClfA; IsdA and ClfB; IsdA and SdrC; IsdA and SdrD; IsdA and SdrE; IsdA and SdrG; IsdA and SasF; IsdB and ClfA; IsdB and ClfB; IsdB and SdrC; IsdB and SdrD; IsdB and SdrE; IsdB and SdrG; IsdB and SasF; ClfA and ClfB; ClfA and SdrC; ClfA and SdrD; ClfA and SdrE; ClfA and SasF; ClfB and SdrC; ClfB and SdrD;
 30 ClfB and SdrE; ClfB and SasF; SdrC and SdrD; SdrC and SdrE; SdrC and SasF; SdrD and SdrE; SdrD and SasF; SdrE and SasF.

In the above and below combinations, the specified proteins may optionally be present in the immunogenic composition of the invention as a fragment or fusion protein as
 35 described above.

Combinations of three proteins

In an embodiment, the immunogenic composition of the invention further comprises three protein components in a combination of alpha-toxin, an extracellular component binding protein (for example an adhesin) and a transporter protein (for example an iron-binding protein).

In such a combination, the alpha toxin may be chemically detoxified or genetically detoxified by introduction of point mutation(s), for example the His35Leu point mutation. The alpha toxin is present as a free protein or alternatively is conjugated to a polysaccharide or PNAG component of the immunogenic composition.

Examples of combinations include:-

An immunogenic composition comprising alpha toxin, IsdA and an extracellular component binding protein selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrG, SdrH, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig and MAP.

An immunogenic composition comprising alpha toxin, IsdB and an extracellular component binding protein selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig and MAP.

An immunogenic composition comprising alpha toxin, IsdA and an adhesin selected from the group consisting of laminin receptor, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, autolysin, FnbA, FnbB, Cna, ClfB, FbpA, Npase, SSP-1, SSP-2, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig and MAP.

An immunogenic composition comprising alpha toxin, IsdB and an adhesin selected from the group consisting of laminin receptor, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, FnbA, FnbB, Cna, ClfB, FbpA, Npase, SSP-1, SSP-2, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig and MAP.

An immunogenic composition comprising alpha toxin, IsdA and laminin receptor.

- An immunogenic composition comprising alpha toxin, IsdA and EbhA.
- An immunogenic composition comprising alpha toxin, IsdA and EbhB.
- 5 An immunogenic composition comprising alpha toxin, IsdA and EbpS.
- An immunogenic composition comprising alpha toxin, IsdA and EFB (FIB).
- 10 An immunogenic composition comprising alpha toxin, IsdA and SdrG.
- An immunogenic composition comprising alpha toxin, IsdA and ClfA.
- An immunogenic composition comprising alpha toxin, IsdA and ClfB.
- 15 An immunogenic composition comprising alpha toxin, IsdA and FnbA.
- An immunogenic composition comprising alpha toxin, IsdA and coagulase.
- 20 An immunogenic composition comprising alpha toxin, IsdA and Fig.
- An immunogenic composition comprising alpha toxin, IsdA and SdrH.
- An immunogenic composition comprising alpha toxin, IsdA and SdrC.
- 25 An immunogenic composition comprising alpha toxin, IsdA and SdrD.
- An immunogenic composition comprising alpha toxin, IsdA and SdrE.
- 30 An immunogenic composition comprising alpha toxin, IsdA and MAP.
- An immunogenic composition comprising IsaA and Sbi.
- An immunogenic composition comprising IsaA and IsdB.
- 35 An immunogenic composition comprising IsaA and IsdA.
- An immunogenic composition comprising IsaA and SdrC.
- 40 An immunogenic composition comprising IsaA and Ebh or fragment thereof as described above.

An immunogenic composition comprising Sbi and SdrC.

5 An immunogenic composition comprising Sbi and Ebh or fragment thereof as described above.

An immunogenic composition of the invention comprising IsaA, Sbi or SdrC

10 **Selection of antigens expressed in different clonal lineages**

Analysis of the occurrence of virulence factors in relation with the population structure of *Staphylococcus aureus* showed variable presence of virulence genes in natural populations of *S. aureus*.

15 Among clinical isolates of *Staphylococcus aureus*, at least five clonal lineages were shown to be highly prevalent (Booth *et al.*, 2001 Infect Immun. 69(1):345-52). Alpha-hemolysin (*hla*), fibronectin-binding protein A (*fnbA*) and clumping factor A (*clfA*) were shown to be present in most of the isolates, regardless of lineage identity, suggesting an important role of these proteins in the survival of *S. aureus* (Booth *et al.*, 2001 Infect
20 Immun. 69(1):345-52). Moreover, according to Peacock *et al.* 2002 the distributions of *fnbA*, *clfA*, coagulase, *spa*, *map*, *pvl* (Panton-Valentine leukocidin), *hlg* (gamma-toxin), alpha-toxin and *ica* appeared to be unrelated to the underlying clonal structure suggesting considerable horizontal transfer of these genes.

25 In contrary, other virulence genes such as fibronectin binding protein B (*fnbB*), beta-hemolysin (*hly*), collagen binding protein (*cna*), TSST-1 (*tst*) and methicillin resistance gene (*mecA*) are strongly associated with specific lineages (Booth *et al.*, 2001 Infect Immun. 69(1):345-52). Similarly, Peacock *et al.* 2002 (Infect Immun. 70(9):4987-96) showed that the distributions of the enterotoxins, *tst*, the exfolatins (*eta* and *etb*), beta-
30 and delta-toxins, the *sdr* genes (*sdrD*, *sdrE* and *bbp*), *cna*, *ebpS* and *efb* within the population are all highly significantly related to MLST-derived clonal complexes.

MLST data provide no evidence that strains responsible for nosocomial disease represent a distinct subpopulation from strains causing community-acquired disease or strains
35 recovered from asymptomatic carriers (Feil *et al.*, 2003 J Bacteriol. 185(11):3307-16).

In an embodiment, immunogenic compositions of the invention are effective against staphylococci from different clonal lineages.

- 5 In an embodiment, the immunogenic composition comprises 1, 2, 3, 4, or at least 1 protein that is expressed in most isolates of staphylococci. Examples of such proteins include alpha-hemolysin (*hla*), fibronectin-binding protein A (*fnbA*) and clumping factor A (*clfA*), coagulase, *spa*, *map*, *pvl* (Panton-Valentine leukocidin), *hlg* (gamma-toxin), *ica*, immunodominant ABC transporter, RAP, autolysin (Rupp et al 2001, J. Infect. Dis. 183; 1038), laminin receptors, SitC, IsaA/PisA, SPOIIIE (), SsaA, EbpS, SasF (Roche et al 10 2003, Microbiology 149; 643), EFB(FIB), SBI, ClfB, IsdA, IsdB, FnbB, Npase, EBP, Bone sialo binding protein II, IsaB/PisB (Lorenz et al FEMS Immuno. Med. Microb. 2000, 29; 145), SasH (Roche et al 2003, Microbiology 149; 643), MRPI, SasD (Roche et al 2003, Microbiology 149; 643), SasH (Roche et al 2003, Microbiology 149; 643), aureolysin precursor (AUR)/Sepp1 and novel autolysin.

- In an alternative embodiment, 2 or more proteins which are expressed in different sets of clonal strains are included in the immunogenic composition of the invention. Optionally the combination of antigens will allow an immune response to be generated that is effective 20 against multiple clonal strains, or against all clonal stains. For example combinations include FnbB and betahemolysin, FnbB and Cna, FnbB and TSST-1, FnbB and mecA, FnbB and SdrD, FnbB and SdrF, FnbB and EbpS, FnbB and Efb, beta-haemolysin and Cna, beta-haemolysin and TSST-1, beta-haemolysin and mecA, beta-haemolysin and SdrD, beta-haemolysin and SdrF, beta-haemolysin and EbpS, beta-haemolysin and Efb, 25 Cna and TSST-1, Cna and mecA, Cna and SdrD, Cna and SdrF, Cna and EbpS, Cna and Efb, TSST-1 and mecA, TSST-1 and SdrD, TSST-1 and SdrF, TSST-1 and EbpS, TssT-1 and Efb, MecA and SdrD, MecA and SdrF, MecA and EbpS, MecA and Efb, SdrD and SdrF, SdrD and EbpS, SdeD and Efb, SdrF and EbpS, SdrF and Efb, and, EbpS and Efb.
- 30 The combinations described above may be combined with additional components described above.

Protection against *S. aureus* and *S. epidermidis*

In an embodiment of the invention the immunogenic composition provides an effective immune response against more than one strain of staphylococci, for example against strains from both *S. aureus* and *S. epidermidis*. For example, a protective immune response is generated against type 5 and 8 serotypes of *S. aureus*.

5

One use of the immunogenic composition of the invention is to prevent nosocomial infections, for instance in elective surgery patients, by inoculating prior to hospital treatment. At this stage, it is difficult to accurately predict which staphylococcal strains the patient will be exposed to. It is therefore advantageous to inoculate with a vaccine that is capable of generating an effective immune response against various strains of staphylococci.

An effective immune response is defined as an immune response that gives significant protection in a mouse challenge model or opsonophagocytosis assay as described in the examples. Significant protection in a mouse challenge model, for instance that of example 5, is defined as an increase in the LD50 in comparison with carrier inoculated mice of at least 10%, 20%, 50%, 100% or 200%. Significant protection in a cotton rat challenge model, for instance that of example 8, is defined as a decrease in the mean observed LogCFU/nose of at least 10%, 20%, 50%, 70% or 90%. The presence of opsonising antibodies is known to correlate with protection, therefore significant protection is indicated by a decrease in the bacterial count of at least 10%, 20%, 50%, 70% or 90% in an opsonophagocytosis assay, for instance that of example 7.

Several of the proteins including immunodominant ABC transporter, RNA III activating protein, Laminin receptors, SitC, IsaA/PisA, SsaA, EbhA/EbhB, EbpS and Aap are well conserved between *S. aureus* and *S. epidermidis* and example 8 shows that IsaA, ClfA, IsdB, SdrG, HarA, FnbpA and Sbi can generate a cross-reactive immune response (for example crossreactive between at least one *S. aureus* and at least one *S. epidermidis* strain). PIA is also well conserved between *S. aureus* and *S. epidermidis*.

30

Therefore in an embodiment, the immunogenic composition of the invention will comprise PNAG and type 5 and 8 polysaccharides and one, two, three or four of the above proteins.

Vaccines

In an embodiment, the immunogenic composition of the invention is mixed with a pharmaceutically acceptable excipient, and optionally with an adjuvant to form a vaccine.

5 The vaccines of the present invention may be adjuvanted, particularly when intended for use in an elderly population but also for use in infant populations. Suitable adjuvants include an aluminum salt such as aluminum hydroxide gel or aluminum phosphate or alum, but may also be other metal salts such as those of calcium, magnesium, iron or zinc, or may be an insoluble suspension of acylated tyrosine, or acylated sugars, cationically or anionically derivatized saccharides, or polyphosphazenes.

10

It is preferred that the adjuvant be selected to be a preferential inducer of a TH1 type of response. Such high levels of Th1-type cytokines tend to favour the induction of cell mediated immune responses to a given antigen, whilst high levels of Th2-type cytokines tend to favour the induction of humoral immune responses to the antigen.

15

The distinction of Th1 and Th2-type immune response is not absolute. In reality an individual will support an immune response which is described as being predominantly Th1 or predominantly Th2. However, it is often convenient to consider the families of cytokines in terms of that described in murine CD4 +ve T cell clones by Mosmann and
20 Coffman (Mosmann, T.R. and Coffman, R.L. (1989) TH1 and TH2 cells: different patterns of lymphokine secretion lead to different functional properties. (Annual Review of Immunology, 7, p145-173). Traditionally, Th1-type responses are associated with the production of the INF- γ and IL-2 cytokines by T-lymphocytes. Other cytokines often directly associated with the induction of Th1-type immune responses are not produced by
25 T-cells, such as IL-12. In contrast, Th2-type responses are associated with the secretion of IL-4, IL-5, IL-6, IL-10. Suitable adjuvant systems which promote a predominantly Th1 response include: Monophosphoryl lipid A or a derivative thereof (or detoxified lipid A in general – see for instance WO2005107798), particularly 3-de-O-acylated monophosphoryl lipid A (3D-MPL) (for its preparation see GB 2220211 A); and a
30 combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A, together with either an aluminum salt (for instance aluminum phosphate or aluminum hydroxide) or an oil-in-water emulsion. In such combinations, antigen and 3D-MPL are contained in the same particulate structures, allowing for more efficient delivery of antigenic and immunostimulatory signals. Studies have shown that 3D-MPL is able to

further enhance the immunogenicity of an alum-adsorbed antigen [Thoelen *et al.* Vaccine (1998) 16:708-14; EP 689454-B1].

5 An enhanced system involves the combination of a monophosphoryl lipid A and a saponin derivative, particularly the combination of QS21 and 3D-MPL as disclosed in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol as disclosed in WO 96/33739. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil in water emulsion is described in WO 95/17210. In one embodiment the immunogenic composition additionally comprises a
10 saponin, which may be QS21. The formulation may also comprise an oil in water emulsion and tocopherol (WO 95/17210). Unmethylated CpG containing oligonucleotides (WO 96/02555) and other immunomodulatory oligonucleotides (WO0226757 and WO03507822) are also preferential inducers of a TH1 response and are suitable for use in the present invention.

15

Particular adjuvants are those selected from the group of metal Salts, oil in water emulsions, Toll like receptors agonist, (in particular Toll like receptor 2 agonist, Toll like receptor 3 agonist, Toll like receptor 4 agonist, Toll like receptor 7 agonist, Toll like receptor 8 agonist and Toll like receptor 9 agonist), saponins or combinations thereof.

20

An adjuvant that can be used with the vaccine compositions of the invention are bleb or outer membrane vesicle preparations from Gram negative bacterial strains such as those taught by WO02/09746 – particularly *N. meningitidis* blebs. Adjuvant properties of blebs can be improved by retaining LOS (lipooligosaccharide) on its surface (e.g. through
25 extraction with low concentrations of detergent [for instance 0-0.1% deoxycholate]). LOS can be detoxified through the msbB(-) or htrB(-) mutations discussed in WO02/09746. Adjuvant properties can also be improved by retaining PorB (and optionally removing PorA) from meningococcal blebs. Adjuvant properties can also be improved by truncating the outer core saccharide structure of LOS on meningococcal blebs – for instance via the
30 lgtB(-) mutation discussed in WO2004/014417. Alternatively, the aforementioned LOS (e.g. isolated from a msbB(-) and/or lgtB(-) strain) can be purified and used as an adjuvant in the compositions of the invention.

A further adjuvant which may be used with the compositions of the invention may be
35 selected from the group: a saponin, lipid A or a derivative thereof, an immunostimulatory

oligonucleotide, an alkyl glucosaminide phosphate, an oil in water emulsion or combinations thereof. A further preferred adjuvant is a metal salt in combination with another adjuvant. It is preferred that the adjuvant is a Toll like receptor agonist in particular an agonist of a Toll like receptor 2, 3, 4, 7, 8 or 9, or a saponin, in particular Qs21. It is further preferred that the adjuvant system comprises two or more adjuvants from the above list. In particular the combinations preferably contain a saponin (in particular Qs21) adjuvant and/or a Toll like receptor 9 agonist such as a CpG containing immunostimulatory oligonucleotide. Other preferred combinations comprise a saponin (in particular QS21) and a Toll like receptor 4 agonist such as monophosphoryl lipid A or its 3 deacylated derivative, 3 D – MPL, or a saponin (in particular QS21) and a Toll like receptor 4 ligand such as an alkyl glucosaminide phosphate.

Particularly preferred adjuvants are combinations of 3D-MPL and QS21 (EP 0 671 948 B1), oil in water emulsions comprising 3D-MPL and QS21 (WO 95/17210, WO 98/56414), or 3D-MPL formulated with other carriers (EP 0 689 454 B1). Other preferred adjuvant systems comprise a combination of 3 D MPL , QS21 and a CpG oligonucleotide as described in US6558670, US6544518.

In an embodiment the adjuvant is a Toll like receptor (TLR) 4 ligand, preferably an agonist such as a lipid A derivative particularly monophosphoryl lipid A or more particularly 3 Deacylated monophosphoryl lipid A (3 D – MPL).

3 D –MPL is available from GlaxoSmithKline Biologicals North America and primarily promotes CD4+ T cell responses with an IFN-g (Th1) phenotype . It can be produced according to the methods disclosed in GB 2 220 211 A. Chemically it is a mixture of 3-deacylated monophosphoryl lipid A with 3, 4, 5 or 6 acylated chains. Preferably in the compositions of the present invention small particle 3 D- MPL is used. Small particle 3 D -MPL has a particle size such that it may be sterile-filtered through a 0.22µm filter. Such preparations are described in International Patent Application No. WO 94/21292. Synthetic derivatives of lipid A are known and thought to be TLR 4 agonists including, but not limited to:

OM174 (2-deoxy-6-o-[2-deoxy-2-[(R)-3-dodecanoyloxytetra-decanoylamino]-4-o-phosphono-β-D-glucopyranosyl]-2-[(R)-3-hydroxytetradecanoylamino]-α-D-glucopyranosyldihydrogenphosphate), (WO 95/14026)

OM 294 DP (3S, 9 R) -3--[(R)-dodecanoyloxytetradecanoylamino]-4-oxo-5-aza-9(R)-[(R)-3-hydroxytetradecanoylamino]decan-1,10-diol,1,10-bis(dihydrogenophosphate) (WO99/64301 and WO 00/0462)

5

OM 197 MP-Ac DP (3S-, 9R) -3-[(R) -dodecanoyloxytetradecanoylamino]-4-oxo-5-aza-9-[(R)-3-hydroxytetradecanoylamino]decan-1,10-diol,1 -dihydrogenophosphate 10-(6-aminohexanoate) (WO 01/46127)

10 Other TLR4 ligands which may be used are alkyl Glucosaminide phosphates (AGPs) such as those disclosed in WO9850399 or US6303347 (processes for preparation of AGPs are also disclosed), or pharmaceutically acceptable salts of AGPs as disclosed in US6764840. Some AGPs are TLR4 agonists, and some are TLR4 antagonists. Both are thought to be useful as adjuvants.

15

Another preferred immunostimulant for use in the present invention is Quil A and its derivatives. Quil A is a saponin preparation isolated from the South American tree Quilaja Saponaria Molina and was first described as having adjuvant activity by Dalsgaard et al. in 1974 ("Saponin adjuvants", Archiv. für die gesamte Virusforschung, Vol. 44, Springer Verlag, Berlin, p243-254). Purified fragments of Quil A have been isolated by HPLC which retain adjuvant activity without the toxicity associated with Quil A (EP 0 362 278), for example QS7 and QS21 (also known as QA7 and QA21). QS-21 is a natural saponin derived from the bark of Quillaja saponaria Molina which induces CD8+ cytotoxic T cells (CTLs), Th1 cells and a predominant IgG2a antibody response and is a preferred saponin in the context of the present invention.

25

Particular formulations of QS21 have been described which are particularly preferred, these formulations further comprise a sterol (WO96/33739). The saponins forming part of the present invention may be separate in the form of micelles, mixed micelles (preferentially, but not exclusively with bile salts) or may be in the form of ISCOM matrices (EP 0 109 942 B1) , liposomes or related colloidal structures such as worm-like or ring-like multimeric complexes or lipidic/layered structures and lamellae when formulated with cholesterol and lipid, or in the form of an oil in water emulsion (for example as in WO 95/17210). The saponins may preferably be associated with a metallic salt, such as aluminium hydroxide or aluminium phosphate (WO 98/15287).

35

Preferably, the saponin is presented in the form of a liposome, ISCOM or an oil in water emulsion.

An enhanced system involves the combination of a monophosphoryl lipid A (or detoxified lipid A) and a saponin derivative, particularly the combination of QS21 and 3D-MPL as disclosed in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol as disclosed in WO 96/33739. A particularly potent adjuvant formulation involving tocopherol with or without QS21 and/or 3D-MPL in an oil in water emulsion is described in WO 95/17210. In one embodiment the immunogenic composition additionally comprises a saponin, which may be QS21.

Immunostimulatory oligonucleotides or any other Toll-like receptor (TLR) 9 agonist may also be used. The preferred oligonucleotides for use in adjuvants or vaccines of the present invention are CpG containing oligonucleotides, preferably containing two or more dinucleotide CpG motifs separated by at least three, more preferably at least six or more nucleotides. A CpG motif is a Cytosine nucleotide followed by a Guanine nucleotide. The CpG oligonucleotides of the present invention are typically deoxynucleotides. In a preferred embodiment the internucleotide in the oligonucleotide is phosphorodithioate, or more preferably a phosphorothioate bond, although phosphodiester and other internucleotide bonds are within the scope of the invention. Also included within the scope of the invention are oligonucleotides with mixed internucleotide linkages. Methods for producing phosphorothioate oligonucleotides or phosphorodithioate are described in US5,666,153, US5,278,302 and WO95/26204.

Examples of preferred oligonucleotides have the following sequences. The sequences preferably contain phosphorothioate modified internucleotide linkages.

OLIGO 1 (SEQ ID NO:1): TCC ATG ACG TTC CTG ACG TT (CpG 1826)

OLIGO 2 (SEQ ID NO:2): TCT CCC AGC GTG CGC CAT (CpG 1758)

OLIGO 3 (SEQ ID NO:3): ACC GAT GAC GTC GCC GGT GAC GGC ACC ACG

OLIGO 4 (SEQ ID NO:4): TCG TCG TTT TGT CGT TTT GTC GTT (CpG 2006)

OLIGO 5 (SEQ ID NO:5): TCC ATG ACG TTC CTG ATG CT (CpG 1668)

OLIGO 6 (SEQ ID NO:6): TCG ACG TTT TCG GCG CGC GCC G (CpG 5456)

Alternative CpG oligonucleotides may comprise the preferred sequences above in that they have inconsequential deletions or additions thereto.

The CpG oligonucleotides utilised in the present invention may be synthesized by any method known in the art (for example see EP 468520). Conveniently, such oligonucleotides may be synthesized utilising an automated synthesizer.

- 5 The adjuvant may be an oil in water emulsion or may comprise an oil in water emulsion in combination with other adjuvants. The oil phase of the emulsion system preferably comprises a metabolisable oil. The meaning of the term metabolisable oil is well known in the art. Metabolisable can be defined as "being capable of being transformed by metabolism" (Dorland's Illustrated Medical Dictionary, W.B. Sanders Company, 25th edition (1974)). The oil may be any vegetable oil, fish, oil, animal or synthetic oil, which is not toxic to the recipient and is capable of being transformed by metabolism. Nuts, seeds, and grains are common sources of vegetable oils. Synthetic oils are also part of this invention and can include commercially available oils such as NEOBEE® and others. Squalene (2,6,10,15,19, 23-Hexamethyl-2,6,10,14,18,22-tetracosahexaene) is an unsaturated oil which is found in large quantities in shark-liver oil, and in lower quantities in olive oil, wheat germ oil, rice bran oil, and yeast, and is a particularly preferred oil for use in this invention. Squalene is a metabolisable oil by virtue of the fact that it is an intermediate in the biosynthesis of cholesterol (Merck index, 10th Edition, entry no.8619).
- 20 Tocols (e.g. vitamin E) are also often used in oil emulsions adjuvants (EP 0 382 271 B1; US5667784; WO 95/17210). Tocols used in the oil emulsions (preferably oil in water emulsions) of the invention may be formulated as described in EP 0 382 271 B1, in that the tocals may be dispersions of tocol droplets, optionally comprising an emulsifier, of preferably less than 1 micron in diameter. Alternatively, the tocals may be used in combination with another oil, to form the oil phase of an oil emulsion. Examples of oil emulsions which may be used in combination with the tocol are described herein, such as the metabolisable oils described above.

Oil in water emulsion adjuvants per se have been suggested to be useful as adjuvant compositions (EP 0 399 843B), also combinations of oil in water emulsions and other active agents have been described as adjuvants for vaccines (WO 95/17210; WO 98/56414; WO 99/12565; WO 99/11241). Other oil emulsion adjuvants have been described, such as water in oil emulsions (US 5,422,109;EP 0 480 982 B2) and water in oil in water emulsions (US 5,424,067;EP 0 480 981 B). All of which form preferred oil

emulsion systems (in particular when incorporating tocols) to form adjuvants and compositions of the present invention.

5 Most preferably the oil emulsion (for instance oil in water emulsions) further comprises an emulsifier such as TWEEN 80 and/or a sterol such as cholesterol.

A preferred oil emulsion (preferably oil-in-water emulsion) comprises a metabolisable, non-toxic oil, such as squalane, squalene or a tocopherol such as alpha tocopherol (and preferably both squalene and alpha tocopherol) and optionally an emulsifier (or surfactant) such as Tween 80. A sterol (preferably cholesterol) may also be included.

10 The method of producing oil in water emulsions is well known to the man skilled in the art. Commonly, the method comprises mixing the tocol-containing oil phase with a surfactant such as a PBS/TWEEN80™ solution, followed by homogenisation using a homogenizer, it would be clear to a man skilled in the art that a method comprising passing the mixture twice through a syringe needle would be suitable for homogenising small volumes of
15 liquid. Equally, the emulsification process in microfluidiser (M110S Microfluidics machine, maximum of 50 passes, for a period of 2 minutes at maximum pressure input of 6 bar (output pressure of about 850 bar)) could be adapted by the man skilled in the art to produce smaller or larger volumes of emulsion. The adaptation could be achieved by routine experimentation comprising the measurement of the resultant emulsion until a
20 preparation was achieved with oil droplets of the required diameter.

In an oil in water emulsion, the oil and emulsifier should be in an aqueous carrier. The aqueous carrier may be, for example, phosphate buffered saline.

The size of the oil droplets found within the stable oil in water emulsion are
25 preferably less than 1 micron, may be in the range of substantially 30-600nm, preferably substantially around 30-500nm in diameter, and most preferably substantially 150-500nm in diameter, and in particular about 150 nm in diameter as measured by photon correlation spectroscopy. In this regard, 80% of the oil droplets by number should be within the preferred ranges, more preferably more than 90% and most preferably more
30 than 95% of the oil droplets by number are within the defined size ranges. The amounts of the components present in the oil emulsions of the present invention are conventionally in the range of from 0.5-20% or 2 to 10% oil (of the total dose volume), such as squalene; and when present, from 2 to 10% alpha tocopherol; and from 0.3 to 3% surfactant, such as polyoxyethylene sorbitan monooleate. Preferably the ratio of oil (preferably squalene):
35 tocol (preferably α -tocopherol) is equal or less than 1 as this provides a more stable

emulsion. An emulsifier, such as Tween80 or Span 85 may also be present at a level of about 1%. In some cases it may be advantageous that the vaccines of the present invention will further contain a stabiliser.

5 Examples of preferred emulsion systems are described in WO 95/17210, WO 99/11241 and WO 99/12565 which disclose emulsion adjuvants based on squalene, α -tocopherol, and TWEEN 80, optionally formulated with the immunostimulants QS21 and/or 3D-MPL.

Thus in a particularly, preferred embodiment of the present invention, the adjuvant of the invention may additionally comprise further immunostimulants, such as LPS or derivatives
10 thereof, and/or saponins. Examples of further immunostimulants are described herein and in "Vaccine Design – The Subunit and Adjuvant Approach" 1995, Pharmaceutical Biotechnology, Volume 6, Eds. Powell, M.F., and Newman, M.J., Plenum Press, New York and London, ISBN 0-306-44867-X.

15 In a preferred aspect the adjuvant and immunogenic compositions according to the invention comprise a saponin (preferably QS21) and/or an LPS derivative (preferably 3D-MPL) in an oil emulsion described above, optionally with a sterol (preferably cholesterol). Additionally the oil emulsion (preferably oil in water emulsion) may contain span 85 and/or lecithin and/or tricaprylin. Adjuvants comprising an oil-in-water emulsion, a
20 sterol and a saponin are described in WO 99/12565.

Typically for human administration the saponin (preferably QS21) and/or LPS derivative (preferably 3D-MPL) will be present in a human dose of immunogenic composition in the range of 1 μ g – 200 μ g, such as 10-100 μ g, preferably 10 μ g - 50 μ g per dose. Typically the oil emulsion (preferably oil in water emulsion) will comprise from 2 to
25 10% metabolisable oil. Preferably it will comprise from 2 to 10% squalene, from 2 to 10% alpha tocopherol and from 0.3 to 3% (preferably 0.4 – 2%) emulsifier (preferably tween 80 [polyoxyethylene sorbitan monooleate]). Where both squalene and alpha tocopherol are present, preferably the ratio of squalene: alpha tocopherol is equal to or less than 1 as this provides a more stable emulsion. Span 85 (Sorbitan trioleate) may also be present
30 at a level of 0.5 to 1% in the emulsions used in the invention. In some cases it may be advantageous that the immunogenic compositions and vaccines of the present invention will further contain a stabiliser, for example other emulsifiers/surfactants, including caprylic acid (merck index 10th Edition, entry no. 1739), of which Tricaprylin is particularly preferred.

Where squalene and a saponin (preferably QS21) are included, it is of benefit to also include a sterol (preferably cholesterol) to the formulation as this allows a reduction in the total level of oil in the emulsion. This leads to a reduced cost of manufacture, improvement of the overall comfort of the vaccination, and also qualitative and quantitative improvements of the resultant immune responses, such as improved IFN- γ production. Accordingly, the adjuvant system of the present invention typically comprises a ratio of metabolisable oil:saponin (w/w) in the range of 200:1 to 300:1, also the present invention can be used in a "low oil" form the preferred range of which is 1:1 to 200:1, preferably 20:1 to 100:1, and most preferably substantially 48:1, this vaccine retains the beneficial adjuvant properties of all of the components, with a much reduced reactogenicity profile. Accordingly, the particularly preferred embodiments have a ratio of squalene:QS21 (w/w) in the range of 1:1 to 250:1, also a preferred range is 20:1 to 200:1, preferably 20:1 to 100:1, and most preferably substantially 48:1. Preferably a sterol (most preferably cholesterol) is also included present at a ratio of saponin:sterol as described herein.

The emulsion systems of the present invention preferably have a small oil droplet size in the sub-micron range. Most preferably the oil droplet sizes will be in the range 120 to 750 nm, and most preferably from 120-600nm in diameter.

A particularly potent adjuvant formulation (for ultimate combination with AlPO₄ in the immunogenic compositions of the invention) involves a saponin (preferably QS21), an LPS derivative (preferably 3D-MPL) and an oil emulsion (preferably squalene and alpha tocopherol in an oil in water emulsion) as described in WO 95/17210 or in WO 99/12565 (in particular adjuvant formulation 11 in Example 2, Table 1).

Examples of a TLR 2 agonist include peptidoglycan or lipoprotein. Imidazoquinolines, such as Imiquimod and Resiquimod are known TLR7 agonists. Single stranded RNA is also a known TLR agonist (TLR8 in humans and TLR7 in mice), whereas double stranded RNA and poly IC (polyinosinic-polycytidylic acid - a commercial synthetic mimetic of viral RNA). are exemplary of TLR 3 agonists. 3D-MPL is an example of a TLR4 agonist whilst CPG is an example of a TLR9 agonist.

The immunogenic composition may comprise an antigen and an immunostimulant adsorbed onto a metal salt. Aluminium based vaccine formulations wherein the antigen and the immunostimulant 3-de-O-acylated monophosphoryl lipid A (3D-MPL), are adsorbed onto the same particle are described in EP 0 576 478 B1, EP 0 689 454 B1, and

EP 0 633 784 B1. In these cases then antigen is first adsorbed onto the aluminium salt followed by the adsorption of the immunostimulant 3D-MPL onto the same aluminium salt particles. Such processes first involve the suspension of 3D-MPL by sonication in a water bath until the particles reach a size of between 80 and 500 nm. The antigen is typically
5 adsorbed onto aluminium salt for one hour at room temperature under agitation. The 3D-MPL suspension is then added to the adsorbed antigen and the formulation is incubated at room temperature for 1 hour, and then kept at 4°C until use.

In another process, the immunostimulant and the antigen are on separate metal particles,
10 as described in EP 1126876. The improved process comprises the adsorption of immunostimulant, onto a metallic salt particle, followed by the adsorption of the antigen onto another metallic salt particle, followed by the mixing of the discrete metallic particles to form a vaccine. The adjuvant for use in the present invention may be an adjuvant composition comprising an immunostimulant, adsorbed onto a metallic salt particle,
15 characterised in that the metallic salt particle is substantially free of other antigen. Furthermore, vaccines are provided by the present invention and are characterised in that the immunostimulant is adsorbed onto particles of metallic salt which are substantially free from other antigen, and in that the particles of metallic salt which are adsorbed to the antigen are substantially free of other immunostimulant.

20 Accordingly, the present invention provides an adjuvant formulation comprising immunostimulant which has been adsorbed onto a particle of a metallic salt, characterised in the composition is substantially free of other antigen. Moreover, this adjuvant formulation can be an intermediate which, if such an adjuvant is used, is required for the manufacture of a vaccine. Accordingly there is provided a process for the manufacture of
25 a vaccine comprising admixing an adjuvant composition which is one or more immunostimulants adsorbed onto a metal particle with an antigen. Preferably, the antigen has been pre-adsorbed onto a metallic salt. Said metallic salt may be identical or similar to the metallic salt which is adsorbed onto the immunostimulant. Preferably the metal salt is an aluminium salt, for example Aluminium phosphate or Aluminium hydroxide.

30 The present invention further provides for a vaccine composition comprising immunostimulant adsorbed onto a first particle of a metallic salt, and antigen adsorbed onto a metallic salt, characterised in that first and second particles of metallic salt are separate particles.

LPS or LOS derivatives or mutations or lipid A derivatives described herein are designed to be less toxic (e.g. 3D-MPL) than native lipopolysaccharides and are interchangeable equivalents with respect to any uses of these moieties described herein.

- 5 In one embodiment the adjuvant used for the compositions of the invention comprises a liposome carrier (made by known techniques from a phospholipids (such as dioleoyl phosphatidyl choline [DOPC]) and optionally a sterol [such as cholesterol]). Such liposome carriers may carry lipid A derivatives [such as 3D-MPL – see above] and/or saponins (such as QS21 – see above). In one embodiment the adjuvant comprises (per
10 0.5 mL dose) 0.1-10mg, 0.2-7, 0.3-5, 0.4-2, or 0.5-1 mg (e.g. 0.4-0.6, 0.9-1.1, 0.5 or 1 mg) phospholipid (for instance DOPC), 0.025-2.5, 0.05-1.5, 0.075-0.75, 0.1-0.3, or 0.125-0.25 mg (e.g. 0.2-0.3, 0.1-0.15, 0.25 or 0.125 mg) sterol (for instance cholesterol), 5-60, 10-50, or 20-30 μ g (e.g. 5-15, 40-50, 10, 20, 30, 40 or 50 μ g) lipid A derivative (for instance 3D-MPL), and 5-60, 10-50, or 20-30 μ g (e.g. 5-15, 40-50, 10, 20, 30, 40 or 50 μ g) saponin
15 (for instance QS21).

In one embodiment the adjuvant used for the compositions of the invention comprises an oil in water emulsion made from a metabolisable oil (such as squalene), an emulsifier (such as Tween 80) and optionally a tocol (such as alpha tocopherol). In one embodiment
20 the adjuvant comprises (per 0.5 mL dose) 0.5-15, 1-13, 2-11, 4-8, or 5-6mg (e.g. 2-3, 5-6, or 10-11 mg) metabolisable oil (such as squalene), 0.1-10, 0.3-8, 0.6-6, 0.9-5, 1-4, or 2-3 mg (e.g. 0.9-1.1, 2-3 or 4-5 mg) emulsifier (such as Tween 80) and optionally 0.5-20, 1-15, 2-12, 4-10, 5-7 mg (e.g. 11-13, 5-6, or 2-3 mg) tocol (such as alpha tocopherol).

- 25 This adjuvant may optionally further comprise 5-60, 10-50, or 20-30 μ g (e.g. 5-15, 40-50, 10, 20, 30, 40 or 50 μ g) lipid A derivative (for instance 3D-MPL).

This adjuvant may optionally contain 0.025-2.5, 0.05-1.5, 0.075-0.75, 0.1-0.3, or 0.125-0.25 mg (e.g. 0.2-0.3, 0.1-0.15, 0.25 or 0.125 mg) sterol (for instance cholesterol), 5-60,
30 10-50, or 20-30 μ g (e.g. 5-15, 40-50, 10, 20, 30, 40 or 50 μ g) lipid A derivative (for instance 3D-MPL), and 5-60, 10-50, or 20-30 μ g (e.g. 5-15, 40-50, 10, 20, 30, 40 or 50 μ g) saponin (for instance QS21).

In one embodiment the adjuvant used for the compositions of the invention comprises aluminium phosphate and a lipid A derivative (such as 3D-MPL). This adjuvant may comprise (per 0.5 mL dose) 100-750, 200-500, or 300-400 μ g Al as aluminium phosphate, and 5-60, 10-50, or 20-30 μ g (e.g. 5-15, 40-50, 10, 20, 30, 40 or 50 μ g) lipid A derivative
5 (for instance 3D-MPL).

The vaccine preparations of the present invention may be used to protect or treat a
10 mammal susceptible to infection, by means of administering said vaccine via systemic or mucosal route. These administrations may include injection *via* the intramuscular, intraperitoneal, intradermal or subcutaneous routes; or *via* mucosal administration to the oral/alimentary, respiratory, genitourinary tracts. Intranasal administration of vaccines for the treatment of pneumonia or otitis media is preferred (as nasopharyngeal carriage of
15 pneumococci can be more effectively prevented, thus attenuating infection at its earliest stage). Although the vaccine of the invention may be administered as a single dose, components thereof may also be co-administered together at the same time or at different times (for instance pneumococcal polysaccharides could be administered separately, at the same time or 1-2 weeks after the administration of any bacterial protein component of
20 the vaccine for optimal coordination of the immune responses with respect to each other). For co-administration, the optional Th1 adjuvant may be present in any or all of the different administrations, for example, it may be present in combination with the bacterial protein component of the vaccine. In addition to a single route of administration, 2 different routes of administration may be used. For example, polysaccharides may be
25 administered IM (or ID) and bacterial proteins may be administered IN (or ID). In addition, the vaccines of the invention may be administered IM for priming doses and IN for booster doses.

The amount of conjugate antigen in each vaccine dose is selected as an amount which
30 induces an immunoprotective response without significant, adverse side effects in typical vaccines. Such amount will vary depending upon which specific immunogen is employed and how it is presented. Generally, it is expected that each dose will comprise 0.1-100 μ g of polysaccharide, typically 0.1-50 μ g , 0.1-10 μ g, 1-10 μ g or 1-5 μ g for polysaccharide conjugates.

The content of protein antigens in the vaccine will typically be in the range 1-100µg, 5-50µg or 5 - 25µg. Following an initial vaccination, subjects may receive one or several booster immunizations adequately spaced.

5

Vaccine preparation is generally described in Vaccine Design ("The subunit and adjuvant approach" (eds Powell M.F. & Newman M.J.) (1995) Plenum Press New York). Encapsulation within liposomes is described by Fullerton, US Patent 4,235,877.

10 The vaccines of the present invention may be stored in solution or lyophilized. Optionally the solution is lyophilized in the presence of a sugar such as sucrose, trehalose or lactose. It is typical that they are lyophilized and extemporaneously reconstituted prior to use. Lyophilizing may result in a more stable composition (vaccine).

15

Methods

The invention also encompasses method of making the immunogenic compositions and vaccines of the invention.

20 In an embodiment, the process of the invention, is a method to make a vaccine comprising the steps of mixing antigens to make the immunogenic composition of the invention and adding a pharmaceutically acceptable excipient.

Methods of treatment

25

The invention also encompasses method of treatment or staphylococcal infection, particularly hospital acquired nosocomial infections.

30

This immunogenic composition or vaccine of the invention is particularly advantageous to use in cases of elective surgery. Such patients will know the date of surgery in advance and could be inoculated in advance. Since it is not known whether the patient will be exposed to *S. aureus* or *S. epidermidis* infection, it is preferred to inoculate with a vaccine of the invention that protects against both, as described above. Typically adults over 16 awaiting elective surgery are treated with the immunogenic compositions and vaccines of

the invention. Alternatively children aged 3-16 awaiting elective surgery are treated with the immunogenic compositions and vaccines of the invention.

It is also possible to inoculate health care workers with the vaccine of the invention.

5

The vaccine preparations of the present invention may be used to protect or treat a mammal susceptible to infection, by means of administering said vaccine via systemic or mucosal route. These administrations may include injection *via* the intramuscular, intraperitoneal, intradermal or subcutaneous routes; or *via* mucosal administration to the
10 oral/alimentary, respiratory, genitourinary tracts.

The amount of antigen in each vaccine dose is selected as an amount which induces an immunoprotective response without significant, adverse side effects in typical vaccines. Such amount will vary depending upon which specific immunogen is employed and how it
15 is presented. The protein content of the vaccine will typically be in the range 1 -100µg, 5-50µg, typically in the range 10 - 25µg. An optimal amount for a particular vaccine can be ascertained by standard studies involving observation of appropriate immune responses in subjects. Following an initial vaccination, subjects may receive one or several booster immunisations adequately spaced.

20

Although the vaccines of the present invention may be administered by any route, administration of the described vaccines into the skin (ID) forms one embodiment of the present invention. Human skin comprises an outer "horny" cuticle, called the stratum corneum, which overlays the epidermis. Underneath this epidermis is a layer called the
25 dermis, which in turn overlays the subcutaneous tissue. Researchers have shown that injection of a vaccine into the skin, and in particular the dermis, stimulates an immune response, which may also be associated with a number of additional advantages. Intradermal vaccination with the vaccines described herein forms an optional feature of the present invention.

30

The conventional technique of intradermal injection, the "mantoux procedure", comprises steps of cleaning the skin, and then stretching with one hand, and with the bevel of a narrow gauge needle (26-31 gauge) facing upwards the needle is inserted at an angle of between 10-15°. Once the bevel of the needle is inserted, the barrel of the needle is

lowered and further advanced whilst providing a slight pressure to elevate it under the skin. The liquid is then injected very slowly thereby forming a bleb or bump on the skin surface, followed by slow withdrawal of the needle.

5 More recently, devices that are specifically designed to administer liquid agents into or across the skin have been described, for example the devices described in WO 99/34850 and EP 1092444, also the jet injection devices described for example in WO 01/13977; US 5,480,381, US 5,599,302, US 5,334,144, US 5,993,412, US 5,649,912, US 5,569,189, US 5,704,911, US 5,383,851, US 5,893,397, US 5,466,220, US 5,339,163, US 5,312,335,
10 US 5,503,627, US 5,064,413, US 5,520, 639, US 4,596,556, US 4,790,824, US 4,941,880, US 4,940,460, WO 97/37705 and WO 97/13537. Alternative methods of intradermal administration of the vaccine preparations may include conventional syringes and needles, or devices designed for ballistic delivery of solid vaccines (WO 99/27961), or transdermal patches (WO 97/48440; WO 98/28037); or applied to the surface of the skin
15 (transdermal or transcutaneous delivery WO 98/20734 ; WO 98/28037).

When the vaccines of the present invention are to be administered to the skin, or more specifically into the dermis, the vaccine is in a low liquid volume, particularly a volume of between about 0.05 ml and 0.2 ml.

20

The content of antigens in the skin or intradermal vaccines of the present invention may be similar to conventional doses as found in intramuscular vaccines (see above). However, it is a feature of skin or intradermal vaccines that the formulations may be "low dose". Accordingly the protein antigens in "low dose" vaccines are optionally present in as
25 little as 0.1 to 10 μ g, optionally 0.1 to 5 μ g per dose; and the polysaccharide (optionally conjugated) antigens may be present in the range of 0.01-1 μ g, and optionally between 0.01 to 0.5 μ g of polysaccharide per dose.

As used herein, the term "intradermal delivery" means delivery of the vaccine to the region
30 of the dermis in the skin. However, the vaccine will not necessarily be located exclusively in the dermis. The dermis is the layer in the skin located between about 1.0 and about 2.0 mm from the surface in human skin, but there is a certain amount of variation between individuals and in different parts of the body. In general, it can be expected to reach the dermis by going 1.5 mm below the surface of the skin. The dermis is located between the
35 stratum corneum and the epidermis at the surface and the subcutaneous layer below.

Depending on the mode of delivery, the vaccine may ultimately be located solely or primarily within the dermis, or it may ultimately be distributed within the epidermis and the dermis.

5

An embodiment of the invention is a method of preventing or treating staphylococcal infection or disease comprising the step of administering the immunogenic composition or vaccine of the invention to a patient in need thereof.

- 10 A further embodiment of the invention is a use of the immunogenic composition of the invention in the manufacture of a vaccine for treatment or prevention of staphylococcal infection or disease, optionally post-surgery staphylococcal infection.

- 15 The term 'staphylococcal infection' encompasses infection caused by *S. aureus* and/or *S. epidermidis* and other staphylococcal strains capable of causing infection in a mammalina, optionally human host.

- 20 The terms "comprising", "comprise" and "comprises" herein are intended by the inventors to be optionally substitutable with the terms "consisting of", "consist of" and "consists of", respectively, in every instance.

All references or patent applications cited within this patent specification are incorporated by reference herein.

- 25 In order that this invention may be better understood, the following examples are set forth. These examples are for purposes of illustration only, and are not to be construed as limiting the scope of the invention in any manner.

Examples

Example 1 Construction of Plasmid to Express Recombinant proteins

A: Cloning.

- 5 Appropriate restriction sites engineered into oligonucleotides specific for the staphylococcal gene permitted directional cloning of the PCR product into the *E.coli* expression plasmid pET24d or pQE-30 such that a protein could be expressed as a fusion protein containing a (His)₆ affinity chromatography tag at the N- or C-terminus.
- 10 The primers used were:
- Alpha toxin – 5'-CGCGGATCCGCAGATTCTGATATTAATATTTAAAC-3' and
5'-CCCAAGCTTTTAATTTGTCATTTCTTCTTTTTC-3'
- EbpS – 5'-CGCGGATCCGCTGGGTCTAATAATTTTAAAGATG-3' and
5'-CCCAAGCTTTTATGGAATAACGATTTGTTG-3'
- 15 ClfA – 5'-CGCGGATCCAGTGAAAATAGTGTTACGCAATC-3' and
5'-CCCAAGCTTTTACTCTGGAATTGGTTCAATTTTC-3'
- FnbpA – 5'-CGCGGATCCACACAAACAACGCAACTAACG-3' and
5'-CCCAAGCTTTTATGCTTTGTGATTCTTTTTCAAAC3'
- Sbi – 5'-CGCGGATCCAACACGCAACAACTTC-3' and
20 5'-GGAAGTGCAGTTATTTCCAGAATGATAATAAATTAC-3'
- SdrC – 5'-CGCGGATCCGCAGAACATACGAATGGAG-3' and
5'-CCCAAGCTTTTATGTTTCTTCTTCGTAGTAGC-3'
- SdrG – 5'-CGCGGATCCGAGGAGAATTCAGTACAAG-3' and
5'-CCCAAGCTTTTATTCGTCATCATAGTATCCG-3'
- 25 Ebh – 5'-AAAAGTACTCACCACCACCACCACC-3' and
5'-AAAAGTACTCACTTGATTCATCGCTTCAG-3'
- Aaa – 5'-GCGCGCCATGGCACAAGCTTCTACACAACATAC-3' and
5'-GCGCGCTCGAGATGGATGAATGCATAGCTAGA-3'
- IsaA – 5'-GCATCCATGGCACCATCACCATCACCACGAAGTAAACGTTGATCAAGC-3'
30 and 5'-AGCACTCGAGTTAGAATCCCCAAGCACCTAAACC-3'
- HarA – 5'-GCACCCATGGCAGAAAATACAAATACTTC-3' and
5'-TTTTCTCGAGCATTTTAGATTGACTAAGTTG-3'
- Autolysin glucosaminidase – 5'-CAAGTCCCATGGCTGAGACGACACAAGATCAAC-3'
and 5'-CAGTCTCGAGTTTTACAGCTGTTTTTGGTTG-3'

Autolysin amidase – 5'-AGCTCATATGGCTTATACTGTTACTAAACC-3' and
5'GCGCCTCGAGTTTATATTGTGGGATGTCG-3'

IsdA – 5'-CAAGTCCCATGGCAACAGAAGCTACGAACGCAAC-3' and
5'ACCAGTCTCGAGTAATTCTTTAGCTTTAGAGCTTG-3'

5 IsdB – 5'-TATTCTCGAGGCTTTGAGTGTGTCCATCATTG-3' and 5'
GAAGCCATGGCAGCAGCTGAAGAAACAGGTGG-3'

MRPII – 5'-GATTACACCATGGTTAAACCTCAAGCGAAA-3' and
5'AGGTGTCTCGAGTGCGATTGTAGCTTCATT-3'

10 The PCR products were first introduced into the pGEM-T cloning vector (Novagen) using
Top10 bacterial cells, according to the manufacturer's instructions. This intermediate
construct was made to facilitate further cloning into an expression vector. Transformants
containing the DNA insert were selected by restriction enzyme analysis. Following
digestion, a ~20µl aliquot of the reaction was analyzed by agarose gel electrophoresis
15 (0.8 % agarose in a Tris-acetate-EDTA (TAE) buffer). DNA fragments were visualized by
UV illumination after gel electrophoresis and ethidium bromide staining. A DNA molecular
size standard (1 Kb ladder, Life Technologies) was electrophoresed in parallel with the
test samples and was used to estimate the size of the DNA fragments. Plasmid purified
from selected transformants for each cloning was then sequentially digested to completion
20 with appropriate restriction enzymes as recommended by the manufacturer (Life
Technologies). The digested DNA fragment was then purified using silica gel-based spin
columns prior to ligation with the pET24d or pQE-30 plasmid. Cloning of Ebh (H2
fragment), AaA, IsdA, IsdB, HarA, Atl-amidase, Atl-glucosamine, MRPII, IsaA was carried
out using the pET24d plasmid and cloning of ClfA, SdrC, SdrE, FnbpA, SdrG/Fbe, alpha
25 toxin and Sbi were carried out using the pQE-30 plasmid.

B: Production of expression vector.

To prepare the expression plasmid pET24d or pQE-30 for ligation, it was similarly
digested to completion with appropriate restriction enzymes. An approximately 5-fold
30 molar excess of the digested fragments to the prepared vector was used to program the
ligation reaction. A standard ~20 µl ligation reaction (~16°C, ~16 hours), using methods
well known in the art, was performed using T4 DNA ligase (~2.0 units / reaction, Life
Technologies). An aliquot of the ligation (~5 µl) was used to transform M15(pREP4) or
BT21::DE3 electro-competent cells according to methods well known in the art. Following
35 a ~2-3 hour outgrowth period at 37°C in ~1.0 ml of LB broth, transformed cells were

plated on LB agar plates containing ampicillin (100 µg/ml) and/or kanamycin (30µg/ml). Antibiotics were included in the selection. Plates were incubated overnight at 37°C for ~16 hours. Individual ApR/KanR colonies were picked with sterile toothpicks and used to “patch” inoculate fresh LB ApR/KanR plates as well as a ~1.0 ml LB Ap/ Kan broth culture.

5 Both the patch plates and the broth culture were incubated overnight at 37°C in either a standard incubator (plates) or a shaking water bath. A whole cell-based PCR analysis was employed to verify that transformants contained the DNA insert. Here, the ~1.0 ml overnight LB Ap/Kan broth culture was transferred to a 1.5 ml polypropylene tube and the cells collected by centrifugation in a Beckmann microcentrifuge (~3 min., room
10 temperature, ~12,000 X g). The cell pellet was suspended in ~200µl of sterile water and a ~10µl aliquot used to program a ~50µl final volume PCR reaction containing both forward and reverse amplification primers. The initial 95°C denaturation step was increased to 3 minutes to ensure thermal disruption of the bacterial cells and liberation of plasmid DNA. An ABI Model 9700 thermal cycler and a 32 cycle, three-step thermal amplification profile,
15 i.e. 95°C, 45sec; 55-58°C, 45sec, 72°C, 1min., were used to amplify the BASB203 fragment from the lysed transformant samples. Following thermal amplification, a ~20µl aliquot of the reaction was analyzed by agarose gel electrophoresis (0.8 % agarose in a Tris-acetate-EDTA (TAE) buffer). DNA fragments were visualised by UV illumination after gel electrophoresis and ethidium bromide staining. A DNA molecular size standard (1 Kb
20 ladder, Life Technologies) was electrophoresed in parallel with the test samples and was used to estimate the size of the PCR products. Transformants that produced the expected size PCR product were identified as strains containing a protein expression construct. Expression plasmid containing strains were then analyzed for the inducible expression of recombinant protein.

25

C: Expression Analysis of PCR-Positive Transformants.

An aliquot of the overnight seed culture (~1.0 ml) was inoculated into a 125 ml erlenmeyer flask containing ~25 ml of LB Ap/Kan broth and was grown at 37 °C with shaking (~250 rpm) until the culture turbidity reached O.D.600 of ~0.5, i.e. mid-log phase (usually about
30 1.5 - 2.0 hours). At this time approximately half of the culture (~12.5 ml) was transferred to a second 125 ml flask and expression of recombinant protein induced by the addition of IPTG (1.0 M stock prepared in sterile water, Sigma) to a final concentration of 1.0 mM. Incubation of both the IPTG-induced and non-induced cultures continued for an additional ~4 hours at 37 °C with shaking. Samples (~1.0 ml) of both induced and non-induced
35 cultures were removed after the induction period and the cells collected by centrifugation

in a microcentrifuge at room temperature for ~3 minutes. Individual cell pellets were suspended in ~50µl of sterile water, then mixed with an equal volume of 2X Laemmli SDS-PAGE sample buffer containing 2-mercaptoethanol, and placed in boiling water bath for ~3 min to denature protein. Equal volumes (~15µl) of both the crude IPTG-induced and the non-induced cell lysates were loaded onto duplicate 12% Tris/glycine polyacrylamide gel (1 mm thick Mini-gels, Novex). The induced and non-induced lysate samples were electrophoresed together with prestained molecular weight markers (SeeBlue, Novex) under conventional conditions using a standard SDS/Tris/glycine running buffer (BioRad). Following electrophoresis, one gel was stained with commassie brilliant blue R250 (BioRad) and then destained to visualize novel IPTG-inducible protein(s). The second gel was electroblotted onto a PVDF membrane (0.45 micron pore size, Novex) for ~2 hrs at 4 °C using a BioRad Mini-Protean II blotting apparatus and Towbin's methanol (20 %) transfer buffer. Blocking of the membrane and antibody incubations were performed according to methods well known in the art. A monoclonal anti-RGS (His)3 antibody, followed by a second rabbit anti-mouse antibody conjugated to HRP (QiaGen), were used to confirm the expression and identity of the recombinant protein. Visualization of the anti-His antibody reactive pattern was achieved using either an ABT insoluble substrate or using Hyperfilm with the Amersham ECL chemiluminescence system.

20

Example 2: Production of Recombinant Protein

Bacterial strain

A recombinant expression strain of *E. coli* M15(pREP4) containing a plasmid (pQE30) or BL21::DE3 containing plasmid pET24d encoding staphylococcal protein was used to produce cell mass for purification of recombinant protein.

25

Media

The fermentation medium used for the production of recombinant protein consisted of 2X YT broth (Difco) containing 100µg/ml Ap and/or 30 µg/ml Km. Antifoam was added to medium for the fermentor at 0.25 ml/L (Antifoam 204, Sigma). To induce expression of the recombinant protein, IPTG (Isopropyl β-D-Thiogalactopyranoside) was added to the fermentor (1 mM, final).

30

Production of recombinant proteins

Under native conditions

IPTG was added at a final concentration of 1mM and the culture was grown for 4 additional hours. The culture was then centrifuged at 6,000 rpm for 10 minutes and the
 5 pellet was resuspended in phosphate buffer (50mM K₂HPO₄, KH₂PO₄ pH 7) including a protease inhibitor cocktail. This sample was subjected to French pressure lysis using 1500 bar pressure (2 runs). After centrifugation for 30 minutes at 15,000 rpm, the supernatant was reserved for further purification and NaCl was added to 0.5M. The sample was then loaded on a Ni-NTA resin (XK 16 column Pharmacia, Ni-NTA resin Qiagen) conditioned in
 10 50mM K₂HPO₄, KH₂PO₄ pH 7. After loading the sample, the column was washed with Buffer A (0.2M NaH₂PO₄ pH7, 0.3M NaCl, 10% glycerol). To elute bound protein, a step gradient was used where different proportions of buffer B (0.2M NaH₂PO₄ pH7, 0.3M NaCl, 10% glycerol and 200mM imidazole) were added to buffer A. The proportion of buffer B was gradually increased from 10% to 100%. After purification, eluted fraction
 15 containing the protein were pooled, concentrated and dialysed against 0.002M KH₂PO₄/K₂HPO₄ pH7, 0.15M NaCl.

This method was used to purify ClfA, SdrG, IsdA, IsaB, HarA, Atl-glucosamine and alpha toxin.

20

Under denaturing conditions

IPTG was added at a final concentration of 1mM and the culture was grown for 4 additional hours. The culture was then centrifuged at 6,000 rpm for 10 minutes and the pellet was resuspended in phosphate buffer (50mM K₂HPO₄, KH₂PO₄ pH 7) including a
 25 protease inhibitor cocktail. This sample was subjected to French pressure lysis using 1500 bar pressure (2 runs). After centrifugation for 30 minutes at 15,000 rpm, the pellet was washed with phosphate buffer including 1M urea. The sample was centrifuged for 30 mins at 15000rpm and the pellet was resuspended in 8M urea, 0.1M NaH₂PO₄, 0.5M NaCl, 0.01M Tris-HCl pH8 and kept overnight at room temperature. The sample was centrifuged
 30 for 20 minutes at 15000rpm and the supernatant was collected for further purification. The sample was then loaded on a Ni-NTA resin (XK 16 column Pharmacia, Ni-NTA resin Qiagen) conditioned in 8M urea, 0.1M NaH₂PO₄, 0.5M NaCl, 0.01M Tris-HCl pH8. After passage of the flowthrough, the column was washed successively with buffer A (8M Urea, 0.1MNaH₂PO₄, 0.5M NaCl, 0.01M Tris, pH 8.0), buffer C (8M Urea, 0.1MNaH₂PO₄, 0.5M
 35 NaCl, 0.01M Tris, pH 6.3), buffer D (8M Urea, 0.1MNaH₂PO₄, 0.5M NaCl, 0.01M Tris, pH

5.9) and buffer E (8M Urea, 0.1MNaH₂PO₄, 0.5M NaCl, 0.01M Tris, pH 4.5). The recombinant protein was eluted from the column during washes with buffer D and E. The denatured, recombinant protein could be solubilized in a solution devoid of urea. For this purpose, denatured protein contained in 8M urea was successively dialyzed against 4M
 5 urea, 0.1MNa₂PO₄, 0.01M Tris-HCl, pH7.1, 2M urea, 0.1 M NaH₂PO₄, 0.01M Tris-HCl, pH 7.1, 0.5M arginine and 0.002M KH₂PO₄/K₂HPO₄ pH7.1, 0.15M NaCl, 0.5M arginine.

This method was used to purify Ebh (H2 fragment), AaA, SdrC, FnbpA, Sbi, Atl-amidase and IsaA.

10

The purified proteins were analysed by SDS-PAGE. The results for one protein purified under native conditions (alpha toxin) and one protein purified under denaturing conditions (SdrC) are shown in Figures 3 and 4.

15 **Example 3 Preparation of *S. aureus* Capsular Polysaccharide Conjugates using CDAP**

Activation and coupling chemistry for native PS8 using CDAP:

20

SA08-TT004

Activation and coupling were performed at room temperature under continuous stirring. 10 mg of native polysaccharide were dissolved to obtain a final PS concentration of 2.5
 25 mg/ml in 0.2M NaCl. The solution was then adjusted to pH 6.0+/-0.2 before the activation step.

At time 0, 50 µl of a CDAP solution (100 mg/ml freshly prepared in acetonitrile/WFI, 50/50) were added manually to reach the appropriate CDAP/PS (0.5/1) ratio.

30 After 1.5 minutes the pH was raised to pH 9.00+/-0.05 by addition of 0.5M NaOH. NaOH addition takes about 1 minutes and pH is stabilised at pH 9.00+/-0.05 up to carrier addition.

At time 4.5 minutes, 1.5 ml of TT (10 mg/ml in 0.2M NaCl) was added to reach the appropriate Protein/PS ratio (1.5/1); pH was immediately adjusted to coupling pH 9.00+/-
 35 0.05. The solution is left for one hour under manual pH regulation.

After the coupling step, 0.5 ml of 2M glycine (ratio gly/PS (w/w): 7.5/1) were added; pH was immediately adjusted to 9.00 $\pm$ 0.05. The solution was left for 30 minutes under manual pH regulation. Then the conjugate was clarified using a 5 μ m Minisart filter and injected on Sephacryl S400HR (XK16/100). The flow-rate was fixed at 30 ml/h, using
5 150mM NaCl.

The elution fractions were analysed by resorcinol and by μ BCA. Interesting fractions were pooled and filtered on 0.22 μ m Sterivex.

The resulting conjugate had a final TT/PS ratio (w/w) of 1.05 as assessed by resorcinol
10 and Lowry assays.

Example 4 Preparation of *S. aureus* Capsular Polysaccharide Conjugates using CDAP on sized polysaccharides

15 Activation and coupling chemistry for sized PS8 using CDAP

PS is weighted on the basis of 10% theoretical moisture content. 2 g of native, humid PS was dissolved overnight in WFI at an initial concentration of 10 mg/ml. Before the sizing, the solution of native PS was clarified on 5 μ m cut-off filter.

20 A EMULSIFLEX C-50 homogenizer apparatus, in which the homogenizing cell was replaced with a Microfluidics F20Y-0.75 μ m interaction chamber, was used to reduce the molecular weight and the viscosity of the polysaccharide before the activation step
The size reduction was realized at 10000 psi during the 10 first cycles and then at 15000 psi for the following 60 cycles. The progress of the size reduction was followed *in-process*
25 by measuring viscosity. The sizing was stopped after 70 cycles when the target of 2.74 $\pm$ 0.2 cp was reached.

Activation and coupling were performed at room temperature under continuous stirring. 50 mg of sized polysaccharide 8 were diluted to obtain a final PS concentration of 5 mg/ml
30 in 0.2M NaCl.

At time 0, 375 μ l of a CDAP solution (100 mg/ml freshly prepared in acetonitrile/WFI, 50/50) were added manually to reach the appropriate CDAP/PS (0.75/1) ratio.

After 1 minute the pH was raised to pH 9.00 $\pm$ 0.05 by addition of 0.5M NaOH.

At time 2.5 minutes, 10 ml of TT at 10 mg/ml in 0.2M NaCl were added to reach the appropriate Protein/PS ratio (2/1); pH was immediately adjusted to coupling pH 9.00+/- 0.05. The solution was left for 55 minutes under manual pH regulation.

After the coupling step, 2.5 ml of 2M glycine (ratio gly/PS (w/w): 7.5/1) were added; pH was immediately adjusted to 9.00+/-0.05 by the regulator. The solution was left for 30 minutes under manual pH regulation.

Then the conjugate was clarified using a 5µm Minisart filter and injected on Sephacryl S400HR (XK26/100). The flow-rate was fixed at 60 ml/h.

The elution fractions were analysed by resorcinol and by protein dosage. Interesting fractions were pooled and filtered on 0.22 µm Millipack20.

The resulting conjugate has a final TT/PS ratio of 1.94.

Example 5 Preparation of *S. aureus* Capsular Polysaccharide Conjugates using EDAC

Activation and coupling chemistry using EDAC:

S. aureus capsular polysaccharide type 8-TT conjugate:

PS derivatization

Activation and coupling were performed at room temperature under continuous stirring. 30 mg of native polysaccharide were diluted to obtain a final polysaccharide concentration of 5 mg/ml in water. The solution was adjusted to pH 4.5-5.0 with 0.5N HCl and then 66 µg of ADH were added (2.2 mg/mg PS). After complete dissolution, 60 mg of EDAC were added (2 mg/mg PS). After 70 min the pH was raised to pH 7.5 with 1N NaOH to stop the reaction. Free ADH was removed by purification on Sephacryl S100HR (XK 16/40). The flow-rate was fixed at 60 ml/h using 0.2 M NaCl as elution buffer. A size reduction was done by sonication of 15 min allowing a sterile filtration on millex filter (0.22 µm).

Coupling

Tetanus toxoid was added to 5 to 10 mg of derivatized polysaccharide in 0.2M NaCl and the pH was adjusted to pH 5.0 or pH 6.0 by addition of 0.5N HCl. EDAC was dissolved in 0.1M Tris buffer pH 7.5 and then added over a period of 10 min (1/5 vol each 2 min).

According to the conditions used (see Table 6), the reaction was stopped after between 30 and 180 minutes by addition of 1M Tris-HCl pH 7.5. Prior to purification on Sephacryl

S400HR, the conjugate was clarified using a 5µm Minisart filter. Alternatively, the conjugate was clarified by a 5 minute sonication step. The conjugate was then injected on Sephacryl S400HR (XK16/100). The flow-rate was fixed at 30 ml/h using 150 mM NaCl as elution buffer. The elution pool was selected on the basis of resorcinol and µBCA profiles (which measure polysaccharide and protein dosage respectively). The conjugate was filtered on a 0.22 µm sterilizing membrane (Millipack 20) at 10 ml/min.

Table 5

Conjugate	Coupling time	[PS (AH)] (mg/ml)	[TT (AH)] (mg/ml)	[reagent EDAC] (mg/mg PS)
SA08-TT011	40 min	3.58	6.45	0.5/1
SA08-TT015*	180 min	2	4.0	0.25/1
SA08-TT017	30 min	3.75	7.5	0.25/1
SA08-TT018	50 min	3.75	7.5	0.10/1

Table 5: * coupling done at pH 6.0

The resulting conjugates have the following characteristics shown in Table 6:

Table 6

Conjugate	In. TT/PS ratio(w/w)	F. TT/PS ratio (w/w)	Y. PS rec (%)	Filtr. Yield (%)
SA08-TT011	2/1	2.43/1	48	99
SA08-TT015	2/1	2.40/1	53	104
SA08-TT017	2/1	2.41/1	44	107
SA08-TT018	2/1	2.40/1	42	106

S. aureus polysaccharide type 8 was also treated by microfluidization before derivatization with ADH

PS derivatization

Activation and coupling are performed at room temperature under continuous stirring.

200 mg of sized polysaccharide are diluted to obtain a final PS concentration of 10 mg/ml in water. Then 440 mg of ADH were added (2.2 mg/mg PS). The solution was adjusted to pH 4.7 with 1N HCl before the addition of 400 mg of EDAC (2 mg/mg PS). After 60 min the pH was raised to pH 7.5 with 5M NaOH to stop the reaction. The mixture was concentrated on Amicon Ultra (cut-off 10.000 MWCO). Prior to purification on Sephacryl S200HR (XK16/100), the conjugate was clarified using a 5µm Minisart filter. The flow-rate was fixed at 30 ml/h using 0.150 M NaCl as elution buffer.

10

Coupling

100 mg of TT was added to 50 mg of derivatized polysaccharide in 0.2M NaCl. The pH was adjusted to pH 5.0 ± 0.02 by addition of 0.3N HCl. EDAC was dissolved in 0.1M Tris buffer pH 7.5 and then added over a period of 10 min (1/10 vol each minute). According to the conditions used (see Table 8), the reaction was stopped after between 30 and 180 minutes by addition of 1M Tris-HCl pH 7.5. Prior to purification on Sephacryl S400HR, the conjugate was clarified using a 5µm Minisart filter. The conjugate was then injected on Sephacryl S400HR (XK50/100). The flow-rate was fixed at 60 ml/h using 150 mM NaCl as elution buffer. The elution pool was selected on the basis of resorcinol and µBCA profiles (which measure polysaccharide and protein dosage respectively). Then, the conjugate was filtered on a 0.22 µm sterilizing membrane (Millipack 20) at 10 ml/min.

25 Table 7

Conjugate	Coupling time	[PS-AH] (mg/ml)	[TT] (mg/ml)	[EDAC] (mg/mg PS)
SA08-TT045	65 min	3.83	7.66	0.1
SA08-TT046	45 min	3.75	7.5	0.2
SA08-TT047	30 min	5.0	15.0	0.2
SA08-TT048	120 min	5.0	10.0	0.05
SA08-TT049*	50 min	5.0	10.0	0.1

* EDAC added in "one time"

Table 8

Conjugate	In. TT/PS ratio(w/w)	F. TT/PS ratio (w/w)	Y. PS rec (%)	Filtr. Yield (%)
SA08-TT045	2/1	2.20/1	57	101
SA08-TT046	2/1	2.80/1		
SA08-TT047	3/1	Gel- Not purified	-	-
SA08-TT048	2/1	3.35	30	101
SA08-TT049	2/1	3.5	24	106

Example 6 Preparation of *S. aureus* Capsular Polysaccharide Conjugates using EDAC on de-O-acetylated *S. aureus* polysaccharide 8

5

De-O-acetylation

0.1N NaOH was added to 16 ml of sized PS (10 mg/ml) to target a final PS concentration of 9 mg/ml and a final NaOH concentration of 0.1N. After a treatment of 1 or 2 h at 37°C, the PS had a level of O-acetylation of 35 and 12% (Hestrin dosage) respectively in comparison to the untreated PS.

0.1N NaOH was added to 19 ml of sized PS (10 mg/ml) to target a final PS concentration of 9.5 mg/ml and a final NaOH concentration of 0.05N. After a treatment of 1 or 2 h at 37°C, PS had a level of O-acetylation of 78 and 58% (Hestrin dosage) respectively in comparison to the untreated PS.

The derivatization step was done as shown previously for an untreated PS.

20 Table 9

Conjugate	O-acetyl level %	ADH/PS w/w* %
SA08-TT056	35	9.3
SA08-TT057	12	13.1
SA08-TT058	78	5.3
SA08-TT059	58	8.2

* TNBS assay

Removal of the O-acetyl groups resulted in an increased availability of reactive carboxylic groups. Indeed, the derivatization level of a PS having only 12% of O-acetyl groups was $\pm$ 2.5-fold superior to the one having 78% of O-acetyl groups.

Coupling was done as shown previously for a untreated PS

Table 10

Conjugate	O-acetyl level %	Coupling time	[PS-AH] (mg/ml)	[TT] (mg/ml)	[EDAC] (mg/mg PS)
SA08-TT056	35	45 min	2.87	5.74	0.5
SA08-TT057	12	30 min	2.62	5.24	0.5
SA08-TT058	78	50 min	3.16	6.32	0.5
SA08-TT059	58	40 min	2.53	5	0.5

Table 11

Conjugate	In. TT/PS ratio(w/w)	F. TT/PS ratio (w/w)	Y. PS rec (%)	Filtr. Yield (%)
SA08-TT056	2/1	1.70/1	51.3	100
SA08-TT057	2/1	1.78/1	63.0	105.4
SA08-TT058	2/1	2.08/1	46.3	99.6
SA08-TT059	2/1	1.86/1	50.8	99.2

Example 7 Conjugation of dPNAG

5 Activation and coupling of dPNAG:

dPNAG-TT conjugates

- 10 The following conjugates were produced using the approaches described herebelow:

dPNAG-TT010: dPNAG-S-GMBS + DTT treated TT-LC-SPDP

dPNAG-TT011: dPNAG-S-GMBS + DTT treated TT-LC-SPDP

- 15 dPNAG-TT012: dPNAG-S-GMBS + DTT treated TT-SPDP

dPNAG-TT014: dPNAG-SPDP + DTT treated TT-SPDP

dPNAG-TT017: DTT treated dPNAG-SPDP + TT-LC-SPDP

dPNAG-TT019: dPNAG-S-GMBS + DTT treated TT-SPDP

dPNAG-TT020: dPNAG-S-GMBS + DTT treated TT-SPDP

20

dPNAG

- 1g of PNAG was dissolved in 5N HCl at a concentration of 20mg/ml and was incubated for 1 hour. It was then neutralized with 5N NaOH. The solution was clarified on a 5µm membrane and purified on Sephacryl S400HR. Interesting fractions, corresponding to the "medium molecular size" (see Infection and Immunity, 70: 4433-4440 (2002)), were pooled and concentrated prior to de-N-acetylation treatment.
- 25

The solution was adjusted at 1M NaOH and left 24 hours at 37°C. After neutralization, the product was subjected to dialysis and concentration.

dPNAG Activation

5 S-GMBS (N-(γ-Maleimidobutyryloxy) sulfosuccinimide, Pierce) was added to dPNAG in 0.2M NaCl (ratio S-GMBS/PS (w/w):1/1) and incubated during 2h at room temperature at pH 7.0 (pH regulation using 1M NaOH). Excess GMBS and by-products were removed by purification on Toyopearl HW-40F using PBS,
10 10mM EDTA, 50 mM NaCl pH 7.2 as elution buffer with a flow-rate fixed at 60 ml/h. The elution pool was selected in function of the optical density (UV=206 nm) and then concentrated on Vivaspin tubes 3,000 MWCO or Amicon Ultra 10,000 MWCO.

15 Coupling

GMBS-activated dPNAG and DTT reduced TT-SPDP were mixed and stirred at room temperature. According to the conditions used the reaction was quenched after 20-120 min by the addition of cysteine (4 mg/ml in Na phosphate buffer pH
20 8.0) for 30 minutes. The conjugate was clarified on 5 µm filter and injected on Sephacryl S300HR resin (XK16/100) for purification. Elution was realized in 200 mM NaCl with a flow-rate fixed at 30 ml/h. The elution fractions were analysed by hexosamine and by protein dosage. Interesting fractions were pooled and filtered on 0.22 µm Sterivex. The final conjugate was tested for polysaccharide
25 (hexosamine dosage) and protein composition (Lowry dosage).

Table 12

Conjugate	N-acetylation level %	[dPNAG] mg/ml	[TT] mg/ml	PS scale (mg)	Coupl. time (min)
dPNAG-TT 010	10*	15	15	30	120
dPNAG-TT 011	10*	12	24	20	120
dPNAG-TT 012	10*	17.5	35	22	80
dPNAG-TT 019	34	5	10	10	20
dPNAG-TT 020	34	2	2	10	20

*Not done on the lot used in the conjugation but estimated on a previous lot by NMR using the same de-N-acetylation method.

Table 13

Conjugate	In.TT/PS ratio (w/w)	F.TT/PS ratio (w/w)	Yield PS rec (%)	Filtration yield (%)
dPNAG-TT010	1/1	1.86/1	43	99
dPNAG-TT011	2/1	2.86/1	56	99
dPNAG-TT012	2/1	2.29/1	61	108
dPNAG-TT019	2/1	1.45/1	81	97
dPNAG-TT020	1/1	0.89/1	82	109

5 dPNAG-SPDP:

A 5-fold molar excess of SPDP (N-Succinimidyl-3-(2-Pyridyldithio) Propionate, MW: 312.4, Pierce) dissolved in DMSO (dimethylsulfoxid, Merck) was added to 100 mg of dPNAG at 5mg/ml in 100 mM Na phosphate, pH 7.2) and incubated 1 h at room temperature. Before purification on Sephacryl S100HR (XK16/40) the reaction mixture was concentrated to $\pm$ 6 ml on Amicon Ultra 10,000 MWCO (centrifugation at 3000 rpm during 28 min). Elution was realized in phosphate buffer pH 7.4 with a flow-rate fixed at 60 ml/h. The interesting fractions (read at 206 nm) were pooled and concentrated to 1.1 ml on Amicon Ultra 10,000 MWCO (centrifugation at 3000 rpm during 30 min).

15

TT-SPDP:

A 15-fold molar excess of SPDP (Pierce) dissolved in DMSO (dimethylsulfoxid, Merck) was added to 1 g of TT (50 mg/ml) in 100 mM Na phosphate, pH 7.2 and incubated 80 min at room temperature. Then the product was injected on Sephacryl S100HR (XK16/40) and eluted in 100 mM Na acetate pH 5.6, 100 mM NaCl, 1mM EDTA with a flow-rate fixed at 60 ml/h. The elution pool was selected in function of the optical density (UV=280nm)

20

and then concentrated to 19.6 ml on Amicon Ultra 10,000 MWCO (centrifugation at 3000 rpm during 75 min).

5 TT-LC-SPDP was produced as TT-SPDP but using LC-SPDP (Succinimidyl 6-[3-(2-pyridyldithio)-propionamido]hexanoate, Pierce) and an incubation time of 60 min.

TT-SH or TT-LC-SH

10 DTT was added to TT-SPDP or TT-LC-SPDP in a DTT/TT ratio (mg/mg) of 0.7/1. After 2h at room temperature, the release of pyridine-2-thione was followed by its characteristic absorbance at 343 nm. The thiolated protein was purified from excess DTT by gel filtration (PD-10, Amersham). After concentration on Amicon Ultra 10,000 MWCO, protein content was estimated by Lowry dosage.

15 dPNAG-SPDP + TT-SH or TT-LC-SH (dPNAG-TT014 and 016)

Coupling was performed at room temperature under continuous stirring and with an initial TT/PS ratio (w/w) of 2/1.

20 dPNAG and TT-SH were mixed in order to obtain a final PS concentration of 20 mg/ml and a final protein concentration of 40 mg/ml. After 30 min, unreacted sulfhydryl groups were quenched by addition of 2-Iodoacetamide (Merck).

dPNAG and TT-LC-SH was mixed in order to obtain a final PS concentration of 10 mg/ml and a final protein concentration of 20 mg/ml. After 75 min, unreacted sulfhydryl groups were quenched by addition of 2-Iodoacetamide (Merck).

25 Then the conjugate is clarified using a 5 µm Minisart filter and injected on Sephacryl S300HR (XK16/100). Elution was realized in 200 mM NaCl with a flow-rate fixed at 30 ml/h.

The elution fractions were analysed by hexosamine and by protein dosage. Interesting fractions were pooled and filtered on 0.22 µm Sterivex.

30

The resulting conjugates have a final TT/PS ratio (w/w) of 2.18 (TT-SH) and 2.24 (TT-LC-SH).

35 Thiolation of dPNAG

11.6 mg of DTT (1, 4-Dithiothreitol, Boehringer Mannheim, MW: 154.24) were added to 16.5 mg of dPNAG-SPDP. After 2 h at room temperature, the release of pyridine-2-thione was followed by its characteristic absorbance at 343 nm. The thiolated PS was purified from excess DTT by gel filtration (Toyopearl HW40F) and then concentrated to 860 µl on
 5 Amicon Ultra 10,000 MWCO.

dPNAG-SH + TT-SPDP (dPNAG-TT017)

Coupling was performed at room temperature under continuous stirring and with an initial
 10 TT/PS ratio (w/w) of 1.7/1.

dPNAG-SH and TT-SPDP were mixed in order to obtain a final PS concentration of 7.73 mg/ml and a final protein concentration of 13.3 mg/ml. After 90 min, unreacted sulfhydryl groups were quenched by addition of 2-Iodoacetamide (Merck).

Then the conjugate was clarified using a 5 µm Minisart filter and injected on Sephacryl
 15 S300HR (XK16/100). Elution was realized in 200 mM NaCl with a flow-rate fixed at 30 ml/h.

The elution fractions are analysed by hexosamine and by protein dosage. Interesting fractions were pooled and filtered on 0.22 µm Sterivex.

The resulting conjugate has a final TT/PS ratio (w/w) of 2.74.

20 **Example 8 Formulation**

Adjuvant compositions

The conjugates were inoculated either unadjuvanted or adjuvanted with adjuvant A, having the following composition:

25

Composition of Adjuvant A **Qualitative Quantitative (per 0.5 mL dose)**

Liposomes:

30

- DOPC 1 mg

- cholesterol 0.25 mg

3DMPL 50 µg

QS21 50 µg

KH₂PO₄ 1 3.124 mg Buffer

Na₂HPO₄ 1 0.290 mg Buffer

35

NaCl 2.922 mg

(100 mM)

WFI q.s. ad 0.5 ml Solvent

pH 6.1

1. Total PO₄ concentration = 50 mM

Example 9

Animal experiments.

Female CD-1 mice, 8 to 10 weeks old, are obtained from Charles River Laboratories, Kingston, Mass. For lethality studies, five groups of 9 to 11 CD-1 mice are challenged intraperitoneally (i.p.) with serial dilutions of *S. aureus* grown on CSA plates. The inocular sizes range from $\sim 10^{10}$ to 10^8 CFU/mouse. Mortality is assessed on a daily basis for 3 days. The 50% lethal doses (LD_{50} s) is estimated by using a probit model of the dose-response relationship. The null hypothesis of common LD_{50} s was tested by the likelihood ratio test. Sublethal bacteremia is initiated by challenging groups of 8 to 20 mice by the intravenous (i.v.) route with $\sim 2 \times 10^6$ CFU/mouse or by the i.p. route with $\sim 2 \times 10^7$ CFU/mouse. After inoculation separate groups of animals are bled from the tail at specified times, and the bacteremia levels are estimated by quantitative plate counts performed in duplicate on tryptic soy agar plates with 5% sheep blood (Becton Dickinson Microbiology Systems). Statistical significance is determined with the Welch modification of the unpaired Student's *t* test.

Example 10

Immunogenicity of *S. aureus* PS8-TT and dPNAG-TT conjugates

Groups of 30 mice were inoculated subcutaneously with *S. aureus* PS8-TT conjugate at a saccharide dose of $3\mu\text{g}$, either unadjuvanted or combined with adjuvant A, on days 0, 14, 28 and 42. On day 0, the mice received a first saccharide dose including between 0.001 and $0.013\mu\text{g}$. The further three immunisations were done with a dose of $0.3\mu\text{g}$ in saline. On day 55 serum was collected from the mice and each serum sample was tested by ELISA to assess the immune response against PS8. Groups of 10 mice were used in the control groups and these were inoculated with either saline or saline containing adjuvant A.

The purified PS8 was coated at $2\mu\text{g/ml}$ in phosphate buffered saline (PBS) on high binding microtitre plates (Nunc Maxisorp) overnight at 4°C . The plates were blocked with PBS-BSA 1% for 30 min at room temperature with agitation. The mice antisera were prediluted 1/100, then further twofold dilutions were made in microplates which were incubated at 37°C for 1 hour. After washing, bound murine antibody was detected using

Jackson ImmunoLaboratories Inc. peroxidase-conjugated affiniPure Goat Anti-Mouse IgG (H+L) (ref: 115-035-003) diluted 1:5000 in PBS-tween 0.05%. The detection antibodies were incubated for 30 minutes at room temperature with agitation. The color was developed using 4 mg OPD (Sigma) + 5 µl H₂O₂ per 10 ml pH 4.5 0.1M citrate buffer for 15 minutes in the dark at room temperature. The reaction was stopped with 50 µl HCl, and the optical density was read at 490 nm relative to 650 nm.

The results were expressed in mid-point titers and the GMT was calculated for the 30 samples (10 for controls). The results are shown in Table 14 below.

Table 14

Conjugate	Anti-PS8 titre (GMT) nonadsorbed	Anti-PS8 titre (GMT) Adjuvant A
SA08-TT011	4714	2109
SA08-TT015	2806	5631
SA08-TT017	3770	4396
SA08-TT018	5349	4748
Control	50	50

Groups of 30 mice were inoculated subcutaneously with *S. aureus* dPNAG-TT conjugates (containing dPNAG which was between 10% and 30% N-acetylated) at a saccharide dose of 0.3µg in 200mM NaCl, either unadjuvanted or combined with adjuvant A. The mice received three inoculations on days 0, 14 and 28. On day 41 or 42 serum was collected from the mice and each serum sample was tested by ELISA to assess the immune response against PNAG. Groups of 10 mice were used in the control groups and these were inoculated with saline or with adjuvant alone.

Anti-PNAG ELISA:

Purified PNAG (2.5 µg/ml) mixed with methylated HSA (2.5 µg/ml) diluted in phosphate buffered saline (PBS) was coated on high binding microtitre plates (Nunc Maxisorp) overnight at 4° C.

The plates were blocked with PBS-BSA 1%, 30 min at RT with agitation. The mice antisera were prediluted 1/100, then further twofold dilutions were made in microplates and incubated at room temperature with agitation for 1 hour. After washing, bound murine antibody was detected using Jackson ImmunoLaboratories Inc. peroxidase-conjugated
 5 affiniPure Goat Anti-Mouse IgG (H+L) (ref: 115-035-003) diluted 1:5000 in PBS-BSA 0.2%-tween 0.05%. The detection antibodies were incubated for 30 min. at room temperature with agitation. The color was developed using 4 mg OPD (Sigma) + 5 µl H₂O₂ per 10 ml pH 4.5 0.1M citrate buffer for 15 minutes in the dark at room temperature. The reaction was stopped with 50 µl HCl, and the optical density was read at 490 nm
 10 relative to 650 nm.

A GMT was calculated on the mid-point titers of the 30 samples (10 for the controls).

Table 15

Conjugate	Anti-PNAG GMT Non-adsorbed	Anti-PNAG GMT Adjuvant A
dPNAG-TT010	1371	28465
dPNAG-TT011	1133	40899
dPNAG-TT019	425	13429
dPNAG-TT020	656	10080
dPNAG-TT014	342	9806
dPNAG-TT017	203	8094
dPNAG-TT012	398	40509
dPNAG-TT016	719	7937
Control	50	50

15

Example 11 Immunogenicity of PS*-TT conjugates made by the CDAP method

Results

Table 16

Conjugate	Anti PS8 GMT post three inoculations in mice	Anti-PS8 GMT post two inoculations in mice
SAPS8-TT-04 Specol	207068	41326

SAPS8-TT-04 Adjuvant A	47405	15577
SAPS8-TT-04 AIPO4	7380	4510
Specol	50	
Adjuvant A	50	
AIPO4	50	

Example 12**Opsonophagocytosis assay.**

5

The in vitro opsonophagocytotic killing of *S.aureus* by human polymorphonuclear leukocytes (PMNs) is performed as described in Xu et al 1992 Infect. Immun. 60; 1358. Human PMNs are prepared from heparinized blood by sedimentation in 3% dextran T-250. The opsonic reaction mixture (1 ml) contains $\sim 10^6$ PMNs in RPMI 1640 medium supplemented with 10% heat-inactivated fetal calf serum, $\sim 10^8$ CFU of *S-aureus*, and 0.1 ml of the test serum or IgG preparation. Hyperimmunized rabbit serum is used as a positive control, and 0.1 ml of nonimmune rabbit serum was used as a complete source for the IgG samples. The reaction mixtures are incubated at 37°C, and bacterial samples are transferred at 0, 60, and 120 min into water and subsequently diluted, spread on tryptic soy agar plates, and incubated at 37°C for bacterial count after overnight incubation.

10

15

Example 13**Immunogenicity of staphylococcal proteins in mice and rabbits**

20

Animals were immunized with purified staphylococcal proteins in order to generate hyper-immune sera. Mice were immunized three times (days 0, 14 and 28) with 10 µg of each proteins adjuvanted in Specol. Rabbits were immunized three times (days 0, 21 and 42) with 20 µg of each proteins adjuvanted in Specol. Immune sera were collected and evaluated in anti-protein and anti-killed whole cells ELISA.

25

Anti-Protein ELISA:

The purified protein was coated at 1 µg/ml in phosphate buffered saline (PBS) on high binding microtitre plates (Nunc Maxisorp) overnight at 4° C. The plates were blocked with PBS-BSA 1%, for 30 min at RT with agitation. The test samples were then diluted 1/1000 and incubated at room temperature for 1 hour with agitation. After washing, bound murine or rabbit antibody was detected using Jackson ImmunoLaboratories Inc. peroxidase-conjugated affiniPure Goat Anti-Mouse IgG (H+L) (ref: 115-035-003) or AffiniPure Goat Anti-Rabbit IgG (H+L) (ref: 11-035-003) diluted 1:5000 in PBS-tween 0.05%. The detection antibodies were incubated for 30 min. at room temperature with agitation. The color was developed using 4 mg OPD (Sigma) + 5 µl H₂O₂ per 10 ml pH 4.5 0.1M citrate buffer for 15 minutes in the dark at room temperature. The reaction was stopped with 50 µl HCl, and the optical density was read at 490 nm relative to 650 nm.

The O.D. for a 1/1000 dilution of Post III was compared to the O.D. obtained with the same dilution of Pre-immune sera.

Results generated with mice and rabbit sera are presented in Figure 5. A good seroconversion against each antigen was observed. Evaluation of sera directed against SBI was impaired due to the Ig binding activity of this protein.

Anti-killed whole cells ELISA:

Killed whole cells (heat or formaldehyde inactivated) from *S. aureus* type 5 and 8 or *S. epidermidis* strain Hay were coated at 20 µg/ml in phosphate buffered saline (PBS) on high binding microtitre plates (Nunc Maxisorp) overnight at 4° C with evaporation. The plates were blocked with PBS-BSA 1% 30 min at room temperature with agitation. Protein A was neutralised by addition of 10µg/ml of Affinity Purified Chickedn anti-ProteinA (ICL ref: CPA-65A-2) diluted in PBS-tween 0.05% followed by incubation for 1 hour at room temperature. The test samples were then diluted two-fold on the microplate in PBS-0.05% from a starting dilution at 1/10 and incubated 1 hour at room temperature with agitation. After washing, bound murine or rabbit antibody was detected using Jackson ImmunoLaboratories Inc. peroxidase-conjugated affiniPure Goat Anti-Mouse IgG (H+L) (ref: 115-035-003) or AffiniPure Goat Anti-Rabbit IgG (H+L) (ref: 11-035-003) diluted 1:5000 in PBS-tween 0.05%. This detection antibodies were incubated for 30 min. at room temperature with agitation. The color was developed using 4 mg OPD (Sigma) + 5 µl H₂O₂ per 10 ml pH 4.5 0.1M citrate buffer for 15 minutes in the dark, at room

temperature. The reaction was stopped with 50 μ l HCl, and the optical density was read at 490 nm relative to 650 nm.

It should be noted that expression levels of proteins in staphylococci will vary depending on culture conditions. Therefore a negative result may reflect the choice of incorrect culture conditions rather than a lack of immunogenicity.

The results using mice sera are shown in Table 17 and some of the graphs are shown in figure 6. A weak recognition of *S. aureus* strain 5 is observed with sera directed against SdrC, FnbpA, Ebh, Sbi and IsaA. Recognition of *S. aureus* strain 8 is only observed with the serum directed against Sbi. Weak recognition of *S. epidermidis* Hay is observed with sera directed against Atl amidase, MRPII, IsdA, IsaA, Ebh, Aaa and Sbi.

A selection of results generated using rabbit sera are shown in figure 7 and summarized in Table 18. Very good recognition of the three strains was observed with IsaA and IsdB. A weak recognition of the three stains was observed with HarA although animals only received one injection rather than the three injections used for the other proteins.

Table 17

Protein name	React on SA5	React on SA8	React on SE Hay
IsaA	(+)	(+)	(+)
ClfA	-	(+)	(+)
Atl amidase	-	-	++
SdrG	-	-	-
Glucosamidase	-	-	-
IsdA	-	-	++
Alpha toxin	-	-	-
SrdC	++	(+)	-
Ebh	+	-	+
AaA	-	-	++
MRPII	-	-	++
Sbi	++	++	+++
FnbpA	+	+	(+)

Table 18

Protein name	React on SA5	React on SA8	React on SE Hay
IsaA	+++	+++	+++
ClfA	+	++	++
Atl amidase	-	++	+
IsdB	+++	+++	+++
SdrG	+	+	+
Glucosamidase	-	-	-
HarA (1 inject.)	+	+	+
IsdA	-	-	-
Alpha toxin	-	-	+
SrdC	-	-	-
Ebh	-	+	-
AaA	-	-	-
MRPII	-	-	++
Sbi	-	+++	-
FnbpA	-	++	++

Example 14

5

Efficacy of combinations of staphylococcal proteins in a nasal colonization model.

Fifteen groups of three cotton rats were inoculated with combinations of eight staphylococcal antigens and five cotton rats which acted as controls were treated with no antigen. These sixteen groups are as follows:

10

- Group 1 – Atl-glucosamine, Atl-amidase, AAA, alpha toxin, SdrC, SdrG, Ebh, Sbi
- Group 2 - Atl-glucosamine, Atl-amidase , IsdA, IsdB, ClfA, SdrC, Ebh, FnbpA
- Group 3 - Atl-glucosamine, Atl-amidase, HarA, IsdA, MRPII, IsdB, AAA, alpha toxin
- 15 Group 4 - Atl-glucosamine, HarA, IsdA, AAA, ClfA, IsaA, Ebh, Sbi
- Group 5 – HarA, MRPII, AAA, alpha toxin, ClfA, SdrC, Ebh, FnbpA
- Group 6 – IsdA, IsdB, AAA, alpha toxin, ClfA, SdrG, Sbi, FnbpA
- Group 7 – Atl-aminidase, IsdA, MRPII, AAA, IsaA, SdrG, Ebh, FnbpA
- Group 8 – Control
- 20 Group 9 – Atl-glucosamine, IsdA, MRPII, alpha toxin, IsaA, SdrC, Sbi, FnbpA
- Group 10 – Atl-glucosamine, MRPII, IsdB, AAA, ClfA, IsaA, SdrC, SdrG

Group 11- Atl-amindase, MRPII, IsdB, alpha toxin, ClfA, IsaA, Ebh, Sbi

Group 12 – Atl-glucosamine, HarA, IsdB, alpha toxin, IsaA, SdrG, Ebh, FnbpA

Group 13 – Atl-amidase, HarA, IsdB, AAA, IsaA, SdrC, Sbi, FnbpA

Group 14 – Atl-glucosamine, Atl-amidase, HarA, MRPII, ClfA, SdrG, Sbi, FnbpA

5 Group 15 – Atl-amidase, HarA, IsdA, alpha toxin, ClfA, IsaA, SdrC, SdrG

Group 16 – HarA, IsdA, MRPII, IsdB, SdrC, SdrG, Ebh, Sbi

10 Each mix of antigens contained 3 μ g of each antigen mixed with an adjuvant made of liposomes containing MPL and QS21. The cotton rats were inoculated three times on days 1, 14 and 28 of the experiment. Two weeks after inoculation, the efficacy of the immunisations were assessed using a nasal colonisation assay as described in Kokai-Kun et al (2003) Antimicrob.Agents.Chemother. 47; 1589-1597.

15 Classical multiple linear regression analysis was carried out on the data using “Design Expert 6” software. The presence of an antigen was coded as +1 and the absence of an antigen by -1. Using the equation of the model it was possible to determine which antigens were the key antigens which produced a large decrease in the number of colonies per nose.

20 Results

The results of the nasal colonisation assay are shown in Table 19. The control group had a mean logCFU/nose of 3.51335 and a decrease in nasal colonisation could be seen for all the groups of cotton rats inoculated with staphylococcal proteins. Groups 4, 9 and 13 showed the greatest decrease in nasal colonisation with a decrease of over 2 logs in CFU/nose. Groups 12 and 16 also gave good results, showing a decrease of about 2 logs in CFU/nose.

Table 19

30

Group	Mean observed LogCFU/nose	Predicted LogCFU/nose
1	1.77527	2.03560
2	2.90435	2.52684
3	1.96556	2.23033
4	1.27748	1.21872
5	1.67304	1.93128
6	2.79745	2.98193
7	2.21481	2.30705
8	3.51355	3.47317
9	1.22480	1.44080

10	2.03085	1.93204
11	2.02522	1.81581
12	1.53402	1.70996
13	1.36063	1.49100
14	2.31201	1.73909
15	2.22979	1.98223
16	1.58109	1.44004

The contribution of specific antigens within the antigen mix was calculated using multiple regression analysis of the nasal colonisation data. The final model contains the seven best antigens. Results for these antigens are shown in Table 20. Within the context of the protein mix, the inclusion of HarA gave the greatest decrease in nasal colonisation, followed by IsaA, Sbi, SdrC, autolysin-glucosamine, MRPII and Ebh.

Table 20 Effects in difference of logCFU/nose and ratio of CFU/nose for the seven best antigens in the model and corresponding p-values.

antigen	prob >F	Effect estimate	Reduction ratio	Cumulative effect	Cumulative ratio
HarA	0.033	-0.596	3.9	-0.596	3.9
IsaA	0.046	-0.558	3.6	-1.154	14.3
Sbi	0.077	-0.491	3.1	-1.645	44.2
SdrC	0.22	-0.337	2.2	-1.982	96.0
Atl-glucos	0.238	-0.324	2.1	-2.306	202.2
MRPII	0.239	-0.323	2.1	-2.629	425.3
Ebh	0.297	-0.286	1.9	-2.914	821.0

EPO - DG 1

(07.08.08)

(52)

CLAIMS

1. An immunogenic composition comprising Type 5 and/or 8 capsular polysaccharide or oligosaccharide from *S. aureus* wherein the Type 5 capsular polysaccharide or oligosaccharide is between 30% and 100% O-acetylated and comprising a staphylococcal protein or fragment thereof which is an extracellular component binding protein selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig and MAP.
2. An immunogenic composition comprising Type 5 and/or 8 capsular polysaccharide or oligosaccharide from *S. aureus* wherein the Type 8 capsular polysaccharide or oligosaccharide is between 30% and 100% O-acetylated and comprising a staphylococcal protein or fragment thereof which is an extracellular component binding protein selected from the group consisting of laminin receptor, SitC/MntC/saliva binding protein, EbhA, EbhB, Elastin binding protein (EbpS), EFB (FIB), SBI, autolysin, ClfA, SdrC, SdrD, SdrE, SdrG, SdrH, Lipase GehD, SasA, FnbA, FnbB, Cna, ClfB, FbpA, Npase, IsaA/PisA, SsaA, EPB, SSP-1, SSP-2, HBP, Vitronectin binding protein, fibrinogen binding protein, coagulase, Fig and MAP.
3. The immunogenic composition of claim 2 wherein the Type 5 capsular polysaccharide or oligosaccharide is between 30% and 100% O-acetylated.
4. The immunogenic composition of any one of claims 1-3 comprising staphylococcal PNAG.
5. The immunogenic composition of claim 4 wherein the PNAG is less than 40% N acetylated.
6. The immunogenic composition of any one of claims 1-5 further comprising Type I, and/or Type II and/or Type III capsular polysaccharide or oligosaccharide from *S. epidermidis*.
7. The immunogenic composition of any one of claims 1-6 further comprising a *S. aureus* 336 antigen.
8. The immunogenic composition of any one of claims 1-7 further comprising a staphylococcal protein or fragment thereof.
9. The immunogenic composition of claim 8 comprising 2 or more staphylococcal proteins selected from at least 2 different groups selected from;

17. A method of preventing or treating staphylococcal infection comprising the step of administering the vaccine of claim 15 to a patient in need thereof.
18. A use of the immunogenic composition of claims 1-14 in the manufacture of a vaccine for treatment or prevention of staphylococcal infection.
19. A process for conjugating Type 5 or 8 capsular polysaccharide or oligosaccharide from *S. aureus* comprising the steps of:
- a) dissolving the Type 5 or 8 polysaccharide or oligosaccharide in water or a saline solution;
 - b) adding a cyanylating agent (for example CDAP) to form an activated polysaccharide or oligosaccharide;
 - c) adding carrier protein so that amino groups react with the activated polysaccharide to form an isourea covalent link
20. The process of claim 19 wherein the Type 5 capsular polysaccharide or oligosaccharide is between 30% and 100% O-acetylated.

Figure 1

SEQ ID NO:1 polypeptide sequence

MLQVTDVSLRFGDRKLFEDVNIKFTEGNCYGLIGANGAGKSTFLKILSGELDSQTGHVSLGKNERLAVLKQDHYAYEDER
 VLDVVIKGHERLYEVMKEKDEIYMKPDFSDEDGIRAAELEGEFAEMNGWNAEADAANLLSGLGIDPTLHDKKMAELENNO
 KIKVLLAQSLFGEPAVLLLLDEPTNGLDIPAIWLEDFLINFDNTVIVVSHDRHFLNNVCTHIADLDFGKIKVYVGNVDFW
 YQSSQLAQKMAQEQNKKKEEKMKELQDFIARFSANASKSKQATSRKKQLEKIELDDIQSSRRYPFVKFTPEREIGNDLL
 IVQNLSKTIDGEKVLDNVSTMTNPNDKAILIGDSEIAKTTLKILAGEMEPEDEGSFKWGVTTSLSYFPKDNSEFFEGVNM
 NLVDWLRQYAPEDEQTETFLRGFLGRMLFSGEEVKKKASVLSGGEKVRMLSKMMLSSANVLLLEPTNHLDESITAVN
 DGLKSFKGSIIFTSYDFEFINTIANRVIDLNKQGGVSKEIPYEEYLQEIGVLK

SEQ ID NO:2 polypeptide sequence

MLQVTDVSLRFGDRKLFEDVNIKFTEGNCYGLIGANGAGKSTFLKILSGEIDSQTGHVSLGKDERLAVLKQDHFAYEDER
 VLDVVIKGHERLYQVMKEKDEIYMKPDFSDEDGIRAAELEGEFAEMNGWNAEADAANLLSGLGIEPDLHDKNMSELENNO
 KVKVLLAQSLFGDPDVLLLEPTNGLDIPAIWLEDFLINFENTVIVVSHDRHFLNNVCTHIADLDFGKIKLYVGNVDFW
 YQSSQLAQKMAQEQNKKKEEKMKELQDFIARFSANASKSKQATSRKKQLEKIELDDIQSSRRYPYVKFTPEREIGNDLL
 TVENLSKTIDGEKVLDNVSTMTNPNDKAILVGDSEIAKTTLKILAGEMEPEDEGTFKWGVTTSLSYFPKDNSEFFDGVDM
 NLVEWLRQYAPEDEQTETFLRGFLGRMLFSGEEVKKKASVLSGGEKVRMLSKMMLSSANVLLLEPTNHLDESITAVN
 DGLKSFKGSIIFTSYDFEFINTIANRVIDLNQAGALSKEVPYEEYLQEIGVLQNN

SEQ ID NO:3 polypeptide sequence

MPIITDVYAREVLDSRGNPTVEVEVLTESGAFGALVPSGASTGEHEAVELRDGDKSRYLGKGVTKAVENVNEIIAPEII
 EGEFSVLDQVSIDKMMIALDGTNPNGKLGANAILGVSIIVARAAADLLGQPLYKYLGGFNGKQLPVPMMNIVNGGSHSDA
 PIAFQEFMILPVGATTFKESLRWGTEIFHNLKSILSKRGLETAVGDEGGFAPKFEGTEDAVETIIQAIEAAGYKPGEEVF
 LGFDCASSEFYENGVDYDYSKFEGEHGAKRTAAEQVDYLEQLVDKYPIITIEDGMDENDWDGWKQLTERIGDRVQLVGDDL
 FVTNTEILAKGIENGIGNSILIKVNQIGTLTETFDAIEMAQKAGYTAVVSHRSGETEDTTIADIAVATNAGQIKTGSLSR
 TDRIAKYNQLLRIEDELFT
 AKYDGIKSFYNLDK

SEQ ID NO:4 polypeptide sequence

MPIITDVYAREVLDSRGNPTVEVEVLTESGAFGALVPSGASTGEHEAVELRDGDKSRYLGKGVTKAVENVNEMIAPEIV
 EGEFSVLDQVSIDKMMIQLDGTHNGKLGANAILGVSIIVARAAADLLGQPLYKYLGGFNGKQLPVPMMNIVNGGSHSDA
 PIAFQEFMILPVGAESEFESLRWGAEIFHNLKSILSERGLETAVGDEGGFAPRFEGTEDAVETIIKAIEKAGYKPGEDVF
 LGFDCASSEFYENGVDYDYSKFEGEHGAKRSAAEQVDYLEELIGKYPIITIEDGMDENDWEGWKQLTDRIGDKVQLVGDDL
 FVTNTEILSKGIEQGIGNSILIKVNQIGTLTETFDAIEMAQKAGYTAVVSHRSGETEDTTIADIAVATNAGQIKTGSLSR
 TDRIAKYNQLLRIEDELRYETAKFEGIKSFYNLDK

SEQ ID NO:5 polypeptide sequence

MKKIIVTATIIATAGLATIAFAGHDAQAAEQNNNGYNSNDAQSYSTYTYTIDAQGNHYHTWTGNWNPSQLTQNNTYYYNNYNT
 YSYNNASYNYYNHSYQYNNYTNNSTATNNYYTGGSGASYSTTSNNVHVTTTAAPSSNGRSISNGYASGSNLYTSGQCT
 YYVFDRVGGKIGSTWGNASNANAAASSGYTVNNTPKVGAIMQTTQGYGHVAYVEGVNSNGSVRVSEMNYGHGAGVVT
 RTISANQAGSYNFIH

SEQ ID NO:6 polypeptide sequence

MKKIATATIIATAGFATIIASGNQAHASEQDNYGYNPNPDTSSYTYTYTIDAQGNHYHTWKGNWHPSQLNQDNGYYSYYYY
 NGYNNYNNYNNGYSYNNYSRYNNYSNNNQSYNNYNSYNTNSYRTGGLGASYSTSSNNVQVTTTMAPSSNGRSISSGYT
 SGRNLYTSGQCTYYVFDRVGGKIGSTWGNASNANAAARAGYTVNNTPKAGAIMQTTQGAYGHVAYVESVNSNGSVRVSE
 MNYGYGPGVVTSRTISASQAAGYNFIH

SEQ ID NO:7 polypeptide sequence

MKKIATATIIATAGIATFAFAHDAQAAEQNNDGYNPNDPYSYTYTYTIDAEGNYHYTWKGNWSPDRVNTSYNNYNNYNNY
 YGYNNYSYNNYSYNNYNNYQSNNTQSQRTTQPTGGLGASYSTSSSNVHVTTTAPSSNGVSLSNARSASGNLYTSGQ
 CYYVFDRVGGKIGSTWGNANNANAAARSGYTVNNSPAKGAILQTSQGAYGHVAYVEGVNSNGSIRVSEMNYGHGAGVV

TSRTISASQAASYNVYIH

SEQ ID NO:8 polypeptide sequence

MKKLVPLLLALLLLVAACGTGGKQSSDKSNGKLKVVTTNSILYDMAKNVGGDNVDIHSIVPVGQDPHEYEVKPKDIKKLT
DADVILYNGLNLETGNGWFEKALEQAGKSLKDKKVIKAVSKDVKPIYLNAGEEGNKDKQDPHAWLSLDNGIKYVVTIQQTFI
DNDKKHKADYEKQGNKYIAQLEKLNNDKDKFNDIPKEQRAMITSEGAFKYFSKQYGITPGYIWEINTEKQGTPEQMRQA
IEFVKKHKLKHLLEVTSVDKKAMESLSEETKKDIFGEVYTDSIGKEGTKGDSYYKMMKSNIETVHGSMK

SEQ ID NO:9 polypeptide sequence

MKKILALAI AFLII LAACGNHSNHEHHSHEGKLKVVTTNSILYDMVKRVGGNKVDVHSIVPVGQDPHEYEVKPKDIKALT
DADVVFYNGLNLETGNGWFEKALDQAGKSTKDKNVIAASNNVKPIYLNAGEEGNKKNKQDPHAWLSLENGIKYVVTIQKSLE
HHDKKDKSTYEKQGNAYISKLEELNKDSKNKFDDIPKNQRAMMTSEGAFKYFAQQFDVKPGYIWEINTEKQGTGQMKQA
IKFVKDNHLKHLLEVTSVDKKAMQSLSEETKKDIYGEVFTDSIGKEGTKGDSYYKMMKSNIETVHGSMK

SEQ ID NO:10 polypeptide sequence

MKKTIMASSLAVALGVTGYAAGTGHQAHA AEVNVDQAHLVDLAHNHQDQLNAAPIKD GAYDIHFVKDGFQYNFTSNGTTW
SWSYEAANGQTAGFSNVAGADYTTSYNQGSVDQSVSYNAQSSNSNVEAVSAPTYHNYSTSTTSSSVRLSNGNTAGATGSS
AAQIMAQRTGVSASTWAAIIARESNGQVNAYNPSGASGLFQTMPGWGPTNTVDQQINAAVKAYKAQGLGAWGF

SEQ ID NO:11 polypeptide sequence

MKKTVIASTLAVSLGIAGYGLSGHEAHASETTNVDKAHLVDLAQHNPEELNAKPVQAGAYDIHFVDNGYQYNFTSNGSEW
SWSYAVAGSDADYTESSSNQEVSA NTQSSNTNVQAVSAPTSSSESRSYSTSTTSYSAPSHNYSSHSSSVRLSNGNTAGSVG
SYAAAQMAARTGVSASTWEHIIARESNGQLHARNASGAAGLFQTMPGWGSTGVSNDQINAAVKAYKAQGLSAWGM

SEQ ID NO:12 polypeptide sequence

MNYRDKIQKFSIRKYTVGTFSTVIATLVFLGFNTSQAHA AETNQPASVVKQKQQSNNEQTENRESQVQNSQNSQNSQSL
ATHENEQPNNSQANLVNQVAQSSTTND EQPASQNVNTKKDSATAATTQPDKEESKHKQNESQSANKNGNDNRAAHVENH
EANVVTASDSSDNGNVQHDRNELQAFFDANYHDYRFIDRENADSGTFNYVKGIFDKINTLLGSNDP INNKDLQLAYKELE
QAVALLRTMPQRQQTSSRRSNRIQTRSVESRAAEPRSVSDYQANANSSYYVENANDGSGYPVGTYINASSKGAPYNLPTTPW
NTLKASDSKEIALMTAKQTGDGYQWVIKFNKGHAPHQNMIFWFALPADQVPVGRDFTVTVNSDGTNVQWSHGAGAGANKP
LQQMW EYGVNDPDRSHDFKIRNRSGQVIYSWPTVHVYSLEDLSRASDYFSEAGATPATKAFGRQNF EYINGQKPAESPGV
PKVYTFIGQGDASYTISFKTQGPTVNKLYYAAGGRALEYNQLFMYSQLYVESTQDHQQRNLNGLRQVNVNRTYRIGTTKRVE
VSQGNVQTKKVLESTNLNIDDFVDDPLSYVKTPSNKVLGFYPTNANTNAFRPGGVQELNEYQLSQLFTDQKLQEAARTRN
PIRLMIGFDYPDGYGNSETLVPVNLTVLPEIQHNIKFFKNDDTQNI AEKPFQAGHPVFYVYAGNQGNASVNLGGSVTS
IQPLRINLTSNENFTDKDWQITGIPRTLHIENSTNRTNNARERNIELVGNLLPGDYFGTIRFGRKEQLFEIRVKPHTPTI
TTTAEQLRG TALQKVPVNISGIPLDPSALVYLVAPTNQT TNGGSEADQIPSGYTI LATGTPDGVHNTITIRPQDYVVFIP
PVGKQIRAVVYYNKVVASNMSNAVTILPDDIPPTINNPVGINAKYYRGDEVNFTMGVSDRHSGIKNTTITITLPSGWTSNL
TKSDNKNGLSLAITGRVSMNQAFNSDITFKVSATDNVNNTTND S QSKHVS IHVGKISED AHP IVLGNTEKVVVVNPTAVSN
DEKQSIITAFMNKNQNI RGYLASTDPVTVDNNGNVTLHYRDGSSSTTL DATNVMTYEPVVKSEYQTANA AKTATVTIAKGQ
SFNIGDIKQYFTLSNGQAIPNGTFTNITS DRTIPTAQEVSQMNAGTQLYHIVASNAYHKDTEDFYISLKIVDVKQPEGDQ
RVYRTSTYDLTTDEISKVKQAFINANRDVITLAEGDISVTNTPNGANVSTITVNINKGRLTKSFASNLANMNFLRWVNF
QDYTVTWTNAKIANRPTDGGLSWSDDHKSLIYRYDATLGTQIT TNDILTMLKATTTVPGLRNITGNEKAQAEAGGRPNY
RTTGYSQSNATTDGQRQFTLNGQVIQILDIINPSNGYGGQPV TNSNTRANHSNSTVNVNEPAANGAGAF TIDHVVKSNS
THNASDAVYKAQLYLTPYGPQYVEHLNQNTGNTTDAINIYFVPSDLVNPTISVGNYTNHQVFSGETFTNTITANDNFGV
QSVTVPNTS QITGTVDNNHQHVSATAPNVTSATS K TINLLATDTSGNTATTSFNVTVKPLRDKYRVGTSSTAANPVRIAN
ISNNATVSQADQTTIINSLTFTSNAPNRNYATASANEITSKT VSNVSR TGNANVTVTVTHQDGTSTVTVPVKHV IPEI
VAHSHYTVQGQDFPAGNGSSAADYFKLSNGSAIPDATITWVSGQAPNKDNTRIGEDITVTAHILIDGETTPITKTATYKV
VRTVPKHVFETARGVLYPGVSDMYDAKQYVKPVNNSWSTNAQHMFQFVGTYGPNKDVVGISTR LIRV TYDN RQTEDLTI
LSKV KPDPPRIDANSVTYKAGLTNQEI K VNNVLNNSSVKLFKADNTPLNVTNITHGSGFSSVTVSDALPNGGIKAKSSI
SMNVTYTTTQDEHGQVVTVTRNESVDSNDSASVTVTPQLQATTEGAVFIKGGDGFDFGHVERFIQNPPHGATVAWHDSPD
TWKNTVGNTHKTAVVTLPSGQGT RNVEVPVKVYPVANAKAPSRDVKGQNLTHGTNAIDYITFD PNTNTNGITAAWANRQQ
PNNQQAGVQHLNVDVTPGISAAKRVPTVNVYQFEFPQTTYTTT VGGT LASGTQASGYAHMQNASGLPTDGFTYKWNRD
TTGTNDANWAAMNKPNTAQVVNAKYDVIYNGHTFATSLPAKFVVKDVQPAKPTVTETAAGAITIAPGANQTVNTHAGNVT
TYADKLVIKRN GNVTTFTRRNNTSPWVKEASADNVTGIVGTNNGITVAAGTFNPADTIQVVATQGSGETISDEQRSDDF
TVVAPQPNQATTKIWQNGHIDITPNNPSGHLINPTQAMDIAYTEKVGNGAEHSKTINVVRGQNNQWTIANKP DYVTLDAQ
TGKVTFNANTIKPNSSITITPKAGTGHSVSSNPSTLTAPAAHTVNTTEIVKDYGSNVTA AEINNAVQVANKRTATIKNGT
AMPTNLAGGSTTTIPVTVTYNDGSTEEVQESI FTKADKRELITAKNHLDDPVSTEGKKPGTITQYNNAMHNAQQQINTAK
TEAQQVINNERATPQQVSDALTKVRAAQTKIDQAKALLQNKEDNSQLVTSKNNLQSSVNQVPSTAGMTQQSIDNYNAKKR
EAETEITAAQRVIDNGDATAQQISDEKHRVDNAL TALNQAKHDLTADTHALEQAVQQLNRTGTTTGKKPASITAYNNSIR

ALQSDLTSAKNSANAI IQKPI RTVQEVQSALTNVNRVNERLTQAINQLVPLADNSALRTAKTKLDEEINKSVTTDGMTQS
 SIQAYENAKRAGQTETTTNAQNVINNGDATDQQIAAEKTKVEEKYNSLKQAIAGLTPDLAPLQTAKTQLQNDIDQPTSTTG
 MTSASVAAFNDKLSAARTKIQEIDRVLASHPDVATIRQNVTAANAAKTALDQARNGLTVDKAPLENAKNQLQHSIDTQTS
 TTGMTQDSINAYNAKLTAARNKVQQINQVLGASPTVDQINTNTSAANQAKSDLDHARQALTPDKAPLQNAKTQLEQSINQ
 PTDTTGMTTASLNAYNQKLQAAARQKLTETINQVLNGNPTVQONINDKVAEANQAKDQLNLTARQGLTLDRQPALTTLHGASNL
 NQAQQNNFTQQINAAQNHAALETIKSNITALNTAMTKLKDSVADNNTIKSGQNYTDATPANKQAYDNAVNAAKGVIGETT
 NPTMDVNTVNQKAASVKSTKDALDGQQNLQRAKTEATNAITHASDLNQAQKNALTQQVNSAQNVQAVNDIKQTTQSLNTA
 MTGLKRGVANHNQVVQSDNYVNADTNKKNDYNNAYNHANDIINGNAQHPVITPSDVNNALSNVTSKEHALNGEAKLNAAK
 QEANTALGHLNNLNNVQRQNLQSQINGAHQIDAVNTIKQNATNLNSAMGNLRQAVADKDQVKRTEDYADADTAKQNAYN
 AVSSAETIINQ TANPTMSVDDVNRATS AVTTNKNALNGDEKLVQSKTDAARAIDALPHLNNAQKADVSKINAASNIAGV
 NTVKQQGTDLNTAMGNLQGA INDEQTTLNSQNYQDATPSKKTAYTNAVQAAKDILNKSNGQNKTKDQVTEAMNQVNSAKN
 NLDGTRLLDQAKQTAKQQLNNMTHLTTAQKTNLTNQ INSGTTVAGVHTVQSNANTLDQAMNTLRQSIANNDATKASEDYV
 DANNDKQTAYNNAAVAAAETIINANSNPEMNPSTITQKAEQVNSSKTALNGDENLATAKQNAKTYLNTLTSITDAQKNNLI
 SQISSATRVSGVDTVQNAQHLDQAMANLQNGINNESQVKSSEKYRDADTNKQQEYDNAITAAKAILNKSTGPNTAQNAV
 EAALQRVNTAKDALNGDAKLIAAQNAAKQHLGTLTHITTAQRNDLTNQIS

SEQ ID NO:13 polypeptide sequence

MGNLQTAINDKSGTLASQNFLDADEQKRNAVNAQISAAETILNKQTGPNTAKTAVEQALNNVNSAKHALNGTQNLNNAKQ
 AAITAINGASDLNQQKQKDALKAQANGAQRVSNANDVQRNATELNTAMGQLQHAIDKTNTLASSKYVNADSTKQNAYT
 VTNAEHIISGTPTVVTTTPSEVTAAANQVNSAKQELNGDERLRVAKQNANTAIDALTQLNTPQAKLKEQVQANRLEDVQ
 SVQTNQSLNNAMKGLRDSIANETTVKASQNYTDASPNNQSTYNSAVSNAKGIINQTNPTMDTSAITQATTQVNNAKNG
 LNGAENLRNAQNTAKQNLNTLSHLTNNQKSAISSQIDRAGHVSEVTAAKNAATELNAQMGNLEQAIHDQNTVKQGVNFTD
 ADKAKRDAYTNAVVSRAETILNKTOGANTSKQDVEAAIQNVTSAKNALNGDQNVTNAKNAAKNALNNLTSINNAQKRDLT
 KIDQATTVAGVEAVSNTGTQLNTAMANLQNGINDKANTLASENYHDADSDKKTAYTQAVTNAENILNKNSGSLNDKAAVE
 NALSQVTNAKGALNGNHNLEQAKSNANTTINGLQHLTTAQKDKLKQVQQAQNVAGVDTVKS SANTLNGAMGTLRNSIQD
 NTATKNGQNYLDATERNKTNYNNAVDSANGVINATSNPNMDANAINQIATQVTSTKNALDGTHNLTQAKQTATNAIDGAT
 NLNKAQKDALKAQVTSAQRVANVTSIQQTANELNTAMGQLQHGIDDENATKQTQKYRDAEQSKKTAYDQAVAAKAILNK
 QTGSNSDKAAVDRALQQVTSTKDALNGDAKLAEAKAAARQNLGTLNHIITNAQRTALEGQINQATTVDGVNTVKTNANTLD
 GAMNSLQGAINDKDATLRNQNYLDADESKRNAYTQAVTAAEGILNKQTGGNTSKADVDNALNAVTRAKAALNGAENLRNA
 KTSATNTINGLPNLTQLQKDNLKHQVEQAQNVVGNGVKDKGNTLNTAMGALRTSIQNDNTTKTSQNYLDASDSNKNYN
 TAVNNANGVINATNNPNMDANAINDMANQVNTTKAALNGAQNLAAQAKTNATNTINNAQDLNQQKQKDALKTQVNNAQ
 RVSDANNVQHTATELNGAMTALKAAIADKERTKASGNYVNADQEKQAYDSKVTNAENIINGTPNATLTVNDVNSAASQV
 NAAKTALNGDNNLRVAKEHANNTIDGLAQLNNVQKAKLKEQVQSATTLTGVTQVKNSSQTLNTAMKGLRDSIANEATIKAGQ
 NYTDASPNNRNEYDSAVTAAKAIINQTSNPTMEPNTITQATSQVTTKEHALNGAQNLAAQAKTTAKNNLNNLTSINNAQK
 DALTRNIDGATTVAGVNQETAKATELNNAMHSLONGINDETQTKQTQKYLD AEPSSKKSAYDQAVNAAKAILTKASGQ
 NVDKAAVEQALQNVNSTKTALNGDAKLNEAKAAAKQTLGTLTHINNAQRNALDNEITQATNVEGVNTVKAKAQQLDGA
 MGQLETSIRDKDTTLQSQNYQDADDAKRTAYSQAVNAAATILNKTAGGNTPKADVERAMQAVTQANTALNGIQNLERAKQ
 AANTAITN ASDLNTKQKEALKAQVTSAGRVSAANGVEHTATELNTAMTALKRAIADKADTKASGNYVNADANKRQAYDEK
 VTAAEHIVSGTPTPTLTPSDVTNAATQVTNAKTQLNGNHNLEVAQQNANTAIDGLTSLNGPQKAKLKEQVQATTLPNVQ
 TVRDNATQTLNTAMKGLRDSIANEATIKAGQNYTDASQNKQNDYNNAVTAAKAIIGQTTSPSMIAQEINQAKDQVTAKQ
 QALNGQENLRTAQTNAKQHLNGLSDLTNAQKDAKRQIEGATHVNEVTQAQNNADALNTAMTNLKNGIQDQNTIKQGVNFTD
 ADEAKRNA YTNVAVTQAEQILNKAQGPNTAKDGVETALQNVQRAKNELNGNQNVANAKTTAKNALNNLTSINNAQKAAL
 KSQIEGATTVAGVNQVSTMASELNTAMSNLQRGINDEAATKAAQKYTEADRDQKQTAYNDAVTAAKTLLDKTAGSNDN
 KVAVEQALQRVNTAKTALNGDARLNEAKNTAKQQLATMSHLTNAQKANLTEQIERGTTVAGVQGIQANAGTLNQAMNQL
 RQSIASKDATKSSE DYQDANADLQNAYNDAVTNAEGII SATNNPEMNPDTINQKASQVNSAKSALNGDEKLA AVKQTA
 KSDIGRLTDLNNAQRTAANA EVDQAPNLA AVTAAKNKATSLNTAMGNLKHALAEKDNTKRSVNYTDADQPKQQAYDTAV
 TQAEAITNANGSNANETQVQAALNQLNQAKNDLNGDNKVAQAKETAKRALASYNLNNAQSTAATSQIDNATTVADVTA
 AQNTANELNTAMGQLONGINDQNTVKQQVNFTDADQGGKDAYTNAVNTNAQGILDKANGQNMTKAQVEAALNQVTTAK
 NALNGDANVRQA KSDAKANLGLTLTHLNNAAQKQDLTSQIEGATTVNGVNSVKTKAQDLDGAMQRLESAIANKDQTKA
 SENYIDADPTKKTAFDNAITQAESYLNKDHGTNKDKQAVEQAIQSVTSTENALNGDANLQCAKTEATQAIDNLTQLNTPQK
 TALKQQQVNAAQRVSGVTDLKN SATSLNNAMDQLKQAI GDHDTIVAGGNYTNAS PDKQGAYTDAYNAAKNI VNGSPN
 VITNAADVTAATQRVNNAETS LN GDTNLATAKQQAKDALRQMTHLSDAQKQSITGQIDSATQVTGVQSVKDNATNL
 DNAMNQLRNSIANKDEVKASQPYVDADTDKQNA YNTAVTSAENIINATSQPTLDPSAVTQAAQVNTNKTALNGAQ
 NLANKKQETTANINRLSHLNNAAQKQDLNTQVTNAPNISTVNQVKTKAEQLDQAMERLINGIQDKDQVKQSVNFTDAD
 PEKQTAYNNAVTAAENIINQANGTNANQSQVEAALSTVT TTKQALNGDRKVTDAKNNANQTLSTLDNLNNAQKGA
 VTNINQAHTVAEVTQAIQTAQELNTAMGNLKN SLNDKDTTLG SQNFADADPEKKNAYNEAVRNAENILNKSTGTN
 VPKDQVEAAMNQVNTTKAALNGTQNL EKAKQHANTAIDGLSHL TNAQKEALKQLVQQSTTVAEAAQNEQKAN
 NVDAAMD KLRQSIADNATTKQNQNYTDASPNKKDAYNNAVTTAQGIIDQTTNPSLDPTVINQAAGQVSTSKNAL
 NGNENLEAAKQQATQSLGSLDNLNNAQKQAVTNQINGAHTVDEANQIKQNAQNLNTAMGNL KQAIADKDATKATV
 NFTDADQAKQQAYNTAVTNAENIISKANGGNATQTEVEQAIQQVNAAKQALNGNANVQHAKDEATALINNSNDL
 NQAQKDALKQQVQNAATTVAGVNNVKQTAQELNNAMTQLKQGIADKEQTKADGNFVNADSDKQNAYNQAVAKAE
 ALISGTPDVVVTTPSEITAALNKVTQAKNDLNGNTNLATAKQNVQHAIDQLPNLNQAQRDEYSKQITQATLVPNVNAI
 IQQA

ATTLDNDAMTQLKQGIANKAQIKGSENYHDADTDKQTAYDNAVTKAEELLKQTTNPTMDPNTIQQALTKVNDTNQALNGNQ
 KLADAKQDAKTTLGTLHDHLNDAQKQALTTQVEQAPDIATVNNVKQNAQNLNNAMTNLNNALQDKTETLNSINFTDADQAK
 KDDYTNAVSHAEGILSKANGSNASQTEVEQAMQRVNEAKQALNGNDNVQRAKDAKQVITNANDLNQAQKDALKQQVDAA
 QTVANVNTIKQTAQDLNQAMTQLKQGIADKDQTKANGNFVNADTDKQNAYNNAVAHAEQIIISGTPNANVDPQQVAQALQQ
 VNQAKGDLNGNHNLQVAKDNANTAIDQLPNLNQPPKKTALKDQVSHAELVTGVNAIKQNADALNNAMGTLKQQIQANSQVP
 QSVDFQTQADQDKQQAYNNAANQAQQIANGTPTPVLPAPDVTVKAVTTMNQAKDALNGDEKLAQAKQDALANLDTLRDLNQ
 QRDALRNQINQAQALATVEQTKQNAQNVNTAMGNLKQGIANKDTVKASENYHDADVQKQTAYTNAVSAEGIIINQTTNPT
 LNPDDITRALTQVTDKNSLNGEAKLATEKQNAKDAVSGMTHLNDQKQALKGQIDQSPDIATVNQVQKQTATSLDQAMDQ
 LSQAINDKDQILADGNYLNADPDKQNAVKQAVAKAEALLNKQSGTNEVQAQVESITNEVNAAKQALNGNDNLNNAKQQAQ
 QQLANLTHLNDQKQSFESQITQAPLVTDVTTINQKAQTLDHAMELLRNSVADNQTTLASEDYHDATAQRQNDYNKAVTA
 ANNIINQTTSPMTNPDDVNGATTQVNNTKVALDGDENLAAKQQANNRLDQLDHLNNAQKQQLQSQITQSSDIAAVNGHK
 QTAESLNTAMGNLINAIAHQAVEQQRGNFINADTDKQTAYNTAVNEAAAMINKQTGQANANQTEVEQAITKVQTTLQALNG
 DHNLQVAKTNATQAIDVLTSLNDPQKTALKDQVTAATLVTAHVQIEQNANTLNQAMHGLRQSIQDNAATKANSKYINEDQ
 PEQQNYDQAVQAANNIINEQTATLDNNAINQVAATVNTTTKAALHGDVVKLQNDKDHAKQTVSQAHLNNAQKHMEDTLIDS
 ETTRTAVKQDLTEVQALDQLMDALQQSIADKDATRASSAYVNAEPNKKQAYDEAVQNAESI IAGLNNPTINKGNVSSATQ
 AVISSKNALDGVRLAQDKQTAGNSLNHLQDQTPAQQAALENQINNATTCDKVAEIIAQQAALNEAMKALKESIKDQPQT
 EASSKFINEQAKDAYTQAVQHAQDLINKTTDPTLAKSIIDQATQAVTDAKNNLHGDQKLAQDKQRATETLNNLSNLNT
 PQRQALENQINNAATRGEVAQKLTEAQAALNQAMEALRNSIQDQQQTESGSKFINEDKPQKDAYQAAVQNAKDLINQTNP
 TLDKAQVEQLTHAFKQAKDNLHGDQKLADDDKQHAVTDLNQLNGLNPNPQRQALESQINNAATRGEVAQKLAEAKALDQAMQ
 ALRNSIQDQQQTEAGSKFINEDKPQKDAYQAAVQNAKDLINQTNPTLTKSQQVEQLTQAVTTAKDNLHGDQKLARDQQA
 VTTVNALPNLNHAQQQTLTDAINAAPTRTEVAQHVTATELDHAMETLKNKVDQVNTDKAQPNYTEASTDKKEAVDQALQ
 AAQSITDPTNGSNANKDAVEQALTKLQEKVNELNGNERVAEAKTQAKQTDQLTHLNADQIATAKQNIQDQATKLQPIAEL
 VDQATQLNQSMQDQLQAVNEHANVEQTIDYTQADSDKQKAYKQAIADAENVLQKQNAKQKQVDQALQNIILNAKQALNGDER
 VALAKTNGKHDIDQLNALNNAQQDGFKGRIDQSNLDNLIQQIVDEAKALNRAMDQLSSEITGNEGRTKGSTNYVNADTQV
 KQVYDEAVDKAKQALDKSSGQNLTAEQVIKLNDAVTAACKALNGEERLNNRKAELQRLDQLTHLNNAQRQLAIQQINNA
 ETLNKASRAINRATKLDNAMGAVQQYIDEQHLGVISSTNYINADDNLKANYDNAIANAAHELDKVQGNIAKAEAEQLKQ
 NIIDAQNALNGDQNLNNAKDKANAFVNSLNLNQQQQLAHKAINNADTVSDVTDIVNNQIDLNDAMETLKHLDVNEIPN
 AEQTVNYQNADDNAKTNFDDAKRLANTLLNSDNTNVNDINGAIQAVNDAIHNLNGDQRLQDAKDQAIQSINQALANKLKE
 IEASNATDQDKLIAKNKAELANSIINNINKATSNQAVSQVQTAGNHAIEQVHANEIPKAKIDANKDVQVQALIDEID
 RNPNLTDKEKQALKDRINQILQQGHNDINNALTKEEIEQAKAQLAQALQDIKDLVKAKEDAKQDVQVQALIDEIDQNP
 NLTDKEKQALKDRINQILQQGHNDINNALTKEEIEQAKAQLAQALQDIKDLVKAKEDAKNAIKALANAKRDQINSNPDLTPEQ
 KAKALKEIDEAEKRALQNVENAQTIDQLNRGLNLGLDDIRNTHVWEVDEQPAVNEIFEATPEQILVNGELIVHRDDIITE
 QDILAHINLIDQLSAEVIDTPSTATISDSLTAKEVETLLDGSKVIVNVPVKVVEKELSVVKQQAIESIENAAQQKIDEIN
 NSVTLTLEQKEAAIAEVNKLKQQAIDHVNNAPDVHSVEEIQQQEQAYIEQFNPEQFTIEQAKSNAIKSIEDAIQHMIDEI
 KARTDLTDKEKQEAIAKLNQLKEQAIQAIQRAQSISEITEQLEQFKAQMKAAANPTAKELAKRKQEAISRIKDFSNEKINS
 IRNSEIGTADEKQAAMNQINEIVLETIRDINNAHTLQQVEAALNNGIARISAVQIVISDRAKQSSSTGNESNSHLTIGYG
 TANHPFNSSTIGHKKKLDEDDIDPLHMRHFSNFGNVIKNAIGVVGISGLLASFWFFIAKRRRKEDEEELEIRDNNKD
 SIKETLDDTKHLPLLFAKRRRKEDEEDVTVEEKDSLNGESLDKVKHTPFFLPKRRRKEDEEDVEVTNENTDEKVLKDNE
 HSPLLFAKRKKDKEEDVETTTIESKDEDVPLLLAKKKKNQKDNQSKDKKSASKNTSKKVAAKKKKKKSKKNKK

SEQ ID NO:14 polypeptide sequence

MNNRDKLQKFSIRKYAIGTFSTVIATLVFMGINTNHASADELNQNKLIKQLNQTDDDDSNTHSQEIENNKQNSSGQTES
 LRSSTSQNQANARLSDQFKDTNETSQQLPTNVSDDSINQSHSEANMNEPLKVDNSTMQAHSKIVSDSDGNASENKHHL
 TENVLAESRASKNDKEKENLQEKDKSQVHPPLDKNALQAFFDASYHNYRMIDRDRADATEYQKVKSTFDYVNDLLGNQ
 NIPSEQLVSAYQQLEKALELARTLPQQSTTEKRGRSTRSVVENRSSRSYLDARTEYYVSKDDDDSGFPFGTFHASN
 RWPYNLPRSRNILRASDVQGNAYITTKRLKDGQWDILFNSNHKGHEMYWYWFGLPSDQTPPTGPVTFTIINRDGSSTSTG
 GVGFGSGAPLPQFWRSGAINSSVANDFKHGSATNYAFYDGVNNFSDFARGGELYFDREGATQTNKYYGDENFALLNSEK
 PDQIRGLDTIYSFKGSGDVSYRISFKTQGAPTARLYYAAGARSGEYKQATNYNQLYVEPYKNYRNRVQSNVQVKNRTLHL
 KRTIRQFDPTLQRTTDVPILDSGSGSIDSVYDPLSYVKNVTGTVLGIYPSYLPYNQERWQGANAMNAYQIEELFSQENL
 QNAARSGRPIQFLVGFDVEDSHHNPETLLPVNLYVKPELKHTIELYHDNEKQDRKEFSVSK

SEQ ID NO:15 polypeptide sequence

MSGTLHNTVGSGILPYQQEIRIKLTSNEPIKDSEWSITGYPNLTLQNAVGRTNNAATEKNLALVGHIDPGNYFITVKFGD
 KVEQFEIRSKPTPPRIITTANELRGPNPHKPEIRVTDIPNDTTAKIKLVMGGTDGDHDPEINPYTPPENYTVVAEAYHDN
 DPSKNGVLTFRSSDYLDLPLSGELKAIYYNQYVQSNFSSKSVFSSDTTPPTINEPAGLVHKYYRGDHEITLPTVDNT
 GSGSLRDVNVNLPQGWTKTFTINPNNTTEGTLKLIGNIPSNEAYNTTYHFNITATDNSGNTTNPAKTFILNVGKLADDLN
 PVGLSRDQLQLVTDPPSSLSNSEREEVKRKISEANANIRSLLQNNPILAGVNGDVTFYRDSVDVIDAENVITYEPERK
 SIFSENGNTNKKEAVITTIARGQNYTIGPNLRKYFSLNSGSDLPNRDFTSISAIGSLPSSSEISRLNVGNYNRYRNAKNAY
 HKTQQELNLKLKIVEVNAPTGNRVYRVSTYNLTNDEINKIKQAFKAANSGLNLNDNDITVSNNFDHRNVSSVTVTIRKG

DLIKEFSSNLNNMFLRWVNIRDDYTISWTSSKIQGRNTDGGLEWSPDHKS LIYKYDATLGRQINTNDVLTLLQATAKNS
NLRSNINSNEKQLAERGSNGYSKSIIRDDGEKSYLLNSNPIQVLDLVEPDNGYGGRQVSHSNVIYNEKNSSIVNGQVPEA
NGASAFNIDKVVKANAAANGIMGVIYKAQLYLAPYSPKGYIEKLGQNLSENTNNVINVFVPSDKVNPSITVGNYDHHTVY
SGETFKNITINVNDNYGLNTVASTSDSAITMTRNNNELVGQAPNVTNSINKIVKVKATDKSGNESIVSFTVNIKPLNEKYR
ITTSSSNQTPVRISNIQNNANLSIEDQNRVKSSLSMTKILGTRNYVNESNNDVRSQVVS KVNRS GNNATVNVTTTFS DGT
TNTITVPVKHVLLEVVPTRRTTVRGQQFPTGKGTSPNDFFS LR TGGPVDARIVWVNNQGP DINSNQIGRDLTLHAEIFFD
GETTPIRKDTTYKLSQSIPKQIYETTINGRFNSSGDAYPGNFVQAVNQYWPEHMDFRWAQGS GTPSSRNAGSFTKTVTVV
YQNGQ TENVNVLFKVKPNKPVIDSNSVISKGQLNGQQILVRNVPQNAQVTLYQSNGTVIPNTNTTIDSNGIATVTIQGTL
PTGNITAKTSMTNNVTYTKQNSSGIASNTTEDISVFSSENSDQVNVTAGMQAKNDGIKIIKGTNYNFNDFNSFISNIPAH
TLTWNEEPNSWKNNIGTTTTKTVTVTLPNHQGTRTVDIPITIIYPTVTAKNPVRDQKGRNLTNGTDVYNYIIFENNNRLGGT
ASWKDNRPDKNIAGVQNLIALVNYPGISTPLEVPVKVWVYNFDF TQPIYKIQVGDTF PKGTWAGYYKHLENGEGLPIDG
WKFYWNQQSTGTTSDQWQSLAYTRTPFVKGTGYDVVNPSNWGVWQTSQSAKFIVTNAKPNQPTITQSKTGDVTVTPGAVR
NILISGTNDYIQASADKIVINKNGNKLTTFFVKNN DGRWTVETGSPDINGIGPTNNGTAISLSRLAVRPGDSIEA IATEGS
GETISTSATSEIYIVKAPQPEQVATHTYDNGTFDILPDNSRNSLNPTERVEINYTEKLNGNETQKSFTITKNNNGKWTIN
NKNPYVEFNQDNGKVVFSANTIKPNSQITITPKAGQGNTENTNPTVIQAPAQHTLTINEIVKEQGQNV TND D INNAVQVP
NKNRVAIKQGNALPTNLAGGSTSHIPVVIYSDGSSEEATETVRTKVNKTELINARRRLDEEISKENKTPSSIRNFDQAM
NRAQSQINTAKSDADQVIGTEFATPQQVNSALS K VQAQNKINEAKALLQNKADNSQLVRAKEQLQSSIQPAASTDGMTQ
DSTRNYNNKRQAAEQAIQHANSVINNGDATSQQINDAKNTVEQAQRDYVEAKSNLRADKSQLQSAYDTLNRDVL TNDKKP
ASVRRYNEAISNIRKELDTAKADASSTLRNTNPSVEQVRDALNKINTVQPKVNQAIALLQPKENNS ELVQAKKRLQDAVN
DIPQTQGMTQQTINNYNDKQREARALTS AQRVIDNGDATTQEITSEKSKVEQAMQAL TNAKSNLRADKNE LQTAYNKLI
ENVSTNGKKPASIRQYETAKARIQNQINDAKNEAERILGNDNPQVSQVTQALNKIKAIQPKLTEAINMLQNKENNT ELVN
AKNRLEN AVNDTDP THGMTQETINNYNAKKREAQNEIQKANMI INNGDATAQDISSEKSKVEQVLQALQNAKNDLRADKR
ELQTAYNKLIQNVNTNGKKPSSIQNYKSARRNIENQYNTAKNEAHNVLENTNPTVNAVEDALRKINAIQPEVT KAINILO
DKEDNSELVRAKEKLDQAINS QPSLNGMTQESINNYTTKRREAQNIASSADTI INNGDASIEQITENKIRVEEATNALNE
AKQHLTADTTSLKTEVRKLSRRGDTNNKKPSSVSAYNNTIHS LQSEITQ TENRANTI INKPIRSVEEVNNALHEVNQLNQ
RLTDTINLLQPLANKESLKEARNRLESKINETVQTDGMTQQSVENYKQAKIKAQNESSIAQTLINNGDASDQEVSTEIEK
LNQKLSEL TNSINHLTVNKEPLETAKNQLQANIDQKPSTDGMTQQSVQSYERKLQEAKDKINSINNVLANNPDVNAIRTN
KVETEQINNELTQAKQGLTVDKQPLINAKTALQOSLDNQPSTTGMT EATI QNYNAKRQKAEQVIQ NANKI IEN AQPSVQQ
VSDEKSKVEQALSELNNAKSALRADKQELQQAYNQLIQPTDLNNKKPASITAYNQRYQQFSNELNSTKTNTDRI LKEQNP
SVADVNNALNKVREVQQKLNEARALLQNKEDNSALVRAKEQLQQA VDQVPSTEGMTQQTKDDYNSKQQAAQQEISKAQQV
IDNGDATTQQISNAKTNVERALEALNNAKTGLRADKEELQNAYNQLTQNIDTSGKTPASIRKYNEAKSRIQTQIDSAKNE
ANSILTNDNPQVSQVTAALNKIKAVQPELDAIAMLKNKENNNALVQAKQQLQQIVNEVDPTQGMTTDTANNYKSKKREA
EDEIQKAQQI INNGDATEQQITNETNRVNQAINAINKAKNDLRADKSQL ENAYNQLIQNVDTNGKKPASIQQYQAARQAI
ETQYNNAKSEAHQILENSNPSVNEVAQALQKVEAVQLKVNDAIHILQNKENNSALVTAKNQLQQSVNDQPLTTGMTQDSI
NNYEAKRNEAQSAIRNAEAVINNGDATAKQISDEKSKVEQALAH LNDAKQQLTADTTTELQTAVQQLNRRGDTNNKKPRSI
NAYNKAIQSLETQITS AKDNANAVIQKPIRTVQEVNNALQQVNQLNQQLTEAINQLQPLSNNDALKAARLNLENKINQTV
QTDGMTQQSIEAYQNAKRVAQNESNTALALINNGDADEQQITTETDRVNQQTTNLTQAINGLTVNKEPLETAKTALQNNI
DQVPSTDGMTQQSVANYNQKLQIAKNEINTINNVLANNPDVNAIKTNKAEAEERISNDLTQAKNNLQVDTQPLEKIKRQLQ
DEIDQGTNTDGMTQDSVDNYNDSLSAAIEKGVNKLKRNPTVEQVKESVANAAQQVIQDLQNARTSLVPDKTQLQEAKN
RLENSINQQTDTDGMTQDSLNNYNDKLAKARQNL EKISKVLGGQPTVAEIRQNTDEANAHKQALD TARSQLTLNREP YIN
HINNESH LNN AQKDNFKAQVNSAPNHNTLETIKNKADTLNQSMTALSES IADYENQKQQENYLDASNNKRQDYDNAVNA
KGILNQTSPTMSADVIDQKAEDVKRTKTALDGNQRLEVAKQQA LNH LNTLNDLND AQRQTLTDTINHSPNINSVNQAKE
KANTVNTAMTQLKQTIANYDDELHDGNYINADKDKKDAYNNAVNNAKQLINQSDANQAQLDP AEINKVTQRVNTTKNDLN
GNDKLAEAKRDANTTIDGLTYLNEAQRNKAKENVGKASTKTNITSQLQDYNQLNIAMQALRNSVNDVNNVKANSNYINED
NGPKEAYNQAVTHAQTLINAQSNPEMSRDVVNQKTQAVNTAHQNLHGQQKLEQAQSSANTEIGNLPNL TNTQKAKEKELV
NSKQTRTEVQEQLNQAKSLDSSMGT LKSLVAKQPTVQKTSVYINEDQPEQSAYNDSITMGQTI INKTADPVL DKTLDVNA
ISNISTKENALHGEQKLTTAKTEAINALNTLADLNT PQKEAIKTAINTAHTRTDVTAEQSKANQINSAMHTLRQNISDNE
SVTNESNYINAEPEKQHAFTEALNNAKEIVNEQQATLDANSINQKAQAILTTKNALDGEEQLRRAKENADQEINTLNQLT
DAQRNSEKGLVNSSQTRTEVASQLAKAKELNKVMEQLNHLINGKNQMINSSKF INEDANQQQAYSNAIASAEALKNKSQN
PEL DKVTIEQA INNINSAINN LNGEAKLTAKAKEDAVASINNLSGLTNEQKTKENQAVNGAQTRDQVANKLRDAEALDQSM
QTLRDLVNNQNAIHSTSNYFNEDSTQKN TYDNAIDNGSTYITGQHNPELNKSTIDQTISRINTAKNDLHGVEKLQORDKGT
ANQEIGQLGYLNDPQKS GEESLVNGSNTRSEVEEHLNEAKSLNNAMKQLRDKVAEKTNVKQSSDYINDSTEHQRGYDQAL
QEAENIINEIGNPTLNKSEIEQKLQQLTDAQNALQGSHLLEEAKNNAITGINKLTALNDAQRQKAIENVQAQQTIPAVNQ
QLTL DREINTAMQALRDKVGQQNNVHQQS NYFNEDEQPKHNYDNSVQAGQTIIDKLQDPIMNKNEIEQAINQINTTQTAL
SGENKLHTDQESTNRQIEGLSSLNTAQINA EKDLVNQAKTRTDVAQKLAAAKEINSAMSNLRDGIQNKEDIKRSSAYINA
DPTKVTA YDQALQNAENIINATPNVELNKATIEQALS RVQQAQQLDGVQQLANAKQQA TQTVNGLNSLNDGQKRELNLL
INSANTRTKVQEELNKATELNHAMEALRNSVQNV DQVKQSSNYVNEDQPEQHNYDNAVNEAQATINNNAQPVLDKLAIER
LTQTVNTTKDALHGAQKLTQDQQA AETGIRGLTSLNEPQKNAEVAKVTAATTRDEVNRIRQEATTLDTAMLGLRKS IKDK
NDTKNSSKYINEDHDQQQAYDNAVNNAQQVIDETQATLSSDTINQLANAVTQAKSNLHGDTKLQHDKDSAKQTIAQLQNL
NSAQKHMEDSLIDNESTRTQVQHDLTEAQALDGLMGALKESIKDYTNIVSNGNYINAEPSKKQAYDAAVQNAQNIINGTN
QPTINKGNVTTATQTVKNTKDALDGDHRLEEAKNNANQTIRNLSNLNNAQKDAEKNLVNSASTLEQVQQNLQTAQQLDNA

MGELRQSI AKKDQVKADSKYLNEDPQIKQNYDDAVQRVETI INETQNPPELLKANIDQATQSVQNAEQALHGAEKL NQDKQ
 TSSTELDGLTDLTDAQREKLREQINTSNSRDDIKQKIEQAKALNDAMKKLKEQVAQKDG V HANS DYT NEDSAQKDAYNNA
 LKQAEDI INNSSNP NLNAQDITNALNNIKQAQDN LHGAQKLQ QDKNTTNQAIGNLNHLNQPQKDAL IQAINGATSRDQVA
 EKLKEAEALDEAMKQLEDQVNQDDQISNSSPFINEDSDKQKTYNDKIQAAKEI INQTSNPTLDKQKIADTLQNIKDAVNN
 LHGDQKLAQSKQDANNQLNHLDDLTEEQKNHFKPLINNADTRDEVNKQLEIAKQLNGDMSTLHKVINDKDQIQHLSNYIN
 ADNDKKQNYDNAIKEAEDLIHNHPDTLDHKALQDLLNKIDQAHNELNGESRFKQALDNALNDIDSLNSLNV PQRQTVKDN
 INHVTTLES LAQELQKAKELNDAMKAMRDSIMNQE QIRKNSNYT NEDLAQQNAYNHA VDKINNIIGEDNATMDPQIIKQA
 TQDINTAINGLNGDQKLQDAKTDKQQITNFTGLTEPQKQALENI INQOTS RANVAKQLSHAKFLNGKMEELKVAVAKAS
 LVRQNSNYINEDVSEKEAYEQAI AKGQEI INSENNPTISSTDINRTIQEINDAEQNLHGDNKL RQAQEI AKNEIQNL DGL
 NSAQITKLIQDIGRTTTKPAVTQKLEEAKAINQAMQQLKQSIADKDATLNSSNYLNEDSEKKLAYDNAVSQAEQLINQLN
 DPTMDISNIQAITQKVIQAKDSLHGANKLAQNQADSNI INQSTNLNDKQKQALNDLINHAQTKQQVAEIIAQANKLNNE
 MGT LKTLVEEQSNVHQQSKYINEDPQVQNIYND SIQKGREILNGTTDDVLNNNKIADAIQNIHLTKNDLHGDQKLQKAQQ
 DATNELNYLTNLNNSQRQSEHDEINSAPSRTEVSNDLNHAKALNEAMRQLENEVALENSVKKLSDFINEDEAAQNEYSNA
 LQKAKDIINGVPSSTLDKATIEDALLELQNARESLHGEQKLQEAKNQAVAEIDNLQALNPGQVLA EKT LVNQASTKPEVQ
 EALQKAKELNEAMKALKTEINKKEQIKADSRVYNADSGLQANYNSALNYGSQIIATTQPPELNKDVINRATQTIKTAENN
 LNGQSKLAEAKSDGNQSI EHLQGLTQSQKDKQHDLINQAQTKQQVDDIVNNSKQLDN SMNQLQQIVNNDNTVKQNSDFIN
 EDSSQQDAYNHAIQAAKDLITAHPTIMDKNQIDQAIENIKQALNDLHGSNKLS EDKKEASEQLQNLNSLTNGQKDTILNH
 IFSAPTRSQVGEKIASAKQLNNTMKALRDSIADNNEILQSSKYFNEDSEQQNAYNQAVNKAKNIINDQPTPVMANDEIQS
 VLNEVKQTKDNLHGDQKLANDKTD AQTALNALNYLNQAQRGNLETKVQNSNSRPEVQKV VQLANQLNDAMKKLDDALTGN
 DAIKQTSNYINEDTSQQVNFDEYTD RGKNI VAEQTNPNMSPTNINTIADKITEAKNDLHGVQKLQQAQQQSINTINQMTG
 LNQAQKEQLNQEIQQQTQTRSEVHQVINKAQAALND SMNTLRQSI TDEHEVKQTSNYINETVGNQTAYNNAVDRVKQII NQT
 SNPTMNP LEVERATSNVKISKDALHGERELNDNKN SKTFAVNHLDNLNQAQKEALTHEIEQATIVSQVNNIYNKAKALNN
 DMKKLKD IVAQQDNVRQSNNYINEDSTPQNMYN D TINHAQSIIDQVANPTMSHDEIENAINNIKHAINALDGEHKLQQA K
 ENANLLINSLNDLNAPQRDAINRLVNEAQTREKVAEQQLQSAQALNDAMKHLRNSIQNQSSVRQESKYINASDAKKEQYNH
 AVREVENIINEQHPTLDKEIIKQLTDGVNQANNDLNGVELLDADKQNAHQSIPTLMHLNQAQQNALNEKINNAVTRTEVA
 AIIQGAQLLDHAMENLEESI KDKKEQVKQSSNYINEDSDVQETYDNAVDHVTEILNQTVNPTLSIEDIEHAINEVNQAKKQ
 LR GKQKLYQTIDLADKELSKLDDLTSQQSSSISNQIYTAKTRTEVAQAI EKAKSLNHAMKALNKVYKNADKVLDS SRFIN
 EDQPEKKAYQQAINHVDSIIHRQTNPEMDPTVINSITHELETAQNNLHGDQKL AHAQQDAANVINGLIHLNVAQREV MIN
 TNTNATTREKVAKNLDNAQALDKAMETLQQVVAHKNNILNDSKYLNEDSKYQQQYDRVIADAEQLLNQTTNPTLEPYKVD
 IVKDNVLANEKILFGAEKLSYDKSNANDEIKHMNYLNNAQKQSIKDMISHAALRTEVKQLLQQA KILDEAMKSLEDKTQV
 VITD TTLPNYTEASEDKKEKVDQTVSHAQAIIDKINGSNVSLDQVRQALEQLTQASENL DGDQ RVEEAKVHANQTIDQLT
 HLNSLQQQTAKESVKNATKLEEIATVSNNAQALNKVMGKLEQFINHADSVENS DNYRQADDDKIIAYDEALEHGQDIQKT
 NATQNETKQALQQLIYAETSLNGFERLNHARPRALEYIKSLEKINNAQKSALEDKVTQSHDLLELEHIVNEGTLNNDIMG
 ELANAIVNNYAPTKASINYINADNLRKDNFTQAINNARDALNKTQGGQNLDFNAIDTFKDDIFKTKDALNGIERLTAASKS
 AEKLIDSLKFINKAQFTHANDEIMNTNSIAQLSRIVNQAFDLNDAMKSLRDELNNQAFPVQASSNYINSD EDLKQQFDHA
 LSNARKVLAKENGKNLDEKQIQGLKQVIEDTKDALNGIQR LSKAKAKAIQYVQSLSYINDAQRHIAENNIHNSDDLSSLA
 NTLSKASDLDNAMKDLRDTIESNSTSVPN SVNYINADKNLQIEFDEALQQASATSSKTS ENPATIEEVLGLSQAIYDTKN
 ALNGEQR LATEKSKDLKLIKGLKDLNKAQLEDVTNKVNSANTLT ELSQLTQSTLELNDKMKLLRDKLKT LVNPKASLNY
 RNADYNLKRQFNKALKEAKGVLNKNSGTNVNINDIQHLLTQIDNAKDQLNGERRLKEHQKSEVFIIKELDILNNAQKAA
 IINQIRASKDIKIINQIVDNAIELNDAMQGLKEHVAQLTATTKDNIEYLN ADEDHKLQYDYAINLANNVLDKENG TNKDA
 NIIIGMIQNMD DARALLNGIERLKDAQTKAHNDIKDTLKRQLDEIEHANATSNSKAQAKQMVNEEARKALS NINDATSND
 LVNQAKDEGQSAIEHIIHADELPAKLDANQMIDQKVEDINHLSQNP NLSNEEKNKLI SQINKLVNGIKNEIQQA INKQQ
 IENATTKLDEVIETTKKLI IAKAEAKQMIKELSQKKRDAINNNTDLTPSQAHALADIDKTEKDALQHIENSNSIDDI NN
 NKEHAFNTLAHII IWDTDQQPLVFELPELSLQNALVTSEVVVHRDETISLESIIIGAMTLTDELKVNIVSLPNTDKVADHL
 TAKVKVILADGSYVTVNVPVKVVEKELQIAKKDAIKTIDVLVKQKIKDIDSNNELTSTQREDAKAEIERLKKQAIDKVNH
 SKSIKDIETVKRTDFEEDQFDPKRFTLNKAKKDIITDVNTQIQNGFKEIETIKGLTSNEKTQFDKQLTALQKEFLEKVE
 HAHNLVELNQLQQEFNNRYKHILNQAHL LGEKHIAEHKLG YVVVNKTQQIILNNQSAS YFIKQWALDR IKQIQLETMNSIR
 GAHTVQDVHKALLQGIEQILKVNVSIIINQSFND SLHNFNYLH SKFDARLREKDVANHIVQTET FKEVLKGTGVEPGKINK
 ETQQPKLHKNDNDSL FKHLDVNF GKTVGVITLTGLLSSFWLV LAKRRKKEEEEEKQSIKNHHKDIRLSDTDKIDPIVITKR
 KIDKEEQIQND DKHSIPVAKHKKSKEKQLSEEDIHSIPVVKRKQNSDNKDTKQKKVTSKKKKTPQSTKKVVKTKKRSKK

SEQ ID NO:16 polypeptide sequence

MRDKKGPVNKRVDFLSNKLNKYSIRKFTVGTASILIGSLMYLGTQQEAEAAENNIENPTTLKDNVQSKEVKIEEVTNKDT
 APQGV EAKSEVTSNKDTIEHEASVKAEDISKKEDTPKEVANVAEVQPKSSVTHNAEAPKVRKARSVDEGSFDITRDSKNV
 VESTPITIQQKEHFEGYGSVDIQKNPTDLGVSEVTRFNVGNESNGLIGALQLKNKIDFSKDFNFKVRVAN NHQSNTTGAD
 GWGFLFSKGNAEEYLTNGGILGDKGLVNSGGFKIDTGYIYTSSMDKTEKQAGQGYRGYGA FVKNDSSGNSQMVG ENIDKS
 KTNFLNYADNSTNTSDGKFHGRQRLNDVILTYVASTGKMRAEYAGKTWETSITDLGLSKNQAYNFLITSSQRWGLNQGINA
 NGWMRTDLKGSEFTFTPEAPKTITELEKKVEEIPFKKERKFNPDLAPGTEKVTREGQKGEKTIITPTLKNPLTGEIISKG
 ESKEEITKDPINELTEYGPETIAPGHRDEFDPKLPTGEKEEVP GKPGIKNPETGDVVRPPVDSVTKYGPVKGDSIVEKEE
 IPFEKERKFNPDLAPGTEKVTREGQKGEKTIITPTLKNPLTGEIISKGESKEEITKDPINELTEYGPETIAPGHRDEFDP
 KLPTGEKEEVP GKPGIKNPETGDVVRPPVDSVTKYGPVKGDSIVEKEEIPFKKERKFNPDLAPGTEKVTREGQKGEKTIIT

TPTLKNPLTGEIISKGESKEEITKDPINELTEYGPETITPGHRDEFDPKLPKTGEKEEVPKGPGIKNPETGDVVRPPVDSV
TKYGPVKGDSIVEKEEIPFEKERKFNPDLAPGTEKVTREGQKGEKTITPTLKNPLTGEIISKGESKEEITKDPVNELTE
FGGEKIPQGHKIDFPNLPTDQTEKVPKGPGIKNPDTGKVIEEPVDDVIKHGPKTGT PETKTVEIPFETKREFNPKLQPG
EERVKQEGQPGSKTITPTITVNPLTGEKVGEGQPTTEEITKQPVDKIVEFGGEKPKDPKGPENPEKPSRPTHPSGPVNPNN
PGLSKDRAKPNPGPVHSMKDNDKVKKSKIAKESVANQEKKRAELPKTGLESTQKGLIFSSIIGIAGLMLLARRRKN

SEQ ID NO:17 polypeptide sequence

MGKRRQGPINKKVDFLPNKLNKYSIRKFTVGTASILLGSTLIFGSSSHEAKAAEEKQVDPITQANQNDSSERSLENTNQPTVNNEAPQMSSTLQAEEGSNAEAPNVPTIKANSNDNDTQTQFSEAPTRNDLARKEDIPAVSKNEELQSSQPNTDSKIEPTTSEPVLNLYSSPFFMSLLSMPADSSSNNTKNTIDIPPTTVKGRDNYDFYGRVDIQSNPTDLNATNLTRYNYGQPPGTTTAGAVQFKNQVSFDKDFDFNIRVANNRQSNTTGADGWGFMFSKKDGGDFLKNGGILREKGTSAAGFRIDTGYNNNDPLDKIQKQAGQGYRGYGTFFVKNDSSQGNTSKVSGTTPSTDFLNYADNTTNDLDGKFHGGQKLNNVNLKYNASNQTTTATYAGKTWTATLSELGLSPTDSYNFLVTSSQYGNNGNSGTIADGVMRADLDGATLTYPKAVDGDPIITSTKEIPFNKKREFDPNLAPGTEKVVQKGEPGIETTTTPTYVNPNTGEKVGEGTPTTKITKQPVDEIVHYGGEEIKPGHKDEFDPNAPKGSQTTQPGKPGVKNPDTGEVVTTPPVDDVTKYGPVDGDPITSTEEIPFDKKREFNPDLKPGEERVQKKGEPGTKTITTPTTKNPLTGEKVGEGEPTEKITKQPVDEITEYGGEEIKPGHKDEFDPNAPKGSQEDVPGKPGVKNPDTGEVVTTPPVDDVTKYGPVDGDPITSTEEIPFDKKREFDPNLAPGTEKVVQKGEPGTKTITTPTTKNPLTGEKVGEGEPTEKITKQPVDEIVHYGGEEIKPGHKDEFDPNAPKGSQEDVPGKPGVKNPDTGEVVTTPPVDDVTKYGPVDGDPITSTEEIPFDKKREFNPDLKPGEERVQKKGEPGTKTITTPTTKNPLTGEKVGEGEPTEKVTKQPVDEIVHYGGEEIKPGHKDEFDPNAPKGSQEDVPGKPGVKNPDTGEVVTTPPVDDVTKYGPVDGDPITSTEEIPFDKKREFDPNLAPGTEKVVQKGEPGTKTITTPTTKNPLTGEKVGEGEPTEKITKQPVDEIVHYGGEEIKPGHKDEFDPNAPKGSQEDVPGKPGVKNPDTGEVVTTPPVDDVTKYGPVDGDPITSTEEIPFDKKREFNPDLKPGEERVQKKGEPGTKTITTPTTKNPLTGEKVGEGEPTEKITKQPVDEIVHYGGEEIKPGHKDEFDPNAPKGSQTTQPGKPGVKNPDTGEVVTTPPVDDVTKYGPVDGDPITSTEEIPFDKKREFDPNLAPGTEKVVQKGEPGTKTITTPTTKNPLTGEKVGEGEPTEKITKQPVDEIVHYGGEEIKPGHKDEFDPNAPVDSKTEVPGKPGVKNPDTGEVVTTPPVDDVTKYGPVKGNPITSTEEIPFDKKRVFNPDLPGEERVQKKGEPGTKTITTPILVNPITGEKVGEGKSTEVTKQPVDEIVEYGPTKAEPGKPAEPGKPAEPGKPAEPGKPAEPGTPAEPGKPAEPGKPAEPGKPAEPGKPAEPGKPAEPGKPAEPGTPAEPGKPAEPGTPQSGAPEQPNRSMHSTDNKNQLPDTGENRQANEGTLVGSLLAIVGSLFIFGRRKKGNEK

SEQ ID NO:18 polypeptide sequence

MKKLYTSYGTYGFLHQIKINNPTHQLFQFSASDTSVIFEETDGETVLKSPSIYEVIKEIGEFSEHHFYCAIFIPSTEDHA
YQLEKKLISVDDNFRNFGGFKSYRLLRPAKGTTYKIYFGFADRHAYEDFKQSDAFNDHFSKDALSHYFGSSGQHSSYFER
YLYPIKE

SEQ ID NO:19 polypeptide sequence

MYLYTSYGTQFLNQIKLNHQERSLFQFSTNDSSIILEESEGKSILKHPSAYQVIDSTGEFNEHHFYSAIFVPTSEDHRQ
QLEKKLLLVDVPLRNFGGFKSYRLLKPTEGSTYKIYFGFANRTAYEDFKASDIFNENFSKDALSQYFGASGQHSSYFERY
LYPIEDH

SEQ ID NO:20 polypeptide sequence

MINRDNKKAITKKGMI SNRLNKFSIRKYTVGTASILVGTTLIFGLGNQEAKAAENTSTENAKQDDATTS DNKEVVSETEN
NSTTENDSTNPIKKETNTDSQPEAKEESTTSSTQQQQNNVTATTETKPQNI EKENVKPSTDKTATEDTSVILEEKKAPNY
TNNDVTTKPSTSEIQTKPTTPQESTNIENSQPQPTPSKVDNQVTDATNPKEPVNVSKEELKNNPEKLKELVRNDNNTDRS
TKPVATAPTSVAPKRLNAKMRFAVAQPAAVASNNVNDLITVTKQTIKVG DGKDNVAAAHDGKDIEYDTEFTIDNKVKKGD
TMTINYDKNVIPSDLTDKNDPIDITDPSGEVIAKGTDFDKATKQITYTFTDYVDKYEDIKARLTLYSYIDKQAVPNETSLN
LTFATAGKETSQNVSVDYQDPMVHGDSNIQSI FTKL DENKQTI EQQIYVNPLKKTATNTKVDIAGSQVDDYGNIKLGNGS
TIIDQNT EIKVYKVNPNQQLPQSNRIYDFSQYEDVTSQFDNKKSF SNNVATLDFGDINSAYIIKVVSKYTP TSDGELDIA
QGTSMRTTDKYGYNYAGYSNFI VTSNDTGGGDGTVKPEEKLYKIGDYVWEDVDKDG VQGTDSKEKPMANVLVTLTYPDG
TTKSVRTDANGHYEFGGLKDGETYTVKFETPAGYLP TKVNGTTDGEKDSNGSSITV KINGKDDMSLDTGFYKEPKYNLGD
YVWEDTNKDGIQDANE PGIKDVKVTLKDSTGKVI GTTTTTDASGKYKFTDL DNGNYTVEFETPAGYTPTVKNTTAEDKDSN
GLTTTGVIKDADNMTLDSGFYKTPKYS LGDYVWYDSNKGKQDSTEKG IKDVKVTL LNEKGEVIGTTKTDENGKYRFDNL
DSGKYKVI FEKPAGLTQTVTNTTEDDKDADGGEVDVTITDHDDFILDNGYFEEDTSDSDSDSDSDSDSDSDSDSDSDSDSDS
DSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDS
DSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDAGKHTPVKPMSTTKDHHNKAKALPETGSENNGSNNATLFGGLFAALGSLLLFGRKKQNK

SEQ ID NO:21 polypeptide sequence

MINKKNNLLTKKKPIANKSNKYAIRKFTVGTASIVIGATLLFGLGHNEAKAEENSVQDVKDSNTDDELSDSNDQSSDEEK
NDVINNNQSINTDDNNQIIKKEETNNYDGIKRSEDRTESTTNVDENEATFLQKTPQDNTHLTEEEVKESSSVESSNSSI
DTAQQPSHTTINREESVQTSNVEDSHVSDFANSKIKESNTESGKEENTIEQPNKVKEDSTTSQPSGYTNIDEKISNQDE
LLNLPINEYENKARPLSTTSAOPSIKRVTVNOLAAEOGSNVNHLIKVTDOSITEGYDDSEGVIIKAHDAENLIYDVTFEVD

[illegible]

SEQ ID NO:22 polypeptide sequence

MSNNFKDDFEKNRQSIDTNSHQDHTEDVEKDQSELEHQDTIENTEQQFPFPRNAQRRKRRLDLATNHNKQVHNESQTSEDN
VQNEAGTIDDRQVESHSTESQEPHQDSTPQHEEEYYNKNFAFAMDKSHPEPIEDNDKHETIKDAENNTHEHSTVSDKSI
EQSQQPKPYFATGANQANTSKDKHDDVTVKQDKDESKDHHSGKKGAAIGAGTAGVAGAAGAMGVSKAKKHSNDAQNKSNS
DKSNNSTEDKASQDKSKDHHNGKKGAAIGAGTAGLAGGAASKSASAAASKPHASNNASQNHDEHDNHDRDKERKKGGMAKV
LLPLIAAVLIIGALAIFGGMALNNHNNGTKENKIANNTNKNNADESKDKDTSKDASKDKSKSTDSKSKEDQDKATKDESD
NDQNNANQANNQAQNNQNNQQQANQNNQQQQQQRQGGGQRHTVNGQENLYRIAIQYYGSGSPENVEKIRRANGLSGNNIRNG
OOIVIP

SEQ ID NO:23 polypeptide sequence

MIELIKMEGMIVVSNNNFKDDFEKNRQSINPDEQQTELKEDDKTNENKKEADSQNSLSNNSNQQFPPRNAQRRKRRRETA
TNQSKQQDDKHQKNSDAKTTEGSLDDRYDEAQLQQQHDKSQQQNKTEKQSQDNRMKDGDAAIVNGTSESPEHKSSTQN
RPGPKAQQQRKSESTQSKPSTNKDKKAATGAGIAGAAGVAGAAETSKRHHNKKDKQDSKHSNHENDEKSVKNDDQKQSK
KGKKA AVGAGAAAGVGAAGVAHHNNQNKHHNEEKNSNQNNQYNDQSEGKKKGGFMKILLPLIAAILILGAI AIFGGMALN
NHNDSSDDQKIANQSKKDSKDKDGAQSEDNKDKKSDSNKDKKSDSDKNADDDSDNSSNPNATSTNNNDNVANNSNYT
NONOODNANONSNNQOATOGOOSHTVYGOENLYRIAIOYYGEGTOANVDKIKRANGLSSNNIHNGOTLVIPO

SEQ ID NO:24 polypeptide sequence

MKNKLIAKSLLTIAAIGITTTTIASTADASEGYGPREKKPVSINHNIVEYNDGTFKYQSRPKFNSTPKYIKFKHDYNILE
FNDGTFEYGAR PQFNKPAAKTDATIKKEQKLIQAQNLVREFEKTHTVSAHRKAQKAVNLVSFEYKVKKMVLQERIDNVLK
OGLVR

SEQ ID NO:25 polypeptide sequence

MKTRIVSSVTTTL LLSILMNPVANAADSDINIKTGTTDIGSNTTVKTGDLV TYDKENG MHKKVFYSFIDDKNHNKKLLV
 IRTKGTIAGQYRVYSEEGANKSGLAWPSAFKVQLQLPDNEVAQISDY YPRNSIDTKEYMSTLT YGFNGNV TGDDTGKIGG
 LIGANVSIGHTLKYVQPDFK TILESPTDKKVGWKVIFNNMVNQN WGPYDRDSWNPVYGNQLFMKTRNGSMKAAENFLDPN
 KASSLLSSGFSPDFATVITMDRKASKOOTNIDVIYERVRDDYOLHWTSTNWKG TNTKDKWTRSSERYKIDWEKEEMTN

SEO ID NO:26 polypeptide sequence

MMHKNKYISKLLVGAATITLATMISNGEAKASENTQQTSTKHQTTQNNYVTDQQKAFYQVLHLKGITEEQRNQYIKTLRE
HPERAQEVFSESLKDSKNPDRRAQQNAFYNVLKNDNLTEQEKNNYIAQIKENPDRSQQVWVESVQSSKAKERQNIENAD
KAIKDFQDNKAPHDKSAAYEANSKLPKDLRDKNNRFVEKVSIEKAIVRHDERVKSANDAISKLEKDSIENRRLAQREVN
KAPMDVKEHLQKQLDALVAQKDAEKKVAPKVEAPQIQSPQIEKPKAESPKVEVPQSKLLGYYQSLKDSFNYGYKYLTDTY
KSYKEKYDTAKYYYNTYYKYKGAIQTVLTVLGSQSKSYIQPLKVDDKNGYLAKSYAQVRNYVTESINTGKVLTYTFYQNP
TLVKTAIKAQETASSIKNTLSNLLSFWK

SEQ ID NO:27 polypeptide sequence

MTKHYLNSKYQSEQRSSAMKKITMGTASIIILGSLVYIGADSQQVNAATEATNATNNQSTQVSQATSQPINFQVQKDGSSSE
KSHMDDYMQHPGKVIKQNNKYYFQTVLNNASFWKEYKFYNANNQELATTVVNDNKKADTRTINVAVEPGYKSLTTKVHIV
VPQINYNHRYTTTHLEFEKAIPTLADAAKPNNVKPVQPKPAQPKTPTEQTKPVQPKVEKVKPTVTTTSKVEDNHSTKVVST
DTTKDQTKTQTAHTVKTAQTAQEONKVQTPVKDVATAKSESNNQAVSDNKSQQTNKVTKHNETPKQASKAKELPKTGLTS
VDNFISTVAFATLALLGSLSLLLLEKRKESK

SEQ ID NO:28 polypeptide sequence

MNKQQKEFKSFYSIRKSSLGVASVAISTLLLLMSNGEAQAAAEETGGTNTAQPKTEAVASPTTTSEKAPETKPVANAVS
VSNKEVEAPTSETKEAKEVKEVKAPKETKAVKPAAKATNNTYPIILNQELREAIKNPAIKDKDHSAPNSRPIDFEMKKENG
EOOFYHYASSVKPARVIFTDSKPEIELGLOSGOFWRKFEVYEGDKKLPIKLVSYDTPVKDYAYIRFSVSNGTKAVKIVSST

HFNNKEEKYDYTLMEFAQPIYNSADKFKTEEDYKAEKLLAPYKKAKTLEQVVELNKIQDKLPEKLKAEYKKKLEDTKKALDEQVKSATEFQNVQPTNEKMTDLQDTKYVVYESVENNESMMDTFVKHPIKTGMLNGKKYVMETTNDDYWKDFMVEGRVRTISKDAKNNTRTIIIFPYVEGKTLYDAIVKVHVKTIDYDGYHVRIVDKEAFTKANTDKSNKKEQQDNSAKKEATPATPSKPTPSPVEKESQKQDSQKDDNKQLPSVEKENDASSESGKDKTPATKPTKGEVESSTTPTKVVSTTQNVAKPTTASSKTTKDVVQTSAGSSEAKDSAPLQKANIKNNTNDGHTQSQNNKNTQENKAKSLPQTGEESNKDMTLPLMALLALSSIVAFVLP
RKRKN

SEQ ID NO:29 polypeptide sequence

[illegible]

SEQ ID NO:30 polypeptide sequence

[illegible]

SEQ ID NO:31 polypeptide sequence

MKNNLRYGIRKHKLGAASVFLGTMIVVGMGQDKEAAASEQKTTTVEENGNSATDNKTSETQTTATNVNHIETQSYNATV
TEQPSNATQVTTEEAPKAVQAPQTAQPANVETVKEEEKPQVKETTQPQDNSGNQRQVDLTPKKVTQNOGTETQVEVAQPR
TASESKPRVTRSADVAEAKEASDVSEVKGTDVTSKVTVESGSIAPQGNKVEPHAGQRVVLKYKLFADGLKRGDYDFDT
LSNNVNTYGVSTARKVPEIKNGSVVMATGEILGNGNIRYFTTNEIEHKVEVTANLEINLFDPKTVQSNGEQKITSKLNG
EETEKTIPOVVYNPGVSNSYTNVNGSIEFTFNKESNKFTHIAYIKPMNGNQSN TVSVTGTLT EGSNLAGGQPTVKVYEYLGK
KDELPQSVYANTSDTNKFKDVTKEMNGKLSVQDNGSYSLNLDKLDKTYVIHYTGEYLQGSQVNFRTELYGYPERAYKSY
YVYGGYRLTWDNGLVLVLSNKADGNGKNGQIIQDNDFEYKEDTAKGTMSGQYDAKQIIETEENQDNTPLDIDYHTAIDGEG
GYVDGYIETIETDSSAIDIDYHTAVDSEVGHVGGYTESSEESNPIDFEESTHENS KHHADVVEYEEDTNPGGGQVTTES
NLVEFDEESTKGIVTGAVSDHTTIEDTKEYTTESNLIELVDELPEEHGQAQGPIEEITENNNHHISHSGLGTENGHGNYGV
IEEIEENSHVDIKSELGYEGGQNSGNQSFEEDTEEDKPKYEQGGNIVDIDFDSVPQIHGQNKGDQSFEEDTEKD KPKYEH
GGNIIDIDFDSVPQIHGFNKHNEII EEDTNKD KPNYQFGGHNSVD FEEDTLPKVSGQNEGQQTIEEDTTPPTPPTPEVPS
EPETPMPPTPEVPSEPETPTPPTPEVPSEPETPTPPTPEVPSEPETPTPPTPEVPSEPETPTPPTPEVPAEPGKPVPPAK
EEPKKPSKPVEQGKVVTPIEINEKVKAVAPT KKAQSKKSELPETGGEESTNKGMLFGGLFSILGLALLRRNKKNKA

SEQ ID NO:32 polypeptide sequence

[illegible]

[illegible]

SEQ ID NO:33 polypeptide sequence

MKKQIIISLGALAVASSLFTWDNKADAIIVTKDYSKESRVNEKSKKGATVSDYYYWKIIDSLEAQFTGAIDLLEDYKYGDPI
 YKEAKDRMLMTRVLGEDQYLLKKKIDEYELYKKWYKSSNKNTNMLTFHKYNLYNLTMNEYNDIFNSLKDAVYQFNKEVKEI
 EHKNVDLKQFDKDGEDKATKEVYDLVSEIDTLVVTTYADKDYGEHAKELRAKLDLILGDTDNPHKITNERIKKEMIDDLN
 SIIDDFFMETKQNRPNISITKYDPTKHNFKKSENKPNFDKLVEETKKAVKEADESWKNKTVKKYEETVTKSPVVKEEKKV
 EEPQLPKVGNQQEVKTTAGKAEETTQPVAQPLVKIPQETIYGETVKGPETYPTMENKTLQGEIVQGPDFLTMEQNRPSLSD
 NYTQPTTPNPILEGLEGSSSKLEIKPQGTESTLKGIOGESSDIEVKPQATETTEASQYGPRPQFNKTPKYVKYRDAGTGI
 REYNDGTFGYEARPRFNKPSETNAYNVTTNQDGTVSYGARPTQNKPSETNAYNVTTHANGQVSYGARPTQKKPSKTNAYN
 VTTHANGQVSYGARPTQKKPSKTNAYNVTTHANGQVSYGARPTYKKPSETNAYNVTTHANGQVSYGARPTQKKPSETNAY
 NVTTHADGTATYGPRVTK

SEO ID NO:67 polypeptide sequence

MKSNLRYGIRKHKLGAA SVFLGTMIVVGMGQEKEAAASEQNNTTVEESGSSATESKASETQTTTNNVNT
IDETQSYSATSTEQPSKSTQVTTEEAPTTVQAPKVETEMKSQEDLPSEKVADKETTGTQVDIAQPSNVS
EIKPRMKRSADVTA VSEKEVAEEAKATGTDVTN KVEVTESSLEGHNKDSNI VNP HNAQRVTLKYKWKFG
EGIKAGDYFDFTLSDNVETHGISTLRKVPEIKS
STEDKVMANGQVINERTIRYTF TDYINNKKDLTAELN LNFIDPTTVTKQGSQKVEVTLGQNKVSKEFD
IKYLDGVKDRMGVTVNGRIDTLNKEEGKFSHFAYVKPNNQSLTSVTVTGQVTSGYKQSANNPTVKVYKH
IGSDELAESVYAKLDDTSKFEDVTEKVNLSYTSNGGYTLNLGDLDNSKDYVI KYEGEYDQNAKDLNFR T
HLSGYHKYYPYYPYYPYYPVQLTWNNGVAFYSN
NAKGDGKDKPNDPI IEKSEPIDLDIKSEPPVEKHELTGTIEESNDSKPIDFEYHTAVEGAEGHAEGII E
TEEDSIHVDFEESTHENS KHHADVVEYEEDTNPGGGQVTTESNLVEFDEESTKGI V TGAVSDHTTVEDT
KEYTTESNLI ELVDELPEEHGQAQGPIEEITENNNHHISHSGLGTENGHGNYGVIDEIEENSHVDIKSEL
GYEGGQNSGNQSFEEDTEEDKPKYEQGGNIVDI
DFDSVPQIHGQNNGNQSFEEDTEEDKPKYEQGGNI IDIDFDSVPQIHGFNKHNEI IEEDTNKD KPNYQF
GGHNSVDFEEDTL PKVSGQNEGQQTIEEDTTPPTPPTPEVPSEPETPTPTPEVPSEPGEPTPPKPEVP
SEPETPVPPTPEVPSEP GKPVPPAKEEPPKPSKPV EQGKVVT PVIEINEKV KAVAPTKQKQSKKSELPE
TGGEESTNKGMLFGGLFSILGLVLLRRNKKNNK
A

SEQ ID NO:68 polypeptide sequence

MKFKSLITTTLALGVIASTGANFNTNEASAAAKPLDKSSSTLHHGHSNIQIPYTITVNGTSQNILSSLT
 FNKNQNISYKD
 IENKVKSVLYFNRGISDIDLRLSKQAEYTVHFKNGTKRVIDLKSGIYTADLINTSDIKAISVNVDTKKQ
 PKDKAKANVQV
 PYTITVNGTSQNILSNLTFNKNQNISYKDLEGKVKSVLESNRGITDVDLRLSKQAKYTVNFKNGTKKVI
 DLKSGIYTANL
 INSSDIKSININVDTKKHIEKAKRNYQVPYSINLNGTSTNILSNLSFSNKPWTNYKNLTSQIKSVLKH
 DRGISEQDLKY
 AKKAYYTVYFKNGGKRILQLNSKNYTANLVHAKDVKRIEITVKTGTKAKADRYVPYTIAVNGTSTPILS
 KLKISNKQLIS
 YKYLNDKVKSVLKSERGISDLDLKFAKQAKYTVYFKNGKKQVVNLKSDIFTNLFSAKDIKKIDIDVKQ
 YTKSKKKINKS
 NNVKFPVTINKFENIVSNEFVFYNASKITINDLSIKLKSAMANDQGITKHDIGLAERAVYKVYFKNGSS
 KYVDLKTEYKD
 ERVEKATDIKKVDIELKF

SEQ ID NO:69 polypeptide sequence

MNKHHPKLRSFYISIRKSTLGVASVIVSTLFLITSQHQQA AENTNTSDKISENQNNNATT
TQPPKDTNQTQPATQPANTAKNYPAADESLKDAIKDPALENKEHDIGPREQVNFQLLDKN
NETQYYHFFS IKDPADVYYTKKKA EVELDINTASTWKKKFEVYENNQKLPVRLVSYSPVPE
DHAYIRFPVSDGTQELKIVSSTQIDDGEETNYDYTKLVFAKPIYNDPSLVKSDTNDVVT
NDQSSSVASNQNTNTNTSNQNI STINNANNQPQATTNMSQPAQPKSSTNADQASSQPAHET
NSNGTNDKTNNESSNQSDVNQQYPPADESLQDAIKNPAIIDKEHTADNWRPIDFQMKNDK
GEROFYHYASTVEPATVIFTKTGPIIELGLKTASTWKKKFEVYEGDKKLPVELVSYDSDKD

YAYIRFPVSNGTREVKIVSSIEYGENIHEDYDYTLMVFAQPITNNPDDYVDEETYNLQKL
 LAPYHKAKTLERQVYELEKLQEKLPEKYKAEYKKKLDQTRVELADQVKS AVTEFENVTP
 NDQLTDLQEAHFVVFSEENSESVMDFVEHPFYTATLNGQKYVVMKTKDDSYWKDLIVE
 GKRVTTVSKDPKNNSTRLIFPYIPDKAVYNAIVKV VVANIGYEGQYHVRIINQDINTKDD
 DTSQNNTSEPLNVQTGQEGKVADTDVAENSSTATNPKDASDKADVIEPESDVVKDADNNI
 DKDVQHDVDHLSMSDNNHFDKYDLKEMDTQIAKDTDRNVDKDADNSVGMSNVDTDKDS
 NKNKDKVIQLNHIADKNNHTGKAAKLDVVKQNYNNTDKVTDKKTTEHLPSDIHKTVDKTV
 KTKEKAGTPSKENKLSQSKMLPKTGETTSSQSWWGLYALLGMLALFIPKFRKESK

SEQ ID NO:70 polypeptide sequence

MAETTQDQTTNKNVLDSNKKVATTEQAKAEVKNPTQNIISGTQVYQDPAIVQPKTANNKTG
 NAQVSQKVDTAQVNGDTRANQSATTNNTQPVAKSTSTTAPKTNTNVTNAGYSLVDEDDN
 SENQINPELIKSAAKPAALETQYKTAAPKAATTSAPKAKTEATPKVTTFSASAQPRSVAA
 TPKTS LPKYKPQVNSSINDYICKNNLKAPKIEEDYTSYFPKYAYRNGVGRPEGIVVHDTA
 NDRSTINGEISYMKNNYQNAFVHAFVDGDRIIETAPTDYLSWGVGAVGNPRFINVEIVHT
 HDYASFARSMNNYADYAATQLQYYGLKPDSAEYDNGTVWTHYAVSKYLGGTDHADPHGY
 LRSHNYSYDQLYDLINKEYLIKMGKVAPWGTQSTTTPTTPSKPTTPSKPSTGKLTVAANN
 GVAQIKPTNSGLYTTVYDKTGKATNEVQKTFAVSKTATLGNQKFYLVQDYN SGNKFGWVK
 EGDVVYNTAKSPVNVNQSYSIKPGTKLYTPWGT SKQVAGSVSGSGNQTFKASKQQQIDK
 SIYLYGSVNGKSGWVSKAYLVDTAKPTPTPTPKPSTPTTNNKLTVSSLNGVAQINAKNNG
 LFTTVYDKTGKPTKEVQKTFAVTKEASLGGNKFYLVKDYN SPTLIGWVKQGDVIYNNAKS
 PVNVMQTYTVKPGTKLYSVPWGTYKQEAGAVSGTGNQTFKATKQQQIDKSIYLFGTVNGK
 SGWVSKAYLAVPAAPKKAVAQPKTAVK

SEQ ID NO: 71 polypeptide sequence

MAYTVTKPQTTQTVSKIAQVKPNNTGIRASVYEKTAKNGAKYADRTFYVTKERAHGNETY
 VLLNNTSHNIPLGWFNVKDLNVQNLGKEVKTTQKYTVNKSNNGLSMVPWGTKNQVILTGN
 NIAQGTFNATKQVSVGKDVLYGTINNRTGWVNAKDLTAPTAVKPTTSAAKDYNITYYVIK
 NGNGYYYVTPNSDTAKYSLKAFNEQPFVAVKEQVINGQTWYYGKLSNGKLAWIKSTD LAK
 ELIKYNQTGMTLNQVAQIQAGLQYKPQVQRPVGKWD AKFNDVKHAMDTKRLAQDPALKY
 QFLRLDQPQNISIDKINQFLKGKGVLENQGA AFNKA AQMYGINEVYLISHALLETGNGTS
 QLAKGADVNNKVVVTSNTKYHNVFGIAAYDNDPLREGIKYAKQAGWDTVSKAIVGGAKF
 IGNSYVKAGQNTLYKMRWNPAPGTHQYATDVDWANINAKI I KGY YDKIGE V GK YFDIPQ
 YK

SEQ ID NO:72 polypeptide sequence

DRVLASHPDVATIRQNVTAANA AKSALDQARNGLTVDKAPLEN AKNQLQHSIDTQTSTTG
 MTQDSINAYNAKLTAARNKIQQINQVL AGSPTVEQINTNTSTANQAKS DLDHARQALTPD
 KAPLQTAKTQLEQSINQPTDTTGMTTASLNAYNQKLQAARQKLTEINQVLNGNPTVQNIN
 DKVTEANQAKDQLNTARQGLTLDRQPALTTLHGASNLNQAQQNNFTQQINAAQN HAALET
 IKS NIT ALNTAMTKLKDSVADNNTIKSDQNYTDATPANKQAYDNAVNAAKGVIGETTNPT
 MDVNTVNQKAASVKSTKDALDGQQNLQRAKTEATNAITHASDLNQAQKNALTQQVNSAQN
 VQAVNDIKQTTQSLNTAMTGLKRGVANHNQVVQSDNYVNADTNKKNDYNNAYNHANDIIN
 GNAQHPVITPSDVNNALSNVTSKEHALNGEAKLNAAKQEANTALGHLNNLNNAQRQNLQS
 QINGAHQIDAVNTIKQNATNLNSAMGNLRQAVADKDQVKRTEDYADADTAKQNAYNSAVS
 SAETIINQTTNPTMSVDDVNRATSAVTSNKNALNGYEKLAQSKTDAARAIDALPHLNNAQ
 KADVSKINAASNIAGVNTVKQQGTDLNTAMGNLQGA INDEQTTLNSQNYQDATPSKKTA
 YTNAVQAAKDILNKSNGQNKT KDQVTEAMNQVNSAKNNLDGTRLLD

SEQ ID NO: 73 polypeptide sequence

ASTQHTVQSGESLWSIAQKYNTSVESIKQNNQLDNNLVFPGQVISVGGSDAQNTSNTSPQ
 AGSASSHTVQAGESLNIIASRYGVSDQLMAANNLRGYLIMP NQTLQIPNGGSGGTTPTA
 TTGSNGNASSFNHQONLYTAGQCTWYVFD RRAQAGSPISTYWSDAKYWAGNAANDGYQVNN
 TPSVGSIMQSTPGPYGHVAYVERVNGDGSILISEMNYTYGPYNMNYRTIPASEVSSYAFI
 H

[illegible]

MNLLKKNKYSIRKYKVGIFSTLIGTVLLLLSNPNGAQALTTDNNVQSDTNQATPVNSQDKD
VANNRGLANSAQNTNPNQSATTNQATNQALVNHNNGSI VNQATPTSVQSSTPSAQNNNHTD
GNTTATETVSNANNNDVVSNN TALNVPTKTNENGSGGHLTLKEIQEDVRHSSNKPELVAI
AEPASNRPKKRSRRAAPADPNATPADPAAAAVGNGGAPVAITAPYTPTTDPNANNAGQNA
PNEVLSFDDNGIRPSTNRSVPTVNVVNNLPGFTLINGGKVGVF SHAMVRTSMFDSGDNKN
YQAQGNVIALGRIHGTDNDHGD FNGIEKALTVNPNSELIFE FNTMTTKNGQGATNVI IK
NADTNDTIAEKTVEGGPTLRLFKVPDNVRNLKIQFVPKNDAITDARGIYQLKDG YKYYSF
VDSIGLHSGSHVFVERRTMDPTATNNKEFTVTTSLKNNNGNSGASLDTNDFVYQVQLPEGV
EYVNNSLTKDFPSNNSGVDVNDMNVTYDAANRVITIKSTGGGTANS PARLMPDKILD LRY
KLRVNNVPTPRTVTFNETLTYKTYTQDFINSAAESHTVSTN PYTIDIIMNKDALQAEVDR
RIQQADYTFASLDIFNGLKRR AQTILDENRNNVPLNKRVSQAYIDS LTNQMQHTLIRSD
AENAVNKKVDQMEDLVNQND ELTDEEKQAAIQVIEEHKNEIIGNIGDQTTDDGVTRIKDQ
GIQTLSGDTATPVVKPNAKKAIRDKATKQREIINATPDATEDEIQDALNQLATDETDAID
NVTNATTNADVETAKNNGINTIGAVVPQVTHKKAARDAINQATATKRQQINSNREATQEE
KNAALNELTQATNHALEQINQATTNANVDNAKGDGLNAINPIAPVTVVKQAARDAVSHDA
QQHIAEINANPDATQEERQAAIDKVNAAVTAANTNILNANTNADVEQVKTNAIQGIQAIT
PATKVKTDAKNAIDKSAETQHNTIFNNNDATLEEQQAAQQLLDQAVATAKQNINAADTNQ
EVAQAKDQGTQNI VVIQPATQVKTDTRNVVNDKAREAITNINATTGATREEKQEAINRVN
TLKNRALTDIGVTSTTAMVNSIRDDAVNQIGAVQPHVTKKQTATGVLNDLATAKKQEINQ
NTNATTEEKQVALNQVDQELATAINNINQADTNAEVDQAQQLGT KAINAIQPNIVKKPAA
LAQINQHYN AKLAEINATPDATNDEKNAAINTLNQDRQQAIESIKQANTNAEVDQAATVA
ENNIDAVQVDVVKKQAARDKITA EVAKRIEAVKQTPNATDEEKQAAVNQINQLKDQAINQ
INQNQTNDQVDTTTNQAVNAIDNVEAEVVIKTKAIADIEKAVKEKQQQIDNSLDSTDNEK
EVASQALAKEKEKALAAIDQAQ TNSQVNQAATNGVSAIKIIQPETKVKPAAREKINQKAN
ELRAKINQDKEATAEERQVALDKINEFVNQAMTDITNNRTNQQVDDTTSQALDSIALVTP
DHIVRAAARDAVKQQYEAKKREIEQAEHATDEEKQVALNQLANNEKRALQNI DQAIANND
VKRVETNGIATLKG VQPHIVIKPEAQQA IKASAENQVESIKDTPHATVDELDEANQLISD
TLKQAAQQEIENTNQDAAVTDVRNQT IKAIEQIKPKVRRKRAALDSIEENNK NQLDAIRNT
LDTTQDERDVAIDTLNKIVNTIKNDIAQNKTNAEVDRTETDGN DNIKVILPKVQVKPAAR
QSVGVKAE AQNALIDQSDLSTEEERLAAKHLVEQALNQAIDQINHADKTAQVNQDSINAQ
NIISKIKPATTVKATALQQIQNIATNKNLIKANNEATDEEQNIAIAQVEKELIKAKQQI
ASAVTNADVAYLLHDEKNEIREIEPVINRKASAREQLTTLFNDKKQAI EANIQATVEERN
SILAQLQNIYDTAIGQIDQDRSNAQVDKTASLNLQTIHDL DVHPIKKPDAEKTINDDLAR
VTALVQNYRKVSNRNKADALKAITALKLQMDEELKTARTNADVDAVLKRFNVALSDIEAV
ITEKENSLLRIDNIAQQTYAKFKAIATPEQLAKVKVLIDQYVADGNRMIDEDATLNDIKQ
HTQFIVDEILAIKLP AEATKVSPKEIQPAPKVCTPIKKEETHESRKVEKELPNTGSEGMD
LPLKEFALITGAALLARRRTKNEKES

EENSVDVKDSNTDDELSDSNDOSDDEEKNDVINNNOSINTDDNNOIIKKEETNNYDIE

KRSEDRTESTTNVDENEATFLQKTPQDNTHLTEEEVKESSSVESSNSSIDTAQQPSHTTI
 NREESVQTSNDVEDSHVSDFANSKIKESNTESGKEENTIEQPNKVKEDSTTSQPSGYTNI
 DEKISNQDELLNLPINEYENKARPLSTTSAQPSIKRVTVNQLAAEQGSNVNHLIKVTDQS
 ITEGYDDSEGVIIKAHDAENLIYDVTFEVDDKVKSGDTMTVDIDKNTVPSDLTDSFTIPKI
 KDNSGEIIATGTYDNKNKQITYTFTDYVDKYENIKAHLKLTSYIDKSKVPNNNTKLDVEY
 KTALSSVNKTITVEYQRPENRTANLQSMFTNIDTKNHTVEQTIYINPLRYSAKETNVNI
 SGNGDEGSTIIDSTIIKVYKVGDNQNLPSNRIYDYSEYEDVTNDDYAQLGNNNDVNIN
 FGNIDSPYIIKVISKYDPNKDDYTTIQQTVTMQTTINEYTGEFRTASYDNTIAFSTSSGQ
 GQGDLPPEKTYKIGDYVWEDVDKDG IQNTNDNEKPLSNVLVTLTYPDGTSKSVRTDEDGK
 YQFDGLKNGLTYKITFETPEGYTPTLKHSGTNPALDSEGNSVWVTINGQDDMTIDSGFYQ
 TPKYSLGNYVWYDTNKGDIQGDDEKGISGVKVTCLKDENGNIISTTTTDENGKYQFDNLNS
 GNYIVHFDKPSGMTQTTTDSGDDDEQDADGEEHVHTITDHDDFSIDNGYYDDE

SEQ ID NO: 87 polypeptide sequence

MINRDNKKAITKKGMISNRLNKFSIRKYTVGTASILVGTTLIFGLGNQEAKAAENTSTEN
 AKQDDATTSDNKEVVSETENNSTTENDSTNPIKKETNTDSQPEAKEESTTSSTQQQQNNV
 TATTETKPQNIKENVKPSTDKTATEDTSVILEEKKAPNYTNNDVTTKPSTSEIQTKPTT
 PQESTNIENSQPQPTPSKVDNQVTDATNPKEPVNVVSKEELKNNPEKLKELVRNDNNTDRS
 TKPVATAPTSVAPKRLNAKMRFAVAQPAAVASNNVNDLITVTKQTIKVGDKGDNVAAAHD
 GKDIEYDTEFTIDNKVKKGDGMTINYDKNVIPSDLTDKNPIDITDPSGEVIAKGTFDKA
 TKQITYTFTDYVDKYEDIKARLTLYSYIDKQAVPNETSLNLTAFATAGKETSQNVSVQYQD
 PMVHGDSNIQSIFTKL DENKQTIEQQIYVNPLKKTATNTKVDIAGSQVDDYGNIKLGNGS
 TIIDQNT EIKVYKVNPNQQLPQSNRIYDFSQYEDVTSQFDNKKSFNNVATLDFGDINSA
 YIIKVVSKYTPTS DGE LDIAQGTSMRTTDKYGYNYAGYSNFIVTSNDTG GGDGTVKPEE
 KLYKIGDYVWEDVDKGVQGTDSKEKPMANVLVTLTYPDGTTKSVRTDANGHYEFGGLKD
 GETYTVKFETPAGYLP TKVNGTTDGEKDSNGSSITVKINGKDDMSLDTGFYKEPKYNLGD
 YVWEDTNKDG IQDANEPGIKDVKVTLKDS TGKVI GTTTT DASGKYKFTDLNNGNYTVEFE
 TPAGYTPTVKNTTAEDKDSNGLTTTGVIKADNM TLDSGFYKTPKYSLGDYVWYDSNKG
 KQDSTEKG IKDVKVTL LNEKGEVIGTTKTDENGKYRFDNLDSGKYKVI FEKPAGLTQTVT
 NTTEDDKDADGGEVDVTITDHDDFILDNGYFEEDTSDSDSDSDSDSDSDSDSDSDSDSDS
 DSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDS
 DSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDS
 DSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDS
 DAGKHTPVKPMSTTKDHHNKAKALPETGSENNGSNNATLFGGLFAALGSLLLFGRRKKQN
 K

SEQ ID NO: 89 polypeptide sequence

MLNRENKTAITRKGMVSNRLNKFSIRKYTVGTASILVGTTLIFGLGNQEAKAAESTNKEL
 NEATTSASDNQSSDKVDMQQLNQEDNTKNDNQKEMVSSQGNETT SNGNKLIEKESVQSTT
 GNKVEVSTAKSDEQASPKSTNEDLNTKQTI SNQEALQPD LQENKSVVNVQPTNEENKKVD
 AKTESTTTLNVKSDAIKSND ETLVDNNSNSNNENNADIILPKSTAPKRLNTRMRIA AVQPS
 STEAKNVNDLITSNTTTLTVVDADKNNKIVPAQDYLSLKSQITVDDKVKSGDYFTIKYSDT
 VQVYGLNPEDIKNIGDIKDPNGETIATAKHDTANNLITYTFTDYVDRFNSVQMGINYSI
 YMDADTIPVSKNDVEFNVTIGNTTTKTTANIQYPDYVVNEKNSIGSAFTETVSHVGNKEN
 PGYYKQTIYVNPS ENSLTNAKLKVQAYHSSYPNNIGQINKDVTDIKIYQVPKGYTLNKG
 DVNTKELTDVTNQYLQKITYGDNNSAVIDFGNADSAYVVMVNTKFQYTNS ESPTLVQMAT
 LSSTGNKSVSTGNALGFTNNQSGGAGQEVYKIGNYVWEDTNKNGVQELGEKGVGNVTVTV
 FDNNTNTKVGEAVTKEDGSYLIPNL PNGDYRVEFSNL PKGYEVT P SKQGNNEELDSNGLS
 SVITVNGKDNLSADLGIYKPKYNLGDYVWEDTNKNGIQDQDEKGISGVTVTLKDENG NVL
 KTVTTDADGKYKFTDLNNGNYKVEFTTPEGYTPTTVTSGSDIEKDSNGLTTTGVI NGADN
 MTLDSGFYKTPKYNLGN YVWEDTNKDGKQDSTEKGISGVTVTLKNENGEVLQTTKTDKDG
 KYQFTGLENGTYKVEFETPSGYTPTQVSGTDEGIDSNGTSTTGVIKDKDNDTIDSGFYK
 PTYNLGDYVWEDTNKNGVQDKDEKGISGVTVTLKDENDKVLKTVTTDENGKYQFTDLNNG
 TYKVEFETPSGYTPTSVTSGNDTEKDSNGLTTTGVIKADNM TLDSGFYKTPKYSLGDYV
 WYDSNKDGKQDSTEKG IKDVKVTL LNEKGEVIGTTKTDENGKYCFDNLDSGKYKVI FEKP
 AGLTQTVTNTTEDDKDADGGEVDVTITDHDDFTLDNGYFEEDTSDSDSDSDSDSDSDSDSDS
 DSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDS
 DSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDS
 DSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDSDS
 GSN NATLFGGLFAALGSLLLFGRRKKQN

SEQ ID NO: 91 polypeptide sequence

MAKYRGKPFQLYVKLSCSTMATSIIILTNILPYDAQAASEKDTEITKEILSKQDLLDKVDKAIHQIEQLKQLSASSKEHY
KAQLNEAKTASQIDEIIKRANELDSKDNKSSHEMNGQSDIDSKLDQLLKDLNEVSSNVDRGQQSGEDDLNAMKNDMSQT
ATTKHGEKDDKNDEAMVNKALEDLDHLNQQIHKSKDASKDTSEDPVSTTDNNHEVAKTPNNDGSGHVVLNKFLSNEENQ
SHSNRLTDKLQGS DKINHAMIEKLAKSNASTQHYYHKLNTLQSLDQRIANTQLPKNQKSDLMSEVNKTKERIKSQRNII
LEELARTDDKKYATQSILESIFNKDEAVKILKDIRVDGKTDQQIADQITRHIDQLSLTTSDDLTLTSLIDQSQDKSLLISQ
ILQTKLGKAEADKLAKDWTNKGLSNRQIVDQLKKHFASTGDTSSDDILKAILNNAKDKKQAIETILATRIERQKAKLLAD
LITKIETDQNKIFNLVKSALNGKADDLLNLQKRLNQTKKDIDYILSPIVNRPSLLDRLNKNGKTTDLNKLANLMNQGSDL
LDSIPDIPTPKPEKTLTLGKGNGLLSGLLNADGNVSLPKAGETIKEHWLPISVIVGAMGVLMIWLSRRNKLKNKA

SEQ ID NO: 93 polypeptide sequence

MKKLATVGSLIVTSTLVFSSMPFQNAHADTTSMNVSNKQSQNVQNHRYGGVVPQGM
TQAQYTELEKALPQLSAGSNMQDYNMKLYDATQNIADKYNV IITTNVGVFKPHAVRD
MNGHALPLTKDGNFYQTNVDANGVNHGGSEMVQNK TGHMSQQGHMNQNTHMNQPPHM
QQGHMQSSNHQMMSPKANMHSSNHQMNQSNKKVLPAGESMTSSILTASIAALLLV
GLFLAFRRRSTNK

Figure 2

SEQ ID NO:34 polynucleotide sequence

ATGTTACAAGTAACTGATGTGAGTTTACGTTTTGGAGATCGTAACTATTTGAAGATGTAAATATTAAATTTACAGAAGG
TAATTGTTATGGATTAATTGGTGCGAATGGTGCAGGTAAATCAACATTCTTAAAAATATTATCTGGTGAATTAGATTCTC
AAACAGGACATGTTTCATTAGGTAAAAATGAACGTCTAGCTGTTTTTAAAACAGGACCACTATGCTTATGAAGATGAACGC
GTGCTTGATGTTGTAATTAAAGGTCACGAACGTCTTTATGAGGTTATGAAAGAAAAAGATGAAATCTATATGAAGCCAGA
TTTCAGTGATGAAGATGGTATCCGTGCTGCTGAACTTGAAGGTGAATTTGCAGAAATGAATGGTTGGAATGCTGAAGCTG
ATGCTGCTAACCTTTTATCTGGTTTAGGTATCGATCCAACCTTTACACGATAAAAAAATGGCTGAATTAGAAAACAACCAA
AAAATTAAAGTATTATTAGCGCAAAGTTTTATTTCGGTGAACCAGACGTACTATTACTGGATGAGCCTACTAACGGTCTCGA
TATTCCAGCAATCAGTTGGTTAGAAGATTTCTTAATTAACCTTTGATAATACTGTTATCGTAGTATCGCATGACCGTCATT
TCTTAAATAATGTATGTACTCATATCGCTGATTTAGACTTCGGTAAAAATTAAAGTTTTATGTTGGTAACTATGATTTTTGG
TATCAATCTAGTCAGTTAGCTCAAAAGATGGCTCAAGAACAAAACAAGAAAAAAGAAGAAAAAATGAAAGAGTTACAGGA
CTTTATTGCACGTTTCTCAGCTAACGCTTCTAAATCTAAACAAGCAACAAGTCGTAAAAAACAACCTTGAGAAAATTGAAT
TAGATGATATTCAACCATCATCAAGAAGATATCCTTTCGTTAAATTCACGCCTGAGCGTGAGATTGGTAACGACTTATTA
ATCGTTCAAAATCTTTCTAAAACAATTGACGGCGAAAAAGTATTAGATAATGTATCATTCACAATGAATCCAAATGATAA
AGCGATTTTAAATTGGAGATAGTGAAATTGCAAAAACAACATTACTTAAATATTAGCTGGCGAAATGGAACCAGACGAAG
GTTTCATTTAAATGGGGTGTTACTACATCATTAAGTTACTTCCCTAAAGATAACTCAGAGTTCTTTGAGGGTGTAATATG
AATCTCGTTGATTGGTTAAGACAATATGCTCCTGAAGATGAACAAACAGAAACATTTTTTACGTGGTTTCTTAGGTCGTAT
GTTATTTAGTGGTGAAGAAGTTAAGAAAAAAGCTAGTGTGCTTTCAGGTGGAGAAAAAGTACGTTGTATGCTAAGTAAAA
TGATGTTATCAAGTGCGAATGTACTTTTACTTGACGAACCTACTAACCCTTAGACTTAGAAAGTATTACTGCTGTCAAT
GATGGTCTTAAATCATTTAAAGGTTCTATCATCTTTACTTCTTATGACTTCGAATTTATCAACACGATTGCAAACCGTGT
TATCGATTTAAATAAACAAGGCGGCGTTTCAAAGAAATTCATATGAAGAATACTTGCAAGAAATCGGCGTTTTAAAT
AA

SEQ ID NO:35 polynucleotide sequence

ATGTTACAAGTAACTGATGTAAGTTTACGTTTTGGTGATCGTAACTATTTGAAGATGTAAATATAAAATTTACAGAGGG
TAATTGTTATGGATTAATTGGTGCAAATGGTGTGCGGAAATCTACATTCTTGAAGATTTTATCAGGCGAAATTGATTCAC
AGACTGGTCATGTATCTCTAGGTAAAGATGAGCGTTTGGCTGTGTTAAACAAGATCATTTTGCTTATGAAGATGAACGT
GTTTTAGATGTTGTGATTAAAGGACATGAACGTTTGTATCAAGTGATGAAAGAGAAAGATGAAATTTATATGAAACCTGA
TTTCAGCGATGAGGACGGTATTCGCGCTGCAGAACTTGAAGGAGAATTTGCAGAAATGAACGGTTGGAATGCTGAAGCTG
ATGCTGCTAACTTATTATCAGGATTAGGCATAGAACCTGACTTACATGATAAAAAATATGTCTGAACTTGAAAATAATCAA
AAAGTTAAGGTATTGTTAGCTCAAAGTTTTATTTGGTGATCCTGACGTTCTTTTACTAGATGAGCCTACCAATGGTTTAGA
TATACCAGCAATAAGTTGGTTAGAAGACTTTTTAATTAATTTTGAAAATACTGTCAATTGTCGTTTTCGCATGACCGTCACT
TCTTAAATAATGTTTGTACTCATATTGCTGATTTAGACTTTGGCAAAATTAACTTTTATGTTGGTAACTATGATTTTTGG
TATCAATCAAGTCAATTAGCACAAAAAATGGCACAGAACAATAAGAAAAAAGAAGAAAAAATGAAAGAGTTACAGGA
TTTCATCGCACGCTTCTCAGCAAATGCTTCTAAATCTAAACAGGCAACAAGTCGTAAAGAAACAATTAGAAAAAATTGAAT
TAGATGATATCCAGCCATCATCTCGTAGATACCCTTACGTGAAATTTACTCCTGAACGTGAAATTGGAATGATTTACTT
ACAGTAGAAAATCTTTCTAAAACAATTGACGGCGAAAAAGTACTAGACAATGTTTCATTCCTATGAATCCTAATGATAA
AGCTATTTTGTAGTTGGTGATAGCGAAATTGCTAAAACAACATTGTTAAAAATTTTAGCTGGAGAAATGGAACCAGATGAAG
GTACATTTAAATGGGGTGTAACGACATCTTTAAGTTACTTCCCTAAAGATAACTCTGAGTTCTTTGATGGTGTGATATG
AATTTAGTTGAATGGTTACGTCAATACGCTCCAGAAGATGAACAAACTGAAACATTTTTTACGTGGTTTCTTAGGTCGCAT
GTTATTTAGTGGTGAGGAAGTTAAGAAAAAAGCAAGCGTGCTTTCAGGTGGAGAAAAAGTACGTTGCATGTTAAGTAAAA
TGATGTTATCAAGTGCTAACGTACTTTTACTTGATGAGCCAACAACCATTTAGATTTGGAAAGTATCACTGCTGTAAAT
GACGGATTTAAATCATTTAAAGGTTCTATCATCTTCACTTCTTATGATTTTGAATTTATTAATACAATCGCAAATCGAGT
GATTGACTTGAATCAAGCTGGTGCCCTTTCTAAAGAAGTACCTTATGAGGAATACTTACAAGAAATTGGTGTATTACAAA
ATAATTAA

SEQ ID NO:36 polynucleotide sequence

ATGCCAATTATTACAGATGTTTACGCTCGCGAAGTCTTAGACTCTCGTGGTAACCCAACCTGTTGAAGTAGAAGTATTAAC
TGAAAGTGGCGCATTTGGTCGTGCATTAGTACCATCAGGTGCTTCAACTGGTGAACACGAAGCTGTTGAATTACGTGATG
GAGACAAATCACGTTATTTAGGTAAAGGTGTTACTAAAGCAGTTGAAAACGTTAATGAAATCATCGCACCAGAAATTATT
GAAGGTGAATTTTCAGTATTAGATCAAGTATCTATTGATAAAATGATGATCGCATTAGACGGTACTCCAAACAAAGGTAA
ATTAGGTGCAAATGCTATTTTAGGTGTATCTATCGCAGTAGCACGTGCAGCAGCTGACTTATTAGGTCAACCACTTTACA
AATATTTAGGTGGATTTAATGGTAAGCAGTTACCAGTACCAATGATGAACATCGTTAATGGTGGTTCTCACTCAGATGCT
CCAATTGCATTCAGAATTCATGATTTTACCTGTAGGTGCTACAACGTTCAAAGAATCATTACGTTGGGGTACTGAAAT
TTTCCACAACCTTAAATCAATTTTAAGCAAACGTGGTTTAGAACTGCAGTAGGTGACGAAGGTGGTTTCGCTCCTAAAT
TTGAAGGTACTGAAGATGCTGTTGAAACAATTATCCAAGCAATCGAAGCAGCTGGTTACAAACCAGGTGAAGAAGTATTC

TTAGGATTTGACTGTGCATCATCAGAATTCTATGAAAATGGTGTATATGACTACAGTAAGTTCGAAGGCGAACACGGTGC
AAAACGTACAGCTGCAGAACAGTTGACTACTTAGAACAATTAGTAGACAAATATCCTATCATTACAATTGAAGACGGTA
TGGACGAAAACGACTGGGATGGTTGGAAACAACCTTACAGAACGTATCGGTGACCGTGTACAATTAGTAGGTGACGATTTA
TTCGTAACAAACACTGAAATTTTAGCAAAAGGTATTGAAAACGGAATTGGTAACTCAATCTTAATTAAAGTTAACCAAAT
CGGTACATTAACCTGAAACATTTGATGCAATCGAAATGGCTCAAAAAGCTGGTTACACAGCAGTAGTTTCTCACCGTTCAG
GTGAAACAGAAGATACAACAATTGCTGATATTGCTGTTGCTACAAACGCTGGTCAAATTTAAACTGGTTTATTATCACGT
ACTGACCGTATTGCTAAATACAATCAATTATTACGTATCGAAGATGAATTATTTGAAACTGCTAAATATGACGGTATCAA
ATCATTCTATAACTTAGATAAATAA

SEQ ID NO:37 polynucleotide sequence

ATGCCAATTATTACAGATGTTTACGCTCGCGAAGTCTTAGACTCACGTGGTAACCCAACAGTTGAAGTTGAAGTATTAAC
TGAAAGCGGTGCTTTCGGACGTGCATTAGTACCTTCTGGTGCTTCTACTGGTGAACATGAAGCAGTTGAATTACGTGATG
GAGATAAATCACGTTATTTAGGTAAAGGTGTGACTAAAGCGGTAGAAAATGTTAACGAAATGATCGCACCAGAAATCGTT
GAAGGTGAATTTTCAGTTTTAGATCAAGTATCTATTGATAAAATGATGATTCAATTAGACGGTACACACAACAAAGGTAA
ATTAGGTGCAAATGCCATTTTAGGTGTTTCTATTGCCGTAGCTCGTGCAGCTGCTGACTTATTAGGTCAACCATTATATA
AATATTTAGGTGGATTTAATGGTAAACAATTGCCAGTACCTATGATGAATATTGTTAATGGTGGTTCTCACTCAGATGCA
CCAATTGCTTTCGAAGAGTTCATGATTTTACCTGTAGGTGCTGAGTCATTCAAAGAATCATTACGTTGGGGTGCAGAAAT
CTTCCATAACCTTAAATCAATCTTAAGTGAACGTGGTTTAGAACTGCAGTAGGTGATGAAGGTGGTTTCGCTCCTAGAT
TTGAAGGCACTGAAGACGCTGTAGAACTATTATTAAAGCTATCGAAAAAGCAGGATACAAACCAGGTGAAGATGTATTC
TTAGGATTTGACTGTGCTTCTTCTGAATTCTATGAAAATGGTGTATTATGATTACACTAAATTCGAAGGTGAACACGGTGC
TAAACGTAGTGCAGCAGAGCAAGTTGACTACTTAGAAGAATTAATTGGTAAATATCCAATCATCACTATTGAAGATGGTA
TGGATGAAAACGATTGGGAAGGTGGAAACAATTAACCTGATCGTATCGGTGATAAAGTTCAATTAGTTGGTGATGATTTA
TTCGTAACCTAACACTGAAATTTTATCTAAAGGTATCGAACAAGGTATTGGTAACTCAATCTTAATCAAAGTAAACCAAAT
CGGTACATTAACCTGAAACATTCGATGCTATTGAAATGGCTCAAAAAGCTGGATATACTGCGGTTGTATCTCACCGTTCTG
GTGAAACTGAAGATACTACAATTGCTGATATCGCAGTTGCTACAAATGCAGGCCAAATTTAAACAGGTTTATTATCTAGA
ACTGACCGTATTGCTAAATACAATCAATTATTACGTATTGAAGATGAATTATACGAAACAGCTAAATTTGAAGGAATTAA
ATCTTTCTACAATTTAGATAAATAA

SEQ ID NO:38 polynucleotide sequence

ATGAAAAAATCGTTACAGCTACAATCGCTACAGCAGGACTTGCCACTATCGCATTTGCAGGACATGATGCACAAGCCGC
AGAACAAAATAACAATGGATATAATTCTAATGACGCTCAATCATAACAGCTATACGTATACAATTGATGCACAAGGTAAAT
ATCATTACACTTGGACAGGAAATTGGAATCCAAGTCAATTAACGCAAAACAACACATACTACTACAACAACCTACAATACT
TATAGTTATAACAATGCATCTTACAATAACTACTATAATCATTCATATCAATACAATAACTATACAAACAATAGCCAAAC
AGCAACAAATAACTATTATACTGGTGGTTCAGGTGCAAGTTATAGCACAACAAGTAATAATGTTTCATGTGACTACAACCTG
CAGCGCCATCTTCAAATGGTCGTTCAATTTCTAATGGTTATGCATCAGGAAGTAACTTATATACTTCAGGACAATGTACT
TATTATGTATTTGATCGTGTGGTGGGAAAATTGGTTCAACATGGGGTAACGCAAGTAATTGGGCTAACGCAGCTGCATC
ATCTGGCTATACAGTGAACAATACACCAAAGTTGGTGCTATCATGCAACAACACAAGGCTATTACGGTCATGTTGCTT
ACGTTGAAGGCGTTAACAGCAACGGTCTGTTCGTGTTTCAGAAATGAACCTATGGACATGGTGCTGGTGTGGTTACGTCT
CGTACAATTTTACGCAACCAAGCAGGTTTATATAATTTTATTTCATTCAATAA

SEQ ID NO:39 polynucleotide sequence

ATGAAGAAAATCGCTACAGCTACTATCGCAACTGCAGGATTGCTACAATCGCAATTGCATCAGGAAATCAAGCTCATGC
TTCTGAGCAAGATAACTACGGTTATAATCCAAACGACCCAACATCATATAGCTATACTTACACTATTGATGCACAAGGTA
ACTACCATTACACATGGAAAGGTAACTGGCATCCAAGTCAATTAAACCAAGATAATGGCTACTACAGCTATTACTACTAC
AATGGCTACAATAACTACAACAATTACAACAATGGTTATAGCTACAATAATTACAGCCGTTACAACAACCTACTCAAATAA
TAATCAATCATATAACTACAATAACTATAATAGTTACAACACAAACAGCTACCGTACTGGTGGTTTAGGTGCAAGCTACA
GCACTTCAAGCAACAATGTTCAAGTAACTACAACCTATGGCTCCATCATCAAATGGCCGTTCAATCTCAAGTGGTTATACT
TCAGGACGTAACTTATACACTTCTGGTCAATGTACATACTACGTATTTGATCGTGTAGGTGGTAAAATCGGTTCAACTTG
GGCAATGCAAGTAACTGGGCTAACGCAGCTGCAAGAGCTGGTTACACAGTGAACAATACACCAAAGCTGGTGCAATTA
TGCAACAACCTCAAGGTGCATACGGTCACGTTGCATACGTTGAAAGTGTTAACAGCAATGGTTTCAGTAAGAGTTTCAGAA
ATGAACCTATGGTTATGGCCAGGTGTTGTAACCTTCACGTACAATCTCAGCTAGCCAAGCTGCTGGTTATAACTTCATTCA
CTAA

SEQ ID NO:40 polynucleotide sequence

ATGAAAAAATCGCTACAGCTACAATTGCAACTGCAGGAATCGCTACTTTTCGCATTTGCACACCATGACGCACAAGCAGC
AGAACAAAATAATGATGGGTACAATCCAAACGACCCTTATTCATATAGCTACACTTACACAATCGATGCTGAAGGTAACT
ACCACTACACTTGGAAAGGTAACTGGAGTCCAGATCGTGTAATACTTCATATAACTATAATAATTATAATAACTACAAC
TACTATGGTTACAATAACTATAGCAACTACAATAACTACAGTAATTACAACAATTACAACAACCTATCAATCAAACAACAC
GCAATCACAAAGAACAACCTCAACCGACTGGTGGTTTAGGCGCAAGCTATTCAACATCAAGTAGTAATGTTTCACGTTACAA

CAACTTCTGCGCCATCATCAAACGGTGTATCTTTATCAAACGCTCGCTCAGCATCTGGTAACTTATACACTTCAGGTCAA
TGTACATATTATGTATTTGACAGAGTAGGTGGCAAATCGGTTCAACGTGGGGTAACGCAAACAACTGGGCAAACGCTGC
AGCACGTTCTGGTTACACAGTAAACAATTCGCCTGCTAAAGGTGCAATCTTACAAACGTCACAAGGTGCATACGGACACG
TAGCATACGTTGAAGGTGTAAACAGCAATGGTTCAATCAGAGTTTCAGAAATGAACTACGGTCACGGTGCAGGTGTTGTC
ACTTCACGTACAATCTCTGCGAGCCAAGCTGCTTCATATAACTATATTCACTAA

SEQ ID NO:41 polynucleotide sequence

ATGAAAAAATTAGTACCTTTATTATTAGCCTTATTACTTCTAGTTGCTGCATGTGGTACTGGTGGTAAACAAAGCAGTGA
TAAGTCAAATGGCAAATTAAAAGTAGTAACGACGAATTCATTTTATATGATATGGCTAAAAATGTTGGTGGAGACAACG
TCGATATTCATAGTATTGTACCTGTTGGTCAAGATCCTCATGAATATGAAGTTAAACCTAAAGATATTAAAAAGTTAACT
GACGCTGACGTTATTTTATACAACGGATTAAATTTAGAGACTGGTAACGGTTGGTTTGAAAAAGCCTTAGAACAGGCTGG
TAAATCATTTAAAGATAAAAAAGTTATCGCAGTATCAAAGATGTTAAACCTATCTATTTAAACGGTGAAGAAGGCAACA
AAGATAAACAAAGATCCACACGCATGGTTAAGTTTAGATAATGGTATTAAATACGTAAAAACAATTCAACAAACATTTATC
GATAACGACAAAAAACATAAAGCAGATTATGAAAAGCAAGGTAACAAATACATTGCTCAATTGGAAAAATTAAATAATGA
CAGTAAAGACAAATTTAATGACATTCCAAAAGAACAACGTGCCATGATTACAAGTGAAGGTGCCTTCAAGTACTTCTCAA
AACAAATACGGTATTACACCAGGTTATATTTGGGAAATTAACACTGAAAAACAAGGTACACCTGAACAAATGAGACAAGCT
ATTGAGTTTGTAAAAAGCACAAATTAACACTTATTAGTAGAAACAAGTGTTGATAAGAAAGCAATGGAAAGTTTATC
TGAAGAAACGAAGAAAGATATCTTTGGTGAAGTGTACACAGATTCAATCGGTAAAGAAGGCACTAAAGGTGACTCTTACT
ACAAAATGATGAAATCAAATATTGAACTGTACACGGAAGCATGAAATAA

SEQ ID NO:42 polynucleotide sequence

GTGAAAAAATTCTCGCTTTAGCAATAGCATTTTTAATTATCCTTGCCGCATGTGGGAATCACAGTAACCATGAACATCA
CTCACATGAAGGAAAATTAAAAGTTGTAACCTACAACTCTATTCTCTATGACATGGTTAAACGTGTGGTGGAAATAAGG
TCGATGTTTCATAGCATCGTTCCAGTAGGACAAGACCCACATGAATATGAGGTTAAACCTAAAGATATTAAAGCATTAACA
GATGCTGACGTTGTATTTTATAACGGTTTAAACCTAGAACTGGAAATGGTTGGTTTGAAAAAGCACTTGACCAAGCAGG
AAAATCAACAAAAGATAAAAAATGTGATAGCAGCATCAAATAATGTTAAACCAATATACTTAAATGGTGAGGAAGGTAACA
AAAACAAACAAGATCCACATGCATGGTTAAGTTTAGAGAATGGAATTAAATACGTAAAAACAATACAAAAATCACTAGAA
CATCATGATAAAAAAGATAAGTCTACATATGAAAAACAAGGGAATGCATATATATCAAAATTAGAAGAACTTAATAAAGA
TAGTAAAAATAAATTTGATGACATACCCAAAAATCAACGTGCCATGATGACAAGTGAAGGTGCATTTAAATATTTTGCTC
AACAAATTCGATGTTAAACCAGGTTATATTTGGGAGATAAACACAGAAAAACAAGGTACACCTGGTCAAATGAAACAAGCC
ATTAAATTTGTTAAAGATAATCATTTAAACATTTATTAGTCGAAACAAGCGTAGATAAAAAAGCTATGCAAAGTTTATC
AGAAGAACTAAGAAAGATATTTATGGTGAAGTATTTACCGACTCTATAGGTAAGGAAGGTACTAAAGGTGACTCATACT
ATAAAATGATGAAATCTAATATTGATACAATACATGGTAGTATGAAATAA

SEQ ID NO:43 polynucleotide sequence

ATGAAAAAGACAATTATGGCATCATCATTAGCAGTGGCATTAGGTGTAACAGGTTACGCAGCAGGTACAGGACATCAAGC
ACACGCTGCTGAAGTAAACGTTGATCAAGCACACTTAGTTGACTTAGCGCATAATCACCAAGATCAATTAAATGCAGCTC
CAATCAAAGATGGTGCATATGACATCCACTTTGTAAAAGATGGTTTCCAATATAACTTTACTTCAAATGGTACTACATGG
TCATGGAGCTATGAAGCAGCTAATGGTCAAACCTGCTGGTTTCTCAAACGTTGCAGGTGCAGACTACACTACTTCATACAA
CCAAGGTTTCAAGTGTACAATCAGTAAGCTACAATGCACAATCAAGTAACTCAAACGTTGAAGCTGTTTTCAGCTCCAACCTT
ACCATAACTACAGCACTTCAACTACTTCAAGTTCAGTGAGATTAAGCAATGGTAATACTGCAGGTGCTACTGGTTCATCA
GCAGCTCAAATCATGGCTCAACGTACTGGTGTTCAGCTTCTACATGGGCTGCAATCATCGCTCGTGAATCAAATGGTCA
AGTAAATGCTTACAACCCATCAGGTGCTTCAGGTTTATTCCAAACTATGCCAGGTTGGGGTCCGACAAACACTGTTGACC
AACAAATCAACGCAGCTGTTAAAGCATACAAAGCACAAAGGTTTAGGTGCTTGGGGATTCTAA

SEQ ID NO:44 polynucleotide sequence

ATGAAAAAACAGTTATCGCTTCTACATTAGCAGTATCTTTAGGAATTGCAGGTTACGGTTTATCAGGACATGAAGCACA
CGCTTCAGAACTACAAACGTTGATAAAGCACACTTAGTAGATTTAGCACAAACATAATCCTGAAGAATTAAATGCTAAAC
CAGTTCAAGCTGGTGCCTTACGATATTCATTTCTGATGACAATGGATACCAATACAACTTCACTTCAAATGGTTCTGAATGG
TCATGGAGCTACGCTGTAGCTGGTTCAGATGCTGATTACACAGAATCATCATCAAACCAAGAAGTAAGTGCAAATACACA
ATCTAGTAACACAAATGTACAAGCTGTTTCAGCTCCAACCTTCTTCAGAAAGTCGTAGCTACAGCACATCAACTACTTCAT
ACTCAGCACCAAGCCATAACTACAGCTCTCACAGTAGTTCAGTAAGATTATCAAATGGTAATACTGCTGGTTCTGTAGGT
TCATATGCTGCTGCTCAAATGGCTGCACGTACTGGTGTATCTGCTTCAACATGGGAACACATCATTGCTAGAGAATCAAA
TGGTCAATTACATGCACGTAATGCTTCAGGTGCTGCTGGATTATTCCAAACTATGCCAGGTTGGGGTCCAACCTGGTTTCAG
TAAATGATCAAATCAATGCCGCTTATAAAGCATATAAAGCACAAAGGTTTATCTGCTTGGGGTATGTAA

SEQ ID NO:45 polynucleotide sequence

GTGAATTATCGTGATAAAATTCAAAGTTTAGTATTCGTAAATATACAGTTGGTACATTTTCAACTGTCATTGCGACATT
GGTATTTTTAGGATTCAATACATCACAAAGCACATGCTGCTGAAACAAATCAACCAGCAAGCGTGGTTAAACAGAAACAAC

AAAGTAATAATGAACAGACTGAGAATCGAGAATCTCAAGTACAAAATTCTCAAAAATTCACAAAATAGTCAATCATTATCC
GCTACTCATGAAAATGAGCAACCAAATAATAGTCAAGCTAATTTAGTAAATCAAAAAGTAGCGCAATCATCTACTACTAA
TGATGAACAACCAGCATCTCAAAATGTAAATACAAAGAAAGATTTCGGCAACGGCTGCGACAACACAACCAGATAAAGAAG
AAAGTAAGCATAAACAAAACGAAAGTCAATCTGCTAATAAAAAATGGAAACGACAATAGAGCGGCTCATGTAGAAAATCAT
GAAGCAAATGTAGTAACAGCTTCAGATTTCATCTGATAATGGTAACGTACAACATGACCGAAATGAATTACAAGCATTTTT
TGATGCAAATTATCATGATTATCGCTTTATTGACCGTGAAAATGCAGATTCTGGCACATTTAACTATGTAAAAGGCATTT
TTGACAAGATTAATACTTTATTAGGCAGTAATGATCCAATTAACAATAAAGACTTGCAACTTGCATACAAAGAATTGGAA
CAAGCTGTTGCTTTAATTCGTACAATGCCTCAACGTCAACAACTAGCCGTCGATCAAACAGAATTCAAACGCGTTCTGT
TGAGTCTAGAGCTGCAGAGCCTAGATCAGTATCAGACTATCAAAATGCAAATTCATCATATTATGTTGAAAATGCTAATG
ATGGTTCAGGATATCCTGTAGGTACATATATCAATGCTTCTAGTAAAGGGGGCGCCATATAATTTACCAACTACACCATGG
AATACATTGAAGGCCTCTGACTCAAAGGAAATTGCTCTTATGACAGCGAAACAACTGGAGATGGCTACCAATGGGTAT
TAAGTTTAATAAAGGACATGCTCCACATCAAAATATGATTTTCTGGTTTGCATTACCAGCAGACCAAGTGCCAGTAGGAA
GAACTGACTTTGTAAACAGTTAATTCAGATGGAACAAATGTACAATGGAGTCATGGAGCAGGAGCAGGTGCAAATAAACCA
CTTCAACAAATGTGGGAATATGGAGTAAATGATCCTGATCGTTTACATGACTTTAAAATAAGAAATAGAAGTGGCCAAGT
AATATATAGCTGGCCAACTGTCCATGTTTATTCTTTAGAAGATTTATCTAGAGCGAGTGATTATTTTAGTGAAGCTGGAG
CGACACCTGCTACTAAAGCATTGTGGTAGACAAAATTTTGAATATATTAATGGTCAAAAACCTGCTGAATCACCGGGTGTT
CCTAAAGTTTATACTTTTCATCGGTCAAGGTGATGCAAGTTATACAATTTTCAATTTAAAACACAAGGTCCAAGTGTAAATA
ATTGTATTATGCAGCAGGTGGGCGTGCTTTAGAGTACAATCAATTATTTATGTACAGTCAACTATACGTCTGAATCAACGC
AAGACCATCAACAACGTCTTAATGGTTTAAGACAAGTGGTTAATCGTACATATCGCATAGGTACAACCTAACGTGTAGAA
GTGAGTCAAGGAAATGTACAAACGAAAAAGGTATTAGAAAGTACAAACCTAAATATAGATGATTTTGTGTGATGATCCTTT
AAGTTATGTTAAGACGCCGAGTAATAAAGTGTAGGTTTTTACCCAACTAATGCAAATACTAACGCTTTTAGACCGGGGG
GCGTTCAAGAATTAAATGAATATCAATTAAGTCAATTATTTACTGATCAAAAATTACAAGAAGCAGCAAGAAGTAGAAAC
CCAATAAGATTAAATGATTGGTTTCGACTATCCTGATGGTTATGGTAATAGTGAAACTTTAGTTCCTGTTAACTTAACGGT
ATTACCTGAAATCCAACATAATATTAATTTCTTTAAAATGACGATACTCAAAATATTGCTGAAAAACCATTTTCAAAC
AAGCTGGGCATCCAGTTTTCTATGTATATGCAGGTAAACCAAGGGAATGCTTCCGTGAATTTAGGTGGTAGCGTAACATCT
ATTCAACCATTACGTATTAATTTAACAAGTAATGAGAATTTTACAGATAAAGATTGGCAAATTACAGGTATTCCGCGTAC
ATTACACATTGAAAACCTCGACAAATAGAATAAATGCTAGAGAACGTAACATTGAACTTGTTGGTAATTTATTACCAG
GGGATTACTTTGGTACGATACGTTTTTGGACGTAAAGAACAATTATTTGAAATTCGTGTTAAACCACATACACCAACAATT
ACAACGACAGCTGAGCAATTAAGAGGTACAGCATTACAAAAAGTGCCTGTTAATATTTTCGGGAATACCGTTGGATCCATC
GGCATTGGTTTTATTTAGTTGCACCAACAAATCAAACCTACGAATGGTGGTAGTGAGGCAGATCAAATACCATCTGGTTATA
CGATACTTGCAGCTGGTACACCTGATGGGGTGCTAATAACAATTACTATACGACCGCAAGATTATGTTGTATTCATACCA
CCTGTAGGTAAACAAATTAGAGCAGTAGTTTATTATAATAAAGTAGTTGCATCTAATATGAGTAATGCTGTTACTATTTT
GCCAGATGACATTCCACCAACAATCAATAATCCTGTTGGAATAAATGCCAAATACTATCGAGGCGACGAAGTCAACTTTA
CAATGGGAGTCTCTGATAGACATTCTGGTATAAAAAATACAACCTATTACTACTTTGCCAAGTGGTTGGACATCAAATTTA
ACTAAATCCGACAACAAAACGGCTCATTAGCTATTACAGGTAGAGTCTCTATGAATCAGGCATTTAACAGTGATATTAC
ATTTAAAGTATCAGCGACAGACAATGTCAATAATACGACAAATGATAGTCAATCTAAACATGTGTCAATTCATGTAGGTA
AAATTAGTGAAGATGCTCATCCGATTGTATTAGGAAATACTGAGAAAGTTGTAGTAGTCAATCCGACTGCTGTATCTAAT
GATGAAAAGCAAAGCATAATTACTGCCTTTATGAATAAAAACCAAATATAAGAGGATATTTAGCATCAACTGATCCAGT
AACTGTCGATAATAATGGTAACGTCACATTACATTACCGTGATGGCTCATCAACAACGCTTGATGCTACAAATGTGATGA
CATACGAACCAGTTGTGAAATCTGAATATCAAACCTGCCAATGCTGCTAAAACAGCAACGGTAACGATTGCTAAAGGACAA
TCATTTAATATTGGTGATATTAAACAATATTTTACTTTAAGTAATGGACAAGCTATTCCAAATGGCACATTTACAAATAT
TACATCTGATAGAACTATTCCAACCTGCACAAGAAGTTAGTCAAATGAATGCAGGTACGCAGTTATATCATATAGTTGCTT
CAAATGCATATCATAAAGACACTGAAGATTTCTATATTAGTTTAAAAATCGTTGATGTGAAACAACCTGAAGGCGATCAA
CGTGTCTATCGTACGTCAACATATGATTTAACCCTGATGAAATCTCAAAAGTAAAACAAGCTTTTATTAATGCAAATAG
AGATGTAATTACGCTTGCCGAAGGTGATATTTTCAGTTACAAATACACCTAATGGTGCTAATGTAAGTACTATTACAGTAA
ATATTAATAAAGGTGATTAACGAAATCATTCGCGTCTAACCTAGCTAATATGAATTTCTTGCGTTGGGTTAATTTCCCA
CAAGATTATACAGTGACATGGACGAATGCAAAAATTGCAAACAGACCAACAGATGGTGGTTTTATCATGGTCCGATGACCA
TAAATCTTTAATTTATCGTTATGATGCTACATTAGGCACACAAATTACAACCTAATGATATTTTAAACGATGCTAAAAGCGA
CTACTACAGTGCCTGGATTGCGTAATAATATTACTGGTAATGAAAAAGCACAAGCAGAAGCAGGTGGAAGACCAAACTAT
AGAACAACCTGGTTATTCACAATCAAATGCGACAACCTGATGGTCAACGTCAATTTACGTTGAATGGTCAAGTGATTCAAAT
ATTAGACATCATCAACCCTTCAAACGGTTATGGTGGGCAACCTGTTACAAATTCAAATACTCGTGCAAACCATAGTAACT
CAACTGTTGTTAACGTAAACGAACCGGCAGCTAATGGTGCTGGCGCATTTACAATTGACCACGTTGTAAAAAGTAATTCT
ACACATAATGCAAGTGATGCAGTTTATAAAGCGCAGTTATACTTAACGCCATATGGTCCAAAACAATATGTTGAACATTT
AAATCAAAATACAGGAAATACTACTGACGCTATTAACATTTATTTTGTACCAAGTGACTTAGTGAATCCAACAATTTT
TAGGTAATTACACTAATCATCAAGTGTCTCAGGTGAAACATTTACAAATACGATTACAGCGAATGATAACTTTGGTGTG
CAATCGGTAACCTGTACCAAAATACATCAAAATTACAGGTACTGTTGATAATAACCATCAACATGTTTCTGCAACGGCACC
AAATGTGACATCAGCAACTAGTAAGACAATCAATTTATTAGCAACTGATACAAGTGGTAATACAGCTACAACCTTCATTCA
ATGTAACAGTGAAACCTTTGCGTGATAAATATCGAGTTGGTACTTCATCAACGGCTGCTAATCCTGTTAGAATTGCCAAT
ATTTGCAATAATGCGACAGTATCACAAGCTGATCAAACGACAATTTATTAATTCGTTAACGTTTACAAGTAATGCACCAAA
TAGAACTATGCAACAGCAAGCGCAAATGAAATCACTAGTAAAACAGTTAGTAATGTCAGTCGTACTGGAAATAATGCCA
ATGTCACAGTAACTGTTACTCATCAAGATGGAACAACATCAACAGTGACTGTACCTGTAAAGCATGTCATTCCAGAAATC

GTTGCACATTTCGCATTACACTGTACAAGGCCAAGACTTCCCAGCAGGTAATGGTTCTAGTGCAGCAGATTACTTTAAGTT
ATCTAATGGTAGTGCCATTCCAGATGCAACGATTACATGGGTAAAGTGGACAAGCGCCAAATAAAGATAATACACGTATTG
GTGAAGATATAACAGTAACTGCACATATCTTAATTGATGGCGAAACAACGCCGATTACGAAAACAGCAACATATAAAGTA
GTAAGAACTGTACCGAAACATGTCTTTGAAACAGCCAGAGGTGTTTTATACCCAGGTGTTTCAGATATGTATGATGCGAA
ACAATATGTTAAGCCAGTAAATAATTCTTGGTCGACAAATGCGCAACATATGAATTTTCAATTTGTTGGAACATATGGTC
CTAACAAAGATGTTGTAGGTATATCAACGCGTCTTATTAGAGTGACTTATGATAATAGACAACTGAAGATTTAACTATT
TTATCTAAAGTTAAACCTGACCCACCAAGAATTGACGCAAACTCTGTGACATATAAAGCAGGTCTTACAAACCAAGAAAT
TAAAGTTAATAACGTATTAAATAACTCGTCAGTAAAATTATTTAAAGCAGATAATACACCATTAAATGTCACAAATATTA
CTCATGGTAGTGGTTTTAGTTTCGGTTGTGACAGTAAGTGACGCGTTACCAAATGGCGGAATTAAAGCAAAATCTTCAATT
TCAATGAACAATGTGACGTATACGACGCAAGACGAACATGGTCAAGTTGTTACAGTAACAAGAAATGAATCTGTTGATTC
AAATGATAGTGCTTCTGTTACAGTAACACCACAATTACAAGCAACTACTGAAGGCGCTGTATTTATTAAAGGTGGCGACG
GTTTTGATTTTCGGTCATGTAGAACGATTTATTCAAAATCCGCCACATGGGGCAACGGTCGCATGGCATGATAGTCCAGAT
ACATGGAAGAATACAGTCGGCAACACACATAAACTGCGGTTGTAACATTACCTAGTGGTCAAGGTACGCGTAATGTTGA
AGTTCCAGTCAAAGTTTATCCAGTTGCTAATGCTAAGGCGCCATCACGTGATGTGAAAGGTCAAATTTGACACATGGTA
CAAACGCTATTGATTACATTACATTTGATCCAAATACTAATACGAATGGTATTACAGCAGCATGGGCAAATAGACAACAA
CCAAATAACCAGCAAGCAGGCGTTCAACATTTAAATGTCGATGTCACATATCCAGGTATTTTCAGCTGCTAAACGAGTTCC
TGTAAGTGTGAACGTATATCAATTTGAATTCCCTCAAACCTACTTATACAACAACAGTTGGTGGCACTTTAGCAAGTGGTA
CGCAAGCATCAGGATATGCACATATGCAAAACGCTTCAGGTTTACCAACAGATGGATTTACGTATAAATGGAATCGTGAT
ACTACGGGTACAAACGATGCAAACCTGGGCAGCAATGAATAAACCAAATACTGCACAAGTCGTTAATGCAAAATATGATGT
CATCTATAATGGACATACATTTGCAACATCTTTACCAGCGAAATTTGTAGTAAAAGATGTTCAACCAGCGAAACCAACTG
TCACTGAAACAGCGGCAGGAGCGATTACAATTGCACCTGGTGCGAACCAAACAGTCAATACTCATGCTGGTAATGTTACG
ACATATGCTGACAAATTAGTTATTAAACGTAATGGAAATGTTGTAACGACATTTACACGTCGTAATAATACGAGCCCATG
GGTGAAAGAAGCATCAGCAGATAATGTAACAGGTATTGTTGGAACATAAATGGTATTACTGTGGCAGCAGGTACTTTCA
ATCCTGCTGATACAATTCAGTTGTTGCAACACAAGGTAGTGGCGAAACAATCAGTGACGAGCAACGTAGTGATGATTTCC
ACAGTTGTGCGACCACAACCGAACCAAGCGACTACGAAAATTTGGCAAAATGGTCATATTGATATCACGCCTAATAATCC
ATCAGGACATTTAATTAATCCAACACAAGCAATGGATATTGCTTACACTGAAAAAGTGGGTAATGGTGCAGAACATAGTA
AGACAATTAATGTTGTTTCGTGGTCAAAATAATCAATGGACAATTGCGAATAAGCCTGACTATGTAACGTTAGATGCACAA
ACTGGTAAAGTGACGTTCAATGCCAATACTATAAAACCAAATTCATCAATCACAATTACTCCGAAAGCAGGTACAGGTCA
CTCAGTAAGTAGTAATCCAAGTACATTAAGTGCACCGGCAGCTCATACTGTCAACACAACCTGAAATTGTGAAAGATTATG
GTTCAAATGTAACAGCAGCTGAAATTAACAATGCAGTTCAAGTTGCTAATAAACGTAAGTCAACGATTAAAAATGGCACA
GCAATGCCTACTAATTTAGCTGGTGGTAGCACAACGACGATTCCCTGTGACAGTAAGTTACAATGATGGTAGTACTGAAGA
AGTACAAGAGTCCATTTTCAAAAAGCGGATAAACGTGAGTTAATCACAGCTAAAAATCATTTAGATGATCCAGTAAGCA
CTGAAGGTAAAAAGCCAGGTACAATTACGCAGTACAATAATGCAATGCATAATGCGCAACAACAAATCAATACCGCGAAA
ACAGAAGCACAACAAGTGATTAATAATGAGCGTGCAACACCACAACAAGTTTCTGACGCACTAACTAAAGTTTCGTGCAGC
ACAACTAAGATTGATCAAGCTAAAGCATTACTTCAAAATAAAGAAGATAATAGCCAATTAGTAACGTCTAAAAATAACT
TACAAAGTTCTGTGAACCAAGTACCATCAACTGCTGGTATGACGCAACAAAGTATTGATAACTATAATGCGAAGAAGCGT
GAAGCAGAACTGAAATAACTGCAGCTCAACGTGTTATTGACAATGGCGATGCAACTGCACAACAAATTTTCAGATGAAAA
ACATCGTGTGATAACGCATTAACAGCATTAAACCAAGCGAAACATGATTTAACTGCAGATACACATGCCTTAGAGCAAG
CAGTGCAACAATTGAATCGCACAGGTACAACGACTGGTAAGAAGCCGGCAAGTATTACTGCTTACAATAATTCGATTTCGT
GCACTTCAAAGTGACTTAACAAGTGCTAAAAATAGCGCTAATGCTATCATTCAGAAGCCAATAAGAACAGTGCAAGAGGT
ACAATCTGCGTTAACAAATGTAAATCGTGTCAATGAGCGATTAAACGCAAGCAATTAATCAATTAGTACCTTTAGCTGATA
ATAGTGCTTTAAGAACTGCTAAGACGAACTTGATGAAGAAATCAATAAATCAGTAACTACTGATGGTATGACACAATCA
TCAATCCAAGCATATGAAAATGCTAAACGTGCAGGTCAAACAGAAACAACAAATGCACAAAATGTTATTAACAATGGTGA
CGCGACAGACCAACAAATTGCCGAGAAAAAACAAGTAGAAGAAAAATATAATAGCTTAAAACAAGCAATTGCTGGAT
TAACACCAGACTTGGCACCATTACAACTGCAAAAACCTCAGTTGCAAAATGATATTGATCAGCCAACGAGTACGACTGGT
ATGACAAGCGCATCTGTTGCTGCATTTAATGACAACTTTTCAGCAGCTAGAACTAAAATTCAAGAAATTGATCGCGTACT
AGCATCTCATCCAGATGTAGCAACGATTCGTCAAAACGTGACAGCAGCGAATGCTGCTAAAACAGCACTTGATCAAGCGC
GCAATGGCTTAACAGTCGATAAAGCACCTTTAGAAAATGCGAAAAATCAACTACAACATAGTATTGATACGCAACAAGT
ACAACTGGTATGACACAAGACTCTATAAATGCATACAATGCGAAGTTAACAGCTGCACGTAATAAGGTTCAACAAATCAA
TCAAGTATTAGCAGGTTACCTACTGTAGATCAAATTAATACAAATACGTCTGCAGCAAATCAAGCGAAATCTGATTTAG
ATCATGCACGTCAAGCGTTAACACCAGATAAAGCGCCGCTTCAAATGCGAAAAACGCAATTAGAACAAAGCATTAATCAA
CCAACAGATACAACAGGTATGACAACCGCTTCGTTAAATGCATACAACCAAAAATTTACAAGCAGCAGTCAAAAGTTAAC
TGAAATTAATCAAGTGTTGAATGGCAACCCAACTGTCCAAAATATCAATGATAAAGTGGCAGAGGCCAAACCAAGCTAAGG
ATCAATTAAATACAGCACGTCAAGGTTTAACATTAGATAGACAGCCAGCGTTAACAACATTACATGGTGCATCTAACTTA
AACCAAGCACAACAAAATAATTTACAGCAACAAATTAATGCTGCTCAAAATCATGCTGCGCTTGAAACAATTAAGTCTAA
CATTACGGCTTTAAATACTGCGATGACGAAATTTAAAGACAGTGTTGCGGATAATAATACAATTAATCAGGTCAAAATT
ACACTGACGCAACACCAGCTAATAAACAAGCCTATGATAATGCAGTTAATGCGGCTAAAGGTGTCATTGGAGAAACGACT
AATCCAACGATGGATGTTAACACAGTGAACCAAAAAGCAGCATCTGTTAAATCGACGAAAGATGCTTTAGATGGTCAACA
AACTTACAACGTGCGAAAACAGAAGCAACAAATGCGATTACGCATGCAAGTGATTTAAACCAAGCACAAAAGAATGCAT
TAACACAACAAGTGAATAGTGACAAAACGTGCAAGCAGTAAATGATATTAAACAAACGACTCAAAGCTTAAATACTGCT
ATGACAGGTTTAAACGTGGCGTTGCTAATCATAACCAAGTCGTACAAAGTGATAATTATGTCAACGCAGATACTAATAA

GAAAAATGATTACAACAATGCATACAACCATGCGAATGACATTATTAATGGTAATGCACAACATCCAGTTATAACACCAA
GTGATGTTAACAATGCTTTATCAAATGTCACAAGTAAAGAACATGCATTGAATGGTGAAGCTAAGTTAAATGCTGCGAAA
CAAGAAGCGAATACTGCATTAGGTCATTTAAACAATTTAAATAATGTACAACGTCAAAACTTACAATCGCAAATTAATGG
TGCGCATCAAATTGATGCAGTTAATAACAATTAAGCAAAATGCAACAAACTTGAATAGTGCAATGGGTAAGTTAAGACAAG
CTGTTGCAGATAAAGATCAAGTGAAACGTACAGAAGATTATGCGGATGCAGATACAGCTAAACAAAATGCATATAACAGT
GCAGTTTCAAGTGCTGAAACAATTATTAATCAAACAGCTAATCCGACAATGTCTGTTGATGATGTTAATCGTGCAACTTC
AGCTGTTACTACTAATAAAAAATGCATTAAATGGTGATGAAAAATTAGTACAATCTAAAACAGATGCTGCAAGAGCAATTG
ATGCATTACCACATTTAAATAATGCACAAAAAGCAGATGTTAAATCTAAAATTAATGCTGCATCAAATATTGCTGGTGTA
AATACCGTTAAACAACAAGGTACAGATTTAAATACAGCGATGGGTAACTTGCAAGGTGCAATCAATGATGAACAAACGAC
GCTTAATAGTCAAAATTATCAAGATGCGACACCTAGTAAGAAAACAGCATAACAAAATGCGGTGCAAGCTGCGAAAGATA
TTTTAAATAAATCAAATGGTCAAAATAAACGAAAGATCAAGTTACTGAAGCGATGAATCAAGTGAATTCGGCTAAAAAT
AACTTAGATGGTACGCGTTTATTAGATCAAGCGAAGCAAACAGCGAAACAGCAGTTAAATAATATGACGCATTTAACAAC
TGCACAAAAAACGAATTTAACAATCAAATTAATAGTGGTACTACTGTTGCTGGTGTTCATACGGTTCAATCAAATGCCA
ACACATTAGATCAAGCGATGAATACGTTAAGACAAAGTATTGCTAACAATGATGCGACTAAAGCAAGTGAAGATTACGTA
GATGCTAATAATGATAAGCAAACAGCATATAACAACGCGGTAGCTGCTGCTGAAACGATTATTAATGCGAATAGTAATCC
AGAAATGAATCCAAGTACGATTACACAAAAAGCAGAGCAAGTGAATAGTTCTAAAACGGCACTTAACGGTGATGAAAAC
TAGCTACGGCAAAACAAAATGCGAAAACGTACTTAAACACATTAACGAGTATTACAGATGCTCAAAAGAACAATTTGATT
AGTCAAATTAGTAGTGCGACAAGAGTGAGTGGTGTGATACTGTAAAACAAAATGCACAACATTTAGATCAAGCTATGGC
TAACTTACAAAATGGTATTAACAACGAATCTCAAGTGAAATCATCTGAGAAATATCGTGATGCTGATACAAATAAACAAAC
AAGAGTATGATAATGCTATTACTGCAGCGAAAGCGATTTTAAATAAATCGACAGGTCCAAACACTGCGCAAAATGCAGTT
GAAGCAGCATTGCAACGTGTTAATACTGCGAAAGATGCATTGAATGGTGATGCAAAATTAATTGCAGCTCAAAACGCAGC
GAAACAACATTTAGGTACTTTAACGCATATCACTACAGCACAACGCAATGATTTAACAATCAAATTTCA

SEQ ID NO:46 polynucleotide sequence

ATGGGTAACTTACAAACGGCTATCAACGATAAGTCAGGAACATTAGCGAGCCAAAACCTTCTTGGATGCTGATGAGCAAAA
ACGTAATGCTTACAATCAAGCTATATCAGCTGCCGAAACCATTTTAAATAAACAAACTGGACCGAATACAGCGAAAACAG
CGGTTGAACAAGCACTTAATAATGTTAATAGTGCGAAACATGCATTAAATGGTACGCAAAACTTAAATAATGCGAAACAA
GCAGCGATTACAGCAATTAATGGCGCATCTGATTTAAATCAAAAACAAAAGATGCATTAAAAGCACAAGCTAATGGTGC
TCAACGCGTATCTAATGCAAATGATGTACAACGTAATGCGACTGAACTGAACACGGCAATGGGTCAATTACAACATGCCA
TCGCAGATAAGACGAATACGTTAGCAAGCAGTAAATATGTCAACGCCGATAGCACTAAACAAAATGCTTACACAACATAA
GTTACCAATGCTGAACATATTATTAGCGGTACGCCAACGGTTGTTACAACACCTTCAGAAGTAACAGCTGCAGCTAATCA
AGTAAACAGCGCGAAACAAGAATTAATGGTGACGAAAGATTACGTGTTGCAAAACAAAACGCCAATACTGCTATTGATG
CATTAACGCAATTAATACTCCTCAAAAAGCTAAATTAAGAACAAGTGGGACAAGCCAATAGATTAGAAGACGTACAA
TCTGTTCAAAACAAATGGACAATCATTGAACAATGCAATGAAAGGCTTAAGAGATAGTATTGCTAACGAAACAACAGTCAA
AGCAAGTCAAACTATACAGACGCAAGTCCGAATAACCAATCAACATATAATAGCGCTGTGTCAAATGCGAAAGGTATCA
TTAATCAAACATAACATCCAACATATGGATACTAGTGCGATTACCCAAGCTACAACACAAGTGAATAATGCTAAAAATGGT
TTAAACGGTGCTGAAAACCTTAAGAAATGCACAAAACACTGCTAAGCAAAACCTTAAATACGTTATCACACTTAACAAATAA
CCAAAATCTGCAATCTCATCACAATTTGATCGTGAGGTGCTGAGGTGAGGTAAACAGCTGCTAAAAATGCAGCAACTG
AGTTAAACGCGCAAATGGGCAACTTGGAACAAGCTATCCATGATCAAAACACAGTTAAACAAGGTGTTAACTTCACTGAT
GCAGATAAAGCTAAACGTGATGCTTATACAAATGCGGTAAAGCAGAGCAGAAACAATTTCTGAATAAAACGCAAGGTGCAAA
TACGTCTAAACAAGATGTTGAAGCGGCTATTCAAATGTTACAAGTGCTAAAAATGCATTGAATGGTGATCAAAACGTTA
CAAATGCGAAGAATGCAGCTAAAAATGCATTAAATAACTTAACTGCAATTAATAATGCACAAAAACGTGACTTAACAAC
AAAATTGATCAAGCAACAACAGTAGCTGGTGTGTAAGCGGTATCTAATACAGGTACACAATTGAATACAGCGATGGCTAA
CTTGCAAAATGGTATTAATGATAAAGCGAATACTTTAGCGAGCGAAAACCTATCATGATGCTGATTGAGATAAGAAAAC
CTTATACTCAAGCCGTTACGAACGCAGAAAATATTTTAAATAAAAATAGTGGATCAAATTTAGATAAAGCTGCCGTTGAA
AACGCGTTGTCAACAAGTGACAAATGCGAAAGGTGCCCTAAATGGTAACCATAATTTAGAGCAAGCTAAATCAAATGCAAA
CACTACTATAAACGGCCTTCAACATTTAACAACAGCACAAAAAGATAAATTGAAACAACAAGTGCAACAAGCACAAAATG
TTGCAGGTGTAGATACTGTTAAATCAAGTGCCAACACATTAATGGTGCTATGGGTACGTTAAGAAATAGCATAACAAGAT
AACACAGCTACGAAAAATGGCCAAAACCTATCTTGATGCTACAGAACGTAACAAAACAACTATAACAATGCTGTTGATAG
TGCTAATGGTGTCATTAATGCAACAAGCAATCCAATATGGATGCTAATGCAATTAACCAATCGCTACACAAGTGACAT
CAACGAAAAATGCATTAGATGGTACACATAATTTAACGCAAGCGAAACAAACAGCAACAAATGCCATCGATGGTGCTACT
AACTTAAATAAAGCGCAAAAAGATGCGTTAAAAGCACAAAGTTACAAGTGCGCAACGTGTTGCAATGTAACAAGTATCCA
ACAACTGCAAAATGAACTTAATACAGCTATGGGTCAATTACAACATGGTATTGATGATGAAAATGCAACAAAACAACTC
AAAAATATCGTGACGCTGAACAAAGTAAGAAAACCTGCTTATGATCAAGCTGTAGCTGCTGCGAAAGCAATTTTAAATAAA
CAAACAGGTTCCAATTCAGATAAAGCAGCAGTTGACCGTGCAATTACAACAAGTAACAAGTACGAAAGATGCATTGAATGG
GGATGCTAAACTGGCAGAAGCGAAAGCGGCAGCTAGACAAAACCTTAGGTACTTTAAACCATATTACGAATGCACAACGTA
CTGCGTTAGAAGGTCAAATCAATCAAGCGACGACTGTTGATGGCGTTAATACTGTAAAAACAAATGCCAATACATTAGAC
GGCGCTATGAATAGCTTACAAGGTGCAATCAATGATAAAGATGCGACATTAAGAAATCAAAATTATCTTGATGCAGATGA
ATCAAAACGAAATGCATATACGCAAGCTGTCACAGCGGCTGAAGGCATTTTAAATAAACAAACAGGTGGTAACACATCTA
AAGCAGACGTTGATAATGCATTAAATGCAGTTACAAGAGCGAAAGCGGCTTTAAATGGTGCTGAAAACCTTAAGAAATGCG
AAAACCTTCAGCAACAAATACGATTAATGGTTTACCTAACTTAACACAATTACAAAAGACAACCTTGAAGCATCAAGTTGA

ACAAGCGCAAAATGTAGTTGGTGTAAATGGTGTAAAGATAAAGGTAATACATTAAATACTGCCATGGGTGCATTACGTA
CAAGTATCCAAAATGATAATACGACGAAAACAAGTCAAAATTATCTTGATGCATCTGATAGCAACAAAAATAATTACAAT
ACTGCTGTAAATAATGCAAATGGTGTATTATTAATGCAACGAACAATCCAAATATGGATGCTAATGCGATTAATGACATGGC
AAATCAAGTCAATACAACAAAAGCAGCGTTAAATGGTGCACAAAACCTTAGCTCAAGCTAAACAAAATGCGACGAACACAA
TTAACAACGCGCAAGACTTAAACCAAAAACAAAAGATGCATTAAAAACACAAGTTAACAATGCACAACGTGTATCTGAT
GCAAATAACGTTCAACATACAGCTACTGAATTGAACGGTGCATGACAGCACTTAAAGCAGCTATTGCGGATAAAGAAAG
AACAAAAGCAAGCGGTAAATTATGTCAATGCTGATCAAGAAAAACGTCAAGCGTATGATTCAAAAGTGACTAACGCTGAAA
ATATCATTAATGGTACACCAAATGCGACATTAACAGTCAATGACGTAAATAGTGCGGCATCACAAGTCAATGCGGCTAAA
ACAGCATTAATGGTGATAACAACCTTACGTGTAGCGAAAGAGCATGCTAACAATACAATTGACGGCTTAGCACAATTGAA
TAATGTACAAAAAGCAAAATTTAAAGAACAAGTTCAAAGTGCAACTACATTAGATGGTGTTCAACTGTAAAAATAGTT
CTCAAACGTTGAATACAGCGATGAAAGGCTTAAGAGATAGTATTGCGAATGAAGCAACGATTAAAGCAGGTCAAACTAC
ACTGACGCAAGTCCAAATAATCGTAACGAGTACGACAGCGCAGTTACTGCAGCAAAAGCAATCATTAATCAAACATCGAA
CCCAACGATGGAACCAAATACTATTACGCAAGCAACATCACAAGTGACAACCTAAAGAACATGCATTAAATGGTGCGCAAA
ACTTAGCTCAAGCTAAGACAACAGCGAAAAACAACCTTGAATAACTTAACATCAATTAACAATGCACAAAAAGATGCGTTA
ACGCGTAACATTGATGGTGCAACTACAGTAGCTGGTGTAAATCAAGAACTGCAAAAGCAACAGAATTAATAACGCAAT
GCACAGTTTACAAAATGGTATCAATGATGAGACACAAAACAAAACAACTCAGAAATACCTAGATGCTGAGCCAAGTAAGA
AATCAGCTTATGATCAAGCAGTAAATGCAGCAAAAGCAATTTTAAACAAAAGCTAGTGGTCAAAATGTAGACAAAGCAGCA
GTTGAACAAGCATTACAAAATGTGAACAGTACGAAGACGGCGTTGAACGGTGTATGCGAAATTAATGAAGCTAAAGCTGC
TGCGAAACAAACGTTAGGTACATTAACACACATTAATAATGCACAACGTAATGCGTTAGATAATGAAATTACACAAGCAA
CAAATGTTGAAGGTGTTAATACAGTTAAAGCCAAAGCGCAACAATTAGATGGTGCTATGGGTCAATTAGAAACATCAATT
CGTGATAAAGACACGACGTTACAAAGTCAAAATTATCAAGATGCTGATGATGCTAAACGAACGGCTTATTCTCAAGCAGT
AAATGCAGCAGCAACTATTTTAAATAAAACAGCTGGAGGAAATACACCTAAAGCAGATGTGCAAGAGCAATGCAAGCTG
TTACACAAGCCAATACTGCATTAAACGGTATTTCAAACCTTAGAACGTGCGAAACAGGCTGCGAACACAGCGATTACAAAT
GCTTCGGACTTAAATACAAAACAAAAGAAGCATTGAAAGCACAAAGTAACAAGTGCAGGACGCGTATCTGCAGCAAATGG
TGTTGAACATACTGCGACTGAATTAATACTGCGATGACAGCTTTAAACCGTGCCATTGCTGATAAAGCTGACACAAAAG
CTAGTGGTAATTATGTCAATGCTGATGCGAATAAACGCCAAGCATATGATGAAAAAGTGACAGCTGCAGAACATATCGTT
AGTGGTACACCAACACCAACGTTAACACCATCAGATGTTACAAATGCAGCAACGCAAGTAACGAATGCGAAGACGCAGTT
AAACGGTAATCATAATTTAGAAGTAGCGAAACAAAATGCTAACACAGCAATTTGATGGTTTAACTTCTTTAAATGGTCCGC
AAAAAGCAAACTTAAAGAACAAGTGGGTCAAGCGACGACGTTGCCAAATGTTCAAACCTGTTCTGTGATAATGCACAAACA
TTAAACACTGCAATGAAAGGTCTACGAGATAGCATTGCGAATGAAGCAACGATTAAAGCAGGTCAAACTACACAGATGC
AAGTCAAAACAAACAAAATGACTACAACAATGCAGTCACTGCAGCAAAAGCAATCATTTGGTCAAACAACTAGTCCATCAA
TGATTGCGCAAGAAATTAATCAAGCGAAAGACCAAGTGACAGCTAAACAACAAGCGTTAAACGGTCAAGAAAACCTTAAGA
ACTGCGCAAAACAAATGCGAAGCAACATTTGAATGGCTTAAGTGACTTAATAATGCACAAAAAGATGCAGCGAAACGCCA
AATCGAAGGTGCAACGCATGTTAATGAAGTAACACAAGCGCAAAATAATGCGGACGCATTAAATACAGCTATGACGAACT
TGAAAAATGGTATTCAAGATCAAAATACGATTAAGCAAGGTGTTAACTTCACTGATGCAGATGAAGCGAAACGTAATGCA
TATACAAATGCAGTGACGCAAGCTGAACAAATTTTAAATAAAGCACAAAGGTCCAAATACTGCAAAAGACGGTGTGCAAAAC
TGCGTTACAAAATGTACAACGTGCTAAAAACGAATTGAACGGTAATCAAAATGTTGCGAACGCTAAGACAACCTGCGAAAA
ATGCATTGAATAACCTTACATCAATTAATAATGCACAAAAAGCAGCATTGAAATCACAAATTGAAGGTGCGACAACAGTT
GCAGGTGTAAATCAAGTGTCTACAATGGCATCTGAATTAATACTGCAATGAGCAACTTACAACGTGGTATTAATGACGA
AGCAGCTACAAAAGCAGCTCAGAAATATACTGAAGCAGATAGAGATAAACAACCTGCATACAATGATGCTGTAACAGCAG
CTAAACGTTATTAGATAAAACAGCTGGTTCAAATGACAATAAAGTAGCCGTTGAACAAGCATTACAACGTGTGAATACT
GCTAAACAGCATTAAATGGTGACGCGCGATTAAATGAAGCGAAGAACACAGCTAAACAACAATTAGCGACAATGTCACA
TTTAACTAATGCTCAAAAAGCAAACTTAACAGAACAATTTGAACGTGGTACAACCTGTTGCTGGTGTTCAGGCATCCAAG
CAAATGCTGGTACTTTAAATCAAGCAATGAATCAATTAAGACAAAGTATTGCTTCTAAAGATGCGACTAAATCAAGCGAA
GATTATCAAGACGCGAATGCAGATTTACAAAATGCATACAATGATGCGGTAACTAATGCTGAAGGTATTATTAGTGCAAC
GAATAACCTTGAAATGAATCCTGATACAATTAACCAAAAAGCGAGCCAAGTGAACAGTGCGAAGTCTGCATTGAACGGTG
ATGAAAAATTAGCAGCAGTAAAACAACTGCGAAATCAGATATCGGTCGTTTGACAGACTTGAACAATGCACAACGAACT
GCGGCAAAATGCTGAAGTGGATCAAGCACCAATCTTGACAGCTGTCACAGCGGCTAAAAATAAAGCAACATCGTTAAACAC
AGCGATGGGTAAATTTGAAACATGCACTTGCTGAAAAGGATAATACGAAACGTAGTGTCAATTACACAGATGCGGATCAAC
CAAAACAACAAGCGTATGATACTGCAGTTACACAAGCAGAAGCAATTACTAATGCAAATGGCAGTAACGCGAATGAAACA
CAAGTTCAAGCAGCGCTTAACCAATGAATCAAGCTAAAAACGACTTGAATGGTGATAATAAAGTTGCTCAAGCGAAAGA
AACAGCAAAACGTGCATTAGCTTCATATAGTAACTTGAATAACGCGCAATCAACTGCAGCAACTAGTCAAATTGACAATG
CAACGACAGTAGCAGACGTAACCTGCTGCACAAAATACTGCTAATGAATTAAATACAGCAATGGGTCAACTTCAAATGGT
ATTAATGACCAAAACACTGTTAAACAACAAGTGAACCTTTACAGATGCTGACCAAGGTAAGAAAGATGCTTACACAAATGC
TGTTACGAATGCTCAAGGTATTTTAGATAAAGCAAAACGGTCAAAATATGACAAAAGCACAAAGTTGAAGCTGCATTAAATC
AAGTAACGACTGCTAAGAATGCTTTAAACGGTGATGCAAATGTAAGACAAGCAAAATCAGATGCGAAAGCAAACTTAGGT
ACATTAACACACTTAAATAATGCACAAAAACAAGATTTAACATCACAAATCGAAGGTGCAACAACAGTCAACGGTGTA
TAGTGTTAAACGAAAGCACAAAGACTTAGATGGTGCAATGCAACGATTAGAGTCAGCAATCGCAAATAAAGATCAAAC
AAGCGAGCGAAACTACATTGACGCAGATCCAACCTAAGAAAACAGCATTTGATAATGCCATCACACAAGCTGAATCTTAC
TTAAATAAAGATCATGGTACGAATAAAGATAAGCAAGCTGTTGAACAAGCAATTCAAAGTGTAACGTCTACTGAAAATGC
TTTGAACGGTGACGCGAACTTACAATGCGCTAAACCTGAAGCTACACAAGCTATCGATAACTTGACACAATTGAATACAC

CGCAAAAACAGCATTGAAACAACAAGTGAATGCTGCACAACGCGTATCAGGTGTAAGTCTGATCTGAAAAATAGTGCTACA
TCACTTAATAATGCGATGGATCAATTAACAAGCAATTGGTGATCATGACACAATTGTAGCTGGTGGTAATTACACTAA
CGCAAGTCCTGATAAACAAGGTGCTTACACTGATGCATATAATGCTGCGAAGAATATCGTAAATGGTTCACCTAATGTGA
TTACAAATGCAGCAGATGTTACTGCGGCAACACAACGTGTCAATAATGCTGAAACAAGTTTAAATGGTGATACAACTTA
GCAACTGCGAAGCAACAAGCTAAAGATGCATTACGTCAAATGACACATTTATCTGATGCACAAAAACAAAGTATTACTGG
TCAAATTGATAGCGCGACACAAGTAACTGGTGTACAAAGTGTGAAAGACAATGCAACAAATCTTGACAATGCAATGAATC
AACTTCGAAATAGTATTGCGAATAAAGATGAAGTAAAAGCGAGTCAACCATATGTTGATGCAGATACAGATAAACAAAAT
GCATACAATACAGCAGTTACAAGTGCTGAAAATATCATTAATGCAACGAGTCAGCCAACACTTGATCCATCTGCAGTAAC
ACAAGCAGCTAATCAAGTGAACACTAACAAAACCTGCGCTTAATGGTGCGCAAACTTAGCAAATAAAAAGCAAGAAACAA
CTGCTAACATCAACCGATTAAAGTCATTTAAACAATGCTCAAAAGCAAGATTTAAATACACAAGTGACAAATGCACCAAAT
ATTAGCACAGTAAATCAAGTGAAAACCTAAAGCTGAACAATTAGATCAAGCAATGGAACGTTTAAATCAACGGAATCCAAGA
CAAAGATCAAGTGAAACAAGTGTTAACTTTACAGATGCAGATCCAGAAAAACAAACAGCATAACAATGCGGTAAGTGG
CTGCTGAAAATATTTAATCAAGCAAATGGTACAAATGCGAACCAATCACAAGTTGAAGCAGCACTTTCAACTGTAACA
ACTACTAAACAAGCGTTGAATGGTGATAGAAAAGTAACAGATGCTAAAAACAATGCAAACCAAACATTATCTACGTTAGA
TAACTTAAACAATGCACAAAAAGGTGCTGTTACTGGAAACATCAATCAAGCGCACACTGTAGCTGAAGTAACGCAAGCCA
TTCAAACCGCTCAGGAACCTGAATACAGCGATGGGTAAGTGAATAAGTGAATACTACAAAAGCAGCGCTTAATG
CAAACTTTGCGATGCAGATCCAGAGAAGAAAAATGCATACAATGAAGCGGTTGTAATGCTGAAAATATTTTAAATAA
ATCTACAGGTACGAACGTGCCTAAAGATCAAGTTGAAGCAGCTATGAATCAAGTGAATACTACAAAAGCAGCGCTTAATG
GTACTCAAAACCTTGAAAAGCGAAACAACACGCAAATACAGCAATTGACGGTTTAAAGCCATTTAACAATGCACAAAAA
GAGGCATTAAACAATTTGGTACAACAATCGACTACTGTTGCAGAAGCACAAGGTAATGAACAAAAGCAACAATGTTGA
TGCAGCAATGGACAAATTACGTCAAAGTATTGCAGATAATGCGACAACAAAACAAAACCTTAATACTGATGCAAGTC
CGAATAAAAAGGATGCGTACAATAATGCTGTCACAACCTGCACAAGGTATTATTGATCAAACCTTACAAACCTTCATTAGAT
CCGACTGTTATCAATCAAGCTGCTGGACAAGTAAGCACGTCTAAAAATGCTTTAAATGGTAATGAAAACCTTAGAGGCAGC
GAAGCAACAAGCAACGCAATCTTTAGGTTTCAATTAGACAACCTTAAATAATGCGCAAAAACAAGCTGTTACTAATCAAATTA
ATGGCGCGCATACTGTTGATGAAGCAAATCAAATTAAGCAAAATGCGCAAACTTAAATACTGCGATGGGTAAGTGA
CAAGCGATAGCTGATAAAGATGCTACGAAAGCAACAGTTAACTTCACTGATGCAGATCAAGCAAAACAACAGCATATAA
CACTGCAGTTACAAATGCTGAAAATATCATTTCAAAGCTAATGGTGGTAATGCAACACAACTGAAGTTGAACAAGCAA
TCCAACAAGTAAATGCAGCAAAACAAGCATTAAATGGTAATGCCAACGTTCAACATGCAAAAGACGAAGCAACAGCATT
ATTAATAACTCTAATGATCTTAACCAAGCACAGAAAGATGCATTAAACAACAAGTACAAAATGCAACTACTGTAGCTGG
TGTAACAATGTTAAACAACCGCGCAAGAGTTAAACAATGCGATGACACAATTAAACAAGGCATTGCAGATAAAGAAC
AAACAAGCTGATGGTAAGTGTGCAATGCAGATTCTGACAAGCAAAATGCATATAATCAAGCAGTAGCGAAAGCTGAA
GCATTAATTAGTGGTACGCCTGATGTTGTCGTTACACCTAGCGAAATTACTGCAGCGTTAAATAAAGTTACGCAAGCTAA
AAATGATTTAAATGGTAATACAACTTAGCAACGGCGAAACAACAAATGTTCAACATGCTATTGATCAATTGCCAACTTAA
ACCAAGCGCAACGTGATGAATACAGCAAAACAATCACGCAAGCAACACTTGTACCAAACGTCAATGCTATTCAACAAGCG
GCAACAACGCTTAATGACGCGATGACACAATTGAAACAAGGTATTGCGAATAAAGCACAATTAAGGTAGCGAGAATA
TCACGATGCTGATACTGACAAGCAACAGCATATGATAATGCAGTAACAAAAGCAGAAGAATTGTTAAACAACAACA
ATCCAACAATGGATCCAAATACAATTCAACAAGCATTAACTAAAGTGAATGACACAATCAAGCACTTAACGGTAATCAA
AAATTAGCTGATGCCAAACAAGATGCTAAGACAACACTTGGTACACTAGATCATTTAAATGATGCTCAAAAACAAGCGCT
AACAACCTCAAGTTGAACAAGCACCAGATATTGCAACAGTTAATAATGTTAAGCAAAATGCTCAAAATCTGAATAATGCTA
TGACTAACTTAAACAATGCATTACAAGATAAACTGAGACATTAAATAGCATTAACCTTTACTGATGCAGATCAAGCTAAG
AAAGATGATTATACTAATGCGGTTTCACATGCAGAAGGTATTTTATCTAAAGCAAAATGGCAGCAATGCAAGTCAAACCTGA
AGTGGAACAAGCGATGCAACGTGTGAACGAAGCGAAACAAGCATTGAATGGTAATGACAATGTACAACGTGCAAAAGATG
CAGCGAAACAAGTAATTACAAATGCAAAATGATTTAAATCAAGCGCAAAAAGATGCATTAAACAACAAGTCGATGCTGCG
CAAACCTGTTGCAAAATGTAAACACGATTAAGCAACAGCACAAGATTTAAATCAAGCAATGACACAATTGAAACAAGGTAT
TGCAGATAAAGACCAAACCTAAAGCAAATGGTAACTTTGTCAATGCTGATACTGATAAGCAAAATGCATATAACAATGCGG
TAGCGCATGCTGAACAAATCATTAGTGGTACACCAAATGCAAACGTGGATCCACAACAAGTGGCTCAAGCGTTACAACA
GTGAATCAAGCTAAGGGTGATTTAAACGGTAACCACAACCTTACAAGTTGCTAAAGACAATGCAAATACAGCCATTGATCA
GTTACCAAACCTTAAATCAACCACAAAAAACAGCATTAAGAGACCAAGTGTGCGATGCAGAACTTGTTACAGGTGTTAATG
CTATTAAGCAAAATGCTGATGCGTTAAATAATGCAATGGGTACGTTGAAACAACAATTCAGCGAATAGTCAAGTACCA
CAATCAGTTGACTTTACACAAGCGGATCAAGACAACAACAAGCTTATAACAATGCAGCTAACCAAGCGCAACAAATCGC
AAATGGCACACCAACACCTGTATTGGCGCCTGATACAGTAACAAAAGCAGTTACAACCTATGAATCAAGCGAAAGATGCAT
TAAACGGTGATGAAAATTAGCGCAAGCGAAACAAGATGCTTTAGCAAATCTTGATACGTTACGTGACTTAAATCAACCA
CAACGTGATGCATTACGAAACCAAATCAATCAAGCACAAGCTTTAGCTACAGTTGAACAACTAAACAATAATGCACAAAA
TGTGAATACAGCAATGGGTAACTTGAAACAAGGTATTGCAAATAAAGATACTGTGAAAGCAAGTGAGAACTACCACGATG
CTGATGTCGATAAGCAAACAGCATATACAAATGCAGTGTCTCAAGCGGAAGGTATTATCAATCAAACGACAAATCCAACG
CTTAACCCAGATGACATTACTCGTGCAATTAACCTCAAGTGACTGATGCTAAAAATAGCTTAAACGGTGAAGCTAAATTAGC
CACTGAAAAGCAAAATGCTAAAGATGCCGTAAGTGGAATGACGCATTTAAACGATGCTCAAAAACAAGCATTAAAGGTC
AAATCGATCAATCGCCTGAAATTGCTACAGTGAACCAAGTTAAACAACAGCAACGAGCCTAGATCAAGCAATGGATCAA
TTATCACAAGCTATTAATGATAAAGATCAAATATTAGCGGACGGTAATTACTTAAATGCAGATCCTGACAAACAATAATGC
GTATAAACAGGCAGTAGCAAAAGCTGAAGCATTATTGAATAAACAAGTGGTACTAATGAAGTACAAGCACAAGTTGAAA
GCATCACTAATGAAGTGAACGCAGCGAAACAAGCATTAAATGGTAATGACAATTTGGCAAATGCAAAAACAACAAGCAAAA

CAACAATTGGCGAACTTAACACACTTAAATGATGCACAAAAACAATCATTTGAAAGTCAAATTACACAAGCGCCACTTGT
TACAGATGTCACTACGATTAATCAAAAAGCACAAACGTTAGATCATGCGATGGAATTATTAAGAAATAGTGTGCGGATA
ATCAAACGACATTAGCGTCTGAAGATTATCATGATGCAACTGCGCAAAGACAAAATGACTATAACAAAGCTGTAACAGCT
GCTAATAATATCATTAATCAAACCTACATCGCCTACGATGAATCCAGATGATGTTAATGGTGCAACGACACAAGTGAATAA
TACGAAAGTTGCATTAGATGGTGATGAAAACCTTGCGAGCAGCTAAACAACAAGCAAACAACAGACTTGATCAATTAGATC
ATTTGAATAATGCGCAAAAGCAACAGTTACAATCACAAATTACGCAATCATCTGATATTGCTGCAGTTAATGGTCACAAA
CAAACAGCAGAATCTTTAAATACTGCGATGGGTAACCTTAATTAATGCGATTGCAGATCATCAAGCCGTTGAACAACGTGG
TAACTTCATCAATGCTGATACTGATAAAACAACTGCTTATAATACAGCGGTAAATGAAGCAGCAGCAATGATTAACAAAC
AACTGGTCAAAATGCGAACCACAGAAAGTAGAACAAGCTATTACTAAAGTTCAAACAACACTTCAAGCGTTAAATGGA
GATCATAATTTACAAGTTGCTAAAACAAATGCGACGCAAGCAATTGATGTTTTAACAAAGCTTAAATGATCCTCAAAAAAC
AGCATTAAAAGACCAAGTTACAGCTGCAACTTTAGTAACTGCAGTTCATCAAATTGAACAAAATGCGAATACGCTTAACC
AAGCAATGCATGGTTTAAGACAGAGCATTCAAGATAACGCGAGCAACTAAAGCAAATAGCAAATATATCAACGAAGATCAA
CCAGAGCAACAAAACCTATGATCAAGCTGTTCAAGCCGCAAATAATATTATCAATGAACAAACTGCAACATTAGATAATAA
TGCGATTAAATCAAGTAGCGGCAACTGTGAATACAACGAAAGCAGCATTACATGGTGATGTGAAATTACAAAATGATAAAG
ATCATGCTAAACAAACGGTTAGCCAATTAGCACATCTAAACAATGCACAAAAACATATGGAAGATACGTTAATTGATAGT
GAAACAACCTAGAACAGCAGTTAAGCAAGATTTGACTGAAGTACAAGCATTAGATCAACTTATGGATGCATTACAACAAAG
TATTGCTGACAAAGATGCAACACGTGCGAGCAGTGCATATGTCAATGCAGAACCGAATAAAAAACAAGCCTATGATGAAG
CAGTTCAAAATGCTGAGTCTATCATTGCAGGATTAAATAATCCAACCTATCAATAAAGGTAATGTATCAAGTGCGACTCAA
GCAGTAATATCATCTAAAAATGCATTAGATGGTGTGTAACGATTAGCTCAAGATAAGCAAACCTGCTGGAAATTCTCTAAA
TCATTTAGATCAATTAACACCAGCTCAACAACAAGCGCTAGAAAATCAAATTAATAATGCAACAACCTTGTGATAAAGTGG
CTGAAATCATTGCACAAGCGCAAGCATTAAATGAAGCGATGAAAGCATTAAAAGAAAGTATTAAGGATCAACCACAACT
GAAGCAAGTAGTAAATTTATTAACGAGGATCAAGCGCAAAAAGATGCATATACGCAAGCAGTACAACACGCGAAAGATTT
GATTAACAAAACAACTGATCCTACATTAGCTAAATCAATCATTGATCAAGCGACACAGGCAGTGACTGATGCTAAAAACA
ATTTACATGGTGATCAAAAACCTAGCTCAAGATAAGCAACGTGCAACAGAAACGTTAAATAACTTGTCTAACTTGAATACA
CCACAACGTCAAGCACTTGAAAATCAAATCAATAATGCAGCAACTCGTGGTGAAGTAGCACAAAAATTAAGTGAAGCACA
AGCACTTAACCAAGCAATGGAAGCTTTACGTAATAGCATTCAAGATCAACAACAAACAGAATCTGGTAGCAAGTTTATTA
ATGAAGATAAACCGCAAAAAGATGCTTACCAAGCAGCAGTTCAAAATGCAAAAGATTTAATTAACCAACAGGTAATCCA
ACGCTTGATAAAGCACAAGTTGAACAATTGACACATGCTTTTAAACAAGCTAAAGATAACCTACACGGTGATCAAAAACCT
TGCAGACGATAAAACAACATGCGGTTACTGATTTAAATCAATTAAATGGTTTGAATAATCCGCAACGTCAAGCACTTGAAA
GCCAAATAAAACAACGCAGCAACTCGTGGCGAAGTAGCGCAAAAATTAGCTGAAGCAAAAGCGCTTGATCAAGCAATGCAA
GCATTACGAAATAGTATTCAAGATCAACAACAAACGGAAGCGGGTAGCAAGTTTATCAATGAAGATAAACCGCAAAAAGA
TGCTTACCAAGCAGCAGTTCAAAATGCAAAAGATTTAATTAACCAACAGGTAATCCAACACTCGACAAATCACAAAGTAG
AACAAATTAACACAAGCAGTAACAACCTGCAAAAGATAATCTACATGGTGATCAAAAACCTTGCTCGTGATCAACAACAAGCA
GTAACAACCTGTAAATGCATTGCCAACTTAAATCATGCACAACAACAAACATTAAGTATGCTATAAATGCAGCGCCTAC
AAGAACAGAGGTTGCACAACATGTTCAAACCTGCTACTGAACTTGATCACGCGATGGAAACATTGAAAAATAAAGTTGATC
AAGTGAATACAGATAAGGCTCAACCAATTAAGTGAAGCGTCAACTGATAAAAAAGAAGCAGTAGATCAAGCGTTACAA
GCTGCACAAAGCATTACAGATCCAACCTAATGGTTCAAATGCGAATAAAGACGCTGTAGAACAAGCATTAACTAAGCTTCA
AGAAAAAGTGAATGAGTTAAATGGTAATGAGAGAGTCGCTGAAGCTAAACACAAGCGAAACAACTATTGACCAATTAA
CACATTTAAATGCTGATCAAATTGCAACTGCTAAACAAAATATTGATCAAGCGACGAACTTCAACCAATCGCTGAATTA
GTAGATCAAGCAACGCAATTGAACCAATCAATGGATCAATTACAACAAGCAGTTAATGAACATGCTAACGTTGAGCAAAC
TATAGATTACACACAAGCAGATTCAGATAAGCAAAAGGCTTATAACAAGCGATTGCTGATGCTGAAAATGTATTGAAAC
AAAATGCGAATAAGCAACAAGTGGATCAAGCACTTCAAAATATTTTAAATGCAAAACAAGCATTAAATGGTGATGAACGT
GTAGCACTTGCTAAAACAAATGGTAAACATGACATCGACCAATTGAATGCATTAAACAATGCTCAACAAGATGGATTTAA
AGGTGCGATCGATCAATCAAACGATTTAAATCAAATCCAACAAATTGTAGATGAGGCTAAGGCACTTAATCGTGCAATGG
ATCAATTGTCACAAGAAATCACTGGCAATGAAGGACGCACGAAAGGTAGCACGAACTATGTCAATGCAGATACACAAGTC
AAACAAGTATATGATGAAGCGGTTGATAAAGCGAAACAAGCACTTGATAAATCGTCTGGGCAAACTTAACTGCAGAACA
AGTTATCAAATTAATGATGCAGTCACTGCAGCTAAGAAAGCATTAAATGGTGAAGAAAGACTTAATAATCGTAAAGCTG
AAGCATTACAAAGATTGGATCAATTAACACATCTAAACAATGCTCAAAGACAATTAGCAATCCAACAAATTAATAATGCT
GAAACGCTAAATAAAGCATCTCGAGCAATTAATAGAGCAACTAAATTAGATAATGCAATGGGTGCAGTACAACAATATAT
TGACGAACAGCACCTTGGTGTTATCAGCAGCACAAATTACATCAATGCAGATGACAATTTGAAAGCAAATTTATGATAATG
CAATTGCGAATGCAGCACATGAGTTAGATAAAGTGCAAGGTAATGCAATTGCAAAAGCTGAAGCAGAGCAATTGAAACAA
AATATTATCGATGCTCAAATGCATTAAATGGAGACCAAAACCTTGCAAATGCCAAAGATAAAGCAAATGCGTTTGTAA
TTCGTTAAATGGATTAAATCAACAGCAACAAGATCTTGACATAAAGCAATTAACAATGCCGATACTGTATCAGATGTAA
CAGATATTGTTAATAATCAAATTGACTTAAATGATGCAATGGAAACATTGAAACATTTAGTTGACAATGAAATCCAAAT
GCAGAGCAAACCTGTCAATTACCAAAACGCTGACGATAATGCTAAAACAACTTTCGATGATGCCAAACGTCTAGCAAATAC
ATTGCTAAATAGTGATAACACAAATGTGAATGATATCAATGGCGCAATCCAAGCAGTCAATGATGCAATCCATAATCTTA
ATGGTGATCAACGACTACAAGATGCTAAAGACAAGGCAATTCAATCAATTAATCAAGCTTTAGCTAATAAGCTAAAAGAA
ATCGAAGCTTCAAATGCGACGGATCAAGACAAGCTTATTGCGAAAAATAAAGCAGAAGAAATTGGCAAACAGCATCATCAA
CAACATTAATAAAGCAACAAGTAATCAGGCTGTATCTCAAGTTCAAACAGCAGGCAACCACGCGATTGAACAAGTGCGATG
CTAATGAAATACCAAAAGCAAAAATTGATGCCAATAAAGACGTTGATAAGCAAGTTCAAGCATTAAATTGACGAAATTGAT
CGAAATCCAATCTAACAGATAAGGAAAAACAAGCACTTAAAGATCGTATTAATCAAATACTTCAACAAGGTCATAACGA

CATTAACAATGCGCTGACTAAAGAAGAAATTGAACAAGCTAAAGCACAACTTGCGCAAGCATTACAAGACATCAAAGATT
TAGTGAAAGCTAAAGAAGATGCGAAACAAGATGTTGATAAAACAAGTTCAAGCATTAAATTGACGAAATCGATCAAAATCCA
AATCTAACAGATAAGGAAAAACAAGCACTTAAAGATCGTATTAATCAAATACTTCAACAAGGTCATAACGGCATTAAACAA
TGCGATGACTAAAGAAGAAATTGAACAAGCCAAAGCACAACTTGACACAAGCATTAAAAGAAATTAAAGATTTAGTGAAAG
CTAAAGAAAATGCGAAACAAGATGTTGATAAAACAAGTTCAAGCATTAAATTGACGAAATCGATCAAAATCCAAATCTAACA
GATAAGGAAAAACAAGCGCTTAAAGATCGAATCAATCAAATACTGCAACAAGGTCATAACGACATTAAACAATGCGATGAC
TAAAGAAGAAATTGAACAAGCCAAAGCACAACTTGACACAAGCATTACAAGACATCAAAGATTTAGTGAAAGCTAAAGAAG
ATGCGAAAAATGCAATAAAAGCCTTAGCTAATGCGAAGCGTGATCAAATCAATTCAAATCCAGATTTAACACCTGAGCAA
AAAGCAAAAGCGCTCAAAGAAATTGACGAAGCTGAAAAACGAGCACTACAAAACGTTGAGAATGCTCAAACCTATAGATCA
ATTAATCGAGGATTAACCTTAGGTTTAGATGACATTAGAAATACACATGTATGGGAGGTTGATGAACAACCTGCTGTAA
ATGAAATTTTTGAAGCAACACCTGAGCAAATCCTAGTTAATGGTGAAGCTCATTGTACATCGTGATGACATCATTACAGAA
CAAGATATTCTTGCACACATAAACTTAATTGATCAGCTTTCAGCAGAAGTTATTGATACACCATCAACTGCAACGATTTTC
TGATAGCTTAACAGCAAAAGTTGAAGTTACATTGCTTGATGGATCAAAAGTGATTGTTAATGTTCTGTAAAAGTTGTAG
AAAAAGAATTGTCAGTAGTCAAACAACAGGCAATTGAATCAATCGAAAATGCGGCACAACAAAAGATTGATGAAATCAAT
AATAGTGTGACATTAACTGGAACAAAAAGAAGCTGCAATTGCAGAAGTTAATAAGCTTAAACAACAAGCAATTGATCA
TGTTAACAATGCACCTGATGTTTCAATTCAGTTGAAGAAATTCAACAACAAGAACAAGCGTATATTGAACAATTTAATCCAG
AACAAATTTACGATTGAACAAGCAAAATCAAATGCAATTAAATCGATTGAAGATGCAATTCAACATATGATTGATGAAATC
AAAGCTCGTACTGATCTAACAGATAAAGAGAAGCAAGAAGCTATTGCTAAGTTAAATCAATTAAAAGAACAAGCAATTCA
AGCGATTCAACGTGCGCAAAGCATCAGTGAAATAACTGAGCAATTGGAACAATTTAAAGCTCAAATGAAAGCAGCTAATC
CAACAGCAAAAGAACTAGCTAAACGCAAGCAAGAAGCTATTAGTAGAATTAAAGACTTTTCAAATGAAAAATAAATAGT
ATTCGAAATAGTGAAATTGGCACAGCTGATGAAAAACAAGCAGCAATGAATCAAATTAACGAAATTGTGCTTGAAACAAT
TAGAGATATTAATAATGCGCATAATTACAGCAAGTTGAGGCTGCATTGAACAATGGTATTGCTCGAATTTTCAAGCAGTAC
AAATTGTAATATCTGATCGTGCTAAACAATCGTCAAGTACTGGAAATGAATCTAATAGCCATTTAACAATTTGGTTATGGA
ACTGCAAATCATCCATTTAACAGTTTCACTATTGGACATAAAAAGAACTTGATGAAGATGATGACATTGATCCACTTCA
TATGCGTCACTTTAGTAATAATTTTCGGTAATGTTATTAAAAACGCTATTGGTGTGGTGGGTATCTCTGGCTTACTAGCTA
GTTTCTGGTTCTTCATTGCCAAACGTCGTCGTAAAGAAGATGAAGAGGAAGAATTAGAAATAAGAGATAATAATAAAGAT
TCAATAAAAGAGACTTTAGACGATACAAAACATTTACCACTTTTATTTGCGAAACGTCGCAGAAAAGAAGATGAAGAAGA
TGTTACTGTTGAAGAAAAAGATTCGCTAAATAATGGCGAGTCACTCGATAAAGTTAAACATACGCCGTTCTTCTTACCAA
AACGTCGTCGTAAAGAAGATGAAGAAGATGTGGAAGTTACAAATGAAAACACAGATGAAAAAGTGTTGAAAGATAACGAA
CATTCACCACTCTTATTCGCAAAACGACGCAAAGATAAAGAGGAAGATGTTGAAACAACAACCTAGTATTGAATCTAAAGA
TGAGGACGTTCTTTATTATTGGCTAAAAAGAAAAATCAAAAAGATAACCAATCCAAAGACAAAAGTCAGCATCAAAAA
ATACTTCTAAAAAGGTAGCAGCTAAAAAGAAGAAAAAGAAATCTAAGAAAAATAAAAAA

SEQ ID NO:47 polynucleotide sequence

TTGAATAATCGTGATAAATTACAAAAATTTAGTATTGCGAAAATACGCAATTGGAACATTTTCTACTGTGATTGCAACACT
TGTGTTTCATGGGTATCAATACAAACCATGCAAGTGCCGACGAGTTGAATCAAAATCAAAAGTTAATTAAACAATTAAATC
AAACAGATGATGATGATTTCGAATACGCATAGTCAAGAAATCGAAAATAACAAACAAAATTCTAGTGGGCAGACTGAATCA
TTACGTTTCATCAACTAGTCAAAATCAAGCAAATGCACGACTGTGCGATCAATTCAAAGACACTAATGAAACATCGCAACA
ATTACCTACAAATGTTTCGGATGATAGTATCAATCAATCGCATAGTGAAGCAAATATGAATAACGAACCATTGAAAGTTG
ATAATAGTACTATGCAAGCACATAGTAAAATAGTAAGCGATAGCGATGGGAATGCTTCTGAAAATAAACATCATAAACTA
ACAGAAAATGTACTTGCAGAAAGCCGAGCAAGTAAAAATGACAAAGAGAAAGAGAATCTACAAGAGAAAGATAAATCGCA
GCAAGTACATCCACCATTAGATAAAAAATGCATTACAAGCTTTTTTTTGACGCATCATATCACAATTACAGAATGATTGATA
GAGATCGTGCGGATGCAACAGAATATCAAAAAGTCAAATCTACTTTTGACTACGTCAATGACTTACTAGGTAATAATCAA
AATATTCCTTCAGAACAGCTTGTTTCGGCATATCAACAATTAGAGAAAGCATTAGAACTTGCACGTACGTTACCACAACA
ATCTACTACAGAAAAACGTGGTAGAAGAAGTACGAGAAGTGTTGTTGAGAATCGTTCATCAAGAAGCGATTACTTAGATG
CTAGAACTGAATATTATGTTTCAAAGACGATGATGATTCTGGTTTCCCTCCTGGTACTTTCTTCCATGCTTCAAATAGA
AGATGGCCTTATAATTTACCAAGATCTAGGAACATCTTACGTGCTTCTGATGTACAAGGTAATGCTTATATCACTACAAA
ACGACTTAAAGATGGATATCAATGGGATATTTTATTTAATAGTAATCATAAAGGGCATGAATATATGTACTATTGGTTTG
GACTTCCAAGTGATCAAACACCAACTGGTCCAGTAACTTTCACTATTATCAACCGTGATGGTTCAAGTACATCTACTGGT
GGCGTTGGATTTGGATCAGGTGCACCACTACCTCAATTTTGAGATCAGCAGGTGCTATTAATTCTAGCGTAGCGAATGA
TTTTAAACATGGCTCCGCTACAAATTATGCATTTTATGATGGTGTAAATAATTTTTCTGACTTTGCTAGAGGGGGAGAAT
TATACTTCGACAGAGAAGGCGCTACACAACTAATAAATATTATGGCGATGAAAACCTTCGCATTGCTAAATAGTGAGAAA
CCAGATCAAATAAGAGGATTAGATACAATATATAGTTTTAAAGGTAGTGGTGATGTAAGTTATCGTATTTTCATTTAAAC
TCAAGGAGCTCCAAGTGAAGATTGTATTATGCTGCTGGCGCGCGTTCTGGTGAATATAAACAAGCAACGAACCTATAACC
AACTCTATGTGCAACCTTATAAGAATTATCGAAATCGAGTACAGTCAAATGTCCAAGTTAAAAATCGTACACTTCATTTA
AAAAGAACAATCAGACAATTCGATCCTACATTACAGAGAACTACTGATGTTTCTATTTTGGATAGTGACGGTTCCGGAAG
TATTGATTCGGTATACGACCCATTAAGTTATGTAAAGAATGTGACTGGTACAGTCCTAGGTATTTATCCATCTTATCTTC
CTTATAATCAGGAAAGATGGCAGGGAGCTAATGCAATGAATGCCTATCAAATTTGAAGAACTTTTTTTCACAAGAAAATCTT
CAAAATGCAGCACGTTCAAGCCGTCCAATTTCAATTTCTTGAGGTTTTGATGTTGAAGATAGCCATCATAACCTGAAAC
TCTTTTACCAGTAAATTTATATGTAAAACCTGAGTTAAAACATACAATTGAGTTATATCACGATAATGAAAAACAAGATA
GAAAGGAATTTTCAGTATCGAAA

SEQ ID NO:48 polynucleotide sequence

ATGAGTGGAACGCTTCATAACACTGTAGGATCAGGAATATTACCTTATCAACAAGAGATACGTATCAAACCTTACTAGTAA
TGAACCAATTAAAGATAGTGAATGGTCTATTACAGGATATCCTAACACGCTTACATTACAAAACGCTGTGGGTAGAACAA
ATAATGCTACTGAAAAAACTTAGCTCTTGTGGTCATATTGATCCAGGAAATTATTTTCATCACTGTTAAGTTTGGTGAT
AAAGTAGAACAAATTTGAAATTAGATCAAAACCAACTCCACCAAGAATCATTACAACCTGCTAATGAATTACGTGGAAATCC
TAACCATAAGCCTGAAATAAGAGTAACAGATATACCAAATGATACTACTGCTAAAATCAAACCTTGTGATGGGCGGAACCG
ATGGCGATCATGATCCAGAAATAAATCCATATACTGTCCCTGAAAACCTACACAGTAGTTGCAGAAGCATACCATGATAAT
GATCCAAGTAAAAATGGGGTCTTAACATTCCGTTTCATCAGACTACCTTAAAGATCTACCATTAAGCGGTGAATTAAAGGC
AATTGTTTATTACAATCAATATGTACAATCAAACCTTTAGTAAAAGCGTTCCGTTTAGTAGCGATACAACACCACCTACAA
TTAATGAACCGGCAGGACTAGTTCATAAGTATTACAGGGGAGATCATGTAGAAATTACTCTTCCAGTCACTGATAATACT
GGCGGTTTCAGGTTTAAGAGATGTAAACGTCAATTTACCTCAAGGTTGGACAAAAACCTTTACAATCAATCCTAATAATAA
TACTGAGGGTACGCTTAAGTTAATTGGTAATATACCTAGTAATGAAGCATATAATACGACATATCATTTCAATATTACTG
CAACCGATAATTCTGGAAATACAACAAATCCAGCTAAAACCTTTATTTTAAATGTTGGTAAGTTGGCTGATGATTTAAAT
CCAGTCGGATTATCTAGAGATCAACTACAATTAGTGACAGACCCTTCTTCATTATCTAATTCGGAACGAGAAGAGGTAAA
AAGAAAAATAAGTGAAGCAAATGCTAATATAAGATCATATTTATTACAAAATAACCCAATACTCGCTGGAGTAAACGGCG
ATGTTACATTTTATTATAGAGATGGTTCTGTAGATGTTATTGATGCTGAAAATGTAAATCACATATGAGCCCGAAAGAAAA
TCCATTTTCAGTGAAAATGGTAATACAAATAAAAAAGAAGCAGTAATCACTATTGCTAGAGGACAAAACCTATACCATTGG
TCCAAACCTTAAGAAAAATTTTCTCATTAAGTAATGGTTCGGATTTACCTAATAGAGATTTACCTCTATATCAGCTATTG
GATCTTTACCTTCATCGAGTGAAATTAGTCGACTCAATGTTGGAAATTATAACTATAGAGTTAATGCTAAAAATGCTTAT
CATAAGACTCAACAAGAACTTAATTTAAAACCTTAAAATAGTAGAGGTTAATGCACCTACTGGTAATAATCGTGTATATAG
AGTTAGTACTTATAATTTAACTAATGATGAAATCAATAAAATCAAACAAGCATTTAAAGCAGCTAATCTGGACTTAATT
TAAACGATAACGATATCACTGTTTTCGAATAACTTTGACCATAGAAATGTTAGTAGTGACAGTAACCTATACGTAAGGGC
GATTTGATAAAAGAGTTTTTCATCAAATCTCAATAATATGAATTTCTTACGTTGGGTAAATATAAGGGATGATTATACCAT
TTCGTGGACTTCTAGTAAGATTCAAGGTAGAAATACAGATGGTGGATTAGAATGGTCACCAGATCATAAATCACTTATTT
ATAAATATGATGCAACATTAGGTAGACAAATAAATACTAATGACGTGTTAACTTTACTTCAAGCAACAGCTAAAAACCTCA
AATTTACGTTCAAATATCAATAGTAATGAAAAACAGTTAGCAGAACGAGGGTCTAATGGGTATTCTAAATCTATAATTAG
AGATGATGGCGAGAAATCTTATTTACTTAACTCAAATCCTATTCAAGTATTAGACTTAGTAGAACCAGATAATGGTTACG
GTGGACGTCAAGTCAGTCATTCTAACGTTATATATAATGAAAAAAATTCCTTCTATCGTAAATGGTCAAGTTCAGAAAGCT
AATGGGGCATCCGCTTTTAAATATTGATAAAGTTGTTAAAGCTAATGCGGCAAATAATGGTATTATGGGTGTTATCTATAA
GGCACAATTATACTTAGCACCATACAGTCCAAAAGGTTACATTGAAAATTAGGCCAAAATTTAAGCAATACCAATAACG
TGATTAATGTTTATTTTGTGCCTTCTGATAAAGTAAATCCTAGTATAACTGTAGGTAATTACGACCATCATAACGGTATAT
TCTGGTGAAACATTTAAAAATACTATCAATGTAAATGATAATTATGGATTAAATACAGTAGCTTCTACAAGTGATAGTGC
AATTACTATGACCAGAAACAACAACGAGTTAGTAGGTCAGGCTCCTAATGTTACTAATAGCATAAATAAAATTGTAAAAG
TTAAAGCCACAGATAAAAGTGGAAATGAAAGTATTGTTTCTTTCACAGTAAATATAAAACCATTAACGAGAAATATAGA
ATAACAACCTTCATCAAGTAATCAAACACCAGTGAGAATTAGTAATATTCAAAACAATGCTAACCTTTCAATTGAAGATCA
AAATAGAGTAAAATCTTCACTCAGCATGACTAAAATTTTAGGTACAAGAAATTATGTCAATGAGTCAAATAATGACGTTTC
GTAGTCAAGTTGTAAGTAAAGTAAATAGAAGTGGGAACAATGCTACAGTTAATGTTACAACTACATTTTCTGATGGTACA
ACTAATACAATAACCGTTCCAGTTAAACATGTGTTATTAGAAGTTGTACCTACTACTAGAACAACAGTAAGAGGACAACA
ATTTCCAACCGGCAAAGGAACCTCCCCAAATGATTTCTTTAGTTTAAAGAACGGGAGGTCCAGTTGATGCGAGAATAGTTT
GGGTAAATAATCAGGGACCCGATATAAATAGTAATCAAATTGGTAGAGATTTAACATTACACGCTGAAATATTCTTTGAT
GGTGAAACAACACCAATTAGAAAAGATACTACTTACAACTTAGTCAATCTATTCCAAAGCAAATATATGAAACAACCTAT
CAATGGTTCGATTTAATTCATCAGGTGATGCATATCCAGGAAATTTTGTTCAGCAGTAAATCAATATTGGCCAGAACATA
TGGACTTCAGATGGGCCCAAGGATCAGGCACACCAAGTTCTCGTAATGCAGGTTCAATTTACTAAAACAGTTACGGTAGTT
TATCAAACCGGCCAAACTGAAAACGTTAATGTACTATTCAAAGTCAAACCAAATAAACCTGTTATTGATAGTAATAGTGT
GATTTCAAAGGACAATTAAATGGTCAACAAATTTTAGTTTCGAAATGTTCCACAAAATGCACAAGTCACTCTATATCAAT
CAAATGGAACGTGTTATTCTAATACAAATACAACTATAGATTCTAATGGTATAGCTACTGTAACAATTCAAGGCACTCTA
CCAACCGGAAATATTACTGCTAAAACCTCAATGACAAATAATGTAACTGTAACCTAAACAAAATAGTAGTGGAATTGCTTC
AAATACAACCTGAAGATATAAGTGTTTTTTTCAGAAAACAGTGATCAAGTAAATGTTACCGCTGGCATGCAAGCTAAAATG
ATGGTATTAAAATAATTAAAGGTACAACTATAATTTTAATGACTTCAATAGTTTCATAAGTAATATACCAGCCCATTCT
ACTCTTACATGGAACGAGGAGCCTAATAGTTGGAAAAACAACATCGGTACTACAACAAAAACTGTTACAGTTACTCTACC
TAATCATCAAGGTACGAGAACTGTAGATATTTCAATAACAATCTATCCAACAGTTACAGCTAAGAATCCAGTAAGAGATC
AAAAAGGACGAACTTAACCAATGGTACTGACGTTTATAATTATATTTTGTAAAATAATAACCGTCTTGGAGGAACA
GCTTCTTGGAAAGACAATCGTCAACCTGATAAAAACATAGCCGGTGTACAAAATTTAATTGCACTTGTTAATTATCCTGG
CATATCTACACCATTAGAAGTTCCTGTTAAAGTGTGGGTATATAATTTTGATTTCACTCAACCTATCTACAAAATTCAG
TAGGAGATACATTCCTAAAGGAACATGGGCAGGCTATTACAAACATCTTGAAAATGGAGAGGGATTACCAATAGATGGT
TGGAATTTTATTGGAACCAGCAAAGTACAGGAACCTACTAGTGATCAATGGCAATCATTAGCATATACTAGAACTCCTTT
TGTTAAAACCTGGTACTTATGATGTCGTTAATCCTAGCAACTGGGGTGTGTTGGCAAACATCACAATCAGCTAAATTTATAG
TTACAAATGCTAAACCTAATCAACCAACCATAAATCAGTCTAAAACCTGGTGATGTAACAGTAACACCTGGTGCTGTGCGT
AATATACTAATAAGTGGGACAAATGATTATATCCAAGCATCTGCAGATAAGATTGTTATTAATAAAAAATGGAAATAAATT
AACTACATTTGTTAAAATAATGATGGTCGTTGGACTGTTGAAACTGGGTACCTGACATAAATGGTATCGGACCAACAA

ATAACGGAAC TGCTATATCTTTAAGTCGATTAGCAGTTAGACCTGGGGATTCAATAGAAGCAATAGCGACTGAAGGTTCC
GGAGAACTATAAGTACTTCAGCAACTAGTGAAATTTATATTGTCAAAGCTCCACAACCTGAACAAGTAGCAACTCATACT
TTATGATAATGGAACATTCGATATATTACCTGACAATTCACGTAATTCCTTTAAATCCAACCTGAACGTGTGAAATTAATT
ACACTGAAAAATTAAATGGCAATGAAACACAAAAATCATTCACTATTACTAAAAATAACAACGGCAAATGGACGATAAAT
AATAAACCAAATTATGTCGAGTTCAATCAGGATAATGGTAAAGTTGTATTTTCGGCCAATACAATTAACCTAATTCTCA
AATTACAATAACTCCTAAAGCAGGTCAGGGTAACACTGAAAACACAAATCCTACTGTAATTCAGCACCTGCGCAACATA
CTTTAACAATCAATGAAATTGTTAAAGAACAGGGTCAAAATGTGACTAATGATGATATTAATAATGCGGTTCAAGTGCCA
AATAAAAAATAGAGTTGCGATTAAACAAGGAAACGCTCTTCCAACAAATTTAGCTGGTGGTAGTACATCACATATTCCAGT
AGTTATTTTATTACAGTGATGGAAGTTCTGAAGAAGCTACTGAGACTGTTAGAACTAAAGTTAATAAAACCGAATTAATCA
ATGCTCGTCGTCGACTAGATGAAGAAATTAGTAAAGAGAACAAAACACCATCAAGTATCAGAACTTTGATCAAGCTATG
AATCGTGCTCAATCACAAATTAATACAGCTAAAAGTGATGCTGACCAAGTTATAGGCACAGAATTTGCAACACCTCAACA
AGTAAATTCAGCTTTATCTAAAGTTCAAGCGGCACAAAATAAAATAAATGAAGCTAAAGCATTATTACAAAACAAGGCTG
ATAATAGTCAACTTGTGAGAGCAAAAGAACAATTACAACAATCGATTCAACCAGCCGCTTCAACTGATGGTATGACTCAA
GATAGCACAAGGAAGTACAACAATAAACGCCAAGCAGCTGAACAAGCAATACAACATGCAAATAGCGTTATAAATAATGG
AGATGCAACATCCCAACAAATTAATGATGCTAAAAACACAGTTGAACAGGCACAGAGAGATTATGTTGAAGCTAAAAGCA
ACTTACGTGCTGATAAGTCACAGTTACAAAGCGCTTATGATACGTTAAATAGAGATGTTTTAACAAATGATAAAAAGCCA
GCATCTGTAAGACGCTATAATGAAGCCATTTCAAATATTAGAAAAGAATTAGATACAGCTAAAGCGGATGCAAGTAGTAC
TTTGCGAAACACCAATCCTTCCGTTGAACAAGTTAGAGACGCTTTAAATAAAATAAATACTGTTCAACCTAAAGTGAATC
AAGCAATTGCTTTACTTCAACCAAAAAGAAAATAATTCAGAACTTGTACAAGCTAAAAAACGTTTACAAGACGCTGTAAAT
GACATACCTCAAACACAAGGTATGACACAACAAACAATTAATAATTATAATGACAAACAACGTGAAGCTGAAAGAGCACT
TACATCTGCACAAAGAGTGATTGATAATGGGGATGCTACAACCTCAAGAAATTACTTCTGAAAAATCTAAAGTAGAGCAAG
CAATGCAAGCTTTAACTAATGCTAAAAGTAATCTGAGAGCTGATAAGAATGAGTTACAGACTGCATATAACAAATTAATT
GAGAACGTATCTACCAATGGTAAAAAACCGGCGAGTATACGTCAATACGAAACAGCCAAAGCCAGAATACAAAATCAAAT
TAATGATGCTAAAAATGAAGCGGAGCGAATTTTAGGTAATGATAATCCACAAGTATCACAAGTAACTCAAGCATTGAACA
AAATCAAAGCTATTCACCAAAAATTAACAGAAGCTATCAACATGCTTCAAACCAAAGAAAATAATACAGAATTAGTCAAT
GCTAAAAACAGACTTGAAAATGCAGTAAATGATACAGATCCAACACACGGTATGACTCAAGAAACAATTAATAATTACAA
CGCTAAAAAGCGAGAAGCTCAAAATGAAATACAAAAAGCGAACATGATTATTAATAATGGAGATGCTACTGCTCAAGATA
TTTCTTCTGAAAAATCTAAAGTAGAGCAAGTATTACAAGCATTACAAAATGCTAAGAATGACTTAAGAGCTGATAAAAGA
GAATTACAGACTGCATACAATAAACTTATACAAAATGTTAATACCAATGGTAAAAAACCATCTAGTATTCAAACTATAA
GTCTGCAAGACGAAATATCGAAAACCAATATAATACCGCTAAAAATGAAGCACATAATGTTCTTGAAAATACAAACCTA
CTGTAAATGCAGTAGAAGATGCTTTACGTAAAGATAAATGCAATTCAACCAGAGGTTACAAAAGCTATTAATATACTTCAA
GATAAAGAAGATAATAGCGAACTTGTAGAGCAAAAGAAAAATTAGATCAAGCGATTAATAGTCAACCATCACTAAATGG
TATGACTCAAGAATCTATTAATAATTACACAACAAAACGTAGAGAAGCACAAAATATAGCAAGTTCTGCTGACACTATTA
TTAATAATGGGGATGCATCTATTGAACAAATAACAGAAAATAAAATTCGAGTTGAAGAGGCAACTAATGCACTTAACGAA
GCAAAACAACATTTAACGGCAGATACAACCTTCTTTAAAAACTGAAGTACGGAAATTAAGTAGGAGAGGCGACACAAACAA
CAAAAAGCCTAGCAGTGTTAGTGCTTATAACAATACTATTCATTTCGCTACAATCTGAAATTACACAGACTGAAAATAGAG
CAATACTATCATCAATAAGCCTATTCGTTCTGTTGAAGAAGTAAATAATGCATTGCATGAAGTAAACCAATTGAACCAA
CGCTTAACAGATACAATTAACCTTATTACAACCTTTAGCGAATAAAGAAAGCTTAAAAGAAGCTCGTAATCGACTTGAAAG
TAAAATTAATGAAACCGTTCAAACAGACGGTATGACTCAACAATCTGTTGAGAATTATAAGCAAGCTAAAATAAAAGCTC
AAAATGAATCTAGTATTGCACAACTCTTATTAATAATGGTGATGCATCTGATCAAGAAGTTTCTACAGAAATAGAAAAA
TTAAATCAAAGCTGTCTGAATTAACAAATTCAATCAATCACTTAACAGTTAATAAAGAACCTTTAGAACTGCCAAAAA
TCAGTTACAAGCAAATATTGACCAAAAACCTAGCACTGATGGTATGACGCAACAATCTGTACAAAGCTATGAACGTAAAC
TACAAGAAGCCAAAGATAAAATAAACTCAATTAATAATGTCTTAGCTAACAATCCAGATGTTAATGCTATCAGAACAAAC
AAAGTTGAGACGGAACAAATCAATAATGAATTAACACAGGCGAAACAAGGTCTTACTGTTGATAAACAACCATTGATTAA
TGCAAAAACCTGCTTTGCAACAAAGTCTAGATAATCAACCAAGTACTACTGGTATGACTGAAGCAACAATTCAAAATTATA
ACGCTAAACGTCAAAAAGCAGAGCAAGTTATACAAAATGCAAATAAAATTAATTGAAAACGCTCAACCTAGTGTAACAA
GTGTCTGATGAGAAATCTAAGGTAGAGCAAGCACTCAGTGAATTGAACAACGCCAAATCAGCGCTTAGAGCTGATAAACA
AGAATTACAGCAAGCATATAATCAGTTGATTCAACCAACGGATTTAAATAATAAGAAACCAGCTTCTATCACTGCGTACA
ATCAAAGATATCAACAATTTAGTAACGAATTGAACAGCACTAAAACAAATACAGATCGCATTTTAAAAGAGCAAAATCCA
AGTGTAGCTGATGTCAACAATGCACTAAATAAAGTAAGAGAAGTACAACAAAAATTAACGAAGCCAGAGCACTTTTACA
AAATAAAGAAGATAATAGTGCACTAGTTTCGAGCCAAAGAACAACCTTCAACAGGCAGTTGACCAAGTCCCTTCAACAGAAG
GTATGACGCAACAACTAAAGATGATTACAATTCAAACAAACAAGCTGCTCAACAAGAAATATCAAAGCACAAACAAGTT
ATCGATAATGGCGATGCGACTACACAACAAATTTCTAACGCCAAAACAAATGTTGAACGCGCTTTAGAAGCATTAATAA
TGCAAAAACCTGGTTTAAAGAGCAGATAAAGAGGAACTTCAAATGCATATAATCAATTAACCTCAAATATTGATACGAGCG
GTAAAACGCCTGCAAGTATCAGGAAATACAATGAAGCTAAGTCACGTATTCAAACCTCAAATTGATTGAGCTAAAAATGAA
GCAACAGTATTTTAAACAATGACAATCCTCAAGTATCACAAGTGACTGCTGCGTTAAACAAAATAAAAGCTGTTCAACC
TGAATTAGATAAAGCGATAGCAATGCTTAAAAATAAAGAGAATAATAATGCATTGGTTCAAGCGAAACAACAACCTTCAAC
AAATTGTTAATGAAGTAGATCCAACACAAGGCATGACAACAGATACTGCTAATAACTATAAATCAAAAAACGTGAAGCT
GAAGATGAAATACAAAAGCTCAACAAATCATTAACAATGGCGATGCCACTGAGCAACAAATTAACGAACAAATAG
AGTAAATCAAGCGATTAATGCAATAAACAAAGCCAAAAACGATTTACGTGCTGATAAGTCTCAATTGGAAAATGCTTATA
ACCAATTAATACAAAATGTTGATACAAATGGTAAAAAACCTGCTAGTATTCAACAATACCAAGCTGCTCGACAAGCTATT

GAGACGCAATACAATAACGCTAAATCAGAAGCACATCAAATTCCTTGAAAATAGTAACCCCTTCAGTTAATGAAGTAGCACA
AGCATTACAAAAAGTTGAAGCTGTACAACCTTAAAGTTAATGACGCGATTCATATACTTCAAATAAAGAGAATAATAGTG
CACTTGTCACAGCTAAAAATCAACTTCAGCAATCAGTTAATGATCAACCATTAACAACAGGTATGACTCAAGATTCTATT
AATAACTATGAAGCTAAGAGAAATGAGGCTCAAAGTGCTATCAGAAATGCAGAAGCTGTCATCAACAATGGCGATGCAAC
TGCAAAACAAATTTTCAGACGAGAAATCTAAAGTTGAACAAGCACTAGCACATTTGAATGATGCTAAACAGCAATTAAGT
CAGATACTACTGAATTACAAACAGCAGTTCAACAATTAACAGAAGAGGCGATACAAATAATAAAAAGCCAAGAAGTATC
AATGCATATAATAAAGCAATTCAATCATTAGAAACACAAATTTACTTCTGCTAAAGATAATGCCAACGCTGTGATACAAAA
ACCTATACGTACTGTTCAAGAGGTAAATAATGCATTACAACAAGTAAATCAGTTGAATCAACAATTAAGTGAAGCAATTA
ATCAACTTCAACCGCTATCAAATAATGATGCATTAAAAGCTGCAAGATTAAATTTAGAAAATAAAATTAATCAAAGTGT
CAAAGTGAATGATGGTATGACACAACAATCTATAGAGGCTTATCAAACGCTAAACGCGTAGCCCAAATGAATCTAACACTGC
TTTAGCATTAATTAATAACGGCGATGCCGATGAACAACAAATTACAAGTGAACAGACCGAGTCAATCAGCAAAGTACAA
ACTTAACTCAAGCAATTAACGGGTTAACAGTTAATAAAGAACCATTAGAAACCGCTAAAACAGCGTTACAAAATAACATC
GACCAGGTACCTAGTACAGATGGTATGACTCAGCAATCTGTTGCAAATTTATAATCAAAAAGTACAAATAGCTAAAAACGA
AATTAACACAATTAATAACGTTTTAGCGAACAATCCAGATGTTAATGCAATCAAAACGAATAAAGCAGAAGCGGAACGAA
TCAGTAACGATTTAACACAAGCTAAGAATAACTTACAAGTTGATACTCAACCTTTAGAAAAATAAAAAGACAAGTTCAA
GATGAAATTGATCAAGGTACTAACACAGATGGAATGACTCAAGATTCAGTGGATAATTACAATGATAGCTTAAGTGCAGC
AATTATAGAAAAAGGCAAAGTAAATAAATTACTTAAACGTAATCCGACAGTAGAACAAGTTAAAGAGAGCGTTGCTAATG
CACAACAAGTCATACAAGATTTACAAAATGCTCGAAGTTCAGTTGTTCCAGACAAAAGTCAAGTTCAGGAAGCTAAAAAT
AGATTAGAAAACAGTATTAACCAACAAACAGATACTGACGGCATGACTCAAGATTCGCTTAACAATTATAATGATAAATT
AGCAAAAGCTAGACAAAACCTTGAAAAAATATCTAAAGTTTTAGGTGGTCAACCTACTGTAGCTGAAATTAGACAAAATA
CAGATGAAGCAAATGCACATAAACAAGCATTAGACACTGCACGTTCTCAAGTTACATTAAATAGAGAGCCATATATCAAT
CATATTAATAATGAAAGTCATTTAAATAACGCGCAAAAAGATAATTTTAAAGCTCAAGTTAACTCAGCACCTAATCATAA
TACTTTAGAAACGATTAAAAATAAGGCTGATACTTTAAATCAATCTATGACAGCATTAAAGTGAAAGTATTGCAGATTACG
AAAATCAAAAACAACAAGAAAATTATTTAGATGCATCTAACAATAAACGTCAAGACTATGACAATGCAGTCAATGCGGCT
AAAGGTATTTTAAACCAAAGTCAAAGTCCGACAATGAGTGCTGATGTGATTGATCAAAAAGCTGAAGATGTTAAACGTAC
GAAAAGTGCCTTAGATGGAAATCAAAGATTAGAAGTTGCTAAACAACAAGCACTTAATCATTAAATACCTTAAATGATT
TAAACGATGCTCAGCGACAAAGTTAACTGATACTATAAATCACTCTCCAAACATCAATTCAGTGAATCAAGCTAAAGAA
AAAGCTAATACTGTTAACACAGCAATGACTCAAGTGAACAAAGTATTGCTAACTATGACGATGAATTGCATGACGGCAA
TTACATTAATGCAGATAAAGACAAAAAGATGCTTATAATAACGCTGTAAACAATGCTAAACAAGTGAATTAATCAATCTG
ATGCTAATCAAGCACAACTTGATCCAGCTGAAATTAATAAAGTTACACAAAGAGTCAATACGACTAAAAATGATCTAAAT
GGTAATGACAAATTGGCTGAAGCTAAAAGAGATGCTAATAACAACCATGATGGTTTTAACTTATCTAAATGAAGCTCAACG
TAACAAAGCTAAAGAAAATGTAGGCAAAGCTTCTACAAAACAAATATTACGAGTCAGTTACAAGATTACAATCAATTGA
ATATTGCTATGCAAGCATTACGTAACAGTGTGAACGACGTTAACAAATGTTAAAGCAAATAGCAATTATATAAATGAAGAT
AATGGTCCAAAAGAAGCTTACAATCAAGCCGTTACTCATGCTCAAACATTGATAAATGCACAATCTAACCCTGAAATGAG
CCGTGACGTAGTAAATCAAAAACACAAGCAGTAAATACTGCCCATCAGAATTTACATGGACAACAAAAGTTAGAACAAG
CACAAAGTAGTGCTAATACAGAAATCGGTAACTTACCAAAGTAACTAATACTCAAAAAGCTAAAGAAAAGGAAGTGGTA
AATAGTAAACAAGTTCGTACGGAAGTACAAGAACAAGTAAACCAAGCTAAGTCACTAGATAGTTCTATGGGCACGTTAAA
ATCATTAGTTGCTAAACAACCTACAGTACAAAAACAAGTGTTTTATATTAACGAAGATCAACCTGAGCAATCTGCCTACA
ATGATTCATTACAATGGGACAAAGTATAATTAATAAACAAGCTGATCCAGTACTTGATAAAAGTCTTAGTTGATAACGCA
ATCAGTAACATTTCAAGTAAAGAGAATGCACTGCATGGTGAACAAAATTAACAAGTCTAAACGGAAGCAATTAATGC
ACTTAATACATTAGCTGATTTAAACACACCTCAGAAAGAGGCTATTAAACAGCTATTAAACACTGCTCATAACAAGAACTG
ATGTAAGTGCAGAGCAAAGTAAGGCTAATCAAATAAATAGTGCAATGCACACGTTGAGACAAAACATTTCTGACAACGAA
TCAGTAACAAACGAAAGTAATTATATTAACGCTGAACCCGAAAAACAACATGCCTTTACTGAGGCTCTAAATAATGCTAA
AGAAATAGTTAATGAACAACAAGCCACTCTTGATGCCAATTCAATTAACCAAAAAGCACAAGCGATTCTTACTACTAAAA
ATGCTTTAGATGGTGAAGAACAATTACGTCGTGCTAAAGAAAATGCCGATCAAGAAATCAATACGTTAAATCAATTGACT
GATGCGCAAAGAAATAGTGAAAAAGGTTTAGTCAACAGTTCTCAAAGTGAACAGAGTTGCTTCTCAATTAGCAAAAAGC
TAAAGAAGTAAATAAGGTGATGGAACAAGTGAATCACCTTATCAATGGTAAAAACCAAATGATAAATAGCAGTAAATTTA
TCAATGAAGATGCGAACCAACAACAAGCATATTCAAATGCGATTGCAAGTGCAGAAGCGCTTAAAAACAAATCACAAAAC
CCTGAATTAGATAAAGTAACAATTGAACAAGCAATTAATAATATTAATTTCTGCAATTAACAATCTAAACGGTGAAGCTAA
ACTGACTAAAGCTAAAGAAGATGCTGTTGCTTCAATAAACAACCTAAGCGGATTAACAAACGAGCAAAAACAAAAGAAA
ATCAAGCCGTTAATGGCGCTCAAAGTACAGACCAAGTTGCTAATAAATTACGTGATGCTGAAGCATTAGATCAATCAATG
CAAACATTACGTGACTTAGTTAACAATCAAATGCAATACATTCAACAAGTAATTATTTTAAACGAGGATTCAAGTCAAAA
GAATACTTATGATAATGCAATTGATAATGGCTCGACATATATAACTGGTCAACACAATCCAGAATTAAATAAATCTACTA
TTGATCAAACGATTAGCCGAATTAACACAGCTAAAAATGATTTACATGGTGTAGAAAAGTTACAAAGAGATAAGGGAACT
GCTAATCAAGAAATTTGACAAATTAGGTTATTTAAATGACCCTCAAAAATCTGGTGAGGAATCCTTAGTCAACGGTTCAA
TACACGTTCTGAAGTAGAAGAGCATCTTAATGAAGCTAAATCATTAAATAATGCAATGAAACAATTAAGAGATAAAGTAG
CTGAAAAGACTAATGTCAAACAAGTAGCGATTACATTAATGATTCAAGTGAACATCAACGTGGGTATGATCAAGCACTT
CAAGAAGCAGAAAATATTATTAATGAAATCGGTAATCCAACATTAAATAAATCGGAAATTGAACAAAAGTTACAACAATT
GACTGACGCTCAAAAATGCGTTACAAGGTTACATCTATTAGAAGAAGCTAAAAATAATGCGATTACTGGAATCAATAAAC
TTACAGCATTAAATGATGCACAACGTCAAAAAGCAATTGAAAATGTTCAAGCACAGCAGACAATCCAGCAGTTAATCAA
CAATTAAGTCTTGGATAGAGAAATAAATACTGCAATGCAAGCTTTACGAGATAAAGTAGGCCAACAAAATAACGTTACCA

ACAAAGTAATTATTTCAATGAAGATGAACAACCAAAACATAACTATGATAATTCTGTACAAGCCGGTCAAACCTATTATTG
ATAAACTTCAAGATCCAATCATGAACAAAAATGAAATTGAGCAGGCTATTAATCAAATCAATACGACTCAAACAGCGTTA
AGTGGAGAAAATAAATTACACACTGACCAAGAAAGCACAAATAGACAAATAGAAGGTTTATCTAGTTTGAACACAGCTCA
AATCAACGCCGAAAAAGATTTAGTCAATCAAGCTAAAACAAGAACAGATGTTGCTCAAAAGTTAGCTGCAGCTAAAGAAA
TAAATTCTGCTATGAGTAATTTAAGAGATGGCATTCAAAATAAAGAGGACATCAAACGTAGCAGTGCATATATCAACGCA
GATCCGACTAAAGTTACAGCTTACGATCAAGCACTACAGAACGCAGAAAATATCATCAATGCCACACCAAACGTAGAGCT
TAATAAAGCTACAATTGAACAAGCGCTATCACGCGTTCAACAAGCACACAAGATCTTGATGGTGTTCACAATTAGCTA
ATGCTAAACAACAAGCTACACAACTGTCAATGGGTAAATAGCTTAAATGACGGTCAAAGCGTGAATTAAATCTATTA
ATTAATTGAGCTAATACCCGTACAAAAGTACAAGAAGAATTAAACAAAGCAACTGAATTGAACCATGCGATGGAAGCTTT
AAGAAACAGTGTTCAAAACGTTGATCAAGTAAAACAAGTAGCAATTATGTCAATGAAGATCAACCTGAACAGCACAAATT
ATGATAATGCTGTCAATGAAGCTCAAGCTACAATCAACAACAATGCTCAACCTGTTCTAGACAAATTAGCTATAGAAGCT
TTAACTCAAACGTAAACACTACAAAAGATGCATTACATGGTGTCTAAAAACTGACACAAGACCAACAAGCTGCTGAAAC
TGGAATACGTGGTTTAAACGAGTCTCAATGAACCTCAGAAAAATGCTGAAGTAGCTAAAGTAACTGCAGCAACAACACGTG
ATGAAGTGAGAAATATTCGTCAAGAAGCAACAACATTAGATACTGCAATGCTTGGTTTACGTAAAAGCATTAAAGATAAA
AACGATACTAAAAATAGTAGTAAATATATTAATGAGGATCATGACCAACAACAAGCTTATGACAATGCTGTAAATAATGC
TCAACAAGTTATCGATGAACTCAAGCAACGTTAAGCTCAGATACAATCAATCAATTGGCAAATGCCGTAACCTCAAGCTA
AATCTAATCTTCATGGAGATACTAACTACAACACGATAAAGATAGTGCTAAACAAACGATTGCTCAATTACAGAATTTG
AATTCAGCTCAAAAACATATGGAAGATTCTTTAATTGATAATGAATCTACACGTACGCAAGTCCAACACGATTTAACAGA
AGCTCAAGCTTTAGATGGTTTAAATGGGTGCCTTAAAAGAAAGTATTAAAGATTATACTAATATTGTTTCAAACGGTAATT
ACATCAATGCGGAACCATCTAAGAAACAAGCATATGATGCAGCTGTACAAAATGCTCAAAAATATAATAAATGGAACGAAT
CAACCAACAATTAATAAAGGTAATGTCCTACAGCAACACAAACCGTGAAAAATACTAAAGATGCCTTAGACGGTGATCA
TAGATTAGAGGAAGCTAAAAATAATGCCAATCAAACAATCAGAAATCTATCTAATTTGAACAATGCCCAAAAAGATGCAG
AGAAAAATCTAGTTAATAGCGCATCAACATTAGAACAAGTTCAACAAAACCTTACAAACCGCTCAACAATTAGATAATGCT
ATGGGTGAGTTACGACAAAGTATTGCTAAAAAAGATCAAGTGAAAGCAGATAGTAAATATCTAAATGAAGATCCTCAAAT
TAAGCAAACTATGATGATGCAGTTCAACGTGTTGAACTATTATTAACGAACTCAAAACCTGAATTACTTAAAGCAA
ACATTGACCAAGCAACTCAATCCGTTCAAAATGCAGAACAAAGCTTTACATGGTGCTGAAAAATTAAATCAAGACAAACAA
ACGTCTTCGACAGAACTAGATGGATTAACAGATTTAACAGATGCACAACGTGAAAACTCAGAGAACAATTAACACTTC
TAATAGTAGAGATGATATTAAGCAAAAAATTGAGCAAGCAAAAGCACTAAATGACGCAATGAAAAACTTAAAGAACAAG
TTGCGCAAAAAGATGGTGTTCATGCTAACAGTGATTATACAAATGAAGATTCTGCACAAAAAGATGCGTATAATAATGCA
CTTAAACAAGCGGAAGACATTATTAATAACAGCTCAAATCCTAACTTAAATGCACAAGACATTACTAATGCTTTAAATAA
TATTAAACAAGCACAAAGATAACCTTCATGGAGCTCAAAAATTACAGCAAGACAAAAATACAACCTAATCAAGCCATTGGTA
ACTTAAATCATCTTAATCAACCTCAAAAAGATGCGCTTATACAAAGCTATTAATGGAGCTACATCTAGGGACCAAGTTGCA
GAAAAACTTAAAGAGGCGGAAGCGCTTGATGAAGCTATGAAACAACCTTGAAGATCAAGTGAATCAAGATGATCAAATTTT
AAATAGCAGCCCATTATATAATGAAGACTCAGACAAACAAAAAACTTATAATGATAAAATCCAAGCTGCAAAAGAAATAA
TTAATCAAACATCTAATCCAACCTTAGATAAAACAAAAAATTGCTGATACACTTCAAAAATATTAAAGATGCAGTGAATAAT
TTACATGGTGATCAAAAATTAGCTCAATCTAAACAAGATGCTAATAATCAATTAAATCATTTAGATGACTTAACCGAAGA
ACAAAAAAACCATTTTAAACCGTTAATTAATAATGCTGATACTCGAGATGAGGTAAATAAACAACCTAGAGATTGCTAAAC
AATTAAATGGTGATATGAGTACACTTCATAAAGTCATAAATGATAAAGATCAAATTCAACATTTAAGCAATTACATTAAT
GCTGATAATGATAAAAAACAAAATTATGATAATGCTATTAAAGAAGCTGAGGATTTAATTCATAATCATCCAGATACATT
AGATCATAAAGCATTACAAGATTTATTAACAAGATAGACCAAGCGCATAACGAATTAAATGGAGAATCCAGATTTAAAC
AGGCTTTAGACAATGCTTTAAACGACATAGATAGCTTAAACAGTCTCAATGTTCCACAACGCCAAACTGTTAAGGATAAC
ATCAACCATGTGACAACCTCTAGAAAGTTTAGCTCAAGAATTGCAGAAAGCAAAAGAGCTTAATGATGCTATGAAAGCAAT
GAGAGATAGCATTATGAATCAAGAGCAAATTCGTAAAAATAGCAATTATACTAATGAAGACTTAGCTCAACAAAATGCCT
ATAATCATGCAGTAGATAAAAATAAATAACATTATTGGTGAAGACAATGCGACGATGGATCCTCAAATAATCAAACAAGCA
ACTCAAGATATAAATACAGCTATAAATGGATTAAATGGAGATCAAAAACCTTCAAGATGCAAAGACAGATGCTAAACAACA
AATTACTAACTTTACTGGTTTAACTGAACCACAAAAACAAGCATTGGAAAAACATCATTAACCAACAAACAAGCAGAGCAA
ATGTTGCTAAACAGTTAAGTCATGCTAAATTTCTTAAATGGAAAAATGGAAGAATTAAAGTTGCAGTAGCCAAAGCGTCA
TTAGTAAGACAAAATAGTAACTATATTAATGAAGATGTCTCTGAAAAAGAAGCATATGAACAAGCTATCGCAAAAGGTCA
GGAAATAATTAATTCAGAAAATAATCCAACAATAAGTAGTACTGATATCAATCGTACCATTCAAGAAATTAATGATGCTG
AACAAAATCTTCATGGTGATAATAAATTAAGACAAGCACAGGAAATTGCAAAGAATGAAATACAAAATCTAGACGGATTA
AATTCAGCTCAAATAACAAAATTAATCCAAGATATAGGCAGAACAACAACCTAAACCTGCAGTAACTCAGAACTAGAAGA
AGCAAAAGCAATAAACCAAGCTATGCAACAACCTTAAACAAGTATAGCCGATAAGGATGCTACTCTAAATTCTAGTAACT
ATCTCAATGAAGATTCTGAGAAAAAGTTAGCGTACGATAATGCTGTAAGCCAAGCTGAACAACCTCATAAATCAACTTAAC
GACCCAACCTATGGATATAAGTAATATTCAAGCTATTACTCAAAGGTCATTCAAGCAAAAGATTCAATTGCACGGTGCGAA
TAACTTGCACAAAATCAAGCAGATTCAAATTTAATAATAAATCAATCAACAATTTAAATGATAAAACAAAAGCAAGCAT
TAAATGACTTAATTAATCATGCTCAAACCTAAACAGCAAGTGGCAGAAATAATTGCACAAGCTAATAAGTTAAATAACGAA
ATGGGCACACTAAAAACACTCGTAGAAGAACAGTCAAACGTTTCATCAACAAGTAAATATATTAATGAAGATCCGCAAGT
TCAAAATATTTATAATGACTCCATTCAAAAAGGTGAGAAATATTAAACGGGCACTACAGATGATGTTTTAAACAACAATA
AAATAGCAGATGCCATTCAAACATTCAATTTAACTAAAAACGATTTACATGGTGATCAAAAATTACAAAAGCACACAACA
GATGCAACCAATGAATTAACTATTTAAACAATCTAAACAATTTCTCAAAGACAAAGCGAGCATGATGAGATTAACCTCTGC
TCCTTCAAGAACTGAAGTTTCTAATGATTTAAATCATGCTAAAGCACTTAATGAAGCTATGCGTCAACTTGAGAATGAAG

TTGCTCTTGAAAACAGTGTTAAAAAATTAAGCGACTTTATCAATGAAGATGAAGCGGCACAAAATGAATATAGTAATGCA
CTTCAAAAAGCTAAAGACATTATCAACGGCGTTCCAAGTAGCACTTTAGATAAAGCTACAATTGAAGATGCTTTATTAGA
ATTGCAAAATGCTAGAGAAAGTTTACATGGTGAGCAAAAACCTTCAAGAGGCTAAAAATCAAGCTGTTGCTGAAATTGATA
ATTTACAAGCATTAAATCCTGGACAGGTTCTTGCTGAAAAAACATTAGTTAACCAAGCATCAACCAAACCAGAAGTTCAA
GAAGCCTTACAAAAAGCAAAAGAACTTAATGAAGCTATGAAAGCACTGAAAACCTGAAATAAATAAAAAAGAACAAATCAA
GGCTGATAGTAGATATGTAAATGCTGACAGTGGTCTTCAAGCAAATTACAATTCTGCGTTAAATTATGGTTCTCAAATTA
TTGCAACTACCCAACCACCAGAGCTTAATAAAGATGTAATAAATAGAGCAACTCAAACGATTAAAACCTGCTGAAAATAAT
TTAAATGGGCAATCTAAATTAGCAGAGGCTAAGTCAGACGGAAATCAAAGCATCGAACATTTGCAAGGATTAACACAATC
ACAAAAAGATAAAACAACATGATTTAATTAATCAAGCTCAAACCTAAACAACAGGTAGATGATATCGTAAATAACTCTAAAC
AATTAGATAACTCTATGAATCAACTACAACAAATTGTTAACAATGACAATACAGTAAAACAAAATAGTGATTTTCATTAAT
GAAGATTCCAGCCAACAGGATGCTTATAATCATGCAATTCAAGCAGCAAAAGATTTGATAACTGCTCATCCAACCTATCAT
GGATAAAAATCAAATAGATCAAGCTATTGAAAATATCAAACAAGCACTTAATGATTTACACGGTAGTAATAAACTATCAG
AAGATAAAAAAGAAGCTTCAGAACAACCTACAAAACCTTAATAGCTTGACGAACGGGCAAAAAGATACGATTTTAAATCAT
ATTTTCAGTGACCAACAAGAAGCCAAGTAGGAGAAAAAATTGCAAGTGCTAAACAATTAAATAATACAATGAAAGCACT
TAGAGATTCTATTGCTGATAATAATGAAATTTTACAAAGTAGTAAGTACTTCAATGAAGATTCTGAACAACAAAATGCTT
ATAATCAAGCCGTAAATAAAGCTAAAAATATAATTAATGATCAACCAACACCAGTAATGGCAAATGATGAGATTCAAAGT
GTCCTAAATGAAGTTAAACAACCTAAAGATAATTTACATGGTGATCAAAAACCTTGCTAACGACAAGACAGATGCTCAAGC
AACATTAAATGCGTTAAATTACTTAAATCAAGCGCAAAGAGGTAATCTTGAACTAAAGTTCAAACCTCTAATTCTAGAC
CAGAAGTACAAAAAGTAGTTCAATTAGCAAATCAACTTAATGATGCGATGAAAAAATTAGATGATGCTTTAACTGGTAAT
GACGCAATAAAACAAACGAGTAATTATTAATGAAGATACTTCTCAACAAGTTAACTTTGATGAGTATACAGATAGAGG
TAAAAACATAGTTGCTGAACAAACAAATCCAAATATGTCTCCAACCTAATATTAACACTATTGCTGATAAAATTACTGAAG
CTAAAAACGATTTACATGGCGTACAAAAACCTAAACAAGCTCAACAACAGTCCATCAATACTATTAATCAAATGACTGGT
CTAAACCAAGCTCAAAAAGAACAATTAAATCAAGAAATTCAACAACCTCAAACCCGTTCTGAAGTACATCAAGTAATTAA
TAAAGCACAAGCTTTAAATGATTCATGAATACTTTACGTCAAAGTATTACTGATGAACATGAAGTTAAACAAACAAGTA
ACTACATCAATGAAACTGTTGGTAATCAAACCTGCATATAACAATGCCGTTGATCGTGTAACAAATAATCAATCAAACA
TCTAATCCAACCTATGAATCCTTTAGAGGTGGAACGTGCAACATCAAATGTAAAAATTTCTAAAGATGCACCTTCATGGTGA
ACGTGAATTGAATGACAATAAAAAATTCAAAAACCTTTTGCAAGTCAATCACTTAGATAACCTCAATCAAGCTCAAAAAGAAG
CATTAACCTCATGAAATTGAACAAGCAACTATAGTTTCACAAGTAAATAATATCTATAACAAAGCGAAAGCTTTAAATAAT
GATATGAAAAAATCTAAAGATATCGTTGCTCAACAAGATAATGTGAGACAATCAAACAATTATATAAACGAGGATAGTAC
ACCTCAAATATGTACAACGATACAATTAATCATGCACAATCAATCATTGATCAAGTAGCAAACCTACGATGTCTCATG
ACGAAATAGAGAATGCAATCAATAACATAAAGCATGCCATCAATGCACTCGATGGAGAACATAAATTACAACAAGCAAAA
GAAAATGCAAACCTTATTGATTAATAGTTTAAACGATTTAAATGCACCACAAAGAGATGCCATAAATAGATTGGTTAATGA
AGCTCAAACAAGAGAAAAAGTAGCTGAACAACCTTCAAAGTGCTCAAGCTTTAAATGACGCTATGAAGCATTTAAGAAACA
GCATTCAAATCAATCATCCGTAAGACAAGAGAGCAAATATATTAATGCAAGTGATGCTAAAAAAGAGCAATATAATCAC
GCAGTTAGAGAAGTCGAAAATATTATCAATGAACAACATCCAACATTGGATAAAGAAATAATTAAGCAACTAACGGATGG
TGTAATCAAGCGAATAATGACTTAAATGGCGTTGAATTATTAGATGCTGATAAGCAAAACGCACATCAATCGATACCTA
CATTGATGCACTTAAATCAAGCACAAACAAACGCATTAATGAAAAAATTAATAACGCAGTTACCAGAAGTGAAGTTGCG
GCTATTATTGGCCAAGCAAACTACTCGATCATGCTATGGAGAATTTAGAAGAAAGTATCAAAGATAAAGAGCAAGTCAA
ACAGTCAAGTAACTATATTAATGAAGATTCTGATGTTCAAGAAACATACGATAACGCCGTTGATCATGTGACAGAAATAC
TTAATCAAACAGTAAATCCAACCTTTATCTATTGAAGATATAGAGCATGCTATCAACGAAGTTAATCAAGCGAAAAACAA
CTCAGAGGTAAACAAAAACCTTTATCAAACCTATCGATTTAGCTGATAAAGAATTAAGTAAATTGGATGATTTAACATCACA
ACAAAGCAGTTCAATATCTAATCAAATATATACTGCTAAAACGAGAACAGAAGTTGCCAAGCAATTGAAAAAGCAAAAT
CATTAATCATGCAATGAAAGCACTTAACAAAGTATATAAAAATGCAGATAAAGTGTTAGATAGTAGTCGATTCATTAAC
GAAGATCAACCTGAAAAAAGGCGTATCAACAAGCTATAAATCATGTTGATTCAATCATTCATAGACAAACAAATCCTGA
AATGGATCCAACAGTAATCAATAGCATAACTCATGAACTCGAAACAGCTCAAATAAATTAACATGGTGATCAGAACTTG
CTCATGCACAACAAGATGCCGCTAATGTAATTAATGGTCTAATTCATCTTAATGTTGCTCAACGTGAGGTAATGATAAAT
ACGAATACAAATGCTACAACACGCGAAAAAGTTGCAAAGAACTTAGATAATGCTCAAGCTCTTGATAAAGCTATGGAAAC
ACTACAACAAGTAGTTGCTCATAAAAATAATATATTGAACGATAGTAAATATTTAAATGAAGATTCAAATATCAACAAC
AATACGATCGAGTTATTGCTGATGCCGAACAACCTACTTAATCAGACAACAAATCCAACATTAGAACCTTATAAAGTCGAT
ATTGTTAAGGATAATGTCCTAGCTAACGAAAAAATACTATTTGGCGCAGAAAACTATCATATGACAAATCAAATGCAAA
TGATGAAATTAAACATATGAATTATCTTAATAATGCACAAAAGCAATCTATAAAGATATGATTTCTCACGCAGCATTA
GAACTGAAGTTAAACAACCTTCTGCAACAAGCTAAAATCCTTGATGAAGCCATGAAATCACTTGAAGATAAACTCAAGTA
GTGATTACAGATACTACTTTGCCTAATTACACTGAAGCTTCAGAGGATAAAAAGGAAAAAGTAGACCAAACCTGTATCACA
TGCTCAAGCGATTATTGATAAAATAAATGGCTCAAATGTAAGTTTAGATCAAGTACGACAAGCACTAGAACAAATTAACCTC
AAGCATCAGAAAACCTCGATGGTGATCAGCGAGTTGAAGAAGCTAAAGTTCATGCTAATCAAACAATTGATCAATTAACA
CATCTTAATTCATTACAACAACAACTGCGAAAGAAAGTGTTAAAAACGCAACAAAACCTAGAAGAAATCGCTACTGTTAG
TAACAATGCTCAGGCATTAAACAAGTAATGGGTAAATTAGAACAATTCATTAATCATGCTGATTCTGTTGAAAAATAGTG
ATAATTATAGACAAGCCGACGACGACAAAATCATCGCTTATGATGAAGCACTTGAACATGGACAAGATATACAAAAAAT
AACGCAACCCAAAATGAAACAAAACAAGCGTTACAACAATTAATATATGCAGAAACATCGTTAAATGGTTTCGAAAGATT
AAATCATGCTAGACCACGAGCTTTAGAATATATCAAATCACTAGAAAAAATAACAATGCTCAAAGTCTGCTTTAGAGG
ATAAAGTAACGCAATCGCATGATTTATTAGAATTAGAACATATTGTCAACGAGGGCACAAACCTCAATGACATTATGGGT

GAATTAGCTAACGCAATCGTTAATAACTATGCTCCAACCAAAGCAAGTATAAATTATATTAACGCCGATAACCTACGCAA
AGATAACTTTTACTCAAGCTATCAACAATGCACGTGATGCACTCAACAAAACCTCAAGGTCAGAACTTAGATTTCAATGCAA
TTGATACATTTTAAAGATGATATATTCAAAACTAAAGATGCACTTAACGGTATTGAACGTTTAAACAGCTGCAAAAATCAAAA
GCAGAAAACTAATTGATAGTTTAAAATTTATTAATAAAGCTCAATTCACACATGCAAATGATGAAATTATGAATACTAA
TTCTATTGCACAATTGTCTAGAATCGTGAATCAAGCATTGATTTAAATGATGCAATGAAATCTTTAAGAGATGAACTTA
ATAATCAAGCTTTTCTGTCCAAGCAAGCTCAAATTATATAAATTCAGATGAAGATTTAAACAACAATTTGACCATGCT
TTAAGTAATGCTCGAAAAGTTCTTGCAAAAAGAAAATGGTAAAAATTTAGATGAAAAACAAATTCAGGGACTCAAACAAGT
GATTGAGGATACTAAAGATGCTTTAAATGGTATCCAACGTTTATCAAAAAGCTAAAGCTAAAGCAATTCATACGTACAAT
CTTTATCTTATATCAATGATGCACAGCGTCATATTGCTGAAAATAATATTCACAACCTCTGATGATTTATCATCTTTAGCA
AATACATTATCTAAAGCTAGTGATTTAGATAATGCAATGAAAGACTTACGAGATACTATAGAAAGTAATTCAACTTCTGT
TCCAATAGTGTGAATTATATTAATGCTGATAAGAATTTACAAATTGAATTTGATGAGGCGCTACAACAAGCAAGTGCAA
CAAGTCTAAAACCTTCAGAAAATCCAGCAACGATTGAAGAAGTATTAGGTCTTAGTCAAGCCATTTACGATACAAAAAAT
GCATTAAATGGTGAACAACGACTTGCAACTGAGAAGAGCAAAGATCTAAAATTAATAAAAGGATTTAAAGATTTAAATAA
AGCACAACTTGAAGATGTCACAAACAAGGTAAATTCAGCAAATACTTTAACAGAGTTATCTCAGCTCACTCAATCAACGT
TAGAATTAAACGATAAAAATGAAATTATTGAGAGATAAGCTTAAAACCTTTAGTAAATCCTGTTAAAGCAAGTTTAAATTAT
AGAAACGCTGATTATAATTTAAACGTCAATTTAACAAAGCTTTAAAGAAGCTAAAGGCGTATTAAATAAAAAATAGCGG
TACAAATGTCAATATCAATGACATTCAACATCTTTTAAACACAAATAGATAATGCTAAAGACCAATTAATGTTGAACGAC
GTCTAAAAGAACATCAACAAAAATCTGAAGTATTTATTATTAAAGAATTAGATATACTTAATAATGCTCAAAAAGCTGCA
ATAATTAATCAGATTAGAGCGTCTAAAGACATTAAAATAATTAATCAAATCGTTGATAATGCAATAGAATTAAATGATGC
TATGCAAGGTTTAAAGAACATGTAGCTCAATTAACAGCAACTACAAAAGACAACATTGAATATTTAAATGCTGATGAAG
ACCATAAATTACAATATGATTACGCTATCAACTTAGCGAATAATGTTCTTGACAAAGAAAACGGTACAAATAAAGACGCT
AATATCATAATTGGAATGATTCAAAACATGGATGATGCTAGAGCACTTCTAAATGGAATTGAAAGACTTAAAGATGCTCA
AACAAAAGCACATAATGACATTAAAGATACGCTCAAACGTCAACTTGATGAAATTGAACACGCTAATGCAACATCAAATT
CTAAAGCTCAAGCTAAACAAATGGTAAATGAGGAAGCTAGAAAAGCGCTTCTAATATTAATGACGCAACATCAAATGAT
TTAGTTAATCAAGCAAAAGATGAAGGGCAATCTGCAATTGAACACATACATGCAGATGAATTACCTAAAGCAAAACTAGA
TGCTAATCAAATGATTGACCAAAAAGTTGAAGATATAAATCACTTAATTAGTCAAAATCCAACTTATCAAATGAAGAAA
AAAATAAATAATATCTCAAATTAATAAGTTAGTAAATGGAATTAAGAATGAAATTCAACAAGCTATAAACAAACAACAA
ATAGAAAATGCTACAACAAAACCTAGATGAAGTCATTGAACTACTAAAAAATTAATTATCGCCAAAGCAGAAGCTAAACA
AATGATAAAAGAGTTATCACAAAAGAAACGAGATGCAATAAATAACAACACTGATTTAACACCTTCTCAAAAGGCACATG
CTTTAGCAGATATTGATAAAACAGAAAAGATGCACTTCAACATATCGAAAATTCTAATTCAATTGATGATATCAATAAC
AATAAAGAGCATGCATTTAATACTTTAGCTCATATCATTATTTGGGATACTGATCAGCAACCATTAGTTTTTGAAGTACC
TGAATTGAGCCTTCAAAAATGCTCTAGTAACAAGTGAGGTGGTTGTTTACAGAGATGAACTATTTTCATTAGAATCTATAA
TTGGAGCTATGACTTTAACTGATGAAGTTAAAGTCAATATTGTTTTCATTACCGAACACTGATAAAGTAGCTGATCACCTA
ACCGCTAAAGTTAAGGTTATTTTAGCTGATGGCTCATATGTCCTGTAAATGTTCCAGTCAAAGTTGTAGAAAAAGAATT
ACAAATAGCTAAAAAGGATGCTATAAAAACAATTGATGTTCTGGTAAAACAAAAAATCAAAGATATAGATTTCTAATAACG
AATTAACGTCTACTCAACGTGAAGATGCAAAAGCTGAAATTGAAAGATTGAAAAAGCAAGCCATCGATAAAGTGAATCAT
TCAAAATCGATTAAAGATATTGAAACAGTAAAACGAACTGATTTTGAAGAAATAGATCAGTTTGATCCTAAACGCTTTAC
GCTAAATAAAGCTAAAAAGGATATCATTACTGATGTTAATACTCAAATCCAAAATGGTTTCAAAGAAATTGAAACAATAA
AAGGTTTAACTTCTAATGAAAAAAGTCAAGTTTGATAAAACAATTAAGTGCCTACAAAAAGAATTTTTAGAAAAAGTCGAG
CATGCTCATAATTTAGTAGAATTAAATCAATTACAACAAGAGTTTAAATAATAGATATAAACATATTTTAAACCAAGCACA
TTTACTAGGTGAAAAACATATAGCAGAACATAAATTAGGATATGTTGTAGTAAACAAAACCTCAGCAAATACTAAATAATC
AATCTGCTTCTTACTTTATAAAAACAATGGGCACTTGATAGAATTAAACAAATTCAACTAGAAACGATGAATTCAATTCTG
GGTGCGCATACCGTACAAGATGTACACAAAGCATTATTACAAGGTATAGAGCAAATCCTTGAAAGTAAATGTAAGTATTAT
AAATCAATCTTTCAACGATTCCTTGCATAACTTTAATTATCTTCATTCAAAATTTGATGCTAGATTAAGAGAAAAGGATG
TTGCAAACCATATCGTACAACTGAAACATTCAAAGAAGTTCTAAAAGGAACGGGTGTTGAACCAGGTAAAATCAACAAA
GAAACACAGCAACCAAACTTCATAAGAATGATAATGATAGCCTATTCAAACATTTAGTTGATAATTTTCGGCAAACTGT
AGGTGTTATTACATTAAGTGGTTTACTTTCTAGTTTCTGGTTAGTTTTGGCTAAAAGACGTAAAAAAGAAGAAGAAGAAA
AACAAATCGATAAAAAATCATCACAAAGATATTCGTCTTTCAGATACTGATAAAATAGATCCAATTGTAATAACTAAGCGT
AAAATAGATAAAGAAGAACAATTCAAAACGATGACAAACATTCAATTCCAGTTGCTAAACATAAGAAATCTAAAGAAAA
GCAATTGAGTGAAGAGGATATTCAATCAATCCCCGTGTTAAGCGTAAACAAAACAGTGATAACAAAGATACAAAACAGA
AGAAAGTTACTTCTAAAAGAAGAAAACGCCTCAGTCAACTAAAAAAGTTGTAAAACCAAAAAGCGTTCTAAAAAG

SEQ ID NO:49 polynucleotide sequence

ATGAGAGATAAGAAAGGACCGGTAAATAAAAGAGTAGATTTTCTATCAAATAAATTGAATAAATATTCAATAAGAAAATT
TACAGTTGGAACAGCATCTATTTTAATTGGCTCACTAATGTATTTGGGAACCTCAACAAGAAGCAGAAGCAGCTGAAAACA
ATATTGAGAATCCAACTACATTAAAAGATAATGTCCAATCAAAAGAAGTGAAGATTGAAGAAGTAACAAACAAAGACACT
GCACCACAAGGTGTAGAAGCTAAATCTGAAGTAACTTCAAACAAAGACACAATCGAACATGAAGCATCAGTAAAAGCTGA
AGATATATCAAAAAAGGAGGATACACCAAAAGAAGTAGCTAATGTTGCTGAAGTTTACGCCGAAATCGTCAGTCACTCATA
ACGCAGAGGCACCTAAGGTTAGAAAAGCTCGTTCTGTTGATGAAGGCTCTTTTGATATTACAAGAGATTCTAAAAATGTA
GTTGAATCTACCCCAATTACAATTCAAGGTAAAGAACATTTTGAAGGTTACGGAAGTGTTGATATACAAAAAACCCAAC
AGATTTAGGGGTATCAGAGGTAACCAGGTTTAATGTTGGTAATGAAAGTAATGGTTTGATAGGAGCTTTACAATTAAAAA

ATAAAATAGATTTTAGTAAGGATTTCAATTTTAAAGTTAGAGTGGCAAATAACCATCAATCAAATACACAGGTGCTGAT
GGTTGGGGTTCTTATTTAGTAAAGGAAATGCAGAAGAATATTTAACTAATGGTGGAAATCCTTGGGGATAAAGGTCTGGT
AAATTCAGGCGGATTTAAAATTGATACTGGATACATTTATACAAGTTCCATGGACAAAACCTGAAAAGCAAGCTGGACAAG
GTTATAGAGGATACGGAGCTTTTGTGAAAAATGACAGTTCTGGTAATTCACAAATGGTTGGAGAAAATATTGATAAATCA
AAAACATAATTTTTTAACTATGCGGACAATTCACTAATACATCAGATGGAAAGTTTCATGGGCAACGTTTAAATGATGT
CATCTTAACTTATGTTGCTTCAACTGGTAAAATGAGAGCAGAATATGCTGGTAAAACCTGGGAGACTTCAATAACAGATT
TAGGTTTATCTAAAAATCAGGCATATAATTTCTTAATTACATCTAGTCAAAGATGGGGCCTTAATCAAGGGATAAATGCA
AATGGCTGGATGAGAACTGACTTGAAAGGTTTCAAGAGTTTACTTTTACACCAGAAGCGCCAAAAACAATAACAGAATTAGA
AAAAAAAGTTGAAGAGATTCCATTCAAGAAAGAACGTAAATTTAATCCGGATTTAGCACCCAGGGACAGAAAAAGTAACAA
GAGAAGGACAAAAAGGTGAGAAGACAATAACAACACCAACACTAAAAAATCCATTAACTGGAGAAATTATTAGTAAAGGT
GAATCGAAAGAAGAGATCACAAAAGATCCGATTAATGAATTAACAGAATACGGACCAGAAACGATAGCACCCAGGTTCATCG
AGACGAATTTGATCCGAAGTTACCAACAGGAGAGAAAGAAGAAGTTCCAGGTAAACCAGGAATTAAGAATCCAGAAACAG
GAGACGTAGTTAGACCACCGGTTCGATAGTGTAACAAAATATGGACCTGTAAAAGGAGACTCGATTGTAGAAAAAGAAGAA
ATTCCATTCGAGAAAGAACGTAAATTTAATCCTGATTTAGCACCCAGGAACAGAAAAAGTAACAAGAGAAGGACAAAAAGG
TGAGAAGACAATAACGACACCAACACTAAAAAATCCATTAACTGGAGAAATTATTAGTAAAGGTGAATCGAAAGAAGAGA
TCACAAAAGATCCGATTAATGAATTAACAGAATACGGACCTGAAACAATAGCGCCAGGTTCATCGAGACGAATTTGATCCG
AAGTTACCAACAGGAGAGAAAGAAGAAGTTCCAGGTAAACCAGGAATTAAGAATCCAGAAACAGGAGACGTAGTTAGACC
GCCGTCGATAGCGTAACAAAATATGGACCTGTAAAAGGAGACTCGATTGTAGAAAAAGAAGAAATTCATTCAAGAAAG
AACGTAAATTTAATCCTGATTTAGCACCCAGGGACAGAAAAAGTAACAAGAGAAGGACAAAAAGGTGAGAAGACAATAACG
ACGCCAACACTAAAAAATCCATTAACTGGAGAAATTATTAGTAAAGGTGAATCGAAAGAAGAAATCACAAAAGATCCGAT
TAATGAATTAACAGAATACGGACCAGAAACGATAACACCAGGTTCATCGAGACGAATTTGATCCGAAGTTACCAACAGGAG
AGAAAGAGGAAGTTCCAGGTAAACCAGGAATTAAGAATCCAGAAACAGGAGATGTAGTTAGACCACCGGTTCGATAGCGTA
ACAAAATATGGACCTGTAAAAGGAGACTCGATTGTAGAAAAAGAAGAAATTCATTTCGAGAAAGAACGTAAATTTAATCC
TGATTTAGCACCCAGGGACAGAAAAAGTAACAAGAGAAGGACAAAAAGGTGAGAAGACAATAACGACGCCAACACTAAAAA
ATCCATTAACTGGAGAAATTATTAGTAAAGGTGAATCGAAAGAAGAAATCACAAAAGATCCAGTTAATGAATTAACAGAA
TTCGGTGGCGAGAAAATACCGCAAGGTCATAAAGATATCTTTGATCCAACTTACCAACAGATCAAACGGAAAAAGTACC
AGGTAAACCAGGAATCAAGAATCCAGACACAGGAAAAGTGATCGAAGAGCCAGTGGATGATGTGATTAAACACGGACCAA
AAACGGGTACACCAGAAACAAAAACAGTAGAGATACCGTTTGAAACAAAACGTGAGTTTAAATCCAAAATTACAACCTGGT
GAAGAGCGAGTGAAACAAGAAGGACAACCAGGAAGTAAGACAATCACAAACCAATCACAGTGAACCCATTAAACAGGTGA
AAAAGTTGGCGAGGGTCAACCAACAGAAGAGATCACAAAACAACCAGTAGATAAGATTGTAGAGTTCCGGTGGAGAGAAAC
CAAAAGATCCAAAAGGACCTGAAAACCCAGAGAAGCCGAGCAGACCAACTCATCCAAGTGGCCCAGTAAATCCTAACAAAT
CCAGGATTATCGAAAGACAGAGCAAAACCAAATGGCCCAGTTCATTCAATGGATAAAAATGATAAAGTTAAAAAATCTAA
AATTGCTAAAGAATCAGTAGCTAATCAAGAGAAAAAACGAGCAGAATTACCAAAAACAGGTTTAGAAAGCACGCAAAAAG
GTTTGATCTTTAGTAGTATAATTGGAATTGCTGGATTAATGTTATTGGCTCGTAGAAGAAAGAATTAA

SEQ ID NO:50 polynucleotide sequence

ATGGGCAAACGTAGACAAGGTCCTATTAATAAAAAAGTGGATTTTTTTACCTAACAAATTAACAAGTATTCTATAAGAAA
ATTCAGTGTGGTACGGCCTCAATATTACTTGGTTCGACACTTATTTTTTGAAGTAGTAGCCATGAAGCGAAAGCTGCAG
AAGAAAAACAAGTTGATCCAATTACACAAGCTAATCAAATGATAGTAGTGAAAGATCACTTGAAAACACAAATCAACCT
ACTGTAAACAATGAAGCACCAAGATGTCTTCTACATTGCAAGCAGAAGAAGGAAGCAATGCAGAAGCACCGAATGTTCC
AACTATCAAAGCTAATTCAGATAATGATACACAAACACAATTTTCAGAAGCCCCCTACAAGAAATGACCTAGCTAGAAAAG
AAGATATCCCTGCTGTTTCTAAAAACGAGGAATTACAATCATCACAACCAAACTGACAGTAAATAGAACCTACAACCT
TCAGAACCTGTGAATTTAAATTATAGTTCTCCGTTTATGTCCTTATTAAGCATGCCTGCTGATAGTTTCATCCAATAACAC
TAAAAATACAATAGATATACCGCCAACTACGGTTAAAGGTAGAGATAATTACGATTTTTTACGGTAGAGTAGATATCCAAA
GTAATCCTACAGATTTAAATGCGACAAATTTAACGAGATATAATTATGGACAGCCACCTGGTACAACAACAGCTGGTGCA
GTTCAATTTAAAAATCAAGTTAGTTTTGATAAAGATTTGACTTTAACATTAGAGTAGCAAACAATCGTCAAAGTAATAC
AACTGGTGCAGATGGTTGGGGCTTTATGTTTCAGCAAGAAAGATGGGGATGATTTCTTAAAAAACGGTGGTATCTTACGTG
AAAAAGGTACACCTAGTGCAGCTGGTTTCAGAATTGATACAGGATATTATAATAACGATCCATTAGATAAAAATACAGAAA
CAAGCTGGTCAAGGCTATAGAGGGTATGGGACATTTGTTAAAAATGACTCCCAAGGTAATACTTCTAAAGTAGGATCAGG
TACTCCATCAACAGATTTTCTTAACTACGCAGATAATACTACTAATGATTTAGATGGTAAATTCATGGTCAAAAATTAA
ATAATGTTAATTTGAAATATAATGCTTCAAATCAAACCTTTTACAGCTACTTATGCTGGTAAAACCTGGACGGCTACGTTA
TCTGAATTAGGATTGAGTCCAACCTGATAGTTACAATTTTTTAGTTACATCAAGTCAATATGGAAATGGTAATAGTGGTAC
ATACGCAGATGGCGTTATGAGAGCTGATTTAGATGGTGCAACATTGACATATACTCCTAAAGCAGTCGATGGAGACCCAA
TTACATCAACTAAGGAAATACCATTTAATAAAAAACGCGAATTTGATCCAACTTAGCGCCAGGTACAGAAAAAGTCGTT
CAAAAAGGTGAACCAGGAATTGAAACAACAACAACCAACTTATGTCAATCCTAATACTGGAGAAAAAGTAGGTGAAGG
CACACCTACAACAAGATCACTAAACAACCAAGTGGATGAAATCGTTTATTATGGTGGCGAAGAAATCAAGCCAGGACATA
AAGATGAATTTGATCCAAATGCACCGAAAGGTAGTCAAACAACGCAACCAGGTAAAGCCAGGAGTTAAAAATCCTGATACA
GGCGAAGTAGTCACACCACCAAGTGGATGATGTGACAAAATATGGTCCAGTTGATGGAGATCCGATTACGTCAACGGAAGA
AATTCCATTCGACAAGAAACGTGAATTCATCCTGATTTAAAACCAAGGTGAAGAGCGTGTTAAACAAAAAGGTGAACCAG
GAACAAAAACAATTACAACACCAACAACCTAAGAACCCATTAAACAGGGGAAAAAGTTGGCGAAGGTGAACCAACAGAAAAA
ATAACAAAAACAACCAAGTAGATGAAATCACAGAATATGGTGGCGAAGAAATCAAGCCAGGCCATAAGGATGAATTTGATCC

GAACGCACCGAAAGGTAGCCAAGAGGACGTTCCAGGTAAACCAGGAGTTAAAAATCCTGATACAGGCGAAGTAGTCACAC
CACCAGTGGATGATGTGACAAAATATGGTCCAGTTGATGGAGATCCGATTACGTCAACGGAAGAAATTCGGTTTGATAAA
AAACGCGAATTTGATCCAAACTTAGCGCCAGGTACAGAGAAAGTCGTTCAAAAAGGTGAACCAGGAACAAAAACAATTAC
AACACCAACAACCTAAGAACCCATTAACAGGAGAAAAAGTTGGCGAAGGTGAACCAACAGAAAAAATAACAAAACAACCAG
TGGATGAAATCGTTCATTATGGTGGCGAAGAAATCAAGCCAGGCCATAAGGATGAATTTGATCCGAACGCACCGAAAGGT
AGCCAAGAGGACGTTCCAGGTAAAGCCAGGAGTTAAAAATCCTGATACAGGCGAAGTAGTCACACCACCAGTGGATGATGT
GACAAAATATGGTCCAGTTGATGGAGATCCGATTACGTCAACGGAAGAAATTCATTTCGACAAGAAACGTGAATTCAATC
CTGATTTAAAACCAGGTGAAGAGCGTGTTAAACAAAAAGGTGAACCAGGAACAAAAACAATTACAACACCAACAACCTAAG
AACCCATTAACAGGGGAAAAAGTTGGCGAAGGTGAACCAACAGAAAAAGTAACAAAAACAACCAGTGGATGAAATCGTTCA
TTATGGTGGCGAAGAAATCAAGCCAGGCCATAAGGATGAATTTGATCCAAATGCACCGAAAGGTAGCCAAGAAGACGTTTC
CAGGTAAACCAGGAGTTAAAAACCTGATACAGGCGAAGTAGTTACTCCACCAGTGGATGATGTGACAAAATATGGTCCA
GTTGATGGAGATCCGATTACGTCAACGGAAGAAATTCGGTTTGATAAAAAACGCGAATTTGATCCAACTTAGCGCCAGG
TACAGAGAAAGTCGTTCAAAAAGGTGAACCAGGAACAAAAACAATTACAACACCAACAACCTAAGAACCCATTAACAGGAG
AAAAAGTTGGCGAAGGTGAACCAACAGAAAAAATAACAAAAACAACCAGTGGATGAGATCGTTCATTATGGTGGCGAAGAA
ATCAAGCCAGGCCATAAGGATGAATTTGATCCGAACGCACCGAAAGGTAGTCAAACAACGCAACCAGGTAAAGCCAGGAGT
TAAAAATCCTGATACAGGCGAAGTAGTCACACCACCAGTGGATGATGTGACAAAATATGGTCCAGTTGATGGAGATCCGA
TTACGTCAACGGAAGAAATTCGGTTTGATAAAAAACGCGAATTTGATCCAACTTAGCGCCAGGTACAGAGAAAGTCGTT
CAAAAAGGTGAACCAGGAACAAAAACAATTACAACGCCAACAACTAAGAACCCATTAACAGGAGAAAAAGTTGGCGAAGG
TGAACCAACAGAAAAAATAACAAAAACAACCAGTGGATGAGATTGTTTATTATGGTGGTGAACAAATACCACAAGGTCATA
AAGATGAATTTGATCCAAATGCACCTGTAGATAGTAAACTGAAGTTCAGGTAAACCAGGAGTTAAAAATCCTGATACA
GGTGAAGTTGTTACCCACCAGTGGATGATGTGACAAAATATGGTCCGAAAGTTGGTAATCCAATCACATCAACGGAAGA
GATTCATTGATAAGAAACGTGTATTTAATCCTGATTTAAAACCAGGTGAAGAGCGCGTTAAACAAAAAGGTGAACCAG
GAACAAAAACAATTACAACACCAATATTAGTTAATCCTATTACAGGAGAAAAAGTTGGCGAAGGTAAATCAACAGAAAA
GTCATAAACAACCTGTTGACGAAATTTGTTGAGTATGGTCCAACAAAAGCAGAACCAGGTAAACCAGCGGAACCAGGTAA
ACCAGCGGAACCAGGTAAACCAGCGGAACCAGGTAAACCAGCGGAACCAGGTACGCCAGCAGAACCAGGTAAACCAGCGG
AACCAGGTAAACCAGCGGAACCAGGTAAACCAGCGGAACCAGGTAAACCAGCGGAACCAGGTAAACCAGCGGAACCAGGT
ACGCCAGCAGAACCAGGTAAACCAGCGGAACCAGGTAAACCAGCGGAACCAGGTAAACCAGCGGAACCAGGTACGCCAGC
AGAACCAGGTAAACCAGCGGAACCAGGTACGCCAGCAGAACCAGGTAAACCAGCGGAACCAGGTACGCCAACACAATCAG
GTGCACCAGAACAACCAATAGATCAATGCATTCAACAGATAATAAAAAATCAATTACCTGATACAGGTGAAAATCGTCAA
GCTAATGAGGGAACCTTTAGTCGGATCTCTATTAGCAATTGTCGGATCATTGTTTATTTGGTTCGTCTGTA AAAAAGGTAA
TGAAAAATAA

SEQ ID NO:51 polynucleotide sequence

ATGAAGAACTATATACATCTTATGGCACTTATGGATTTTTTACATCAAATAAAAAATCAATAACCCGACCCATCAACTATT
CCAATTTTCAGCATCAGATACTTCAGTTATTTTTGAAGAACTGATGGTGAGACTGTTTTAAAATCACCTTCAATATATG
AAGTTATTAAAGAAATTGGTGAATTCAGTGAACATCATTTCTATTGTGCAATCTTCATTCCCTTCAACAGAAGATCATGCA
TATCAACTTGAAAAGAACTGATTAGTGTAGACGATAATTTTCAGAACTTTGGTGGCTTTAAAAGCTATCGTTTGTTAAG
ACCTGCTAAAGGTACAACATATAAAATTTATTTTCGGATTTGCTGATCGACATGCATACGAAGACTTTAAGCAATCTGATG
CCTTTAATGACCATTTTTTCAAAGACGCATTAAGTCATTACTTTGGTTCAAGCGGACAACATTCAAGTTATTTTTGAAAGA
TATCTATACCCAATAAAAGAATAG

SEQ ID NO:52 polynucleotide sequence

ATGTATTTATATACATCTTATGGGACTTACCAATTTTTTAAATCAAATTAAACTTAATCATCAAGAACGTAGTTTATTTCA
ATTTTCCACTAATGATTCCTCAATAATCTTAGAAGAGTCTGAGGGAAAATCAATCTTAAAACATCCTAGTGCATATCAAG
TGATTGATAGCACAGGTGAATTTAACGAACATCATTTTTATAGTGCTATTTTTGTCCCTACATCTGAAGATCATCGTCAA
CAGCTAGAGAAAAAATTATTACTCGTAGACGTACCTTTAAGAAATTTTGGTGGTTTTAAAAGCTATCGTTTATTAAAACC
CACTGAGGGGTCTACCTACAAAATTTACTTTGGTTTTTGCAAATCGAACAGCATATGAAGATTTCAAAGCTTCTGATATAT
TTAATGAAAACCTTTCAAAGATGCATTGAGCCAATACTTTGGTGCTAGTGGTCAACATTCTAGCTACTTTGAAAGATAT
TTATATCCAATAGAAGATCATTAA

SEQ ID NO:53 polynucleotide sequence

ATGATTAACAGGGATAATAAAAAAGGCAATAACAAAAAAGGGTATGATTTCAAATCGCTTAAACAAATTTTCGATTAGAAA
GTATACTGTAGGAACCTGCATCGATTTTGTAGGTACGACATTGATTTTTTGGTCTAGGGAACCAAGAAGCTAAAGCTGCTG
AAAACACTAGTACAGAAAATGCGAAACAAGATGATGCAACGACTAGTGATAATAAAGAAGTAGTGTGCGAAACTGAAAAT
AATTCGACAACAGAAAATGATTCAACAAATCCAATTAAGAAAGAAACAAATACTGATTCACAACCAGAAGCTAAAGAAGA
ATCAACTACATCAAGTACTCAACAACAGCAAAATAACGTTACAGCTACAACCTGAAACTAAGCCTCAAAACATTGAAAAAG
AAAATGTTAAACCTTCAACTGATAAACTGCGACAGAAGATACATCTGTTATTTTAGAAGAGAAGAAAGCACCAAATTAT
ACAAATAACGATGTAACCTACAAAACCATCTACAAGTGAAATTCAAACAAAACCAACTACACCTCAAGAATCTACAAATAT
TGAAAATTCACAACCGCAACCAACGCCTTCAAAGTAGACAATCAAGTTACAGATGCAACTAATCCAAAAGAACCAGTAA
ATGTGTCAAAGAAGAACTTAAAAATAATCCTGAGAAATTAAAAGAATTAGTTAGAAATGATAACAATACAGATCGTTCA

ACTAAACCAGTTGCTACAGCTCCAACAAGTGTTCACCAAAACGATTAAATGCGAAAATGCGTTTTGTCAGTTGCACAACC
AGCAGCAGTTGCTTCAAATAATGTAAATGACTTAATTACAGTTACGAAACAGACGATCAAAGTTGGCGATGGTAAAGATA
ATGTGGCAGCAGCGCATGACGGTAAAGATATTGAATATGATACAGAGTTTACAATTGACAATAAAGTCAAAAAAGGCGAT
ACAATGACGATTAATTATGATAAGAATGTAATTCCTTCGGATTTAACAGATAAAAAATGATCCTATCGATATTACTGATCC
ATCAGGAGAGGTCATTGCCAAAGGAACATTTGATAAAGCGACTAAGCAAATCACATATACATTTACAGATTATGTAGATA
AATATGAAGATATAAAAGCACGTTTAACTTTATACTCATATATTGATAAGCAAGCAGTACCTAATGAACTAGTTTGAAT
TTAACGTTTGCAACAGCAGGTAAAGAACTAGCCAAAACGTTTCTGTTGATTATCAAGACCCAATGGTTCATGGTGATTC
AAACATTCAATCTATCTTTACAAAGTTAGATGAAAACAAACAACTATTGAACAACAAATTTATGTTAATCCTTTGAAAA
AAACAGCAACTAACACTAAAGTTGATATAGCTGGTAGTCAAGTAGATGATTATGGAAATATTAACTAGGAAATGGTAGT
ACCATTATTGACCAAAATACAGAAATAAAAGTTTATAAAGTTAACCCTAATCAACAATTGCCTCAAAGTAATAGAATCTA
TGATTTTAGTCAATACGAAGATGTAACAAGTCAATTTGATAATAAAAAATCATTTAGTAATAATGTAGCAACATTGGATT
TTGGTGATATTAATTCAGCCTATATTATCAAAGTTGTTAGTAAATATACACCTACATCAGATGGCGAACTAGATATTGCT
CAAGGTACTAGTATGAGAACAACTGATAAATATGGTTATTATAATTATGCAGGATATTCAAACCTTCATCGTAACTTCTAA
TGACACTGGCGGTGGCGACGGTACTGTTAAACCTGAAGAAAAGTTATACAAAATTGGTGACTATGTATGGGAAGACGTTG
ATAAAGACGGTGTCCAAGGTACAGATTCGAAAGAAAAGCCAATGGCAAACGTTTTAGTTACATTAACCTTACCCGGACGGT
ACTACAAAATCAGTAAGAACAGATGCTAACGGTCATTATGAATTCGGTGGTTTGAAAGACGGAGAACTTATACAGTTAA
ATTCGAAACGCCAGCTGGATATCTTCCAACAAAAGTAAATGGAACAACTGATGGTGAAAAAGACTCAAATGGTAGTTCTA
TAACTGTTAAAATTAATGGTAAAGATGATATGTCTTTAGACACTGGTTTTTATAAAGAACCTAAATATAATCTTGGTGAC
TATGTATGGGAAGATACAAATAAAGATGGTATCCAAGATGCTAATGAACCTGGTATCAAAGATGTTAAGGTTACATTAAA
AGATAGTACTGGAAAAGTTATTGGTACAACCTACTACTGATGCCTCGGGTAAATATAAATTTACAGATTTAGATAATGGTA
ACTATACAGTAGAATTTGAAACACCAGCAGGTTACACGCCAACGGTTAAAAATACTACAGCTGAAGATAAAGATTCTAAT
GGTTTAAACAACAACAGGTGTCATTAAAGATGCAGATAATATGACATTAGACAGTGTTTTCTATAAAACACCAAAATACAG
TTTAGGTGATTATGTTTGGTACGACAGTAATAAAGACGGTAAACAAGATTCAACTGAAAAAGGTATCAAAGATGTTAAAG
TTACTTTATTAAATGAAAAAGGCGAAGTAATTGGAACAACTAAAACAGATGAAAATGGTAAATATCGTTTCGATAATTTA
GATAGCGGTAAATACAAAGTTATTTTTGAAAAGCCTGCTGGCTTAACACAAACAGTTACAAATACAACTGAAGATGATAA
AGATGCCGATGGTGGCGAAGTTGACGTAACAATTACGGATCATGATGATTTTACTACTTGATAACGGATACTTCGAAGAAG
ATACATCAGACAGTGATTTCAGACTCAGACAGTGATTTCAGACTCAGACAGCGACTCAGATTCAGACAGTGATTTCAGACTCA
GATAGCGATTTCAGATTTCAGACAGCGACTCAGACTCAGATAGCGACTCAGACTCAGACAGCGACTCAGACTCAGATAGCGA
CTCAGATTTCGGACAGCGATTTCAGACTCAGATAGCGACTCAGATTTCAGACAGCGATTTCAGACTCAGATAGCGACTCAGATT
CAGACAGTGACTCAGACTCAGATAGCGACTCAGACTCAGACAGTGACTCAGACTCAGACAGCGATTTCAGATTTCAGATAGC
GACTCAGATTTCGGACAGTGATTTCAGACTCAGATAGCGACTCAGATTTCAGACAGCGACTCAGACTCAGATAGCGACTCAGA
CTCAGACAGTGATTTCAGACTCAGATAGCGATTTCGGACTCGGATGCAGGAAAACATACACCTGTTAAACCAATGAGTACTA
CTAAAGACCATCACATAAAGCAAAAGCATTACCAGAAACAGGTAGTGAAAATAACGGCTCAAATAACGCAACGTTATTT
GGTGGATTATTTGCAGCATTAGGTTTATTATTGTTATTCGGTCGTCGCAAAAAACAAAACAAATAA

SEQ ID NO:54 polynucleotide sequence

ATGATTAATAAAAAAATAATTTACTAATAAAAAAGAAACCTATAGCAAATAAATCCAATAAATATGCAATTAGAAAATT
CACAGTAGGTACAGCGTCTATTGTAATAGGTGCAACATTATTGTTTGGTTTAGGTCATAATGAGGCCAAAGCCGAGGAGA
ATTCAGTACAAGACGTTAAAGATTTCGAATACGGATGATGAATTATCAGACAGCAATGATCAGTCTAGTGATGAAGAAAAG
AATGATGTGATCAATAATAATCAGTCAATAAACACCCGACGATAATAACCAAATAATTAAGAAAGAAACGAATAACTA
CGATGGCATAGAAAAACGCTCAGAAGATAGAACAGAGTCAACAACAAATGTAGATGAAAACGAAGCAACATTTTTTACAAA
AGACCCCTCAAGATAATACTCATCTTACAGAAGAAGAGGTAAAGAATCCTCATCAGTCGAATCCTCAAATTCATCAATT
GATACTGCCCAACAACCATCTCACACAACAATAAATAGAGAAGAATCTGTTCAAACAAGTGATAATGTAGAAGATTCACA
CGTATCAGATTTTGCTAACTCTAAAATAAAAGAGAGTAACACTGAATCTGGTAAAGAAGAGAATACTATAGAGCAACCTA
ATAAAGTAAAGAAGATTCAACAACAAGTCAGCCGTCTGGCTATACAAATATAGATGAAAAAATTTCAAATCAAGATGAG
TTATTAAATTTACCAATAAATGAATATGAAAATAAGGCTAGACCATTATCTACAACATCTGCCCAACCATCGATTAAACG
TGTAACCGTAAATCAATTAGCGGCGGAACAAGGTTTCAATGTTAATCATTTAATTAAAGTTACTGATCAAAGTATTACTG
AAGGATATGATGATAGTGAAGGTGTTATTAAAGCACATGATGCTGAAAACCTAATCTATGATGTAACCTTTTGAAGTAGAT
GATAAGGTGAAATCTGGTGATACGATGACAGTGATATAGATAAGAATACAGTTCCATCAGATTTAACCGATAGCTTTAC
AATACCAAAAATAAAAGATAATTCTGGAGAAATCATCGCTACAGGTACTTATGATAACAAAAATAAACAAATCACCTATA
CTTTTACAGATTATGTAGATAAGTATGAAAATATTAAAGCACACCTTAAATTAACGTCATACATTGATAAATCAAAGGTT
CCAAATAATAATACCAAGTTAGATGTAGAATATAAAACGGCCCTTTCATCAGTAAATAAAACAATTACGGTTGAATATCA
AAGACCTAACGAAAATCGGACTGCTAACCTTCAAAGTATGTTTACAAACATAGATACGAAAATCATACAGTTGAGCAAA
CGATTTATATTAAACCCTCTTCGTTATTTCAGCCAAGGAAACAAATGTAAATATTTTACGGGAATGGTGATGAAGGTTCAACA
ATTATAGACGATAGCACAATAATTAAAGTTTATAAGGTTGGAGATAATCAAAATTTACCAGATAGTAACAGAATTTATGA
TTACAGTGAATATGAAGATGTCACAAATGATGATTATGCCCAATTAGGAAATAATAATGATGTGAATATTAATTTTGGTA
ATATAGATTACCATATATTTATTAAAGTTATTAGTAAATATGACCCTAATAAGGATGATTACACGACTATACAGCAAACCT
GTGACAATGCAGACGACTATAAATGAGTATACTGGTGAGTTTAGAACAGCATCCTATGATAATACAATTGCTTTCTCTAC
AAGTTCAGGTCAAGGACAAGGTGACTTGCCTCCTGAAAAAATTTATAAAATCGGAGATTACGTATGGGAAGATGTAGATA
AAGATGGTATTCAAATAACAATGATAATGAAAAACCGCTTAGTAATGTATTGGTAACTTTGACGTATCCTGATGGAACT
TCAAATCAGTCAGAACAGATGAAGATGGGAAATATCAATTTGATGGATTGAAAAACGGATTGACTTATAAAATTACATT

CGAAACACCTGAAGGATATACGCCGACGCTTAAACATTTCAGGAACAAATCCTGCACTAGACTCAGAAGGTAATTCTGTAT
GGGTAACCTATTAATGGACAAGACGATATGACGATTGATAGTGGATTTTATCAAACACCTAAATACAGCTTAGGGAACTAT
GTATGGTATGACACTAATAAAGATGGTATTCAAGGTGATGATGAAAAAGGAATCTCTGGAGTTAAAGTGACGTTAAAAGA
TGAAAACGGAAATATCATTAGTACAACCTACAACCGATGAAAATGGAAAGTATCAATTTGATAATTTAAATAGTGGTAATT
ATATTGTTTCATTTTGATAAACCTTCAGGTATGACTCAAACAACAACAGATTCTGGTGATGATGACGAACAGGATGCTGAT
GGGAAGAAGTTCATGTAACAATTACTGATCATGATGACTTTAGTATAGATAACGGATACTATGATGACGAATCGGATTC
CGATAGTGACTCAGACAGCGACTCAGATTCCGATAGTGATTCAGACTCCGATAGCGACTCGGATTCAGACAGCGACTCAG
ATTCAGACAGCGACTCGGATTCTGATAGCGACTCGGATTCAGACAGCGACTCAGACTCAGACAGTGATTTCAGATTTCAGAC
AGCGACTCAGATTCCGATAGTGATTCAGACTCAGACAGCGACTCAGATTCTGATAGTGATTCAGACTCAGACAGTGATTTC
AGATTTCAGACAGCGACTCAGATTCCGATAGTGATTCAGACTCAGACAGCGACTCAGATTCCGATAGTGATTCAGACTCAG
ACAGCGACTCAGATTCTGATAGTGATTCAGACTCAGACAGTGATTTCAGATTCCGATAGTGATTCAGACTCCGATAGCGAC
TCAGACTCGGATAGTGACTCAGATTCTGATAGTGATTCAGACTCAGACAGTGATTTCGGATTCCGATAGTGATTCAGACTC
AGACAGCGACTCAGATTCTGATAGTGATTCAGACTCAGACAACGACTCAGATTTAGGCAATAGCTCAGATAAGAGTACAA
AAGATAAATTACCTGATACAGGAGCTAATGAAGATTATGGCTCTAAAGGCACGTTACTTGGAACCTCTGTTTGCAGGTTTA
GGAGCGTTATTATTAGGGAAACGTCGCAAAAATAGAAAAATAAAAAATTAA

SEQ ID NO:55 polynucleotide sequence

ATGTCTAATAATTTTAAAGATGACTTTGAAAAAATCGTCAATCGATAGACACAAATTCACATCAAGACCATACGGAAGA
TGTTGAAAAAGACCAATCAGAATTAGAACATCAGGATACAATAGAGAATACGGAGCAACAGTTTCCGCCAAGAAATGCCC
AAAGAAGAAAAAGACGCCGTGATTTAGCAACGAATCATAATAACAAGTTCACAATGAATCACAAACATCTGAAGACAAT
GTTCAAAATGAGGCTGGCACAATAGATGATCGTCAAGTCGAATCATCACACAGTACTGAAAGTCAAGAACCTAGCCATCA
AGACAGTACACCTCAACATGAAGAGGAATATTATAATAAGAATGCTTTTGCAATGGATAAATCACATCCAGAACCAATCG
AAGACAATGATAAACACGAGACTATTAAAGATGCAGAAAATAACACTGAGCATTCAACAGTTTCTGATAAGAGTATAGCT
GAACAATCTCAGCAACCTAAACCATATTTTGCAACAGGTGCTAACCAAGCAAATACATCAAAAGATAAACATGATGATGT
AACTGTTAAGCAAGACAAAGATGAATCTAAAGATCATCATAGTGGTAAAAAAGGCGCAGCAATTGGTGCTGGAACAGCGG
GTGTTGCAGGTGCAGCTGGTGCAATGGGTGTTTCTAAAGCTAAGAAACATTCAAATGACGCTCAAAACAAAAGTAATTCT
GACAAGTCGAATAACTCGACTGAGGATAAAGCGTCTCAAGATAAGTCTAAAGATCATCATAATGGCAAAAAGGTGCAGC
GATCGGTGCTGGAACAGCAGGTTTGGCTGGAGGCGCAGCAAGTAAAAGTGCTTCTGCCGCTTCAAACCCACATGCCTCTA
ATAATGCAAGCCAAAACCATGATGAACATGACAATCATGACAGAGATAAAGAACGTAAAAAAGGTGGCATGGCCAAAGTA
TTGTTACCATTAATTGCAGCTGTACTAATTATCGGTGCATTAGCGATATTTGGAGGCATGGCATTAAACAATCATAATAA
TGGTACAAAAGAAAATAAAATCGCGAATACAAATAAAAATAATGCTGATGAAAGTAAAGACAAAGACACATCTAAAGACG
CTTCTAAAGATAAATCAAATCTACAGACAGTGATAAATCAAAGAGGATCAAGACAAAGCGACTAAAGATGAATCTGAT
AATGATCAAACAACGCTAATCAAGCGAACAATCAAGCACAAAATAATCAAATCAAACAAGCTAATCAAATCAACA
ACAGCAACAACAACGTCAAGGTGGTGGCCAAAGACATACAGTGAATGGTCAAGAAAACCTTATACCGTATCGCAATTCAAT
ACTACGGTTCAGGTTACCCGAAAATGTTGAAAAAATTAGACGTGCCAATGGTTTAAGTGGTAACAATATTAGAAACGGT
CAACAAATCGTTATTCCATAA

SEQ ID NO:56 polynucleotide sequence

GTGATTGAATTAATTAAAATGGAAGGGATGATAGTTGTGTCTAATAATAATTTTAAAGATGATTTTCGAAAAGAATCGTCA
ATCTATTAATCCAGACGAACAGCAAACAGAATTAAAAGAAGATGATAAAACAAATGAAAATAAAAAAGAAGCTGACTCTC
AAAACAGTTTATCTAATAACTCAAATCAACAATTTCTCTCCGAGAAATGCCCAACGACGAAAAAGACGTAGAGAGACAGCA
ACTAATCAAAGCAAACAACAGACGACAAACATCAAAAAAATAGTGACGCTAAAACCTACAGAAGGTTTCATTAGATGACCG
TTATGACGAAGCACAGTTACAGCAACAACATGATAAATCGCAACAACAAAATAAAACTGAAAAACAATCACAAGATAATA
GAATGAAAGATGGAAAAGATGCAGCTATTGTAAATGGAACATCTGAGTCACCAGAACATAAATCAAATCAACACAAAAT
AGACCCGGCCCTAAAGCTCAACAACAAAAGCGTAAATCAGAAAGTACGCAATCAAACCCGTCAACAAACAAAGATAAAAA
AGCAGCTACAGGTGCTGGAATAGCTGGTGAGCTGGTGTTGCTGGTGAGCAGAACATCCAAACGTCATCATAATAAAA
AAGATAACAAGATTCTAAACACTCAAACCATGAGAATGACGAAAAATCTGTTAAAAATGATGACCAAAGCAATCTAAA
AAAGGCAAAAAGCAGCAGTCGGTGCTGGCGCAGCTGCAGGAGTTGGTGCGGCTGGTGTTGCGCATCATAATAATCAAAA
TAAACATCATAATGAGGAAAAAATTCTAATCAAACAATCAGTACAATGACCAATCAGAAGGTAAGAAAAAAGGTGGTT
TCATGAAAATCTTGTTACCACTTATAGCAGCCATTCTTATTCTAGGTGCAATAGCAATATTCGGTGGTATGGCTCTAAAT
AATCACAACGATAGTAAAAGTGATGACCAAATAATAGCGAATCAAAGTAAGAAAGACTCAGATAAAAAAGATGGTGCGCA
ATCCGAAGATAACAAAGACAAAAAATCTGATAGTAACAAAGACAAAAAATCTGATTCTGATAAGAACGCAGATGATGACT
CTGATAATAGTTCCTCAAATCCTAACGCTACTTCAACTAATAATAACGATAATGTAGCCAATAATAACTCAAATTATACA
AACCAAAATCAACAAGATAATGCAAACCAAAATAGCAATAATCAACAGGCAACTCAAGGTCAACAATCACATACAGTATA
CGGTCAAGAAAACCTTATATCGTATCGCCATACAATATTATGGAGAAGGAACTCAAGCTAACGTAGATAAAATTAAACGTG
CGAATGGATTAAGCAGTAATAATATTCATAATGGTCAAACATTAGTTATTCTCAATAA

SEQ ID NO:57 polynucleotide sequence

ATGAAAAATAAATTGATAGCAAAATCTTTATTAACAATAGCGGCAATTGGTATTACTACAACCTACAATTGCGTCAACAGC
AGATGCGAGCGAAGGATACGGTCCAAGAGAAAAGAAACCAGTGAGTATTAATCACAATATCGTAGAGTACAATGATGGTA

CTTTTAAATATCAATCTAGACCAAAATTTAACTCAACACCTAAATATATTAAATTCAAACATGACTATAATATTTTAGAA
TTTAACGATGGTACATTCGAATATGGTGCACGTCCACAATTTAATAAAACCAGCAGCGAAAACTGATGCAACTATTAAAAA
AGAACAAAAATTGATTCAAGCTCAAAATCTTGTGAGAGAATTTGAAAAACACATACTGTCTAGTGCACACAGAAAAGCAC
AAAAGGCAGTCAACTTAGTTTCGTTTGAATACAAAGTGAAGAAAATGGTCTTACAAGAGCGAATTGATAATGTATTAAAA
CAAGGATTAGTGAGATAA

SEQ ID NO:58 polynucleotide sequence

ATGAAAACACGTATAGTCAGCTCAGTAACAACAACACTATTGCTAGGTTCCATATTAATGAATCCTGTCGCTAATGCCGC
AGATTCTGATATTAATATTTAAACCGGTACTACAGATATTGGAAGCAATACTACAGTAAAAACAGGTGATTTAGTCACTT
ATGATAAAGAAAAATGGCATGCACAAAAAAGTATTTTATAGTTTTATCGATGATAAAAATCACAATAAAAAACTGCTAGTT
ATTAGAACGAAAGGTACCATTGCTGGTCAATATAGAGTTTATAGCGAAGAAGGTGCTAACAAAAGTGTTTTCAGCCTGGCC
TTCAGCCTTTAAGGTACAGTTGCAACTACCTGATAATGAAGTAGCTCAAATATCTGATTACTATCCAAGAAATTCGATTG
ATACAAAAGAGTATATGAGTACTTTAACTTATGGATTCAACGGTAATGTTACTGGTGATGATACAGGAAAAATTGGCGGC
CTTATTGGTGCAAATGTTTCGATTGGTCATACACTGAAATATGTTCAACCTGATTTCAAACAATTTTAGAGAGCCCAAC
TGATAAAAAAGTAGGCTGGAAAGTGATATTTAACAATATGGTGAATCAAAATTGGGGACCATATGATAGAGATTCTTGGA
ACCCGGTATATGGCAATCAACTTTTCATGAAAAGTAGAAATGGTTCTATGAAAGCAGCAGAGAAGTTCTTGATCCTAAC
AAAGCAAGTTCTCTATTATCTTCAGGGTTTTCACCAGACTTCGCTACAGTTATTACTATGGATAGAAAAGCATCCAAACA
ACAAACAAATATAGATGTAATATACGAACGAGTTCGTGATGACTACCAATTGCATTGGACTTCAACAAATTTGGAAAGGTA
CCAATACTAAAGATAAATGGACAGATCGTTCTTCAGAAAGATATAAAATCGATTGGGAAAAAGAAGAAATGACAAATTAA

SEQ ID NO:59 polynucleotide sequence

ATACACATGAAAAATAAATATATCTCGAAGTTGCTAGTTGGGGCAGCAACAATTACTTTAGCTACAATGATTTCAAATGG
GGAAGCAAAAGCGAGTGAAAACACGCAACAACTTCAACTAAGCACCAACAACCTCAAAACAACCTACGTAACAGATCAAC
AAAAAGCTTTTTTATCAAGTATTACATCTAAAAGGTATCACAGAAGAACAACGTAACCAATACATCAAAACATTACGCGAA
CACCCAGAACGTGCACAAGAAGTATTCTCTGAATCACTTAAAGACAGCAAGAACCCAGACCGACGTGTTGCACAACAAAA
CGCTTTTTTACAATGTTCTTAAAAATGATAACTTAACTGAACAAGAAAAAAATAATTACATTGCACAAATTAAAGAAAACC
CTGATAGAAGCCAACAAGTTTGGGTAGAATCAGTACAATCTTCTAAAGCTAAAGAACGTCAAAATATTGAAAATGCGGAT
AAAGCAATTAAAGATTTCCAAGATAACAAAGCACACGATAAATCAGCAGCATATGAAGCTAACTCAAAATTACCTAA
AGATTTACGCGATAAAAAATAACCGCTTTGTAGAAAAAGTTTCAATTGAAAAAGCAATCGTTTCGTCATGATGAGCGTGTGA
AATCAGCAAATGATGCAATCTCAAAATTAAATGAAAAAGATTCAATTGAAAACAGACGTTTAGCACAACGTGAAGTTAAC
AAAGCACCTATGGATGTAAAAGAGCATTTACAGAAACAATTAGACGCATTAGTAGCTCAAAAAGATGCTGAAAAGAAAGT
GGCGCCAAAAGTTGAGGCTCCTCAAATTCAATCACCACAAATTGAAAAACCTAAAGCAGAATCACCAAAAGTTGAAGTCC
CTCAATCTAAATTATTAGGTTACTACCAATCATTAAAAGATTCATTTAACTATGGTTACAAGTATTTAACAGATACTTAT
AAAAGCTATAAAGAAAAATATGATACAGCAAAGTACTACTATAATACGTACTATAAATACAAAGGTGCGATTGATCAAAC
AGTATTAACAGTACTAGGTAGTGGTTCTAAATCTTACATCCAACCATTTGAAAGTTGATGATAAAAACGGCTACTTAGCTA
AATCATATGCACAAGTAAGAACTATGTAAGTGAATCAATACTGGTAAAGTATTATATACTTTCTACCAAAACCCA
ACATTAGTAAAAACAGCTATTAAAGCTCAAGAACTGCATCATCAATCAAAAATACATTAAGTAATTTATTATCATTTCTG
GAAATAA

SEQ ID NO:60 polynucleotide sequence

ATGACAAAACATTATTTAAACAGTAAGTATCAATCAGAACAACGTTTCATCAGCTATGAAAAAGATTACAATGGGTACAGC
ATCTATCATTTTTAGGTTCCCTTGTATACATAGGCGCAGACAGCCAACAAGTCAATGCGGCAACAGAAGCTACGAACGCAA
CTAATAATCAAAGCACACAAGTTTCTCAAGCAACATCACAACCAATTAATTTCCAAGTGCAAAAAGATGGCTCTTCAGAG
AAGTCACACATGGATGACTATATGCAACACCCTGGTAAAGTAATTAAACAAAATAATAAATATTATTTCCAAACCGTGT
AAACAATGCATCATTCTGGAAAGAATACAAATTTTACAATGCAACAATCAAGAATTAGCAACAACCTGTTGTTAACGATA
ATAAAAAAGCGGATACTAGAACAAATCAATGTTGCAGTTGAACCTGGATATAAGAGCTTAACTACTAAAGTACATATTGTC
GTGCCACAAATTAATTACAATCATAGATATACTACGCATTTGGAATTTGAAAAAGCAATTCCTACATTAGCTGACGCAGC
AAAACCAACAATGTTAAACCGGTTCAACCAAAACAGCTCAACCTAAAACACCTACTGAGCAAACCTAAACAGTTCAAC
CTAAAGTTGAAAAAGTTAAACCTACTGTAACCTACAACAAGCAAAGTTGAAGACAATCACTCTACTAAAGTTGTAAGTACT
GACACAACAAAAGATCAAACCTAAAACACAACTGCTCATAACAGTTAAAACAGCACAACTGCTCAAGAACAAAATAAAGT
TCAAACACCTGTTAAAGATGTTGCAACAGCGAAATCTGAAAGCAACAATCAAGCTGTAAGTGATAATAAATCACAACAAA
CTAACAAAGTTACAAAACATAACGAAACGCCTAAACAAGCATCTAAAGCTAAAGAATTACCAAAAACCTGGTTTAACTTCA
GTTGATAACTTTATTAGCACAGTTGCCTTCGCAACACTTGCCCTTTTAGGTTTCATTATCTTTTATTACTTTTCAAAGAAA
AGAATCTAAATAA

SEQ ID NO:61 polynucleotide sequence

ATGAACAAACAGCAAAAAGAATTTAAATCATTTTATTCAATTAGAAAGTCATCACTAGGCGTTGCATCTGTAGCGATTAG
TACACTTTTATTATTAATGTCAAATGGCGAAGCACAAGCAGCAGCTGAAGAAACAGGTGGTACAAATACAGAAGCACAAC
CAAAAACCTGAAGCAGTTGCAAGTCCAACAACAACATCTGAAAAAGCTCCAGAACTAAACAGTAGCTAATGCTGTCTCA

GTATCTAATAAAGAAGTTGAGGCCCTACTTCTGAAACAAAAGAAGCTAAAGAAGTTAAAGAAGTTAAAGCCCCTAAGGA
AACAAAAGCAGTTAAACCAGCAGCAAAAGCCACTAACAAATACATATCCTATTTTGAATCAGGAACTTAGAGAAGCGATTA
AAAACCTTGCAATAAAAGATAAAGATCATAGCGCACCAAACCTCTCGTCCAATTGATTTTGAATGAAAAAAGAAAATGGT
GAGCAACAATTTTATCATTATGCCAGCTCTGTTAAACCTGCTAGAGTTATTTTCACTGATTCAAACCAGAAATTGAATT
AGGATTACAATCAGGTCAATTTTGGAGAAAATTTGAAGTTTATGAAGGTGACAAAAAGTTGCCAATTAAATTAGTATCAT
ACGATACTGTTAAAGATTACGCTTACATTGCTTCTCTGTTTCAAATGGAACAAAAGCCGTTAAATTTGTAAGTTCAACT
CACTTCAATAACAAAGAAGAAAAATACGATTACACATTAATGGAATTCGCACAACCAATTTATAACAGTGCAGATAAATT
CAAACTGAAGAAGATTATAAAGCTGAAAAATTATTAGCGCCATATAAAAAAGCGAAAACACTAGAAAGACAAGTTTATG
AATTAAATAAAATTCAAGATAAACTTCTGAAAAATTAAAGGCTGAGTACAAGAAGAAATTAGAGGATACAAAGAAAGCT
TTAGATGAGCAAGTGAAATCAGCTATTACTGAATTCAAAATGTACAACCAACAAATGAAAAATGACTGATTTACAAGA
TACAAAATATGTTGTTTATGAAAGTGTTGAGAATAACGAATCTATGATGGATACTTTTGTAAACACCCTATTAAACAG
GTATGCTTAACGGCAAAAAATATATGGTCATGGAACTACTAATGACGATTACTGGAAAGATTTTCATGGTTGAAGGTCAA
CGTGTTAGAACTATAAGCAAAGATGCTAAAAATAATACTAGAACAATTATTTTCCCATATGTTGAAGGTAAAACCTCTATA
TGATGCTATCGTTAAAGTTCACGTAAAAACGATTGATTATGATGGACAATACCATGTGAGAATCGTTGATAAAGAAGCAT
TTACAAAAGCCAATACCGATAAATCTAACAAAAAAGAACAACAAGATAACTCAGCTAAGAAGGAAGCTACTCCAGCTACG
CCTAGCAAACCAACACCATCACCTGTTGAAAAAGAATCACAAAAACAAGACAGCCAAAAAGATGACAATAAACAATTACC
AAGTGTTGAAAAAGAAAATGACGCATCTAGTGAGTCAGGTAAAGACAAAACGCCTGCTACAAAACCAACTAAAGGTGAAG
TAGAATCAAGTAGTACAACCTCAACTAAGGTAGTATCTACGACTCAAAATGTTGCAAAACCAACAACCTGCTTCATCAAAA
ACAACAAAAGATGTTGTTCAAACTTCAGCAGGTTCTAGCGAAGCAAAAGATAGTGCTCCATTACAAAAGCAAACATTAA
AAACACAAATGATGGACACACTCAAAGCCAAAACAATAAAAAATACACAAGAAAAATAAAGCAAAATCATTACCACAACTG
GTGAAGAATCAAATAAAGATATGACATTACCATTAATGGCATTACTAGCTTTAAGTAGCATCGTTGCATTTCGTATTACCT
AGAAAACGTAAAAACTAA

SEQ ID NO:62 polynucleotide sequence

ATGAATAATAAAAAGACAGCAACAAATAGAAAAGGCATGATACCAAATCGATTAAACAAATTTTCGATAAGAAAGTATTC
TGTAGGTACTGCTTCAATTTTAGTAGGGACAACATTGATTTTGGGTAAAGTGGTCATGAAGCTAAAGCGGCAGAACATA
CGAATGGAGAATTAAATCAATCAAAAAATGAAACGACAGCCCCAAGTGAGAATAAAACAACCTGAAAAAGTTGATAGTCGT
CAACTAAAAGACAATACGCAAACCTGCAACTGCAGATCAGCCTAAAGTGACAATGAGTGATAGTGCAACAGTTAAAGAAAC
TAGTAGTAACATGCAATCACCAACAAACGCTACAGCTAGTCAATCTACTACACAACTAGCAATGTAACAACAAATGATA
AATCATCAACTACATATAGTAATGAACTGATAAAAGTAATTTAACACAAGCAAAAAACGTTTCAACTACACCTAAAACA
ACGACTATTAAACAAAGAGCTTTAAATCGCATGGCAGTGAATACTGTTGCAGCTCCACAACAAGGAACAAATGTTAATGA
TAAAGTACATTTTACGAACATTGATATTGCGATTGATAAAGGACATGTTAATAAAACAACAGGAAATACTGAATTTTGGG
CAACTTCAAGTGATGTTTTAAATTAAGCGAATTACACAATCGATGATTCTGTTAAAGAGGGCGATACATTTACTTTT
AAATATGGTCAATATTTCCGTCCAGGTTCTGTAAGATTACCTTCACAACTCAAAATTTATATAATGCCCAAGGTAATAT
TATTGCAAAAGGTATTTACGATAGTAAACAAATACAACAACGTATACTTTTACGAATTATGTAGATCAATACACAAATG
TTAGCGGTAGCTTTGAACAAGTCGCATTTGCGAAACGTGAAAATGCAACAACCTGATAAACTGCTTATAAAATGGAAGTA
ACTTTAGGTAATGATACATATAGTAAAGATGTCATTGTGCGATTATGGTAATCAAAAAGGTCAACAACCTTATTTTCGAGTAC
AAATTATATTAATAATGAAGATTTGTCACGTAATATGACTGTTTATGTAAATCAACCTAAAAAGACCTATACAAAAGAAA
CATTTGTAACAAATTTAACTGGTTATAAATTTAATCCAGATGCTAAAAACTTCAAAATTTACGAAGTGACAGATCAAAAT
CAATTTGTGGATAGTTTCACCCCAGATACTTCAAACTTAAAGATGTTACTGGTCAATTCGATGTTATTTATAGTAATGA
TAATAAGACGGCGACAGTAGATTTATTGAATGGTCAATCTAGTAGTGATAAACAGTACATCATTCAACAAGTTGCTTATC
CAGATAATAGTTCAACAGATAATGGGAAAATTGATTATACTTTAGAAACACAAAATGGAAAAAGTAGTTGGTCAAACAGT
TATTCAAATGTGAATGGCTCATCAACTGCAAATGGCGACCAAAAGAAATATAATCTAGGTGACTATGTATGGGAAGATAC
AAATAAGATGGTAAACAAGATGCCAATGAAAAAGGGATTAAAGGTGTTTATGTGATTCTTAAAGATAGTAACGGTAAAG
AATTAGATCGTACGACAACAGATGAAAATGGTAAATATCAGTTCACTGGTTTAAAGCAATGGAACCTTATAGTGTAGAGTTT
TCAACACCAGCCGGTTATACACCGACAACCTGCAAATGCAGGTACAGATGATGCTGTAGATTCTGATGGACTAACTACAAC
AGGTGTCATTAAAGACGCTGACAACATGACATTAGATAGTGATTCTACAAAACACCAAAATATAGTTTAGGTGATTATG
TTTGGTACGACAGTAATAAAGATGGTAAACAAGATTCGACTGAAAAAGGAATTAAAGGTGTTAAAGTTACTTTGCAAAAC
GAAAAAGGCGAAGTAATTGGTACAACCTGAAACAGATGAAAATGGTAAATACCGCTTTGATAATTTAGATAGTGGTAAATA
CAAAGTTATCTTTGAAAAGCCTGCTGGTTTAACTCAAACAGGTACAAATACAACCTGAAGATGATAAAGATGCCGATGGTG
GCGAAGTTGATGTAACAATTACGGATCATGATGATTTACACTTGATAATGGCTACTACGAAGAAGAAACATCAGATAGT
GACTCAGATTCGGACAGCGATTTCAGACTCAGATAGCGACTCAGATTCAGATAGTGACTCAGACTCAGATAGCGACTCAGA
CTCAGATAGCGACTCAGACAGCGACTCAGACTCAGATAGTGATTTCAGATTCGGACAGCGACTCAGATTCAGACAGCGAAT
CAGATTCGGATAGCGACTCAGACTCAGATAGCGACTCAGACAGCGACTCAGATTCAGACAGTGACTCAGACTCAGACAGC
GACTCAGATTCAGACAGCGATTTCAGATTCGGATAGCGACTCAGATTCAGATAGCGATTTCGGACTCAGACAACGACTCAGA
TTCTGACAGCGATTTCAGACTCAGATAGCGACTCAGATTCAGACAGCGACTCAGATTCAGACAGCGATTTCAGATTCAGATA
GCGATTTCAGATTCAGACAGCGACTCAGATTCAGATAGCGACTCAGACTCAGACAGCGATTTCAGACTCAGATAGCGACTCA
GACAGCGATTTCAGATTCGGATAGCGATTTCAGATTCAGATGCAGGTAAACATACTCCGACTAAACCAATGAGTACGGTTAA
AGATCAGCATAAAACAGCTAAAGCATTACCAGAAACAGGTAGTGAAAATAATAATTCAAATAATGGCACATTATTCGGTG
GATTATTCGCGGCATTAGGATCATTATTGTTATTCGGTCGTCGTAAAAAACAAAATAAATAA

SEQ ID NO:63 polynucleotide sequence

ATGAATATGAAGAAAAAAGAAAAACACGCAATTCGGAAAAAATCGATTGGCGTGGCTTCAGTGCTTGTAGGTACGTTAAT
CGGTTTTGGACTACTCAGCAGTAAAGAAGCAGATGCAAGTGAAAATAGTGTTACGCAATCTGATAGCGCAAGTAACGAAA
GCAAAAGTAATGATTCAAGTAGCGTTAGTGCTGCACCTAAAACAGACGACACAAACGTGAGTGATACTAAAACATCGTCA
AACACTAATAATGGCGAAACGAGTGTGGCGCAAATCCAGCACAAACAGGAAACGACACAATCATCATCAACAAATGCAAC
TACGGAAGAAACGCCGGTAACCTGGTGAAGCTACTACTACGACAACGAATCAAGCTAATACACCGGCAACAACCTCAATCAA
GCAATACAAATGCGGAGGAATTAGTGAATCAAACAAGTAATGAAACGACTTCTAATGATACTAATACAGTATCATCTGTA
AATTCACCTCAAAATTTCTACAAATGCGGAAAATGTTTCAACAACGCAAGATACTTCAACTGAAGCAACACCTTCAAACAA
TGAATCAGCTCCACAGAATACAGATGCAAGTAATAAAGATGTAGTTAGTCAAGCGGTTAATCCAAGTACGCCTAGAATGA
GAGCATTTAGTTTACGGCAGTAGCTGCAGATGCACCGGCAGCTGGCACAGATATTACGAATCAGTTGACAGATGTGAAA
GTTACTATTGACTCTGGTACGACTGTGTATCCGCACCAAGCAGGTTATGTCAAACCTGAATTATGGTTTTTCAGTGCCCTAA
TTCTGCTGTTAAAGGTGACACATTCAAATAACTGTACCTAAAGAATTAAACTTAAATGGTGTAACCTTCAACTGCTAAAG
TGCCACCAATTATGGCTGGAGATCAAGTATTGGCAAATGGTGTAATCGATAGTGATGGTAATGTTATTTATACATTTACA
GACTATGTTGATAATAAAGAAAAATGTAACAGCTAATATTACTATGCCAGCTTATATTGACCCTGAAAATGTTACAAAGAC
AGGTAATGTGACATTGACAACCTGGCATAGGAACCAATACTGCTAGTAAGACAGTATTAATCGACTATGAGAAATATGGAC
AATTCCATAATTTATCAATTAAAGGTACGATTGATCAAATCGATAAAACAAATAATACGTATCGCCAAACAATTTATGTC
AATCCAAGCGGAGATAACGTTGTGTTACCTGCCTTAACAGGTAATTTAATTCCTAATACAAAGAGTAATGCGTTAATAGA
TGCAAAAAACACTGATATTAAAGTTTATAGAGTCGATAATGCTAATGATTTATCTGAAAGTTATTATGTGAATCCTAGCG
ATTTTGAAGATGTAACATAATCAAGTTAGAATTTTCAATTTCCAAATGCTAATCAATACAAAGTAGAATTTTCTACGGACGAT
GACCAAATTACAACACCGTATATTGTAGTTGTTAATGGCCATATTGATCCTGCTAGTACAGGTGATTTAGCACTACGTTT
GACATTTTATGGTTATGATTCTAATTTTATATGGAGATCTATGTCATGGGACAACGAAGTAGCATTTAATAACGGATCAG
GTTCTGGTGACGGTATCGATAAACAGTTGTTCTGAACAACCTGATGAGCCTGGTGAAATTGAACCAATTCCAGAGGAT
TCAGATTCTGACCCAGGTTTCAAGTTCTGGCAGCGATTCTAATTCAGATAGCGGTTTCAAGTTCTGGCAGTGATTCTACATC
AGATAGTGGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
ATTCAGATTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
TCAGCAAGCGATTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
CGATTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
ACTCAGACAGCGATTCTGACTCAGACAGTGACTCAGATTCCGATAGCGATTCTGACTCAGACAGTGACTCAGATTCCGAT
AGCGATTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
AGATTCCGATAGCGATTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
ATAGCGATTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
TCAGAATCAGATAGTGACTCCGATTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
AGCGAGTGATTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTTCAAGTTT
ACAACGACTCAGACAGTGATTCAAATAGCGATTCCGAGTCAGGTTCTAACAATAATGTAGTTCCGCCTAATTCACCTAAA
AATGGTACTAATGCTTCTAATAAAAATGAGGCTAAAGATAGTAAAGAACCATTACCAGATACAGGTTCTGAAGATGAAGC
GAATACGTCACCTAATTTGGGGATTATTAGCATCATTAGGTTTCACTACTTTTTCAGAAGAAAAAAGAAAAATAAAGATA
AGAAATAA

SEQ ID NO:64 polynucleotide sequence

GTGAAAAACAATCTTAGGTACGGCATTAGAAAACATAAATTGGGAGCAGCATCAGTATTCTTAGGAACAATGATCGTTGT
TGGGATGGGACAAGATAAAGAAGCTGCAGCATCAGAACAAAAGACAACTACAGTAGAAGAAAATGGGAATTCAGCTACTG
ATAATAAAACAAGTGAAACACAAACAACCTGCTACTAACGTTAATCATATAGAAGAACTCAATCATATAACGCAACAGTA
ACAGAACAACCGTCAAACGCAACACAAGTAACAACCTGAAGAAGCACCAAAAGCAGTACAAGCACCACAACTGCACAACC
AGCAAATGTAGAAACAGTTAAAGAAGAAGAGAAACCTCAAGTTAAGGAAACGACACAACCTCAAGACAATAGCGGAAATC
AAAGACAAGTAGATTTAACACCTAAAAAGGTTACACAAAATCAAGGGACAGAAACACAAGTTGAAGTGGCACAGCCAAGA
ACGGCATCAGAAAGTAAGCCACGTGTGACAAGATCAGCAGATGTAGCGGAAGCTAAGGAAGCTAGTGACGTTTTCAGAAGT
TAAAGGCACAGATGTTACAAGTAAAGTTACAGTAGAAAGTGTTCTATTGAGGCACCTCAAGGAAATAAAGTAGAGCCAC
ATGCTGGTCAACGTGTCTGATTGAAATACAAATTGAAATTCGCAGATGGATTAAAAAGAGGAGATTATTTTGTATTTTACA
TTATCAAATAATGTAAATACTTATGGGGTTTCAACAGCTAGAAAGGTACCAGAGATTAAAAATGGCTCAGTTGTAATGGC
TACAGGTGAGATCTTAGGGAATGGTAACATAAGATATACATTTACTAACGAAATTGAACACAAGGTAGAGGTAACAGCTA
ATTTAGAAATCAACTTATTTATTGACCCTAAAACCTGTACAAAGCAATGGAGAACAAAAGATTACTTCTAAATTAAATGGT
GAAGAAACAGAAAAACAATAACAGTTGTTTATAATCCAGGTGTTAGCAATAGTTATACAAATGTAAATGGATCAATTGA
AACATTTAATAAAGAATCTAATAAATTTACACATATAGCTTATATTAAGCCAATGAATGGAAACCAGTCAAACACTGTAT
CAGTAACAGGGACGTTGACTGAAGGTAGTAATTTAGCTGGTGGACAACCTACTGTTAAAGTATATGAATATCTAGGGAAA
AAAGATGAATTGCCACAAAGTGTTTATGCAAATACATCAGATACTAACAAATTCAAAGATGTAACAAAGGAAATGAATGG
AAAATTGAGTGTGCAAGACAATGGTAGTTACTCATTGAATTTAGATAAGTTGGATAAAACGTATGTCATTCATTATACAG
GTGAATATTTGCAAGGGTCAGATCAGGTTAATTTTAGAACTGAATTATATGGGTATCCAGAACGAGCATATAAATCTTAC
TATGTTTATGGGGGATATCGTTTAACTTGGGATAATGGTTTAGTTTTATATAGCAATAAAGCTGACGGCAATGGTAAAAA
TGGACAAATTATTCAAGATAATGATTTTGAATATAAAGAAGATACTGCAAAAGGAACTATGAGCGGGCAGTACGATGCCA
AGCAAATTATTGAAACAGAAGAAAATCAAGACAATACACCGCTTGACATTGATTACCACACAGCTATAGATGGTGAGGGT

GGTTATGTTGATGGGTATATTGAAACAATAGAAGAAACGGATTCATCAGCTATTGATATCGATTACCATACTGCTGTGGA
TAGTGAAGTGGGTCACGTTGGAGGATACACTGAGTCCTCTGAGGAATCAAATCCAATTGACTTTGAAGAATCGACACATG
AAAATTCAAAACATCACGCTGATGTTGTTGAATATGAAGAGGATACAAATCCAGGTGGTGGCCAAGTAACAACCTGAGTCT
AACTTAGTTGAATTTGACGAAGAGTCTACAAAAGGTATTGTAACCTGGCGCAGTGAGCGACCATAACAATGAAGATAC
GAAAGAATATACGACTGAAAGTAATCTGATTGAACTAGTAGATGAACTACCTGAAGAACATGGTCAAGCACAAGGACCAA
TCGAGGAAATTACTGAAAACAATCATCATATTTCTCATTCTGGTTTAGGAACTGAAAATGGTCACGGTAATTATGGCGTG
ATTGAAGAAATCGAAGAAAATAGCCACGTTGATATTAAGAGTGAATTAGGTTACGAAGGTGGCCAAAATAGCGGTAACCA
GTCATTCGAGGAAGACACAGAAGAAGACAAACCTAAATATGAACAAGGTGGCAATATCGTAGATATCGATTTTCGACAGTG
TACCTCAAATTCATGGTCAAAATAAAGGTGACCAGTCATTTCGAAGAAGATACAGAGAAAGACAAGCCTAAATATGAACAT
GGCGGTAATATCATTTGATATCGACTTCGACAGTGTGCCACAAATTCATGGATTCAATAAGCATAATGAAATTATTGAAGA
AGATACAAACAAAGATAAACCTAATTATCAATTCGGTGGACACAATAGTGTGACTTTGAAGAAGATACACTTCCAAAAG
TAAGCGGCCAAAATGAAGGTCAACAAACGATTGAAGAAGATACAACGCCGCCAACGCCACCGACACCAGAAGTACCGAGT
GAGCCGGAAACACCAATGCCACCGACACCAGAAGTACCGAGTGAGCCGGAAACACCAACGCCACCAACACCAGAGGTACC
AAGTGAGCCGGAAACACCAACACCACCGACTCCGGAAGTACCAAGTGAGCCGGAAACACCAACACCACCGACACCAGAAG
TGCCGAGTGAGCCAGAAACACCAACACCGCCAACACCAGAGGTACCAGCTGAACCTGGTAAACCAGTACCACCCGCAAAA
GAAGAACCTAAAAAGCCTTCTAAACCAGTGGAAACAAGGTAAAGTAGTAACACCTGTTATTGAAATCAATGAAAAGGTAA
AGCAGTGGCACCAACTAAAAAGCACAATCTAAGAAATCTGAACTACCTGAAACAGGTGGAGAAGAATCAACAAACAAAG
GTATGTTGTTTCGGCGGATTATTTCAGCATTCTAGGTTTAGCATTATTACGCAGAAATAAAAAGAATAACAAAGCATAA

SEQ ID NO:65 polynucleotide sequence

TTGAAAAAAGAATTGATTATTTGTGCAATAAGCAGAATAAGTATTTCGATTAGACGTTTTACAGTAGGTACCACATCAGT
AATAGTAGGGGCAACTATACTATTTGGGATAGGCAATCATCAAGCACAAGCTTCAGAACAATCGAACGATACAACGCAAT
CTTCGAAAAATAATGCAAGTGACAGATTCCGAAAAAACAATATGATAGAAACACCTCAATTAAATACAACGGCTAATGAT
ACATCTGATATTAGTGCAAACACAAACAGTGCGAATGTAGATAGCACAACAAAACCAATGTCTACACAAACGAGCAATAC
CACTACAACAGAGCCAGCTTCAACAAATGAAACACCTCAACCGACGGCAATTAAAAATCAAGCAACTGCTGCAAAAATGC
AAGATCAAACCTGTTCTCAAGAAGCAAATTCCTCAAGTAGATAATAAAACAACGAATGATGCTAATAGCATAGCAACAAAC
AGTGAGCTTAAAAATTCTCAACATTAGATTTACCACAATCATCACCACAAACGATTTCCAATGCGCAAGGAAGTAGTAA
ACCAAGTGTTAGAACGAGAGCTGTACGTAGTTTAGCTGTTGCTGAACCGGTAGTAAATGCTGCTGATGCTAAAGGTACAA
ATGTAATGATAAAGTTACGGCAAGTAATTTCAAGTTAGAAAAGACTACATTTGACCCTAATCAAAGTGGTAACACATTT
ATGGCGGCAATTTTACAGTGACAGATAAAGTGAAATCAGGGGATTATTTTACAGCGAAGTTACCAGATAGTTTAACTGG
TAATGGAGACGTGGATTATTCTAATTCAAATAATACGATGCCAATTGCAGACATTAAAAGTACGAATGGCGATGTTGTAG
CTAAAGCAACATATGATATCTTGACTAAGACGTATACATTTGTCTTTACAGATTATGTAAATAATAAAGAAAATATTAAC
GGACAATTTTCATTACCTTTATTTACAGACCGAGCAAAGGCACCTAAATCAGGAACATATGATGCGAATATTAATATTGC
GGATGAAATGTTTAATAATAAAATTAAGTTATACTTATACTATAGTTTCGCCAATTGCAGGAATTGATAAACCAAATGGCGCGAACA
TTTCTTCTCAAATTATTGGTGTAGATACAGCTTCAGGTCAAAACACATACAAGCAAACAGTATTTGTTAACCTAAGCAA
CGAGTTTTAGGTAATACGTGGGTGTATATTAAGGCTACCAAGATAAAATCGAAGAAAGTAGCGGTAAAGTAAGTGCTAC
AGATACAAAACCTGAGAATTTTGAAGTGAATGATACATCTAAATTATCAGATAGCTACTATGCAGATCCAAATGACTCTA
ACCTTAAAGAAGTAACAGACCAATTTAAAAATAGAATCTATTATGAGCATCCAAATGTAGCTAGTATTAAATTTGGTGAT
ATTACTAAAACATATGTAGTATTAGTAGAAGGGCATTACGACAATACAGGTAAGAACTTAAAACTCAGGTTATTCAAGA
AAATGTTGATCCTGTAACAAATAGAGACTACAGTATTTTCGGTTGGAATAATGAGAATGTTGTACGTTATGGTGGTGGAA
GTGCTGATGGTGATTTCAGCAGTAAATCCGAAAGACCCAACTCCAGGGCCCGCGGTTGACCCAGAACCAAGTCCAGACCCA
GAACCAGAACCAACGCCAGATCCAGAACCAAGTCCAGACCCAGAACCGGAACCAAGCCAGACCCGGATCCGGATTCCGA
TTCAGACAGTGACTCAGGCTCAGACAGCGACTCAGGTTTCAGATAGCGACTCAGAATCAGATAGCGATTCCGGATTTCAGACA
GTGATTCAGATTCAGACAGCGACTCAGAATCAGATAGCGATTTCAGAATCAGATAGCGACTCAGATTCAGATAGCGATTCA
GATTCAGATAGCGATTTCAGAATCAGATAGCGATTTCGGATTTCAGACAGTGATTTCAGATTCAGACAGCGACTCAGAATCAGA
TAGCGACTCAGAATCAGATAGTGAGTCAGATTTCAGACAGTGACTCGGACTCAGACAGTGATTTCAGACTCAGATAGCGATT
CAGACTCAGATAGCGATTTCAGACTCAGACAGCGATTTCAGATTTCAGACAGCGACTCAGAATCAGACAGCGACTCAGACTCA
GATAGCGACTCAGACTCAGACAGCGACTCAGATTTCAGATAGCGATTTCAGACTCAGACAGCGACTCAGACTCAGACAGCGA
CTCAGACTCAGATAGCGATTTCAGACTCAGACAGCGACTCAGATTTCAGATAGCGATTTCGGACTCAGACAGCGATTTCAGATT
CAGACAGCGACTCAGACTCGGATAGCGATTTCAGATTTCAGACAGCGACTCAGACTCGGATAGCGACTCGGATTTCAGATAGT
GACTCCGATTCAAGAGTTACACCACCAAATAATGAACAGAAAGCACCATCAAATCCTAAAGGTGAAGTAAACCATTCTAA
TAAGGTATCAAAACAACACAAAACCTGATGCTTTACCAGAAACAGGAGATAAGAGCGAAAACACAAATGCAACTTTATTG
GTGCAATGATGGCATTATTAGGATCATTACTATTGTTTAGAAAACGCAAGCAAGATCATAAAGAAAAAGCGTAA

SEQ ID NO:66 polynucleotide sequence

ATGAAAAAGCAAATAATTTTCGCTAGGCGCATTAGCAGTTGCATCTAGCTTATTTACATGGGATAACAAAGCAGATGCGAT
AGTAACAAAGGATTATAGTAAAGAATCAAGAGTGAATGAGAAAAGTAAAAAGGGAGCTACTGTTTCAGATTATTACTATT
GGAAAATAATTGATAGTTTAGAGGCACAATTTACTGGAGCAATAGACTTATTGGAAGATTATAAATATGGAGATCCTATC
TATAAAGAAGCGAAAGATAGATTGATGACAAGAGTATTAGGAGAAGACCAGTATTTATTAAAGAAAAAGATTGATGAATA
TGAGCTTTATAAAAAGTGGTATAAAAAGTTCAAATAAGAACACTAATATGCTTACTTTCCATAAATATAATCTTTACAATT

TAACAATGAATGAATATAACGATATTTTTAACTCTTTGAAAGATGCAGTTTATCAATTTAATAAAGAAGTTAAAGAAATA
GAGCATAAAAATGTTGACTTGAAGCAGTTTGTATAAAGATGGAGAAGACAAGGCAACTAAAGAAGTTTATGACCTTGTTTC
TGAAATTGATACATTAGTTGTAACCTATTATGCTGATAAGGATTATGGGGAGCATGCGAAAGAGTTACGAGCAAACTGG
ACTTAATCCTTGGAGATACAGACAATCCACATAAAATTACAAATGAGCGTATAAAAAAAGAAATGATCGATGACTTAAAT
TCAATTATAGATGATTTCTTTATGGAGACTAAACAAAATAGACCGAATTCTATAACAAAATATGATCCAACAAAACACAA
TTTTAAAGAGAAGAGTGAAAATAAACCTAATTTTGTATAAATTAGTTGAAGAAACAAAAAAGCAGTTAAAGAAGCAGACG
AATCTTGGAAAAATAAACTGTCAAAAAATACGAGGAACTGTAACAAAATCTCCTGTTGTAAAAGAAGAGAAGAAAGTT
GAAGAACCTCAATTACCTAAAGTTGGAAACCAGCAAGAGGTTAAACTACGGCTGGTAAAGCTGAAGAAACAACACAACC
AGTGGCACAGCCATTAGTAAAAATTCCACAAGAAACAATCTATGGTGAACTGTAAAAGGTCCAGAATATCCAACGATGG
AAAATAAAACGTTACAAGGTGAAATCGTTCAAGGTCCCGATTTTCTAACAATGGAACAAAACAGACCATCTTTAAGCGAT
AATTATACTCAACCGACGACACCGAACCTATTTTAGAAGGTCTTGAAGGTAGCTCATCTAACTTGAAATAAAACCACA
AGGTACTGAATCAACGTTGAAAGGTATTCAAGGAGAATCAAGTGATATTGAAGTTAAACCTCAAGCAACTGAAACAACAG
AAGCTTCTCAATATGGTCCGAGACCGCAATTTAACAAAACACCTAAGTATGTGAAATATAGAGATGCTGGTACAGGTATC
CGTGAATACAACGATGGAACATTTGGATATGAAGCGAGACCAAGATTCAACAAGCCAAGTGAAACAAATGCATACAACGT
AACGACAAATCAAGATGGCACAGTATCATACGGAGCTCGCCCAACACAAAACAAGCCAAGTGAAACAAACGCATATAACG
TAACAACACATGCAAATGGTCAAGTATCATATGGCGCTCGCCCAACACAAAAAAGCCAAGCAAAACAAATGCATATAAC
GTAACAACACATGCAAATGGTCAAGTATCATATGGCGCTCGCCCGACACAAAAAAGCCAAGCAAAACAAATGCATATAA
CGTAACAACACATGCAAATGGTCAAGTATCATACGGAGCTCGCCCGACATACAAGAAGCCAAGCGAAACAAATGCATACA
ACGTAACAACACATGCAAATGGTCAAGTATCATATGGCGCTCGCCCGACACAAAAAAGCCAAGCGAAACAAACGCATAT
AACGTAACAACACATGCAGATGGTACTGCGACATATGGGCCTAGAGTAACAAAATAA

SEQ ID NO:77 polynucleotide sequence

GTGAAAAGCAATCTTAGATACGGCATAAGAAAACACAAATTGGGAGCGGCCTCAGTATTCTTAGGAACAATGATCGTTGT
TGGAATGGGACAAGAAAAAGAAGCTGCAGCATCGGAACAAAACAATACTACAGTAGAGGAAAGTGGGAGTTCAGCTACTG
AAAGTAAAGCAAGCGAAACACAAACAACTACAAATAACGTTAATACAATAGATGAAACACAATCATACAGCGCGACATCA
ACTGAGCAACCATCAAAATCAACTCAAGTAACAACAGAAGAAGCACCAACAACCTGTGCAAGCACCAAAAGTAGAAACCGA
AATGAAATCACAAGAAGATTTACCATCAGAAAAAGTTGCTGATAAGGAACTACAGGAACTCAAGTTGACATAGCTCAAC
CAAGTAACGTCTCAGAAATTAAACCAAGAATGAAAAGATCAGCTGACGTTACAGCAGTTTCAGAGAAAGAAGTAGCGGAA
GAAGCTAAAGCGACAGGTACAGATGTAACAAATAAAGTGGAAGTTACTGAAAGCTCTTTAGAAGGACATAATAAAGATT
GAATATTGTTAATCCGCATAATGCTCAAAGAGTAACTTTAAAATACAAATGGAAATTTGGAGAAGGAATTAAGGCAGGAG
ATTATTTTGATTTACATTAAAGTGATAATGTTGAAACACATGGTATATCAACACTGCGTAAAGTTCCGGAGATAAAAAGT
TCAACAGAAGATAAAGTTATGGCAAATGGTCAAGTTATAAATGAACGTACAATTCGCTATACATTTACTGATTATATAAA
TAACAAAAAAGATTTAACTGCTGAATTAACTTAAACCTATTTCATTGACCCAACAACAGTGACAAAGCAAGGGAGTCAAA
AAGTTGAAGTAACACTAGGTCAAATAAAGTCTCAAAGAATTTGATATCAAATATTTAGACGGCGTTAAAGATAGAATG
GGTGTTACTGTTAATGGTTCGTATTGATACTTTGAATAAAGAAGAGGGTAAATTTAGCCATTTTGCATATGTGAAGCCTAA
CAACCAGTCGTTAACTTCTGTCACAGTAACTGGTCAAGTAACATCTGGATATAAACAAAGTGCTAATAATCCAACAGTCA
AAGTATATAAACACATTGGTTCAGATGAATTAGCTGAAAGTGTTTATGCAAAGCTTGATGATACCAGTAAATTTGAAGAT
GTGACTGAAAAAGTAAATCTATCTTACACAAGTAATGGTGGGTACACATTGAACCTTGGCGATTTAGATAATTCGAAAGA
CTATGTAATTAAATATGAAGGTGAATATGATCAAAATGCTAAGGATCTAAATTTCCGAACACATCTTTCAGGATATCATA
AATACTACCCATACTATCCTTATTACCCGTATTATCCAGTTCAATTAACCTTGGAAACAACGGTGTTGCATTTTACTCTAAT
AATGCTAAAGGCGATGGTAAAGATAAACCAATGATCCTATCATTGAGAAGAGTGAACCAATTGATTTAGACATTAAATC
AGAGCCACCAGTGGAGAAGCATGAATTGACTGGTACAATCGAAGAAAGTAACGATTCTAAGCCAATTGATTTTGAATATC
ATACAGCTGTTGAAGGTGCAGAAGGTCATGCAGAAGGTATTATTGAAACTGAAGAAGATTCTATTCATGTGGATTTTGAA
GAATCTACACATGAAAATTCAAACATCACGCTGATGTTGTTGAATATGAAGAGGATACAAACCCAGGTGGTGGCCAAGT
AACAACCTGAGTCTAACTTAGTTGAATTTGACGAAGAGTCTACAAAAGGTATTGTAACCTGGCGCAGTGAGCGACCATACAA
CAGTTGAAGATACGAAAGAATATACAACTGAAAGTAATCTGATTGAATTAGTGGATGAATTACCTGAAGAACATGGTCAA
GCACAAGGGCCAATCGAGGAAATTACTGAAAACAATCATCATATTTCTCATTCTGGTTTAGGAACTGAAAATGGTCACGG
TAATTATGGCGTGATTGATGAAATCGAAGAAAATAGCCACGTTGATATTAAGAGTGAATTAGGTATGAAGGTGGCCAAA
ATAGCGGTAATCAGTCATTTCGAGGAAGACACAGAAGAAGATAAACCTAAATATGAACAAGGTGGTAATATCGTAGATATC
GATTTTCGACAGTGACCTCAAATTCATGGTCAAATAATGGTAACCAGTCATTTCGAGGAAGACACAGAAGAAGACAAGCC
TAAGTATGAACAAGGTGGTAACATCATTGATATCGACTTCGACAGTGTGCCACAAATTCATGGATTCAATAAGCATAATG
AAATTATTGAAGAAGATACAAACAAGATAAACCTAATTATCAATTTGGTGGACACAACAGTGTTGATTTTGAAGAAGAT
ACACTTCCAAAAGTAAGTGGTCAAATGAAGGTCAACAAACGATTGAAGAAGATACAACGCCGCCAACACCGCCAACACC
AGAGGTACCAAGTGAGCCGGAAACACCAACACCACCAACACCAGAAGTACCGAGTGAGCCAGGCGAACCAACGCCACCAA
AACCAGGAAGTACCAAGTGAGCCGGAAACACCAGTACCACCAACACCAGAGGTACCATCTGAACCTGGTAAACCAGTACCA
CCTGCTAAAGAAGAACCTAAAAACCTTCTAAACCAGTGGAACAAGGTAAAGGTAGTAACACCTGTTATTGAATCAATGA
AAAGGTAAAGCAGTGGCACCAACTAAACAAAACAATCTAAGAAATCTGAACCTACCTGAAACAGGTGGAGAAGAATCAA
CAAACAAGGTATGTTGTTTCGGCGGATTATTCAGCATTCTAGGTTTAGTATTATTACGCAGAAATAAAAAGAATAACAAA
GCATAA

SEQ ID NO:78 polynucleotide sequence

ATGAAATTTAAGTCATTGATTACAACAACATTAGCATTAGGCGTTATAGCATCAACAGGAGCAAACCTTTAATACTAACGA
AGCATCTGCCGCAGCTAAGCCATTAGATAAATCATCAAGTACATTACACCATGGACATTCTAACATCCAGATTCCATATA
CAATTACTGTGAACGGTACAAGCCAAAACATTTTATCAAGCTTAACATTTAATAAGAATCAAATATTAGTTATAAAGAT
ATAGAGAATAAAGTTAAATCAGTTTTTATACTTTAATAGAGGTATTAGTGATATCGATTTAAGACTTTCAAAGCAAGCGGA
ATATACGGTTCATTTTAAAAATGGAACAAAAGAGTTATCGATTTGAAATCAGGTATCTACACAGCTGACTTAATCAATA
CAAGTGACATTAAAGCTATCAGTGTTAACGTAGATACTAAAAAGCAACCTAAAGATAAAGCTAAAGCAAATGTTCAAGTG
CCATATACAATCACAGTGAACGGCACAAGCCAAAACATTTTATCAAACCTAACATTTAATAAAAAATCAAATATTAGTTA
CAAAGATTTAGAGGGTAAAGTTAAATCAGTTTTAGAAATCAAATAGAGGTATTACTGATGTTGATTTAAGACTTTCTGAAGC
AAGCGAAATATACAGTTAATTTTAAAAATGGAACGAAGAAAGTTATCGATTTGAAATCAGGTATTTACACAGCGAATTTA
ATCAATTCAAGTGATATTAAAGTATCAATATTAACGTAGATACAAAAAACATATCGAAAATAAAGCTAAAAGAAACTA
TCAAGTTCATATTCAATTAATCTAAATGGTACATCTACAAACATTTTATCGAATCTTTCATTTTCAAATAAACCTTGGA
CAAATTACAAAAATTTAACTAGTCAAATAAAATCAGTACTGAAGCATGATAGAGGTATTAGTGAACAAGATTTAAATAT
GCTAAGAAAGCTTATTATACTGTTTATTTTAAAAATGGTGGTAAAAGAATCTTACAGTTAAATTCAAAAAATTACACAGC
AACTTAGTTCATGCGAAAGATGTTAAGAGAATTGAAATTACTGTTAAACAGGAACTAAAGCGAAAGCAGACAGATATG
TACCATACACAATTGCAGTAAATGGCACATCAACACCAATTTTATCAAACCTAAAAATTTTGAATAAACAAATTAATTAGT
TACAAATATTTAAACGACAAAGTGAAATCTGTATTTAAAGTGAAAGAGGTATCAGTGATCTTGACTTAAATTTGCGAA
ACAAGCAAAATATACAGTATATTTCAAATGGAAGAAACAAGTAGTGAATTTAAATCAGACATCTTTACACCTAATT
TATTTAGTGCCAAAGATATTTAAAGATTGATATTGATGTAAAACAATACACTAAATCAAAAAAAAAAATAAATAAATCT
AATAATGTGAAATTCCCAGTAACAATAAATAAATTTGAAAACATAGTTTCAAATGAATTTGTGTTCTATAATGCAAGCAA
AATTACAATTAATGATTTAAGTATAAACTTAAATCAGCAATGGCAAATGATCAAGGGATAACTAAACATGACATAGGAC
TTGCTGAACGCGCAGTGTATAAAGTGTATTTTAAAAATGGTTCGTCAAATATGTAGACTTAAAACTGAGTATAAAGAT
GAAAGAGTATTTAAAGCAACTGACATTAAAAAGGTAGATATTGAACTTAAATTCTAA

SEQ ID NO:79 polynucleotide sequence

ATGAACAAACATCACCCAAAATTAAGGTCTTTCTATTCTATTAGAAAATCAACTCTAGGC
GTTGCATCGGTCATTGTCAGTACACTATTTTAAATTACTTCTCAACATCAAGCACAAGCA
GCAGAAAATACAAATACTTCAGATAAAATCTCGGAAAATCAAATAATAATGCAACTACA
ACTCAGCCACCTAAGGATACAAATCAAACACAACCTGCTACGCAACCAGCAAACACTGCG
AAAACTATCCTGCAGCGGATGAATCACTTAAAGATGCAATTAAAGATCCTGCATTAGAA
AATAAAGAACATGATATAGGTCCAAGAGAACAAGTCAATTTCCAGTTATTAGATAAAAAC
AATGAAACGCAGTACTATCACTTTTTCAGCATCAAAGATCCAGCAGATGTGTATTACACT
AAAAGAAAGCAGAAGTTGAATTAGACATCAATACTGCTTCAACATGGAAGAAGTTTGAA
GTCTATGAAAACAATCAAAAATTGCCAGTGAGACTTGTATCATATAGTCCTGTACCAGAA
GACCATGCCTATATTCGATTCCCAGTTTCAGATGGCACACAAGAATTGAAAATTGTTTCT
TCGACTCAAATTGATGATGGAGAAGAAACAAATTATGATTATACTAAATTAGTATTTGCT
AAACCTATTTATAACGATCCTTCACTTGTAAAATCAGATACAAATGATGCAGTAGTAACG
AATGATCAATCAAGTTCAGTCGCAAGTAATCAAACAAACACGAATACATCTAATCAAAT
ATATCAACGATCAACAATGCTAATAATCAACCGCAGGCAACGACCAATATGAGTCAACCT
GCACAACCAAAATCGTCAACGAATGCAGATCAAGCGTCAAGCCAACCAGCTCATGAAACA
AATTCTAATGGTAATACTAACGATAAAACGAATGAGTCAAGTAATCAGTCGGATGTTAAT
CAACAGTATCCACCAGCAGATGAATCACTACAAGATGCAATTAAAAACCCGGCTATCATC
GATAAAGAACATACAGCTGATAATTGGCGACCAATTGATTTTCAAATGAAAATGATAAA
GGTGAAAGACAGTTCTATCATTATGCTAGTACTGTTGAACCAGCAACTGTCATTTTACA
AAAACAGGACCAATAATTGAATTAGGTTTAAAGACAGCTTCAACATGGAAGAAATTTGAA
GTTTATGAAGGTGACAAAAGTTACCAGTCGAATTAGTATCATATGATTCTGATAAAGAT
TATGCCTATATTCGTTTCCCAGTATCTAATGGTACGAGAGAAGTTAAAATTGTGTCATCT
ATTGAATATGGTGAGAACATCCATGAAGACTATGATTATACGCTAATGGTCTTTGCACAG
CCTATTACTAATAACCCAGACGACTATGTGGATGAAGAAACATACAATTTACAAAAATTA
TTAGCTCCGTATCACAAAGCTAAAACGTTAGAAAGACAAGTTTATGAATTAGAAAAATTA
CAAGAGAAATTGCCAGAAAAATATAAGGCGGAATATAAAAAGAAATTAGATCAAACCTAGA
GTAGAGTTAGCTGATCAAGTTAAATCAGCAGTGACGGAATTTGAAAATGTTACACCTACA
AATGATCAATTAACAGATTTACAAGAAGCGCATTTTGTGTTTGTGAAAGTGAAGAAAT
AGTGAGTCAGTTATGGACGGCTTTGTTGAACATCCATTCTATACAGCAACTTTAAATGGT
CAAAAATATGTAGTGATGAAAACAAAGGATGACAGTTACTGGAAAGATTTAATTGTAGAA
GGTAAACGTGTCCTACTGTTTCTAAAGATCCTAAAAATAATTCTAGAACGCTGATTTTC
CCATATATACCTGACAAAGCAGTTTACAATGCGATTGTTAAAGTCGTTGTGGCAAACATT
GGTTATGAAGGTCAATATCATGTCAGAATTATAAATCAGGATATCAATACAAAAGATGAT
GATACATCACAAAATAACACGAGTGAACCGCTAAATGTACAAACAGGACAAGAAGGTAAG
GTTGCTGATACAGATGTAGCTGAAAATAGCAGCACTGCAACAAATCCTAAAGATGCGTCT

GATAAAGCAGATGTGATAGAACCAGAGTCTGACGTGGTTAAAGATGCTGATAATAATATT
GATAAAGATGTGCAACATGATGTTGATCATTTATCCGATATGTCGGATAATAATCACTTC
GATAAATATGATTTAAAAGAAATGGATACTCAAATTGCCAAAGATACTGATAGAAATGTG
GATAAAGATGCCGATAATAGCGTTGGTATGTCATCTAATGTCGATACTGATAAAGACTCT
AATAAAAATAAAGACAAAGTCATACAGCTGAATCATATTGCCGATAAAAATAATCATACT
GGAAAAGCAGCAAAGCTTGACGTAGTGAAACAAAATTATAATAATACAGACAAAGTTACT
GACAAAAAAACAACCTGAACATCTGCCGAGTGATATTCATAAACTGTAGATAAAACAGTG
AAAACAAAAGAAAAAGCCGGCACACCATCGAAAGAAAACAACTTAGTCAATCTAAAATG
CTACCAAAAACCTGGAGAAACAACCTTCAAGCCAATCATGGTGGGGCTTATATGCGTTATTA
GGTATGTTAGCTTTATTCATTCTAAATTCAGAAAAGAATCTAAATAA

SEQ ID NO:80 polynucleotide sequence

GCTGAGACGACACAAGATCAAACCTACTAATAAAAACGTTTTAGATAGTAATAAAGTTAAA
GCAACTACTGAACAAGCAAAAGCTGAGGTAaaaaatCCAACGCAAAACATTTCTGGCACT
CAAGTATATCAAGACCCTGCTATTGTCCAACCAAAAACAGCAAATAACAAAACAGGCAAT
GCTCAAGTAAGTCAAAAAGTTGATACTGCACAAGTAAATGGTGACACTCGTGCTAATCAA
TCAGCGACTACAAATAATACGCAGCCTGTTGCAAAGTCAACAAGCACTACAGCACCTAAA
ACTAACACTAATGTTACAAATGCTGGTTATAGTTTAGTTGATGATGAAGATGATAATTCA
GAAAATCAAATTAATCCAGAATTAATTAAATCAGCTGCTAAACCTGCAGCTCTTGAAACG
CAATATAAAACCGCAGCACCTAAAGCTGCAACTACATCAGCACCTAAAGCTAAAACCTGAA
GCGACACCTAAAGTAACTACTTTTAGCGCTTCAGCACAAACCAAGATCAGTTGCTGCAACA
CCAAAACGAGTTTGCCAAAATATAAACCACAAGTAACTCTTCAATTAACGATTACATT
TGTAaaaaataaCTTAAAAGCACCTAAAATTGAAGAAGATTATACATCTTACTTCCCTAAA
TACGCATACCGTAACGGCGTAGGTGCTCCTGAAGGTATCGTAGTTCATGATACAGCTAAT
GATCGTTCGACGATAAATGGTGAAATTAGTTATATGAAAAATAACTATCAAAACGCATTC
GTACATGCATTTGTTGATGGGGATCGTATAATCGAAACAGCACCAACGGATTACTTATCT
TGGGGTGTGCGTGCAAGTCGGTAACCCTAGATTCATCAATGTTGAAATCGTACACACACAC
GACTATGCTTCATTTGCACGTTCAATGAATAACTATGCTGACTATGCAGCTACACAATTA
CAATATTATGGTTTAAAACCAGACAGTGCTGAGTATGATGGAAATGGTACAGTATGGACT
CACTACGCTGTAAGTAAATATTTAGGTGGTACTGACCATGCCGATCCACATGGATATTTA
AGAAGTCATAATTATAGTTATGATCAATTATATGACTTAATTAATGAAAAATATTTAATA
AAAATGGGTAAAGTGCGCCATGGGGTACGCAATCTACAACCTACCCCTACTACACCATCA
AAACCAACAACACCGTCGAAACCATCAACTGGTAAATTAACAGTTGCTGCAAACAATGGT
GTCGCACAAATCAAACCAACAAATAGTGGTTTATATACTACTGTATACGACAAAACCTGGT
AAAGCAACTAATGAAGTTCAAAAACATTTGCTGTATCTAAAACAGCTACATTAGGTAAT
CAAAAATTCTATCTTGTTCAGATTACAATTCTGGTAATAAATTTGGTTGGGTAAAGAA
GGCGATGTGGTTTACAACACAGCTAAATCACCTGTAAATGTAAATCAATCATATTCAATC
AAACCTGGTACGAAACCTTTATACAGTACCTTGGGGTACATCTAAACAAGTTGCTGGTAGT
GTGTCTGGCTCTGGAAACCAACATTTAAGGCTTCAAAGCAACAACAAATTGATAAATCA
ATTTATTTATATGGCTCTGTGAATGGTAAATCTGGTTGGGTAAAGCATATTTAGTT
GATACTGCTAAACCTACGCCTACACCAACACCTAAGCCATCAACACCTACAACAAATAAT
AAATTAACAGTTTCATCATTAACGGTGTTGCTCAAATTAATGCTAAAAACAATGGCTTA
TTCCTACAGTTTATGACAAAACCTGGTAAGCCAACGAAAGAAGTTCAAAAAACATTTGCT
GTAACAAAAGAAGCAAGTTTAGGTGGAACAAATTCTACTTAGTTAAAGATTACAATAGT
CCAACCTTAATTGGTTGGGTAAACAAGGTGACGTTATTTATAACAATGCAAAATCACCT
GTAAATGTAAATGCAACATATACAGTAAAACCAGGCACTAAATTATATTCAGTACCTTGG
GGCACTTATAAACAAGAAGCTGGTGCAAGTTTCTGGTACAGGTAACCAAACCTTTTAAAGCG
ACTAAGCAACAACAAATTGATAAATCTATCTATTTATTTGGAAGTGTAAATGGTAAATCT
GGTTGGGTAAAGTAAAGCATATTTAGCTGTACCTGCTGCACCTAAAAAAGCAGTAGCACAA
CCAAAACAGCTGTAAAA

SEQ ID NO: 81 polynucleotide sequence

GCTTATACTGTTACTAAACCACAAACGACTCAAACAGTTAGCAAGATTGCTCAAGTTAAA
CCAAACAACACTGGTATTCGTGCTTCTGTTTATGAAAAACAGCGAAAAACGGTGCGAAA
TATGCAGACCGTACGTTCTATGTAACAAAAGAGCGTGCTCATGGTAATGAAACGTATGTA
TTATTAAACAATACAAGCCATAACATCCATTAGGTTGGTTCAATGTAAAGACTTAAAT
GTTCAAAACTTAGGCAAAGAAGTTAAAACGACTCAAAAATATACTGTTAATAAATCAAAT
AACGGCTTATCAATGGTTCCTTGGGGTACTAAAAACCAAGTCATTTTAACAGGCAATAAC

ATTGCTCAAGGTACATTTAATGCAACGAAACAAGTATCTGTAGGCAAAGATGTTTATTTA
TACGGTACTATTAATAACCGCACTGGTTGGGTAAATGCAAAAGATTTAACTGCACCAACT
GCTGTGAAACCAACTACATCAGCTGCCAAAGATTATAACTACACTTATGTAATTAAAAAT
GGTAATGGTTATTACTATGTAACACCAAATTCTGATACAGCTAAATACTCATTAAAAGCA
TTTAATGAACAACCATTTCGCAGTTGTTAAAGAACAAGTCATTAATGGACAAACTTGGTAC
TATGGTAAATTATCTAACGGTAAATTAGCATGGATTAAATCAACTGATTTAGCTAAAGAA
TTAATTAAGTATAATCAAACAGGTATGACATTAAACCAAGTTGCTCAAATACAAGCTGGT
TTACAATATAAACCACAAGTACAACGTGTACCAGGTAAGTGGACAGATGCTAAATTTAAT
GATGTTAAGCATGCAATGGATACGAAGCGTTTAGCTCAAGATCCAGCATTAAAATATCAA
TTCTTACGCTTAGACCAACCACAAAATATTTCTATTGATAAAAATTAATCAATTCTTAAAA
GGTAAAGGTGTATTAGAAAACCAAGGTGCTGCATTTAACAAAGCTGCTCAAATGTATGGC
ATTAATGAAGTTTATCTTATCTCACATGCCCTATTAGAAACAGGTAACGGTACTTCTCAA
TTAGCGAAAGGTGCAGATGTAGTGAACAACAAAGTTGTAACATACTCAAACACGAAATAC
CATAACGTATTTGGTATTGCTGCATATGATAACGATCCTTTACGTGAAGGTATTAAATAT
GCTAAACAAGCTGGTTGGGACACAGTATCAAAAGCAATCGTTGGTGGTGCTAAATTCATC
GGCAACTCATATGTAAAAGCTGGTCAAAATACACTTTACAAAATGAGATGGAATCCTGCA
CATCCAGGAACACACCAATATGCTACAGATGTAGATTGGGCTAACATCAATGCTAAAATC
ATCAAAGGCTACTATGATAAAATTGGCGAAGTCGGCAAATACTTCGACATCCCACAATAT
AAA

SEQ ID NO: 82 polynucleotide sequence

GATCGTGTATTAGCCTCACATCCAGATGTTGCGACAATACGTCAAAACGTGACAGCAGCG
AATGCCGCTAAATCAGCACTTGATCAAGCACGTAATGGCTTAACAGTCGATAAAGCGCCT
TTAGAAAATGCGAAAAATCAACTACAACATAGTATTGACACGCAAACAAGTACAACTGGT
ATGACACAAGACTCTATAAATGCATACAATGCGAAGTTAACAGCTGCACGTAATAAGATT
CAACAAATCAATCAAGTATTAGCAGGTTACCGACTGTAGAACAATTAATACAAATACG
TCTACAGCAAATCAAGCTAAATCTGATTTAGATCATGCACGTCAAGCTTTAACACCAGAT
AAAGCGCCGCTTCAACTGCGAAAACGCAATTAGAACAAGCATTAATCAACCAACGGAT
ACAACAGGTATGACGACCGCTTCGTAAATGCGTACAACCAAAAATTACAAGCAGCGCGT
CAAAAGTTAACTGAAATTAATCAAGTGTTGAATGGCAACCCAACTGTCCAAAATATCAAT
GATAAAGTGACAGAGGCAAACCAAGCTAAGGATCAATTAAATACAGCACGTCAAGGTTTA
ACATTAGATAGACAGCCAGCGTTAACAACATTACATGGTGCATCTAACTTAAACCAAGCA
CAACAAAATAATTTACGCAACAAATTAATGCTGCTCAAAATCATGCTGCGCTTGAAACA
ATTAAGTCTAACATTACGGCTTTAAATACTGCGATGACGAAATTTAAAGACAGTGTTGCG
GATAATAATACAATTAATCAGATCAAAATTACACTGACGCAACACCAGCTAATAAACAA
GCGTATGATAATGCAGTTAATGCGGCTAAAGGTGTCATTGGAGAAACGACTAATCCAACG
ATGGATGTTAACACAGTGAACCAAAAAGCAGCATCTGTAAATCGACGAAAGATGCTTTA
GATGGTCAACAAAACCTTACAACGTGCGAAAACAGAAGCAACAAATGCGATTACGCATGCA
AGTGATTTAAACCAAGCACAAAAGAATGCATTAACACAACAAGTGAATAGTGACAAAAC
GTGCAAGCAGTAAATGATATTAAACAAACGACTCAAAGCTTAAATACTGCTATGACAGGT
TTAAAACGTGGCGTTGCTAATCATAACCAAGTCGTACAAAGTGATAATTATGTCAACGCA
GATACTAATAAGAAAAATGATTACAACAATGCATACAACCATGCGAATGACATTATTAAT
GGTAATGCACAACATCCAGTTATAACACCAAGTGATGTTAACAATGCTTTATCAAATGTC
ACAAGTAAAGAACATGCATTGAATGGTGAAGCTAAGTTAAATGCTGCGAAACAAGAAGCG
AATACTGCATTAGGTCATTTAAACAATTTAAATAATGCACAACGTCAAACTTACAATCG
CAAATTAATGGTGCGCATCAAATTGATGCAGTTAATACAATTAAGCAAAATGCAACAAAC
TTGAATAGTGCAATGGGTAACCTTAAGACAAGCTGTTGCAGATAAAGATCAAGTGAAACGT
ACAGAAGATTATGCGGATGCAGATACAGCTAAACAAAATGCATATAACAGTGCAAGTTTCA
AGTGCCGAAACAATCATTAATCAAACAACAAATCCAACGATGTCTGTTGATGATGTTAAT
CGTGCAACTTCAGCTGTTACTTCTAATAAAAAATGCATTAATGGTTATGAAAAATTAGCA
CAATCTAAAACAGATGCTGCAAGAGCAATTGATGCATTACCACATTTAAATAATGCACAA
AAAGCAGATGTTAAATCTAAAATTAATGCTGCATCAAATATTGCTGGCGTAAATACTGTT
AAACAACAAGGTACAGATTTAAATACAGCGATGGGTAACCTTGCAAGGTGCAATCAATGAT
GAACAAACGACGCTTAATAGTCAAACTATCAAGATGCGACACCTAGTAAGAAAACAGCA
TACACAAATGCGGTACAAGCTGCGAAAGATATTTTAAATAAATCAAATGGTCAAAATAAA
ACGAAAGATCAAGTTACTGAAGCGATGAATCAAGTGAATTCTGCTAAAAATAACTTAGAT

GGTACGCGTTTATTAGAT

SEQ ID NO: 83 polynucleotide sequence

GCTTCTACACAACATACAGTACAATCTGGTGAATCATTATGGAGTATTGCTCAAAAATAC
AACACTTCAGTAGAGAGTATTAAACAAAATAACCAATTAGATAACAACCTTGGTATTCCCT
GGTCAAGTTATCTCAGTAGGTGGAAGTGATGCACAAAATACGTCAAACACTTCTCCACAA
GCTGGTTCAGCATCATCTCATACTGTACAAGCTGGTGAATCATTAAATATCATTGCTAGC
AGATATGGTGTTTCAGTTGATCAATTAATGGCAGCCAATAACTTACGTGGTTATTTAATT
ATGCCTAACCAAACATTACAAATTCCTAATGGTGGATCAGGTGGTACAACACCAACAGCT
ACAACAGGTAGCAATGGCAATGCATCATCTTTTAATCACCAAATTTATACACTGCTGGT
CAATGTACATGGTACGTATTTGACCGTCGTGCTCAAGCTGGTAGTCCAATTAGCACATAT
TGGTCAGACGCTAAGTATTGGGCTGGTAACGCAGCTAATGATGGTTACCAAGTAAACAAC
ACACCATCAGTTGGTTCAATTATGCAAAGCACACCTGGTCCATATGGTCATGTTGCTTAT
GTTGAACGTGTCAATGGTGATGGTAGTATCTTGATTCTGAAATGAATTACACATATGGT
CCATACAATATGAACTACCGTACAATTCCAGCTTCAGAAGTTTCTAGCTATGCATTCATC
CATTAA

SEQ ID NO:84 polynucleotide sequence

ATGAATAATAAAAAGACAGCAACAAATAGAAAAGGCATGATACCAAATCGATTAAACAAA
TTTTCGATAAGAAAGTATTCTGTAGGTACTGCTTCAATTTTAGTAGGGACAACATTGATT
TTTGGGTAAAGTGGTCATGAAGCTAAAGCGGCAGAACATACGAATGGAGAATTAAATCAA
TCAAAAAATGAAACGACAGCCCCAAGTGAGAATAAAACAACCTAAAAAAGTTGATAGTCGT
CAACTAAAAGACAATACGCAAACTGCAACTGCAGATCAGCCTAAAGTGACAATGAGTGAT
AGTGCAACAGTTAAAGAACTAGTAGTAACATGCAATCACCAACAAACGCTACAGCTAAT
CAATCTACTACAAAACCTAGCAATGTAACAACAAATGATAAATCATCAACTACATATAGT
AATGAACTGATAAAAGTAATTTAACACAAGCAAAAGATGTTTCACTACACCTAAAACA
ACGACTATTAAACCAAGAAGCTTTAAATCGCATGGCAGTGAATACTGTTGCAGCTCCACAA
CAAGGAACAAATGTTAATGATAAAGTACATTTTCAAATATTGACATTGCGATTGATAAA
GGACATGTTAATCAGACTACTGGTAAACTGAATTTTGGGCAACTTCAAGTGATGTTTTA
AAATTAAAAGCAAATTACACAATCGATGATTCTGTAAAGAGGGCGATACATTTACTTTT
AAATATGGTCAATATTTCCGTCCAGGATCAGTAAGATTACCTTCACAACTCAAAATTTA
TATAATGCCAAGGTAATATTATTGCAAAAGGTATTTATGATAGTACAACAAACACAACA
ACATATACTTTTACGAACCTATGTAGATCAATATACAAATGTTAGAGGTAGCTTTGAACAA
GTTGCATTTGCGAAACGTAAAAATGCAACAACCTGATAAAACAGCTTATAAAATGGAAGTA
ACTTTAGGTAATGATACATATAGCGAAGAAATCATTGTGATTATGGTAATAAAAAAGCA
CAACCGCTTATTTCAAGTACAACTATATTAACAATGAAGATTTATCGCGTAATATGACT
GCATATGTAAATCAACCTAAAAATACATATACTAAACAAACGTTTGTACTAATTTAACT
GGATATAAATTTAATCCAAATGCAAAAAACTTCAAAATTTACGAAGTGACAGATCAAAAT
CAATTTGTGGATAGTTTCACCCCTGATACTTCAAACTTAAAGATGTTACTGATCAATTC
GATGTTATTTATAGTAATGATAATAAAACAGCTACAGTCGATTTAATGAAAGGCCAAACA
AGCAGCAATAAACAATACATCATTCAACAAGTTGCTTATCCAGATAATAGTTCAACAGAT
AATGGAAAAATTGATTATACTTTAGACACTGACAAAACCTAAATATAGTTGGTCAAATAGT
TATTCAAATGTGAATGGCTCATCAACTGCTAATGGCGACCAAAAGAAATATAATCTAGGT
GACTATGTATGGGAAGATACAAATAAAGATGGTAAACAAGATGCCAATGAAAAAGGGATT
AAAGGTGTTTATGTCAATCTTAAAGATAGTAACGGTAAAGAATTAGATCGTACGACAACA
GATGAAAATGGTAAATATCAGTTCACTGGTTTAAAGCAATGGAACCTTATAGTGTAGAGTTT
TCAACACCAGCCGGTTATACACCGACAACCTGCAAATGTAGGTACAGATGATGCTGTAGAT
TCTGATGGACTAACTACAACAGGTGTCATTAAAGACGCTGACAACATGACATTAGATAGT
GGATTCTACAAAACACCAAAATATAGTTTAGGTGATTATGTTTGGTACGACAGTAATAAA
GATGGTAAACAAGATTCGACTGAAAAAGGAATTAAAGGTGTTAAAGTTACTTTGCAAAAC
GAAAAAGGCGAAGTAATTGGTACAACCTGAAACAGATGAAAATGGTAAATACCGCTTTGAT
AATTTAGATAGTGGTAAATACAAAGTTATCTTTGAAAAACCTGCTGGCTTAACTCAAACA
GGTACAAATACAACCTGAAGATGATAAAGATGCCGATGGTGGCGAAGTTGATGTAACAATT
ACGGATCATGATGATTTACACTTGATAATGGCTACTACGAAGAAGAAACATCAGATAGC
GACTCAGATTCTGACAGCGATTTCAGACTCAGATAGCGACTCAGATTCAGATAGCGACTCA
GATTCAGACAGCGATTTCAGACAGCGACTCAGACTCAGATAGCGATTTCAGATTCAGACAGC
GACTCAGACTCAGACAGCGATTTCAGACTCGGATAGCGACTCAGACTCAGATAGCGACTCA
GATTCGGATAGCGACTCAGACTCAGATAGCGATTTCAGATTCAGATAGCGATTTCGGACTCA
GACAGTGATTTCAGATTTCAGACTCAGATAGCGACTCAGATTCTGACAGCGATTTCAGACTCA

GACAGCGACTCAGACTCAGACAGTGATTTCAGATTTCAGACAGCGACTCAGATTTCAGATAGC
GACTCAGACTCAGATAGCGACTCAGATTTCAGATAGCGATTTCGGACTCAGACAACGACTCA
GATTTCAGATAGCGATTTCAGATTTCAGATAGCGACTCAGATTTCGGACAGCGATTTCAGACTCA
GATAGCGATTTCAGACTCAGACAGCGATTTCAGATTTCAGATAGCGACTCAGACTCAGATAGC
GACTCAGACTCGGATAGCGATTTCAGATTTCAGACAGCGACTCAGATTTCAGATAGCGATTTCG
GACTCAGACAACGACTCAGATTTCAGATAGCGATTTCAGATTTCAGATGCAGGTAAACATACT
CCGGCTAAACCAATGAGTACGGTTAAAGATCAGCATAAAACAGCTAAAGCATTACCAGAA
ACAGGTAGTGAAAATAATAATTCAAATAATGGCACATTATTTCGGTGGATTATTTCGCGGCA
TTAGGATCATTATTGTTATTTCGGTTCGTTCGTAAAAAACAAAATAAATAA

SEQ ID NO: 85 polynucleotide sequence

ATGAATTTGTTAAAGAAAAATAAATATAGTATTAGGAAGTATAAAGTAGGCATATTCTCT
ACTTTAATCGGAACAGTTTTTATTACTTTCAAACCCAAATGGTGCACAAGCCTTAACTACG
GATAATAATGTACAAAGCGATACTAATCAAGCAACACCTGTAAATTCACAAGATAAAGAT
GTTGCTAATAATAGAGGTTTAGCAAATAGTGCGCAGAATACACCTAATCAATCTGCAACA
ACCAATCAAGCAACGAATCAAGCATTGGTTAATCATAATAATGGTAGTATAGTAAATCAA
GCTACGCCAACATCAGTGCAATCAAGTACGCCTTCAGCACAAAACAATAATCATAACAGAT
GGCAATACAACAGCAACTGAGACAGTGTCAAACGCTAATAATAATGATGTAGTGTGCAAT
AATACCGCATTAATGTACCAACTAAAACAAATGAAAATGGTTCAGGAGGACATCTAACT
TTAAAGGAAATTCAAGAAGATGTTTCGTCAATTCTTCAAATAAACCAGAGCTAGTTGCAATT
GCTGAACCAGCATCTAATAGACCGAAAAAGAGAAGTAGACGTGCGGCACCGGCAGATCCT
AATGCAACTCCAGCAGATCCAGCGGCTGCAGCGGTAGGAAACGGTGGTGCACCAGTTGCA
ATTACAGCGCCATATACGCCAACAACTGATCCTAATGCCAATAATGCAGGACAAAATGCA
CCTAACGAAGTGCTGTCATTTGATGACAATGGTATTAGACCAAGTACCAACCGTTCTGTG
CCAACAGTAAACGTTGTTAATAACTTGCCGGGCTTCACACTAATCAATGGTGGCAAAGTA
GGGTGTTTTAGTCATGCAATGGTAAGAACGAGCATGTTTTCAGGAGATAATAAGAAC
TATCAAGCACAAAGGAAATGTAATTGCATTAGGTTCGTATACATGGAAGTATGCAATGAC
CATGGCGATTTTAAATGGTATCGAGAAAGCATTAAACAGTAAATCCGAATTCTGAATTAATC
TTTGAATTTAATACAATGACTACTAAAAACGGTCAAGGCGCAACAAATGTTATTATCAAA
AATGCTGATACTAATGATACGATTGCTGAAAAGACTGTTGAAGGCGGTCCAACCTTTGCGT
TTATTTAAAGTACCTGATAATGTGAGAAATCTCAAAATTCAATTTGTACCTAAAAATGAC
GCAATAACAGATGCGCGTGGCATTATCAACTAAAAGATGGTTACAAATACTATAGCTTT
GTTGACTCTATCGGACTTCATTCTGGGTACATGTTTTTGTGAAAGACGAACAATGGAT
CCAACAGCAACAAATAATAAAGAGTTTACTGTAACAACATCATTAAAGAATAATGGTAAT
TCTGGTGCTTCTCTAGATACAAATGACTTTGTATATCAAGTTCAATTACCTGAAGGTGTT
GAATATGTGAACAATTCATTGACTAAAGATTTTCCAAGTAACAATTCAGGCGTTGATGTT
AATGATATGAATGTTACATATGATGCAGCAAATCGTGTGATAACAATTAAGTACTGGA
GGAGGTACAGCAAACCTCTCCGGCAGACTTATGCCTGATAAAATACTCGATTTAAGATAT
AAATTACGTGTAAATAATGTGCCGACACCAAGAACAGTAACATTTAACGAGACATTAACG
TATAAACATATACACAAGATTTTCAATTAATTCAGCTGCAGAAAGTCATACTGTAAGTACA
AATCCATATACTATCGATATCATCATGAATAAAGATGCATTACAAGCCGAAGTTGACAGA
CGTATTCAACAAGCTGATTATACATTTGCGTCATTAGATATCTTTAATGGTCTGAAACGA
CGCGCACAAACGATTTTAGATGAAAATCGTAACAATGTACCATTAAATAAAAGAGTTTCT
CAAGCATATATTGATTCATTAATAATCAAATGCAACATACGTTAATTGGAAGTGTGAT
GCTGAAAATGCAGTTAATAAAAAAGTTGACCAAATGGAAGATTTAGTTAATCAAAATGAT
GAATTGACAGATGAAGAAAAACAAGCAGCAATACAAGTTATCGAGGAACATAAAAAATGAA
ATAATTGGTAATATTGGTGACCAAACGACTGATGATGGCGTTACTAGAATCAAAGATCAA
GGTATACAGACCTTAAGTGGGGATACTGCAACACCGGTTGTTAAACCAAATGCTAAAAAA
GCAATACGTGATAAAGCAACGAAACAAAGGGAAATTATCAATGCAACACCAGATGCTACT
GAAGACGAGATTCAAGATGCACTAAATCAATTAGCTACGGATGAAACAGATGCTATTGAT
AATGTTACGAATGCTACTACAAATGCTGACGTTGAAACAGCTAAAAATAATGGCATCAAT
ACTATTGGAGCAGTTGTTTCTCAAGTAACTCATAAAAAAGCTGCAAGAGATGCAATTAAC
CAAGCAACAGCAACGAAAAGACAACAAATAAATAGTAATAGAGAAGCAACTCAGGAAGAG
AAAAATGCAGCATTGAACGAATTAATCAAGCAACCAACCATGCTTTAGAACAATCAAT
CAAGCAACAACAAATGCTAATGTTGATAACGCCAAAGGAGATGGTCTAAATGCCATTAAT
CCAATTGCTCCTGTAACTGTTGTTAAGCAAGCTGCAAGGGATGCCGTATCACATGATGCA
CAACAACATATCGCAGAGATCAATGCTAATCCTGATGCGACTCAAGAAGAAAGACAAGCA
GCAATTGACAAAGTGAATGCTGCTGTAAGTGCAGCAAACACAAACATTTTAAACGCTAAT

ACCAATGCTGATGTTGAACAAGTAAAGACAAATGCGATTCAAGGAATACAAGCAATTACA
CCAGCTACAAAAGTAAAAACAGATGCAAAAAATGCCATCGATAAAAAGTGCGGAAACGCAA
CATAATACGATATTTAATAATAATGATGCGACGCTCGAAGAACAACAAGCAGCACAACAA
TTACTTGATCAAGCTGTAGCCACAGCGAAGCAAAATATTAATGCAGCAGATACGAATCAA
GAAGTTGCACAAGCAAAAGATCAGGGCACACAAAATATAGTAGTGATTCAACCGGCAACA
CAAGTTAAACGCGATACTCGCAATGTTGTAAATGATAAAGCGCGAGAGGCGATAACAAAT
ATCAATGCTACAACCTGGCGCGACTCGAGAAGAGAAACAAGAAGCGATAAATCGTGTCAAT
ACACTTAAAAATAGAGCATTAAGTATGATATTGGTGTGACGTCTACTACTGCGATGGTCAAT
AGTATTAGAGACGATGCAGTCAATCAAATCGGCGCAGTTCAACCGCATGTAACGAAGAAA
CAAAGTCTACAGGTGTATTAAATGATTTAGCAACTGCTAAAAAGCAAGAAATTAATCAA
AACACAAATGCAACAACCTGAAGAAAAGCAAGTGGCTTTAAATCAAGTGGATCAAGAGTTA
GCAACGGCAATTAATAATATAAATCAAGCTGATACAAATGCGGAAGTAGATCAAGCGCAA
CAATTAGGTACAAAAGCAATTAATGCGATTTCAGCCAAATATTGTTAAAAAACCTGCAGCA
TTAGCACAAATCAATCAGCATTATAATGCTAAATTAGCTGAAATCAATGCTACACCAGAT
GCAACGAATGATGAGAAAAATGCTGCGATCAATACTTTAAATCAAGACAGACAACAAGCT
ATTGAAAGTATTAAACAAGCTAACACAAATGCAGAAGTAGACCAAGCTGCGACAGTAGCA
GAGAATAATATCGATGCTGTTCAAGTTGATGTAGTAAAAAACAAGCAGCGCGAGATAAA
ATCACTGCTGAAGTGGCGAAGCGTATTGAAGCGGTAAACAAACACCTAATGCAACTGAC
GAAGAAAAGCAGGCTGCTGTTAATCAAATCAATCAACTTAAAGATCAAGCAATTAATCAA
ATTAATCAAAACCAAACAAATGATCAGGTAGACACAACCTACAAATCAAGCGGTAAATGCT
ATAGATAATGTTGAAGCTGAAGTAGTAATTAACAACAAGGCAATTGCAGATATTGAAAA
GCTGTTAAAGAAAAGCAACAGCAAATTGATAATAGTCTTGATTCAACAGATAATGAGAAA
GAAGTTGCTTCACAAGCATTAGCTAAAGAAAAAGAAAAAGCACTTGCAGCTATTGACCAA
GCTCAAACGAATAGTCAGGTGAATCAAGCAGCAACAAATGGTGTATCAGCGATTAAAATT
ATTCAACCTGAAACAAAAGTTAAACCAGCTGCACGTGAAAAAATCAATCAAAAAGCGAAT
GAATTACGTGCTAAGATTAATCAGGATAAAGAAGCAACAGCAGAAGAAAGACAAGTAGCA
CTAGATAAAATCAATGAATTTGTAAATCAAGCCATGACAGATATTACGAATAATAGAACA
AATCAACAAGTTGATGATACAACAAGTCAAGCGCTTGATAGCATTGCTTTAGTGACGCCT
GACCATATTGTTAGAGCAGCTGCTAGAGATGCAGTTAAGCAACAATATGAAGCTAAAAAG
CGCGAAATTGAGCAAGCGGAACATGCGACTGATGAAGAAAAACAAGTTGCTTTAAATCAA
TTAGCGAATAATGAAAAACGTGCATTACAAAACATCGATCAAGCAATAGCGAATAATGAT
GTGAAACGTGTTGAAACAAATGGCATTGCTACACTAAAAGGTGTACAACCTCATATTGTA
ATTAAGCCTGAAGCACACAAGCAATAAAAGCAAGTGCAGAAAATCAAGTAGAATCAATA
AAAGATACACCACATGCAACAGTTGATGAATTAGATGAAGCGAATCAATTAATTAGCGAC
AACTCAAACAAGCGCAACAAGAAATAGAAAATACAAATCAAGATGCTGCTGTTACTGAT
GTTAGAAATCAAACAATCAAGGCAATAGAGCAAATAAAACCTAAAGTAAGACGTAAACGA
GCTGCGCTTGATAGCATTGAAGAAAATAATAAAAATCAACTCGATGCAATCCGAAATACG
TTGGATACTACTCAAGATGAAAGAGATGTTGCTATTGATACTTTAAATAAAATTGTAAAT
ACAATTAATAATGACATTGCACAAAACAAAACGAATGCAGAAGTGGATCGAACTGAGACT
GATGGCAACGACAACATCAAAGTGATTTTACCTAAAGTTCAAGTTAAACCAGCAGCGCGT
CAATCTGTTGGTGTAAGCCGAAGCTCAAATGCACTAATCGATCAAAGCGATTTATCA
ACTGAAGAAGAAAGACTAGCTGCTAAACATTTAGTAGAACAAGCACTTAATCAGGCTATT
GATCAGATCAATCATGCAGATAAGACTGCCCAAGTTAATCAAGATAGTATAAATGCTCAA
AATATTATTTCAAAAATTAAACCAGCGACAACAGTTAAAGCAACAGCATTACAACAAATT
CAAAATATCGCTACAAATAAAATTAATTTAATTAAAGCAAATAACGAAGCGACAGATGAA
GAACAAAATATTGCAATAGCACAAGTTGAAAAAGAGTTAATTAAAGCTAAACAACAAATT
GCTAGTGCAGTGAATAATGCAGATGTGGCATATTTATTGCATGATGAGAAAAACGAAATT
CGTGAAATCGAACCTGTTATTAACAGAAAGGCGTCTGCTCGAGAACAATTGACAACATTA
TTCAACGATAAAAAACAAGCAATTGAAGCGAATATTCAAGCAACGGTAGAAGAAAGAAAT
AGTATATTAGCACAGTTACAAAATATTTATGACACTGCTATTGGACAAATTGATCAAGAT
CGTAGCAATGCACAAGTTGATAAAACAGCATCATTAAATCTACAAACAATACATGATTTA
GATGTACATCCTATTAAAAAGCCAGATGCTGAAAAACGATTAATGATGATCTTGACAGC
GTCCTGCTTTAGTGCAAAATTATCGAAAAGTAAGTAATCGTAATAAGGCTGATGCATTA
AAAGCTATAACTGCTTTAAATTAACAATGGATGAAGAATTAAAAACAGCACGCACTAAT
GCTGATGTTGATGCAGTTTTAAACGATTTAATGTTGCATTAAGCGATATAGAAGCAGTA
ATTACTGAAAAAGAAATAGCTTACTGCGAATTGATAACATTGCTCAACAACATATGCG
AAATTCAAAGCGATCGCAACACCAGAACAATTAGCTAAAGTAAAGTATTAATTGATCAA
TATGTTGCAGATGGCAATAGAATGATTGATGAAGATGCGACATTAAATGACATCAAACAA
CACACGCAATTCATTGTTGATGAAATTTTAGCAATTAAATTACCAGCTGAAGCGACGAAA
GTATCACCAAAAGAAATTTCAGCCAGCTCCAAAAGTTTGTACGCCTATTAAAAAAGAAGAG
ACACATGAATCGCGCAAAGTTGAAAAAGAACTTCCAAATACAGGTTCTGAAGGAATGGAT

TTACCATTGAAAGAATTTGCACTGATTACAGGTGCGGCTTTGTTAGCTAGAAGACGTACT
AAAAACGAAAAAGAATCATAA

SEQ ID NO: 86 polynucleotide sequence

GAGGAGAATTCAGTACAAGACGTTAAAGATTTCGAATACGGATGATGAATTATCAGACAGC
AATGATCAGTCTAGTGATGAAGAAAAGAATGATGTGATCAATAATAATCAGTCAATAAAC
ACCGACGATAATAACCAAATAATTAAAAAAGAAGAAACGAATAACTACGATGGCATAGAA
AAACGCTCAGAAGATAGAACAGAGTCAACAACAAATGTAGATGAAAACGAAGCAACATTT
TTACAAAAGACCCCTCAAGATAATACTCATCTTACAGAAGAAGAGGTAAAAGAATCCTCA
TCAGTCGAATCCTCAAATTCATCAATTGATACTGCCCAACAACCATCTCACACAACAATA
AATAGAGAAGAATCTGTTCAAACAAGTGATAATGTAGAAGATTCACACGTATCAGATTTT
GCTAACTCTAAAATAAAAGAGAGTAACACTGAATCTGGTAAAGAAGAGAATACTATAGAG
CAACCTAATAAAGTAAAAGAAGATTCAACAACAAGTCAGCCGTCTGGCTATACAAATATA
GATGAAAAAATTTCAAATCAAGATGAGTTATTAAATTTACCAATAAATGAATATGAAAAT
AAGGCTAGACCATTATCTACAACATCTGCCCAACCATCGATTAAACGTGTAACCGTAAAT
CAATTAGCGGCGGAACAAGGTTCGAATGTTAATCATTTAATTAAAGTTACTGATCAAAGT
ATTACTGAAGGATATGATGATAGTGAAGGTGTTATTAAAGCACATGATGCTGAAAACCTTA
ATCTATGATGTAACCTTTTGAAGTAGATGATAAGGTGAAATCTGGTGATACGATGACAGTG
GATATAGATAAGAATACAGTTCATCAGATTTAACCGATAGCTTTACAATACCAAAAATA
AAAGATAATTCTGGAGAAATCATCGCTACAGGTACTTATGATAACAAAAATAAACAAATC
ACCTATACTTTTACAGATTATGTAGATAAGTATGAAAATATTAAAGCACACCTTAAATTA
ACGTCATACATTGATAAATCAAAGGTTCCAAATAATAATACCAAGTTAGATGTAGAATAT
AAAACGGCCCTTTCATCAGTAAATAAAACAATTACGGTTGAATATCAAAGACCTAACGAA
AATCGGACTGCTAACCTTCAAAGTATGTTTACAAACATAGATACGAAAAATCATACAGTT
GAGCAAACGATTTATATTAACCCTCTTCGTTATTCAGCCAAGGAAACAAATGTAAATATT
TCAGGGAATGGTGATGAAGGTTCAACAATTATAGACGATAGCACATAATTAAAGTTTAT
AAGGTTGGAGATAATCAAAATTTACCAGATAGTAACAGAATTTATGATTACAGTGAATAT
GAAGATGTCACAAATGATGATTATGCCCAATTAGGAAATAATAATGATGTGAATATTAAT
TTTGGTAATATAGATTCACCATATATTATTAAAGTTATTAGTAAATATGACCCTAATAAG
GATGATTACACGACTATACAGCAAACCTGTGACAATGCAGACGACTATAAATGAGTATACT
GGTGAGTTTAGAACAGCATCCTATGATAATACAATTGCTTTCTCTACAAGTTCAGGTCAA
GGACAAGGTGACTTGCCCTCCTGAAAAAAGTTATAAAATCGGAGATTACGTATGGGAAGAT
GTAGATAAAGATGGTATTCAAATAACAAATGATAATGAAAAACCGCTTAGTAATGTATTG
GTAACCTTTGACGTATCCTGATGGAACCTTCAAATCAGTCAGAACAGATGAAGATGGGAAA
TATCAATTTGATGGATTGAAAAACGGATTGACTTATAAAATTACATTTCGAAACACCTGAA
GGATATACGCCGACGCTTAAACATTCAGGAACAAATCCTGCACTAGACTCAGAAGGTAAT
TCTGTATGGGTAACCTATTAATGGACAAGACGATATGACGATTGATAGTGGATTTTATCAA
ACACCTAAATACAGCTTAGGGAACCTATGTATGGTATGACACTAATAAAGATGGTATTCAA
GGTGATGATGAAAAAGGAATCTCTGGAGTTAAAGTGACGTTAAAGATGAAAACGGAAAT
ATCATTAGTACAACCTACAACCGATGAAAATGGAAAGTATCAATTTGATAATTTAAATAGT
GGTAATTATATTGTTTCATTTTGATAAACCTTCAGGTATGACTCAAACAACAACAGATTCT
GGTGATGATGACGAACAGGATGCTGATGGGGAAGAAGTTCATGTAACAATTACTGATCAT
GATGACTTTAGTATAGATAACGGATACTATGATGACGAA

SEQ ID NO: 88 polynucleotide sequence

ATGATTAAACAGGGATAATAAAAAGGCAATAACAAAAAAGGGTATGATTTCAAATCGCTTAAACAAATTTTCGATTAGAAA
GTATACTGTAGGAACTGCATCGATTTTGTAGAGTACGACATTGATTTTTGGTCTAGGGAACCAAGAAGCTAAAGCTGCTG
AAAACACTAGTACAGAAAATGCGAAACAAGATGATGCAACGACTAGTGATAATAAAGAAGTAGTGTGCGGAACTGAAAAT
AATTCGACAACAGAAAATGATTCAACAAATCCAATTAAGAAAGAAACAAATACTGATTCACAACCAGAACTAAAGAAGA
ATCAACTACATCAAGTACTCAACAACAGCAAAAATAACGTTACAGCTACAACCTGAACTAAGCCTCAAAACATTGAAAAAG
AAAATGTTAAACCTTCAACTGATAAACTGCGACAGAAGATACATCTGTTATTTTAGAAGAGAAGAAAGCACCAAATTAT
ACAAATAACGATGTAACCTACAAAACCATCTACAAGTGAAATTCAAACAAAACCAACTACACCTCAAGAATCTACAAATAT
TGAAAATTCAACAACCGCAACCAACGCCTTCAAAAAGTAGACAATCAAGTTACAGATGCAACTAATCCAAAAGAACCAGTAA
ATGTGTCAAAAAGAAGAACTTAAAAATAATCCTGAGAAATTAAGAAGATTAGTTAGAAATGATAACAATACAGATCGTTCA
ACTAAACAGTTGCTACAGCTCCAACAAGTGTTGCACCAAAACGATTAAATGCGAAAATGCGTTTTGCGAGTTGCACAACC
AGCAGCAGTTGCTTCAAATAATGTAAATGACTTAATTACAGTTACGAAACAGACGATCAAAGTTGGCGATGGTAAAGATA
ATGTGGCAGCAGCGCATGACGGTAAAGATATTGAATATGATACAGAGTTTACAATTGACAATAAAGTCAAAAAAGGCGAT
ACAATGACGATTAATTATGATAAGAATGTAATTCCTTCGGATTTAACAGATAAAAAATGATCCTATCGATATTACTGATCC
ATCAGGAGAGGTCATTGCCAAAGGAACATTTGATAAAGCGACTAAGCAAATCACATATACATTTACAGATTATGTAGATA
AATATGAAGATATAAAAGCACGTTTAACTTTTATACTCATATATTGATAAGCAAGCAGTACCTAATGAAACTAGTTTGAAT
TTAACGTTTGCAACAGCAGGTAAAGAACTAGCCAAAACGTTTCTGTTGATTATCAAGACCCAATGGTTTCATGGTGATTTC
AAACATTCAATCTATCTTTACAAAGTTAGATGAAAACAAACAACCTATTGAACAACAATTTATGTTAATCCTTTGAAAA
AAACAGCAACTAACCTAAAGTTGATATAGCTGGTAGTCAAGTAGATGATTATGGAAATATTAACTAGGAAATGGTAGT

ACCATTATTGACCAAAATACAGAAATAAAAGTTTATAAAAGTTAACCTAATCAACAATTGCCTCAAAGTAATAGAATCTA
TGATTTTAGTCAATACGAAGATGTAACAAGTCAATTTGATAATAAAAAATCATTTAGTAATAATGTAGCAACATTGGATT
TTGGTGATATTAATTCAGCCTATATTATCAAAGTTGTTAGTAAATATACACCTACATCAGATGGCGAACTAGATATTGCT
CAAGGTACTAGTATGAGAACAACTGATAAATATGGTTATTATAATTATGCAGGATATTCAAACCTCATCGTAACTTCTAA
TGACACTGGCGGTGGCGACGGTACTGTTAAACCTGAAGAAAAGTTATACAAAATTGGTGACTATGTATGGGAAGACGTTG
ATAAAGACGGTGTCCAAGGTACAGATTCGAAAGAAAAGCCAATGGCAAACGTTTTAGTTACATTAACTTACCCGGACGGT
ACTACAAAATCAGTAAGAACAGATGCTAACGGTCATTATGAATTCGGTGGTTTGAAAGACGGAGAACTTATACAGTTAA
ATTCGAAACGCCAGCTGGATATCTTCCAACAAAAGTAAATGGAACAACTGATGGTGAAAAAGACTCAAATGGTAGTTCTA
TAACTGTTAAAATTAATGGTAAAGATGATATGTCTTTAGACACTGGTTTTTATAAAGAACCTAAATATAATCTTGGTGAC
TATGTATGGGAAGATACAAATAAAGATGGTATCCAAGATGCTAATGAACCTGGTATCAAAGATGTTAAGGTTACATTAAA
AGATAGTACTGGAAGGTTATTGGGTACAACCTACTACTGATGCCTCGGGTAAATATAAAATTTACAGATTTAGATAATGGTA
ACTATACAGTAGAATTTGAAACACCAGCAGGTTACACGCCAACGGTTAAAAATACTACAGCTGAAGATAAAGATTCTAAT
GGTTTTAACAAACAGGTGTCATTAAAGATGCAGATAATATGACATTAGACAGTGGTTTCTATAAAACACCAAAATACAG
TTTAGGTGATTATGTTTGGTACGACAGTAATAAAGACGGTAAACAAGATTCAACTGAAAAAGGTATCAAAGATGTTAAAG
TTACTTTATTAAATGAAAAAGGCGAAGTAATTGGAACAATAAAACAGATGAAAATGGTAAATATCGTTTCGATAATTTA
GATAGCGGTAAATACAAAGTTATTTTTGAAAAGCCTGCTGGCTTAACACAAACAGTTACAAATACAACCTGAAGATGATAA
AGATGCCGATGGTGGCGAAGTTGACGTAACAATTACGGATCATGATGATTTTCATACTTGATAACGGATACTTCGAAGAAG
ATACATCAGACAGTGATTCAGACTCAGACAGTGATTCAGACTCAGACAGCGACTCAGATTCAGACAGTGATTCAGACTCA
GATAGCGATTCAGATTCAGACAGCGACTCAGACTCAGATAGCGACTCAGACTCAGACAGCGACTCAGACTCAGATAGCGA
CTCAGATTCGGACAGCGATTCAGACTCAGATAGCGACTCAGATTCAGACAGCGATTCAGACTCAGATAGCGACTCAGATT
CAGACAGTGACTCAGACTCAGATAGCGACTCAGACTCAGACAGTGACTCAGACTCAGACAGCGATTCAGATTCAGATAGC
GACTCAGATTCGGACAGTGATTCAGACTCAGATAGCGACTCAGATTCAGACAGCGACTCAGACTCAGATAGCGACTCAGA
CTCAGACAGTGATTCAGACTCAGATAGCGATTCGGACTCGGATGCAGGAAAACATACACCTGTTAAACCAATGAGTACTA
CTAAAGACCATCACAAATAAAGCAAAGCATTACCAGAAAACAGGTAGTGAAAATAACGGCTCAAATAACGCAACGTTATTT
GGTGGATTATTTGCAGCATTAGGTTCAATTATTGTTATTCGGTCGTCGCAAAAAACAAAACAAATAA

SEQ ID NO: 90 polynucleotide sequence

ATGCTAAACAGAGAAAATAAAACGGCAATAACAAGGAAAGGCATGGTATCCAATCGATTAAATAAATTTTCGATTAGAAA
GTACACAGTGGAACAGCATCAATTTTAGTAGGTACAACATTAATTTTGGTCTGGGGAACCAAGAAGCAAAGGCTGCAG
AAAGTACTAATAAAGAATTGAACGAAGCGACAACCTTCAGCAAGTGATAATCAATCGAGTGATAAAGTTGATATGCAGCAA
CTAAATCAAGAAGACAATACTAAAAATGATAATCAAAAAGAAATGGTATCATCTCAAGGTAATGAAACGACTTCAAATGG
GAATAAATTAATAGAAAAAGAAAGTGTACAATCTACCACTGGAAATAAAGTTGAAGTTTCACTGCCAAATCAGATGAGC
AAGCTTCACCAAAATCTACGAATGAAGATTTAAACACTAAACAACTATAAGTAATCAAGAAGCGTTACAACCTGATTTG
CAAGAGAATAAATCAGTGGTAAATGTTCAACCAACTAATGAGGAAAACAAAAAGGTAGATGCCAAACTGAATCAACTAC
ATTAAATGTTAAAGTGATGCTATCAAGAGTAATGATGAAACTCTTGTTGATAACAATAGTAATTCAAATAATGAAAATA
ATGCAGATATCATTTTGCCAAAAAGTACAGCACCTAAACGTTTGAATACAAGAATGCGTATAGCAGCAGTACAGCCATCA
TCAACAGAGGCTAAAAATGTTAATGATTTAATCACATCAAATACAACATTAAGTGTGCGTTGATGCAGATAAAAAACAATAA
AATCGTACCAGCCCAAGATTATTTATCATTTAAATCACAAATTACAGTTGATGACAAAGTTAAATCAGGTGATTATTTCA
CAATTAAATACTCAGATACAGTACAAGTATATGGATTGAATCCGGAAGATATTAATAATATTGGTGATATTAAGATCCA
AATAATGGTGAAACAATTGCGACTGCAAACATGATACTGCAAATAATTTAATTACATATACATTTACAGATTATGTTGA
TCGATTTAATTTCTGTACAAATGGGAATTAATTATTCAATTTATATGGATGCTGATACAATTCCTGTTAGTAAAAACGATG
TTGAGTTTAATGTTACGATAGGTAATACTACAACAAAAACAACCTGCTAACATTCAATATCCAGATTATGTTGTAAATGAG
AAAAATTCAATTGGATCAGCGTTCACTGAAACAGTTTTACATGTTGAAATAAAGAAAAATCCAGGGTACTATAAACAAAC
GATTTATGTAAATCCATCGGAAAATTCTTTAACAAATGCCAAACTAAAAGTTCAAGCTTACCCTCAAGTTATCCTAATA
ATATCGGGCAAATAAATAAAGATGTAACAGATATAAAAAATATATCAAGTTCTAAAGGTTATACATTAAATAAAGGATAC
GATGTGAATACTAAAGAGCTTACAGATGTAACAAATCAATACTTGCAAGAAATTACATATGGCGACAACAATAGCGCTGT
TATTGATTTTGGAAATGCAGATTCTGCTTATGTTGTAATGGTTAATACAAATTCCAATATACAAATAGCGAAAGCCCAA
CACTTGTTCAAATGGCTACTTTATCTTCAACAGGTAATAAATCCGTTTTCTACTGGCAATGCTTTAGGATTTACTAATAAC
CAAAGTGGCGGAGCTGGTCAAGAAGTATATAAAATTGGTAACTACGTATGGGAAGATACTAATAAAAACGGTGTTCAAGA
ATTAGGAGAAAAAGGCGTTGGCAATGTAAGTGAAGTATTTGATAATAATACAAATACAAAAGTAGGAGAAGCAGTTA
CTAAAGAAGATGGGTCATACTTGATTCCAAACTTACCTAATGGAGATTACCGTGTAAGATTTTCAAACCTTACCAAAAGGT
TATGAAGTAACCCCTTCAAACCAAGGTAATAACGAAGAATTAGATTCAAACGGCTTATCTTCAGTTATTACAGTTAATGG
CAAAGATAACTTATCTGCAGACTTAGGTATTTACAAACCTAAATACAACCTTAGGTGACTATGTCTGGGAAGATACAAATA
AAAATGGTATCCAAGACCAAGATGAAAAAGGTATATCTGGCGTAACGTTAACATTAAAAGATGAAAACGGTAACGTGTTA
AAAACAGTTACAACAGACGCTGATGGCAAATATAAATTTACTGATTTAGATAATGGTAATTATAAAGTTGAATTTACTAC
ACCAGAAGGCTATACACCGACTACAGTAACATCTGGTATGCGACTTGAAAAAGACTCTAATGGTTTTAACAAACAGGTG
TTATTAATGGTGCTGATAACATGACATTAGATAGTGGATTCTACAAAACACCAAAATATAATTTAGGTAATTATGTATGG
GAAGATACAAATAAAGATGGTAAGCAGGATTCAACTGAAAAAGGTATTTCAGGCGTAACAGTTACATTGAAAAATGAAAA
CGGTGAAGTTTTTACAAACAACCTAAAACAGATAAAGATGGTAAATATCAATTTACTGGATTAGAAAATGGAACCTTATAAG
TTGAATTCGAAACACCATCAGGTTACACACCAACACAAGTAGGTTTCAAGAACTGATGAAGGTATAGATTCAAATGGTACA
TCAACAACAGGTGTCATTAAAGATAAAGATAACGATACTATTGACTCTGGTTTCTACAAACCGACTTACAACCTTAGGTGA
CTATGTATGGGAAGATACAAATAAAAACGGTGTTCAAGATAAAGATGAAAAGGGCATTTCAGGTGTAACAGTTACGTTAA
AAGATGAAAACGACAAAGTTTTTAAAAACAGTTACAACAGATGAAAATGGTAAATATCAATTCAGTTTAAACAATGGA
ACTTATAAAGTTGAATTCGAGACACCATCAGGTTATACACCAACTTCAGTAACCTTCTGGAAATGATACTGAAAAAGATTC
TAATGGTTTTAACAAACAGGTGTCATTAAAGATGCAGATAACATGACATTAGACAGTGGTTTCTATAAAAACACCAAAAT
ATAGTTTAGGTGATTATGTTTGGTACGACAGTAATAAAGACGGCAAACAAGATTCAACTGAAAAAGGTATCAAAGATGTT
AAAGTTACTTTTATTAAATGAAAAAGGCGAAGTAATTGGAACAATAAAACAGATGAAAATGGTAAATACTGCTTTGATAA
TTTAGATAGCGGTAAATACAAAGTTATTTTTGAAAAGCCTGCTGGCTTAACACAAACAGTTACAAATACAACCTGAAGATG
ATAAAGATGCAGATGGTGGCGAAGTTGACGTAAACAATTACGGATCATGATGATTTTCACACTTGATAACGGATACTTCGAA
GAAGATACATCAGACAGCGATTCAGACTCAGATAGTGACTCAGACAGCGACTCAGACTCAGACAGCGACTCAGACTCAGA
CAGTGATTCAGATTCAGACAGCGACTCAGATTAGTAGCGACTCAGATTTCGGACAGCGATTCAGACTCAGATAGCGACT
CAGATTCAGATAGCGATTCAGACTCAGACAGCGACTCAGATTAGTAGCGATTCGGACTCAGACAGCGATTCAGACTCA
GATAGCGACTCAGACTCAGACAGCGACTCAGATTAGTAGCGATTCGGACTCAGATAGCGACTCAGATTAGTAGCGA

TTCAGACTCAGATAGCGACTCAGATTCAGACAGCGATTTCAGACTCAGATAGCGACTCAGACTCAGACAGTGATTTCAGATT
CAGACAGCGACTCAGACTCAGATAGCGACTCAGATTCGGACAGCGACTCAGACTCTGATAGCGACTCAGACTCAGACAGT
GATTCAGACAGCGATTTCAGACTCGGATGCAGGAAAACATACACCTGTTAAACCAATGAGTACTACTAAAGACCATCACAA
TAAAGCAAAAGCATTACCAGAAACAGGTAGTAAAAATAACGGCTCAAATAACGCAACGTTATTTGGTGGATTATTTGCAG
CATTAGGTTTCATTATTGTTATTTCGGTCGTCGCAAAAAACAAAACAAATAA

SEQ ID NO: 92 polynucleotide sequence

ATGGCTAAATATCGAGGGAAACCGTTTCAATTATATGTAAAGTTATCGTGTTGACAAATGATGGCGACAAGTATCATTTT
AACGAATATCTTGCCGTACGATGCCCAAGCTGCATCTGAAAAGGATACTGAAATTACAAAAGAGATATTATCTAAGCAAG
ATTTATTAGACAAAGTTGACAAGGCAATTCGTCAAATTGAGCAATTAAACAGTTATCGGCTTCATCTAAAGAACATTAT
AAAGCACAACTAAATGAAGCGAAAACAGCATCGCAAATAGATGAAATCATAAAACGAGCTAATGAGTTGGATAGCAAAGA
CAATAAAAGTTCTCACACTGAAATGAACGGTCAAAGTGATATAGACAGTAAATTAGATCAATTGCTTAAAGATTTAAATG
AGGTTTCTTCAAATGTTGATAGGGGTCAACAAAGTGGCGAGGACGATCTTAATGCAATGAAAAATGATATGTCACAAACG
GCTACAACAAAACATGGAGAAAAAGATGATAAAATGATGAAGCAATGGTAAATAAGGCGTTAGAAGACCTAGACCATTT
GAATCAGCAAATACACAAATCGAAAGATGCATCGAAAGATACATCGGAAGATCCAGCAGTGCTTACAACAGATAATAATC
ATGAAGTAGCTAAAACGCCAAATAATGATGGTTCTGGACATGTTGTGTTAAATAAAATTCCTTTCAAATGAAGAGAATCAA
AGCCATAGTAATCGACTCACTGATAAATTACAAGGAAGCGATAAAATTAATCATGCTATGATTGAAAAATTAGCTAAAAG
TAATGCCTCAACGCAACATTACACATATCATAAACTGAATACGTTACAATCTTTAGATCAACGTATTGCAAATACGCAAC
TTCCTAAAAATCAAAAATCAGACTTAATGAGCGAAGTAAATAAGACGAAAGAGCGTATAAAAAAGTCAACGAAATATTATT
TTGGAAGAACTTGCACGTACTGATGATAAAAAGTATGCTACACAAAGCATTTTtagAAAAGTATATTTAATAAAGACGAGGC
AGTTAAAATTCTAAAAGATATACGTGTTGATGGTAAAACAGATCAACAAATTGCAGATCAAAATTACTCGTCATATTGATC
AATTATCTCTGACAACGAGTGATGATTTATTAACGTCAATTGATTGATCAATCACAAGATAAGTCGCTATTGATTTCTCAA
ATTTTACAAACGAAATTAGGAAAAGCTGAAGCAGATAAATTGGCTAAAGATTGGACGAATAAAGGATTATCAAATCGCCA
AATCGTTGACCAATTGAAGAAACATTTTGCATCAACTGGCGACACGTCTTCAGATGATATATTAAGCAATTTTGAATA
ATGCCAAAGATAAAAAACAAGCAATTGAAACGATTTTAGCAACACGTATAGAAAGACAAAAGGCAAAATTAAGTGGCAGAT
TTAATTACTAAAATAGAAACAGATCAAATAAAATTTTAAATTAGTTAAATCGGCATTGAATGGTAAAGCGGATGATTT
ATTGAATTTACAAAAGAGACTCAATCAAACGAAAAAGATATAGATTATATTTTATCACCAATAGTAAATCGTCCAAGTT
TACTAGATCGATTGAATAAAAATGGGAAAACGACAGATTTAAATAAGTTAGCAAATTTAATGAATCAAGGATCAGATTTA
TTAGACAGTATTCCAGATATACCCACACCAAAGCCAGAAAAGACGTTAACACTTGGTAAAGGTAATGGATTGTTAAGTGG
ATTATTAAATGCTGATGGTAATGTATCTTTCCTAAAGCGGGGGAAACGATAAAAGAACATTGGTTGCCGATATCTGTAA
TTGTTGGTGCAATGGGTGTACTAATGATTTGGTTATCACGACGCAATAAGTTGAAAAATAAAGCATAA


SEQ ID NO: 94 polynucleotide sequence

ATGAAAAAATTAGCAACAGTAGGTTCTTTAATTGTAACAAGCACTTTAGTATTCTCAAGTAT
GCCTTTTCAAATGCGCATGCCGACACAACCTTCAATGAATGTGTGGAATAAACAAGCCAAA
ATGTACAAAATCATCGTCCTTATGGCGGAGTAGTACCACAAGGAATGACGCAAGCACAAATAT
ACTGAATTAGAGAAAGCTTTACCCCAATTAAGCGCTGGCAGTAATATGCAAGACTATAATAT
GAAATTGTATGATGCGACGCAAAATATTGCTGATAAATACAATGTGATAATTACAACATAATG
TAGGGGTATTTAAACCACATGCTGTTAGAGATATGAATGGCCATGCGTTACCTTTAACAAAA
GATGGCAATTTTATCAAACGAATGTAGATGCAAATGGTGTTAATCATGGTGGTAGTGAAAT
GGTGCAAAATAAAAACAGGTCATATGAGTCAACAAGGCCATATGAATCAGAACACACACATGA
ACCAACAGCCACACATGCAACAAGGTCATATGCAATCATCAAACCATCAAATGATGAGTCCA
AAAGCAAATATGCATTCATCAAATCATCAAATGAACCAAAGTAACAAAAAAGTTTTACCAGC
TGCTGGTGAAAGTATGACATCAAGTATTCTTACTGCAAGTATTGCCGCACTACTATTAGTAT
CTGGGTATTCTTAGCATTTAGACGACGTTCAACAAATAAATAA

Figure 3

Purification of alpha toxin

A



B





Figure 4

Purification of SdrC

A



B




Figure 5






Figure 5






Figure 5






Figure 5






Figure 5






Figure 6




Figure 6




Figure 6




Figure 6




Figure 6




Figure 7




Figure 7




Figure 7




Figure 7




Figure 7




Figure 7




Figure 7




Figure 7

