



US00D800476S

(12) **United States Design Patent**
Indruk

(10) **Patent No.:** **US D800,476 S**

(45) **Date of Patent:** **** Oct. 24, 2017**

(54) **DISPENSER**

(71) Applicant: **Gregory L. Indruk**, Nashua, NH (US)

(72) Inventor: **Gregory L. Indruk**, Nashua, NH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/573,707**

(22) Filed: **Aug. 9, 2016**

(51) **LOC (10) Cl.** **23-02**

(52) **U.S. Cl.**
USPC **D6/542**

(58) **Field of Classification Search**

USPC D6/542, 545, 543-544; 211/208, 282,
211/283; 222/105, 173, 180, 181.1,
222/181.2, 181.3
CPC A47K 5/12; A47K 5/1204; A47K 5/1205;
A47K 5/1207; A47K 5/08; A47K 5/1202;
A47K 5/1214; A47K 5/1215; A47K 5/14;
A47K 5/16; A47K 7/04; A47K 5/1217;
A47K 5/02; A47F 1/085; A47G 19/24;
A47G 21/12; B65D 83/267; B65D
23/003; B65D 83/40; B65D 77/065;
B67D 3/0029; B05B 11/062

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,130,224	A	12/1978	Norman et al.	
4,164,306	A	8/1979	Perrin	
D338,585	S	8/1993	Bell et al.	
D345,664	S	4/1994	Brandenburg	
D349,827	S	8/1994	Brandenburg	
D358,288	S	5/1995	Daansen	
5,464,125	A	11/1995	Daansen	
5,501,372	A	3/1996	Daansen	
5,598,952	A	2/1997	Daansen	
D414,363	S	9/1999	Daansen	
D431,404	S *	10/2000	Brazis	D6/545
6,375,038	B1	4/2002	Daansen et al.	

D478,445	S	8/2003	Daansen	
7,278,554	B2	10/2007	Armstrong	
D586,599	S *	2/2009	Crawford	D6/545
D643,237	S *	8/2011	Reynolds	D6/545
8,336,740	B1	12/2012	Daansen	
D724,861	S *	3/2015	Gottschalk	D6/545
D767,301	S	9/2016	Indruk	
D768,405	S *	10/2016	Patterson	D6/545
D768,407	S *	10/2016	Patterson	D6/545
D775,852	S *	1/2017	Indruk	D6/545

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/527,728, filed May 21, 2015.

Design U.S. Appl. No. 29/573,996, filed Aug. 11, 2016.

Design U.S. Appl. No. 29/574,013, filed Aug. 11, 2016.

* cited by examiner

Primary Examiner — Wan Laymon

Assistant Examiner — Mark Booker

(74) *Attorney, Agent, or Firm* — McLane Middleton,
Professional Association


(57) **CLAIM**

The ornamental design for a dispenser, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a dispenser showing my new design taken generally from the front, top, and right side; FIG. 2 is an isometric view thereof taken generally from the front, bottom, and right side; FIG. 3 is a front elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a right side elevation view thereof; FIG. 7 is a top plan view thereof; and, FIG. 8 is a bottom plan view thereof. The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8