



US00D783089S

(12) **United States Design Patent**
Okazaki

(10) **Patent No.:** **US D783,089 S**

(45) **Date of Patent:** **** Apr. 4, 2017**

(54) **INK CARTRIDGE**

(71) Applicant: **BROTHER INDUSTRIES, LTD.**,
Nagoya-shi, Aichi-ken (JP)

(72) Inventor: **Naoya Okazaki**, Gifu-ken (JP)

(73) Assignee: **BROTHER INDUSTRIES, LTD.**,
Nagoya (JP)

D540,857 S 4/2007 Hattori
D541,334 S 4/2007 Hattori et al.
D541,337 S 4/2007 Hattori
D541,851 S 5/2007 Hattori et al.
D541,852 S 5/2007 Hattori et al.
D542,341 S 5/2007 Hattori et al.
D542,342 S 5/2007 Hattori et al.
D542,343 S 5/2007 Hattori et al.
D542,839 S 5/2007 Hattori et al.
D543,234 S 5/2007 Hattori et al.

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/556,654**

(22) Filed: **Mar. 2, 2016**

JP 1447624 S 10/2013
JP 1456004 S 10/2013
JP 1463223 S 10/2013

(30) **Foreign Application Priority Data**

Sep. 2, 2015 (JP) 2015-19437

(51) **LOC (10) Cl.** **18-02**

(52) **U.S. Cl.**
USPC **D18/56**

(58) **Field of Classification Search**
USPC D18/12, 18, 40, 43, 44, 56, 99; D14/484
CPC . B41J 15/044; B41J 32/00; B41J 17/32; B41J
33/52; B41J 33/56; B41J 35/36; G11B
23/08757

See application file for complete search history.

Primary Examiner — Manpreet Matharu

Assistant Examiner — Suzanne Tisdell

(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**

The ornamental design for an ink cartridge, as shown and described.

DESCRIPTION


FIG. 1 is a front, top, left-side perspective view of an ink cartridge;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right-side view thereof;
FIG. 5 is a left-side view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a rear, top, right-side perspective view thereof; and,
FIG. 9 is a front, bottom, left-side perspective view thereof.
The broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D423,564 S 4/2000 Canfield et al.
D465,516 S 11/2002 Shinada et al.
D466,151 S 11/2002 Shinada et al.
D501,504 S * 2/2005 Yamada 347/86
D509,531 S * 9/2005 Geserich D18/12
D530,365 S * 10/2006 Wakayama 347/86
D538,335 S * 3/2007 Chang D18/56
D538,337 S 3/2007 Hattori et al.



US D783,089 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D543,235 S	5/2007	Hattori et al.	
D543,236 S	5/2007	Hattori	
D547,370 S	7/2007	Hattori et al.	
D547,797 S	7/2007	Hattori et al.	
D549,280 S *	8/2007	Morino	347/86
D557,335 S	12/2007	Morino	
D570,408 S	6/2008	Morino	
D570,905 S *	6/2008	Yuen	347/86
D597,595 S *	8/2009	Nip	D18/56
D599,399 S	9/2009	Hattori	
D602,076 S *	10/2009	Saikawa	D18/56
D603,895 S *	11/2009	Hattori	D18/56
D627,818 S *	11/2010	Ishizawa	347/86
D641,400 S	7/2011	Hattori	
D647,134 S	10/2011	Hattori	
D648,779 S *	11/2011	Saito	D18/43
D654,112 S	2/2012	Kanbe et al.	
D656,985 S	4/2012	Kanbe et al.	
D656,986 S	4/2012	Kanbe et al.	
D656,987 S	4/2012	Kanbe et al.	
D659,188 S	5/2012	Kanbe et al.	
D677,721 S *	3/2013	Kawate	D18/56
D680,165 S	4/2013	Takagi et al.	
D681,728 S *	5/2013	Takagi	347/86
D682,929 S *	5/2013	Aoki	D18/56
D692,052 S *	10/2013	Ishizawa	D18/56
D721,132 S	1/2015	Kobayashi	
D741,403 S *	10/2015	O'Reilly	D18/56
D759,154 S *	6/2016	Williamson	D18/43
D761,353 S *	7/2016	Oya	D18/56
D762,260 S *	7/2016	Oya	D18/56
D762,261 S *	7/2016	Takagiwa	D18/56
D767,672 S *	9/2016	Nanjo	D18/56
D767,673 S *	9/2016	Nanjo	D18/56
D767,674 S *	9/2016	Nanjo	D18/56
2007/0212151 A1 *	9/2007	Innocenti	B41J 3/4075 400/244
2008/0151425 A1 *	6/2008	Vanderheyden	G11B 23/08728 360/132
2008/0213023 A1 *	9/2008	Koizumi	B41M 5/38221 400/208

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9