



US012026727B2

(12) **United States Patent**  
**Martchenko et al.**

(10) **Patent No.:** **US 12,026,727 B2**

(45) **Date of Patent:** **\*Jul. 2, 2024**

(54) **SYSTEMS AND METHODS FOR MANAGING AND MODIFYING WEB CONTENT**

(56) **References Cited**

(71) Applicant: **SDL Netherlands B.V.**, Amsterdam (NL)

5,477,451 A 12/1995 Brown et al.  
6,330,566 B1 12/2001 Durham

(Continued)

(72) Inventors: **Serguei Martchenko**, Duivendrecht (NL); **Marvin Smit**, Almere (NL); **Rick Pannekoek**, Amsterdam (NL); **Erik de Voogd**, Moordrecht (NL); **Renze A. de Vries**, Amsterdam (NL)

FOREIGN PATENT DOCUMENTS

JP 2001117847 A 4/2001  
JP 2001136583 A 5/2001

(Continued)

(73) Assignee: **SDL Netherlands B.V.**, Amsterdam (NL)

OTHER PUBLICATIONS

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

Hasegawa, S., Sato, K., Matsunuma, S. et al. Multilingual disaster information system: information delivery using graphic text for mobile phones. *AI & Soc* 19, 265-278 (2005). <https://doi.org/10.1007/s00146-005-0316-7> (Year: 2005).\*

(Continued)

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **18/136,839**

*Primary Examiner* — Waseem Ashraf

(22) Filed: **Apr. 19, 2023**

*Assistant Examiner* — Christopher C Busch

(65) **Prior Publication Data**

US 2023/0259956 A1 Aug. 17, 2023

(74) *Attorney, Agent, or Firm* — Carr & Ferrell LLP

**Related U.S. Application Data**

(63) Continuation of application No. 17/546,029, filed on Dec. 8, 2021, now Pat. No. 11,694,215, which is a (Continued)

(57) **ABSTRACT**


(51) **Int. Cl.**  
**G06Q 30/02** (2023.01)  
**G06Q 30/0251** (2023.01)

Systems, methods, and media for managing and modifying web content are provided. An exemplary method may include the steps of providing a web content management application via a web site, the web content management application adapted to maintain a global marketing framework; generating a web marketing campaign from at least a portion of the global marketing framework, wherein the data included in the web content is generated by the web content management application according to a predetermined format of rendering engines; gathering marketing data from at least one of the web server associated with the web marketing campaign and consumer devices accessing the web marketing campaign, the marketing data including information indicative of interests of consumers; storing the marketing data in a database; analyzing the marketing data; and periodically or continually modifying the content of a web

(Continued)

(52) **U.S. Cl.**  
CPC ..... **G06Q 30/02** (2013.01); **G06Q 30/0255** (2013.01)

(58) **Field of Classification Search**  
CPC ..... G06Q 30/02; G06Q 30/0255  
See application file for complete search history.



marketing campaign to substantially correspond to the interests of the consumers.

**22 Claims, 5 Drawing Sheets**

**Related U.S. Application Data**

continuation of application No. 16/742,689, filed on Jan. 14, 2020, now Pat. No. 11,301,874, which is a continuation of application No. 13/016,989, filed on Jan. 29, 2011, now Pat. No. 10,657,540.

(56)

**References Cited**

U.S. PATENT DOCUMENTS

6,477,575 B1 11/2002 Koepfel et al.  
 7,392,255 B1 6/2008 Sholtis et al.  
 7,464,086 B2 12/2008 Black et al.  
 7,606,814 B2 10/2009 Deily et al.  
 7,698,126 B2 4/2010 Kohlmeier et al.  
 8,036,929 B1 10/2011 Reisman  
 8,185,830 B2 5/2012 Saha et al.  
 8,229,977 B1 7/2012 Anderson et al.  
 8,260,846 B2 9/2012 Lahav  
 8,413,045 B2 4/2013 Lemonik et al.  
 8,489,980 B2 7/2013 Lakritz  
 8,671,214 B2 3/2014 Lockhart et al.  
 8,676,804 B1 3/2014 Janos et al.  
 8,799,200 B2 8/2014 Lahav  
 8,954,539 B2 2/2015 Lahav  
 9,317,622 B1 4/2016 Zuromski et al.  
 9,336,487 B2 5/2016 Lahav  
 9,369,489 B2 6/2016 Kato  
 9,396,436 B2 7/2016 Lahav  
 9,471,920 B2 10/2016 Kolkowitz et al.  
 9,519,682 B1 12/2016 Pujara et al.  
 9,547,626 B2 1/2017 de Voogd  
 10,007,646 B1 6/2018 Colborn et al.  
 10,061,749 B2 8/2018 Homer et al.  
 10,521,492 B2 12/2019 Homer et al.  
 10,580,015 B2 3/2020 Erasmus et al.  
 10,657,540 B2 5/2020 Martchenko et al.  
 10,990,644 B2 4/2021 Homer et al.  
 11,044,949 B2 6/2021 Homer et al.  
 11,182,455 B2 11/2021 Siddiquee et al.  
 11,301,874 B2 4/2022 Martchenko et al.  
 11,694,215 B2 7/2023 Martchenko et al.  
 2002/0103698 A1 8/2002 Cantrell  
 2002/0112013 A1 8/2002 Walsh  
 2002/0133392 A1 9/2002 Angel et al.  
 2002/0178166 A1 11/2002 Hsia  
 2002/0178257 A1 11/2002 Cerrato  
 2003/0023757 A1 1/2003 Ishioka et al.  
 2003/0163346 A1 8/2003 Tinti et al.  
 2004/0010496 A1 1/2004 Behrendt et al.  
 2004/0015408 A1 1/2004 Rauen et al.  
 2004/0024739 A1 2/2004 Copperman et al.  
 2004/0044576 A1 3/2004 Kurihara et al.  
 2004/0068435 A1 4/2004 Braunzell  
 2005/0086105 A1 4/2005 McFadden et al.  
 2005/0156714 A1 7/2005 McCarthy et al.  
 2005/0203884 A1 9/2005 Allen et al.  
 2005/0228865 A1 10/2005 Hirsch  
 2005/0235351 A1 10/2005 Seltzer et al.  
 2006/0031233 A1 2/2006 Liu et al.  
 2006/0080257 A1 4/2006 Vaughan et al.  
 2007/0016363 A1 1/2007 Huang et al.  
 2007/0022003 A1 1/2007 Chao et al.  
 2007/0033104 A1 2/2007 Collins et al.  
 2007/0083425 A1 4/2007 Cousineau et al.  
 2007/0118545 A1 5/2007 Chandrasekharan et al.  
 2007/0208991 A1 9/2007 Rider  
 2007/0226058 A1 9/2007 Lorenzen et al.  
 2007/0234213 A1 10/2007 Krikorian et al.

2008/0195664 A1 8/2008 Maharajh et al.  
 2008/0209320 A1 8/2008 Mawhinney et al.  
 2008/0244053 A1 10/2008 Sampson et al.  
 2008/0316228 A1 12/2008 Seljavaara  
 2009/0061764 A1 3/2009 Lockhart et al.  
 2009/0099931 A1 4/2009 Aaltonen et al.  
 2009/0171780 A1 7/2009 Aldrey et al.  
 2010/0017704 A1 1/2010 Jaffe et al.  
 2010/0023475 A1 1/2010 Lahav  
 2010/0023581 A1 1/2010 Lahav  
 2010/0070364 A1 3/2010 Dugan  
 2010/0070847 A1 3/2010 Hampton et al.  
 2010/0153404 A1 6/2010 Ghosh et al.  
 2010/0233996 A1 9/2010 Herz et al.  
 2010/0242069 A1 9/2010 Jung et al.  
 2010/0274661 A1 10/2010 Aaltonen et al.  
 2010/0281008 A1 11/2010 Braunwarth  
 2010/0312619 A1 12/2010 Ala-Pietila et al.  
 2011/0010243 A1 1/2011 Wilburn et al.  
 2011/0099077 A1 4/2011 Darin et al.  
 2011/0161312 A1 6/2011 Wallman  
 2011/0264736 A1 10/2011 Zuckerberg et al.  
 2012/0042006 A1 2/2012 Kiley et al.  
 2012/0096366 A1 4/2012 Narla et al.  
 2012/0136718 A1\* 5/2012 Katti ..... G06Q 30/0251  
 705/14.49  
 2012/0143816 A1 6/2012 Zhang et al.  
 2012/0158485 A1 6/2012 Ogawa  
 2012/0185759 A1 7/2012 Balinsky et al.  
 2012/0197718 A1 8/2012 Martchenko et al.  
 2012/0197957 A1 8/2012 de Voogd  
 2012/0198351 A1 8/2012 Lee et al.  
 2012/0203861 A1 8/2012 Flack et al.  
 2012/0216108 A1 8/2012 Yambal et al.  
 2012/0221407 A1 8/2012 Erasmus et al.  
 2012/0226818 A1 9/2012 Atas et al.  
 2012/0233665 A1 9/2012 Ranganathan et al.  
 2012/0266076 A1 10/2012 Lockhart et al.  
 2013/0031470 A1 1/2013 Daly, Jr. et al.  
 2013/0036202 A1 2/2013 Lahav  
 2013/0054404 A1 2/2013 Garcia  
 2013/0097488 A1 4/2013 Coman et al.  
 2013/0124987 A1 5/2013 Lakritz  
 2013/0151940 A1 6/2013 Bailor et al.  
 2014/0087760 A1 3/2014 Bennett  
 2014/0173414 A1 6/2014 Chan et al.  
 2014/0188993 A1 7/2014 Klein et al.  
 2014/0236942 A1 8/2014 Li  
 2014/0250369 A1 9/2014 Mitnick et al.  
 2014/0282977 A1 9/2014 Madhu et al.  
 2014/0298483 A1 10/2014 Kato  
 2014/0304080 A1 10/2014 Mlmaz  
 2014/0310229 A1 10/2014 Lahav  
 2014/0351053 A1 11/2014 Link, II  
 2015/0040000 A1 2/2015 Rice et al.  
 2015/0074518 A1 3/2015 Rumsey et al.  
 2015/0106390 A1 4/2015 Fuchs  
 2015/0127660 A1 5/2015 Zilberberg et al.  
 2015/0149455 A1 5/2015 Whitley, Jr.  
 2015/0149885 A1 5/2015 Homer et al.  
 2015/0149886 A1 5/2015 Homer et al.  
 2015/0188961 A1 7/2015 Ricci  
 2015/0213363 A1 7/2015 Lahav  
 2015/0248484 A1 9/2015 Yu et al.  
 2015/0254732 A1 9/2015 Snyder  
 2015/0310504 A1 10/2015 Potter  
 2016/0019546 A1 1/2016 Eisen  
 2016/0057195 A1 2/2016 Jaskiewicz  
 2016/0103835 A1 4/2016 Zupancic  
 2016/0155178 A1 6/2016 Konaiyagarri et al.  
 2016/0239496 A1 8/2016 Motte et al.  
 2016/0283952 A1 9/2016 Hall  
 2016/0371693 A1 12/2016 Kolkowitz et al.  
 2017/0235848 A1 8/2017 Van Dusen et al.  
 2018/0314674 A1 11/2018 Homer et al.  
 2019/0065514 A1 2/2019 Siddiquee et al.  
 2019/0163459 A1 5/2019 Sreenivasa et al.

(56)

**References Cited**

## U.S. PATENT DOCUMENTS

2020/0104343 A1 4/2020 Homer et al.  
 2020/0151740 A1 5/2020 Martchenko et al.  
 2022/0101343 A1 3/2022 Martchenko et al.

## FOREIGN PATENT DOCUMENTS

JP 2001188992 A 7/2001  
 JP 2001350790 A 12/2001  
 JP 2002073677 A 3/2002  
 JP 2002132822 A 5/2002  
 JP 2003032660 A 1/2003  
 JP 2003216608 A 7/2003  
 JP 2004538542 A 12/2004  
 JP 2005056080 A 3/2005  
 JP 2005174120 A 6/2005  
 JP 2005267535 A 9/2005  
 JP 2006260329 A 9/2006  
 JP 2008027265 A 2/2008  
 JP 2009020845 A 1/2009  
 JP 2009518761 A 5/2009  
 JP 2009301480 A 12/2009  
 JP 2010152588 A 7/2010  
 JP 2011002905 A 1/2011  
 WO WO20030081441 A1 10/2003  
 WO WO20070118424 A1 10/2007

## OTHER PUBLICATIONS

Anonymous; "MyYahoo!—RSS Headlines Module—Frequently Asked Questions," Jan. 24, 2007, XP002508567, [retrieved on Dec. 17, 2008], Retrieved from the Internet: <URL: <http://web.archive.org/web/20040124175>>, 4 pages.

Krishnan, "Unmittelbare Ergebnisse Noch Schneller: Google Vorschau—Der Google Produkt-Kompass," Nov. 9, 2010, <<http://web.archive.org/web/20101109154340/http://google-produkt-kompass.blogspot.com/2010/11/unmittelbare-ergebnisse-nochschneller.html>> accessed on Apr. 4, 2012, 2 pages.

"XML Convert," Unidex, Inc., Aug. 4, 2007, <<http://www.unidex.com/xflat.htm>> accessed on Apr. 5, 2012, 1 page.

"Soap," Wikipedia, Jan. 22, 2011, <<http://en.wikipedia.org/w/index.php?title=SOAP&oldid=409349976>> accessed on Apr. 4, 2012, 5 pages.

Mutz et al., "User-Agent Display Attributes," HTTP Working Group, Nov. 26, 1996, 6 pages.

XP007905525, The Technical Aspects Identified in the Present Application (Art. 15 PCT) are considered part of common general

knowledge. Due to their notoriety no documentary evidence is found to be required. Official Journal Nov. 2007, pp. 592-593.

"Serialization"; Wikipedia; Nov. 14, 2013; 10 pages; <https://web.archive.org/web/20131114152415/http://en.wikipedia.org/wiki/Serialization>.

Microsoft, MSDN; "Serialization .NET Framework 4.5"; Jan. 10, 2013; 2 pages; [https://web.archive.org/web/20130110102559/http://msdn.microsoft.com/en-us/library/7ay27kt9\(v=vs.110\).aspx](https://web.archive.org/web/20130110102559/http://msdn.microsoft.com/en-us/library/7ay27kt9(v=vs.110).aspx).

"Web analytics," Wikipedia [online], Jan. 27, 2001 [retrieved on Sep. 11, 2017], Retrieved from the Internet: <URL: [https://en.wikipedia.org/w/index.php?title=Web\\_analytics&oldid=410384013](https://en.wikipedia.org/w/index.php?title=Web_analytics&oldid=410384013)>, 11 pages.

"Examining Division Preliminary Opinion," European Patent Application No. 12703483.3, dated Apr. 30, 2018, 9 pages.

Eckerson, Wayne, "Performance Management Strategies: How to Create and Deploy Effective Metrics," TDWI Best Practices Report, First Quarter (2009), 35 pages.

Hasegawa et al., "Multilingual Disaster Information System: Information Delivery Using Graphic Text for Mobile Phones," AI & Soc 19, 2005, pp. 265-278.

Wikipedia: "XML" [online], [retrieved on Mar. 2, 2020], Retrieved from the Internet: <<https://www.wikipedia.com/XML>>, 2 pages.

"Serialization (C#)", Microsoft, <<https://msdn.microsoft.com/en-us/library/mt656716.aspx>>, Jan. 2, 2020, 4 pages.

"What are object serialization and deserialization?" Stack Overflow, <<http://stackoverflow.com/questions/1360632/object-serialization-and-deserialization>>, Sep. 1, 2009, 6 pages.

"Java Serialization and Deserialization", Studytonight, <<http://www.studytonight.com/java/serialization-and-deserialization.php>>, 2020, Accessed Oct. 23, 2020, 7 pages.

Upadhyay, Chirantan, "Serialization and Deserialization in ASP.NET with C#", Code Project, <<https://www.codeproject.com/kb/cs/seranddeserialization.aspx>>, May 27, 2009, 7 pages.

"Serialize", PHP, <<http://php.net/manual/en/function.serialize.php>>, accessed Oct. 23, 2020, 28 pages.

"Interface Serializable", Oracle, <<http://docs.oracle.com/javase/7/docs/api/java/io/Serializable.html>>, accessed Oct. 23, 2020, 3 pages.

Adomavicius et al., "Context-Aware Recommender Systems", AI Magazine, 2011, 14 pages.

"Oracle ATG Web Commerce—Introduction," Oracle Corporation; Accessed Jan. 19, 2021 from [https://docs.oracle.com/cd/E35319\\_01/Platform.10-2/ATGPlatformProgGuide/html/s0101\\_introduction01.html](https://docs.oracle.com/cd/E35319_01/Platform.10-2/ATGPlatformProgGuide/html/s0101_introduction01.html); Year: 2013; 2 pages.

"HTML (Hypertext Markup Language) Definition," Sharpened Productions; Accessed Jan. 19, 2021 from <https://techterms.com/definition/html>; May 23, 2015; 2 pages.

\* cited by examiner




FIG. 1A





FIG. 1B

FIG. 2






FIG. 3




FIG. 4

## SYSTEMS AND METHODS FOR MANAGING AND MODIFYING WEB CONTENT

### CROSS-REFERENCE TO RELATED APPLICATIONS

This nonprovisional patent application is a continuation application of U.S. patent application Ser. No. 17/546,029, filed on Dec. 8, 2021, now granted U.S. Pat. No. 11,694,215, issued on Jul. 4, 2023, titled “SYSTEMS AND METHODS FOR MANAGING WEB CONTENT,” which is a continuation application of U.S. patent application Ser. No. 16/742,689, filed on Jan. 14, 2020, now granted U.S. Pat. No. 11,301,874, issued on Apr. 12, 2022, titled “SYSTEMS AND METHODS FOR MANAGING WEB CONTENT AND FACILITATING DATA EXCHANGE,” which is a continuation of U.S. patent application Ser. No. 13/016,989 filed on Jan. 29, 2011, now granted U.S. Pat. No. 10,657,540, issued on May 19, 2020, titled “SYSTEMS, METHODS, AND MEDIA FOR WEB CONTENT MANAGEMENT,” all of which are hereby incorporated herein by reference in their entirety including all references cited therein. This nonprovisional patent application is also related to U.S. patent application Ser. No. 13/016,988 filed on Jan. 29, 2011, now granted U.S. Pat. No. 9,547,626, issued on Jan. 17, 2017, titled “SYSTEMS, METHODS, AND MEDIA FOR MANAGING AMBIENT ADAPTABILITY OF WEB APPLICATIONS AND WEB SERVICES,” which is hereby incorporated herein by reference in its entirety including all references cited therein.

### FIELD OF THE INVENTION

The present technology relates generally to web content management, and more specifically, but not by way of limitation, to systems, methods, and media for web content management.

### BACKGROUND OF THE INVENTION

Generally speaking, the content of a website may be composed by gathering a mix of content such as textual, image, video, hyperlinks, and applications—just to name a few. These various types of content may be gathered from a variety of sources and from many different third party software tools, such as web design programs. Web content that is created specifically for distribution through web sources, such as a website, may be created in utilizing, for example, a content manager explorer (CME).

Content authors may desire access to information related to the design of web content stored in other systems (e.g., the third party software) that they desire to make use of in the CME. Such an integration of third party software would require specific integrations of the third party software into the main CME and in some cases the core software used by end users to create, manage and publish web content to websites, also known as “CM.” Unfortunately, these types of integrations may restrict the number and level of integrations possible.

Moreover, most websites are comprised of a patchwork of functionalities created directly for the website. These functionalities may be included in a web application that is utilized to operate the website. Additionally, the functionalities may be derived from third party sources (internal and external). These third party sources may provide their own code (e.g., tag libraries or application programming interfaces) that must be run in the same environment in which

they were created in order for the functionality to be completely rendered by the web application. If the third party sources are not run in the same environment in which they were created, the functionalities may not operate correctly within the web page. One alternative to this requirement is for the CME to allow the use of client side rendering through at least one of hypertext markup language HTML iframe elements and web services through AJAX or JavaScript integrations that may render portions of the web page once the web service data is returned by the web application. Unfortunately, these integration methods may make it difficult to clearly separate web services code from the actual web content. Moreover, web services that utilize, for example, .NET functionalities, may not be able to effectively render third party functionalities from other sources.

### SUMMARY OF THE INVENTION

According to some embodiments, the present invention is directed to methods for managing and modifying web content that include: (a) providing a web content management application via a web site, the web content management application coupled to a web server associated with the web site, the web content management application adapted to maintain a global marketing framework indicative of a marketing campaign; (b) generating a web marketing campaign from at least a portion of the global marketing framework, wherein the data included in the web content is generated by the web content management application according to a predetermined format of rendering engines, rather than from data formats utilized by standard web applications; (c) gathering, via the web server, marketing data from at least one of the web server associated with the web marketing campaign and consumer devices accessing the web marketing campaign, the marketing data including information indicative of interests of consumers; (d) storing the marketing data in a database; (e) analyzing the marketing data; and (f) based upon the analysis of the marketing data, periodically or continually modifying the content of a web marketing campaign to substantially correspond to the interests of the consumers.

### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1A is a schematic diagram of an exemplary architecture of a system for managing web content that may be utilized to practice aspects of the present technology.

FIG. 1B is a partial schematic diagram of the exemplary architecture of FIG. 1A.

FIG. 2 is a flow diagram of an exemplary method for managing web content.

FIG. 3 is an exemplary user interface in the form of a web page for interacting with a web content management application.

FIG. 4 is a block diagram of an exemplary computing system that may be utilized to practice aspects of the present disclosure.

### DETAILED DESCRIPTION OF EXEMPLARY EMBODIMENTS

While this invention is susceptible of embodiment in many different forms, there is shown in the drawings and will herein be described in detail several specific embodiments with the understanding that the present disclosure is

to be considered as an exemplification of the principles of the invention and is not intended to limit the invention to the embodiments illustrated.

Generally speaking, the systems and methods provided herein may be utilized to generate, manage, and selectively modify web content for global marketing campaigns. The systems and method maintain a global marketing framework that may be utilized to create individual web marketing campaigns across a wide variety of communications mediums. Content authors may utilize the global marketing framework in a collaborative manner and seamlessly incorporate content data created through third party applications.

The systems and methods provided herein utilize application data created in a web content management application that provides extra data storage on an item level allowing a content author to store additional web content and external other data (e.g., third party application data) directly into the web content management application. The systems and methods provide mapping between web content associated with a marketing campaign and corresponding data in third party systems, such as product information management systems.

The systems and methods may utilize simple object access protocol web services that are adapted to expose web application data and in some embodiments, affect application data associated with web content as an item transaction. The CME also includes an extensible framework that allows implementers to add extra data obtained through third parties sources/software, as well as associated third party workflow into the web content management application. It will be understood that the term “implementer” may include individuals producing computer readable instructions that may be utilized to modify the appearance or functionalities of the web content management application. These functionalities provide the content authors with one location (the web content management application) at which are able to perform actions with scope over many systems. The combination of these functionalities provides third parties, such as partners, the ability to create portable solutions to integrate third party data from third party data sources. These portable solutions may allow for customization of the web content management application across many installations of the web content management application.

The systems and methods may include a dynamic rendering engine and dynamic rendering engine data format that allows implementers to abstract dynamic functionalities to a predetermined format that is intercepted and rendered by the dynamic rendering engine. Data abstracted to the predetermined format may be utilized as a portion of a core development implementation before being passed back to the requester. According to some embodiments, the core development may include functionalities adapted to render dynamic links that ensure that a website never has broken links to internal pages associated therewith.

It will be understood that the data included in the web content generated by the web content management application is provided according to the predetermined format of the rendering engine, rather than from data format utilized by standard web applications such as JavaScripts or .NET. In some embodiments, tag libraries available to the rendering engine data format may be added in Java making it possible to render the functionalities of the web application without actually requiring the deployment of the web application.

Referring now to FIG. 1A, illustrating an exemplary system **100** for managing web content. The system **100** may include a web content management application, hereinafter referred to as the “application **105**,” adapted to communicate

with a plurality of client devices **110**. Each of the client devices **110** may be associated with a user (e.g., a content author) who provides content data that may be utilized by the application **105** to generate a global marketing framework. It will be understood that a global marketing framework may include detailed information indicative of a marketing campaign. Portions of the global marketing framework may be utilized to generate customized marketing campaigns that may be deployed across a wide range of communication channels (e.g., web, radio, television, print, and so forth). In some instances, the marketing campaign may include information, such as text, audio, video, forms, templates, user interfaces, and any additional information that may be utilized in the creation of marketing campaigns. Non-limiting examples of marketing campaigns include, banners, links, web pages, and so forth, both interactive and non-interactive.

It is noteworthy that the application **105** may be adapted to generate web marketing campaigns utilizing these customizable and multi-channel functionalities. This may be accomplished, for example, by converting data received by the content authors into widely implemented content structural formats. Such formats may include, for example, an extensible markup language format (XML) that is utilized by the application **105**.

The application **105** may be implemented in the context of a web site **300** (FIG. 3) that is hosted on a web server **115**. It will be understood that the web server **115** may include a single web server or a plurality of web servers networked or associated together in a cloud configuration (not shown). As will be discussed in greater detail below, the system **100** may include a presentation server **155** adapted to display the web marketing campaign generated by the application **105**. A more detailed description of the basic functionalities of client devices **110**, web server **115**, and presentation server **155** are provided with reference to computing system **400** illustrated in FIG. 4.

In some embodiments, the web server **115** may be operatively associated with one or more databases **120**. The one or more databases **120** may be configured as Object Linking and Embedding, Database (OLEDB) or Open Database Connectivity (ODBC) databases. In some embodiments, the content (e.g., global marketing framework, web marketing campaign, etc.) generated by the application **105** may be stored in the one or more databases **120**. It will be understood that the client devices **110** may be operatively coupled to the application **105** via a network **125**, which in some embodiments includes the Internet.

The content authors may interact with the application **105** via graphical user interfaces (GUIs) **130** generated by the application **105**. According to some embodiments, the content authors may interact with the GUIs **130** via a web browser resident on the client device **110**. The graphical user interfaces **130** may provide visual representations of the web marketing campaigns generated from the global marketing framework. An exemplary graphical user interface **300** is shown with reference to FIG. 3.

In additional embodiments, content authors may interact with the application **105** via a word processor connector **135** that provides a simplified mechanism for content authors to upload textual information that may be included in the global marketing framework or a web marketing campaign. For example, the word processor connector **135** may be utilized by content authors who need to create simple text for use in a web marketing campaign via any commonly utilized word processing tool. Content authors may open, edit, and create structured (XML) content by uploading a word pro-

cessing document that is converted by the word processor connector **135** to structured XML content that may be utilized by the application **105**. The XML content may then be saved directly to the content manager module **150**, which is described in greater detail below.

Content authors may generate web marketing campaigns from the global marketing framework by inheriting portions (or potentially all) of the data of the global marketing framework. The content authors may customize the data for a web marketing campaign based upon a targeted channel of communication. For example, a content author may modify a web marketing campaign targeted to a social networking web site differently from the way the content author modifies the web marketing campaign for use with an e-commerce web site. It will be understood that inheriting may include selecting, extracting, gathering, referencing, and the like.

According to other embodiments, rather than requiring the content authors to create a plurality of individual web marketing campaigns from the global marketing framework, the application **105** may be adapted to automatically and intelligently generate individual marketing campaigns from the global marketing framework. For example, once the global marketing framework has been established, the application **105** may automatically generate web marketing campaigns in a plurality of different languages. Because the plurality of web marketing campaigns inherit their data from the global marketing framework, consistency may be maintained with regard to branding and message content.

Additionally, the application **105** may tailor the content of individual marketing campaigns based upon the desired audience. For example, the application **105** may not only generate an individual marketing campaign for a particular country based upon language utilized in the country, but may also selectively modify the appearance of the individual marketing campaign based upon marketing data gathered for the particular country. For example, if marketing data suggests that different color schemes produce more efficient results for different countries, the various web marketing campaigns may be created with varying color schemes to maximize the efficiency of a web marketing campaign.

While it has been contemplated that the application **105** may tailor individual marketing campaigns for countries, one of ordinary skill in the art will appreciate that individual marketing campaigns may likewise tailored to other targets such as specific consumers, business entities, and states—just to name a few.

In some embodiments, content authors may create folder structures for storing marketing campaign data that may be utilized by the application **105** via a webDAV connector **140**. Content authors may add, edit, delete, and use content that is utilized in the generation of web marketing campaigns in the same way that they would use the Windows file system. For example, content authors may access folder structures using a web browser application or any other suitable desktop application resident on the client device **110**.

According to some embodiments, the application **105** may include a content porter module **145** adapted to facilitate the exchange of data between the database **120** associated with the web server **115** and at least one of the application **105** and the client devices **110**. In other embodiments, the content porter module **145** provides content authors the ability to develop marketing content and/or web site functionalities apart from the live version (e.g., the version currently published on the presentation server **155**) of the web site **300**. As stated above, an exemplary visual representation of web site **300** is provided in FIG. 3, and will

be described in greater detail below. The application **105** may then transfer the developed marketing content to the application **105**, which facilitates the inclusion of the developed content to the live version of the web site **300**.

The content porter module **145** may be adapted to transfer data between different versions or instances of the application **105** running on multiple client devices **110** (e.g., collaborative web marketing campaign creation). The application **105** may be adapted to assemble the portions of the web marketing campaign created by the various content authors into one or more cohesive web marketing campaigns.

Regardless of how the application **105** generates the web marketing campaign(s) (e.g., automatically, via collaborative effort, etc.), the web marketing campaigns may be published to a web site associated with the presentation server **155** via the content distributor module **160**. As the web marketing campaigns are published on a presentation server **155**, the web marketing campaigns may be accessed via consumer devices **165A** or consumer portals **165B** via a consumer device **165A**. It will be understood that the consumer portal **165B** may include a web site operated by a marketer or utilized by a marketer to deliver web marketing campaign (e.g., banner advertisement).

It will be understood that consumer devices **165A** may include computing systems of any kind, and may generally be described with reference to computing system **400** (FIG. 4). It is noteworthy that the presentation server **155** and the web server **115** hosting the application **105** may be combined together.

The system **100** may include a visitor intelligence module **170** adapted to gather, via the presentation server **155**, marketing data from the plurality of consumer devices **165A** accessing the web marketing campaign. It will be understood that each of the consumer devices **165A** may be associated with an individual consumer (i.e., end user) such that an analysis data provided by the consumer devices **165A** may yield information indicative of the end user (i.e., consumer) associated therewith. According to some embodiments, the marketing data may include information indicative of the interests of the consumer.

Additionally, the visitor intelligence module **170** may be adapted to analyze information received from the consumers accessing a web marketing campaign via consumer portal **165B**.

Generally speaking, the marketing data may include any of a consumer name, a consumer identification, an address, a postal code, a telephone number, a credit card number, a social networking profile, an Internet protocol address, a media access control (MAC) address, visitation duration, visitation frequency, and combinations thereof. One of ordinary skill in the art will appreciate that many other types of information indicative of a consumer may likewise be utilized in accordance with the present invention.

In some embodiments, the visitor intelligence module **170** may be adapted to gather marketing data by examining at least one of a cookie, a web form associated with the presentation server hosting the web marketing campaign, a query string embedded in a uniform resource locator (URL) associated with the presentation server hosting the web marketing campaign, window.name information associated with a web browser session, hyper text transfer protocol authentication information, and combinations thereof.

The marketing data gathered by the visitor intelligence module **170** may be stored in a raw format on the database **120** via the content porter module **145**. In addition to creating lists of consumers to which marketing campaigns may be directed by utilizing basic raw data such as names,

or addresses, the visitor intelligence module **170** may be adapted to create lists based up the one or more consumer groups. For example, a marketing content author, such as an individual creating electronic mail marketing campaigns, may author content that is directed to all consumers that belong to the consumer group of “baseball.” Therefore, rather than sending electronic mail marketing campaigns to all consumers identified by the visitor intelligence module **170**, directed electronic mail marketing campaigns may be directed to consumers that are known to have an interest in the content of the electronic mail marketing campaign, which in this instance may include a sale on baseball related sports memorabilia.

The content author creates the electronic mail marketing campaign via the application **105** and retrieves the particular consumer groups to which the electronic mail marketing campaign should be directed from the application **105**. The application **105** then provides the selected consumer groups to the content author via a business connector module **175**.

Referring now to FIGS. **1A** and **1B** collectively, the application **105** may include the business connector module **175** adapted to interface the application **105** with one or more third party application(s) **180A** by way of one or more data exchange adapters **185**. In addition to data exchange adapters **185**, the business connector module **175** may be adapted to communicate directly with third party applications **180A** such as Java-based applications.

As stated above, the application **105** may be adapted to utilize a dynamic rendering engine (not shown) and dynamic rendering engine data format that allows implementers to abstract dynamic functionalities (from a third party application **180A**) to a predetermined format (that is intercepted and rendered by the dynamic rendering engine). Data abstracted to the predetermined format may be utilized as a portion of a core development implementation before being passed back to the requester.

In some embodiments, the data exchange adapter **185** may be adapted to convert at least one of the marketing data gathered by the visitor intelligence module **170** and the one or more consumer groups created by the visitor intelligence module **170**, to the data format utilized by the third party application **180A**. For example, the third party application **180A** may include applications such as a web page design application, a graphics editing program, and the like that may be utilized to create marketing content that may be incorporated into the web marketing campaign.

The data exchange adapter **185** may interface with web-service enabled third party applications **180A** utilizing a simple object access protocol (SOAP) interface **190A**, an extensible stylesheet language transformations (XSLT) transformer **190B**, and mapping logic module **190C**.

In other embodiments, the business connector module **175** may utilize an enterprise application integration broker **195** to exchange data with one or more enterprise third party programs **180B**. For example, the broker **195** may be adapted to facilitate the exchange of data between an enterprise third party application **180B** such as an email server application, and the business connector module **175** by determining a data format utilized by the enterprise third party application **180B**, which in this case includes simple mail transfer protocol (SMTP) format. In practice, a content author may provide content via an electronic mail message. The data exchange adapter **185** receives the message that is converted by the XSLT transformer **190B** to a data format utilized by the application **105**, i.e., XML format. The mapping logic module **190C** may be adapted to index the

data format exchange information established between the SOAP interface **190A** and the enterprise third party application **180B**.

It will be understood that the business connector module **175** may be adapted to provide at least one of the raw marketing data and the one or more consumer groups gathered by the visitor intelligence module **170** to one or more of the third party applications **180A** or enterprise third party applications **180B**. For example, the data exchange adapter **185** may convert the marketing data gathered by the visitor intelligence module **170** in XML format to a data format that is utilized by a web page design application.

With regard to modifying the content of a web marketing campaign based upon marketing data, the system **100** may include a dynamic broker module **155A** associated with the presentation server **155**. The dynamic broker module **155A** may be adapted to selectively modify a web marketing campaign based upon the marketing data received by the visitor intelligence module **170**. For example, the dynamic broker module **155A** may modify the web marketing campaign to include different advertisements directed to products from a product catalogue of a marketer based upon the interests of the consumers viewing the web marketing campaign, as determined by the visitor intelligence module **170**.

In other embodiments directed to consumers who utilize mobile devices, the dynamic broker module **155A** may be adapted to determine a configuration of each mobile consumer device requesting the web marketing campaign. The dynamic broker module **155A** may determine the configuration of a mobile consumer device by evaluating the international mobile equipment identifier (IMEI) of the mobile consumer device. By analyzing the IMEI, a mobile device operating system version may be determined, along with other pertinent information. Utilizing the gathered information, the dynamic broker module **155A** may cause the provision of a version of the web marketing campaign (via the presentation server **155**) to the mobile consumer device that may be substantially compatible with the mobile device operating system version of the device.

In other embodiments, the dynamic broker module **155A** may be utilized to periodically or continually modify the content of a web marketing campaign based upon an analysis of marketing data. For example, marketing data received from the consumer devices **165A** may indicate that a particular web marketing campaign is underperforming (i.e., not generating the proper number of click through instances or generating enough sales). As such, the interests of the consumers accessing the web marketing content may indicate that a change in the products included in the web marketing campaign may more closely coincide with the interests of the consumer groups. Therefore, the application **105** may modify the content of the web marketing campaign to substantially correspond to the interests of the consumers. Moreover, this type of dynamic modification may take place on a granular level (i.e., at the individual consumer level).

FIG. **2** illustrates an exemplary flow chart of a method **200** for managing web content. The method **200** may include the step **205** of providing a web content management application via a web site. The web content management application may be coupled to a web server associated with the web site. Moreover, the web content management application may be adapted to maintain a global marketing framework indicative of a marketing campaign.

Next, the method **200** may include the step **210** of generating a web marketing campaign from at least a portion of the global marketing framework, via the web server,

which in some embodiments includes a presentation server. In an additional embodiment, the method **200** may include the step **215** of gathering, via the web server (or the presentation server), marketing data from a plurality of consumer devices accessing the web marketing campaign. It will be understood that each of the consumer devices may be associated with a consumer and that the marketing data may include information indicative of interests of the consumer associated with the consumer device.

Additionally, the method **200** includes the step **220** of storing the marketing data in a database and a step **225** of associating consumers together according to at least one common interest to create one or more consumer groups. The method **200** may also include the step **230** of providing the one or more consumer groups to at least one marketing content author such that the web marketing campaign delivered to the consumer groups may be tailored to the interests of the consumer.

The method **200** may include an additional step **235** of interfacing the application with one or more third party applications via the use of a data exchange adapter or an EAI broker. The method **200** may also include a step **240** of selecting an appropriate version of the web marketing campaign to deliver to a mobile consumer device by evaluating the mobile device information indicative of the mobile consumer device and selecting a version of the web marketing campaign that corresponds to the mobile consumer device. Additionally, the method **200** may include the step **245** of selectively modifying the web marketing campaign based upon the marketing data to increase the efficiency of the marketing campaign.

FIG. 3 illustrates an exemplary user interface **300** that allows content authors to interact with the application **105**. Generally speaking, the user interface **300** generated by the application **105** may provide content authors with a What You See Is What You Get (WYSIWYG) representation of the web marketing campaign. That is, the user interface **300** generated by the application **105** may include a representation of the web marketing campaign that is identical, nearly identical, or to the actual visual appearance of the web marketing campaign that is published by on the presentation server **155**. As additional content is added to the web marketing campaign, the user interface is updated to include the new content.

The user interface **300** may include a plurality of block icons **305A-D** indicative of individual web marketing campaigns. More particularly, each of the block icons **305A-D** may be indicative of a web marketing campaign for a particular communication channel. Block icon **305A** includes a web marketing campaign that may be directed to a search engine. Block icon **305B** includes a web marketing campaign that may be directed to a first social networking application and block icon **305C** to a second social networking application. Additionally, block icon **305D** may be directed to a banner advertisement that may be directed to any suitable web site.

The user interface **300** includes visual representations of the relationships of the individual web marketing campaigns relative to one another via directional arrows **310**. For example, the directional arrows **310** linking each of the block icons **305A-D** may indicate that each of the web marketing campaigns associated with the block icons **305A-D** direct consumers to the landing page (represented visually by block icon **305E**) of a marketer's website.

As stated previously, the web content management system described above also includes an extensible framework that allows implementers to add extra data obtained through third

parties sources/software, as well as associated third party workflow into the web content management application. It will be understood that the term "implementer" may include individuals producing computer readable instructions that may be utilized to modify the appearance or functionalities of the web content management application.

It is noteworthy that some embodiments according to the present technology support a variety of web browsers. Examples include but are not limited to Internet Explorer, Firefox, Chrome, Safari, Opera, various mobile browsers, and so forth. It may be desirable, in certain instances, for a user to be able to extend the graphical user interface (GUI). Advantageously, the system is adapted to allow users (or content authors) to customize the GUI to include features that they commonly use, rather than loading a plurality of features that the user may not need.

In various embodiments, the user possesses the ability specify how the desired add-in features are included in the GUI. For example, a feature such as "rename" may be included in a right-click mouse menu (for example), in an icon included in a toolbar, and so forth. The system may also allow users to change the visual appearance of their GUI, for example, by adding or subtracting columns that provide various types of information. The flexible architecture used for the GUI allows for enhanced extensibility so that users may extend functionality and customizations.

In some embodiments, a centralized model repository is implemented. The inclusion of this centralized model repository may allow for the editors, and the different screens of the editors, to communicate with main model items hosted in a single place. In other words, it is envisioned that when there is a change in a single location in the model repository, the various editors and views may be notified about the change. In exemplary embodiments, when an editor makes a change, the editor makes the change in the centralized model repository. Further, the system may support object models with inheritance of the extended Java script language, thus allowing for the building of object models with inheritance. The inclusion of a configuration framework allows the plug in of new models, editors, and so forth.

FIG. 4 illustrates an exemplary computing system **400** that may be used to implement an embodiment of the present invention. The computing system **400** of FIG. 4 includes one or more processors **410** and main memory **420**. Main memory **420** stores, in part, instructions and data for execution by processor **410**. Main memory **420** can store the executable code when the system **400** is in operation. The system **400** of FIG. 4 may further include a mass storage device **430**, portable storage medium drive(s) **440**, output devices **450**, user input devices **460**, a graphics display **440**, and other peripheral devices **480**.

The components shown in FIG. 4 are depicted as being connected via a single bus **490**. The components may be connected through one or more data transport means. Processor unit **410** and main memory **420** may be connected via a local microprocessor bus, and the mass storage device **430**, peripheral device(s) **480**, portable storage device **440**, and display system **470** may be connected via one or more input/output (I/O) buses.

Mass storage device **430**, which may be implemented with a magnetic disk drive or an optical disk drive, is a non-volatile storage device for storing data and instructions for use by processor unit **410**. Mass storage device **430** can store the system software for implementing embodiments of the present invention for purposes of loading that software into main memory **410**.

Portable storage device **440** operates in conjunction with a portable non-volatile storage medium, such as a floppy disk, compact disk or digital video disc, to input and output data and code to and from the computer system **400** of FIG. **4**. The system software for implementing embodiments of the present invention may be stored on such a portable medium and input to the computer system **400** via the portable storage device **440**.

Input devices **460** provide a portion of a user interface. Input devices **460** may include an alphanumeric keypad, such as a keyboard, for inputting alphanumeric and other information, or a pointing device, such as a mouse, a trackball, stylus, or cursor direction keys. Additionally, the system **400** as shown in FIG. **4** includes output devices **450**. Suitable output devices include speakers, printers, network interfaces, and monitors.

Display system **470** may include a liquid crystal display (LCD) or other suitable display device. Display system **470** receives textual and graphical information, and processes the information for output to the display device.

Peripherals **480** may include any type of computer support device to add additional functionality to the computer system. Peripheral device(s) **480** may include a modem or a router.

The components contained in the computer system **400** of FIG. **4** are those typically found in computer systems that may be suitable for use with embodiments of the present invention and are intended to represent a broad category of such computer components that are well known in the art. Thus, the computer system **400** of FIG. **4** can be a personal computer, hand held computing system, telephone, mobile computing system, workstation, server, minicomputer, mainframe computer, or any other computing system. The computer can also include different bus configurations, networked platforms, multi-processor platforms, etc. Various operating systems can be used including UNIX, Linux, Windows, Mac OS, Palm OS, and other suitable operating systems.

The computer system **400** may also include a mobile computing device that may have a configuration that includes at least one of a mobile operating system having an operating system version number. Additionally, mobile device may be identified by way of an international mobile equipment identifier (IMEI).

Some of the above-described functions may be composed of instructions that are stored on storage media (e.g., computer-readable medium). The instructions may be retrieved and executed by the processor. Some examples of storage media are memory devices, tapes, disks, and the like. The instructions are operational when executed by the processor to direct the processor to operate in accord with the invention. Those skilled in the art are familiar with instructions, processor(s), and storage media.

It is noteworthy that any hardware platform suitable for performing the processing described herein is suitable for use with the invention. The terms "computer-readable storage medium" and "computer-readable storage media" as used herein refer to any medium or media that participate in providing instructions to a central processing unit (CPU) for execution. Such media can take many forms, including, but not limited to, non-volatile media, volatile media and transmission media. Non-volatile media include, for example, optical or magnetic disks, such as a fixed disk. Volatile media include dynamic memory, such as system RAM. Transmission media include coaxial cables, copper wire and fiber optics, among others, including the wires that comprise one embodiment of a bus. Transmission media can also take

the form of acoustic or light waves, such as those generated during radio frequency (RF) and infrared (IR) data communications. Common forms of computer-readable media include, for example, a floppy disk, a flexible disk, a hard disk, magnetic tape, any other magnetic medium, a CD-ROM disk, digital video disk (DVD), any other optical medium, any other physical medium with patterns of marks or holes, a RAM, a PROM, an EPROM, an EEPROM, a FLASHEPROM, any other memory chip or data exchange adapter, a carrier wave, or any other medium from which a computer can read.

Various forms of computer-readable media may be involved in carrying one or more sequences of one or more instructions to a CPU for execution. A bus carries the data to system RAM, from which a CPU retrieves and executes the instructions. The instructions received by system RAM can optionally be stored on a fixed disk either before or after execution by a CPU.

The above description is illustrative and not restrictive. Many variations of the invention will become apparent to those of skill in the art upon review of this disclosure. The scope of the invention should, therefore, be determined not with reference to the above description, but instead should be determined with reference to the appended claims along with their full scope of equivalents.

What is claimed is:

**1.** A method for managing and modifying web content, comprising:

providing a web content management application via a web site, the web content management application coupled to a web server associated with the web site, the web content management application adapted to maintain a global marketing framework indicative of a marketing campaign;

generating a web marketing campaign from at least a portion of the global marketing framework, wherein data included in the web content is generated by the web content management application according to a predetermined format of rendering engines, rather than from data formats utilized by standard web applications;

gathering, via the web server, marketing data from at least one of the web server associated with the web marketing campaign and consumer devices accessing the web marketing campaign, the marketing data including information indicative of interests of consumers;

storing the marketing data in a database;

analyzing the marketing data; and

based upon the analysis of the marketing data, periodically or continually modifying the content of a web marketing campaign to substantially correspond to the interests of the consumers.

**2.** The method according to claim **1**, wherein the marketing data includes at least one of a consumer name, a consumer identification, an address, a postal code, a telephone number, a credit card number, a social networking profile, an Internet protocol address, a media access control (MAC) address, visitation duration, visitation frequency, and combinations thereof.

**3.** The method according to claim **1**, wherein the marketing data is gathered from at least one of a cookie, a web form associated with the web marketing campaign, a query string embedded in a uniform resource locator (URL) associated with the web marketing campaign, window.name information associated with a web browser session, hyper text transfer protocol authentication information, and combinations thereof.

13

4. The method according to claim 1, further comprising integrating the web content management application with a third party application by way of a data exchange adapter.

5. The method according to claim 4, wherein the consumer devices interface with the third party application via the data exchange adapter.

6. The method according to claim 4, wherein the data exchange adapter is adapted to at least one of:

convert data received from the third party application to an extensible markup language data format utilized by the web content management application; and

provide marketing data to the third party application by converting the marketing data from the extensible markup language data format utilized by the web content management application to a data format utilized by the third party application.

7. The method according to claim 6, wherein the data exchange adapter is adapted to utilize simple object access protocol.

8. The method according to claim 6, further comprising integrating the web content management application with the third party application by way of an enterprise application integration broker.

9. The method according to claim 1, wherein generating further includes:

determining a configuration of a mobile consumer device requesting the web marketing campaign; and

providing a compatible version of the web marketing campaign to the mobile consumer device.

10. A system for managing and modifying web content, comprising:

a web server associated with a web site;

the web site having a web content management application associated therewith, the web content management application coupled to the web server associated with the web site, the web content management application including computer-readable instructions comprising: a content manager module adapted to:

maintain a global marketing framework indicative of a marketing campaign; and

generate a web marketing campaign from at least a portion of the global marketing framework;

a visitor intelligence module adapted to:

gather, via the web server, marketing data from at least one of the web server associated with the web marketing campaign and consumer devices accessing the web marketing campaign, the marketing data including information indicative of interests of consumers;

the web content management application utilizing a dynamic rendering engine and a dynamic rendering engine data format that allow for conversion of the marketing data gathered by the visitor intelligence module to a data format utilized by one or more third-party applications;

a content porter module for storing the marketing data in a database; and

a dynamic broker module adapted to:

analyze the marketing data; and

based on the analysis of the marketing data, periodically or continually modify the web content of a web marketing campaign to substantially correspond to the interests of the consumers.

11. The system according to claim 10, wherein the marketing data includes at least one of a consumer name, a consumer identification, an address, a postal code, a telephone number, a credit card number, a social networking

14

profile, an Internet protocol address, a media access control (MAC) address, visitation duration, visitation frequency, and combinations thereof.

12. The system according to claim 10, wherein the visitor intelligence module is adapted to gather the marketing data from at least one of a cookie, a web form associated with a presentation server hosting the web marketing campaign, a query string embedded in a uniform resource locator (URL) associated with the presentation server hosting the web marketing campaign, window.name information associated with a web browser session, hyper text transfer protocol authentication information, and combinations thereof.

13. The system according to claim 10, further comprising a business connector module adapted to interface the web content management application with a third party application by way of a data exchange adapter.

14. The system according to claim 13, wherein the data exchange adapter is adapted to utilize simple object access protocol.

15. The system according to claim 13, wherein the business connector module is further adapted to interface the web content management application with the third party application by way of an enterprise application integration broker.

16. The system according to claim 13, wherein the data exchange adapter facilitates exchange of data between the third party application and the web content management application by:

determining a data format utilized by the third party application; and

converting data received from the third party application to a data format utilized by the web content management application.

17. The system according to claim 16, wherein the data exchange adapter is further adapted to convert at least one of the marketing data gathered by the visitor intelligence module and one or more consumer groups created by the visitor intelligence module to the data format utilized by the web content management application.

18. The system according to claim 16, wherein the data format utilized by the web content management application includes extensible markup language format.

19. The system according to claim 13, wherein the business connector module is further adapted to receiving data from the third party application.

20. The system according to claim 10, wherein the dynamic broker module is further adapted to:

determine a configuration of a mobile consumer device requesting the web marketing campaign; and

provide a compatible version of the web marketing campaign to the mobile consumer device.

21. The system according to claim 20, wherein the configuration of the mobile consumer device includes at least one of an operating system version and an international mobile equipment identifier (IMEI).

22. A system for managing and modifying web content, comprising:

means for providing a web content management application via a web site, the web content management application coupled to a web server associated with the web site, the web content management application adapted to maintain a global marketing framework indicative of a marketing campaign;

means for generating a web marketing campaign from at least a portion of the global marketing framework, wherein data included in the web content is generated by the web content management application according

to a predetermined format of rendering engines, rather than from data formats utilized by standard web applications;

means for gathering, via the web server, marketing data from at least one of the web server associated with the web marketing campaign and consumer devices accessing the web marketing campaign, the marketing data including information indicative of interests of consumers;

means for storing the marketing data in a database;

means for analyzing the marketing data; and

based upon the analysis of the marketing data, means for periodically or continually modifying the web content of the web marketing campaign to substantially correspond to the interests of the consumers.

\* \* \* \* \*