

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
29 December 2004 (29.12.2004)

PCT

(10) International Publication Number
WO 2004/114571 A2

(51) International Patent Classification⁷: H04L
(21) International Application Number: PCT/US2004/019190
(22) International Filing Date: 14 June 2004 (14.06.2004)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data: 10/461,310 13 June 2003 (13.06.2003) US

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(71) Applicant (for all designated States except US): ULTIMATE RISK SOLUTIONS, INC. [US/US]; 1409 Chandler Drive, Fairlawn, NJ 07410 (US).

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BUSHEL, Alexander A. [US/US]; 17 Romney Court, Owings Mills, MD 21171 (US). RELIN, Arkadi [US/US]; 12 Woodbridge Place, Langhorne, PA 19053 (US). KOMAROV, Sergey [UA/UA]; ul. Geroev Stalingrada d.52, kv.103, Kiev, 04213 (UA).


(74) Agent: RUBENSTEIN, Allen I.; Gottlieb, Rackman & Reisman, P.C., 270 Madison Avenue, 8th Floor, New York, NY 10016 (US).

Published:

— without international search report and to be republished upon receipt of that report

[Continued on next page]

(54) Title: OPTIMIZER OF INTERDEPENDENT INFORMATION



(57) Abstract: An Optimizer of Interdependent Information connected between the external system of input and storage of interdependent information and the external system of dynamic processing of interdependent information; and containing sequentially connected to each other means of reading from said external system of input and storage and interdependent information, step-by-step identification, ordering, and storing of the fragments of the collection of said interdependent information based on their sequential interdependence, as well as the means of identification and storing of the individual fragments containing, respectively, the input and output parameters from said collection based on the initially assigned address information about the zones of location of the input and output information within said system of input and storage and interdependent information; and the means of translation and storage of the information about said memorized identified and ordered fragments of said collection of interdependent information for its subsequent use in said system of dynamic processing of interdependent information.

WO 2004/114571 A2



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

OPTIMIZER OF INTERDEPENDENT INFORMATION

Field of the Invention

[0001] This invention relates to the systems that implement various methods of transformation of the collections of interdependent information. Usually, such information is inputted and stored in the form of its fragments within various systems, such as, for example, "electronic spreadsheet"-type systems. The need to transform such interdependent information arises in many cases in the context of the tasks of executing high speed frequently repetitive calculating operations. Such tasks arise from the need to perform large number of calculations during the short time intervals.

Background of the Invention

[0002] The known systems of input and storage of interdependent information, such as "electronic spreadsheet"-type systems, do not allow to directly attain high speed of calculating operations when such calculating operations are repeated many times during the short time interval. Thus the use of such systems interacting directly with the external systems of dynamic processing of interdependent information considerably limits the efficiency of performance of the latter systems.

Summary of the Invention

[0003] The above main disadvantages of such known systems of input and storage of interdependent information arise from the fact that their functional structure assumes the execution of repetitive process of identification of dependencies, preparation and use of the entire interdependent information, respectively, at each and every step of repetitive calculating operations.

[0004] The objective of this invention is introducing an Optimizer of Interdependent Information, principle of construction of which allows realization of new methodological approaches in the implementation of the processes of ordering reading and transformation of the collection of fragments of interdependent Information. Note that the introduced Optimizer ensures the preparation of said information into the type and form convenient for the efficient execution of the subsequent high speed repetitive calculating operations.

[0005] The fundamentally new capabilities of the introduced Optimizer are made possible because it combines the Information Reading and Ordering Subsystem, the

Translation Subsystem, and the Information Zones Assignment Unit. Said combination in the Optimizer's functional structure, together with its internal functional links and its external links to the external System of Input and Storage of Interdependent Information and to the external System of Dynamic Processing of Interdependent Information, provides fundamentally new kind of channel of communication and transformation between said external systems of input and storage of interdependent information and its dynamic processing.

[0006] The illustrative embodiment comprises a method of optimizing a spreadsheet that is characterized by a plurality of cell formulas and their interdependence, the method comprising: reading a plurality of cell formulas and their interdependence; and transforming the cell formulas and their interdependence into a sequence of instructions.

Brief Description of the Drawings

[0007] **Fig.1** shows one possible version of a block diagram of the functional structure of Optimizer of Interdependent Information.

Detailed Description

[0008] **Fig.1** shows one possible version of a block diagram of the functional structure of Optimizer of Interdependent Information. Optimizer **1** contains the Information Zones Assignment Unit **2**, the Unit of Ordering Reading of Information **3**, the Input Information Identification Unit **4**, the Output Information Identification Unit **5**, the Memory Unit **6**, the Translation Unit **7**, and the Memory Unit **8**. The Information Zones Assignment Unit **2** has two assignment inputs and two corresponding outputs. The Unit of Ordering Reading of Information **3** has the control output, the data output and the data input. Input Information Identification Unit **4** has the assignment input connected to the first output of Unit **2**, the data input connected to the data output of Unit **3**, and the data output. Output Information Identification Unit **5** has the assignment input connected to the second output of Unit **2**, the data input connected to the data output of Unit **3**, and the data output. The Memory Unit **6** has three data inputs connected to respective data outputs of Units **3**, **4**, **5**. The Unit **6** also has three data outputs and the control output. The Translation Unit **7** has three data inputs connected to the corresponding data outputs of Unit **6** and the control input connected to the control output of Unit **6**. Moreover, the Unit **7** has three data outputs and the control output. The Memory Unit **8** has three data inputs connected to the

corresponding data outputs of Unit **7** and the control input connected to the control output of Unit **7**. Moreover, the Unit **8** has three data outputs.

[0009] The above listed Units **3**, **4**, **5**, and **6** together with their external and internal functional links comprise the Information Reading and Ordering Subsystem **IOS** of the described Optimizer **1**. The Units **7** and **8** together with their external and internal functional links comprise the Translation Subsystem **TS** of the described Optimizer **1**. The control output and the data input of Unit **3**, as well as three data output of Unit **8** comprise the structure of external communication links of the described Optimizer **1**. With this, the control output of Unit **3** is connected to the control input of the external System of Input and Storage of Interdependent Information **9**, while the data input of Unit **3** is connected to the data output of System **9**. The example of the System **9** can be the system of input and storage of interdependent information of "electronic spreadsheet"-type. Note that such "electronic spreadsheet"-type System **9**, may, as a rule, have several information zones: Input Information Zone **9.1**, Interdependent Output Information Zone **9.2**, and Interdependent Main Information Zone **9.3**. Note that, when the "electronic spreadsheet"-type system is used, the information zones **9.2** and **9.3** have the data outputs that may, in reality, be combined into the single data output of System **9**, to which the data input of Unit **3** may connect. The data outputs of Unit **8** are connected to the corresponding inputs of the external System of Dynamic Processing of Interdependent Information **10**.

[0010] The introduced Optimizer of Interdependent Information **1** shown on **Fig.1** performs the function of optimization of interdependent information inputted and stored in the external System **9** with the purpose of transforming said information into the type and form optimal for the dynamic processing performed by the external System **10**. Thus the Optimizer is intended to ensure an independent process optimizing the possibility of using the entire collection of the fragments of interdependent information, inputted into the System **9**, by the system of dynamic processing **10**. Said process is implemented in the Optimizer as follows.

[0011] Prior to the commencement of work of the Optimizer **1**, the operator inputs into the Unit **2**, through its assignment inputs, the information, respectively, **Zi** – about the zone of location of input information **9.1** within the System **9**, and **Zo** – about the zone of location of output information **9.2** within the System **9**. Note that the information zone **9.2** contains the interdependent output information **Io**, while the information zone **9.3** contains the main collection of interdependent information **I**. The entire collection of fragments of said interdependent information **Io** and **I** is inputted by the operator into the "electronic

spreadsheet"-type system in advance taking into account the zoning of said system. Also note that the operator inputs each fragment of said collection of interdependent information into its respective cell within the restricted zones of the "electronic spreadsheet"-type system **9**. Such information is inputted into the System **9** with the purpose of its subsequent use during the execution of the frequently repetitive calculating operations.

[0012] After this, a command is issued from the Unit **3**, through its control output, to the System **9** to begin reading the fragments of interdependent information from its information zones, respectively, **9.2** and **9.3**. The read information **I_o** and **I** is sent to the data input of Unit **3**. During this, the Unit **3** interacting with the "electronic spreadsheet" performs the ordering reading of the fragments of the collection of interdependent information located in their respective cells of the "electronic spreadsheet". Note that the process of ordering of said information is performed in the Unit **3** by means of step-by-step identification and ordering of said fragments of the collection of interdependent information based on their sequential interdependence in the cells of the "electronic spreadsheet". Simultaneously with the execution of the process of ordering reading of interdependent information in the Unit **3**, from its data output said information is sent to the data inputs of Units **4** and **5**, respectively. Also, the information from the outputs of Unit **2**, respectively, **Z_i** and **Z_o**, is sent to the assignment inputs of Units **4** and **5**. Note that the Input Information Identification Unit **4**, during the processing of the entire collection of the fragments of interdependent information, performs the analysis of said collection taking into account the addresses of the input information **Z_i** and identifies, step-by-step, those fragments of interdependent information that contain the input parameters **P_i**. At the same time, the Output Information Identification Unit **5**, during the processing of the entire collection of the fragments of interdependent information, performs the analysis of said collection taking into account the addresses of the output information **Z_o** and identifies, step-by-step, those fragments of interdependent information that contain the output parameters **P_o**. The information from data outputs of Units **3**, **4**, and **5** is continuously sent to the data inputs of Memory Unit **6**. Upon completion of the above described processes in the Units **3**, **4**, and **5**, the Unit **6** memorizes the ordered collection of the fragments of interdependent information **I_{or}** as well as the fragments containing the Input parameters **P_i** and the fragments containing the output parameters **P_o**. Said information memorized in Unit **6** is sent to its three data outputs. At the same time, from the control output of Unit **6**, a command is sent to the control input of the Translation Unit **7**. The Unit **7** commences the process of transformation (translation) of the information sent to its data inputs from the

data outputs of Unit **6**. Note that the information sent to Unit **7** is transformed into the type that is optimal for its subsequent high-speed use in calculating operations. For example, such transformation may involve the known principles of conversion (translation) of the ordered fragments of interdependent information into the computer machine code that allows the execution of high-speed calculating operations with their possible multiple dynamic recurrence. After the completion of the transformation (translation) process, the information **Ior**, **Pi** and **Po**, transformed into analogous, but of the new type, translated information, respectively, **Iort**, **Pit** and **Pot**, is sent from the corresponding data outputs of Unit **7** to the data inputs of Memory Unit **8**. The Memory Unit **8**, upon a command issued from the Unit **7** to the control input of said Unit **8**, memorizes all said translated information. The translated ordered interdependent information **Iort**, the translated information about the input parameters **Pit**, and the translated information about the output parameters **Pot** are sent from the data outputs of Unit **8** to the corresponding inputs of the external System of Dynamic Processing of Interdependent Information **10**.

[0013] The entire collection of translated interdependent information **Iort**, as well as the translated information about the input parameters **Pit** and the translated information about the output parameters **Pot**, may be used in the external System **10** during the process of executing of the high-speed calculating operations by said System **10**. Note that for the purpose of solving the various tasks the process of said calculating operations may be repeated multiple times in the System **10** with the changing values of the input parameters.

[0014] It should be noted that the Unit of Ordering Reading of Information **3** may implement several alternatives of possible processes of ordering reading of the fragments of the collection of interdependent information located in their respective cells of the "electronic spreadsheet". With this, the step-by-step identification and ordering of said fragments of the collection of interdependent information based on their sequential interdependence in the cells of the "electronic spreadsheet" may be implemented:

- from the fragments containing the output parameters in the priority order and in the direction along the interdependence chain towards the fragments containing the input parameters;
- from the fragments containing the input parameters in the priority order and in the direction along the interdependence chain towards the fragments containing the output parameters;

- from any fragment in two directions along the interdependence chain, both towards the fragments containing the input parameters and towards the fragments containing the output parameters;

[0015] also, the other possible processes that utilize combined (from above described) approaches may be implemented.

[0016] Depending on the specifics of interdependencies in the collection of the fragments of interdependent information of the "electronic spreadsheet", which is read and ordered by the Unit **3**, one or several different chains produced from the interdependent fragments of the of said collection may be formed. Note that the Memory Unit **6** memorizes all chains of interdependent fragmented information produced by the Unit **3**. The storing of said chains in the Unit **6** allows the Translation Unit **7** to take into account such structuring arrangements of interdependent information and transform said information into the analogous form, but in the new translated type, optimal for the subsequent high-speed calculations.

[0017] Therefore, the fundamentally novel methodological approach of optimization of the collection of the fragments of interdependent information implemented by the functional units of Optimizer **1** provides radically new possibilities in optimization and transformation of said information. The combination of functional units and their internal links, forming the Information Reading and Ordering Subsystem **IOS**, together with the capability of the Information Zones Assignment Unit **2**, as well as with the external links to the "electronic spreadsheet"-type Systems of Input and Storage of Interdependent Information **9** provides an entirely new capability of preparation of interdependent information for its subsequent transformation (translation). Such novel approach makes possible the preparation of a combination of several characteristics related to the used collection of the fragments of interdependent information simultaneously. The latter provides the possibility of implementing the most efficient process of the transformation (translation) of said information into the type optimal for its subsequent dynamic processing.

[0018] Fundamentally new principles of construction and capabilities of the introduced Optimizer of Interdependent Information warrant its wide application in various systems, especially those related to the need to perform high-speed calculations repeated multiple times using large collections of various interdependent information

[0019] It is to be understood that the above-described embodiments are merely illustrative of the present invention and that many variations of the above-described

embodiments can be devised by those skilled in the art without departing from the scope of the invention. It is therefore intended that such variations be included within the scope of the following claims and their equivalents.

[0020] What is claimed is:

1. An apparatus connected between an external system of input and storage of interdependent information and an external system of dynamic processing of interdependent information, said apparatus comprising:

means for reading from said external system of input and storage of interdependent information, step-by-step identification, ordering, and storing of the fragments of the collection of said interdependent information based on their sequential interdependence;

means for identification and storing of the individual fragments containing, respectively, the input and output parameters from said collection based on the initially assigned address information about the zones of location of the input and output information within said system of input and storage of interdependent information; and

means for translation and storage of the information about said memorized identified and ordered fragments of said collection of interdependent information for its subsequent use in said system of dynamic processing of interdependent information

2. An apparatus connected between the external "electronic spreadsheet"-type system of input and storage of interdependent information and the external system of dynamic processing of interdependent information; and containing the Information Zones Assignment Unit, the Information Reading and Ordering Subsystem, and the Translation Subsystem; where said Information Zones Assignment Unit has the input of assignment of the information about the zone of location of input information in the system of input and storage of interdependent information and the input of assignment of the information about the zone of location of output information in the system of input and storage of interdependent information, as well as two outputs, corresponding to said inputs, connected to their corresponding two assignment inputs of the Information Reading and Ordering Subsystem, which has the external control output and the external data input, as well as the internal control output, the data output of the ordered collection of the fragments of interdependent information, the data output of the fragments of interdependent information containing the input parameters, and the data output of the fragments of interdependent information containing the output parameters, where said outputs are respectively connected to the internal control input and three data inputs of said Translation Subsystem, which has the external data output of the ordered collection of interdependent translated information, the external data output of the fragments of interdependent translated information containing the input parameters, and the external data output of the fragments of interdependent translated information containing the output parameters; where the

external control output and external data input of the Information Reading and Ordering Subsystem are connected, respectively, to the control input and data output of the collection of interdependent information of said external system of input and storage of interdependent information, while said external data outputs of the Translation Subsystem are connected to the corresponding data inputs of said external system of dynamic processing of interdependent information.

3. The apparatus of claim 2 wherein the Information Reading and Ordering Subsystem contains the Unit of Ordering Reading of Information, the Input Information Identification Unit, the Output Information Identification Unit, and the Memory Unit containing the internal control output, the data output of the ordered collection of the fragments of interdependent information, the data output of the fragments of interdependent information containing the input parameters, and the data output of the fragments of interdependent information containing the output parameters, whereas said outputs are also the outputs of the Information Reading and Ordering Subsystem; moreover, the data inputs of the Memory Unit are connected, respectively, to the data outputs of the Unit of Ordering Reading of Information, the Input Information Identification Unit, and the Output Information Identification Unit; whereas the Unit of Ordering Reading of Information has the control output and the data input, that also serve as, respectively, the external control output and the external data input of said Information Reading and Ordering Subsystem; while the data output of the Unit of Ordering Reading of Information is connected to the data inputs of the Input Information Identification Unit and the Output Information Identification Unit, the assignment inputs of which are connected, respectively, to the assignment input of the information about the zone of location of the input information in the system of input and storage of interdependent information, and to the assignment input of the information about the zone of location of output information in the system of input and storage of interdependent information; and the Translation Subsystem contains the Translation Unit and the Memory Unit, where the internal control input, the data input of the ordered collection of the fragments of interdependent information, the data input of the fragments of interdependent information containing the input parameters, and the data input of the fragments of interdependent information containing the output parameters are connected to the corresponding outputs of the Information Reading and Ordering Subsystem, while the internal control output, the data output of the ordered collection of the fragments of interdependent translated information, the data output of the fragments of interdependent translated information containing the input parameters, and

the data output of the fragments of interdependent translated information containing the output parameters are connected to the corresponding inputs of the Memory Unit, three corresponding data outputs of which also serve as the external data outputs of the Translation Subsystem and the Optimizer as a whole.

4. The apparatus of claim 3 wherein the Unit of Ordering Reading of Information implements the process of reading of the fragments of the collection of interdependent information located in their respective cells of the "electronic spreadsheet"-type system of input and storage of interdependent information with the simultaneous step-by-step identification and ordering of said fragments based on their sequential interdependence in the cells of said "electronic spreadsheet"-type system by means of implementing said step-by-step identification from the fragments containing the output parameters in the priority order and in the direction along the interdependence chain towards the fragments containing the input parameters.

5. The apparatus of claim 3 wherein the Unit of Ordering Reading of Information implements the process of reading of the fragments of the collection of interdependent information located in their respective cells of the "electronic spreadsheet"-type system of input and storage of interdependent information with the simultaneous step-by-step identification and ordering of said fragments based on their sequential interdependence in the cells of said "electronic spreadsheet"-type system by means of implementing said step-by-step identification from the fragments containing the input parameters in the priority order and in the direction along the interdependence chain towards the fragments containing the output parameters.

6. The apparatus of claim 3 wherein the Unit of Ordering Reading of Information implements the process of reading of the fragments of the collection of interdependent information located in their respective cells of the "electronic spreadsheet"-type system of input and storage of interdependent information with the simultaneous step-by-step identification and ordering of said fragments based on their sequential interdependence in the cells of said "electronic spreadsheet"-type system by means of implementing said step-by-step identification from any fragment in two directions along the interdependence chain, both towards the fragments containing the input parameters and towards the fragments containing the output parameters.

7. A method of optimizing a spreadsheet that is characterized by a plurality of cell formulas and their interdependence, said method comprising:

reading a plurality of cell formulas and their interdependence; and
transforming the cell formulas and their interdependence into a sequence of
instructions.




FIG. 1