



US0D1013545S

(12) **United States Design Patent**
Ridder

(10) **Patent No.:** **US D1,013,545 S**

(45) **Date of Patent:** **** Feb. 6, 2024**

(54) **GAUGE HOUSING**

(71) Applicant: **Thomas J. D. Ridder**, Pleasant Grove,
UT (US)

(72) Inventor: **Thomas J. D. Ridder**, Pleasant Grove,
UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/775,879**

(22) Filed: **Mar. 25, 2021**

(51) **LOC (14) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/192**

(58) **Field of Classification Search**
USPC D10/85, 98; D12/114, 192
CPC B60K 2370/691; B60K 37/02; B62J 50/22
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D55,172	S	*	5/1920	Hoffman	D12/192
D58,532	S	*	8/1921	Anibal	D12/192
D68,084	S	*	9/1925	Bourgon	D12/192
D73,527	S	*	9/1927	Kent	D12/192
D284,751	S	*	7/1986	Soederberg	D12/192
D288,429	S	*	2/1987	Cornwell	D12/192
D291,984	S	*	9/1987	Cornwell	D12/192
D411,974	S	*	7/1999	Tucker	D12/192
D456,754	S	*	5/2002	Keating	D12/192
D504,645	S	*	5/2005	Chao	D12/192
D514,996	S	*	2/2006	Rayburn	D12/192
D515,488	S	*	2/2006	Seidel	D12/192
D524,208	S	*	7/2006	Seidel	D12/192
D573,517	S	*	7/2008	Day	D12/192
D573,518	S	*	7/2008	Day	D12/192
D573,519	S	*	7/2008	Day	D12/192
D626,479	S	*	11/2010	Mizuno	D12/192
D628,130	S	*	11/2010	Miyanishi	D12/192
D652,359	S	*	1/2012	Kitajima	D12/192
D704,611	S	*	5/2014	Tilscher	D12/192

9,266,430	B1	*	2/2016	Perez	B62J 17/04
D777,061	S	*	1/2017	Lindloff	D12/114
D777,631	S	*	1/2017	Webb	D12/192
D779,405	S	*	2/2017	Arceo	D12/192
D780,079	S	*	2/2017	Webb	D12/192
D786,759	S	*	5/2017	Webb	D12/192
D791,660	S	*	7/2017	Arceo	D12/192

(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Lillian Windham

(74) *Attorney, Agent, or Firm* — Young Basile Hanlon &
MacFarlane, P.C.

(57) **CLAIM**



The ornamental design for a gauge housing, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of one embodiment of a gauge housing in accordance with my new design; FIG. 2 is a front view of the design of FIG. 1; FIG. 3 is a back view of the design of FIG. 1; FIG. 4 is a top view of the design of FIG. 1; FIG. 5 is a bottom view of the design of FIG. 1; FIG. 6 is a first end view of the design of FIG. 1; FIG. 7 is a second, opposite end view of the design of FIG. 1; FIG. 8 is a front perspective view of an alternative embodiment of the gauge housing; FIG. 9 is a front view of the design of FIG. 8; FIG. 10 is a back view of the design of FIG. 8; FIG. 11 is a top view of the design of FIG. 8; FIG. 12 is a bottom view of the design of FIG. 8; FIG. 13 is a first end view of the design of FIG. 8; and, FIG. 14 is a second, opposite end view of the design of FIG. 8.

The broken lines represent portions of the design that form no part of the claim.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D793,932	S	*	8/2017	Yoon	D12/192
D826,814	S	*	8/2018	Von Holzhausen	D12/192
D848,918	S	*	5/2019	Hisada	D12/192
D865,604	S	*	11/2019	Kang	D12/192

* cited by examiner




FIG. 1



FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11




FIG. 12




FIG. 13




FIG. 14