



Office de la Propriété
Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2759093 C 2016/08/02

(11)(21) **2 759 093**

(12) **BREVET CANADIEN
CANADIAN PATENT**

(13) **C**

(22) Date de dépôt/Filing Date: 2007/05/24
(41) Mise à la disp. pub./Open to Public Insp.: 2007/12/13
(45) Date de délivrance/Issue Date: 2016/08/02
(62) Demande originale/Original Application: 2 653 992
(30) Priorité/Priority: 2006/06/03 (US60/810,499)

(51) Cl.Int./Int.Cl. *C12N 15/11* (2006.01),
C12N 15/00 (2006.01), *C12N 15/09* (2006.01),
C12N 15/82 (2006.01)

(72) Inventeurs/Inventors:
LONG, NYKOLL, US;
PULLIAM, DERRICK, US;
BOTTOMS, JEFF, US;
MEGHJI, MOEZ, US;
HART, HOPE, US;
QUE, QIUDENG, US

(73) Propriétaire/Owner:
SYNGENTA PARTICIPATIONS AG, CH

(74) Agent: FETHERSTONHAUGH & CO.

(54) Titre : EVENEMENT DE TRANSFORMATION DE MAIS MIR162

(54) Title: CORN EVENT MIR162

(57) **Abrégé/Abstract:**

A novel transgenic corn event designated MIR162 is disclosed. The invention relates to nucleic acids that are unique to event MIR162 and to methods for detecting the presence of the MIR162 event based on DNA sequences of the recombinant constructs inserted into the corn genome that resulted in the MIR162 event and of genomic sequences flanking the insertion site. The invention further relates to corn plants comprising the transgenic genotype of MIR162 and to methods for producing a corn plant by crossing a corn plant comprising the MIR162 genotype with itself or another corn variety. Seeds of corn plants comprising the MIR162 genotype are also objects of the present invention. The invention also relates to methods of controlling insects using MIR162 corn plants.



30506-87D

Abstract

A novel transgenic corn event designated MIR162 is disclosed. The invention relates to nucleic acids that are unique to event MIR162 and to methods for detecting the presence of the MIR162 event based on DNA sequences of the recombinant constructs inserted into the corn genome that resulted in the MIR162 event and of genomic sequences flanking the insertion site. The invention further relates to corn plants comprising the transgenic genotype of MIR162 and to methods for producing a corn plant by crossing a corn plant comprising the MIR162 genotype with itself or another corn variety. Seeds of corn plants comprising the MIR162 genotype are also objects of the present invention. The invention also relates to methods of controlling insects using MIR162 corn plants.

30506-87D

Corn Event MIR162

This is a division of Canadian Patent Application Serial No. 2,653,992 filed on May 24, 2007.

It is to be understood that the expression “the present invention” or the like
5 used in this specification encompasses not only the subject-matter of this divisional application but that of the parent also.

BACKGROUND

[0001] The present invention relates generally to the field of plant molecular biology, plant transformation, and plant breeding. More specifically, the invention relates to insect
10 resistant transgenic corn plants comprising a novel transgenic genotype and to methods of detecting the presence of nucleic acids that are unique to the transgenic corn plants in a sample and compositions thereof.

[0002] Plant pests are a major factor in the loss of the world's important agricultural crops. About \$8 billion are lost every year in the U.S. alone due to infestations of non-
15 mammalian pests including insects. In addition to losses in field crops, insect pests are also a burden to vegetable and fruit growers, to producers of ornamental flowers, and to home gardeners.

30506-87D

[0003] Insect pests are mainly controlled by intensive applications of chemical pesticides, which are active through inhibition of insect growth, prevention of insect feeding or reproduction, or cause death. Good insect control can thus be reached, but these chemicals can sometimes also affect other, beneficial insects. Another problem resulting from the wide use of chemical pesticides is the appearance of resistant insect varieties. This has been partially alleviated by various resistance management practices, but there is an increasing need for alternative pest control agents. Biological pest control agents, such as *Bacillus thuringiensis* (Bt) strains expressing pesticidal toxins like δ -endotoxins, have also been applied to crop plants with satisfactory results, offering an alternative or complement to chemical pesticides. The genes coding for some of these δ -endotoxins have been isolated and their expression in heterologous hosts have been shown to provide another tool for the control of economically important insect pests. In particular, the expression of Bt δ -endotoxins has provided efficient protection against selected insect pests, and transgenic plants expressing such toxins have been commercialized, allowing farmers to reduce applications of chemical insect control agents.

[0004] Another family of insecticidal proteins produced by *Bacillus* species during the vegetative stage of growth (vegetative insecticidal proteins (Vip)) has also been identified. U.S. Patents 5,877,012, 6,107,279, and 6,137,033

J0506-87

describe a new class of insecticidal proteins called Vip3. Other disclosures, including WO 98/18932, WO 98/33991, WO 98/00546, and WO 99/57282, have also now identified homologues of the Vip3 class of proteins. Vip3 coding sequences encode approximately 88 kDa proteins that possess insecticidal activity against a wide spectrum of lepidopteran pests, including, but not limited to, black cutworm (BCW, *Agrotis ipsilon*), fall armyworm (FAW, *Spodoptera frugiperda*), tobacco budworm (TBW, *Heliothis virescens*), sugarcane borer, (SCB, *Diatraea saccharalis*), lesser cornstalk borer (LCB, *Elasmopalpus lignosellus*), and corn earworm (CEW, *Helicoverpa zea*), and when expressed in transgenic plants, for example corn (*Zea mays*), confer protection to the plant from insect feeding damage.

[0005] Present plant transformation methods generally lead to the random integration of transgenes like *vip3* into a host-plant genome. This random insertion of introduced DNA into the plant's genome can be lethal if the foreign DNA happens to insert into, and thus mutate, a critically important native gene. In addition, even if a random insertion event does not impair the functioning of a host cell gene, the expression of an inserted foreign gene may be influenced by "position effects" caused by the surrounding genomic DNA. In some cases, the gene is inserted into sites where the position effects are strong enough to prevent the synthesis of an effective amount of product from the introduced gene. For example, it has been observed in plants that there may be wide variations in levels of expression of a heterologous gene introduced into a plant's chromosome among individually selected events. There may also be differences in spatial or temporal patterns of expression, for example, differences in the relative expression of a transgene in various plant tissues, that may not correspond to the patterns expected from transcriptional regulatory elements present in the introduced gene construct. In other instances, overproduction of the gene product has deleterious effects on the cell. Because of these potential problems, it is common to produce hundreds of different events and screen those events for a single event that has desired transgene expression patterns and levels for commercial purposes. However, once a commercially viable site within the plant's genome is identified it would be advantageous to target genes of interest to that non-detrimental site.

[0006] Several methods for the targeted insertion of a nucleotide sequence of interest into a specific chromosomal site within a plant cell have been described. Site-specific recombination systems have been identified in several prokaryotic and lower eukaryotic organisms. Such systems typically comprise one or more proteins that recognize two

JJ506-87

copies of a specific nucleotide sequence, cleave and ligate those nucleotide sequences, and thereby provide a precise, site-specific exchange of genetic information. Several site-specific recombinases are known in the art. These include, but are not limited to, e.g., the bacteriophage P1 Cre/lox system (Austin *et al.* (1981) Cell 25: 729-736), the R/Rs recombinase system from the pSR1 plasmid of the yeast *Zygosaccharomyces rouxii* (Araki *et al.* (1985) J. Mol. Biol. 182: 191-203), the Gin/gix system of phage Mu (Maeser and Kahlmann (1991) Mol. Gen. Genet. 230: 170-176), the FLP/FRT recombinase system from the 2 .mu.m plasmid of the yeast *Saccharomyces cerevisiae* (Broach *et al.* (1982) Cell 29: 227-234), and the Int recombinase from bacteriophage Lambda (Landy (1989) Annu. Rev. Biochem. 58: 912-949; Landy (1993) Curr. Opin. Genet. Dev. 3: 699-707; Lorbach *et al.* (2000) J. Mol. Biol. 296: 1175-1181; and WO 01/16345). One particularly useful site-specific targeting approach, disclosed in US Patent Application Publication No. 2006/0130179, uses lambda integrase mediated recombination. The method comprises introducing into a plant cell a target nucleotide sequence comprising a first Integrase Recognition Site; introducing into the plant cell a donor nucleotide sequence comprising a second Integrase Recognition Site; and introducing into the plant cell an Integrase or Integrase complex. Another useful site-specific targeting approach is disclosed in US Patent Application Publication No. 2006/0253918, which uses homologous recombination to integrate one or more genes (gene stacking) at specific locations in the genome.

[0007] An event that has desired levels or patterns of transgene expression is useful for introgressing the transgene into other genetic backgrounds by sexual out-crossing using conventional breeding methods. Progeny of such crosses maintain the transgene expression characteristics of the original transformant. This strategy is used to ensure reliable gene expression in a number of varieties that are well adapted to local growing conditions. It would also be advantageous to be able to detect the presence of a particular event in order to determine whether progeny of a sexual cross contain a transgene of interest. In addition, a method for detecting a particular event would be helpful for complying with regulations requiring the pre-market approval and labeling of foods derived from recombinant crop plants, for example. It is possible to detect the presence of a transgene by any well-known nucleic acid detection method including but not limited to thermal amplification (polymerase chain reaction (PCR)) using polynucleotide primers or DNA hybridization using nucleic acid probes. Typically, for the sake of simplicity and uniformity of reagents and methodologies for use in detecting a particular DNA construct

that has been used for transforming various plant varieties, these detection methods generally focus on frequently used genetic elements, for example, promoters, terminators, and marker genes, because for many DNA constructs, the coding sequence region is interchangeable. As a result, such methods may not be useful for discriminating between constructs that differ only with reference to the coding sequence. In addition, such methods may not be useful for discriminating between different events, particularly those produced using the same DNA construct unless the sequence of chromosomal DNA adjacent to the inserted heterologous DNA ("flanking DNA") is known.

[0008] For the foregoing reasons, there is a need for insect resistant transgenic corn events comprising novel nucleic acid sequences which are unique to the transgenic corn event, useful for identifying the transgenic corn event and for detecting nucleic acids from the transgenic corn event in a biological sample, as well as kits comprising the reagents necessary for use in detecting these nucleic acids in a biological sample. There is a further need to provide specific target sites within the maize genome to allow for targeting and control of insertion of nucleotide sequences to be integrated into the corn genome.

SUMMARY

[0009] The present invention relates to a transformed corn (*Zea mays*) event, designated MIR162 comprising a novel transgenic genotype that comprises a *vip3Aa20* coding sequence, which is unique to event MIR162. The *vip3Aa20* coding sequence encodes a Vip3Aa20 insecticidal protein that confers insect resistance to MIR162 corn plants. The MIR162 event also comprises a *pmi* coding sequence encoding a PMI protein that confers upon corn cells the ability to utilize mannose as a carbon source. In addition to the *vip3A20* coding sequence, the present invention also provides other nucleic acids that are unique to MIR162. The invention also provides transgenic corn plants comprising the nucleic acids unique to MIR162, seed from the transgenic corn plants, and to methods for producing a transgenic corn plant comprising the unique nucleic acids of the invention by crossing a corn inbred comprising the nucleic acids unique to MIR162 with itself or another corn line of a different genotype. An example of seed, and hence corn plants grown from the seed, comprising nucleic acids unique to MIR162 was deposited at the American Type Culture Collection as accession No. PTA-8166. The transgenic corn plants of the invention may have essentially all of the morphological and physiological characteristics of corresponding isogenic non-transgenic corn plants in addition to those

30506-87D

conferred upon the corn plants by the novel genotype of the invention. Biological samples and extracts from MIR 162 corn plants, tissues and seeds are also provided by the present invention. The present invention also provides compositions and methods for detecting the presence of nucleic acids unique to MIR162 in biological samples based on the DNA
5 sequence of the recombinant expression cassettes inserted into the corn genome that resulted in the MIR162 event and of genomic sequences flanking the insertion site. The present invention also provides a non-detrimental insertion target site on a maize chromosome useful for inserting genes of interest to a specific location on the chromosome and to methods of altering a maize genome by inserting heterologous nucleic acids at the disclosed insertion site
10 or in the vicinity of the disclosed insertion site. The MIR162 event can be further characterized by analyzing expression levels of the Vip3Aa20 and PMI proteins as well as by testing MIR162 for efficacy against lepidopteran insect pests. The present invention also provides methods of producing transgenic corn plants resistant to a broader spectrum of insect pests by stacking the Vip3Aa20 insect resistant trait with insect resistance traits different than
15 Vip3Aa20.

[0010] The foregoing and other aspects of the invention will become more apparent from the following detailed description.

[0010a] In one particular embodiment, the present invention relates to a maize chromosomal target site located within a maize plant cell, on chromosome 5, wherein said
20 target site is flanked 5' by nucleotides 5,454 to 25,454 of SEQ ID NO: 106 and flanked 3' by nucleotides 25,513 to 45,513 of SEQ ID NO: 106, wherein the target site comprises a heterologous nucleic acid comprising a gene of interest.

[0010b] In another particular embodiment, the present invention relates to a method of making a transgenic maize plant comprising inserting a heterologous nucleic acid on
25 chromosome 5, wherein said inserted heterologous nucleic acid is flanked 5' by nucleotides 5,454 to 25,454 of SEQ ID NO: 106 and flanked 3' by nucleotides 25,513 to 45,513 of SEQ ID NO: 106.

30506-87D

DESCRIPTION OF THE SEQUENCES IN THE SEQUENCE LISTING

SEQ ID NO: 1 is the Vip3Aa20 coding sequence in MIR162.

SEQ ID NO: 2 is the Vip3Aa20 amino acid sequence.

SEQ ID NO: 3 is the sequence of plasmid pNOV1300.

5 SEQ ID Nos: 4-12 are primers and probes useful in a TAQMAN assay.

SEQ ID NO: 13 is the sequence of a vip3Aa20 probe.

SEQ ID NO: 14 is the sequence of a pmi probe.

SEQ ID Nos: 15-37 are primers useful in the present invention.

SEQ ID NO: 38 is the sequence of a vip3Aa20 amplicon.

10 SEQ ID Nos: 39-40 are primers useful in the present invention.

SEQ ID NO: 41 is the sequence of the CJ134/179 5' amplicon.

SEQ ID Nos: 42-43 are primers useful in the present invention.

SEQ ID NO: 44 is a vip3Aa20 3' amplicon.

SEQ ID NO: 45 is the 5' genome-insert junction.

SEQ ID NO: 46 is corn genome sequence flanking 5' to insert.

SEQ ID NO: 47 is the 3' insert-genome junction.

SEQ ID NO: 48 is corn genome flanking 3' to insert.

SEQ ID NO: 49 is the MIR162 insert and flanking sequences.

SEQ ID Nos. 50-54 are primers useful in the present invention.

SEQ ID NO: 55 is a 5' PCR amplicon

SEQ ID Nos. 56-58 are primers useful in the present invention.

SEQ ID NO: 59 is a 3' PCR amplicon.

SEQ ID Nos. 60-105 are primers useful in the present invention.

SEQ ID NO: 106 is the sequence of the region of maize chromosome 5 comprising the disclosed chromosomal target site.

SEQ ID NO: 107 is the maize genomic sequence that was displaced by the insertion of heterologous DNA in MIR162.

DETAILED DESCRIPTION

[0011] The following definitions and methods are provided to better define the present invention and to guide those of ordinary skill in the art in the practice of the present invention. Unless otherwise noted, terms used herein are to be understood according to conventional usage by those of ordinary skill in the relevant art. Definitions of common terms in molecular biology may also be found in Rieger *et al.*, Glossary of Genetics: Classical and Molecular, 5th edition, Springer-Verlag: New York, 1994. The nomenclature for DNA bases and amino acids as set forth in 37 C.F.R. § 1.822 is used herein.

[0012] As used herein, the term "amplified" means the construction of multiple copies of a nucleic acid molecule or multiple copies complementary to the nucleic acid molecule using at least one of the nucleic acid molecules as a template. Amplification systems include, but not limited to the polymerase chain reaction (PCR) system, ligase chain reaction (LCR) system, nucleic acid sequence based amplification (NASBA, Cingene, Mississauga, Ontario), Q-Beta Replicase systems, transcription-based amplification system (TAS), and strand displacement amplification (SDA). See, e.g., *Diagnostic Molecular Microbiology: Principles and Applications*, D. H. Persing et al., Ed., American

Society for Microbiology, Washington, D.C. (1993). The product of amplification is termed an amplicon.

[0013] A "coding sequence" is a nucleic acid sequence that is transcribed into RNA such as mRNA, rRNA, tRNA, snRNA, sense RNA or antisense RNA. Preferably the RNA is then translated in an organism to produce a protein.

[0014] As used herein, the term "corn" means *Zea mays* or maize and includes all plant varieties that can be bred with corn, including wild maize species.

[0015] "Detection kit" as used herein refers to a kit of parts useful in detecting the presence or absence of DNA unique to MIR162 plants in a sample, wherein the kit comprises nucleic acid probes and/or primers of the present invention, which hybridize specifically under high stringency conditions to a target DNA sequence, and other materials necessary to enable nucleic acid hybridization or amplification methods.

[0016] As used herein the term transgenic "event" refers to a recombinant plant produced by transformation and regeneration of a plant cell or tissue with heterologous DNA, for example, an expression cassette that includes a gene of interest. The term "event" refers to the original transformant and/or progeny of the transformant that include the heterologous DNA. The term "event" also refers to progeny produced by a sexual outcross between the transformant and another corn line. Even after repeated backcrossing to a recurrent parent, the inserted DNA and the flanking DNA from the transformed parent is present in the progeny of the cross at the same chromosomal location. The term "event" also refers to DNA from the original transformant comprising the inserted DNA and flanking genomic sequence immediately adjacent to the inserted DNA that would be expected to be transferred to a progeny that receives inserted DNA including the transgene of interest as the result of a sexual cross of one parental line that includes the inserted DNA (e.g., the original transformant and progeny resulting from selfing) and a parental line that does not contain the inserted DNA. Normally, transformation of plant tissue produces multiple events, each of which represent insertion of a DNA construct into a different location in the genome of a plant cell. Based on the expression of the transgene or other desirable characteristics, a particular event is selected. Thus, "event MIR162", "MIR162" or "MIR162 event" may be used interchangeably.

[0017] An insect resistant MIR162 corn plant can be bred by first sexually crossing a first parental corn plant consisting of a corn plant grown from a transgenic MIR162 corn plant, such as a MIR162 corn plant grown from the seed deposited at the ATCC under accession

No. PTA-6188, and progeny thereof derived from transformation with the expression cassettes of the embodiments of the present invention that confers insect resistance, and a second parental corn plant that lacks insect resistance, thereby producing a plurality of first progeny plants; and then selecting a first progeny plant that is resistant to insects; and selfing the first progeny plant, thereby producing a plurality of second progeny plants; and then selecting from the second progeny plants an insect resistant plant. These steps can further include the back-crossing of the first insect resistant progeny plant or the second insect resistant progeny plant to the second parental corn plant or a third parental corn plant, thereby producing a corn plant that is resistant to insects.

[0018] "Expression cassette" as used herein means a nucleic acid molecule capable of directing expression of a particular nucleotide sequence in an appropriate host cell, comprising a promoter operably linked to the nucleotide sequence of interest which is operably linked to termination signals. It also typically comprises sequences required for proper translation of the nucleotide sequence. The expression cassette may also comprise sequences not necessary in the direct expression of a nucleotide sequence of interest but which are present due to convenient restriction sites for removal of the cassette from an expression vector. The expression cassette comprising the nucleotide sequence of interest may be chimeric, meaning that at least one of its components is heterologous with respect to at least one of its other components. The expression cassette may also be one that is naturally occurring but has been obtained in a recombinant form useful for heterologous expression. Typically, however, the expression cassette is heterologous with respect to the host, i.e., the particular nucleic acid sequence of the expression cassette does not occur naturally in the host cell and must have been introduced into the host cell or an ancestor of the host cell by a transformation process known in the art. The expression of the nucleotide sequence in the expression cassette may be under the control of a constitutive promoter or of an inducible promoter that initiates transcription only when the host cell is exposed to some particular external stimulus. In the case of a multicellular organism, such as a plant, the promoter can also be specific to a particular tissue, or organ, or stage of development. An expression cassette, or fragment thereof, can also be referred to as "inserted sequence" or "insertion sequence" when transformed into a plant.

[0019] A "gene" is a defined region that is located within a genome and that, besides the aforementioned coding sequence, may comprise other, primarily regulatory, nucleic acid sequences responsible for the control of the expression, that is to say the transcription and translation, of the coding portion. A gene may also comprise other 5' and 3' untranslated

sequences and termination sequences. Further elements that may be present are, for example, introns.

[0020] "Gene of interest" refers to any gene which, when transferred to a plant, confers upon the plant a desired characteristic such as antibiotic resistance, virus resistance, insect resistance, disease resistance, or resistance to other pests, herbicide tolerance, improved nutritional value, improved performance in an industrial process or altered reproductive capability.

[0021] "Genotype" as used herein is the genetic material inherited from parent corn plants not all of which is necessarily expressed in the descendant corn plants. The MIR162 genotype refers to the heterologous genetic material transformed into the genome of a plant as well as the genetic material flanking the inserted sequence.

[0022] A "heterologous" nucleic acid sequence is a nucleic acid sequence not naturally associated with a host cell into which it is introduced, including non- naturally occurring multiple copies of a naturally occurring nucleic acid sequence.

[0023] A "homologous" nucleic acid sequence is a nucleic acid sequence naturally associated with a host cell into which it is introduced.

[0024] "Operably-linked" refers to the association of nucleic acid sequences on a single nucleic acid fragment so that the function of one affects the function of the other. For example, a promoter is operably-linked with a coding sequence or functional RNA when it is capable of affecting the expression of that coding sequence or functional RNA (i.e., that the coding sequence or functional RNA is under the transcriptional control of the promoter). Coding sequences in sense or antisense orientation can be operably-linked to regulatory sequences.

[0025] "Primers" as used herein are isolated nucleic acids that are annealed to a complimentary target DNA strand by nucleic acid hybridization to form a hybrid between the primer and the target DNA strand, and then extended along the target DNA strand by a polymerase, such as DNA polymerase. Primer pairs or sets can be used for amplification of a nucleic acid molecule, for example, by the polymerase chain reaction (PCR) or other conventional nucleic-acid amplification methods.

[0026] A "probe" is an isolated nucleic acid to which is attached a conventional detectable label or reporter molecule, such as a radioactive isotope, ligand, chemiluminescent agent, or enzyme. Such a probe is complimentary to a strand of a target nucleic acid, in the case of the present invention, to a strand of genomic DNA from corn event MIR162. The DNA of MIR162 can be from a corn plant or from a sample that

includes DNA from MIR162. Probes according to the present invention include not only deoxyribonucleic or ribonucleic acids but also polyamides and other probe materials that bind specifically to a target DNA sequence and can be used to detect the presence of that target DNA sequence.

[0027] Primers and probes are generally between 10 and 15 nucleotides or more in length. Primers and probes can also be at least 20 nucleotides or more in length, or at least 25 nucleotides or more, or at least 30 nucleotides or more in length. Such primers and probes hybridize specifically to a target sequence under high stringency hybridization conditions. Primers and probes according to the present invention may have complete sequence complementarity with the target sequence, although probes differing from the target sequence and which retain the ability to hybridize to target sequences may be designed by conventional methods.

[0028] As used herein gene or trait "stacking" is combining desired traits into one transgenic line. Plant breeders stack transgenic traits by making crosses between parents that each have a desired trait and then identifying offspring that have both of these desired traits. Another way to stack genes is by transferring two or more genes into the cell nucleus of a plant at the same time during transformation. Another way to stack genes is by re-transforming a transgenic plant with another gene of interest. For example, gene stacking can be used to combine two different insect resistance traits, an insect resistance trait and a disease resistance trait, or a herbicide resistance trait. The use of a selectable marker in addition to a gene of interest would also be considered gene stacking.

[0029] "Stringent conditions" or "stringent hybridization conditions" include reference to conditions under which a probe will hybridize to its target sequence, to a detectably greater degree than to other sequences. Stringent conditions are target-sequence-dependent and will differ depending on the structure of the polynucleotide. By controlling the stringency of the hybridization and/or wash conditions, target sequences can be identified which are 100% complementary to the probe (homologous probing). Alternatively, stringency conditions can be adjusted to allow some mismatching in sequences so that lower degrees of similarity are detected (heterologous probing). Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen (1993) *Laboratory Techniques in Biochemistry and Molecular Biology-Hybridization with Nucleic Acid Probes*, Part I, Chapter 2 "Overview of principles of hybridization and the strategy of nucleic acid probe assays", Elsevier: New York; and *Current Protocols in Molecular Biology*, Chapter 2,

Ausubel *et al.*, Eds., Greene Publishing and Wiley-Interscience: New York (1995), and also Sambrook et al. (2001) *Molecular Cloning: A Laboratory Manual* (5th Ed. Cols Spring Harbor Laboratory, Cold Spring Harbor, NY).

[0030] Specificity is typically the function of post-hybridization washes, the critical factors being the ionic strength and temperature of the final wash solution. Generally, high stringency hybridization and wash conditions are selected to be about 5°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Typically, under high stringency conditions a probe will hybridize to its target subsequence, but to no other sequences.

[0031] An example of high stringency hybridization conditions for hybridization of complementary nucleic acids which have more than 100 complementary residues on a filter in a Southern or northern blot is 50% formamide with 1 mg of heparin at 42°C, with the hybridization being carried out overnight. An example of very high stringency wash conditions is 0.15M NaCl at 72°C for about 15 minutes. An example of high stringency wash conditions is a 0.2x SSC wash at 65°C for 15 minutes (*see*, Sambrook, *infra*, for a description of SSC buffer).

[0032] Exemplary hybridization conditions for the present invention include hybridization in 7% SDS, 0.25 M NaPO₄ pH 7.2 at 67°C overnight, followed by two washings in 5% SDS, 0.20 M NaPO₄ pH7.2 at 65°C for 30 minutes each wash, and two washings in 1% SDS, 0.20 M NaPO₄ pH7.2 at 65°C for 30 minutes each wash. An exemplary medium stringency wash for a duplex of, e.g., more than 100 nucleotides, is 1x SSC at 45°C for 15 minutes. An exemplary low stringency wash for a duplex of, e.g., more than 100 nucleotides, is 4-6x SSC at 40°C for 15 minutes.

[0033] For probes of about 10 to 50 nucleotides, high stringency conditions typically involve salt concentrations of less than about 1.0 M Na ion, typically about 0.01 to 1.0 M Na ion concentration (or other salts) at pH 7.0 to 8.3, and the temperature is typically at least about 30°C. High stringency conditions can also be achieved with the addition of destabilizing agents such as formamide. In general, a signal to noise ratio of 2x (or higher) than that observed for an unrelated probe in the particular hybridization assay indicates detection of a specific hybridization. Nucleic acids that do not hybridize to each other under high stringency conditions are still substantially identical if the proteins that they encode are substantially identical. This occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code.

[0034] The following are exemplary sets of hybridization/wash conditions that may be used to hybridize nucleotide sequences that are substantially identical to reference nucleotide sequences of the present invention: a reference nucleotide sequence preferably hybridizes to the reference nucleotide sequence in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 2X SSC, 0.1% SDS at 50°C, more desirably in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 1X SSC, 0.1% SDS at 50°C, more desirably still in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 0.5X SSC, 0.1% SDS at 50°C, preferably in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 0.1X SSC, 0.1% SDS at 50°C, more preferably in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄, 1 mM EDTA at 50°C with washing in 0.1X SSC, 0.1% SDS at 65°C. The sequences of the present invention may be detected using all the above conditions. For the purposes of defining the invention, the high stringency conditions are used.

[0035] "Transformation" is a process for introducing heterologous nucleic acid into a host cell or organism. In particular, "transformation" means the stable integration of a DNA molecule into the genome of an organism of interest.

[0036] "Transformed / transgenic / recombinant" refer to a host organism such as a bacterium or a plant into which a heterologous nucleic acid molecule has been introduced. The nucleic acid molecule can be stably integrated into the genome of the host or the nucleic acid molecule can also be present as an extrachromosomal molecule. Such an extrachromosomal molecule can be auto-replicating. Transformed cells, tissues, or plants are understood to encompass not only the end product of a transformation process, but also transgenic progeny thereof. A "non-transformed", "non-transgenic", or "non-recombinant" host refers to a wild-type organism, e.g., a bacterium or plant, which does not contain the heterologous nucleic acid molecule. As used herein, "transgenic" refers to a plant, plant cell, or multitude of structured or unstructured plant cells having integrated, via well known techniques of genetic manipulation and gene insertion, a sequence of nucleic acid representing a gene of interest into the plant genome, and typically into a chromosome of a cell nucleus, mitochondria or other organelle containing chromosomes, at a locus different to, or in a number of copies greater than, that normally present in the native plant or plant cell. Transgenic plants result from the manipulation and insertion of such nucleic acid sequences, as opposed to naturally occurring mutations, to produce a non-naturally occurring plant or a plant with a non-naturally occurring genotype.

Techniques for transformation of plants and plant cells are well known in the art and may comprise for example electroporation, microinjection, *Agrobacterium*-mediated transformation, and ballistic transformation.

[0037] As used herein, the term "unique" to MIR162 means distinctively characteristic of MIR162. Therefore, nucleic acids unique to event MIR162 are not found in other non-MIR162 corn plants.

[0038] The "Vip3" class of proteins comprises, for example, Vip3Aa, Vip3Ab, Vip3Ac, Vip3Ad, Vip3Ae, Vip3Af, Vip3Ag, Vip3Ba, and Vip3Bb, and their homologues. "Homologue" means that the indicated protein or polypeptide bears a defined relationship to other members of the Vip3 class of proteins. "Vip3Aa20" is a Vip3 homologue unique to event MIR162. It was generated by spontaneous mutations introduced into the maize-optimized *vip3Aa19* gene comprised in pNOV1300 (SEQ ID NO: 3) during the plant transformation process.

[0039] This invention relates to a genetically improved line of corn that produces an insect control protein, Vip3Aa20, and a phosphomannose isomerase enzyme (PMI) that allows the plant to utilize mannose as a carbon source. The invention is particularly drawn to a transgenic corn event designated MIR162 comprising a novel genotype, as well as to compositions and methods for detecting nucleic acids unique to MIR162 in a biological sample. The invention is further drawn to corn plants comprising the MIR162 genotype, to transgenic seed from the corn plants, and to methods for producing a corn plant comprising the MIR162 genotype by crossing a corn inbred comprising the MIR162 genotype with itself or another corn line. Corn plants comprising the MIR162 genotype of the invention are useful in controlling lepidopteran insect pests including, but not limited to, black cutworm (BCW, *Agrotis ipsilon*), fall armyworm (FAW, *Spodoptera frugiperda*), tobacco budworm (TBW, *Heliothis virescens*), sugarcane borer (SCB, *Diatraea saccharalis*), lesser cornstalk borer (LCB, *Elasmopalpus lignosellus*), corn earworm (CEW, *Helicoverpa zea*), and western bean cutworm (WBCW, *Striacosta albicosta*). The invention is further drawn to a method of protecting transgenic corn from feeding damage whereby stacking the insect resistance trait of MIR162 with a different insect resistance trait in the same transgenic plant results is a corn plant that is protected from feeding damage to a greater degree than the insect resistance traits alone.

[0040] In one embodiment, the present invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence that is unique to event MIR162.

[0041] In another embodiment, the present invention encompasses an isolated nucleic acid molecule that links a heterologous DNA molecule inserted into the genome of MIR162 to genome DNA in MIR162 comprising at least 10 or more (for example 15, 20, 25, 50 or more) contiguous nucleotides of the heterologous DNA molecule and at least 10 or more (for example 15, 20, 25, 50, or more) contiguous nucleotides of the genome DNA flanking the point of insertion of the heterologous DNA molecule. Also included are nucleotide sequences that comprise 10 or more nucleotides of contiguous insert sequence from event MIR162 and at least one nucleotide of flanking DNA from event MIR162 adjacent to the insert sequence. Such nucleotide sequences are unique to and diagnostic for event MIR162. Nucleic acid amplification or hybridization of genomic DNA from MIR162 produces an amplicon comprising such unique sequences and is diagnostic for event MIR162. In one aspect of this embodiment, the nucleotide sequence is selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, SEQ ID NO: 59, and the complements thereof.

[0042] In another embodiment, the invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence which comprises at least one junction sequence of event MIR162, wherein a junction sequence spans the junction between a heterologous expression cassette inserted into the corn genome and DNA from the corn genome flanking the insertion site and is diagnostic for the event. In one aspect of this embodiment, the junction sequence is selected from the group consisting of SEQ ID NO: 45, SEQ ID NO: 47, and the complements thereof.

[0043] In another embodiment, the present invention encompasses an isolated nucleic acid molecule linking a heterologous DNA molecule to the corn plant genome in event MIR162 comprising a sequence of from about 11 to about 20 contiguous nucleotides selected from the group consisting of SEQ ID NO: 45, SEQ ID NO: 47, and the complements thereof.

[0044] In another embodiment, the invention encompasses an isolated nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, SEQ ID NO: 59, and the complements thereof. In one aspect of this embodiment, the isolated nucleic acid molecule is comprised in a corn seed deposited at the American Type Culture Collection under the accession No. PTA-8166, or in plants grown from the seed.

[0045] In one embodiment of the present invention, an amplicon comprising a nucleotide sequence unique to event MIR162 is provided. In one aspect of this embodiment, the nucleotide sequence is selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, SEQ ID NO: 59, and the complements thereof.

[0046] In another embodiment, the present invention encompasses flanking sequence primers for detecting event MIR162. Such flanking sequence primers comprise a nucleotide sequence of at least 10-15 contiguous nucleotides from the 5' or the 3' flanking sequence. In one aspect of this embodiment, the contiguous nucleotides are selected from nucleotides 1-1088 (inclusive) of SEQ ID NO: 49 (arbitrarily designated herein as the 5' flanking sequence), or the complements thereof. In another aspect of this embodiment, the 5' flanking sequence primers are selected from the group consisting of SEQ ID NO: 36, SEQ ID NO: 39, SEQ ID NO: 53, SEQ ID NOs: 68-80, and the complements thereof. In another aspect of this embodiment, the contiguous nucleotides are selected from nucleotides 9391-10579 (inclusive) of SEQ ID NO: 49 (arbitrarily designated herein as the 3' flanking sequence), or the complements thereof. In yet another aspect of this embodiment, the 3' flanking sequence primers are selected from the group consisting of SEQ ID NO: 58, SEQ ID NOs: 97-105, and the complements thereof.

[0047] In still another embodiment, the present invention encompasses a pair of polynucleotide primers comprising a first polynucleotide primer and a second polynucleotide primer that function together in the presence of a event MIR162 DNA template in a sample to produce an amplicon diagnostic for event MIR162. In one aspect of this embodiment, the first primer and/or the second primer is chosen from SEQ ID NO: 1 or the complement thereof. In another aspect of this embodiment, the first primer and/or the second primer is selected from the group consisting of SEQ ID NOs: 15-35, SEQ ID NO: 37, SEQ ID NO: 42, and the complements thereof. In yet another aspect of this embodiment, the amplicon that is produced by the pair of primers comprises SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 44, or the complements thereof.

[0048] In another embodiment, the present invention encompasses a pair of polynucleotide primers comprising a first polynucleotide primer and a second polynucleotide primer which function together in the presence of a event MIR162 DNA template in a sample to produce an amplicon diagnostic for event MIR162, wherein the first primer is or is complementary to a corn plant genome sequence flanking the point of insertion of a heterologous DNA sequence inserted into the genome of event MIR162,

and the second polynucleotide primer sequence is or is complementary to the heterologous DNA sequence inserted into the genome of event MIR162.

[0049] In one aspect of this embodiment, the first polynucleotide primer comprises at least 10 contiguous nucleotides from a nucleotide sequence selected from the group consisting of nucleotides 1-1088 of SEQ ID NO: 49, nucleotides 9391-10579 of SEQ ID NO: 49, and the complements thereof. In a further aspect of this embodiment, the first primer is selected from the group consisting of SEQ ID NO: 36, SEQ ID NO: 39, SEQ ID NO: 53, SEQ ID NO: 57, SEQ ID NOs: 68-72, SEQ ID NO: 79, SEQ ID NO: 80, SEQ ID NOs: 97-105, and the complements thereof. In another aspect of this embodiment, the second polynucleotide primer comprises at least 10 contiguous nucleotides from position 1089-9390 of SEQ ID NO: 49, or complements thereof. In still a further aspect of this embodiment, the second polynucleotide primer is selected from the group consisting of SEQ ID NOs: 15-35, SEQ ID NO: 37, SEQ ID NO: 40, SEQ ID NOs: 50-52, SEQ ID NOs: 54, SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 63, SEQ ID NO: 73, SEQ ID NO: 82, SEQ ID NO: 96, and the complements thereof.

[0050] In another aspect of this embodiment, the first polynucleotide primer, which is set forth in SEQ ID NO: 36, and the second polynucleotide primer which is set forth in SEQ ID NO: 37, function together in the presence of a event MIR162 DNA template in a sample to produce an amplicon diagnostic for event MIR162 as described in Example 4. In one embodiment of this aspect, the amplicon comprises the nucleotide sequence set forth in SEQ ID NO: 38.

[0051] In yet another aspect of this embodiment, the first polynucleotide primer, which is set forth in SEQ ID NO: 39, and the second polynucleotide primer, which is set forth in SEQ ID NO: 40, function together in the presence of a corn event MIR162 DNA template in a sample to produce an amplicon diagnostic for the corn event MIR162 as described in Example 4. In one embodiment of this aspect, the amplicon comprises the nucleotide sequence set forth in SEQ ID NO: 41.

[0052] In another aspect of this embodiment, the first polynucleotide primer, which is set forth in SEQ ID NO: 53, and the second polynucleotide primer, which is set forth in SEQ ID NO: 54, function together in the presence of a corn event MIR162 DNA template in a sample to produce an amplicon diagnostic for the corn event MIR162 as described in Example 5. In one embodiment, the amplicon comprises the nucleotide sequence set forth in SEQ ID NO: 55.

[0053] In a still a further aspect of this embodiment, the first polynucleotide primer, which is set forth in SEQ ID NO: 58, and the second polynucleotide primer, which is set forth in SEQ ID NO: 56, function together in the presence of a corn event MIR162 DNA template in a sample to produce an amplicon diagnostic for the corn event MIR162 as described in Example 5. In one embodiment, the amplicon comprises the nucleotide sequence set forth in SEQ ID NO: 59.

[0054] Of course, it is well within the skill in the art to obtain additional sequence further out into the genome sequence flanking either end of the inserted heterologous DNA sequences for use as a primer sequence that can be used in such primer pairs for amplifying the sequences that are diagnostic for the MIR162 event. For the purposes of this disclosure, the phrase "further out into the genome sequence flanking either end of the inserted heterologous DNA sequences" refers specifically to a sequential movement away from the ends of the inserted heterologous DNA sequences, the points at which the inserted DNA sequences are adjacent to native genomic DNA sequence, and out into the genomic DNA of the particular chromosome into which the heterologous DNA sequences were inserted. Preferably, a primer sequence corresponding to or complementary to a part of the insert sequence should prime the transcriptional extension of a nascent strand of DNA or RNA toward the nearest flanking sequence junction. Consequently, a primer sequence corresponding to or complementary to a part of the genomic flanking sequence should prime the transcriptional extension of a nascent strand of DNA or RNA toward the nearest flanking sequence junction. A primer sequence can be, or can be complementary to, a heterologous DNA sequence inserted into the chromosome of the plant, or a genomic flanking sequence. One skilled in the art would readily recognize the benefit of whether a primer sequence would need to be, or would need to be complementary to, the sequence as set forth within the inserted heterologous DNA sequence or as set forth SEQ ID NO: 38 depending upon the nature of the product desired to be obtained through the use of the nested set of primers intended for use in amplifying a particular flanking sequence containing the junction between the genomic DNA sequence and the inserted heterologous DNA sequence.

[0055] In another embodiment, the present invention encompasses an isolated insecticidal protein comprising SEQ ID NO: 2 and a nucleic acid molecule encoding SEQ ID NO: 2. In one aspect of this embodiment, the nucleic acid molecule is SEQ ID NO: 1. The present invention also encompasses a chimeric gene comprising a heterologous promoter

operably linked to the nucleic acid molecule, and to recombinant vectors and host cells comprising the chimeric gene.

[0056] In yet another embodiment, the present invention encompasses a method of detecting the presence of a nucleic acid molecule that is unique to event MIR162 in a sample comprising corn nucleic acids, wherein the method comprises: (a) contacting the sample with a pair of polynucleotide primers that, when used in a nucleic acid amplification reaction with genomic DNA from event MIR162 produces an amplicon that is diagnostic for event MIR162; (b) performing a nucleic acid amplification reaction, thereby producing the amplicon; and (c) detecting the amplicon. In one aspect of this embodiment, the amplicon comprises a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, SEQ ID NO: 59, and the compliments thereof.

[0057] In another embodiment, the present invention encompasses a method of detecting the presence of a nucleic acid molecule that is unique to event MIR162 in a sample comprising corn nucleic acids, wherein the method comprises: (a) contacting the sample with a probe that hybridizes under high stringency conditions with genomic DNA from event MIR162 and does not hybridize under high stringency conditions with DNA from a control corn plant; (b) subjecting the sample and probe to high stringency hybridization conditions; and (c) detecting hybridization of the probe to the DNA. Detection can be by any means well known in the art including fluorescent, chemiluminescent, radiological, immunological, and the like. In the case in which hybridization is intended to be used as a means for amplification of a particular sequence to produce an amplicon which is diagnostic for the MIR162 event, the production and detection by any means well known in the art of the amplicon is intended to be indicative of the intended hybridization to the target sequence where one probe or primer is utilized, or sequences where two or more probes or primers are utilized. The term "biological sample" is intended to comprise a sample that contains or is suspected of containing a nucleic acid comprising from between five and ten nucleotides either side of the point at which one or the other of the two terminal ends of the inserted heterologous DNA sequence contacts the genomic DNA sequence within the chromosome into which the heterologous DNA sequence was inserted, herein also known as the junction sequences. In addition, the junction sequence comprises as little as two nucleotides: those being the first nucleotide within the flanking genomic DNA adjacent to and covalently linked to the first nucleotide within the inserted heterologous DNA sequence. In one aspect of this embodiment, the probe comprises a

nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, SEQ ID NO: 59, and the complements thereof.

[0058] In yet another embodiment, the present invention encompasses a kit for the detection of nucleic acids that are unique to event MIR162 in biological sample. The kit includes at least one nucleic acid molecule of sufficient length of contiguous polynucleotides to function as a primer or probe in a nucleic acid detection method, and which upon amplification of or hybridization to a target nucleic acid sequence in a sample followed by detection of the amplicon or hybridization to the target sequence, are diagnostic for the presence of nucleic acid sequences unique to event MIR162 in the sample. The kit further includes other materials necessary to enable nucleic acid hybridization or amplification methods. In one aspect of this embodiment, a nucleic acid molecule contained in the kit comprises a nucleotide sequence from SEQ ID NO: 1 or SEQ ID NO: 49. In another aspect of this embodiment, the nucleic acid molecule is a primer selected from the group consisting of SEQ ID NOs: 15-37, SEQ ID NO: 39, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 43, SEQ ID NOs: 50-54, SEQ ID NOs: 56-58, SEQ ID NOs: 60-105, and the complements thereof. In yet another aspect of this embodiment, the amplicon comprises SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, SEQ ID NO: 59, or the complements thereof. A variety of detection methods can be used including, but not limited to TAQMAN (Perkin Elmer), thermal amplification, ligase chain reaction, southern hybridization, ELISA methods, and colorimetric and fluorescent detection methods. In particular the present invention provides for kits for detecting the presence of the target sequence, i.e., at least the *vip3Aa20* sequence or a junction sequence, in a sample containing genomic nucleic acid from MIR162. The kit is comprised of at least one polynucleotide capable of binding to the target site or substantially adjacent to the target site and at least one means for detecting the binding of the polynucleotide to the target site. The detecting means can be fluorescent, chemiluminescent, colorimetric, or isotopic and can be coupled at least with immunological methods for detecting the binding. A kit is also envisioned which can detect the presence of the target site in a sample, i.e., at least the *vip3Aa20* sequence or a junction sequence of MIR162, taking advantage of two or more polynucleotide sequences which together are capable of binding to nucleotide sequences adjacent to or within about 100 base pairs, or within about 200 base pairs, or within about 500 base pairs or within about 1000 base pairs of

the target sequence and which can be extended toward each other to form an amplicon which contains at least the target site.

[0059] In another embodiment, the present invention encompasses a method of detecting Vip3Aa20 protein in a biological sample, the method comprising: (a) extracting protein from event MIR162 tissue; (b) assaying the extracted protein using an immunological method comprising antibody specific for the Vip3Aa20 protein produced by the MIR162 event; and (c) detecting the binding of said antibody to the Vip3Aa20 protein.

[0060] In yet another embodiment, the present invention encompasses a biological sample derived from a event MIR162 corn plant, tissue, or seed, wherein the sample comprises a nucleotide sequence which is or is complementary to a sequence that is unique to event MIR162, and wherein the sequence is detectable in the sample using a nucleic acid amplification or nucleic acid hybridization method. In one aspect of this embodiment, the nucleotide sequence is or is complementary to SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, or SEQ ID NO: 59. In another aspect of this embodiment, the sample is selected from the group consisting of corn flour, corn meal, corn syrup, corn oil, cornstarch, and cereals manufactured in whole or in part to contain corn by-products.

[0061] In another embodiment, the present invention encompasses an extract of a biological sample derived from a MIR162 corn plant, tissue, or seed comprising a nucleotide sequence which is or is complementary to a sequence that is unique to MIR162. In one aspect of this embodiment, the sequence is detectable in the extract using a nucleic acid amplification or nucleic acid hybridization method. In another aspect of this embodiment, the sequence is or is complementary to SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, or SEQ ID NO: 59. In yet another aspect of this embodiment, the sample is selected from the group consisting of corn flour, corn meal, corn syrup, corn oil, cornstarch, and cereals manufactured in whole or in part to contain corn by-products.

[0062] Another embodiment of the present invention encompasses a corn plant, or parts thereof, and seed from a corn plant comprising the genotype of the transgenic event MIR162, wherein the genotype comprises a nucleotide sequence set forth in SEQ ID NO: 1, SEQ ID NO: 38, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, SEQ ID NO: 59, or the complements thereof. One example of corn seed comprising the nucleic acid molecules of the invention was deposited 23 January 2007 and assigned the ATCC Accession No. PTA-8166. In one aspect of this embodiment, the

corn plant is from the inbred corn lines CG5NA58, CG5NA58A, CG3ND97, CG5NA01, CG5NF22, CG4NU15, CG00685, CG00526, CG00716, NP904, NP911, NP948, NP934, NP982, NP991, NP993, NP2010, NP2013, NP2015, NP2017, NP2029, NP2031, NP2034, NP2045, NP2052, NP2138, NP2151, NP2166, NP2161, NP2171, NP2174, NP2208, NP2213, NP2222, NP2275, NP2276, NP2316, BCTT609, AF031, NPH8431, 894, BUTT201, R327H, 2044BT, and 2070BT. One skilled in the art will recognize however, that the MIR162 genotype can be introgressed into any plant variety that can be bred with corn, including wild maize species, and thus the list of inbred lines of this embodiment are not meant to be limiting.

[0063] In another embodiment, the present invention encompasses a corn plant comprising at least a first and a second DNA sequence linked together to form a contiguous nucleotide sequence; wherein the first DNA sequence is within a junction sequence and comprises at least about 11 contiguous nucleotides selected from the group consisting of nucleotides 1079-1098 of SEQ ID NO: 49, nucleotides 9381-9400, and the complements thereof, wherein the second DNA sequence is within the heterologous insert DNA sequence set forth in SEQ ID NO: 49, and the complements thereof; and wherein the first and the second DNA sequences are useful as nucleotide primers or probes for detecting the presence of corn event MIR162 nucleic acid sequences in a biological sample. In one aspect of this embodiment, the nucleotide primers are used in a DNA amplification method to amplify a target DNA sequence from template DNA extracted from the corn plant and the corn plant is identifiable from other corn plants by the production of an amplicon corresponding to a DNA sequence comprising SEQ ID NO: 45 or SEQ ID NO: 47.

[0064] Corn plants of the invention can be further characterized in that simultaneously digesting the plant's genomic DNA with the restriction endonucleases *KpnI*, *EcoRV* or *NcoI* results in an about a 8 kb, a 13 kb or 4.6 kb *vip3Aa20* hybridizing band, respectively, using a *vip3Aa20* probe under high stringency conditions. Exemplified herein is a *vip3Aa20* probe comprising the nucleotide sequence set forth in SEQ ID NO: 13.

[0065] Corn plants of the invention can be further characterized in that digesting the plant's genomic DNA with the restriction endonuclease *Acc65I* or *BamHI* results in a single *pmi* hybridizing band using a *pmi* probe under high stringency conditions. Exemplified herein is a *pmi* probe comprising the nucleotide sequence set forth in SEQ ID NO: 14.

- [0066] In one embodiment, the present invention provides a corn plant, wherein the MIR162 genotype confers upon the corn plant insect resistance or ability to utilize mannose as a carbon source, or both insect resistance and the ability to utilize mannose as a carbon source. In one aspect of this embodiment, the transgenic genotype conferring insect resistance upon the corn plant of the invention comprises a *vip3Aa20* gene and the transgenic genotype conferring the ability to utilize mannose as a carbon source upon the maize plant of the invention comprises a *pmi* gene.
- [0067] In yet another embodiment, the present invention provides a method for producing a corn plant resistant to lepidopteran pests comprising: (a) sexually crossing a first parent corn plant with a second parent corn plant, wherein said first or second parent corn plant comprises event MIR162 DNA, thereby producing a plurality of first generation progeny plants; (b) selecting a first generation progeny plant that is resistant to one or more lepidopteran pests; (c) selfing the first generation progeny plant, thereby producing a plurality of second generation progeny plants; and (d) selecting from the second generation progeny plants, a plant that is resistant to one or more lepidopteran pests; wherein the second generation progeny plants comprise a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, and SEQ ID NO: 59.
- [0068] In another embodiment, the present invention provides a method of producing hybrid corn seeds comprising: (a) planting seeds of a first inbred corn line comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 55, and SEQ ID NO: 59, and seeds of a second inbred line having a different genotype; (b) cultivating corn plants resulting from said planting until time of flowering; (c) emasculating said flowers of plants of one of the corn inbred lines; (d) sexually crossing the two different inbred lines with each other; and (e) harvesting the hybrid seed produced thereby. In one aspect of this embodiment, the first inbred corn line provides the female parents. In another aspect of this embodiment, the first inbred corn line provides the male parents. The present invention also encompasses the hybrid seed produced by the embodied method and hybrid plants grown from the seed.
- [0069] One skilled in the art will recognize that the transgenic genotype of MIR162 can be introgressed by breeding into other corn lines comprising different transgenic genotypes. For example, a MIR162 corn inbred can be crossed with a corn inbred comprising the transgenic genotype of the lepidopteran resistant Bt11 event (US Patent

30506-87

Nos. 6,114,608 and 6,342,660). The resulting seed and progeny plants have the stacked insect resistance traits and the combined spectrum of activity of Cry1Ab and Vip3Aa20. Another trait stack encompassed by the present invention includes combining the MIR162 insect resistance trait and the MIR604 insect resistance trait (US Patent Application publication No. 2005/0216970, published September 29, 2005). The stacked traits in the resulting seed and progeny confer upon the plants an increased spectrum of activity; i.e. the plants are active against both lepidopteran and coleopteran insect pests.

[0070] Therefore, the present invention encompasses a method of protecting a transgenic corn plant from feeding damage by one or more insect pests wherein the method comprises stacking in the same transgenic corn plant a Vip3Aa20 insect resistance trait with another insect resistance trait that is different from Vip3Aa20, whereby the stacked traits protect the corn plant against feeding damage by one or more insect pests to a greater degree than would be expected due to the insect resistance traits alone. In one aspect of this embodiment, the Vip3Aa20 insect resistance trait comprised in event MIR162 is stacked with the Cry3A055 insect resistance trait comprised in event MIR604 in the same transgenic corn plant by sexually crossing event MIR162 with event MIR604 or by transforming the traits together into the same plant.

[0071] Examples of other transgenic events which can be crossed with a MIR162 inbred include, the glyphosate tolerant GA21 event, the glyphosate tolerant/lepidopteran insect resistant MON802 event, the lepidopteran resistant DBT418 event, the male sterile event MS3, the phosphinothricin tolerant event B16, the lepidopteran insect resistant event MON 80100, the phosphinothricin tolerant events T14 and T25, the lepidopteran insect resistant event 176, and the coleopteran resistant event MON863, all of which are known in the art. It will be further recognized that other combinations or stacks can be made with the transgenic genotype of the invention and thus these examples should not be viewed as limiting.

[0072] One skilled in the art will also recognize that transgenic corn seed comprising the MIR162 genotype can be treated with various seed-treatment chemicals, including insecticides, to augment or synergize the insecticidal activity of the Vip3Aa20 protein.

[0073] The subject invention discloses herein a specific site on chromosome 5 in the maize genome that is excellent for insertion of heterologous nucleic acids. Also disclosed is a 5' molecular marker (opie2; nucleotides 1680-3338 of SEQ ID NO: 106) and a 3' molecular marker (gag; nucleotides 43,275-45,086 of SEQ ID NO: 106) useful in

30506-87

identifying the location of a targeting site on chromosome 5. Thus, the subject invention provides methods to introduce heterologous nucleic acids of interest into this pre-established target site or in the vicinity of this target site. The subject invention also encompasses a corn seed and/or a corn plant comprising any heterologous nucleotide sequence inserted at the disclosed target site or in the general vicinity of such site. One option to accomplish such targeted integration is to substitute a different insert in place of the *vip3Aa20* expression cassette exemplified herein. In this general regard, targeted homologous recombination, for example without limitation, can be used according to the subject invention. "Homologous recombination" refers to a reaction between any pair of nucleotide sequences having corresponding sites containing a similar nucleotide sequence (i.e., homologous sequences) through which the two molecules can interact (recombine) to form a new, recombinant DNA sequence. The sites of similar nucleotide sequence are each referred to herein as a "homology sequence". Generally, the frequency of homologous recombination increases as the length of the homology sequence increases. Thus, while homologous recombination can occur between two nucleotide sequences that are less than identical, the recombination frequency (or efficiency) declines as the divergence between the two sequences increases. Recombination may be accomplished using one homology sequence on each of the donor and target molecules, thereby generating a "single-crossover" recombination product. Alternatively, two homology sequences may be placed on each of the target and donor nucleotide sequences. Recombination between two homology sequences on the donor with two homology sequences on the target generates a "double-crossover" recombination product. If the homology sequences on the donor molecule flank a sequence that is to be manipulated (e.g., a sequence of interest), the double-crossover recombination with the target molecule will result in a recombination product wherein the sequence of interest replaces a DNA sequence that was originally between the homology sequences on the target molecule. The exchange of DNA sequence between the target and donor through a double-crossover recombination event is termed "sequence replacement." This type of technology is the subject of, for example, US patent Application Publication No. 2006/0253918. With the disclosed target site now being identified and with the sequences surrounding the identified target site, the skilled person will recognize that other methods for targeted integration of heterologous nucleic acids may be used. Such methods, for example without limitation, are disclosed in US Patent Application Publication No. 2007/0039074 and US Patent Application Publication No. 2006/0130179.

[0074] In one embodiment, the present invention encompasses a maize chromosomal target site located on chromosome 5 between a opie2 molecular marker set forth as nucleotides 1680-3338 of SEQ ID NO: 106 and a gag molecular marker set forth as nucleotides 43,275-45,086 of SEQ ID NO: 106, wherein the target site comprises a heterologous nucleic acid. In another embodiment, the maize chromosomal target site is located on chromosome 5 between nucleotides 25,454 and 25,513 of SEQ ID NO: 106. In yet another embodiment, the chromosomal target site is flanked 5' by nucleotides 5,454 to 25,454 of SEQ ID NO: 106 and flanked 3' by nucleotides 25,513 to 45,513 of SEQ ID NO: 106.

[0075] In one embodiment, the present invention encompasses a method of making a transgenic maize plant comprising inserting a heterologous nucleic acid at a position on chromosome 5 located between a opie2 molecular marker set forth as nucleotides 1680-3338 of SEQ ID NO: 106 and a gag molecular marker set forth as nucleotides 43,275-45,086 of SEQ ID NO: 106. In another embodiment, the heterologous nucleic acid is inserted on chromosome 5 between nucleotides 25,454 and 25,513 of SEQ ID NO: 106. In still another embodiment, the inserted heterologous nucleic acid is flanked 5' by nucleotides 5,454 to 25,454 of SEQ ID NO: 106 and flanked 3' by nucleotides 25,513 to 45,513 of SEQ ID NO: 106.

[0076] The transgenic genotype of the present invention can be introgressed in any corn inbred or hybrid using art recognized breeding techniques. The goal of plant breeding is to combine in a single variety or hybrid various desirable traits. For field crops, these traits may include resistance to insects and diseases, tolerance to herbicides, tolerance to heat and drought, reducing the time to crop maturity, greater yield, and better agronomic quality. With mechanical harvesting of many crops, uniformity of plant characteristics such as germination and stand establishment, growth rate, maturity, and plant and ear height, is important.

[0077] Field crops are bred through techniques that take advantage of the plant's method of pollination. A plant is self-pollinated if pollen from one flower is transferred to the same or another flower of the same plant. A plant is cross-pollinated if the pollen comes from a flower on a different plant.

[0078] Plants that have been self-pollinated and selected for type for many generations become homozygous at almost all gene loci and produce a uniform population of true breeding progeny. A cross between two different homozygous lines produces a uniform population of hybrid plants that may be heterozygous for many gene loci. A cross of two

plants each heterozygous at a number of gene loci will produce a population of hybrid plants that differ genetically and will not be uniform.

[0079] Corn (*Zea mays* L.), can be bred by both self-pollination and cross-pollination techniques. Corn has separate male and female flowers on the same plant, located on the tassel and the ear, respectively. Natural pollination occurs in corn when wind blows pollen from the tassels to the silks that protrude from the tops of the ears.

[0080] A reliable method of controlling male fertility in plants offers the opportunity for improved plant breeding. This is especially true for development of corn hybrids, which relies upon some sort of male sterility system. There are several options for controlling male fertility available to breeders, such as: manual or mechanical emasculation (or detasseling), cytoplasmic male sterility, genetic male sterility, gametocides and the like.

[0081] Hybrid corn seed is typically produced by a male sterility system incorporating manual or mechanical detasseling. Alternate strips of two corn inbreds are planted in a field, and the pollen-bearing tassels are removed from one of the inbreds (female). Providing that there is sufficient isolation from sources of foreign corn pollen, the ears of the detasseled inbred will be fertilized only from the other inbred (male), and the resulting seed is therefore hybrid and will form hybrid plants.

[0082] The laborious, and occasionally unreliable, detasseling process can be avoided by using one of many methods of conferring genetic male sterility in the art, each with its own benefits and drawbacks. These methods use a variety of approaches such as delivering into the plant a gene encoding a cytotoxic substance associated with a male tissue specific promoter or an antisense system in which a gene critical to fertility is identified and an antisense to that gene is inserted in the plant (see: Fabinjanski, et al. EPO 89/3010153.8 publication no. 329,308 and PCT application PCT/CA90/00037 published as WO 90/08828).

[0083] The use of male sterile inbreds is but one factor in the production of corn hybrids. Plant breeding techniques known in the art and used in a corn plant breeding program include, but are not limited to, recurrent selection, backcrossing, pedigree breeding, restriction length polymorphism enhanced selection, genetic marker enhanced selection and transformation. The development of corn hybrids in a corn plant breeding program requires, in general, the development of homozygous inbred lines, the crossing of these lines, and the evaluation of the crosses. Pedigree breeding and recurrent selection breeding methods are used to develop inbred lines from breeding populations. Corn plant breeding programs combine the genetic backgrounds from two or more inbred lines or

various other germplasm sources into breeding pools from which new inbred lines are developed by selfing and selection of desired phenotypes. The new inbreds are crossed with other inbred lines and the hybrids from these crosses are evaluated to determine which of those have commercial potential. Plant breeding and hybrid development, as practiced in a corn plant-breeding program, are expensive and time-consuming processes.

[0084] Pedigree breeding starts with the crossing of two genotypes, each of which may have one or more desirable characteristics that is lacking in the other or which complements the other. If the two original parents do not provide all the desired characteristics, other sources can be included in the breeding population. In the pedigree method, superior plants are selfed and selected in successive generations. In the succeeding generations the heterozygous condition gives way to homogeneous lines as a result of self-pollination and selection. Typically in the pedigree method of breeding five or more generations of selfing and selection is practiced: $F_1 \rightarrow F_2$; $F_2 \rightarrow F_3$; $F_3 \rightarrow F_4$; $F_4 \rightarrow F_5$; etc.

[0085] Recurrent selection breeding, backcrossing for example, can be used to improve an inbred line and a hybrid that is made using those inbreds. Backcrossing can be used to transfer a specific desirable trait from one inbred or source to an inbred that lacks that trait. This can be accomplished, for example, by first crossing a superior inbred (recurrent parent) to a donor inbred (non-recurrent parent), that carries the appropriate gene(s) for the trait in question. The progeny of this cross is then mated back to the superior recurrent parent followed by selection in the resultant progeny for the desired trait to be transferred from the non-recurrent parent. After five or more backcross generations with selection for the desired trait, the progeny will be homozygous for loci controlling the characteristic being transferred, but will be like the superior parent for essentially all other genes. The last backcross generation is then selfed to give pure breeding progeny for the gene(s) being transferred. A hybrid developed from inbreds containing the transferred gene(s) is essentially the same as a hybrid developed from the same inbreds without the transferred gene(s).

[0086] Elite inbred lines, that is, pure breeding, homozygous inbred lines, can also be used as starting materials for breeding or source populations from which to develop other inbred lines. These inbred lines derived from elite inbred lines can be developed using the pedigree breeding and recurrent selection breeding methods described earlier. As an example, when backcross breeding is used to create these derived lines in a corn plant-

breeding program, elite inbreds can be used as a parental line or starting material or source population and can serve as either the donor or recurrent parent.

[0087] A single cross corn hybrid results from the cross of two inbred lines, each of which has a genotype that complements the genotype of the other. The hybrid progeny of the first generation is designated F_1 . In the development of commercial hybrids in a corn plant-breeding program, only the F_1 hybrid plants are sought. Preferred F_1 hybrids are more vigorous than their inbred parents. This hybrid vigor, or heterosis, can be manifested in many polygenic traits, including increased vegetative growth and increased yield.

[0088] The development of a corn hybrid in a corn plant breeding program involves three steps: (1) the selection of plants from various germplasm pools for initial breeding crosses; (2) the selfing of the selected plants from the breeding crosses for several generations to produce a series of inbred lines, which, although different from each other, breed true and are highly uniform; and (3) crossing the selected inbred lines with different inbred lines to produce the hybrid progeny (F_1). During the inbreeding process in corn, the vigor of the lines decreases. Vigor is restored when two different inbred lines are crossed to produce the hybrid progeny (F_1). An important consequence of the homozygosity and homogeneity of the inbred lines is that the hybrid between a defined pair of inbreds will always be the same. Once the inbreds that give a superior hybrid have been identified, the hybrid seed can be reproduced indefinitely as long as the homogeneity of the inbred parents is maintained.

[0089] A single cross hybrid is produced when two inbred lines are crossed to produce the F_1 progeny. A double cross hybrid is produced from four inbred lines crossed in pairs ($A \times B$ and $C \times D$) and then the two F_1 hybrids are crossed again ($A \times B$) $\times$ ($C \times D$). A three-way cross hybrid is produced from three inbred lines where two of the inbred lines are crossed ($A \times B$) and then the resulting F_1 hybrid is crossed with the third inbred ($A \times B$) $\times$ C . Much of the hybrid vigor exhibited by F_1 hybrids is lost in the next generation (F_2). Consequently, seed from hybrids is not used for planting stock.

[0090] Hybrid seed production requires elimination or inactivation of pollen produced by the female parent. Incomplete removal or inactivation of the pollen provides the potential for self-pollination. This inadvertently self-pollinated seed may be unintentionally harvested and packaged with hybrid seed.

30506-87

[0091] Once the seed is planted, it is possible to identify and select these self-pollinated plants. These self-pollinated plants will be genetically equivalent to the female inbred line used to produce the hybrid.

[0092] Typically these self-pollinated plants can be identified and selected due to their decreased vigor. Female selfs are identified by their less vigorous appearance for vegetative and/or reproductive characteristics, including shorter plant height, small ear size, ear and kernel shape, cob color, or other characteristics.

[0093] Identification of these self-pollinated lines can also be accomplished through molecular marker analyses. See, "The Identification of Female Selfs in Hybrid Maize: A Comparison Using Electrophoresis and Morphology", Smith, J. S. C. and Wych, R. D., Science and Technology 14, pp. 1-8 (1995). Through these technologies, the homozygosity of the self-pollinated line can be verified by analyzing allelic composition at various loci along the genome. Those methods allow for rapid identification of the invention disclosed herein. See also, "Identification of Atypical Plants in Hybrid Maize Seed by Postcontrol and Electrophoresis" Sarca, V. et al., Probleme de Genetica Teoritica si Aplicata Vol. 20 (1) p. 29-42.

[0094] As is readily apparent to one skilled in the art, the foregoing are only some of the various ways by which the inbred of the present invention can be obtained by those looking to introgress the transgenic genotype of the invention into other corn lines. Other means are available, and the above examples are illustrative only.

[0095] The following examples are intended solely to illustrate one or more preferred embodiments of the invention and are not to be construed as limiting the scope of the invention.

EXAMPLES

Example 1. Transformation and Selection of the MIR162 Event

[0096] The MIR604 event was produced by Agrobacterium-mediated transformation of a proprietary corn (*Zea mays*) line. Immature embryos were transformed essentially as described in Negrotto *et al.* (Plant Cell Reports 19:798-803, 2000), using a DNA fragment from plasmid pNOV1300 (SEQ ID NO: 3). pNOV1300 contains a nucleotide sequence comprising tandem expression cassettes. The

first expression cassette comprises a ZmUbiInt promoter region from a *Zea mays* polyubiquitin gene, which contains the first intron (GenBank® Accession number S94464) operably linked to a *vip3Aa19* coding sequence further operably linked to PEPC Intron #9 from the phosphoenolpyruvate carboxylase gene (GenBank® Accession Number X15239) from *Zea mays* (Matsuoka and Minami, 1989. European J. Of Biochem. 181:593-598) and a 35S terminator sequence from the 35S RNA from the cauliflower mosaic virus genome (Similar to GenBank® Accession Number AF140604). Its function is to provide a polyadenylation sequence (Franck *et al.*, 1980. Cell 21:285-294). The *vip3Aa19* gene in pNOV1300 comprises a synthetic maize-optimized *vip3Aa* coding sequence (Estruch, *et al.*, 1999.) which was synthesized to accommodate the preferred codon usage for maize (Murray *et al.*, 1989). The synthetic *vip3Aa19* coding sequence used in plant transformations encodes the identical amino acid sequence as the native *vip3Aa1* coding sequence found in the soil bacterium *Bacillus thuringiensis* strain AB88 (US Patent 5,877,012), with the exception of a single amino acid difference at position 284; the native *vip3Aa1* coding sequence encodes lysine, whereas the synthetic *vip3Aa19* coding sequence encodes glutamine at this position. The *vip3Aa19* coding sequence encodes an insect control protein, Vip3Aa19 that provides resistance to lepidopteran insects. The second expression cassette is comprised of a ZmUbiInt promoter operably linked to a *pmi* coding sequence (also known as *E.coli manA*) encoding phosphomannose isomerase (GenBank® Accession number M15380), which catalyzes the isomerization of mannose-6-phosphate to fructose-6-phosphate (Negrotto *et al.*, 2000). The *pmi* coding sequence is further operably linked to a nopaline synthase 3' end transcription termination and polyadenylation sequence.

[0097] Immature embryos were excised from 8 - 12 day old ears and rinsed with fresh medium in preparation for transformation. Embryos were mixed with the suspension of *Agrobacterium* cells harboring the transformation vector pNOV1300, vortexed for 30 seconds, and allowed to incubate for an additional 5 minutes. Excess solution containing *Agrobacterium* was aspirated and embryos were then moved to plates containing a non-selective culture medium. Embryos were co-cultured with the remaining *Agrobacterium* at 22°C for 2-3 days in the dark. Embryos were transferred to culture medium supplemented with ticarcillin (100 mg/ml) and silver nitrate (1.6 mg/l) and incubated in the dark for 10 days. Embryos producing embryogenic callus were transferred to cell culture medium containing mannose.

30506-87

[0098] Regenerated plantlets were tested by TAQMAN[®] PCR analysis (see Example 2) for the presence of both the *pmi* and *vip3Aa19* genes, as well as for the absence of the antibiotic resistance spectinomycin (*spec*) gene. It was later discovered (See Example 4 below) that during the transformation process two mutations were introduced into the *vip3Aa19* coding sequence, one of which resulted in an amino acid change in the Vip3Aa19 protein. Therefore, this new *vip3Aa* coding sequence, which is unique to event MIR162, was designated *vip3Aa20*. The *vip3Aa20* coding sequence encodes isoleucine at position 129 in place of the methionine residue encoded by the *vip3Aa19* gene.

[0099] Plants positive for both transgenes, and negative for the *spec* gene, were transferred to the greenhouse for further propagation. Positive events were identified and screened using insect bioassays against fall armyworm. Insecticidal events were characterized for copy number by TAQMAN analysis. MIR162 was chosen for further analysis based on having a single copy of the transgenes, good protein expression as identified by ELISA, and good insecticidal activity against fall armyworm.

[00100] The breeding pedigree of the MIR162 event was as follows: T₀ MIR162 plant (x NPH8431) → → NPH8431 (MIR162) F₁ (x NP2161) → NP2161(MIR162) F₁ (x NP2161) → NP2161 (MIR162) BC1F₁ (x B9620) → F₁ (x B9620) → BC1F₁ (x B9620) → BC2F₁ (x B9620) → BC3F₁ (x B9620) → BC4F₁ (x B9620). Plant material from the BC4 generation was used for the Southern analysis, copy number determination and sequencing of the insert DNA. Negative controls for the experiments consisted of 10 negative segregant plants from the BC4 generation.

Example 2. MIR162 Detection by TAQMAN PCR

[00101] TAQMAN analysis was essentially carried out as described in Ingham *et al.* (Biotechniques, 31:132-140, 2001). Briefly, genomic DNA was isolated from leaves of transgenic and non-transgenic corn plants using the Puregene[®] Genomic DNA Extraction kit (Gentra Systems, Minneapolis, MN) essentially according to the manufacturer's instruction, except all steps were conducted in 1.2 ml 96-well plates. The dried DNA pellet was resuspended in TE buffer (10 Mm Tris-HCl, pH 8.0, 1mM EDTA).

[00102] TAQMAN PCR reactions were carried out in 96-well plates. For the endogenous corn gene control, primers and probes were designed specific to the *Zea.mays* alcohol

dehydrogenase (*adhI*) coding sequence (Genbank accession no. AF044295). It will be recognized by the skilled person that other corn genes can be used as endogenous controls. Reactions were multiplexed to simultaneously amplify *vip3Aa* and *adhI* or *pmi* and *adhI*. For each sample, a master mixture was generated by combining 20 μ L extracted genomic DNA with 35 μ L 2x TAQMAN Universal PCR Master Mix (Applied Biosystems) supplemented with primers to a final concentration of 900 nM each, probes to a final concentration of 100 nM each, and water to a 70 μ L final volume. This mixture was distributed into three replicates of 20 μ L each in 96-well amplification plates and sealed with optically clear heat seal film (Marsh Bio Products). PCR was run in the ABI Prism 7700 instrument using the following amplification parameters: 2 min at 50°C and 10 min at 95°C, followed by 35 cycles of 15 s at 95°C and 1 min at 60°C.

[00103] Results of the TAQMAN analysis demonstrated that event MIR162 had one copy of the *vip3Aa20* gene and one copy of the *pmi* gene.

[00104] Primers and probes that were used in the TAQMAN PCR reactions are shown in Table 1.

Table 1. Primers used in TAQMAN Assay.

Primer Name	Primer Sequence	Sequence No:
Vip3Aa-forward	5'CACCTTCAGCAACCCGAAC TA3'	SEQ ID NO: 4
Vip3Aa -reverse	5'GCTTAGCCTCCACGATCATCTT3'	SEQ ID NO: 5
Vip3Aa -probe	5'GTCCTCGTCGCTGCCCTTCACCT3' (5' label = FAM, 3' label = TAMRA)	SEQ ID NO: 6
PMI-forward	5'CCGGGTGAATCAGCGTTT3'	SEQ ID NO: 7
PMI-reverse	5'GCCGTGGCCTTTGACAGT3'	SEQ ID NO: 8
PMI-probe	5'TGCCGCCAACGAATCACCGG3' (5' label = FAM, 3' label = TAMRA)	SEQ ID NO: 9
ZmADH-267forward	5'GAACGTGTGTTGGGTTTGCAT3'	SEQ ID NO: 10
ZmADH-337 reverse	5'TCCAGCAATCCTTGACACCTT3'	SEQ ID NO: 11
ZmADH-316 probe	5'TGCAGCCTAACCATGCGCAGGGTA3' (5' label= TET, 3' label = TAMRA)	SEQ ID NO: 12

Example 3. MIR162 Detection by Southern Blot

30506-87

[00105] Genomic DNA used for southern analysis was isolated from pooled leaf tissue of 10 plants representing the BC4 generation of MIR162 using essentially the method of Thomas *et al.* (Theor. Appl. Genet. 86:173-180, 1993).

All plants used for DNA isolation were individually analyzed using TAQMAN PCR (as described in Example 2) to confirm the presence of a single copy of the *vip3Aa20* gene and the *pmi* gene. For the negative segregant controls, DNA was isolated from pooled leaf tissue of negative segregants from the BC4 generation. These negative segregant plants were individually analyzed using TAQMAN PCR to confirm the absence of the *vip3Aa20* and *pmi* genes, but were, as expected, positive for the endogenous maize *adh1* gene.

[00106] Southern analysis was carried out using conventional molecular biology techniques. (See Chomczynski, P. 1992. Analytical Biochemistry 201:34-139) Genomic DNA (7.5 µg) was digested with restriction enzymes that digest within the event MIR162 insert, but not within the coding sequence that corresponds to the specific probe used in the experiment. This approach allowed for determination of the number of copies of each gene, corresponding to the specific probe used for each Southern analysis, which was incorporated into event MIR162.

[00107] Another series of restriction digests was performed in which the insert was digested with restriction enzymes that would release a fragment of known size from the insert. This approach provided additional evidence for the presence of a single copy of each coding sequence present in MIR162 and allowed for the detection of partial copies of the insert that may be closely linked to the MIR162 insert. Following agarose gel electrophoresis and alkaline transfer to a Zeta-Probe® GT membrane (Bio-Rad, Cat. No. 162-0195), hybridizations were carried out using full-length PCR generated element probes. The probes were labeled with ³²P *via* random priming using the MegaPrime™ system (Amersham Biosciences, Cat. No. RPN1607). Hybridization was carried out at 65°C, followed by multiple washes in 2X SSC, 0.1% SDS and then 0.1X SSC and 0.1% SDS. The membranes were then subjected to autoradiography.

[00108] Included in each Southern analysis were three control samples: (1) DNA from a negative (non-transformed) segregant used to identify any endogenous *Zea mays* sequences that may cross-hybridize with the element-specific probe; (2) DNA from a negative segregant into which is introduced an amount of digested pNOV1300 that is equal to one copy number based on plasmid size was introduced, to demonstrate the sensitivity of the experiment in detecting a single gene copy within the *Zea mays* genome;

and (3) Digested pNOV1300 plasmid equal to one copy number based on plasmid size, to act as a positive control for hybridization as well as to demonstrate the sensitivity of the experiment.

[00109] The results of Southern analyses demonstrated that the MIR162 insert contains a single copy of the *vip3Aa20* gene and *pmi* gene and contains no pNOV1300 backbone sequences. A *vip3Aa19* probe (SEQ ID NO: 13) was used for the *vip3Aa20* Southern analysis. The nucleotide sequences of *vip3Aa19* and *vip3Aa20* differ by two nucleotides and are 99.9 % identical. Therefore, the *vip3Aa19* probe hybridized to the *vip3Aa20* sequence present in MIR162 under stringent conditions. Using the *vip3Aa19* probe, a *KpnI* and an *EcoRV* digest resulted in single hybridization bands approximately 8 kb and 13 kb in size, respectively. In addition, an *NcoI* double digest resulted in a single hybridization band consistent with the expected size of 4.6 kb. Using the *pmi* probe (SEQ ID NO: 14), a *Acc65I* and a *BamHI* digest resulted in single hybridization bands of approximately 4 kb and 6 kb in size, respectively. In addition, an *XmaI* + *HindIII* double digest resulted in a single hybridization band consistent with the expected size of 8.1 kb. The 8.1 kb *XmaI* + *HindIII* pNOV1300 band (positive control) also hybridized with the *vip3Aa19* and *pmi* probes as expected. Some cross-hybridization in the plasmid-only lanes with the DNA ladder probe was detected. Typically commercially available DNA ladders may contain some vector sequences that can cross-hybridize with the plasmid control sequences as observed in these experiments, but, this does not impact the findings of this study. Finally, a pNOV1300 backbone probe did not hybridize demonstrating the absence of incorporation of any pNOV1300 vector backbone sequences into MIR162 during the transformation process.

Example 4. Heterologous DNA Insert Sequencing

[00110] The nucleotide sequence of the *vip3Aa* and *pmi* coding sequences in the heterologous DNA molecule inserted in MIR162 was determined to demonstrate overall integrity of the insert, contiguousness of the functional elements and to detect any individual basepair changes. The coding sequences were amplified from DNA derived from the BC4 generation. PCR amplification was carried out using either Expand High Fidelity PCR system (Roche, Cat. No. 1732650) or *PfuUltra*TM Hotstart High-Fidelity DNA polymerase (Stratagene, Cat. No. 600390). Each PCR product was individually cloned into either pCR[®]-XL-TOPO vector (Invitrogen, Cat. No. K4700-20) or pCR[®]-

BluntII-TOPO vector (Invitrogen, Cat. No. K2800-20) and three separate clones for each PCR product were identified and sequenced. Sequencing was carried out using the ABI3730XL analyzer using ABI BigDye[®] 1.1 or Big Dye 3.1 dGTP (for GC-rich templates) chemistry. The sequence analysis was done using the Phred, Phrap, and Consed package from the University of Washington and was carried out to an error rate of less than 1 in 10,000 bases (Ewing & Green, 1998. *Genome Research* 8:186-194). The final consensus sequence for each gene was determined by combining the sequence data from the three individual clones to generate one consensus sequence for each gene. Sequence alignment was performed using the ClustalW program with the following parameters: scoring matrix blosum55, gap opening penalty 15, gap extension penalty 6.66 (Thompson *et al*, 1994. *Nucleic Acids Research* 22:4673-4680).

[00111] The full *vip3Aa20* coding sequence was PCR amplified using primers MOV3Aa-01-5': 5'ATGAACAAGAACAACACCAA3' (SEQ ID NO: 15) and MOV3Aa-01-3': 5'CTACTTGATGCTCACGTCGTAG3' (SEQ ID NO: 16) and *Pfu*Ultra Hotstart enzyme generating a 2370bp product. The PCR amplicon was sequenced using the primers shown in Table 2.

Table 2.

Primer Name	Sequence (5'→3')	Sequence No.
b03503b	ACGAGCAGAACCAGGTGC	SEQ ID NO: 17
b03503c	GGTGAAGAAGGACGGCAG	SEQ ID NO: 18
b03503d	ACCTGTCGCAAGCTGCTGGG	SEQ ID NO: 19
b03503e	TGGACAAGCTGCTGTGTC	SEQ ID NO: 20
b03503f	TGCAGGCCGACGAGAACAG	SEQ ID NO: 21
b03503g	TGATCCAGTACACCGTGAA	SEQ ID NO: 22
b03503h	ACCCTGACCCTGTACCAG	SEQ ID NO: 23
b03504b	GTGTTGCCGCTGATGTTG	SEQ ID NO: 24
b03504c	CGTACTCGGTCTTCGGCT	SEQ ID NO: 25
b03504d	CTGCAGGCCAAAGCCGTT	SEQ ID NO: 26
b03504e	TCGCCGTAGATCACCTCG	SEQ ID NO: 27
b03504f	GCTTGCGACAGGTGGTCA	SEQ ID NO: 28
b03504g	TTGCTGCTGGTCTCGGTGG	SEQ ID NO: 29
b03504h	CGTTGGCGATCTTAAGGAT	SEQ ID NO: 30
b00203c	GCAAGCCATCGATTAC	SEQ ID NO: 31
b00203d	GCAACACCCTGACCCTG	SEQ ID NO: 32
b00203e	TCTACGACGTGAGCATCAAG	SEQ ID NO: 33
b00203f	GTAGAAGTGCACGATCGGG	SEQ ID NO: 34
b00203g	CGGTGCTGGTCCAGTTG	SEQ ID NO: 35

[00112] Two other PCR reactions overlapped the full *vip3Aa20* coding sequence. The 5' end of *vip3Aa20* was covered with a PCR amplification using primers 162INSERT-F2: 5'ACACCAATGATGCAAATAGGC3' (SEQ ID NO: 36) and VIP_R4 5'GAAGGTGTTTCAGGTAGAACTCGAAG3' (SEQ ID NO: 37) and Expand High Fidelity enzyme. The second reaction covered the 3' end of *vip3Aa20*; the product was amplified with primers VIP-F3: 5'GGTGCTGTTCGAGAAGAGGT3' (SEQ ID NO: 42) and PMI_REV1: 5'CGATTTATCACTCTCAATCACAT3' (SEQ ID NO: 43) and Expand High Fidelity enzyme. The amplicons generated by these reactions comprised a 2946 bp nucleotide sequence (SEQ ID NO: 38) and a 2577 bp nucleotide sequence (SEQ ID NO: 44), respectively.

[00113] The consensus sequence data revealed two nucleotide changes in the *vip3Aa* coding sequence in MIR162 (designated *vip3Aa20*) compared to the *vip3Aa* coding sequence in pNOV1300 (designated *vip3Aa19*), which was used to transform MIR162. The first nucleotide change, a G to T mutation, occurred at position 387 of the *vip3Aa19* coding sequence (SEQ ID NO: 3). This mutation resulted in the methionine at position 129 of Vip3Aa19 being changed to isoleucine in Vip3Aa20 (M129I). The second nucleotide change occurred at position 1683 of the coding sequence, a G to C mutation, but did not result in an amino acid change. Therefore, the *vip3Aa20* coding sequence and the Vip3Aa20 protein are unique to the MIR162 event and can be used to identify any plant comprising the MIR162 transgenic genotype. The *pmi* coding sequence MIR162 was identical to that in the transformation plasmid pNOV1300. An alignment of the Vip3Aa20 and Vip3Aa19 insecticidal proteins is shown in Table 3.

Table 3. Comparison of Vip3Aa20 and Vip3Aa19 amino acid sequences.

Name	Sequence Alignment
Vip3Aa20	(1) MNKNNTKLSTRALPSFIDYFNGIYGFATGIKDIMNMIFKTDGTGGDLTLDE
Vip3Aa19	(1) MNKNNTKLSTRALPSFIDYFNGIYGFATGIKDIMNMIFKTDGTGGDLTLDE
Vip3Aa20	(51) ILKNQQLLNDISGKLDGVNGSLNDLIAQGNLNTELSKEILKIANEQNQVL
Vip3Aa19	(51) ILKNQQLLNDISGKLDGVNGSLNDLIAQGNLNTELSKEILKIANEQNQVL
Vip3Aa20	(101) NDVNNKLD AINTMLRVYLPKITSMLS DV I KQNYALSLQIEYLSKQLQEIS
Vip3Aa19	(101) NDVNNKLD AINTMLRVYLPKITSMLS DV I KQNYALSLQIEYLSKQLQEIS
Vip3Aa20	(151) DKLDIINVNVLINSTLTEITPAYQRIKYVNEKFEELTFATETSSKVKKDG
Vip3Aa19	(151) DKLDIINVNVLINSTLTEITPAYQRIKYVNEKFEELTFATETSSKVKKDG
Vip3Aa20	(201) SPADILDELTELTELAKSVTKNDVDGFEFYLNTHDVMVGNNLFGRSALK
Vip3Aa19	(201) SPADILDELTELTELAKSVTKNDVDGFEFYLNTHDVMVGNNLFGRSALK
Vip3Aa20	(251) TASELITKENVKTS GSEVGNVYNFLIVLTALQAQAFLLTTTCRKLLGLAD

Vip3Aa19	(251)	TASELITKENVKTSQSEVGNVYNFLIVLTALQAQAFLLTTCRKLLGLAD
Vip3Aa20	(301)	IDYTSIMNEHLNKEKEEFVRNLPILPTLSNTFSNPYAKVKGSDEDAKMIVE
Vip3Aa19	(301)	IDYTSIMNEHLNKEKEEFVRNLPILPTLSNTFSNPYAKVKGSDEDAKMIVE
Vip3Aa20	(351)	AKPGHALIGFEISNDSITVLKVYEAKLKQNYQVDKDSLSEVIYGDMDKLL
Vip3Aa19	(351)	AKPGHALIGFEISNDSITVLKVYEAKLKQNYQVDKDSLSEVIYGDMDKLL
Vip3Aa20	(401)	CPDQSEQIYYTNNIVFPNEYVITKIDFTKKMKTLRYEVTANFYDSSTGEI
Vip3Aa19	(401)	CPDQSEQIYYTNNIVFPNEYVITKIDFTKKMKTLRYEVTANFYDSSTGEI
Vip3Aa20	(451)	DLNKKKVESSEAEYRTLSANDDGVYMP LGV ISETFLTPINGFGLQADENS
Vip3Aa19	(451)	DLNKKKVESSEAEYRTLSANDDGVYMP LGV ISETFLTPINGFGLQADENS
Vip3Aa20	(501)	RLITLTCKSYLRELLLATDLSNKETKLIVPPSGFISNIVENGSI EEDNLE
Vip3Aa19	(501)	RLITLTCKSYLRELLLATDLSNKETKLIVPPSGFISNIVENGSI EEDNLE
Vip3Aa20	(551)	PWKANNKNAYVDHTGGVNGTKALYVHKDGGISQFIGDKLKP KTEYVIQYT
Vip3Aa19	(551)	PWKANNKNAYVDHTGGVNGTKALYVHKDGGISQFIGDKLKP KTEYVIQYT
Vip3Aa20	(601)	VKGKPSIHLK DENTGYIHYEDTNNNLEDYQTINKRFTTGTDLKG VYLILK
Vip3Aa19	(601)	VKGKPSIHLK DENTGYIHYEDTNNNLEDYQTINKRFTTGTDLKG VYLILK
Vip3Aa20	(651)	SQNGDEAWGDNFIILEISPSEKLLSPELINTNNWTSTGSTNISGNTLTLY
Vip3Aa19	(651)	SQNGDEAWGDNFIILEISPSEKLLSPELINTNNWTSTGSTNISGNTLTLY
Vip3Aa20	(701)	QCGRGILKQNLQLDSFSTYRVYFSVSGDANVRIRNSREVLFEKRYMSGAK
Vip3Aa19	(701)	QCGRGILKQNLQLDSFSTYRVYFSVSGDANVRIRNSREVLFEKRYMSGAK
Vip3Aa20	(751)	DVSEMFTTKFEKDNFYIELSQGNNLYGGPIVHFYDVSIK
Vip3Aa19	(751)	DVSEMFTTKFEKDNFYIELSQGNNLYGGPIVHFYDVSIK

The shaded box indicates the amino acid change.

Example 5. Analysis of Flanking DNA Sequence

[00114] A number of methods are known to those of skill in the art to amplify unknown DNA sequences adjacent to a core region of known sequence. Those methods include, but are not limited to, inverse PCR (iPCR) [Ochman et. al., Genetics 120:621-623 (1988); Triglia et. al., Nucleic Acids Res. 16:8186 (1988)], panhandle PCR [Jones and Winistorfer, Nucleic Acids Res. 20:595-600 (1992); Jones and Winistorfer, Biotechniques 23:132-138 (1997)], cassette ligation-anchored PCR [Mueller and Wold, Science 246:780-786 (1989)], vectorette-PCR [Riley et. al., Nucleic Acids Res. 18:2887-2890 (1990)], novel-Alu-PCR [Puskas et. al., Nucleic Acids Res. 22:3251-3252 (1994)] and Thermal Asymmetric Interlaced PCR (TAIL-PCR) [Liu and Whittier, Genomics 25:673-681 (1995)].

[00115] One method used to amplify corn genome DNA sequence flanking the heterologous DNA inserted into event MIR162 was vectorette PCR essentially as

0506-87

described by Riley et al., Nucleic Acids Res. 18:2887-2890 (1990).

[00116] The 5' flanking sequence and junction sequence was confirmed using standard PCR procedures. The following primer pairs, or complements thereof, were used to confirm the sequence: 162INSERT-F2: 5'ACACCAATGATGCAAATAGGC3' (SEQ ID NO: 36)/ VIP_R4: 5'GAAGGTGTTTCAGGTAGAACTCGAAG3' (SEQ ID NO: 37) and CJB179: 5'ATGCAAATAGGCTGGGAATAGTC3' (SEQ ID NO: 39)/ CJB134 5'GTACCAGCTTGCTGAGTGGCT3' (SEQ ID NO: 40). The resulting amplicon has the sequence shown is SEQ ID NO: 41 and comprises the 5' junction sequence of SEQ ID NO: 45. It will be recognized that other primer sequences can be used to confirm the flanking and junction sequences. Using this method, the MIR162 insert was found to be flanked 5' by nucleotides 1040-1088 of the corn genomic sequence shown in SEQ ID NO: 46.

[00117] A larger region of the 5' flanking sequence from event MIR162 was generated using the Seegene DNA Walking SpeedUp™ Premix kit following the manufacturer's instructions.

[00118] A first PCR reaction was performed independently in four individual tubes using primer FE1002: 5'CGTGACTCCCTTAATTCTCCGCT3' (SEQ ID NO: 50) with one of the DW-ACP 1, 2, 3, or 4 primers supplied by the manufacturer. The following reagents were mixed in a PCR tube on ice: 100 µg MIR162 genomic DNA, 4 µl 2.5 µM DW-ACP (one each with DW-ACP 1, 2, 3, or 4), 4 µl 2.5 µM FE1002, 19 µl distilled water, and 25 µl 2X SeeAmp™ ACPTM Master Mix II. The tubes were placed in a preheated (94°C) thermal cycler. PCR was completed using the following program: one cycle at 94°C for five minutes, 42°C for one minute, and 72°C for two minutes, 30 cycles of 94°C for 40 seconds, 55°C for 40 seconds, and 72°C for 90 seconds, and one cycle at 72°C for seven minutes. The PCR products were purified using Exonuclease I and Shrimp Alkaline Phosphatase.

[00119] A second PCR reaction was performed independently in four individual tubes using primer FE1003: 5'GATCAGATTGTCGTTTCCCGCCTT3' (SEQ ID NO: 51) with the DW-ACPN primer supplied by the manufacturer of the kit. The following reagents were mixed in a PCR tube on ice: 3 µl purified PCR product, 1 µl 10 µM DW-ACPN, 1 µl 10 µM FE1003, 5 µl distilled water, and 10 µl 2X SeeAmp™ ACPTM Master Mix II. The tubes were placed in a preheated (94°C) thermal cycler. PCR was completed using the following program: one cycle at 94°C for five minutes, 35 cycles of 94°C for 40

seconds, 60°C for 40 seconds, and 72°C for 90 seconds, and one cycle at 72°C for seven minutes.

[00120] A third PCR reaction was performed independently in four individual tubes using primer FE1004: 5'GATTGTCGTTTCCCGCCTTCAGTT3' (SEQ ID NO: 52) with the Universal primer supplied by the manufacturer. The following reagents were mixed in a PCR tube on ice: 2 µl purified PCR product, 1 µl 10 µM Universal primer, 1 µl 10 µM FE1004, 6 µl distilled water, and 10 µl 2X SeeAmp™ ACPTM Master Mix II. The tubes were placed in a preheated (94°C) thermal cycler. PCR was completed using the following program: one cycle at 94°C for five minutes, 35 cycles of 94°C for 40 seconds, 60°C for 40 seconds, and 72°C for 90 seconds, and one cycle at 72°C for seven minutes.

[00121] Ten µl of the PCR products were run on a 1% agarose gel containing ethidium bromide. The appropriate band was extracted from the agarose gel and purified using a Qiagen Qiaquick Gel Extraction Kit according to the manufacturer's instructions. The extracted DNA was cloned into an Invitrogen TOPO-XL cloning vector according to the manufacturer's instructions. This clone was transformed into *E. coli*, and the plasmid DNA was extracted from the cells after overnight growth with a Qiagen Miniprep kit according to the manufacturer's instructions. This plasmid was used for end run sequencing.

[00122] A new primer was designed within the new, previously unknown sequence to be used with a primer in the heterologous DNA insert to amplify the full 1 kb of flanking sequence out of the genomic DNA. Flanking sequence primer 162DWConf3: 5'CCTGTGTTGTTGGAACAGACTTCTGTC3' (SEQ ID NO: 53) and insert DNA primer FE0900: 5'GGCTCCTTCAACGTTGCGGTTCTGTC3' (SEQ ID NO: 54) were used to amplify a nucleic acid molecule comprising the 5' flanking sequence for confirmation. The sequence of the resulting amplicon is set forth in SEQ ID NO: 55. This 5' amplicon comprises the 5' junction sequence set forth in SEQ ID NO: 45. Ten µl of the PCR product (amplicon) was run on a 1% agarose gel containing ethidium bromide. The appropriate band was extracted from the agarose gel and purified using a Qiagen Qiaquick Gel Extraction Kit according to the manufacturer's instructions. The extracted DNA was cloned into an Invitrogen TOPO-XL cloning vector according to the manufacturer's instructions. This clone was transformed into *E. coli*. Plasmid DNA was extracted from the cells after overnight growth in media with a Qiagen Miniprep kit according to the manufacturer's instructions. Three plasmids were completely sequenced using the primers shown in Table 4. The plasmid sequences were aligned to generate the

complete confirmed 5' flanking sequence. Using this method, approximately 1 kb of the 5' flanking sequence (SEQ ID NO: 46) was determined.

Table 4. Primer sequences.

Primer Name	Sequence (5'→3')	Sequence No.
b00201h	TTCACGGGAGACTTTATCTG	SEQ ID NO: 60
b00605a	CCGATTCATTAATGCAG	SEQ ID NO: 61
b00701b	ACGTAAAACGGCTTGTC	SEQ ID NO: 62
b00702b	GTTTAAACTGAAGGCGG	SEQ ID NO: 63
b00704h	AATAATATCACTCTGTACATCC	SEQ ID NO: 64
b01106f	GTTGTAAAACGACGG	SEQ ID NO: 65
b01709f	TAGGCACCCAGGCTTTA	SEQ ID NO: 66
b03504a	AATTGAATTTAGCGGCCG	SEQ ID NO: 67
b05102f	GGTCCCTACAACATAAATAG	SEQ ID NO: 68
b05102g	TTCGTCCCTACTATCAACGC	SEQ ID NO: 69
b05102h	CTTTAGGCATCAGCGGGT	SEQ ID NO: 70
b05103a	AGCATCTGCGTAAGCACA	SEQ ID NO: 71
b05103b	CTGATGACACCAATGATGC	SEQ ID NO: 72
b05103c	GATCAGATTGTCGTTTCCC	SEQ ID NO: 73
b05103d	GCATCATTGGTGTCATCAG	SEQ ID NO: 74
b05103e	TGTGCTTACGCAGATGCT	SEQ ID NO: 75
b05103f	ACCCGCTGATGCCTAAAG	SEQ ID NO: 76
b05103g	GCGTTGATAGTAGGGACGAA	SEQ ID NO: 77
b05103h	CTATTTATGTTGTAGGGACC	SEQ ID NO: 78
b05210a	CTAGACTGGAAAGCGGAG	SEQ ID NO: 79
b05210b	CCACTTTCATCCCTAGTTG	SEQ ID NO: 80

[00123] The 3' flanking sequence from event MIR162 was generated using the Clontech GenomeWalker™ Universal kit (Clontech Laboratories, Inc.) following the manufacturer's instructions.

[00124] First, pools of uncloned, adaptor-ligated genomic DNA fragments, known as GenomeWalker "libraries" were constructed. Each library was constructed by digesting the MIR162 genomic DNA with a restriction enzyme (*DraI*, *EcoRV*, *PvuII*, *StuI*, and *XmnI*) as follows: For example, 25 µl MIR162 genomic DNA (0.1 µg/µl), 8 µl restriction enzyme (10 units/µl), 10 µl restriction enzyme buffer (10X), and 57 µl distilled H₂O were mixed in a tube and incubated at 37°C overnight.

[00125] DNA was then purified by using several rounds of phenol/ chloroform extraction. Finally, the DNA was precipitated and washed with ethanol, dried and dissolved into 20 µl of TE buffer.

[00126] To ligate the GenomeWalker Adapter ends to the MIR162 genomic DNA, 4 µl of the digested, purified genomic DNA was mixed with 1.9 µl of GenomeWalker Adapter

(25 μ M), 1.6 μ l 10X Ligation Buffer, and 0.5 μ l T4 DNA Ligase (6 units/ μ l). These reactions were incubated overnight at 16°C. The reactions were stopped with incubation at 70°C for five minutes. After the reaction was stopped, 72 μ l of TE was added to each tube, and the contents were mixed thoroughly.

[00127] A first PCR reaction was performed using primer AP1, supplied by the manufacturer, with different primers designed within the known heterologous insert DNA sequence (Round 1 “gene specific primers” or “GSP1”). The following reagents were mixed in a PCR tube on ice: 1 μ l of the appropriate MIR162 DNA library, 1 μ l 10 μ M AP1, 1 μ l 10 μ M GSP1, 1 μ l 10 mM dNTPs, 5 μ l 10X Advantage 2 PCR Buffer, 1 μ l of BD Advantage 2 Polymerase, and 40 μ l distilled water. PCR was completed using the following program: seven cycles at 94°C for 25 seconds and 72°C for four minutes, 32 cycles at 94°C for 25 seconds and 67°C for four minutes, and one cycle at 67°C for four minutes. Each primary PCR reaction was diluted 50-fold by adding 1 μ l of the primary PCR product with 49 μ l of distilled water. The reactions that worked were (1) the *DraI* and the *XmnI* libraries with the GSP1 primer 162GW3F1:

5'TCTCTTGCTAAGCTGGGAGCTCGATCCG3' (SEQ ID NO: 56) and primer AP1.

[00128] A second PCR reaction was performed independently using primer AP2, supplied by the manufacturer, with different primers designed within the known heterologous insert DNA sequence (Round 2 “gene specific primers” or “GSP2”). The following reagents were mixed in a PCR tube on ice: 1 μ l of the appropriate diluted primary PCR product, 1 μ l 10 μ M AP2, 1 μ l 10 μ M GSP2, 1 μ l 10 mM dNTPs, 5 μ l 10X Advantage 2 PCR Buffer, 1 μ l of BD Advantage 2 Polymerase, and 40 μ l distilled water. PCR was completed using the following program: five cycles at 94°C for 25 seconds and 72°C for four minutes, 20 cycles at 94°C for 25 seconds and 67°C for four minutes, and one cycle at 67°C for four minutes. The reactions that worked were (1) the *DraI* and the *XmnI* libraries with the GSP2 primer 162GW3F2:

5'AAGATTGAATCCTGTTGCCGGTCTTGCG3' (SEQ ID NO: 57) and primer AP2.

[00129] Ten μ l of the PCR products were run on a 1% agarose gel containing ethidium bromide. The appropriate band was extracted from the agarose gel and purified using a Qiagen Qiaquick Gel Extraction Kit according to the manufacturer's instructions. The extracted DNA was cloned into an Invitrogen TOPO-XL cloning vector according to the manufacturer's instructions. This clone was transformed into *E. coli*, and the plasmid DNA was extracted from the cells after overnight growth with a Qiagen Miniprep kit

according to the manufacturer's instructions. This plasmid was sequenced using end run sequencing.

[00130] A new primer was designed within the new, previously unknown sequence to be used with a primer in the insert DNA to amplify approximately 1 kb of 3' flanking sequence out of the genomic DNA. The insert DNA primer 162GW3F1: 5'TCTCTTGCTAAGCTGGGAGCTCGATCCG3' (SEQ ID NO: 56) and a 3' flanking sequence primer 1623'GWR1: 5CTGGTGAACCGATTTTACGGAGG3' (SEQ ID NO: 58) were used to amplify a nucleic acid molecule comprising the 3' flanking sequence for confirmation. The sequence of the resulting amplicon is set forth in SEQ ID NO: 59. This 3' amplicon comprises the 3' junction sequence set forth in SEQ ID NO: 47. Ten µl of the PCR amplicon was run on a 1% agarose gel containing ethidium bromide. The appropriate band was extracted from the agarose gel and purified using a Qiagen Qiaquick Gel Extraction Kit according to the manufacturer's instructions. The extracted DNA was cloned into an Invitrogen TOPO-XL cloning vector according to the manufacturer's instructions. This clone was transformed into *E. coli*. Plasmid DNA was extracted from the cells after overnight growth in media with a Qiagen Miniprep kit according to the manufacturer's instructions. Three plasmids were completely sequenced using the primers shown in Table 5. The plasmid sequences were aligned to generate the complete confirmed 3' flanking sequence (SEQ ID NO: 48).

Table 5. Primer sequences.

Primer Name	Sequence (5'→3')	Sequence No.
b00106a	GATTGAATCCTGTTGCC	SEQ ID NO: 81
b00106b	TCTCATAAATAACGTCATGC	SEQ ID NO: 82
b00108a	TCTGTGGATAACCGTATTAC	SEQ ID NO: 83
b00201h	TTCACGGGAGACTTTATCTG	SEQ ID NO: 60
b00605a	CCGATTCATTAATGCAG	SEQ ID NO: 61
b00704h	AATAATATCACTCTGTACATCC	SEQ ID NO: 64
b00712e	AGTAACATAGATGACACCGC	SEQ ID NO: 84
b01106a	CCAGTGTGCTGGAATTCG	SEQ ID NO: 85
b01106f	GTTGTAAAACGACGG	SEQ ID NO: 65
b01107h	CCAGTGTGATGGATATCTGC	SEQ ID NO: 86
b01108e	CCAGTGTGCTGGAATTCG	SEQ ID NO: 87
b01111f	CCAGTGTGATGGATATCTGC	SEQ ID NO: 88
b01709f	TAGGCACCCCAGGCTTTA	SEQ ID NO: 66
b02701a	GTGTGCTGGAATTCGCCCTT	SEQ ID NO: 89
b02701e	TATCTGCAGAATTCGCCCTT	SEQ ID NO: 90
b02702a	GTGTGCTGGAATTCGCCCTT	SEQ ID NO: 91
b02702e	TATCTGCAGAATTCGCCCTT	SEQ ID NO: 92

b02703a	GTGTGCTGGAATTCGCCCTT	SEQ ID NO: 93
b02703e	TATCTGCAGAATTCGCCCTT	SEQ ID NO: 94
b02704a	GTGTGCTGGAATTCGCCCTT	SEQ ID NO: 95
b02811a	GGTCTTGCGATGATTATC	SEQ ID NO: 96
b05104c	GAGAGGAATGGCAGCAGA	SEQ ID NO: 97
b05104d	CATGACGGGTTTGAGATT	SEQ ID NO: 98
b05104e	AATCTCAAACCCGTCATG	SEQ ID NO: 99
b05104f	TCTGCTGCCATTCCTCTC	SEQ ID NO: 100
b05104g	GATCAACCCGGAGAGGAAT	SEQ ID NO: 101
b05104h	CCATGACGGGTTTGAGAT	SEQ ID NO: 102
b05105c	CAACCGACCTGACAAGTGAC	SEQ ID NO: 103
b05105e	ATCTCAAACCCGTCATGG	SEQ ID NO: 104
b05105f	ATTCCTCTCCGGGTTGATC	SEQ ID NO: 105

Example 6. Detection of Vip3Aa20 Protein in MIR162 by ELISA

[00131] Extracts were prepared from MIR162 leaves, roots, pith, kernels, silk, pollen and whole plants. They were quantitatively analyzed for Vip3Aa20 by ELISA using immunoaffinity purified goat anti-Vip3A and Protein A-purified rabbit anti-Vip3A polyclonal antibodies using art recognized ELISA procedures. Vip3Aa20 was detected in all tissues analyzed across all growth stages. The mean level of Vip3Aa20 protein detected in the whole plant at anthesis and seed maturity was 10 µg/g fresh weight and 16 µg/g fresh weight, respectively. The mean level of Vip3Aa20 protein in leaves at anthesis was 22 µg/g fresh weight.

Example 7. Field Efficacy of MIR162.

[00132] The MIR162 event was tested in the field for efficacy against fall armyworm (FAW, *Spodoptera frugiperda*), corn earworm (CEW, *Helicoverpa zea*), black cutworm (BCW, *Agrotis ipsilon*), and European corn borer (ECB, *Ostrinia nubilalis*). Performance of the MIR162 event was compared with that of Warrior[®] (Syngenta, Inc.), a conventional insecticide standard applied at a rate of 11.2 g a.i./acre, the transgenic corn event Bt11, comprising a *cry1Ab* gene, and a Bt11 X MIR162 hybrid, produced by crossing a Bt11 inbred line with a MIR162 inbred line.

[00133] Twenty-eight trials were planted in 13 states that represented the major corn growing regions of the continental United States. Trials were planted in a randomized complete block design with four replicated plots per block. Plots were 17.5 row feet per treatment per replication. Planting density was targeted at approximately 30,000

plants/acre. Immuno-diagnostic strips were used to confirm the presence or absence of the Vip3Aa20 and Cry1Ab proteins in the different treatment groups.

[00134] Natural pest infestations were utilized in trials where populations were sufficiently high; where they were not, artificial infestations were carried out. Artificial infestation with two 2nd- to 3rd- instar larvae at V1-V2 was utilized in the BCW trials. Plots were rated at 3, 7, and 14 days post-infestation. BCW damage was recorded as partially damaged plants and fully cut plants. FAW plots were rated 7 and 14 days post-infestation or after 3rd- instar larvae were observed in control plants. The following scale was used to evaluate FAW and CEW leaf damage:

- 0.01 – No visible leaf damage
- 1 – Pin-hole damage on a few leaves
- 2 – Small amount of shot-hole damage on a few leaves
- 3 – Shot-hole damage on several leaves
- 4 – Shot-hole damage and lesions on a few leaves
- 5 – Lesions on several leaves
- 6 – Large lesions on several leaves
- 7 – Large lesions and portions eaten away on a few leaves
- 8 – Large lesions and portions eaten away on several leaves
- 9 – Large lesions and portions eaten away on most leaves

[00135] Plant damage was assessed for both first and second generation ECB. The following scale was used for rating first generation damage, typically when larvae were in the 3rd to 4th instar:

- 1 - No visible leaf damage
- 2 - Small amount of shot-hole injury on a few leaves
- 3 - Shot-hole injury common on several leaves
- 4 - Several leaves with shot-holes and elongated lesions
- 5 - Several leaves with elongated lesions
- 6 - Several leaves with elongated lesions about 2.5 cm
- 7 - Long lesions common on about one half of the leaves
- 8 - Long lesions common on about two-thirds of the leaves
- 9 - Most leaves with long lesions

[00136] Second generation ECB damage was assessed three to four weeks after artificial infestation or the end of the peak egg laying period. The following measurements were taken: number live larvae/stalk, number live larvae/shank, number live larvae/ear, number of tunnels/stalk, cumulative tunnel length (cm)/stalk, cumulative tunnel length (cm)/shank, number tunnels/ear, cumulative tunnel length kernel damage (cm)/ear, and % infested plants.

[00137] CEW trials were generally planted late to increase natural infestation levels. Feeding damage to ears was evaluated when CEW larvae on control plants were at the

L5-L6 growth stage. Ear ratings included recording the number of larvae observed per ear and length of visible kernel feeding measured from the ear tip to the average lowest kernel destroyed.

[00138] Results of the BCW field trial are shown in Table 6. Less than 3% of the MIR162 plants and Bt11 X MIR162 plants were cut by BCW larvae. Significant numbers of Bt11 and control plants were cut. Plants comprising the MIR162 genotype had less BCW feeding damage than the conventional insecticide treated plants.

Table 6. Stalk damage ratings from five trials with BCW at 21 days after infestation. Damage was measured as percent of total plants cut.

Treatment	% Cut Plants
MIR162	2
Bt11	42
Bt11 X MIR162	3
Warrior Insecticide	12
Negative Control	40

[00139] The FAW field trial results are shown in Table 7. FAW feeding damage was measured on a scale of 0.01 to 9. Mean feeding damage in the MIR162 hybrids was very low (< 1) and significantly lower than average damage observed in the Bt11 and conventional insecticide treatments. Insect pressure in these trials was heavy with approximately 50 to 100 neonate larvae/plant. Bt11 provided some protection from damage, whereas the conventional insecticide treatment provided no protection, sustaining the same amount of damage as the control.

Table 7. Leaf feeding damage ratings from five trials for FAW. Mean damage ratings at 14 days after infestation are presented for each treatment.

Treatment	Mean Leaf Damage Rating (0.01-9)
MIR162	0.90
Bt11	2.52
Bt11 X MIR162	0.84
Warrior Insecticide	3.60

Negative Control

3.78

[00140] Results of the trials to assess first generation ECB damage are presented in Table 8. ECB feeding damage was rated on a scale of 1-9. In these trials, MIR162 conferred minimal protection against ECB feeding damage. Bt11 fully protected the plants from ECB feeding damage. The Bt11 X MIR162 plants had the same level of protection as the Bt11 plants. The conventional insecticide treatment provided better protection than the MIR162 trait but significantly less protection than that provided by Bt11.

Table 8. Leaf feeding damage field trial. Mean damage ratings at 14 days after infestation.

Treatment	Mean Leaf Damage Rating (1-9)
MIR162	2.95
Bt11	1.00
Bt11 X MIR162	1.00
Warrior Insecticide	2.05
Negative Control	3.88

[00141] Second generation ECB damage results are presented in Table 9. Feeding damaged was measured as cumulative tunnel length in each corn stalk (if more than one tunnel was found, tunnel lengths were summed). The Bt11 and Bt11 x MIR162 treatments provided strong protection against stalk boring, whereas no protection against tunneling was provided by MIR162 alone or the insecticide treatment.

Table 9. Stalk damage ratings from seven trials for second generation ECB larvae measured in tunnel length (cm) per stalk. Measurements were taken three to four weeks after artificial infestation.

Treatment	Mean Tunnel Length (cm)
MIR162	5.46
Bt11	0.37
Bt11 X MIR162	0.48
Warrior Insecticide	5.06
Negative Control	5.04

30506-87

[00142] Results of trials to assess CEW damage are presented in Table 10. Feeding damage was rated as length of kernel damage per ear, measured from the ear tip to the average lowest kernel destroyed. Significant ear damage was observed in the Bt11, insecticide, and check plots. Bt11 provided some level of protection compared to untreated check and was comparable to the protection provided by the conventional insecticide treatment. MIR162 and Bt11 X MIR162 provided almost complete protection of the ears from CEW larval feeding damage.

Table 10. Ear damage ratings from six trials for CEW measured as average length of feeding damage. Measurements were taken when CEW larvae were L5-L6 in check plants.

Treatment	Mean Ear Damage (cm)
MIR162	0.17
Bt11	2.24
Bt11 X MIR162	0.02
Warrior Insecticide	2.20
Negative Control	3.42

Example 8. Efficacy of MIR162 Against Western Bean Cutworm.

[00143] Current commercial transgenic events producing Cry1Ab protein have not provided acceptable levels of protection against the western bean cutworm (WBCW, *Striacosta albicosta*). Therefore, MIR162 alone and stacked with other transgenic genotypes was tested for efficacy against WBCW.

[00144] WBCW eggs were collected from wild caught female moths. Larvae were fed on a meridic black cutworm diet until use in the experiments. Corn plants were field grown. The following treatments were tested: MIR162, Bt11, MIR604, MIR162 X Bt11, MIR162 X MIR604, MIR604 X Bt11, Force[®] (Syngenta, Inc.), a conventional insecticide applied at planting to a negative isoline, and two negative control isolines. MIR604 is a novel transgenic corn event that comprises a *cry3A055* gene encoding a protein that is active against corn rootworm (*Diabrotica spp.*) larvae and is disclosed in US Patent Application publication No. 2005/0216970, published September 29, 2005.

[00145] For the experiments, a two-inch piece of green silks and husk was cut from ears from field grown corn plants in each treatment and replication. The terminal brown ends of the silks were removed and the husk discarded. Approximately 1.5 inches of silks were placed in individual 14 ml plastic cups. One larva was then placed in each cup and the cups sealed. Several different stages of larvae were tested ranging from 3rd to 6th-instars. Cups containing silks and larvae were held at natural day length and room temperature for the duration of the experiments. Larval survival was recorded after eight days. Treatments were replicated four times per experiment.

[00146] Results of the WBCW experiments are presented in Table 11. Survival of WBCW on silks from the negative isolines and the conventional insecticide treatment were nearly 100%. Survival of WBCW larvae on Bt11 and MIR604 silks, tested either alone or in combination in the same plant, was not different from survival on the negative isolines. Survival of WBCW larvae was reduced when larvae were fed silks from MIR162. The combination of MIR162 X Bt11 in the same plant did not decrease survival any further than MIR162 alone. However, surprisingly, when the MIR162 transgenic genotype was stacked with the MIR604 transgenic genotype in the same plant, larval mortality significantly increased compared to MIR162 or MIR604 alone.

Table 11. Percent ($\pm$ SE) survival of WBCW larvae on corn silks.

Treatment	Experiment Number						
	1	2	3	4	5	6	7
Bt11	75(25)	75(25)	100(0)	100(0)	100(0)	100(0)	100(0)
MIR162	25(25)	0(0)	0(0)	50(29)	50(29)	50(29)	0(0)
MIR604					100(0)	100(0)	100(0)
MIR162xBt11	25(25)	25(25)	0(0)	0(0)	25(25)	25(25)	25(25)
MIR162xMIR604					0(0)	25(25)	50(29)
MIR604xBt11							75(25)
Force					100(0)	100(0)	100(0)
Neg. Control #1	100(0)	75(25)	100(0)	100(0)	75(25)	100(0)	100(0)
Neg. Control #2	100(0)	100(0)	100(0)	100(0)	100(0)	100(0)	100(0)

30506-87

Example 9. Use of event MIR162 insertion site for targeted integration in maize.

[00147] The MIR162 flanking sequences disclosed in SEQ ID NO: 46 and SEQ ID NO: 48 were used to search maize genomic databases. Identical matches to both flanking sequences were found on a BAC clone, CH201-307P5, of chromosome 5 (NCBI Accession No. AC185313) on Contig 13 (SEQ ID NO: 106). More specifically, the MIR162 insert is on chromosome 5 between a 5' molecular marker, designated herein as the *Opie2* marker (nucleotides 1680-3338 of SEQ ID NO: 106), and a 3' molecular marker, designated herein as the *gag* marker (nucleotides 43,275-45,086 of SEQ ID NO: 106). Using this information, it was determined that the heterologous DNA inserted into MIR162 displaced 58 nucleotides of maize genomic DNA, nucleotides 25,455 to 25,512 of SEQ ID NO: 106 (also shown as SEQ ID NO: 107), which is between the 5' flanking sequence (nucleotides 1-25,454 of SEQ ID NO: 106) and the 3' flanking sequence (nucleotides 25,513-51,328 of SEQ ID NO: 106).

[00148] Consistent agronomic performance of the transgene of event MIR162 over several generations under field conditions suggests that these identified regions around the MIR162 insertion site provide good genomic locations for the targeted integration of other transgenic genes of interest. Such targeted integration overcomes the problems with so-called "positions effects," and the risk of creating a mutation in the genome upon integration of the transgene into the host. Further advantages of such targeted integration include, but are not limited to, reducing the large number of transformation events that must be screened and tested before obtaining a transgenic plant that exhibits the desired level of transgene expression without also exhibiting abnormalities resulting from the inadvertent insertion of the transgene into an important locus in the host genome. Moreover, such targeted integration allows for stacking transgenes rendering the breeding of elite plant lines with both genes more efficient.

[00149] Using the above disclosed teaching, the skilled person is able to use methods known in the art to target heterologous nucleic acids of interest to the same insertion site on chromosome 5 as that in MIR162 or to a site in close proximity to the insertion site in MIR162. One such method is disclosed in US Patent Application Publication No. 20060253918. Briefly, up to 20 Kb of the genomic sequence flanking 5' to the insertion site (nucleotides 5,454 to 25,454 of SEQ ID NO: 106) and up to 20 Kb of the genomic sequence flanking 3' to the insertion site (nucleotides 25,513 to 45,513 of SEQ ID NO: 106) are used to flank the gene or genes of

interest that are intended to be inserted into a genomic location on Chromosome 5 via homologous recombination. These sequences can be further flanked by T-DNA border repeats such as the left border (LB) and right border (RB) repeat sequences and other booster sequences for enhancing T-DNA delivery efficiency. The gene or genes of interest can be placed exactly as in the MIR162 insertion site or can be placed anywhere within the 20 Kb regions around the MIR162 insertion sites to confer consistent level of transgene expression without detrimental effects on the plant. The DNA vectors containing the gene or genes of interest and flanking sequences can be delivered into plant cells via one of the several methods known to those skilled in the art, including but not limited to Agrobacterium-mediated transformation. The insertion of the DNA vector into the MIR162 target site can be further enhanced by one of the several methods, including but not limited to the co-expression or up-regulation of recombination enhancing genes or down-regulation of endogenous recombination suppression genes. Furthermore, it is known in the art that cleavage of specific sequences in the genome can be used to increase homologous recombination frequency, therefore insertion into the MIR162 insertion site and its flanking regions can be enhanced by expression of natural or designed sequence-specific endonucleases for cleaving these sequences. Thus, using the teaching provided herein, any heterologous nucleic acid can be inserted on maize chromosome 5 at a target site located between nucleotides 25,454 and 45,513 of SEQ ID NO: 106 or a target site in the vicinity to this site.

Example 10. Use of event MIR162 insertion site and flanking sequences for stabilization of gene expression.

[00150] The genomic sequences flanking the MIR162 insertion site may also be used to stabilize expression of other gene(s) of interest when inserted as a transgene in other genomic locations in maize and other crops. Specifically, up to 20 Kb of the genomic sequence flanking 5' to the insertion site (nucleotides 5,454 to 25,454 of SEQ ID NO: 106) and up to 20 Kb of the genomic sequence flanking 3' to the insertion site (nucleotides 25,513 to 45,513 of SEQ ID NO: 106) are used to flank the gene or genes of interest that are intended to be inserted into the genome of plants. These sequences can be further flanked by T-DNA border repeats such as the left border (LB) and right border (RB) repeat sequences and other booster sequences for enhancing T-DNA delivery efficiency. The gene or genes of interest can be placed exactly as in the MIR162 insertion

30506-87

site or can be placed anywhere within the 20 Kb regions around the MIR162 insertion sites to confer consistent level of transgene expression. The DNA vectors containing the gene or genes of interest and MIR162 insertion site flanking sequence can be delivered into plant cells via one of the several methods known to those skilled in the art, including but not limited to protoplast transformation, biolistic bombardment and Agrobacterium-mediated transformation. The delivered DNA can be integrated randomly into a plant genome or can also be present as part of the independently segregating genetic units such as artificial chromosome or mini-chromosome. The DNA vectors containing the gene(s) of interest and the MIR162 insertion site flanking sequences can be delivered into plant cells. Thus, by surrounding a gene or genes of interest with the genomic sequence flanking the MIR162 insertion site, the expression of such genes are stabilized in a transgenic host plant such as a dicot plant or a monocot plant like corn.

DEPOSIT

[00151] Applicants have made a deposit of corn seed of event MIR162 disclosed above on 23 January 2007 in accordance with the Budapest Treaty at the American Type Culture Collection (ATCC), 1801 University Boulevard, Manassas, VA 20110 under ATCC Accession No. PTA-8166. The deposit will be maintained in the depositary for a period of 30 years, or 5 years after the last request, or the effective life of the patent, whichever is longer, and will be replaced as necessary during that period. Applicants impose no restrictions on the availability of the deposited material from the ATCC; however, Applicants have no authority to waive any restrictions imposed by law on the transfer of biological material or its transportation in commerce. Applicants do not waive any infringement of their rights granted under this patent or under the Plant Variety Protection Act (7 USC 2321 et seq.).

SEQUENCE LISTING IN ELECTRONIC FORM

In accordance with Section 111(1) of the Patent Rules, this description contains a sequence listing in electronic form in ASCII text format (file: 30506-87D Seq 19-NOV-08 v1.txt).

A copy of the sequence listing in electronic form is available from the Canadian Intellectual Property Office.

The sequences in the sequence listing in electronic form are reproduced in the following table.

SEQUENCE TABLE

<110> Syngenta Participations AG
Long, NyKoll
Pulliam, Derrick
Hart, Hope
Bottoms, Jeff
Meghji, Moez
Que, Qiudeng

<120> Corn Event MIR162

<130> 30506-87D

<160> 107

<170> PatentIn version 3.3

<210> 1

<211> 2370

<212> DNA

<213> Artificial Sequence

<220>

<223> vip3Aa20 coding sequence

<400> 1

atgaacaaga	acaacaccaa	gctgagcacc	cgcgccctgc	cgagcttcat	cgactacttc	60
aacggcatct	acggcttcgc	caccggcatc	aaggacatca	tgaacatgat	cttcaagacc	120
gacaccggcg	gcgacctgac	cctggacgag	atcctgaaga	accagcagct	gctgaacgac	180
atcagcggca	agctggacgg	cgtgaacggc	agcctgaacg	acctgatcgc	ccagggcaac	240
ctgaacaccg	agctgagcaa	ggagatcctt	aagatcgcca	acgagcagaa	ccaggtgctg	300
aacgacgtga	acaacaagct	ggacgccatc	aacaccatgc	tgcgcggtga	cctgccgaag	360
atcaccagca	tgctgagcga	cgtgattaag	cagaactacg	ccctgagcct	gcagatcgag	420
tacctgagca	agcagctgca	ggagatcagc	gacaagctgg	acatcatcaa	cgtgaacgtc	480
ctgatcaaca	gcacctgac	cgagatcacc	ccggcctacc	agcgcatcaa	gtacgtgaac	540
gagaagtctc	aagagctgac	cttcgccacc	gagaccagca	gcaagggtgaa	gaaggacggc	600
agcccggccg	acatcctgga	cgagctgacc	gagctgaccg	agctggcgaa	gagcgtgacc	660
aagaacgacg	tggacggctt	cgagttctac	ctgaacacct	tccacgacgt	gatggtgggc	720
aacaacctgt	tcggccgcag	cgccctgaag	accgccagcg	agctgatcac	caaggagAAC	780
gtgaagacca	gcggcagcga	ggtgggcaac	gtgtacaact	tcctgatcgt	gctgaccgcc	840
ctgcaggccc	aggccttctt	gaccctgacc	acctgtcgca	agctgctggg	cctggccgac	900

```

atcgactaca ccagcatcat gaacgagcac ttgaacaagg agaaggagga gttccgcgtg 960
aacatcctgc cgaccctgag caacaccttc agcaacccga actacgcca ggtgaagggc 1020
agcgacgagg acgccaagat gatcgtggag gctaagccgg gccacgcgtt gatcggcttc 1080
gagatcagca acgacagcat caccgtgctg aaggtgtacg aggccaagct gaagcagaa 1140
taccaggtgg acaaggacag cttgagcgag gtgatctacg gcgacatgga caagctgctg 1200
tgtccggacc agagcgagca aatctactac accaacaaca tcgtgttccc gaacgagtac 1260
gtgatcacca agatcgactt caccaagaag atgaagaccc tgcgctacga ggtgaccgcc 1320
aactttctacg acagcagcac cggcgagatc gacctgaaca agaagaagg ggagagcagc 1380
gagggccgagt accgcaccct gagcgcgaa gacgacggcg tctacatgcc actgggcgtg 1440
atcagcgaga ccttcctgac cccgatcaac ggctttggcc tgcaggccga cgagaacagc 1500
cgctgatca ccctgacctg taagagctac ctgcgcgagc tgctgctagc caccgacctg 1560
agcaacaagg agaccaagct gatcgtgcca ccgagcggct tcatcagcaa catcgtggag 1620
aacggcagca tcgaggagga caacctggag ccgtggaagg ccaacaacaa gaacgcctac 1680
gtcgaccaca ccggcggcgt gaacggcacc aaggccctgt acgtgcacaa ggacggcggc 1740
atcagccagt tcatcggcga caagctgaag ccgaagaccg agtacgtgat ccagtacacc 1800
gtgaagggca agccatcgat tcacctgaag gacgagaaca ccggctacat ccactacgag 1860
gacaccaaca acaacctgga ggactaccag accatcaaca agcgcttcac caccggcacc 1920
gacctgaagg gcgtgtacct gatcctgaag agccagaacg gcgacgaggc ctggggcgac 1980
aacttcatca tcctggagat cagcccgagc gagaagctgc tgagcccgga gctgatcaac 2040
accaacaact ggaccagcac cggcagcacc aacatcagcg gcaacaccct gaccctgtac 2100
cagggcggcc gcggcatcct gaagcagaac ctgcagctgg acagcttcag cacctaccgc 2160
gtgtacttca gcgtgagcgg cgacgccaac gtgcgcatec gcaactcccg cgaggtgctg 2220
ttcgagaaga ggtacatgag cggcgccaag gacgtgagcg agatgttcac caccaagttc 2280
gagaaggaca acttctacat cgagctgagc cagggcaaca acctgtacgg cggcccgatc 2340
gtgcacttct acgacgtgag catcaagtag 2370

```

```

<210> 2
<211> 789
<212> PRT
<213> Artificial Sequence

```

```

<220>
<223> Vip3Aa toxin

```

```

<220>
<221> MISC_FEATURE
<222> (1)..(789)
<223> Vip3Aa20 protein produced by MIR162

```

```

<400> 2
Met Asn Lys Asn Asn Thr Lys Leu Ser Thr Arg Ala Leu Pro Ser Phe
1          5          10          15
Ile Asp Tyr Phe Asn Gly Ile Tyr Gly Phe Ala Thr Gly Ile Lys Asp
20          25          30
Ile Met Asn Met Ile Phe Lys Thr Asp Thr Gly Gly Asp Leu Thr Leu
35          40          45
Asp Glu Ile Leu Lys Asn Gln Gln Leu Leu Asn Asp Ile Ser Gly Lys
50          55          60
Leu Asp Gly Val Asn Gly Ser Leu Asn Asp Leu Ile Ala Gln Gly Asn
65          70          75          80
Leu Asn Thr Glu Leu Ser Lys Glu Ile Leu Lys Ile Ala Asn Glu Gln
85          90          95
Asn Gln Val Leu Asn Asp Val Asn Asn Lys Leu Asp Ala Ile Asn Thr
100         105         110
Met Leu Arg Val Tyr Leu Pro Lys Ile Thr Ser Met Leu Ser Asp Val
115         120         125

```

Ile	Lys	Gln	Asn	Tyr	Ala	Leu	Ser	Leu	Gln	Ile	Glu	Tyr	Leu	Ser	Lys	130	135	140
Gln	Leu	Gln	Glu	Ile	Ser	Asp	Lys	Leu	Asp	Ile	Ile	Asn	Val	Asn	Val	145	150	155
Leu	Ile	Asn	Ser	Thr	Leu	Thr	Glu	Ile	Thr	Pro	Ala	Tyr	Gln	Arg	Ile	165	170	175
Lys	Tyr	Val	Asn	Glu	Lys	Phe	Glu	Glu	Leu	Thr	Phe	Ala	Thr	Glu	Thr	180	185	190
Ser	Ser	Lys	Val	Lys	Lys	Asp	Gly	Ser	Pro	Ala	Asp	Ile	Leu	Asp	Glu	195	200	205
Leu	Thr	Glu	Leu	Thr	Glu	Leu	Ala	Lys	Ser	Val	Thr	Lys	Asn	Asp	Val	210	215	220
Asp	Gly	Phe	Glu	Phe	Tyr	Leu	Asn	Thr	Phe	His	Asp	Val	Met	Val	Gly	225	230	235
Asn	Asn	Leu	Phe	Gly	Arg	Ser	Ala	Leu	Lys	Thr	Ala	Ser	Glu	Leu	Ile	245	250	255
Thr	Lys	Glu	Asn	Val	Lys	Thr	Ser	Gly	Ser	Glu	Val	Gly	Asn	Val	Tyr	260	265	270
Asn	Phe	Leu	Ile	Val	Leu	Thr	Ala	Leu	Gln	Ala	Gln	Ala	Phe	Leu	Thr	275	280	285
Leu	Thr	Thr	Cys	Arg	Lys	Leu	Leu	Gly	Leu	Ala	Asp	Ile	Asp	Tyr	Thr	290	295	300
Ser	Ile	Met	Asn	Glu	His	Leu	Asn	Lys	Glu	Lys	Glu	Glu	Phe	Arg	Val	305	310	315
Asn	Ile	Leu	Pro	Thr	Leu	Ser	Asn	Thr	Phe	Ser	Asn	Pro	Asn	Tyr	Ala	325	330	335
Lys	Val	Lys	Gly	Ser	Asp	Glu	Asp	Ala	Lys	Met	Ile	Val	Glu	Ala	Lys	340	345	350
Pro	Gly	His	Ala	Leu	Ile	Gly	Phe	Glu	Ile	Ser	Asn	Asp	Ser	Ile	Thr	355	360	365
Val	Leu	Lys	Val	Tyr	Glu	Ala	Lys	Leu	Lys	Gln	Asn	Tyr	Gln	Val	Asp	370	375	380
Lys	Asp	Ser	Leu	Ser	Glu	Val	Ile	Tyr	Gly	Asp	Met	Asp	Lys	Leu	Leu	385	390	395
Cys	Pro	Asp	Gln	Ser	Glu	Gln	Ile	Tyr	Tyr	Thr	Asn	Asn	Ile	Val	Phe	405	410	415
Pro	Asn	Glu	Tyr	Val	Ile	Thr	Lys	Ile	Asp	Phe	Thr	Lys	Lys	Met	Lys	420	425	430
Thr	Leu	Arg	Tyr	Glu	Val	Thr	Ala	Asn	Phe	Tyr	Asp	Ser	Ser	Thr	Gly	435	440	445
Glu	Ile	Asp	Leu	Asn	Lys	Lys	Lys	Val	Glu	Ser	Ser	Glu	Ala	Glu	Tyr	450	455	460
Arg	Thr	Leu	Ser	Ala	Asn	Asp	Asp	Gly	Val	Tyr	Met	Pro	Leu	Gly	Val	465	470	475
Ile	Ser	Glu	Thr	Phe	Leu	Thr	Pro	Ile	Asn	Gly	Phe	Gly	Leu	Gln	Ala	485	490	495
Asp	Glu	Asn	Ser	Arg	Leu	Ile	Thr	Leu	Thr	Cys	Lys	Ser	Tyr	Leu	Arg	500	505	510
Glu	Leu	Leu	Leu	Ala	Thr	Asp	Leu	Ser	Asn	Lys	Glu	Thr	Lys	Leu	Ile	515	520	525
Val	Pro	Pro	Ser	Gly	Phe	Ile	Ser	Asn	Ile	Val	Glu	Asn	Gly	Ser	Ile	530	535	540
Glu	Glu	Asp	Asn	Leu	Glu	Pro	Trp	Lys	Ala	Asn	Asn	Lys	Asn	Ala	Tyr	545	550	555
Val	Asp	His	Thr	Gly	Gly	Val	Asn	Gly	Thr	Lys	Ala	Leu	Tyr	Val	His	565	570	575
Lys	Asp	Gly	Gly	Ile	Ser	Gln	Phe	Ile	Gly	Asp	Lys	Leu	Lys	Pro	Lys	580	585	590

Thr Glu Tyr Val Ile Gln Tyr Thr Val Lys Gly Lys Pro Ser Ile His
 595 600 605
 Leu Lys Asp Glu Asn Thr Gly Tyr Ile His Tyr Glu Asp Thr Asn Asn
 610 615 620
 Asn Leu Glu Asp Tyr Gln Thr Ile Asn Lys Arg Phe Thr Thr Gly Thr
 625 630 635 640
 Asp Leu Lys Gly Val Tyr Leu Ile Leu Lys Ser Gln Asn Gly Asp Glu
 645 650 655
 Ala Trp Gly Asp Asn Phe Ile Ile Leu Glu Ile Ser Pro Ser Glu Lys
 660 665 670
 Leu Leu Ser Pro Glu Leu Ile Asn Thr Asn Asn Trp Thr Ser Thr Gly
 675 680 685
 Ser Thr Asn Ile Ser Gly Asn Thr Leu Thr Leu Tyr Gln Gly Gly Arg
 690 695 700
 Gly Ile Leu Lys Gln Asn Leu Gln Leu Asp Ser Phe Ser Thr Tyr Arg
 705 710 715 720
 Val Tyr Phe Ser Val Ser Gly Asp Ala Asn Val Arg Ile Arg Asn Ser
 725 730 735
 Arg Glu Val Leu Phe Glu Lys Arg Tyr Met Ser Gly Ala Lys Asp Val
 740 745 750
 Ser Glu Met Phe Thr Thr Lys Phe Glu Lys Asp Asn Phe Tyr Ile Glu
 755 760 765
 Leu Ser Gln Gly Asn Asn Leu Tyr Gly Gly Pro Ile Val His Phe Tyr
 770 775 780
 Asp Val Ser Ile Lys
 785

<210> 3
 <211> 14405
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Plasmid pNOV1300

<400> 3
 atgaacaaga acaacaccaa gctgagcacc cgcgccctgc cgagcttcat cgactacttc 60
 aacggcatct acggcttcgc caccggcatc aaggacatca tgaacatgat cttcaagacc 120
 gacaccggcg gcgacctgac cctggacgag atcctgaaga accagcagct gctgaacgac 180
 atcagcggca agctggacgg cgtgaacggc agcctgaacg acctgatcgc ccagggcaac 240
 ctgaacaccg agctgagcaa ggagatcctt aagatcgcca acgagcagaa ccaggtgctg 300
 aacgacgtga acaacaagct ggacgccatc aacaccatgc tgcgcgtgta cctgccgaag 360
 atcaccagca tgctgagcga cgtgatgaag cagaactacg ccctgagcct gcagatcgag 420
 tacctgagca agcagctgca ggagatcagc gacaagctgg acatcatcaa cgtgaacgtc 480
 ctgatcaaca gcaccctgac cgagatcacc ccggcctacc agcgcaccaa gtacgtgaac 540
 gagaagtctg aagagctgac cttcgccacc gagaccagca gcaaggtgaa gaaggacggc 600
 agcccggccg acatcctgga cgagctgacc gagctgaccg agctggcgaa gagcgtgacc 660
 aagaacgacg tggacggctt cgagttctac ctgaacacct tccacgacgt gatggtgggc 720
 aacaacctgt tcggccgcag cgccctgaag accgccagcg agctgatcac caaggagaac 780
 gtgaagacca gcggcagcga ggtgggcaac gtgtacaact tcctgatcgt gctgaccgcc 840
 ctgcaggccc aggccttcct gaccctgacc acctgtcgca agctgctggg cctggccgac 900
 atcgactaca ccagcatcat gaacgagcac ttgaacaagg agaaggagga gttccgcgtg 960
 aacatcctgc cgaccctgag caacaccttc agcaaccgga actacgcaa ggtgaagggc 1020
 agcgacgagg acgccaagat gatcgtggag gctaagccgg gccacgcgtt gatcggcttc 1080
 gagatcagca acgacagcat caccgtgctg aaggtgtacg aggccaagct gaagcagaac 1140
 taccaggtgg acaaggacag cttgagcgag gtgatctacg gcgacatgga caagctgctg 1200
 tgtccggacc agagcgagca aatctactac accaacaaca tcgtgttccc gaacgagtac 1260

gtgatcacca	agatcgactt	caccaagaag	atgaagaccc	tgcgctacga	ggtgaccgcc	1320
aacttctacg	acagcagcac	cggcgagatc	gacctgaaca	agaagaaggt	ggagagcagc	1380
gaggccgagt	accgcaccct	gagcgcgaac	gacgacggcg	tctacatgcc	actgggcggtg	1440
atcagcgaga	ccttcctgac	cccgatcaac	ggctttggcc	tgcaggccga	cgagaacagc	1500
cgcctgatca	ccctgacctg	taagagctac	ctgcgcgagc	tgctgctagc	caccgacctg	1560
agcaacaagg	agaccaagct	gatcgtgcca	ccgagcggct	tcatacagca	catcgtggag	1620
aacggcagca	tcgaggagga	caacctggag	ccgtggaagg	ccaacaacaa	gaacgcctac	1680
gtggaccaca	ccggcggcgt	gaacggcacc	aaggccctgt	acgtgcacaa	ggacggcggc	1740
atcagccagt	tcatacggcg	caagctgaag	ccgaagaccg	agtacgtgat	ccagtacacc	1800
gtgaagggca	agccatcgat	tcacctgaag	gacgagaaca	ccggctacat	ccactacgag	1860
gacaccaaca	acaacctgga	ggactaccag	accatcaaca	agcgcttcac	caccggcacc	1920
gacctgaagg	gcgtgtacct	gatcctgaag	agccagaacg	gcgacgaggc	ctggggcgac	1980
aacttcatca	tcctggagat	cagcccgcgc	gagaagctgc	tgagcccggg	gctgatcaac	2040
accaacaact	ggaccagcac	cggcagcacc	aacatcagcg	gcaacaccct	gaccctgtac	2100
cagggcggcc	gcggcatcct	gaagcagaac	ctgcagctgg	acagcttcag	cacctaccgc	2160
gtgtacttca	gcgtgagcgg	cgacgccaac	gtgcgcaccc	gcaactcccg	cgaggtgctg	2220
ttcgagaaga	ggtacatgag	cggcgccaag	gacgtgagcg	agatgttcac	caccaagttc	2280
gagaaggaca	acttctacat	cgagctgagc	cagggcaaca	acctgtacgg	cggcccgcgc	2340
gtgcacttct	acgacgtgag	catcaagtag	gagctctaga	tctgttctgc	acaaagtgga	2400
gtagtacgtc	atcgatcagg	aaccagacac	cagactttta	ttcatacagt	gaagtgaagt	2460
gaagtgcagt	gcagtgaagt	gctgggtttt	gtacaactta	gtatgtattt	gtatttgtaa	2520
aatacttcta	tcaataaaat	ttctaattcc	taaaaccaa	atccaggggt	accagcttgc	2580
atgcctgcag	tgcagcgtga	cccggtcgtg	cccctctcta	gagataatga	gcattgcatg	2640
tctaagttat	aaaaaattac	cacatatatt	ttttgtcaca	cttgtttgaa	gtgcagttta	2700
tctatcttta	tacatatatt	taaactttac	tctacgaata	atataatcta	tagtactaca	2760
ataatatcag	tgtttttagag	aatcatataa	atgaacagtt	agacatgggc	taaaggacaa	2820
ttgagtattt	tgacaacagg	actctacagt	tttatctttt	tagtgtgcat	gtgttctcct	2880
ttttttttgc	aaatagcttc	acctatataa	tacttcatcc	attttattag	tacatccatt	2940
tagggtttag	ggttaatggg	ttttatagac	taattttttt	agtacatcta	ttttattcta	3000
tttttagcctc	taaattaaga	aaactaaaac	tctatttttag	tttttttatt	taataattta	3060
gatataaaaat	agaataaaat	aaagtgacta	aaaattaaac	aaataccctt	taagaaatta	3120
aaaaaactaa	ggaaacattt	ttcttggttc	gagtagataa	tgccagcctg	ttaaacgcgc	3180
tcgacgagtc	taacggacac	caaccagcga	accagcagcg	tcgcgtcggg	ccaagcgaag	3240
cagacggcac	ggcatctctg	tcgctgcctc	tggaaccctc	tcgagagttc	cgctccaccg	3300
ttggacttgc	tcgcgtgtcg	gcataccaga	attgcgtggc	ggagcggcag	acgtgagccg	3360
gcacggcagg	cggcctcctc	ctcctctcac	ggcaccggca	gctacggggg	attcctttcc	3420
caccgctcct	tcgctttccc	ttcctcgccc	gcccgaataa	atagacaccc	cctccacacc	3480
ctctttcccc	aacctcgtgt	tggtcggagc	gcacacacac	acaaccagat	ctcccccaaa	3540
tcacaccgctc	ggcacctccg	cttcaaggta	cgcgcgtcgt	cctccccccc	ccccctctc	3600
taccttctct	agatcggcgt	tcgggtccat	ggttagggcc	cggtagttct	acttctgttc	3660
atgttttgtgt	tagatccgtg	tttgtgttag	atccgtgctg	ctagcgttcg	tacacggatg	3720
cgacctgtac	gtcagacacg	ttctgattgc	taacttgcca	gtgtttctct	ttggggaatc	3780
ctgggatggc	tctagccgtt	cgcgagacgg	gatcgatttc	atgatttttt	ttgtttcggt	3840
gcatagggtt	tggtttgccc	ttttccttta	tttcaatata	tgccgtgcac	ttgtttgtcg	3900
ggtcatcttt	tcatagcttt	ttttgtcttg	gttgtgatga	tgtggtctgg	ttgggcggtc	3960
gttctagatc	ggagtagaat	tctgtttcaa	actacctggg	ggatttatta	attttggatc	4020
tgtatgtgtg	tgccatacat	attcatagtt	acgaattgaa	gatgatggat	ggaaatatcg	4080
atctaggata	ggtatacatg	ttgatgcggg	ttttactgat	gcataatacag	agatgctttt	4140
tggttcgcttg	gttgtgatga	tgtgggtgtg	ttgggcggtc	gttcattcgt	tctagatcgg	4200
agtagaatac	tgtttcaaac	tacctgggtg	atttattaat	tttggaactg	tatgtgtgtg	4260
tcatacatct	tcatagttac	gagtttaaga	tggtatggaa	tatcgatcta	ggataggtat	4320
acatgttgat	gtgggtttta	ctgatgcata	tacatgatgg	catatgcagc	atctattcat	4380
atgctctaac	cttgagtacc	tatctattat	aataaacaag	tatgttttat	aattattttg	4440
atcttgatat	acttggtatg	tggcatatgc	agcagctata	tgtggatttt	tttagccctg	4500
ccttcatacg	ctattttatt	gcttggtact	gtttcttttg	tcgatgctca	ccctgttggt	4560
tggtgttact	tctgcaggga	tcccgcgatc	tgcaaaaact	cattaactca	gtgcaaaaact	4620
atgcctgggg	cagcaaaaacg	gcgttgactg	aactttatgg	tatggaaaat	ccgtccagcc	4680
agccgatggc	cgagctgtgg	atgggcgcac	atccgaaaag	cagttcacga	gtgcagaatg	4740

cgcgcggaga	tatcgtttca	ctgcgtgatg	tgattgagag	tgataaatcg	actctgctcg	4800
gagaggccgt	tgccaaacgc	tttggcgaac	tgcccttcct	gttcaaagta	ttatgcgcag	4860
cacagccact	ctccattcag	gttcatccaa	acaaacacaa	ttctgaaatc	ggttttgcca	4920
aagaaaatgc	cgcaggtatc	ccgatggatg	ccgcccagcg	taactataaa	gacctaacc	4980
acaagccgga	gctggttttt	gcgctgaocg	ctttccttgc	gatgaacgcg	tttcgtgaat	5040
tttccgagat	tgtctcccta	ctccagccgg	tcgcaggtgc	acatccggcg	attgctcact	5100
ttttacaaca	gcctgatgcc	gaacgtttta	gcgaactgtt	cgccagcctg	ttgaatatgc	5160
agggtgaaga	aaaatcccgc	gcgctggcga	ttttaaaatc	ggccctcgat	agccagcagg	5220
gtgaaccgtg	gcaaacgatt	cgttttaattt	ctgaattttta	cccgaagac	agcgggtctgt	5280
tctccccgct	attgctgaat	gtgggtgaaat	tgaaccctgg	cgaagcgatg	ttcctgttcg	5340
ctgaaacacc	gcacgcttac	ctgcaaggcg	tggcgctgga	agtgatggca	aactccgata	5400
acgtgctgcg	tgcgggtctg	acgcctaaat	acattgatat	tccggaactg	gttgccaatg	5460
tgaaattcga	agccaaaccg	gctaaccagt	tgttgaccca	gccggtgaaa	caaggtgcag	5520
aactggactt	cccgattcca	gtggatgatt	ttgccttctc	gctgcatgac	cttagtgata	5580
aagaaaccac	cattagccag	cagagtgcgc	ccattttgtt	ctgcgtcgaa	ggcgatgcaa	5640
cgttgtggaa	aggttctcag	cagttacagc	ttaaaccggg	tgaatcagcg	tttattgccg	5700
ccaacgaatc	accggtgact	gtcaaaggcc	acggccggtt	agcgcgtgtt	tacaacaagc	5760
tgtaagagct	tactgaaaaa	attaacatct	cttgctaage	tgggagctcg	atccgtcgac	5820
ctgcagatcg	ttcaaacatt	tggcaataaa	gtttcttaag	attgaatcct	gttgccggtc	5880
ttgcgatgat	tatcatataa	tttctgttga	attacgttaa	gcattgtaata	attaacatgt	5940
aatgcatgac	gttatattatg	agatgggttt	ttatgattag	agtcccgcga	ttatacatatt	6000
aatacgcgat	agaaaacaaa	atatagcgcg	caaactagga	taaattatcg	cgcgcggtgt	6060
catctatgtt	actagatccc	cgggtctaga	caattcagta	cattaaaaac	gtccgcaatg	6120
tgttattaag	ttgtctaagc	gtcaatttgt	ttacaccaca	atatatcctg	ccaccagcca	6180
gccaacagct	ccccgaccgg	cagctcggca	caaaatcacc	actcgataca	ggcagcccat	6240
cagtcgggga	cggcgtcagc	gggagagccg	ttgtaaggcg	gcagactttg	ctcatgttac	6300
cgatgctatt	cgaagaacg	gcaactaagc	tgccgggttt	gaaacacgga	tgatctcgcg	6360
gagggtagca	tgttgattgt	aacgatgaca	gagcgttgct	gcctgtgatc	aaatatcatc	6420
tccctcgag	agatccgaat	tatcagcctt	cttattcatt	tctcgcttaa	ccgtgacagg	6480
ctgtcgatct	tgagaactat	gccgacataa	taggaaatcg	ctggataaag	ccgctgagga	6540
agctgagtgg	cgtatattct	ttagaagtga	acgttgacga	tcgtcgaccg	taccccgatg	6600
aattaattcg	gacgtacgtt	ctgaacacag	ctggataact	acttgggcga	ttgtcataca	6660
tgacatcaac	aatgtacccg	tttgtgtaac	cgtctcttgg	aggttcgtat	gacactagtg	6720
gttcccctca	gcttgcgact	agatgttgag	gcctaacatt	ttattagaga	gcaggctagt	6780
tgcttagata	catgatcttc	aggccgttat	ctgtcagggc	aagcgaaaat	tggccattta	6840
tgacgaccaa	tgccccgcag	aagctcccat	ctttgccgcc	atagacgcgc	cgcccccctt	6900
ttgggggtgta	gaacatcctt	ttgccagatg	tggaaaagaa	gttcggtgtc	ccattgttgg	6960
caatgacgta	gtagccggcg	aaagtgcgag	acccatttgc	gctatatata	agcctacgat	7020
ttccgttgcg	actattgtcg	taattggatg	aactattatc	gtagttgctc	tcagagttgt	7080
cgtaatttga	tggactattg	tcgtaattgc	ttatggagtt	gtcgtagttg	cttggagaaa	7140
tgtcgtagtt	ggatggggag	tagtcatagg	gaagacgagc	ttcatccact	aaaacaattg	7200
gcaggtcagc	aagtgcctgc	cccgatgcca	tcgcaagtac	gaggcttaga	accaccttca	7260
acagatcgcg	catagtcttc	cccagctctc	taacgcttga	gttaagccgc	gccgcgaagc	7320
ggcgtcggct	tgaacgaatt	gttagacatt	atthgccgac	taccttggtg	atctcgccct	7380
tcacgtagtg	aacaaattct	tccaactgat	ctgcgcgcga	ggccaagcga	tcttcttgtc	7440
caagataagc	ctgcctagct	tcaagtatga	cgggctgata	ctgggcgcgc	aggcgctcca	7500
ttgccagtc	ggcagcgaca	tccttcggcg	cgattttgcc	ggttactgcg	ctgtaccaa	7560
tgcgggacaa	cgtaagcaat	acatttcgct	catcgccagc	ccagtcgggc	ggcgagttcc	7620
atagcgttta	ggtttcattt	agcgctcaa	atagatcctg	ttcaggaacc	ggatcaaaga	7680
gttcctccgc	cgttggaact	accaaggcaa	cgtatgttct	tcttgctttt	gtcagcaaga	7740
tagccagatc	aatgtcgatc	gtggctggct	cgaagatacc	tgcaagaatg	tcattgcgct	7800
gccattctcc	aaattgcagt	tcgcgcttag	ctggataacg	ccacggaatg	atgtcgtcgt	7860
gcacaacaat	ggtgacttct	acagcgcgga	gaatctcgct	ctctccaggg	gaagccgaag	7920
tttccaaaag	gtcgttgatc	aaagctcgcc	gcgttggttc	atcaagcctt	acggtcaccg	7980
taaccagcaa	atcaatatca	ctgtgtggct	tcaggccgcc	atccactgcg	gagccgtaca	8040
aatgtacggc	cagcaacgct	ggttcgagat	ggcgctcgat	gacgccaaact	acctctgata	8100
gttgagtcga	tacttcggcg	atcacgcctt	ccctcatgat	gtttaactcc	tgaattaagc	8160
cgcgccgcga	agcgggtgctg	gcttgaatga	attgttaggc	gtcatcctgt	gctcccagaga	8220

accagtacca	gtacatcgct	gtttcgttcg	agacttgagg	tctagtttta	tacgtgaaca	8280
ggtcaatgcc	gccgagagta	aagccacatt	ttgcgtacaa	attgcaggca	ggtacattgt	8340
tcgttttgtgt	ctctaategt	atgccaagga	gctgtctgct	tagtgcccac	tttttcgcaa	8400
attcgatgag	actgtgcgcg	actcctttgc	ctcgggtgcg	gtgcgacaca	acaatgtgtt	8460
cgatagaggg	tagatcgttc	catggttgagt	tgagttcaat	cttcccgaca	agctcttggt	8520
cgatgaatgc	gccatagcaa	gcagagtctt	catcagagtc	atcatccgag	atgtaatcct	8580
tccggtaggg	gctcacactt	ctggtagata	gttcaaagcc	ttggtcggat	aggtgcacat	8640
cgaacacttc	acgaacaatg	aaatggttct	cagcatccaa	tgtttccgcc	acctgctcag	8700
ggatcaccga	aatcttcata	tgacgcctaa	cgcctggcac	agcggatcgc	aaacctggcg	8760
cggcttttgg	cacaaaaggc	gtgacagggt	tgcgaatccg	ttgctgccac	ttgttaacct	8820
ttttgccaga	tttggttaact	ataatttatg	ttagaggcga	agtcttgggg	aaaaactggc	8880
ctaaaattgc	tggggatttc	aggaaagtaa	acatcacctt	ccggctcgat	gtctattgta	8940
gatatatgta	gtgtatctac	ttgatcgggg	gatctgctgc	ctcgcgcggt	tcgggtgatga	9000
cgggtgaaaac	ctctgacaca	tgcagctccc	ggagacgggt	acagcttgct	tgtaagcgga	9060
tgccggggagc	agacaagccc	gtcagggcgc	gtcagcgggt	gttggcgggt	gtcggggcgc	9120
agccatgacc	cagtcacgta	gcgatagcgg	agtgtatact	ggcttaacta	tgccggcatca	9180
gagcagattg	tactgagagt	gcaccatatg	cgggtgtgaa	taccgcacag	atgcgtaagg	9240
agaaaatacc	gcacagggcg	ctcttcgcgt	tcctcgctca	ctgactcgct	gcgctcgggt	9300
gttcggctgc	ggcgagcggg	atcagctcac	tcaaaggcgg	taatacgggt	atccacagaa	9360
tcaggggata	acgcaggaaa	gaacatgtga	gcaaaaggcc	agcaaaaggc	caggaaccgt	9420
aaaaaggccg	cgttgctggc	gtttttccat	aggctccgcc	cccctgacga	gcacacaaa	9480
aatcgacgct	caagtcagag	gtggcgaaac	ccgacaggac	tataaagata	ccaggcggtt	9540
ccccctggaa	gctccctcgt	gcgctctcct	gttccgaccc	tgccgcttac	cggataacctg	9600
tccgcctttc	tcccttcggg	aagcgtggcg	ctttctcata	gctcacgctg	taggtatctc	9660
agttcgggtgt	aggtcgttcg	ctccaagctg	ggctgtgtgc	acgaaccccc	cgttcagccc	9720
gaccgctgcg	ccttatccgg	taactatcgt	cttgagtcca	accgggtaag	acacgactta	9780
tcgccactgg	cagcagccac	tggtaacagg	attagcagag	cgaggatatgt	aggcgggtgct	9840
acagagttct	tgaagtgggt	gcctaactac	ggctacacta	gaaggacagt	atgttggtatc	9900
tgcgctctgc	tgaagccagt	taccttcgga	aaaagagttg	gtagctcttg	atccggcaaa	9960
caaaccaccg	ctggtagcgg	tgggtttttt	gtttgcaagc	agcagattac	gcgcagaaaa	10020
aaaggatctc	aagaagatcc	tttgatcttt	tctacggggg	ctgacgctca	gtggaacgaa	10080
aactcacggt	aagggttttt	ggtcatgaga	ttatcaaaaa	ggatcttcac	ctagatcctt	10140
ttaaattaaa	aatgaagttt	taaatcaatc	taaagtatat	atgagtaaac	ttgggtctgac	10200
agttaccaat	gcttaatcag	tgaggcacct	atctcagcga	tctgtctatt	tcgttcaccc	10260
atagttgcct	gactccccgt	cgtgtagata	actacgatac	gggaggggct	accatctggc	10320
cccagtgcgt	caatgatacc	gcgagaccca	cgtccaccgg	ctccagattt	atcagcaata	10380
aaccagccag	ccggaagggg	cgagcgcaga	agtggctcct	caactttatc	cgcctccatc	10440
cagtcctatta	attggtgccg	ggaagctaga	gtaagtagtt	cgccagttaa	tagtttgccg	10500
aacgttggtg	ccattgctgc	aggggggggg	gggggggggt	tccattgttc	attccacgga	10560
caaaaacaga	gaaaggaaac	gacagaggcc	aaaaagctcg	ctttcagcac	ctgtcgtttc	10620
ctttcttttc	agaggggtatt	ttaaataaaa	acattaagtt	atgacgaaga	agaacggaaa	10680
cgccttaaac	cggaaaattt	tcataaatag	cgaaaaccgc	cgaggtcgcc	gccccgtaac	10740
ctgtcggatc	accggaaaagg	acccgtaaaag	tgataatgat	tatcatctac	atatcacaac	10800
gtgcgtggag	gccatcaaac	cacgtcaaat	aatcaattat	gacgcaggta	tcgtattaat	10860
tgatctgcat	caacttaacg	taaaaacaac	ttcagacaat	acaaatcagc	gacactgaat	10920
acggggcaac	ctcatgtccc	cccccccccc	ccccctgcag	gcacgtgggt	gtcacgctcg	10980
tcgttttggt	tggcttcatt	cagctccggg	tcccaacgat	caaggcaggt	tacatgatcc	11040
cccatgttgt	gcaaaaaagc	ggttagctcc	ttcggctcct	cgatcggtgt	cagaagtaag	11100
ttggccgcag	tggttatcact	catggttatg	gcagcactgc	ataattctct	tactgtcatg	11160
ccatccgtaa	gatgcttttc	tgtgactggg	gagtactcaa	ccaagtcatt	ctgagaatag	11220
tgtatgcggc	gaccgagttg	ctcttgcccc	gcgtcaaacac	gggataatac	cgcgccacat	11280
agcagaactt	taaaagtgtc	catcattgga	aaacgtttct	cggggcgaaa	actctcaagg	11340
atcttaccgc	tggtgagatc	cagttcgatg	taaccacttc	gtgcacccaa	ctgatcttca	11400
gcacctttta	ctttcaccag	cgtttctggg	tgagcaaaaa	caggaaggca	aaatgccgca	11460
aaaaagggaa	taaggggcag	acggaaatgt	tgaatactca	tactcttccct	ttttcaatat	11520
tattgaagca	tttatcaggg	ttattgtctc	atgagcggat	acataatttga	atgtatttag	11580
aaaaataaac	aaataggggt	tccgcgcaca	tttccccgaa	aagtgccacc	tgacgtctaa	11640
gaaaccatta	ttatcatgac	attaacctat	aaaaataggg	gtatcacgag	gccctttcgt	11700

```

cttcaagaat tggtecgacga tcttgctgcg ttccgatatt ttcgtggagt tcccgccaca 11760
gacccggatt gaaggcgaga tccagcaact cgcgccagat catcctgtga cggaactttg 11820
gcgcgtgatg actggccagg acgtcggccg aaagagcgac aagcagatca cgcttttcga 11880
cagcgtcgga tttgcgatcg aggatttttc ggcgctgcgc tacgtccgcg accgcgttga 11940
gggatcaagc cacagcagcc cactcgacct tctagccgac ccagacgagc caagggatct 12000
ttttggaatg ctgctccgtc gtcaggcttt ccgacgtttg ggtggttgaa cagaagtcac 12060
tatcgcacgg aatgccaagc actcccagg ggaaccctgt ggttggtcatg cacatacaaa 12120
tggacgaacg gataaacctt ttcaagccct tttaaataac cgattattct aataaacgct 12180
cttttctctt aggtttaccc gccaatatat cctgtcaaac actgatagtt taaactgaag 12240
gcgggaaacg acaatctgat catgagcgga gaattaaggg agtcacgtta tgaccccccgc 12300
cgatgacgcg ggacaagccg ttttacgttt ggaactgaca gaaccgcaac gttgaaggag 12360
ccactcagca agctggtaca agcttgcatg cctgcagtcg agcgtgaccc ggtcgtgccc 12420
ctctctagag ataatagaca ttgcatgtct aagttataaa aaattaccac atattttttt 12480
tgtcacactt gtttgaagtg cagtttatct atctttatac atatatataa actttactct 12540
acgaataata taatctatag tactacaata atatcagtgt tttagagaat catataaatg 12600
aacagttaga catggtctaa aggacaattg agtattttga caacaggact ctacagtttt 12660
atcttttttag tgtgcatgtg ttctcctttt tttttgcaaa tagcttcacc tatataatac 12720
ttcatccatt ttattagtag atccatttag ggttttaggt taatggtttt tatagactaa 12780
tttttttagt acatctatct tattctatct tagcctctaa attaagaaaa ctaaaactct 12840
attttagttt ttttatatta taatttagat ataaaataga ataaaataaa gtgactaaaa 12900
attaaacaaa taccctttta gaaattaaaa aaactaagga aacatttttc ttgtttcgag 12960
tagataatgc cagcctgtta aacgccgtcg acgagctctaa cggacaccaa ccagcgaacc 13020
agcagcgtcg cgtcgggcca agcgaagcag acggcacggc atctctgtcg ctgcctctgg 13080
acccctctcg agagttccgc tccaccgttg gacttgctcc gctgtcggca tccagaaatt 13140
gcgtggcgga gcggcagacg tgagccggca cggcaggcgg cctcctcctc ctctcacggc 13200
accggcagct acgggggatt cctttccccc cgtcctctcg ctttcccttc ctgcccgcgc 13260
gtaataaata gacacccctt ccacaccctc tttccccaac ctctgtgtgt tccggagcgca 13320
cacacacaca accagatctc ccccaaattc acccgtcggc acctccgctt caaggtacgc 13380
cgctcgtcct cccccccccc cctctctctc cttctctaga tccgcttcc ggtccatggt 13440
tagggcccgg tagttctact tctgttcatg tttgtgttag atccgtgttt gtgttagatc 13500
cgtgctgcta gcgttcgtac acggatgcga cctgtacgtc agacacgttc tgattgctaa 13560
cttgccagtg tttctctttg gggaatcctg ggatggctct agccgttccg cagacgggat 13620
cgatttcatg attttttttg tttcgttgca tagggtttg tttgcccttt tcctttatct 13680
caatatatgc cgtgcacttg tttgtcgggt catcttttca tgcctttttt tgtcttggtt 13740
gtgatgatgt ggtctgggtg ggcggtcggt ctagatcgga gtagaattct gtttcaaact 13800
acctggtgga tttattaatt ttggatctgt atgtgtgtgc catacatatt catagttacg 13860
aattgaagat gatggatgga aatatcgatc taggataggt atacatgttg atgcggggtt 13920
tactgatgca tatacagaga tgctttttgt tcgcttggtt gtgatgatgt ggtgtggttg 13980
ggcggtcggt cattcgttct agatcggagt agaatactgt ttcaaactac ctggtgtatt 14040
tattaatttt ggaactgtat gtgtgtgtca tacatcttca tagttacgag ttttaagatg 14100
atggaaatat cgatctagga taggtataca tgttgatgtg ggttttactg atgcatatac 14160
atgatggcat atgcagcatc tattcatatg ctctaacctt gagtacctat ctattataat 14220
aaacaagtat gttttataat tattttgatc ttgatatact tggatgatgg catatgcagc 14280
agctatatgt ggattttttt agccctgcct tcatacgtca tttatttgct tgggtactgt 14340
tcttttgcg atgctcacc tgttggttg tgttacttct gcaggtcgac tctagaggat 14400
ccacc 14405

```

<210> 4

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Chemically synthesized - vip3Aa TAQMAN primer

<400> 4

caccttcagc aaccggaact a

21

<210> 5
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Chemmically synthesized - vip3Aa TAQMAN primer rev

 <400> 5
 gcttagcctc cacgatcatc tt 22

<210> 6
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Chemically synthesized - vip3Aa TAQMAN probe

 <400> 6
 gtcctcgtcg ctgcccttca cct 23

<210> 7
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Chemically synthesized - pmi TAQMAN primer for

 <400> 7
 ccgggtgaat cagcgttt 18

<210> 8
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Chemically synthesized - pmi TAQMAN primer rev

 <400> 8
 gccgtggcct ttgacagt 18

<210> 9
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Chemically synthesized - pmi TAQMAN probe

 <400> 9
 tgccgccaac gaatcaccgg 20

<210> 10
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - ZmADH-267 TAQMAN primer for

<400> 10
 gaacgtgtgt tgggtttgca t 21

<210> 11
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - ZmADH-267 TAQMAN primer rev

<400> 11
 tccagcaatc cttgcacctt 20

<210> 12
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized -ZmADH-267 TAQMAN probe

<400> 12
 tgcagcctaa ccatgcgcag ggta 24

<210> 13
 <211> 2370
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - vip3Aa20 probe

<400> 13
 atgaacaaga acaacaccaa gctgagcacc cgcgccctgc cgagcttcat cgactacttc 60
 aacggcatct acggcttcgc caccggcatc aaggacatca tgaacatgat cttcaagacc 120
 gacaccggcg gcgacctgac cctggacgag atcctgaaga accagcagct gctgaacgac 180
 atcagcggca agctggacgg cgtgaacggc agcctgaacg acctgatcgc ccagggcaac 240
 ctgaacaccg agctgagcaa ggagatcctt aagatcgcca acgagcagaa ccagggtgctg 300
 aacgacgtga acaacaagct ggacgccatc aacaccatgc tgcgcgtgta cctgccgaag 360
 atcaccagca tgctgagcga cgtgatgaag cagaactacg ccctgagcct gcagatcgag 420
 tacctgagca agcagctgca ggagatcagc gacaagctgg acatcatcaa cgtgaacgtc 480
 ctgatcaaca gcacctgac cgagatcacc ccggcctacc agcgcaccaa gtacgtgaac 540
 gagaagtctc aagagctgac cttcgccacc gagaccagca gcaagggtgaa gaaggacggc 600
 agcccggccg acatcctgga cgagctgacc gagctgaccg agctggcgaa gagcgtgacc 660
 aagaacgacg tggacggctt cgagttctac ctgaacacct tccacgacgt gatggtgggc 720
 aacaacctgt tcggccgcag cgcctgaag accgccagcg agctgatcac caaggagaac 780

gtgaagacca	gcggcagcga	ggtgggcaac	gtgtacaact	tcctgatcgt	gctgaccgcc	840
ctgcaggccc	aggccttcct	gaccctgacc	acctgtcgca	agctgctggg	cctggccgac	900
atcgactaca	ccagcatcat	gaacgagcac	ttgaacaagg	agaaggagga	gttccgcgtg	960
aacatcctgc	cgaccctgag	caacaccttc	agcaaccgga	actacgcca	ggtgaagggc	1020
agcgacgagg	acgccaagat	gatcgtggag	gctaagccgg	gccacgcgtt	gatcggcttc	1080
gagatcagca	acgacagcat	caccgtgctg	aagggtgtacg	aggccaagct	gaagcagaac	1140
taccaggtgg	acaaggacag	cttgagcgag	gtgatctacg	gcgacatgga	caagctgctg	1200
tgtccggacc	agagcgagca	aatctactac	accaacaaca	tcgtgttccc	gaacgagtac	1260
gtgatcacca	agatcgactt	caccaagaag	atgaagaccc	tgcgctacga	ggtgaccgcc	1320
aacttctacg	acagcagcac	cggcgagatc	gacctgaaca	agaagaaggt	ggagagcagc	1380
gaggccgagt	accgcaccct	gagcgcgaa	gacgacggcg	tctacatgcc	actgggcgtg	1440
atcagcgaga	ccttcctgac	cccgatcaac	ggctttggcc	tgcaggccga	cgagaacagc	1500
cgcctgatca	ccctgacctg	taagagctac	ctgcgcgagc	tgtctgctagc	caccgacctg	1560
agcaacaagg	agaccaagct	gatcgtgcc	ccgagcggct	tcctcagcaa	catcgtggag	1620
aacggcagca	tcgaggagga	caacctggag	ccgtggaagg	ccaacaaca	gaacgcctac	1680
gtggaccaca	ccggcggcgt	gaacggcacc	aaggccctgt	acgtgcacaa	ggacggcggc	1740
atcagccagt	tcctcggcga	caagctgaag	ccgaagaccg	agtacgtgat	ccagtacacc	1800
gtgaagggca	agccatcgat	tcacctgaag	gacgagaaca	ccggctacat	ccactacgag	1860
gacaccaaca	acaacctgga	ggactaccag	accatcaaca	agcgcttcac	caccggcacc	1920
gacctgaagg	gcgtgtacct	gatcctgaag	agccagaacg	gcgacgaggc	ctggggcgac	1980
aacttcatca	tcctggagat	cagcccgagc	gagaagctgc	tgagcccgga	gctgatcaac	2040
accaacaact	ggaccagcac	cggcagcacc	aacatcagcg	gcaacaccct	gaccctgtac	2100
cagggcggcc	gcggcatcct	gaagcagaac	ctgcagctgg	acagcttcag	cacctaccgc	2160
gtgtacttca	gcgtgagcgg	cgacgccaac	gtgcgcatcc	gcaactcccg	cgaggtgctg	2220
ttcgagaaga	ggtacatgag	cggcgccaag	gacgtgagcg	agatgttcac	caccaagttc	2280
gagaaggaca	acttctacat	cgagctgagc	cagggcaaca	acctgtacgg	cggcccgatc	2340
gtgcacttct	acgacgtgag	catcaagtag				2370

<210> 14

<211> 1176

<212> DNA

<213> Artificial Sequence

<220>

<223> Chemically synthesized - pmi probe

<400> 14

atgcaaaaac	tcattaactc	agtgcaaaac	tatgcctggg	gcagcaaaaac	ggcgttgact	60
gaactttatg	gtatggaaaa	tcggtccagc	cagccgatgg	ccgagctgtg	gatgggcgca	120
catccgaaaa	gcagttcacg	agtgcagaat	gccgcgggag	atategtttc	actgcgtgat	180
gtgattgaga	gtgataaatc	gactctgctc	ggagaggccg	ttgccaaaacg	ctttggcgaa	240
ctgcctttcc	tgttcaaagt	attatgcgca	gcacagccac	tctccattca	ggttcatcca	300
aacaaacaca	attctgaaat	cggttttgcc	aaagaaaatg	ccgcaggtat	cccgatggat	360
gccgccgagc	gtaactataa	agatcctaac	cacaagccgg	agctggtttt	tgcgctgacg	420
cctttccttg	cgatgaacgc	gtttcgtgaa	ttttccgaga	ttgtctccct	actccagccg	480
gtcgcagggtg	cacatccggc	gattgctcac	tttttacaac	agcctgatgc	cgaacgttta	540
agcgaactgt	tcgccagcct	gttgaatatg	caggggtgaag	aaaaatcccg	cgcgctggcg	600
attttaaaat	cggccctcga	tagccagcag	ggtgaaccgt	ggcaaacgat	tcgtttaatt	660
tctgaatttt	acccggaaga	cagcggctctg	ttctccccgc	tattgctgaa	tgtggtgaaa	720
ttgaaccctg	gcgaagcgat	gttcctgttc	gctgaaacac	cgcacgctta	cctgcaaggc	780
gtggcgctgg	aagtgatggc	aaactccgat	aacgtgctgc	gtgcgggtct	gacgcctaaa	840
tacattgata	ttccggaact	ggttgccaat	gtgaaattcg	aagccaaacc	ggctaaccag	900
ttgttgaccc	agccggtgaa	acaagggtgca	gaactggact	tcccgattcc	agtggatgat	960
tttgctttct	cgctgcatga	cottagtgat	aaagaaacca	ccattagcca	gcagagtgcc	1020
gccattttgt	tctgcgtcga	aggcgatgca	acgttggtga	aagggttctca	gcagttacag	1080
cttaaaccgg	gtgaatcagc	gtttattgcc	gccaacgaat	caccggtgac	tgtcaaaggc	1140
cacggccggtt	tagecgcgtgt	ttacaacaag	ctgtaa			1176

<210> 15
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - MOV3Aa-01-5' primer

<400> 15
 atgaacaaga acaacaccaa 20

<210> 16
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - MOV3Aa-01-3' primer

<400> 16
 ctacttgatg ctcacgtcgt ag 22

<210> 17
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 17
 acgagcagaa ccaggtgc 18

<210> 18
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 18
 ggtgaagaag gacggcag 18

<210> 19
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 19
 acctgtcgca agctgctggg 20

<210> 20
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Chemically synthesized

<400> 20
tggacaagct gctgtgtc

18

<210> 21
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 21
tgcaggccga cgagaacag

19

<210> 22
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 22
tgatccagta caccgtgaa

19

<210> 23
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 23
accctgaccc tgtaccag

18

<210> 24
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 24
gtgttgccgc tgatgttg

18

<210> 25
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 25
 cgtactcggt cttcggt

18

<210> 26
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 26
 ctgcaggcca aagccgtt

18

<210> 27
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 27
 tcgccgtaga tcacctcg

18

<210> 28
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemcially synthesized

<400> 28
 gcttgcgaca ggtggtca

18

<210> 29
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 29
 ttgctgctgg tctcggtgg

19

<210> 30
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 30
 cgttggcgat cttaaggat 19

<210> 31
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 31
 gcaagccatc gattcac 17

<210> 32
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 32
 gcaacaccct gaccctg 17

<210> 33
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 33
 tctacgacgt gagcatcaag 20

<210> 34
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 34
 gtagaagtgc acgatcggg 19

<210> 35
 <211> 17
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemcially synthesized

<400> 35
 cggtgctggg ccagttg

17

<210> 36
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemcially synthesized - 162INSERT-F2 primer

<400> 36
 acaccaatga tgcaaataagg c

21

<210> 37
 <211> 25
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - VIP_R4 primer

<400> 37
 gaaggtgttc aggtagaact cgaag

25

<210> 38
 <211> 2946
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemcially synthesized - vip3Aa20 5' amplicon

<400> 38
 acaccaatga tgcaaataagg ctgggaatag tctgtctaat agtttgagtg aatcatgtca 60
 ctgatagttt aaactgaagg cgggaaacga caatctgac atgagcggag aattaaggga 120
 gtcacgttat gacccccgcc gatgacgcgg gacaagccgt tttacgtttg gaactgacag 180
 aaccgcaacg ttgaaggagc cactcagcaa gctggtacaa gcttgcacgc ctgcagtgca 240
 gcgtgaccgc gtcgtgcccc tctctagaga taatgagcat tgcacgtcta agttataaaa 300
 aattaccaca tttttttttt gtcacacttg tttgaagtgc agtttatcta tctttataca 360
 tatattttaa ctttactcta cgaataatat aatctatagt actacaataa tatcagtggt 420
 ttagagaatc atataaatga acagtttagac atgggtctaaa ggacaattga gtattttgac 480
 aacaggactc tacagtttta tcttttttagt gtgcacgtgt tctccttttt ttttgcaaat 540
 agcttcacct atataatact tcatccattt tattagtaca tccatttagg gtttaggggt 600
 aatggttttt atagactaat ttttttagta catctatttt attctatttt agcctctaaa 660
 ttaagaaaac taaaactcta ttttagtttt tttatttaat aatttagata taaaatagaa 720
 taaaataaag tgactaaaaa ttaaacaat accctttaag aaattaataa aactaaggaa 780

```

acatttttct tgtttcgagt agataatgcc agcctgttaa acgccgtcga cgagtctaac 840
ggacaccaac cagcgaacca gcagcgtcgc gtcggggccaa gcgaagcaga cggcacggca 900
tctctgtcgc tgcctctgga cccctctcga gagttccgct ccaccgttgg acttgctccg 960
ctgtcggcat ccagaaattg cgtggcggag cggcagacgt gagccggcac ggcaggcggc 1020
ctcctcctcc tctcacggca ccggcagcta cgggggattc ctttcccacc gctccttcgc 1080
tttcccttcc tcgcccgcgc taataaatag acaccccctc cacaccctct ttccccaacc 1140
tcgtgttggt cggagcgcac acacacacaa ccagatctcc cccaaatcca cccgtcggca 1200
cctccgcttc aaggtacgcc gctcgtcctc cccccccccc cctctctacc ttctctagat 1260
cggcgttccg gtccatgggt agggcccggg agttctactt ctgttcatgt ttgtgttaga 1320
tccgtgtttg tgtagatcc gtgctgctag cgttcgtaca cggatgcgac ctgtacgtca 1380
gacacgttct gattgctaac ttgccagtgt ttctctttgg ggaatcctgg gatggctcta 1440
gccgttccgc agacgggatc gatttcatga ttttttttgt ttcgttgcat agggtttggt 1500
ttgccctttt cctttatttc aatatatgcc gtgcacttgt ttgtcgggtc atcttttcat 1560
gctttttttt gtcttggttg tgatgatgtg gtctgggttg gcggtcgttc tagatcggag 1620
tagaattctg tttcaaacta cctgggtgat ttattaattt tggatctgta tgtgtgtgcc 1680
atacatattc atagttacga attgaagatg atggatggaa atatcgatct aggataggta 1740
tacatgttga tgcgggtttt actgatgcac atacagagat gcttttttgt cgcttggttg 1800
tgatgatgtg gtgtggttg gcggtcgttc attcgttcta gatcggagta gaatactgtt 1860
tcaaactacc tgggtgtattt attaatattg gaactgtatg tgtgtgtcat acatcttcat 1920
agttacgagt ttaagatgga tggaaatata gatctaggat aggtatacat gttgatgtgg 1980
gtttttactga tgcataatac tgatggcata tgcagcatct attcatatgc tctaaccttg 2040
agtacctatc tattataata aacaagtatg ttttataatt attttgatct tgatatactt 2100
ggatgatggc atatgcagca gctatatgtg gattttttta gccctgcctt catacgctat 2160
ttatttgctt ggtactgttt cttttgtcga tgctcaccct gttgtttggg gttacttctg 2220
caggtcgact ctagaggatc caccatgaac aagaacaaca ccaagctgag caccgcgcc 2280
ctgccgagct tcatcgacta cttcaacggc atctacggct tcgccaccgg catcaaggac 2340
atcatgaaca tgatcttcaa gaccgacacc ggcggcgacc tgaccctgga cgagatcctg 2400
aagaaccagc agctgctgaa cgacatcagc ggcaagctgg acggcgtgaa cggcagcctg 2460
aacgacctga tcgccaggg caacctgaac accgagctga gcaaggagat ccttaagatc 2520
gccaacgagc agaaccaggg gctgaacgac gtgaacaaca agctggacgc catcaacacc 2580
atgctgcgcg tgtacctgcc gaagatcacc agcatgctga gcgacgtgat taagcagaac 2640
tacgccctga gcctgcagat cgagtacctg agcaagcagc tgcaggagat cagcgacaag 2700
ctggacatca tcaacgtgaa cgtcctgatc aacagcacc tgaccgagat caccocggcc 2760
taccagcgca tcaagtacgt gaacgagaag ttcaagagc tgaccttcgc caccgagacc 2820
agcagcaagg tgaagaagga cggcagcccg gccgacatcc tggacgagct gaccgagctg 2880
accgagctgg cgaagagcgt gaccaagaac gacgtggacg gcttcgagtt ctacctgaac 2940
accttc

```

```

<210> 39
<211> 23
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Chemically synthesized - CJB179 Primer

```

```

<400> 39
atgcaaatag gctgggaata gtc

```

23

```

<210> 40
<211> 21
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Chemically synthesized - CTRB3116 Reverse Primer

```

<400> 40
gtaccagctt gctgagtggc t 21

<210> 41
<211> 209
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized - CJB134/179 5' amplicon

<400> 41
atgcaaatag gctgggaata gtctgtctaa tagtttgagt gaatcatgtc actgatagtt 60
taaactgaag gcgggaaacg acaatctgat catgagcgga gaattaaggg agtcacgtta 120
tgacccccgc cgatgacgcg ggacaagccg ttttacgttt ggaactgaca gaaccgcaac 180
gttgaaggag ccactcagca agctggtac 209

<210> 42
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemcially synthesized - VIP-F3 primer

<400> 42
ggtgctgttc gagaagaggt 20

<210> 43
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized - PMI_REV1 primer

<400> 43
cgatttatca ctctcaatca cat 23

<210> 44
<211> 2577
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemcially synthesized - vip3Aa20 3' amplicon

<400> 44
ggtgctgttc gagaagaggt acatgagcgg cgccaaggac gtgagcgaga tgttcaccac 60
caagttcgag aaggacaact tctacatcga gctgagccag ggcaacaacc tgtacggcgg 120
cccgatcgtg cacttctacg acgtgagcat caagtaggag ctctagatct gttctgcaca 180
aagtggagta gtcagtcacg gatcaggaac cagacaccag actttttattc atacagtgaa 240
gtgaagtgaa gtgcagtgca gtgagttgct gggtttttgta caacttagta tgtatttgta 300
tttgtaaaat acttctatca ataaaatttc taattcctaa aaccaaatac caggggtacc 360

```

agcttgcatg cctgcagtgc agcgtgaccc ggtcgtgccc ctctctagag ataatgagca 420
ttgcatgtct aagttataaa aaattaccac atatTTTTTT tgtcacactt gtttgaagtg 480
cagtttatct atctttatac atatatttaa actttactct acgaataata taatctatag 540
tactacaata atatcagtgt tttagagaat catataaatg aacagttaga catggtctaa 600
aggacaattg agtattttga caacaggact ctacagtttt atcttttttag tgtgcatgtg 660
ttctcctttt tttttgcaaa tagcttcacc tatataatac ttcattccatt ttattagtag 720
atccatttag ggttttagggg taatggtttt tatagactaa ttttttttagt acatctatTT 780
tattctatTT tagcctctaa attaagaaaa ctaaaactct atttttagttt ttttatttaa 840
taatttagat ataaaataga ataaaataaa gtgactaaaa attaaacaaa taccctttaa 900
gaaattaaaa aaactaagga aacatttttTc ttgtttcgag tagataatgc cagcctgtta 960
aacgccgtcg acgagtctaa cggacaccaa ccagcgaacc agcagcgtcg cgtcgggcca 1020
agcgaagcag acggcacggc atctctgtcg ctgcctctgg acccctctcg agagtccgc 1080
tccaccgttg gacttgctcc gctgtcggca tccagaaatt gcgtggcgga gcggcagacg 1140
tgagccggca cggcaggcgg cctcctcctc ctctcacggc accggcagct acgggggatt 1200
cctttcccaC cgctccttcg ctttcccttc ctgcgccgcc gtaataaata gacaccccct 1260
ccacaccctc tttccccaac ctctgtgtgt tcggagcgca cacacacaca accagatctc 1320
cccaaattcc acccgtcggc acctccgctt caaggtacgc cgctcgtcct ccccccccc 1380
ccctctctac cttctctaga tcggcgttcc ggtccatggt tagggcccg tagttctact 1440
tctgttcatg tttgtgttag atccgtgttt gtgttagatc cgtgctgcta gcgttcgtac 1500
acggatgcga cctgtacgtc agacacgttc tgattgctaa cttgccagtg tttctctttg 1560
gggaatcctg ggatggctct agccgttccg cagacgggat cgatttcatg attttttttg 1620
tttcgttgca tagggtttg tttgcccttt tcctttatTT caatatatgc cgtgcacttg 1680
tttgtcgggt catcttttca tgcTTTTTTT tgtcttggtt gtgatgatgt ggtctggttg 1740
ggcggtcgtt ctagatcgga gtagaattct gtttcaaact acctggtgga tttattaatt 1800
ttggatctgt atgtgtgtgc catacatatt catagttagc aattgaagat gatggatgga 1860
aatatcgatc taggataggt atacatgttg atgcgggttt tactgatgca tatacagaga 1920
tgctttttgt tcgcttggtt gtgatgatgt ggtgtggttg ggcggtcgtt cattcgttct 1980
agatcggagt agaatactgt ttcaaactac ctggtgtatt tattaatttt ggaactgtat 2040
gtgtgtgtca tacatcttca tagttacgag tttaagatgg atggaaatat cgatctagga 2100
taggtataca tggtgatgtg ggTTTTactg atgcatatac atgatggcat atgcagcatc 2160
tattcatatg ctctaacctt gagtacctat ctattataat aaacaagtat gttttataat 2220
tattttgatc ttgatatact tggatgatgg catatgcagc agctatatgt ggattttttt 2280
agccctgcct tcatacgcta tttattttgt tggtagtgtt tctttttgtc atgctcacc 2340
tgttgttttg tgttacttct gcagggatcc ccgatcatgc aaaaactcat taactcagtg 2400
caaaactatg cctggggcag caaaacggcg ttgactgaac tttatgggat ggaaaatccg 2460
tccagccagc cgatggccga gctgtggatg ggcgcacatc cgaaaagcag ttcacgagtg 2520
cagaatgccg ccggagatat cgtttcactg cgtgatgtga ttgagagtga taaatcg 2577

```

<210> 45
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 5' junction sequence between corn genome and insert DNA

<400> 45
 tgaatcatgt cactgatagt 20

<210> 46
 <211> 1088
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 5' flanking sequence

<220>
 <221> misc_feature
 <222> (1)..(236)
 <223> 5' flanking sequence

<400> 46
 tcctgtgttg ttggaacaga cttctgtctc ttctggtgat cataaatatt taaatgaacc 60
 agttgtgttg gaaaatgttg ttttcttttg tctctagact ggaaagcgga gttctcgtca 120
 acacggttct ttcaactagg gatgaaagtg gtaatccgaa ttgttagtac aaattttaata 180
 ttttaaaata gatatgtata aaattttatg ttgatctttt ttatgttata aagcacatta 240
 gtataaatta gtataaatat gaataaaata ttacataaaa tgttttatgt attatttggt 300
 ccctacaaca taaatagttg aaaaaattac taaatttggt ttcgaatcta tatcgaagtt 360
 tataatctatt atttaagaaa aatataggat gaaaagggtt atcttttatg aatctttaca 420
 agctggatct tataaacaag aaaataaatt tatattgtag attttatata ctatttatct 480
 gcaatcaaag aaaagcgact aaaaaactga ttaccgagta aatactgttt ccaaccgttt 540
 tcgtccctac tatcaacgcc ttctcccaac cgcagtcgat ctgtccgtct gtatcaggcg 600
 cagcggcacc cctgctgttc gactatctag accatagaat attttaggta tacaataatt 660
 ttagttccac gctagaacat tttagttaga ataataacaa gatttgctat tgatgtagga 720
 ctgccccgtc actgtctaaa aaagcattct gtcggtctta ttcttttaggc atcagcgggt 780
 gtactatctc atttttccta tcatattcct cagtactctg ttaagtataa atggtctatt 840
 ttacatgatg aactaataaa actaattaag gatcctaact ttttgtgaag gtaatttgga 900
 tcattatgca ttaccatcct acgtatacct gctgcagcag catctgcgta agcacagcct 960
 agatatatgc ttctgtgtgg actgaaagga gactttgttt atcaattagt atactcccaa 1020
 aaaactgatg acaccaatga tgcaaataagg ctgggaatag tctgtctaata agtttgagtg 1080
 aatcatgt 1088

<210> 47
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 3' junction sequence between insert DNA and corn genome

<400> 47
 aaacgtccgc catggtctga 20

<210> 48
 <211> 1189
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 3' flanking sequence

<400> 48
 catggtctga aggcaacaga taaggcatac tgggccttgt ggtagttggt ttactgggcc 60
 tttttgtatg atctataaaa ttcaactggga tcaaccogga gaggaatggc agcagatgca 120
 gtccccaggg tcttccgtcg ccgcctgagc acccggcacc cgcgctgaac cggagaggga 180
 cgcgcggagc cgtgagcgt ggtgcggagg gggctgtggc agatgaggat gagacgcgta 240
 cgtggctggg aaggccagca ggccaccggg tcttcgtcca gcccggcgcg agtggacagg 300
 actagagatg gcaacgggta caaaccgct gggttttacc gtcccaaacc cgtaccgctg 360
 aaaaatatct atgcccatta aaaaaccgct acccatgacg ggtttgagat ttgcccataa 420
 ccggtaccca tcgggttaac gggtaaccat gggttacccg cgggtttcat ctccaatata 480
 cctgttcttc tcataatcaa taagtatcgt aatgattaat gatatcatga tccaaaatct 540
 atgtaatgaa caacgagttc atgatttggt ataaaaatta ttagtagaga gaatgaaata 600

caaataataa	gttgtataat	taagtgacct	tgcactaagt	tatccatcca	tcacatatat	660
aacgctagta	aaaactataa	tatcaagcaa	gcaacactct	caccgactac	tgatacatte	720
accaattgat	aaaaaatatg	aagtaaataa	ggaataacaa	gtttgttggt	cgttttataaa	780
ataaaatgac	aatatgcact	aggtttggtc	gggttttaaaa	aaccacggg	ttcacggggt	840
tgggtactat	aggaacaaac	ccgtacccat	aaaccattg	ggtacagatt	tatgcccgtt	900
aacaaaccca	tgggtatgaa	aattgaccca	aacctatacc	ctaattgggt	aaaaacccat	960
cgggtttcgg	atttcgggta	ccatttgcca	tctctagaca	ggacaacctc	ggccgggtcct	1020
gtatgtaggc	caccagcatc	ggccagttgg	tacatccagc	cggggtcagg	tcactttttac	1080
tcgtctcaat	cagacaatca	ccgtccacca	acgaacgcca	acgttggtcac	ttgtcagggtc	1140
ggttgagact	tgtatttttt	tttgtcctcc	gtaaaaatcg	gttcaccag		1189

<210> 49

<211> 10579

<212> DNA

<213> Artificial Sequence

<220>

<223> Vip3Aa20 Event MIR162 insert and flanking sequences

<220>

<221> misc_feature

<222> (1)..(1088)

<223> 5' flanking sequence of event MIR162

<400> 49

tcctgtgttg	ttggaacaga	cttctgtctc	ttctggtgat	cataaatatt	taaatgaacc	60
agttgtgttg	gaaaatgttg	ttttcttttg	tctctagact	ggaaagcgga	gttctcgtca	120
acacggttct	ttcaactagg	gatgaaagt	gtaatccgaa	ttgttagtac	aaattttaata	180
ttttaaaata	gatatgtata	aaattttatg	ttgatctttt	ttatgttata	aagcacatta	240
gtataaatta	gtataaatat	gaataaaaata	ttacataaaa	tgttttatgt	attattttgt	300
ccctacaaca	taaatagttg	aaaaaattac	taaatttggt	ttcgaatcta	tatcgaagtt	360
tatatctatt	atttaagaaa	aatataggat	gaaaagggtt	atcttttatg	aatctttaca	420
agctggatct	tataaacaag	aaaataaatt	tatattgtag	atcttttatc	ctattttattc	480
gcaatcaaag	aaaagcgact	aaaaaactga	ttaccgagta	aatactgttt	ccaaccgttt	540
tcgtccctac	tatcaacgcc	ttctcccaac	cgcagtcgat	ctgtccgtct	gtatcaggcg	600
cagcggcacc	cctgctgttc	gactatctag	accatagaat	atcttaggta	tacaataatt	660
ttagttccac	gctagaacat	tttagttaga	ataataacaa	gatttgctat	tgatgtagga	720
ctcgcccgtc	actgtctaaa	aaagcattct	gtcgggtctta	ttcttttaggc	atcagcgggt	780
gtactatctc	attttttccta	tcataattcct	cagtactctg	ttaagtataa	atgggtctatt	840
ttacatgatg	aactaataaa	actaattaag	gacctaact	ttttgtgaag	gtaatttgga	900
tcattatgca	ttaccatcct	acgtatacct	gctgcagcag	catctgcgta	agcacagcct	960
agatatatgc	ttctgtgtgg	actgaaagga	gactttgttt	atcaattagt	atactcccaa	1020
aaaactgatg	acaccaatga	tgcaaatagg	ctgggaatag	tctgtctaat	agtttgagt	1080
aatcatgtca	ctgatagttt	aaactgaagg	cgggaaacga	caatctgata	atgagcggag	1140
aattaaggga	gtcacgttat	gacccccgcc	gatgacgcgg	gacaagccgt	tttacgtttg	1200
gaactgacag	aaccgcaacg	ttgaaggagc	cactcagcaa	gctggtacaa	gcttgcatgc	1260
ctgcagtga	gcgtgacccg	gtcgtgcccc	tctctagaga	taatgagcat	tgcatgtcta	1320
agttataaaa	aattaccaca	tatttttttt	gtcacacttg	tttgaagtgc	agtttatcta	1380
tctttataca	tatatttaaa	ctttactcta	cgaataatat	aatctatagt	actacaataa	1440
tatcagtgtt	ttagagaatc	atataaatga	acagtttagac	atgggtctaaa	ggacaattga	1500
gtattttgac	aacaggactc	tacagtttta	tcttttttagt	gtgcatgtgt	tctccttttt	1560
ttttgcaaat	agcttcacct	atataatact	tcatacatct	tattagtaca	tccatttagg	1620
gtttagggtt	aatgggtttt	atagactaat	tttttttagta	catctatttt	attctatttt	1680
agcctctaaa	ttaagaaaac	taaaactcta	tttttagttt	tttattttaat	aatttagata	1740
taaaatagaa	taaaataaag	tgactaaaaa	ttaaacaat	accctttaag	aaattaaaaa	1800
aactaaggaa	acatttttct	tgtttcgagt	agataatgcc	agcctgttaa	acgccgtcga	1860
cgagtctaac	ggacaccaac	cagcgaacca	gcagcgtcgc	gtcgggcca	gcgaagcaga	1920

cggcacggca	tctctgtcgc	tgcctctgga	cccctctcga	gagttccgct	ccaccgttgg	1980
acttgctccg	ctgtcggcat	ccagaaattg	cgtggcggag	cggcagacgt	gagccggcac	2040
ggcaggcggc	ctcctcctcc	tctcacggca	ccggcagcta	cgggggattc	ctttcccacc	2100
gctccttcgc	tttcccttcc	tcgcccgcgc	taataaatag	acaccccctc	cacaccctct	2160
ttccccaacc	tcgtgttggt	cggagcgcac	acacacacaa	ccagatctcc	cccaaatacca	2220
cccgtcggca	cctccgcttc	aaggtaacgc	gctcgtcctc	ccccccccc	cctctctacc	2280
ttctctagat	cggcgttccg	gtccatgggt	agggcccggg	agttctactt	ctgttcatgt	2340
ttgtgttaga	tccgtgtttg	tgtagatcc	gtgctgctag	cgttcgtaca	cggatgcgac	2400
ctgtacgtca	gacacgttct	gattgctaac	ttgccagtgt	ttctcttttg	ggaatcctgg	2460
gatggctcta	gccgttccgc	agacgggata	gatttcatga	ttttttttgt	ttcgttgcac	2520
agggtttggg	ttgccctttt	cctttatttc	aatatatgcc	gtgcacttgt	ttgtcgggtc	2580
atcttttcat	gctttttttt	gtcttggttg	tgatgatgtg	gtctggttgg	gcggtcgttc	2640
tagatcggag	tagaattctg	tttcaaacta	cctggtggat	ttattaattt	tggatctgta	2700
tgtgtgtgcc	atacatattc	atagttacga	attgaagatg	atggatggaa	atatcgatct	2760
aggataggta	tacatgttga	tgccgggtttt	actgatgcac	atacagagat	gctttttgtt	2820
cgtttgggtg	tgatgatgtg	gtgtgggttg	gcggtcgttc	attcgttcta	gatcggagta	2880
gaataactgt	tcaaactacc	tggtgtattt	attaattttg	gaactgtatg	tgtgtgtcat	2940
acatcttcat	agttacgagt	ttaagatgga	tggaaatatc	gatctaggat	aggtatacat	3000
gttgatgtgg	gttttactga	tgcatataca	tgatggcata	tgcagcatct	attcatatgc	3060
tctaaccctg	agtacctatc	tattataata	aacaagtatg	ttttataatt	attttgatct	3120
tgatataact	ggatgatggc	atatgcagca	gctatatgtg	gattttttta	gccctgcctt	3180
catacgttat	ttatttgctt	ggtactgttt	cttttgtcga	tgctcaccct	gttgtttggt	3240
gttacttctg	caggtcgact	ctagaggata	caccatgaac	aagaacaaca	ccaagctgag	3300
caccgcgcgc	ctgccgagct	tcacgcacta	cttcaacggc	atctacggct	tcgccaccgg	3360
catcaaggac	atcatgaaca	tgatcttcaa	gaccgacacc	ggcggcgcgc	tgaccctgga	3420
cagatccctg	aagaaccagc	agctgctgaa	cgacatcagc	ggcaagctgg	acggcgtgaa	3480
cggcagcctg	aacgacctga	tcgcccaggg	caacctgaac	accgagctga	gcaaggagat	3540
ccttaagatc	gccaacgagc	agaaccaggt	gctgaacgac	gtgaacaaca	agctggacgc	3600
catcaacacc	atgctgcgcg	tgtacctgcc	gaagatcacc	agcatgctga	gcgacgtgat	3660
gaagcagaac	tacgccctga	gcctgcagat	cgagtacctg	agcaagcagc	tgcaaggagat	3720
cagcgacaag	ctggacatca	tcaacgtgaa	cgtcctgata	aacagcacc	tgaccgagat	3780
caccocggcc	taccagcgca	tcaagtaagt	gaacgagaag	ttcgaagagc	tgaccttcgc	3840
caccgagacc	agcagcaagg	tgaagaagga	cggcagccc	gccgacatcc	tggacgagct	3900
gaccgagctg	accgagctgg	cgaagagcgt	gaccaagaac	gacgtggacg	gcttcgagtt	3960
ctacctgaac	accttccacg	acgtgatggg	gggcaacaac	ctgttcggcc	gcagcgcctt	4020
gaagaccgcc	agcgagctga	tcaccaagga	gaacgtgaag	accagcggca	gcgaggtggg	4080
caacgtgtac	aacttctctg	tcgtgctgac	cgccttcgag	gccaggcctt	tcctgaccct	4140
gaccacctgt	cgcaagctgc	tgggcctggc	cgacatcgac	tacaccagca	tcataaacga	4200
gcacttgaac	aaggagaagg	aggagtccg	cgtgaacatc	ctgccgaccc	tgagcaaac	4260
cttcagcaac	ccgaactacg	ccaaggtgaa	gggcagcgc	gaggacgcca	agatgatcgt	4320
ggaggctaag	ccgggccacg	cgttgatcgg	cttcgagatc	agcaacgaca	gcataccctg	4380
gctgaagggt	tacgaggcca	agctgaagca	gaactaccag	gtggacaagg	acagcttgag	4440
cgagggtgat	tacggcgaca	tggaacaagt	gctgtgtccg	gaccagagcg	agcaaatcta	4500
ctacaccaac	aacatcgtgt	tcccgaacga	gtacgtgatc	accaagatcg	acttcaccaa	4560
gaagatgaag	accctgcgct	acgaggtgac	cgccaacttc	tacgacagca	gcaccggcga	4620
gatcgacctg	aacaagaaga	aggtggagag	cagcgaggcc	gagtaccgca	ccctgagcgc	4680
gaacgacgac	ggcgtctaca	tgccactggg	cgtgatcagc	gagaccttcc	tgaccccgat	4740
caacggcttt	ggcctgcagg	ccgacgagaa	cagccgcctg	atcaccctga	cctgtaagag	4800
ctacctgcgc	gagctgctgc	tagccaccga	cctgagcaac	aaggagacca	agctgatcgt	4860
gccaccgagc	ggcttcatca	gcaacatcgt	ggagaacggc	agcatcgagg	aggacaacct	4920
ggagccgtgg	aaggccaaca	acaagaacgc	ctacgtggac	cacaccggcg	gcgtgaacgg	4980
caccaaggcc	ctgtacgtgc	acaaggacgg	cggcatcagc	cagttcatcg	gcgacaagct	5040
gaagccgaag	accgagtacg	tgatccagta	caccgtgaag	ggcaagccat	cgattcacct	5100
gaaggacgag	aacaccggct	acatccacta	cgaggacacc	aacaacaacc	tggaggacta	5160
ccagaccatc	aacaagcgct	tcaccaccgg	caccgacctg	aagggcggtg	acctgatcct	5220
gaagagccag	aacggcgacg	aggcctgggg	cgacaacttc	atcatcctgg	agatcagccc	5280
gagcgagaag	ctgctgagcc	cggagctgat	caacaccaac	aactggacca	gcaccggcag	5340
caccaacatc	agcggcaaca	cctgaccctt	gtaccagggc	ggccgcggca	tcctgaagca	5400

gaacctgcag	ctggacagct	tcagcaccta	ccgcgtgtac	ttcagcgtga	gcggcgacgc	5460
caacgtgcgc	atccgcaact	cccgcgaggt	gctgttcgag	aagaggtaca	tgagcggcgc	5520
caaggacgtg	agcgagatgt	tcaccaccaa	gttcgagaag	gacaacttct	acatcgagct	5580
gagccagggc	aacaacctgt	acggcggccc	gatcgtgcac	ttctacgacg	tgagcatcaa	5640
gtaggagctc	tagatctgtt	ctgcacaaag	tggagtagtc	agtcacgat	caggaaccag	5700
acaccagact	tttattcata	cagtgaagtg	aagtgaagtg	cagtgcagtg	agttgctggt	5760
ttttgtacaa	cttagtatgt	atttgtattt	gtaaaatact	tctatcaata	aaattttctaa	5820
ttcctaaaac	caaaatccag	gggtaccage	ttgcatgcct	gcagtgcage	gtgacccggt	5880
cgtgcccctc	tctagagata	atgagcattg	catgtctaag	ttataaaaaa	ttaccacata	5940
ttttttttgt	cacacttggt	tgaagtgcag	tttatctatc	tttatacata	tattttaaact	6000
ttactctacg	aataatataa	tctatagtag	tacaataata	tcagtgtttt	agagaatcat	6060
ataaatgaac	agttagacat	ggtctaaagg	acaattgagt	attttgacaa	caggactcta	6120
cagttttatc	tttttagtgt	gcatgtgttc	tccttttttt	ttgcaaatag	cttcacctat	6180
ataatacttc	atccatttta	ttagtacatc	catttaggggt	ttaggggttaa	tgggtttttat	6240
agactaattt	tttttagtaca	tctatttttat	tctatttttag	cctctaaatt	aagaaaacta	6300
aaactctatt	ttagtttttt	tatttaataa	tttagatata	aaatagaata	aaataaagtg	6360
actaaaaatt	aaacaaatac	cctttaagaa	attaaaaaaa	ctaaggaaac	atttttcttg	6420
tttcgagtag	ataatgccag	cctgttaaac	gccgtcgacg	agtctaacgg	acaccaacca	6480
gcgaaccagc	agcgtcgcgt	cgggccaaag	gaagcagacg	gcacggcacc	tctgtcgcgt	6540
cctctggacc	cctctcgaga	gttcgcgtcc	accgttgga	ttgctccgct	gtcggcatcc	6600
agaaattgcg	tggcggagcg	gcagacgtga	gccggcacgg	caggcggcct	cctcctcctc	6660
tcacggcacc	ggcagctacg	ggggattcct	ttcccaccgc	tccttcgctt	tccttcctc	6720
gcccgcgcta	ataaatagac	acccctcca	cacctcttt	ccccaacctc	gtgttggtcg	6780
gagcgcacac	acacacaacc	agatctcccc	caaatccacc	cgtcggcacc	tcgccttcaa	6840
ggtacgcgcg	tcgtcctccc	ccccccccc	tctctacctt	ctctagatcg	gcgttcgggt	6900
ccatgggttag	ggcccggtag	ttctaactct	gttcagtgtt	gtgttagatc	cgtgtttgtg	6960
ttagatccgt	gctgctagcg	ttcgtacacg	gatgcgacct	gtacgtcaga	cacgttctga	7020
ttgctaactt	gccagtgttt	ctctttgggg	aatcctggga	tggctctagc	cgttccgcag	7080
acgggatcga	tttcatgatt	ttttttgttt	cgttgcatag	ggtttggttt	gcccttttcc	7140
tttatttcaa	tatatgccgt	gcacttggtt	gtcgggtcat	cttttcatgc	ttttttttgt	7200
cttggttggtg	atgatgtggt	ctgggtgggc	ggtcgttcta	gatcggagta	gaattctggt	7260
tcaaactacc	tgggtggattt	attaattttg	gatctgtatg	tgtgtgccat	acatattcat	7320
agttacgaat	tgaagatgat	ggatggaaat	atcgatctag	gataggtata	catgttgatg	7380
cgggtttttac	tgatgcatat	acagagatgc	tttttgttcg	cttggttggtg	atgatgtggt	7440
gtggttgggc	ggtcgttcat	tcgttctaga	tcggagtaga	atactgtttc	aaactacctg	7500
gtgtattttat	taatttttga	actgtatgtg	tgtgtcatac	atcttcatag	ttacgagttt	7560
aagatggatg	gaaatatcga	tctaggatag	gtatacatgt	tgatgtgggt	tttactgatg	7620
catatacatg	atggcatatg	cagcatctat	tcatatgctc	taaccttgag	tacctatcta	7680
ttataataaa	caagtatggt	ttataattat	tttgatcttg	atataacttg	atgatggcat	7740
atgcagcagc	tatatgtgga	tttttttagc	cctgccttca	taacctattt	atttgcttgg	7800
tactgtttct	tttgctgatg	ctcaccctgt	tgtttgggtg	tacttctgca	gggatccccg	7860
atcatgcaaa	aactcattaa	ctcagtgcaa	aactatgcct	ggggcagcaa	aacggcgttg	7920
actgaacttt	atggtatgga	aaatccgtcc	agccagccga	tggccgagct	gtggatgggc	7980
gcacatccga	aaagcagttc	acgagtgcag	aatgccgcgc	gagatatcgt	ttcactgcgt	8040
gatgtgattg	agagtataa	atcgactctg	ctcggagagg	ccgttgccaa	acgctttggc	8100
gaactgcctt	tcctgttcaa	agtattatgc	gcagcacagc	cactctccat	tcaggttcat	8160
ccaaacaaac	acaattctga	aatcggtttt	gccaaagaaa	atgccgcagg	tatcccgatg	8220
gatgccgccg	agcgtaacta	taaagatcct	aaccacaagc	cggagctggt	ttttgcgctg	8280
acgcctttcc	ttgcgatgaa	cgcgtttcgt	gaattttccg	agattgtctc	cctactccag	8340
ccggtcgcag	gtgcacatcc	ggcgattgct	cactttttac	aacagcctga	tgccgaacgt	8400
ttaagcgaac	tggtcgccag	cctgttgaat	atgcagggtg	aagaaaaatc	ccgcgcgctg	8460
gcgattttta	aatcggccct	cgatagccag	cagggtgaac	cgtggcaaac	gattcgttta	8520
atttctgaat	tttaccggga	agacagcggg	ctgttctccc	cgctattgct	gaatgtggtg	8580
aaattgaacc	ctggcgaagc	gatgttcctg	ttcgctgaaa	caccgcacgc	ttacctgcaa	8640
ggcgtggcgc	tggaaagtgat	ggcaaaactcc	gataacgtgc	tgcgtgcggg	tctgacgcct	8700
aaatacattg	atattccgga	actggttgcc	aatgtgaaat	tcgaagccaa	accggctaac	8760
cagttgttga	cccagccggg	gaaacaaggt	gcagaactgg	acttcccgat	tccagtggat	8820
gattttgcct	tctcgctgca	tgaccttagt	gataaagaaa	ccaccattag	ccagcagagt	8880

```

gccgccattt tgttctgcgt cgaaggcgat gcaacgttgt ggaaagggtc tcagcagtta 8940
cagcttaaac cgggtgaatc agcgtttatt gccgccaacg aatcaccggt gactgtcaaa 9000
ggccacggcc gtttagcgcg tgtttacaac aagctgtaag agcttactga aaaaattaac 9060
atctcttgct aagctgggag ctcgatccgt cgacctgcag atcgttcaaa catttgcaa 9120
taaagtttct taagattgaa tcctgttgcc ggtcttgcca tgattatcat ataatttctg 9180
ttgaattacg ttaagcatgt aataattaac atgtaatgca tgacgttatt tatgagatgg 9240
gtttttatga ttagagtccc gcaattatac atttaatacg cgatagaaaa caaatatag 9300
cgcgcaaact aggataaatt atcgcgcgcg gtgtcatcta tgttactaga tccccgggtc 9360
tagacaattc agtacattaa aaacgtccgc catggtctga aggcaacaga taaggcatac 9420
tgggccttgt ggtagtgtt ttactgggcc tttttgtatg atctataaaa ttcactggga 9480
tcaacccgga gaggaatggc agcagatgca gtccccaggg tcctccgtcg ccgcctgagc 9540
acccggcacc cgcgctgaac cggagaggga cgcgcggacg ccgtgcagct ggtgcggagg 9600
gggctgtggc agatgaggat gagacgcgta cgtggctggg aaggccagca ggccaccggg 9660
tcttcgtcca gcccggcgcg agtggacagg actagagatg gcaacggtta caaacccgct 9720
gggttttacc gtcccaaacc cgtaccctgt aaaaatatct atgccatta aaaaaccgct 9780
acccatgacg ggtttgagat tttgccaaa cccgtacca tcgggttaac gggtagccat 9840
gggttaccgg cgggtttcat ctccaatata cctgttcttc tcataatcaa taagtatcgt 9900
aatgattaat gatatcatga tccaaaatct atgtaatgaa caacgagttc atgatttggt 9960
ataaaaatta ttagtagaga gaatgaaata caaataataa gttgtataat taagtacct 10020
tgcactaagt tatccatcca tcacatatat aacgctagta aaaactataa tatcaagcaa 10080
gcaacactct caccgactac tgatacatte accaattgat aaaaaatatg aagtaaataa 10140
ggaataacaa gtttggttgt cgtttataaa ataaaatgac aatatgcact aggtttggtc 10200
gggttttaaaa aaccacggg ttcacgggtt tgggtactat aggaacaaac ccgtacccat 10260
aaaccattg ggtacagatt tatgccggtt aacaaacca tgggtatgaa aattgacca 10320
aacctatacc ctaatgggg aaacacccat cgggtttcgg atttcgggta ccattgcca 10380
tctctagaca ggacaacct ggccggctct gtatgtaggc caccagcatc ggccagttgg 10440
tacatccagc cggggtcagg tcacttttac tcgtctcaat cagacaatca ccgtccacca 10500
acgaacgcca acgttgtcac ttgtcaggtc ggttgagact tgtatttttt tttgtcctcc 10560
gtaaaaatcg gttcaccag 10579

```

<210> 50
 <211> 23
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - FE1002 primer

<400> 50
 cgtgactccc ttaattctcc gct 23

<210> 51
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - FE1003 primer

<400> 51
 gatcagattg tcgtttcccg cctt 24

<210> 52
 <211> 24

<212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - FE1004 primer

<400> 52
 gattgtcggt tcccgccttc agtt

24

<210> 53
 <211> 27
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - 162_DW_Conf3 primer

<400> 53
 cctgtgttgt tggaacagac ttctgtc

27

<210> 54
 <211> 26
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - FE0900 primer

<400> 54
 ggctccttca acgttgccgt tctgtc

26

<210> 55
 <211> 1230
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - 5' PCR amplicon

<400> 55
 cctgtgttgt tggaacagac ttctgtctct tctgggtgat ataaatattt aaatgaacca 60
 gttgtgttgg aaaatgttgt tttcttttgt ctctagactg gaaagcggag ttctcgtcaa 120
 cacggttctt tcaactaggg atgaaagtgg taatccgaat tgtagtagaca aatttaatat 180
 tttaaaatag atatgtataa aattttatgt tgatcttttt tatgttatca agcacattag 240
 tataaattag tataaatatg aataaaatat tacataaaat gttttatgta ttatttggtc 300
 cctacaacat aaatagttga aaaaattact aaatttggtt tcgaatctat atcgaagttt 360
 atatctatta tttaagaaaa atataggatg aaaagggtta tcttttatga atctttacaa 420
 gctggatctt ataaacaaga aaataaattt atattgtaga ttttatatcc tatttatctg 480
 caatcaaaga aaagcgacta aaaaactgat taccgagtaa atactgtttc caaccgtttt 540
 cgtccctact atcaacgct tctcccaacc gcagtcgatc tgtccgtctg tatcaggcgc 600
 agcggcacc ctgctgttcg actatctaga ccatagaata ttttaggtat acaataattt 660
 tagttccacg ctagaacatt ttagttagaa taataacaag atttgctatt gatgtaggac 720
 tcgcccgta ctgtctaaaa aagcattctg tcgggtcttat tctttaggca tcagcgggtg 780
 tactatctca tttttcctat catattcctc agtactctgt taagtataaa tgggtctattt 840
 tacatgatga actaataaaa ctaattaagg atcctaactt tttgtgaagg taatttggat 900

```

cattatgcat taccatccta cgtatacctg ctgcagcagc atctgcgtaa gcacagccta 960
gatatatgct tctgtgtgga ctgaaaggag actttgttta tcaattagta tactcccaaa 1020
aaactgatga caccaatgat gcaaataaggc tgggaatagt ctgtctaata gtttgagtga 1080
atcatgtcac tgatagttaa aactgaaggc gggaaacgac aatctgatca tgagcggaga 1140
attaaggagg tcacgttatg acccccgccg atgacgcggg acaagccgtt ttacgtttgg 1200
aactgacaga accgcaacgt tgaaggagcc 1230

```

```

<210> 56
<211> 28
<212> DNA
<213> Artificial Sequence
<220>
<223> Chemically synthesized - 162_GW_3_F1 primer

```

```

<400> 56
tctcttgcta agctgggagc tcgatccg 28

```

```

<210> 57
<211> 28
<212> DNA
<213> Artificial Sequence
<220>
<223> Chemically synthesized - 162_GW_3_F2 primer

```

```

<400> 57
aagattgaat cctggtgccg gtcttgcg 28

```

```

<210> 58
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Chemically synthesized 162_3'GW_R1 primer

```

```

<400> 58
ctggtgaacc gattttttacg gagg 24

```

```

<210> 59
<211> 1518
<212> DNA
<213> Artificial Sequence
<220>
<223> Chemically synthesized - 3' PCR amplicon

```

```

<400> 59
tctcttgcta agctgggagc tcgatccgtc gacctgcaga tcgttcaaac atttggcaat 60
aaagtttctt aagattgaat cctggtgccg gtcttgcgat gattatcata taatttctgt 120
tgaattacgt taagcatgta ataattaaca tgtaatgcat gacgttatat atgagatggg 180
tttttatgat tagagtcccg caattataca tttaatacgc gatagaaaac aaaatatagc 240
gcgcaaacta ggataaatta tcgcgcgcgg tgatcatctat gttactagat ccccggttct 300
agacaattca gtacattaaa aacgtccgcc atggtctgaa ggcaacagat aaggcatact 360

```

```

gggccttgtg gtagttgttt tactgggcct ttttgtatga tctataaaat tcaactgggat 420
caacccggag aggaatggca gcagatgcag tccccagggt cctccgtcgc cgcctgagca 480
cccggcaccc gcgctgaacc ggagagggac gcgcggacgc cgtgcagctg gtgcggaggg 540
ggctgtggca gatgaggatg agacgcgtac gtggctggga aggccagcag gccaccgggt 600
cttcgtccag cccggcgcga gtggacagga ctagagatgg caacgggttac aaaccgcgtg 660
ggttttaccg tcccaaaccg gtaccgcgtga aaaatatcta tgcccatata aaaaccgta 720
cccatgacgg gtttgagatt ttgcccacac ccgtacccat cgggttaacg ggtacccatg 780
ggttaccgcg gggtttcacg tccaatatac ctgttcttct cataatcaat aagtatcgta 840
atgattaatg atatcatgat ccaaaatcta tgtaatgaac aacgagttca tgatttggtg 900
taaaaattat tagtagagag aatgaaatac aaataataag ttgtataatt aagtgcctt 960
gcactaagtt atccatccat cacatatata acgctagtaa aaactataat atcaagcaag 1020
caacactctc accgactact gatacattca ccaattgata aaaaatatga agtaaataag 1080
gaataacaag tttgttggtc gttttataaaa taaaatgaca atatgcacta ggtttggtcg 1140
ggtttaaaaa acccacgggt tcacgggttt ggttactata ggaacaaacc cgtaccata 1200
aaccatttgg gtacagattt atgcccggtt acaaaccat gggtatgaaa attgacccaa 1260
acctataccc taatggggta aaaaccatc gggtttcgga ttccgggtac ccattgccat 1320
ctctagacag gacaacctcg gccggtcctg tatgtaggcc aecagcatcg gccagttggt 1380
acatccagcc ggggtcaggt cacttttact cgtctcaatc agacaatcac cgtccaccaa 1440
cgaacgcaa cgttgtcact tgtcagggtc gttgagactt gtatTTTTTT ttgtcctccg 1500
taaaaatcgg ttcaccag
1518

```

```

<210> 60
<211> 20
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Chemically synthesized

```

```

<400> 60
ttcacgggag actttatctg 20

```

```

<210> 61
<211> 17
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Chemically synthesized

```

```

<400> 61
ccgattcatt aatgcag 17

```

```

<210> 62
<211> 17
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Chemically synthesized

```

```

<400> 62
acgtaaaacg gcttgtc 17

```

<210> 63
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 63
gtttaaactg aaggcgg

17

<210> 64
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 64
aataatatca ctctgtacat cc

22

<210> 65
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 65
gttgtaaaac gacgg

15

<210> 66
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 66
taggcacccc aggcttta

18

<210> 67
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 67
aattgaattt agcggccg

18

<210> 68
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 68
ggtccctaca acataaatag

20

<210> 69
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 69
ttcgtcccta ctatcaacgc

20

<210> 70
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 70
ctttaggcat cagcgggt

18

<210> 71
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 71
agcatctgcg taagcaca

18

<210> 72
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 72
ctgatgacac caatgatgc

19

<210> 73
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 73
gatcagattg tcgtttccc 19

<210> 74
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 74
gcatcattgg tgtcatcag 19

<210> 75
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 75
tgtgcttacg cagatgct 18

<210> 76
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 76
acccgctgat gcctaaag 18

<210> 77
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 77
gcgttgatag tagggacgaa 20

<210> 78
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 78
ctatttatgt tgtagggacc

20

<210> 79
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 79
ctagactgga aagcggag

18

<210> 80
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 80
ccactttcat ccctagttg

19

<210> 81
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 81
gattgaatcc tgttgcc

17

<210> 82
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 82
tctcataaat aacgtcatgc

20

<210> 83
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 83
tctgtggata accgtattac 20

<210> 84
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 84
agtaacatag atgacaccgc 20

<210> 85
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 85
ccagtgtgct ggaattcg 18

<210> 86
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 86
ccagtgtgat ggatatctgc 20

<210> 87
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 87
ccagtgtgct ggaattcg 18

<210> 88
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 88
ccagtgtgat ggatatctgc 20

<210> 89
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 89
gtgtgctgga attcgccctt 20

<210> 90
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 90
tatctgcaga attcgccctt 20

<210> 91
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 91
gtgtgctgga attcgccctt 20

<210> 92
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 92
tatctgcaga attcgccctt 20

<210> 93
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 93
gtgtgctgga attcgccctt

20

<210> 94
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 94
tatctgcaga attcgccctt

20

<210> 95
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 95
gtgtgctgga attcgccctt

20

<210> 96
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 96
ggtcttgcca tgattatc

18

<210> 97
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Chemically synthesized

<400> 97
gagaggaatg gcagcaga

18

<210> 98
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 98
 catgacgggt ttgagatt

18

<210> 99
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 99
 aatctcaaac ccgtcatg

18

<210> 100
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 100
 tctgctgcca ttcctctc

18

<210> 101
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized

<400> 101
 gatcaaccog gagaggaat

19

<210> 102
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Chemically synthesized - b05104h sequenceing primer

<400> 102
 ccatgacggg tttgagat

18

<210> 103
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Chemically synthesized - b05105c sequenceing primer

 <400> 103
 caaccgacct gacaagtgac 20

<210> 104
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Chemically synthesized - b05105e sequenceing primer

 <400> 104
 atctcaaacc cgtcattg 18

<210> 105
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Chemically synthesized - b05105f sequencing primer

 <400> 105
 attcctctcc gggttgatc 19

<210> 106
 <211> 51328
 <212> DNA
 <213> Zea mays

 <220>
 <221> misc_feature
 <222> (1680)..(3338)
 <223> opie2 marker

 <220>
 <221> misc_feature
 <222> (25455)..(25512)
 <223> Maize genomic sequence displaced by MIR162 heterologous DNA.

 <220>
 <221> misc_feature
 <222> (43275)..(45086)
 <223> gag marker

 <400> 106
 agatctagag attcgtcatt tgtagaaagg atagaaaggt gattgctagg aagttagggg 60

caaaatgcaa	gggtgataaa	acttgcattt	ggatccctaa	ggaaattgtg	actaaccttg	120
taggacccaa	caagagttgg	gtacctaatg	cccaagccta	aatttgcctt	gcaggtttat	180
gcatccgggg	gttcaagctg	gattattgat	agcggatgca	caaaccatat	gacgggggag	240
aagaagatgt	tcacctccta	tgtcaagaat	aaggattccc	aagattcaat	tatattcggt	300
gatgggaatc	aaggcaaggt	aaaagggtta	ggtaaaattg	caatttctaa	tgagcactcc	360
atatctaatt	tgttttttagt	agagtctctc	agatataatt	tgctatctgt	tagtcaatta	420
tgcaacatgg	ggtataactg	tctattttacc	aatgtagatg	tgtctgtctt	tagaagaagt	480
gatgggtcac	tagcttttta	gggtgtatta	gacggcaaac	tttatttagt	tgattttgca	540
aaagaagagg	ccggtctaga	tgcatgctta	atagctaaga	ctagcatggg	ctggctgtgg	600
catcgccgct	tagcacatgt	ggggatgaag	aaccttcaca	agcttctaaa	gggagaacac	660
gtgatagggt	tgactaatgt	gcaattcgaa	aaagatagac	cttgtgcagc	ttgtcaagca	720
gggaaacagg	tgggaagcgc	tcatcacacc	aaaaatgtga	tgacaacatc	aagacccttg	780
gagctgctac	atatggacct	cttcggaccc	gtcgcctatc	tgagcatagg	aggaagtaag	840
tatgggtctag	ttatcgttga	tgacttttcc	cgcttcactt	gggtgttctt	tttgcaggat	900
aaatctgaaa	cccaagggac	cctcaagcgc	ttcctcagga	gatctcaaaa	tgagtttgag	960
ctcaaggtga	agaagataag	gagcgacaac	gggtccgagt	tcaagaacct	tcaagtggag	1020
gagttccttg	aggaggaagg	gatcaagcac	gagttctccg	ctccctacac	accacagcaa	1080
aatgggtgtg	tagagaggaa	gaacatgacg	ctaatcgata	tggcgagaa	gatgcttgga	1140
gaattcaaga	cccccgagtg	tttctggctg	gaagccgtga	acacggcttg	ccacgccatc	1200
aacaggggtct	accttcaccg	cctcctcaag	aagacgtcgt	atgagcttct	aaccggtaac	1260
aaacccaatg	tatcttactt	tctgttatth	gggagcaa	gctacattct	agtgaagaag	1320
ggtagaaatt	ctaagtttgc	tcccaaagct	gtagaagggt	ttttgttagg	ttatgactca	1380
aatacaaaagg	cgtatagagt	cttcaacaaa	tcatcgggtt	tggttgaaat	ctctagcgac	1440
gttgtatttg	atgagactaa	tggctctcca	agagagcaag	ttgttgattg	tgatgatgta	1500
gatgaagaag	atgttccaac	ggctgctata	cgaacctatg	cgattggaga	agtgcggcca	1560
caggaacaag	atgaacgaga	tcaaccttct	tcctcaacaa	cggtgcatcc	cccaactcaa	1620
gacgatgaac	aggttcatca	acaggaggca	tgtgatcaag	gggagcacia	gatgatcatg	1680
tgatggagga	agaagcgcaa	ccggcacctc	caacccaagt	tcgagcgatg	attcaaagga	1740
atcatcccgt	cgatcaaatt	ctgggtgata	ttagcaaggg	agtaactact	cgatctcgat	1800
tagttaattt	ttgtgagcat	tactcctttg	tctcttctat	tgagcctttc	agggtagaag	1860
aggccttgct	agatccggac	tgggtgttag	ccatgcagga	ggaactcaac	aacttcaagc	1920
gcaatgaagt	ttggacactg	gtgcctcgtc	ccaagcaaaa	tgttgtggga	accaagtggg	1980
tgttccgcaa	caaacaggac	gagcacgggg	tggtgacgag	gaacaaggct	cgacttgtgg	2040
caaaagggtta	tgcccaagtc	gcagggtttg	actttgagga	gacgtttgct	cctgtgggcta	2100
ggctagagtc	aattcgcatc	ttgctagcat	atgccgctca	ccactctttc	aggttgtagc	2160
aaatggatgt	gaagagcgct	ttcctcaacg	ggccgatcaa	ggaagagggt	tacgtggagc	2220
aaccccttg	cttcgaggat	gaacgggtacc	ccgaccacgt	gtgtaagctc	tctaaggcgc	2280
tctatggact	taagcaagcc	ccaagagcat	ggtatgaatg	ccttagagac	tttttacttg	2340
ctaattgcttt	caagggttgg	aaagccgatc	caactctgtt	cactaagaca	tgtgatgggt	2400
atthgtttgt	gtgccaatt	tatgtcgacg	acataatatt	tggttctact	aaccaaagt	2460
cttgtgaaga	gttttagcagg	gtaatggcgc	agaaattcga	gatgtcaatg	atgggcgagt	2520
tgaactactt	ccttgggttc	caagtgaagc	aactcaagga	tggcaccttc	atctcccaaa	2580
cgaagtacac	gcaagatcta	ctaaagcggt	ttgggatgaa	ggacgccaag	cccgcaaaga	2640
ctccgatggg	gaccgacgga	cacaccgacc	tcaacaaagg	aggtaagtcc	gttgatcaaa	2700
aagcataccg	gtcaatgata	ggttctttac	tttacttatg	tgctagtaga	ccggatatta	2760
tgcttagcgt	atgcatgtgt	gctagatttc	aatccgatcc	taaggagtgt	cacttagtgg	2820
cggatgaagc	aattattaga	tatttggttg	ctacgccttg	cttcgggctc	tggtatccaa	2880
aggggtctac	ctttgacctg	gttggtact	cagattccga	ctatgttgga	tgtaagggtcg	2940
ataggaagag	tacatcgggg	acgtgccaat	tcttaggaag	gtccctgggt	tcgtggaact	3000
ctaagaaaca	aacctccgtt	gccctatcca	ccgtgaggc	cgagtatgtt	gccgcaggac	3060
agtgttgccg	gcaactactt	tggatgaggc	aaacctccg	ggactttggc	tacaatctga	3120
gcaaagtccc	actcctatgt	gacaatgaga	gtgctatccg	catggcgga	aatcctgttg	3180
aacacagccg	cacaaagcac	atagacatcc	ggcatcactt	tttgagagac	caccagcaaa	3240
aggagatat	cgaagtgttt	catgttagca	ccgagaacca	gctagctgat	atcgaagtgt	3300
ttcatgttag	caccgagaac	cttttgacgg	ctgcgtagta	agctaaatgt	cttagattcg	3360
cggaaacttg	attgaattgt	agcatacatg	tgtttatgcc	tttgatcatg	ttcattctgc	3420
atthgtttgc	ttattgtgg	gctcaagttg	tacaaacact	ccctggatct	cacaagtccg	3480
ttgcaaagtg	atgctgagag	cacctagagg	gggggtgaat	aggtgatcct	gtaaaaactt	3540

aacttatagc	cacaaaaact	tgttaaaggt	tagcacaata	attgccaaagt	ggctaaagag	3600
gagatcttgc	acaatacgat	tatcacagag	aattcaacac	agaggagaca	tagtgattta	3660
tcccgtaggt	cggccaagta	caaaacttgc	ctacttccac	gttgtaggct	cccaacggac	3720
gagggtagca	atcaaccctt	ctcaagcggg	ccaaagaccc	acttgaatac	cacggtagtt	3780
ttgccttgct	tatctttatc	ccacttacga	ggaatctcca	cagattggag	tctctcgccc	3840
ttacacttaa	gattcacaaa	gaagcacgga	gtaagggagg	gaagcaacac	acacaaatcc	3900
acagcgaaat	gcgcacacac	acggccaaga	atcgagctca	aagactatct	cacagtttct	3960
cacaagaaca	gagctcgaat	cacttagaat	cacaaacgga	tgcgcaaaga	ctgagtgtgg	4020
atgatcaaga	atgctcaaag	gttgcttggt	gtctccctcc	atgcgtctag	gggtcccttt	4080
tatagcccca	aggcagctag	gagccgttga	gaacaaatct	ggaaggccat	ctttgccttc	4140
tgtcgtaggg	cgcaccggac	agtcgggtgc	cggattcctt	tccttaattg	gcgaagccga	4200
ccgttagcaga	tgcgggagcc	gttgggcgac	cggacatgtc	cggtagcacac	cggacagtcc	4260
ggtagccccct	tccgaccgtt	ggctcggcca	cgtgtcccg	gcagatcgcg	cggtagaccg	4320
ttggctcagc	cgaccgttgg	ctcaccggac	agtcgggtgc	acaccggaca	gtccgggtgca	4380
caccggacag	tccggtagaat	tttagccgta	cggcgtcagc	aaattcccga	gagcggcctc	4440
ttcggccaag	gcagcctggc	gcaccggaca	ctgtccgggtg	caccaccgga	cagtccgggtg	4500
ccccagaccg	aaacagcctc	ttggctgtac	acagccaagt	cttctcttct	cttctcttct	4560
ctgttttctaa	cacttagaca	aatatattag	tacacaaaac	caatgtacta	aggcttagaa	4620
acataccttt	gctctagatt	ttcactttgt	tcattccatgg	gcattgatcc	acatttaagc	4680
acttgtagttg	acactcaatc	acaaaaatac	ttagaaatgg	cccaagggca	catttccctt	4740
tcagatgcac	agtttgaggg	ggagatgtgt	tacaacttga	ccctttgaga	ctaaccgtat	4800
gcttgagttt	gcttgtttta	gtctcaaagg	agaattaaaa	gggaaaaggt	ggacttggac	4860
catgaaagac	ttccactgca	ctccgatgag	agggtagctt	attccaagtt	catctcatgt	4920
actcttattg	cctttgtatt	cttattgaag	attttggtga	ggcaatgggg	ttcttggggc	4980
aagattgac	ctgttttggt	gcttgatgcc	aaagggggag	aaaataaggg	ccaaagcaat	5040
aaatggatca	gctaccactt	gagaaatttt	gaaaacagta	gaatagagct	tttggtttgt	5100
caaactctct	ttgttgctct	ttttgtcaaa	agttggcctc	ttgtggggag	aagtgttgat	5160
tatgggaaaa	agggggaggt	tttgaaatct	ttcctttgga	atgactctcc	ttatgcttca	5220
acatgtgtgt	ttgacttaga	gatagagatt	tgagtttgat	ttgcaaaaac	aaaccaagtg	5280
gtggcaaagg	atgatccata	tatgccaaat	tgaatcaaaa	taaatttgag	tttttatttg	5340
aagtaatat	gcacttgctc	tagttgcttt	atgtagtgtt	ggcataaatc	acaaaaagg	5400
gggagattga	aagggaaatg	tgcccttggg	ccatttctaa	gtattttggg	gattgagtgc	5460
caacacaagt	gcttaaatgt	gaattcatgt	ttatggatga	ataaagtga	aatcaagagc	5520
aaaggtagtg	ttctaagtct	tagtacattg	gttttggtga	ctaataact	tgtctaagta	5580
ttggaaacag	gaagaaaaag	aaaagaaaag	agttggctgt	gtacagccaa	gaggctgttt	5640
cggctctgggg	caccggactg	tccggtagtg	caccggacag	tgtccggtag	tgcaccggac	5700
agtgtccggg	gcgccaggct	gcctcggccg	aagtagccgc	tctcgggaat	tcgctgacgg	5760
cgtacgacta	taattcaccg	gactgtccgg	tgtgcaccgg	actgtccggg	gtgcaccgga	5820
ctgtccgggtg	agccaacggg	cggccggggc	aacggtaggc	cgcgcgatct	gcgcgtgaca	5880
cgtggccgag	ccaacgggct	gaagggggca	cgggactgtc	cggtagtgac	cggacatgtc	5940
cggtagcgcca	acggctctct	ggcgggcaac	ggcgggctgc	gccattttag	gaaggaaatc	6000
gggcaccgga	cagtgtccgg	tgtgcaccgg	actgtccggg	gcgcccagcg	acagaaggca	6060
aggatggcct	tccagatttg	ttctcaacgg	ctcctagctg	tcttggggct	ataaaaggga	6120
cccctaggcg	catggaggag	tacaccaagc	attcctacaa	cattcctaag	caccaagaca	6180
tcgatctcac	gcattcgctt	cattgtgata	gcattctagag	ctcttggtga	gttgcgaaact	6240
ctttgagttg	tgttgcgagc	tcttggttgcg	acttggtgtg	gtgttggtgc	tctgatcttt	6300
tgaagtcttg	tgtgcgttgc	tcattccccc	tttgctctgt	gttctttgtg	aacttcaatt	6360
gtaagggcga	gaggtcccaa	gttgtaggga	ttcctcgcaa	acgggattga	gaaaaaaagc	6420
aagcaaaaaca	ccgtggtatt	caagtgggtc	tttggaaccg	ttgagagggg	ttgattgcaa	6480
ccctcgtccg	ttgggacgcc	acaacatgga	gtaggcaagc	gttggtcttg	gccgaaccac	6540
gggataaacc	actgtgtcgt	ctctgtgatt	gatctcttgt	ggtattgtgt	tttggttgaga	6600
ctcctttcta	gccacttggc	atttattgtg	ctaacactta	acaagttttt	gtggctataa	6660
gtttaagttt	tacaggatca	cctattcacc	ccccccccct	ctaggtgttc	tcacctatgc	6720
accgtagct	aggcttgagt	caattcgcct	attattggcc	tatgctactt	accatggctt	6780
taagctttat	caaattggacg	tgaagagtg	cttcctcaac	ggaccaatca	aggaagaggt	6840
ctatgttgag	caacctcccg	gctttgaaga	cagtgagtat	cctaaccatg	tttataggct	6900
ctctaaggcg	ctttatgggc	tcaagcaagc	cccaagagca	tggtagaat	gccttagaga	6960
tttccttctc	gctaattggct	tcaaagtcgg	caaggccgat	cctactctat	ccactaaaac	7020

tcttgacaat	gatttggttg	tatgccaaat	ttatgttgat	gatatcatat	ttgggtctac	7080
taacgaatct	acttgtgagg	aatttagtag	gatcatgaca	cagaaattcg	agatgtctat	7140
gatgggggag	ttgaaatatt	tcttaggatt	tcaagtgaag	caactccaag	agggcacctt	7200
cattagccaa	acgaagtaca	ctcaagacat	tctaaacaag	tttggaatga	aggatgccaa	7260
gcccatacaa	acacccatgg	gaacaaatgg	gcatactcggc	ctcgacacgg	gaggtaagtc	7320
cgtggatcaa	aaggtatacc	ggtcgatgat	tgggttcattg	ctttatttat	gtgcatctcg	7380
accggacatt	atgctttccg	tatgcatgtg	tgcaagattc	caatccgacc	ctaaggaatc	7440
ccacottacg	gccgtaaaac	gaatcttgag	atatttggct	tatactccta	agtttgggct	7500
ttggtaccct	cggggatcca	cttttgattt	aattgggttat	tccgatgctg	attgggcggg	7560
gtgtaagatt	aataggaaga	gcacatcggg	gacttgccag	ttcttgggaa	gaccttgggt	7620
gtcttgggct	tcaaagaagc	aaaattcggg	tgctctttcc	accgccgaag	ccgagtacat	7680
tgccgcaggt	cattgttgcg	cgcaattgct	ttggatgagg	caaaccctgc	gggactatgg	7740
ttacaaatta	accaaagtc	ctttgctatg	tgataatgag	agtgcacatca	aatggccga	7800
caatcccgtc	gagcatagcc	gcactaagca	catagccatt	cggtatcatt	ttcttaggga	7860
tcaccaacaa	aaggagata	tcgagatttc	ttatatatac	actaaagatc	aattagccga	7920
tatctttacc	aagcctcttg	atgaacaaac	ttttaccaa	cttaggcctg	agctcaatat	7980
tcttgattcg	cgcaattttt	tttgctagat	tgcacacgta	gctcatttat	atacctttga	8040
tcatactctc	ttcatatgct	atgactaatg	tgtttttcaa	gtccatttca	caccaagtca	8100
taggtatatt	gaaagggat	tggagttttc	ggcgaagaca	aaggcttcca	ctccgtaact	8160
catcctttgc	catcgctcca	agaaaaggac	cttgtctttg	ggggagagag	taaaagccca	8220
aagcaaaaagg	actggacttc	gtcttttggt	taatcttaac	tcatttactt	atgaccaaag	8280
gggaagatag	tacttctatg	ggctctaata	attccgtttt	tggcgattca	tgccaaaggg	8340
ggagaaagta	tgagcccaaa	gcaaaaaggac	cgcaccacca	ccaatttcaa	aaacttagtg	8400
ctttctaaga	gtatttatca	attgggtatcc	tatttgtgtc	aaaaggagga	gaaaattagt	8460
tttttcaaaa	atgtatatca	aaaccctctt	gaacactaag	aggtggatct	cctttagggg	8520
gaattttttg	ttaagtcaaa	ggaaaagcat	ttgaaacagg	gggagaaaat	ttcaaatctt	8580
gaaaatgctt	tgcaaaactc	tattcattta	cctttgacta	tttgcaaaaag	atcttttgaa	8640
atggattttac	aaaaagaatt	tgcaaaaaca	aaacatgtgg	tgcaaacgtg	gtccaaaatg	8700
ttaaataaga	aagaaacaat	ccatgcatat	cttgtaagta	gttatattgg	ctcaattcca	8760
agcaaccttt	acacttacat	tatgcaaact	agttcaatta	tgcacttcta	tatttgcttt	8820
ggtttgtgtt	ggcatcaatc	acaaaaaagg	gggagattga	aagggaatta	ggcttacacc	8880
tagttcctaa	ataatttttg	tgggtgaatt	gaccaacaca	aataattgga	ctaactagtt	8940
tgcccaagtg	tatagattat	acaggtgtaa	aaggttcaca	ctcagccaat	aaaaagacca	9000
agttttggat	tcaacaaagg	agcaaagggg	caaccgaagg	caccctgggt	ctggcgcacc	9060
ggactgtcgg	gtgtgccacc	ggacatgtcc	ggtgcaccag	ggggactcag	actcaaactc	9120
gccaccttcg	ggaatttcca	gagggcactc	ggctataaatt	caccggactg	tccgggtgtac	9180
accggacatg	tccgggtgctc	caagggaagg	cggcctcagg	aactcgccag	cctcgggttt	9240
tctccctcgc	cgctccgcta	taattcaccc	gactgtccgg	tgtgcaccgg	actgtccggg	9300
gcaacctcgg	agcaacgggt	acttcgcgcc	aacggctacc	tgcaacggca	tttaatgcgc	9360
gcgcagcacg	cgcaggagtc	agaatcgccc	atgctggcac	accggacagc	aaacagtaca	9420
tgtccgggtg	gcaccggaca	cccagggtgg	cccacaagtc	agaagctcca	acggtcagaa	9480
tccaacggca	gtgatgacgt	ggcagggggc	accggactgt	ccgggtgtgca	ccggactgtc	9540
cgggtgcgcca	tcgaacagac	agcctcccaa	cggccacttt	tgggtgggttg	ggctataaat	9600
acccaacca	cccaccatt	cattgcatcc	aagttttcca	cttctcaacc	acttacaaga	9660
gctaggcatt	caattctaga	cacaccocaa	gtgatcaaat	cctctccaat	tcaacacaaa	9720
gcctagtga	ctagtgaag	tgatttgccg	tgttcatttg	agctcttgcg	cttggattgc	9780
tttctctctt	tcattctttc	ttgtgttcaa	tactcacttg	taaccaaggc	aagagacacc	9840
aattgtgtgg	tggtccttgc	ggggagggtt	ttctcccggg	tgatttgaga	agagaaagct	9900
cactcgggtc	gagggaccgt	ttgagagagg	gaaagggttg	aaaaagaccc	ggcctttgtg	9960
gcctcctcaa	cggggagtag	gtttgagaga	accgaacctc	ggtaaaacaa	atcctcgtgt	10020
ctcacttcat	tatttgcttg	cgatttggtt	tcacgccctc	tctcggactc	gattatattt	10080
ctaacgctaa	cccggcttgt	agttgtgttt	atatttgtaa	atttcagttt	cgccctattc	10140
accccccccc	ctctaggcga	ctatcaccag	gcggtagtcc	gcgagccaca	gttccgggtc	10200
cgtttccccc	gaataacttc	tgatagtagt	cgggggtcgg	aaccgggtcg	ggaacgacgc	10260
ccgtcggatg	gcccgactga	aggcttgccg	accgggtggt	tcgggcgagg	gactccgate	10320
cctccccact	gtcgtagcgc	ccccccacgc	ctgggggtgt	agcctcggcg	caccctttcg	10380
tcgaggtggg	cccgaacggc	gcgtcgatgg	tgctcggttc	cgaggtggcc	cggggccgca	10440
ggcgcgggtg	tgcgcgtgcg	tccgggtatg	accgaggctt	cccgcataaa	ttgggaagtc	10500

gcggcgtgag	gttccgaggg	gtatccccgc	ctccgggagg	cagtgccttc	ggcccgtcgg	10560
gccgcagcgc	cttccaggag	attcttgagc	tctccctgga	ttegccgacc	ctcgggtggtt	10620
gatggctccg	gcategtgcg	gaggagcadc	gctgcggctg	ccagggttctg	accaaccccg	10680
ctggatgcgg	gcggcggcct	gagcctgaca	tcggttggcg	cgcgggtgctg	gagaccttgg	10740
ggcaggtgac	gtattttctc	ggccgagggg	tggcccgcgc	atacctgccc	gacgtcccgg	10800
cggatcgtct	caagcgcccc	tgttccctcg	tcgagcctgg	cctgcgcccc	gcggacttgc	10860
tcgagctgtg	ggtcgtgacc	ccccgcggga	acggggacca	cagctagctc	ccgcgggatg	10920
tcggcgcgag	ggcaccggcc	taggaaaatc	accgtcctcc	ggcatgccaa	gatggttgcc	10980
ttcggaggga	tcccctagct	cgacgtggaa	acattcgccg	cttggggccgc	agtcctcgtc	11040
gtcaaggctg	cggcttccgt	cggaacagtc	ggagaggcag	tagtcacatg	cggtcatgaa	11100
gtcccgcctg	gcactggggg	tgccaagtcc	agagaaaccc	caacagatgc	tgggatcgtc	11160
atcttccctg	gacccagagg	gcccgtaggt	cgagacgtcc	gtcaatcggt	cccaaggcga	11220
ccgcatacga	aaccccagtg	gggttgcact	cgcctcaatg	agagcgcccc	ccaaagcgag	11280
gtcgtctggc	gggtcgaggc	cgagtcgaaa	tgacgttaaga	tgggagttag	ttagtacctt	11340
ttggtcgacg	cggagcgacg	tagtcacatc	ggggactggg	tgcaccgtca	tctcagggtac	11400
gagggcgacg	tcctgcaggc	tttccgcgag	cgtgctggcg	tcttcttctt	gctcgggatc	11460
agcgtgtcgc	ggggggacgg	cgcttgcctt	cgtctcgaac	gcgaggtcga	cgcccggcgt	11520
gccctccgtg	ggggcgctgg	ggacgtcgat	tcgctcgaca	gccgacgaag	cgcggcctcc	11580
cacttggcct	tgggtgcccc	gcctcctcct	ccgttggcgg	gggagaggac	ggggcgagct	11640
cgaatgttgt	ttttccaccg	cgcggggaag	atgtcgtcgg	ttccgcgcgc	gacgggcggg	11700
atgtcggccg	ccattgtcgt	tgtcgcgcgg	cgggtggaagg	agtatcatgt	cgtagctgcc	11760
gtcgaaggac	atgaactcaa	gactcccga	acggagcacc	gtcccggggc	ggagagggtg	11820
ctggagactg	cccatctgga	gcttgacggg	aagctgttcg	tcagcacgca	gcaggccctt	11880
acctggcgca	ccaactgtcg	gcgttttcgag	accggggggg	ccccgagccg	acgagtgagt	11940
gtgccgcgtg	ccccagccca	gatgggtcga	gcgcgtgggc	gagcgcgaag	gggggagagg	12000
cgaggtgtcc	ggagacgggc	gtgagagagg	tggagatccc	gcggccttcg	tgttcgtccc	12060
gcgcccaggt	cgggtgcgct	tgcagtaggg	gggttacaag	cgtccacgcg	ggtgagggaa	12120
gcgagcggcc	ccaagagagc	gcctgtctcg	tcctcgtccc	cgcgcggcca	accttctcta	12180
agaaggccct	ggtccttcct	tttataggcg	taaggagagg	atccagggtg	acaatggggg	12240
tgtagcagag	tgctacgtgt	ctagcggagg	gagagctagc	gccctaagta	catgccaatg	12300
tggcagccgg	agagatcttg	gcaccctact	ggcgtgatgt	cgtggctgtc	ggaggagcaa	12360
cggagcctgg	cggagggaca	gctgtcggag	cggtcgagtc	cttgctgacg	tccccttgct	12420
tcctgaagag	agctgagagc	cgccgtcgtc	acagagcttg	tggggcgcca	tcattgcca	12480
tctggtggag	ctagccagag	gggacaccgg	tcttgttctt	cgtgaccoga	gtcggctcgg	12540
ggtaggatga	tgatggcgct	tcccgttgac	gtggcggggc	tgtgccctag	gtcgggcgac	12600
gtgggggctc	ctccgaagcc	gaggtcgaat	ctgtcttccg	tggccgaggc	cgagcccag	12660
cccctgggtc	gggcgaggcg	gaggtcgttc	ggtagaggcc	agggcgaggt	ccgagccctg	12720
gggtcggggc	aagcggaggt	tgtcgtcttc	cgggtctcag	cccagatccg	agctttgggg	12780
tcgggtggag	cggagtctgt	cgtcttccgg	gtcttagccc	gagtcagagc	cctggggctg	12840
ggcggagcgg	agttcgccgt	cttccgggtc	ttagcccgag	tcagagccct	ggggtcgggc	12900
ggagcggagt	tcgtcgtctt	ccgaggctga	gcccgagtc	gagccctggg	tcgggcggag	12960
cggagcttcc	tatggcgcc	ttggcaaggc	ctgactgcct	gtcagactca	ctttgtcgag	13020
tggcactgca	gtcggagtgg	cgcaggcggc	gctgtccttc	tgtcagaccg	gtcagtgggt	13080
cggcggagtg	acggcgggtc	cttcggctct	gccggggggc	gcgcgtcagg	ataaatgtgt	13140
caggccacct	ttgcgttaaa	tgctcctgca	actcgggtcag	tcgggtgcggc	gatttagtca	13200
gggttgcttc	ttagcgaagc	caaggcctcg	ggcgagccgg	agatgcgtcc	gccgttaaaa	13260
ggggggcctc	gggcgagaca	gaagtccttc	gaggtcggct	gcccttggcc	gaggctaggg	13320
tcgggcgaag	cgtgatcgag	tcactcgtat	ggactgatcc	ctgacttaat	cgcacccatc	13380
aggcctctgc	agctttatgc	tgatgggggt	taccagctga	gaattaggcg	tcttgagggt	13440
acccttaatt	atggtccccg	acaactataa	accccaaagg	gttggttttag	aagtctaggt	13500
agcttttttg	tctattagag	agagagtata	ttagaaatth	atthttagtgt	gtgatttctc	13560
gcaattgaga	tatgttttta	aagtagataa	taataataaa	ataaacatct	atgatggagt	13620
tttgttggtg	atttggtatt	tgaatctcaa	cttcaaaact	gtattagaat	ttgaaacttg	13680
aaaataaaaa	ctgaaataaa	aagataagga	aaaaacaaaa	ccactgtcgg	gccactatct	13740
cccctagctc	tagccatgcc	ccctcttcca	tcagtcgagt	gggtcagttg	gccggcccaa	13800
caccgcacca	gcattgatgc	atctcgcacc	cgcctgggtg	gtttcacagg	cgaccatgcg	13860
ggaccacagt	tcagcctctc	cgcgctcgtg	cctatggacg	gtagtcggca	gacaccaatc	13920
aatgggggtc	gcgcgaccgc	gcttcagttt	ctcgtcgtcg	tacgcatggg	tcactgttag	13980

caccacggaa	cacagaagac	agcaagggaa	agaggaaggg	caacttggag	cagaagaaga	14040
agaataggg	acgcaacgtg	gcggatgttc	tttgttat	cggtcatatc	ctcagcagcc	14100
tagcacatag	tctatatatg	tcactcctga	actggactgc	cacaatacgg	cttacacgg	14160
ccactgcggc	ccaaccacat	ttaagtttgg	cttcctgggc	ctcagcacgc	gaggctgcat	14220
catctcctga	tgtgttgccg	ctgtctccag	gtcttgattc	ccacttgctg	ccagcttctt	14280
cttgtcttcc	gacgacgctt	tgctgacatt	cccctgtcct	cgagcgccag	cttgggtcca	14340
gatcaacgct	tttggaacc	gagcacgcag	tgctcaacg	tcctcccagg	tagccagatc	14400
ctcagtcatg	cctgaccaga	ccaccttgac	ctgcgcgatt	aactcaccac	cacgggtcaat	14460
gaagcggcat	tgtagaatac	atgtaggcac	ctggataggg	ccaacatctt	ggggcagctg	14520
aggtgaggcc	cgttgatcac	gcccgatgac	ccgtttgagc	tgtgacacat	gaaaaattgg	14580
gtgaatagag	ctggaggccg	gtaaagctag	acggtaagcc	acggaacca	gacgatcgta	14640
atctggaaag	gaccaaagaa	tttgaaggac	aacttgatg	tggagcgtgt	agcaaccgaa	14700
gattggatat	aaggttgtaa	cttcaagtaa	acccaatcac	ccaccaaaaa	cacgcgttca	14760
ctgcgctgct	tgtcagcttg	ccgtttcata	cggtcttgag	ctcgatgcag	atgcaattta	14820
atgactttgg	tcataagctc	tcgttccttc	aaccaagttt	cgagctctgg	ctgtggcacc	14880
acaatatcaa	ccaaaattcc	aaaatatcgc	ggagtgtggc	catataacac	ttcaaaggg	14940
gtacgcccc	aggttgaatg	tactgtggta	ttgtaccagt	attcagcaac	tgacagccaa	15000
gctgaccaac	gtgaaggaca	agtgtgcaca	tagcaacgaa	gaaaagtttc	caagcattga	15060
ttcaagcgct	ctgtttgtcc	atcggattgg	ggatggtaag	aagaggacat	ggacagattg	15120
gtacccgatg	tctgaaatag	ttgttgccag	aatgagctag	taaaaattct	gtcgcgatct	15180
gaaatgatgt	tgacaggtaa	cccgtgtagc	ttgtacacat	tgtcaagaaa	aacacgagcc	15240
acttttagcag	ctgtgaagg	atggagtaaa	ggtaagaagt	gtccatactt	cgaaaattta	15300
tccacaacca	ccaagatgca	gttatagtga	gctgaacggg	gcaaaccctc	aataaaatcc	15360
aatgaaactg	tatgccacgc	ttgtgggtgga	acttccaaag	gctgcaatag	gccaggatat	15420
ttagcacgat	cgggcttgga	ttgctggcat	accgtacaag	attgaacgta	ctgtagcaca	15480
tcagcacaca	tacctggcca	atagaacatt	tgtttctact	tgtgatattg	tgctggggct	15540
ccagaatgac	ctccgaccgc	cgtatcatgc	atagcttgta	ataccttctg	ttgcagctgc	15600
aaattgccgc	ccaccagat	tctatttttg	tgtcgaatga	ttccttgatg	caaggaaaaa	15660
ggagctttgt	ctgcagaatt	caaaattaat	tgagccagca	actgtttact	agtaggatcc	15720
tgtcatagc	cttccactcc	ctcctgcagc	caagtaggca	cactgtgaga	aatagcacia	15780
cagtgactat	cttcctggac	ttttcgagac	agtgcactct	cagctccatt	atccaccct	15840
tttctgtaga	caatcttata	ttgcaagcca	gccaatttcg	tatacat	ctgttgccag	15900
atagtatgta	aacgctgctc	attcagttgt	gctaaactcc	tgtgatctgt	atagataatg	15960
aactcagcca	actgaagata	ggacctccat	tgagcaatgg	ctaaaataat	ggccatgtat	16020
tccttttcat	aggtcgagag	tccttgattt	ttcgggtcaa	gagccttgct	cagaaacgct	16080
aaaggatgtc	cacttttgcat	aagcacccgc	cccacaccat	aataggaagc	ataagtatga	16140
atataaaatg	gctgggaaaa	tcaggcagag	ctaactctgg	tgagtgacc	aatgcttgtt	16200
tcaaaacttc	aaaagcttta	aatgatcca	ctgtccacac	aaataaagt	tgtttcttca	16260
agagatcaaa	taaaggctta	ctgataattc	caaagtgtct	gacaaat	ctgtaaaaac	16320
cggctagacc	caggaaacat	cgcagttcct	tagcattgg	tggtactgcc	caagaggata	16380
tggttgat	tttactagga	tctgtggata	ccccttgctc	actgatgata	tggtcccaagt	16440
aagcaatatt	tggttgagca	aattcacact	tagataat	gactttccaa	ttatcagaca	16500
acaataattg	caaaaccttc	tgagatgca	gtagatgctc	ttcaaatag	ttactgtaaa	16560
ccaagatgtc	atcaaaaaaa	ccagagcaca	ttttctcaat	actggtttca	gggtttcatt	16620
cgttgcaact	aagaatgtgt	taggagcacc	tgtcaagtca	aaagccatca	ctctaaactc	16680
atagtggccc	acatgagttt	gaaatgctgt	tttatattct	tcgccagatt	tcaaaagaat	16740
ttggtgat	ccagctctga	gatccagttt	actaaaccat	ttagagtggg	cgagctcatc	16800
aatcaattgg	tcaaacacag	gaactgggta	tttgctcttg	agagtggagg	cattcaaata	16860
cctatagtcc	acacaaaatc	gccatgtcat	gtcttttttc	ttgaccaaca	ccatagggga	16920
agcaaaagaa	ctattgcttt	tctgaataac	accttgatga	aacatctctt	gaacttgttt	16980
ttcaatttca	tccttcaggg	ctggaggata	cctgtaaggt	ctgacagaca	ctggctgagc	17040
accttccacc	aaaggaatag	catggtcaca	atccctgctt	gggggcaaac	cctgaggttc	17100
gtcaaagact	gagctgaact	gttgtagcaa	tgcttgat	gcaggatggc	tgctcaggaga	17160
agagcctacg	gaactgacag	attccatgaa	caacaactct	atcatagtat	cagcaggtac	17220
ccctgggggtg	ttgccctgca	gcagcacaga	agagccttga	tatggataa	ttagccactt	17280
ttgagcccaa	tcactctca	tgggactaaa	ggatttaagc	caatccatgc	ctaccaccat	17340
gtcgtagtag	ggaaggggca	ggaatgaaac	gtccgaagta	aaactgcagt	tctgaatctg	17400
ccattgtgcc	tgcaacaatt	tgtaatgaca	agtcaccata	gccccattgg	ccacttgcac	17460

ttgcagagta	gatgccatag	atgtcacccc	ttgcaagtgt	ggtctaagtt	gatcattcaa	17520
aaaggtgtgt	gagctgccac	tatctatcag	aataagtaag	ggatgattct	gaatgctccc	17580
atttaatttc	agagtttgtc	gaccagtcga	ccccgtccat	gcagatttgg	aaatagtcac	17640
gaacaactgt	tctagagcag	gttcagggtg	agataagtca	gattcgggta	cttcttcatc	17700
caccaataat	gaccaaacct	cctccatagc	atgaagttga	gcagtggcaa	cacatttgtg	17760
accgggattc	cactttttctg	cacacttgtc	acaaagaccc	tttgctcgac	gaaaacgtcg	17820
caacgattcc	agcttatcag	aatgagatgc	agattgagtt	gaatccttgt	ttgaagtcca	17880
tttagttgaa	gcagacaact	gcacaccagt	cttggggcca	gcatgacttg	aatatggttc	17940
agaacggcgc	caacgtctcg	ccgttgtggc	ctcctcctgc	accaacgcga	gagaacaggc	18000
agtgtccaaa	ttcgacgggc	gttgcaccat	aataacagct	ttaatatacat	cacgcaaacc	18060
atctatgaac	cgcatttgtgt	aatacaatgg	gtcagcattt	gcttcatatg	cagacaagtg	18120
atcaacaagt	attgaaaatt	gttctacata	ctcagctacg	ataccggact	gatgtatgtg	18180
gaaaagttga	cgaattaagg	attcatgctg	ctctctacca	aatctatcat	gaagctggcg	18240
acaaaattca	gaccacgaca	acatacgcac	cctctgacca	acagactgta	accatgatgc	18300
agcacgcccc	ataaaatgca	tagtagctac	acgaatccac	atatatgggt	ccacgtcata	18360
catatcaaag	taattttcac	aaagcgtctt	ccacaactga	ggattgtccc	cgtcaaagtg	18420
agggaaatta	accctcggta	ggttaccgtg	cccacagcga	aaccctcgt	gaccgccatt	18480
cagttcagtg	tgacgaacag	aatcatcaaa	tggatcaata	cgaggtgaat	cgtgggtacgt	18540
acccttgacc	gggacatggg	tttgagcatg	accatgcccc	aaccacgcg	cccggtgaca	18600
tggttcagcg	tgggtggccaa	atggcccgtc	agcgggttgt	ttcccggcag	atggatgctc	18660
ggacgccaac	ccggaaggag	tgaagagacc	tggcttggtc	tgatcagcgg	cgatcgtctc	18720
acgctccatg	aacttggtgg	cacgcttgct	ctcgaggaag	aggttctcca	gacgcctctc	18780
cacttctggg	cgccaagtat	ccacctcgga	atgccccatc	ttgagtgaga	tgaagcgtgc	18840
ctccgcttgt	tgcgccatcg	cgtcgatccg	ttgctcaatc	gcgcgcgcgc	gattctccag	18900
cgtcgcagcc	atgcgctctt	ccatctgcga	caaggcctct	agaaccttct	gcatcgcgga	18960
atccataccg	gcgaccgcag	tggatcgagg	gcgcgcaccg	ggtatgggat	ccagattctc	19020
taggatgaac	tagtctgata	ccacctgtta	gcaccacgga	acacagaaga	cagtaaggga	19080
aggaggaagg	gcaacttgga	gcagaagaag	aagaataggg	tacgcaacgt	ggcggctggt	19140
ctttgttatt	tcgttcatat	cctcagcagc	ctagcacata	gtctatatat	gtcactcctg	19200
aactggactg	ccacaatacg	gcttacacgg	cccactgcgg	cccaaccaca	tttaagtttg	19260
gcttctctgt	cctcagcacg	cgaggttgca	tcgtctcctg	atgtgttgct	gctatctcca	19320
ggtcttgatt	cccacttgct	gccagcttct	tcttgtcttc	cgacgacgct	ctgctgacag	19380
tcaccgcccc	acagacttgt	gggcccgtt	cgccagaacc	ttcgtctccc	tcccgtaacg	19440
aactagggca	caacacaaac	ttgtacttgt	gtagccgggg	tgtgtttact	ggccgaccgc	19500
accgccttg	gactcgteca	ctgcccctat	ataaacggtc	gccccccgcc	ctcgatcaat	19560
cagagtttag	gagccccctg	tacctgttgt	cgtgtggcgc	cgtcgcaatg	agctcgacgc	19620
cgcacgccat	cgtaatttcag	ccacacctac	gcttttgcct	tgctttcggt	aggaggtttg	19680
agggtttcgc	cgtcgtacgt	gggagctgct	ggatgtttcg	ttaggtgagg	gaatctactg	19740
gaggcaggca	ctgcgtgccg	aggatcaccg	ttgcatccca	agccaccgtt	cgacgtcgcc	19800
gactctcgcc	ctcaatttag	ttaccgacga	ggaccccttg	actgtttcgt	ttgcttctca	19860
ctcgtaccta	ggcacgagta	gcgctttaga	tcggtttttg	ggcactcgga	ttgctcgccg	19920
gtgttcagag	attaccacag	agtcacgctg	tgctgagcgc	gaggctcgac	gctgcatgat	19980
cattgatcag	accttgtecg	tgttgtcttc	attgaccaca	gcttcgcata	ccaccatttg	20040
gattggagaa	atagagcgca	aggctcgtcg	ttcgcgtgtg	ctagcgagct	gtcagggcgg	20100
agctctatth	ctgccaccat	gacgcgttgg	tagagaaagg	agcggcatca	gttgatcagg	20160
attaaatccc	gogtaccctt	tcagcacatt	aaatcaaagc	cgtcagatct	aatctagacg	20220
tttgtgattc	gataatagcg	tgtcggttta	gtattttaat	ctggaccgtt	gatctctaga	20280
tgatcgctt	aggctcgtga	ccagttagt	tagttgggtg	aactttatta	aagagcccct	20340
ataaaaattta	ggaattaacc	tgcaatcacg	tgatatttag	aaagtcatgt	agctaggtca	20400
tgttcttaac	atattagacc	cgatggattt	tagaatcgga	agtacacatt	aaaggatatga	20460
ttctatactt	agtacattag	tttttgtgta	ctaacacatt	tgtctaagt	ctagaatgag	20520
aaaaaagaca	aaaggaaaaa	gagttggctg	tgtacagcca	actgctgttc	agtctgggtg	20580
caccggactg	tccggtgagc	ctacagtcgg	ccgcgcgaatc	tgcgcgtgac	gcgtggccgg	20640
gccaacggtc	tgatgggggg	accggagtgt	ccggtgtgca	ccagacagtg	tccggtgcgc	20700
caacggctcc	aaatcttcaa	cggtcggctg	cgccaaaata	ggaaagcaat	cagcaccggg	20760
cagtgtccgg	tgggtgcaccg	gactgtccgg	tgcaccaccc	gacagaaggc	aaggataacc	20820
ttcctggatt	gctctcaatg	gctcctagct	gccttggggc	tataaaaggg	acccttaggc	20880
gcatagagga	gtacaccaag	catactataa	gcattcttga	tcattcacac	tccgtctctg	20940

ctcactcgat	tgacttttctt	agtgatttga	gctccgttct	tgtggcgaat	cttgtgctat	21000
tcatttgagc	tcaagtcttg	gctgtgtgtg	cgtattgctg	tggatttgtg	tgtgttgctt	21060
ccctccccta	ctctagtgt	ttcactttga	tccttattgt	aagagcgaga	gactccaagt	21120
tgtggagtaa	atgaaactga	accctaaacc	ctaaaccctc	taaaaatgac	taaaatgcaa	21180
aatagacggc	gcatacataa	ctaggagtaa	aatgtccgaa	aaaaaatcgg	ctcgagtctc	21240
gagactcgag	tgccctctct	gcctataaat	cgaaccctaa	cccttttttcg	tacctgtttg	21300
tgtccttagg	gttttaggggt	ctctgctcat	tcgttcgcca	cctcgcccca	agacgtctcg	21360
ctaggggttc	gccacagccg	ccgccatgcc	tcgcccgaag	cttaggtaac	cttctcctct	21420
ggcgccctct	agggttttgt	ttcgagattc	ggttgttcct	tgcgttgacg	ggccggggct	21480
ggctcctcct	ggatctgggg	ctcaggcgcg	taggcttggg	cgtagtaga	tttgattcag	21540
tcggtatgat	gtcgtaatc	gtttgtttta	gtatgtgcaa	atgatactgg	ggttgtgggg	21600
ataggattgc	gcatgtttgc	catgtttagt	tgcagaaata	tccggatctg	tttcttgctg	21660
tcaatgggct	gggtctcttc	ctgttttagat	aattgtaaga	aatggacggg	tgttcataat	21720
cgacagagat	ccgattgctt	ctcgaataac	cgattgcaga	tactatctgt	tcgcaggcgg	21780
ttcagacagg	ggcatagaac	aaatctgaat	ccccacgagg	gaaggtttat	ttccattaat	21840
cctttctcgt	taggattcgt	atagatttac	atatatacta	caggttgtct	tatgagggtg	21900
ttgggtatatt	cttgaaagtt	aattcaccag	ggtagtggac	tgaatcttat	gaatgttgta	21960
tgtgtgtagc	tgtattgtat	tgtccgttta	taatgcctct	ttgagtagcc	attacagtcc	22020
ctgagtactg	tcttggttta	gttagggggc	gcaaagcact	ggacatctga	tgtccactca	22080
ggccttttga	gggggtacct	cacctgtctt	accaagaagt	gccccccaag	cagccttaga	22140
catacatcta	cataatctct	gtttgttaagt	gcctccttga	gtagccatta	cagtccctgg	22200
gtactgtctt	ggtttagtta	gggggcacaa	agcaatgggc	atctgatgtc	cactcacctt	22260
ttgaggggca	ccttatctgt	cttacaaaga	agtgcctctc	aagcagccct	agacatatat	22320
ctacattatc	actgtttgat	ctgtcctcaa	tgccacgtct	tttcaacttag	tttttggcac	22380
tcatatttgc	tttattgagt	tgccactgta	gttgatatata	caatcttggt	ttagttagga	22440
ggcacatgtg	atcttgaaaa	aaactgacat	tgtagtgtta	tcactcttcc	tgttgaaatgg	22500
tagacatgta	atgcaaaaaca	ttcaaaaagat	tgccttgtgta	cttgattagt	atcaaggttt	22560
cagggagcga	tgacatttct	taatataatt	ggaggactca	acttagttac	taactggact	22620
acaagtaaca	aataatgtgc	ctcttgtctt	tattcatccc	ttcttagatt	gattcctaca	22680
gttaactgct	attttcatca	tttttgctgg	tggaagatgt	ggttgagctt	gctttacagt	22740
attttggttt	tgttagcttg	tgttgcatct	ctctctctac	atttattatg	tgttgatttt	22800
tgagttaaaa	ctttgtttat	gataaaccat	gttgctttct	ttggtttaatt	ttttttgctt	22860
aatgcttatt	ccccactgt	actgtcagga	aggctccggg	ctcacgcccg	gctccacatg	22920
ctgctccagt	gaggaaccca	ccacagcctg	gtaaagtgat	tcacgcagac	aataagtatc	22980
tttagaactg	acattggcat	ggtaatcatg	cctcttttga	ctctgcagta	ttctattgtg	23040
gacatgtgtt	tcaattatgt	aacttttagtt	atatttttgt	ataactgttt	gctcagttgt	23100
tgagaatgtg	ttcggtttgt	tactataaca	atgttgatga	cataaatata	ctgttaagtt	23160
tatattggaa	tttgtggtac	aagtctgaag	ttgttgattg	tgtttgaagc	agagtcaatg	23220
gcatttcggg	ttatatagag	aattacagtt	cottgttttt	tggtagaact	ggaacctgtt	23280
tcagttctgt	tcctaattgct	tacacatggg	tttgtgctac	aagtatagta	ttagtattac	23340
agagctcatt	gttttggaat	cttgattgct	ttggaatcag	aatcgtttat	gtttagctca	23400
tattagtatt	agtattacag	ctcattgtgt	ttatatagga	gttttaatct	gttctatttc	23460
tgttcctaag	tgtcttctga	cttttctttt	tggcagcgcg	ctaggctcgt	cctccagctc	23520
ctgttcgtga	tgggtggtgg	ggctccattc	ttggagggaat	tgggtccacc	attgcttaag	23580
gtagttttca	aagcttggtc	ttttttgaat	aacttcagca	acaaacatta	tcataatcct	23640
tgaattgatt	tgaacgaaca	cattgtttta	ggtatgccat	ttggtacgag	tagtgccatg	23700
gcacacaggg	ctgttgatgc	tgtaatgggt	ctccggactg	ttcggcatga	gattgttate	23760
tcagaagctg	ctgctgctgc	ccctcctgct	ccagtgatga	acgctaattg	ttgcagcatc	23820
cattctaagg	ctttccaaga	tgtatgtctg	cttgccacct	ttatgctgcc	ttgttttccc	23880
tcaatttgat	gcatgaaaca	tttggttact	cacttctgtg	atgtagtagt	gaagttttat	23940
gggtgtcttt	tttttccttt	actgaacctg	caaattactt	aatcatcaaa	cottggccat	24000
caatcaagtt	ttaatattat	gggcatgata	ctaccgttgg	ctttgttgag	gtcatgttaa	24060
gaattgttaa	cctgcatttt	gtatactcat	tcgatgatgt	gttctcaccg	attttcttgg	24120
ttgatgcagt	gtcttaacaa	ctatggcagt	gagatcagca	agtgccagtt	ctaccttgac	24180
atgttgaaac	agtgccgccc	tgggtgtgtc	tgcctgagct	tttgcctcaa	ttgggattat	24240
tcattggattc	tcttttctact	cccatgtatc	tcattaataa	gacaccgtga	aacttttaac	24300
cctctccacg	aatgcaccat	ggcatcacgg	gttcatcttg	ttgaatctgt	ggttacgttc	24360
tctttatcct	gtgttggttg	aacagacttc	tgtctcttct	ggtgatcata	aatattttaa	24420

tgaaccagtt	gtgttgga	atgttgttt	cttttgtct	tagactggaa	agcggagttc	24480
tcgtcaacac	ggttctttca	actagggatg	aaagtggtaa	tccgaattgt	tagtacaaat	24540
ttaatatatt	aaaatagata	tgtataaaat	tttatgttga	tcttttttat	gttatcaagc	24600
acattagtat	aaattagtat	aaatatgaat	aaaatattac	ataaaatgtt	ttatgtatta	24660
tttggtccct	acaacataaa	tagttgaaaa	aattactaaa	tttgttttcg	aatctatatc	24720
gaagtttata	tctattattt	aagaaaaata	taggatgaaa	aggtttatct	tttatgaatc	24780
tttacaagct	ggatcttata	aacaagaaaa	taaatttata	ttgtagattt	tatatcctat	24840
ttattcgcaa	tcaaagaaaa	gcgactaaaa	aactgattac	cgagtaaata	ctgtttccaa	24900
ccgttttcgt	ccctactatc	aacgccttct	cccaaccgca	gtcgatctgt	ccgtctgtat	24960
caggcgcagc	ggcaccctcg	ctgttcgact	atctagacca	tagaatattt	taggtataca	25020
ataatttttag	ttccacgcta	gaacatttta	gttagaataa	taacaagatt	tgctattgat	25080
gtaggactcg	cccgtcactg	tctaaaaaag	cattctgtcg	gtcttattct	ttaggcatac	25140
gcgggtgtac	tatctcattt	ttcctatcat	attcctcagt	actctgttaa	gtataaatgg	25200
tctatttttac	atgatgaact	aataaaaacta	attaaggatc	ctaacttttt	gtgaaggtaa	25260
tttggtatcat	tatgcattac	catcctacgt	atacctgctg	cagcagcatc	tgcgtaagca	25320
cagcctagat	atatgcttct	gtgtggactg	aaaggagact	ttgtttatca	attagtatac	25380
tcccaaaaaa	ctgatgacac	caatgatgca	aataggctgg	gaatagtctg	tctaatagtt	25440
tgagtgaatc	atgtcactgt	gcgtcctctg	caggcagttg	ttgacatgag	cgcacgtca	25500
ctgctgaatc	gccatggtct	gaaggcaaca	gataaggcat	actgggcctt	gtggtagttg	25560
ttttactggg	ccttttttga	tgatctataa	aattcactgg	gatcaaccgg	gagaggaatg	25620
gcagcagatg	cagtccccag	ggctcctcgt	cgcgcctga	gcaccggca	cccgcgctga	25680
accggagagg	gacgcgcgga	cgcgtgcag	ctggtgcgga	gggggctgtg	gcagatgagg	25740
atgagacgcg	tacgtggctg	ggaaggccag	caggccaccg	ggtcttcgtc	cagcccgcg	25800
cgagtggaca	ggactagaga	tggcaacggt	tacaaaccgg	ctgggtttta	ccgtcccaa	25860
cccgtaaccg	tgaaaaatat	ctatgcccat	taaaaaaccc	gtacccatga	cgggtttgag	25920
attttgccca	aaccggtacc	catcgggtta	acgggtaccc	atgggttacc	cgcgggtttc	25980
atctccaata	tacctgttct	tctcataatc	aataagtatc	gtaatgatta	atgatatcat	26040
gatccaaaat	ctatgtaatg	aacaacgagt	tcatgatttg	gtataaaaat	tattagtaga	26100
gagaatgaaa	tacaaataat	aagttgtata	attaagtga	cttgactaa	gttatccatc	26160
catcacatat	ataacgctag	taaaaactat	aatatcaagc	aagcaacact	ctcaccgact	26220
actgatacat	tcaccaattg	ataaaaaata	tgaagtaa	aaggaataac	aagtttgttg	26280
ttcgtttata	aaataaaatg	acaatatgca	ctaggtttgg	tccgggttta	aaaaccacg	26340
ggttcacggg	tttgggtact	ataggaacaa	accgtaccc	ataaaccat	tgggtacaga	26400
tttatgcccg	ttaacaaacc	catgggtatg	aaaattgacc	caaacctata	ccctaattgg	26460
gtaaaaaacc	atcgggtttc	ggatttcggg	taccattgc	catctctaga	caggacaacc	26520
tccggccggc	ctgtatgtag	gccaccagca	tccggccagt	ggtacatcca	gccgggggtc	26580
ggtcactttt	actcgtctca	atcagacaat	caccgtccac	caacgaacgc	caacgttgct	26640
acttgctcagg	tccggttgaga	cttgatattt	tttttgcct	ccgtaaaaat	cagttccaac	26700
gacagatacc	ccgacggtaa	gcggacagcg	ctgtcgtagt	cgttttgttt	gagtcacaaa	26760
atgagccgaa	gatgcaagca	gcataatgca	cgtgtgttac	aaagaaaaga	agtggatgca	26820
aaggcactac	gagaatgaac	tggtgccacg	gaaagatgga	accaaaccac	cgaactattt	26880
tttccctcct	tttttttatt	aatgcttcgg	acgacgatag	cagtttctgt	acaactcttg	26940
atatataaaa	aacaaacaat	atgacggatt	aacctaggca	tccaatgccc	ccccaatttc	27000
ctcctgctat	agcgccacac	cttgctgctg	cgacgactgg	agccttccct	tgaggaagcc	27060
cctgcacacc	ttgctccaca	gctccttgct	cggctgccgc	acgtcgaagc	tcgtcttggc	27120
cacttccacc	tggcagtcct	gccaacaaca	aacaaaacaa	ggacagatat	ttttttttgt	27180
cctccgtaaa	aatcagctcc	aacgacagat	accccgacgg	taagcggaca	gcgctgtcgt	27240
agtcgttttag	tttgagtcca	caaatgagcc	gaagatgaaa	gcagcatatg	caaggtgtgt	27300
taaaaagaaa	agaagtggat	gcaaaggcac	tacgagaatg	aactggtgcc	acggaaagat	27360
ggaaccaaac	caacgaacaa	ttttttccct	cctttttttt	tattaatgct	tcggacgaag	27420
atagcagttt	ctgtacaact	cttgagttct	gaagcacata	taataaaaaa	caaacaatat	27480
gacggattaa	cctaggcatc	caatgcccc	caatttctct	ctgctatagc	gccacacctt	27540
gctgctgcga	cgactggagc	cttcccttga	ggaagccctt	gcacaccttg	ctccacagct	27600
ccttgctccg	ctgccgcacg	togaagctcg	tcttgccac	ttccacctgg	cagtcctgcc	27660
aacaacaaac	aaaacaagga	cagatatattt	ttttccatgt	cacagacaga	cagacagaca	27720
gacagacaga	gagacaaacg	aacactcggc	acgctgtcgt	tactattatg	attaattacc	27780
agtatgtgg	tgtggcgagg	gaggcggtcg	gcgatgctca	tgaggacgtc	cttgctgtac	27840
tccgggtggc	cctggacgcc	catggcgcg	ccgccgaggc	ggaacatctc	gacgcgggtc	27900

ttgtcggacc	gcgccagcgc	ctcggcgccg	gggggcagct	cccacacctc	gtcctggtgg	27960
aactcgatca	ccggcatgtg	cacgggcagc	ttcagcggcg	cgaacagccg	cgcgcgccgc	28020
gccgtcgggt	ggatgcagct	caccccgatg	tcccagccct	tggccgaccg	ccccgtgcgc	28080
ccgcccagcg	cccggcacag	gatctgcgtg	ccgcaatcaa	acagcttcag	gagttaagac	28140
ggaagtgtag	tagccacagg	agtttagagg	tacgtgtgcg	taacgtggac	gcgtgcaagt	28200
ctgcctggca	tcggcgcccc	accaccgaca	gggcccgatg	acgcaactaa	aacgttttct	28260
tcgggaacac	gccaagtaat	tgattcatgt	gcacacagac	tgtccccctt	ctgtttgtag	28320
tacgatattg	ggaacctcct	aggattccac	tgctaaacaa	ttggtgtctc	ctgttcctgc	28380
gtacgagtac	gacgacggaa	gacttcgcgg	ccacaagagc	aatccaaatc	caaggctctg	28440
gctctcggac	cacagggaca	gcgacagtgt	aagagctctt	tgaagttgcg	agtgttatta	28500
acatagaacc	aagtaataat	taggagaaga	ggtcagtagc	tcctcacgcg	tcgaggcacg	28560
tctctgacaa	aagcgtggtt	cgcgcgggcg	attgcgtgcg	cttgggcttg	ggcgctaccc	28620
gcacgccctt	gggcgtgatc	tgatccccctg	agctgctggg	ttggtagcgt	agtagcatcg	28680
tcateccaaa	agcaatctcg	ctcggcaggc	gagatgcgtc	acgccatttg	cgttcttcgt	28740
cctcctcctc	cttcccgggg	gatttgattt	taaaatttgc	aggcgcgggt	tacgcgccac	28800
tttgaggcaa	acaaaccggc	gaaccggaat	aggggaaccg	ctcgcctcct	taagccaggg	28860
caggggcgca	gggctctgtg	actgtgagcc	aaacgtccgg	ccacagacgc	agcgggcccgt	28920
aggagatcct	gcagaacaga	taccactcct	acttgtctgt	gtgccaacaa	caacagcaac	28980
ccagctgcca	cggccacgtc	acaccacgtg	aatcagcgat	gtcagcctcg	agccttaacc	29040
ctttgtttga	gagatgctgc	cgtgtcttaa	acctagatta	gcgtggagtt	tgtagtcaact	29100
aatccatcca	atcagtcccg	tgtecgctctg	tttgcttcga	cccgaatcaa	accagggggcc	29160
tctgcttcta	tgaactgaac	tgccatggac	tgaacaacaa	cagcgtcatg	gcagaagcaa	29220
gagctctata	ttgtgcgctc	taaatggaga	ttggtaaaac	tcgtagaatt	gggggttcgt	29280
ttcttccgtc	aaactctaac	tgtgggcttg	atgctagcac	tgagtcacct	ttgtcattct	29340
ctggggaaaa	aaaataaggc	atctttccgt	ccccattgct	actgctcacc	aattaagcag	29400
ccagtaccgt	ttgtactagt	caaaatgcac	caagaacgac	cacgggtcgc	cgtaaaaaaa	29460
aagaaagaaa	ataatagaaa	agaaaagggtg	cgccgggtgg	acgggaaggc	gctaggctag	29520
aagagcggca	gccccaccag	gtggtgcccg	cagcgtcccg	cggctcccgtg	attcaccagc	29580
gacgacggag	aaaccagct	acgcgcggaa	gggactagac	gagaaccaac	cgcaccgcac	29640
ctaaacccaa	ccaaacagca	agtcgaacca	aacatggacg	gatgggatgg	gcacctggtg	29700
gccgaagcag	acgccgagga	cgcgcttgcc	ggcggcgtgg	acgcggcggg	tgaggtcgac	29760
gagcgcgagg	atccagggct	cgtcgcctgtg	cgcgtcggcg	cagctcccgg	agatgacgaa	29820
cccgtcgaac	ccggctgcct	cggcgtcggc	ggggagctcc	ccgcggacgg	cgtgtacac	29880
ccgccacctc	tcgccgtcct	cctccagcag	cgcgcggaag	acggcgaagt	agccgccgta	29940
cttctgccgc	acgtactccg	agtcctcgcc	gcactgcagc	accgcgtacg	agcccgccccg	30000
cgagggggcg	gcggcggcgg	cggcggcggc	ctccagcgcg	gccgacgcgg	cgttgtcgag	30060
cggccccatt	cccatggctg	gcggcgctgc	ggccaggcag	gcgcgtctcc	ggccccggaa	30120
tggaggcggg	ggttgggcgt	cgttggctt	ggctgactcg	cttgccgggg	gtgagaggtg	30180
gcggggagga	tggggggaga	acggcgaggc	gaggcgaggg	cgatatttaa	agtaagcacg	30240
agcggttttc	cctcggattt	tttttatttt	ttcgtcgtcg	gttttccatt	ttgctattat	30300
agtactgttt	ctgttttttt	ttactggtac	tggggctggc	cgtaccgggc	ctaccgctaa	30360
catttggtat	ggacgtatgg	catggcaacg	gccagcaggc	gcgggacggg	ggctaccggc	30420
gagcggcggt	tttgctcggg	tccccctcac	tgtcgggtc	tttgccgggg	tcctagtaat	30480
gggtacccaa	aatcgggtat	ccgatagata	aaaatcctat	tagagcatgg	atgtagcgaa	30540
ttttaatatc	tatggatatt	ttattaggtc	atttatttaa	tttcaactcg	tcattgcatac	30600
aatatactta	acaagcaaag	aagacaaaacg	tggaccctt	aatctcacct	ttaaaacata	30660
tattgataaa	agagtttttt	tttctagacc	gatcttgtca	aatactgtat	ctacctgcct	30720
gataaaagat	tcaaacagga	agagcaaaaag	cgtatatcaa	attaattgac	acgggagtc	30780
atttctgtgc	tcagagtaag	cgagccctac	aattgcaaaa	aaaagggggg	gggggggggt	30840
atgcatatgt	aatatctgat	gtcatttata	tatagtgcac	cgattctctt	tcgtaccaag	30900
ttgcaagtcc	tcatatcgaa	tcgtaagtta	ttctgttttc	ctgtgtacat	atgaacatat	30960
ctatctttta	atacaaacag	cattttttat	agttttttct	aagtacatat	gaacatatat	31020
ctatctttta	atacaaacaa	catatttttt	gtatagtttt	tgttatgac	atatgttttc	31080
ccatgctacc	gtttgtatta	aaacacggaa	actaaactac	actaatttat	tttattcata	31140
tttctttctt	taaaaaaatg	ttttttatcg	ttccatcctc	tctatttcaa	accgtaagct	31200
gttctggctt	tttttttcta	aatgcgtatt	ttagttatat	ttctagatat	aattagagtg	31260
tacataaaca	cataaaaacc	cacttactaa	aatcacaaca	acttacagca	atttaaaacc	31320
gtgagattgc	cgagcagggc	gagaaccgac	tgtagacat	gtcacatgc	atgtctgggg	31380

cattgtttga	ttttatttgc	ccgagaaatt	gctctgtttt	cattcgtaga	atttgtacta	31440
gtatttttctt	accgaggctg	gctgggcata	cgtgcacgcg	cgcgatcgtg	cagcgacatg	31500
cacatgcaat	gcaatcaccg	cgtgacggag	taccgaggcg	aggctcgtcg	ccacgtgccg	31560
tatgggcccgc	tggcacgtga	caccaccgat	tcggatcctt	atttattcat	tcatttgtca	31620
gtccccacgc	attgtattta	aaaattcaga	aacgtaagcc	cactttttacg	caaaaacaac	31680
tttactgtcc	gaaacgcctt	gtgcaactag	ctaggctagg	aggctaactc	attagtaaaa	31740
tgttgtgttt	tccacccttc	ctttgtacta	attttataga	ctattagccc	ggacgagctg	31800
gctaggccag	acagggaaat	tatatatttac	tttgacgcct	catctggatc	attggaattg	31860
aattccattc	taacaatatt	aatttaggta	tatatcaatt	aagctaattc	ggtttttatgc	31920
aaaatatatt	tatatactat	tattagcaag	atgtcggaga	tatttatgtg	ctacattttt	31980
actataaagg	agtgaacga	agagtgtcat	gtaaattaca	gactagaaac	gaattctact	32040
aatgcataaa	atcatttcac	acactccacc	ccatgaattt	gagatagcct	tatatctgaa	32100
ctttggaaag	tgggtggaatg	tcaaattcca	aactaaataa	gttattttat	tgagtgaatt	32160
ccaattcctc	taaaatgaag	ggatccaaat	gccccgtgac	tgggaatttg	agacgaagcg	32220
cgcgacagaat	attcgggtca	aatagaatca	gctacatact	atgtgcatta	gggctcacat	32280
aaataatcca	tatcttgagg	agtatcaaga	gagtaagtgt	aaaaaaaaata	caagagacat	32340
atcttgatga	agagatgtat	ctagctcagt	tctctaagtc	tagatacagt	ttcgtccata	32400
caaccacat	aatgagtta	tatcatgaga	gattctagt	aataagatat	atgattatat	32460
acaaaaatag	tttcttatat	gtttttttgt	attttgaaaa	ccgaactgga	gtcttaaggt	32520
tgcacatgcc	ctggatgtat	ctagtgtttg	taaaacctgt	ttgtaaaacc	gcaacaaagt	32580
ttctacattg	tacatgccct	tagggatgtt	accaattttg	gtagtgaac	gcaataatga	32640
attaagcaat	aattcaagcg	gatcagaatt	aatgagacg	tgtgggtgtg	actgtagaga	32700
gtactctacg	atatgtagt	ggatacttgg	agcagtaatt	attactaaac	atgaggtgta	32760
gtaaacattg	acgggataac	gctgcacatt	aaatactagt	atcagtaaac	gatgcaatat	32820
gcacgatcat	ggtccgagag	aatattcgg	tcaacacatc	tatctcctgc	gtttatatat	32880
tattaaaact	gaacgttacc	gtttttttgt	agtagtgata	aagatcgatt	aaggtaactc	32940
cagcaacggt	ggatgtgtat	aacactgttt	tgtattgtag	atgtactctt	tttatataag	33000
gagaagttta	aaatagaaat	tacgataacg	taaagtgggt	ttttaccggc	taaatttgaa	33060
cgttttccct	ttccttccct	ggtcctgtac	ttgcagtatt	gcactgtcgc	ctgtcgggtc	33120
atcgatcgga	acgacgacgt	cgtcgcgcgc	ggcactatgg	gcactagtac	tttgggtggca	33180
gtggcacacg	ttcgtagtgt	gtgtcacttt	ggtgtctgga	gcctgctgga	gcaagacagc	33240
aagtcagggt	gaggccggct	actcagctgg	gcgagtgggt	gttgctgcga	gctttggcgg	33300
atatcagggt	atgcatatat	ggcaacggct	ccaaaaacgc	gctgctgcga	ctgcgatgcc	33360
ctgcagcatt	gcaatggctg	gccggccgggt	gcgcgttgct	tgggaagaaag	atgctgtccg	33420
gtcggcgaac	cagcctcgat	cagccatgcg	gttgtgatgc	atgcgcagtc	ttaacagttc	33480
ggaccctaac	acgggctggg	tgaagctgaa	gaggacctaa	tttttggtag	ttttgtttga	33540
ctgaattatt	ggtagttaag	ctagattagt	cctacttttg	ggccggggct	ggctttctgg	33600
cctagctcaa	cacataattg	tttttttttc	tccatacgg	cggcgtacat	gcgttcaa	33660
tttaaaccct	gaccttttac	ttttattcac	gtacgggtgta	ctgaaccgcg	cgtagtccgg	33720
tagaaaaaag	tttaaaaaatg	agagacacga	cctcatgtta	accgtcacc	gtgcatcatc	33780
gatggacgta	cgttgacagc	atcacaacga	ctacaaaaat	atcaaataat	gcatgttaat	33840
ctgattctta	gtatagcctt	tcgggtgtcgg	caaattgcaa	tgccgtgtgc	cactatgttc	33900
attctcaaaa	aaactgacca	attgacgcgc	gactaatgct	ggatcaacaa	cgaccgcaca	33960
agtcgtgata	gtaacgggtct	agctagtttt	cactttttcag	agattaattt	agagacagct	34020
agctagctca	ttagttagtt	agcaaattag	ctagttattt	gttagttagc	taatttctact	34080
aatatttttt	agccaactaa	ctatatatat	cttcagtgc	ttcaaacagt	ccctatataa	34140
tctagattaa	tttagttgta	gctattttggc	atcctagatt	aatggaactc	agattttcat	34200
cattagacaa	cactgtccac	ggtcgtattt	cttcattatt	tatgatactg	tagcagtttg	34260
taggtacata	aaaacgttga	acatgttcaa	acacattaaa	aataaatatt	tcatacacat	34320
tttgtgccca	tatcatacta	catttgaaat	taaattacat	tcttctcgca	aataatacat	34380
tgacaatttt	atctagaaaa	gtattcgcgg	ttccctcttc	atctcccaat	ccggtatcgt	34440
gatgacttga	tggatattta	tcgttgtcgt	cttcattcaca	tcaatcaaat	agttcttccc	34500
gtatatgtta	ctacctcaaa	tgaaaaaatt	attccttcaa	cattggataa	cttggtaagt	34560
ccaataaaat	tatgaatttc	atcttcgaga	cagcgaaaga	ttgctcaata	tgataagtg	34620
aattggttga	atacatctca	tcattcacatg	tcagtcaatt	aattagtcga	tcaacgatga	34680
aaattaagcc	ctgaggttca	ccgtgctaca	aaacgacatg	attgtgtgta	cagttttcgt	34740
actattttaag	ttttacctcc	ttcctatatg	aaacataatt	cctcaacgat	tgtttgcttc	34800
ggattaaagc	ggactattta	gattgggtgta	ggtgtaattct	ataaaaaaca	aagtactata	34860

gaaccagtag	aaaccgggtat	agattaaagt	caaggggaacg	actgaaagtc	cacaaagcta	34920
ctggattcca	tgagcttctg	tagataacaa	gcccgcacatg	gcgacgtcca	catggggccgg	34980
gtctgaaaat	tcctttccca	gcaaataaag	agaaactagc	aaattgttca	tatatgctac	35040
ggttctattt	atacttatgt	atagaatata	aaatataaag	atatgagtgt	attgttagtt	35100
atgtggatat	gaatgtgagt	ttagagctaa	taatcatagt	tcgaatctct	atttgtatat	35160
aatttttagca	ttttttataat	ttaaatgtga	ggtatacgat	gaaaatcata	aaactaggaa	35220
aattagtgtt	ttaatatagt	acagatatta	ttctctgaac	caaagacaca	caccagaata	35280
caactcacat	atgcattgca	cgtgtgaagc	tcgcacacac	agggcgcaac	aactcagctg	35340
ctttctttac	gtgatcagat	tgctagagta	cttcacaaag	ggacgccgag	agagtatcgt	35400
tcaccaacct	ggcagtgcca	gttgccgcgt	tgtactagt	tacaaaagcc	cagctgaacg	35460
gtgatcagtg	gcctcccaat	gccattctgt	gtaggcgatc	acagatctat	caacaccacc	35520
aaacccaagc	cagcacactg	caaaacacca	aaaggattga	agcaagctgc	caaatggcac	35580
gcgttgccag	aacaccgacc	ctgcctgatt	cagagtcaga	aatgcaatta	tagacgagtc	35640
tatgggcatt	gtcactgaca	gaatgacagg	gcaaagatac	cacagtittca	cgcgaaaaca	35700
tggccgtggc	acgttgggcg	ctcgaggcaa	caacttctat	attggcatag	ccagaatgat	35760
aatattgttg	tacaactcag	ttagagatcg	agtcgcacga	tcattgctcg	actctctgat	35820
tagggacgta	acaatctgtt	ggttaataag	ttctcctttc	ataccacata	ataaatagtc	35880
aaagaaccga	tacgcgaacc	aacattcata	ccgagattcg	atctaataac	taccggccat	35940
cttttcgact	ccccgaacca	tagccggagt	ggccatgggc	atttctccgc	ccttgatcag	36000
catggcatct	ccttccaatt	ctggaggtag	aaatctatgt	tctatgattt	ctaattggcta	36060
ggattacgag	tcgaggtctt	aaaatctaata	agtggtagta	aagccatggg	tttaggctcg	36120
ggctctaact	ataaatgaca	gttttcctta	agttttatga	caaaatccga	gaaaaacacc	36180
tcttaactct	ttgtattcgt	gttcctactc	acgtagaaca	agcaaaaggg	gagaaagaaa	36240
ctctaaccga	acatttccac	ctttcccaaa	ctctaatact	aaggcagtc	ataatctgag	36300
caccaagca	cacaaagaaa	gggaaagcag	acgttaggaa	agcagccatg	tgctatatat	36360
tcgaagacct	agcctacaca	cacatctgtg	aaactgtatt	aaattgttaa	atatttttag	36420
tttgttaaat	atttttaaat	tacgttaact	cgtcttttct	agttattact	tatagcttca	36480
aatctagttt	catttacgat	aaagttcaat	aatcattatc	cttctcttga	ttactatttt	36540
catttggtat	gaatcatgat	cggttgtttt	tctctaaatg	tttgggtgag	taatctttag	36600
gcttgacaaa	cgaggatggg	gaattcattt	tttacgcac	tcataattat	taaagtgcac	36660
cacttgtaga	cgagcacaaa	ctcgatggca	tgtaagtgat	tttaggggtg	gattgacaca	36720
caaaataggc	tattggggagt	gacaaacaac	tcctcaagtc	taaggactaa	ataagaatat	36780
ttagaaaatt	agtatatattg	gatatctcat	ttaaaaaccc	attgaagcct	gattttttgg	36840
taataacatc	ctacattatt	tttagggcct	gttttgggaa	ctagagatgt	tctaagggct	36900
accactcaat	tggtaccta	attagttgtt	gactaatctt	gattagttgg	atgacagaaa	36960
atagaatgga	actaggtaac	taaggggggtg	ttggattaca	ctagagataa	tagttagctg	37020
ctaaaattag	ctgaagacat	ccaaacactt	tagctaatag	ttaaactatt	agctattttt	37080
agcaaattag	ctaatactcc	ctccgatttt	tttatttgac	gtttgttagt	gaaaatctga	37140
actattgagt	gtcaaataaa	taaaaatgga	ggtagtagtt	aggtagacat	ttgttaggta	37200
gctaattaca	ctaacaatgt	ttagccaact	aactattagt	tctagtgcac	taaaacatcc	37260
tctgaggtga	tgacctgcac	gtgggtatgac	ttaagtcact	tggcctcatt	agcctaattt	37320
gcaactctac	atgcagccat	cgtcctagag	ttaattgggc	actagttagt	tgctaactgg	37380
tcatagttag	ttgtccgtgt	gtgctagggt	ttctttatac	catatagata	ggctttatcg	37440
aaaaaagata	tttattttaa	cacgatctaa	actcatagat	tctcatatcg	cacaattata	37500
tttttttatt	tttaaatatt	ttgtatatat	atttacaata	tcaattctta	ggcacaaatg	37560
aacatgtggg	atactgggta	gagactcttt	gttttgtctc	tcactgagtg	agcaggattt	37620
gaaccctcat	aggctgcgtt	ggacgcacgg	ccgcgagagt	tagacgatcc	acgataaaac	37680
tcattgtttta	agggtgtgtt	tggttgtaat	gatgggaatg	agacagaatg	aatgtgatg	37740
atcctcaaat	aagggtgttt	agtttagggg	caaggggttg	aacaagactg	tcccagttat	37800
gtcccagtta	tccttcgaaa	ttagagagac	gagaggggac	gcgaggaaac	gtctctgacc	37860
tggttatccc	tatgtgtacc	gcaaccaaac	gcaccataaa	ttaatgatga	tgatgcttat	37920
tggtgttgaa	agggttgcaa	ccttaactac	agcactaacc	gccttatcca	aggatcaaac	37980
acaaaaggcc	aaacctgtga	agatttactg	ttgtattaca	taattacaag	attaccctgg	38040
aatgtttcgc	atgtctgtaa	accgaagaaa	aatagttggg	tccaaacatc	ccaggtaacta	38100
gcctgtgtgc	accttggcgc	gcagaggctg	gagttgattt	ttcctttatc	gaaaaggaaa	38160
tattttctaag	cctctaacca	tttttgcatt	ctatgcagtg	tcacctcatc	agagagttaa	38220
tagttaatca	agcctcccaa	aaccttcatt	tattaatgag	ccagtgaaac	tacatgatac	38280
catcatagta	agaagttcca	tgagtaacag	gtcagcagat	tcatttttca	tttgtgaaac	38340

tagattaaac	aaaatattcc	tttgggttga	agtttttttt	gtctatttga	cttttgggtt	38400
gtaacatgaa	caaaaatata	ccacctgcaa	ctgaaacatt	caaagattca	aaggtacctt	38460
cctttggaat	gtttacaagc	tcaaattgct	ggagggtctc	tgcagtgagg	ccattgccct	38520
cacttcctaa	cactaagcac	agagattcat	tcaacatcga	atcagctagt	tctttggaca	38580
gcgagtagat	ttttttggat	gcagcactac	tactttctgg	atggcctgcc	atcatcttca	38640
taccatactt	tgtcatcaat	gcatgcaggt	catgccaggt	accagagaca	ataggaagct	38700
gcaaaggggc	tccacgggct	gcacgaacag	cctttccatt	gaaaggacca	caacaagccg	38760
gaagaaggaa	tactccatcc	tgatggcatt	tgggttcaga	ggttggttaag	aggtgtagag	38820
ttggaacagc	aaaaactaga	gtgtttgggt	ttctctattg	gagattgtta	gtttctatgg	38880
tgcctaagat	cgattcctaa	gtccctaata	ctaattccgt	acagaaagta	aaacctcgat	38940
gacgagtaga	tctgatctac	tgagatcaat	agggaaacac	acttttgttg	ttgttggttg	39000
agcgttgctg	cagttgccgt	cttcataccg	ttgccctgca	gagaagcagc	aggcatcgga	39060
ttcgagccgc	tgtgggttgt	agcgtttcca	ggcactccga	cgcttaggtg	atggggcctc	39120
tggggactag	ggttttgggg	cgaggtacta	gtgttagtct	ttcctgcgac	ctttagtcct	39180
atattttatag	cgttgtgtgc	ccggaggctc	caaccgaggt	taacgtggcc	cctctcaatc	39240
aagggtccgt	ttaaggagat	agatagttgg	gattagccca	atctgatcac	tgatgaccag	39300
ctatagagga	cacaccaaac	agagataact	aatacatata	aatcatgtat	tgtgtatcct	39360
ataaaaaata	ttgtgtaccg	gaatcagaga	taaggaggta	aggacatcca	tcctatctta	39420
cttaagagca	gaatcaaatt	cttttttagca	aaggagaact	ggagcacaat	gaaatttagt	39480
ggcattcctc	aaattctatg	gtagagtagc	aagattatth	aacactatgc	aatgcagcaa	39540
taatacagtc	tgacatactt	caataagcgg	ccttcagaaa	agaatatggc	ataccatttt	39600
gaaagcacaa	gctgatctta	tcagtgttcc	gaggttacca	gggtcctgca	aggtaggggc	39660
accagtgcac	catgcttacc	atgagaccca	ctgaacggat	atgcataact	acatttgctt	39720
caaacaaaaa	cagcatgcat	agattgaatt	atgccttgca	ttctactccg	tccgttcttt	39780
tttattttgtc	acggtttatt	agtttagttc	aaaaatgaac	tagcgggcga	caaatattcg	39840
agaatggata	tagtattatt	taaggatgac	agcaatcatc	tctctgcaca	atgggtggcct	39900
tgatgggtac	tgcatatcct	cacctgaatc	ccatcaagga	ctagaatcct	ctttggacaa	39960
ctgaacaacc	catcaagagc	atccccatcct	catggctcct	gaggtcgcgg	aaatgggttag	40020
gcatgtgcat	gacagcaatc	gcctcgggtg	aatcagccga	ttgcatcccg	gacaccttct	40080
tcataccgcg	gtcgctgcaa	tacacgacat	taaaggactc	gcgcagcacc	tccgggacct	40140
aggataagca	agtaatcgat	gacaaggggt	agaagcacag	gtttaggaag	agaagaaacc	40200
tcgcaggaca	tgtaaatatg	acaagggcct	ggagttgcag	aggagtacag	gatgggcacg	40260
aggccgacaa	aatttgacca	tcacatttgg	tatgtttggg	taactttcgc	atcatatagg	40320
ataggagtat	aggactagga	tccattttcaa	attatcgtgc	atttcataat	ggttttctgaa	40380
gcttttggtca	ccaagtattc	ctattttctcg	gctggaatth	cacgttttgcg	ctgcgagggga	40440
gtgtttctgc	ttcgactcct	cgttcagaca	gaccccgccg	ggactggagc	caagccgctg	40500
ctacctgccg	cacgctgcca	ctgtcaggtc	cgctcggcac	atagcgacac	agcgagcgca	40560
aacattttcgt	tcgcactggg	ttagcaaccg	aaacgctcct	ctatctaate	tcttatatca	40620
tccccatttt	catacttate	tctacaaaaca	gtgttatata	tagttccacg	tcataatatt	40680
tccactctac	tagaaacatg	tttgattcgc	ccctgactgt	gccacaatth	acaattttatc	40740
taaggtttagt	aaaaaaaaagt	tagataaagt	atgataagat	ggcgaactaa	atatacccta	40800
gcgacacaac	agcttggaac	aacttcaacc	agccctagtt	agccactcgt	agcttcatgg	40860
taaagatttt	ggataatttt	ttacaagttt	acacacttca	tcacgacaaa	gattgtgaat	40920
gctggatggt	tttggatttt	gacaccttta	cacacttcat	aacgtgtgcc	atctattaga	40980
ggagaaacga	gaactgcacg	cagcaacgca	ccaggctaatt	aagtgacaac	cgaacaagga	41040
aaggcgggaa	gggggcaacc	tggaaaatag	agagcagagc	agaactttat	tcctcctctc	41100
aggaagtgtc	cttgtcactc	taaacgctaa	cagccgaagg	aaagaaggct	gagagtgaga	41160
tttgaggcca	caaaaagata	accggcatac	tcagaactac	atgggtccaa	atttgagatg	41220
gtattcaaat	tttagatggc	aaggctctct	aggcacagct	cattcgtctc	ccattgcaag	41280
ttctagcgcg	taatcatctc	tttctgaaa	aacaaggagt	ccattttatc	tcagtgaagt	41340
gtctaataac	ctataatcac	actttgcaga	tcagaaagta	ttgttactca	ccactggccc	41400
tcgtgcaaag	tatctcccg	attggagcca	atatacctgc	aaattgacaa	acaacatgct	41460
ttgaagagcg	aatttcctac	tacatataga	gctagatatt	aattaatttc	aaaagggtgtt	41520
ttagactacg	tgcttgctc	atcttcatct	tgagtctcga	cttcaacatc	gccagatggg	41580
aaaccaacac	acaacaaagc	atagccctga	aaaggaaacc	atacaataga	actctaaaat	41640
ccttaagtac	catacttgat	aggcaacatc	ggacaatgct	cctttccact	ttagctatga	41700
atttggaattt	atccgaattt	atagctaagt	gtctactatt	ttaggacgaa	gatagtactt	41760
tataattggt	agctaatttg	tattgatgaa	catttctatg	ttgcttggcc	aagaataact	41820

gatcaataaaa	aaaatctatt	gtcatatctg	taacacaaaa	aatacaaaaat	aaattgtggg	41880
tcacattgca	atcataatcc	ttccttaaaa	gtcgacataa	tagttatgca	tcaaactcta	41940
gcaattgccc	aggaacattc	aggaaattgt	acaaactagg	taactgacta	aactggagga	42000
caggttaaga	gtgaaataca	acctctcatt	tccagaccat	gtacacaggg	aacaataata	42060
tgtcatgggc	acaatactcc	aatcgtgctt	caactagtgg	aagaaaaaat	ggatgtacct	42120
tatcttttag	ttctgcagat	atcccaagtg	cttcaggctg	ccttatctgt	cctgatttta	42180
ttcggactgc	acagcttgtg	cagcaacctg	attaccaaaa	tgagttttca	attgttatat	42240
agaccacacg	gaacaatcaa	ataagagatg	ctatccaatc	aaaagggtatt	catagttaaa	42300
taatataatca	aaagccaatg	gcatgggtag	tttttttttt	aatttatagt	tgctataagt	42360
atttgacaaa	tagaaagagt	cccaaagtga	tccaacatgg	ttctgactac	atattccaaa	42420
atcaaaaacca	acatcacact	cccacacgat	actatctata	tcaacataaa	ggaggatgag	42480
aaatagccaa	cattcagttt	gcacatattg	gagcagctag	tggtggagct	tggccataaa	42540
aagaggacgg	accattatga	tatgaagtgt	aaagagaagg	gagacagatt	agtatttcat	42600
cagttccgcc	actcaagaca	gggcttcctc	aggctctatt	tgtaacaaat	gaagacgggt	42660
caagctgaag	ggtgacattc	atgcttagca	cttagtgtag	ctgctactaa	ctaggcatgc	42720
ataatgagtc	gcccataatg	ttactgtcat	gtacggccgc	acttacaggc	gccgtcgtga	42780
cgccaggagg	gctgcagatc	gcgagcccaa	ggcaggcgcc	acaatcagtg	gctaagttta	42840
gaaagataag	gattagtttc	cctcttgcat	gccttaatca	taggagggat	tggttacgat	42900
tagtttcctt	ttcatatgcc	ttaataatag	gagagattgg	ttaagattag	tttccttttc	42960
atatgcctta	atcataggaa	aggttggttg	aaccagaggc	tatatatatg	ccgtgtaata	43020
ggctgggaaa	taatcaagca	agatcaatta	tccaaaactg	ctcttctcct	ttgcctctct	43080
caagccaccg	gtgaggaatc	cctcacgggtg	aaggctctaga	gcgcgactac	gaactgcgta	43140
gccgcgggtcc	agcgacgttg	ggcgctcgagg	cgcttgacaa	cctgggtatca	gcgtcacgtc	43200
gacctcacc	caccgctct	tgccctccac	catccccttc	cacgcccacc	acctccaccg	43260
accactccat	caccatggct	gagcccacca	tcaaggacct	catggagctg	atgcagtctt	43320
tccaaaccga	gttggctgcc	gtgaaagcca	ccatgaagga	caagtcgtcc	tcgtcgtcca	43380
ccgacggcgg	cggcgagcgc	gaggatcccc	ctcgtgtgga	tccgcccccc	aggttccaga	43440
agctcgactt	tccccggttc	gatggcacca	ccgaccgat	gctcttcctc	aacaaatgtg	43500
aatcctatth	tcgccaacag	cgcaccatgg	cggagggaacg	cgtgtggatg	gcctcttata	43560
atctggagga	cgtcgcgag	ctgtggttca	tccagctgca	ggacgacgag	ggcacaccat	43620
cctggggggcg	gttcaaggac	ctcctcaatc	ttcgcttcgg	gccaccactc	tgctcagcgc	43680
cctgttcga	gttggcgag	tgctcgccga	ccgggaccgt	ggaggaatac	tccaaccggt	43740
tccaggccct	gctgccgcgc	gcgggtcgcc	tcacggaggg	ccagcgtgtc	caactctaca	43800
caggcggtct	ccttcccca	ttgagccacg	ttgttcgcat	ccacaaccgg	gagacacttg	43860
atggggccat	gagtctcgcc	cgtcaagccg	agcagctgga	gttggcacgg	ggaccgccac	43920
cggccgccag	gggagccct	cgctctcttc	ccccagcgcc	ggcgcccaag	cagccgctgc	43980
tgcctctccc	tgaccacccc	gcgggcgcgc	cccagccgcg	accagagggt	ccgcccctga	44040
agcggtatc	accggaggaa	caggcggaac	ggcgccgctt	cggcctctgc	ttcaactgca	44100
atgagccgta	caaccgcggc	cacaaccgtg	tctgccgcgc	catcttctac	ctccatggcg	44160
tcgagctcac	ggccgctgcc	gaggaaactcg	taggggacga	cccgcaggac	ggcgcccctg	44220
tcttctccct	cagggcagtc	actggcatgc	ccatctgcaa	ttccatgcag	gtgcgggcca	44280
ccctaggcgc	caccacccctc	ctcgcgctcc	tggaacccgg	ctccacgcct	aacttcattg	44340
gggaggatgc	cgcccgcgcg	accggcctgc	cgatccagcc	gcacctcacg	gccactgtgg	44400
ccaacgggtga	acgtgtcacc	tgcccaggag	tcattegcgc	cgcccagggtc	atcatcgagg	44460
gcgagccatt	cttcacgcac	ctcttcgtca	tgccgctcgc	agggtacgac	ctcgtcctag	44520
ggactcaatg	gatggtcacc	cttggtcgca	tggtgtggga	cttcgctcgac	cgctccgtct	44580
ccttctctgca	ccaaggctgc	caggtctcct	ggtcggacgt	cgccgaccgt	cagcatcccc	44640
tgctcgccgc	taccacgaca	ccgagcgccc	tccttgagga	gctcttgca	tccttcgacg	44700
gggtgtttgc	tgagccggcg	ggtctgcccc	cacagcgagc	tcgggaccac	gccatcgctc	44760
tcaagccagg	ctctacacct	gtggcggtcc	ggccgtaccg	ctaccgggtg	gcgcacaagg	44820
atgagttgga	gcggcaatgt	gccgccatgt	tgaccaaggg	catcgtagac	cgcagtgact	44880
cggcggttctc	ctcacgggtt	ctgctggtca	agaagcacga	cggggcttgg	cggtttttgcg	44940
tggtactaccg	cgcccttaat	gccctcaccg	tcaaagacgc	cttccccatc	cccctcgctc	45000
acgagctcct	tgacgagctg	catggtgcgc	agttcttcac	gaagctggac	cttcgctccg	45060
gtgatagtcg	cctagagggg	gggtgaatag	ggcgaaactg	aaattttaca	atataaacac	45120
aactacaaga	cgggggttagc	gttaggaata	agaaacgagt	ccgcaagaga	gggcgcaaaa	45180
caaattcccaa	gcgaataagc	aagtgcagaca	cggagatttg	ttttaccgag	gttcgggttct	45240
ctcaaacccta	ctccccggtg	aggaggccac	aaaggcctgg	tctcttttcaa	cccttccctc	45300

tctcaaacga	tccacggatc	gagtgaagctt	tctctttctca	atcacttgga	acacaaagtt	45360
cccacaagga	ccaccacaag	attggtgttt	cttgccttaa	ttacaagtga	gtttgattgc	45420
aaagaaggat	caagaaagaa	gaaagcaatc	caagcgcaag	agctcgaaag	aacacgagta	45480
aatcactctc	tctagtcact	atggcggtgt	gtggaatttg	gagaggattt	gatctctttg	45540
gcgtgtctag	aattgaatgc	tagagctctt	gtagtagttg	ggaagtggaa	aacttggaatg	45600
caatgaatgg	tgggggtggt	gggggtattta	tagcctcaac	caccaaaagt	ggccgttgga	45660
aggctgtctg	ttcgatggcg	caccggacag	tccggtgcac	accggacagt	ccggtgcccc	45720
ctgccacgtc	atcactgtcg	ttggattctg	accgttgagg	cttctgactt	gtgggcccgc	45780
ctgggtgtcc	ggtgcacacc	ggacagggtac	tgtttgctgt	ccggtgtgcc	agcatgggcg	45840
tttctgactc	ctgcgcgcgc	agagcgcgca	ttaaatgcgc	ggcagagagc	cgttggcgcg	45900
gagaagaccg	ttgctccgga	gacgcaccgg	acagtccggt	gaattatagt	ggactagccg	45960
ttgggggtttc	ccgaagctgg	cgagttcctg	aggccgacct	cctttggcgc	accggacact	46020
gtccggtgta	caccggacag	tccggtgaat	tatagcgcga	gtgcctctgg	aaattcccga	46080
agggtggcgag	tttgagtctg	agtcacctctg	gtgcaccgga	cagtccggtg	cgccagacca	46140
gggggtgcctt	cggttgcccc	tttgcctctt	tgttgaatcc	aaaactgggt	ctttttattg	46200
gctgagtgtg	aaccttttac	acctgtgtaa	tctatacact	tgggcaaact	agttagtcca	46260
attatttgtg	ttgggcaatt	caaccaccaa	aattaattag	ggactagggtg	taagccta	46320
tccctttcaa	tctccccctt	tttggtgatt	gatgccaaaca	caaaccaaag	caaatataga	46380
agtgcataat	tgaactagtt	tgcataatgt	aagagtaaag	gttgcttgga	attgagccaa	46440
tgtaaatact	tacaagatat	gcagggtattg	tttctttctt	atatattatt	ttggaccacg	46500
cttgaccac	atgttttgtt	tttgcaaatt	ctttttgtaa	atccatttca	aagatctttt	46560
gcaaatggtc	aaaggtaaat	gaataagagt	ttgcaaagca	ttttcaagat	ttgaaatttt	46620
ctccccctgt	ttcaaatgct	tttcctttga	ctaaacaaaa	ctccccctaa	aagagatcct	46680
cctcttagtg	ttcaagaggg	ttttgatata	tcatTTTTga	aatactactt	tctccccctt	46740
ttgaacacaa	taggatacca	attgataaat	actcttgga	aacactaagt	ttttgaaatt	46800
ggttgtggtg	cggtcctttt	tgctttgggc	tcatacttct	tccccctttg	gcatgaatcg	46860
ccaaaaacgg	aatcattaga	gcctatcgaa	gtactatcgt	cccctttggt	cataagtaaa	46920
tgagttaaga	ttataccaaa	gacgaaatcc	ggtcttttag	ctttgggttc	ttactctctc	46980
cccaaagaca	aggtccttta	ttggagcgat	ggcgaaggat	gagttaccga	gtggaagcct	47040
ttgtctttca	ccgaagactc	caattccctt	tcaatatacc	tatgacttgg	tttgaaatag	47100
acttgaaaac	acattagtc	tagcatatat	gattaaaagt	ataaatgagc	tatgtgtgca	47160
atctagcaaa	agaagttg	tgaatcaaga	atattgagct	catgcctaag	tttggtaaaa	47220
gtttgttcat	caagaggctt	ggtaaagata	tcggctaatt	gatcttttagt	gttaatgtaa	47280
gaaatctcga	tatccccctt	ttggttggtga	tccctaagaa	aatgataccg	aatggctatg	47340
tgcttagtgc	ggctatgctc	gacgggattg	tcgggtcattt	tgattgcact	ctcattatca	47400
catagcaaa	ggactttggt	taatttgtaa	ccgtagtccc	gcagggtttg	cctcatccaa	47460
agcaattg	cgcaacaatg	acctgcggca	atgtactcag	cttcggcggt	ggaaagagcg	47520
accgaatttt	gcttctttga	agcccaagac	accaaagatc	ttcccaagaa	ctggcaagtc	47580
cctgatgtgc	tcttcctatt	aattttgcac	cccgcccaat	cggcatccga	ataaccaatc	47640
aaatcaaatg	tggatccccg	agggtacca	agtccaaact	taggagtata	agccaaatat	47700
ctcaagattc	gttttaacggc	cgtaagggtg	gattccttag	ggtcggattg	gaatcttgca	47760
cacatgcata	cggaaagcat	aatgtccggt	cgagaagcac	ataaatagag	taaagaacct	47820
atcatcgacc	ggtatacctt	ttgatccacg	gacttacctc	ccgtgtcgag	gtcgagatgc	47880
ccattgggtc	ccatgggtgt	cttgatgggc	ttggcatcct	tcatccaaa	cttgcttaga	47940
atatcttgag	tatactttgt	ttggctaagg	aagggtgcct	cttgagattg	tttgacttgg	48000
aatcctagaa	aatacttcaa	ctcccccatc	atagacatct	cgaatttctg	tgtcatgac	48060
ctactaaact	cttcacatgt	agactcgtta	gtagacccaa	atataatatc	atcaacataa	48120
at ttggcata	caaacaagtc	at ttccaaga	gttttagtaa	agagtgtagg	atcggccttg	48180
ccgactttga	agtcattagc	aataaggaaa	tctctaaggc	attcatacca	tgctcttggg	48240
ggcttgcttg	agcccataaa	gcgcctttga	gagcctatag	acatgggttag	ggtactcact	48300
atcttcaaag	ccgggaggtt	gctcaacata	gacctcttcc	ttgattggtc	cgttgaggaa	48360
ggcacttttc	acgtccattt	gataaagctt	aaagccatgg	taagtagcat	aggctaataa	48420
tattcgtatt	gactcaagcc	tagctacggg	tgcatagggt	tcaccgaaat	ccaaaccttc	48480
gacttgggag	tatcccttgg	ccacaagtcg	tgctttgttc	cttgtcacca	caccatgctc	48540
atcttgcttg	ttgcggaaga	cccatttggg	ccctacaaca	ttttgggtta	ggacgtggaa	48600
ccaaatgcc	tacctcatte	ctcgtgaaat	tggtgagctc	ctcttgcatc	gcccaccacc	48660
caatccgaat	ctgaagtgtc	tcctctatcc	tatgtggctc	aatagaggaa	acaaaagagt	48720
aatgctcaca	aaaatgggca	acacgagatc	gagtagttac	ccccttatga	atgtcgccga	48780

ggatggtgtc	gacgggggtga	tctcggttgta	ttgcttggtg	gactcttggg	tgtggcggtc	48840
ttggttcttc	ctcatgctcc	ttctcttgat	catttgcatc	tcccccttga	tcattgtcat	48900
tatcttgagg	tggctcatct	tcttgatttt	gcccttcate	aacttgagcc	tcatactcat	48960
tttgagttgg	tggagatgct	tgcgtggtgg	aggatgattg	atcttggtgca	cttggaggct	49020
cttcggattc	cttaggacac	acatcccca	tggacatggt	ccttagcgct	atgcatggag	49080
cctcttcatt	acctatctca	tcaagatcaa	cttgctgtac	ttgagagccg	ttagtctcat	49140
caaacacaac	gtcacatgag	acttcaacta	gtccagtggg	cttgttaaag	accctatatg	49200
cccttggtgt	tgagtcataa	ccaagtaaaa	agccttctac	agtttttagga	gcaaatttag	49260
atcttctacc	tcttttaaca	agaataaagc	atcttgctacc	aaaaactcta	aagtatgaaa	49320
tgttggtgct	tttaccgggt	aggagttcat	atgatgtctt	cttgaggatt	cgggtgaagat	49380
ataaccggtt	gatggcgtag	caggcggtgt	tgaccgctgc	ggcccaaac	cgggtccggtg	49440
tcttgacttc	atcaagcatg	gttcttgcca	tgtccaatag	agttcgattc	ttcctctcca	49500
ctacaccatt	ttggttgagg	gtgtaggagg	aagagaactc	atgcttgatg	ccctcctcct	49560
caagaaagcc	ttcaatttgt	gagttcttga	actccgtccc	gttgctgctt	cttattttct	49620
tgatccttaa	gccgaactca	ttttgagccc	gtctcaagaa	tcccttcaag	gtctcttggg	49680
tttgagattt	ttcctgtaaa	aagaataccc	aagtgaagcg	agaataatca	tccacaataa	49740
ctagacagta	cttactcccg	ccgatgctta	tgtgaagcaat	cgggcccgaat	agatccatgt	49800
gtaggagctc	cagtggcctg	tccgtcgtca	tgatgttctt	gtgtggatga	tgagctccaa	49860
cttgcttccc	cgcttgacat	gcgctacaaa	tcctgtcttt	ctcaaaatga	acatttggtta	49920
atcctaaaat	gtgttctccc	tttagaagct	tatgaagatt	cttcatccca	acatgggcta	49980
gtcggcggtg	ccagagccaa	cccatgttag	tcttagcaat	taagcatgtg	tcgagttcag	50040
ctctatcaaa	atctactaag	tatagctgac	cctctaacac	acccttaaat	gctattgaat	50100
cattacttct	tctaaagaca	gtgacaccta	catcagtaaa	aagacagttg	tagcctatct	50160
gacataattg	agaaacagaa	agcaagttgt	aatctaaaga	atcaacaaga	aaacattgga	50220
aatagaatgg	tcaggagata	tagcaatttt	accaagtcct	ttgaccaaac	cttgatttcc	50280
atccccgaat	gtgatagctc	gttggggagc	ttggtttttc	tcatatgagg	agaacattct	50340
tttctcccca	gtcatatggt	ttgtgcaccc	gctgtcgagt	atccaacttg	agcccccgga	50400
tgcataaacc	tacaaaacaa	atcttagttct	tgactttagg	tacccaaact	gttttggtgc	50460
ctttggcatt	agaaacaaga	actttgggta	cccaaacaca	agtcttgga	cccttggtgt	50520
tgcccccaac	aaacttggtc	actactttgc	cggatttggt	agtcaaaaaca	taggatgcat	50580
caaaagtttt	aatgaaata	gcatgatcat	ttgaagcatt	aggagttttc	tttctaggca	50640
acttagcacg	ggttggttgc	ctagaactag	atgtctcacc	cttatacata	aaagcatggt	50700
tagggccaga	gtgagacttc	ctagaatgag	ttctccta	tttgctctca	ggataaccgg	50760
caggggtacaa	aatgtaaccc	tcgttatcct	gaggcatggg	agccttgccc	ttaacaaagt	50820
tggacaagtt	cttaggagg	gcattaagtt	tgacattgtc	tcccccttgg	aagccaatgt	50880
catccttaat	gccggggcgt	ctcccattat	aaagcatgct	acgagcaaat	ttaaatttct	50940
cattctctaa	gttggtgctg	gcaatttttag	catctagttt	tgttatatga	tcattttgtt	51000
gtttaattaa	agccatatga	tcatgaatag	catcaatata	aacattttta	catctagtgc	51060
aaatagtgc	atgctcaatg	gtggatgtag	atggtttgca	agaattaagt	tcaacaatct	51120
tagcacgaag	tatatcattc	ttatctctaa	gatcagaaat	tgtaatattg	caaacatcaa	51180
aatcttttagc	cttagcaatt	aaattttcat	tttctaattct	aaggctagca	agagatacat	51240
tcaattcatc	aatcttaaca	agcaaatcaa	cattatcatc	tctaagattg	ggaattgaaa	51300
catcaccaaa	tatgtgaatc	aaccttaa				51328

<210> 107

<211> 58

<212> DNA

<213> Zea mays

<400> 107

cactgtgcgt cctctgcagg cagttggtga catgagcgca tcgtcactgc tgaatcgc

58

30506-87D

CLAIMS:

1. A maize chromosomal target site located within a maize plant cell, on chromosome 5, wherein said target site is flanked 5' by nucleotides 5,454 to 25,454 of SEQ ID NO: 106 and flanked 3' by nucleotides 25,513 to 45,513 of SEQ ID NO: 106, wherein the target site comprises a heterologous nucleic acid comprising a gene of interest.
2. A method of making a transgenic maize plant comprising inserting a heterologous nucleic acid on chromosome 5, wherein said inserted heterologous nucleic acid is flanked 5' by nucleotides 5,454 to 25,454 of SEQ ID NO: 106 and flanked 3' by nucleotides 25,513 to 45,513 of SEQ ID NO: 106.