



(12) **United States Design Patent**  
**Foley et al.**

(10) **Patent No.:** **US D995,253 S**  
(45) **Date of Patent:** **\*\* Aug. 15, 2023**

(54) **TENSIONING DEVICE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Enerpac Tool Group Corp.,**  
Menomonee Falls, WI (US)

WO 9414578 A1 7/1994  
WO 0051791 A1 9/2000  
WO 2010054959 A1 5/2010

(72) Inventors: **Thomas Foley,** Wolverhampton (GB);  
**Bryan Hall,** Shropshire (GB); **Barry**  
**Fallon,** Birmingham (GB); **Evangelia**  
**Angelaki,** Birmingham (GB)

OTHER PUBLICATIONS

International Search Report with Written Opinion for related Appli-  
cation No. PCT/US2020/052818 dated Mar. 19, 2021 (15 Pages).

(Continued)

(73) Assignee: **Enerpac Tool Group Corp.,**  
Menomonee Falls, WI (US)

*Primary Examiner* — Karen S Acker  
*Assistant Examiner* — Elizabeth S Ko

(\*\*) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Andrus Intellectual  
Property Law, LLP

(21) Appl. No.: **29/707,219**

(57) **CLAIM**

(22) Filed: **Sep. 26, 2019**

We claim the ornamental design for a tensioning device, as  
shown and described.

(51) **LOC (14) Cl.** ..... **08-05**

**DESCRIPTION**

(52) **U.S. Cl.**

USPC ..... **D8/71**

(58) **Field of Classification Search**

USPC .... D8/71–72, 356, 375, 382, 360, 343, 367,  
D8/323, 315, 359, 44, 14, 51, 107

CPC ... B25B 1/00; B25B 5/00; F16B 45/02; F16B  
45/037; F16B 21/02; H02G 3/26; H02G  
3/30

See application file for complete search history.

FIG. 1 is a first perspective view of a tensioning device.  
FIG. 2 is a second perspective view of the tensioning device  
shown in FIG. 1.

FIG. 3 is a first plan view of the tensioning device shown in  
FIG. 1.

FIG. 4 is a second plan view of the tensioning device shown  
in FIG. 1.

FIG. 5 is a first end view of the tensioning device shown in  
FIG. 1.

FIG. 6 is a second end view of the tensioning device shown  
in FIG. 1.

FIG. 7 is a first side view of the tensioning device shown in  
FIG. 1; and,

FIG. 8 is a second side view of the tensioning device shown  
in FIG. 1.

The broken line and unshaded areas adjacent to the broken  
line depict portions of the tensioning device that form no  
part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D472,133 S \* 3/2003 Ball ..... B23P 19/067  
D8/356  
D547,626 S \* 7/2007 Lueschen ..... D03J 5/24  
D8/51  
7,513,178 B2 \* 4/2009 Hohmann ..... B23P 19/067  
81/57.14  
9,248,532 B2 2/2016 Wagner et al.  
10,436,231 B2 \* 10/2019 White ..... F16G 11/025

(Continued)

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D899,905 S \* 10/2020 Kennedy ..... D03D 49/16  
D8/356  
D918,020 S \* 5/2021 Kennedy ..... D8/356  
D984,245 S \* 4/2023 Chen ..... D8/356  
2017/0334049 A1 11/2017 Dumelow  
2022/0220643 A1\* 7/2022 Parmentier ..... D03D 49/16  
2022/0331939 A1\* 10/2022 Foley ..... B25B 29/02  
2023/0022433 A1\* 1/2023 Goodrich ..... B65H 23/063  
2023/0053628 A1\* 2/2023 Simionescu ..... D03J 5/24

OTHER PUBLICATIONS

International Preliminary Report on Patentability for Application  
No. PCT/US2020/052818 dated Mar. 15, 2022 (7 pages).

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8