

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2006307733 B2**

(54) Title
Agents that bind a target in pulmonary tissue for treating respiratory diseases

(51) International Patent Classification(s)
C07K 16/46 (2006.01) **C07K 16/28** (2006.01)
A61K 47/48 (2006.01) **C07K 16/44** (2006.01)

(21) Application No: **2006307733** (22) Date of Filing: **2006.10.23**

(87) WIPO No: **WO07/049017**

(30) Priority Data

(31) Number	(32) Date	(33) Country
0521621.3	2005.10.24	GB

(43) Publication Date: **2007.05.03**

(44) Accepted Journal Date: **2012.11.22**

(71) Applicant(s)
Domantis Limited

(72) Inventor(s)
Lee, Jennifer;Winter, Gregory P.;De Wildt, Rudolf M. T.;Fox, Justian Craig;Woolven, Benjamin P.;Sepp, Armin;Tomlinson, Ian M.;Holmes, Steve;Fitzgerald, Mary F.

(74) Agent / Attorney
Phillips Ormonde Fitzpatrick, 367 Collins Street, Melbourne, VIC, 3000

(56) Related Art
WO 2005/035572 A
WO 2004/003019 A
WO 2004/058821 A

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
3 May 2007 (03.05.2007)

PCT

(10) International Publication Number
WO 2007/049017 A3

(51) International Patent Classification:
C07K 16/46 (2006.01) **A61K 47/48** (2006.01)
C07K 16/44 (2006.01)

WOOLVEN, Benjamin, P. [GB/GB]; 315 Cambridge Science Park, Cambridge CB4 0WG (GB).

(21) International Application Number:
PCT/GB2006/003935

(74) Agents: **LOCK, Graham, James** et al.; Fry Heath & Spence LLP, The Gables, Massetts Road, Horley, Surrey RH6 7DQ (GB).

(22) International Filing Date: 23 October 2006 (23.10.2006)

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0521621.3 24 October 2005 (24.10.2005) GB

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicants (*for all designated States except US*): **DO-MANTIS LIMITED** [GB/GB]; 315 Cambridge Science Park, Cambridge CB4 0WG (GB). **ARGENTA DISCOVERY LIMITED** [GB/GB]; 8-9 Spire Green, Harlow, Essex CM19 5TR (GB).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **DE WILDT, Rudolf, M., T.** [NL/GB]; 315 Cambridge Science Park, Cambridge CB4 0WG (GB). **HOLMES, Steve** [GB/GB]; 315 Cambridge Science Park, Cambridge CB4 0WG (GB). **TOMLINSON, Ian, M.** [GB/GB]; 315 Cambridge Science Park, Cambridge CB4 0WG (GB). **WINTER, Gregory, P.** [GB/GB]; H3 Great Court, Cambridge CB2 1TQ (GB). **FITZGERALD, Mary, F.** [GB/GB]; 8-9 Spire Green Centre, Flex Meadow, Harlow, Essex CM19 5TR (GB). **FOX, Justian, Craig** [GB/GB]; 8/9 Spire Green Centre, Flex Meadow, Harlow, Essex CM19 5TR (GB). **SEPP, Armin** [EE/GB]; 315 Cambridge Science Park, Cambridge CB4 0WG (GB). **LEE, Jennifer** [GB/GB]; 315 Cambridge Science Park, Cambridge CB4 0WG (GB).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:
31 January 2008

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AGENTS THAT BIND A TARGET IN PULMONARY TISSUE FOR TREATING RESPIRATORY DISEASES

(57) Abstract: Disclosed is the use of an agent (*e.g.*, antibody fragment, antagonist, ligand, dAb monomer) that binds a target in pulmonary tissue for the manufacture of a long action or long therapeutic window formulation for local delivery to pulmonary tissue, and methods for administering an agent that binds a target in pulmonary tissue to a subject to produce a long therapeutic window in pulmonary tissue. The formulation is for, and the method comprises, administering locally to pulmonary tissue. Also disclosed is the use of antagonists of TNFR1 for the manufacture of a formulation or medicament for treating, preventing or suppressing lung inflammation or a respiratory disease, and methods of treating such diseases. Also disclosed are the use of agents a for the manufacture of a delivery device (*e.g.*, inhaler, intranasal delivery device) for the treatment or prevention of lung inflammation or a respiratory disease, and a delivery device for the treatment or prevention of lung inflammation or a respiratory disease that contains an agent as described herein.

WO 2007/049017 A3

TUMOR NECROSIS FACTOR RECEPTOR 1 ANTAGONISTS FOR TREATING RESPIRATORY DISEASES

RELATED APPLICATION

5 This application claims priority under 35 U.S.C. § 119 or 365 to United Kingdom, Application No. GB 0521621.3, filed October 24, 2005. The entire teachings of the above application are incorporated herein by reference.

BACKGROUND OF THE INVENTION

10 The *in vivo* use of many agents with therapeutic or diagnostic potential is not possible. Larger agents that have *in vivo* serum half-lives that are sufficiently long to allow for therapeutic or diagnostic efficacy often are unable to penetrate tissues or organs to produce a desired therapeutic or diagnostic effect at a desired location. Smaller agents are able to enter tissues and organs, but frequently have short *in vivo* serum half-lives, and are rapidly cleared from the systemic circulation. For example,
15 the *in vivo* serum half-life of dAb monomers is about 30 minutes. (See, Examples 9 and 13 of WO 2004/081026 A2.) Similarly, the *in vivo* serum half-life of antigen-binding fragments of antibodies, particularly Fv fragments, is also short and makes them unsuitable for many *in vivo* therapeutic and diagnostic applications. (Peters *et al.*, *Science* 286(5439):434 (1999).) Further, altering or modifying such agents to
20 increase the *in vivo* serum half-life can reduce the activity of the agent.

 A need exists for methods for administering agents (e.g., to pulmonary tissue) to produce a long therapeutic window for the agent.

 Agents that bind TNF and neutralize its activity have proven to be effective therapeutic agents for certain inflammatory conditions, such as arthritis. However,
25 agents that bind TNF have not been demonstrated to be effective in treating lung inflammation or respiratory diseases, such as chronic obstructive pulmonary disease (COPD). (See, e.g., van der Vaart *et al.*, *Am. J. Respir. Crit. Care Med.*, 172(4):465-9 (2005), Rennard *et al.*, *Proc. Amer. Thorac. Soc.*, 2(Abstract Issue):A133, A541 (2005), Abdelhady *et al.*, *Proc. Amer. Thorac. Soc.*, 2(Abstract Issue):A133 (2005).)
30 Moreover, therapeutic agents that target TNF alpha, such as ENBREL® (etanercept;

Immunex Corporation) antagonize TNFR1 and TNFR2, and administering such agents can produce immunosuppression and related side effects (e.g., serious infections). These side effects can limit the use of such agents, particularly for chronic diseases where the agent is administered over a long period. (Kollias G. and Kontoyiannis D., *Cytokine Growth Factor Rev.*, 13(4-5):315-321 (2002).) In contrast, agents that specifically antagonize TNFR1 would have reduced side effects.

However, targeting TNFR1 is difficult because agents that cause the receptor to cluster can activate signaling through the receptor, which can lead to the elaboration of inflammatory mediators such as TNF. In fact, multivalent agents that bind TNFR1, such as anti-TNFR1 antibodies, can induce TNFR1 clustering and signal transduction in the absence of TNF and are commonly used as TNFR1 agonists. (See, e.g., Belka *et al.*, *EMBO*, 14(6):1156-1165 (1995); Mundik-Nayak *et al.*, *J. Immunol.*, 167:1920-1928 (2001).) Accordingly, multivalent agents that bind TNFR1, are generally not effective antagonists of TNFR1 even if they block the binding of TNF α to TNFR1.

A need exists for improved agents that antagonize TNF and method for administering such agents to treat lung inflammation and lung disease.

SUMMARY OF THE INVENTION

The invention relates to use of an agent that binds a target in pulmonary tissue (e.g., antibody fragment, antagonist, ligand, dAb monomer) for the manufacture of a long action or long therapeutic window formulation for local administration to pulmonary tissue, or for the manufacture of a medicament for local administration to pulmonary tissue of a low dose effective amount of said agent, wherein at least 50% of the pulmonary tissue level of agent is maintained for a period of at least about 4 hours. Preferably, the formulation or medicament is for local administration to the lung. Preferably, a lung level of at least about 1% of the amount of agent in the formulation or medicament is maintained for at least 4 hours after local administration. More preferably, the agent does not substantially enter the systemic circulation. In some embodiments, the agent has an *in vivo* serum half life of about 1 second to about 12 hours. In other embodiments, the formulation or medicament is for administering a dose of no more than about 10 mg/kg/day.

The invention relates to a method for treating or preventing a respiratory disease and/or lung inflammation comprising administering a formulation comprising a domain antibody (dAb) that binds a target in pulmonary tissue to a subject, wherein said dAb formulation is administered locally to pulmonary tissue of said subject.

2a

The invention relates to use of a domain antibody (dAb) that binds a target in pulmonary tissue for the manufacture of a daily dose formulation for local

administration to pulmonary tissue, wherein at least 50% of the lung level of agent is maintained for a period of at least about 4 hours.

The invention relates to use of a domain antibody (dAb) that binds a target in pulmonary tissue for the manufacture of a formulation for treatment or prevention of a respiratory disease, wherein the formulation is for local administration to pulmonary tissue, and does not substantially enter the systemic circulation. In one embodiment, up to about 10 mg of a dAb that binds a target in pulmonary tissue is used. Preferably, the target in pulmonary tissue mediates lung inflammation or a pulmonary disease.

The invention relates to an inhaler or intranasal delivery device for providing a metered dose of a domain antibody (dAb) formulation to a subject for the treatment or prevention of a respiratory disease or condition, wherein the inhaler or intranasal delivery device comprises a dAb formulation and provides a metered daily dose containing up to 10 mg of dAb. The invention also relates to use of a domain antibody (dAb) formulation in the manufacture of an inhaler or intranasal delivery device, for the purpose of providing a long-acting inhaled dAb formulation for local delivery to the lung.

The invention also relates to a method for administering an agent that binds a target in pulmonary tissue to a subject to produce a long therapeutic window in pulmonary tissue, comprising administering locally to pulmonary tissue of said subject an effective amount of said agent.

The invention also relates to a method for administering an agent that binds a target in pulmonary tissue to a subject to produce a long therapeutic window in pulmonary tissue, comprising selecting an agent that has an *in vivo* serum half-life of about 1 second to about 12 hours and binds a target in pulmonary tissue, and administering locally to pulmonary tissue of said subject an effective amount of said agent.

Suitable agents for use in the invention can bind a target in pulmonary tissue selected from the group consisting of TNFR1, IL-1, IL-1R, IL-4, IL-4R, IL-5, IL-6, IL-6R, IL-8, IL-8R, IL-9, IL-9R, IL-10, IL-12, IL-12R, IL-13, IL-13R α 1, IL-13R α 2, IL-15, IL-15R, IL-16, IL-17R, IL-17, IL-18, IL-18R, IL-23, IL-23R, IL-25, CD2, CD4, CD11a, CD23, CD25, CD27, CD28, CD30, CD40, CD40L, CD56, CD138, ALK5, EGFR, FcER1, TGF β , CCL2, CCL18, CEA, CR8, CTGF, CXCL12 (SDF-1),

chymase, FGF, Furin, Endothelin-1, Eotaxins (e.g., Eotaxin, Eotaxin-2, Eotaxin-3), GM-CSF, ICAM-1, ICOS, IgE, IFN α , I-309, integrins, L-selectin, MIF, MIP4, MDC, MCP-1, MMPs, neutrophil elastase, osteopontin, OX-40, PARC, PD-1, RANTES, SCF, SDF-1, siglec8, TARC, TGF β , Thrombin, Tim-1, TNF, TNFR1, TRANCE, Tryptase, VEGF, VLA-4, VCAM, α 4 β 7, CCR2, CCR3, CCR4, CCR5, CCR7, CCR8, alphavbeta6, alphavbeta 8, cMET, and CD8.

In an embodiment, an agent for use in the invention can bind a target selected from the group consisting of a protein in the TNF signalling cascade. Preferably, this protein target is selected from the group comprising TNF alpha, TNF beta, TNFR2, TRADD, FADD, Caspase-8, TNF receptor-associated factor (TRAF), TRAF2, receptor-interacting protein (RIP), Hsp90, Cdc37, IKK alpha, IKK beta, NEMO, inhibitor of κ B (I κ B), NF- κ B, NF- κ B essential modulator, apoptosis signal-regulated kinase-1 (aSMase), neutral sphingomyelinase (nSMase), ASK1, Cathepsin-B, germinal center kinase (GSK), GSK-3, factor-associated death domain protein (FADD), factor associated with neutral sphingomyelinase activation (FAN), FLIP, JunD, inhibitor of NF- κ B kinase (IKK), MKK3, MKK4, MKK7, IKK gamma, mitogen-activated protein kinase/Erk kinase kinase (MEKK), MEKK1, MEKK3, NIK, poly(ADP-ribose) polymerase (PARP), PKC-zeta, RelA, T2K, TRAF1, TRAF5, death effector domain (DED), death domain (DD), death inducing signalling complex (DISC), inhibitor of apoptosis protein (IAP), c-Jun N-terminal kinase (JNK), mitogen-activated protein kinase (MAPK), phosphoinositide-3OH kinase (PI3K), protein kinase A (PKA), PKB, PKC, PLAD, PTEN, rel homology domain (RHD), really interesting new gene (RING), stress-activated protein kinase (SAPK), TNF alpha-converting enzyme (TACE), silencer of death domain protein (SODD), and TRAF-associated NF- κ B activator (TANK). With regard to these preferred targets, reference is made to WO04046189, WO04046186 and WO04046185 (incorporated herein by reference) which provide guidance on the selection of antibody single variable domains for targeting intracellular targets.

The invention relates to use of an antagonist of TNFR1 (e.g., ligand, dAb monomer) for use in the manufacture of a medicament for treating, suppressing or preventing lung inflammation and/or a respiratory disease.

The invention also relates to methods for treating, suppressing or preventing lung inflammation and/or a respiratory disease comprising, selecting an antagonist of

Tumor Necrosis Factor Receptor 1 (TNFR1) that has efficacy in a suitable animal model of respiratory disease when administered in an amount that does not exceed about 10 mg/kg/day, wherein efficacy in said animal model exists when cellular infiltration of the lungs, as assessed by total cell count in bronchoalveolar lavage, is inhibited relative to untreated control with $p \leq 0.05$; and administering (e.g., locally administering to pulmonary tissue) an effective amount of said antagonist of TNFR1 to a subject in need thereof.

Respiratory diseases that can be treated, suppressed or prevented using the medicaments, formulations and methods of the invention include lung inflammation, chronic obstructive pulmonary disease, asthma, pneumonia, hypersensitivity pneumonitis, pulmonary infiltrate with eosinophilia, environmental lung disease, pneumonia, bronchiectasis, cystic fibrosis, interstitial lung disease, primary pulmonary hypertension, pulmonary thromboembolism, disorders of the pleura, disorders of the mediastinum, disorders of the diaphragm, hypoventilation, hyperventilation, sleep apnea, acute respiratory distress syndrome, mesothelioma, sarcoma, graft rejection, graft versus host disease, lung cancer, allergic rhinitis, allergy, asbestosis, aspergilloma, aspergillosis, bronchiectasis, chronic bronchitis, emphysema, eosinophilic pneumonia, idiopathic pulmonary fibrosis, invasive pneumococcal disease, influenza, nontuberculous mycobacteria, pleural effusion, pneumoconiosis, pneumocytosis, pneumonia, pulmonary actinomycosis, pulmonary alveolar proteinosis, pulmonary anthrax, pulmonary edema, pulmonary embolus, pulmonary inflammation, pulmonary histiocytosis X, pulmonary hypertension, pulmonary nocardiosis, pulmonary tuberculosis, pulmonary veno-occlusive disease, rheumatoid lung disease, sarcoidosis, Wegener's granulomatosis, and non-small cell lung carcinoma.

The invention also relates to the ligands and dAbs described herein.

The invention also relates to a ligand comprising a protein moiety that has a binding site with binding specificity for TNFR1, wherein said protein moiety comprises an amino acid sequence that is the same as the amino acid sequence of CDR3 of an anti-TNFR1 dAb disclosed herein.

In some embodiments, the ligand comprising a protein moiety that has a binding site with binding specificity for TNFR1, wherein the protein moiety has an amino acid sequence that is the same as the amino acid sequence of CDR3 of an anti-

TNFR1 dAb disclosed herein, and also comprises an amino acid sequence that is the same as the amino acid sequence of CDR1 and/or CDR2 of an anti-TNFR1 dAb disclosed herein.

In other embodiments, the ligand comprises a immunoglobulin single variable
5 domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR1 sequence that has at least 50% identity to the CDR1 sequence of the anti-TNFR1 dAbs disclosed herein.

In other embodiments, the ligand comprises an immunoglobulin single
10 variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR2 sequence that has at least 50% identity to the CDR2 sequence of the anti-TNFR1 dAbs disclosed herein.

In other embodiments, the ligand comprises an immunoglobulin single
15 variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR3 sequence that has at least 50% identity to the CDR3
20 sequence of the anti-TNFR1 dAbs disclosed herein.

In other embodiments, the ligand comprises an immunoglobulin single
variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid
25 positions and has a CDR1 sequence and a CDR2 sequence that has at least 50% identity to the CDR1 or CDR2 sequences, respectively, of the anti-TNFR1 dAbs disclosed herein.

In other embodiments, the ligand comprises an immunoglobulin single
variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino
30 acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR2 sequence and a CDR3 sequence that has at least 50%

identity to the CDR2 or CDR3 sequences, respectively, of the anti-TNFR1 dAbs disclosed herein.

In other embodiments, the ligand comprises an immunoglobulin single variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR1 sequence and a CDR3 sequence that has at least 50% identity to the CDR1 or CDR3 sequences, respectively, of the anti-TNFR1 dAbs disclosed herein.

In other embodiments, the ligand comprises an immunoglobulin single variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR1 sequence, a CDR2 sequence and a CDR3 sequence that has at least 50% identity to the CDR1, CDR2 or CDR3 sequences, respectively, of the anti-TNFR1 dAbs disclosed herein.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR1 sequence that has at least 50% identity to the CDR1 sequences of an anti-TNFR1 dAb disclosed herein.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR2 sequence that has at least 50% identity to the CDR2 sequences of an anti-TNFR1 dAb disclosed herein.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR3 sequence that has at least 50% identity to the CDR3 sequences of an anti-TNFR1 dAb disclosed herein.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the

immunoglobulin single variable domain that binds TNFR1 has a CDR1 and a CDR2 sequence that has at least 50% identity to the CDR1 and CDR2 sequences, respectively, of an anti-TNFR1 dAb disclosed herein.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR2 and a CDR3 sequence that has at least 50% identity to the CDR2 and CDR3 sequences, respectively, of an anti-TNFR1 dAb disclosed herein.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR1 and a CDR3 sequence that has at least 50% identity to the CDR1 and CDR3 sequences, respectively, of an anti-TNFR1 dAb disclosed herein.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR1, CDR2, and a CDR3 sequence that has at least 50% identity to the CDR1, CDR2 and CDR3 sequences, respectively, of an anti-TNFR1 dAb disclosed herein.

The invention also relates to an isolated or recombinant nucleic acid encoding any of the ligands of the invention. In other embodiments, the invention relates to a vector comprising the recombinant nucleic acid of the invention.

The invention also relates to a host cell comprising the recombinant nucleic acid of the invention or the vector of the invention.

The invention also relates to a method for producing a ligand, comprising maintaining a host cell of the invention under conditions suitable for expression of a nucleic acid or vector of the invention, whereby a ligand is produced. In other embodiments, the method of producing a ligand further comprises isolating the ligand.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a plot showing that an antagonist of TNFR1 has superior efficacy in comparison to other therapeutic agents when administered locally to pulmonary tissue in a subchronic model of tobacco smoke-induced (TS) chronic obstructive pulmonary

disease (COPD) in C57BL/6 mice. The plot shows the number of cells present in bronchoalveolar lavage (BAL) of mice at completion of the study described in Example 1. The individual data points for each mouse in the study and the group averages (means; horizontal lines) are shown. The results show that anti-TNFR1 dAb monomer (Dom1) locally administered to the lung by intranasal administration reduced the number of cells in BAL by 72% compared to the untreated group. The results also show that local administration to the lung of a therapeutic agent that targets TNF (ENBREL® (etanercept; Immunex Corporation)) did not have a statistically significant effect on the number of cells in BAL. The results further show that anti-TNFR1 dAb monomer (Dom1) locally administered to the lung by intranasal administration was more effective in reducing the number of cells in BAL than a phosphodiesterase 4 inhibitor (PDE4I, BAY 19-8004) that was administered at a high dose of 10 mg/kg orally twice a day (b.i.d.). TS, tobacco smoke-induced; Veh, vehicle; ns, not statistically significant.

FIG. 2 is a plot showing that an antagonist of TNFR1 has superior efficacy in comparison to a therapeutic agent that targets TNF when administered systemically in a subchronic model of tobacco smoke-induced (TS) chronic obstructive pulmonary disease (COPD) in C57BL/6 mice. The plot shows the number of cells present in BAL of mice at completion of the study described in Example 2. The individual data points for each mouse in the study and the group averages (horizontal lines) are shown. The results show that PEGylated anti-TNFR1 dAb monomer (TNFR1) systemically administered by intraperitoneal administration reduced the number of cells in BAL by 60% compared to the untreated group. The results also show that systemic administration of a therapeutic agent that targets TNF (ENBREL® (etanercept; Immunex Corporation)) resulted in a 12% increase in the number of cells in BAL, although this increase was not statistically significant. TS, tobacco smoke-induced; Veh, vehicle; ns, not statistically significant; i.p. intraperitoneal.

FIG. 3 is a histogram in which the data for certain groups that are shown in FIGS. 1 and 2 are replotted along with the results for a study in which an oral steroid (Dexamethasone) was administered in the model. The histogram shows that local administration of anti-TNFR1 dAb monomer (DOM/ADS101-native (Dom1 in FIG. 1)) to the lung by intranasal administration (1 mg/kg administered once each day (q.d.)), and systemic administration of PEGylated anti-TNFR1 dAb monomer

(DOM/ADS101-pegylated (TNFR1 in FIG.2)) by intraperitoneal administration (10 mg/kg administered once every two days (q.a.d.)) were more efficacious in the model than phosphodiesterase 4 inhibitor (PDE4I) that was administered at a high dose (10 mg/kg administered orally twice a day (b.i.d.)). The histogram also shows that orally administered steroid (0.3 mg/kg administered orally twice a day) increased the number of cells in BAL, and thus was not efficacious in the model.

FIGS 4A and 4B are histograms showing the differential cell counts for macrophages (4A) or neutrophils (4B) in BAL for certain study groups that are shown in FIGS. 1 and 2. FIG. 4A shows that local administration of anti-TNFR1 dAb monomer (DOM/ADS101-native (Dom1 in FIG. 1)) to the lung by intranasal administration (1 mg/kg administered once each day (q.d.)), and systemic administration of PEGylated anti-TNFR1 dAb monomer (DOM/ADS101-pegylated (TNFR1 in FIG.2)) by intraperitoneal administration (10 mg/kg administered once every two days (q.a.d.)) were more efficacious in reducing the number of macrophages in BAL than phosphodiesterase 4 inhibitor (PDE4I) that was administered at a high dose (10 mg/kg administered orally twice a day (b.i.d.)). Similarly, FIG. 4B shows that local administration of anti-TNFR1 dAb monomer (DOM/ADS101-native (Dom1 in FIG. 1)) to the lung by intranasal administration (1 mg/kg administered once each day (q.d.)), and systemic administration of PEGylated anti-TNFR1 dAb monomer (DOM/ADS101-pegylated (TNFR1 in FIG.2)) by intraperitoneal administration (10 mg/kg administered once every two days (q.a.d.)) were more efficacious in reducing the number of neutrophils in BAL than phosphodiesterase 4 inhibitor (PDE4I) that was administered at a high dose (10 mg/kg administered orally twice a day (b.i.d.)).

FIG. 5 is a graph showing the results of the pharmacokinetic study of an agent that binds TNFR1 (DOM1m (TAR2m21-23)) following local administration to pulmonary tissue by intranasal administration (see, Example 3). The graph shows that the levels of DOM1m in lung tissue remained relatively constant for at least 8 hours after administration, while the levels in BAL declined gradually, and the levels in serum rapidly declined and were undetectable after 5 hours. Maximum levels of DOM1m in BAL and serum were detected 1 hour after administration. (about 14 μ g/ml in BAL, about 150 ng/ml in serum). The levels in the BAL remained high for a prolonged period of time, and gradually declined over 24 hours (> 10-fold decline

after 24 hours). The levels in serum rapidly declined, and DOM1m was not detectable in serum after 5 hours. The levels of DOM1 in lung tissue were relatively constant for at least 8 hours after administration, and were undetectable 24 hours after administration.

5 FIG. 6A-6V shows the amino acid sequences (SEQ ID NOS:1-198) of several human immunoglobulin variable domains that have binding specificity for human TNFR1. The presented amino acid sequences are continuous with no gaps; the symbol ~ has been inserted into the sequences to indicate the locations of the complementarity determining regions (CDRs). CDR1 is flanked by ~, CDR2 is
10 flanked by ~~, and CDR3 is flanked by ~~~.

 FIG. 7A-7B shows the amino acid sequences (SEQ ID NOS:199-211) of several human immunoglobulin variable domains that have binding specificity for mouse TNFR1. The presented amino acid sequences are continuous with no gaps; the symbol ~ has been inserted into the sequences to indicate the locations of the
15 complementarity determining regions (CDRs). CDR1 is flanked by ~, CDR2 is flanked by ~~, and CDR3 is flanked by ~~~.

 FIG. 8A shows a nucleotide sequence (SEQ ID NO:212) encoding the extracellular domain of human (*homo sapiens*) TNFR1.

 FIG. 8B shows the amino acid sequence (SEQ ID NO:213) of the extracellular
20 domain of human (*homo sapiens*) TNFR1.

 FIG. 9A shows a nucleotide sequence (SEQ ID NO:214) encoding the extracellular domain of mouse (*Mus musculus*) TNFR1.

 FIG. 9B shows the amino acid sequence (SEQ ID NO:215) of the extracellular domain of mouse (*Mus musculus*) TNFR1.

25 FIG. 10A-10Q shows the amino acid sequences (SEQ ID NOS:216-221) of several human immunoglobulin variable domains that have binding specificity for mouse TNFR1, and the amino acid sequence (SEQ ID NOS:222-433) of several human immunoglobulin variable domains that have binding specificity for human TNFR1. The presented amino acid sequences are continuous with no gaps; the
30 symbol ~ has been inserted into the sequences to indicate the locations of the complementarity determining regions (CDRs). CDR1 is flanked by ~, CDR2 is flanked by ~~, and CDR3 is flanked by ~~~.

FIG. 11A and 11B are graphs showing time dependent increases in the TNF α concentration in bronchoalveolar lavage (BAL) (FIG. 11A) or lung tissue (FIG. 11B) following intranasal (i.n.) administration of murine TNF α (1 mg/mouse) one hour after administration (i.n.) of vehicle or anti-TNFR1 dAb (1 mg/kg).

5 FIG. 12 is a graph showing time dependent increases in BAL neutrophils following i.n. administration of murine TNF α (1 μ g/mouse) one hour following pre-administration (i.n.) of vehicle or anti-TNFR1 dAb (1 mg/kg). Pre-administration of anti-TNFR1 dAb partially inhibited the increase in neutrophils induced by TNF α .

10 FIGS. 13A-13D are graphs showing time dependent effects of murine TNF α on BAL KC levels (13A), BAL MIP-2 levels (13B), BAL MCP-1 levels (13C), or lung tissue E-selectin levels (13D). Administration of anti-TNFR1 dAb significantly inhibited the increases induced by TNF α .

15 FIGS. 14A-14Z and 14A2-14J2 show the nucleotide sequences of several nucleic acids that encode human immunoglobulin variable domains that have binding specificity for human TNFR1 (SEQ ID NOS:434-644), and the nucleotide sequences of several nucleic acids that encode human immunoglobulin variable domains that have binding specificity for mouse TNFR1 (SEQ ID NOS:645-650). The presented sequences are continuous with no gaps; the symbol ~ has been inserted into the sequences to indicate the locations that encode the complementarity determining regions (CDRs). CDR1 is flanked by ~, CDR2 is flanked by ~~, and CDR3 is flanked by ~~~.

20

DETAILED DESCRIPTION OF THE INVENTION

25 As used herein, the term "antagonist" refers to an agent (*e.g.*, a molecule, a compound) which binds a target (*e.g.*, a receptor protein) and can inhibit a (*i.e.*, one or more) function of the target. For example, an antagonist of a receptor protein can bind the receptor protein and inhibit the binding of a natural or cognate ligand to the receptor protein and/or inhibit signal transduction mediated through receptor protein. For example, antagonists of Tumor Necrosis Factor Receptor 1 "TNFR1" can bind

30 TNFR1 and inhibit binding of TNF α to TNFR1 and/or inhibit signal transduction mediated through TNFR1. Antagonists can be identified, for example, by screening libraries or collections of molecules, such as, the Chemical Repository of the National

Cancer Institute, or using other suitable methods. Preferred antagonists are “ligands” as described herein.

As used herein, the term “antagonist of Tumor Necrosis Factor Receptor 1 (TNFR1)” refers to an agent (e.g., a molecule, a compound) which binds TNFR1 and can inhibit a (i.e., one or more) function of TNFR1. For example, an antagonist of TNFR1 can inhibit the binding of TNF α to TNFR1 and/or inhibit signal transduction mediated through TNFR1. Accordingly, TNFR1-mediated processes and cellular responses (e.g., TNF α -induced cell death in a standard L929 cytotoxicity assay) can be inhibited with an antagonist of TNFR1. An antagonist of TNFR1 can be, for example, a small organic molecule, natural product, protein, peptide or peptidomimetic. Antagonists of TNFR1 can be identified, for example, by screening libraries or collections of molecules, such as, the Chemical Repository of the National Cancer Institute, as described herein or using other suitable methods. Preferred antagonists of TNFR1 are antibodies, antigen-binding fragments of antibodies, ligands and dAb monomers described herein.

As used herein, the term “ligand” refers to a polypeptide that comprises a domain that has binding specificity for a desired target. Preferably the binding domain is an immunoglobulin single variable domain (e.g., V_H, V_L, V_{HH}) that has binding specificity for a desired target antigen (e.g., a receptor protein). The binding domain can also comprises one or more complementarity determining regions (CDRs) of an immunoglobulin single variable domain that has binding specificity for a desired target antigen in a suitable format, such that the binding domain has binding specificity for the target antigen. For example, the CDRs can be grafted onto a suitable protein scaffold or skeleton, such as an affibody, an SpA scaffold, an LDL receptor class A domain or an EGF domain. Further, the ligand can be monovalent (e.g., a dAb monomer), bivalent (homobivalent, heterobivalent) or multivalent (homomultivalent, heteromultivalent) as described herein. Thus, “ligands” include polypeptides that consist of a dAb, include polypeptides that consist essentially of such a dAb, polypeptides that comprise a dAb (or the CDRs of a dAb) in a suitable format, such as an antibody format (e.g., IgG-like format, scFv, Fab, Fab', F(ab')₂) or a suitable protein scaffold or skeleton, such as an affibody, an SpA scaffold, an LDL receptor class A domain or an EGF domain, dual specific ligands that comprise a dAb

that binds a first target protein, antigen or epitope (*e.g.*, TNFR1) and a second dAb that binds another target protein, antigen or epitope (*e.g.*, serum albumin), and multispecific ligands as described herein. The binding domain can also be a protein domain comprising a binding site for a desired target, *e.g.*, a protein domain is selected from an affibody, an SpA domain, an LDL receptor class A domain an EGF domain, an avimer (see, *e.g.*, U.S. Patent Application Publication Nos. 2005/0053973, 2005/0089932, 2005/0164301).

The phrase “immunoglobulin single variable domain” refers to an antibody variable region (V_H , V_{HH} , V_L) that specifically binds an antigen or epitope independently of other V regions or domains; however, as the term is used herein, an immunoglobulin single variable domain can be present in a format (*e.g.*, homo- or hetero-multimer) with other variable regions or variable domains where the other regions or domains are not required for antigen binding by the single immunoglobulin variable domain (*i.e.*, where the immunoglobulin single variable domain binds antigen independently of the additional variable domains). “Immunoglobulin single variable domain” encompasses not only an isolated antibody single variable domain polypeptide, but also larger polypeptides that comprise one or more monomers of an antibody single variable domain polypeptide sequence. A “domain antibody” or “dAb” is the same as an “immunoglobulin single variable domain” polypeptide as the term is used herein. An immunoglobulin single variable domain polypeptide, as used herein refers to a mammalian immunoglobulin single variable domain polypeptide, preferably human, but also includes rodent (for example, as disclosed in WO 00/29004, the contents of which are incorporated herein by reference in their entirety) or camelid V_{HH} dAbs. Camelid dAbs are immunoglobulin single variable domain polypeptides which are derived from species including camel, llama, alpaca, dromedary, and guanaco, and comprise heavy chain antibodies naturally devoid of light chain: V_{HH} . V_{HH} molecules are about ten times smaller than IgG molecules, and as single polypeptides, they are very stable, resisting extreme pH and temperature conditions.

As used herein, the term “dose” refers to the quantity of agent (*e.g.*, antagonist of TNFR1) administered to a subject all at one time (unit dose), or in two or more administrations over a defined time interval. For example, dose can refer to the quantity of agent (*e.g.*, antagonist of TNFR1) administered to a subject over the

course of one day (24 hours) (daily dose), two days, one week, two weeks, three weeks or one or more months (*e.g.*, by a single administration, or by two or more administrations). The interval between doses can be any desired amount of time.

As use herein, the term “therapeutic window” refers to the range of drug (*e.g.*, antagonist, ligand, dAb monomer) concentrations in the plasma, or in a tissue or organ (5 *e.g.*, pulmonary tissue, lung) to which a drug is locally administered, that result in a high probability of therapeutic efficacy.

“Complementary” Two immunoglobulin domains are “complementary” where they belong to families of structures which form cognate pairs or groups or are derived from such families and retain this feature. For example, a V_H domain and a V_L domain of an antibody are complementary; two V_H domains are not complementary, and two V_L domains are not complementary. Complementary domains may be found in other members of the immunoglobulin superfamily, such as the V_α and V_β (or γ and δ) domains of the T-cell receptor. Domains which are artificial, such as domains based on protein scaffolds which do not bind epitopes unless engineered to do so, are non-complementary. Likewise, two domains based on (for example) an immunoglobulin domain and a fibronectin domain are not complementary.

“Immunoglobulin” This refers to a family of polypeptides which retain the immunoglobulin fold characteristic of antibody molecules, which contains two β sheets and, usually, a conserved disulphide bond. Members of the immunoglobulin superfamily are involved in many aspects of cellular and non-cellular interactions *in vivo*, including widespread roles in the immune system (for example, antibodies, T-cell receptor molecules and the like), involvement in cell adhesion (for example the ICAM molecules) and intracellular signalling (for example, receptor molecules, such as the PDGF receptor). The present invention is applicable to all immunoglobulin superfamily molecules which possess binding domains. Preferably, the present invention relates to antibodies.

“Domain” A domain is a folded protein structure which retains its tertiary structure independently of the rest of the protein. Generally, domains are responsible for discrete functional properties of proteins, and in many cases may be added, removed or transferred to other proteins without loss of function of the remainder of

the protein and/or of the domain. By single antibody variable domain is meant a folded polypeptide domain comprising sequences characteristic of antibody variable domains. It therefore includes complete antibody variable domains and modified variable domains, for example in which one or more loops have been replaced by sequences which are not characteristic of antibody variable domains, or antibody variable domains which have been truncated or comprise N- or C-terminal extensions, as well as folded fragments of variable domains which retain at least in part the binding activity and specificity of the full-length domain.

“Repertoire” A collection of diverse variants, for example polypeptide variants which differ in their primary sequence. A library used in the present invention will encompass a repertoire of polypeptides comprising at least 1000 members.

“Library” The term library refers to a mixture of heterogeneous polypeptides or nucleic acids. The library is composed of members, each of which have a single polypeptide or nucleic acid sequence. To this extent, *library* is synonymous with *repertoire*. Sequence differences between library members are responsible for the diversity present in the library. The library may take the form of a simple mixture of polypeptides or nucleic acids, or may be in the form of organisms or cells, for example bacteria, viruses, animal or plant cells and the like, transformed with a library of nucleic acids. Preferably, each individual organism or cell contains only one or a limited number of library members. Advantageously, the nucleic acids are incorporated into expression vectors, in order to allow expression of the polypeptides encoded by the nucleic acids. In a preferred aspect, therefore, a library may take the form of a population of host organisms, each organism containing one or more copies of an expression vector containing a single member of the library in nucleic acid form which can be expressed to produce its corresponding polypeptide member. Thus, the population of host organisms has the potential to encode a large repertoire of genetically diverse polypeptide variants.

“Antibody” An antibody (for example IgG, IgM, IgA, IgD or IgE) or fragment (such as a Fab, F(ab')₂, Fv, disulphide linked Fv, scFv, closed conformation multispecific antibody, disulphide-linked scFv, diabody) whether derived from any species naturally producing an antibody, or created by recombinant DNA technology; whether isolated from serum, B-cells, hybridomas, transfectomas, yeast or bacteria).

“Dual-specific ligand” A ligand comprising a first immunoglobulin single variable domain and a second immunoglobulin single variable domain as herein defined, wherein the variable regions are capable of binding to two different antigens or two epitopes on the same antigen which are not normally bound by a monospecific immunoglobulin. For example, the two epitopes may be on the same hapten, but are not the same epitope or sufficiently adjacent to be bound by a monospecific ligand. The dual specific ligands according to the invention are composed of variable domains which have different specificities, and do not contain mutually complementary variable domain pairs which have the same specificity. Dual-specific ligands and suitable methods for preparing dual-specific ligands are disclosed in WO 2004/058821, WO 2004/003019, and WO 03/002609, the entire teachings of each of these published international applications are incorporated herein by reference.

“Antigen” A molecule that is bound by a ligand according to the present invention. Typically, antigens are bound by antibody ligands and are capable of raising an antibody response *in vivo*. It may be a polypeptide, protein, nucleic acid or other molecule. Generally, the dual specific ligands according to the invention are selected for target specificity against a particular antigen. In the case of conventional antibodies and fragments thereof, the antibody binding site defined by the variable loops (L1, L2, L3 and H1, H2, H3) is capable of binding to the antigen.

“Epitope” A unit of structure conventionally bound by an immunoglobulin V_H/V_L pair. Epitopes define the minimum binding site for an antibody, and thus represent the target of specificity of an antibody. In the case of a single domain antibody, an epitope represents the unit of structure bound by a variable domain in isolation.

“Universal framework” A single antibody framework sequence corresponding to the regions of an antibody conserved in sequence as defined by Kabat (“Sequences of Proteins of Immunological Interest”, US Department of Health and Human Services) or corresponding to the human germline immunoglobulin repertoire or structure as defined by Chothia and Lesk, (1987) *J. Mol. Biol.* 196:910-917. The invention provides for the use of a single framework, or a set of such frameworks, which has been found to permit the derivation of virtually any binding specificity though variation in the hypervariable regions alone.

“Half-life” The time taken for the serum concentration of the ligand to reduce by 50%, *in vivo*, for example due to degradation of the ligand and/or clearance or sequestration of the ligand by natural mechanisms. The ligands of the invention are stabilised *in vivo* and their half-life increased by binding to molecules which resist degradation and/or clearance or sequestration. Typically, such molecules are naturally occurring proteins which themselves have a long half-life *in vivo*. The half-life of a ligand is increased if its functional activity persists, *in vivo*, for a longer period than a similar ligand which is not specific for the half-life increasing molecule. Thus, a ligand specific for HSA and a target molecule is compared with the same ligand wherein the specificity for HSA is not present, that it does not bind HSA but binds another molecule. For example, it may bind a second epitope on the target molecule. Typically, the half life is increased by 10%, 20%, 30%, 40%, 50% or more. Increases in the range of 2x, 3x, 4x, 5x, 10x, 20x, 30x, 40x, 50x or more of the half life are possible. Alternatively, or in addition, increases in the range of up to 30x, 40x, 50x, 60x, 70x, 80x, 90x, 100x, 150x of the half life are possible.

“Substantially identical (or “substantially homologous”)” A first amino acid or nucleotide sequence that contains a sufficient number of identical or equivalent (*e.g.*, with a similar side chain, *e.g.*, conserved amino acid substitutions) amino acid residues or nucleotides to a second amino acid or nucleotide sequence such that the first and second amino acid or nucleotide sequences have similar activities. In the case of antibodies, the second antibody has the same binding specificity and has at least 50% of the affinity of the same.

As used herein, the terms “low stringency,” “medium stringency,” “high stringency,” or “very high stringency conditions” describe conditions for nucleic acid hybridization and washing. Guidance for performing hybridization reactions can be found in *Current Protocols in Molecular Biology*, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6, which is incorporated herein by reference in its entirety. Aqueous and nonaqueous methods are described in that reference and either can be used. Specific hybridization conditions referred to herein are as follows: (1) low stringency hybridization conditions in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by two washes in 0.2X SSC, 0.1% SDS at least at 50°C (the temperature of the washes can be increased to 55°C for low stringency conditions); (2) medium

stringency hybridization conditions in 6X SSC at about 45°C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 60°C; (3) high stringency hybridization conditions in 6X SSC at about 45°C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 65°C; and preferably (4) very high stringency hybridization conditions are 0.5M sodium phosphate, 7% SDS at 65°C, followed by one or more washes at 0.2X SSC, 1% SDS at 65°C. Very high stringency conditions (4) are the preferred conditions and the ones that should be used unless otherwise specified.

As referred to herein, the term “competes” means that the binding of a first epitope to its cognate epitope binding domain is inhibited when a second epitope is bound to its cognate epitope binding domain. For example, binding may be inhibited sterically, for example by physical blocking of a binding domain or by alteration of the structure or environment of a binding domain such that its affinity or avidity for an epitope is reduced.

Sequences similar or homologous (e.g., at least about 70% sequence identity) to the sequences disclosed herein are also part of the invention. In some embodiments, the sequence identity at the amino acid level can be about 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or higher. At the nucleic acid level, the sequence identity can be about 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or higher. Alternatively, substantial identity exists when the nucleic acid segments will hybridize under selective hybridization conditions (e.g., very high stringency hybridization conditions), to the complement of the strand. The nucleic acids may be present in whole cells, in a cell lysate, or in a partially purified or substantially pure form.

Calculations of “homology” or “sequence identity” or “similarity” between two sequences (the terms are used interchangeably herein) are performed as follows. The sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in one or both of a first and a second amino acid or nucleic acid sequence for optimal alignment and non-homologous sequences can be disregarded for comparison purposes). In a preferred embodiment, the length of a reference sequence aligned for comparison purposes is at least 30%, preferably at least 40%, more preferably at least 50%, even more preferably at least 60%, and even more preferably at least 70%, 80%, 90%, 100% of the length of the reference sequence. The amino

acid residues or nucleotides at corresponding amino acid positions or nucleotide positions are then compared. When a position in the first sequence is occupied by the same amino acid residue or nucleotide as the corresponding position in the second sequence, then the molecules are identical at that position (as used herein amino acid or nucleic acid "homology" is equivalent to amino acid or nucleic acid "identity").
5 The percent identity between the two sequences is a function of the number of identical positions shared by the sequences, taking into account the number of gaps, and the length of each gap, which need to be introduced for optimal alignment of the two sequences.

10 Amino acid and nucleotide sequence alignments and homology, similarity or identity, as defined herein are preferably prepared and determined using the algorithm BLAST 2 Sequences, using default parameters (Tatusova, T. A. *et al.*, *FEMS Microbiol Lett*, 174:187-188 (1999)). Alternatively, advantageously, the BLAST algorithm (version 2.0) is employed for sequence alignment, with parameters set to
15 default values. The BLAST algorithm is described in detail at the world wide web site ("www") of the National Center for Biotechnology Information ("ncbi") of the National Institutes of Health ("nih") of the U.S. government (.gov), in the "/Blast/" directory, in the "blast_help.html" file. The search parameters are defined as follows, and are advantageously set to the defined default parameters.

20 BLAST (Basic Local Alignment Search Tool) is the heuristic search algorithm employed by the programs blastp, blastn, blastx, tblastn, and tblastx; these programs ascribe significance to their findings using the statistical methods of Karlin and Altschul, 1990, Proc. Natl. Acad. Sci. USA 87(6):2264-8 (see the "blast_help.html" file, as described above) with a few enhancements. The BLAST programs were
25 tailored for sequence similarity searching, for example to identify homologues to a query sequence. The programs are not generally useful for motif-style searching. For a discussion of basic issues in similarity searching of sequence databases, see Altschul et al. (1994).

The five BLAST programs available at the National Center for Biotechnology
30 Information web site perform the following tasks:

"blastp" compares an amino acid query sequence against a protein sequence database;

“blastn” compares a nucleotide query sequence against a nucleotide sequence database;

“blastx” compares the six-frame conceptual translation products of a nucleotide query sequence (both strands) against a protein sequence database;

5 “tblastn” compares a protein query sequence against a nucleotide sequence database dynamically translated in all six reading frames (both strands).

“tblastx” compares the six-frame translations of a nucleotide query sequence against the six-frame translations of a nucleotide sequence database.

BLAST uses the following search parameters:

10 HISTOGRAM Display a histogram of scores for each search; default is yes. (See parameter H in the BLAST Manual).

DESCRIPTIONS Restricts the number of short descriptions of matching sequences reported to the number specified; default limit is 100 descriptions. (See parameter V in the manual page). See also EXPECT and CUTOFF.

15 ALIGNMENTS Restricts database sequences to the number specified for which high-scoring segment pairs (HSPs) are reported; the default limit is 50. If more database sequences than this happen to satisfy the statistical significance threshold for reporting (see EXPECT and CUTOFF below), only the matches ascribed the greatest statistical significance are reported. (See parameter B in the BLAST Manual).

20 EXPECT The statistical significance threshold for reporting matches against database sequences; the default value is 10, such that 10 matches are expected to be found merely by chance, according to the stochastic model of Karlin and Altschul (1990). If the statistical significance ascribed to a match is greater than the EXPECT threshold, the match will not be reported. Lower EXPECT thresholds are more
25 stringent, leading to fewer chance matches being reported. Fractional values are acceptable. (See parameter E in the BLAST Manual).

CUTOFF Cutoff score for reporting high-scoring segment pairs. The default value is calculated from the EXPECT value (see above). HSPs are reported for a database sequence only if the statistical significance ascribed to them is at least as
30 high as would be ascribed to a lone HSP having a score equal to the CUTOFF value. Higher CUTOFF values are more stringent, leading to fewer chance matches being reported. (See parameter S in the BLAST Manual). Typically, significance thresholds can be more intuitively managed using EXPECT.

MATRIX Specify an alternate scoring matrix for BLASTP, BLASTX, TBLASTN and TBLASTX. The default matrix is BLOSUM62 (Henikoff & Henikoff, 1992, Proc. Natl. Acad. Sci. USA 89(22):10915-9). The valid alternative choices include: PAM40, PAM120, PAM250 and IDENTITY. No alternate scoring matrices
5 are available for BLASTN; specifying the MATRIX directive in BLASTN requests returns an error response.

STRAND Restrict a TBLASTN search to just the top or bottom strand of the database sequences; or restrict a BLASTN, BLASTX or TBLASTX search to just reading frames on the top or bottom strand of the query sequence.

10 FILTER Mask off segments of the query sequence that have low compositional complexity, as determined by the SEG program of Wootton & Federhen (1993) Computers and Chemistry 17:149-163, or segments consisting of short-periodicity internal repeats, as determined by the XNU program of Claverie & States, 1993, Computers and Chemistry 17:191-201, or, for BLASTN, by the DUST
15 program of Tatusov and Lipman (see the world wide web site of the NCBI). Filtering can eliminate statistically significant but biologically uninteresting reports from the blast output (e.g., hits against common acidic-, basic- or proline-rich regions), leaving the more biologically interesting regions of the query sequence available for specific matching against database sequences.

20 Low complexity sequence found by a filter program is substituted using the letter "N" in nucleotide sequence (e.g., "N" repeated 13 times) and the letter "X" in protein sequences (e.g., "X" repeated 9 times).

Filtering is only applied to the query sequence (or its translation products), not to database sequences. Default filtering is DUST for BLASTN, SEG for other
25 programs.

It is not unusual for nothing at all to be masked by SEG, XNU, or both, when applied to sequences in SWISS-PROT, so filtering should not be expected to always yield an effect. Furthermore, in some cases, sequences are masked in their entirety, indicating that the statistical significance of any matches reported against the
30 unfiltered query sequence should be suspect. NCBI-gi Causes NCBI gi identifiers to be shown in the output, in addition to the accession and/or locus name. Most preferably, sequence comparisons are conducted using the simple BLAST search

algorithm provided at the NCBI world wide web site described above, in the “BLAST” directory.

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art (e.g., in cell culture, molecular genetics, nucleic acid chemistry, hybridization techniques and biochemistry). Standard techniques are used for molecular, genetic and biochemical methods (see generally, Sambrook *et al.*, Molecular Cloning: A Laboratory Manual, 2d ed. (1989) Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. and Ausubel *et al.*, Short Protocols in Molecular Biology (1999) 4th Ed, John Wiley & Sons, Inc. which are incorporated herein by reference) and chemical methods.

As described herein, a study in which an antagonist of TNFR1 consisting essentially of a dAb monomer that binds TNFR1 was administered in a mouse subchronic model of tobacco smoke-induced chronic obstructive pulmonary disease (COPD) was conducted. The study results revealed that antagonists of TNFR1 (e.g., that comprise a domain antibody (dAb) that binds TNFR1) are effective therapeutic agents for treating respiratory diseases (e.g., inflammation in the lung, acute lung disease, chronic lung disease (e.g., COPD)). In fact, the antagonists tested in the study were more efficacious than high dose phosphodiesterase 4 inhibitor or soluble TNFR1 (ENBREL® (etanercept; Immunex Corporation)) which binds and neutralizes TNF α . The antagonists of TNFR1 studied were efficacious in the model when administered systemically (intraperitoneal injection) or locally to the pulmonary tissue by intra-nasal administration.

Surprisingly, the study results show that local administration of an antagonists that binds a target in pulmonary tissue (e.g., TNFR1) was more effective at inhibiting cellular infiltration of the lungs in the model than was systemic administration of an extended half-life antagonist (PEGylated dAb monomer, PEGylated to increase the hydrodynamic size and the *in vivo* serum half-life of the dAb monomer), even though five times more antagonist was administered systemically. In molar terms 2.5 times more extended half-life antagonist (PEGylated dAb monomer, PEGylated to increase the hydrodynamic size and the *in vivo* serum half-life of the dAb monomer) was administered systemically compared to the locally administered dAb monomer.

As described herein, a further study in which the pharmacokinetics of a dAb monomer that binds TNFR1 after local administration to the pulmonary tissue by intranasal administration was conducted. The results of that study revealed that, following local administration to the pulmonary tissue, the dAb monomer had a long residence time in the lung, and that the amount of dAb monomer in the lung was substantially constant over an eight hour period. In addition, local delivery of the dAb monomer to the lung resulted in the brief presence of only a low concentration of dAb monomer in the serum. Specifically, a maximum level of about 150 ng/ml was detected in the serum 1 hour after administration, and no dAb monomer was detectable in the serum after 5 hours.

This results of the pharmacokinetic study are surprising and demonstrate that an agent that binds a target in pulmonary tissue, such as an antibody or antibody fragment that binds a target in pulmonary tissue (e.g, Fab fragment, Fab' fragment, Fv fragment (e.g., scFv, disulfide bonded Fv), F(ab')₂ fragment, dAb) or an antagonist of a target in pulmonary tissue (e.g., ligand, dAb monomer), can be locally administered to pulmonary tissue to provide a long therapeutic window (for treating, suppressing, preventing, or diagnosing respiratory conditions) in pulmonary tissue due to the long residence time of such agents in the pulmonary tissue. The results of the pharmacokinetic study, and the long therapeutic window provided by local administration to the pulmonary tissue, also explain the observed superior efficacy of locally administered antagonist of TNFR1 in the mouse model of COPD. Additionally, the observed superior efficacy of dAb monomer when administered locally at a lower dose, the low concentration of dAb monomer that enters into the serum, and the rapid clearance of dAb monomer from the serum, indicate that agents that bind a target in pulmonary tissue (e.g., antibody fragment that binds a target in pulmonary tissue (e.g, Fab fragment, Fab' fragment, Fv fragment (e.g., scFv, disulfide bonded Fv), F(ab')₂ fragment, dAb) are much less likely to produce side effects (e.g., immunosuppression, toxicity) than other types of therapeutic agents.

In further studies lung inflammation was induced by the inflammatory stimulator TNF α . The results of these studies demonstrate that antagonists of TNFR1 (anti-TNFR1 dAb that inhibit binding of TNF α to the receptor, or that do not inhibit binding of TNF α to the receptor) significantly inhibit TNF α -induced increases of

other inflammatory mediators, such as the early acting neutrophil chemoattractants KC and MIP-1, and the later acting chemokine MCP-1 and adhesion molecule E-selectin, and inhibited cellular infiltration of the lungs.

The studies described herein demonstrate that agents that bind targets in the pulmonary tissue (e.g., antibody fragments (e.g., Fab fragment, Fab' fragment, Fv fragment (e.g., scFv, disulfide bonded Fv), F(ab')₂ fragment, dAb), antagonists, ligands, dAb monomers) are superior therapeutics for treating, suppressing or preventing lung inflammation and/or respiratory disease, or for diagnostic purposes, such as imaging. The results also demonstrate that even though dAb monomers have a short *in vivo* serum half-life, dAbs that bind a target in pulmonary tissue and antagonists that contain such a dAb, can be locally administered to pulmonary tissue to provide a long therapeutic window in pulmonary tissue due to the long residence time of such a dAb in the pulmonary tissue. Accordingly, other agents that bind a target in pulmonary tissue and have short *in vivo* half-lives (e.g., antibody fragments such as Fab fragments, Fab' fragments, Fv fragments (e.g., scFvs, disulfide bonded Fv)s, F(ab')₂ fragments) can be locally administered to pulmonary tissue to provide a long therapeutic window (e.g., for treating, suppressing, preventing, or diagnosing respiratory conditions) in pulmonary tissue.

Generally, agents that bind targets in the pulmonary tissue (e.g., antibody fragments (e.g., Fab fragment, Fab' fragment, Fv fragment (e.g., scFv, disulfide bonded Fv), F(ab')₂ fragment, dAb), antagonists, ligands, dAb monomers) can be locally administered to pulmonary tissue to provide a therapeutic window in pulmonary tissue of at least about 4 hours, at least about 5 hours, at least about 6 hours, at least about 7 hours, at least about 8 hours, at least about 9 hours, at least about 10 hours, at least about 11 hours, or at least about 12 hours.

Local Administration of Agents That Bind Targets in Pulmonary Tissue to Pulmonary Tissue.

In a first aspect, the invention relates to methods for administering an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target in pulmonary tissue to a subject to produce a long therapeutic window (e.g., for treating, suppressing, preventing, or diagnosing respiratory conditions) in pulmonary tissue. For example, a therapeutic window in pulmonary tissue of at least about 4 hours, at

least about 5 hours, at least about 6 hours, at least about 7 hours, at least about 8 hours, at least about 9 hours, at least about 10 hours, at least about 11 hours, or at least about 12 hours. In accordance with the first aspect of the invention, the agent is administered locally to pulmonary tissue of a subject (e.g., a human).

5 An agent that binds a target in pulmonary tissue (e.g., antibody fragments (e.g., Fab fragment, Fab' fragment, Fv fragment (e.g., scFv, disulfide bonded Fv), F(ab')₂ fragment, dAb), antagonists, ligands, dAb monomers) can be locally administered to pulmonary tissue (e.g., lung) of a subject using any suitable method. For example, an agent can be locally administered to pulmonary tissue via inhalation or intranasal
10 administration. For inhalation or intranasal administration, the agent (antagonist of TNFR1, ligand, dAb monomer) can be administered using a nebulizer, inhaler, atomizer, aerosolizer, mister, dry powder inhaler, metered dose inhaler, metered dose sprayer, metered dose mister, metered dose atomizer, or other suitable delivery device.

15 In some embodiments, the method comprises administering locally to the pulmonary tissue of a subject an effective amount of an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that has a short *in vivo* serum half-life and binds a target in pulmonary tissue. In accordance with the invention, such agents (e.g., antibody fragment, antagonist, ligand, dAb monomer) can be locally
20 administered to pulmonary tissue to produce a long therapeutic window in pulmonary tissue but will not substantially accumulate in the serum. Due to the short *in vivo* half-life of such agents (e.g., antibody fragment, antagonist, ligand, dAb monomer), agents that cross the pulmonary epithelium and enter the serum will be quickly eliminated from the serum, and thus will not accumulate to levels that could produce
25 unwanted effects (e.g., systemic side effects). For example, suitable agents (e.g., antibody fragment, antagonist, ligand, dAb monomer) that bind a target in pulmonary tissue for use in the first aspect of the invention can have an *in vivo* serum half-life of about one second to about 12 hours, about 12 hours or less, about 11 hours or less, about 10 hours or less, about 9 hours or less, about 8 hours or less, about 7 hours or
30 less, about 6 hours or less, about 5 hours or less, about 4 hours or less, about 3 hours or less, about 2 hours or less, about 1 hour or less, or about 30 minutes or less. Preferred antagonists for administration in accordance with the first aspect of the invention comprise a dAb that binds a target in pulmonary tissue.

Particularly preferred agents (e.g., antagonists) for use in the first aspect of the invention are dAb monomers or antigen-binding fragments of antibodies that bind a target in pulmonary tissue (e.g., Fab fragments, Fab' fragments, Fv fragments (e.g., scFvs, disulfide bonded Fvs, F(ab')₂ fragments). The *in vivo* serum half-life of dAb monomers is about 30 minutes. (See, Examples 9 and 13 of WO 2004/081026 A2.) However, as described herein, local delivery of a dAb monomer that binds a target in pulmonary tissue (e.g., TNFR1) resulted in a therapeutic window in the pulmonary tissue of at least 8 hours. Similarly, the *in vivo* serum half-life of antigen-binding fragments of antibodies, particularly Fv fragments, is also short and makes them unsuitable for many *in vivo* therapeutic and diagnostic applications. (Peters *et al.*, *Science* 286(5439):434 (1999).) However, as shown by the study results described herein, antigen-binding fragments of antibodies that bind a target in pulmonary tissue can be locally administered to pulmonary tissue to provide a long therapeutic window (e.g., for treating, suppressing, preventing, or diagnosing respiratory conditions) in pulmonary tissue, for example, a therapeutic window of at least 8 hours.

As described herein, locally administering an agent that binds a target in pulmonary tissue (e.g., antibody fragment, antagonist, ligand, dAb monomer) to pulmonary tissue produces a long therapeutic window in the pulmonary tissue (lung). In some embodiments, locally administering an agent that binds a target in pulmonary tissue (e.g., antibody fragment, antagonist, ligand, dAb monomer) to pulmonary tissue produces a long therapeutic window in pulmonary tissue (lung) that is characterized by the presence in the lung of at least about 1%, at least about 1.25%, at least about 1.5%, at least about 1.75%, at least about 2%, at least about 2.25%, at least about 2.5%, at least about 2.75%, or at least about 3% of the total amount of agent that was administered 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, or 12 hours after administration. In some embodiments, locally administering an agent that binds a target in pulmonary tissue (e.g., antibody fragment, antagonist, ligand, dAb monomer) to pulmonary tissue produces a long therapeutic window in lung that is characterized by the presence in the lung as a whole (BAL and lung tissue) of at least about 40%, at least about 35%, at least about 30%, at least about 25%, at least about 20%, at least about 15%, at least about 10%, or at least about 5% of the total amount of agent that was administered 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, or 12 hours after administration.

In other embodiments, locally administering an agent that binds a target in pulmonary tissue produces a long therapeutic window in pulmonary tissue (lung) wherein at least 50%, at least 60%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% or more of the lung level of agent (e.g., level achieved following administration (e.g., the lung level achieved 1 hour after local administration to lung)) is maintained for a period of at least about 4 hours, at least about 5 hours, at least about 6 hours, at least about 7 hours, at least about 8 hours, at least about 9 hours, at least about 10 hours, at least about 11 hours, or at least about 12 hours.

As described herein, locally administering an agent that binds a target in pulmonary tissue (e.g., antibody fragment, antagonist, ligand, dAb monomer) to pulmonary tissue produces a long therapeutic window in the pulmonary tissue (lung), but the agent does not substantially enter the systemic circulation. An agent does not substantially enter the circulation when no more than about 2%, no more than about 1.75%, no more than about 1.5%, no more than about 1.25%, no more than about 1%, no more than about 0.75%, no more than about 0.5%, or no more than about 0.25% of the total amount of agent administered, or substantially no agent, is present in the serum 5 hours after the agent is administered. In some circumstances, an agent administered as described herein may enter the systemic circulation but not accumulate to a significant level because, for example, the agent is rapidly cleared from the systemic circulation. Accordingly, the invention provides method for locally administering an agent that binds a target in pulmonary tissue to pulmonary tissue, wherein no significant level of agent accumulates in the systemic circulation. The level of an agent in the systemic circulation is not significant when no more than about 2%, no more than about 1.75%, no more than about 1.5%, no more than about 1.25%, no more than about 1%, no more than about 0.75%, no more than about 0.5%, or no more than about 0.25% of the total amount of agent administered, or substantially no agent, is present in the serum 5 hours after the agent is administered.

Generally, only a "low dose effective amount of an agent" (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target in pulmonary tissue need be administered locally to the pulmonary tissue of a subject. A low dose effective amount is an amount of agent that is less than the amount of the same agent that would need to be administered systemically (i.e., effective systemic dose) to

achieve the same effect. In certain embodiments, the low dose effective amount is about 80% or less of the effective systemic dose, about 70% or less of the effective systemic dose, about 60% or less of the effective systemic dose, about 50% or less of the effective systemic dose, about 40% or less of the effective systemic dose, about 30% or less of the effective systemic dose, about 20% or less of the effective systemic dose, about 10% or less of the effective systemic dose, or about 5% or less of the effective systemic dose.

Suitable agents that can be locally administered to pulmonary tissue in accordance with the first aspect of the invention include agents, such as an antibody or antigen-binding fragments of antibodies (e.g., Fab fragment, Fab' fragment, Fv fragment (e.g., scFv, disulfide bonded Fv), F(ab')₂ fragment, dAb) and antagonists (e.g., ligand, dAb monomer) that bind a target in pulmonary tissue, such as TNFR1, IL-1, IL-1R, IL-4, IL-4R, IL-5, IL-6, IL-6R, IL-8, IL-8R, IL-9, IL-9R, IL-10, IL-12 IL-12R, IL-13, IL-13R α 1, IL-13R α 2, IL-15, IL-15R, IL-16, IL-17R, IL-17, IL-18, IL-18R, IL-23 IL-23R, IL-25, CD2, CD4, CD11a, CD23, CD25, CD27, CD28, CD30, CD40, CD40L, CD56, CD138, ALK5, EGFR, FcER1, TGF β , CCL2, CCL18, CEA, CR8, CTGF, CXCL12 (SDF-1), chymase, FGF, Furin, Endothelin-1, Eotaxins (e.g., Eotaxin, Eotaxin-2, Eotaxin-3), GM-CSF, ICAM-1, ICOS, IgE, IFN α , I-309, integrins, L-selectin, MIF, MIP4, MDC, MCP-1, MMPs, neutrophil elastase, osteopontin, OX-40, PARC, PD-1, RANTES, SCF, SDF-1, siglec8, TARC, TGF β , Thrombin, Tim-1, TNF, TNFR1, TRANCE, Tryptase, VEGF, VLA-4, VCAM, α 4 β 7, CCR2, CCR3, CCR4, CCR5, CCR7, CCR8, alphavbeta6, alphavbeta 8, Cmet, or CD8.

In an embodiment, the target is selected from a protein in the TNF signalling cascade. Preferably, this protein target is selected from the group comprising TNF alpha, TNF beta, TNFR2, TRADD, FADD, Caspase-8, TNF receptor-associated factor (TRAF), TRAF2, receptor-interacting protein (RIP), Hsp90, Cdc37, IKK alpha, IKK beta, NEMO, inhibitor of κ B (I κ B), NF- κ B, NF- κ B essential modulator, apoptosis signal-regulated kinase-1 (aSMase), neutral sphingomyelinase (nSMase), ASK1, Cathepsin-B, germinal center kinase (GSK), GSK-3, factor-associated death domain protein (FADD), factor associated with neutral sphingomyelinase activation (FAN), FLIP, JunD, inhibitor of NF- κ B kinase (IKK), MKK3, MKK4, MKK7, IKK gamma, mitogen-activated protein kinase/Erk kinase kinase (MEKK), MEKK1,

MEKK3, NIK, poly(ADP-ribose) polymerase (PARP), PKC-zeta, RelA, T2K, TRAF1, TRAF5, death effector domain (DED), death domain (DD), death inducing signalling complex (DISC), inhibitor of apoptosis protein (IAP), c-Jun N-terminal kinase (JNK), mitogen-activated protein kinase (MAPK), phosphoinositide-3OH kinase (PI3K), protein kinase A (PKA), PKB, PKC, PLAD, PTEN, rel homology domain (RHD), really interesting new gene (RING), stress-activated protein kinase (SAPK), TNF alpha-converting enzyme (TACE), silencer of death domain protein (SODD), and TRAF-associated NF-kB activator (TANK). With regard to these preferred targets, reference is made to WO04046189, WO04046186 and
10 WO04046185 (incorporated herein by reference) which provide guidance on the selection of antibody single variable domains for targeting intracellular targets.

Agents that bind targets in pulmonary tissue (e.g., antibody fragments (e.g., Fab fragment, Fab' fragment, Fv fragment (e.g., scFv, disulfide bonded Fv), F(ab')₂ fragment, dAb), antagonists, ligands, dAb monomers) can be prepared using any
15 suitable method, such as the methods described herein in detail with respect to antagonists (e.g., ligands, dAb monomers) that bind TNFR1.

In some embodiments, the invention is a method for providing a long therapeutic window in pulmonary tissue of a subject (e.g., a human) for an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target (e.g.,
20 TNFR1) in pulmonary tissue, comprising selecting an agent that has a short *in vivo* serum half-life (e.g., less than about 12 hours) and binds a target in pulmonary tissue, and administering locally to pulmonary tissue of the subject an effective amount or low dose effective amount of the agent that was selected.

In particular embodiments, the first aspect of the invention is a method for
25 providing a long therapeutic window in pulmonary tissue of a subject (e.g., a human) for an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target (e.g., TNFR1) in pulmonary tissue, comprising administering locally to pulmonary tissue of the subject an effective amount or low dose effective amount of said agent. Preferably, no more than about 10 mg/kg/day of agent is administered.
30 For example, about 1 mg/kg/day to about 10 mg/kg/day, e.g., about 1 mg/kg/day, about 2 mg/kg/day, about 3 mg/kg/day, about 4 mg/kg/day, about 5 mg/kg/day, about 6 mg/kg/day, about 7 mg/kg/day, about 8 mg/kg/day, about 9 mg/kg/day, or about 10 mg/kg/day of agent is administered. In other preferred embodiments, such as when

the agent is being administered locally to the pulmonary tissue (lung) of a human, no more than about 10 mg/day are administered. For example, in such embodiments the agent can be locally administered to pulmonary tissue at a dose of about 1 mg/day to about 10 mg/day (e.g., 10 mg/day, 9 mg/day, 8 mg/day, 7 mg/day, 6 mg/day, 5 mg/day, 4 mg/day, 3 mg/day, 2 mg/day, or 1 mg/day). Accordingly, the agent can be locally administered to pulmonary tissue at a dose of about 1 µg/kg/day to about 200 µg/kg/day (e.g., about 10 µg/kg/day, about 20 µg/kg/day, about 30 µg/kg/day, about 40 µg/kg/day, about 50 µg/kg/day, about 60 µg/kg/day, about 70 µg/kg/day, about 80 µg/kg/day, about 90 µg/kg/day, about 100 µg/kg/day, about 110 µg/kg/day, about 120 µg/kg/day, about 130 µg/kg/day, about 140 µg/kg/day, about 150 µg/kg/day, about 160 µg/kg/day, about 170 µg/kg/day, about 180 µg/kg/day, or about 190 µg/kg/day). In particular embodiments, about 5 µg/kg/day to about 3 mg/kg/day or preferably, about 50 µg/kg/day to about 500 µg/kg/day are administered.

15 Use of Agents That Bind Targets in Pulmonary Tissue to Pulmonary Tissue For Manufacture of Formulations and Medicaments.

The first aspect of the invention also relates to use of an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target (e.g., TNFR1) in pulmonary tissue, as described herein, in the manufacture of long acting or long therapeutic window formulation for local administration to pulmonary tissue. The long therapeutic window or long action period in pulmonary tissue can be a period of at least about 4 hours, at least about 5 hours, at least about 6 hours, at least about 7 hours, at least about 8 hours, at least about 9 hours, at least about 10 hours, at least about 11 hours, or at least about 12 hours.

25 In some embodiments, the agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) used has a short *in vivo* serum half-life and binds a target in pulmonary tissue. In accordance with the invention, such agents (e.g., antibody fragment, antagonist, ligand, dAb monomer) can be locally administered to pulmonary tissue to produce a long therapeutic window in pulmonary tissue but will not substantially accumulate in the serum. For example, suitable agents (e.g., antibody fragment, antagonist, ligand, dAb monomer) that bind a target in pulmonary tissue for use in the first aspect of the invention can have an *in vivo* serum half-life of

about one second to about 12 hours, about 12 hours or less, about 11 hours or less, about 10 hours or less, about 9 hours or less, about 8 hours or less, about 7 hours or less, about 6 hours or less, about 5 hours or less, about 4 hours or less, about 3 hours or less, about 2 hours or less, about 1 hour or less, or about 30 minutes or less.

- 5 Particularly preferred agents (e.g., antagonists) for use in the first aspect of the invention are dAb monomers or antigen-binding fragments of antibodies that bind a target in pulmonary tissue (e.g., Fab fragments, Fab' fragments, Fv fragments (e.g., scFvs, disulfide bonded Fv)s, F(ab')₂ fragments).

- 10 In some embodiments, the invention relates to use of an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target (e.g., TNFR1) in pulmonary tissue, as described herein, in the manufacture of long acting or long therapeutic window formulation for local administration to pulmonary tissue (lung) wherein at least 50%, at least 60%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%
15 or more of the lung level of agent (e.g., level achieved following administration (e.g., the lung level achieved 1 hour after local administration to lung)) is maintained for a period of at least about 4 hours, at least about 5 hours, at least about 6 hours, at least about 7 hours, at least about 8 hours, at least about 9 hours, at least about 10 hours, at least about 11 hours, or at least about 12 hours. In some embodiments, the invention
20 relates to use of an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target (e.g., TNFR1) in pulmonary tissue, as described herein, in the manufacture of long acting or long therapeutic window formulation for local administration to pulmonary tissue (lung) wherein the long action period or long therapeutic window in lung that is characterized by the presence in the lung as a
25 whole (BAL and lung tissue) of at least about 40%, at least about 35%, at least about 30%, at least about 25%, at least about 20%, at least about 15%, at least about 10%, or at least about 5% of the total amount of agent that was administered 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, or 12 hours after administration.

- 30 In some embodiments, the invention relates to use of an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target (e.g., TNFR1) in pulmonary tissue, as described herein, in the manufacture of long acting or long therapeutic window formulation for local administration to pulmonary tissue (lung)

wherein a lung level of at least about 1%, at least about 1.25%, at least about 1.5%, at least about 1.75%, at least about 2%, at least about 2.25%, at least about 2.5%, at least about 2.75%, or at least about 3% of the amount of agent in the formulation (e.g., that is administered in a dose of the formulation) is present in pulmonary tissue for at least
5 4 hours, at least 5 hours, at least 6 hours, at least 7 hours, at least 8 hours, at least 9 hours, at least 10 hours, at least 11 hours, or at least 12 hours (e.g., after the formulation is administered).

Preferably the agent for use in the invention does not substantially enter the systemic circulation (e.g., when in a long acting or long therapeutic window
10 formulation). As described herein, an agent does not substantially enter the circulation when no more than about 2%, no more than about 1.75%, no more than about 1.5%, no more than about 1.25%, no more than about 1%, no more than about 0.75%, no more than about 0.5%, or no more than about 0.25% of the total amount of agent administered (e.g., in a dose of the formulation), or substantially no agent, is
15 present in the serum 5 hours after the agent (e.g., in a dose of the formulation) is administered. In some circumstances, an agent administered as described herein may enter the systemic circulation but not accumulate to a significant level because, for example, the agent is rapidly cleared from the systemic circulation. Accordingly, the invention provides for use of an agent that binds a target in pulmonary tissue to
20 pulmonary tissue, wherein no significant level of agent accumulates in the systemic circulation. The level of an agent in the systemic circulation is not significant when no more than about 2%, no more than about 1.75%, no more than about 1.5%, no more than about 1.25%, no more than about 1%, no more than about 0.75%, no more than about 0.5%, or no more than about 0.25% of the total amount of agent
25 administered (e.g., in a dose of the formulation), or substantially no agent, is present in the serum 5 hours after the agent (e.g., in a dose of the formulation) is administered.

The invention also relates to use of an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target (e.g., TNFR1) in pulmonary tissue, as described herein, in the manufacture of a medicament for local
30 administration to pulmonary tissue of a low dose effective amount of agent. As described herein, a low dose effective amount is generally about 80% or less of the effective systemic dose, about 70% or less of the effective systemic dose, about 60% or less of the effective systemic dose, about 50% or less of the effective systemic

dose, about 40% or less of the effective systemic dose, about 30% or less of the effective systemic dose, about 20% or less of the effective systemic dose, about 10% or less of the effective systemic dose, or about 5% or less of the effective systemic dose.

5 In some embodiments, the invention is a method for producing a long acting or long therapeutic window formulation for local administration to pulmonary tissue comprising an agent (e.g., antibody fragment, antagonist, ligand, dAb monomer) that binds a target in pulmonary tissue, or a method for producing a medicament for local administration to pulmonary tissue of a low dose effective amount of agent (e.g.,
10 antibody fragment, antagonist, ligand, dAb monomer) that binds a target in pulmonary tissue. The methods comprise (1) selecting an agent that binds a target in pulmonary tissue and has a short *in vivo* serum half-life (e.g., less than about 12 hours), and (2) using the selected agent for the manufacture of a long acting or long therapeutic window formulation for local administration to pulmonary tissue, or for the
15 manufacture of medicament for local administration to pulmonary tissue of a low dose effective amount of agent.

 The invention also relates to use of an agent that binds a target in pulmonary tissue (e.g., antibody fragment, antagonist, ligand, dAb monomer), as described herein, for use in the manufacture of a long action or long therapeutic window
20 formulation for local administration to pulmonary tissue (lung), as described herein, or in the manufacture of a medicament for local administration to pulmonary tissue of a low dose effective amount of agent, as described herein, wherein the formulation or medicament is for administering no more agent than about 10 mg/kg/day. For example, the formulation or medicament can be for administering about 1 mg/kg/day
25 to about 10 mg/kg/day, e.g., about 1 mg/kg/day, about 2 mg/kg/day, about 3 mg/kg/day, about 4 mg/kg/day, about 5 mg/kg/day, about 6 mg/kg/day, about 7 mg/kg/day, about 8 mg/kg/day, about 9 mg/kg/day, or about 10 mg/kg/day. In some embodiments, the formulation or medicament is for local administration to the pulmonary tissue (lung) of a human, and the formulation or medicament is for
30 administering no more than about 10 mg/day. For example, the formulation or medicament can be for administering agent at a dose of about 1 mg/day to about 10 mg/day (e.g., 10 mg/day, 9 mg/day, 8 mg/day, 7 mg/day, 6 mg/day, 5 mg/day, 4 mg/day, 3 mg/day, 2 mg/day, or 1 mg/day). Accordingly, the the formulation or

medicament can be for administering agent at a dose of about 1 $\mu\text{g/kg/day}$ to about 200 $\mu\text{g/kg/day}$ (e.g., about 10 $\mu\text{g/kg/day}$, about 20 $\mu\text{g/kg/day}$, about 30 $\mu\text{g/kg/day}$, about 40 $\mu\text{g/kg/day}$, about 50 $\mu\text{g/kg/day}$, about 60 $\mu\text{g/kg/day}$, about 70 $\mu\text{g/kg/day}$, about 80 $\mu\text{g/kg/day}$, about 90 $\mu\text{g/kg/day}$, about 100 $\mu\text{g/kg/day}$, about 110 $\mu\text{g/kg/day}$,
5 about 120 $\mu\text{g/kg/day}$, about 130 $\mu\text{g/kg/day}$, about 140 $\mu\text{g/kg/day}$, about 150 $\mu\text{g/kg/day}$, about 160 $\mu\text{g/kg/day}$, about 170 $\mu\text{g/kg/day}$, about 180 $\mu\text{g/kg/day}$, or about 190 $\mu\text{g/kg/day}$). In particular embodiments, about 5 $\mu\text{g/kg/day}$ to about 3 mg/kg/day or preferably, about 50 $\mu\text{g/kg/day}$ to about 500 $\mu\text{g/kg/day}$ are administered.

The formulations and medicaments produced using an agent that binds a target
10 in pulmonary tissue, as described herein, can be locally administered to pulmonary tissue (e.g., lung) of a subject using any suitable method. For example, an agent can be locally administered to pulmonary tissue via inhalation or intranasal administration. For inhalation or intranasal administration, the agent (antagonist of TNFR1, ligand, dAb monomer) can be administered using a nebulizer, inhaler,
15 atomizer, aerosolizer, mister, dry powder inhaler, metered dose inhaler, metered dose sprayer, metered dose mister, metered dose atomizer, or other suitable delivery device.

If desired, for example for diagnostic purposes (e.g. imaging), the agent that binds a target in pulmonary tissue (e.g., antibody fragment, antagonist, ligand, dAb
20 monomer) can comprise a detectable label. Suitable detectable labels and methods for labeling an agent are well known in the art. Suitable detectable labels include, for example, a radioisotope (e.g., as Indium-111, Technetium-99m or Iodine-131), positron emitting labels (e.g., Fluorine-19), paramagnetic ions (e.g., Gadolinium (III), Manganese (II)), an epitope label (tag), an affinity label (e.g., biotin, avidin), a spin
25 label, an enzyme, a fluorescent group or a chemiluminescent group. When labels are not employed, complex formation can be determined by surface plasmon resonance or other suitable methods.

Antagonists of TNFR1 for Treating, Suppressing or Preventing Lung Inflammation
30 and Respiratory Diseases.

In a second aspect, the invention relates to methods for treating, suppressing or preventing lung inflammation and/or a respiratory disease comprising administering

to a subject (e.g., a mammal, a human) in need thereof an effective amount of an antagonist of TNFR1 (e.g., a ligand, a dAb monomer). The invention also relates to the use of an antagonist of TNFR1 (e.g., a ligand, a dAb monomer) for the manufacture of a medicament for treating, suppressing or preventing lung inflammation and/or respiratory disease, and to a pharmaceutical composition for treating, suppressing or preventing lung inflammation and/or respiratory disease comprising an antagonist of TNFR1 (e.g., a ligand, a dAb monomer) as an active ingredient. Antagonists of TNFR1 suitable for use in the invention are described in detail herein and include small molecules, new chemical entities, ligands, dAb monomers, and the like.

The invention provides compositions comprising an antagonist of TNFR1 (e.g. ligand, dual-specific ligand, multi-specific ligand, dAb monomer) and a pharmaceutically acceptable carrier, diluent or excipient, and therapeutic and diagnostic methods that employ the ligands or compositions of the invention.

Antagonists and ligands (e.g., dual-specific ligands, multispecific ligands, dAb monomers) according to the method of the present invention may be employed in *in vivo* therapeutic and prophylactic applications, *in vivo* diagnostic applications and the like.

Therapeutic and prophylactic uses of antagonists of TNFR1 (e.g., ligands, multispecific ligands, dual-specific ligands, dAb monomers) comprise administering an effective amount of antagonists of TNFR1 (e.g., ligands, multispecific ligands, dual-specific ligands, dAb monomers) to a recipient mammal or subject, such as a human.

For example, the antagonists of TNFR1 (e.g., ligands, multispecific ligands, dual-specific ligands, dAb monomers) will typically find use in preventing, suppressing or treating lung inflammation and/or respiratory diseases, such as a condition in which lung inflammation is a symptom or part of the pathology, acute respiratory diseases, chronic respiratory diseases, acute inflammatory respiratory diseases and chronic inflammatory respiratory diseases. For example, the antagonists of TNFR1 (e.g., ligands, multispecific ligands, dual-specific ligands, dAb monomers) can be administered to treat, suppress or prevent lung inflammation, chronic obstructive pulmonary disease (e.g., chronic bronchitis, chronic obstructive bronchitis, emphysema), asthma (e.g., steroid resistant asthma), pneumonia (e.g.,

bacterial pneumonia, such as Staphylococcal pneumonia), hypersensitivity pneumonitis, pulmonary infiltrate with eosinophilia, environmental lung disease, pneumonia, bronchiectasis, cystic fibrosis, interstitial lung disease, primary pulmonary hypertension, pulmonary thromboembolism, disorders of the pleura, disorders of the mediastinum, disorders of the diaphragm, hypoventilation, hyperventilation, sleep apnea, acute respiratory distress syndrome, mesothelioma, sarcoma, graft rejection, graft versus host disease, lung cancer, allergic rhinitis, allergy, asbestosis, aspergilloma, aspergillosis, bronchiectasis, chronic bronchitis, emphysema, eosinophilic pneumonia, idiopathic pulmonary fibrosis, invasive pneumococcal disease (IPD), influenza, nontuberculous mycobacteria, pleural effusion, pneumoconiosis, pneumocytosis, pneumonia, pulmonary actinomycosis, pulmonary alveolar proteinosis, pulmonary anthrax, pulmonary edema, pulmonary embolus, pulmonary inflammation, pulmonary histiocytosis X (eosinophilic granuloma), pulmonary hypertension, pulmonary nocardiosis, pulmonary tuberculosis, pulmonary veno-occlusive disease, rheumatoid lung disease, sarcoidosis, Wegener's granulomatosis, and non-small cell lung carcinoma.

In the instant application, the term "prevention" involves administration of the protective composition prior to the induction of the disease. "Suppression" refers to administration of the composition after an inductive event, but prior to the clinical appearance of the disease. "Treatment" involves administration of the protective composition after disease symptoms become manifest.

Advantageously, dual- or multi-specific ligands may be used to target cytokines and other molecules which cooperate synergistically in therapeutic situations in the body of an organism. The invention therefore provides a method for synergising the activity of two or more binding domains (e.g., dAbs) wherein one domain binds TNFR1 or other target in pulmonary tissue, and the other domain binds a cytokine or other molecules, comprising administering a dual- or multi-specific ligand capable of binding to said two or more molecules (e.g., TNFR1 and a cytokine). For example, this aspect of the invention relates to combinations of V_H domains and V_L domains, V_H domains only and V_L domains only.

Synergy in a therapeutic context may be achieved in a number of ways. For example, target combinations may be therapeutically active only if both targets are targeted by the ligand, whereas targeting one target alone is not therapeutically

effective. In another embodiment, one target alone may provide some low or minimal therapeutic effect, but together with a second target the combination provides a synergistic increase in therapeutic effect.

Animal model systems which can be used to screen the effectiveness of the antagonists of TNFR1 (e.g., ligands, antibodies or binding proteins thereof, dAb monomer) in preventing, suppressing or treating respiratory disease are available. For example, suitable animal models of respiratory disease include models of chronic obstructive pulmonary disease (see, Groneberg, DA *et al.*, *Respiratory Research* 5:18 (2004)), and models of asthma (see, Coffman *et al.*, *J. Exp. Med.* 201(12):1875-1879 (2001)). Preferably, the antagonist of TNFR1 (e.g., ligand or dAb monomer) is efficacious in a mouse tobacco smoke-induced model of chronic obstructive pulmonary disease (e.g., the subchronic model disclosed herein) or a suitable primate model of asthma or chronic obstructive pulmonary disease. More preferably, the antagonist of TNFR1 (e.g., ligand or dAb monomer) is efficacious in a mouse tobacco smoke-induced model of chronic obstructive pulmonary disease (e.g., the subchronic model disclosed herein) (See, also, Wright and Churg, *Chest*, 122:301-306 (2002)). For example, administering an effective amount of the ligand can reduce, delay or prevent onset of the symptoms of COPD in the model, as compared to a suitable control. The prior art does not suggest using antagonists of TNFR1 (e.g., ligands or dAb monomers) in these models, or that they would be efficacious.

Generally, the present antagonists (e.g., ligands) will be utilised in purified form together with pharmacologically appropriate carriers. Typically, these carriers include aqueous or alcoholic/aqueous solutions, emulsions or suspensions, any including saline and/or buffered media. Parenteral vehicles include sodium chloride solution, Ringer's dextrose, dextrose and sodium chloride and lactated Ringer's. Suitable physiologically-acceptable adjuvants, if necessary to keep a polypeptide complex in suspension, may be chosen from thickeners such as carboxymethylcellulose, polyvinylpyrrolidone, gelatin and alginates.

Intravenous vehicles include fluid and nutrient replenishers and electrolyte replenishers, such as those based on Ringer's dextrose. Preservatives and other additives, such as antimicrobials, antioxidants, chelating agents and inert gases, may also be present (Mack (1982) *Remington's Pharmaceutical Sciences*, 16th Edition). A variety of suitable formulations can be used, including extended release formulations.

The antagonists (e.g., ligands) of the present invention may be used as separately administered compositions or in conjunction with other agents. These can include various drugs, such as phosphodiesterase inhibitors (e.g., inhibitors of phosphodiesterase 4), bronchodilators (e.g., beta2-agonists, anticholinergics, theophylline), short-acting beta-agonists (e.g., albuterol, salbutamol, bambuterol, fenoterol, isoetherine, isoproterenol, levalbuterol, metaproterenol, pirbuterol, terbutaline and tornlate), long-acting beta-agonists (e.g., formoterol and salmeterol), short acting anticholinergics (e.g., ipratropium bromide and oxitropium bromide), long-acting anticholinergics (e.g., tiotropium), theophylline (e.g. short acting formulation, long acting formulation), inhaled steroids (e.g., beclomethasone, beclometasone, budesonide, flunisolide, fluticasone propionate and triamcinolone), oral steroids (e.g., methylprednisolone, prednisolone, prednisolon and prednisone), combined short-acting beta-agonists with anticholinergics (e.g., albuterol/salbutamol/ipratropium, and fenoterol/ipratropium), combined long-acting beta-agonists with inhaled steroids (e.g., salmeterol/fluticasone, and formoterol/budesonide) and mucolytic agents (e.g., erdosteine, acetylcysteine, bromheksin, carbocysteine, guaifenesin and iodinated glycerol), cylcosporine, antibiotics, antivirals, methotrexate, adriamycin, cisplatinum, and immunotoxins.

Pharmaceutical compositions can include "cocktails" of various cytotoxic or other agents in conjunction with the antagonists (e.g., ligands) of the present invention, or even combinations of ligands according to the present invention having different specificities, such as ligands selected using different target antigens or epitopes, whether or not they are pooled prior to administration.

The antagonists of TNFR1 (e.g., ligands, dAb monomers) can be administered and or formulated together with one or more additional therapeutic or active agents. When an antagonist of TNFR1 (e.g., ligand, dAb monomer) is administered with an additional therapeutic agent, the antagonist of TNFR1 can be administered before, simultaneously with or subsequent to administration of the additional agent. Generally, the antagonist of TNFR1 (e.g., ligand, dAb monomer) and additional agent are administered in a manner that provides an overlap of therapeutic effect.

The compositions containing the present antagonists (e.g., ligands) or a cocktail thereof can be administered for prophylactic and/or therapeutic treatments. In certain therapeutic applications, an adequate amount to accomplish at least partial

inhibition, suppression, modulation, killing, or some other measurable parameter, of a population of selected cells is defined as a "therapeutically-effective dose". For example, for treating lung inflammation and/or a respiratory disease, a sputum-inhibiting amount, a bronchial biopsy inflammation-inhibiting amount, a dyspnoea-inhibiting amount, a forced expiratory volume in one second (FEV (1)) increasing amount, an improvement in health status increasing amount, as quantified in a suitable questionnaire such as the St. George's Respiratory Questionnaire (e.g., an improvement score of 4 points).

Amounts needed to achieve these effects will depend upon the severity of the disease and the general state of the patient's own immune system, but generally range from 0.005 to 10.0 mg of agent, antagonist (e.g., ligand, dAb monomer) or binding protein thereof *per* kilogram of body weight, with doses of 0.05 to 2.0 mg/kg/dose being more commonly used. In particular embodiments, the amount administered will be about 5 µg/kg/dose to about 3 mg/kg/dose or preferably, about 50 µg/kg/dose to about 500 µg/kg/dose.

For prophylactic applications, compositions containing the present ligands or cocktails thereof may also be administered in similar or slightly lower dosages, to prevent, inhibit or delay onset of disease (e.g., to sustain remission or quiescence, or to prevent acute phase). The skilled clinician will be able to determine the appropriate dosing interval to treat, suppress or prevent disease. When an antagonist of TNFR1 (e.g., ligand) is administered to treat, suppress or prevent lung inflammation or a respiratory disease, it can be administered up to four times per day, twice weekly, once weekly, once every two weeks, once a month, or once every two months, at a dose of, for example, about 10 µg/kg to about 80 mg/kg, about 100 µg/kg to about 80 mg/kg, about 1 mg/kg to about 80 mg/kg, about 1 mg/kg to about 70 mg/kg, about 1 mg/kg to about 60 mg/kg, about 1 mg/kg to about 50 mg/kg, about 1 mg/kg to about 40 mg/kg, about 1 mg/kg to about 30 mg/kg, about 1 mg/kg to about 20 mg/kg, about 1 mg/kg to about 10 mg/kg, about 10 µg/kg to about 10 mg/kg, about 10 µg/kg to about 5 mg/kg, about 10 µg/kg to about 2.5 mg/kg, about 1 mg/kg, about 2 mg/kg, about 3 mg/kg, about 4 mg/kg, about 5 mg/kg, about 6 mg/kg, about 7 mg/kg, about 8 mg/kg, about 9 mg/kg or about 10 mg/kg. In particular embodiments, the antagonist of TNFR1 (e.g., ligand) is administered to treat, suppress or prevent

lung inflammation or a respiratory disease each day, every two days, once a week, once every two weeks or once a month at a dose of about 10 µg/kg to about 10 mg/kg (e.g., about 10 µg/kg, about 100 µg/kg, about 1 mg/kg, about 2 mg/kg, about 3 mg/kg, about 4 mg/kg, about 5 mg/kg, about 6 mg/kg, about 7 mg/kg, about 8 mg/kg, about 9 mg/kg or about 10 mg/kg). In particular embodiments, about 5 µg/kg to about 3 mg/kg or preferably, about 50 µg/kg to about 500 µg/kg are administered.

The antagonist of TNFR1 (e.g., ligand) can also be administered to treat, suppress or prevent lung inflammation or a respiratory disease at a daily dose or unit dose of about 10 mg, about 9 mg, about 8 mg, about 7 mg, about 6 mg, about 5 mg, about 4 mg, about 3 mg, about 2 mg or about 1 mg.

Treatment or therapy performed using the compositions described herein is considered "effective" if one or more symptoms are reduced (e.g., by at least 10% or at least one point on a clinical assessment scale), relative to such symptoms present before treatment, or relative to such symptoms in an individual (human or model animal) not treated with such composition or other suitable control. Symptoms will vary depending upon the disease or disorder targeted, but can be measured by an ordinarily skilled clinician or technician. Such symptoms can be measured, for example, by monitoring one or more physical indicators of the disease or disorder (e.g., cellular infiltrate in lung tissue, production of sputum, cellular infiltrate in sputum, dyspnoea, exercise tolerance, spirometry (e.g., forced vital capacity (FVC), force expiratory volume in one second (FEV (1), FEV (1)/FVC), rate or severity of disease exacerbation, or by an accepted clinical assessment scale, for example, the St. George's Respiratory Questionnaire. Suitable clinical assessment scales include, for example, the severity of air flow obstruction according to FEV (1) (*Clinical Guideline 12, Chronic Obstructive Pulmonary Disease, Management of Chronic Obstructive Pulmonary Disease in Adults in Primary and Secondary Care*, National Institute for Clinical Excellence, London (2004)), Peak Expiratory Flow (PEF) (*British Guideline on the Management of Asthma*, British Thoracic Society, Scottish Intercollegiate Guidelines Network, Revised Edition (2004)), COPD stage according to the American Thoracic Society (ATS) standard (*Am. J. Respir. Crit. Care Med.*, 152:S77-S120 (1995)), asthma impairment class according to the ATS standard (*Am. Rev. Respir. Dis.*, 147:1056-1061 (1993)), or other accepted clinical assessment scale as known in

the field. A sustained (e.g., one day or more, preferably longer) reduction in disease or disorder symptoms by at least 10% or by one or more points on a given clinical scale is indicative of "effective" treatment. Similarly, prophylaxis performed using a composition as described herein is "effective" if the onset or severity of one or more
5 symptoms is delayed, reduced or abolished relative to such symptoms in a similar individual (human or animal model) not treated with the composition.

A composition containing an antagonist (e.g., ligand) according to the present invention may be utilised in prophylactic and therapeutic settings to aid in the alteration, inactivation, killing or removal of a select target cell population in a
10 mammal. For example, such compositions can be used to reduce levels of inflammatory cells in lung and/or inhibit cell infiltration of the lung.

Composition containing an antagonist (e.g., ligand) according to the present invention can also be used to reduce levels of inflammatory mediators such as cytokines, chemokines, cellular adhesion molecules, that are induced by inflammatory
15 stimuli in lung. For example, dAb monomer antagonists of TNFR1 can inhibit (i) inflammatory stimulus-induced (e.g., TNF α -induced) increases in the levels of the early acting mediators, such as the neutrophil chemoattractants KC and MIP-1, and/or (ii) inhibit inflammatory stimulus-induced (e.g., TNF α -induced) increases in the levels of later acting mediators, such as chemokine MCP-1 and adhesion molecule E-selectin. Other mediators such as LTB $_4$, GRO- α , IP-10, GM-CSF, reactive oxygen
20 species (ROS), NO and the like can be effected.

The ligands of this invention can be lyophilised for storage and reconstituted in a suitable carrier prior to use. This technique has been shown to be effective with conventional immunoglobulins and art-known lyophilisation and reconstitution
25 techniques can be employed. It will be appreciated by those skilled in the art that lyophilisation and reconstitution can lead to varying degrees of antibody activity loss (e.g. with conventional immunoglobulins, IgM antibodies tend to have greater activity loss than IgG antibodies) and that use levels may have to be adjusted upward to compensate. The ligands of this invention can be lyophilised to form a dry powder
30 for inhalation, and administered in that form.

The route of administration of pharmaceutical compositions according to the invention may be any of those commonly known to those of ordinary skill in the art. The administration can be by any appropriate mode, including parenterally,

intravenously, intramuscularly, intraperitoneally, transdermally, *via* the pulmonary route, or by direct infusion with a catheter. The dosage and frequency of administration will depend on the age, sex and condition of the patient, concurrent administration of other drugs, counterindications and other parameters to be taken into account by the clinician. Administration can be local (e.g., local delivery to the lung by pulmonary administration, e.g., intranasal administration) or systemic as indicated.

In particular embodiments, an antagonist of TNFR1 is administered via pulmonary delivery, such as by inhalation (e.g., intrabronchial, intranasal or oral inhalation, intranasal drops) or by systemic delivery (e.g., parenteral, intravenous, intramuscular, intraperitoneal, subcutaneous). In preferred embodiments, the antagonist of TNFR1 (e.g., ligand, dAb monomer) is administered to a subject via pulmonary administration, such as inhalation or intranasal administration (e.g., intrabronchial, intranasal or oral inhalation, intranasal drops). For inhalation, the antagonist of TNFR1 (e.g., ligand, dAb monomer) can be administered with the use of a nebulizer, inhaler, atomizer, aerosolizer, mister, dry powder inhaler, metered dose inhaler, metered dose sprayer, metered dose mister, metered dose atomizer, or other suitable delivery device.

The invention relates to a method for treating, suppressing or preventing lung inflammation or a respiratory disease, comprising administering to a subject in need thereof an effective amount of an antagonist of TNFR1, wherein said effective amount does not exceed about 10 mg/kg/day, and wherein preferably the level of inflammatory cells in the lung is reduced relative to pretreatment levels with $p \leq 0.05$, or recruitment of inflammatory cells into the lung is inhibited relative to pretreatment levels with $p \leq 0.05$. The level of inflammatory cells in the lung or recruitment of inflammatory cells into the lung can be reduced or inhibited relative to pretreatment levels by at least about 30%, at least about 40%, at least about 50%, at least about 60%, at least about 70%, at least about 80%, at least about 90%, or at least about 95%.

Preferably, statistical analysis is performed using the methods described in the Examples herein. The level of inflammatory cells in the lung or recruitment of inflammatory cells into the lung can be reduced or inhibited relative to pretreatment levels with $p < 0.001$ in some embodiments.

Levels of cells (e.g., inflammatory cells) in the lung can be assessed using any suitable method, such as total or differential cell counts (e.g., macrophage cell count,

neutrophil cell count, eosinophil cell count, lymphocyte cell count, epithelial cell count) in BAL, sputum or biopsy (e.g., bronchial biopsy, lung biopsy).

The invention also relates to a method for treating a respiratory disease comprising (1) selecting an antagonist of Tumor Necrosis Factor Receptor 1 (TNFR1) that has efficacy in a suitable animal model of respiratory disease when administered in an amount that does not exceed about 10 mg/kg once per day, wherein efficacy in said animal model exists when cellular infiltration of the lungs as assessed by total cell count in bronchoalveolar lavage is inhibited relative to untreated control with $p \leq 0.05$; and (2) administering (e.g., locally to pulmonary tissue) an effective amount of said antagonist of TNFR1 to a subject in need thereof.

In some embodiments, the methods described herein are employed for treating, suppressing or preventing chronic obstructive pulmonary disease (e.g., chronic bronchitis, chronic obstructive bronchitis, emphysema), asthma (e.g., steroid resistant asthma), pneumonia (e.g., bacterial pneumonia, such as Staphylococcal pneumonia), or lung inflammation.

The invention also relates to the use of an antagonist of TNFR1, as described herein, for the manufacture of a medicament or formulation for treating lung inflammation or a respiratory disease described herein. The medicament can be for systemic administration and/or local administration to pulmonary tissue.

Antagonists of TNFR1

TNFR1 is a transmembrane receptor containing an extracellular region that binds ligand and an intracellular domain that lacks intrinsic signal transduction activity but can associate with signal transduction molecules. The complex of TNFR1 with bound TNF contains three TNFR1 chains and three TNF chains. (Banner *et al.*, *Cell*, 73(3) 431-445 (1993).) The TNF ligand is present as a trimer, which is bound by three TNFR1 chains. (Id.) The three TNFR1 chains are clustered closely together in the receptor-ligand complex, and this clustering is a prerequisite to TNFR1-mediated signal transduction. In fact, multivalent agents that bind TNFR1, such as anti-TNFR1 antibodies, can induce TNFR1 clustering and signal transduction in the absence of TNF and are commonly used as TNFR1 agonists. (See, e.g., Belka *et al.*, *EMBO*, 14(6):1156-1165 (1995); Mandik-Nayak *et al.*, *J. Immunol*, 167:1920-1928

(2001).) Accordingly, multivalent agents that bind TNFR1, are generally not effective antagonists of TNFR1 even if they block the binding of TNF α to TNFR1.

The extracellular region of TNFR1 comprises a thirteen amino acid amino-terminal segment (amino acids 1-13 of SEQ ID NO:213 (human); amino acids 1-13 of SEQ ID NO:215 (mouse)), Domain 1 (amino acids 14-53 of SEQ ID NO:213 (human); amino acids 14-53 of SEQ ID NO:215 (mouse)), Domain 2 (amino acids 54-97 of SEQ ID NO:213 (human); amino acids 54-97 of SEQ ID NO:215 (mouse)), Domain 3 (amino acids 98-138 of SEQ ID NO:213 (human); amino acid 98-138 of SEQ ID NO:215 (mouse)), and Domain 4 (amino acids 139-167 of SEQ ID NO:213 (human); amino acids 139-167 of SEQ ID NO:215 (mouse)) which is followed by a membrane-proximal region (amino acids 168-182 of SEQ ID NO:213 (human); amino acids 168-183 SEQ ID NO:215 (mouse)). (See, Banner *et al.*, *Cell* 73(3) 431-445 (1993) and Loetscher *et al.*, *Cell* 61(2) 351-359 (1990).) Domains 2 and 3 make contact with bound ligand (TNF β , TNF α). (Banner *et al.*, *Cell*, 73(3) 431-445 (1993).) The extracellular region of TNFR1 also contains a region referred to as the pre-ligand binding assembly domain or PLAD domain (amino acids 1-53 of SEQ ID NO:213 (human); amino acids 1-53 of SEQ ID NO:215 (mouse)) (The Government of the USA, WO 01/58953; Deng *et al.*, *Nature Medicine*, doi: 10.1038/nm1304 (2005)).

TNFR1 is shed from the surface of cells *in vivo* through a process that includes proteolysis of TNFR1 in Domain 4 or in the membrane-proximal region (amino acids 168-182 of SEQ ID NO:213; amino acids 168-183 of SEQ ID NO:215), to produce a soluble form of TNFR1. Soluble TNFR1 retains the capacity to bind TNF α , and thereby functions as an endogenous inhibitor of the activity of TNF α .

Antagonists of TNFR1 suitable for use in the invention (e.g., ligands described herein) that have binding specificity for Tumor Necrosis Factor Receptor 1 (TNFR1; p55; CD120a). Preferably the antagonists of TNFR1 do not have binding specificity for Tumor Necrosis Factor 2 (TNFR2), or do not substantially antagonize TNFR2. An antagonist of TNFR1 does not substantially antagonize TNFR2 when the antagonist (1 nM, 10 nM, 100 nM, 1 μ M, 10 μ M or 100 μ M) results in no more than about 5% inhibition of TNFR2-mediated activity induced by TNF α (100 pg/ml) in a standard cell assay.

Antagonists of TNFR1 that are suitable for use in the invention are effective therapeutics (are efficacious, have therapeutic efficacy) for treating respiratory disease (e.g., acute respiratory disease, chronic respiratory disease, acute inflammatory respiratory disease, chronic inflammatory respiratory disease). For example,

5 antagonists of TNFR1 that suitable for use in the invention are efficacious in models of respiratory diseases, when an effective amount is administered. Generally an effective amount is about 1 µg/kg to about 10 mg/kg or about 1 mg/kg to about 10 mg/kg (e.g., about 1 mg/kg, about 2 mg/kg, about 3 mg/kg, about 4 mg/kg, about 5 mg/kg, about 6 mg/kg, about 7 mg/kg, about 8 mg/kg, about 9 mg/kg, or about 10

10 mg/kg). Several suitable animal models of respiratory disease are known in the art, and are recognized by those skilled in the art as being predictive of therapeutic efficacy in humans. For example, suitable animal models of respiratory disease include models of chronic obstructive pulmonary disease (see, Groneberg, DA *et al.*, Respiratory Research 5:18 (2004)), models of asthma (see, Coffman RL *et al.*, *J. Exp. Med.* 201(12):1875-1879 (2001); Van Scott, MR *et al.*, *J. App. Physiol.* 96:1433-1444

15 (2004)), and models of pulmonary fibrosis (e.g., Venkatesan, N *et al.*, *Lung* 287:1342-1347 (2004)). Preferably, the antagonist of TNFR1 (e.g., ligand or dAb monomer) is efficacious in a mouse tobacco-induced smoke model of chronic obstructive pulmonary disease (e.g., the subchronic model disclosed herein) or a suitable primate

20 model of asthma or chronic obstructive pulmonary disease (see, e.g., Coffman RL *et al.*, *J. Exp. Med.* 201(12):1875-1879 (2001); Van Scott, MR *et al.*, *J. App. Physiol.* 96:1433-1444 (2004)). More preferably, the antagonist of TNFR1 (e.g., ligand or dAb monomer) is efficacious in a mouse tobacco smoke model of chronic obstructive pulmonary disease (e.g., the subchronic model disclosed herein) (See, also, Wright

25 and Churg, *Chest*, 122:301-306 (2002)). For example, administering an effective amount of the ligand can reduce, delay or prevent onset of the symptoms of COPD in the model, as compared to a suitable control. The prior art does not suggest using antagonists of TNFR1 (e.g., ligands or dAb monomers) in these models, or that they would be efficacious.

30 Suitable antagonists of TNFR1 can be monovalent or multivalent. In some embodiments, the antagonist is monovalent and contains one binding site that interacts with TNFR1. Monovalent antagonists bind one TNFR1 and do not induce cross-linking or clustering of TNFR1 on the surface of cells which can lead to

activation of the receptor and signal transduction. In particular embodiments, the monovalent antagonist of TNFR1 competes with TAR2m-21-23 for binding to mouse TNFR1 or competes with TAR2h-205 for binding to human TNFR1.

Multivalent antagonists of TNFR1 can contain two or more copies of a particular binding site for TNFR1 or contain two or more different binding sites that bind TNFR1. For example, the antagonist of TNFR1 can be a dimer, trimer or multimer comprising two or more copies of a particular dAb that binds TNFR1, or two or more different dAbs that bind TNFR1. Preferably, a multivalent antagonist of TNFR1 does not substantially agonize TNFR1 (act as an agonist of TNFR1) in a standard cell assay (*i.e.*, when present at a concentration of 1 nM, 10 nM, 100 nM, 1 μ M, 10 μ M, 100 μ M, 1000 μ M or 5,000 μ M, results in no more than about 5% of the TNFR1-mediated activity induced by TNF α (100 pg/ml) in the assay).

Suitable multivalent antagonists of TNFR1 can contain two or more binding sites for a desired epitope or domain of TNFR1. For example, a multivalent antagonist of TNFR1 can comprise two or more binding sites that bind the same epitope of TNFR1, or two or more binding sites that bind different epitopes or domains of TNFR1. In one example, the multivalent antagonist of TNFR1 comprises a first binding site that binds a first epitope of TNFR1, and a second binding site that binds a second different epitope of TNFR1. Preferably, such multivalent antagonists do not agonize TNFR1 when present at a concentration of about 1 nM, or about 10 nM, or about 100 nM, or about 1 μ M, or about 10 μ M, in a standard L929 cytotoxicity assay or a standard HeLa IL-8 assay as described herein.

Some antagonists of TNFR1 suitable for use in the invention bind TNFR1 and inhibit binding of TNF α to TNFR1. In particular embodiments, such an antagonist of TNFR1 competes with TAR2h-10-27, TAR2h-131-8, TAR2h-15-8, TAR2h-35-4, TAR2h-154-7, TAR2h-154-10 or TAR2h-185-25 for binding to TNFR1.

Some antagonist of TNFR1 suitable for use in the invention do not inhibit binding of TNF α to TNFR1, but do inhibit signal transduction mediated through TNFR1. For example, an antagonist of TNFR1 can inhibit TNF α -induced clustering of TNFR1, which precedes signal transduction through TNFR1. Such antagonists provide several advantages. For example, in the presence of such an antagonist, TNF α can bind TNFR1 expressed on the surface of cells and be removed from the

cellular environment, but TNFR1 mediated signal transduction will not be activated. Thus, TNFR1 signal-induced production of additional TNF α and other mediators of inflammation will be inhibited. Similarly, antagonists of TNFR1 that bind TNFR1 and inhibit signal transduction mediated through TNFR1, but do not inhibit binding of TNF α to TNFR1, will not inhibit the TNF α -binding and inhibiting activity of endogenously produced soluble TNFR1. Accordingly, administering such an antagonist to a mammal in need thereof can complement the endogenous regulatory pathways that inhibit the activity TNF α and the activity of TNFR1 *in vivo*.

In a particular embodiment, the antagonist of TNFR1 suitable for use in the invention (e.g., a dAb monomer or ligand) binds TNFR1 and inhibits signal transduction mediated through TNFR1 upon binding of TNF α . Such an antagonist can inhibit signal transduction through TNFR1, but not inhibit TNF α binding to TNFR1 and/or shedding of TNFR1 to produce soluble TNFR1. Accordingly, administering such an antagonist to a mammal in need thereof can complement the endogenous regulatory pathways that inhibit the activity TNF α and the activity of TNFR1 *in vivo*.

Certain antagonists of TNFR1 suitable for use in the invention (e.g., chemical compound, new chemical entity, dAb monomer, ligand) bind TNFR1 and compete with TAR2m-21-23 for binding to mouse TNFR1 or competes with TAR2h-205 for binding to human TNFR1. Other antagonists of TNFR1 suitable for use in the invention (e.g., chemical compound, new chemical entity, dAb monomer, ligand) bind TNFR1 and compete with TAR2h-131-8, TAR2h-15-8, TAR2h-35-4, TAR2h-154-7, TAR2h-154-10, TAR2h-185-25, or TAR2h-27-10 for binding to TNFR1 (e.g., human and/or mouse TNFR1).

Some antagonists (e.g., ligands, dAb monomers) are cross reactive and bind human TNFR1 and TNFR1 from another species such as an animal amenable to use in medical research. For example, a dAb monomer that binds human TNFR1 and mouse TNFR1. Such antagonists (e.g., ligands, dAb monomers) provide the advantage of allowing preclinical and clinical studies using the same antagonist (e.g., dAb monomer) and obviate the need to conduct preclinical studies with a suitable surrogate antagonist. Preferred examples of cross reactive antagonists bind human

TNFR1 and TNFR1 from a rodent, such as mouse, rat or guinea pig, rabbit, dog, sheep, pig, or a non-human primate such as, cynomolgus monkey or rhesus macaque.

Generally, a cross reactive antagonist of the invention binds human TNFR1 and TNFR1 from another species with similar affinities (K_d). Preferably, the cross reactive antagonists, such as a dAb monomer, binds human TNFR1 and TNFR1 from another species with affinities that differ by no more than about a factor of 100, a factor of 10 or a factor of 5. For example, a cross reactive dAb monomer can bind human TNFR1 with an affinity of 1nM and also bind to mouse, cynomolgus monkey or rhesus macaque TNFR1 with an affinity from about 10 pM to about 100 nM, about 100 pM to about 10 nM, or about 200 pM to about 5 nM.

The cross reactive antagonists, such as a dAb monomer, can bind human TNFR1 and TNFR1 from another species (e.g., one of the non-human species mentioned in the preceding two paragraphs) with on rates (K_{on}) that differ by no more than about a factor of 100, a factor of 10, or a factor of 5, and/or with off rates (K_{off}) that differ by no more than about a factor of 100, a factor 10, or a factor of 5. For example, the antagonists can be a dAb monomer that binds both human TNFR1 and TNFR1 from another species with a K_{on} of about 10^4 M/s to about 10^5 M/s, and/or a K_{off} of about 10^{-3} s⁻¹ to about 10^{-5} s⁻¹.

Antagonists of TNFR1 suitable for use in the invention also include, an antibody that has binding specificity for TNFR1 or an antigen-binding fragment thereof, such as Fab fragment, Fab' fragment, F(ab')₂ fragment or Fv fragment (e.g., scFv). In some embodiments, the antagonist is monovalent, such as a dAb or a monovalent antigen-binding fragment of an antibody, such as a Fab fragment, Fab' fragment, or Fv fragment.

Preferably, the antagonist of TNFR1 is a ligand (e.g., a dAb monomer) as described herein. As described herein preferred antagonists of TNFR1 suitable for use in the invention comprise a dAb that binds TNFR1 and inhibits a function of TNFR1. However, instead of comprising a "dAb," an antagonist of TNFR1 (e.g., ligand) suitable for use in the invention can comprise a domain that comprises the CDRs of a dAb that binds TNFR1 (e.g., CDRs grafted onto a suitable protein scaffold or skeleton, eg an affibody, an SpA scaffold, an LDL receptor class A domain or an EGF domain) or a protein domain comprising a binding site for TNFR1, e.g., wherein the domain is selected from an affibody, an SpA domain, an LDL receptor class A

domain, an EGF domain, an avimer. The disclosure as a whole is to be construed accordingly to provide disclosure of antagonists, ligands and methods using such domains in place of a dAb.

Antagonists of TNFR1, including ligands according to any aspect of the present invention, as well as dAb monomers useful in constructing such ligands, preferably bind from their target(s) with a K_d of 300 nM to 5 pM (ie, 3×10^{-7} to 5×10^{-12} M), preferably 50 nM to 20 pM, or 5 nM to 200 pM or 1 nM to 100 pM, 1×10^{-7} M or less, 1×10^{-8} M or less, 1×10^{-9} M or less, 1×10^{-10} M or less, 1×10^{-11} M or less; and/or a K_{off} rate constant of $5 \times 10^{-1} \text{ s}^{-1}$ to $1 \times 10^{-7} \text{ s}^{-1}$, preferably $1 \times 10^{-2} \text{ s}^{-1}$ to $1 \times 10^{-6} \text{ s}^{-1}$, or $5 \times 10^{-3} \text{ s}^{-1}$ to $1 \times 10^{-5} \text{ s}^{-1}$, or $5 \times 10^{-1} \text{ s}^{-1}$ or less, or $1 \times 10^{-2} \text{ s}^{-1}$ or less, or $1 \times 10^{-3} \text{ s}^{-1}$ or less, or $1 \times 10^{-4} \text{ s}^{-1}$ or less, or $1 \times 10^{-5} \text{ s}^{-1}$ or less, or $1 \times 10^{-6} \text{ s}^{-1}$ or less as determined by surface plasmon resonance. The K_d rate constant is defined as K_{off}/K_{on} . Additionally or alternatively, the ligand (e.g, dAb monomer) binds TNFR1 with a moderate or fast K_{on} , and a slow K_{off} . Preferably, a K_{on} of about 10^4 M/s to about 10^5 M/s , and/or a K_{off} of about 10^{-3} s^{-1} to about 10^{-5} s^{-1} .

Ligands and dAb Monomers that Bind TNFR1

Preferred antagonists of TNFR1 that are suitable for use in the invention are ligands or dAb monomers that are efficacious in models of respiratory diseases when an effective amount is administered. Generally an effective amount is about 1 mg/kg to about 10 mg/kg (e.g., about 1 mg/kg, about 2 mg/kg, about 3 mg/kg, about 4 mg/kg, about 5 mg/kg, about 6 mg/kg, about 7 mg/kg, about 8 mg/kg, about 9 mg/kg, or about 10 mg/kg). In particular embodiments, about 5 $\mu\text{g/kg}$ to about 3 mg/kg or preferably, about 50 $\mu\text{g/kg}$ to about 500 $\mu\text{g/kg}$ are administered.

Several suitable animal models of respiratory disease are known in the art, and are recognized by those skilled in the art as being predictive of therapeutic efficacy in humans. For example, suitable animal models of respiratory disease include models of chronic obstructive pulmonary disease (see, Groneberg, DA *et al.*, Respiratory Research 5:18 (2004)), and models of asthma (see, Coffman *et al.*, *J. Exp. Med.* 201(12):1875-1879 (2001)). Preferably, the ligand or dAb monomer is efficacious in the mouse subchronic model of tobacco smoke-induced chronic obstructive pulmonary disease described herein. (See, also, Wright and Churg, *Chest*, 122:301-

306 (2002).) For example, administering an effective amount of the ligand can reduce, delay or prevent onset of the symptoms of COPD in the model, as compared to a suitable control. The prior art does not suggest using antagonists of TNFR1 (e.g., ligands or dAb monomers) in these models, or that they would be efficacious.

- 5 Generally, suitable ligands (e.g., dAb monomer) comprise an anti-TNFR1 dAb monomer (e.g., dual specific ligand comprising such a dAb) that binds TNFR1 with a K_d of 300 nM to 5 pM (ie, 3×10^{-7} to 5×10^{-12} M), preferably 50 nM to 20 pM, more preferably 5 nM to 200 pM and most preferably 1 nM to 100 pM, for example 1×10^{-7} M or less, preferably 1×10^{-8} M or less, more preferably 1×10^{-9} M or less, 10 advantageously 1×10^{-10} M or less and most preferably 1×10^{-11} M or less; and/or a K_{off} rate constant of $5 \times 10^{-1} \text{ s}^{-1}$ to $1 \times 10^{-7} \text{ s}^{-1}$, preferably $1 \times 10^{-2} \text{ s}^{-1}$ to $1 \times 10^{-6} \text{ s}^{-1}$, more preferably $5 \times 10^{-3} \text{ s}^{-1}$ to $1 \times 10^{-5} \text{ s}^{-1}$, for example $5 \times 10^{-1} \text{ s}^{-1}$ or less, preferably $1 \times 10^{-2} \text{ s}^{-1}$ or less, advantageously $1 \times 10^{-3} \text{ s}^{-1}$ or less, more preferably $1 \times 10^{-4} \text{ s}^{-1}$ or less, still more preferably $1 \times 10^{-5} \text{ s}^{-1}$ or less, and most preferably $1 \times 10^{-6} \text{ s}^{-1}$ or less as 15 determined by surface plasmon resonance. (The $K_d = K_{off}/K_{on}$). Certain ligands or dAb monomers suitable for use in the invention specifically bind human TNFR1 with a K_d of 50 nM to 20 pM, and a K_{off} rate constant of $5 \times 10^{-1} \text{ s}^{-1}$ to $1 \times 10^{-7} \text{ s}^{-1}$, as determined by surface plasmon resonance.

- Some ligands or dAb monomers inhibit binding of $\text{TNF}\alpha$ to TNFR1. For 20 example, some ligands or dAb monomers inhibit binding of $\text{TNF}\alpha$ to TNFR1 with an inhibitory concentration 50 (IC50) of 500 nM to 50 pM, preferably 100 nM to 50 pM, more preferably 10 nM to 100 pM, advantageously 1 nM to 100 pM; for example 50 nM or less, preferably 5 nM or less, more preferably 500 pM or less, advantageously 200 pM or less, and most preferably 100 pM or less. Preferably, the TNFR1 is human 25 TNFR1.

- Other ligands and dAb monomers do not inhibit binding of $\text{TNF}\alpha$ to TNFR1, but are antagonists because they inhibit signal transduction mediated through TNFR1. For example, a ligand or dAb monomer can inhibit $\text{TNF}\alpha$ -induced clustering of TNFR1, which precedes signal transduction through TNFR1. For example, in certain 30 embodiments, a ligand or dAb monomer can bind TNFR1 and inhibit TNFR1-mediated signaling, but does not substantially inhibit binding of $\text{TNF}\alpha$ to TNFR1. In some embodiments, the ligand or dAb monomer inhibits $\text{TNF}\alpha$ -induced crosslinking

or clustering of TNFR1 on the surface of a cell. Such ligands or dAbs (e.g., TAR2m-21-23 described herein) are advantageous because they can antagonize cell surface TNFR1 but do not substantially reduce the inhibitory activity of endogenous soluble TNFR1. For example, the ligand or dAb can bind TNFR1, but inhibit binding of TNF α to TNFR1 in a receptor binding assay by no more than about 10%, no more than about 5%, no more than about 4%, no more than about 3%, no more than about 2%, or no more than about 1%. Also, in these embodiments, the ligand or dAb inhibits TNF α -induced crosslinking of TNFR1 and/or TNFR1-mediated signaling in a standard cell assay by at least about 10%, at least about 20%, at least about 30%, at least about 40%, at least about 50%, at least about 60%, at least about 70%, at least about 80%, at least about 90%, at least about 95%, or at least about 99%. Such ligands or dAb monomers provide several advantages, as discussed herein with respect to antagonists that have these properties. Accordingly, administering such ligand or dAb monomer to a mammal in need thereof can complement the endogenous regulatory pathways that inhibit the activity TNF α and the activity of TNFR1 *in vivo*.

The ligand can be monovalent (e.g., a dAb monomer) or multivalent (e.g., dual specific, multi-specific) as described herein. In particular embodiments, the ligand is a dAb monomer that binds TNFR1. Domain antibody monomers that bind TNFR1 have a small footprint, relative to other binding formats, such as a monoclonal antibody, for example. Thus, such a dAb monomer can selectively block a function of TNFR1, but not interfere with other functions of TNFR1. For example, a dAb monomer that binds TNFR1 can antagonize TNFR1 (e.g., inhibit TNFR1 mediated signal transduction) but not inhibit binding of TNF α to TNFR1 or shedding of TNFR1.

In more particular embodiments, the ligand is a dAb monomer that binds TNFR1 and competes with TAR2m-21-23 for binding to mouse TNFR1 or competes with TAR2h-205 for binding to human TNFR1.

In other embodiments, the ligand is multivalent and comprises two or more dAb monomers that bind TNFR1. Multivalent ligands can contain two or more copies of a particular dAb that binds TNFR1 or contain two or more dAbs that bind TNFR1. For example, the ligand can be a dimer, trimer or multimer comprising two or more

copies of a particular dAb that binds TNFR1, or two or more different dAbs that bind TNFR1. In some examples, the ligand is a homo dimer or homo trimer that comprises two or three copies of a particular dAb that binds TNFR1, respectively. Preferably, a multivalent ligand does not substantially agonize TNFR1 (act as an agonist of TNFR1) in a standard cell assay (*i.e.*, when present at a concentration of 1 nM, 10 nM, 100 nM, 1 μ M, 10 μ M, 100 μ M, 1000 μ M or 5,000 μ M, results in no more than about 5% of the TNFR1-mediated activity induced by TNF α (100 pg/ml) in the assay).

In certain embodiments, the multivalent ligand contains two or more dAbs that bind desired epitopes or domains of TNFR1, or two or more copies of a dAb that binds a desired epitope of TNFR1. Ligands of this type can bind TNFR1 with high avidity, and be more selective for binding to cells that over express TNFR1 or express TNFR1 on their surface at high density than other ligand formats, such as dAb monomers.

In other particular embodiments, the multivalent ligand comprises two or more dAbs, or two or more copies of a particular dAb, that binds TNFR1. Multivalent ligands of this type can bind TNFR1 monomers with low affinity, but bind receptor multimers (*e.g.*, trimers see in the receptor ligand complex) with high avidity. Thus, ligands of this format can be administered to effectively target receptors that have clustered or associated with each other and/or ligand (*e.g.*, TNF α) which is required for TNFR1-mediated signal transduction.

Preferably, the ligand or dAb monomer neutralizes (inhibits the activity of) TNFR1 in a standard assay (*e.g.*, the standard L929 or standard HeLa IL-8 assays described herein) with a neutralizing dose 50 (ND₅₀) of 500 nM to 50 pM, preferably 100 nM to 50 pM, more preferably 10 nM to 100 pM, advantageously 1 nM to 100 pM; for example 50 nM or less, preferably 5 nM or less, more preferably 500 pM or less, advantageously 200 pM or less, and most preferably 100 pM or less. In other embodiments, the ligand or dAb monomer binds TNFR1 and antagonizes the activity of the TNFR1 in a standard cell assay (*e.g.*, the standard L929 or standard HeLa IL-8 assays described herein) with an ND₅₀ of ≤ 100 nM, and at a concentration of $\leq 10 \mu$ M the dAb agonizes the activity of the TNFR1 by $\leq 5\%$ in the assay.

In other embodiments, the ligand or dAb monomer specifically binds TNFR1 with a K_d described herein and inhibits lethality in a standard mouse LPS/D-galactosamine-induced septic shock model (i.e., prevents lethality or reduces lethality by at least about 10%, as compared with a suitable control). Preferably, the dAb monomer inhibits lethality by at least about 25%, or by at least about 50%, as compared to a suitable control in a standard mouse LPS/D-galactosamine-induced septic shock model when administered at about 5 mg/kg or more preferably about 1 mg/kg.

In particular embodiments, ligand or dAb monomer does not substantially agonize TNFR1 (act as an agonist of TNFR1) in a standard cell assay, such as assay the standard L929 or standard HeLa IL-8 assays described herein (i.e., when present at a concentration of 1 nM, 10 nM, 100 nM, 1 μ M, 10 μ M, 100 μ M, 1000 μ M or 5,000 μ M, results in no more than about 5% of the TNFR1-mediated activity induced by TNF α (100 pg/ml) in the assay).

In other embodiments, the ligand comprises a domain antibody (dAb) monomer that specifically binds Tumor Necrosis Factor Receptor 1 (TNFR1, p55, CD120a) with a K_d of 300 nM to 5 pM, and comprises an amino acid sequence that is at least about 80%, at least about 85%, at least about 90%, at least about 91%, at least about 92%, at least about 93%, at least about 94%, at least about 95%, at least about 96%, at least about 97%, at least about 98%, or at least about 99% homologous to the amino acid sequence or a dAb selected from the group consisting of TAR2h-12 (SEQ ID NO:1), TAR2h-13 (SEQ ID NO:2), TAR2h-14 (SEQ ID NO:3), TAR2h-16 (SEQ ID NO:4), TAR2h-17 (SEQ ID NO:5), TAR2h-18 (SEQ ID NO:6), TAR2h-19 (SEQ ID NO:7), TAR2h-20 (SEQ ID NO:8), TAR2h-21 (SEQ ID NO:9), TAR2h-22 (SEQ ID NO:10), TAR2h-23 (SEQ ID NO:11), TAR2h-24 (SEQ ID NO:12), TAR2h-25 (SEQ ID NO:13), TAR2h-26 (SEQ ID NO:14), TAR2h-27 (SEQ ID NO:15), TAR2h-29 (SEQ ID NO:16), TAR2h-30 (SEQ ID NO:17), TAR2h-32 (SEQ ID NO:18), TAR2h-33 (SEQ ID NO:19), TAR2h-10-1 (SEQ ID NO:20), TAR2h-10-2 (SEQ ID NO:21), TAR2h-10-3 (SEQ ID NO:22), TAR2h-10-4 (SEQ ID NO:23), TAR2h-10-5 (SEQ ID NO:24), TAR2h-10-6 (SEQ ID NO:25), TAR2h-10-7 (SEQ ID NO:26), TAR2h-10-8 (SEQ ID NO:27), TAR2h-10-9 (SEQ ID NO:28), TAR2h-10-10 (SEQ ID NO:29), TAR2h-10-11 (SEQ ID NO:30), TAR2h-10-12 (SEQ ID NO:31),

TAR2h-10-13 (SEQ ID NO:32), TAR2h-10-14 (SEQ ID NO:33), TAR2h-10-15 (SEQ ID NO:34), TAR2h-10-16 (SEQ ID NO:35), TAR2h-10-17 (SEQ ID NO:36), TAR2h-10-18 (SEQ ID NO:37), TAR2h-10-19 (SEQ ID NO:38), TAR2h-10-20 (SEQ ID NO:39), TAR2h-10-21 (SEQ ID NO:40), TAR2h-10-22 (SEQ ID NO:41),

5 TAR2h-10-27 (SEQ ID NO:42), TAR2h-10-29 (SEQ ID NO:43), TAR2h-10-31 (SEQ ID NO:44), TAR2h-10-35 (SEQ ID NO:45), TAR2h-10-36 (SEQ ID NO:46), TAR2h-10-37 (SEQ ID NO:47), TAR2h-10-38 (SEQ ID NO:48), TAR2h-10-45 (SEQ ID NO:49), TAR2h-10-47 (SEQ ID NO:50), TAR2h-10-48 (SEQ ID NO:51), TAR2h-10-57 (SEQ ID NO:52), TAR2h-10-56 (SEQ ID NO:53), TAR2h-10-58

10 (SEQ ID NO:54), TAR2h-10-66 (SEQ ID NO:55), TAR2h-10-64 (SEQ ID NO:56), TAR2h-10-65 (SEQ ID NO:57), TAR2h-10-68 (SEQ ID NO:58), TAR2h-10-69 (SEQ ID NO:59), TAR2h-10-67 (SEQ ID NO:60), TAR2h-10-61 (SEQ ID NO:61), TAR2h-10-62 (SEQ ID NO:62), TAR2h-10-63 (SEQ ID NO:63), TAR2h-10-60 (SEQ ID NO:64), TAR2h-10-55 (SEQ ID NO:65), TAR2h-10-59 (SEQ ID NO:66),

15 TAR2h-10-70 (SEQ ID NO:67), TAR2h-34 (SEQ ID NO:68), TAR2h-35 (SEQ ID NO:69), TAR2h-36 (SEQ ID NO:70), TAR2h-37 (SEQ ID NO:71), TAR2h-38 (SEQ ID NO:72), TAR2h-39 (SEQ ID NO:73), TAR2h-40 (SEQ ID NO:74), TAR2h-41 (SEQ ID NO:75), TAR2h-42 (SEQ ID NO:76), TAR2h-43 (SEQ ID NO:77), TAR2h-44 (SEQ ID NO:78), TAR2h-45 (SEQ ID NO:79), TAR2h-47 (SEQ ID NO:80),

20 TAR2h-48 (SEQ ID NO:81), TAR2h-50 (SEQ ID NO:82), TAR2h-51 (SEQ ID NO:83), TAR2h-66 (SEQ ID NO:84), TAR2h-67 (SEQ ID NO:85), TAR2h-68 (SEQ ID NO:86), TAR2h-70 (SEQ ID NO:87), TAR2h-71 (SEQ ID NO:88), TAR2h-72 (SEQ ID NO:89), TAR2h-73 (SEQ ID NO:90), TAR2h-74 (SEQ ID NO:91), TAR2h-75 (SEQ ID NO:92), TAR2h-76 (SEQ ID NO:93), TAR2h-77 (SEQ ID NO:94),

25 TAR2h-78 (SEQ ID NO:95), TAR2h-79 (SEQ ID NO:96), TAR2h-15 (SEQ ID NO:97), TAR2h-131-8 (SEQ ID NO:98), TAR2h-131-24 (SEQ ID NO:99), TAR2h-15-8 (SEQ ID NO:100), TAR2h-15-8-1 (SEQ ID NO:101), TAR2h-15-8-2 (SEQ ID NO:102), TAR2h-185-23 (SEQ ID NO:103), TAR2h-154-10-5 (SEQ ID NO:104), TAR2h-14-2 (SEQ ID NO:105), TAR2h-151-8 (SEQ ID NO:106), TAR2h-152-7

30 (SEQ ID NO:107), TAR2h-35-4 (SEQ ID NO:108), TAR2h-154-7 (SEQ ID NO:109), TAR2h-80 (SEQ ID NO:110), TAR2h-81 (SEQ ID NO:111), TAR2h-82 (SEQ ID NO:112), TAR2h-83 (SEQ ID NO:113), TAR2h-84 (SEQ ID NO:114), TAR2h-85 (SEQ ID NO:115), TAR2h-86 (SEQ ID NO:116), TAR2h-87 (SEQ ID NO:117),

TAR2h-88 (SEQ ID NO:118), TAR2h-89 (SEQ ID NO:119), TAR2h-90 (SEQ ID NO:120), TAR2h-91 (SEQ ID NO:121), TAR2h-92 (SEQ ID NO:122), TAR2h-93 (SEQ ID NO:123), TAR2h-94 (SEQ ID NO:124), TAR2h-95 (SEQ ID NO:125), TAR2h-96 (SEQ ID NO:126), TAR2h-97 (SEQ ID NO:127), TAR2h-99 (SEQ ID NO:128), TAR2h-100 (SEQ ID NO:129), TAR2h-101 (SEQ ID NO:130), TAR2h-102 (SEQ ID NO:131), TAR2h-103 (SEQ ID NO:132), TAR2h-104 (SEQ ID NO:133), TAR2h-105 (SEQ ID NO:134), TAR2h-106 (SEQ ID NO:135), TAR2h-107 (SEQ ID NO:136), TAR2h-108 (SEQ ID NO:137), TAR2h-109 (SEQ ID NO:138), TAR2h-110 (SEQ ID NO:139), TAR2h-111 (SEQ ID NO:140), TAR2h-112 (SEQ ID NO:141), TAR2h-113 (SEQ ID NO:142), TAR2h-114 (SEQ ID NO:143), TAR2h-115 (SEQ ID NO:144), TAR2h-116 (SEQ ID NO:145), TAR2h-117 (SEQ ID NO:146), TAR2h-118 (SEQ ID NO:147), TAR2h-119 (SEQ ID NO:148), TAR2h-120 (SEQ ID NO:149), TAR2h-121 (SEQ ID NO:150), TAR2h-122 (SEQ ID NO:151), TAR2h-123 (SEQ ID NO:152), TAR2h-124 (SEQ ID NO:153), TAR2h-125 (SEQ ID NO:154), TAR2h-126 (SEQ ID NO:155), TAR2h-127 (SEQ ID NO:156), TAR2h-128 (SEQ ID NO:157), TAR2h-129 (SEQ ID NO:158), TAR2h-130 (SEQ ID NO:159), TAR2h-131 (SEQ ID NO:160), TAR2h-132 (SEQ ID NO:161), TAR2h-133 (SEQ ID NO:162), TAR2h-151 (SEQ ID NO:163), TAR2h-152 (SEQ ID NO:164), TAR2h-153 (SEQ ID NO:165), TAR2h-154 (SEQ ID NO:166), TAR2h-159 (SEQ ID NO:167), TAR2h-165 (SEQ ID NO:168), TAR2h-166 (SEQ ID NO:169), TAR2h-168 (SEQ ID NO:170), TAR2h-171 (SEQ ID NO:171), TAR2h-172 (SEQ ID NO:172), TAR2h-173 (SEQ ID NO:173), TAR2h-174 (SEQ ID NO:174), TAR2h-176 (SEQ ID NO:175), TAR2h-178 (SEQ ID NO:176), TAR2h-201 (SEQ ID NO:177), TAR2h-202 (SEQ ID NO:178), TAR2h-203 (SEQ ID NO:179), TAR2h-204 (SEQ ID NO:180), TAR2h-185-25 (SEQ ID NO:181), TAR2h-154-10 (SEQ ID NO:182), TAR2h-205 (SEQ ID NO:183), TAR2h-10 (SEQ ID NO:184), TAR2h-5 (SEQ ID NO:185), TAR2h-5d1 (SEQ ID NO:186), TAR2h-5d2 (SEQ ID NO:187), TAR2h-5d3 (SEQ ID NO:188), TAR2h-5d4 (SEQ ID NO:189), TAR2h-5d5 (SEQ ID NO:190), TAR2h-5d6 (SEQ ID NO:191), TAR2h-5d7 (SEQ ID NO:192), TAR2h-5d8 (SEQ ID NO:193), TAR2h-5d9 (SEQ ID NO:194), TAR2h-5d10 (SEQ ID NO:195), TAR2h-5d11 (SEQ ID NO:196), TAR2h-5d12 (SEQ ID NO:197), and TAR2h-5d13 (SEQ ID NO:198).

In other embodiments, the ligand comprises a domain antibody (dAb) monomer that specifically binds Tumor Necrosis Factor Receptor 1 (TNFR1, p55, CD120a) with a K_d of 300 nM to 5 pM, and comprises an amino acid sequence that is at least about 80%, at least about 85%, at least about 90%, at least about 91%, at least about 92%, at least about 93%, at least about 94%, at least about 95%, at least about 96%, at least about 97%, at least about 98%, or at least about 99% homologous to the amino acid sequence of a dAb that has the amino acid sequence of any of SEQ ID NO:216 through SEQ ID NO:433.

In other embodiments, the ligand comprises a domain antibody (dAb) monomer that specifically binds Tumor Necrosis Factor Receptor 1 (TNFR1, p55, CD120a) with a K_d of 300 nM to 5 pM, and comprises an amino acid sequence that is at least about 80%, at least about 85%, at least about 90%, at least about 91%, at least about 92%, at least about 93%, at least about 94%, at least about 95%, at least about 96%, at least about 97%, at least about 98%, or at least about 99% homologous to the amino acid sequence or a dAb selected from the group consisting of TAR2m-14 (SEQ ID NO:199), TAR2m-15 (SEQ ID NO:200), TAR2m-19 (SEQ ID NO:201), TAR2m-20 (SEQ ID NO:202), TAR2m-21 (SEQ ID NO:203), TAR2m-24 (SEQ ID NO:204), TAR2m-21-23 (SEQ ID NO:205), TAR2m-21-07 (SEQ ID NO:206), TAR2m-21-43 (SEQ ID NO:207), TAR2m-21-48 (SEQ ID NO:208), TAR2m-21-10 (SEQ ID NO:209), TAR2m-21-06 (SEQ ID NO:210), and TAR2m-21-17 (SEQ ID NO:211).

In some embodiments, the ligand comprises a dAb monomer that binds TNFR1 and competes with any of the dAbs disclosed herein for binding to TNFR1 (e.g., mouse and/or human TNFR1).

The ligand of the invention can comprises a non-immunoglobulin binding moiety that has binding specificity for TNFR1 and preferably inhibits a function of TNFR1 (e.g., binding $\text{TNF}\alpha$, signaling upon binding $\text{TNF}\alpha$), wherein the non-immunoglobulin binding moiety comprises one, two or three of the CDRs of a V_H , V_L or V_{HH} that binds TNFR1 and a suitable scaffold. In certain embodiments, the non-immunoglobulin binding moiety comprises CDR3 but not CDR1 or CDR2 of a V_H , V_L or V_{HH} that binds TNFR1 and a suitable scaffold. In other embodiments, the non-immunoglobulin binding moiety comprises CDR1 and CDR2, but not CDR3 of a V_H , V_L or V_{HH} that binds TNFR1 and a suitable scaffold. In other embodiments, the non-

immunoglobulin binding moiety comprises CDR1, CDR2 and CDR3 of a V_H , V_L or V_{HH} that binds TNFR1 and a suitable scaffold. Preferably, the CDR or CDRs of the ligand of these embodiments is a CDR or CDRs of an anti-TNFR1 dAb described herein. Preferably, the non-immunoglobulin binding moiety comprises one, two, or
5 three of the CDRs of one the anti-TNFR1 dAbs disclosed herein. In other embodiments, the ligand comprises only CDR3 of a V_H , V_L or V_{HH} that binds TNFR1. The non-immunoglobulin domain can comprise an amino acid sequence that one or more regions that have sequence identity to one, two or three of the CDRs of an anti-TNFR1 dAb described herein. For example, the non-immunoglobulin domain can
10 have an amino acid sequence that contains at least about 50%, at least about 60%, at least about 70%, at least about 80%, or at least about 90% sequence identity with CDR1, CDR2 and/or CDR3 of an anti-TNFR1 dAb disclosed herein. Even more preferably, the non-immunoglobulin binding moiety comprises one, two, or three of the CDRs of TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

15 The invention also relates to a ligand comprising a protein moiety that has a binding site with binding specificity for TNFR1, wherein said protein moiety comprises an amino acid sequence that is the same as the amino acid sequence of CDR3 of an anti-TNFR1 dAb disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

20 In some embodiments, the ligand comprising a protein moiety that has a binding site with binding specificity for TNFR1, wherein the protein moiety has an amino acid sequence that is the same as the amino acid sequence of CDR3 of an anti-TNFR1 dAb disclosed herein, and also comprises an amino acid sequence that is the same as the amino acid sequence of CDR1 and/or CDR2 of an anti-TNFR1 dAb
25 disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In other embodiments, the ligand comprises a immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds IL-4 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR1 sequence that has at
30 least 50% identity to the CDR1 sequence of the anti-TNFR1 dAbs disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In other embodiments, the ligand comprises an immunoglobulin single variable domain that binds TNFR1, wherein the amino acid sequence of the

immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR2 sequence that has at least 50% identity to the CDR2 sequence of the anti-TNFR1 dAbs disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In other embodiments, the ligand comprises an immunoglobulin single variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR3 sequence that has at least 50% identity to the CDR3 sequence of the anti-TNFR1 dAbs disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In other embodiments, the ligand comprises an immunoglobulin single variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR1 sequence and a CDR2 sequence that has at least 50% identity to the CDR1 or CDR2 sequences, respectively, of the anti-TNFR1 dAbs disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In other embodiments, the ligand comprises an immunoglobulin single variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR2 sequence and a CDR3 sequence that has at least 50% identity to the CDR2 or CDR3 sequences, respectively, of the anti-TNFR1 dAbs disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In other embodiments, the ligand comprises an immunoglobulin single variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR1 sequence and a CDR3 sequence that has at least 50% identity to the CDR1 or CDR3 sequences, respectively, of the anti-TNFR1 dAbs disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In other embodiments, the ligand comprises an immunoglobulin single variable domain that binds TNFR1, wherein the amino acid sequence of the immunoglobulin single variable domain that binds TNFR1 differs from the amino acid sequence of an anti-TNFR1 dAb disclosed herein at no more than 25 amino acid positions and has a CDR1 sequence, a CDR2 sequence and a CDR3 sequence that has at least 50% identity to the CDR1, CDR2 or CDR3 sequences, respectively, of the anti-TNFR1 dAbs disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR2 sequence that has at least 50% identity to the CDR2 sequences of an anti-TNFR1 dAb disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR3 sequence that has at least 50% identity to the CDR3 sequences of an anti-TNFR1 dAb disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR1 and a CDR2 sequence that has at least 50% identity to the CDR1 and CDR2 sequences, respectively, of an anti-TNFR1 dAb disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR2 and a CDR3 sequence that has at least 50% identity to the CDR2 and CDR3 sequences, respectively, of an anti-TNFR1 dAb disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR1 and a CDR3

61

sequence that has at least 50% identity to the CDR1 and CDR3 sequences, respectively, of an anti-TNFR1 dAb disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In another embodiment, the invention is a ligand comprising an immunoglobulin single variable domain that binds TNFR1, wherein the immunoglobulin single variable domain that binds TNFR1 has a CDR1, CDR2, and a CDR3 sequence that has at least 50% identity to the CDR1, CDR2 and CDR3 sequences, respectively, of an anti-TNFR1 dAb disclosed herein, such as TAR2h-131-511, TAR2h-131-193 and TAR2h-131-194.

In some embodiments, the ligand comprising a dAb that binds human TNFR1 and is an antagonist of human TNFR1, wherein said ligand inhibits TNF α -induced inflammation or TNF α -induced inflammatory mediator at a dose [mg/kg] that is no more than $\frac{1}{2}$, $\frac{1}{3}$, $\frac{1}{4}$, $\frac{1}{5}$, $\frac{1}{10}$, $\frac{1}{15}$, $\frac{1}{20}$, $\frac{1}{25}$, or $\frac{1}{30}$ the dose of etanercept (ENBREL, Immunex Corporation) that is required to inhibit said TNF α -induced inflammation or TNF α -induced inflammatory mediator to substantially the same of to the same degree. For example, the ligand can inhibit TNF α -induced cell influx of tissue (e.g., lung), TNF α -induced increase in the production, concentration or level of inflammatory mediators, such as the early acting neutrophil chemoattractants KC and MIP-1, and the later acting chemokine MCP-1 and adhesion molecule E-selectin, at a dose [mg/kg] that is no more than $\frac{1}{2}$, $\frac{1}{3}$, $\frac{1}{4}$, $\frac{1}{5}$, $\frac{1}{10}$, $\frac{1}{15}$, $\frac{1}{20}$, $\frac{1}{25}$, or $\frac{1}{30}$ the dose of etanercept (ENBREL, Immunex Corporation) that is required to achieve substantially the same or the same level of inhibition. Preferably, the level of inhibition is at least about 50%, at least about 60%, at least about 70%, at least about 80%, at least about 90%, or at least about 95%.

The dAb monomer can comprise any suitable immunoglobulin variable domain, and preferably comprises a human variable domain or a variable domain that comprises human framework regions. In certain embodiments, the dAb monomer comprises a universal framework, as described herein.

The universal framework can be a V_L framework (V λ or V κ) , such as a framework that comprises the framework amino acid sequences encoded by the human germline DPK1, DPK2, DPK3, DPK4, DPK5, DPK6, DPK7, DPK8, DPK9, DPK10, DPK12, DPK13, DPK15, DPK16, DPK18, DPK19, DPK20, DPK21,

DPK22, DPK23, DPK24, DPK25, DPK26 or DPK 28 immunoglobulin gene segment. If desired, the V_L framework can further comprises the framework amino acid sequence encoded by the human germline $J_{\kappa 1}$, $J_{\kappa 2}$, $J_{\kappa 3}$, $J_{\kappa 4}$, or $J_{\kappa 5}$ immunoglobulin gene segment.

5 In other embodiments the universal framework can be a V_H framework, such as a framework that comprises the framework amino acid sequences encoded by the human germline DP4, DP7, DP8, DP9, DP10, DP31, DP33, DP38, DP45, DP46, DP47, DP49, DP50, DP51, DP53, DP54, DP65, DP66, DP67, DP68 or DP69 immunoglobulin gene segment. If desired, the V_H framework can further comprises
10 the framework amino acid sequence encoded by the human germline J_H1 , J_H2 , J_H3 , J_H4 , J_H4b , J_H5 and J_H6 immunoglobulin gene segment.

In particular embodiments, the dAb monomer comprises the DPK9 V_L framework, or a V_H framework selected from the group consisting of DP47, DP45 and DP38.

15 In certain embodiments, the dAb monomer comprises one or more framework regions comprising an amino acid sequence that is the same as the amino acid sequence of a corresponding framework region encoded by a human germline antibody gene segment, or the amino acid sequences of one or more of said framework regions collectively comprise up to 5 amino acid differences relative to the
20 amino acid sequence of said corresponding framework region encoded by a human germline antibody gene segment.

In other embodiments, the amino acid sequences of FW1, FW2, FW3 and FW4 of the dAb monomer are the same as the amino acid sequences of corresponding framework regions encoded by a human germline antibody gene segment, or the
25 amino acid sequences of FW1, FW2, FW3 and FW4 collectively contain up to 10 amino acid differences relative to the amino acid sequences of corresponding framework regions encoded by said human germline antibody gene segment.

In other embodiments, the dAb monomer comprises FW1, FW2 and FW3 regions, and the amino acid sequence of said FW1, FW2 and FW3 regions are the
30 same as the amino acid sequences of corresponding framework regions encoded by human germline antibody gene segments.

In some embodiments, the dAb monomer does not comprise a *Camelid* immunoglobulin variable domain, or one or more framework amino acids that are

unique to immunoglobulin variable domains encoded by *Camelid* germline antibody gene segments.

Nucleic Acid Molecules, Vectors and Host Cells

5 The invention also provides isolated and/or recombinant nucleic acid molecules encoding ligands as described herein. Nucleic acids referred to herein as "isolated" are nucleic acids which have been separated away from the nucleic acids of the genomic DNA or cellular RNA of their source of origin (*e.g.*, as it exists in cells or in a mixture of nucleic acids such as a library), and include nucleic acids obtained by
10 methods described herein or other suitable methods, including essentially pure nucleic acids, nucleic acids produced by chemical synthesis, by combinations of biological and chemical methods, and recombinant nucleic acids which are isolated (see *e.g.*, Daugherty, B.L. *et al.*, *Nucleic Acids Res.*, 19(9): 2471-2476 (1991); Lewis, A.P. and J.S. Crowe, *Gene*, 101: 297-302 (1991)).

15 Nucleic acids referred to herein as "recombinant" are nucleic acids which have been produced by recombinant DNA methodology, including those nucleic acids that are generated by procedures which rely upon a method of artificial recombination, such as the polymerase chain reaction (PCR) and/or cloning into a vector using restriction enzymes.

20 In certain embodiments, the isolated and/or recombinant nucleic acid comprises a nucleotide sequence encoding a ligand, as described herein, wherein said ligand comprises an amino acid sequence that has at least about 80%, at least about 85%, at least about 90%, at least about 91%, at least about 92%, at least about 93%, at least about 94%, at least about 95%, at least about 96%, at least about 97%, at least
25 about 98%, or at least about 99% amino acid sequence identity with the amino acid sequence of a dAb that binds TNFR1 disclosed herein.

 For example, in some embodiments, the isolated and/or recombinant nucleic acid comprises a nucleotide sequence encoding a ligand that has binding specificity for TNFR1 wherein said ligand comprises an amino acid sequence that has at least
30 about 80%, at least about 85%, at least about 90%, at least about 91%, at least about 92%, at least about 93%, at least about 94%, at least about 95%, at least about 96%, at least about 97%, at least about 98%, or at least about 99% amino acid sequence identity with the amino acid sequence of a dAb selected from the group consisting of

TAR2m-15-8 (SEQ ID NO:216), TAR2m-15-12 (SEQ ID NO:217), TAR2m-15-2 (SEQ ID NO:218), TAR2m-15-5 (SEQ ID NO:219), TAR2m-15-6 (SEQ ID NO:220), TAR2m-15-9 (SEQ ID NO:221), Tar2h-131-1 (SEQ ID NO:222), Tar2h-131-2 (SEQ ID NO:223), Tar2h-131-3 (SEQ ID NO:224), Tar2h-131-4 (SEQ ID NO:225), Tar2h-131-5 (SEQ ID NO:226), Tar2h-131-6 (SEQ ID NO:227), Tar2h-131-7 (SEQ ID NO:228), Tar2h-131-8 (SEQ ID NO:229), Tar2h-131-9 (SEQ ID NO:230), Tar2h-131-10 (SEQ ID NO:231), Tar2h-131-11 (SEQ ID NO:232), Tar2h-131-12 (SEQ ID NO:233), Tar2h-131-13 (SEQ ID NO:234), Tar2h-131-14 (SEQ ID NO:235), Tar2h-131-15 (SEQ ID NO:236), Tar2h-131-16 (SEQ ID NO:237), Tar2h-131-17 (SEQ ID NO:238), Tar2h-131-18 (SEQ ID NO:239), Tar2h-131-19 (SEQ ID NO:240), Tar2h-131-20 (SEQ ID NO:241), Tar2h-131-21 (SEQ ID NO:242), Tar2h-131-22 (SEQ ID NO:243), Tar2h-131-23 (SEQ ID NO:244), Tar2h-131-24 (SEQ ID NO:245), Tar2h-131-25 (SEQ ID NO:246), Tar2h-131-26 (SEQ ID NO:247), Tar2h131-27 (SEQ ID NO:248), Tar2h131-28 (SEQ ID NO:249), Tar2h131-29 (SEQ ID NO:250), Tar2h131-30 (SEQ ID NO:251), Tar2h131-31 (SEQ ID NO:252), Tar2h131-32 (SEQ ID NO:253), Tar2h131-33 (SEQ ID NO:254), Tar2h131-34 (SEQ ID NO:255), Tar2h131-35 (SEQ ID NO:256), Tar2h131-36 (SEQ ID NO:257), Tar2h131-37 (SEQ ID NO:258), Tar2h131-38 (SEQ ID NO:259), Tar2h131-39 (SEQ ID NO:260), Tar2h131-40 (SEQ ID NO:261), Tar2h131-41 (SEQ ID NO:262), Tar2h131-42 (SEQ ID NO:263), Tar2h131-43 (SEQ ID NO:264), Tar2h131-44 (SEQ ID NO:265), Tar2h131-45 (SEQ ID NO:266), Tar2h131-46 (SEQ ID NO:267), Tar2h131-47 (SEQ ID NO:268), Tar2h131-48 (SEQ ID NO:269), Tar2h131-49 (SEQ ID NO:270), Tar2h-131-50 (SEQ ID NO:271), Tar2h-131-51 (SEQ ID NO:272), Tar2h-131-52 (SEQ ID NO:273), Tar2h-131-53 (SEQ ID NO:274), Tar2h-131-54 (SEQ ID NO:275), Tar2h-131-55 (SEQ ID NO:276), Tar2h-131-56 (SEQ ID NO:277), Tar2h-131-57 (SEQ ID NO:278), Tar2h-131-58 (SEQ ID NO:279), Tar2h-131-59 (SEQ ID NO:280), Tar2h-131-60 (SEQ ID NO:281), Tar2h-131-61 (SEQ ID NO:282), Tar2h-131-62 (SEQ ID NO:283), Tar2h-131-63 (SEQ ID NO:284), Tar2h-131-64 (SEQ ID NO:285), Tar2h-131-65 (SEQ ID NO:286), Tar2h-131-66 (SEQ ID NO:287), Tar2h-131-67 (SEQ ID NO:288), Tar2h-131-68 (SEQ ID NO:289), Tar2h-131-69 (SEQ ID NO:290), Tar2h-131-70 (SEQ ID NO:291), Tar2h-131-71 (SEQ ID NO:292), Tar2h-131-72 (SEQ ID NO:293), Tar2h-131-73 (SEQ ID NO:294), Tar2h-131-74 (SEQ ID NO:295), Tar2h-131-75 (SEQ ID NO:296), Tar2h-131-76 (SEQ ID

NO:297), Tar2h-131-77 (SEQ ID NO:298), Tar2h-131-78 (SEQ ID NO:299), Tar2h-131-79 (SEQ ID NO:300), Tar2h-131-80 (SEQ ID NO:301), Tar2h-131-81 (SEQ ID NO:302), Tar2h-131-82 (SEQ ID NO:303), Tar2h-131-83 (SEQ ID NO:304), Tar2h-131-86 (SEQ ID NO:305), Tar2h-131-87 (SEQ ID NO:306), Tar2h-131-88 (SEQ ID NO:307), Tar2h-131-89 (SEQ ID NO:308), Tar2h-131-90 (SEQ ID NO:309), Tar2h-131-91 (SEQ ID NO:310), Tar2h-131-92 (SEQ ID NO:311), Tar2h-131-93 (SEQ ID NO:312), Tar2h-131-94 (SEQ ID NO:313), Tar2h-131-95 (SEQ ID NO:314), Tar2h-131-96 (SEQ ID NO:315), Tar2h-131-97 (SEQ ID NO:316), Tar2h-131-99 (SEQ ID NO:317), Tar2h-131-100 (SEQ ID NO:318), Tar2h-131-101 (SEQ ID NO:319),
10 Tar2h-131-102 (SEQ ID NO:320), Tar2h-131-103 (SEQ ID NO:321), Tar2h-131-104 (SEQ ID NO:322), Tar2h-131-105 (SEQ ID NO:323), Tar2h-131-106 (SEQ ID NO:324), Tar2h-131-107 (SEQ ID NO:325), Tar2h-131-108 (SEQ ID NO:326), Tar2h-131-109 (SEQ ID NO:327), Tar2h-131-110 (SEQ ID NO:328), Tar2h-131-111 (SEQ ID NO:329), Tar2h-131-112 (SEQ ID NO:330), Tar2h-131-113 (SEQ ID NO:331), Tar2h-131-114 (SEQ ID NO:332), Tar2h-131-115 (SEQ ID NO:333),
15 Tar2h-131-116 (SEQ ID NO:334), Tar2h-131-117 (SEQ ID NO:335), Tar2h-131-120 (SEQ ID NO:336), Tar2h-131-121 (SEQ ID NO:337), Tar2h-131-122 (SEQ ID NO:338), Tar2h-131-123 (SEQ ID NO:339), Tar2h-131-124 (SEQ ID NO:340), Tar2h-131-125 (SEQ ID NO:341), Tar2h-131-126 (SEQ ID NO:342), Tar2h-131-127 (SEQ ID NO:343), Tar2h-131-128 (SEQ ID NO:344), Tar2h-131-129 (SEQ ID NO:345), Tar2h-131-130 (SEQ ID NO:346), Tar2h-131-131 (SEQ ID NO:347),
20 Tar2h-131-132 (SEQ ID NO:348), Tar2h-131-136 (SEQ ID NO:349), Tar2h-131-151 (SEQ ID NO:350), Tar2h-131-180 (SEQ ID NO:351), Tar2h-131-181 (SEQ ID NO:352), Tar2h-131-182 (SEQ ID NO:353), Tar2h-131-183 (SEQ ID NO:354),
25 Tar2h-131-184 (SEQ ID NO:355), Tar2h-131-185 (SEQ ID NO:356), Tar2h-131-188 (SEQ ID NO:357), Tar2h-131-189 (SEQ ID NO:358), Tar2h-131-190 (SEQ ID NO:359), Tar2h-131-191 (SEQ ID NO:360), Tar2h-131-192 (SEQ ID NO:361), Tar2h-131-193 (SEQ ID NO:362), Tar2h-131-194 (SEQ ID NO:363), Tar2h-131-195 (SEQ ID NO:364), Tar2h-131-196 (SEQ ID NO:365), Tar2h-131-197 (SEQ ID NO:366), Tar2h-131-198 (SEQ ID NO:367), Tar2h-131-500 (SEQ ID NO:368),
30 Tar2h-131-501 (SEQ ID NO:369), Tar2h-131-502 (SEQ ID NO:370), Tar2h-131-503 (SEQ ID NO:371), Tar2h-131-504 (SEQ ID NO:372), Tar2h-131-505 (SEQ ID NO:373), Tar2h-131-506 (SEQ ID NO:374), Tar2h-131-507 (SEQ ID NO:375),

Tar2h-131-508 (SEQ ID NO:376), Tar2h-131-509 (SEQ ID NO:377), Tar2h-131-510 (SEQ ID NO:378), Tar2h-131-511 (SEQ ID NO:379), Tar2h-131-512 (SEQ ID NO:380), Tar2h-131-513 (SEQ ID NO:381), Tar2h-131-514 (SEQ ID NO:382), Tar2h-131-515 (SEQ ID NO:383), Tar2h-131-516 (SEQ ID NO:384), Tar2h-131-517 (SEQ ID NO:385), Tar2h-131-518 (SEQ ID NO:386), Tar2h-131-519 (SEQ ID NO:387), Tar2h-131-520 (SEQ ID NO:388), Tar2h-131-521 (SEQ ID NO:389), Tar2h-131-522 (SEQ ID NO:390), Tar2h-131-523 (SEQ ID NO:391), Tar2h-131-524 (SEQ ID NO:392), Tar2h-131-525 (SEQ ID NO:393), Tar2h-131-526 (SEQ ID NO:394), Tar2h-131-527 (SEQ ID NO:395), Tar2h-131-528 (SEQ ID NO:396), Tar2h-131-529 (SEQ ID NO:397), Tar2h-131-530 (SEQ ID NO:398), Tar2h-131-531 (SEQ ID NO:399), Tar2h-131-532 (SEQ ID NO:400), Tar2h-131-533 (SEQ ID NO:401), Tar2h-131-534 (SEQ ID NO:402), Tar2h-131-535 (SEQ ID NO:403), Tar2h-131-536 (SEQ ID NO:404), Tar2h-131-537 (SEQ ID NO:405), Tar2h-131-538 (SEQ ID NO:406), Tar2h-131-539 (SEQ ID NO:407), Tar2h-131-539 (SEQ ID NO:408), Tar2h-131-539 (SEQ ID NO:409), Tar2h-131-540 (SEQ ID NO:410), Tar2h-131-541 (SEQ ID NO:411), Tar2h-131-542 (SEQ ID NO:412), Tar2h-131-543 (SEQ ID NO:413), Tar2h-131-544 (SEQ ID NO:414), Tar2h-131-545 (SEQ ID NO:415), Tar2h-131-546 (SEQ ID NO:416), Tar2h-131-547 (SEQ ID NO:417), Tar2h-131-548 (SEQ ID NO:418), Tar2h-131-549 (SEQ ID NO:419), Tar2h-131-550 (SEQ ID NO:420), Tar2h-131-551 (SEQ ID NO:421), Tar2h-131-552 (SEQ ID NO:422), Tar2h-131-553 (SEQ ID NO:423), Tar2h-131-554 (SEQ ID NO:424), Tar2h-131-555 (SEQ ID NO:425), Tar2h-131-556 (SEQ ID NO:426), Tar2h-131-557 (SEQ ID NO:427), Tar2h-131-558 (SEQ ID NO:428), Tar2h-131-559 (SEQ ID NO:429), Tar2h-131-560 (SEQ ID NO:430), Tar2h-131-561 (SEQ ID NO:431), Tar2h-131-562 (SEQ ID NO:432), and Tar2h-131-563 (SEQ ID NO:433).

In other embodiments, the isolated and/or recombinant nucleic acid encoding a ligand that has binding specificity for TNFR1, as described herein, wherein said nucleic acid comprises a nucleotide sequence has at least about 80%, at least about 85%, at least about 90%, at least about 91%, at least about 92%, at least about 93%, at least about 94%, at least about 95%, at least about 96%, at least about 97%, at least about 98%, or at least about 99% nucleotide sequence identity with a nucleotide sequence encoding an anti-TNFR1 dAb selected from the group consisting of Tar2h-131 (SEO ID NO:434), Tar2h-131-1(SEO ID NO:435), Tar2h-131-2(SEO ID

NO:436), Tar2h-131-3(SEQ ID NO:437, Tar2h-131-4(SEQ ID NO:438), Tar2h-131-5(SEQ ID NO:439), Tar2h-131-6(SEQ ID NO:440), Tar2h-131-7(SEQ ID NO:441), Tar2h-131-8(SEQ ID NO:442), Tar2h-131-9(SEQ ID NO:443), Tar2h-131-10(SEQ ID NO:444), Tar2h-131-11(SEQ ID NO:445), Tar2h-131-12(SEQ ID NO:446),

5 Tar2h-131-13(SEQ ID NO:447), Tar2h-131-14(SEQ ID NO:448), Tar2h-131-15(SEQ ID NO:449), Tar2h-131-16(SEQ ID NO:450), Tar2h-131-17(SEQ ID NO:451), Tar2h-131-18(SEQ ID NO:452), Tar2h-131-19(SEQ ID NO:453), Tar2h-131-20(SEQ ID NO:454), Tar2h-131-21(SEQ ID NO:455), Tar2h-131-22(SEQ ID NO:456), Tar2h-131-23(SEQ ID NO:457), Tar2h-131-24(SEQ ID NO:458). Tar2h-131-25(SEQ

10 ID NO:459), Tar2h-131-26(SEQ ID NO:460), Tar2h131-27(SEQ ID NO:461), Tar2h131-28(SEQ ID NO:462), Tar2h131-29(SEQ ID NO:463), Tar2h131-30(SEQ ID NO:464), Tar2h131-31(SEQ ID NO:465), Tar2h131-32(SEQ ID NO:466), Tar2h131-33(SEQ ID NO:467), Tar2h131-34(SEQ ID NO:468), Tar2h131-35(SEQ ID NO:469), Tar2h131-36(SEQ ID NO:470), Tar2h131-37(SEQ ID NO:471),

15 Tar2h131-38(SEQ ID NO:472), Tar2h131-39(SEQ ID NO:473), Tar2h131-40(SEQ ID NO:474), Tar2h131-41(SEQ ID NO:475), Tar2h131-42(SEQ ID NO:476), Tar2h131-43(SEQ ID NO:477), Tar2h131-44(SEQ ID NO:478), Tar2h131-45(SEQ ID NO:479), Tar2h131-46(SEQ ID NO:480), Tar2h131-47(SEQ ID NO:481), Tar2h131-48(SEQ ID NO:482), Tar2h131-49(SEQ ID NO:483), Tar2h-131-50(SEQ

20 ID NO:484), Tar2h-131-51(SEQ ID NO:485), Tar2h-131-52(SEQ ID NO:486), Tar2h-131-53(SEQ ID NO:487), Tar2h-131-54 (SEQ ID NO:488), Tar2h-131-55 (SEQ ID NO:489), Tar2h-131-56 (SEQ ID NO:490), Tar2h-131-57 (SEQ ID NO:491), Tar2h-131-58 (SEQ ID NO:492), Tar2h-131-59 (SEQ ID NO:493), Tar2h-131-60 (SEQ ID NO:494), Tar2h-131-61 (SEQ ID NO:495), Tar2h-131-62 (SEQ ID

25 NO:496), Tar2h-131-63 (SEQ ID NO:497), Tar2h-131-64 (SEQ ID NO:498), Tar2h-131-65 (SEQ ID NO:499), Tar2h-131-66 (SEQ ID NO:500), Tar2h-131-67 (SEQ ID NO:501), Tar2h-131-68 (SEQ ID NO:502), Tar2h-131-69 (SEQ ID NO:503), Tar2h-131-70 (SEQ ID NO:504), Tar2h-131-71 (SEQ ID NO:505), Tar2h-131-72 (SEQ ID NO:506), Tar2h-131-73 (SEQ ID NO:507), Tar2h-131-74 (SEQ ID NO:508), Tar2h-

30 131-75 (SEQ ID NO:509), Tar2h-131-76 (SEQ ID NO:510), Tar2h-131-77 (SEQ ID NO:511), Tar2h-131-78 (SEQ ID NO:512), Tar2h-131-79 (SEQ ID NO:513), Tar2h-131-80 (SEQ ID NO:514), Tar2h-131-81 (SEQ ID NO:515), Tar2h-131-82 (SEQ ID NO:516), Tar2h-131-83(SEQ ID NO:517), Tar2h-131-86 (SEQ ID NO:518), Tar2h-

131-87 (SEQ ID NO:519), Tar2h-131-88 (SEQ ID NO:520), Tar2h-131-89 (SEQ ID NO:521), Tar2h-131-90 (SEQ ID NO:522), Tar2h-131-91 (SEQ ID NO:523), Tar2h-131-92 (SEQ ID NO:524), Tar2h-131-93 (SEQ ID NO:525), Tar2h-131-94 (SEQ ID NO:526), Tar2h-131-95 (SEQ ID NO:527), Tar2h-131-96 (SEQ ID NO:528), Tar2h-131-97 (SEQ ID NO:529), Tar2h-131-99 (SEQ ID NO:530), Tar2h-131-100 (SEQ ID NO:531), Tar2h-131-101 (SEQ ID NO:532), Tar2h-131-102 (SEQ ID NO:533), Tar2h-131-103 (SEQ ID NO:534), Tar2h-131-104 (SEQ ID NO:535), Tar2h-131-105 (SEQ ID NO:536), Tar2h-131-106 (SEQ ID NO:537), Tar2h-131-107 (SEQ ID NO:538), Tar2h-131-108 (SEQ ID NO:539), Tar2h-131-109 (SEQ ID NO:540), Tar2h-131-110 (SEQ ID NO:541), Tar2h-131-111 (SEQ ID NO:542), Tar2h-131-112 (SEQ ID NO:543), Tar2h-131-113 (SEQ ID NO:544), Tar2h-131-114 (SEQ ID NO:545), Tar2h-131-115 (SEQ ID NO:546), Tar2h-131-116 (SEQ ID NO:547), Tar2h-131-117 (SEQ ID NO:548), Tar2h-131-120 (SEQ ID NO:549), Tar2h-131-121 (SEQ ID NO:550), Tar2h-131-122 (SEQ ID NO:551), Tar2h-131-123 (SEQ ID NO:552), Tar2h-131-124 (SEQ ID NO:553), Tar2h-131-125 (SEQ ID NO:554), Tar2h-131-126 (SEQ ID NO:555), Tar2h-131-127 (SEQ ID NO:556), Tar2h-131-128 (SEQ ID NO:557), Tar2h-131-129 (SEQ ID NO:558), Tar2h-131-130 (SEQ ID NO:559), Tar2h-131-131 (SEQ ID NO:560), Tar2h-131-132 (SEQ ID NO:561), Tar2h-131-136 (SEQ ID NO:562), Tar2h-131-151 (SEQ ID NO:563), Tar2h-131-180 (SEQ ID NO:564), Tar2h-131-181 (SEQ ID NO:565), Tar2h-131-182 (SEQ ID NO:566), Tar2h-131-183 (SEQ ID NO:567), Tar2h-131-184 (SEQ ID NO:568), Tar2h-131-185 (SEQ ID NO:469), Tar2h-131-188 (SEQ ID NO:570), Tar2h-131-189 (SEQ ID NO:571), Tar2h-131-190 (SEQ ID NO:572), Tar2h-131-191 (SEQ ID NO:573), Tar2h-131-192 (SEQ ID NO:574), Tar2h-131-193 (SEQ ID NO:575), Tar2h-131-194 (SEQ ID NO:576), Tar2h-131-195 (SEQ ID NO:577), Tar2h-131-196 (SEQ ID NO:578), Tar2h-131-197 (SEQ ID NO:579), Tar2h-131-198 (SEQ ID NO:580), Tar2h-131-500 (SEQ ID NO:581), Tar2h-131-501 (SEQ ID NO:582), Tar2h-131-502 (SEQ ID NO:583), Tar2h-131-503 (SEQ ID NO:584), Tar2h-131-504 (SEQ ID NO:585), Tar2h-131-505 (SEQ ID NO:586), Tar2h-131-506 (SEQ ID NO:587), Tar2h-131-507 (SEQ ID NO:488), Tar2h-131-508 (SEQ ID NO:489), Tar2h-131-509 (SEQ ID NO:590), Tar2h-131-510 (SEQ ID NO:591), Tar2h-131-511 (SEQ ID NO:592), Tar2h-131-512 (SEQ ID NO:593), Tar2h-131-513 (SEQ ID NO:594), Tar2h-131-514 (SEQ ID NO:595), Tar2h-131-515 (SEQ ID NO:596),

Tar2h-131-516(SEQ ID NO:597), Tar2h-131-517 (SEQ ID NO:598), Tar2h-131-518
 (SEQ ID NO:599), Tar2h-131-519 (SEQ ID NO:600), Tar2h-131-520 (SEQ ID
 NO:601), Tar2h-131-521 (SEQ ID NO:602), Tar2h-131-522 (SEQ ID NO:603),
 Tar2h-131-523 (SEQ ID NO:604), Tar2h-131-524 (SEQ ID NO:605), Tar2h-131-525
 5 (SEQ ID NO:606), Tar2h-131-526 (SEQ ID NO:607), Tar2h-131-527 (SEQ ID
 NO:608), Tar2h-131-528(SEQ ID NO:609), Tar2h-131-529 (SEQ ID NO:610),
 Tar2h-131-530 (SEQ ID NO:611), Tar2h-131-531 (SEQ ID NO:612), Tar2h-131-532
 (SEQ ID NO:613), Tar2h-131-533 (SEQ ID NO:614), Tar2h-131-534 (SEQ ID
 NO:615), Tar2h-131-535 (SEQ ID NO:616), Tar2h-131-536 (SEQ ID
 10 NO:617), Tar2h-131-537 (SEQ ID NO:618), Tar2h-131-538 (SEQ ID NO:619),
 Tar2h-131-539 (SEQ ID NO:620), Tar2h-131-540 (SEQ ID NO:621), Tar2h-131-541
 (SEQ ID NO:622), Tar2h-131-542 (SEQ ID NO:623), Tar2h-131-543 (SEQ ID
 NO:624), Tar2h-131-544 (SEQ ID NO:625), Tar2h-131-545 (SEQ ID NO:626),
 Tar2h-131-546 (SEQ ID NO:627), Tar2h-131-547 (SEQ ID NO:628), Tar2h-131-548
 15 (SEQ ID NO:629), Tar2h-131-549 (SEQ ID NO:630), Tar2h-131-550(SEQ ID
 NO:631), Tar2h-131-551 (SEQ ID NO:632), Tar2h-131-552 (SEQ ID NO:633),
 Tar2h-131-553 (SEQ ID NO:634), Tar2h-131-554 (SEQ ID NO:635), Tar2h-131-555
 (SEQ ID NO:636), Tar2h-131-556 (SEQ ID NO:637), Tar2h-131-557 (SEQ ID
 NO:638), Tar2h-131-558 (SEQ ID NO:639), Tar2h-131-559 (SEQ ID NO:640),
 20 Tar2h-131-560 (SEQ ID NO:641), Tar2h-131-561 (SEQ ID NO:642), Tar2h-131-562
 (SEQ ID NO:643), Tar2m-15-2(SEQ ID NO:645), Tar2m-15-5(SEQ ID NO:646),
 Tar2m-15-6(SEQ ID NO:647), Tar2m-15-8(SEQ ID NO:648), Tar2m-15-9(SEQ ID
 NO:649), and Tar2m-15-12(SEQ ID NO:650). Preferably, nucleotide sequence
 identity is determined over the whole length of the nucleotide sequence that encodes
 25 the selected anti-TNFR1 dAb.

The invention also provides a vector comprising a recombinant nucleic acid
 molecule of the invention. In certain embodiments, the vector is an expression vector
 comprising one or more expression control elements or sequences that are operably
 linked to the recombinant nucleic acid of the invention. The invention also provides a
 30 recombinant host cell comprising a recombinant nucleic acid molecule or vector of
 the invention. Suitable vectors (e.g., plasmids, phagmids), expression control
 elements, host cells and methods for producing recombinant host cells of the
 invention are well-known in the art, and examples are further described herein.

Suitable expression vectors can contain a number of components, for example, an origin of replication, a selectable marker gene, one or more expression control elements, such as a transcription control element (*e.g.*, promoter, enhancer, terminator) and/or one or more translation signals, a signal sequence or leader sequence, and the like. Expression control elements and a signal sequence, if present, can be provided by the vector or other source. For example, the transcriptional and/or translational control sequences of a cloned nucleic acid encoding an antibody chain can be used to direct expression.

A promoter can be provided for expression in a desired host cell. Promoters can be constitutive or inducible. For example, a promoter can be operably linked to a nucleic acid encoding an antibody, antibody chain or portion thereof, such that it directs transcription of the nucleic acid. A variety of suitable promoters for procaryotic (*e.g.*, lac, tac, T3, T7 promoters for *E. coli*) and eucaryotic (*e.g.*, Simian Virus 40 early or late promoter, Rous sarcoma virus long terminal repeat promoter, cytomegalovirus promoter, adenovirus late promoter) hosts are available.

In addition, expression vectors typically comprise a selectable marker for selection of host cells carrying the vector, and, in the case of a replicable expression vector, an origin of replication. Genes encoding products which confer antibiotic or drug resistance are common selectable markers and may be used in procaryotic (*e.g.*, lactamase gene (ampicillin resistance), *Tet* gene for tetracycline resistance) and eucaryotic cells (*e.g.*, neomycin (G418 or geneticin), gpt (mycophenolic acid), ampicillin, or hygromycin resistance genes). Dihydrofolate reductase marker genes permit selection with methotrexate in a variety of hosts. Genes encoding the gene product of auxotrophic markers of the host (*e.g.*, *LEU2*, *URA3*, *HIS3*) are often used as selectable markers in yeast. Use of viral (*e.g.*, baculovirus) or phage vectors, and vectors which are capable of integrating into the genome of the host cell, such as retroviral vectors, are also contemplated. Suitable expression vectors for expression in mammalian cells and prokaryotic cells (*E. coli*), insect cells (*Drosophila* Schneider S2 cells, Sf9) and yeast (*P. methanolica*, *P. pastoris*, *S. cerevisiae*) are well-known in the art.

Suitable host cells can be prokaryotic, including bacterial cells such as *E. coli*, *B. subtilis* and/or other suitable bacteria; eukaryotic cells, such as fungal or yeast cells (*e.g.*, *Pichia pastoris*, *Aspergillus sp.*, *Saccharomyces cerevisiae*,

- Schizosaccharomyces pombe*, *Neurospora crassa*), or other lower eukaryotic cells, and cells of higher eukaryotes such as those from insects (*e.g.*, *Drosophila* Schneider S2 cells, Sf9 insect cells (WO 94/26087 (O'Connor)), mammals (*e.g.*, COS cells, such as COS-1 (ATCC Accession No. CRL-1650) and COS-7 (ATCC Accession No. CRL-1651), CHO (*e.g.*, ATCC Accession No. CRL-9096, CHO DG44 (Urlaub, G. and Chasin, L.A., *Proc. Natl. Acad. Sci. USA*, 77(7):4216-4220 (1980))), 293 (ATCC Accession No. CRL-1573), HeLa (ATCC Accession No. CCL-2), CV1 (ATCC Accession No. CCL-70), WOP (Dailey, L., *et al.*, *J. Virol.*, 54:739-749 (1985), 3T3, 293T (Pear, W. S., *et al.*, *Proc. Natl. Acad. Sci. U.S.A.*, 90:8392-8396 (1993)) NS0
- 10 cells, SP2/0, HuT 78 cells and the like, or plants (*e.g.*, tobacco). (See, for example, Ausubel, F.M. *et al.*, eds. *Current Protocols in Molecular Biology*, Greene Publishing Associates and John Wiley & Sons Inc. (1993).) In some embodiments, the host cell is an isolated host cell and is not part of a multicellular organism (*e.g.*, plant or animal). In preferred embodiments, the host cell is a non-human host cell.
- 15 The invention also provides a method for producing a ligand (*e.g.*, dual-specific ligand, multispecific ligand) of the invention, comprising maintaining a recombinant host cell comprising a recombinant nucleic acid of the invention under conditions suitable for expression of the recombinant nucleic acid, whereby the recombinant nucleic acid is expressed and a ligand is produced. In some
- 20 embodiments, the method further comprises isolating the ligand.

Ligand Formats

- Ligands and dAb monomers can be formatted as mono or multispecific antibodies or antibody fragments or into mono or multispecific non-antibody
- 25 structures. Suitable formats include, any suitable polypeptide structure in which an antibody variable domain or one or more of the CDRs thereof can be incorporated so as to confer binding specificity for antigen on the structure. A variety of suitable antibody formats are known in the art, such as, IgG-like formats, chimeric antibodies, humanized antibodies, human antibodies, single chain antibodies, bispecific
- 30 antibodies, antibody heavy chains, antibody light chains, homodimers and heterodimers of antibody heavy chains and/or light chains, antigen-binding fragments of any of the foregoing (*e.g.*, a Fv fragment (*e.g.*, single chain Fv (scFv), a disulfide bonded Fv), a Fab fragment, a Fab' fragment, a F(ab')₂ fragment), a single variable

domain (e.g., V_H , V_L , V_{HH}), a dAb, and modified versions of any of the foregoing (e.g., modified by the covalent attachment of polyalkylene glycol (e.g., polyethylene glycol, polypropylene glycol, polybutylene glycol) or other suitable polymer). See, PCT/GB03/002804, filed June 30, 2003, which designated the United States, (WO 5 2004/081026) regarding PEGylated of single variable domains and dAbs, suitable methods for preparing same, increased *in vivo* half life of the PEGylated single variable domains and dAb monomers and multimers, suitable PEGs, preferred hydrodynamic sizes of PEGs, and preferred hydrodynamic sizes of PEGylated single variable domains and dAb monomers and multimers. The entire teaching of 10 PCT/GB03/002804 (WO 2004/081026), including the portions referred to above, are incorporated herein by reference.

The ligand can be formatted as a dimer, trimer or polymer of the a desired dAb monomers, for example using a suitable linker such as $(\text{Gly}_4\text{Ser})_n$, where $n =$ from 1 to 8, e.g., 2, 3, 4, 5, 6 or 7. If desired, ligands, including dAb monomers, dimers and 15 trimers, can be linked to an antibody Fc region, comprising one or both of C_H2 and C_H3 domains, and optionally a hinge region. For example, vectors encoding ligands linked as a single nucleotide sequence to an Fc region may be used to prepare such polypeptides.

Ligands and dAb monomers can also be combined and/or formatted into non- 20 antibody multi-ligand structures to form multivalent complexes, which bind target molecules with the same antigen, thereby providing superior avidity. For example natural bacterial receptors such as SpA can be used as scaffolds for the grafting of CDRs to generate ligands which bind specifically to one or more epitopes. Details of this procedure are described in US 5,831,012. Other suitable scaffolds include those 25 based on fibronectin and affibodies. Details of suitable procedures are described in WO 98/58965. Other suitable scaffolds include lipocallin and CTLA4, as described in van den Beuken *et al.*, *J. Mol. Biol.* 310:591-601 (2001), and scaffolds such as those described in WO 00/69907 (Medical Research Council), which are based for example on the ring structure of bacterial GroEL or other chaperone polypeptides. 30 Protein scaffolds may be combined; for example, CDRs may be grafted on to a CTLA4 scaffold and used together with immunoglobulin V_H or V_L domains to form a ligand. Likewise, fibronectin, lipocallin and other scaffolds may be combined

A variety of suitable methods for preparing any desired format are known in the art. For example, antibody chains and formats (e.g., IgG-like formats, chimeric antibodies, humanized antibodies, human antibodies, single chain antibodies, bispecific antibodies, antibody heavy chains, antibody light chains, homodimers and heterodimers of antibody heavy chains and/or light chains) can be prepared by expression of suitable expression constructs and/or culture of suitable cells (e.g., hybridomas, heterohybridomas, recombinant host cells containing recombinant constructs encoding the format). Further, formats such as antigen-binding fragments of antibodies or antibody chains (e.g., a Fv fragment (e.g., single chain Fv (scFv), a disulfide bonded Fv), a Fab fragment, a Fab' fragment, a F(ab')₂ fragment), can be prepared by expression of suitable expression constructs or by enzymatic digestion of antibodies, for example using papain or pepsin.

The ligand can be formatted as a dual specific ligand or a multispecific ligand, for example as described in WO 03/002609, the entire teachings of which are incorporated herein by reference. The dual specific ligands comprise immunoglobulin single variable domains that have different binding specificities. Such dual specific ligands can comprise combinations of heavy and light chain domains. For example, the dual specific ligand may comprise a V_H domain and a V_L domain, which may be linked together in the form of an scFv (e.g., using a suitable linker such as Gly₄Ser), or formatted into a bispecific antibody or antigen-binding fragment thereof (e.g. F(ab')₂ fragment). The dual specific ligands do not comprise complementary V_H/V_L pairs which form a conventional two chain antibody antigen-binding site that binds antigen or epitope co-operatively. Instead, the dual format ligands comprise a V_H/V_L complementary pair, wherein the V domains have different binding specificities.

In addition, the dual specific ligands may comprise one or more C_H or C_L domains if desired. A hinge region domain may also be included if desired. Such combinations of domains may, for example, mimic natural antibodies, such as IgG or IgM, or fragments thereof, such as Fv, scFv, Fab or F(ab')₂ molecules. Other structures, such as a single arm of an IgG molecule comprising V_H, V_L, C_H1 and C_L domains, are envisaged. Preferably, the dual specific ligand of the invention comprises only two variable domains although several such ligands may be incorporated together into the same protein, for example two such ligands can be

incorporated into an IgG or a multimeric immunoglobulin, such as IgM. Alternatively, in another embodiment a plurality of dual specific ligands are combined to form a multimer. For example, two different dual specific ligands are combined to create a tetra-specific molecule. It will be appreciated by one skilled in the art that the light and heavy variable regions of a dual-specific ligand produced according to the method of the present invention may be on the same polypeptide chain, or alternatively, on different polypeptide chains. In the case that the variable regions are on different polypeptide chains, then they may be linked via a linker, generally a flexible linker (such as a polypeptide chain), a chemical linking group, or any other method known in the art.

The multispecific ligand possesses more than one epitope binding specificity. Generally, the multi-specific ligand comprises two or more epitope binding domains, such dAbs or non-antibody protein domain comprising a binding site for an epitope, e.g., an affibody, an SpA domain, an LDL receptor class A domain, an EGF domain, an avimer. Multispecific ligands can be formatted further as described herein.

In some embodiments, the ligand is an IgG-like format. Such formats have the conventional four chain structure of an IgG molecule (2 heavy chains and two light chains), in which one or more of the variable regions (V_H and or V_L) have been replaced with a dAb or single variable domain of a desired specificity. Preferably, each of the variable regions (2 V_H regions and 2 V_L regions) is replaced with a dAb or single variable domain. The dAb(s) or single variable domain(s) that are included in an IgG-like format can have the same specificity or different specificities. In some embodiments, the IgG-like format is tetravalent and can have one, two, three or four specificities. For example, the IgG-like format can be monospecific and comprises 4 dAbs that have the same specificity; bispecific and comprises 3 dAbs that have the same specificity and another dAb that has a different specificity; bispecific and comprise two dAbs that have the same specificity and two dAbs that have a common but different specificity; trispecific and comprises first and second dAbs that have the same specificity, a third dAbs with a different specificity and a fourth dAb with a different specificity from the first, second and third dAbs; or tetraspecific and comprise four dAbs that each have a different specificity. Antigen-binding fragments of IgG-like formats (e.g., Fab, $F(ab')_2$, Fab', Fv, scFv) can be prepared. Preferably, the IgG-like formats or antigen-binding fragments thereof do not crosslink TNFR1.

Half-life Extended Formats

An antagonist of TNFR1 (e.g., ligand, dAb monomer, dimer or multimer, dual specific format, multi-specific format) can be formatted to extend its *in vivo* serum half life. Increased *in vivo* half-life is useful in *in vivo* applications of immunoglobulins, especially antibodies and most especially antibody fragments of small size such as dAbs. Such fragments (Fvs, disulphide bonded Fvs, Fabs, scFvs, dAbs) are rapidly cleared from the body, which can severely limit clinical applications.

10 An antagonist of TNFR1 can be formatted to have a larger hydrodynamic size, for example, by attachment of a polyalkyleneglycol group (e.g. polyethyleneglycol (PEG) group), serum albumin, transferrin, transferrin receptor or at least the transferrin-binding portion thereof, an antibody Fc region, or by conjugation to an antibody domain. In some embodiments, the antagonist (e.g., ligand, dAb monomer)
15 is PEGylated. Preferably the PEGylated antagonist (e.g., ligand, dAb monomer) binds TNFR1 with substantially the same affinity as the same ligand that is not PEGylated. For example, the ligand can be a PEGylated dAb monomer that binds, wherein the PEGylated dAb monomer binds TNFR1 with an affinity that differs from the affinity of dAb in unPEGylated form by no more than a factor of about 1000,
20 preferably no more than a factor of about 100, more preferably no more than a factor of about 10, or with affinity substantially unchanged affinity relative to the unPEGylated form.

Small antagonists, such as a dAb monomer, can be formatted as a larger antigen-binding fragment of an antibody or as an antibody (e.g., formatted as a Fab, Fab', F(ab)₂, F(ab')₂, IgG, scFv). The hydrodynamic size of an antagonist (e.g., ligand, dAb monomer) and its serum half-life can also be increased by conjugating or linking the antagonist to a binding domain (e.g., antibody or antibody fragment) that binds an antigen or epitope that increases half-life *in vivo*, as described herein. For example,
25 the antagonists (e.g., ligand, dAb monomer) can be conjugated or linked to an anti-serum albumin or anti-neonatal Fc receptor antibody or antibody fragment, eg an anti-SA or anti-neonatal Fc receptor dAb, Fab, Fab' or scFv, or to an anti-SA affibody or anti-neonatal Fc receptor affibody.
30

Examples of suitable albumin, albumin fragments or albumin variants for use in a TNFR1-binding ligand according to the invention are described in WO 2005/077042A2, which is incorporated herein by reference in its entirety. In particular, the following albumin, albumin fragments or albumin variants can be used in the present invention:

- SEQ ID NO:1 (as disclosed in WO 2005/077042A2, this sequence being explicitly incorporated into the present disclosure by reference);
- Albumin fragment or variant comprising or consisting of amino acids 1-387 of SEQ ID NO:1 in WO 2005/077042A2;
- Albumin, or fragment or variant thereof, comprising an amino acid sequence selected from the group consisting of: (a) amino acids 54 to 61 of SEQ ID NO:1 in WO 2005/077042A2; (b) amino acids 76 to 89 of SEQ ID NO:1 in WO 2005/077042A2; (c) amino acids 92 to 100 of SEQ ID NO:1 in WO 2005/077042A2; (d) amino acids 170 to 176 of SEQ ID NO:1 in WO 2005/077042A2; (e) amino acids 247 to 252 of SEQ ID NO:1 in WO 2005/077042A2; (f) amino acids 266 to 277 of SEQ ID NO:1 in WO 2005/077042A2; (g) amino acids 280 to 288 of SEQ ID NO:1 in WO 2005/077042A2; (h) amino acids 362 to 368 of SEQ ID NO:1 in WO 2005/077042A2; (i) amino acids 439 to 447 of SEQ ID NO:1 in WO 2005/077042A2; (j) amino acids 462 to 475 of SEQ ID NO:1 in WO 2005/077042A2; (k) amino acids 478 to 486 of SEQ ID NO:1 in WO 2005/077042A2; and (l) amino acids 560 to 566 of SEQ ID NO:1 in WO 2005/077042A2.

Further examples of suitable albumin, fragments and analogs for use in a TNFR1-binding ligand according to the invention are described in WO 03/076567A2, which is incorporated herein by reference in its entirety. In particular, the following albumin, fragments or variants can be used in the present invention:

- Human serum albumin as described in WO 03/076567A2, eg, in figure 3 (this sequence information being explicitly incorporated into the present disclosure by reference);

- Human serum albumin (HA) consisting of a single non-glycosylated polypeptide chain of 585 amino acids with a formula molecular weight of 66,500 (See, Meloun, *et al.*, *FEBS Letters* 58:136 (1975); Behrens, *et al.*, *Fed. Proc.* 34:591 (1975); Lawn, *et al.*, *Nucleic Acids Research* 9:6102-6114 (1981); Minghetti, *et al.*, *J. Biol. Chem.* 261:6747 (1986));
- A polymorphic variant or analog or fragment of albumin as described in Weitkamp, *et al.*, *Ann. Hum. Genet.* 37:219 (1973);
- An albumin fragment or variant as described in EP 322094, eg, HA(1-373., HA(1-388), HA(1-389), HA(1-369), and HA(1-419) and fragments between 1-369 and 1-419;
- An albumin fragment or variant as described in EP 399666, eg, HA(1-177) and HA(1-200) and fragments between HA(1-X), where X is any number from 178 to 199.

Where a (one or more) half-life extending moiety (eg, albumin, transferrin and fragments and analogues thereof) is used in the TNFR1-binding ligands of the invention, it can be conjugated using any suitable method, such as, by direct fusion to the TNFR1-binding moiety (eg, anti-TNFR1 dAb or antibody fragment), for example by using a single nucleotide construct that encodes a fusion protein, wherein the fusion protein is encoded as a single polypeptide chain with the half-life extending moiety located N- or C-terminally to the TNFR1 binding moiety. Alternatively, conjugation can be achieved by using a peptide linker between moieties, eg, a peptide linker as described in WO 03/076567A2 or WO 2004/003019 (these linker disclosures being incorporated by reference in the present disclosure to provide examples for use in the present invention).

Typically, a polypeptide that enhances serum half-life *in vivo* is a polypeptide which occurs naturally *in vivo* and which resists degradation or removal by endogenous mechanisms which remove unwanted material from the organism (*e.g.*, human). For example, a polypeptide that enhances serum half-life *in vivo* can be selected from proteins from the extracellular matrix, proteins found in blood, proteins found at the blood brain barrier or in neural tissue, proteins localized to the kidney, liver, lung, heart, skin or bone, stress proteins, disease-specific proteins, or proteins involved in Fc transport.

Suitable polypeptides that enhance serum half-life *in vivo* include, for example, transferrin receptor specific ligand-neuropharmaceutical agent fusion proteins (see U.S. Patent No. 5,977,307, the teachings of which are incorporated herein by reference), brain capillary endothelial cell receptor, transferrin, transferrin receptor (*e.g.*, soluble transferrin receptor), insulin, insulin-like growth factor 1 (IGF 1) receptor, insulin-like growth factor 2 (IGF 2) receptor, insulin receptor, blood coagulation factor X, α 1-antitrypsin and HNF 1 α . Suitable polypeptides that enhance serum half-life also include alpha-1 glycoprotein (orosomucoid; AAG), alpha-1 antichymotrypsin (ACT), alpha-1 microglobulin (protein HC; AIM), antithrombin III (AT III), apolipoprotein A-1 (Apo A-1), apolipoprotein B (Apo B), ceruloplasmin (Cp), complement component C3 (C3), complement component C4 (C4), C1 esterase inhibitor (C1 INH), C-reactive protein (CRP), ferritin (FER), hemopexin (HPX), lipoprotein(a) (Lp(a)), mannose-binding protein (MBP), myoglobin (Myo), prealbumin (transthyretin; PAL), retinol-binding protein (RBP), and rheumatoid factor (RF).

Suitable proteins from the extracellular matrix include, for example, collagens, laminins, integrins and fibronectin. Collagens are the major proteins of the extracellular matrix. About 15 types of collagen molecules are currently known, found in different parts of the body, *e.g.* type I collagen (accounting for 90% of body collagen) found in bone, skin, tendon, ligaments, cornea, internal organs or type II collagen found in cartilage, vertebral disc, notochord, and vitreous humor of the eye.

Suitable proteins from the blood include, for example, plasma proteins (*e.g.*, fibrin, α -2 macroglobulin, serum albumin, fibrinogen (*e.g.*, fibrinogen A, fibrinogen B), serum amyloid protein A, haptoglobin, profilin, ubiquitin, uteroglobulin and β -2-microglobulin), enzymes and enzyme inhibitors (*e.g.*, plasminogen, lysozyme, cystatin C, alpha-1-antitrypsin and pancreatic trypsin inhibitor), proteins of the immune system, such as immunoglobulin proteins (*e.g.*, IgA, IgD, IgE, IgG, IgM, immunoglobulin light chains (kappa/lambda)), transport proteins (*e.g.*, retinol binding protein, α -1 microglobulin), defensins (*e.g.*, beta-defensin 1, neutrophil defensin 1, neutrophil defensin 2 and neutrophil defensin 3) and the like.

Suitable proteins found at the blood brain barrier or in neural tissue include, for example, melanocortin receptor, myelin, ascorbate transporter and the like.

Suitable polypeptides that enhances serum half-life *in vivo* also include proteins localized to the kidney (*e.g.*, polycystin, type IV collagen, organic anion transporter K1, Heymann's antigen), proteins localized to the liver (*e.g.*, alcohol dehydrogenase, G250), proteins localized to the lung (*e.g.*, secretory component, which binds IgA), proteins localized to the heart (*e.g.*, HSP 27, which is associated with dilated cardiomyopathy), proteins localized to the skin (*e.g.*, keratin), bone specific proteins such as morphogenic proteins (BMPs), which are a subset of the transforming growth factor β superfamily of proteins that demonstrate osteogenic activity (*e.g.*, BMP-2, BMP-4, BMP-5, BMP-6, BMP-7, BMP-8), tumor specific proteins (*e.g.*, trophoblast antigen, herceptin receptor, oestrogen receptor, cathepsins (*e.g.*, cathepsin B, which can be found in liver and spleen)).

Suitable disease-specific proteins include, for example, antigens expressed only on activated T-cells, including LAG-3 (lymphocyte activation gene), osteoprotegerin ligand (OPGL; see *Nature* 402, 304-309 (1999)), OX40 (a member of the TNF receptor family, expressed on activated T cells and specifically up-regulated in human T cell leukemia virus type-I (HTLV-I)-producing cells; see *Immunol.* 165 (1):263-70 (2000)). Suitable disease-specific proteins also include, for example, metalloproteases (associated with arthritis/cancers) including CG6512 *Drosophila*, human paraplegin, human FtsH, human AFG3L2, murine ftsH; and angiogenic growth factors, including acidic fibroblast growth factor (FGF-1), basic fibroblast growth factor (FGF-2), vascular endothelial growth factor/vascular permeability factor (VEGF/VPF), transforming growth factor- α (TGF α), tumor necrosis factor- α (TNF- α), angiogenin, interleukin-3 (IL-3), interleukin-8 (IL-8), platelet-derived endothelial growth factor (PD-ECGF), placental growth factor (PlGF), midkine platelet-derived growth factor-BB (PDGF), and fractalkine.

Suitable polypeptides that enhance serum half-life *in vivo* also include stress proteins such as heat shock proteins (HSPs). HSPs are normally found intracellularly. When they are found extracellularly, it is an indicator that a cell has died and spilled out its contents. This unprogrammed cell death (necrosis) occurs when as a result of trauma, disease or injury, extracellular HSPs trigger a response from the immune system. Binding to extracellular HSP can result in localizing the compositions of the invention to a disease site.

Suitable proteins involved in Fc transport include, for example, Brambell receptor (also known as FcRB). This Fc receptor has two functions, both of which are potentially useful for delivery. The functions are (1) transport of IgG from mother to child across the placenta (2) protection of IgG from degradation thereby prolonging its serum half-life. It is thought that the receptor recycles IgG from endosomes. (See, Holliger *et al*, *Nat Biotechnol* 15(7):632-6 (1997).)

Methods for pharmacokinetic analysis and determination of ligand half-life will be familiar to those skilled in the art. Details may be found in *Kenneth, A et al: Chemical Stability of Pharmaceuticals: A Handbook for Pharmacists* and in *Peters et al*, *Pharmacokinetic analysis: A Practical Approach* (1996). Reference is also made to "Pharmacokinetics", M Gibaldi & D Perron, published by Marcel Dekker, 2nd Rev. ex edition (1982), which describes pharmacokinetic parameters such as t alpha and t beta half lives and area under the curve (AUC).

15 Preparation of Immunoglobulin Based Ligands

Binding agents, antagonists, ligands, dAbs as described herein according to the invention can be prepared according to previously established techniques, used in the field of antibody engineering, for the preparation of scFv, "phage" antibodies and other engineered antibody molecules. Techniques for the preparation of antibodies are for example described in the following reviews and the references cited therein: Winter & Milstein, (1991) *Nature* 349:293-299; Pluckthun (1992) *Immunological Reviews* 130:151-188; Wright *et al.*, (1992) *Crit. Rev. Immunol.* 12:125-168; Holliger, P. & Winter, G. (1993) *Curr. Op. Biotechn.* 4, 446-449; Carter, *et al.* (1995) *J. Hematother.* 4, 463-470; Chester, K.A. & Hawkins, R.E. (1995) *Trends Biotechn.* 13, 294-300; Hoogenboom, H.R. (1997) *Nature Biotechnol.* 15, 125-126; Fearon, D. (1997) *Nature Biotechnol.* 15, 618-619; Plückthun, A. & Pack, P. (1997) *Immunotechnology* 3, 83-105; Carter, P. & Merchant, A.M. (1997) *Curr. Opin. Biotechnol.* 8, 449-454; Holliger, P. & Winter, G. (1997) *Cancer Immunol. Immunother.* 45,128-130.

Suitable techniques employed for selection of antibody variable domains with a desired specificity employ libraries and selection procedures which are known in the art. Natural libraries (Marks *et al.* (1991) *J. Mol. Biol.*, 222: 581; Vaughan *et al.* (1996) *Nature Biotech.*, 14: 309) which use rearranged V genes harvested from

human B cells are well known to those skilled in the art. Synthetic libraries (Hoogenboom & Winter (1992) *J. Mol. Biol.*, 227: 381; Barbas *et al.* (1992) *Proc. Natl. Acad. Sci. USA*, 89: 4457; Nissim *et al.* (1994) *EMBO J.*, 13: 692; Griffiths *et al.* (1994) *EMBO J.*, 13: 3245; De Kruif *et al.* (1995) *J. Mol. Biol.*, 248: 97) are prepared by cloning immunoglobulin V genes, usually using PCR. Errors in the PCR process can lead to a high degree of randomisation. V_H and/or V_L libraries may be selected against target antigens or epitopes separately, in which case single domain binding is directly selected for, or together.

10 Library vector systems

A variety of selection systems are known in the art which are suitable for use in the present invention. Examples of such systems are described below.

Bacteriophage lambda expression systems may be screened directly as bacteriophage plaques or as colonies of lysogens, both as previously described (Huse *et al.* (1989) *Science*, 246: 1275; Caton and Koprowski (1990) *Proc. Natl. Acad. Sci. U.S.A.*, 87; Mullinax *et al.* (1990) *Proc. Natl. Acad. Sci. U.S.A.*, 87: 8095; Persson *et al.* (1991) *Proc. Natl. Acad. Sci. U.S.A.*, 88: 2432) and are of use in the invention. Whilst such expression systems can be used to screen up to 10⁶ different members of a library, they are not really suited to screening of larger numbers (greater than 10⁶ members). Of particular use in the construction of libraries are selection display systems, which enable a nucleic acid to be linked to the polypeptide it expresses. As used herein, a selection display system is a system that permits the selection, by suitable display means, of the individual members of the library by binding the generic and/or target ligands.

Selection protocols for isolating desired members of large libraries are known in the art, as typified by phage display techniques. Such systems, in which diverse peptide sequences are displayed on the surface of filamentous bacteriophage (Scott and Smith (1990) *Science*, 249: 386), have proven useful for creating libraries of antibody fragments (and the nucleotide sequences that encoding them) for the *in vitro* selection and amplification of specific antibody fragments that bind a target antigen (McCafferty *et al.*, WO 92/01047). The nucleotide sequences encoding the variable regions are linked to gene fragments which encode leader signals that direct them to the periplasmic space of *E. coli* and as a result the resultant antibody fragments are

displayed on the surface of the bacteriophage, typically as fusions to bacteriophage coat proteins (e.g., pIII or pVIII). Alternatively, antibody fragments are displayed externally on lambda phage capsids (phagebodies). An advantage of phage-based display systems is that, because they are biological systems, selected library members
5 can be amplified simply by growing the phage containing the selected library member in bacterial cells. Furthermore, since the nucleotide sequence that encode the polypeptide library member is contained on a phage or phagemid vector, sequencing, expression and subsequent genetic manipulation is relatively straightforward.

Methods for the construction of bacteriophage antibody display libraries and
10 lambda phage expression libraries are well known in the art (McCafferty *et al.* (1990) *Nature*, 348: 552; Kang *et al.* (1991) *Proc. Natl. Acad. Sci. U.S.A.*, 88: 4363; Clackson *et al.* (1991) *Nature*, 352: 624; Lowman *et al.* (1991) *Biochemistry*, 30: 10832; Burton *et al.* (1991) *Proc. Natl. Acad. Sci. U.S.A.*, 88: 10134; Hoogenboom *et al.* (1991) *Nucleic Acids Res.*, 19: 4133; Chang *et al.* (1991) *J. Immunol.*, 147: 3610;
15 Breitling *et al.* (1991) *Gene*, 104: 147; Marks *et al.* (1991) *supra*; Barbas *et al.* (1992) *supra*; Hawkins and Winter (1992) *J. Immunol.*, 22: 867; Marks *et al.*, 1992, *J. Biol. Chem.*, 267: 16007; Lerner *et al.* (1992) *Science*, 258: 1313, incorporated herein by reference).

One particularly advantageous approach has been the use of scFv phage-
20 libraries (Huston *et al.*, 1988, *Proc. Natl. Acad. Sci. U.S.A.*, 85: 5879-5883; Chaudhary *et al.* (1990) *Proc. Natl. Acad. Sci. U.S.A.*, 87: 1066-1070; McCafferty *et al.* (1990) *supra*; Clackson *et al.* (1991) *Nature*, 352: 624; Marks *et al.* (1991) *J. Mol. Biol.*, 222: 581; Chiswell *et al.* (1992) *Trends Biotech.*, 10: 80; Marks *et al.* (1992) *J. Biol. Chem.*, 267). Various embodiments of scFv libraries displayed on bacteriophage
25 coat proteins have been described. Refinements of phage display approaches are also known, for example as described in WO96/06213 and WO92/01047 (Medical Research Council *et al.*) and WO97/08320 (Morphosys), which are incorporated herein by reference.

Other systems for generating libraries of polypeptides involve the use of cell-
30 free enzymatic machinery for the *in vitro* synthesis of the library members. In one method, RNA molecules are selected by alternate rounds of selection against a target ligand and PCR amplification (Tuerk and Gold (1990) *Science*, 249: 505; Ellington and Szostak (1990) *Nature*, 346: 818). A similar technique may be used to identify

DNA sequences which bind a predetermined human transcription factor (Thiesen and Bach (1990) *Nucleic Acids Res.*, 18: 3203; Beaudry and Joyce (1992) *Science*, 257: 635; WO92/05258 and WO92/14843). In a similar way, *in vitro* translation can be used to synthesise polypeptides as a method for generating large libraries. These methods which generally comprise stabilised polysome complexes, are described further in WO88/08453, WO90/05785, WO90/07003, WO91/02076, WO91/05058, and WO92/02536. Alternative display systems which are not phage-based, such as those disclosed in WO95/22625 and WO95/11922 (Affymax) use the polysomes to display polypeptides for selection.

10 A still further category of techniques involves the selection of repertoires in artificial compartments, which allow the linkage of a gene with its gene product. For example, a selection system in which nucleic acids encoding desirable gene products may be selected in microcapsules formed by water-in-oil emulsions is described in WO99/02671, WO00/40712 and Tawfik & Griffiths (1998) *Nature Biotechnol* 16(7), 15 652-6. Genetic elements encoding a gene product having a desired activity are compartmentalised into microcapsules and then transcribed and/or translated to produce their respective gene products (RNA or protein) within the microcapsules. Genetic elements which produce gene product having desired activity are subsequently sorted. This approach selects gene products of interest by detecting the 20 desired activity by a variety of means.

Library Construction

Libraries intended for selection, may be constructed using techniques known in the art, for example as set forth above, or may be purchased from commercial 25 sources. Libraries which are useful in the present invention are described, for example, in WO99/20749. Once a vector system is chosen and one or more nucleic acid sequences encoding polypeptides of interest are cloned into the library vector, one may generate diversity within the cloned molecules by undertaking mutagenesis prior to expression; alternatively, the encoded proteins may be expressed and selected, 30 as described above, before mutagenesis and additional rounds of selection are performed. Mutagenesis of nucleic acid sequences encoding structurally optimised polypeptides is carried out by standard molecular methods. Of particular use is the polymerase chain reaction, or PCR, (Mullis and Faloona (1987) *Methods Enzymol.*,

155: 335, herein incorporated by reference). PCR, which uses multiple cycles of DNA replication catalysed by a thermostable, DNA-dependent DNA polymerase to amplify the target sequence of interest, is well known in the art. The construction of various antibody libraries has been discussed in Winter *et al.* (1994) Ann. Rev. Immunology 12, 433-55, and references cited therein.

PCR is performed using template DNA (at least 1fg; more usefully, 1-1000 ng) and at least 25 pmol of oligonucleotide primers; it may be advantageous to use a larger amount of primer when the primer pool is heavily heterogeneous, as each sequence is represented by only a small fraction of the molecules of the pool, and amounts become limiting in the later amplification cycles. A typical reaction mixture includes: 2µl of DNA, 25 pmol of oligonucleotide primer, 2.5 µl of 10X PCR buffer 1 (Perkin-Elmer, Foster City, CA), 0.4 µl of 1.25 µM dNTP, 0.15 µl (or 2.5 units) of Taq DNA polymerase (Perkin Elmer, Foster City, CA) and deionized water to a total volume of 25 µl. Mineral oil is overlaid and the PCR is performed using a programmable thermal cycler. The length and temperature of each step of a PCR cycle, as well as the number of cycles, is adjusted in accordance to the stringency requirements in effect. Annealing temperature and timing are determined both by the efficiency with which a primer is expected to anneal to a template and the degree of mismatch that is to be tolerated; obviously, when nucleic acid molecules are simultaneously amplified and mutagenised, mismatch is required, at least in the first round of synthesis. The ability to optimise the stringency of primer annealing conditions is well within the knowledge of one of moderate skill in the art. An annealing temperature of between 30 °C and 72 °C is used. Initial denaturation of the template molecules normally occurs at between 92°C and 99°C for 4 minutes, followed by 20-40 cycles consisting of denaturation (94-99°C for 15 seconds to 1 minute), annealing (temperature determined as discussed above; 1-2 minutes), and extension (72°C for 1-5 minutes, depending on the length of the amplified product). Final extension is generally for 4 minutes at 72°C, and may be followed by an indefinite (0-24 hour) step at 4°C.

Combining Single Variable Domains

Domains useful in the invention, once selected, may be combined by a variety of methods known in the art, including covalent and non-covalent methods. Preferred

methods include the use of polypeptide linkers, as described, for example, in connection with scFv molecules (Bird *et al.*, (1988) Science 242:423-426).

Discussion of suitable linkers is provided in Bird *et al.* Science 242, 423-426; Hudson *et al.*, Journal Immunol Methods 231 (1999) 177-189; Hudson *et al.*, Proc Nat Acad Sci USA 85, 5879-5883. Linkers are preferably flexible, allowing the two single domains to interact. One linker example is a (Gly₄ Ser)_n linker, where n=1 to 8, eg, 2, 3, 4, 5 or 7. The linkers used in diabodies, which are less flexible, may also be employed (Holliger *et al.*, (1993) PNAS (USA) 90:6444-6448). In one embodiment, the linker employed is not an immunoglobulin hinge region.

Variable domains may be combined using methods other than linkers. For example, the use of disulphide bridges, provided through naturally-occurring or engineered cysteine residues, may be exploited to stabilise V_H-V_H, V_L-V_L or V_H-V_L dimers (Reiter *et al.*, (1994) Protein Eng. 7:697-704) or by remodelling the interface between the variable domains to improve the "fit" and thus the stability of interaction (Ridgeway *et al.*, (1996) Protein Eng. 7:617-621; Zhu *et al.*, (1997) Protein Science 6:781-788). Other techniques for joining or stabilising variable domains of immunoglobulins, and in particular antibody V_H domains, may be employed as appropriate.

Characterisation of Ligands

The binding of a ligand (e.g., dAb monomer, dual-specific ligand) to its specific antigen(s) or epitope(s) can be tested by methods which will be familiar to those skilled in the art and include ELISA. In a preferred embodiment of the invention binding is tested using monoclonal phage ELISA. Phage ELISA may be performed according to any suitable procedure: an exemplary protocol is set forth below.

Populations of phage produced at each round of selection can be screened for binding by ELISA to the selected antigen or epitope, to identify "polyclonal" phage antibodies. Phage from single infected bacterial colonies from these populations can then be screened by ELISA to identify "monoclonal" phage antibodies. It is also desirable to screen soluble antibody fragments for binding to antigen or epitope, and this can also be undertaken by ELISA using reagents, for example, against a C- or N-terminal tag (see for example Winter *et al.* (1994) Ann. Rev. Immunology 12, 433-55 and references cited therein).

The diversity of the selected phage monoclonal antibodies may also be assessed by gel electrophoresis of PCR products (Marks *et al.* 1991, *supra*; Nissim *et al.* 1994 *supra*), probing (Tomlinson *et al.*, 1992) J. Mol. Biol. 227, 776) or by sequencing of the vector DNA.

5

Structure of Ligands

In the case that the variable domains are selected from V-gene repertoires selected for instance using phage display technology as herein described, then these variable domains comprise a universal framework region, such that is they may be
10 recognised by a specific generic ligand as herein defined. The use of universal frameworks, generic ligands and the like is described in WO99/20749.

Where V-gene repertoires are used variation in polypeptide sequence is preferably located within the structural loops of the variable domains. The polypeptide sequences of either variable domain may be altered by DNA shuffling or
15 by mutation in order to enhance the interaction of each variable domain with its complementary pair. DNA shuffling is known in the art and taught, for example, by Stemmer, 1994, *Nature* 370: 389-391 and U.S. Patent No. 6,297,053, both of which are incorporated herein by reference. Other methods of mutagenesis are well known to those of skill in the art.

20 In general, nucleic acid molecules and vector constructs required for selection, preparation and formatting ligands may be constructed and manipulated as set forth in standard laboratory manuals, such as Sambrook *et al.* (1989) *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor, USA.

The manipulation of nucleic acids useful in the present invention is typically
25 carried out in recombinant vectors.

As used herein, vector refers to a discrete element that is used to introduce heterologous DNA into cells for the expression and/or replication thereof. Methods by which to select or construct and, subsequently, use such vectors are well known to one of ordinary skill in the art. Numerous vectors are publicly available, including
30 bacterial plasmids, bacteriophage, artificial chromosomes and episomal vectors. Such vectors may be used for simple cloning and mutagenesis; alternatively gene expression vector is employed. A vector of use according to the invention may be selected to accommodate a polypeptide coding sequence of a desired size, typically

from 0.25 kilobase (kb) to 40 kb or more in length. A suitable host cell is transformed with the vector after *in vitro* cloning manipulations. Each vector contains various functional components, which generally include a cloning (or "polylinker") site, an origin of replication and at least one selectable marker gene. If given vector is an expression vector, it additionally possesses one or more of the following: enhancer element, promoter, transcription termination and signal sequences, each positioned in the vicinity of the cloning site, such that they are operatively linked to the gene encoding a ligand according to the invention.

Both cloning and expression vectors generally contain nucleic acid sequences that enable the vector to replicate in one or more selected host cells. Typically in cloning vectors, this sequence is one that enables the vector to replicate independently of the host chromosomal DNA and includes origins of replication or autonomously replicating sequences. Such sequences are well known for a variety of bacteria, yeast and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2 micron plasmid origin is suitable for yeast, and various viral origins (e.g. SV 40, adenovirus) are useful for cloning vectors in mammalian cells. Generally, the origin of replication is not needed for mammalian expression vectors unless these are used in mammalian cells able to replicate high levels of DNA, such as COS cells.

Advantageously, a cloning or expression vector may contain a selection gene also referred to as selectable marker. This gene encodes a protein necessary for the survival or growth of transformed host cells grown in a selective culture medium. Host cells not transformed with the vector containing the selection gene will therefore not survive in the culture medium. Typical selection genes encode proteins that confer resistance to antibiotics and other toxins, e.g. ampicillin, neomycin, methotrexate or tetracycline, complement auxotrophic deficiencies, or supply critical nutrients not available in the growth media.

Since the replication of vectors encoding a ligand according to the present invention is most conveniently performed in *E. coli*, an *E. coli*-selectable marker, for example, the β -lactamase gene that confers resistance to the antibiotic ampicillin, is of use. These can be obtained from *E. coli* plasmids, such as pBR322 or a pUC plasmid such as pUC18 or pUC19.

Expression vectors usually contain a promoter that is recognised by the host organism and is operably linked to the coding sequence of interest. Such a promoter may be inducible or constitutive. The term "operably linked" refers to a juxtaposition wherein the components described are in a relationship permitting them to function in their intended manner. A control sequence "operably linked" to a coding sequence is ligated in such a way that expression of the coding sequence is achieved under conditions compatible with the control sequences.

Promoters suitable for use with prokaryotic hosts include, for example, the β -lactamase and lactose promoter systems, alkaline phosphatase, the tryptophan (trp) promoter system and hybrid promoters such as the tac promoter. Promoters for use in bacterial systems will also generally contain a Shine-Delgarno sequence operably linked to the coding sequence.

The preferred vectors are expression vectors that enables the expression of a nucleotide sequence corresponding to a polypeptide library member. Thus, selection with the first and/or second antigen or epitope can be performed by separate propagation and expression of a single clone expressing the polypeptide library member or by use of any selection display system. As described above, the preferred selection display system is bacteriophage display. Thus, phage or phagemid vectors may be used, eg pIT1 or pIT2. Leader sequences useful in the invention include pelB, stII, ompA, phoA, bla and pelA. One example are phagemid vectors which have an *E. coli* origin of replication (for double stranded replication) and also a phage origin of replication (for production of single-stranded DNA). The manipulation and expression of such vectors is well known in the art (Hoogenboom and Winter (1992) supra; Nissim *et al.* (1994) supra). Briefly, the vector contains a β -lactamase gene to confer selectivity on the phagemid and a lac promoter upstream of a expression cassette that consists (N to C terminal) of a pelB leader sequence (which directs the expressed polypeptide to the periplasmic space), a multiple cloning site (for cloning the nucleotide version of the library member), optionally, one or more peptide tag (for detection), optionally, one or more TAG stop codon and the phage protein pIII. Thus, using various suppressor and non-suppressor strains of *E. coli* and with the addition of glucose, iso-propyl thio- β -D-galactoside (IPTG) or a helper phage, such as VCS M13, the vector is able to replicate as a plasmid with no expression, produce large

quantities of the polypeptide library member only or produce phage, some of which contain at least one copy of the polypeptide-pIII fusion on their surface.

Construction of vectors encoding ligands according to the invention employs conventional ligation techniques. Isolated vectors or DNA fragments are cleaved, tailored, and religated in the form desired to generate the required vector. If desired, analysis to confirm that the correct sequences are present in the constructed vector can be performed in a known fashion. Suitable methods for constructing expression vectors, preparing *in vitro* transcripts, introducing DNA into host cells, and performing analyses for assessing expression and function are known to those skilled in the art. The presence of a gene sequence in a sample is detected, or its amplification and/or expression quantified by conventional methods, such as Southern or Northern analysis, Western blotting, dot blotting of DNA, RNA or protein, *in situ* hybridisation, immunocytochemistry or sequence analysis of nucleic acid or protein molecules. Those skilled in the art will readily envisage how these methods may be modified, if desired.

Skeletons

Skeletons may be based on immunoglobulin molecules or may be non-immunoglobulin in origin as set forth above. Preferred immunoglobulin skeletons as herein defined includes any one or more of those selected from the following: an immunoglobulin molecule comprising at least (i) the CL (kappa or lambda subclass) domain of an antibody; or (ii) the CH1 domain of an antibody heavy chain; an immunoglobulin molecule comprising the CH1 and CH2 domains of an antibody heavy chain; an immunoglobulin molecule comprising the CH1, CH2 and CH3 domains of an antibody heavy chain; or any of the subset (ii) in conjunction with the CL (kappa or lambda subclass) domain of an antibody. A hinge region domain may also be included.. Such combinations of domains may, for example, mimic natural antibodies, such as IgG or IgM, or fragments thereof, such as Fv, scFv, Fab or F(ab')₂ molecules. Those skilled in the art will be aware that this list is not intended to be exhaustive.

Protein Scaffolds

Each epitope binding domain comprises a protein scaffold and one or more CDRs which are involved in the specific interaction of the domain with one or more epitopes. Advantageously, an epitope binding domain according to the present invention comprises three CDRs. Suitable protein scaffolds include any of those selected from the group consisting of the following: those based on immunoglobulin domains, those based on fibronectin, those based on affibodies, those based on CTLA4, those based on chaperones such as GroEL, those based on lipocalin and those based on the bacterial Fc receptors SpA and SpD. Those skilled in the art will appreciate that this list is not intended to be exhaustive.

10

Scaffolds for use in Constructing Ligands

Selection of the Main-chain Conformation

The members of the immunoglobulin superfamily all share a similar fold for their polypeptide chain. For example, although antibodies are highly diverse in terms of their primary sequence, comparison of sequences and crystallographic structures has revealed that, contrary to expectation, five of the six antigen binding loops of antibodies (H1, H2, L1, L2, L3) adopt a limited number of main-chain conformations, or canonical structures (Chothia and Lesk (1987) *J. Mol. Biol.*, 196: 901; Chothia *et al.* (1989) *Nature*, 342: 877). Analysis of loop lengths and key residues has therefore enabled prediction of the main-chain conformations of H1, H2, L1, L2 and L3 found in the majority of human antibodies (Chothia *et al.* (1992) *J. Mol. Biol.*, 227: 799; Tomlinson *et al.* (1995) *EMBO J.*, 14: 4628; Williams *et al.* (1996) *J. Mol. Biol.*, 264: 220). Although the H3 region is much more diverse in terms of sequence, length and structure (due to the use of D segments), it also forms a limited number of main-chain conformations for short loop lengths which depend on the length and the presence of particular residues, or types of residue, at key positions in the loop and the antibody framework (Martin *et al.* (1996) *J. Mol. Biol.*, 263: 800; Shirai *et al.* (1996) *FEBS Letters*, 399: 1).

Libraries of ligands and/or domains can be designed in which certain loop lengths and key residues have been chosen to ensure that the main-chain conformation of the members is known. Advantageously, these are real conformations of immunoglobulin superfamily molecules found in nature, to minimise the chances that they are non-functional, as discussed above. Germline V gene segments serve as one

30

suitable basic framework for constructing antibody or T-cell receptor libraries; other sequences are also of use. Variations may occur at a low frequency, such that a small number of functional members may possess an altered main-chain conformation, which does not affect its function.

5 Canonical structure theory is also of use to assess the number of different main-chain conformations encoded by ligands, to predict the main-chain conformation based on ligand sequences and to choose residues for diversification which do not affect the canonical structure. It is known that, in the human V_{κ} domain, the L1 loop can adopt one of four canonical structures, the L2 loop has a single
10 canonical structure and that 90% of human V_{κ} domains adopt one of four or five canonical structures for the L3 loop (Tomlinson *et al.* (1995) *supra*); thus, in the V_{κ} domain alone, different canonical structures can combine to create a range of different main-chain conformations. Given that the V_{λ} domain encodes a different range of canonical structures for the L1, L2 and L3 loops and that V_{κ} and V_{λ} domains can pair
15 with any V_H domain which can encode several canonical structures for the H1 and H2 loops, the number of canonical structure combinations observed for these five loops is very large. This implies that the generation of diversity in the main-chain conformation may be essential for the production of a wide range of binding specificities. However, by constructing an antibody library based on a single known
20 main-chain conformation it has been found, contrary to expectation, that diversity in the main-chain conformation is not required to generate sufficient diversity to target substantially all antigens. Even more surprisingly, the single main-chain conformation need not be a consensus structure - a single naturally occurring conformation can be used as the basis for an entire library. Thus, in a preferred aspect, the dual-specific
25 ligands of the invention possess a single known main-chain conformation.

 The single main-chain conformation that is chosen is preferably commonplace among molecules of the immunoglobulin superfamily type in question. A conformation is commonplace when a significant number of naturally occurring molecules are observed to adopt it. Accordingly, in a preferred aspect of the
30 invention, the natural occurrence of the different main-chain conformations for each binding loop of an immunoglobulin domain are considered separately and then a naturally occurring variable domain is chosen which possesses the desired

combination of main-chain conformations for the different loops. If none is available, the nearest equivalent may be chosen. It is preferable that the desired combination of main-chain conformations for the different loops is created by selecting germline gene segments which encode the desired main-chain conformations. It is more preferable, that the selected germline gene segments are frequently expressed in nature, and most preferable that they are the most frequently expressed of all natural germline gene segments.

In designing ligands (e.g., dAbs) or libraries thereof the incidence of the different main-chain conformations for each of the six antigen binding loops may be considered separately. For H1, H2, L1, L2 and L3, a given conformation that is adopted by between 20% and 100% of the antigen binding loops of naturally occurring molecules is chosen. Typically, its observed incidence is above 35% (i.e. between 35% and 100%) and, ideally, above 50% or even above 65%. Since the vast majority of H3 loops do not have canonical structures, it is preferable to select a main-chain conformation which is commonplace among those loops which do display canonical structures. For each of the loops, the conformation which is observed most often in the natural repertoire is therefore selected. In human antibodies, the most popular canonical structures (CS) for each loop are as follows: H1 - CS 1 (79% of the expressed repertoire), H2 - CS 3 (46%), L1 - CS 2 of V_κ (39%), L2 - CS 1 (100%), L3 - CS 1 of V_κ (36%) (calculation assumes a κ:λ ratio of 70:30, Hood *et al.* (1967) *Cold Spring Harbor Symp. Quant. Biol.*, 48: 133). For H3 loops that have canonical structures, a CDR3 length (Kabat *et al.* (1991) *Sequences of proteins of immunological interest*, U.S. Department of Health and Human Services) of seven residues with a salt-bridge from residue 94 to residue 101 appears to be the most common. There are at least 16 human antibody sequences in the EMBL data library with the required H3 length and key residues to form this conformation and at least two crystallographic structures in the protein data bank which can be used as a basis for antibody modelling (2cgr and 1tet). The most frequently expressed germline gene segments that this combination of canonical structures are the V_H segment 3-23 (DP-47), the J_H segment JH4b, the V_κ segment O2/O12 (DPK9) and the J_κ segment J_κ1. V_H segments DP45 and DP38 are also suitable. These segments can therefore be used in

combination as a basis to construct a library with the desired single main-chain conformation.

Alternatively, instead of choosing the single main-chain conformation based on the natural occurrence of the different main-chain conformations for each of the binding loops in isolation, the natural occurrence of combinations of main-chain conformations is used as the basis for choosing the single main-chain conformation. In the case of antibodies, for example, the natural occurrence of canonical structure combinations for any two, three, four, five or for all six of the antigen binding loops can be determined. Here, it is preferable that the chosen conformation is commonplace in naturally occurring antibodies and most preferable that it observed most frequently in the natural repertoire. Thus, in human antibodies, for example, when natural combinations of the five antigen binding loops, H1, H2, L1, L2 and L3, are considered, the most frequent combination of canonical structures is determined and then combined with the most popular conformation for the H3 loop, as a basis for choosing the single main-chain conformation.

Diversification of the Canonical Sequence

Having selected several known main-chain conformations or, preferably a single known main-chain conformation, ligands (e.g., dAbs) or libraries for use in the invention can be constructed by varying the binding site of the molecule in order to generate a repertoire with structural and/or functional diversity. This means that variants are generated such that they possess sufficient diversity in their structure and/or in their function so that they are capable of providing a range of activities.

The desired diversity is typically generated by varying the selected molecule at one or more positions. The positions to be changed can be chosen at random or are preferably selected. The variation can then be achieved either by randomisation, during which the resident amino acid is replaced by any amino acid or analogue thereof, natural or synthetic, producing a very large number of variants or by replacing the resident amino acid with one or more of a defined subset of amino acids, producing a more limited number of variants.

Various methods have been reported for introducing such diversity. Error-prone PCR (Hawkins *et al.* (1992) *J. Mol. Biol.*, 226: 889), chemical mutagenesis (Deng *et al.* (1994) *J. Biol. Chem.*, 269: 9533) or bacterial mutator strains (Low *et al.*

(1996) *J. Mol. Biol.*, 260: 359) can be used to introduce random mutations into the genes that encode the molecule. Methods for mutating selected positions are also well known in the art and include the use of mismatched oligonucleotides or degenerate oligonucleotides, with or without the use of PCR. For example, several synthetic
5 antibody libraries have been created by targeting mutations to the antigen binding loops. The H3 region of a human tetanus toxoid-binding Fab has been randomised to create a range of new binding specificities (Barbas *et al.* (1992) *Proc. Natl. Acad. Sci. USA*, 89: 4457). Random or semi-random H3 and L3 regions have been appended to germline V gene segments to produce large libraries with unmutated framework
10 regions (Hoogenboom & Winter (1992) *J. Mol. Biol.*, 227: 381; Barbas *et al.* (1992) *Proc. Natl. Acad. Sci. USA*, 89: 4457; Nissim *et al.* (1994) *EMBO J.*, 13: 692; Griffiths *et al.* (1994) *EMBO J.*, 13: 3245; De Kruif *et al.* (1995) *J. Mol. Biol.*, 248: 97). Such diversification has been extended to include some or all of the other antigen binding loops (Cramer *et al.* (1996) *Nature Med.*, 2: 100; Riechmann *et al.* (1995)
15 *Bio/Technology*, 13: 475; Morphosys, WO97/08320, *supra*).

Since loop randomisation has the potential to create approximately more than 10^{15} structures for H3 alone and a similarly large number of variants for the other five loops, it is not feasible using current transformation technology or even by using cell free systems to produce a library representing all possible combinations. For example,
20 in one of the largest libraries constructed to date, 6×10^{10} different antibodies, which is only a fraction of the potential diversity for a library of this design, were generated (Griffiths *et al.* (1994) *supra*).

Preferably, only the residues which are directly involved in creating or modifying the desired function of the molecule are diversified. For many molecules,
25 the function will be to bind a target and therefore diversity should be concentrated in the target binding site, while avoiding changing residues which are crucial to the overall packing of the molecule or to maintaining the chosen main-chain conformation.

30 Diversification of the Canonical Sequence as it Applies to Antibody Domains

In the case of antibody based ligands (e.g., dAbs), the binding site for the target is most often the antigen binding site. Thus, preferably only those residues in the antigen binding site are varied. These residues are extremely diverse in the human

antibody repertoire and are known to make contacts in high-resolution antibody/antigen complexes. For example, in L2 it is known that positions 50 and 53 are diverse in naturally occurring antibodies and are observed to make contact with the antigen. In contrast, the conventional approach would have been to diversify all the residues in the corresponding Complementarity Determining Region (CDR1) as defined by Kabat *et al.* (1991, *supra*), some seven residues compared to the two diversified in the library for use according to the invention. This represents a significant improvement in terms of the functional diversity required to create a range of antigen binding specificities.

10 In nature, antibody diversity is the result of two processes: somatic recombination of germline V, D and J gene segments to create a naive primary repertoire (so called germline and junctional diversity) and somatic hypermutation of the resulting rearranged V genes. Analysis of human antibody sequences has shown that diversity in the primary repertoire is focused at the centre of the antigen binding site whereas somatic hypermutation spreads diversity to regions at the periphery of the antigen binding site that are highly conserved in the primary repertoire (see Tomlinson *et al.* (1996) *J. Mol. Biol.*, 256: 813). This complementarity has probably evolved as an efficient strategy for searching sequence space and, although apparently unique to antibodies, it can easily be applied to other polypeptide repertoires. The residues which are varied are a subset of those that form the binding site for the target. Different (including overlapping) subsets of residues in the target binding site are diversified at different stages during selection, if desired.

25 In the case of an antibody repertoire, an initial 'naive' repertoire can be created where some, but not all, of the residues in the antigen binding site are diversified. As used herein in this context, the term "naive" refers to antibody molecules that have no pre-determined target. These molecules resemble those which are encoded by the immunoglobulin genes of an individual who has not undergone immune diversification, as is the case with fetal and newborn individuals, whose immune systems have not yet been challenged by a wide variety of antigenic stimuli. This repertoire is then selected against a range of antigens or epitopes. If required, further diversity can then be introduced outside the region diversified in the initial repertoire. This matured repertoire can be selected for modified function, specificity or affinity.

Naive repertoires of binding domains for the construction of ligands in which some or all of the residues in the antigen binding site are varied are known in the art. (See, WO 2004/058821, WO 2004/003019, and WO 03/002609). The "primary" library mimics the natural primary repertoire, with diversity restricted to residues at the centre of the antigen binding site that are diverse in the germline V gene segments (germline diversity) or diversified during the recombination process (junctional diversity). Those residues which are diversified include, but are not limited to, H50, H52, H52a, H53, H55, H56, H58, H95, H96, H97, H98, L50, L53, L91, L92, L93, L94 and L96. In the "somatic" library, diversity is restricted to residues that are diversified during the recombination process (junctional diversity) or are highly somatically mutated). Those residues which are diversified include, but are not limited to: H31, H33, H35, H95, H96, H97, H98, L30, L31, L32, L34 and L96. All the residues listed above as suitable for diversification in these libraries are known to make contacts in one or more antibody-antigen complexes. Since in both libraries, not all of the residues in the antigen binding site are varied, additional diversity is incorporated during selection by varying the remaining residues, if it is desired to do so. It shall be apparent to one skilled in the art that any subset of any of these residues (or additional residues which comprise the antigen binding site) can be used for the initial and/or subsequent diversification of the antigen binding site.

In the construction of libraries for use in the invention, diversification of chosen positions is typically achieved at the nucleic acid level, by altering the coding sequence which specifies the sequence of the polypeptide such that a number of possible amino acids (all 20 or a subset thereof) can be incorporated at that position. Using the IUPAC nomenclature, the most versatile codon is NNK, which encodes all amino acids as well as the TAG stop codon. The NNK codon is preferably used in order to introduce the required diversity. Other codons which achieve the same ends are also of use, including the NNN codon, which leads to the production of the additional stop codons TGA and TAA.

A feature of side-chain diversity in the antigen binding site of human antibodies is a pronounced bias which favours certain amino acid residues. If the amino acid composition of the ten most diverse positions in each of the V_H , V_K and V_L regions are summed, more than 76% of the side-chain diversity comes from only seven different residues, these being, serine (24%), tyrosine (14%), asparagine (11%),

glycine (9%), alanine (7%), aspartate (6%) and threonine (6%). This bias towards hydrophilic residues and small residues which can provide main-chain flexibility probably reflects the evolution of surfaces which are predisposed to binding a wide range of antigens or epitopes and may help to explain the required promiscuity of antibodies in the primary repertoire.

Since it is preferable to mimic this distribution of amino acids, the distribution of amino acids at the positions to be varied preferably mimics that seen in the antigen binding site of antibodies. Such bias in the substitution of amino acids that permits selection of certain polypeptides (not just antibody polypeptides) against a range of target antigens is easily applied to any polypeptide repertoire. There are various methods for biasing the amino acid distribution at the position to be varied (including the use of tri-nucleotide mutagenesis, see WO97/08320), of which the preferred method, due to ease of synthesis, is the use of conventional degenerate codons. By comparing the amino acid profile encoded by all combinations of degenerate codons (with single, double, triple and quadruple degeneracy in equal ratios at each position) with the natural amino acid use it is possible to calculate the most representative codon. The codons (AGT)(AGC)T, (AGT)(AGC)C and (AGT)(AGC)(CT) - that is, DVT, DVC and DVY, respectively using IUPAC nomenclature - are those closest to the desired amino acid profile: they encode 22% serine and 11% tyrosine, asparagine, glycine, alanine, aspartate, threonine and cysteine. Preferably, therefore, libraries are constructed using either the DVT, DVC or DVY codon at each of the diversified positions.

Receptor Binding Assay

Antagonists of TNFR1 that inhibit binding of TNF α to TNFR1 can be identified in a suitable receptor binding assay. Briefly, Maxisorp plates are incubated overnight with 30mg/ml anti-human Fc mouse monoclonal antibody (Zymed, San Francisco, USA). The wells are washed with phosphate buffered saline (PBS) containing 0.05% Tween-20 and then blocked with 1% BSA in PBS before being incubated with 100ng/ml TNFR1-Fc fusion protein (R&D Systems, Minneapolis, USA). Antagonists of TNFR1 are mixed with TNF which added to the washed wells at a final concentration of 10ng/ml. TNF binding is detected with 0.2mg/ml biotinylated anti-TNF antibody (HyCult biotechnology, Uben, Netherlands) followed

by 1 in 500 dilution of horse radish peroxidase labelled streptavidin (Amersham Biosciences, UK) and then incubation with TMB substrate (KPL, Gaithersburg, USA). The reaction can be stopped by the addition of HCl and the absorbance is read at 450nm. Antagonists of TNFR1 that inhibit binding of TNF α to TNFR1 lead to a
5 decrease in TNF binding and therefore a decrease in absorbance compared with the TNF only control.

L929 Cytotoxicity Assay

Antagonists of TNFR1 (e.g., ligands, dAb monomers) can be identified by the
10 ability to inhibit TNF-induced cytotoxicity in mouse L929 fibroblasts (Evans, T. (2000) Molecular Biotechnology 15, 243-248). Briefly, L929 cells plated in microtitre plates are incubated overnight with antagonist of TNFR1, 100 pg/ml TNF and 1mg/ml actinomycin D (Sigma, Poole, UK). Then cell viability is measured by reading absorbance at 490nm following an incubation with [3-(4,5-dimethylthiazol-2-
15 yl)-5-(3-carboxymethoxyphenyl)-2-(4-sulfophenyl)-2H-tetrazolium (Promega, Madison, USA). Antagonists of TNFR1 will inhibit cytotoxicity and therefore produce an increase in absorbance compared with TNF only control.

HeLa IL-8 assay

20 Antagonists of TNFR1 (e.g., ligands, dAb monomers) can be identified by the ability to inhibit TNF-induced secretion of IL-8 by human HeLa cells (method adapted from that of Akesson, L. et al (1996) Journal of Biological Chemistry 271, 30517-30523, describing the induction of IL-8 by IL-1 in HUVEC; here we look at induction by human TNF alpha and we use HeLa cells instead of the HUVEC cell
25 line). Briefly, HeLa cells can be plated in microtitre plates were incubated overnight with antagonist of TNFR1 and 300pg/ml TNF. Post incubation, the supernatant is aspirated off the cells and IL-8 concentration is measured using a sandwich ELISA (R&D Systems), or other suitable method. Antagonists of TNFR1 inhibit IL-8
30 secretion, and less IL-8 is detected in the supernatant compared with the TNF only control.

MRC-5 IL-8 release assay

Antagonists of human TNFR1 can be identified using the following MRC-5 cell assay. The assay is based on the induction of IL-8 secretion by TNF in MRC-5 cells and is adapted from the method described in Alceson, L. *et al. Journal of Biological Chemistry* 271:30517-30523 (1996), describing the induction of IL-8 by IL-1 in HUVEC. Briefly, MRC-5 cells are plated in microtitre plates and the plates were incubated overnight with antagonist of TNFR1 and human TNF α (300 pg/ml). Following incubation, the culture supernatant is aspirated and the IL-8 concentration in the supernatant is measured via a sandwich ELISA (R&D Systems), or other suitable method. Antagonists of TNFR1 result in a decrease in IL-8 secretion into the supernatant compared with control wells that are incubated with TNF α only.

EXAMPLES

EXAMPLE 1. Antagonist of TNFR1 Locally Administered to Pulmonary Tissue is Efficacious in a Subchronic Model of COPD in C57BL/6 mice.

15

In this study, an antagonist of TNFR1 (anti-TNFR1 dAb monomer (TAR2m21-23)) and an antagonist of TNF (ENBREL® (etanercept; Immunex Corporation)) were administered locally to the lung by intranasal administration 1 hour prior to each air or tobacco smoke (TS) exposure. The effects on TS-induced changes in pulmonary inflammatory indices induced by 11 consecutive daily TS exposures were examined 24 hours following the final exposure. The anti-TNF compound (ENBREL® (etanercept; Immunex Corporation)) was used as a control. An orally administered phosphodiesterase 4 (PDE4) inhibitor (BAY 19-8004; lirimilast) was also administered 1 hour prior to and 6 hours post TS exposure in another group as a reference.

25

Methods

Test Substance 1: ENBREL® (etanercept; Immunex Corporation)

Test Substance 2: DOM1m (anti-TNFR1 dAb monomer (TAR2m21-23))

30

Test Substance 3: BAY 19-8004 (PDE4 inhibitor)

100

The vehicle for substances 1 and 2 was Sodium citrate pH 6.0, 100 mM NaCl.

The vehicle for substance 3 was 0.5% Carboxymethylcellulose (Sigma, Product No. C-4888, Lot No. 87H0036) in water. Dose volume is 5 ml/kg.

Female mice (C57BL/6) full barrier bred and certified free of specific microorganisms on receipt (16-20g) (Charles River) were housed in groups of up to 5 in individually ventilated, solid bottomed cages (IVC) with Aspen chip bedding. Environments (airflow, temperature and humidity) within the cages were controlled by the IVC system (Techniplast).

10 Protocols:

No. Groups: 7

Group Size: n = 10

Dose Volume: 50 µl per mouse for groups 1 to 4 and 5 ml/kg for groups 1 to 7

Treatment times: One hour prior to TS or air exposure on days 1 to 11 for groups 1 to 4 and 1 hour prior to exposure and 6 hour post exposure for groups 5 to 7

The study protocol is summarized in Table 1.

Table 1.

Group No.	TS / Air Exposure	Test Substance	Dose mg/kg	n=	Dosing Route	Dosing Frequency
1	Air	Vehicle Na citrate	0	10	i.n.	1 hour prior to TS or air exposure on days 1 to 11 for groups 1 to 6. 1 hour prior & 6 h post for groups 7 to 9.
2	TS	Vehicle Na citrate	0	10	i.n.	
3	TS	1 (Enbrel®; etanercept, Immunex Corp)	1.0	10	i.n.	
4	TS	2 (DOM1m)	1.0	10	i.n.	
5	Air	Vehicle CMC	0	10	p.o.	
6	TS	Vehicle CMC	0	10	p.o.	
7	TS	3 (BAY 19-8004)	10	10	p.o.	

20 i.n., intranasal

p.o., per os (oral administration)

TS exposure

Mice (maximum 5 per exposure chamber) were exposed to TS generated from cigarettes (Type 1R1, supplied by University of Kentucky). Initial exposure was to 4 cigarettes on day 1, and exposure was increased to a maximum of 6 cigarettes/day by day 6/7. Exposure thereafter to Day 11 was 6 cigarettes/day. The rate of increase was regulated with regard to the daily observed tolerance of the mice. The control group of mice was exposed to air for an equivalent length of time on each exposure day (air exposure controls).

10

Health monitoring:

Animals were weighed prior to the start of the study, on day 6 of the exposure protocol, and at the time of termination. All animals were monitored during and after each test substance administration and TS exposure.

15

Terminal procedures:

Animals were sacrificed by anaesthetic overdose (pentobarbitone Na, 100mg/kg i.p.) as follows: All groups were sacrificed 24 hours after the 11th and final TS exposure. Mice from all treatment groups were treated as follows: Blood samples were taken from the sub-clavian artery, placed in a microcentrifuge tube and allowed to clot overnight at 4°C. The clot was removed and the remaining fluid was centrifuged at 2900 rpm in a microcentrifuge for 6 minutes. The resulting supernatant serum was decanted and stored at -40°C for possible PK analysis. A bronchoalveolar lavage (BAL) was performed using 0.4 ml of phosphate buffered saline (PBS). Cells recovered from the BAL were quantified by total and differential cell counts. Lungs were removed, snap frozen in liquid nitrogen and stored at -80°C for possible PK analysis.

20

25

Data Analysis

30

A test for normality was carried out on the data. If the test was positive, then a preliminary analysis was carried out using a one way analysis of variance test (one way ANOVA) followed by a Bonferroni's multiple comparison post test to compare control and treatment groups. If the data was not normally distributed, then a

Kruskal-Wallis test followed by Dunn's multiple comparisons test was employed.

Data were considered significant when $p < 0.05$.

Results

5 The control group TS/vehicle had cellular infiltrates in the lung compared to the air/vehicle group (see Figure 1).

 The TS exposed and Test Substance 1 (DOM1, anti-TNFR1 dAb) treated group, showed significantly reduced cell infiltrates in the lung compared to the TS exposed and control treated groups (Figure 1): 72% inhibition for total cells ($p < 0.001$), 74% for macrophages ($p < 0.001$), 82% for neutrophils ($p < 0.001$), 86% for lymphocytes ($p < 0.05$) and 55% for epithelial cells ($p < 0.01$). An 82% reduction in eosinophils was observed but this change was not significant due to the variability in eosinophil numbers observed in the study as a whole.

 The Test Substance 3 (PDE4 inhibitor, BAY 19-8004) treated group, showed significantly reduced cell infiltrates in the lung compared to the control group (Figure 1): 52% inhibition for total cells ($p < 0.01$), 55% for macrophages ($p < 0.01$), 55% for neutrophils ($p < 0.001$), 61% for lymphocytes ($p < 0.001$) and 56% for eosinophils ($p < 0.01$). A 46% reduction in epithelial cells was observed but this change was not significant.

20 No significant reductions in any of the cell populations were observed in the group exposed to TS and treated with Test Substance 1 (ENBRELE® (etanercept; Immunex Corporation)).

EXAMPLE 2. Antagonist of TNFR1 Systemically Administered is Efficacious in a Subchronic Model of COPD in C57BL/6 mice.

 In this study, an antagonist of TNFR1 (Pegylated anti-TNFR1 dAb monomer (TAR2m21-23 PEGylated to increase hydrodynamic size and *in vivo* serum half-life)) and an antagonist of TNF (ENBRELE® (etanercept; Immunex Corporation)) were administered systemically by intraperitoneal administration every 48 hours beginning 24 hours prior to the initial TS exposure. The effects on TS-induced changes in pulmonary inflammatory indices induced by 11 consecutive daily TS exposures were

examined 24 h following the final exposure. The anti-TNF compound (ENBREL® (etanercept; Immunex Corporation)) was used as a control.

Methods

- 5 Test Substance 1: ENBREL® (etanercept; Immunex Corporation)
- Test Substance 2: PEG DOM1m (anti-TNFR1 dAb monomer (TAR2m21-23) PEGylated with a 40 kDa polyethyleneglycol to increase hydrodynamic size and lengthen *in vivo* serum half-life).

 The vehicle for both Test Substances was sterile saline, and the dose volume
10 for both Test Substances was 10 ml/kg.

 Female mice (C57BL/6) full barrier bred and certified free of specific micro organisms on receipt (16-20g) (Charles River) were housed in groups of up to 5 in individually ventilated, solid bottomed cages (IVC) with Aspen chip bedding. Environments (airflow, temperature and humidity) within the cages were controlled
15 by the IVC system (Techniplast).

Protocols

- No. Groups: 4
- Group Size: n = 10 for groups 1 to 4
- 20 Dose Volume: 10 ml/kg for groups 1 to 4
- Treatment times: Every 48 hours starting 24 h prior to the initial TS exposure. Subsequent doses to be administered 1 hour prior to TS exposure

 The study protocol is summarized in Table 2. TS exposure, health monitoring,
25 terminal procedures, and data analysis were performed as described in Example 1.

Table 2.

Group No.	TS / Air Exposure	Test Substance No.	Dose mg/kg	n=	Dosing Route	Dosing Frequency
1	Air	Vehicle	0	10	i.p.	At 48 hour intervals starting 24 h prior to the initial exposure then 1 h prior to alternate exposures
2	TS	Vehicle	0	10	i.p.	
3	TS	1 (Enbrel®; etanercept, Immunex Corp)	10	10	i.p.	
4	TS	2 (PEG DOM1m)	10	10	i.p.	

i.p., intraperitoneal

5 Results

The TS exposed and Test Substance 2 (PEG DOM1m) treated group, showed significantly reduced cell infiltrates in the lung compared to the TS exposed and control treated groups: 60% inhibition for total cells (FIG. 2), 63% for macrophages, 66% for polymorphic nuclear cells, 78% for lymphocytes and 65% for eosinophils. A 40% reduction in epithelial cells was observed but this change was not significant.

No significant reductions in any of the cell populations were observed in group exposed to TS and treated with Test Substance 1 (ENBREL® (etanercept; Immunex Corporation). Treatment with ENBREL® (etanercept; Immunex Corporation) even led to an increase in the number of total and PMN cells in the lung.

15

EXAMPLE 3. Pharmacokinetics of Agent that Binds TNFR1 after Local Administration to Pulmonary Tissue.

In this study, an agent that binds TNFR1 (anti-TNFR1 dAb monomer (TAR2m21-23)) was administered locally to the lung by intranasal administration and pharmacokinetics of the agent were evaluated.

Methods

DOM1m (anti-TNFR1 dAb monomer (TAR2m21-23)) in 20mM sodium citrate pH6.0, 100mM NaCl was used in the study. The diluting agent was sodium citrate pH6.0, 100mM NaCl.

25

Protocols

All animals were administered DOM1m by intranasal administration on the same day within 1 to 2 hours of warming the solution.

- Female mice (C57BL/6) full barrier bred and certified free of specific microorganisms on receipt (16-20g) (Charles River) were housed in groups of up to 5 in individually ventilated, solid bottomed cages (IVC) with Aspen chip bedding. Environments (airflow, temperature and humidity) within the cages were controlled by the IVC system (Techniplast).

- 10 No. Groups: 5
 Group Size: 3
 Dose Volume: 50µl (25µl/nare)
 Sacrifice times: 1 hour, 2 hours, 5 hours, 8 hours and 24 hours after administration
- 15 The study protocol is summarized in Table 3.

Table 3.

Group No.	Compound	Dose (mg/kg)	Concentration of DOM1 in administered solution (mg/ml)	Dosing Route	n=	Sacrifice time (after administration)
1	DOM1m	1	0.4 mg/ml	i.n.	3	1 hour
2	DOM1m	1	0.4 mg/ml	i.n.	3	2 hours
3	DOM1m	1	0.4 mg/ml	i.n.	3	5 hours
4	DOM1m	1	0.4 mg/ml	i.n.	3	8 hours
5	DOM1m	1	0.4 mg/ml	i.n.	3	24 hours

i.n., intranasal

Animals were weighed prior to the start of the study. All animals were monitored during and after each compound administration. Animals in the 24 hour group were monitored at regular intervals overnight.

5 Terminal procedures

Animals were sacrificed by anaesthetic overdose (pentobarbitone Na, 100mg/kg i.p.). Blood was taken from the subclavian artery, placed in a microcentrifuge tube and allowed to clot overnight at 4°C. The clot was removed and the remaining fluid centrifuged at 2900 rpm in a microcentrifuge for 6 minutes. The
10 resulting supernatants were decanted, placed in a fresh tube, frozen and stored at -40°C prior to analysis. Bronchoalveolar lavage (BAL) was collected using 0.4 ml of phosphate buffered saline (PBS) which was instilled and withdrawn 3 times. The BAL was centrifuged at 2700 rpm in a microcentrifuge for 6 minutes and the supernatant was removed and stored at -40°C prior to analysis. The cell pellet was re-
15 suspended in a suitable volume of PBS and a total cell count made using a haemocytometer. Cytospin slides were prepared to allow differential cell determination. The lungs were excised, snap frozen and stored at -80°C prior to analysis. Using a mortar and pestle, lungs were pulverized under liquid nitrogen and dissolved in T-PER[®] Tissue Protein Extraction Reagent (Pierce) and homogenized
20 using 40 strokes with a dounce homogenizer.

ELISA to detect DOM1m

A 96 well MAXISORP assay plate (Nunc) was coated overnight at 4°C with 100µl per well of mTNFR/Fc (R&D systems) at 0.5µg/ml in PBS. Wells were
25 washed 3 times with 0.05% Tween/PBS and 3 times with PBS. 200µl per well of 2% BSA in PBS was added to block the plate. Wells were washed and then 100µl of DOM1m standard or sample was added. Plates were incubated for 1 hour. Wells were washed, and bound DOM1 was detected with chicken anti-VH (1/500) followed by anti-chicken IGY HRP conjugate (1/5000 dilution; Abcam). Plates are developed
30 with 100µl of SureBlue 1-Component TMB MicroWell Peroxidase (KPL, Gaithersburg, USA) solution which was added to each well, and the plate was left at room temperature until a suitable signal had developed (~5 minutes). The reaction was stopped by the addition of HCl and the absorbance was read at 450 nm.

Results

The level of DOM1m in the BAL was maximum at 1 hour and was about 14 $\mu\text{g/ml}$ (about 3.5 μg in 0.25 ml of BAL fluid). This means that at least 17% (3.5 μg of 20 μg total administered) of the administered material was present in the bronchoalveolar compartment of the lung. More material may be present in the surrounding tissues but this material cannot be recovered. The levels in the BAL were high for a prolonged period of time and showed a gradual decline over 24 hours (> 10-fold decline after 24 hours).

The levels of DOM1m in the lung tissue were relatively constant up to 8 hours after administration, and were undetectable 24 hours after administration. At 8 hours after administration the levels in the lung tissue were about 0.35 μg . The percentage of the total administered dose present in the lung tissue at 8 hours was about 2% (Total dose administered was 20 μg). Taken together with the BAL levels, the maximum level of the agent detected in the lung as a whole at the time points examined was at least ~20% of the total dose administered.

The level of DOM1m in the serum was maximum at 1 hour (about 150 ng/ml) and rapidly declined. At 5 hours after administration, the levels in the serum were about 70 ng/ml, which is equivalent to 100 ng/mouse (1.5 ml of blood volume). The percentage of the total administered dose present in the serum 5 hours after administration was about 0.5% (Total dose administered was 20 μg). DOM1m was not detectable in the serum after 5 hours.

EXAMPLE 4. Cross Reactivity With Cynomolgus TNFR1.

A cynomolgus (*Macaca fascicularis*) skin fibroblast cell line was used to test cross-reactivity of anti-human TNFR1 dAbs to cynomolgus TNFR1 in a cell-based TNFR1 assay. Cross-reactivity to cynomolgus TNFR1 is advantageous because pharmacokinetic and and toxicology studies can be performed without using a surrogate agent.

Method

Cynomolgus embryo skin fibroblast cells (5×10^3 cells per well) were incubated with anti-human TNFR1 dAb for 1 hour at 37°C/5% CO₂. 200 pg/ml (final

concentration) of human TNF was then added, and the plate was incubated overnight at 37°C/5% CO₂.

The human IL-8 DuoSet ELISA, was used to measure the concentration of human IL-8 in the cell culture supernatants. The assay was carried out according to the manufacture's instructions. A 96 well Nunc Maxisorp assay plate was coated with 100µl detection antibody at 4µg/ml in PBS. The plate was incubated overnight at 4°C. In between each incubation step the plates were washed three times with 0.05% tween/PBS and three times with PBS using an automated plate washer. 200µl per well of 1% BSA/PBS was added and the plate was incubated for 1 hour at room temperature. 90µl of 0.1% BSA, 0.05% Tween-20 in PBS was added to each well and 10µl cell supernatant, a standard curve was included of IL-8 starting at 5ng/ml in 0.1% BSA, 0.05% Tween-20 in PBS. 100 µl of detection antibody was added at 20ng/ml (stock solution diluted 1:180 in 0.1% BSA, 0.05% Tween-20 in PBS) to each well and the plates were incubated for 2h at room temperature. 100 µl of streptavidin-HRP was added to each well (stock solution diluted 1:200 in 0.1% BSA, 0.05% Tween-20 in PBS). The plates were incubated for 20mins at room temperature. 100 µl of SureBlue 1-Component TMB MicroWell Peroxidase solution was added to each well and left at room temperature until the blue colour develops. The reaction was stopped by adding 100 µl 1M hydrochloric acid. The absorbance in a plate was read at 450nm within 30mins.

Results/Conclusions

Anti-human TNFR1 dAbs in the TAR2h-131 series are able to effectively block TNF induced IL-8 release by cynomolgus fibroblasts. The dAbs TAR2h-131-511 and TAR2h-131-117 had slightly higher potency values in the cynomolgus assay (303 nM and 330 nM, respectively) as compared to potency measured in a human MRC-5 assay (~600pM). In conclusion TAR2h-131 series dAbs are cross reactive with cynomolgus TNFR1.

EXAMPLE 5. Effects of a pulmonary delivered anti-TNFR1 dAb on TNFα-induced pulmonary inflammation.

An anti-TNFR1 dAb was administered to the lungs of mice by the intranasal route 1 hour prior to intranasal delivery of TNFα. The effect of pre-dosing the lung

with an anti-TNFR1 dAb prior to TNF α administration was investigated by determining the number of neutrophils in the BAL, quantifying the concentration of the inflammatory cytokines KC, MIP-2 and MCP-1 in BAL, and quantifying E-selectin in lung tissue at selected timepoints after TNF α administration.

5 Methods

The inflammatory stimulus was recombinant murine TNF α in PBS containing 0.1% BSA.

The anti-TNFR1 dAb was TAR2m-21-23 (Batch BH31/01/06-1) in 20nM citrate buffer pH 6

10 TNF α (1 μ g per mouse) was administered by the intranasal (i.n.) route. The volume administered was 50 μ l per mouse (20 μ g/ml). The anti-TNFR1 dAbTAR2m-21-23 (1 mg/kg) was also administered by the i.n. route. The volume of dAb administered was 50 μ l per mouse (0.4 mg/ml as mice were 20g).

15 Female mice (C57/bl6) full barrier bred and certified free of specific micro organisms on receipt (16-20g) (Charles River) were housed in groups of up to 5 in individually ventilated, solid bottomed cages (IVC) with Aspen chip bedding. *Environments (airflow, temperature and humidity) within the cages were controlled by the IVC system (Techniplast).*

Treatment Groups:

20 No. Groups: 13
Group Size: n = 5 - 6

Groups of mice were dosed i.n. with either vehicle or dAb at 1 hour prior to TNF α administration. Groups were sacrificed at predetermined times after TNF α administration as listed in Table 4.

<u>Table 4.</u>				
<u>Group</u>	<u>Anti-TNFR1</u>	<u>TNFα</u>	<u>Sacrifice time post agonist (hours)</u>	<u>n</u>
<u>A</u>	<u>Vehicle</u>	<u>Vehicle</u>	<u>2-8</u>	<u>6</u>
<u>B</u>	<u>Vehicle</u>	<u>1 μg/mouse</u>	<u>2</u>	<u>5</u>
<u>C</u>	<u>dAb 1mg/kg</u>	<u>1 μg/mouse</u>	<u>2</u>	<u>5</u>
<u>D</u>	<u>Vehicle</u>	<u>1 μg/mouse</u>	<u>4</u>	<u>5</u>
<u>E</u>	<u>dAb 1mg/kg</u>	<u>1 μg/mouse</u>	<u>4</u>	<u>5</u>
<u>F</u>	<u>Vehicle</u>	<u>1 μg/mouse</u>	<u>6</u>	<u>6</u>
<u>G</u>	<u>dAb 1mg/kg</u>	<u>1 μg/mouse</u>	<u>6</u>	<u>6</u>
<u>H</u>	<u>Vehicle</u>	<u>1 μg/mouse</u>	<u>8</u>	<u>6</u>
<u>I</u>	<u>dAb 1mg/kg</u>	<u>1 μg/mouse</u>	<u>8</u>	<u>6</u>
<u>J</u>	<u>Vehicle</u>	<u>1 μg/mouse</u>	<u>24</u>	<u>5</u>
<u>K</u>	<u>dAb 1mg/kg</u>	<u>1 μg/mouse</u>	<u>24</u>	<u>5</u>
<u>L</u>	<u>Vehicle</u>	<u>1 μg/mouse</u>	<u>48</u>	<u>5</u>
<u>M</u>	<u>dAb 1mg/kg</u>	<u>1 μg/mouse</u>	<u>48</u>	<u>5</u>

Approximately 3 minutes prior to treatment, light anaesthesia was induced by Isoflurane inhalation. Vehicle or the dAb was instilled in a volume of 50 μ l/mouse by the i.n. route. Mice were allowed to recover and then returned to the home cage.

- 5 After 1 hour TNF α (1 μ g/mouse) or its vehicle were administered by the same i.n. route. Groups of dAb or vehicle treated mice were sacrificed at 2, 4, 6, 8, 24 and 48 hours post TNF α administration.

- Mice were killed by anaesthetic overdose (pentobarbitone Na, 100mg/kg i.p.). The trachea was cannulated and bronchoalveolar lavage (BAL) conducted using 3
 10 separate 0.4 ml aliquots of PBS. The lavage fluid was kept on ice prior to centrifugation. Hearts and lungs were removed *en bloc*, the heart was removed and

the lungs were snap frozen using liquid nitrogen. The lavage fluid was centrifuged and the supernatant divided into four 250µl aliquots and stored at -40°C. The cell pellet was re-suspended in 40µl of PBS, and 10 µl of the cell suspension taken into 90 µl of 'Kimura' or 'Turks' stain for total wet cell counts using a haemocytometer.

- 5 Cytospin slides were prepared from the cell suspension and stained using 'Wrights Giemsa' stain for differential cell analysis. Cells were differentiated using standard morphometric techniques.

Sample preparation and ELISA: ELISA kits for murine TNFα, KC, MIP-2, MCP-1 and E-selectin were obtained from R&D Systems. Neat BAL supernatant
10 samples were used for determination of the concentration of the cytokines KC, MIP-2 and MCP-1 in BAL. BAL supernatant was diluted 1:100 for determination of the concentration of TNFα in BAL.

Frozen lung was thawed and homogenized in 500 µl of lysis buffer containing 10mM HEPES pH 7.5, 0.5% triton X-100, 150mM NaCl, 1mM EDTA,
15 0.5mM AEBSF and a protease inhibitor cocktail (1µg/ml leupeptin, 1µg/ml aprotinin, 10µg/ml trypsin-chymotrypsin inhibitor and 1µg/ml pepstatin). Lung homogenate supernatant was diluted for determination of lung tissue E-selectin (1:50) and TNFα (1:100) concentrations.

BAL and lung homogenate supernatant total protein concentrations were
20 determined using a Quantipro BCA kit (Sigma).

Results

Following intranasal administration of murine TNFα significant levels of BAL and lung tissue TNFα were detected 2 hrs post administration (FIGs. 11A and 11B). Concentrations of TNFα in both BAL and tissue decreased in a time-dependent
25 fashion, and returned to baseline (vehicle treated) levels by 48 hrs. Levels in the BAL were approximately 10 times higher than levels in the lung tissue. These data demonstrate that i.n. administration of TNFα resulted in significant lung delivery of the cytokine. It is possible however, that some of the TNFα detected could be of endogenous origin although the profile of the response does not suggest this.

30 A 1 hour pre-dose of 1 mg/kg of the anti-TNFR1 dAb had no obvious effect on BAL and lung tissue TNFα concentration throughout the time points examined.

Despite a rapid increase in BAL and lung tissue TNF α concentration following i.n. administration of murine TNF α , BAL neutrophil numbers did not significantly increase above baseline between 1 and 8 hours post TNF α administration. However, at 24 and 48 hrs post TNF α administration, BAL neutrophilia was observed (FIG. 12). The increase in BAL neutrophils at 24 and 48 hrs was partially inhibited by the anti-TNFR1 dAb (26% and 44% inhibition respectively).

Concentrations of the neutrophil chemoattractants KC and MIP-2 were significantly increased 2 hrs following TNF α administration, and decreased in a time-dependent fashion with both chemokines returning to basal concentrations by 24 hrs (FIGs. 13A and 13B). These increases in BAL KC and MIP-2 were significantly reduced by anti-TNFR1 dAb pre-treatment.

Concentrations of BAL MCP-1 and lung tissue E-selectin were also significantly increased by TNF α , but the peak increase was later than that of BAL KC and MIP-2 (6 hrs rather than 2 hrs). Concentrations of BAL MCP-1 and lung tissue E-selectin returned to basal levels by 48 hrs (FIGs. 13C and 13D). These increases in BAL KC and MIP-2 were significantly reduced by anti-TNFR1 dAb pre-treatment.

Discussion

Intranasal administration of murine TNF α to mice resulted in significant levels of pulmonary TNF α , which induced significant increases in BAL neutrophils, BAL KC, MIP-2 and MCP-1 and lung tissue E-selectin. BAL neutrophils were not increased until about 24 hrs and remained elevated at 48 hrs. Previous data in the literature using rats demonstrated a protracted neutrophil response. The peak increases in BAL KC and MIP-2 were observed at the 2 hr time point, with peak increases in BAL MCP-1 and lung tissue E-selectin at around 6 hrs. Increased levels of each of KC, MIP-2, MCP-1 and E-selectin were detected 6 hrs after administration of TNF α .

Pre-treatment with an anti-TNFR1 dAb (1 mg/kg) 1 hr before administration of murine TNF α inhibited the increases in BAL neutrophils and KC, MIP-2 and MCP-1 and lung tissue E-selectin. These data suggests the TNFR1 receptor mediates the majority of the pulmonary inflammation induced by i.n. TNF α in this model.

EXAMPLE 6. Effects of Varying Doses of Pulmonary Delivered anti-TNFR1 dAb on TNF α -induced Pulmonary Inflammation.

Varying doses of an anti-TNFR1 dAb were administered to the lungs of mice by the i.n. route 1 hour prior to intranasal delivery of TNF α . The doses of anti-TNFR1 dAb used were 2.5 mg/kg, 1 mg/kg, 0.3 mg/kg, 0.1 mg/kg, 0.03 mg/kg and 0.01 mg/kg. The effect of pre-dosing with an anti-TNFR1 dAb was investigated by quantifying the concentration of the inflammatory cytokines KC, MIP-2 and MCP-1 in BAL, and quantifying E-selectin in lung tissue.

Methods

The inflammatory stimulus and test substance were the same as those described in Example 5. TNF α (1 μ g per mouse) was administered by the intranasal (i.n.) route. The volume administered was 50 μ l per mouse (20 μ g/ml).

The anti-TNFR1 dAb TAR2m-21-23 was administered by the i.n. route at a dose of 2.5 mg/kg, 1 mg/kg, 0.3 mg/kg, 0.1 mg/kg, 0.03 mg/kg or 0.01 mg/kg. The volume of dAb administered was 50 μ l per mouse.

Mice were of the same strain and housed as described in Example 5.

Treatment Groups:

Group Size: n = 4 - 7

Groups of mice were dosed i.n. with either vehicle or dAb (2.5, 1, 0.3, 0.1, 0.03 or 0.01 mg/kg) at 1 hour prior to TNF α administration. All groups were sacrificed 6 hrs after TNF α administration.

Mice were dosed using the same procedure as in Example 6. Mice were killed 6 hrs after i.n. administration of TNF α , and BAL cells, BAL supernatant and frozen lung tissue collected as described in Example 6. BAL protein, KC, MIP-2 and MCP-1, lung homogenate supernatant protein and E-selectin were examined and quantified as described in Example 6.

Results

As shown in Example 5, intranasal administration of TNF α induced significant concentrations of KC, MIP-2 and MCP-1 in the BAL and E-selectin in the lung tissue 6 hrs after dosing. Pre-treatment (1 hr prior to TNF α) with an anti-TNFR1

dAb inhibited the elevation of these inflammatory mediators in a dose dependent fashion (Table 5) although the potency did vary between mediators.

Table 5. Dose dependent inhibition of TNF α -induced increases in BAL KC, MIP-2 and MCP-1 and lung tissue E-selectin concentrations.¹

	dAb i.n. dosing (mg/kg)					
	2.5	1	0.3	0.1	0.03	0.01
BAL KC	66 $\pm$ 10	82 $\pm$ 8	71 $\pm$ 15	70 $\pm$ 40	77 $\pm$ 33	7 $\pm$ 48
BAL MIP-2	89 $\pm$ 16	91 $\pm$ 8	77 $\pm$ 14	74 $\pm$ 39	61 $\pm$ 33	14 $\pm$ 78
BAL MCP-1	64 $\pm$ 13	60 $\pm$ 21	60 $\pm$ 9	none	none	none
Lung E selectin	59 $\pm$ 18	65 $\pm$ 10	59 $\pm$ 18	30 $\pm$ 30	none	none

- 5 ¹ The table shows percent inhibition (mean $\pm$ SD) of TNF α -induced increases in BAL KC, MIP-2 and MCP-1 and lung tissue E-selectin concentrations at dAb doses of 2.5, 1, 0.3, 0.1, 0.03 and 0.01 mg/kg.

The anti-TNFR1 dAb inhibited BAL KC to a similar degree at all doses
 10 between 2.5 mg/kg and 0.03 mg/kg, and was inactive at 0.01 mg/kg. Similarly, the anti-TNFR1 dAb inhibited BAL MIP-2 to substantially the same degree at all doses between 2.5 mg/kg and 0.1 mg/kg, with slightly less inhibition at 0.03 mg/kg, and was inactive at 0.01 mg/kg.

The anti-TNFR1 dAb was a less potent inhibitor of BAL MCP-1 as
 15 significant inhibition was observed between 2.5 mg/kg and 0.3 mg/kg, but not at lower doses. Lung tissue E-selectin concentrations were inhibited in a similar fashion; significant inhibition was observed between 2.5 mg/kg and 0.3 mg/kg, minimal inhibition at 0.1 mg/kg, and no effect at lower doses.

Discussion

20 Intranasal administration of murine TNF α to mice induced significant increases in BAL neutrophils, BAL KC, MIP-2 and MCP-1, and lung tissue E-selectin. These increases were significantly inhibited in a dose-dependent fashion with an anti-TNFR1 dAb. The anti-TNFR1 dAb had more potent inhibitory activity on BAL KC and MIP-2 compared with BAL MCP-1 and lung tissue E-selectin. This
 25 might be because peak increases in BAL KC and MIP-2 were induced relatively quickly following TNF α administration, whereas peak increases in BAL MCP-1 and tissue E-selectin were later.

This study demonstrates that i.n. anti-TNFR1 dAb a dose of 0.3 mg/kg significant inhibited TNF α -induced increases in BAL neutrophils, BAL KC, MIP-2 and MCP-1, and lung tissue E-selectin at six hours post TNF α administration, but that 0.3 mg/kg is not a supra-maximal dose.

5

EXAMPLE 8. Duration of action *in vivo* of an anti-TNFR1 dAb administered by the intranasal route.

Anti-TNFR1 dAb (TAR2m-21-23) was administered to the lungs of mice by the i.n. route at various times prior to i.n. administration of TNF α . The effect of pre-
10 dosing the lung with anti-TNFR1 dAbs was investigated by quantifying the inflammatory cytokines KC, MIP-2 and MCP-1 in BAL, and quantifying E-selectin in lung tissue, by ELISA. The results are shown in Table 6.

Methods:

Inflammatory stimulus: recombinant murine TNF α

15 Test Substance 1: TAR2m-21-23 (Batch BH31/01/06-1) (anti-TNFR1 dAb)

Vehicle for rm TNF α : PBS containing 0.1% BSA.

Vehicle for TAR2m-21-23: 20nM citrate buffer pH 6

Dose of TNF α was 1 μ g per mouse by the intranasal (i.n.) route as used in the previous study. Volume administered to the nose was 50 μ l per mouse (20 μ g/ml).

20 Dose of TAR2m-21-23 was 0.3 mg/kg by i.n. route. Volume administered to the nose was 50 μ l per mouse (0.4 mg/ml as mice were 20g).

Mice used and dAb preparation: Mice were of the same strain and housed as detailed in the previous study protocol.

Protocols:

25 Treatment Groups:

Group Size: n = 4 - 7

Treatment times:

Groups of mice were dosed i.n. with either vehicle or dAb at 1, 2, 4, or 6 hours prior to TNF α administration. All groups were sacrificed 6 hrs after TNF α

30 administration.

Dosing and Terminal procedures: Mice were dosed as detailed above using the same procedure as the previous study. Mice were killed 6 hrs after i.n. TNF α administration and BAL cells, BAL supernatant and frozen lung tissue were collected as detailed in the previous study.

- 5 Sample preparation and ELISA: BAL protein, KC, MIP-2 and MCP-1 and lung homogenate supernatant protein and E-selectin were examined as detailed in the previous experiment.

Table 6. Duration of action <i>in vivo</i> of an anti-TNFR1 dAb. ²						
			dAb pre-dose time (hrs)			
	Veh	TNF (no dAb)	1	2	4	6
BAL KC	32	145	77	61	46	39
BAL MIP-2	14	54	18	18	13	8
BAL MCP-1	3	418	123	90	218	188
Lung E selectin	3	44	20	23	27	28

- 10 ² The table shows mean BAL KC (pg/ml), MIP-2 (pg/ml) and MCP-1 (pg/ml) and lung tissue E-selectin (ng/ml) concentrations six hours after i.n. administration of TNF α or vehicle. Anti-TNFR1 dAb was administered 1, 2, 4, or 6 hours prior to administration of TNF α .

- 15 The results presented in Table 6, show that administration of dAb at 1, 2, 4, or 6 hours prior to administration of TNF α significantly inhibited of BAL KC and MIP-2 induced by TNF at all dAb pre-dose timepoints. Better inhibition was observed at longer pre-dose times. This suggests >1 hr is optimal for dAb binding to the receptor following i.n. dosing. In a similar manner administration of dAb at 1, 2, 4, or 6 hours prior to administration of TNF α also significantly inhibited BAL MCP-1 and lung
20 tissue E-selectin induced by TNF at all dAb pre-dose timepoints. These results show that anti-TNFR1 dAb has a duration of action that is greater than 6 hours.

- EXAMPLE 9. Evaluation of an anti-TNFR1 dAb that binds TNFR1 and inhibits binding of TNF α to the receptor administered by the intranasal route on TNF α -
25 induced pulmonary inflammation.

The previous examples show that an anti-TNFR1 dAb ("non-competitive dAb" TAR2m-21-23) which binds TNFR1 but does not inhibit binding of TNF α to TNFR1 significantly inhibited TNF α -induced pulmonary inflammation. This study demonstrates that a dAb that binds TNFR1 and inhibits binding of TNF α to TNFR1 ("competitive dAb" TAR2m-15-12) was also efficacious in inhibiting TNF α -induced pulmonary inflammation.

Methods:

Inflammatory stimulus: recombinant murine TNF α

Test Substance 1: TAR2m-21-23 (Batch BH31/01/06-1) (competitive anti-TNFR1 dAb)

Test Substance 2: TAR2m-15-12 (non-competitive anti-TNFR1 dAb)

Vehicle for rm TNF α : PBS containing 0.1% BSA.

Vehicle for dAbs: 20nM citrate buffer pH 6

Dose of TNF α was 1 μ g per mouse by the intranasal (i.n.) route as used in the previous study. Volume administered to the nose was 50 μ l per mouse (20 μ g/ml).

Dose of TAR2m-21-23 or TAR2m-15-12 was 0.3, 0.1, and 0.03 mg/kg by i.n. route. Volume administered to the nose was 50 μ l per mouse (0.4 mg/ml as mice were 20g).

Mice used and dAb preparation: Mice were of the same strain and housed as detailed in the previous study protocol. dAb was formulated as previously described.

Protocols:

Treatment Groups:

Group Size: n = 4 - 7

Treatment times:

Groups of mice were dosed i.n. with either vehicle or dAb at 1 hr prior to TNF α administration. All groups were sacrificed 6 hrs after TNF α administration. Dosing and Terminal procedures: Mice were dosed as detailed above using the same procedure as the previous study. Mice were killed 6 hrs after i.n. TNF α administration and BAL cells, BAL supernatant and frozen lung tissue collected as detailed in the previous study.

Sample preparation and ELISA: BAL protein, KC, MIP-2 and MCP-1 and lung homogenate supernatant protein and E-selectin were examined as detailed in the previous experiment.

Table 7. Dose dependent effects of a competitive or a non-competitive an anti-TNFR1 dAb on TNF α -induced increases in BAL KC, MIP-2 and MCP-1 and lung tissue E-selectin concentrations. ³						
	non-competitive dAb i.n dosing (mg/kg)			competitive dAb i.n dosing (mg/kg)		
	0.3	0.1	0.03	0.3	0.1	0.03
BAL KC	97 $\pm$ 15 ¹	67 $\pm$ 22	70 $\pm$ 16	105 $\pm$ 20	66 $\pm$ 9	43 $\pm$ 22
BAL MIP-2	78 $\pm$ 8	78 $\pm$ 14	80 $\pm$ 14	88 $\pm$ 11	66 $\pm$ 18	54 $\pm$ 16
BAL MCP-1	71 $\pm$ 11	34 $\pm$ 19	41 $\pm$ 8	82 $\pm$ 26	1 $\pm$ 60	1 $\pm$ 41
Lung E selectin	60 $\pm$ 4	42 $\pm$ 34	19 $\pm$ 25	55 $\pm$ 27	13 $\pm$ 8	14 $\pm$ 7

³ The table show the percent inhibition (mean $\pm$ SD) of TNF α -induced increases in BAL KC, MIP-2 and MCP-1 and lung tissue E-selectin concentrations at dAb doses 0.3, 0.1, and 0.03 mg/kg.

The results present in Table 7 show that similar to previous studies pre-treatment (1 hr prior to TNF α) with a non-competitive anti-TNFR1 dAb (TAR2m-21-23) dose dependently inhibited the elevation of the inflammatory mediators BAL KC, MIP-2 and MCP-1 and lung tissue E-selectin. In a similar manner a competitive anti-TNFR1 dAb (TAR2m-15-12) also dose dependently inhibited the elevation of the inflammatory mediators BAL KC, MIP-2 BAL and MCP-1 and lung tissue E-selectin.

The TAR2m-15-12 anti-TNFR1 dAb had slightly less efficacy on BAL KC at 0.03 mg/kg, and on BAL MIP-2 at 0.1-0.03 mg/kg compared with TAR2m-21-23. The TAR2m-15-12 anti-TNFR1 dAb was inactive on BAL MCP-1 at 0.1 mg/kg compared with TAR2m-21-23 which showed 34% inhibition on BAL MCP-1. The TAR2m-15-12 anti-TNFR1 dAb had slightly less efficacy on lung tissue E-selectin at 0.1 mg/kg compared with TAR2m-21-23.

The in vitro potency was ~1 nM for TAR2m-21-23 and ~5 nM for TAR2m-15-12. In addition TAR2m-21-23 has greater affinity and slower off-rate than TAR2m-15-12. The difference in efficacy on the inflammatory mediators is likely to be due to reduced affinity and potency. This indicates that there is no obvious

difference between a non-competitive dAb (TAR2m-21-23) and a competitive dAb TAR2m-15-12 that inhibits binding of TNF α to TNFR1.

SUMMARY

5 Table 8 summarizes the results of TS induced studies and TNF induced studies. The TS exposed and PEGylated anti-TNFR1 dAb treated group (10mg/kg), showed significantly reduced cell infiltrates in the lung compared to the TS exposed and control treated groups: 62% inhibition for total cells. No significant reductions in any of the cell populations were observed in the (10mg/kg i.p.) TS/ ENBREL®
10 (etanercept; Immunex Corporation) treated group. Significantly reduced cell infiltrates were only observed in the TS/ ENBREL® (etanercept; Immunex Corporation) treated group when dosing was increased to 30mg/kg (i.p.). This indicates that > 3-fold higher systemic mg/kg dosing of ENBREL® (etanercept; Immunex Corporation) is required compared to PEGylated anti-TNFR1 dAb to
15 achieve significant reductions in cell populations.

In the TNF α -induced model, the anti-TNFR1 dAb treated group (0.3mg/kg i.n.), show 78% inhibition of TNF α induced MIP-2 levels. A similar level of inhibition in MIP-2 levels (78%) was achieved in the ENBREL® (etanercept; Immunex Corporation) group treated with 10 mg/kg (i.n.). The ENBREL®
20 (etanercept; Immunex Corporation) group treated with 1 mg/kg (i.n.) did not show any significant reductions of cell influx. Together this data indicates that > 30 fold higher i.n. mg/kg dosing of ENBREL® (etanercept; Immunex Corporation) is required compared to anti-TNFR1 dAb to achieve efficient inhibition of MIP-2.

Table 8						
Molecule	MW, kD	t1/2 $_{\beta}$	Potency, ND ₅₀	ROA	Dosing (mg/kg)	Inhibition of cell influx
			L929 assay			
PEG-TAR2m	52	2-4d	1 nM	i.p.	10 mg/kg	62% (p<0.001)
ENBREL® (etanercept; Immunex Corporation)	150	1d (estimated)	5-50 pM	i.p.	10 mg/kg	-1% (ns)
ENBREL® (etanercept; Immunex Corporation)	150	1d (estimated)	5-50 pM	i.p.	30 mg/kg	37% (p<0.01)
Rat anti-TNF mAb	150	2-7d (estimated)	6-8 nM (mTNF)	i.p.	3 mg/kg	51% (p<0.001)

120

TAR2m monomer	12	4-6hrs i.n.	1 nM	i.n.	1 mg/kg	53%/72% (p<0.05)
ENBREL® (etanercept; Immunex Corporation)	150	1d (estimated)	5-50 pM	i.n.	1 mg/kg	11% (ns)
Molecule	MW, kD	t1/2 _β	Potency, ND ₅₀	ROA	Dosing (mg/kg)	Reduction in
			L929 assay			MIP-2 levels
TAR2m	12	4-6hrs i.n.	1 nM	i.n.	1 mg/kg	120%
ENBREL® (etanercept; Immunex Corporation)	150	1d (estimated)	5-50 pM	i.n.	10 mg/kg	78%
Rat anti-TNF mAb	150	2-7d (estimated)	6-8 nM (mTNF)	i.n.	2.5 mg/kg	87%
TAR2m monomer	12	4-6hrs i.n.	1 nM	i.n.	0.3 mg/kg	78%
TAR2m monomer (competitive dAb)	12	4-6hrs i.n.	5 nM	i.n.	0.3 mg/kg	88%
TAR2m monomer	12	4-6hrs i.n.	1 nM	i.n.	0.1 mg/kg	78%
TAR2m monomer (competitive dAb)	12	4-6hrs i.n.	5 nM	i.n.	0.1 mg/kg	66%

- While this invention has been particularly shown and described with references to preferred embodiments thereof, it will be understood by those skilled in the art that various changes in form and details may be made therein without departing from the scope of the invention encompassed by the appended claims.

Throughout the description and the claims of this specification the word "comprise" and variations of the word, such as "comprising" and "comprises" is not intended to exclude other additives, components, integers or steps.

The discussion of documents, acts, materials, devices, articles and the like is included in this specification solely for the purpose of providing a context for the present invention. It is not suggested or represented that any or all of these matters formed part of the prior art base or were common general knowledge in the field relevant to the present invention before the priority date of each claim of this application.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A method for treating or preventing a respiratory disease and/or lung inflammation comprising administering a formulation comprising a domain antibody (dAb) that binds a target in pulmonary tissue to a subject, wherein said dAb formulation is administered locally to pulmonary tissue of said subject.
2. The method of claim 1, wherein said pulmonary tissue is the lung.
3. The method of any one of claims 1-2, wherein said dAb is a dAb monomer.
4. The method of any one of claims 1-3, wherein said dAb is selected from a V_H , V_L , or V_{HH} .
5. The method of any one of claims 1-4, wherein said dAb has an *in vivo* serum half-life of about 1 second to about 12 hours and, for example, comprises a half-life extending moiety.
6. The method of any one of claims 1-5, wherein said dAb does not substantially enter the systemic circulation.
7. The method of any one of claims 1-6, wherein the dAb formulation is locally administered to the pulmonary tissue by inhalation or intranasal administration.
8. The method of claim 7, wherein the dAb formulation is locally administered to the pulmonary tissue by using a nebulizer, inhaler, atomizer, aerosolizer, mister, dry powder inhaler, metered dose inhaler, metered dose sprayer, metered dose mister, metered dose atomizer.
9. The method of any one of the preceding claims, wherein said respiratory disease is selected from the group consisting of lung inflammation, chronic obstructive pulmonary disease, asthma, pneumonia, hypersensitivity pneumonitis, pulmonary infiltrate with eosinophilia, environmental lung disease, pneumonia, bronchiectasis, cystic fibrosis, interstitial lung disease, primary pulmonary hypertension, pulmonary thromboembolism,

disorders of the pleura, disorders of the mediastinum, disorders of the diaphragm, hypoventilation, hyperventilation, sleep apnea, acute respiratory distress syndrome, mesothelioma, sarcoma, graft rejection, graft versus host disease, lung cancer, allergic rhinitis, allergy, asbestosis, aspergilloma, aspergillosis, bronchiectasis, chronic bronchitis, emphysema, eosinophilic pneumonia, idiopathic pulmonary fibrosis, invasive pneumococcal disease, influenza, nontuberculous mycobacteria, pleural effusion, pneumoconiosis, pneumocytosis, pneumonia, pulmonary actinomycosis, pulmonary alveolar proteinosis, pulmonary anthrax, pulmonary edema, pulmonary embolus, pulmonary inflammation, pulmonary histiocytosis X, pulmonary hypertension, pulmonary nocardiosis, pulmonary tuberculosis, pulmonary veno-occlusive disease, rheumatoid lung disease, sarcoidosis, and Wegener's granulomatosis.

10. The method of any one of the preceding claims, wherein the formulation comprising a domain antibody (dAb) that binds a target in pulmonary tissue has a long action or long therapeutic window in pulmonary tissue which is at least about 4 hours.

11. The method of any one of the preceding claims, wherein the dAb formulation is administered at a low dose effective amount.

12. The method of any one of the preceding claims, wherein the dAb formulation is for administering a dose of no more than about 10 mg/kg/day.

13. The method of any one of the preceding claims, wherein the target in pulmonary tissue is selected from the group consisting of TNFR1, IL-1, IL-1R, IL-4, IL-4R, , IL-5, IL-6, IL-6R, IL-8, IL-8R, IL-9, IL-9R, IL-10, IL-12 IL-12R, IL-13, IL-13R α 1, IL-13R α 2, IL-15, IL-15R, IL-16, IL-17R, IL-17, IL-18, IL-18R, IL-23 IL-23R, IL-25, CD2, CD4, CD11a, CD23, CD25, CD27, CD28, CD30, CD40, CD40L, CD56, CD138, ALK5, EGFR, FcER1, TGF β , CCL2, CCL18, CEA, CR8, CTGF, CXCL12 (SDF-1), chymase, FGF, Furin, Endothelin-1, Eotaxins (e.g., Eotaxin, Eotaxin-2, Eotaxin-3), GM-CSF, ICAM-1, ICOS, IgE, IFN α , I-309, integrins, L-selectin, MIF, MIP4, MDC, MCP-1, MMPs, neutrophil elastase, osteopontin, OX-40, PARC, PD-1, RANTES, SCF, SDF-1, siglec8, TARC, TGF β , Thrombin, Tim-1, TNF, TNFR1, TRANCE, Tryptase, VEGF, VLA-4, VCAM, α 4 β 7, CCR2, CCR3, CCR4, CCR5, CCR7, CCR8, alphavbeta6 and alphavbeta 8.

14. The method of any one of the preceding claims, wherein the target is TNFR1.

15. The method of claim 14, wherein said effective amount does not exceed about 10 mg/kg/day, and wherein the level of inflammatory cells in the lung is reduced relative to pretreatment levels with $p \leq 0.05$.

16. The method of claim 15, wherein said wherein the TNFR1 dAb persists in the pulmonary tissue for at least 8 hours after it is administered.

17. The method of claim 14-16, wherein the TNFR1 dAb is administered at about 5 mg/kg or less once per day.

18. The method of claim 14-16, wherein the TNFR1 dAb is administered at about 1 mg/kg or less once per day.

19. The method of any one of claims 14-18, wherein the level of inflammatory cells in the lung is reduced relative to pretreatment levels by at least about 30%.

20. The method of any one of claims 14-19, wherein the TNFR1 dAb has binding specificity for TNFR1, but does not substantially agonize TNFR1.

21. The method of any one of claims 14-19, wherein the amino acid sequence of said dAb is at least 90% homologous to the amino acid sequence of a dAb selected from the group consisting of TAR2h-12 (SEQ ID NO:1), TAR2h-13 (SEQ ID NO:2), TAR2h-14 (SEQ ID NO:3), TAR2h-16 (SEQ ID NO:4), TAR2h-17 (SEQ ID NO:5), TAR2h-18 (SEQ ID NO:6), TAR2h-19 (SEQ ID NO:7), TAR2h-20 (SEQ ID NO:8), TAR2h-21 (SEQ ID NO:9), TAR2h-22 (SEQ ID NO:10), TAR2h-23 (SEQ ID NO:11), TAR2h-24 (SEQ ID NO:12), TAR2h-25 (SEQ ID NO:13), TAR2h-26 (SEQ ID NO:14), TAR2h-27 (SEQ ID NO:15), TAR2h-29 (SEQ ID NO:16), TAR2h-30 (SEQ ID NO:17), TAR2h-32 (SEQ ID NO:18), TAR2h-33 (SEQ ID NO:19), TAR2h-10-1 (SEQ ID NO:20), TAR2h-10-2 (SEQ ID NO:21), TAR2h-10-3 (SEQ ID NO:22), TAR2h-10-4 (SEQ ID NO:23), TAR2h-10-5 (SEQ ID NO:24), TAR2h-10-6 (SEQ ID NO:25), TAR2h-10-7 (SEQ ID NO:26), TAR2h-10-8 (SEQ ID NO:27), TAR2h-10-9 (SEQ ID NO:28), TAR2h-10-10 (SEQ ID NO:29), TAR2h-10-11 (SEQ ID NO:30), TAR2h-10-12 (SEQ ID NO:31), TAR2h-10-13 (SEQ ID NO:32), TAR2h-10-14 (SEQ ID NO:33), TAR2h-10-15 (SEQ ID NO:34), TAR2h-10-16 (SEQ ID NO:35), TAR2h-10-17 (SEQ ID NO:36),

TAR2h-10-18 (SEQ ID NO:37), TAR2h-10-19 (SEQ ID NO:38), TAR2h-10-20 (SEQ ID NO:39), TAR2h-10-21 (SEQ ID NO:40), TAR2h-10-22 (SEQ ID NO:41), TAR2h-10-27 (SEQ ID NO:42), TAR2h-10-29 (SEQ ID NO:43), TAR2h-10-31 (SEQ ID NO:44), TAR2h-10-35 (SEQ ID NO:45), TAR2h-10-36 (SEQ ID NO:46), TAR2h-10-37 (SEQ ID NO:47),
5 TAR2h-10-38 (SEQ ID NO:48), TAR2h-10-45 (SEQ ID NO:49), TAR2h-10-47 (SEQ ID NO:50), TAR2h-10-48 (SEQ ID NO:51), TAR2h-10-57 (SEQ ID NO:52), TAR2h-10-56 (SEQ ID NO:53), TAR2h-10-58 (SEQ ID NO:54), TAR2h-10-66 (SEQ ID NO:55), TAR2h-10-64 (SEQ ID NO:56), TAR2h-10-65 (SEQ ID NO:57), TAR2h-10-68 (SEQ ID NO:58),
10 TAR2h-10-69 (SEQ ID NO:59), TAR2h-10-67 (SEQ ID NO:60), TAR2h-10-61 (SEQ ID NO:61), TAR2h-10-62 (SEQ ID NO:62), TAR2h-10-63 (SEQ ID NO:63), TAR2h-10-60 (SEQ ID NO:64), TAR2h-10-55 (SEQ ID NO:65), TAR2h-10-59 (SEQ ID NO:66), TAR2h-10-70 (SEQ ID NO:67), TAR2h-34 (SEQ ID NO:68), TAR2h-35 (SEQ ID NO:69), TAR2h-36 (SEQ ID NO:70), TAR2h-37 (SEQ ID NO:71), TAR2h-38 (SEQ ID NO:72), TAR2h-39 (SEQ ID NO:73), TAR2h-40 (SEQ ID NO:74), TAR2h-41 (SEQ ID NO:75), TAR2h-42 (SEQ
15 ID NO:76), TAR2h-43 (SEQ ID NO:77), TAR2h-44 (SEQ ID NO:78), TAR2h-45 (SEQ ID NO:79), TAR2h-47 (SEQ ID NO:80), TAR2h-48 (SEQ ID NO:81), TAR2h-50 (SEQ ID NO:82), TAR2h-51 (SEQ ID NO:83), TAR2h-66 (SEQ ID NO:84), TAR2h-67 (SEQ ID NO:85), TAR2h-68 (SEQ ID NO:86), TAR2h-70 (SEQ ID NO:87), TAR2h-71 (SEQ ID NO:88), TAR2h-72 (SEQ ID NO:89), TAR2h-73 (SEQ ID NO:90), TAR2h-74 (SEQ ID
20 NO:91), TAR2h-75 (SEQ ID NO:92), TAR2h-76 (SEQ ID NO:93), TAR2h-77 (SEQ ID NO:94), TAR2h-78 (SEQ ID NO:95), TAR2h-79 (SEQ ID NO:96), TAR2h-15 (SEQ ID NO:97), TAR2h-131-8 (SEQ ID NO:98), TAR2h-131-24 (SEQ ID NO:99), TAR2h-15-8 (SEQ ID NO:100), TAR2h-15-8-1 (SEQ ID NO:101), TAR2h-15-8-2 (SEQ ID NO:102),
TAR2h-185-23 (SEQ ID NO:103), TAR2h-154-10-5 (SEQ ID NO:104), TAR2h-14-2 (SEQ
25 ID NO:105), TAR2h-151-8 (SEQ ID NO:106), TAR2h-152-7 (SEQ ID NO:107), TAR2h-35-4 (SEQ ID NO:108), TAR2h-154-7 (SEQ ID NO:109), TAR2h-80 (SEQ ID NO:110), TAR2h-81 (SEQ ID NO:111), TAR2h-82 (SEQ ID NO:112), TAR2h-83 (SEQ ID NO:113), TAR2h-84 (SEQ ID NO:114), TAR2h-85 (SEQ ID NO:115), TAR2h-86 (SEQ ID NO:116), TAR2h-87 (SEQ ID NO:117), TAR2h-88 (SEQ ID NO:118), TAR2h-89 (SEQ ID NO:119), TAR2h-90 (SEQ ID NO:120), TAR2h-91 (SEQ ID NO:121), TAR2h-92 (SEQ ID NO:122), TAR2h-93 (SEQ ID NO:123), TAR2h-94 (SEQ ID NO:124), TAR2h-95 (SEQ ID NO:125), TAR2h-96 (SEQ ID NO:126), TAR2h-97 (SEQ ID NO:127), TAR2h-99 (SEQ ID NO:128), TAR2h-100 (SEQ ID NO:129), TAR2h-101 (SEQ ID NO:130), TAR2h-102 (SEQ ID NO:131),
30 TAR2h-103 (SEQ ID NO:132), TAR2h-104 (SEQ ID NO:133), TAR2h-105 (SEQ ID

NO:134), TAR2h-106 (SEQ ID NO:135), TAR2h-107 (SEQ ID NO:136), TAR2h-108 (SEQ ID NO:137), TAR2h-109 (SEQ ID NO:138), TAR2h-110 (SEQ ID NO:139), TAR2h-111 (SEQ ID NO:140), TAR2h-112 (SEQ ID NO:141), TAR2h-113 (SEQ ID NO:142), TAR2h-114 (SEQ ID NO:143), TAR2h-115 (SEQ ID NO:144), TAR2h-116 (SEQ ID NO:145),
5 TAR2h-117 (SEQ ID NO:146), TAR2h-118 (SEQ ID NO:147), TAR2h-119 (SEQ ID NO:148), TAR2h-120 (SEQ ID NO:149), TAR2h-121 (SEQ ID NO:150), TAR2h-122 (SEQ ID NO:151), TAR2h-123 (SEQ ID NO:152), TAR2h-124 (SEQ ID NO:153), TAR2h-125 (SEQ ID NO:154), TAR2h-126 (SEQ ID NO:155), TAR2h-127 (SEQ ID NO:156), TAR2h-128 (SEQ ID NO:157), TAR2h-129 (SEQ ID NO:158), TAR2h-130 (SEQ ID NO:159),
10 TAR2h-131 (SEQ ID NO:160), TAR2h-132 (SEQ ID NO:161), TAR2h-133 (SEQ ID NO:162), TAR2h-151 (SEQ ID NO:163), TAR2h-152 (SEQ ID NO:164), TAR2h-153 (SEQ ID NO:165), TAR2h-154 (SEQ ID NO:166), TAR2h-159 (SEQ ID NO:167), TAR2h-165 (SEQ ID NO:168), TAR2h-166 (SEQ ID NO:169), TAR2h-168 (SEQ ID NO:170), TAR2h-171 (SEQ ID NO:171), TAR2h-172 (SEQ ID NO:172), TAR2h-173 (SEQ ID NO:173),
15 TAR2h-174 (SEQ ID NO:174), TAR2h-176 (SEQ ID NO:175), TAR2h-178 (SEQ ID NO:176), TAR2h-201 (SEQ ID NO:177), TAR2h-202 (SEQ ID NO:178), TAR2h-203 (SEQ ID NO:179), TAR2h-204 (SEQ ID NO:180), TAR2h-185-25 (SEQ ID NO:181), TAR2h-154-10 (SEQ ID NO:182), and TAR2h-205 (SEQ ID NO:183), TAR2h-131-511 (SEQ ID NO:379), TAR2m-15-12 (SEQ ID NO:217) or TAR2h-131-193 (SEQ ID NO:362).

20
22. The method of any one of claims 14-21, wherein the respiratory disease is selected from the group consisting of lung inflammation, chronic obstructive pulmonary disease, asthma, pneumonia, hypersensitivity pneumonitis, pulmonary infiltrate with eosinophilia, environmental lung disease, pneumonia, bronchiectasis, cystic fibrosis, interstitial lung
25 disease, primary pulmonary hypertension, pulmonary thromboembolism, disorders of the pleura, disorders of the mediastinum, disorders of the diaphragm, hypoventilation, hyperventilation, sleep apnea, acute respiratory distress syndrome, mesothelioma, sarcoma, graft rejection, graft versus host disease, lung cancer, allergic rhinitis, allergy, asbestosis, aspergilloma, aspergillosis, bronchiectasis, chronic bronchitis, emphysema, eosinophilic
30 pneumonia, idiopathic pulmonary fibrosis, invasive pneumococcal disease, influenza, nontuberculous mycobacteria, pleural effusion, pneumoconiosis, pneumocytosis, pneumonia, pulmonary actinomycosis, pulmonary alveolar proteinosis, pulmonary anthrax, pulmonary edema, pulmonary embolus, pulmonary inflammation, pulmonary histiocytosis X, pulmonary

hypertension, pulmonary nocardiosis, pulmonary tuberculosis, pulmonary veno-occlusive disease, rheumatoid lung disease, sarcoidosis, and Wegener's granulomatosis.

23. A method according to claim 1, substantially as hereinbefore described with reference
5 to the Figures and/or Examples.

1/87




FIG. 1




FIG. 2

3/87




FIG. 3

FIG. 4A






FIG. 4B



4/87

■ PDE4I (p.o.) ■ DOM/ADS101-pegylated (i.p.) ■ DOM/ADS101-native (i.n.)

5/87



6/87

>TAR2h-12 (SEQ ID NO:1)
EVQLLESGGGLVQPGGSLRLSCAASGFTFV~AYNMG~WVRQAPGKGLEWVS~~FIDMYGAKTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LCLMDCSGDIFDY~~~WGQGT LVT VSS

>TAR2h-13 (SEQ ID NO:2)
EVQLLESGGGLVQPGGSLRLSCAASGFTFP~ADEMY~WVRQAPGKGLEWVS~~SIGWPGGATYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~YGRNFDY~~~WGQGT LVT VSS

>TAR2h-14 (SEQ ID NO:3)
EVQLLESGGGLVQPGGSLRLSCAASGFTFD~QYDMS~WVRQAPGKGLEWVS~~LIDPSGGHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PVFSDWPAVEFDY~~~WGQGT LVT VSS

>TAR2h-16 (SEQ ID NO:4)
EVQLLESGGGLVQPGGSLRLSCAASGFTFG~NYDMQ~WVRQAPGKGLEWVS~~SIDGTGGTTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ETNAFDY~~~WGQGT LVT VSS

>TAR2h-17 (SEQ ID NO:5)
EVQLLESGGGLVQPGGSLRLSCAASGFTFG~GYQMG~WVRQAPGKGLEWVS~~FIDFTGAHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LSDDLTLPERFPFDY~~~WGQGT LVT VSS

>TAR2h-18 (SEQ ID NO:6)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~DYNMT~WVRQAPGKGLEWVS~~WIDQEGVFTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~DFSAAVMLRTSFDY~~~WGQGT LVT VSS

>TAR2h-19 (SEQ ID NO:7)
EVQLLESGGGLVQPGGSLRLSCAVSGFTFH~DYGMV~WVRQAPGKGLEWVS~~QISIDGRTTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RIFEFDY~~~WGQGT LVT VSS

>TAR2h-20 (SEQ ID NO:8)
EVQLLESGGGLVQPGGSLRLSCAASGFTFS~AYNMS~WVRQAPGKGLEWVS~~AISPSGNETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GAGEAFDY~~~WGQGT LVT VSS

>TAR2h-21 (SEQ ID NO:9)
EVQLLESGGGLVQPGGSLRLSCAASGFTFT~EYNMG~WVRQAPGKGLEWVS~~FIGHSGQHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAE~~~LNNLMFDY~~~WGQGT LVT VSS

>TAR2h-22 (SEQ ID NO:10)
EVQLLESGGGLVQPGGSLRLSCAASGFTFG~EYNMA~WVRQAPGKGQEWVS~~FISTGGHVTTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~FSVRFRSSIFDY~~~WGQGT LVT VSS

FIG. 6A

7/87

>TAR2h-23 (SEQ ID NO:11)
EVQLLES GGGLVQPGGSLRLSCAASGYTFT~EYTMG~WVRQAPGKGLEWVS~~WIAVDGIHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LDWTATDFSIFDY~~~WGQGT LVTVSS

>TAR2h-24 (SEQ ID NO:12)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~NYTML~WVRQAPGKGLEWVS~~VISAEGRTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LNMKATNFKDFDY~~~WGQGT LVTVSS

>TAR2h-25 (SEQ ID NO:13)
EVQLLES GGGLVQPGGSLRLSCAASGFTFS~EYAML~WVRQAPGKGLEWVS~~LIDRTGVITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RDYQYHLYQDFDY~~~RGQGT LVTVSS

>TAR2h-26 (SEQ ID NO:14)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~TYSMG~WVRQAPGKGLEWVS~~MIDPEGYHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAE~~~TNRPLTYKPWFDY~~~WGQGT LVTVSS

>TAR2h-27 (SEQ ID NO:15)
EVQLLES GGGLVQPGGSLRLSCAASGFTFT~DYNMA~WVRQAPGKGLEWVS~~FISQEGHHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~FSTIATLSLFDY~~~WGQGT LVTVSS

>TAR2h-29 (SEQ ID NO:16)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~TYNMG~WVRQAPGKGLEWVS~~SIAWLGSETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~HCKAECTGDLFDY~~~WGQGT LVTVSS

>TAR2h-30 (SEQ ID NO:17)
EVQLLES GGGLVQPGGALRLSCAASGFTFG~IYSMG~WVRQAPGKGLEWVS~~SISGVGMETYYADSV
KG~~RFTISRDN SENTLYLQMNSLRAEDTAVYYCAK~~~HSYPTRGRHLFDY~~~WGQGT LVTVSS

>TAR2h-32 (SEQ ID NO:18)
EVQLLES GGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGP NFDY~~~RGQGT LVTVSS

>TAR2h-33 (SEQ ID NO:19)
EVQLLES GGGLVQPGGSLRLSCAASGFTFH~RYSMG~WVRQAPGKGLEWVS~~AISSSGGITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~STQAQGLELDY~~~WGQGT LVTVSS

FIG. 6B

8/87

>TAR2h-10-1 (SEQ ID NO:20)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNNLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~RGQGTLVTVSS

>TAR2h-10-2 (SEQ ID NO:21)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~RGQGTLVTVSS

>TAR2h-10-3 (SEQ ID NO:22)
EVQLLES GGG LVQP GGS LRLTCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~WGQGTLVTVSS

>TAR2h-10-4 (SEQ ID NO:23)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WIRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~WGQGTLVTVSS

>TAR2h-10-5 (SEQ ID NO:24)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~RGQGTLVTVSS

>TAR2h-10-6 (SEQ ID NO:25)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WVRQAPGKGPEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~RGQGTLVTVSS

>TAR2h-10-7 (SEQ ID NO:26)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAKDTAVYYCAK~~~VKLG GGP NFDY~~~RGQGTLVTVSS

>TAR2h-10-8 (SEQ ID NO:27)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~RGQGTLVTVSS

>TAR2h-10-9 (SEQ ID NO:28)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGRTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~WGQGTLVTVSS

FIG. 6C

9/87

>TAR2h-10-10 (SEQ ID NO:29)
EVQLLES GGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGPNFDY~~~RGQGT LVTVSS

>TAR2h-10-11 (SEQ ID NO:30)
EVQLLES GGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSKYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGPNFDY~~~RGQGT LVTVSS

>TAR2h-10-12 (SEQ ID NO:31)
EVQLLES GGGLVQPGGSLRLSCAASGFTFG~WYWMG~WVRQAPGKGLEWAS~~AISGSGGNTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGPNFDY~~~WGQGT LVTVSS

>TAR2h-10-13 (SEQ ID NO:32)
EVQLLES GGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLGWVS~~AISGSGGSTYYADSV
RG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGPNFDY~~~RGQGT LVTVSS

>TAR2h-10-14 (SEQ ID NO:33)
EVQLLES GGGLVQPGGSLRXSCAASGFTFE~WYWMG~WVRQAPGKGPEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGPNFDY~~~WGQGT LVTVSS

>TAR2h-10-15 (SEQ ID NO:34)
EVQLLES GGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGPNFDY~~~RGRGT LVTVSS

>TAR2h-10-16 (SEQ ID NO:35)
EVQLLES GGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAKDTAVYYCAK~~~VKLGGGPNFDY~~~RGQGT LVTVSS

>TAR2h-10-17 (SEQ ID NO:36)
EVQLLES GGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLGWVS~~AISGSGGSTYYADSV
RG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGPNFDY~~~RGQGT LVTVSS

>TAR2h-10-18 (SEQ ID NO:37)
EVQLLES GGGLVQPGGSLRLSCAASGFTFG~WYWMG~WVRQAPGKGLEWAS~~AISGSGGNTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLGGGPNFDY~~~WGQGT LVTVSS

FIG. 6D

10/87

>TAR2h-10-19 (SEQ ID NO:38)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F E ~ W Y W M G ~ W V R Q A P G K G L G W V S ~ ~ A I S G S G G S T Y Y A D S V
R G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A K D T A V Y Y C A K ~ ~ ~ V K L G G G P N F D Y ~ ~ ~ R G Q G T L V T V S S

>TAR2h-10-20 (SEQ ID NO:39)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F G ~ W Y W M G ~ W V R Q A P G K G L E W A S ~ ~ A I S G S G G N T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A K D T A V Y Y C A K ~ ~ ~ V K L G G G P N F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-10-21 (SEQ ID NO:40)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F G ~ W Y W M G ~ W V R Q A P G K G L E W V S ~ ~ A I S G S G G S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A K D T A V Y Y C A K ~ ~ ~ V K L G G G P N F D Y ~ ~ ~ R G Q G T L V T V S S

>TAR2h-10-22 (SEQ ID NO:41)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F G ~ W Y W M G ~ W V R Q A P G K G L G W V S ~ ~ A I S G S G G S T Y Y A D S V
R G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ V K L G G G P N F D Y ~ ~ ~ R G Q G T L V T V S S

>TAR2h-10-27 (SEQ ID NO:42)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F E ~ W Y W M G ~ W V R Q A P G K G L E W V S ~ ~ A I S G S G G S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D A A V Y Y C A K ~ ~ ~ V K L G G G P N F G Y ~ ~ ~ R G Q G T L V T V S S

>TAR2h-10-29 (SEQ ID NO:43)
EVQLLES GGG L V Q P G G S L R L S C A A S G F D F E ~ W Y W M G ~ W V R Q A P G K G L E W V S ~ ~ A I S G S G G S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D A A V Y Y C A K ~ ~ ~ V K L G G G P N F G Y ~ ~ ~ R G Q G T L V T V S S

>TAR2h-10-31 (SEQ ID NO:44)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F E ~ W Y W M G ~ W V R Q A P G K G L E W V S ~ ~ A I S G S G G S T Y Y A D S V
K G ~ ~ R F T I S R D N S K S T L Y L Q M N S L R A E D A A V Y Y C A K ~ ~ ~ V K L G G G P N F G Y ~ ~ ~ R G Q G T L V T V S S

>TAR2h-10-35 (SEQ ID NO:45)
EVQLLES GGG L V Q P G G S L R L S C A A S G F D F E ~ W Y W M G ~ W V R Q A P G K G L E W V S ~ ~ A I S G S G G S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L H A E D A A V Y Y C A K ~ ~ ~ V K L G G G P N F G Y ~ ~ ~ R G Q G T L V T V S S

>TAR2h-10-36 (SEQ ID NO:46)
EVQLLES GGG L V Q P G G S L R L S C A V S G L T F E ~ W Y W M G ~ W V R Q A P G K G L E W V S ~ ~ A I S G S G G S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D A A V Y Y C A K ~ ~ ~ V K L G G G P N F G Y ~ ~ ~ R G Q G T L V T V S S

FIG. 6E

11/87

>TAR2h-10-37 (SEQ ID NO:47)
EVQLLGSGGGLVQPGGSLRLSCAASGFTFA~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVTVSS

>TAR2h-10-38 (SEQ ID NO:48)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAKDAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVTVSS

>TAR2h-10-45 (SEQ ID NO:49)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~PYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVTVSS

>TAR2h-10-47 (SEQ ID NO:50)
EVQLLESGGGFVQPGGSLRLSCAASGFTFE~WYWMS~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDASVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVTVSS

>TAR2h-10-48 (SEQ ID NO:51)
EVQLLESGGGLVQPGGSLRLPCAASGFTFE~WYWMT~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVTVSS

>TAR2h-10-57 (SEQ ID NO:52)
EVQLLESGGGLVQPGGSLRLSCAASGLTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVTVSS

>TAR2h-10-56 (SEQ ID NO:53)
EVQLLESGGGLVQPGGSLRLSCAASGLTFE~WYWMG~WVRQAPGKGLEWVS~~AVSGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVTVSS

>TAR2h-10-58 (SEQ ID NO:54)
EVQLLESGGGLVQPGGSLRLSCAASGLTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGDSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVTVSS

>TAR2h-10-66 (SEQ ID NO:55)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AMSGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGN~~~RGLGT LVTVSS

FIG. 6F

12/87

>TAR2h-10-64 (SEQ ID NO:56)
EVQLLESGGGSLVQPGGSLRLSCAASGFTFD~WYWMG~WVRQAPGKGLEWAS~~AISGSGGSTYYADSV
KD~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGPDFGY~~~RGQGTLVTVSS

>TAR2h-10-65 (SEQ ID NO:57)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDGAVYYCAK~~~VKLGGELNFGY~~~RGQGTLVTVSS

>TAR2h-10-68 (SEQ ID NO:58)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGPNFGN~~~RGQGTPVTVSS

>TAR2h-10-69 (SEQ ID NO:59)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRPEDAAVYYCAK~~~VKLGGGPNFGP~~~RGQGTLVTVSS

>TAR2h-10-67 (SEQ ID NO:60)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGPNFGN~~~RGQGTLVTVSS

>TAR2h-10-61 (SEQ ID NO:61)
EVQLLESGGGLVQPGGSLRLSCAASGFTIE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGPNFGY~~~RGQGTLVTVSS

>TAR2h-10-62 (SEQ ID NO:62)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTFYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGPNFGY~~~RGQGTLVTVSS

>TAR2h-10-63 (SEQ ID NO:63)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVT~~AISGSGGSTFYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGPNFGY~~~RGQGTLVTVSS

>TAR2h-10-60 (SEQ ID NO:64)
EVQLLESGGGLVQPGGSLRLSCAASGFSFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGDSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGPNFGY~~~RGQGTLVTVSS

FIG. 6G

13/87

>TAR2h-10-55 (SEQ ID NO:65)
EVQLLES GGG LVQP GGS LRLS CAAS GF PFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGDSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVT VSS

>TAR2h-10-59 (SEQ ID NO:66)
EVQLLES GGG LVQP GGS LRLS CAAS GF SFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NFGY~~~RGQGT LVT VSS

>TAR2h-10-70 (SEQ ID NO:67)
EVQLLES GGG LVQP GGS LRLS CAAS GF TFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLGGGP NYGY~~~RGQGT LVT VSS

>TAR2h-34 (SEQ ID NO:68)
EVQLLES GGG LVQP GGS LRLS CAAS GF TFP~EYDMA~WVRQAPGKGLEWVS~~TISHGGEHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAQ~~~HPVSHPKFDY~~~WGQGT LVT VSS

>TAR2h-35 (SEQ ID NO:69)
EVQLLES GGG LVQP GGS LRLS CAAS GF TFD~AYNMF~WVRQAPGKGLEWVS~~AISPSGRETTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RYPDFDY~~~WGQGT LVT VSS

>TAR2h-36 (SEQ ID NO:70)
EVQLLES GGG LVQP GGS LRLS CAAS GF TFS~DYTMG~WVRQAPGKGLEWVS~~LIDRPGNHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~WGLNVEDFDY~~~WGQGT LVT VSS

>TAR2h-37 (SEQ ID NO:71)
EVQLLES GGG LVQP GGS LRLS CAAS GF TFI~EYDMG~WVRQAPGKGLEWVS~~MISSDGR LTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~TWDGLNRNFDY~~~WGQGT LVT VSS

>TAR2h-38 (SEQ ID NO:72)
EVQLLES GGG LVQP GGS LRLS CAAS GF TFI~GYNMY~WVRQAPGKGLEWVS~~FISPSGRETTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~TLSADGRFDY~~~WGQGT LVT VSS

>TAR2h-39 (SEQ ID NO:73)
EVQLLES GGG LVQP GGS LRLS CAAS GF TFG~SYDMG~WVRQAPGKGLEWVS~~FIDVSGTLTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~TVELDGLDFDY~~~WGQGT LVT VSS

FIG. 6H

14/87

>TAR2h-40 (SEQ ID NO:74)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F A ~ D Y D M G ~ W V R Q A P G K G L E W V S ~ ~ F I D S S G S R T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ T A E I V N S R F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-41 (SEQ ID NO:75)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F D ~ K Y Q M G ~ W V R Q A P G K G L E W V S ~ ~ F I D S N G H H T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A E ~ ~ ~ L D N L S I T P F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-42 (SEQ ID NO:76)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F A ~ K Y N M Y ~ W V R Q A P G K G L E W V S ~ ~ A I S P K G Q H T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A E ~ ~ ~ G M G S D A I T F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-43 (SEQ ID NO:77)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F S ~ D Y T M G ~ W A R Q A P G K G L E W V S ~ ~ F I D S D G L H T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A Q ~ ~ ~ N P Q Y A Y E S S R F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-44 (SEQ ID NO:78)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F L ~ Q Y P M V ~ W V R Q A P G K G L E W V S ~ ~ S I L A P G G P T Y Y A D S V
K G ~ ~ R F T I S R D N S K N S L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ H P T H T P H P N F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-45 (SEQ ID NO:79)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F G ~ G Y R M A ~ W V R Q A P G K G L E W V S ~ ~ F I D S E G V L T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ L C S S N C N M R N F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-47 (SEQ ID NO:80)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F P ~ V Y N M A ~ W V R Q A P G K G L E W V S ~ ~ F I A G N G Q Q T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ F A S K V S P M S L T D F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-48 (SEQ ID NO:81)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F H ~ K Y G M A ~ W V R Q A P G K G L E W V S ~ ~ F I D L A G L H T Y Y A D S V
R G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ F A T Y S S G N E E Q P F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-50 (SEQ ID NO:82)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F S ~ A Y N M A ~ W V R Q A P G K G L E W V S ~ ~ F I A Q S G G H T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ F S H P D E E G T Q M F D Y ~ ~ ~ W G Q G T L V T V S S

FIG. 6I

15/87

>TAR2h-51 (SEQ ID NO:83)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFA~TYNMS~WVRQAPGKGLEWVS~~AIDAGGMHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GTEPFDY~~~WGQGLTVTVSS

>TAR2h-66 (SEQ ID NO:84)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFD~EYXMG~WVRQAPGKGLEWVS~~LISPRGSKTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~YKPPFDY~~~WGQGLTVTVSS

>TAR2h-67 (SEQ ID NO:85)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFE~DYPMA~WVRQAPGKGLEWVS~~FIGLKGIHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~DLNNFDY~~~WGQGLTVTVSS

>TAR2h-68 (SEQ ID NO:86)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFG~NGNMV~WVRQAPGKGLEWVS~~HIDEYGTNTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PRNDRPGFDY~~~WGQGLTVTVSS

>TAR2h-70 (SEQ ID NO:87)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFP~TEHMY~WVRQAPGKGLEWVS~~GIDTGGSHYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GLHWSSDSGPFVHFDY~~~WGQGLTVTVSS

>TAR2h-71 (SEQ ID NO:88)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFG~NVD MH~WVRQAPGKGLEWVS~~AISSAGGETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RMLANSPLAFDY~~~WGQGLTVTVSS

>TAR2h-72 (SEQ ID NO:89)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFG~YEPMA~WVRQAPGKGLEWVS~~TISHTGRDYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RWSSFYDY~~~WGQGLTVTVSS

>TAR2h-73 (SEQ ID NO:90)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFP~SEKMA~WVRQAPGKGLEWVS~~SIDERGIMTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RWTFTNTAFDY~~~WGQGLTVTVSS

>TAR2h-74 (SEQ ID NO:91)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFS~REN MH~WVRQAPGKGLEWVS~~GIGPRGMPTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GMNSHDGFDY~~~WGQGLTVTVSS

>TAR2h-75 (SEQ ID NO:92)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFN~AYTMI~WVRQAPGKGLEWVS~~YIDPHGTITYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPRAAPRFYDY~~~WGQGLTVTVSS

FIG. 6J

16/87

>TAR2h-76 (SEQ ID NO:93)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F D ~ A S E M D ~ W V R Q A P G K G L E W V S ~ ~ A I S P S G S A T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ W T P G R T T F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-77 (SEQ ID NO:94)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F P ~ T E H M Y ~ W V R Q A P G K G L E W V S ~ ~ G I D T G G S H T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ G L H W S S D S G P V H F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-78 (SEQ ID NO:95)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F K ~ L Y N M A ~ W V R Q A P G K G L E W V S ~ ~ F I A A G P E T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ L G D I S S I P Q H P F D Y ~ ~ ~ W G Q G T L V T V S S

>TAR2h-79 (SEQ ID NO:96)
EVQLLES GGG L V Q P G G S L R L S C A A S G F T F G ~ N V D M H ~ W V R Q A P G K G L E W V S ~ ~ A I S S A G G E T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ S A D I T K G F D Y ~ ~ ~ W G Q G T L V T V S S

TAR2h-15 (SEQ ID NO:97)
EVRLLS GGG L V Q P G G S L R L S C A A S G F T F ~ G K Y T M T ~ W V R Q A P G K G L E W V S ~ ~ H I S D D G N S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ V P I L A P R N L F D Y ~ ~ ~ W G Q G T L V T V S S

TAR2h-131-8 (SEQ ID NO:98)
EVQLLES GGG L I Q P G G S L R L S C A A S G F T F A ~ H E T M V ~ W V R Q A P G K G L E W V S ~ ~ H I D R V G Q D T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ L P K R G P W F D Y ~ ~ ~ R G Q G T L V T V S S

TAR2h-131-24 (SEQ ID NO:99)
EVQLLES GGG L I Q P G G S L R L S C A A S G F T F A ~ H E T M V ~ W V R Q A P G K G L E W V S ~ ~ H I D R V G Q D T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A R ~ ~ ~ L P K R G P W F D Y ~ ~ ~ R G Q G T L V T V S S

TAR2h-15-8 (SEQ ID NO:100)
EVRLLS GGG L V Q P G G S L R L S C V A S G F T F G ~ K S T M T ~ W V R Q A P G K G L E W V S ~ ~ H I S D D G N S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ V P I L A P R N L F D Y ~ ~ ~ W G Q G T L V T V S S

TAR2h-15-8-1 (SEQ ID NO:101)
EVRLLS GGG L V Q P G G S L R L S C V A S G F N F G ~ K S T M T ~ W V R Q A P G K G L E W V S ~ ~ H I S D D G N S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ V P I L A P R N L F D Y ~ ~ ~ W G Q G T L V T V S S

FIG. 6K

17/87

TAR2h-15-8-2 (SEQ ID NO:102)

EVRLLES GGGLVQPGGSLRLSCVASGFTFG~KGTMT~WVRQAPGKGLEWVS~~HISDDGNSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VPILAPRNLFDY~~~WGQGT LVTVSS

TAR2h-185-23 (SEQ ID NO:103)

EVQLLES GGGLVQPGGSLRLSCAASGFTFA~RYNMG~WVRQAPGKGLEWVS~~LIDPSGGHTYYAXSV
KG~~RSTISRNN SKNTLYLQMNSLRAEDTAVYYCGK~~~PVFSDWPAVEFDY~~~WGQGT LVTVSS

TAR2h-154-10-5 (SEQ ID NO:104)

EVQLLES GGGMVQPGGSLRLSCAAPGFTFE~HEGMV~WVRQAPGKGLEWVS~~HIGEDGQSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAS~~~IPKAGPSFDY~~~WGQGT LVTVSS

TAR2h-14-2 (SEQ ID NO:105)

EVQLLES GGGLVQPGGSLRLSCAASGSTFD~QYDMS~WVRRAPGKGLEWVS~~LIDPSGGHTYYADSV
KG~~RFTISRNN TKNTLYLQMNSLRAEDTAVYYCAK~~~PVFSDWPAVEFDY~~~WGQGT LVTVSS

TAR2h-151-8 (SEQ ID NO:106)

EVQLLES GGGLVQPGGSLRLSCAASGFTFD~YGNMF~WVRQAPGKGLEWIS~~AISGGSGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~DMTTDSPPGFDY~~~WGQGT LVTVSS

TAR2h-152-7 (SEQ ID NO:107)

EVQLLES GGGLVQPGGSLRLSCAASGFTFA~KETMS~WVRQAPGKGLEWVS~~WISPHGAHTFYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PRFSYYPRVSFDY~~~RGQGT LVTVSS

TAR2h-35-4 (SEQ ID NO:108)

EVQLLES GGGLVQPGGSLRLSCAASGFTFD~AYNMF~WFRQAPGKGPEWVS~~AIGPSGRETYADSV
KG~~RFTITRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RYPDFDY~~~WGQGT LVTVSS

TAR2h-154-7 (SEQ ID NO:109)

EVQLLES GGGLVQPGGSLRLSCAASGFTFE~HEGMV~WVRQAPGKGLEWVS~~HIGEDGQSTYYADSV
KG~~RFTISRDN SRNTLYLQMNSLRAEDTAVYYCAN~~~IPKAGPSFDY~~~WGQGT LVTVSS

TAR2h-80 (SEQ ID NO:110)

EVQLLES GGGLVQPGGSLRLSCAASGFTFK~LYNMA~WVRQAPGKGLEWVS~~FIAAAGPETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LGDIISSIPQHFPDY~~~WGQGT LVTVSS

FIG. 6L

18/87

TAR2h-81 (SEQ ID NO:111)
EVQLLESGGGLVQPGGSLRLSCAASGFTFS~RENMH~WVRQAPGKGLEWVS~~GIGPRGMPTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GMNSHDGFDY~~~WGQGT LVT VSS

TAR2h-82 (SEQ ID NO:112)
EVQLLESGGGLVQPGGSLRLSCAASGFTFD~ASEMD~WVRQAPGKGLEWVS~~AISPSGSATYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RMLANSPLAFDY~~~WGQGT LVT VSS

TAR2h-83 (SEQ ID NO:113)
EVQLLESGGGLVQPGGSLRLSCAASGFTFS~AYNMA~WVRQAPGKGLEWVS~~FIAQSGGHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~FSHPDEEGTQMFDY~~~WGQGT LVT VSS

TAR2h-84 (SEQ ID NO:114)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~DYQMA~WVRQAPGKGLEWVS~~RIDRGGFTYYADSVK
G~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PSWHADQYFDY~~~WGQGT LVT VSS

TAR2h-85 (SEQ ID NO:115)
EVQLLESGGGLVQPGGSLRLSCAASGFTFK~DYNMM~WVRQAPGKGLEWVS~~AIATSGRETYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~FTFGGNQDFDY~~~WGQGT LVT VSS

TAR2h-86 (SEQ ID NO:116)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~KYNMY~WVRQAPGKGLEWVS~~AISPKGQHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAE~~~GMGSDAITFDY~~~WGQGT LVT VSS

TAR2h-87 (SEQ ID NO:117)
EVQLLESGGGLVQPGGSLRLSCAASGFTFS~AYNMA~WVRQAPGKGLEWVS~~FIAQSGGHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~FSHPDEEGTQMFDY~~~WGQGT LVT VSS

TAR2h-88 (SEQ ID NO:118)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~RYDMF~WVRQAPGKGLEWVS~~GISPRGRETYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~DMINYHGTPSFDY~~~WGQGT LVT VSS

TAR2h-89 (SEQ ID NO:119)
EVQLLESGGGLVQPGGSLRLSCAASGFTFX~NYNMV~WVRQAPGKGLEWVS~~WISGAGHSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~DVIDMAGKLN VFDY~~~WGQGT LVT VSS

FIG. 6M

19/87

TAR2h-90 (SEQ ID NO:120)
EVQLLESGGGLVQPGGSLRLSCAASGFTFK~QYNMY~WVRQAPGKGLEWVS~~FISPSGGETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~DVMAGKLN VFDY~~~WGQGT LVTVSS

TAR2h-91 (SEQ ID NO:121)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~DYQMA~WVRQAPGKGLEWVS~~RIDRGGFHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PSWHADQYFDY~~~WGQGT LVTVSS

TAR2h-92 (SEQ ID NO:122)
EVQLLESGGGLVQPGGSLRLTCAASGFTFD~DVNMT~WVRQAPGKGLEWVS~~AIGPSGTETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~HSKTGSAMFDY~~~WGQGT LVTVSS

TAR2h-93 (SEQ ID NO:123)
EVQLLESGGGLVQPGGSLRLSCAASGFTFG~NGNMV~WVRQAPGKGLEWVS~~HIDEYGTNTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PRNDRPGFDY~~~WGQGT LVTVSS

TAR2h-94 (SEQ ID NO:124)
EVQLLESGGGLVQPGGSLRLSCAASGFTFS~RENMH~WVRQAPGKGLEWVS~~GIGPRGMPTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GMNSHDGFDY~~~WGQGT LVTVSS

TAR2h-95 (SEQ ID NO:125)
EVQLLESGGGLVQPGGSLRLSCAASGFTFK~GSNMG~WVRQAPGKGLEWVS~~LIDGRGQHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PSVREFDY~~~RGQGT LVTVSS

TAR2h-96 (SEQ ID NO:126)
EVQLLESGGGLVQPGGSLRLSCAASGFTFS~RENMH~WVRQAPGKGLEWVS~~GIGPRGMPTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RMLANSPLAFDY~~~WGQGT LVTVSS

TAR2h-97 (SEQ ID NO:127)
EVQLLESGGGLVQPGGSLRLSCTASGFTFS~ESTMN~WVRQAPGKGLEWVS~~VITAQGGDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PDVLFDY~~~WGQGT LVTVSS

TAR2h-99 (SEQ ID NO:128)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~EYNML~WVRQAPGKGLEWVS~~GIGPSGRETYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GSITLFDY~~~WGQGT LVTVSS

FIG. 6N

20/87

TAR2h-100 (SEQ ID NO:129)
EVQLLES GGG LVQP GGS LRLSCAASGFTFS~GYNMY~WVRQAPGKGLEWVS~~AIDAYGHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAE~~~GLQTS DHGERISFDY~~~WGQGT LVT VSS

TAR2h-101 (SEQ ID NO:130)
EVQLLES GGG LVQP GGS LRLSCAASGFTFD~QYDMS~WVRQAPGKGLEWVS~~LIDPSGGHTYYADSV
KG~~RFTISRNN SKNTLYLQMNSLRAEDTAVYYCAK~~~PVFSDWPAVEFDY~~~WGQGT LVT VSS

TAR2h-102 (SEQ ID NO:131)
EVQLLES GGG LVQP GGS LRLSCAASGFTFD~QYDMS~WVRQAPGKGLEWVS~~LIDPSGGHTYYADSV
KG~~RFTISRNN SKNTLYLQMNSLRAEDTAVYYCAK~~~PVFSDWPAVEFDY~~~WGQGT LVT VSS

TAR2h-103 (SEQ ID NO:132)
EVQLLES GGG LVQP GGS LRLSCAASGFTFT~RYSMG~WVRQAPGKGLEWVS~~MIDVPGLHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGT LVT VSS

TAR2h-104 (SEQ ID NO:133)
EVQLLES GGG LVQP GGS LRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYAXSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~VKLG GXPNFGY~~~RGQGT LVT VSS

TAR2h-105 (SEQ ID NO:134)
EVQLLES GGG LVQP GGS LRLSCAASGFTFT~RYSMG~WVRQAPGKGLEWVS~~FIDPPSVHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGT LVT VSS

TAR2h-106 (SEQ ID NO:135)
EVQLLES GGG LVQP GGS LRLSCAASGFTFT~RYSMG~WVRQAPGKGLEWVS~~MIDVGGSHYYAXSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGT LVT VSS

TAR2h-107 (SEQ ID NO:136)
EVQLLES GGG LVQP GGS LRLSCAASGFTFT~RYSMG~WVRQAPGKGLEWVS~~MIDTGGVHTYYAXSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGT LVT VSS

TAR2h-108 (SEQ ID NO:137)
EVQLLES GGG LVQP GGS LRLSCAASGFTFT~RYSMG~WVRQAPGKGLEWVS~~MIDVPGRHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGT LVT VSS

FIG. 60

21/87

TAR2h-109 (SEQ ID NO:138)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFT~RYS MG~WVRQAPGKGLEWVS~~MIAHAGPETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGT LVTVSS

TAR2h-110 (SEQ ID NO:139)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFT~RYS MG~WVRQAPGKGLEWVS~~MIDTRGVRTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGT LVTVSS

TAR2h-111 (SEQ ID NO:140)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFT~RYS MG~WVRQAPGKGLEWVS~~MIDVPGNHYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGT LVTVSS

TAR2h-112 (SEQ ID NO:141)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFT~RYS MG~WVRQAPGKGLEWVS~~MIDVGGRHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGPNAFDY~~~WGQGT LVTVSS

TAR2h-113 (SEQ ID NO:142)
EVQLLES GGGSVQP GGS LRLS CAASGFTFT~RYS MG~WVRQAPGKGLEWVS~~RIDSYGRGTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VRSPYTFDY~~~WGQGT LVTVSS

TAR2h-114 (SEQ ID NO:143)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFS~GYNMG~WVRQAPGKGLEWVS~~TISTQGYHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~AFTSDFDY~~~WGQGT LVTVSS

TAR2h-115 (SEQ ID NO:144)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFS~GYNMY~WVRQAPGKGLEWVS~~GISGPGLETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAQ~~~GMSKTSTFDY~~~WGQGT LVTVSS

TAR2h-116 (SEQ ID NO:145)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFT~EYYME~WVRQAPGKGLEWVS~~SIDPDGSLTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~YPREKFDY~~~WGQGT LVTVSS

TAR2h-117 (SEQ ID NO:146)
EVQLLES GGGGLVQP GGS LRLS CAASGFTFD~KYQMG~WVRQAPGKGLEWVS~~FIDSNGHHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAQ~~~LSVQGSNLFDY~~~WGQGT LVTVSS

FIG. 6P

22/87

TAR2h-118 (SEQ ID NO:147)
EVQLLESGGGLVQPGGSLRLSCAASGFTFV~HYTMG~WVRQAPGKGLEWVS~~WIHSDGVHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~FTWGEKKTFDY~~~WGQGLTVTVSS

TAR2h-119 (SEQ ID NO:148)
EVQLLESGGGLVQPGGSLRLSCAASGFTFM~GYDMH~WVRQAPGKGLEWVS~~GISAKGTETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GSSGSDGLFDY~~~WGQGLTVTVSS

TAR2h-120 (SEQ ID NO:149)
EVQLLESGGGLVQPGGSLRLSCAASGFTFP~VYNMA~WVRQAPGKGLEWVS~~FIAGNGQTTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~FASKVSPMSLTDFDY~~~WGQGLTVTVSS

TAR2h-121 (SEQ ID NO:150)
EVQLLESGGGLVQPGGSLRLSCAASGFTFV~QYNMH~WVRQAPGKGLEWVS~~GISSGGMRTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GIRDSTLPRGTLFDY~~~WGQGLTVTVSS

TAR2h-122 (SEQ ID NO:151)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~TYSMH~WVRQAPGKGLEWVS~~SISLPGSRTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~HSKSSHRQSFDY~~~WGQGLTVTVSS

TAR2h-123 (SEQ ID NO:152)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~QYDMH~WVRQAPGKGLEWVS~~GISFSGYETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GRGPAPMRS�FDY~~~WGQGLTVTVSS

TAR2h-124 (SEQ ID NO:153)
EVQLLESGGGLVQPGGSLRLSCAASGFTFV~DYPMV~WVRQAPGKGLEWVS~~HITSMGESTYYADSV
KG~~RFTISRDN SKNMLYLQMNSLRAEDTAVYYCAK~~~LPTHFPIRFDY~~~WGQGLTVTVSS

TAR2h-125 (SEQ ID NO:154)
EVQLLESGGGLVQPGGSLRLSCAASGFTFK~QYNMY~WVRQAPGKGLEWVS~~FISPSGGETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~SIKPFDY~~~WGQGLTVTVSS

TAR2h-126 (SEQ ID NO:155)
EVQLLESGGGLVQPGGSLRLSCAASGFTFS~MYSMA~WVRQAPGKGLEWVS~~FIDFDGLHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~FSTSTMALFDY~~~WGQGLTVTVSS

FIG. 6Q

23/87

TAR2h-127 (SEQ ID NO:156)

EVQLLESGGGLVQPGGSLRLSCAASGFTFP~EYNMH~WVRQAPGKGLEWVS~~AIGTAGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~GYRPRTGSM LFDY~~~WGQGLTVTVSS

TAR2h-128 (SEQ ID NO:157)

EVQLLESGGGLVQPGGSLRLSCAASGFTFA~KYNMY~WVRQAPGKGLEWVS~~AISP KGGQTTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAE~~~GMGSDAITFDY~~~WGQGLTVTVSS

TAR2h-129 (SEQ ID NO:158)

EVQLLESGGGLVQPGGSLRLSCAASGFTFA~DYDMA~WVRQAPGKGLEWVS~~FIDRKGHHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~TTDIQRLNSAFDY~~~WGQGLTVTVSS

TAR2h-130 (SEQ ID NO:159)

EVQLLESGGGLVQPGGSLRLSCAASGFTFG~NGVMA~WVRQAPGKGLEWVS~~HINENG GATYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PSIESPIFDY~~~WGQGLTVTVSS

TAR2h-131 (SEQ ID NO:160)

EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQPTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGP RFDY~~~WGQGLTVTVSS

TAR2h-132 (SEQ ID NO:161)

EVQLLESGGGLVQPGGSLRLSCAASGFTFE~ESVMG~WVRQAPGKGLEWVS~~AISP GGSETYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~RTGPPGSTVFDY~~~WGQGLTVTVSS

TAR2h-133 (SEQ ID NO:162)

EVQLLESGGGLVQPGGSLRLSCAASGFTFG~DEPMH~WVRQAPGKGLEWVS~~GIGKEGQPTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LGGPFDY~~~WGQGLTVTVSS

TAR2h-151 (SEQ ID NO:163)

EVQLLESGGGLVQPGGSLRLSCAASGFTFD~YGNMF~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~DMTTDSPPGFDY~~~WGQGLTVTVSS

TAR2h-152 (SEQ ID NO:164)

EVQLLESGGGLVQPGGSLRLSCAASGFTFA~KETMS~WVRQAPGKGLEWVS~~WISPHGALTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PRFSYYPRVSFDY~~~WGQGLTVTVSS

FIG. 6R

24/87

TAR2h-153 (SEQ ID NO:165)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFG~NGNMV~WVRQAPGKGLEWVS~~HIDEXGTNTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PRNDRPGFDY~~~WGQGT LVTVSS

TAR2h-154 (SEQ ID NO:166)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFG~NGNMV~WVRQAPGKGLEWVS~~HIDXYGTNTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PRNDRPGFDY~~~WGQGT LVTVSS

TAR2h-159 (SEQ ID NO:167)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFA~QQDMR~WVRQAPGKGLEWVS~~SIPSSGFNTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RAKDRSVSQMPYFDY~~~WGQGT LVTVSS

TAR2h-165 (SEQ ID NO:168)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFM~RPDMV~WVRQAPGKGLEWVS~~TIKDWGDQTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAK~~~ADSRAQLDFDY~~~WGQGT LVTVSS

TAR2h-166 (SEQ ID NO:169)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFS~SYAMS~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~PYFLFRATSFYDY~~~WGQGT LVTVSS

TAR2h-168 (SEQ ID NO:170)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFH~DDDMV~WVRQAPGKGLEWVS~~SIPGNGYVTTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~RPDPTSVFFDY~~~WGQGT LVTVSS

TAR2h-171 (SEQ ID NO:171)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFG~DDWMT~WVRQAPGKGLEWVS~~GIAAYGISTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDAAVYYCAE~~~SGKVFDY~~~WGQGT LVTVSS

TAR2h-172 (SEQ ID NO:172)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFV~ERPMD~WVRQAPGKGLEWVS~~LIGADGLSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LFRPGLLWFDY~~~WGQGT LVTVSS

TAR2h-173 (SEQ ID NO:173)

EVQLLES GGGVLVQPGGSLRLS CAASGFTFT~QQDMQ~WVRQAPGKGLEWVS~~GINADGMATYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~TSPTMRSFDY~~~WGQGT LVTVSS

FIG. 6S

25/87

TAR2h-174 (SEQ ID NO:174)

EVQLLES GGG L V Q P G G S L R L S C A A S G F T F G ~ E E Y M Q ~ W V R Q A P G K G L E W V S ~ ~ L I P H T G N P T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ L A N S L L F D Y ~ ~ ~ W G Q G T L V T V S S

TAR2h-176 (SEQ ID NO:175)

EVQLLES GGG L V Q P G G S L R L S C A A S G F T F H ~ R C K M G ~ W V R Q A P G K G L E W V S ~ ~ F I E Y D G R D T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ E C T R P Y G M F D Y ~ ~ ~ W G Q G T L V T V S S

TAR2h-178 (SEQ ID NO:176)

EVQLLES GGG L V Q P G G S L R L S C A A S G F T F N ~ R Y S M G ~ W L R Q A P G K G L E W V S ~ ~ F I D K V G H H T W Y E D P V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ I S Q F G P N A F D Y ~ ~ ~ W G Q G T Q V T V S S

TAR2h-201 (SEQ ID NO:177)

EVQLLES GGG L V Q P G G S L R L S C A A S G F T F T ~ R Y S M G ~ W V R Q A P G K G L E W V S ~ ~ M I A H A G P E R Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ I S X F G S N A F D Y ~ ~ ~ W G Q G T L V T V S S

TAR2h-202 (SEQ ID NO:178)

EVQLLES GGG L V Q P G G S L R L S C A A S G F T F T ~ R Y N M G ~ W V R Q A P G K G L E W V S ~ ~ F I D P P S V H T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A N ~ ~ ~ I S Q F G S N A F D Y ~ ~ ~ W G Q G T L V T V S S

TAR2h-203 (SEQ ID NO:179)

EVQLLES GGG L V Q P G G S L R L S C A A S G F T F T ~ R Y S M G ~ W V R Q A P G K G L E W V S ~ ~ F I D P P S V H T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y X A E ~ ~ ~ I S Q F G S N A F D Y ~ ~ ~ W G Q G T L V T V S S

TAR2h-204 (SEQ ID NO:180)

EVQ L F E S G G G L V Q P G G S L R L S C A A S G F T F T ~ R Y S M G ~ W V R Q A P G K G L E W V S ~ ~ M I A H A G P E T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A K ~ ~ ~ I S Q F G S N A L D Y ~ ~ ~ W G R G T L V T V S S

TAR2h-185-25 (SEQ ID NO:181)

EVQLLES GGG L V Q P G G S L R L S C A A S G F T F A ~ R Y N M G ~ W V R Q A P G K G L E W V S ~ ~ L I D P S G G H T Y Y A D S V
K G ~ ~ R F T I S R N N S K N T L Y L Q M N S L R A E D T A V Y Y C G K ~ ~ ~ P V F S D W P A V E F D Y ~ ~ ~ W G Q G T V V T V S S

TAR2h-154-10 (SEQ ID NO:182)

EVQLLES GGG M V Q P G G S L R L S C A A S G F T F E ~ H E G M V ~ W V R Q A P G K G L E W V S ~ ~ H I G E D G Q S T Y Y A D S V
K G ~ ~ R F T I S R D N S K N T L Y L Q M N S L R A E D T A V Y Y C A N ~ ~ ~ I P K A G P S F D Y ~ ~ ~ W G Q G T L V T V S S

FIG. 6T

26/87

TAR2h-205 (SEQ ID NO:183)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFV~KYSMG~WVRQAPGKGLEWVS~~QISNTGGHTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~YTGRWEPFDY~~~WGQGT LVT VSS

>TAR2h-10 (SEQ ID NO:184)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFE~WYWMG~WVRQAPGKGLEWVS~~AISGSGGSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~VKLG GGP NFDY~~~WGQGT LVT VSS

TAR2h-5 (SEQ ID NO:185)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFDLYNMFVVRQAPGKGLEWVSFISQTGR
LTWYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKTLED FDYWGQGT LVT VSS

TAR2h-5d1 (SEQ ID NO:186)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFPVYMMGWVRQAPGKGLEWVSSIDALGGR
TGYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKTMSNKTHTFDYWGQGT LVT S

TAR2h-5d2 (SEQ ID NO:187)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFVAYNMTWVRQAPGKGLEWVSSINTFGNX
TRYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKGSRPFDYWGQGT LVT VSS

TAR2h-5d3 (SEQ ID NO:188)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFXGYRMGWVRQAPGKGLEWVSWITRTGGT
TQYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKPAKLVG VGF DYWGQGT
LVT VSS

TAR2h-5d4 (SEQ ID NO:189)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFRKYXMGWVRQAPGKGLEWVSQIGAKGQS
TDYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKKKRGENYFFDYWGQGT
LVT VSS

TAR2h-5d5 (SEQ ID NO:190)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFRYSMSWVRQAPGKGLEWVSDISRSGRY
THYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKRIDSSQNGFDYWGQGT
LVT VSS

TAR2h-5d6 (SEQ ID NO:191)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFXGYKMFVVRQAPGKGLEWVSAISGSGGS
TYYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKQKENFDYWGQGT LVT VSS

TAR2h-5d7 (SEQ ID NO:192)
EVQLLES GGGGLVQP GGSRLRLSCAASGFTFGDYAMWWVRQAPGKGLEWVSVISSNGGS
TFYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKRVKRTPEFDYWGQGT
LVT VSS

FIG. 6U

27/87

TAR2h-5d8 (SEQ ID NO:193)
EVQLLESGGGLVQPGGSLRLSCAASGFTFRRYKMGWVRQAPGKGLEWVSAIGRNGTK
TNYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKIYTGKPAAFDYWGQGT
LTVTS

TAR2h-5d9 (SEQ ID NO:194)
EVQLLESGGGLVQPGGSLRLSCAASGFTFKKYXMSWVRQAPGKGLEWVSAISGSGGS
TYYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKMLRTKNKVFYWGQGT
LTVTS

TAR2h-5d10 (SEQ ID NO:195)
EVQLLESGGGLVQPGGSLRLSCAASGFTFRRYKMGWVRQAPGKGLEWVSAIGRNGTK
TNYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKIYTGKPAAFDYWGQGT
LTVTS

TAR2h-5d11 (SEQ ID NO:196)
EVQLLESGGGLVQPGGSLRLSCAASGFTFXSYRMGWVRQAPGKGLEWVSSISSRGRH
TSYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKRVPGGRSFDYWGQGT
LTVTS

TAR2h-5d12 (SEQ ID NO:197)
EVQLLESGGGLVQPGGSLRLSCAASGFTFRRYRMRWVRQAPGKGLEWVSGISPGGKH
TTYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKGEGGASSAFDYWGQGT
LTVTS

TAR2h-5d13 (SEQ ID NO:198)
EVQLLESGGGLVQPGGSLRLSCAASGFTFXRYGMVWVRQAPGKGLEWVSAISGSGGS
TYYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCAKRHSSEARQFDYWGQGT
LTVTS

FIG. 6V

28/87

TAR2m-14 (SEQ ID NO:199)

DIQMTQSPSSLSASVGDRVTITC~RASQPIGVALN~WYQQKPGKAPKLLIY~~GGSYLQS~~GVPSRY
SGSGSGTDFTLTISLQPGDFATYYC~~~QQDWRYPGT~~~FGQGTKVEIKR

TAR2m-15 (SEQ ID NO:200)

DIQMTQSPSSLSASVGDRVTITC~RASQYIHTSLQ~WYQQKPGKAPKLLIY~~GSSRLQS~~GVPSRF
SGSGSGTDFTLTISLQPGDFATYYC~~~QQNHSPFT~~~FGQGTKVEIKR

TAR2m-19 (SEQ ID NO:201)

EVQLLESGGGLVQPGGSLRLSCAASGFTFRKYDMHWVRQAPGKGLEWVSTISPSGRRTYYADSVKGRF
TISRDN SKNTLYLQMNSLRAEDTAVYYCAENLDQVLSFDYWGQGLVTVSS

TAR2m-20 (SEQ ID NO:202)

EVQLLESGGGLVQPGGSLRLSCAASGFTFGSYMSWVRQAPGKGLEWVSGIDNGGHSTYYADSVKGRF
TISRDN SKNTLYLQMNSLRAEDTAVYYCAKRSSGLPFPFDYWGQGLVTVSS

TAR2m-21 (SEQ ID NO:203)

EVQLLESGGGLVQPGGSLRLSCAASGFTFTRYSMGWVRQAPGKGLEWVSRIDSYGRGTYADSVKGRF
TISRDN SKNTLYLQMNSLRAEDTAVYYCAKISQFGSNAFDYWGQGLVTVSS

TAR2m-24 (SEQ ID NO:204)

DIQMTQSPSSLSASVGDRVTITCRASQYIHSSLQWYQQKPGKAPKLLIYSSSRLHSGVPPRFSGSGSG
TDFTLTISLQPGDFATYYCQQNHFRPHTFGQGTKVEIKR

TAR2m-21-23 (SEQ ID NO:205)

EVQLLESGGGLVQPGGSLRLSCAASGFTFN~RYSMG~WLRQAPGKGLEWVS~~RIDSYGRGTYIEDPV
KG~~RFSISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~ISQFGSNAFDY~~~WGQGTQVTVSS

TAR2m-21-07 (SEQ ID NO:206)

EVQLLESGGGLVQPGGSLRLSCAASGFTFSRCSMGWLRQAPGKGLEWVSRIDSYGRGTYADSVKGRF
TISRDN SKNTLYLQMNSLRAEDTAVYYCAKISKFGSNAFDYWGQGLVTVSS

TAR2m-21-43 (SEQ ID NO:207)

EVQLLESGGGLVQPGGSLRLSCAASGFTFTRYSMGWLRQAPGKGLEWVSRIDSYGRGTYDADSVKGRF
TISRDN SKNTLYLQMNSLRAEDTAVYYCAKISQFGSNAFDYWGQGLVTVSS

TAR2m-21-48 (SEQ ID NO:208)

EVQLLESGGGLIQPGGSLRLSCAASGFTFTRYSMGWLRQAPGKGLEWVSRIDSYGRGTYDTSVKGRF
TISRDN SRNTLYLQMNSLRAEDTAVYYCAKISQFGSNAFDYWGQGLVTVSS

TAR2m-21-10 (SEQ ID NO:209)

EVQLLESGGGLVQPGGSLRLSCAASGFTFTRYSMGWLRQAPGKGLEWVSRIDSYGRGTYADSVKGRF
TISRDN SKNTLYLQMNSLRAEDTAVYYCAKISQFGSNAFDYWGQGLVTVSS

FIG. 7A

29/87

TAR2m-21-06 (SEQ ID NO:210)

EVQLLES GGGGLVQPGGSLRLS CAASGFTFTRYSMGWIRQAPGKGLEWVSRIDSYGRGTY YADSVKGRF
TISRDN SKNTLYLQMNSLRAEDTAVYYCAKISQFGSNAFDYWGQGT LVTVSS

TAR2m-21-17 (SEQ ID NO:211)

EVQLLES GGGGLVQPGGSLRLS CAASGFTFTRYSMGWVRQAPGKGLEWVSRIDSYGRGTY YADSVKGRF
TISRDN SKNTLYLQMNSLRAEDTAVYYCAKISQFGSNAFDYWGQGT VVTVSS

FIG. 7B

30/87

FIG. 8A

Human (*Homo sapiens*) TNFR1 (extracellular region Genbank accession 33991418)

CTGGTCCCTCACCTAGGGGACAGGGAGAAGAGAGATAGTGTGTGTCCCCAAGGAAAATA
TATCCACCTCAAAATAATTGATTTGCTGTACCAAGTGCCACAAAGGAACCTACTTGTA
CAATGACTGTCCAGGCCCCGGGGCAGGATACGGACTGCAGGGAGTGTGAGAGCGGCTCCT
TCACCGCTTCAGAAAACACCTCAGACACTGCCTCAGCTGCTCCAAATGCCGAAAGGAA
ATGGGTCAGGTGGAGATCTCTTCTTGCACAGTGGACCGGGACACCGTGTGTGGCTGCAG
GAAGAACCAGTACCGGCATTATTGGAGTGAAAACCTTTTCCAGTGCTTCAATTGCAGCCT
CTGCCTCAATGGGACCGTGCACCTCTCCTGCCAGGAGAAACAGAACACCGTGTGCACCT
GCCATGCAGGTTTCTTTCTAAGAGAAAACGAGTGTGTCTCCTGTAGTAACTGTAAGAAAA
GCCTGGAGTGCACGAAGTTGTGCCTACCCAGATTGAGAATGTTAAGGGCACTGAGGAC
TCAGGCACCACA (SEQ ID NO:212)

FIG. 8B

LVPHLGDRKRDVCPQGKYIHPQNNICCTKCHKGTLYNDCPGPGQDTCRECESGSFTA
SENHLRHCLSCSKCRKEMGQVEISSCTVDRDTVCGCRKNQYRHYWSENLFQCFNCSLCLNG
TVHLSCQEKQNTVCTCHAGFFLRENECVSCSNCKKSLECTKLCLPQIENVKGTEDSGTT
(SEQ ID NO:213).

FIG. 9A

Murine (*Mus musculus*) TNFR1 (extracellular region Genbank accession 31560798)

CTAGTCCCTTCTCTTGGTGACCGGGAGAAGAGGGATAGCTTGTGTCCCAAGGAAAGTA
TGTCCATTCTAAGAACAATTCCA'TCTGCTGCACCAAGTGCCACAAAGGAACCTACTTGGT
GAGTGACTGTCCGAGCCCAGGGCGGGATACAGTCTGCAGGGAGTGTGAAAAGGGCACCT
TTACGGCTTCCCAGAATTACCTCAGGCAGTGTCTCAGTTGCAAGACATGTCGGAAAGAA
ATGTCCCAGGTGGAGATCTCTCCTTGCCAAGCTGACAAGGACACGGTGTGTGGCTGTAA
GGAGAACCAGTTCCAACGCTACCTGAGTGAGACACACTTCCAGTGCGTGGACTGCAGCC
CCTGCTTCAACGGCACCGTGACAATCCCCTGTAAGGAGACTCAGAACACCGTGTGTAAAC
TGCCATGCAGGGTTCTTTCTGAGAGAAAGTGAGTGCGTCCCTTGCAGCCACTGCAAGAA
AAATGAGGAGTGTATGAAGTTGTGCCTACCTCCTCCGCTTGCAAATGTCACAAACCCCCA
GGACTCAGGTACTGCG (SEQ ID NO:214)

FIG. 9B

LVPSLGDREKRDSLCPQGKYVH SKNNSICCTKCHKGTYLVS DCPSPGRD TVCRECEKGTFTA
SQNYLRQCLSKTCRKEMSQVEISPCQADKDTVCGCKENQFQRYLSETHFQCVD C SPCFN GT
VTIPCKETQNTVCNCHAGFFLRESECVPCSHCKKNEECMKLCLPPPLANVTNPQDSGTA
(SEQ ID NO:215)

32/87

>TAR2m-15-8 (SEQ ID NO:216)
DIQMTQSPSSLSASVGDRVTITC~RASQYIHTSVQ~WYQQKPGKAPKLLIY~~GSSRLHS~~GVPSRF
SGSGSGTDFTLTISLQPEDFATYYC~~~QQNHYSPT~~~FGQGTKVEIKR

>TAR2m-15-12 (SEQ ID NO:217)
DIQMTQSPSSLSASVGDRVTITC~RASQYIHTSVQ~WYQQKPGKAPKLLIY~~GSSRLHS~~GVPSRF
SGSGSGTDFTLTISLQPEDFATYYC~~~QQNHYSPT~~~YGQGTKVEIKR

>TAR2m-15-2 (SEQ ID NO:218)
DIQMTQSPSSLSASVGDRVTITC~RASQYIHTSLQ~WYQQKPGKAPKLLIY~~GSSRLHS~~GVPSRF
SGSGSGTDFTLTISLQPEDFATYYC~~~QQNHYSPT~~~FGQGTKVEIKR

>TAR2m-15-5 (SEQ ID NO:219)
DIQMTQSPSSLSASVGDRVTITC~RASQYIHTSLQ~WYQQKPGKALKLLIY~~GSSRLQS~~GVPSRF
SGSGSGTDFTFTISLQPEDFATYYC~~~QQNHSPPT~~~YGQGTKVEIKR

>TAR2m-15-6 (SEQ ID NO:220)
DIQMTQSPSSLSASVGDRVTITC~RASQYIHTSLQ~WYQQKPGKAPKLLIY~~GSSRLHS~~GVPSRF
SGSGSGTDFTLTIRSLQPEDLATYYC~~~QQNHYSPT~~~FGQGTKVEING

>TAR2m-15-9 (SEQ ID NO:221)
DIQMTQSPSSLSASVGDRVTITC~RASQYIHTSLQ~WYQQKPGKAPKLLIY~~GSSRLHS~~GVPSRF
SGSGSGTDFTLTISLQPEDFATYYC~~~QQNHYSPT~~~YGQGTKVEIKR

>Tar2h-131-1 (SEQ ID NO:222)
EVQLLESQGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPRFDY~~~WGQGT LVT VSS

>Tar2h-131-2 (SEQ ID NO:223)
EVQLLESQGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGHGTLVT VSS

>Tar2h-131-3 (SEQ ID NO:224)
EVQLLESQGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPRFDY~~~WGQGT LVT VSS

>Tar2h-131-4 (SEQ ID NO:225)
EVQLLESQGGGLVQPGGSLRLSCTASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGLGTLVT VSS

>Tar2h-131-5 (SEQ ID NO:226)
EVKLLESQGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WIRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RYTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGQGT LVT VSS

>Tar2h-131-6 (SEQ ID NO:227)
EVQLLESQGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGLGTLVT VSS

>Tar2h-131-7 (SEQ ID NO:228)
EVQLLESQGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRAGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGLGTLVT VSS

FIG. 10A

33/87

>Tar2h-131-8 (SEQ ID NO:229)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPRFDY~~~RGQGT LVTVSS

>Tar2h-131-9 (SEQ ID NO:230)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGLGT LVTVSS

>Tar2h-131-10 (SEQ ID NO:231)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAIYYCAR~~~LPKRGPRFDY~~~WGLGT LVTVSS

>Tar2h-131-11 (SEQ ID NO:232)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGQGT LVTVSS

>Tar2h-131-12 (SEQ ID NO:233)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPRFDY~~~WGQGT LVTVSS

>Tar2h-131-13 (SEQ ID NO:234)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGLGT LVTVSS

>Tar2h-131-14 (SEQ ID NO:235)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDAYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPRFDY~~~WGQGT LVTVSS

>Tar2h-131-15 (SEQ ID NO:236)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RSTISRDN SKNTLYLQMNSLRAEDTAIYYCAR~~~LPKRGPRFDY~~~WGLGT LVTVSS

>Tar2h-131-16 (SEQ ID NO:237)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAIYYCAR~~~PPKRGPRFDY~~~WGLGT LVTVSS

>Tar2h-131-17 (SEQ ID NO:238)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAIYYCAR~~~LPKRGPRFDY~~~WGLGT LVTVSS

>Tar2h-131-18 (SEQ ID NO:239)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSA
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAIYYCAR~~~LPKRGPRFDY~~~WGLGT LVTVSS

>Tar2h-131-19 (SEQ ID NO:240)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAIYYCAR~~~LPKRGPRFDY~~~WGLGT LVTVSS

>Tar2h-131-20 (SEQ ID NO:241)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAIYYCAR~~~LPKRGPRFDY~~~WGLGT LVTVSS

FIG. 10B

34/87

>Tar2h-131-21 (SEQ ID NO:242)
EVQLLES GGG LVQP GGS LRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAM~~~LPKRGPRFGY~~~WGQGT LVT VSS

>Tar2h-131-22 (SEQ ID NO:243)
EVQLLES GGG LVQP GGS LRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLCAEDTAIYYCAR~~~LPKRGPRFDY~~~WGLGT LVT VSS

>Tar2h-131-23 (SEQ ID NO:244)
EVQLLES GGG LIQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAG~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h-131-24 (SEQ ID NO:245)
EVQLLES GGG LIQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h-131-25 (SEQ ID NO:246)
EVQLLES GGG LIQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAQ~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h-131-26 (SEQ ID NO:247)
EVQLLES GGG LIQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRVEDTAVYYCAS~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h131-27 (SEQ ID NO:248)
EVQLLES GGG LYQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h131-28 (SEQ ID NO:249)
EVQLLES GGG LGQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h131-29 (SEQ ID NO:250)
EGQLLES GGG LXQP GGS LLLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h131-30 (SEQ ID NO:251)
EVQLLES GGG LVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h131-31 (SEQ ID NO:252)
EVQLLES GGG LIQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h131-32 (SEQ ID NO:253)
EGQLLES GGG LIQP GGS LRLSCGASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h131-33 (SEQ ID NO:254)
EVQLLES GGG LIQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDNYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRG PWF DY~~~RGQGT LVT VSS

FIG. 10C

35/87

>Tar2h131-34 (SEQ ID NO:255)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPGFDY~~~RGQGTLLVTVSS

>Tar2h131-35 (SEQ ID NO:256)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFVDY~~~RGQGTLLVTVSS

>Tar2h131-36 (SEQ ID NO:257)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~YGQGTLLVTVSS

>Tar2h131-37 (SEQ ID NO:258)
EGQLLESGGGLIQPGGSLRLSCAPSGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~KGQGTLLVTVSS

>Tar2h131-38 (SEQ ID NO:259)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~VGQGTLLVTVSS

>Tar2h131-39 (SEQ ID NO:260)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~LGQGTLLVTVSS

>Tar2h131-40 (SEQ ID NO:261)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAS~~~LPKRGPRFDY~~~WGQGTLLVTVSS

>Tar2h131-41 (SEQ ID NO:262)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAG~~~LPKRGPRFDY~~~WGQGTLLVTVSS

>Tar2h131-42 (SEQ ID NO:263)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPRFDY~~~WGQGTLLVTVSS

>Tar2h131-43 (SEQ ID NO:264)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLGWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAP~~~LPKRGPRFDY~~~WGQGTLLVTVSS

>Tar2h131-44 (SEQ ID NO:265)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPRFDY~~~WGQGTLLVTVSS

>Tar2h131-45 (SEQ ID NO:266)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAM~~~LPKRGPRFDY~~~WGQGTLLVTVSS

>Tar2h131-46 (SEQ ID NO:267)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HEPMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPRFDY~~~WGQGTLLVTVSS

FIG. 10D

36/87

>Tar2h131-47 (SEQ ID NO:268)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HXTMV~WVRQAPGKGLEWVS~~HIDRVGQDKYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h131-48 (SEQ ID NO:269)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HXTMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~IGQGT LVT VSS

>Tar2h131-49 (SEQ ID NO:270)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~NGQGT LVT VSS

>Tar2h-131-50 (SEQ ID NO:271)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HEVMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-51 (SEQ ID NO:272)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HELMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-52 (SEQ ID NO:273)
EVQLLESGGNLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-53 (SEQ ID NO:274)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAK~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-54 (SEQ ID NO:275)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HKT MV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-55 (SEQ ID NO:276)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGT LAT VSS

>Tar2h-131-56 (SEQ ID NO:277)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNSLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-57 (SEQ ID NO:278)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN PKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-58 (SEQ ID NO:279)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HDTMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~QGQGT LVT VSS

>Tar2h-131-59 (SEQ ID NO:280)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HDTMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KD~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGT LVT VSS

FIG. 10E

37/87

>Tar2h-131-60 (SEQ ID NO:281)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLFLQMNSLRAEDTAVYYCAR~~~LPKRGPWFDY~~~RGRGTLTVSS

>Tar2h-131-61 (SEQ ID NO:282)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-62 (SEQ ID NO:283)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-63 (SEQ ID NO:284)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKQEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNSLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-64 (SEQ ID NO:285)
EVQLSESGGG LIQPGGSLRLSCV ASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-65 (SEQ ID NO:286)
EVQLLES GGG LIQPGGSLRLTCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-66 (SEQ ID NO:287)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SMNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-67 (SEQ ID NO:288)
EVQLLES GGG SIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-68 (SEQ ID NO:289)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SMNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-69 (SEQ ID NO:290)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGRGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-70 (SEQ ID NO:291)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-71 (SEQ ID NO:292)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAM~~~LPKRGPWFDY~~~RGQGT LTVSS

>Tar2h-131-72 (SEQ ID NO:293)
EVQLLES GGG LIQPGGSLRLSCAASGFTFA~HDTMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN TKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LTVSS

FIG. 10F

38/87

>Tar2h-131-73 (SEQ ID NO:294)
EVQLLES GGGLIEPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDSAVYYCAR~~~LPKRGPWFDY~~~RGQGT LVTVSS

>Tar2h-131-74 (SEQ ID NO:295)
DVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAAYYCAV~~~LPKRGPWFDY~~~RGQGT LVTVSS

>Tar2h-131-75 (SEQ ID NO:296)
EVQLMES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAE~~~LPKRGPWFDH~~~RGQGT LVTVSS

>Tar2h-131-76 (SEQ ID NO:297)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFAISRDN SKNTLYLQMNSLRAEDTAVYYCAM~~~LPKRGPWFDY~~~RGQGT LVTVSS

>Tar2h-131-77 (SEQ ID NO:298)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT MVTVSS

>Tar2h-131-78 (SEQ ID NO:299)
EVQLLES GGGLMQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDLVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYHCAV~~~LPKRGPWFDY~~~RGQGT LVTVSS

>Tar2h-131-79 (SEQ ID NO:300)
EVQLLES GGGLIQPGGSLRLSCATSGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYMQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~QGQGT LVTVSS

>Tar2h-131-80 (SEQ ID NO:301)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADPV
KG~~RFTISRDN SRNTLYLQMNSLRSED TAVYYCAV~~~LPKRGPWFDY~~~RGQGT LVTVSS

>Tar2h-131-81 (SEQ ID NO:302)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYSCAL~~~LPKRGPWFDY~~~RGQGT LVTVSS

>Tar2h-131-82 (SEQ ID NO:303)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~RGQGT LVTVSS

>Tar2h-131-83 (SEQ ID NO:304)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-86 (SEQ ID NO:305)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVREAPGKGLEWVS~~HIDRVGQDITYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPWFDY~~~RGQGT LVTVSS

>Tar2h-131-87 (SEQ ID NO:306)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~RGQGT LVTVSS

FIG. 10G

39/87

>Tar2h-131-88 (SEQ ID NO:307)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADPV
KG~~RFTISRDNRSNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-89 (SEQ ID NO:308)
EVQLLESGGDLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-90 (SEQ ID NO:309)
EVQLLESGGGSIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-91 (SEQ ID NO:310)
EVQLLESGGGLIQPGGSLHLSAASGFTFE~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-92 (SEQ ID NO:311)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-93 (SEQ ID NO:312)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-94 (SEQ ID NO:313)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKDLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-95 (SEQ ID NO:314)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-96 (SEQ ID NO:315)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-97 (SEQ ID NO:316)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVREAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-99 (SEQ ID NO:317)
EVQLLESGGGLIHPGGTLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGTLVTVSS

>Tar2h-131-100 (SEQ ID NO:318)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGTQVTVSS

>Tar2h-131-101 (SEQ ID NO:319)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDNRSKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLVTVSS

FIG. 10H

40/87

>Tar2h-131-102 (SEQ ID NO:320)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-103 (SEQ ID NO:321)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-104 (SEQ ID NO:322)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKDLEWVS~~HIDRDGQDITYADSV
KG~~RFSISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-105 (SEQ ID NO:323)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-106 (SEQ ID NO:324)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRDGQDITYADSV
MG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAI~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-107 (SEQ ID NO:325)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKDLEWVS~~HIDRVGQDITYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-108 (SEQ ID NO:326)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HTDRVGQDITYADSV
KG~~RFTISRDN SRNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-109 (SEQ ID NO:327)
EVQLLESGGGLIQPGGTLRLSCAASGFTFA~LETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDN SRNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-110 (SEQ ID NO:328)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-111 (SEQ ID NO:329)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGTQVTVSS

>Tar2h-131-112 (SEQ ID NO:330)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGIEWVS~~HIDRVGQDITYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-113 (SEQ ID NO:331)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HDTMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-114 (SEQ ID NO:332)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HDVMV~WVRQAPGKGLEWVS~~HIDRVGQDITYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVTVSS

FIG. 10I

41/87

>Tar2h-131-115 (SEQ ID NO:333)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYTDSV
ED~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-116 (SEQ ID NO:334)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-117 (SEQ ID NO:335)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-120 (SEQ ID NO:336)
EVQLLESGGGLIQPGGSLRLSCAASGFTFN~KETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-121 (SEQ ID NO:337)
EVQLLESGGGLIQPGGSLRLSCAASGFTFN~TETMV~WVRRAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-122 (SEQ ID NO:338)
EVQLLESGGGLIQPGGSLRLSCAASGFTFT~KETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-123 (SEQ ID NO:339)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-124 (SEQ ID NO:340)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGRDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-125 (SEQ ID NO:341)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-126 (SEQ ID NO:342)
EVQLLESGGGLIQPGGSLRLSCAASGFTFN~NQVMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-127 (SEQ ID NO:343)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGLDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-128 (SEQ ID NO:344)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDAVGSDTYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

>Tar2h-131-129 (SEQ ID NO:345)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVT VSS

FIG. 10J

42/87

>Tar2h-131-130 (SEQ ID NO:346)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFG~NEVMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LVT VSS

>Tar2h-131-131 (SEQ ID NO:347)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFN~NQTMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LVT VSS

>Tar2h-131-132 (SEQ ID NO:348)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFD~NTTMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LVT VSS

>Tar2h-131-136 (SEQ ID NO:349)
EVQLLES GGG LVQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVT VSS

>Tar2h-131-151 (SEQ ID NO:350)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LVT VSS

>Tar2h-131-180 (SEQ ID NO:351)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~RGQGT LVT VSS

>Tar2h-131-181 (SEQ ID NO:352)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LVT VSS

>Tar2h-131-182 (SEQ ID NO:353)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~WGQGT LVT VSS

>Tar2h-131-183 (SEQ ID NO:354)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPWFDY~~~WGQGT LVT VSS

>Tar2h-131-184 (SEQ ID NO:355)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVT VSS

>Tar2h-131-185 (SEQ ID NO:356)
EVQLLES GGG LVQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDPYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~RGQGT LVT VSS

>Tar2h-131-188 (SEQ ID NO:357)
EVQLLES GGG LIQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVT VSS

>Tar2h-131-189 (SEQ ID NO:358)
EVQLLES GGG LVQ PGG SLRL SCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVT VSS

FIG. 10K

43/87

>Tar2h-131-190 (SEQ ID NO:359)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-191 (SEQ ID NO:360)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-192 (SEQ ID NO:361)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-193 (SEQ ID NO:362)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-194 (SEQ ID NO:363)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPV GQDPFYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-195 (SEQ ID NO:364)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPV GQDPFYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-196 (SEQ ID NO:365)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPV GQDPFYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAV~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-197 (SEQ ID NO:366)
EVQLLES GGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGVDTYYADPV
KG~~RFTISRDN SKNSLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-198 (SEQ ID NO:367)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPV GQDPFYADSV
KG~~RFTISRDN SKNSLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-500 (SEQ ID NO:368)
EVQLLES GGGLVQPGGSLRLSCAASGFTFH~DQHMV~WVRQAPGKGLEWVS~~HIDRV GQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-501 (SEQ ID NO:369)
EVQLLES GGGLVQPGGSLRLSCAASGFTFA~NNIMV~WVRQAPGKGLEWVS~~HIDRV GQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNNLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-502 (SEQ ID NO:370)
EVQLLES GGGLVQPGGSLRLSCAASGFSFK~NKT MV~WVRQAQ G KGLEWVS~~HIDRV GQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-503 (SEQ ID NO:371)
EVQLLES GGGLVQPGGSLRLSCAASGFTFN~KHT MV~WVRQAPGKGLEWVS~~HIDRV GQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

FIG. 10L

44/87

>Tar2h-131-504 (SEQ ID NO:372)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFN~NETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-505 (SEQ ID NO:373)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGRGGGTYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-506 (SEQ ID NO:374)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDQQGEGTYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-507 (SEQ ID NO:375)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGGGTYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-508 (SEQ ID NO:376)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGLGTYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-509 (SEQ ID NO:377)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-510 (SEQ ID NO:378)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFN~NKT MV~WVRQAPGKGLEWVS~~HIDGRGERTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-511 (SEQ ID NO:379)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPV GQDPFYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-512 (SEQ ID NO:380)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGRGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-513 (SEQ ID NO:381)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPRRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-514 (SEQ ID NO:382)
EVQXLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
RG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-515 (SEQ ID NO:383)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HISDDGNSTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~WGQGT LVT VSS

>Tar2h-131-516 (SEQ ID NO:384)
EVQLLES GGGGLVQP GGS LRLSCAASGFTFA~HEAMV~WVRQAPGKGLEWVS~~HIDGGGESTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPPPGPFWDY~~~WGQGT LVT VSS

FIG. 10M

45/87

>Tar2h-131-517 (SEQ ID NO:385)
EVQLLESGGGLVQPGGSLRLSCAASGFTFH~NKDMV~WVRQAPGKGLEWVS~~HIDGGGESTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LP LLLPWF DY~~~WGQGT LVT VSS

>Tar2h-131-518 (SEQ ID NO:386)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~MRTMV~WVRQAPGKGLEWVS~~HIDGGGESTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRG PWF DY~~~WGQGT LVT VSS

>Tar2h-131-519 (SEQ ID NO:387)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRG PWF DY~~~WGQGT LVT VSS

>Tar2h-131-520 (SEQ ID NO:388)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGLVTTYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~WGQGT LVT VSS

>Tar2h-131-521 (SEQ ID NO:389)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~NTTMV~WVRQAPGKGLEWVS~~HIDGVGGDTYYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~WGQGT LVT VSS

>Tar2h-131-522 (SEQ ID NO:390)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~NKT MV~WVRQAPGKGLEWVS~~HIDGLGLVTTYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~WGQGT LVT VSS

>Tar2h-131-523 (SEQ ID NO:391)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~TTNMV~WVRQAPGKGLEWVS~~EIRVGGDTYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~WGQGT LVT VSS

>Tar2h-131-524 (SEQ ID NO:392)
EVQLLESGGGLVQPGGSLRLSCAASGFTFK~NKT MV~WVRQAPGKGLEWVS~~HIDQEGEGTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h-131-525 (SEQ ID NO:393)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~NTTMV~WVRQAPGKGLEWVS~~HIDGEGSVTTYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~WGQGT LVT VSS

>Tar2h-131-526 (SEQ ID NO:394)
EVQLLESGGGLVQPGGSLRLSCAASGTFE~NKT MV~WVRQAPGKGLEWVS~~HIDATGTITYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~RGQGT LVT VSS

>Tar2h-131-527 (SEQ ID NO:395)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDKGQATYYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~WGQGT LVT VSS

>Tar2h-131-528 (SEQ ID NO:396)
EVQXLES GGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDRVGQDTYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRG PWF DY~~~WGQGT LVT VSS

FIG. 10N

46/87

>Tar2h-131-529 (SEQ ID NO:397)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-530 (SEQ ID NO:398)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYADPV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-531 (SEQ ID NO:399)
EVQLLESGGGLVQPGGSLRLSCAASGFTFE~NKT MV~WVRQAPGKGLEWVS~~HIDATGTITYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~RGQGT LVTVSS

>Tar2h-131-532 (SEQ ID NO:400)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQATYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-533 (SEQ ID NO:401)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQDPFYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-534 (SEQ ID NO:402)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGLVITYYTD PV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-535 (SEQ ID NO:403)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGLVITYYTD SV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-536 (SEQ ID NO:404)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGLVITYYTD PV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-537 (SEQ ID NO:405)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIP PVGQDPFYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-538 (SEQ ID NO:406)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIP PVGQDPFYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-539 (SEQ ID NO:407)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIP PVGQDPFYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-539 (SEQ ID NO:408)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIP PVGQDPFYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

>Tar2h-131-539 (SEQ ID NO:409)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIP PVGQDPFYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGT LVTVSS

FIG. 100

47/87

>Tar2h-131-540 (SEQ ID NO:410)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPVGDPPFYTDSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-541 (SEQ ID NO:411)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYTDPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-542 (SEQ ID NO:412)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYTDSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-543 (SEQ ID NO:413)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYTDPV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-544 (SEQ ID NO:414)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQATYYTDPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-545 (SEQ ID NO:415)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQATYYTDSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-546 (SEQ ID NO:416)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQATYYTDPV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-547 (SEQ ID NO:417)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPVGDPPFYTDPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-548 (SEQ ID NO:418)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPVGDPPFYADPV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-549 (SEQ ID NO:419)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQDPFYTDSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-550 (SEQ ID NO:420)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQDPFYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-551 (SEQ ID NO:421)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQDPFYTDPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

>Tar2h-131-552 (SEQ ID NO:422)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKT MV~WVRQAPGKGLEWVS~~HIDGKGQDPFYTDSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPFWDY~~~WGQGTLLVTVSS

FIG. 10P

48/87

>Tar2h-131-553 (SEQ ID NO:423)
EVQLLESGGGLVQPGGSLRLSCAASGFTFN~KKTMTV~WVRQAPGKGLEWVS~~HIDGKGQDPFYTDPV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-554 (SEQ ID NO:424)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPVVGQDPFYTDPV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-555 (SEQ ID NO:425)
EVQLLESGGGLVQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESPPYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-556 (SEQ ID NO:426)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPVVGQDPFYADSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-557 (SEQ ID NO:427)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPVVGQDPFYADPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-558 (SEQ ID NO:428)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPVVGQDPFYTDSV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-559 (SEQ ID NO:429)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIPVVGQDPFYTDSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAL~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-560 (SEQ ID NO:430)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYADSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-561 (SEQ ID NO:431)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYTDPV
KG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-562 (SEQ ID NO:432)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYTDSV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPWFDY~~~WGQGT LVTVSS

>Tar2h-131-563 (SEQ ID NO:433)
EVQLLESGGGLIQPGGSLRLSCAASGFTFA~HETMV~WVRQAPGKGLEWVS~~HIDGGGESTYYTDPV
EG~~RFTISRDN SKNTLYLQMNSLRAEDTAVYYCAR~~~LPKRGPWFDY~~~WGQGT LVTVSS

FIG. 10Q

49/87




FIG. 11A




FIG. 11B

50/87




FIG. 12

51/87




FIG. 13A




FIG. 13B




FIG. 13C




FIG. 13D

52/87

>Tar2h-131 (SEQ ID NO:434)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-1 (SEQ ID NO:435)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGATA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-2 (SEQ ID NO:436)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCATGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-3 (SEQ ID NO:437)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGATA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-4 (SEQ ID NO:438)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTAC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-5 (SEQ ID NO:439)
GAGGTGAAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGATCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTACACCATCTCCCGCGACAATTCCAAGAATACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14A

53/87

>Tar2h-131-6 (SEQ ID NO:440)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTGAAGTAC~~~TGGG
GTCTGGGAACCTTGGTACCGTCTCGAGC

>Tar2h-131-7 (SEQ ID NO:441)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTGAAGTAC~~~TGGG
GTCTGGGAACCTTGGTACCGTATCGAGC

>Tar2h-131-8 (SEQ ID NO:442)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTGAAGTAC~~~CGGG
GTGAGGGAACCTTGGTACCGTCTCGAGC

>Tar2h-131-9 (SEQ ID NO:443)

GAAGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACGCGCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTGAAGTAC~~~TGGG
GTCTGGGAACCTTGGTACCGTCTCGAGC

>Tar2h-131-10 (SEQ ID NO:444)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAGATGAACAGCCTGCGTGCCGA
GGACACCGCGATATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTGAAGTAC~~~TGGG
GTCTGGGAACCTTGGTACCGTCTCGAGC

>Tar2h-131-11 (SEQ ID NO:445)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATCCATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTGAAGTAC~~~TGGG
GTGAGGGAACCTTGGTACCGTCTCGAGC

FIG. 14B

54/87

>Tar2h-131-12 (SEQ ID NO:446)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGCG~CATGAGCCGATGGTG~TGGATCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGATA~~~CTTCCTAAGAGGGGGCCTAGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-13 (SEQ ID NO:447)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTGACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-14 (SEQ ID NO:448)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATGCATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGATA~~~CTTCCTAAGAGGGGGCCTAGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-15 (SEQ ID NO:449)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTCCACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAGATGAACAGCCTGCGTGCCGA
GGACACCGCGATATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTGACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-16 (SEQ ID NO:450)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAGATGAACAGCCTGCGTGCCGA
GGACACCGCGATATATTACTGTGCGAGA~~~CCTCCTAAGAGGGGGCCTAGGTTTGACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-17 (SEQ ID NO:451)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAGATGAACAGCCTGCGTGCCAA
GGACACCGCGATATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTGACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14C

55/87

>Tar2h-131-18 (SEQ ID NO:452)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGCGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAGATGAACAGCCTGCGTGCCGA
GGACACCGCGATATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-19 (SEQ ID NO:453)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAGATGAACAGCCTGCGTGCCGA
GGACACCGCGATATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-20 (SEQ ID NO:454)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAGATGAACAGCCTGCGTGCCGA
GGACACCGCGATATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-21 (SEQ ID NO:455)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGTACAGCCTGCGTGCCGA
GGACACCGCGATATATTACTGTGCGATG~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-22 (SEQ ID NO:456)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAGATGAACAGCCTGCGTGCCGA
GGACACCGCGATATATTACTGTGCGAGA~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCTGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-23 (SEQ ID NO:457)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGGG~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14D

56/87

>Tar2h-131-24 (SEQ ID NO:458)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-25 (SEQ ID NO:459)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCAG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-26 (SEQ ID NO:460)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGTCC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h131-27 (SEQ ID NO:461)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGTACCAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h131-28 (SEQ ID NO:462)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGGGCAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h131-29 (SEQ ID NO:463)

GAGGGGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTTCAACCTGGGGGGTCCCTGCTTCTATCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACAATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14E

57/87

>Tar2h131-30 (SEQ ID NO:464)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTCACCTTTGCG~CATGAAACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTACCGTCTCGAGC

>Tar2h131-31 (SEQ ID NO:465)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTCACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATCCCTACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTACCGTCTCGAGC

>Tar2h131-32 (SEQ ID NO:466)
GAGGGGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTATCCTGTGG
AGCCTCCGATTCACCTTTGCG~CATGAGACAATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATCCCTACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTACCGTCTCGAGC

>Tar2h131-33 (SEQ ID NO:467)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTCACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATAACTACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTACCGTCTCGAGC

>Tar2h131-34 (SEQ ID NO:468)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTCACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTACCGTCTCGAGC

>Tar2h131-35 (SEQ ID NO:469)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTCACCTTTGCG~CATGAAACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTACCGTCTCGAGC

FIG. 14F

58/87

>Tar2h131-36 (SEQ ID NO:470)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TACG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h131-37 (SEQ ID NO:471)
GAGGGGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCTTCTATCCTGTGC
ACCTTCCGGATTACCTTTGCG~CATGAGACAATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~AAGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h131-38 (SEQ ID NO:472)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~GTGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h131-39 (SEQ ID NO:473)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TTGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h131-40 (SEQ ID NO:474)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGC~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h131-41 (SEQ ID NO:475)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGGGG~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14G

59/87

>Tar2h131-42 (SEQ ID NO:476)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACACATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGAGG~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h131-43 (SEQ ID NO:477)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGGGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACACATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCCC~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h131-44 (SEQ ID NO:478)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGCCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACACATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGATC~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h131-45 (SEQ ID NO:479)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGCCGATGGTG~TGGATCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACACATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGATG~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h131-46 (SEQ ID NO:480)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGCCGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACACATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTAGGTTTACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h131-47 (SEQ ID NO:481)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATAAGTACTACGCAGACTCCGTGAAGGGC~~
CGGTTACACATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

FIG. 14H

60/87

>Tar2h131-48 (SEQ ID NO:482)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~ATCG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h131-49 (SEQ ID NO:483)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~AAGC
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-50 (SEQ ID NO:484)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGGTGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-51 (SEQ ID NO:485)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGTTGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-52 (SEQ ID NO:486)
GAGGTGCAGCTGTTGGAGTCTGGGGGAACTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-53 (SEQ ID NO:487)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGAAA~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

FIG. 14I

61/87

>Tar2h-131-54 (SEQ ID NO:488)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTTGGC~CATAAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGTTG~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-55 (SEQ ID NO:489)
GAGGTGCAGcTGTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTTGGC~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTACCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGcCACCGTCTCGAGC

>Tar2h-131-56 (SEQ ID NO:490)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTTGGC~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAT~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-57 (SEQ ID NO:491)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTTGGC~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-58 (SEQ ID NO:492)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTTGGC~CATGATACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CAGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-59 (SEQ ID NO:493)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTTGGC~CATGATACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGAC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAATAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14J

62/87

>Tar2h-131-60 (SEQ ID NO:494)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTTTCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-61 (SEQ ID NO:495)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-62 (SEQ ID NO:496)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-63 (SEQ ID NO:497)

GAGGTGCAGCTGTTAGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCA
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-64 (SEQ ID NO:498)

GAGGTGCAGCTGTGCGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGT
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-65 (SEQ ID NO:499)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCACCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

FIG. 14K

63/87

>Tar2h-131-66 (SEQ ID NO:500)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCATGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGTTG~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-67 (SEQ ID NO:501)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTCGATACAGCCAGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACGGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-68 (SEQ ID NO:502)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCAACAATTCCATGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGATC~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-69 (SEQ ID NO:503)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGCGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-70 (SEQ ID NO:504)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATCCATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGCTC~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-71 (SEQ ID NO:505)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGATG~~~CTTCCTAAGAGGGGGCCTTGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14L

64/87

>Tar2h-131-72 (SEQ ID NO:506)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGATACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCT~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~
CGGTTACCATCTCCCGCGACAATACCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGCTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-73 (SEQ ID NO:507)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATAGAGCCTGGGGGGTCCCTGCGTCTATCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~
CGGTTACCATCTCCCGCGACAATCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACTCAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCATGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-74 (SEQ ID NO:508)

GATGTGCAGCTGCTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~
CGGTTACCATCTCCCGCGACAATCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-75 (SEQ ID NO:509)

GAGGTGCAGCTGATGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~
CGGTTACCATCTCCCGCGACAATCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGAG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACCAC~~~CGGG
GTCAGGGAACACTGGTCACCGTCTCGAGC

>Tar2h-131-76 (SEQ ID NO:510)

GAGGTGCAGCTGCTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~
CGGTTCCCATCTCCCGCGACAATCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGATG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GCCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-77 (SEQ ID NO:511)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACACAGACTCCGTGAAGGGC~
CGGTTACCATCTCCCGCGACAATCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGTTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCATGGTCACCGTCTCGAGC

FIG. 14M

65/87

>Tar2h-131-78 (SEQ ID NO:512)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATGCAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCTTGTGGTTCAGGATACATACTATGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTACAAATGAACAGCCTGCGTGCCGA
GGACACAGCAGTATATCACTGCGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-79 (SEQ ID NO:513)
GAGGTGCAACTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AACCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CAGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-80 (SEQ ID NO:514)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGGTTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTAGGTTCAGGATACATACTACGCAGACCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTTCCGA
GGATACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-81 (SEQ ID NO:515)
GAGGTGCAGCTGTTGGAGTCTGGGGGGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATAGCTGTGCGTTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-82 (SEQ ID NO:516)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCAGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-83 (SEQ ID NO:517)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14N

66/87

>Tar2h-131-86 (SEQ ID NO:518)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCGAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGATC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~AGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-87 (SEQ ID NO:519)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-88 (SEQ ID NO:520)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-89 (SEQ ID NO:521)

GAGGTGCAACTTTTGGAGTCTGGGGGAGACTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-90 (SEQ ID NO:522)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTCGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-91 (SEQ ID NO:523)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCATCTCTCCTGTGC
AGCCTCCGGATTACCTTTGAG~CATGAGACGATGGTG~TGGGTCCGTCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGAGTTGGTCAGGATCCATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 140

67/87

>Tar2h-131-92 (SEQ ID NO:524)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
GGCCTCCGGATTACCTTTGCG~CATGATACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGATTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGGACCCTGGTCACCGTCTCGAGC

>Tar2h-131-93 (SEQ ID NO:525)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATCCATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-94 (SEQ ID NO:526)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGATCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-95 (SEQ ID NO:527)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGATACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACGTACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-96 (SEQ ID NO:528)
GAGGTGCAGCTGTTGGAGTCCGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATACCACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-97 (SEQ ID NO:529)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14P

68/87

>Tar2h-131-99 (SEQ ID NO:530)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACATCCTGGGGGGACCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTATGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCGAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTCCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-100 (SEQ ID NO:531)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCGAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-101 (SEQ ID NO:532)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCGAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-102 (SEQ ID NO:533)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCGAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-103 (SEQ ID NO:534)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCGAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-104 (SEQ ID NO:535)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGATCT
AGAGTGGGTATCA~~CATATTGATCGTGATGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCTCCATCTCCCGCGACAATTCGAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14Q

69/87

>Tar2h-131-105 (SEQ ID NO:536)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACACACCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTCCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGT

>Tar2h-131-106 (SEQ ID NO:537)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGATGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCGTCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGATC~~~ATTCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-107 (SEQ ID NO:538)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCTCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGATCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCCGTATATTACTGTGCGGTG~~~CTTCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-108 (SEQ ID NO:539)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAGGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCTAAGAGGGGGCCATGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-109 (SEQ ID NO:540)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGACCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CTTGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACACACCTCCCGCGACAATTCCAGGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTTCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-110 (SEQ ID NO:541)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTACGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~ATTCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14R

70/87

>Tar2h-131-111 (SEQ ID NO:542)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACATTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCAGGTCACCGTCTCGAGC

>Tar2h-131-112 (SEQ ID NO:543)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACAATGGTG~TGGGTCCGCCAGGCTCCTGGGAAGGGTAT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-113 (SEQ ID NO:544)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGATACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-114 (SEQ ID NO:545)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGATGTGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-115 (SEQ ID NO:546)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACACAGATTCCGTGGAGGAC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-116 (SEQ ID NO:547)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

FIG. 14S

71/87

>Tar2h-131-117 (SEQ ID NO:548)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGATTCCGTGGAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-120 (SEQ ID NO:549)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AAGGAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACTGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-121 (SEQ ID NO:550)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~ACGGAGACCATGGTG~TGGGTCCGCCGGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-122 (SEQ ID NO:551)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTACG~AAGGAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGTGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-123 (SEQ ID NO:552)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-124 (SEQ ID NO:553)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

FIG. 14T

72/87

>Tar2h-131-125 (SEQ ID NO:554)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-126 (SEQ ID NO:555)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AACCAGGTCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGACT
AGAGTGGGTCTCA~~CATATTGATGCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGATAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-127 (SEQ ID NO:556)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-128 (SEQ ID NO:557)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGCGGTGGGGTCCGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-129 (SEQ ID NO:558)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-130 (SEQ ID NO:559)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGGC~AACGAGGTCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGGGC

FIG. 14U

73/87

>Tar2h-131-131 (SEQ ID NO:560)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTAAC~AACCAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-132 (SEQ ID NO:561)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGAC~AACACGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-136 (SEQ ID NO:562)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGATTCCGTGAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-151 (SEQ ID NO:563)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCTAGC

>Tar2h-131-180 (SEQ ID NO:564)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGATTCCGTGAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-181 (SEQ ID NO:565)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGATTCCGTGAGGGC~~
CGGTTCAACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~CGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

FIG. 14V

FIG. 14W

>Tar2h-131-182 (SEQ ID NO:566)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGATTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-183 (SEQ ID NO:567)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGATTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-184 (SEQ ID NO:568)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGATTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-185 (SEQ ID NO:569)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATCCATACTACGCAGATTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~AGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-188 (SEQ ID NO:570)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-189 (SEQ ID NO:571)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTC~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCTAGC

75/87

>Tar2h-131-190 (SEQ ID NO:572)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCTAGC

>Tar2h-131-191 (SEQ ID NO:573)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCTAGC

>Tar2h-131-192 (SEQ ID NO:574)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCTAGC

>Tar2h-131-193 (SEQ ID NO:575)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCTAGC

>Tar2h-131-194 (SEQ ID NO:576)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCGGTTGGTCAGGATCCCTTCTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTA~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCTAGC

>Tar2h-131-195 (SEQ ID NO:577)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCGGTTGGTCAGGATCCCTTCTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCTAGC

FIG. 14X

76/87

>Tar2h-131-196 (SEQ ID NO:578)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCCGGTTGGTCAGGATCCCTTCTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGGTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGAAGTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-197 (SEQ ID NO:579)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGGTGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACTCCCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGAAGTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-198 (SEQ ID NO:580)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCCGGTTGGTCAGGATCCCTTCTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACTCCCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGAAGTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-500 (SEQ ID NO:581)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTTAC~GACCAGCATATGGTG~TGGGTCCGCCAGGCTCCGAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGAAGTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-501 (SEQ ID NO:582)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~AACAAACATCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAACCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGAAGTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-502 (SEQ ID NO:583)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTCTCCTTTAAG~AACAAAGACGATGGTG~TGGGTCCGCCAGGCTCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGAAGTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

FIG. 14Y

FIG. 14Z

>Tar2h-131-503 (SEQ ID NO:584)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AAGCACACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGTTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGT

>Tar2h-131-504 (SEQ ID NO:585)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AACGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTGGTTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-505 (SEQ ID NO:586)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGACT
AGAGTGGGTCTCA~~CATATTGATGGGAGGGGTGGGGGGACATACTACACAGACTCCGTGAAGGGC~~
CGGTTACCACTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-506 (SEQ ID NO:587)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCAGCAGGGGTGAGGGGACATACTACACAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-507 (SEQ ID NO:588)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCCCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGGGGGACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-508 (SEQ ID NO:589)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTTGGGGACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

78/87

>Tar2h-131-509 (SEQ ID NO:590)
GAGGTGCAGCTGTTGGAGTCTGGAGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTACCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-510 (SEQ ID NO:591)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AACAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGCGGGGTGAGCGGACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-511 (SEQ ID NO:592)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCTCCCGGTTGGTCAGGATCCCTTCTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-512 (SEQ ID NO:593)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGATCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCCTGGTCACCGTCTCGAGC

>Tar2h-131-513 (SEQ ID NO:594)
GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAGGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCCTGGTAACCGTCTCGAGC

>Tar2h-131-514 (SEQ ID NO:595)
GAGGTGCAGCGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGCA
GCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCTA
GAGTGGGTCTCA~~CATATTGATCGTGTTGGTCAGGATACATACTACGCAGACTCCGTGAGGGGC~~C
GGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGAG
GACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
TCAGGGAACCCCTGGTCACCGTCTCGAGC

FIG. 14A2

79/87

>Tar2h-131-515 (SEQ ID NO:596)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTTCCGATGATGGTAATTCTACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTCCCGAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-516 (SEQ ID NO:597)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCC~CATGAGGCCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTCCCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-517 (SEQ ID NO:598)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTTAC~AACAAGGACATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTTTGTTGTTGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-518 (SEQ ID NO:599)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCC~ATGAGGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-519 (SEQ ID NO:600)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-520 (SEQ ID NO:601)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGGTGACATACTACACAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14B2

80/87

>Tar2h-131-521 (SEQ ID NO:602)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AACACGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCG~~CATATTGATGGCGTGGGGGGGATACATACTACGCAGACCCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTIONAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-522 (SEQ ID NO:603)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~AACAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGTTGGGTTTAGTGACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTIONAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-523 (SEQ ID NO:604)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~ACGACGAACATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~GAGATTAGGGTTGGGGGTGGGGATACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTIONAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCAAGC

>Tar2h-131-524 (SEQ ID NO:605)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGTTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAG~AACAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATCAGGAGGGTGAGGGCACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTIONAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-525 (SEQ ID NO:606)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AACACCACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGAGGGTTCGGTGACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTIONAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-526 (SEQ ID NO:607)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGAG~AACAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGCCACCGGTACCATCACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTIONAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14C2

81/87

>Tar2h-131-527 (SEQ ID NO:608)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGCGACATACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGGACCCTGGTCACCGTCTCGAGC

>Tar2h-131-528 (SEQ ID NO:609)

GAGGTGCAGCGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGCA
GCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCTA
GAGTGGGTCTCA~~CATATTGATCGTGTGGTCAGGATACATACTACGCAGACTCCGTGGAGGGC~~C
GGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGAG
GACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGGG
TCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-529 (SEQ ID NO:610)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-530 (SEQ ID NO:611)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACGCAGACCCGTGGAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-531 (SEQ ID NO:612)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTGAG~AACAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGCCACCGGTACCATCACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~CGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-532 (SEQ ID NO:613)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGATTACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGCGACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGGACCCTGGTCACCGTCTCGAGC

FIG. 14D2

82/87

>Tar2h-131-533 (SEQ ID NO:614)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGATCCCTTCTACACCGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTGTTGACTAC~~~TGGG
GTCAGGGGACCCTGGTCACCGTCTCGAGC

>Tar2h-131-534 (SEQ ID NO:615)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGGTGACATACTACACCGACCCGGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTGTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-535 (SEQ ID NO:616)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGGTGACATACTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTGTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-536 (SEQ ID NO:617)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGGTGACATACTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTGTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-537 (SEQ ID NO:618)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCTCCGGTTGGTCAGGATCCCTTCTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTGTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

>Tar2h-131-538 (SEQ ID NO:619)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCTCCGGTTGGTCAGGATCCCTTCTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTGTTGACTAC~~~TGGG
GTCAGGGAACCCTGGTCACCGTCTCGAGC

FIG. 14E2

83/87

>Tar2h-131-539 (SEQ ID NO:620)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCTCCCGGTTGGTACAGGATCCCTTCTACACCGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-540 (SEQ ID NO:621)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCTCCCGGTTGGTACAGGATCCCTTCTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-541 (SEQ ID NO:622)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACACCGACCCGGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-542 (SEQ ID NO:623)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-543 (SEQ ID NO:624)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-544 (SEQ ID NO:625)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGCGACATACTACACCGACCCGGTGAAGGGC~~
CGGTTACCATCTCCCGGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGGACCTGGTCACCGTCTCGAGC

FIG. 14F2

84/87

>Tar2h-131-545 (SEQ ID NO:626)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGCGACATACTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGTTTGA CTAC~~~TGGG
GTCAGGGGACCCTGGTCAACGTCTCGAGC

>Tar2h-131-546 (SEQ ID NO:627)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGCGACATACTACACCGACCCGGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGTTTGA CTAC~~~TGGG
GTCAGGGGACCCTGGTCAACGTCTCGAGC

>Tar2h-131-547 (SEQ ID NO:628)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCTCCGGTTGGTCAGGATCCCTTCTACACCGACCCGGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGTTTGA CTAC~~~TGGG
GTCAGGGAACCCTGGTCAACGTCTCGAGC

>Tar2h-131-548 (SEQ ID NO:629)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCTCCGGTTGGTCAGGATCCCTTCTACGCAGACCCGGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGTTTGA CTAC~~~TGGG
GTCAGGGAACCCTGGTCAACGTCTCGAGC

>Tar2h-131-549 (SEQ ID NO:630)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGATCCCTTCTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGTTTGA CTAC~~~TGGG
GTCAGGGGACCCTGGTCAACGTCTCGAGC

>Tar2h-131-550 (SEQ ID NO:631)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGATCCCTTCTACGCAGACCCGGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGTTTGA CTAC~~~TGGG
GTCAGGGGACCCTGGTCAACGTCTCGAGC

FIG. 14G2

85/87

>Tar2h-131-551 (SEQ ID NO:632)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGATCCCTTCTACACCGACCCGGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGGACCCTGGTCAACGTCTCGAGC

>Tar2h-131-552 (SEQ ID NO:633)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGATCCCTTCTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGGACCCTGGTCAACGTCTCGAGC

>Tar2h-131-553 (SEQ ID NO:634)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTAAC~AAGAAGACCATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGAAGGGTCAGGATCCCTTCTACACCGACCCGGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGGACCCTGGTCAACGTCTCGAGC

>Tar2h-131-554 (SEQ ID NO:635)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCGGTTGGTCAGGATCCCTTCTACACCGACCCGGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCTGGTCAACGTCTCGAGC

>Tar2h-131-555 (SEQ ID NO:636)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCCCCCTACTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCTGGTCAACGTCTCGAGC

>Tar2h-131-556 (SEQ ID NO:637)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCGGTTGGTCAGGATCCCTTCTACGCAGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGA CTAC~~~TGGG
GTCAGGGAACCCTGGTCAACGTCTCGAGC

FIG. 14H2

86/87

>Tar2h-131-557 (SEQ ID NO:638)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCCGGTTGGTCAGGATCCCTTCTACGCAGACCCGGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-558 (SEQ ID NO:639)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCCGGTTGGTCAGGATCCCTTCTACACCGACTCCGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-559 (SEQ ID NO:640)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTCCCCCGGTTGGTCAGGATCCCTTCTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTATATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACAGCGGTATATTACTGTGCGCTG~~~CTTCCTAAGAGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-560 (SEQ ID NO:641)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACGCAGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-561 (SEQ ID NO:642)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACACCGACCCGGTGAAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2h-131-562 (SEQ ID NO:643)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~~CATATTGATGGGGGGGGTGAGAGCACATACTACACCGACTCCGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGGTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

FIG. 14I2

87/87

>Tar2h-131-563 (SEQ ID NO:644)

GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGATACAGCCTGGGGGGTCCCTGCGTCTCTCCTGTGC
AGCCTCCGGATTACCTTTGCG~CATGAGACGATGGTG~TGGGTCCGCCAGGCTCCAGGGAAGGGTCT
AGAGTGGGTCTCA~CATATTGATGGGGGGGTGAGAGCACATACTACACCGACCCGGTGGAGGGC~~
CGGTTACCATCTCCCGCGACAATTCCAAGAACACGCTGTATCTGCAAATGAACAGCCTGCGTGCCGA
GGACACCGCGGTATATTACTGTGCGCGC~~~CTACCTAAGCGGGGGCCTTGTTTTGACTAC~~~TGGG
GTCAGGGAACCTGGTCACCGTCTCGAGC

>Tar2m-15-2 (SEQ ID NO:645)

GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGACCGTGTCAACCATCACTTG
C~CGGGCAAGTCAGTATATTATACAGAGTTTACAG~TGGTACCAGCAGAAACCAGGGAAAGCCCTAA
ACTCCTGATC~~TATGGGTTCGTCCAGGTTGCATAGT~~GGGGTCCCATCACGTTTCAGTGGCAGTGGA
TCTGGGACAGATTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGATTTTGCTACGTACTACTGT~~
~CAACAGAATCATTATAGTCCTTTTACG~~~TTCGGCCAAGGGACCAAGGTGGAAATCAAACGG

>Tar2m-15-5 (SEQ ID NO:646)

GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGACCGTGTCAACCATCACTTG
C~CGGGCAAGTCAGTATATTATACAGAGTTTACAG~TGGTACCAGCAGAAACCAGGGAAAGCCCTAA
GCTCCTGATC~~TATGGGTTCGTCCAGGTTGCAAAGT~~GGGGTCCCATCACGTTTCAGTGGCAGTGGA
TCTGGGACAGATTTCACTTTTACCATCAGCAGTCTGCAACCTGAAGATTTTGCTACGTACTACTGT~~
~CAACAGAATCATCATAGTCCTTTTACG~~~TACGGCCAAGGGACCAAGGTGGAAATCAAACGG

>Tar2m-15-6 (SEQ ID NO:647)

GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGACCGTGTCAACCATCACTTG
C~CGGGCAAGTCAGTATATTATACAGAGTTTACAG~TGGTACCAGCAGAAACCAGGGAAAGCCCTAA
ACTCCTGATC~~TATGGGTTCGTCCAGGTTGCATAGT~~GGGGTCCCATCACGTTTCAGTGGCAGTGGA
TCTGGGACAGATTTCACTCTCACCATCAGGAGTCTGCAACCTGAAGATCTTGCTACGTACTACTGT~~
~CAACAGAATCATTACAGTCCTTTTACG~~~TTCGGCCAAGGGACCAAGGTGGAAATCAAACGG

>Tar2m-15-8 (SEQ ID NO:648)

GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGACCGTGTCAACCATCACTTG
C~CGGGCAAGTCAGTATATTATACAGAGTTTACAA~TGGTACCAGCAGAAACCAGGGAAAGCCCTAA
ACTCCTGATC~~TATGGGTTCGTCCAGGTTGCATAGT~~GGGGTCCCATCACGTTTCAGTGGCAGTGGA
TCTGGGACAGATTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGATTTTGCTACGTACTACTGT~~
~CAACAGAATCATTATAGTCCTTTTACG~~~TTCGGCCAAGGGACCAAGGTGGAAATCAAACGG

>Tar2m-15-9 (SEQ ID NO:649)

GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGACCGTGTCAACCATCACTTG
C~CGGGCAAGTCAGTATATTATACAGAGTTTACAA~TGGTACCAGCAGAAACCAGGGAAAGCCCTAA
ACTCCTGATC~~TATGGGTTCGTCCAGGTTGCATAGT~~GGGGTCCCATCACGTTTCAGTGGCAGTGGA
TCTGGGACAGATTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGATTTTGCTACGTACTACTGT~~
~CAACAGAATCATTATAGTCCTTTTACG~~~TACGGCCAAGGGACCAAGGTGGAAATCAAACGG

>Tar2m-15-12 (SEQ ID NO:650)

GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGACCGTGTCAACCATCACTTG
C~CGGGCAAGTCAGTATATTATACAGAGTTTACAG~TGGTACCAGCAGAAACCAGGGAAAGCCCTAA
ACTCCTGATC~~TATGGGTTCGTCCAGGTTGCATAGT~~GGGGTCCCATCACGTTTCAGTGGCAGTGGA
TCTGGGACAGATTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGATTTTGCTACGTACTACTGT~~
~CAACAGAATCATTATAGTCCTTTTACG~~~TACGGCCAAGGGACCAAGGTGGAAATCAAACGG

FIG. 14J2