



US00D467152S

(12) **United States Design Patent**
Wolff

(10) **Patent No.:** **US D467,152 S**
(45) **Date of Patent:** **** Dec. 17, 2002**

(54) **SCREW CLAMP**

(75) Inventor: **Friedrich Wolff**, Bad Neuenahr (DE)

(73) Assignee: **Wolfcraft GmbH**, Kenoenich (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/146,416**

(22) Filed: **Aug. 9, 2001**

(30) **Foreign Application Priority Data**

Feb. 16, 2001 (DE) 401 01 801

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/72**

(58) **Field of Search** D8/71-74; 81/4,
81/484, 487, 150, 152; 269/2, 6, 16, 165-170,
900, 224, 203, 257, 258, 249, 250, 45,
47

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,452,753 A * 4/1923 Otto et al. 269/166
1,708,617 A * 4/1929 Hargrave 269/166
1,751,620 A * 3/1930 Clarke 269/166

(List continued on next page.)

OTHER PUBLICATIONS

American Clamping Corp. 1995 Bessey Tradesmen
Clamps.*

Tool Crib of the North 1991-92 Asst. Bar Clamps.*

Primary Examiner—Louis S. Zarfas

Assistant Examiner—Deanne Levy

(74) *Attorney, Agent, or Firm*—Schiff Hardin & Waite

(57) **CLAIM**

The ornamental design for a screw clamp, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view taken from the top back side of
a first embodiment of a screw clamp showing my new
design;

FIG. 2 is a front elevational view of the screw clamp of FIG.
1;

FIG. 3 is an elevational view of the back of the screw clamp
of FIG. 1;

FIG. 4 is a plan view of the bottom of the screw clamp of
FIG. 1;

FIG. 5 is a plan view of the top of the screw clamp of FIG.
1;

FIG. 6 is an elevational view of the right side of the screw
clamp of FIG. 1;

FIG. 7 is an elevational view of the left side of the screw
clamp of FIG. 1;

FIG. 8 is a perspective view taken from the top back side of
a second embodiment thereof;

FIG. 9 is an elevational view of the front of the screw clamp
of FIG. 8;

FIG. 10 is an elevational view of the back of the screw clamp
of FIG. 8;

FIG. 11 is a plan view of the bottom end of the screw clamp
of FIG. 8;

FIG. 12 is a plan view of the top end of the screw clamp of
FIG. 8;

FIG. 13 is an elevational view of the right side of the screw
clamp of FIG. 8;

FIG. 14 is an elevational view of the left side of the screw
clamp of FIG. 8;

FIG. 15 is a perspective view taken from the top back side
of a third embodiment thereof;

FIG. 16 is an elevational view of the front of the screw
clamp of FIG. 15;

FIG. 17 is an elevational view of the back of the screw clamp
of FIG. 15;


FIG. 18 is a plan view of the bottom end of the screw clamp
of FIG. 15;

FIG. 19 is a plan view of the top end of the screw clamp of
FIG. 15;

FIG. 20 is an elevational view of the right side of the screw
clamp of FIG. 15; and,

FIG. 21 is an elevational view of the left side of the screw
clamp of FIG. 15.

1 Claim, 15 Drawing Sheets



U.S. PATENT DOCUMENTS				5,427,364 A * 6/1995 Zborschil 269/249
1,793,561 A * 2/1931 Schmieder 269/166				D413,429 S * 9/1999 Carson D8/72
2,168,257 A * 8/1939 Farmer 269/203				
5,197,360 A * 3/1993 Wooster, Jr. 269/170				* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21