



US00D737991S

(12) **United States Design Patent**
Balaguru et al.

(10) **Patent No.:** **US D737,991 S**

(45) **Date of Patent:** **** Sep. 1, 2015**

(54) **CHROMATOGRAPHIC FLUID FRACTION
COLLECTING DEVICE**

(71) Applicant: **GENERAL ELECTRIC COMPANY**,
Schenectady, NY (US)

(72) Inventors: **Ramu Balaguru**, Bangalore (IN);
Nithyanandam Sadasivam, Bangalore
(IN); **Prasad Kini**, Bangalore (IN);
Prasad Bagiyannathan, Bangalore (IN);
Krishnadev Madhavan Nair, Bangalore
(IN); **Sofia Jacobsson Warfaa**,
Stockholm (SE); **August Michael**,
Enskede (SE); **Pelle Reinius**, Enskede
Gard (SE)

(73) Assignee: **General Electric Company**,
Schenectady, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/449,053**

(22) Filed: **Mar. 14, 2013**

(30) **Foreign Application Priority Data**

Sep. 14, 2012 (IN) 247937

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/216; D24/219**

(58) **Field of Classification Search**
USPC D24/216, 219, 223, 231, 232, 233, 186,
D24/107; D10/81; 96/102, 105, 107;
436/161; 73/863.01, 863.02, 863.03,
73/863.31, 863.32; 250/288; 530/413;
210/635, 656, 657, 198.2

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D266,151 S *	9/1982	Dawson	D24/232
D272,087 S *	1/1984	Smith	D24/216
5,149,505 A *	9/1992	English et al.	422/547
5,223,222 A *	6/1993	Ricchio et al.	422/63
D364,576 S *	11/1995	Glaser	D10/81
D422,925 S *	4/2000	Glaser et al.	D10/81
6,086,767 A *	7/2000	Walters et al.	210/634
D599,234 S *	9/2009	Ito	D10/81
D599,236 S *	9/2009	Oberg	D10/81
D637,931 S *	5/2011	Kimura et al.	D10/81
D660,975 S *	5/2012	Kyle et al.	D24/219
D690,612 S *	10/2013	Lam et al.	D10/81
D692,157 S *	10/2013	Matoba et al.	D24/216

* cited by examiner

Primary Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Parks Wood LLC

(57) **CLAIM**

The ornamental design for a chromatographic fluid fraction collecting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the device showing our new design.

FIG. 2 is a front view of the device of FIG. 1.

FIG. 3 is a rear view of the device of FIG. 1.

FIG. 4 is a left side view of the device of FIG. 1.

FIG. 5 is a right side view of the device of FIG. 1.

FIG. 6 is a top view of the device of FIG. 1; and,

FIG. 7 is an underside view of the device of FIG. 1.

The design is for a fluid collecting device for use in collecting the fractions of fluid separated during chromatographic separation of elements in a fluid, and comprises a generally cylindrical array of fluid collecting wells rotatably mounted atop a generally square base.

1 Claim, 7 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7