



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
23.11.2022 Bulletin 2022/47

(51) International Patent Classification (IPC):
B65C 9/46 (2006.01) **B41J 3/407** (2006.01)
G04G 15/00 (2006.01) **B65C 9/40** (2006.01)

(21) Application number: **22184354.3**

(52) Cooperative Patent Classification (CPC):
B65C 9/46; G04G 15/006

(22) Date of filing: **13.10.2014**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

- **MCMULLEN, Gary E.**
Spirngsboro, OH 45066-8638 (US)
- **LITMER, Lavern C.**
Miamisburg, OH 45342 (US)
- **CHANDLER, Douglas M.**
Centerville, OH 45458 (US)

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC:
14795705.4 / 3 206 955

(71) Applicant: **Avery Dennison Retail Information Services LLC**
Mentor, OH 44060 (US)

(74) Representative: **Müller-Boré & Partner**
Patentanwälte PartG mbB
Friedenheimer Brücke 21
80639 München (DE)

(72) Inventors:
• **MORROW, Mark S.**
Kettering, OH, 45428 (US)

Remarks:

This application was filed on 12-07-2022 as a divisional application to the application mentioned under INID code 62.


(54) **UTILITY TIMERS IN A FOOD FRESHNESS PRINTER**

(57) The present application relates to a process for creating timer events in a food freshness barcode printer or smart printer that will sound on a periodic basis or at the elapsing of a specific time, comprising the steps of: starting a process; stopping a one second reference timer; examining an active timer list; and determining whether a timer screen is visible.

er a timer screen is visible.

Furthermore, the present application relates to a process for removal of timer events in a food freshness barcode printer or smart printer, comprising the steps of: starting a process; continuing to a remove timer button; and removing a selected timer from an active timer list.

FIG-1



Description

BACKGROUND

[0001] The present invention relates generally to food freshness barcode printers or smart printers comprising a plurality of customizable timers. More particularly, the present disclosure relates to a method of adding a plurality of customizable timers by the operator for the purpose of sounding an alarm to indicate an elapse in time.

[0002] A barcode printer is a computer peripheral for printing barcode labels or tags that can be attached to, or printed directly on, physical objects. Barcode printers are commonly used to label cartons before shipment, or to label retail items with UPCs or EANs. The most common barcode printers employ one of two different printing technologies. Direct thermal printers use a print head to generate heat that causes a chemical reaction in specially designed paper that turns the paper black. Thermal transfer printers also use heat, but instead of reacting the paper, the heat melts a waxy or resin substance on a ribbon that runs over the label or tag material. The heat transfers ink from the ribbon to the paper.

[0003] Barcode printers are designed for different markets. Industrial barcode printers are used in large warehouses, manufacturing facilities, and food facilities. They have large paper capacities, operate faster and have a longer service life. For retail and office environments, desktop barcode printers are most common.

[0004] Furthermore, in a traditional food preparation, or other suitable area, there are several functions, operations, tasks, etc., that either occur on a timed or a periodic basis. Thus, employees tend to either lose time by waiting on a task, or get overwhelmed trying to keep track of all the functions, operations, and tasks, etc.

[0005] Thus, there exists a need for a food freshness barcode printers or smart printers that comprises a plurality of customizable timers. The present invention discloses a method of adding a plurality of customizable timers by the operator for the purpose of sounding an alarm to indicate an elapse in time. When the timer expires and the user acknowledges the audible tone, the user has the option to restart the timer for the next event or delete the timer.

SUMMARY

[0006] The following presents a simplified summary in order to provide a basic understanding of some aspects of the disclosed innovation. This summary is not an extensive overview, and it is not intended to identify key/critical elements or to delineate the scope thereof. Its sole purpose is to present some concepts in a simplified form as a prelude to the more detailed description that is presented later.

[0007] The subject matter disclosed and claimed herein, in one aspect thereof, comprises a method of adding a plurality of customizable event timers to a food fresh-

ness printer or smart printer. Specifically, the customizable event timers are added by the operator for the purpose of sounding an alarm to indicate an elapse in time.

[0008] In a preferred embodiment, when the event timer expires and the user acknowledges the audible tone, the user has the option to restart the timer for the next event or delete the timer. Further, the event timers enable the user to either display a message or print a set of labels when the timer expires.

[0009] To the accomplishment of the foregoing and related ends, certain illustrative aspects of the disclosed innovation are described herein in connection with the following description and the annexed drawings. These aspects are indicative, however, of but a few of the various ways in which the principles disclosed herein can be employed and is intended to include all such aspects and their equivalents. Other advantages and novel features will become apparent from the following detailed description when considered in conjunction with the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

[0010]

FIG. 1 illustrates a block diagram of a bar code printer in accordance with the disclosed architecture.

FIG. 2A illustrates a flowchart of the item select form process preinstalled in a food freshness printer or smart printer in accordance with the disclosed architecture.

FIG. 2B illustrates a flowchart of the reference timer event process preinstalled in a food freshness printer or smart printer in accordance with the disclosed architecture.

FIG. 2C illustrates a flowchart of the timer form remove timers process preinstalled in a food freshness printer or smart printer in accordance with the disclosed architecture.

FIG. 2D illustrates a flowchart of the acknowledge timer process preinstalled in a food freshness printer or smart printer in accordance with the disclosed architecture.

DETAILED DESCRIPTION

[0011] The innovation is now described with reference to the drawings, wherein like reference numerals are used to refer to like elements throughout. In the following description, for purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding thereof. It may be evident, however, that the innovation can be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form in order to facilitate a description thereof.

[0012] The present invention discloses a method of adding a plurality of customizable event timers to a food

freshness printer or smart printer. The customizable event timers are added by the operator for the purpose of sounding an alarm to indicate an elapse in time. When the event timer expires and the user acknowledges the audible tone, the user has the option to restart the timer for the next event or delete the timer. Further, the event timers enable the user to either display a message or print a set of labels when the timer expires.

[0013] Referring initially to the drawings, FIG. 1 illustrates a bar code printer 1 in accordance with the present invention, however any suitable bar code printer can be used as is known in the art. The bar code printer 1 comprises a thermal print head 2 for printing barcodes and alphanumeric information on a web of record members such as tags, labels or the like. The supply of the web of record members may be of the direct printing type such that the record members include paper coated with a thermally responsive material. Alternatively, the supply used with the bar code printer 1 may be of the transfer type wherein a carbon ribbon is heat activated by the print head 2 so as to print on the record members. The print head 2 is strobed to control the amount of energy applied thereto for printing. More particularly, current is applied to the print head 2 during a strobe time in order to print one line on a record member.

[0014] The bar code printer 1 also includes a stepper motor 3 or the like that is responsive to a periodic drive signal 4, the period 6 of which is defined by the time between the leading edges of consecutive or adjacent pulses of the drive signal. The stepper motor 3 is responsive to the drive signal 4 to advance the web of record members past the print head 2 for printing. The drive signal 4 controls the speed of the stepper motor 3 which in turn controls the print speed of the bar code printer 1.

[0015] A controller 5 includes a microprocessor 7 or the like which operates in accordance with software routines stored in a memory 8 so as to control the operations of the bar code printer 1. A number of sensors, monitors, detectors or the like such as depicted at 9, 11, 12, and 14, monitor operating conditions of the bar code printer 1 including the resistance of the print head 2, the contrast setting of the barcode printer, the temperature of a heat sink 13 on which the print head 2 is mounted and the voltage of a battery powering the bar code printer 1. The measured values of the print head resistance, contrast setting, heat sink temperature, battery voltage, as well as other operating variables if desired, are utilized by the microprocessor 7 when implementing print speed control.

[0016] Generally referring to FIGS. 2A-D, the disclosed food freshness barcode printer, or any other suitable barcode printer or smart printer comprises at least one customizable event timer. This event timer(s) enables a user to either display a message or print a set of labels when the timer expires. Further, when the timer expires and the user acknowledges the audible tone, the user has the option to restart the timer for the next event or delete the timer.

[0017] In a food preparation area there are several functions that either occurs on a timed or a periodic basis. For example, if frozen rolls required defrosting before being placed on a food ready table for order fulfillment, a user could set a timer that would expire at the end of the defrost period and that would then print a label for freshness dating. Thus, the function of setting the timer would enable the food preparation staff to focus on other tasks until the defrost period for the rolls has expired. Once the defrost period for the rolls has expired, the timer will emit an audible noise and then the printer will automatically print the required labels for freshness dating (i.e., the labor saving steps of printing the freshness labels with no additional interaction will be executed).

[0018] For example as shown in FIG. 2A, entry point 10 is where the user enters the button process (or the item select form process). At 20, it is determined if the button is a label or not. If the button is a label, then at 30 the label batch is printed (i.e., print job), and at 40 the process exits. If the button is not a label (i.e., not a print job), then at 50 an active event timer is added. At 60, the event timer is then added to the active timer list. At 70, it is determined if the one second reference timer is running. If the one second reference timer is not running, then at 80 the one second reference timer is started. If the one second reference timer is running, then at 90 the process is complete and exits at 100.

[0019] As shown in FIG. 2B, the reference timer event process starts at 110. At 120 the one second reference timer has expired. At 130, the active timer list is examined. At 140, it is determined whether the timer screen is visible. If the timer screen is visible, then at 150 the user updates the active timer count down display. If the timer screen is not visible, then at 160 it is determined if there are any expired timers. If there are not any expired timers, then it is determined if an alarm is sounding at 190. If there are expired timers, then at 170 it is determined if the timer form is visible to a user. If the timer form is visible to a user, then it is determined if an alarm is sounding at 190. If the timer form is not visible to a user, then at 180 the timer form is displayed to a user. Then at 190, it is determined if an alarm is sounding. If an alarm is sounding, then the process exits at 210. If an alarm is not sounding, then the process advances to 200 where an alarm is sounded. Then, the process is complete and exits at 210.

[0020] As shown in FIG. 2C, the timer form remove timers process starts at 220. At 230, the process continues to the remove timer button. At 240, the process removes the selected timer from an active timer list. At 250, it is determined whether there are any remaining timers on the active timer list. If there are no remaining timers on the active timer list, then at 260 the one second reference timer is stopped. Then, the process exits at 270. If there are remaining timers on the active timer list, then the timers are processed and the process is complete and exits at 270.

[0021] As shown in FIG. 2D, the acknowledge timer

process starts at 280. At 290, the user depresses the return button. At 300, it is determined if there are any expired timers on the active timer list. If there are no expired timers on the active timer list, then the process exits at 350. If there are expired timers on the active timer list, then at 310 the expired timers are removed from the active timer list. At 320, the alarm is silenced. At 330, it is determined if there are any remaining timers on the active timer list. If there are remaining timers on the active timer list, then the timers are processed and the process is complete and exits at 350. If there are no remaining timers on the active timer list, then at 340 the one second reference timer is stopped (or terminated). Then, the process exits at 350.

[0022] What has been described above includes examples of the claimed subject matter. It is, of course, not possible to describe every conceivable combination of components or methodologies for purposes of describing the claimed subject matter, but one of ordinary skill in the art may recognize that many further combinations and permutations of the claimed subject matter are possible. Accordingly, the claimed subject matter is intended to embrace all such alterations, modifications and variations that fall within the spirit and scope of the appended claims. Furthermore, to the extent that the term "includes" is used in either the detailed description or the claims, such term is intended to be inclusive in a manner similar to the term "comprising" as "comprising" is interpreted when employed as a transitional word in a claim.

[0023] The present application may also relate to any one of the following items:

Item 1. A process for creating a time configuration file or item select form that will enable predetermined timer events for a user to be preinstalled into a food freshness barcode printer or smart printer, comprising the steps of:

entering a button process; and
determining if a button is a label or not.

Item 2. The process of item 1, further comprising:

if the button is a label, then printing a label batch;
and
if the button is not a label, then adding an active event timer.

Item 3. The process of item 2, further comprising:
adding the active event timer to an active timer list.

Item 4. The process of item 3, further comprising:

determining if a one second reference timer is running;
if the one second reference timer is not running,
then starting the one second reference timer;
and

if the one second reference timer is running, then completing the process.

Item 5. A process for creating timer events in a food freshness barcode printer or smart printer that will sound on a periodic basis or at the elapsing of a specific time, comprising the steps of:

starting a process;
stopping a one second reference timer;
examining an active timer list; and
determining whether a timer screen is visible.

Item 6. The process of item 5, further comprising:

if the timer screen is visible, then updating an active timer count down display; and
if the timer screen is not visible, then determining if there are any expired timers.

Item 7. The process of item 6, further comprising:

if there are not any expired timers, then determining if an alarm is sounding; and
if there are expired timers, then determining if a timer form is visible to a user.

Item 8. The process of item 7, further comprising:

if the timer form is visible to a user, then determining if an alarm is sounding;
if the timer form is not visible to a user, then displaying the timer form to a user; and determining if an alarm is sounding.

Item 9. The process of item 8, further comprising:

if an alarm is sounding, then exiting the process;
if an alarm is not sounding, then advancing the process to where an alarm is sounded; and completing and exiting the process.

Item 10. The process of item 9, wherein at an end of a timer event, a reminder message can be displayed to a user.

Item 11. The process of item 10, wherein there is no predetermined limit on a number of active timers allowed in the system.

Item 12. A process for removal of timer events in a food freshness barcode printer or smart printer, comprising the steps of:

starting a process;
continuing to a remove timer button; and
removing a selected timer from an active timer list.

Item 13. The process of item 12, further comprising:

determining whether there are any remaining timers on the active timer list;
if there are no remaining timers on the active timer list, then stopping a one second reference timer and exiting the process;
if there are remaining timers on the active timer list, then processing the timers; and completing and exiting the process.

5

10

Item 14. The process of item 13, further comprising: acknowledging a timer event in a food freshness barcode printer or smart printer.

15

Item 15. The process of item 14, further comprising:

starting a process;
depressing a return button; and
determining if there are any expired timers on an active timer list.

20

Item 16. The process of item 15, further comprising:

if there are no expired timers on the active timer list, then exiting the process; and
if there are expired timers on the active timer list, then removing the expired timers from the active timer list.

25

30

Item 17. The process of item 16, further comprising:

silencing an alarm; and
determining if there are any remaining timers on the active timer list.

35

Item 18. The process of item 17, further comprising:

if there are remaining timers on the active timer list, then processing the remaining timers and exiting the process; and
if there are no remaining timers on the active timer list, then stopping a one second reference timer; and
exiting the process.

40

45

Item 19. The process of item 18, wherein the timer events run in printer background, allowing other processes including printer to be active while timer count down is in progress.

50

Item 20. The process of item 19, wherein the timer events are customizable by a user.

55

ness barcode printer or smart printer that will sound on a periodic basis or at the elapsing of a specific time, comprising the steps of:

starting a process (110);
stopping a one second reference timer (120);
examining an active timer list (130); and
determining whether a timer screen is visible (140).

2. The process of claim 1, further comprising:

if the timer screen is visible, then updating an active timer count down display (150); and
if the timer screen is not visible, then determining if there are any expired timers (160).

3. The process of claim 2, further comprising:

if there are not any expired timers, then determining if an alarm is sounding (190); and
if there are expired timers, then determining if a timer form is visible to a user (170).

4. The process of claim 3, further comprising:

if the timer form is visible to a user, then determining if an alarm is sounding (190);
if the timer form is not visible to a user, then displaying the timer form to a user (180); and
determining if an alarm is sounding (190).

5. The process of claim 4, further comprising:

if an alarm is sounding, then exiting the process (210);
if an alarm is not sounding, then advancing the process to where an alarm is sounded (200); and

completing and exiting the process (210).

6. The process of claim 5, wherein at an end of a timer event, a reminder message can be displayed to a user.

7. The process of claim 10, wherein there is no predetermined limit on a number of active timers allowed in the system.

8. A process for removal of timer events in a food freshness barcode printer or smart printer, comprising the steps of:

starting a process (220);
continuing to a remove timer button (230); and
removing a selected timer from an active timer list (240).

Claims

1. A process for creating timer events in a food fresh-

9. The process of claim 8, further comprising:

determining whether there are any remaining
timers on the active timer list (250);
if there are no remaining timers on the active
timer list, then stopping a one second reference
timer and exiting the process (260, 270);
if there are remaining timers on the active timer
list, then processing the timers; and
completing and exiting the process (270).

10. The process of claim 9, further comprising:

acknowledging a timer event in a food freshness bar-
code printer or smart printer.

11. The process of claim 10, further comprising:

starting a process (280);
depressing a return button (290); and
determining if there are any expired timers on
an active timer list (300).

12. The process of claim 11, further comprising:

if there are no expired timers on the active timer
list, then exiting the process (350); and
if there are expired timers on the active timer
list, then removing the expired timers from the
active timer list (310).

13. The process of claim 12, further comprising:


silencing an alarm (320); and
determining if there are any remaining timers on
the active timer list (330).


14. The process of claim 13, further comprising:


if there are remaining timers on the active timer
list, then processing the remaining timers and
exiting the process (350); and
if there are no remaining timers on the active
timer list, then stopping a one second reference
timer (340); and
exiting the process (350).

15. The process of claim 14, wherein the timer events
run in printer background, allowing other processes
including printer to be active while timer count down
is in progress, wherein the timer events are prefer-
ably customizable by a user.

FIG-1



Item Select Form**Fig 2A**

Reference Timer Event**Fig-2B**

Timer Form - Remove Timers





Fig-2C

Acknowledge Timer

**Fig-2D**



EUROPEAN SEARCH REPORT

Application Number

EP 22 18 4354

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 2014/204401 A1 (SALERNO MARK [US]) 24 July 2014 (2014-07-24) * paragraphs [0038], [0045] - [0054], [0058] - [0066], [0077]; figure 1 * -----	1-15	INV. B65C9/46 B41J3/407 G04G15/00 B65C9/40
X	US 2004/085225 A1 (WILSON ALISON D [US]) 6 May 2004 (2004-05-06) * paragraphs [0040] - [0042]; figure 4 * -----	1-15	
X	WO 2010/010332 A1 (RECOLLEX LTD [GB]; CARLILE ROBERT [GB]) 28 January 2010 (2010-01-28) * paragraphs [0040] - [0042], [0053], [0054]; figures 1, 4 * -----	1-15	
			TECHNICAL FIELDS SEARCHED (IPC)
			B65C B41J G04G G06Q G04C
The present search report has been drawn up for all claims			

1

EPO FORM 1503 03.82 (P04C01)

Place of search	Date of completion of the search	Examiner
The Hague	13 October 2022	Wartenhorst, Frank
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document		

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 22 18 4354

5

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

13-10-2022

10

15

20

25

30

35

40

45

50

55

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2014204401 A1	24-07-2014	AU 2014209652 A1	27-08-2015
		CA 2898711 A1	31-07-2014
		EP 2948915 A1	02-12-2015
		US 2014204401 A1	24-07-2014
		WO 2014116572 A1	31-07-2014

US 2004085225 A1	06-05-2004	NONE	

WO 2010010332 A1	28-01-2010	GB 2464359 A	21-04-2010
		WO 2010010332 A1	28-01-2010
