



US0D1007402S

(12) **United States Design Patent**
Claassen

(10) **Patent No.:** **US D1,007,402 S**

(45) **Date of Patent:** **** Dec. 12, 2023**

(54) **TIRE**
(71) Applicant: **Nokian Heavy Tyres Ltd**, Nokia (FI)
(72) Inventor: **Caleb Claassen**, Tampere (FI)
(73) Assignee: **Nokian Heavy Tyres Ltd**, Nokia (FI)
(**) Term: **15 Years**
(21) Appl. No.: **29/811,456**
(22) Filed: **Oct. 14, 2021**

(30) **Foreign Application Priority Data**

Apr. 28, 2021 (EM) 008522775-0006

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.** **D12/563**

(58) **Field of Classification Search**

USPC D12/544, 563, 542, 543, 536, 537
CPC B60C 2200/12; B60C 19/12; B60C 3/02;
B60C 9/20; B60C 15/0045; B60C 29/06;
B60C 5/12; B60C 15/024; B60C 23/006;
B60C 23/0496; B60C 29/005; B60C 9/06;
B60C 11/02; B60C 13/02; B60C 15/0233;
B60C 19/122; B60C 2200/14; B60C
29/02; B60C 9/0042; B60C 11/0083;
B60C 15/0018; B60C 15/0036; B60C
17/0009; B60C 2009/2067; B60C
2009/2077; B60C 5/02; B60C 7/121;
B60C 9/11; B60C 9/18; B60C 9/1807;
B60C 1/0016; B60C 11/005; B60C
11/0306; B60C 11/11; B60C 13/001;
B60C 13/04; B60C 15/0632; B60C
2009/1878; B60C 2009/2064; B60C
23/0433; B60C 23/0461; B60C 23/0479;
B60C 25/16; B60C 27/16; B60C 27/18;
B60C 29/04; B60C 5/16; B60C 7/1015;
B60C 7/105; B60C 7/12; B60C 7/125;
B60C 7/16; B60C 7/24; B60C 7/26;
B60C 9/09; B60C 9/14; B60C 9/2009;
B60C 11/0309; B60C 11/24; B60C 13/00;

B60C 15/022; B60C 15/0226; B60C
15/04; B60C 15/0603; B60C 19/125;
B60C 2007/005; B60C 2009/0071; B60C
2009/0092; B60C 2009/0425; B60C
2009/045; B60C 2009/1814; B60C
2009/1885; B60C 2009/2022; B60C
2009/2083; B60C 2009/209; B60C
2009/2096; B60C 2011/0383; B60C
2011/0388; B60C 2013/006; B60C
2015/009; B60C 2015/046; B60C
2015/061; B60C 2015/0614; B60C
2015/065; B60C 23/001; B60C 23/004;
B60C 23/02; B60C 23/04; B60C 23/0406;
B60C 23/041; B60C 23/0447; B60C
23/0488; B60C 23/0494; B60C 23/0498;
B60C 23/061; B60C 23/10; B60C 25/02;
B60C 25/04; B60C 27/06;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D606,005 S * 12/2009 Cerny D12/544
D649,927 S * 12/2011 Cerny D12/544

(Continued)

Primary Examiner — George D. Kirschbaum
(74) *Attorney, Agent, or Firm* — Saidman DesignLaw
Group, LLC

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new
design;
FIG. 2 is a front view thereof; and,
FIG. 3 is a side view thereof.
The tread pattern is understood to repeat uniformly across
the entire circumference of the tire.

1 Claim, 3 Drawing Sheets



(58) **Field of Classification Search**

CPC ... B60C 29/002; B60C 29/064; B60C 29/066;
B60C 3/04; B60C 7/101; B60C 7/107;
B60C 7/14; B60C 7/143; B60C 7/18;
B60C 9/0207; B60C 9/10; B60C 9/2003;
B60C 9/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D735,118 S *	7/2015	Dixon	D12/578
D735,119 S *	7/2015	Hermann	D12/578
D786,782 S *	5/2017	Dixon	D12/563
D913,205 S *	3/2021	Koog	D12/563
D923,556 S *	6/2021	Crisamore	D12/563

* cited by examiner



FIG. 1




FIG. 2



FIG. 3