



US00D545173S

(12) **United States Design Patent**
Wasson et al.

(10) **Patent No.:** **US D545,173 S**

(45) **Date of Patent:** **** Jun. 26, 2007**

(54) **PUSH BUTTON LOCK**

6,526,786 B1 * 3/2003 Kayoda 70/56
D495,234 S * 8/2004 Fisher et al. D8/333
D513,582 S * 1/2006 Osiecki et al. D8/343

(76) Inventors: **John E. Wasson**, 634 W. Tomahawk Cir., Grand Junction, CO (US) 81504;
Ninnian M. Wasson, 634 W. Tomahawk Cir., Grand Junction, CO (US) 81504

* cited by examiner

Primary Examiner—Mitchell Siegel
(74) *Attorney, Agent, or Firm*—Stephen D. Carver

(**) Term: **14 Years**

(21) Appl. No.: **29/258,486**

(22) Filed: **Apr. 24, 2006**

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/333**

(58) **Field of Classification Search** D8/330–348;
70/55, 56, 58, 63, 64, 20, 30, 18, 51, 158,
70/286, 266, 291, 277, 294; 109/52; 379/100,
379/103, 106, 107; 340/825.31

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,838,052 A * 6/1989 Williams et al. 70/63
5,280,518 A * 1/1994 Danler et al. 379/102.06


(57) **CLAIM**

The ornamental design for a push button lock, as shown.

DESCRIPTION

FIG. 1 is a frontal isometric view showing our new lock;
FIG. 2 is a rear isometric view thereof;
FIG. 3 is a side isometric view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a left side elevational thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8