



US00D624232S

(12) **United States Design Patent**
Summers

(10) **Patent No.:** **US D624,232 S**

(45) **Date of Patent:** **** *Sep. 21, 2010**

(54) **GLASS BREAKING CAP FOR FLASHLIGHTS AND BATONS**

(76) Inventor: **Todd Summers**, 20292 Birch St.,
Newport Beach, CA (US) 92660

(**) Term: **14 Years**

(21) Appl. No.: **29/288,817**

(22) Filed: **Jun. 21, 2007**

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/113**

(58) **Field of Classification Search** D26/154,
D26/86, 155, 128, 88, 144, 113, 118, 152,
D26/141, 149, 138, 68, 107, 129, 24, 25,
D26/37, 38, 45, 46, 48, 50, 51, 60, 61, 67,
D26/69, 70, 71, 72, 73, 79, 80, 81, 83, 85,
D26/90, 91, 93, 101, 102, 104, 108, 119,
D26/120, 121, 124, 130, 135, 137, 140, 142,
D26/145, 153; D11/90, 79, 43; D3/306,
D3/271.1, 277, 309; 362/102, 202, 606,
362/607, 615, 616, 576, 577, 145, 147, 148,
362/151, 152, 153, 248, 236, 257, 268, 317,
362/329, 331, 341, 350, 351, 356, 358, 391,
362/395, 401, 403, 404, 405, 406, 407, 410,
362/416; D22/199, 117; 222/78, 79, 1;
463/47.2, 47.4, 47.7; 299/105, 111; D9/435,
D9/436, 437, 439, 445, 449, 454; 114/218;
405/216; D8/400; 52/300, 11; 29/423

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

851,009	A	*	4/1907	Joyce	362/416
956,656	A	*	5/1910	Weinlig	52/11
1,900,199	A	*	3/1933	Pickett	43/107
D101,245	S	*	9/1936	Tompkins	D26/113
2,450,345	A	*	9/1948	Kervin	52/301
3,106,398	A	*	10/1963	Gowdey	463/47.2
3,319,328	A	*	5/1967	Finger et al.	29/423

(Continued)

Primary Examiner—Joel Sincavage
Assistant Examiner—Kevin K Rudzinski
(74) *Attorney, Agent, or Firm*—David G. Duckworth; Russo & Duckworth, LLP

(57) **CLAIM**

The ornamental design for the glass breaking cap for flashlights and batons, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the glass breaking cap for flashlights and batons of my design;

FIG. 2 is a left elevation view thereof;

FIG. 3 is a right elevation view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a rear elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view of the glass breaking cap for flashlights and batons affixed to the end of a flashlight;

FIG. 9 is a perspective view of the glass breaking cap for flashlights and batons affixed to the end of a collapsed baton;



FIG. 10 is a perspective view of the glass breaking cap for flashlights and batons affixed to the end of an extended baton;

FIG. 11 is a perspective view of the glass breaking cap for flashlights and batons affixed to the end of a flashlight in use breaking the side window of a vehicle; and,

FIG. 12 is a perspective view of the glass breaking cap for flashlights and batons affixed to the end of an extended baton in use deterring a criminal assailant.

The items shown in dashed lines, including the flashlight portions shown in FIGS. 8 and 11; baton portions shown in FIGS. 9, 10 and 12; the vehicle shown in FIG. 11; and individuals shown in FIGS. 11 and 12, form no part of my claimed design.

1 Claim, 5 Drawing Sheets



US D624,232 S

Page 2

U.S. PATENT DOCUMENTS

3,635,374 A *	1/1972	Anketell	222/78	5,586,838 A *	12/1996	Walsh	405/216
3,756,467 A *	9/1973	Anketell	222/78	5,728,003 A	3/1998	Hustad	463/47.2
3,820,273 A *	6/1974	Novak	43/113	D396,639 S *	8/1998	Pedersen-Rask	D9/454
4,242,724 A *	12/1980	Stone	362/158	D404,789 S	1/1999	Starrett	D22/117
4,601,624 A *	7/1986	Hill	411/373	D418,102 S *	12/1999	Schehr	D12/213
4,787,018 A *	11/1988	Poyer	362/216	6,139,165 A *	10/2000	Crowe	362/102
4,819,137 A	4/1989	Hamilton	362/102	6,199,997 B1	3/2001	Outsen et al.	362/109
4,842,277 A *	6/1989	LaCroix	463/47.3	6,216,383 B1 *	4/2001	Klabunde et al.	43/121
D315,964 S *	4/1991	Joosten et al.	D26/63	6,253,698 B1 *	7/2001	Goedel	114/218
D323,564 S *	1/1992	Woodgate	D26/63	6,386,726 B1 *	5/2002	Macierowski et al.	362/102
D323,566 S *	1/1992	Woodgate	D26/63	6,499,855 B1	12/2002	Kukuk	362/102
5,161,627 A *	11/1992	Burkett	299/111	6,533,446 B2 *	3/2003	Chen et al.	362/559
5,287,255 A	2/1994	Strodtman	362/102	D479,801 S *	9/2003	Carmichael et al.	D9/447
D348,953 S *	7/1994	Shwisha	D26/135	6,666,566 B1	12/2003	Uke	362/202
5,363,285 A *	11/1994	Wideman	362/102	7,004,597 B2	2/2006	Kukuk	362/102
5,407,197 A	4/1995	Parsons	273/84 R	7,070,297 B1 *	7/2006	Muhl nickel, Jr.	362/207
5,484,191 A *	1/1996	Sollami	299/105	2005/0037847 A1	2/2005	Pickens, Jr.	463/47.2
5,509,653 A	4/1996	Parsons	273/84 R	2005/0184086 A1 *	8/2005	Rateman et al.	222/1

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9



Fig. 10




Fig. 11




Fig. 12