

# United States Patent [19]

## Hampel

### Des. 435,672 **Patent Number:** [11]

#### **Date of Patent:** \*\* Dec. 26, 2000 [45]

[54]	RESIN STRUCTURE ROOF SECTION				
[76]	Inventor:	Lance T. Hampel, 5678 W. Big Portage Lake Rd., Land O'Lakes, Wis. 54540			
[**]	Term:	14 Years			
[21]	Appl. No.	: 29/115,421			
[22]	Filed:	Dec. 14, 1999			
Related U.S. Application Data					
[63]	Continuation of application No. 29/085,244, Mar. 19, 1998.				
[51]	LOC (7) Cl				
F C O I	TIO OI	D05/100			

F - 1	11	,
[51]	LOC (7) Cl	25-01
[52]	U.S. Cl	D25/139

### D25/139

#### [56] References Cited

### U.S. PATENT DOCUMENTS

D. 267,904	2/1983	Hampel et al D30/1
D. 267,905	2/1983	Keith D30/1
D. 363,367	10/1995	Hampel D30/108
1,676,385	7/1928	Colwell 52/575

### OTHER PUBLICATIONS

Applicant's Ex. 1—"CALF-tel comfort hutches" Brochure of Hampel Corp., P.O. Box 39, Germantown, WI 53022, dated 1992.

Applicant's Ex. 2—Page including four ads of EZ Hutch, Kettlersville, OH, published at: Agribusiness, Jun. 1995; Farmers Hotline, Dec./Jan. 1996; Farmers Hotline, Mar./ Apr. 1996; Agribusiness; Apr. 1996.

Applicant's Ex. 3—Ad of PolyDome, 62824 250th Street, Litchfield, MN, published in Dec 5, 1997 Capitol Press Livestock Edition.

Primary Examiner—Doris Clark Attorney, Agent, or Firm-Quarles & Brady LLP

### **CLAIM**

The ornamental design for a resin structure roof section, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of a resin structure roof section showing my new design;

FIG. 2 is a front view thereof, the back view being identical; FIG. 3 is a right side view thereof, the left side view being identical;


FIG. 4 is a perspective view of a second embodiment of a resin structure roof section showing my new design;


FIG. 5 is a front view thereof, the back view being identical;

FIG. 6 is a right side view thereof, the left side being identical.

The phantom line representations in FIGS. 1-6 are exemplary and form no part of the invention.

### 1 Claim, 2 Drawing Sheets





U.S. Patent

Dec. 26, 2000

Des. 435,672

FIG. 6

