



US00D585839S

(12) **United States Design Patent**
Azzola et al.

(10) **Patent No.:** **US D585,839 S**
(45) **Date of Patent:** **** Feb. 3, 2009**

(54) **ELECTRICAL CIRCUIT BREAKER**

(75) Inventors: **Lucio Azzola**, Bergamo (IT); **Giovanni Frassinetti**, Bergamo (IT)

(73) Assignee: **ABB S.p.A.**, Milan (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/279,310**

(22) Filed: **Apr. 26, 2007**

Related U.S. Application Data

(60) Continuation of application No. 29/250,292, filed on Nov. 9, 2006, now Pat. No. Des. 551,629, which is a division of application No. 29/188,211, filed on Aug. 15, 2003, now Pat. No. Des. 535,626.

Foreign Application Priority Data

Feb. 20, 2003 (IT) BG2003O0002

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/160**

(58) **Field of Classification Search** D13/160;
200/43.14, 50.01, 50.21-50.23, 51 R, 293,
200/400, 401; 361/42, 44, 45, 50, 71, 115,
361/608, 634

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D319,627 S	9/1991	Smith et al.
5,296,664 A	3/1994	Crookston et al.
D359,948 S	7/1995	Merlin et al.
5,587,570 A	12/1996	Kelaita, Jr. et al.
5,610,375 A	3/1997	Sinhomez et al.
6,008,459 A	12/1999	Faber et al.
6,078,017 A	6/2000	Blessitt et al.

D442,146 S	5/2001	Greenberg et al.	
6,361,848 B1	3/2002	Katsube et al.	
6,512,433 B1	1/2003	Bouchard et al.	
D498,464 S	11/2004	Kim et al.	
D499,700 S	12/2004	Raabe et al.	
D499,701 S	12/2004	Kim et al.	
D506,185 S	6/2005	Kim et al.	
D535,626 S *	1/2007	Azzola et al.	D13/160
D547,729 S *	7/2007	Azzola et al.	D13/160
D547,730 S *	7/2007	Azzola et al.	D13/160
D551,629 S *	9/2007	Azzola et al.	D13/160
2001/0022713 A1	9/2001	Gimenez et al.	
2001/0025773 A1	10/2001	Rane et al.	
2004/0045796 A1	3/2004	Azzola et al.	
2005/0109597 A1	5/2005	Elscheidt et al.	

FOREIGN PATENT DOCUMENTS

WO DM/055 273 4/2001

* cited by examiner

Primary Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Connolly Bove Lodge & Hutz LLP

(57) **CLAIM**

We claim the ornamental design for an electrical circuit breaker, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the electrical circuit breaker showing our new design;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof; and,

FIG. 4 is a top view thereof.

The broken line showing of portions of the circuit breaker represent unclaimed subject matter.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4