

(12) UK Patent Application (19) GB (11) 2 377 706 (13) A

(43) Date of A Publication 22.01.2003

(21) Application No 0213110.0

(22) Date of Filing 07.06.2002

(30) Priority Data

(31) 10127482

(32) 07.06.2001

(33) DE

(31) 10136965

(32) 28.07.2001

(51) INT CL⁷

C07C 23/44 , C09K 19/32

(52) UK CL (Edition V)

C2C CAA

C4X X12

U1S S1387 S2285

(71) Applicant(s)

Merck Patent GmbH

(Incorporated in the Federal Republic of Germany)

Frankfurter Strasse 250,

D-64293 Darmstadt,

Federal Republic of Germany

(56) Documents Cited

EP 1153909 A1

US 20010023935 A1

(58) Field of Search

Other: **Online:WPI,EPODOC,JAPIO,CAS ONLINE**

(72) Inventor(s)

Matthias Bremer

Detlef Pauluth

Michael Heckmeier

Hans-Rolf Dübal

Barbara Hornung

Wolfgang Schmidt

Rainer Wingen

(74) Agent and/or Address for Service

Venner Shipley & Co


20 Little Britain, LONDON, EC1A 7DH,

United Kingdom

(54) Abstract Title

Liquid-crystalline phenanthrenes

(57) The invention relates to liquid-crystalline (dihydro)phenanthrene derivatives of the formula I



in which

R, G, A¹, Z¹, m, L¹, L², L³, L⁴, L⁵ and Y are as defined in Claim 1, and to liquid-crystalline media comprising at least one (dihydro)phenanthrene derivative of the formula I, and to electro-optical displays containing a liquid-crystalline medium of this type.

GB 2 377 706 A

**Fluorinated (dihydro)phenanthrene derivatives, and their use in
liquid-crystalline media**

5 The present invention relates to liquid-crystalline fluorinated (dihydro)-
phenanthrene derivatives and to a liquid-crystalline medium, to the use
thereof for electro-optical purposes, and to displays containing this
medium.

10 Liquid crystals are used principally as dielectrics in display devices, since
the optical properties of such substances can be modified by an applied
voltage. Electro-optical devices based on liquid crystals are extremely well
known to the person skilled in the art and can be based on various effects.
15 Examples of such devices are cells having dynamic scattering, DAP
(deformation of aligned phases) cells, guest/host cells, TN cells having a
twisted nematic structure, STN (supertwisted nematic) cells, SBE (super-
birefringence effect) cells and OMI (optical mode interference) cells. The
commonest display devices are based on the Schadt-Helfrich effect and
have a twisted nematic structure.

20 The liquid-crystal materials must have good chemical and thermal stability
and good stability to electric fields and electromagnetic radiation. Further-
more, the liquid-crystal materials should have low viscosity and produce
short addressing times, low threshold voltages and high contrast in the
cells.

25 They should furthermore have a suitable mesophase, for example a
nematic or cholesteric mesophase for the above-mentioned cells, at the
usual operating temperatures, i.e. in the broadest possible range above
and below room temperature. Since liquid crystals are generally used as
mixtures of a plurality of components, it is important that the components
30 are readily miscible with one another. Further properties, such as the
electrical conductivity, the dielectric anisotropy and the optical anisotropy,
have to satisfy various requirements depending on the cell type and area
of application. For example, materials for cells having a twisted nematic
structure should have positive dielectric anisotropy and low electrical
35 conductivity.

For example, for matrix liquid-crystal displays with integrated non-linear elements for switching individual pixels (MLC displays), media having large positive dielectric anisotropy, broad nematic phases, relatively low birefringence, very high specific resistance, good UV and temperature stability and low vapour pressure are desired.

5

Matrix liquid-crystal displays of this type are known. Non-linear elements which can be used for individual switching of the individual pixels are, for example, active elements (i.e. transistors). The term "active matrix" is then used, where a distinction can be made between two types:

10

1. MOS (metal oxide semiconductor) or other diodes on a silicon wafer as substrate.

2. Thin-film transistors (TFTs) on a glass plate as substrate.

15

The use of single-crystal silicon as substrate material restricts the display size, since even modular assembly of various part-displays results in problems at the joins.

20

In the case of the more promising type 2, which is preferred, the electro-optical effect used is usually the TN effect. A distinction is made between two technologies: TFTs comprising compound semiconductors, such as, for example, CdSe, or TFTs based on polycrystalline or amorphous silicon. Intensive work is being carried out world-wide on the latter technology.

25

The TFT matrix is applied to the inside of one glass plate of the display, while the other glass plate carries the transparent counterelectrode on its inside. Compared with the size of the pixel electrode, the TFT is very small and has virtually no adverse effect on the image. This technology can also be extended to fully colour-capable displays, in which a mosaic of red, green and blue filters is arranged in such a way that a filter element is opposite each switchable pixel.

30

The TFT displays usually operate as TN cells with crossed polarisers in transmission and are illuminated from the back.

35

The term MLC displays here covers any matrix display with integrated non-linear elements, i.e., besides the active matrix, also displays with passive elements, such as varistors or diodes (MIM = metal-insulator-metal).

5 MLC displays of this type are particularly suitable for TV applications (for example pocket TVs) or for high-information displays for computer applications (laptops) and in automobile or aircraft construction. Besides problems regarding the angle dependence of the contrast and the response times, difficulties also arise in MLC displays due to insufficiently high specific resistance of the liquid-crystal mixtures [TOGASHI, S.,
10 SEKIGUCHI, K., TANABE, H., YAMAMOTO, E., SORIMACHI, K., TAJIMA, E., WATANABE, H., SHIMIZU, H., Proc. Eurodisplay 84, Sept. 1984: A 210-288 Matrix LCD Controlled by Double Stage Diode Rings, p. 141 ff, Paris; STROMER, M., Proc. Eurodisplay 84, Sept. 1984: Design of Thin Film Transistors for Matrix Addressing of Television Liquid Crystal
15 Displays, p. 145 ff, Paris]. With decreasing resistance, the contrast of an MLC display deteriorates, and the problem of after-image elimination may occur. Since the specific resistance of the liquid-crystal mixture generally drops over the life of an MLC display owing to interaction with the interior surfaces of the display, a high (initial) resistance is very important in order
20 to obtain acceptable service lives. In particular in the case of low-volt mixtures, it was hitherto impossible to achieve very high specific resistance values. It is furthermore important that the specific resistance exhibits the smallest possible increase with increasing temperature and after heating and/or UV exposure. The low-temperature properties of the mixtures from
25 the prior art are also particularly disadvantageous. It is demanded that no crystallisation and/or smectic phases occur, even at low temperatures, and the temperature dependence of the viscosity is as low as possible. The MLC displays from the prior art thus do not meet today's requirements.

30 There thus continues to be a great demand for MLC displays having very high specific resistance at the same time as a large working-temperature range, short response times even at low temperatures and low threshold voltage which do not have these disadvantages, or only do so to a reduced extent.

35

In TN (Schadt-Helfrich) cells, media are desired which facilitate the following advantages in the cells:

- smaller layer thicknesses (higher Δn) for faster response times
- 5 - extended nematic phase range (in particular down to low temperatures)
- the ability to switch at extremely low temperatures (outdoor use, automobile, avionics)
- 10 - increased resistance to UV radiation (longer service life).


The media available from the prior art do not allow these advantages to be achieved while simultaneously retaining the other parameters.

- 15 In the case of supertwisted (STN) cells, media are desired which enable greater multiplexability and/or lower threshold voltages and/or broader nematic phase ranges (in particular at low temperatures). To this end, a further widening of the available parameter latitude (clearing point, smectic-nematic transition or melting point, viscosity, dielectric parameters,
- 20 elastic parameters) is urgently desired.

- The invention has the object of providing media, in particular for MLC, TN or STN displays of this type as well as for IPS displays, which do not have the above-mentioned disadvantages or only do so to a reduced extent,
- 25 and preferably simultaneously have very high specific resistances and low threshold voltages.

- It has now been found that this object can be achieved if the liquid-crystalline (dihydro)phenanthrene derivatives according to the invention
- 30 are used in liquid-crystalline media.

- The invention thus relates to liquid-crystalline (dihydro)phenanthrene derivatives of the formula I



5

in which

R is an alkyl or alkenyl radical having up to 15 carbon atoms which is unsubstituted, monosubstituted by CN or CF₃ or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may be replaced by -O-, -S-, -C≡C-, -OC-O- or -O-CO- in such a way that O atoms are not linked directly to one another,

A¹ a) is a 1,4-cyclohexenylene or 1,4-cyclohexylene radical, in which one or two non-adjacent CH₂ groups may be replaced by -O- or -S-, or

b) a 1,4-phenylene radical, in which one or two CH groups may be replaced by N,

where the radicals a) and b) may be monosubstituted or polysubstituted by fluorine,

Z¹ is -CO-O-, -O-CO-, -CF₂O-, -OCF₂-, -CH₂O-, -OCH₂-, -CH₂CH₂-, -C₂F₄-, -CH=CH-, -C≡C- or a single bond,

Y is H, F, Cl, CN, SF₅, NCS, SCN or an alkyl, alkenyl, alkenyloxy or alkoxy radical having up to 5 carbon atoms which is mono-halogenated or polyhalogenated,

G is -CH₂CH₂-, -CH=CF- or -CH=CH-,

L¹, L², L³,
L⁴ and L⁵ are each, independently of one another, H or F, and

m is 0, 1 or 2.

The invention furthermore relates to liquid-crystalline media which comprise the (dihydro)phenanthrene derivatives according to the invention.

5 The compounds of the formula I have a broad range of applications. Depending on the choice of substituents, these compounds can serve as base materials of which liquid-crystalline media are predominantly composed; however, it is also possible to add compounds of the formula I to liquid-crystalline base materials from other classes of compound in
10 order, for example, to modify the dielectric and/or optical anisotropy of a dielectric of this type and/or in order to optimise its threshold voltage and/or its viscosity.

15 In the pure state, the compounds of the formula I are colourless and form liquid-crystalline mesophases in a temperature range which is favourably located for electro-optical use. In particular, the compounds according to the invention are distinguished by their high clearing point. They are stable chemically, thermally and to light.

20 The invention relates in particular to the compounds of the formula I in which R is an alkyl radical having from 1 to 10 carbon atoms or an alkenyl radical having from 2 to 10 carbon atoms.

25 Particular preference is given to compounds of the formula I in which L^1 and/or L^2 are fluorine. m is preferably 0. Z^1 is preferably a single bond, furthermore $-CF_2O-$, $-OCF_2-$, $-C_2F_4-$, $-CH_2O-$, $-OCH_2-$ or $-COO-$.

30 If R is an alkyl radical and/or an alkoxy radical, this may be straight-chain or branched. It is preferably straight-chain, has 1, 2, 3, 4, 5, 6 or 7 carbon atoms and accordingly is preferably methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, ethoxy, propoxy, butoxy, pentoxy, hexyloxy or heptyloxy, furthermore octyl, nonyl, decyl, undecyl, dodecyl, tridecyl, tetradecyl, pentadecyl, methoxy, octyloxy, nonyloxy, decyloxy, undecyloxy, dodecyloxy, tridecyloxy or tetradecyloxy.

35

Oxaalkyl is preferably straight-chain 2-oxapropyl (= methoxymethyl), 2- (= ethoxymethyl) or 3-oxabutyl (= 2-methoxyethyl), 2-, 3- or 4-oxapentyl, 2-, 3-, 4- or 5-oxahexyl, 2-, 3-, 4-, 5- or 6-oxaheptyl, 2-, 3-, 4-, 5-, 6- or 7-oxaoctyl, 2-, 3-, 4-, 5-, 6-, 7- or 8-oxanonyl, or 2-, 3-, 4-, 5-, 6-, 7-, 8- or 9-oxadecyl.

5

If R is an alkenyl radical, this may be straight-chain or branched. It is preferably straight-chain and has from 2 to 10 carbon atoms. Accordingly, it is in particular vinyl, prop-1- or -2-enyl, but-1-, -2- or -3-enyl, pent-1-, -2-, -3- or -4-enyl, hex-1-, -2-, -3-, -4- or -5-enyl, hept-1-, -2-, -3-, -4-, -5- or -6-enyl, oct-1-, -2-, -3-, -4-, -5-, -6- or -7-enyl, non-1-, -2-, -3-, -4-, -5-, -6-, -7- or -8-enyl, or dec-1-, -2-, -3-, -4-, -5-, -6-, -7-, -8- or -9-enyl.

10

If R is an alkyl radical in which one CH₂ group has been replaced by -O- and one has been replaced by -CO-, these are preferably adjacent. These thus contain an acyloxy group -CO-O- or an oxycarbonyl group -O-CO-. These are preferably straight-chain and have from 2 to 6 carbon atoms.

15

Accordingly, they are in particular acetoxymethyl, propionyloxymethyl, butyryloxymethyl, pentanoyloxymethyl, 2-acetoxyethyl, 2-propionyloxyethyl, 2-butyryloxyethyl, 3-acetoxypropyl, 3-propionyloxypropyl, 4-acetoxybutyl, methoxycarbonylmethyl, ethoxycarbonylmethyl, propoxycarbonylmethyl, butoxycarbonylmethyl, pentoxycarbonylmethyl, 2-(methoxycarbonyl)ethyl, 2-(ethoxycarbonyl)ethyl, 2-(propoxycarbonyl)ethyl, 3-(methoxycarbonyl)propyl, 3-(ethoxycarbonyl)propyl or 4-(methoxycarbonyl)butyl.

20

25

If R is an alkyl or alkenyl radical which is monosubstituted by CN or CF₃, this radical is preferably straight-chain. The substitution by CN or CF₃ is in any desired position.

30

If R is an alkyl or alkenyl radical which is at least monosubstituted by halogen, this radical is preferably straight-chain, and halogen is preferably F or Cl. In the case of polysubstitution, halogen is preferably F. The resultant radicals also include perfluorinated radicals. In the case of

35

monosubstitution, the fluorine or chlorine substituent may be in any desired position, but is preferably in the ω -position.

5 Compounds of the formula I containing branched wing groups R may occasionally be of importance owing to better solubility in the conventional liquid-crystalline base materials, but in particular as chiral dopants if they are optically active. Smectic compounds of this type are suitable as components of ferroelectric materials.

10 Compounds of the formula I having S_A phases are suitable, for example, for thermally addressed displays.

15 Branched groups of this type generally contain not more than one chain branch. Preferred branched radicals R are isopropyl, 2-butyl (= 1-methylpropyl), isobutyl (= 2-methylpropyl), 2-methylbutyl, isopentyl (= 3-methylbutyl), 2-methylpentyl, 3-methylpentyl, 2-ethylhexyl, 2-propylpentyl, isopropoxy, 2-methylpropoxy, 2-methylbutoxy, 3-methylbutoxy, 2-methylpentoxy, 3-methylpentoxy, 2-ethylhexyloxy, 1-methylhexyloxy and 1-methylheptyloxy.


20 Y is preferably H, F, Cl, CN, CF_3 , CF_2H , OCF_3 , OCF_2H , $OCFHC_2F_5$, $OCFHC_2F_4$, $OCFHC_2F_3$, OCF_2CH_3 , OCF_2CFH_2 , OCF_2CF_2H , $OCF_2CF_2CF_2H$, $OCF_2CF_2CFH_2$, $OCFHC_2F_5CF_3$, $OCFHC_2F_5CF_2H$, $OCFHC_2F_5CF_3$, $OCH_2CF_2CF_3$, $OCF_2CF_2CF_3$, $OCF_2CFHC_2F_5$, $OCF_2CH_2CF_2H$, $OCFHC_2F_5CFH_2$, $OCFHC_2F_5CF_2H$, $OCFHC_2F_5CF_3$, $OCH_2CF_2CF_2H$, $OCF_2CFHC_2F_5$, $OCF_2CH_2CFH_2$, $OCFHC_2F_5CF_3$, $OCFHC_2F_5CFH_2$, $OCFHC_2F_5CF_2H$, $OCH_2CF_2CFH_2$, $OCH_2CFHC_2F_5$, $OCF_2CH_2CH_3$, $OCFHC_2F_5CH_3$, $OCFHC_2F_5CFH_2$, $OCH_2CF_2CH_3$, $OCH_2CFHC_2F_5$, $OCH_2CH_2CF_2H$, $OCHCH_2CH_3$, $OCH_2CFHC_2F_5$, $OCH_2CH_2CF_2H$, $OCCIFCF_3$, $OCCIFCCIF_2$, $OCCIFCFH_2$, $OCFHC_2F_5CF_2H$, $OCCIFCF_2H$, $OCCIFCCIF_2$, OCF_2CCIF_2 , OCF_2CCIF_2H , OCF_2CCIF_2F , OCF_2CCIFH , OCF_2CCIF_2 , $OCF_2CF_2CCIF_2$, $OCF_2CF_2CCIF_2F$, $OCCIFCF_2CF_3$, $OCCIFCF_2CF_2H$, $OCCIFCF_2CCIF_2$, $OCCIFCFHC_2F_5$, $OCCIFCCIFCF_3$, $OCCIFCF_2CF_3$, $OCCIFCF_2CF_3$, $OCCIFCF_2CF_3$, $OCCIFCCIFCF_3$, $OCF_2CCIFCFH_2$, $OCF_2CF_2CCIF_2F$, $OCF_2CCIF_2CF_2H$, $OCF_2CH_2CCIF_2$, $OCCIFCF_2CFH_2$, $OCFHC_2F_5CCIF_2F$, $OCCIFCFHC_2F_5$, $OCCIFCCIFCF_2H$, $OCFHC_2F_5CCIF_2$, $OCCIFCH_2CF_3$, $OCFHC_2F_5CF_3$,

35


$\text{OCCl}_2\text{CFHCF}_3$, $\text{OCH}_2\text{CClFCF}_3$, $\text{OCCl}_2\text{CF}_2\text{CF}_2\text{H}$, $\text{OCH}_2\text{CF}_2\text{CClF}_2$,
 $\text{OCF}_2\text{CClFCH}_3$, $\text{OCF}_2\text{CFHCCl}_2\text{H}$, $\text{OCF}_2\text{CCl}_2\text{CFH}_2$, $\text{OCF}_2\text{CH}_2\text{CCl}_2\text{F}$,
 $\text{OCClFCF}_2\text{CH}_3$, $\text{OCFHCF}_2\text{CCl}_2\text{H}$, OCClFCFCFCH_2 , $\text{OCFHCFHCCl}_2\text{F}$,
 $\text{OCClFCH}_2\text{CF}_3$, $\text{OCFHCCl}_2\text{CF}_3$, $\text{OCCl}_2\text{CF}_2\text{CFH}_2$, $\text{OCH}_2\text{CF}_2\text{CCl}_2\text{F}$,
 $\text{OCCl}_2\text{CFHCF}_2\text{H}$, $\text{OCClHCClFCF}_2\text{H}$, $\text{OCF}_2\text{CClHCClH}_2$, $\text{OCF}_2\text{CH}_2\text{CCl}_2\text{H}$,
 OCClFCFHCH_3 , $\text{OCF}_2\text{CClFCCl}_2\text{H}$, $\text{OCClFCH}_2\text{CFH}_2$, $\text{OCFHCCl}_2\text{CFH}_2$,
 $\text{OCCl}_2\text{CF}_2\text{CH}_3$, $\text{OCH}_2\text{CF}_2\text{CClH}_2$, $\text{OCCl}_2\text{CFHCFH}_2$, $\text{OCH}_2\text{CClFCFCI}_2$,
 $\text{OCH}_2\text{CH}_2\text{CF}_2\text{H}$, $\text{OCClHCClHCF}_2\text{H}$, $\text{OCH}_2\text{CCl}_2\text{CF}_2\text{H}$, $\text{OCClFCH}_2\text{CH}_3$,
 $\text{OCFHCH}_2\text{CCl}_2\text{H}$, OCClHCFHCClH_2 , $\text{OCH}_2\text{CFHCCl}_2\text{H}$, $\text{OCCl}_2\text{CH}_2\text{CF}_2\text{H}$,
 $\text{OCH}_2\text{CCl}_2\text{CF}_2\text{H}$, $\text{CH}=\text{CF}_2$, $\text{CF}=\text{CF}_2$, $\text{OCH}=\text{CF}_2$, $\text{OCF}=\text{CF}_2$, $\text{CH}=\text{CHF}$,
 $\text{OCH}=\text{CHF}$, $\text{CF}=\text{CHF}$ or $\text{OCF}=\text{CHF}$, in particular H, F, Cl, CN, CF_3 , CF_2H ,
 OCF_3 , OCF_2H , OCFHCF_3 , OCFHCFH_2 , OCFHCF_2H , OCF_2CH_3 ,
 OCF_2CFH_2 , $\text{OCF}_2\text{CF}_2\text{H}$, $\text{OCF}_2\text{CF}_2\text{CF}_2\text{H}$, $\text{OCF}_2\text{CF}_2\text{CFH}_2$, $\text{OCFHCF}_2\text{CF}_3$,
 $\text{OCFHCF}_2\text{CF}_2\text{H}$, $\text{OCF}_2\text{CF}_2\text{CF}_3$, $\text{OCF}_2\text{CHF}_2\text{CF}_3$ or $\text{OCClFCF}_2\text{CF}_3$, very
 particularly preferably F or OCF_3 .

Preference is also given to all compounds of the formula I and of all sub-
 formulae in which A^1 is a monosubstituted or disubstituted 1,4-phenylene.
 These are, in particular, 2-fluoro-1,4-phenylene, 3-fluoro-1,4-phenylene,
 2,3-difluoro-1,4-phenylene and 2,6-difluoro-1,4-phenylene.


Preferred smaller groups of compounds of the formula I are those of the
 sub-formulae I1 to I27:




I1




I2




I3




14




15




16




17



18





19




110

35







I19




I20




I21




I22




I23




I24



I25



I26



I27

35 The compounds of the formula I are prepared by methods known per se, as described in the literature (for example in the standard works, such as

Houben-Weyl, Methoden der organischen Chemie [Methods of Organic Chemistry], Georg-Thieme-Verlag, Stuttgart), to be precise under reaction conditions which are known and suitable for the said reactions. Use can also be made here of variants which are known per se, but are not mentioned here in greater detail.

5

10

15


20

25


30

35





Scheme 1



Scheme 2




Scheme 3



30

35


Scheme 4



Scheme 5


L = H or F

5



$\text{HBr}/\text{CH}_3\text{COOH}$

10




15

$\text{H}_2\text{C}_2\text{Br}/$
 $\text{K}_2\text{CO}_3/$
acetone

3-bromo-1-propene/
 $\text{K}_2\text{CO}_3/\text{acetone}$

$\text{H}_9\text{C}_4\text{Br}/$
 $\text{K}_2\text{CO}_3/$
 $\text{CH}_3\text{C}(=\text{O})\text{CC}_2\text{H}_5$

20




25


30

35

Scheme 6




Scheme 7




Scheme 8

5



10


1. n-BuLi/THF/n-hexane
2. DMF
3. H⁺/H₂O



15

MeOCH₂P(Ph₂)₃Cl
KO^tBu/THF


20



25

CH₃SO₃H/
CH₂Cl₂

30



35

The invention also relates to electro-optical displays (in particular STN or MLC displays having two plane-parallel outer plates, which, together with a frame, form a cell, integrated non-linear elements for switching individual pixels on the outer plates, and a nematic liquid-crystal mixture of positive dielectric anisotropy and high specific resistance which is located in the cell) which contain media of this type, and to the use of these media for electro-optical purposes.

The liquid-crystal mixtures according to the invention enable a significant widening of the available parameter latitude.

The achievable combinations of clearing point, viscosity at low temperature, thermal and UV stability and dielectric anisotropy are far superior to previous materials from the prior art.

The requirement for a high clearing point, a nematic phase at low temperature and a high $\Delta\epsilon$ has hitherto only been achieved to an inadequate extent. Although commercial liquid-crystal mixtures such as, for example, MLC-6847 (3.3 V driver) and MLC-13900-100 (5 V driver) (Merck KGaA, Darmstadt, Germany) have comparable clearing points and low-temperature stabilities, they have, however, much higher rotational viscosities γ_1 .

The liquid-crystal mixtures according to the invention, while retaining the nematic phase down to -20°C and preferably down to -30°C , particularly preferably down to -40°C , enable clearing points above 80°C , preferably above 90°C , particularly preferably above 100°C , simultaneously dielectric anisotropy values $\Delta\epsilon$ of ≥ 4 , preferably ≥ 6 , and a low value for the rotational viscosity to be achieved, enabling excellent STN and MLC displays to be obtained. In particular, the mixtures are characterised by low operating voltages. The TN thresholds are below 1.5 V, preferably below 1.3 V, particularly preferably < 1.0 V.

In particular owing to their relatively high optical anisotropy ($\Delta n > 0.16$), the mixtures according to the invention are suitable for TFT applications with a low layer thickness. Use in p-Si applications (for example low layer thickness for projection displays) is furthermore possible.

It goes without saying that, through a suitable choice of the components of the mixtures according to the invention, it is also possible for higher clearing points (for example above 110°) to be achieved at higher threshold voltage or lower clearing points to be achieved at lower threshold voltages with retention of the other advantageous properties. At viscosities correspondingly increased only slightly, it is likewise possible to obtain mixtures having greater $\Delta\epsilon$ and thus lower thresholds. The MLC displays according to the invention preferably operate at the first Gooch and Tarry transmission minimum [C.H. Gooch and H.A. Tarry, Electron. Lett. 10, 2-4, 1974; C.H. Gooch and H.A. Tarry, Appl. Phys., Vol. 8, 1575-1584, 1975] where, besides particularly favourable electro-optical properties, such as, for example, high steepness of the characteristic line and low angle dependence of the contrast (German Patent 30 22 818), a lower dielectric anisotropy is sufficient at the same threshold voltage as in an analogous display at the second minimum. This enables significantly higher specific resistances to be achieved using the mixtures according to the invention at the first minimum than in the case of mixtures comprising cyano compounds. Through a suitable choice of the individual components and their proportions by weight, the person skilled in the art is able to set the birefringence necessary for a pre-specified layer thickness of the MLC display using simple routine methods. In particular, use of the mixtures according to the invention in the Δn region > 0.09 is preferred.

The flow viscosity η_{20} of the mixtures according to the invention at 20°C is preferably $< 60 \text{ mm}^2 \cdot \text{s}^{-1}$, particularly preferably $< 50 \text{ mm}^2 \cdot \text{s}^{-1}$. The nematic phase range is preferably at least 90° , in particular at least 100° . This range preferably extends at least from -30° to $+80^{\circ}$.

The values for the rotational viscosities of the mixtures according to the invention are preferably in the range from 100 to 200 mPa·s and are particularly preferably $\leq 130 \text{ mPa} \cdot \text{s}$.

Measurements of the capacity holding ratio (HR) [S. Matsumoto et al., Liquid Crystals 5, 1320 (1989); K. Niwa et al., Proc. SID Conference, San Francisco, June 1984, p. 304 (1984); G. Weber et al., Liquid Crystals 5, 1381 (1989)] have shown that mixtures according to the invention com-

prising compounds of the formula I exhibit a significantly smaller decrease in the HR with increasing temperature than analogous mixtures comprising cyanophenylcyclohexanes of the formula $R-\text{H}-\text{O}-\text{CN}$ or esters of

5 the formula $R-\text{O}-\text{C}(=\text{O})-\text{O}-\text{O}-\text{CN}$ instead of the compounds of the formula I.


10 The UV stability of the mixtures according to the invention is also considerably better, i.e. they exhibit a significantly smaller decrease in the HR on exposure to UV.


15 The media according to the invention are preferably based on a plurality of (preferably two, three or more) compounds of the formula I, i.e. the proportion of these compounds is 5-95%, preferably 10-60% and particularly preferably in the range 20-50%.

20 The individual compounds of the formulae I to IX and their sub-formulae which can be used in the media according to the invention are either known or they can be prepared analogously to the known compounds.


Preferred embodiments are indicated below:

- 25 - Medium comprises compounds of the formula I in which R is preferably methyl, ethyl and/or propyl, furthermore butyl or pentyl. Compounds of the formula I having short side chains R have a positive effect on the elastic constants, in particular K_1 , and result in mixtures having particularly low threshold voltages.
- 30 - Medium additionally comprises one or more compounds selected from the group consisting of the general formulae II to IX:







III




IV




V




VI



VII



VIII



IX

in which the individual radicals have the following meanings:

R^0 is n-alkyl, oxaalkyl, fluoroalkyl, alkenyloxy or alkenyl, each having up to 9 carbon atoms,

5

X^0 is F, Cl, halogenated alkyl, alkenyl, alkenyloxy or alkoxy having up to 6 carbon atoms,

Z^0 is $-C_2H_4-$, $-C_2F_4-$, $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$ or $-COO-$,

10


Y^1, Y^2, Y^3 and Y^4 are each, independently of one another, H or F, and

r is 0, 1 or 2.


15

The compound of the formula IV is preferably


20




25




30






35



or



- Medium additionally comprises one or more compounds of the formulae




25

30

35

in which R^0 and Y^2 are as defined above.

- Medium additionally comprises one or more compounds selected from the group consisting of the general formulae X to XVI:




in which R^0 , X^0 , Y^1, Y^2, Y^3, Y^4 and Y^5 are each, independently of one another, as defined in Claim 7. X^0 is preferably F, Cl, CF_3 , OCF_3 or $OCHF_2$. R^0 is preferably alkyl, oxaalkyl, fluoroalkyl, alkenyl or alkenyloxy, each having up to 6 carbon atoms.

- 5
- The proportion of compounds of the formulae I to IX together in the mixture as a whole is at least 50% by weight.
 - The proportion of compounds of the formula I in the mixture as a whole is from 5 to 50% by weight.

10

- The proportion of compounds of the formulae II to IX in the mixture as a whole is from 30 to 70% by weight.



- 30
- The medium comprises compounds of the formulae II, III, IV, V, VI, VII, VIII and/or IX.
 - R^0 is straight-chain alkyl or alkenyl having from 2 to 6 carbon atoms.

35

- The medium essentially consists of compounds of the formulae I to XVI.


- The medium preferably comprises four or more compounds from Table B.

5


- The medium preferably comprises 3-10% by weight, in particular 5-8% by weight, of each homologue of the compounds of the formula I.

10



- The medium comprises further compounds, preferably selected from the following group consisting of the general formulae XVII to XXII:




15




20



25



30




35

in which R^0 and X^0 are as defined above, and the 1,4-phenylene rings may be substituted by CN, chlorine or fluorine. The 1,4-phenylene rings are preferably monosubstituted or polysubstituted by fluorine atoms.


5 The compounds of the formulae XVII to XXII are preferred co-components for mixtures according to the invention having a $\Delta n > 0.10$, in particular > 0.15 .

- The medium preferably comprises one, two, three or more ester compounds of the formulae E1 to E9:



10




15




20




25





30



35







in which

10 R^0 is as defined above.

- The medium preferably comprises one or more dioxane compounds of the formulae D1 and/or D2




25 in which

R^0 , X^0 , Y^1 and Y^2 are as defined above. Y^1 , Y^2 and X^0 are preferably fluorine. Preference is furthermore given to dioxane compounds in which X^0 is OCF_3 , Y^1 is fluorine and Y^2 is fluorine or hydrogen.

30

35

- The medium optionally comprises further compounds, preferably selected from the following group consisting of the formulae RI to RVIII:



in which

R^0 is n-alkyl, oxaalkyl, fluoroalkyl, alkenyloxy or alkenyl, each having up to 9 carbon atoms,

b is 0, 1 or 2,

Y¹ is H or F,


Alkyl and Alkyl*

are each, independently of one another, a straight-chain alkyl radical having up to 9 carbon atoms, and





Alkenyl and Alkenyl*


are each, independently of one another, an alkenyl radical having up to 9 carbon atoms.

- The medium preferably comprises one or more compounds of the


formula C_nH_{2n+1}  (n = 1-9)

- The medium preferably comprises one or more compounds of the formulae






RIIIb



RIIIc



RIVa

5

10 in which n and m are each an integer from 1 to 9.

- The I : (II + III + IV + V + VI + VII + VIII + IX) weight ratio is preferably from 1 : 10 to 10 : 1.

15

- The medium essentially consists of compounds selected from the group consisting of the general formulae I to XV.

20

It has been found that even a relatively small proportion of compounds of the formula I mixed with conventional liquid-crystal materials, but in particular with one or more compounds of the formulae II, III, IV, V, VI, VII, VIII and/or IX, results in a significant lowering of the threshold voltage and in low values of the rotational viscosity γ_1 , with broad nematic phases with low smectic-nematic transition temperatures being observed at the same time, improving the shelf life. The compounds of the formulae I to IX are

25

colourless, stable and readily miscible with one another and with other liquid-crystal materials.

30

The term "Alkyl" or "Alkyl*" in the co-components covers straight-chain and branched alkyl groups having 1-9 carbon atoms, in particular the straight-chain groups methyl, ethyl, propyl, butyl, pentyl, hexyl and heptyl. Groups having 2-5 carbon atoms are generally preferred.

35

The term "Alkenyl" or "Alkenyl*" in the co-components covers straight-chain and branched alkenyl groups having up to 9 carbon atoms, in particular the straight-chain groups. Particularly preferred alkenyl groups are C₂-C₇-1E-alkenyl, C₄-C₇-3E-alkenyl, C₅-C₇-4-alkenyl, C₆-C₇-5-alkenyl

and C₇-6-alkenyl, in particular C₂-C₇-1E-alkenyl, C₄-C₇-3E-alkenyl and C₅-C₇-4-alkenyl. Examples of preferred alkenyl groups are vinyl, 1E-propenyl, 1E-butenyl, 1E-pentenyl, 1E-hexenyl, 1E-heptenyl, 3-butenyl, 3E-pentenyl, 3E-hexenyl, 3E-heptenyl, 4-pentenyl, 4Z-hexenyl, 4E-hexenyl, 4Z-heptenyl, 5-hexenyl, 6-heptenyl and the like. Groups having up to 5 carbon atoms are generally preferred.

The term "fluoroalkyl" preferably covers straight-chain groups having a terminal fluorine, i.e. fluoromethyl, 2-fluoroethyl, 3-fluoropropyl, 4-fluorobutyl, 5-fluoropentyl, 6-fluorohexyl and 7-fluoroheptyl. However, other positions of the fluorine are not excluded.

The term "oxaalkyl" preferably covers straight-chain radicals of the formula C_nH_{2n+1}-O-(CH₂)_m, in which n and m are each, independently of one another, from 1 to 6. n is preferably = 1 and m is preferably from 1 to 6.

Through a suitable choice of the meanings of R⁰ and X⁰, the addressing times, the threshold voltage, the steepness of the transmission characteristic lines, etc., can be modified in the desired manner. For example, 1E-alkenyl radicals, 3E-alkenyl radicals, 2E-alkenyloxy radicals and the like generally result in shorter addressing times, improved nematic tendencies and a higher ratio of the elastic constants k₃₃ (bend) and k₁₁ (splay) compared with alkyl or alkoxy radicals. 4-Alkenyl radicals, 3-alkenyl radicals and the like generally give lower threshold voltages and smaller values of k₃₃/k₁₁ compared with alkyl and alkoxy radicals.

A -CH₂CH₂- group in Z¹ generally results in higher values of k₃₃/k₁₁ compared with a single covalent bond. Higher values of k₃₃/k₁₁ facilitate, for example, flatter transmission characteristic lines in TN cells with a 90° twist (in order to achieve grey shades) and steeper transmission characteristic lines in STN, SBE and OMI cells (greater multiplexability), and vice versa.

The optimum mixing ratio of the compounds of the formulae I and II + III + IV + V + VI + VII + VIII + IX depends substantially on the desired properties, on the choice of the components of the formulae I, II, III, IV, V, VI, VII, VIII and/or IX, and on the choice of any other components that may be

present. Suitable mixing ratios within the range given above can easily be determined from case to case.

5 The total amount of compounds of the formulae I to XV in the mixtures according to the invention is not crucial. The mixtures can therefore comprise one or more further components for the purposes of optimising various properties. However, the observed effect on the addressing times and the threshold voltage is generally greater, the higher the total concentration of compounds of the formulae I to XV.

10 In a particularly preferred embodiment, the media according to the invention comprise compounds of the formulae II to IX (preferably II and/or III) in which X^0 is OCF_3 , $OCHF_2$, F , $OCH=CF_2$, $OCF=CF_2$, OCF_2CHF_2 or OCF_2-CF_2H . A favourable synergistic effect with the compounds of the formula I results in particularly advantageous properties.

15 The construction of the MLC display according to the invention from polarisers, electrode base plates and surface-treated electrodes corresponds to the conventional construction for displays of this type. The term "conventional construction" is broadly defined here and also covers all derivatives and modifications of the MLC display, in particular including matrix display elements based on poly-Si TFT or MIM.

20 A significant difference between the displays according to the invention and the conventional displays based on the twisted nematic cell consists, however, in the choice of the liquid-crystal parameters of the liquid-crystal layer.

25 The liquid-crystal mixtures which can be used in accordance with the invention are prepared in a manner which is conventional per se. In general, the desired amount of the components used in the lesser amount is dissolved in the components making up the principal constituent, advantageously at elevated temperature. It is also possible to mix solutions of the components in an organic solvent, for example in acetone, chloroform or methanol, and to remove the solvent again, for example by distillation, after thorough mixing.

The dielectrics may also comprise further additives known to the person skilled in the art and described in the literature, such as, for example, UV stabilisers, antioxidants, as mentioned, for example, in Table D. Furthermore, 0-15% of pleochroic dyes or chiral dopants may be added to the mixture.

5

C denotes a crystalline phase, S a smectic phase, S_C a smectic C phase, N a nematic phase and I the isotropic phase.

10

V₁₀ denotes the voltage for 10% transmission (viewing angle perpendicular to the plate surface). t_{on} denotes the switch-on time and t_{off} the switch-off time at an operating voltage corresponding to 2.0 times the value of V₁₀. Δn denotes the optical anisotropy and n₀ the refractive index. Δε denotes the dielectric anisotropy (Δε = ε_{||} - ε_⊥, where ε_{||} denotes the dielectric constant parallel to the longitudinal molecular axes and ε_⊥ denotes the dielectric constant perpendicular thereto). The electro-optical data were measured in a TN cell at the 1st minimum (i.e. at a d · Δn value of 0.5 μm) at 20°C, unless expressly stated otherwise. The optical data were measured at 20°C, unless expressly stated otherwise.

15

20

In the present application and in the examples below, the structures of the liquid-crystal compounds are indicated by means of acronyms, the transformation into chemical formulae taking place in accordance with Tables A and B below. All radicals C_nH_{2n+1} and C_mH_{2m+1} are straight-chain alkyl radicals having n and m carbon atoms respectively. The coding in Table B is self-evident. In Table A, only the acronym for the parent structure is indicated. In individual cases, the acronym for the parent structure is followed, separated by a dash, by a code for the substituents R¹, R², L¹ and L²:

25

30

35

	Code for R ¹ , R ² , L ¹ , L ²	R ¹	R ²	L ¹	L ²
		C_nH_{2n+1}	C_mH_{2m+1}	H	H
		C_nH_{2n+1}	OC_mH_{2m+1}	H	H
5		OC_nH_{2n+1}	C_mH_{2m+1}	H	H
		C_nH_{2n+1}	CN	H	H
		C_nH_{2n+1}	CN	H	F
		C_nH_{2n+1}	F	H	H
10		OC_nH_{2n+1}	F	H	H
		C_nH_{2n+1}	Cl	H	H
		C_nH_{2n+1}	F	H	F
		C_nH_{2n+1}	F	F	F
		C_nH_{2n+1}	CF ₃	H	H
15		C_nH_{2n+1}	OCF ₃	H	H
		C_nH_{2n+1}	OCHF ₂	H	H
		C_nH_{2n+1}	NCS	H	H
		$C_rH_{2r+1}-CH=CH-C_sH_{2s}-$	CN	H	H
20		$C_rH_{2r+1}-O-C_2H_{2s}-$	CN	H	H
		C_nH_{2n+1}	$COOC_mH_{2m+1}$	H	H
		C_nH_{2n+1}	OCH_2CF_2H	F	F


Preferred mixture components are shown in Tables A and B.


25

30


35

Table A:







EPCH




PCH




PTP




BECH




EBCH




CPC




B




FET-nF



CGG



CGU







CUP



Table B:

	CBC-nm
5	
	PCH-nOm
10	
	FET-nCl
15	
	CP-nOCF₃
20	
	CCH-nOm
25	
	BCH-n.Fm
30	
	Inm
35	
	CBC-nmF



5

**ECCP-nm****CCH-n1EM****T-nFm****CGU-n-F**


10

**CCP-nOCF₃.F****CGG-n-F**


15

**CCP-nOCF₂.F(.F)****CCP-nF.F.F**



20




25

CGU-n-O1DT

30


CCZU-n-F**CC-n-V1****CC-n-V**

35




CCP-nOCF₃

5



BCH-nF.F.F


10



CGZU-n-F


CCP-nF.F

15



CUZP-n-F


20



CGU-1V-F


CCG-V-F

25



CGZP-n-F


30




CUZP-n-OT

35

5




GGP-n-Cl




PGIGI-n-F

10




CCQU-n-F




Dec-U-n-F

15




Nap-U-n-F




IS-9003

20




IS-8634




IS-8633

25




IS-9003




IS-8965

30



C-Nap-nF.F.F




P-Nap-nF.F.F

35


Table C:

Table C indicates possible dopants which are generally added to the mixtures according to the invention.

5




C 15




CB 15

10




CM 21

15




R/S 811

20




CM 44

25




CM 45




CM 47

30




CN

35



R/S 4011

5




R/S 2011



10

Table D



15 Stabilisers which, for example, can be added to the mixtures according to the invention are indicated below.




20



25




30




35


5




10




15




20




25





30





35







5



10




15



20

25

30

35






The following examples are intended to explain the invention without restricting it. Above and below, percentages are per cent by weight. All temperatures are given in degrees Celsius. m.p. denotes melting point, cl.p. denotes clearing point. Furthermore, C = crystalline state, N = nematic phase, S = smectic phase and I = isotropic phase. The data between these symbols represent the transition temperatures. Δn denotes optical anisotropy (589 nm, 20°C), the flow viscosity ν_{20} (mm²/sec) was determined at 20°C. The rotational viscosity γ_1 (mPa·s) was likewise determined at 20°C.

"Conventional work-up" means that water is added if necessary, the mixture is extracted with dichloromethane, diethyl ether, methyl tert-butyl ether or toluene, the phases are separated, the organic phase is dried and evaporated, and the product is purified by distillation under reduced pressure or crystallisation and/or chromatography. The following abbreviations are used:

n-BuLi	1.6 molar solution of n-butyllithium in n-hexane
DMAP	4-(dimethylamino)pyridine
THF	tetrahydrofuran
DCC	N,N'-dicyclohexylcarbodiimide

Example 1

Step 1.1




15 A solution of 46 mmol of 3,4,5-trifluoro-4'-(4-propylcyclohexyl)biphenyl in 100 ml of dry tetrahydrofuran is cooled to -75°C , and 50 mmol of n-butyl-lithium (1.6 M solution in n-hexane) are added dropwise under a protective-gas atmosphere at such a rate that the internal temperature does not exceed -75°C . The mixture is subsequently stirred at this temperature for a further 2 hours. 60 mmol of N,N-dimethylformamide are then likewise added dropwise at such a rate that the internal temperature always remains below -75°C . When the addition is complete, the reaction solution is allowed to thaw slowly and is hydrolysed at -10°C by transfer of the reaction solution into ice-water. The mixture is acidified using hydrochloric acid ($\text{pH} = 3$) and extracted with tert-butyl methyl ether. The combined organic extracts are washed with water and saturated sodium chloride solution and dried using sodium sulfate. After the solvent has been removed under reduced pressure, the crude product is chromatographed on silica gel with dichloromethane/n-heptane 1:1 as eluent, giving 3,4,5-trifluoro-4'-(4-propylcyclohexyl)biphenyl-2-carbaldehyde in the form of slightly yellowish crystals; m.p. 62°C .

30

35

Step 1.2



10 27 ml (48 mmol) of a 1.8 M solution of phenyllithium in cyclohexane/diethyl ether (7:3) are added dropwise at -65°C to a solution/suspension of 45 mmol of methoxymethyltriphenylphosphonium chloride in 280 ml of dry diethyl ether. The mixture is stirred at the same temperature for 30 minutes, then kept at -10°C for 30 minutes and subsequently re-cooled to

15 -50°C . 16 mmol of 3,4,5-trifluoro-4'-(4-propylcyclohexyl)biphenyl-2-carbaldehyde are added at this temperature. The reaction mixture is allowed to thaw slowly, and stirring is continued at room temperature. Ice-water is added to the reaction mixture, and the organic phase is separated off and washed with cold water. After drying using sodium sulfate, the mixture is


20 evaporated under reduced pressure, and the residue is stirred with n-heptane and filtered. The filtrate is chromatographed on silica gel (n-heptane/ethyl acetate 98:2), giving 3,4,5-trifluoro-2-(2-methoxyvinyl)-4'-(4-propylcyclohexyl)biphenyl (mixture of Z and E isomers).

25

30

35


Step 1.3



15 6.1 g of 3,4,5-trifluoro-2-(2-methoxyvinyl)-4'-(4-propylcyclohexyl)biphenyl are dissolved in 180 ml of dichloromethane, and 8.5 ml of methanesulfonic acid are added at 0°C. After the reaction mixture has been stirred at 0°C for 2.5 hours, it is added to ice-water and subjected to conventional work-up. Chromatographic purification (silica gel, n-heptane) and recrystallisation from n-heptane gives 1,2,3-trifluoro-7-(4-propylcyclohexyl)phenanthrene in the form of colourless crystals.















20 C 124 N 124.4 I; $\Delta\epsilon = 12.7$; $\Delta n = 0.1843$;

The following compounds of the formula






































30 are prepared analogously:


















35


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³	
	CH ₃		H	H	H	H	
	C ₂ H ₅		H	H	H	H	
5	n-C ₃ H ₇		H	H	H	H	C 118 N 134.5 I; Δε = 2.0; Δn = 0.2139
	n-C ₄ H ₉		H	H	H	H	
10	n-C ₅ H ₁₁		H	H	H	H	
	n-C ₆ H ₁₃		H	H	H	H	
15	CH ₃		F	H	H	H	
	CH ₃		F	F	H	H	
	CH ₃		F	F	F	H	
20	C ₂ H ₅		F	H	H	H	
	C ₂ H ₅		F	F	H	H	
	C ₂ H ₅		F	F	F	H	
25	n-C ₃ H ₇		F	H	H	H	
	n-C ₃ H ₇		F	F	H	H	C 124 N 178.3 I; Δε = 9.3; Δn = 0.2027
30	n-C ₅ H ₁₁		F	H	H	H	
	n-C ₅ H ₁₁		F	F	H	H	
35	n-C ₅ H ₁₁		F	F	F	H	
















	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³
5	CH ₂ =CH		F	H	H	H
	CH ₂ =CH		F	F	H	H
	CH ₂ =CH		F	F	F	H
	CH ₃ CH=CH		F	H	H	H
10	CH ₃ CH=CH		F	F	H	H
	CH ₃ CH=CH		F	F	F	H
	CH ₂ =CHC ₂ H ₄		F	H	H	H
	CH ₂ =CHC ₂ H ₄		F	F	H	H
15	CH ₂ =CHC ₂ H ₄		F	F	F	H
	CH ₃ CH=CHC ₂ H ₄		F	H	H	H
	CH ₃ CH=CHC ₂ H ₄		F	F	H	H
	CH ₃ CH=CHC ₂ H ₄		F	F	F	H
20	CH ₃		OCF ₃	H	H	H
	CH ₃		OCF ₃	F	H	H
	CH ₃		OCF ₃	F	F	H
	C ₂ H ₅		OCF ₃	H	H	H
30	C ₂ H ₅		OCF ₃	F	H	H
	C ₂ H ₅		OCF ₃	F	F	H
35	C ₂ H ₅		OCF ₃	F	F	H
	C ₂ H ₅		OCF ₃	F	F	H
















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇		OCF ₃	H	H	H
	n-C ₃ H ₇		OCF ₃	F	H	H
	n-C ₃ H ₇		OCF ₃	F	F	H
	n-C ₅ H ₁₁		OCF ₃	H	H	H
10	n-C ₅ H ₁₁		OCF ₃	F	H	H
	n-C ₅ H ₁₁		OCF ₃	F	F	H
	CH ₂ =CH		OCF ₃	H	H	H
15	CH ₂ =CH		OCF ₃	F	H	H
	CH ₂ =CH		OCF ₃	F	F	H
	CH ₃ CH=CH		OCF ₃	H	H	H
20	CH ₃ CH=CH		OCF ₃	F	H	H
	CH ₃ CH=CH		OCF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄		OCF ₃	H	H	H
25	CH ₂ =CHC ₂ H ₄		OCF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	H	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	H	H
30	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	F	H


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃		CF ₃	H	H	H
	CH ₃		CF ₃	F	H	H
	CH ₃		CF ₃	F	F	H
	C ₂ H ₅		CF ₃	H	H	H
10	C ₂ H ₅		CF ₃	F	H	H
	C ₂ H ₅		CF ₃	F	F	H
	n-C ₃ H ₇		CF ₃	H	H	H
15	n-C ₃ H ₇		CF ₃	F	H	H
	n-C ₃ H ₇		CF ₃	F	F	H
	n-C ₅ H ₁₁		CF ₃	H	H	H
20	n-C ₅ H ₁₁		CF ₃	F	H	H
	n-C ₅ H ₁₁		CF ₃	F	F	H
	CH ₂ =CH		CF ₃	H	H	H
25	CH ₂ =CH		CF ₃	F	H	H
	CH ₂ =CH		CF ₃	F	F	H
	CH ₃ CH=CH		CF ₃	H	H	H
30	CH ₃ CH=CH		CF ₃	F	H	H
	CH ₃ CH=CH		CF ₃	F	F	H
	CH ₃ CH=CH		CF ₃	F	F	H
35	CH ₃ CH=CH		CF ₃	F	F	H



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		CF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄		CF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		CF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄		CF ₃	H	H	H
10	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	H
	CH ₃		SF ₅	H	H	H
15	CH ₃		SF ₅	F	H	H
	CH ₃		SF ₅	F	F	H
	C ₂ H ₅		SF ₅	H	H	H
20	C ₂ H ₅		SF ₅	F	H	H
	C ₂ H ₅		SF ₅	F	F	H
	n-C ₃ H ₇		SF ₅	H	H	H
30	n-C ₃ H ₇		SF ₅	F	H	H
	n-C ₃ H ₇		SF ₅	F	F	H
	n-C ₅ H ₁₁		SF ₅	H	H	H
	n-C ₅ H ₁₁		SF ₅	F	H	H
35	n-C ₅ H ₁₁		SF ₅	F	F	H

















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CH		SF ₅	H	H	H
	CH ₂ =CH		SF ₅	F	H	H
	CH ₂ =CH		SF ₅	F	F	H
	CH ₃ CH=CH		SF ₅	H	H	H
10	CH ₃ CH=CH		SF ₅	F	H	H
	CH ₃ CH=CH		SF ₅	F	F	H
	CH ₂ =CHC ₂ H ₄		SF ₅	H	H	H
15	CH ₂ =CHC ₂ H ₄		SF ₅	F	H	H
	CH ₂ =CHC ₂ H ₄		SF ₅	F	F	H
	CH ₃ CH=CHC ₂ H ₄		SF ₅	H	H	H
20	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	H	H
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	H
	CH ₃		CH=CF ₂	H	H	H
25	CH ₃		CH=CF ₂	F	H	H
	CH ₃		CH=CF ₂	F	F	H
	C ₂ H ₅		CH=CF ₂	H	H	H
30	C ₂ H ₅		CH=CF ₂	F	H	H
	C ₂ H ₅		CH=CF ₂	F	F	H
	C ₂ H ₅		CH=CF ₂	F	F	H
35	C ₂ H ₅		CH=CF ₂	F	F	H

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇		CH=CF ₂	H	H	H
	n-C ₃ H ₇		CH=CF ₂	F	H	H
	n-C ₃ H ₇		CH=CF ₂	F	F	H
	n-C ₅ H ₁₁		CH=CF ₂	H	H	H
10	n-C ₅ H ₁₁		CH=CF ₂	F	H	H
	n-C ₅ H ₁₁		CH=CF ₂	F	F	H
	CH ₂ =CH		CH=CF ₂	H	H	H
15	CH ₂ =CH		CH=CF ₂	F	H	H
	CH ₂ =CH		CH=CF ₂	F	F	H
	CH ₃ CH=CH		CH=CF ₂	H	H	H
20	CH ₃ CH=CH		CH=CF ₂	F	H	H
	CH ₃ CH=CH		CH=CF ₂	F	F	H
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	H	H	H
25	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	H	H
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	F	H
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	H	H	H
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	H	H
30	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	H
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	H
35	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	H

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃		OCHF CF ₃	H	H	H
	CH ₃		OCHF CF ₃	F	H	H
	CH ₃		OCHF CF ₃	F	F	H
	C ₂ H ₅		OCHF CF ₃	H	H	H
10	C ₂ H ₅		OCHF CF ₃	F	H	H
	C ₂ H ₅		OCHF CF ₃	F	F	H
	n-C ₃ H ₇		OCHF CF ₃	H	H	H
15	n-C ₃ H ₇		OCHF CF ₃	F	H	H
	n-C ₃ H ₇		OCHF CF ₃	F	F	H
	n-C ₅ H ₁₁		OCHF CF ₃	H	H	H
20	n-C ₅ H ₁₁		OCHF CF ₃	F	H	H
	n-C ₅ H ₁₁		OCHF CF ₃	F	F	H
	CH ₂ =CH		OCHF CF ₃	H	H	H
25	CH ₂ =CH		OCHF CF ₃	F	H	H
	CH ₂ =CH		OCHF CF ₃	F	F	H
	CH ₃ CH=CH		OCHF CF ₃	H	H	H
30	CH ₃ CH=CH		OCHF CF ₃	F	H	H
	CH ₃ CH=CH		OCHF CF ₃	F	F	H
	CH ₃ CH=CH		OCHF CF ₃	F	F	H
35	CH ₃ CH=CH		OCHF CF ₃	F	F	H

	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		OCHF ₂ CF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄		OCHF ₂ CF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCHF ₂ CF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄		OCHF ₂ CF ₃	H	H	H
10	CH ₃ CH=CHC ₂ H ₄		OCHF ₂ CF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		OCHF ₂ CF ₃	F	F	H
	CH ₃		OCF ₂ CH ₂ CF ₃	H	H	H
15	CH ₃		OCF ₂ CH ₂ CF ₃	F	H	H
	CH ₃		OCF ₂ CH ₂ CF ₃	F	F	H
	C ₂ H ₅		OCF ₂ CH ₂ CF ₃	H	H	H
20	C ₂ H ₅		OCF ₂ CH ₂ CF ₃	F	H	H
	C ₂ H ₅		OCF ₂ CH ₂ CF ₃	F	F	H
	n-C ₃ H ₇		OCF ₂ CH ₂ CF ₃	H	H	H
25	n-C ₃ H ₇		OCF ₂ CH ₂ CF ₃	F	H	H
	n-C ₃ H ₇		OCF ₂ CH ₂ CF ₃	F	F	H
	n-C ₅ H ₁₁		OCF ₂ CH ₂ CF ₃	H	H	H
30	n-C ₅ H ₁₁		OCF ₂ CH ₂ CF ₃	F	H	H
	n-C ₅ H ₁₁		OCF ₂ CH ₂ CF ₃	F	F	H
	n-C ₅ H ₁₁		OCF ₂ CH ₂ CF ₃	F	F	H













	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CH		OCF ₂ CHFCF ₃	H	H	H
	CH ₂ =CH		OCF ₂ CHFCF ₃	F	H	H
	CH ₂ =CH		OCF ₂ CHFCF ₃	F	F	H
	CH ₃ CH=CH		OCF ₂ CHFCF ₃	H	H	H
10	CH ₃ CH=CH		OCF ₂ CHFCF ₃	F	H	H
	CH ₃ CH=CH		OCF ₂ CHFCF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHFCF ₃	H	H	H
15	CH ₂ =CHC ₂ H ₄		OCF ₂ CHFCF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHFCF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHFCF ₃	H	H	H
20	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHFCF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHFCF ₃	F	F	H
	CH ₃		H	H	H	F
30	C ₂ H ₅		H	H	H	F
	n-C ₃ H ₇		H	H	H	F
	n-C ₄ H ₉		H	H	H	F
	n-C ₅ H ₁₁		H	H	H	F
35	n-C ₆ H ₁₃		H	H	H	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³	
5	CH ₃		F	H	H	F	
	CH ₃		F	F	H	F	
	CH ₃		F	F	F	F	
	C ₂ H ₅		F	H	H	F	
10	C ₂ H ₅		F	F	H	F	
	C ₂ H ₅		F	F	F	F	
	n-C ₃ H ₇		F	H	H	F	
15	n-C ₃ H ₇		F	F	H	F	
	n-C ₃ H ₇		F	F	F	F	C 139 N (116.9) I; Δn = 0.1845; Δε = 15.1
20	n-C ₅ H ₁₁		F	H	H	F	
	n-C ₅ H ₁₁		F	F	H	F	
	n-C ₅ H ₁₁		F	F	F	F	
25	CH ₂ =CH		F	H	H	F	
	CH ₂ =CH		F	F	H	F	
	CH ₂ =CH		F	F	F	F	
30	CH ₃ CH=CH		F	H	H	F	
	CH ₃ CH=CH		F	F	H	F	
	CH ₃ CH=CH		F	F	F	F	
35							


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		F	H	H	F
	CH ₂ =CHC ₂ H ₄		F	F	H	F
	CH ₂ =CHC ₂ H ₄		F	F	F	F
	CH ₃ CH=CHC ₂ H ₄		F	H	H	F
10	CH ₃ CH=CHC ₂ H ₄		F	F	H	F
	CH ₃ CH=CHC ₂ H ₄		F	F	F	F
	CH ₃		OCF ₃	H	H	F
15	CH ₃		OCF ₃	F	H	F
	CH ₃		OCF ₃	F	F	F
	C ₂ H ₅		OCF ₃	H	H	F
20	C ₂ H ₅		OCF ₃	F	H	F
	C ₂ H ₅		OCF ₃	F	F	F
	C ₂ H ₅		OCF ₃	H	H	F
25	n-C ₃ H ₇		OCF ₃	F	H	F
	n-C ₃ H ₇		OCF ₃	F	F	F
	n-C ₃ H ₇		OCF ₃	H	H	F
30	n-C ₅ H ₁₁		OCF ₃	F	H	F
	n-C ₅ H ₁₁		OCF ₃	F	F	F
	n-C ₅ H ₁₁		OCF ₃	H	H	F
35	n-C ₅ H ₁₁		OCF ₃	F	F	F

	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³
5	CH ₂ =CH		OCF ₃	H	H	F
	CH ₂ =CH		OCF ₃	F	H	F
	CH ₂ =CH		OCF ₃	F	F	F
	CH ₃ CH=CH		OCF ₃	H	H	F
10	CH ₃ CH=CH		OCF ₃	F	H	F
	CH ₃ CH=CH		OCF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄		OCF ₃	H	H	F
15	CH ₂ =CHC ₂ H ₄		OCF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	H	H	F
20	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	F	F
	CH ₃		CF ₃	H	H	F
25	CH ₃		CF ₃	F	H	F
	CH ₃		CF ₃	F	F	F
	C ₂ H ₅		CF ₃	H	H	F
30	C ₂ H ₅		CF ₃	F	H	F
	C ₂ H ₅		CF ₃	F	F	F
	C ₂ H ₅		CF ₃	F	F	F
35	C ₂ H ₅		CF ₃	F	F	F


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇		CF ₃	H	H	F
	n-C ₃ H ₇		CF ₃	F	H	F
	n-C ₃ H ₇		CF ₃	F	F	F
	n-C ₅ H ₁₁		CF ₃	H	H	F
10	n-C ₅ H ₁₁		CF ₃	F	H	F
	n-C ₅ H ₁₁		CF ₃	F	F	F
	CH ₂ =CH		CF ₃	H	H	F
15	CH ₂ =CH		CF ₃	F	H	F
	CH ₂ =CH		CF ₃	F	F	F
	CH ₃ CH=CH		CF ₃	H	H	F
20	CH ₃ CH=CH		CF ₃	F	H	F
	CH ₃ CH=CH		CF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄		CF ₃	H	H	F
25	CH ₂ =CHC ₂ H ₄		CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	H	F
30	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	F
35	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	F



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃		SF ₅	H	H	F
	CH ₃		SF ₅	F	H	F
	CH ₃		SF ₅	F	F	F
	C ₂ H ₅		SF ₅	H	H	F
10	C ₂ H ₅		SF ₅	F	H	F
	C ₂ H ₅		SF ₅	F	F	F
	n-C ₃ H ₇		SF ₅	H	H	F
15	n-C ₃ H ₇		SF ₅	F	H	F
	n-C ₃ H ₇		SF ₅	F	F	F
	n-C ₅ H ₁₁		SF ₅	H	H	F
20	n-C ₅ H ₁₁		SF ₅	F	H	F
	n-C ₅ H ₁₁		SF ₅	F	F	F
	CH ₂ =CH		SF ₅	H	H	F
25	CH ₂ =CH		SF ₅	F	H	F
	CH ₂ =CH		SF ₅	F	F	F
	CH ₃ CH=CH		SF ₅	H	H	F
	CH ₃ CH=CH		SF ₅	F	H	F
30	CH ₃ CH=CH		SF ₅	F	F	F
35	CH ₃ CH=CH		SF ₅	F	F	F



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		SF ₅	H	H	F
	CH ₂ =CHC ₂ H ₄		SF ₅	F	H	F
	CH ₂ =CHC ₂ H ₄		SF ₅	F	F	F
	CH ₃ CH=CHC ₂ H ₄		SF ₅	H	H	F
10	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	H	F
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	F
	CH ₃		CH=CF ₂	H	H	F
15	CH ₃		CH=CF ₂	F	H	F
	CH ₃		CH=CF ₂	F	F	F
	C ₂ H ₅		CH=CF ₂	H	H	F
20	C ₂ H ₅		CH=CF ₂	F	H	F
	C ₂ H ₅		CH=CF ₂	F	F	F
	n-C ₃ H ₇		CH=CF ₂	H	H	F
25	n-C ₃ H ₇		CH=CF ₂	F	H	F
	n-C ₃ H ₇		CH=CF ₂	F	F	F
	n-C ₅ H ₁₁		CH=CF ₂	H	H	F
	n-C ₅ H ₁₁		CH=CF ₂	F	H	F
30	n-C ₅ H ₁₁		CH=CF ₂	F	F	F
	n-C ₅ H ₁₁		CH=CF ₂	F	F	F
35	n-C ₅ H ₁₁		CH=CF ₂	F	F	F















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CH		CH=CF ₂	H	H	F
	CH ₂ =CH		CH=CF ₂	F	H	F
	CH ₂ =CH		CH=CF ₂	F	F	F
	CH ₃ CH=CH		CH=CF ₂	H	H	F
10	CH ₃ CH=CH		CH=CF ₂	F	H	F
	CH ₃ CH=CH		CH=CF ₂	F	F	F
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	H	H	F
15	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	H	F
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	F	F
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	H	H	F
20	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	H	F
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	F
	CH ₃		OCHF CF ₃	H	H	F
25	CH ₃		OCHF CF ₃	F	H	F
	CH ₃		OCHF CF ₃	F	F	F
	C ₂ H ₅		OCHF CF ₃	H	H	F
30	C ₂ H ₅		OCHF CF ₃	F	H	F
	C ₂ H ₅		OCHF CF ₃	F	F	F
	C ₂ H ₅		OCHF CF ₃	F	F	F
35	C ₂ H ₅		OCHF CF ₃	F	F	F















	R	$-(A^1-Z^1)_{m^-}$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇		OCHF CF ₃	H	H	F
	n-C ₃ H ₇		OCHF CF ₃	F	H	F
	n-C ₃ H ₇		OCHF CF ₃	F	F	F
	n-C ₅ H ₁₁		OCHF CF ₃	H	H	F
10	n-C ₅ H ₁₁		OCHF CF ₃	F	H	F
	n-C ₅ H ₁₁		OCHF CF ₃	F	F	F
	CH ₂ =CH		OCHF CF ₃	H	H	F
15	CH ₂ =CH		OCHF CF ₃	F	H	F
	CH ₂ =CH		OCHF CF ₃	F	F	F
	CH ₃ CH=CH		OCHF CF ₃	H	H	F
20	CH ₃ CH=CH		OCHF CF ₃	F	H	F
	CH ₃ CH=CH		OCHF CF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	H	H	F
25	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	H	H	F
30	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	F	F



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃		OCF ₂ CHF CF ₃	H	H	F
	CH ₃		OCF ₂ CHF CF ₃	F	H	F
	CH ₃		OCF ₂ CHF CF ₃	F	F	F
	C ₂ H ₅		OCF ₂ CHF CF ₃	H	H	F
10	C ₂ H ₅		OCF ₂ CHF CF ₃	F	H	F
	C ₂ H ₅		OCF ₂ CHF CF ₃	F	F	F
	n-C ₃ H ₇		OCF ₂ CHF CF ₃	H	H	F
15	n-C ₃ H ₇		OCF ₂ CHF CF ₃	F	H	F
	n-C ₃ H ₇		OCF ₂ CHF CF ₃	F	F	F
	n-C ₅ H ₁₁		OCF ₂ CHF CF ₃	H	H	F
20	n-C ₅ H ₁₁		OCF ₂ CHF CF ₃	F	H	F
	n-C ₅ H ₁₁		OCF ₂ CHF CF ₃	F	F	F
	CH ₂ =CH		OCF ₂ CHF CF ₃	H	H	F
30	CH ₂ =CH		OCF ₂ CHF CF ₃	F	H	F
	CH ₂ =CH		OCF ₂ CHF CF ₃	F	F	F
	CH ₃ CH=CH		OCF ₂ CHF CF ₃	H	H	F
	CH ₃ CH=CH		OCF ₂ CHF CF ₃	F	H	F
	CH ₃ CH=CH		OCF ₂ CHF CF ₃	F	F	F
35	CH ₃ CH=CH		OCF ₂ CHF CF ₃	F	F	F



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	H	F
10	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	F	F
	CH ₃		H	H	H	H
	C ₂ H ₅		H	H	H	H
15	n-C ₃ H ₇		H	H	H	H
	n-C ₄ H ₉		H	H	H	H
	n-C ₅ H ₁₁		H	H	H	H
	n-C ₆ H ₁₃		H	H	H	H
20	CH ₃		F	H	H	H
	CH ₃		F	F	H	H
	CH ₃		F	F	F	H
25	CH ₃		F	H	H	H
	C ₂ H ₅		F	F	H	H
	C ₂ H ₅		F	F	F	H
30	CH ₃		F	F	F	H
	C ₂ H ₅		F	F	F	H
	C ₂ H ₅		F	F	F	H
35	CH ₃		F	F	F	H
	C ₂ H ₅		F	F	F	H
	C ₂ H ₅		F	F	F	H



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³	
5	n-C ₃ H ₇		F	H	H	H	
	n-C ₃ H ₇		F	F	H	H	
	n-C ₃ H ₇		F	F	H	H	C 131 S _A 143 I; Δn = 0.2816; Δε = 16.1
10	n-C ₅ H ₁₁		F	H	H	H	
	n-C ₅ H ₁₁		F	F	H	H	
	n-C ₅ H ₁₁		F	F	F	H	
15	CH ₂ =CH		F	H	H	H	
	CH ₂ =CH		F	F	H	H	
	CH ₂ =CH		F	F	F	H	
20	CH ₃ CH=CH		F	H	H	H	
	CH ₃ CH=CH		F	F	H	H	
	CH ₃ CH=CH		F	F	F	H	
25	CH ₂ =CHC ₂ H ₄		F	H	H	H	
	CH ₂ =CHC ₂ H ₄		F	F	H	H	
	CH ₂ =CHC ₂ H ₄		F	F	F	H	
30	CH ₃ CH=CHC ₂ H ₄		F	H	H	H	
	CH ₃ CH=CHC ₂ H ₄		F	F	H	H	
	CH ₃ CH=CHC ₂ H ₄		F	F	F	H	
35	CH ₃ CH=CHC ₂ H ₄		F	F	F	H	















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃		OCF ₃	H	H	H
	CH ₃		OCF ₃	F	H	H
	CH ₃		OCF ₃	F	F	H
	C ₂ H ₅		OCF ₃	H	H	H
10	C ₂ H ₅		OCF ₃	F	H	H
	C ₂ H ₅		OCF ₃	F	F	H
	n-C ₃ H ₇		OCF ₃	H	H	H
15	n-C ₃ H ₇		OCF ₃	F	H	H
	n-C ₃ H ₇		OCF ₃	F	F	H
	n-C ₅ H ₁₁		OCF ₃	H	H	H
20	n-C ₅ H ₁₁		OCF ₃	F	H	H
	n-C ₅ H ₁₁		OCF ₃	F	F	H
	CH ₂ =CH		OCF ₃	H	H	H
25	CH ₂ =CH		OCF ₃	F	H	H
	CH ₂ =CH		OCF ₃	F	F	H
	CH ₃ CH=CH		OCF ₃	H	H	H
30	CH ₃ CH=CH		OCF ₃	F	H	H
	CH ₃ CH=CH		OCF ₃	F	F	H
	CH ₃ CH=CH		OCF ₃	F	F	H
35	CH ₃ CH=CH		OCF ₃	F	F	H


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		OCF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	H	H	H
10	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	F	H
	CH ₃		CF ₃	H	H	H
15	CH ₃		CF ₃	F	H	H
	CH ₃		CF ₃	F	F	H
	C ₂ H ₅		CF ₃	H	H	H
20	C ₂ H ₅		CF ₃	F	H	H
	C ₂ H ₅		CF ₃	F	F	H
	n-C ₃ H ₇		CF ₃	H	H	H
30	n-C ₃ H ₇		CF ₃	F	H	H
	n-C ₃ H ₇		CF ₃	F	F	H
	n-C ₅ H ₁₁		CF ₃	H	H	H
	n-C ₅ H ₁₁		CF ₃	F	H	H
	n-C ₅ H ₁₁		CF ₃	F	F	H
35	n-C ₅ H ₁₁		CF ₃	F	F	H



















	R	$-(A^1-Z^1)_m^-$	Y	L ¹	L ²	L ³
5	CH ₂ =CH		CF ₃	H	H	H
	CH ₂ =CH		CF ₃	F	H	H
	CH ₂ =CH		CF ₃	F	F	H
	CH ₃ CH=CH		CF ₃	H	H	H
10	CH ₃ CH=CH		CF ₃	F	H	H
	CH ₃ CH=CH		CF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄		CF ₃	H	H	H
15	CH ₂ =CHC ₂ H ₄		CF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		CF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄		CF ₃	H	H	H
20	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	H
	CH ₃		SF ₅	H	H	H
25	CH ₃		SF ₅	F	H	H
	CH ₃		SF ₅	F	F	H
	C ₂ H ₅		SF ₅	H	H	H
30	C ₂ H ₅		SF ₅	F	H	H
	C ₂ H ₅		SF ₅	F	F	H
35	C ₂ H ₅		SF ₅	F	F	H



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇		SF ₅	H	H	H
	n-C ₃ H ₇		SF ₅	F	H	H
	n-C ₃ H ₇		SF ₅	F	F	H
	n-C ₅ H ₁₁		SF ₅	H	H	H
10	n-C ₅ H ₁₁		SF ₅	F	H	H
	n-C ₅ H ₁₁		SF ₅	F	F	H
	CH ₂ =CH		SF ₅	H	H	H
15	CH ₂ =CH		SF ₅	F	H	H
	CH ₂ =CH		SF ₅	F	F	H
	CH ₃ CH=CH		SF ₅	H	H	H
20	CH ₃ CH=CH		SF ₅	F	H	H
	CH ₃ CH=CH		SF ₅	F	F	H
	CH ₂ =CHC ₂ H ₄		SF ₅	H	H	H
25	CH ₂ =CHC ₂ H ₄		SF ₅	F	H	H
	CH ₂ =CHC ₂ H ₄		SF ₅	F	F	H
	CH ₃ CH=CHC ₂ H ₄		SF ₅	H	H	H
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	H	H
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	H
30	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	H
35	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	H
















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃		CH=CF ₂	H	H	H
	CH ₃		CH=CF ₂	F	H	H
	CH ₃		CH=CF ₂	F	F	H
	C ₂ H ₅		CH=CF ₂	H	H	H
10	C ₂ H ₅		CH=CF ₂	F	H	H
	C ₂ H ₅		CH=CF ₂	F	F	H
	n-C ₃ H ₇		CH=CF ₂	H	H	H
15	n-C ₃ H ₇		CH=CF ₂	F	H	H
	n-C ₃ H ₇		CH=CF ₂	F	F	H
	n-C ₅ H ₁₁		CH=CF ₂	H	H	H
20	n-C ₅ H ₁₁		CH=CF ₂	F	H	H
	n-C ₅ H ₁₁		CH=CF ₂	F	F	H
	CH ₂ =CH		CH=CF ₂	H	H	H
25	CH ₂ =CH		CH=CF ₂	F	H	H
	CH ₂ =CH		CH=CF ₂	F	F	H
	CH ₃ CH=CH		CH=CF ₂	H	H	H
30	CH ₃ CH=CH		CH=CF ₂	F	H	H
	CH ₃ CH=CH		CH=CF ₂	F	F	H
	CH ₃ CH=CH		CH=CF ₂	F	F	H
35	CH ₃ CH=CH		CH=CF ₂	F	F	H


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		CH=CF ₂	H	H	H
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	H	H
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	F	H
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	H	H	H
10	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	H	H
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	H
	CH ₃		OCHF CF ₃	H	H	H
15	CH ₃		OCHF CF ₃	F	H	H
	CH ₃		OCHF CF ₃	F	F	H
	C ₂ H ₅		OCHF CF ₃	H	H	H
20	C ₂ H ₅		OCHF CF ₃	F	H	H
	C ₂ H ₅		OCHF CF ₃	F	F	H
	n-C ₃ H ₇		OCHF CF ₃	H	H	H
30	n-C ₃ H ₇		OCHF CF ₃	F	H	H
	n-C ₃ H ₇		OCHF CF ₃	F	F	H
	n-C ₅ H ₁₁		OCHF CF ₃	H	H	H
	n-C ₅ H ₁₁		OCHF CF ₃	F	H	H
	n-C ₅ H ₁₁		OCHF CF ₃	F	F	H














	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CH		OCHF CF ₃	H	H	H
	CH ₂ =CH		OCHF CF ₃	F	H	H
	CH ₂ =CH		OCHF CF ₃	F	F	H
	CH ₃ CH=CH		OCHF CF ₃	H	H	H
10	CH ₃ CH=CH		OCHF CF ₃	F	H	H
	CH ₃ CH=CH		OCHF CF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	H	H	H
15	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	H	H	H
20	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	F	H
	CH ₃		OCF ₂ CHFCF ₃	H	H	H
25	CH ₃		OCF ₂ CHFCF ₃	F	H	H
	CH ₃		OCF ₂ CHFCF ₃	F	F	H
	C ₂ H ₅		OCF ₂ CHFCF ₃	H	H	H
30	C ₂ H ₅		OCF ₂ CHFCF ₃	F	H	H
	C ₂ H ₅		OCF ₂ CHFCF ₃	F	F	H
35	C ₂ H ₅		OCF ₂ CHFCF ₃	F	F	H


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇		OCF ₂ CHF ₂ CF ₃	H	H	H
	n-C ₃ H ₇		OCF ₂ CHF ₂ CF ₃	F	H	H
	n-C ₃ H ₇		OCF ₂ CHF ₂ CF ₃	F	F	H
	n-C ₅ H ₁₁		OCF ₂ CHF ₂ CF ₃	H	H	H
	n-C ₅ H ₁₁		OCF ₂ CHF ₂ CF ₃	F	H	H
10	n-C ₅ H ₁₁		OCF ₂ CHF ₂ CF ₃	F	F	H
	CH ₂ =CH		OCF ₂ CHF ₂ CF ₃	H	H	H
	CH ₂ =CH		OCF ₂ CHF ₂ CF ₃	F	H	H
15	CH ₂ =CH		OCF ₂ CHF ₂ CF ₃	F	F	H
	CH ₃ CH=CH		OCF ₂ CHF ₂ CF ₃	H	H	H
	CH ₃ CH=CH		OCF ₂ CHF ₂ CF ₃	F	H	H
	CH ₃ CH=CH		OCF ₂ CHF ₂ CF ₃	F	F	H
20	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	F	H
30	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	H	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	F	H
35	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	F	H
















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³	
5	CH ₃		NCS	F	F	H	
	C ₂ H ₅		NCS	F	F	H	C 127 N; Δn = 0.4475; Δε = 23.0
	n-C ₃ H ₇		NCS	F	F	H	
	n-C ₄ H ₉		NCS	F	F	H	
	n-C ₅ H ₁₁		NCS	F	F	H	
10	n-C ₆ H ₁₃		NCS	F	F	H	
	CH ₃		H	H	H	F	
	C ₂ H ₅		H	H	H	F	
15	n-C ₃ H ₇		H	H	H	F	
	n-C ₄ H ₉		H	H	H	F	
	n-C ₅ H ₁₁		H	H	H	F	
20	n-C ₆ H ₁₃		H	H	H	F	
	CH ₃		F	H	H	F	
	CH ₃		F	F	H	F	
25	CH ₃		F	F	F	F	
	C ₂ H ₅		F	H	H	F	
	C ₂ H ₅		F	F	H	F	
30	C ₂ H ₅		F	F	F	F	
35							















	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³	
	n-C ₃ H ₇		F	H	H	F	
	n-C ₃ H ₇		F	F	H	F	
5	n-C ₃ H ₇		F	F	F	F	C 108 S _A 109 N 133.1 I; Δn = 0.2832; Δε = 19.3
10	n-C ₅ H ₁₁		F	H	H	F	
	n-C ₅ H ₁₁		F	F	H	F	
	n-C ₅ H ₁₁		F	F	F	F	
15	CH ₂ =CH		F	H	H	F	
	CH ₂ =CH		F	F	H	F	
20	CH ₂ =CH		F	F	F	F	
	CH ₃ CH=CH		F	H	H	F	
	CH ₃ CH=CH		F	F	H	F	
25	CH ₃ CH=CH		F	F	F	F	
	CH ₂ =CHC ₂ H ₄		F	H	H	F	
	CH ₂ =CHC ₂ H ₄		F	F	H	F	
30	CH ₂ =CHC ₂ H ₄		F	F	F	F	
	CH ₃ CH=CHC ₂ H ₄		F	H	H	F	
35	CH ₃ CH=CHC ₂ H ₄		F	F	H	F	


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
	CH ₃ CH=CHC ₂ H ₄		F	F	F	F
5	CH ₃		OCF ₃	H	H	F
	CH ₃		OCF ₃	F	H	F
	CH ₃		OCF ₃	F	F	F
10	C ₂ H ₅		OCF ₃	H	H	F
	C ₂ H ₅		OCF ₃	F	H	F
	C ₂ H ₅		OCF ₃	F	F	F
15	n-C ₃ H ₇		OCF ₃	H	H	F
	n-C ₃ H ₇		OCF ₃	F	H	F
	n-C ₃ H ₇		OCF ₃	F	F	F
20	n-C ₅ H ₁₁		OCF ₃	H	H	F
	n-C ₅ H ₁₁		OCF ₃	F	H	F
	n-C ₅ H ₁₁		OCF ₃	F	F	F
25	CH ₂ =CH		OCF ₃	H	H	F
	CH ₂ =CH		OCF ₃	F	H	F
	CH ₂ =CH		OCF ₃	F	F	F
30	CH ₃ CH=CH		OCF ₃	H	H	F
	CH ₃ CH=CH		OCF ₃	F	H	F
	CH ₃ CH=CH		OCF ₃	F	H	F
35	CH ₃ CH=CH		OCF ₃	F	H	F













	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃ CH=CH		OCF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄		OCF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	F	F
10	CH ₃ CH=CHC ₂ H ₄		OCF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	F	F
15	CH ₃		CF ₃	H	H	F
	CH ₃		CF ₃	F	H	F
	CH ₃		CF ₃	F	F	F
20	C ₂ H ₅		CF ₃	H	H	F
	C ₂ H ₅		CF ₃	F	H	F
	C ₂ H ₅		CF ₃	F	F	F
25	n-C ₃ H ₇		CF ₃	H	H	F
	n-C ₃ H ₇		CF ₃	F	H	F
	n-C ₃ H ₇		CF ₃	F	F	F
30	n-C ₅ H ₁₁		CF ₃	H	H	F
	n-C ₅ H ₁₁		CF ₃	F	H	F
	n-C ₅ H ₁₁		CF ₃	F	F	F
35	n-C ₅ H ₁₁		CF ₃	F	H	F















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₅ H ₁₁		CF ₃	F	F	F
	CH ₂ =CH		CF ₃	H	H	F
	CH ₂ =CH		CF ₃	F	H	F
	CH ₂ =CH		CF ₃	F	F	F
10	CH ₃ CH=CH		CF ₃	H	H	F
	CH ₃ CH=CH		CF ₃	F	H	F
	CH ₃ CH=CH		CF ₃	F	F	F
15	CH ₂ =CHC ₂ H ₄		CF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄		CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		CF ₃	F	F	F
20	CH ₃ CH=CHC ₂ H ₄		CF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	F
25	CH ₃		SF ₅	H	H	F
	CH ₃		SF ₅	F	H	F
	CH ₃		SF ₅	F	F	F
30	C ₂ H ₅		SF ₅	H	H	F
	C ₂ H ₅		SF ₅	F	H	F
	C ₂ H ₅		SF ₅	F	H	F
35	C ₂ H ₅		SF ₅	F	H	F

















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	C ₂ H ₅		SF ₅	F	F	F
	n-C ₃ H ₇		SF ₅	H	H	F
	n-C ₃ H ₇		SF ₅	F	H	F
	n-C ₃ H ₇		SF ₅	F	F	F
10	n-C ₅ H ₁₁		SF ₅	H	H	F
	n-C ₅ H ₁₁		SF ₅	F	H	F
	n-C ₅ H ₁₁		SF ₅	F	F	F
15	CH ₂ =CH		SF ₅	H	H	F
	CH ₂ =CH		SF ₅	F	H	F
	CH ₂ =CH		SF ₅	F	F	F
20	CH ₃ CH=CH		SF ₅	H	H	F
	CH ₃ CH=CH		SF ₅	F	H	F
	CH ₃ CH=CH		SF ₅	F	F	F
25	CH ₃ CH=CH		SF ₅	F	F	F
	CH ₂ =CHC ₂ H ₄		SF ₅	H	H	F
	CH ₂ =CHC ₂ H ₄		SF ₅	F	H	F
	CH ₂ =CHC ₂ H ₄		SF ₅	F	F	F
30	CH ₃ CH=CHC ₂ H ₄		SF ₅	H	H	F
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	H	F
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	F
35	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	H	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	F
	CH ₃		CH=CF ₂	H	H	F
5	CH ₃		CH=CF ₂	F	H	F
	CH ₃		CH=CF ₂	F	F	F
	C ₂ H ₅		CH=CF ₂	H	H	F
10	C ₂ H ₅		CH=CF ₂	F	H	F
	C ₂ H ₅		CH=CF ₂	F	F	F
	n-C ₃ H ₇		CH=CF ₂	H	H	F
15	n-C ₃ H ₇		CH=CF ₂	F	H	F
	n-C ₃ H ₇		CH=CF ₂	F	F	F
20	n-C ₅ H ₁₁		CH=CF ₂	H	H	F
	n-C ₅ H ₁₁		CH=CF ₂	F	H	F
	n-C ₅ H ₁₁		CH=CF ₂	F	F	F
25	CH ₂ =CH		CH=CF ₂	H	H	F
	CH ₂ =CH		CH=CF ₂	F	H	F
30	CH ₂ =CH		CH=CF ₂	F	F	F
	CH ₃ CH=CH		CH=CF ₂	H	H	F
35	CH ₃ CH=CH		CH=CF ₂	F	H	F


















	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³
5	CH ₃ CH=CH		CH=CF ₂	F	F	F
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	H	H	F
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	H	F
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	F	F
10	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	H	H	F
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	H	F
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	F
15	CH ₃		OCHF CF ₃	H	H	F
	CH ₃		OCHF CF ₃	F	H	F
	CH ₃		OCHF CF ₃	F	F	F
20	C ₂ H ₅		OCHF CF ₃	H	H	F
	C ₂ H ₅		OCHF CF ₃	F	H	F
	C ₂ H ₅		OCHF CF ₃	F	F	F
25	n-C ₃ H ₇		OCHF CF ₃	H	H	F
	n-C ₃ H ₇		OCHF CF ₃	F	H	F
	n-C ₃ H ₇		OCHF CF ₃	F	F	F
30	n-C ₅ H ₁₁		OCHF CF ₃	H	H	F
	n-C ₅ H ₁₁		OCHF CF ₃	F	H	F
	n-C ₅ H ₁₁		OCHF CF ₃	F	F	F
















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₅ H ₁₁		OCHF CF ₃	F	F	F
	CH ₂ =CH		OCHF CF ₃	H	H	F
	CH ₂ =CH		OCHF CF ₃	F	H	F
	CH ₂ =CH		OCHF CF ₃	F	F	F
10	CH ₃ CH=CH		OCHF CF ₃	H	H	F
	CH ₃ CH=CH		OCHF CF ₃	F	H	F
	CH ₃ CH=CH		OCHF CF ₃	F	F	F
15	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	F	F
20	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	F	F
25	CH ₃		OCF ₂ CHFCF ₃	H	H	F
	CH ₃		OCF ₂ CHFCF ₃	F	H	F
	CH ₃		OCF ₂ CHFCF ₃	F	F	F
30	C ₂ H ₅		OCF ₂ CHFCF ₃	H	H	F
	C ₂ H ₅		OCF ₂ CHFCF ₃	F	H	F
	C ₂ H ₅		OCF ₂ CHFCF ₃	F	F	F
35	C ₂ H ₅		OCF ₂ CHFCF ₃	F	H	F

	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³
5	C ₂ H ₅		OCF ₂ CHF ₂ CF ₃	F	F	F
	n-C ₃ H ₇		OCF ₂ CHF ₂ CF ₃	H	H	F
	n-C ₃ H ₇		OCF ₂ CHF ₂ CF ₃	F	H	F
	n-C ₃ H ₇		OCF ₂ CHF ₂ CF ₃	F	F	F
10	n-C ₅ H ₁₁		OCF ₂ CHF ₂ CF ₃	H	H	F
	n-C ₅ H ₁₁		OCF ₂ CHF ₂ CF ₃	F	H	F
	n-C ₅ H ₁₁		OCF ₂ CHF ₂ CF ₃	F	F	F
15	CH ₂ =CH		OCF ₂ CHF ₂ CF ₃	H	H	F
	CH ₂ =CH		OCF ₂ CHF ₂ CF ₃	F	H	F
	CH ₂ =CH		OCF ₂ CHF ₂ CF ₃	F	F	F
20	CH ₃ CH=CH		OCF ₂ CHF ₂ CF ₃	H	H	F
	CH ₃ CH=CH		OCF ₂ CHF ₂ CF ₃	F	H	F
	CH ₃ CH=CH		OCF ₂ CHF ₂ CF ₃	F	F	F
25	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	H	H	F
35	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	H	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF CF ₃	F	F	F
5	CH ₃		H	H	H	H
	C ₂ H ₅		H	H	H	H
	n-C ₃ H ₇		H	H	H	H
10	n-C ₄ H ₉		H	H	H	H
	n-C ₅ H ₁₁		H	H	H	H
	n-C ₆ H ₁₃		H	H	H	H
15	CH ₃		F	H	H	H
	CH ₃		F	F	H	H
	CH ₃		F	F	F	H
20	C ₂ H ₅		F	H	H	H
	C ₂ H ₅		F	F	H	H
	C ₂ H ₅		F	F	F	H
25	n-C ₃ H ₇		F	H	H	H
	n-C ₃ H ₇		F	F	H	H
	n-C ₃ H ₇		F	F	F	H
30	n-C ₅ H ₁₁		F	H	H	H
	n-C ₅ H ₁₁		F	F	H	H



















C 86 N 120 I;
 $\Delta n = 0.1526$;
 $\Delta \epsilon = 12.3$

	R	$-(A^1-Z^1)_m-$	Y	L^1	L^2	L^3
5	n-C ₅ H ₁₁		F	F	F	H
	CH ₂ =CH		F	H	H	H
	CH ₂ =CH		F	F	H	H
	CH ₂ =CH		F	F	F	H
10	CH ₃ CH=CH		F	H	H	H
	CH ₃ CH=CH		F	F	H	H
	CH ₃ CH=CH		F	F	F	H
15	CH ₂ =CHC ₂ H ₄		F	H	H	H
	CH ₂ =CHC ₂ H ₄		F	F	H	H
	CH ₂ =CHC ₂ H ₄		F	F	F	H
20	CH ₃ CH=CHC ₂ H ₄		F	H	H	H
	CH ₃ CH=CHC ₂ H ₄		F	F	H	H
	CH ₃ CH=CHC ₂ H ₄		F	F	F	H
25	CH ₃		OCF ₃	H	H	H
	CH ₃		OCF ₃	F	H	H
	CH ₃		OCF ₃	F	F	H
30	C ₂ H ₅		OCF ₃	H	H	H
	C ₂ H ₅		OCF ₃	F	H	H
	C ₂ H ₅		OCF ₃	F	F	H
35	C ₂ H ₅		OCF ₃	H	H	H
	C ₂ H ₅		OCF ₃	F	H	H
	C ₂ H ₅		OCF ₃	F	F	H

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	C ₂ H ₅		OCF ₃	F	F	H
	n-C ₃ H ₇		OCF ₃	H	H	H
	n-C ₃ H ₇		OCF ₃	F	H	H
	n-C ₃ H ₇		OCF ₃	F	F	H
10	n-C ₅ H ₁₁		OCF ₃	H	H	H
	n-C ₅ H ₁₁		OCF ₃	F	H	H
	n-C ₅ H ₁₁		OCF ₃	F	F	H
15	CH ₂ =CH		OCF ₃	H	H	H
	CH ₂ =CH		OCF ₃	F	H	H
	CH ₂ =CH		OCF ₃	F	F	H
20	CH ₃ CH=CH		OCF ₃	H	H	H
	CH ₃ CH=CH		OCF ₃	F	H	H
	CH ₃ CH=CH		OCF ₃	F	F	H
25	CH ₂ =CHC ₂ H ₄		OCF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	F	H
30	CH ₃ CH=CHC ₂ H ₄		OCF ₃	H	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	H	H


















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	F	H
5	CH ₃		CF ₃	H	H	H
	CH ₃		CF ₃	F	H	H
	CH ₃		CF ₃	F	F	H
10	C ₂ H ₅		CF ₃	H	H	H
	C ₂ H ₅		CF ₃	F	H	H
	C ₂ H ₅		CF ₃	F	F	H
15	n-C ₃ H ₇		CF ₃	H	H	H
	n-C ₃ H ₇		CF ₃	F	H	H
	n-C ₃ H ₇		CF ₃	F	F	H
20	n-C ₅ H ₁₁		CF ₃	H	H	H
	n-C ₅ H ₁₁		CF ₃	F	H	H
	n-C ₅ H ₁₁		CF ₃	F	F	H
25	CH ₂ =CH		CF ₃	H	H	H
	CH ₂ =CH		CF ₃	F	H	H
	CH ₂ =CH		CF ₃	F	F	H
30	CH ₃ CH=CH		CF ₃	H	H	H
	CH ₃ CH=CH		CF ₃	F	H	H
	CH ₃ CH=CH		CF ₃	F	H	H
35	CH ₃ CH=CH		CF ₃	F	H	H












	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃ CH=CH		CF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄		CF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄		CF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		CF ₃	F	F	H
10	CH ₃ CH=CHC ₂ H ₄		CF ₃	H	H	H
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	H
15	CH ₃		SF ₅	H	H	H
	CH ₃		SF ₅	F	H	H
	CH ₃		SF ₅	F	F	H
20	C ₂ H ₅		SF ₅	H	H	H
	C ₂ H ₅		SF ₅	F	H	H
	C ₂ H ₅		SF ₅	F	F	H
25	C ₂ H ₅		SF ₅	H	H	H
	n-C ₃ H ₇		SF ₅	F	H	H
	n-C ₃ H ₇		SF ₅	F	F	H
30	n-C ₃ H ₇		SF ₅	H	H	H
	n-C ₅ H ₁₁		SF ₅	F	H	H
	n-C ₅ H ₁₁		SF ₅	F	H	H
35	n-C ₅ H ₁₁		SF ₅	F	H	H

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₅ H ₁₁		SF ₅	F	F	H
	CH ₂ =CH		SF ₅	H	H	H
	CH ₂ =CH		SF ₅	F	H	H
	CH ₂ =CH		SF ₅	F	F	H
10	CH ₃ CH=CH		SF ₅	H	H	H
	CH ₃ CH=CH		SF ₅	F	H	H
	CH ₃ CH=CH		SF ₅	F	F	H
15	CH ₂ =CHC ₂ H ₄		SF ₅	H	H	H
	CH ₂ =CHC ₂ H ₄		SF ₅	F	H	H
	CH ₂ =CHC ₂ H ₄		SF ₅	F	F	H
20	CH ₃ CH=CHC ₂ H ₄		SF ₅	H	H	H
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	H	H
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	H
30	CH ₃		CH=CF ₂	H	H	H
	CH ₃		CH=CF ₂	F	H	H
	CH ₃		CH=CF ₂	F	F	H
35	C ₂ H ₅		CH=CF ₂	H	H	H
	C ₂ H ₅		CH=CF ₂	F	H	H

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	C ₂ H ₅		CH=CF ₂	F	F	H
	n-C ₃ H ₇		CH=CF ₂	H	H	H
	n-C ₃ H ₇		CH=CF ₂	F	H	H
	n-C ₃ H ₇		CH=CF ₂	F	F	H
10	n-C ₅ H ₁₁		CH=CF ₂	H	H	H
	n-C ₅ H ₁₁		CH=CF ₂	F	H	H
	n-C ₅ H ₁₁		CH=CF ₂	F	F	H
15	CH ₂ =CH		CH=CF ₂	H	H	H
	CH ₂ =CH		CH=CF ₂	F	H	H
	CH ₂ =CH		CH=CF ₂	F	F	H
20	CH ₃ CH=CH		CH=CF ₂	H	H	H
	CH ₃ CH=CH		CH=CF ₂	F	H	H
	CH ₃ CH=CH		CH=CF ₂	F	F	H
25	CH ₂ =CHC ₂ H ₄		CH=CF ₂	H	H	H
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	H	H
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	F	H
30	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	H	H	H
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	H	H
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	H
35	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	H	H

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	H
5	CH ₃		OCHF CF ₃	H	H	H
	CH ₃		OCHF CF ₃	F	H	H
	CH ₃		OCHF CF ₃	F	F	H
10	C ₂ H ₅		OCHF CF ₃	H	H	H
	C ₂ H ₅		OCHF CF ₃	F	H	H
	C ₂ H ₅		OCHF CF ₃	F	F	H
15	n-C ₃ H ₇		OCHF CF ₃	H	H	H
	n-C ₃ H ₇		OCHF CF ₃	F	H	H
	n-C ₃ H ₇		OCHF CF ₃	F	F	H
20	n-C ₅ H ₁₁		OCHF CF ₃	H	H	H
	n-C ₅ H ₁₁		OCHF CF ₃	F	H	H
	n-C ₅ H ₁₁		OCHF CF ₃	F	F	H
25	CH ₂ =CH		OCHF CF ₃	H	H	H
	CH ₂ =CH		OCHF CF ₃	F	H	H
	CH ₂ =CH		OCHF CF ₃	F	F	H
30	CH ₃ CH=CH		OCHF CF ₃	H	H	H
	CH ₃ CH=CH		OCHF CF ₃	F	H	H
	CH ₃ CH=CH		OCHF CF ₃	F	H	H




















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃ CH=CH		OCHF CF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	F	H
10	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	H	H	H
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	F	H
15	CH ₃		OCF ₂ CHFCF ₃	H	H	H
	CH ₃		OCF ₂ CHFCF ₃	F	H	H
	CH ₃		OCF ₂ CHFCF ₃	F	F	H
20	C ₂ H ₅		OCF ₂ CHFCF ₃	H	H	H
	C ₂ H ₅		OCF ₂ CHFCF ₃	F	H	H
	C ₂ H ₅		OCF ₂ CHFCF ₃	F	F	H
25	C ₂ H ₅		OCF ₂ CHFCF ₃	H	H	H
	n-C ₃ H ₇		OCF ₂ CHFCF ₃	F	H	H
	n-C ₃ H ₇		OCF ₂ CHFCF ₃	F	F	H
30	n-C ₃ H ₇		OCF ₂ CHFCF ₃	H	H	H
	n-C ₅ H ₁₁		OCF ₂ CHFCF ₃	F	H	H
	n-C ₅ H ₁₁		OCF ₂ CHFCF ₃	F	H	H

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₅ H ₁₁		OCF ₂ CHFCF ₃	F	F	H
	CH ₂ =CH		OCF ₂ CHFCF ₃	H	H	H
	CH ₂ =CH		OCF ₂ CHFCF ₃	F	H	H
	CH ₂ =CH		OCF ₂ CHFCF ₃	F	F	H
10	CH ₃ CH=CH		OCF ₂ CHFCF ₃	H	H	H
	CH ₃ CH=CH		OCF ₂ CHFCF ₃	F	H	H
	CH ₃ CH=CH		OCF ₂ CHFCF ₃	F	F	H
15	CH ₂ =CHC ₂ H ₄		OCF ₂ CHFCF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHFCF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHFCF ₃	F	F	H
20	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHFCF ₃	H	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHFCF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHFCF ₃	F	F	H
25	CH ₃		H	H	H	F
	C ₂ H ₅		H	H	H	F
	n-C ₃ H ₇		H	H	H	F
30	n-C ₄ H ₉		H	H	H	F
	n-C ₅ H ₁₁		H	H	H	F
	n-C ₅ H ₁₁		H	H	H	F



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₆ H ₁₃		H	H	H	F
	CH ₃		F	H	H	F
	CH ₃		F	F	H	F
	CH ₃		F	F	F	F
10	C ₂ H ₅		F	H	H	F
	C ₂ H ₅		F	F	H	F
	C ₂ H ₅		F	F	F	F
15	n-C ₃ H ₇		F	H	H	F
	n-C ₃ H ₇		F	F	H	F
	n-C ₃ H ₇		F	F	F	F
20	n-C ₅ H ₁₁		F	H	H	F
	n-C ₅ H ₁₁		F	F	H	F
	n-C ₅ H ₁₁		F	F	F	F
25	CH ₂ =CH		F	H	H	F
	CH ₂ =CH		F	F	H	F
	CH ₂ =CH		F	F	F	F
30	CH ₃ CH=CH		F	H	H	F
	CH ₃ CH=CH		F	F	H	F
	CH ₃ CH=CH		F	F	F	F
35	CH ₃ CH=CH		F	F	F	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		F	H	H	F
	CH ₂ =CHC ₂ H ₄		F	F	H	F
	CH ₂ =CHC ₂ H ₄		F	F	F	F
	CH ₃ CH=CHC ₂ H ₄		F	H	H	F
10	CH ₃ CH=CHC ₂ H ₄		F	F	H	F
	CH ₃ CH=CHC ₂ H ₄		F	F	F	F
	CH ₃		OCF ₃	H	H	F
15	CH ₃		OCF ₃	F	H	F
	CH ₃		OCF ₃	F	F	F
	C ₂ H ₅		OCF ₃	H	H	F
20	C ₂ H ₅		OCF ₃	F	H	F
	C ₂ H ₅		OCF ₃	F	F	F
	n-C ₃ H ₇		OCF ₃	H	H	F
30	n-C ₃ H ₇		OCF ₃	F	H	F
	n-C ₃ H ₇		OCF ₃	F	F	F
	n-C ₅ H ₁₁		OCF ₃	H	H	F
	n-C ₅ H ₁₁		OCF ₃	F	H	F
	n-C ₅ H ₁₁		OCF ₃	F	F	F
35	n-C ₅ H ₁₁		OCF ₃	F	F	F














	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CH		OCF ₃	H	H	F
	CH ₂ =CH		OCF ₃	F	H	F
	CH ₂ =CH		OCF ₃	F	F	F
	CH ₃ CH=CH		OCF ₃	H	H	F
10	CH ₃ CH=CH		OCF ₃	F	H	F
	CH ₃ CH=CH		OCF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄		OCF ₃	H	H	F
15	CH ₂ =CHC ₂ H ₄		OCF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		OCF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	H	H	F
20	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄		OCF ₃	F	F	F
	CH ₃		CF ₃	H	H	F
25	CH ₃		CF ₃	F	H	F
	CH ₃		CF ₃	F	F	F
	C ₂ H ₅		CF ₃	H	H	F
30	C ₂ H ₅		CF ₃	F	H	F
	C ₂ H ₅		CF ₃	F	F	F
35	C ₂ H ₅		CF ₃	F	F	F



















	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇		CF ₃	H	H	F
	n-C ₃ H ₇		CF ₃	F	H	F
	n-C ₃ H ₇		CF ₃	F	F	F
	n-C ₅ H ₁₁		CF ₃	H	H	F
10	n-C ₅ H ₁₁		CF ₃	F	H	F
	n-C ₅ H ₁₁		CF ₃	F	F	F
	CH ₂ =CH		CF ₃	H	H	F
15	CH ₂ =CH		CF ₃	F	H	F
	CH ₂ =CH		CF ₃	F	F	F
	CH ₃ CH=CH		CF ₃	H	H	F
20	CH ₃ CH=CH		CF ₃	F	H	F
	CH ₃ CH=CH		CF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄		CF ₃	H	H	F
25	CH ₂ =CHC ₂ H ₄		CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	H	H	F
30	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		CF ₃	F	F	F







	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃		SF ₅	H	H	F
	CH ₃		SF ₅	F	H	F
	CH ₃		SF ₅	F	F	F
	C ₂ H ₅		SF ₅	H	H	F
10	C ₂ H ₅		SF ₅	F	H	F
	C ₂ H ₅		SF ₅	F	F	F
	n-C ₃ H ₇		SF ₅	H	H	F
15	n-C ₃ H ₇		SF ₅	F	H	F
	n-C ₃ H ₇		SF ₅	F	F	F
	n-C ₅ H ₁₁		SF ₅	H	H	F
20	n-C ₅ H ₁₁		SF ₅	F	H	F
	n-C ₅ H ₁₁		SF ₅	F	F	F
	n-C ₅ H ₁₁		SF ₅	F	F	F
25	CH ₂ =CH		SF ₅	H	H	F
	CH ₂ =CH		SF ₅	F	H	F
	CH ₂ =CH		SF ₅	F	F	F
30	CH ₃ CH=CH		SF ₅	H	H	F
	CH ₃ CH=CH		SF ₅	F	H	F
	CH ₃ CH=CH		SF ₅	F	F	F
35	CH ₃ CH=CH		SF ₅	F	F	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CHC ₂ H ₄		SF ₅	H	H	F
	CH ₂ =CHC ₂ H ₄		SF ₅	F	H	F
	CH ₂ =CHC ₂ H ₄		SF ₅	F	F	F
	CH ₃ CH=CHC ₂ H ₄		SF ₅	H	H	F
10	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	H	F
	CH ₃ CH=CHC ₂ H ₄		SF ₅	F	F	F
	CH ₃		CH=CF ₂	H	H	F
15	CH ₃		CH=CF ₂	F	H	F
	CH ₃		CH=CF ₂	F	F	F
	C ₂ H ₅		CH=CF ₂	H	H	F
20	C ₂ H ₅		CH=CF ₂	F	H	F
	C ₂ H ₅		CH=CF ₂	F	F	F
	C ₂ H ₅		CH=CF ₂	H	H	F
25	n-C ₃ H ₇		CH=CF ₂	F	H	F
	n-C ₃ H ₇		CH=CF ₂	F	F	F
	n-C ₃ H ₇		CH=CF ₂	H	H	F
30	n-C ₅ H ₁₁		CH=CF ₂	F	H	F
	n-C ₅ H ₁₁		CH=CF ₂	F	F	F
	n-C ₅ H ₁₁		CH=CF ₂	F	F	F
35	n-C ₅ H ₁₁		CH=CF ₂	F	F	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₂ =CH		CH=CF ₂	H	H	F
	CH ₂ =CH		CH=CF ₂	F	H	F
	CH ₂ =CH		CH=CF ₂	F	F	F
	CH ₃ CH=CH		CH=CF ₂	H	H	F
10	CH ₃ CH=CH		CH=CF ₂	F	H	F
	CH ₃ CH=CH		CH=CF ₂	F	F	F
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	H	H	F
15	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	H	F
	CH ₂ =CHC ₂ H ₄		CH=CF ₂	F	F	F
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	H	H	F
20	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	H	F
	CH ₃ CH=CHC ₂ H ₄		CH=CF ₂	F	F	F
	CH ₃		OCHF CF ₃	H	H	F
25	CH ₃		OCHF CF ₃	F	H	F
	CH ₃		OCHF CF ₃	F	F	F
	C ₂ H ₅		OCHF CF ₃	H	H	F
30	C ₂ H ₅		OCHF CF ₃	F	H	F
	C ₂ H ₅		OCHF CF ₃	F	F	F
35	C ₂ H ₅		OCHF CF ₃			

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇		OCHF CF ₃	H	H	F
	n-C ₃ H ₇		OCHF CF ₃	F	H	F
	n-C ₃ H ₇		OCHF CF ₃	F	F	F
	n-C ₅ H ₁₁		OCHF CF ₃	H	H	F
10	n-C ₅ H ₁₁		OCHF CF ₃	F	H	F
	n-C ₅ H ₁₁		OCHF CF ₃	F	F	F
	CH ₂ =CH		OCHF CF ₃	H	H	F
15	CH ₂ =CH		OCHF CF ₃	F	H	F
	CH ₂ =CH		OCHF CF ₃	F	F	F
	CH ₃ CH=CH		OCHF CF ₃	H	H	F
20	CH ₃ CH=CH		OCHF CF ₃	F	H	F
	CH ₃ CH=CH		OCHF CF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	H	H	F
25	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄		OCHF CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	H	F
30	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	F	F
35	CH ₃ CH=CHC ₂ H ₄		OCHF CF ₃	F	F	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃		OCF ₂ CHFCF ₃	H	H	F
	CH ₃		OCF ₂ CHFCF ₃	F	H	F
	CH ₃		OCF ₂ CHFCF ₃	F	F	F
	C ₂ H ₅		OCF ₂ CHFCF ₃	H	H	F
10	C ₂ H ₅		OCF ₂ CHFCF ₃	F	H	F
	C ₂ H ₅		OCF ₂ CHFCF ₃	F	F	F
	n-C ₃ H ₇		OCF ₂ CHFCF ₃	H	H	F
15	n-C ₃ H ₇		OCF ₂ CHFCF ₃	F	H	F
	n-C ₃ H ₇		OCF ₂ CHFCF ₃	F	F	F
	n-C ₅ H ₁₁		OCF ₂ CHFCF ₃	H	H	F
20	n-C ₅ H ₁₁		OCF ₂ CHFCF ₃	F	H	F
	n-C ₅ H ₁₁		OCF ₂ CHFCF ₃	F	F	F
	n-C ₅ H ₁₁		OCF ₂ CHFCF ₃	F	F	F
25	CH ₂ =CH		OCF ₂ CHFCF ₃	H	H	F
	CH ₂ =CH		OCF ₂ CHFCF ₃	F	H	F
	CH ₂ =CH		OCF ₂ CHFCF ₃	F	F	F
30	CH ₃ CH=CH		OCF ₂ CHFCF ₃	H	H	F
	CH ₃ CH=CH		OCF ₂ CHFCF ₃	F	H	F
	CH ₃ CH=CH		OCF ₂ CHFCF ₃	F	F	F
35	CH ₃ CH=CH		OCF ₂ CHFCF ₃	F	F	F

	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³	
5	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	H	H	F	
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	H	F	
	CH ₂ =CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	F	F	
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	H	H	F	
	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	H	F	
10	CH ₃ CH=CHC ₂ H ₄		OCF ₂ CHF ₂ CF ₃	F	F	F	
	CH ₃ O	-	F	F	F	H	
	C ₂ H ₅ O	-	F	F	F	H	
15	n-C ₃ H ₇ O	-	F	F	F	H	C 112 I
	n-C ₄ H ₉ O	-	F	F	F	H	C 75 I; Δn = 0.1666; Δε = 14.1
	n-C ₅ H ₁₁ O	-	F	F	F	H	
20	n-C ₆ H ₁₃ O	-	F	F	F	H	
	CH ₂ =CHCH ₂ O	-	F	F	F	H	C 95 I; Δn = 0.1291; γ ₁ = 15.3
	CH ₃	-	F	H	H	H	
25	CH ₃	-	F	F	H	H	
	CH ₃	-	F	F	F	H	C 90 I; Δn = 0.1550; Δε = 15.1
	CH ₃	-	F	H	H	H	
30	C ₂ H ₅	-	F	H	H	H	
	C ₂ H ₅	-	F	F	H	H	
	C ₂ H ₅	-	F	F	F	H	C 83 I
	n-C ₃ H ₇	-	F	H	H	H	
	n-C ₃ H ₇	-	F	F	H	H	
35	n-C ₃ H ₇	-	F	F	F	H	C 76 I; Δn = 0.1415; Δε = 12.2
	n-C ₃ H ₇	-	F	F	F	H	

	R	$-(A^1-Z^1)_m$	Y	L ¹	L ²	L ³	
	n-C ₅ H ₁₁	-	F	H	H	H	
	n-C ₅ H ₁₁	-	F	F	H	H	
	n-C ₅ H ₁₁	-	F	F	F	H	C 63 I; $\Delta n = 0.1323$; $\Delta \epsilon = 11.0$
5							
	CH ₂ =CH	-	F	H	H	H	
	CH ₂ =CH	-	F	F	H	H	
	CH ₂ =CH	-	F	F	F	H	
	CH ₃ CH=CH	-	F	H	H	H	
10	CH ₃ CH=CH	-	F	F	H	H	
	CH ₃ CH=CH	-	F	F	F	H	
	CH ₂ =CHC ₂ H ₄	-	F	H	H	H	
	CH ₂ =CHC ₂ H ₄	-	F	F	H	H	
	CH ₂ =CHC ₂ H ₄	-	F	F	F	H	C 87 I; $\Delta n = 0.1430$; $\Delta \epsilon = 8.5$
15							
	CH ₃ CH=CHC ₂ H ₄	-	F	H	H	H	
	CH ₃ CH=CHC ₂ H ₄	-	F	F	H	H	
	CH ₃ CH=CHC ₂ H ₄	-	F	F	F	H	
20	CH ₃	-	OCF ₃	H	H	H	
	CH ₃	-	OCF ₃	F	H	H	C 101 S _A (88) I; $\Delta n = 0.1662$; $\Delta \epsilon = 15.6$
	CH ₃	-	OCF ₃	F	F	H	C 158 I
25	C ₂ H ₅	-	OCF ₃	H	H	H	
	C ₂ H ₅	-	OCF ₃	F	H	H	C 114 I; $\Delta n = 0.1533$; $\Delta \epsilon = 13.6$
	C ₂ H ₅	-	OCF ₃	F	F	H	C 148 I
30	n-C ₃ H ₇	-	OCF ₃	H	H	H	
	n-C ₃ H ₇	-	OCF ₃	F	H	H	C 101 I; $\Delta n = 0.1590$; $\Delta \epsilon = 13.0$
	n-C ₃ H ₇	-	OCF ₃	F	F	H	C 124 I
35	n-C ₅ H ₁₁	-	OCF ₃	H	H	H	
	n-C ₅ H ₁₁	-	OCF ₃	F	H	H	

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₅ H ₁₁	-	OCF ₃	F	F	H
	CH ₂ =CH	-	OCF ₃	H	H	H
	CH ₂ =CH	-	OCF ₃	F	H	H
	CH ₂ =CH	-	OCF ₃	F	F	H
	CH ₃ CH=CH	-	OCF ₃	H	H	H
	CH ₃ CH=CH	-	OCF ₃	F	H	H
	CH ₃ CH=CH	-	OCF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄	-	OCF ₃	H	H	H
10	CH ₂ =CHC ₂ H ₄	-	OCF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₃	H	H	H
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₃	F	H	H
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₃	F	F	H
15	CH ₃	-	CF ₃	H	H	H
	CH ₃	-	CF ₃	F	H	H
	CH ₃	-	CF ₃	F	F	H
	C ₂ H ₅	-	CF ₃	H	H	H
	C ₂ H ₅	-	CF ₃	F	H	H
	C ₂ H ₅	-	CF ₃	F	F	H
20	n-C ₃ H ₇	-	CF ₃	H	H	H
	n-C ₃ H ₇	-	CF ₃	F	H	H
	n-C ₃ H ₇	-	CF ₃	F	F	H
	n-C ₅ H ₁₁	-	CF ₃	H	H	H
	n-C ₅ H ₁₁	-	CF ₃	F	H	H
25	n-C ₅ H ₁₁	-	CF ₃	F	F	H
	CH ₂ =CH	-	CF ₃	H	H	H
	CH ₂ =CH	-	CF ₃	F	H	H
	CH ₂ =CH	-	CF ₃	F	F	H
30	CH ₃ CH=CH	-	CF ₃	H	H	H
	CH ₃ CH=CH	-	CF ₃	F	H	H
	CH ₃ CH=CH	-	CF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄	-	CF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄	-	CF ₃	F	H	H
	CH ₂ =CHC ₂ H ₄	-	CF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄	-	CF ₃	H	H	H
	CH ₃ CH=CHC ₂ H ₄	-	CF ₃	F	H	H

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃ CH=CHC ₂ H ₄	-	CF ₃	F	F	H
	CH ₃	-	SF ₅	H	H	H
	CH ₃	-	SF ₅	F	H	H
	CH ₃	-	SF ₅	F	F	H
	C ₂ H ₅	-	SF ₅	H	H	H
	C ₂ H ₅	-	SF ₅	F	H	H
	C ₂ H ₅	-	SF ₅	F	F	H
	n-C ₃ H ₇	-	SF ₅	H	H	H
	n-C ₃ H ₇	-	SF ₅	F	H	H
	n-C ₃ H ₇	-	SF ₅	F	F	H
10	n-C ₅ H ₁₁	-	SF ₅	H	H	H
	n-C ₅ H ₁₁	-	SF ₅	F	H	H
	n-C ₅ H ₁₁	-	SF ₅	F	F	H
	CH ₂ =CH	-	SF ₅	H	H	H
	CH ₂ =CH	-	SF ₅	F	H	H
15	CH ₂ =CH	-	SF ₅	F	F	H
	CH ₃ CH=CH	-	SF ₅	H	H	H
	CH ₃ CH=CH	-	SF ₅	F	H	H
	CH ₃ CH=CH	-	SF ₅	F	F	H
	CH ₃ CH=CH	-	SF ₅	H	H	H
20	CH ₂ =CHC ₂ H ₄	-	SF ₅	F	H	H
	CH ₂ =CHC ₂ H ₄	-	SF ₅	F	F	H
	CH ₂ =CHC ₂ H ₄	-	SF ₅	H	H	H
	CH ₃ CH=CHC ₂ H ₄	-	SF ₅	F	H	H
	CH ₃ CH=CHC ₂ H ₄	-	SF ₅	F	F	H
25	CH ₃ CH=CHC ₂ H ₄	-	SF ₅	H	H	H
	CH ₃	-	CH=CF ₂	F	H	H
	CH ₃	-	CH=CF ₂	F	F	H
	CH ₃	-	CH=CF ₂	H	H	H
	C ₂ H ₅	-	CH=CF ₂	F	H	H
30	C ₂ H ₅	-	CH=CF ₂	F	F	H
	C ₂ H ₅	-	CH=CF ₂	H	H	H
	n-C ₃ H ₇	-	CH=CF ₂	F	H	H
	n-C ₃ H ₇	-	CH=CF ₂	F	F	H
	n-C ₃ H ₇	-	CH=CF ₂	H	H	H
35	n-C ₅ H ₁₁	-	CH=CF ₂	F	H	H
	n-C ₅ H ₁₁	-	CH=CF ₂	F	H	H
	n-C ₅ H ₁₁	-	CH=CF ₂	F	H	H

	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³
5	n-C ₅ H ₁₁	-	CH=CF ₂	F	F	H
	CH ₂ =CH	-	CH=CF ₂	H	H	H
	CH ₂ =CH	-	CH=CF ₂	F	H	H
	CH ₂ =CH	-	CH=CF ₂	F	F	H
	CH ₃ CH=CH	-	CH=CF ₂	H	H	H
	CH ₃ CH=CH	-	CH=CF ₂	F	H	H
	CH ₃ CH=CH	-	CH=CF ₂	F	F	H
	CH ₂ =CHC ₂ H ₄	-	CH=CF ₂	H	H	H
10	CH ₂ =CHC ₂ H ₄	-	CH=CF ₂	F	H	H
	CH ₂ =CHC ₂ H ₄	-	CH=CF ₂	F	F	H
	CH ₃ CH=CHC ₂ H ₄	-	CH=CF ₂	H	H	H
	CH ₃ CH=CHC ₂ H ₄	-	CH=CF ₂	F	H	H
	CH ₃ CH=CHC ₂ H ₄	-	CH=CF ₂	F	F	H
15	CH ₃	-	OCHF CF ₃	H	H	H
	CH ₃	-	OCHF CF ₃	F	H	H
	CH ₃	-	OCHF CF ₃	F	F	H
	C ₂ H ₅	-	OCHF CF ₃	H	H	H
	C ₂ H ₅	-	OCHF CF ₃	F	H	H
20	C ₂ H ₅	-	OCHF CF ₃	F	F	H
	n-C ₃ H ₇	-	OCHF CF ₃	H	H	H
	n-C ₃ H ₇	-	OCHF CF ₃	F	H	H
	n-C ₃ H ₇	-	OCHF CF ₃	F	F	H
	n-C ₅ H ₁₁	-	OCHF CF ₃	H	H	H
25	n-C ₅ H ₁₁	-	OCHF CF ₃	F	H	H
	n-C ₅ H ₁₁	-	OCHF CF ₃	F	F	H
	CH ₂ =CH	-	OCHF CF ₃	H	H	H
	CH ₂ =CH	-	OCHF CF ₃	F	H	H
	CH ₂ =CH	-	OCHF CF ₃	F	F	H
30	CH ₃ CH=CH	-	OCHF CF ₃	H	H	H
	CH ₃ CH=CH	-	OCHF CF ₃	F	H	H
	CH ₃ CH=CH	-	OCHF CF ₃	F	F	H
	CH ₂ =CHC ₂ H ₄	-	OCHF CF ₃	H	H	H
	CH ₂ =CHC ₂ H ₄	-	OCHF CF ₃	F	H	H
35	CH ₂ =CHC ₂ H ₄	-	OCHF CF ₃	F	F	H
	CH ₃ CH=CHC ₂ H ₄	-	OCHF CF ₃	H	H	H

	R	$-(A^1-Z^1)_m^-$	Y	L ¹	L ²	L ³	
5	CH ₃ CH=CHC ₂ H ₄	-	OCHF ₂ CF ₃	F	H	H	
	CH ₃ CH=CHC ₂ H ₄	-	OCHF ₂ CF ₃	F	F	H	
	CH ₃	-	OCF ₂ CHFCF ₃	H	H	H	
	CH ₃	-	OCF ₂ CHFCF ₃	F	H	H	
	CH ₃	-	OCF ₂ CHFCF ₃	F	F	H	
10	C ₂ H ₅	-	OCF ₂ CHFCF ₃	H	H	H	
	C ₂ H ₅	-	OCF ₂ CHFCF ₃	F	H	H	
	C ₂ H ₅	-	OCF ₂ CHFCF ₃	F	F	H	
	n-C ₃ H ₇	-	OCF ₂ CHFCF ₃	H	H	H	
	n-C ₃ H ₇	-	OCF ₂ CHFCF ₃	F	H	H	
15	n-C ₃ H ₇	-	OCF ₂ CHFCF ₃	F	F	H	
	n-C ₅ H ₁₁	-	OCF ₂ CHFCF ₃	H	H	H	
	n-C ₅ H ₁₁	-	OCF ₂ CHFCF ₃	F	H	H	
	n-C ₅ H ₁₁	-	OCF ₂ CHFCF ₃	F	F	H	
	CH ₂ =CH	-	OCF ₂ CHFCF ₃	H	H	H	
20	CH ₂ =CH	-	OCF ₂ CHFCF ₃	F	H	H	
	CH ₂ =CH	-	OCF ₂ CHFCF ₃	F	F	H	
	CH ₂ =CH	-	OCF ₂ CHFCF ₃	H	H	H	
	CH ₃ CH=CH	-	OCF ₂ CHFCF ₃	F	H	H	
	CH ₃ CH=CH	-	OCF ₂ CHFCF ₃	F	F	H	
25	CH ₃ CH=CH	-	OCF ₂ CHFCF ₃	F	F	H	
	CH ₂ =CHC ₂ H ₄	-	OCF ₂ CHFCF ₃	H	H	H	
	CH ₂ =CHC ₂ H ₄	-	OCF ₂ CHFCF ₃	F	H	H	
	CH ₂ =CHC ₂ H ₄	-	OCF ₂ CHFCF ₃	F	F	H	
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₂ CHFCF ₃	H	H	H	
30	CH ₃ CH=CHC ₂ H ₄	-	OCF ₂ CHFCF ₃	F	H	H	
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₂ CHFCF ₃	F	F	H	
	CH ₃ O	-	F	F	F	F	
	C ₂ H ₅ O	-	F	F	F	F	C 125 I
	n-C ₃ H ₇ O	-	F	F	F	F	
35	n-C ₄ H ₉ O	-	F	F	F	F	C 78 I; Δn = 0.1610; Δε = 17.5
	n-C ₅ H ₁₁ O	-	F	F	F	F	
	n-C ₆ H ₁₃ O	-	F	F	F	F	

	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³	
	CH ₂ =CHCH ₂ O	-	F	F	F	F	C 94 I; Δn = 0.1610; Δε = 18.3
5	CH ₃	-	F	H	H	F	
	CH ₃	-	F	F	H	F	
	CH ₃	-	F	F	F	F	C 114 I; Δn = 0.1505; Δε = 18.8
10	C ₂ H ₅	-	F	H	H	F	
	C ₂ H ₅	-	F	F	H	F	
	C ₂ H ₅	-	F	F	F	F	
	n-C ₃ H ₇	-	F	H	H	F	
	n-C ₃ H ₇	-	F	F	H	F	
15	n-C ₅ H ₁₁	-	F	H	H	F	
	n-C ₅ H ₁₁	-	F	F	H	F	
	n-C ₅ H ₁₁	-	F	F	F	F	
	CH ₂ =CH	-	F	H	H	F	
	CH ₂ =CH	-	F	F	H	F	
20	CH ₂ =CH	-	F	F	F	F	
	CH ₃ CH=CH	-	F	H	H	F	
	CH ₃ CH=CH	-	F	F	H	F	
	CH ₃ CH=CH	-	F	F	F	F	
	CH ₂ =CHC ₂ H ₄	-	F	H	H	F	
25	CH ₂ =CHC ₂ H ₄	-	F	F	H	F	
	CH ₂ =CHC ₂ H ₄	-	F	F	F	F	
	CH ₃ CH=CHC ₂ H ₄	-	F	H	H	F	
	CH ₃ CH=CHC ₂ H ₄	-	F	F	H	F	
	CH ₃ CH=CHC ₂ H ₄	-	F	F	F	F	
30	CH ₃	-	OCF ₃	H	H	F	
	CH ₃	-	OCF ₃	F	H	F	
	CH ₃	-	OCF ₃	F	F	F	C 110 I; Δn = 0.1490; Δε = 20.7
35	C ₂ H ₅	-	OCF ₃	H	H	F	
	C ₂ H ₅	-	OCF ₃	F	H	F	
	C ₂ H ₅	-	OCF ₃	F	F	F	

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	n-C ₃ H ₇	-	OCF ₃	H	H	F
	n-C ₃ H ₇	-	OCF ₃	F	H	F
	n-C ₃ H ₇	-	OCF ₃	F	F	F
	n-C ₅ H ₁₁	-	OCF ₃	H	H	F
	n-C ₅ H ₁₁	-	OCF ₃	F	H	F
	n-C ₅ H ₁₁	-	OCF ₃	F	F	F
	CH ₂ =CH	-	OCF ₃	H	H	F
	CH ₂ =CH	-	OCF ₃	F	H	F
10	CH ₂ =CH	-	OCF ₃	F	F	F
	CH ₃ CH=CH	-	OCF ₃	H	H	F
	CH ₃ CH=CH	-	OCF ₃	F	H	F
	CH ₃ CH=CH	-	OCF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄	-	OCF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄	-	OCF ₃	F	H	F
15	CH ₂ =CHC ₂ H ₄	-	OCF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₃	F	F	F
	CH ₃	-	CF ₃	H	H	F
	CH ₃	-	CF ₃	F	H	F
20	CH ₃	-	CF ₃	F	F	F
	C ₂ H ₅	-	CF ₃	H	H	F
	C ₂ H ₅	-	CF ₃	F	H	F
	C ₂ H ₅	-	CF ₃	F	F	F
	n-C ₃ H ₇	-	CF ₃	H	H	F
	n-C ₃ H ₇	-	CF ₃	F	H	F
25	n-C ₃ H ₇	-	CF ₃	F	F	F
	n-C ₅ H ₁₁	-	CF ₃	H	H	F
	n-C ₅ H ₁₁	-	CF ₃	F	H	F
	n-C ₅ H ₁₁	-	CF ₃	F	F	F
	CH ₂ =CH	-	CF ₃	H	H	F
	CH ₂ =CH	-	CF ₃	F	H	F
30	CH ₂ =CH	-	CF ₃	F	F	F
	CH ₃ CH=CH	-	CF ₃	H	H	F
	CH ₃ CH=CH	-	CF ₃	F	H	F
35	CH ₃ CH=CH	-	CF ₃	H	H	F
	CH ₃ CH=CH	-	CF ₃	F	H	F

	R	-(A ¹ -Z ¹) _m -	Y	L ¹	L ²	L ³
5	CH ₃ CH=CH	-	CF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄	-	CF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄	-	CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄	-	CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄	-	CF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄	-	CF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄	-	CF ₃	F	F	F
10	CH ₃	-	SF ₅	H	H	F
	CH ₃	-	SF ₅	F	H	F
	CH ₃	-	SF ₅	F	F	F
	C ₂ H ₅	-	SF ₅	H	H	F
	C ₂ H ₅	-	SF ₅	F	H	F
	C ₂ H ₅	-	SF ₅	F	F	F
	n-C ₃ H ₇	-	SF ₅	H	H	F
15	n-C ₃ H ₇	-	SF ₅	F	H	F
	n-C ₃ H ₇	-	SF ₅	F	F	F
	n-C ₅ H ₁₁	-	SF ₅	H	H	F
	n-C ₅ H ₁₁	-	SF ₅	F	H	F
	n-C ₅ H ₁₁	-	SF ₅	F	F	F
	CH ₂ =CH	-	SF ₅	H	H	F
	CH ₂ =CH	-	SF ₅	F	H	F
20	CH ₂ =CH	-	SF ₅	F	F	F
	CH ₃ CH=CH	-	SF ₅	H	H	F
	CH ₃ CH=CH	-	SF ₅	F	H	F
	CH ₃ CH=CH	-	SF ₅	F	F	F
	CH ₂ =CHC ₂ H ₄	-	SF ₅	H	H	F
	CH ₂ =CHC ₂ H ₄	-	SF ₅	F	H	F
	CH ₂ =CHC ₂ H ₄	-	SF ₅	F	F	F
25	CH ₃ CH=CHC ₂ H ₄	-	SF ₅	H	H	F
	CH ₃ CH=CHC ₂ H ₄	-	SF ₅	F	H	F
	CH ₃ CH=CHC ₂ H ₄	-	SF ₅	F	F	F
	CH ₃	-	CH=CF ₂	H	H	F
	CH ₃	-	CH=CF ₂	F	H	F
	CH ₃	-	CH=CF ₂	F	F	F
	C ₂ H ₅	-	CH=CF ₂	H	H	F
30	C ₂ H ₅	-	CH=CF ₂	F	H	F
	CH ₃	-	CH=CF ₂	F	F	F
	CH ₃	-	CH=CF ₂	H	H	F
	CH ₃	-	CH=CF ₂	F	H	F
	CH ₃	-	CH=CF ₂	F	F	F
	C ₂ H ₅	-	CH=CF ₂	H	H	F
	C ₂ H ₅	-	CH=CF ₂	F	H	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	C ₂ H ₅	-	CH=CF ₂	F	F	F
	n-C ₃ H ₇	-	CH=CF ₂	H	H	F
	n-C ₃ H ₇	-	CH=CF ₂	F	H	F
	n-C ₃ H ₇	-	CH=CF ₂	F	F	F
	n-C ₅ H ₁₁	-	CH=CF ₂	H	H	F
	n-C ₅ H ₁₁	-	CH=CF ₂	F	H	F
	n-C ₅ H ₁₁	-	CH=CF ₂	F	F	F
	CH ₂ =CH	-	CH=CF ₂	H	H	F
10	CH ₂ =CH	-	CH=CF ₂	F	H	F
	CH ₂ =CH	-	CH=CF ₂	F	F	F
	CH ₃ CH=CH	-	CH=CF ₂	H	H	F
	CH ₃ CH=CH	-	CH=CF ₂	F	H	F
	CH ₃ CH=CH	-	CH=CF ₂	F	F	F
15	CH ₂ =CHC ₂ H ₄	-	CH=CF ₂	H	H	F
	CH ₂ =CHC ₂ H ₄	-	CH=CF ₂	F	H	F
	CH ₂ =CHC ₂ H ₄	-	CH=CF ₂	F	F	F
	CH ₃ CH=CHC ₂ H ₄	-	CH=CF ₂	H	H	F
	CH ₃ CH=CHC ₂ H ₄	-	CH=CF ₂	F	H	F
20	CH ₃ CH=CHC ₂ H ₄	-	CH=CF ₂	F	F	F
	CH ₃	-	OCHF CF ₃	H	H	F
	CH ₃	-	OCHF CF ₃	F	H	F
	CH ₃	-	OCHF CF ₃	F	F	F
	C ₂ H ₅	-	OCHF CF ₃	H	H	F
25	C ₂ H ₅	-	OCHF CF ₃	F	H	F
	C ₂ H ₅	-	OCHF CF ₃	F	F	F
	n-C ₃ H ₇	-	OCHF CF ₃	H	H	F
	n-C ₃ H ₇	-	OCHF CF ₃	F	H	F
	n-C ₃ H ₇	-	OCHF CF ₃	F	F	F
30	n-C ₅ H ₁₁	-	OCHF CF ₃	H	H	F
	n-C ₅ H ₁₁	-	OCHF CF ₃	F	H	F
	n-C ₅ H ₁₁	-	OCHF CF ₃	F	F	F
	CH ₂ =CH	-	OCHF CF ₃	H	H	F
	CH ₂ =CH	-	OCHF CF ₃	F	H	F
35	CH ₂ =CH	-	OCHF CF ₃	F	F	F
	CH ₃ CH=CH	-	OCHF CF ₃	H	H	F

	R	$-(A^1-Z^1)_m-$	Y	L ¹	L ²	L ³
5	CH ₃ CH=CH	-	OCHF ₂ CF ₃	F	H	F
	CH ₃ CH=CH	-	OCHF ₂ CF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄	-	OCHF ₂ CF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄	-	OCHF ₂ CF ₃	F	H	F
	CH ₂ =CHC ₂ H ₄	-	OCHF ₂ CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄	-	OCHF ₂ CF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄	-	OCHF ₂ CF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄	-	OCHF ₂ CF ₃	F	F	F
10	CH ₃	-	OCF ₂ CH ₂ CF ₃	H	H	F
	CH ₃	-	OCF ₂ CH ₂ CF ₃	F	H	F
	CH ₃	-	OCF ₂ CH ₂ CF ₃	F	F	F
	C ₂ H ₅	-	OCF ₂ CH ₂ CF ₃	H	H	F
	C ₂ H ₅	-	OCF ₂ CH ₂ CF ₃	F	H	F
15	C ₂ H ₅	-	OCF ₂ CH ₂ CF ₃	F	F	F
	n-C ₃ H ₇	-	OCF ₂ CH ₂ CF ₃	H	H	F
	n-C ₃ H ₇	-	OCF ₂ CH ₂ CF ₃	F	H	F
	n-C ₃ H ₇	-	OCF ₂ CH ₂ CF ₃	F	F	F
	n-C ₅ H ₁₁	-	OCF ₂ CH ₂ CF ₃	H	H	F
20	n-C ₅ H ₁₁	-	OCF ₂ CH ₂ CF ₃	F	H	F
	n-C ₅ H ₁₁	-	OCF ₂ CH ₂ CF ₃	F	F	F
	CH ₂ =CH	-	OCF ₂ CH ₂ CF ₃	H	H	F
	CH ₂ =CH	-	OCF ₂ CH ₂ CF ₃	F	H	F
	CH ₂ =CH	-	OCF ₂ CH ₂ CF ₃	F	F	F
25	CH ₃ CH=CH	-	OCF ₂ CH ₂ CF ₃	H	H	F
	CH ₃ CH=CH	-	OCF ₂ CH ₂ CF ₃	F	H	F
	CH ₃ CH=CH	-	OCF ₂ CH ₂ CF ₃	F	F	F
	CH ₂ =CHC ₂ H ₄	-	OCF ₂ CH ₂ CF ₃	H	H	F
	CH ₂ =CHC ₂ H ₄	-	OCF ₂ CH ₂ CF ₃	F	H	F
30	CH ₂ =CHC ₂ H ₄	-	OCF ₂ CH ₂ CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₂ CH ₂ CF ₃	H	H	F
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₂ CH ₂ CF ₃	F	H	F
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₂ CH ₂ CF ₃	F	F	F
	CH ₃ CH=CHC ₂ H ₄	-	OCF ₂ CH ₂ CF ₃	F	F	F

35

Example M1

5	CCP-3F.F.F	5.0%	Clearing point [°C]:	91.0
	CCP-30CF ₃ .F	12.0%	Δn [589 nm, 20°C]:	0.1092
	CCP-30CF ₃	8.0%	$\Delta \epsilon$ [1 kHz, 20°C]:	10.2
	CCP-40CF ₃	8.0%	γ_1 [mPa · s, 20°C]:	176
	CCP-50CF ₃	8.0%		
10	CGU-2-F	10.0%		
	CGU-3-F	10.0%		
	CGU-5-F	2.0%		
	BCH-3F.F.F	12.0%		
	CC-5-V	8.0%		
	CCZP-2-0T	10.0%		
	IS-8633	3.0%		
15	IS-8634	4.0%		

Example M2

20	CC-5-V	10.0%	Clearing point [°C]:	110.0
	CCG-V-F	15.0%	Δn [589 nm, 20°C]:	0.1101
	CCP-2F.F.F	3.5%	$\Delta \epsilon$ [1 kHz, 20°C]:	5.2
	CCP-30CF ₃	8.0%	γ_1 [mPa · s, 20°C]:	150
	CCP-50CF ₃	8.0%		
25	BCH-2F.F	8.0%		
	BCH-3F.F	8.0%		
	BCH-5F.F.F	7.5%		
	CBC-33F	3.0%		
	CCP-V-1	18.0%		
30	PCH-7F	4.0%		
	IS-8633	4.0%		
	IS-8634	3.0%		

Example M3

5	CC-5-V	20.0%	Clearing point [°C]:	108.6
	CCG-V-F	5.5%	Δn [589 nm, 20°C]:	0.1092
	CCP-2F.F.F	2.5%	$\Delta \epsilon$ [1 kHz, 20°C]:	5.3
	CCP-30CF ₃	8.0%	γ_1 [mPa · s, 20°C]:	139
	CCP-50CF ₃	8.0%		
10	BCH-2F.F	5.5%		
	BCH-3F.F	8.0%		
	BCH-5F.F.F	16.0%		
	CBC-33F	3.5%		
	CCP-V-1	17.0%		
	IS-8633	3.0%		
	IS-8634	3.0%		

15 Example M4

20	BCH-3F.F	10.81%	Clearing point [°C]:	79.6
	BCH-5F.F	9.01%	γ_1 [mPa · s, 20°C]:	112
	ECCP-30CF ₃	4.51%		
	ECCP-50CF ₃	4.51%		
	CBC-33F	1.80%		
25	CBC-53F	1.80%		
	CBC-55F	1.80%		
	PCH-6F	7.21%		
	PCH-7F	5.41%		
	CCP-20CF ₃	7.21%		
30	CCP-30CF ₃	10.81%		
	CCP-40CF ₃	6.31%		
	CCP-50CF ₃	9.91%		
	PCH-5F	9.01%		
	IS-9003	9.89%		










Example M5

	BCH-3F.F	10.80%	Clearing point [°C]:	79
	BCH-5F.F	9.00%	Δn [589 nm, 20°C]:	0.1010
	ECCP-30CF ₃	4.50%	$\Delta \epsilon$ [1 kHz, 20°C]:	6.0
5	ECCP-50CF ₃	4.50%		
	CBC-33F	1.80%		
	CBC-53F	1.80%		
	CBC-55F	1.80%		
	PCH-6F	7.20%		
10	PCH-7F	5.40%		
	CCP-20CF ₃	7.20%		
	CCP-30CF ₃	10.80%		
	CCP-40CF ₃	6.30%		
	CCP-50CF ₃	9.90%		
15	PCH-5F	9.00%		
	IS-9003	9.99%		












Example M6


20	CCP-20CF ₃	8.0%	S → N [°C]:	< -40
	CCP-30CF ₃	8.0%	Clearing point [°C]:	78.5
	CCP-40CF ₃	3.0%	Δn [589 nm, 20°C]:	0.1018
	PGU-2-F	10.0%	γ_1 [mPa·s, 20°C]:	88
	IS-9003	9.0%	d· Δn [μm]:	0.5
25	CGZP-2-0T	11.0%	Twist [°]:	90
	CGZP-3-0T	9.0%	V ₁₀ [V]:	1.35
	CCZU-2-F	4.0%		
	CCZU-3-F	14.0%		
	CC-3-V	19.0%		
30	CC-3-V1	5.0%		

Example M7 (4 V driver)

		10.0%	Clearing point [°C]: 87.0
5		8.0%	Δn [589 nm, 20°C]: 0.0940
		10.0%	$\Delta \epsilon$ [1 kHz, 20°C]: 6.3
		2.6%	γ_1 [mPa · s, 20°C]: 119
10		6.5%	
15		5.0%	
20		15.0%	
		16.0%	
25		15.0%	
		11.9%	
30			
35			

Example M8 (3.3 V driver)

		10.0%	Clearing point [°C]: 70.0
5		5.2%	Δn [589 nm, 20°C]: 0.1113
		8.0%	$\Delta \epsilon$ [1 kHz, 20°C]: 8.9
10		10.0%	γ_1 [mPa · s, 20°C]: 135.7
15		10.0%	
		8.0%	
20		10.0%	
25		10.0%	
		15.0%	
30		3.1%	
		10.7%	



10.0%

5 Example M9

	GGP-5-Cl	16.00%	Clearing point [°C]:	+97.5
	PGIGI-3-F	5.00%	Δn [589 nm, 20°C]:	0.1800
	BCH-2F.F	8.00%	$\Delta \epsilon$ [1 kHz, 20°C]:	+12.7
10	BCH-3F.F	8.00%	γ_1 [mPa·s, 20°C]:	304
	BCH-5F.F	7.00%	$V_{10,20}$ [V]:	1.07
	CGU-2-F	4.00%		
	BCH-3F.F.F	10.00%		
	PGU-2-F	8.00%		
15	PGU-3-F	7.00%		
	CCGU-3-F	11.00%		
	BCH-32	5.00%		
	CBC-33F	3.00%		
	CBC-53F	2.00%		
20	IS-9003	3.00%		
	IS-8965	3.00%		


25

30

35

Claims

1. A liquid-crystalline (dihydro)phenanthrene derivative of the formula I



in which

R is an alkyl or alkenyl radical having up to 15 carbon atoms which is unsubstituted, monosubstituted by CN or CF₃ or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may be replaced by -O-, -S-, -C≡C-, -OC-O- or -O-CO- in such a way that O atoms are not linked directly to one another,

A¹ a) is a 1,4-cyclohexenylene or 1,4-cyclohexylene radical, in which one or two non-adjacent CH₂ groups may be replaced by -O- or -S-, or

b) a 1,4-phenylene radical, in which one or two CH groups may be replaced by N,

where the radicals a) and b) may be monosubstituted or polysubstituted by fluorine,

Z¹ is -CO-O-, -O-CO-, -CF₂O-, -OCF₂-, -CH₂O-, -OCH₂-, -CH₂CH₂-, -C₂F₄-, -CH=CH-, -C≡C- or a single bond,

Y is H, F, Cl, CN, SF₅, NCS, SCN or an alkyl, alkenyl, alkenyloxy or alkoxy radical having from 1 to 5 carbon atoms which is monohalogenated or polyhalogenated,


G is -CH₂CH₂-, -CH=CF- or -CH=CH-,

$L^1, L^2, L^3,$
 L^4 and L^5 are each, independently of one another, H or F,
 and


m is 0, 1 or 2.

2. A liquid-crystalline (dihydro)phenanthrene derivative according to Claim 1, wherein R is a straight-chain alkyl radical having from 1 to 10 carbon atoms or an alkenyl radical having from 2 to 10 carbon atoms.
3. A liquid-crystalline (dihydro)phenanthrene derivative according to Claim 1 or 2, wherein


Y is H, F, Cl, CN, CF_3 , CF_2H , OCF_3 , OCF_2H , $OCFHCF_3$, $OCFHCFH_2$, $OCFHCF_2H$, OCF_2CH_3 , OCF_2CFH_2 , OCF_2CF_2H , $OCF_2CF_2CF_2H$, $OCF_2CF_2CFH_2$, $OCFHCF_2CF_3$, $OCFHCF_2CF_2H$, $OCF_2CF_2CF_3$, $OCF_2CHF_2CF_3$ or $OCCIFCF_2CF_3$.
4. A liquid-crystalline (dihydro)phenanthrene derivative according to one of Claims 1 to 3, wherein $m = 0$.
5. A liquid-crystalline (dihydro)phenanthrene derivative of the sub-formulae I1 to I27:




I1




I2




13




14




15




16




17




18




19




I10




I11




I12




I13











I14




I15




I16





126



127

in which


R is as defined in Claim 1.

5


10

15







6. A liquid-crystalline (dihydro)phenanthrene derivative as hereinbefore described in the foregoing examples.
7. A liquid-crystalline medium comprising at least two mesogenic compounds, wherein it comprises at least one (dihydro)phenanthrene derivative according to Claim 1.
8. A liquid-crystalline medium according to Claim 7, wherein it additionally comprises one or more compounds selected from the group consisting of the general formulae II, III, IV, V, VI, VII, VIII and IX:



II



III



in which the individual radicals have the following meanings:

R^0 is n-alkyl, oxaalkyl, fluoroalkyl, alkenyloxy or alkenyl, each having up to 9 carbon atoms,

X^0 is F, Cl, halogenated alkyl, alkenyl or alkoxy having from 1 to 6 carbon atoms,

Z^0 is $-C_2H_4-$, $-C_2F_4-$, $-CH_2O-$, $-OCH_2-$, $-CF_2O-$, $-OCF_2-$ or $-COO-$,





Y^1 , Y^2 , Y^3 and Y^4 are each, independently of one another, H or F, and




r is 0 or 1.

9. A liquid-crystalline medium as hereinbefore described in examples M1 to M9.

10. A medium according to Claim 7 or 9, wherein the proportion of compounds of the formulae I to IX in the mixture as a whole is at least 50% by weight.

11. A medium according to one of Claims 7 to 10, wherein it additionally comprises one or more compounds of the formulae RI to RVIII





in which

R^0 is n-alkyl, oxaalkyl, fluoroalkyl, alkenyloxy or alkenyl,
each having up to 9 carbon atoms,

b is 0, 1 or 2,

Y^1 is H or F,

Alkyl and Alkyl*

are each, independently of one another, a straight-chain alkyl radical having up to 9 carbon atoms, and

Alkenyl and Alkenyl*

are each, independently of one another, an alkenyl radical having up to 9 carbon atoms.

12. A medium according to one of Claims 8 to 11, wherein X^0 is F or OCF_3 , and Y^2 is H or F.

13. Use of a liquid-crystalline medium according to Claim 7 for electro-optical purposes.

14. An electro-optical liquid-crystal display containing a liquid-crystalline medium according to Claim 7.



INVESTOR IN PEOPLE

Application No: GB 0213110.0
Claims searched: 1-14

Examiner: Peter Davey
Date of search: 18 November 2002

Patents Act 1977 Search Report under Section 17

Databases searched:

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.T):

Int Cl (Ed.7):

Other: Online: WPI, EPODOC, JAPIO, CAS ONLINE

Documents considered to be relevant:

Category	Identity of document and relevant passage	Relevant to claims
P,X	EP 1153909 A1 (CLARIANT), 14 November 2001, see eg. page 4, line 53	1 at least
P,X	US 2001/0023935 (DUBAL ET AL), 27 September 2001, see eg. Exs. 1-3	"

X Document indicating lack of novelty or inventive step
Y Document indicating lack of inventive step if combined with one or more other documents of same category.
& Member of the same patent family

A Document indicating technological background and/or state of the art.
P Document published on or after the declared priority date but before the filing date of this invention.
E Patent document published on or after, but with priority date earlier than, the filing date of this application.