



US 20060260623A1

(19) **United States**(12) **Patent Application Publication****Brooks et al.**(10) **Pub. No.: US 2006/0260623 A1**(43) **Pub. Date: Nov. 23, 2006**(54) **SYSTEM AND METHOD FOR PREVENTING CLOSURE OF PASSAGEWAYS**

(60) Provisional application No. 60/415,995, filed on Oct. 4, 2002.

(76) Inventors: **Stephen Nelson Brooks**, San Mateo, CA (US); **Jed E. Black**, Stanford, CA (US)**Publication Classification**(51) **Int. Cl.**
A61B 19/00 (2006.01)(52) **U.S. Cl.** **128/863**


Correspondence Address:

WILSON SONSINI GOODRICH & ROSATI
650 PAGE MILL ROAD
PALO ALTO, CA 94304-1050 (US)(57) **ABSTRACT**

A system for treating sleep-related breathing disorders. In one embodiment, the system includes a first magnetically susceptible material attached to a left lateral pharyngeal wall and a second magnetically susceptible material attached to a right lateral pharyngeal wall. The second magnetically susceptible material is positioned opposite the first magnetically susceptible material across an upper airway. The system further includes a first magnet disposed outside the body and lateral to the first magnetically susceptible material, and a second magnet disposed outside the body and lateral to the second magnetically susceptible material.

(21) Appl. No.: **11/414,041**(22) Filed: **Apr. 28, 2006****Related U.S. Application Data**

(63) Continuation of application No. 10/679,935, filed on Oct. 6, 2003, now Pat. No. 7,107,992.






FIG. 1A




FIG. 1B




FIG. 2




FIG. 3




FIG. 4A




FIG. 4B




FIG. 5

SYSTEM AND METHOD FOR PREVENTING CLOSURE OF PASSAGEWAYS

CROSS-REFERENCE

[0001] This application is a continuation of Ser. No. 10/679,935, filed Oct. 6, 2003, which claims benefit of U.S. Provisional patent application Ser. No. 60/415,995, filed Oct. 4, 2002, both of which are herein incorporated by reference.

BACKGROUND OF THE INVENTION

[0002] 1. Field of the Invention

[0003] Embodiments of the present invention generally relate to prevention of abnormal breathing sounds (e.g., snoring), adverse consequences, illness or death in persons due to partial or complete blockage of the upper airway.

[0004] 2. Description of the Related Art

[0005] A common and potentially serious disorder in humans involves involuntary closure of the airway during sleep. This disorder is known as "sleep-disordered breathing" or "obstructive sleep apnea" (OSA). In persons with OSA, there is involuntary closure or reduction in caliber of a portion of the airway that connects the atmosphere to the lungs. The upper portion of the airway (the "upper airway") consists of two passageways, the nasal airway and the oral airway. These two passageways merge to become a single passageway. Portions of the upper airway just behind the tongue are known as the soft palate, the pharynx, the hypopharynx, etc.

[0006] In persons affected by OSA, closure, reduction in patency or increased airflow resistance of the upper airway occurs during sleep, due to a combination of physiological changes associated with sleep (including relaxation of muscles) and the anatomy of the upper airway (which is generally smaller or more crowded than in normal individuals). In persons prone to sleep apnea, a portion or portions of the muscular walls of the upper airway may become narrow or collapse, leading to reduction in airflow ("hypopnea"), cessation of airflow ("apnea"), increase in airflow turbulence or increased resistance to airflow within the airway. In the instance of collapse, the upper airway is blocked, breathing stops, air movement to the lungs ceases, and the oxygen level in the blood tends to decrease. As a response to this process (or to less severe manifestations, such as hypopneas or increased airway resistance), a brief arousal usually occurs in the brain. As a consequence of the brief arousal, the muscle tone in the walls of the upper airway returns to waking levels, and the airway abnormality is corrected—i.e. airway resistance and patency return to normal levels.

[0007] Generally, following each event, the patient returns to sleep, until another partial or complete upper airway collapse occurs and the process repeats itself. Depending on the severity in an individual case, the number of events may range from a few per hour of sleep to more than 100 events per hour of sleep. This process disrupts normal sleep. As a consequence, patients typically suffer from the effects of sleep deprivation. Such effects may include daytime drowsiness, tiredness or fatigue, difficulties with mental concentration or memory, mood changes, reductions in performance or increases in mistakes, and increased risk of

accidents. Additionally, OSA is known to increase the risk of development of other medical problems.

[0008] Snoring is a mild form of sleep-disordered breathing in which increased airflow turbulence occurs. The snoring sounds result from tissue vibration within the nasal or oral airway. While snoring has been traditionally regarded as a social or cosmetic problem, recent studies suggest that snoring may be linked to the development of health problems, including high blood pressure.

[0009] Airway closure during sleep generally occurs at one or both of two levels in the upper airway: the soft palate and the hypopharynx (base of the tongue). At either level, the anterior tissue can collapse against the posterior pharyngeal wall, which makes up the rear wall of the throat. Additionally, the side (lateral) walls of the upper airway can collapse inward partially, or completely against each other. The lateral walls of the airway are susceptible to collapse in many patients with obstructive sleep apnea and other forms of sleep-related breathing disorders. In these cases, prevention of collapse of the airway only in the anterior-posterior dimension is insufficient to maintain normal airway patency. Even after extensive airway surgery for sleep apnea (which primarily addresses the anterior-posterior dimension of the airway), the patient may continue to have problems with breathing during sleep, due to lateral wall collapse or dysfunction.

[0010] Several types of treatment are available for obstructive sleep apnea and other sleep-related breathing disorders. The most common treatment consists of an air pressure delivery system that applies greater than atmospheric pressure to all walls of the upper airway to reduce the potential for full or partial collapse. Many people have difficulty using this device or prefer not to use it for various reasons. Also, surgical reconstruction of the airway or dental devices may be used. These treatments, however, often fail to treat the problem adequately.

[0011] Accordingly, a need exists in the art for an improved method and system for treating sleep apnea and other sleep-related breathing disorders.

SUMMARY OF THE INVENTION

[0012] Embodiments of the present invention are generally directed to a system for treating sleep-related breathing disorders. In one embodiment, the system includes a first magnet attached to a left lateral pharyngeal wall, and a second magnet attached to a right lateral pharyngeal wall. The second magnet is positioned opposite the first magnet across an upper airway.

[0013] In another embodiment, the system includes a first magnetically susceptible material attached to a left lateral pharyngeal wall and a second magnetically susceptible material attached to a right lateral pharyngeal wall. The second magnetically susceptible material is positioned opposite the first magnetically susceptible material across an upper airway. The system further includes a first magnet disposed outside the body and lateral to the first magnetically susceptible material, and a second magnet disposed outside the body and lateral to the second magnetically susceptible material.

[0014] In yet another embodiment, the system includes a first magnet attached to a left lateral pharyngeal wall and a

second magnet attached to a right lateral pharyngeal wall. The second magnet is positioned opposite the first magnet across an upper airway. The system further includes a third magnet disposed inside the upper airway directly across from the first magnet and a fourth magnet disposed inside the upper airway directly across from the second magnet.

INCORPORATION BY REFERENCE

[0015] All publications and patent applications mentioned in this specification are herein incorporated by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

BRIEF DESCRIPTION OF THE DRAWINGS

[0016] The novel features of the invention are set forth with particularity in the appended claims. A better understanding of the features and advantages of the present invention will be obtained by reference to the following detailed description that sets forth illustrative embodiments, in which the principles of the invention are utilized, and the accompanying drawings of which:

BRIEF DESCRIPTION OF THE DRAWINGS

[0017] The following detailed description makes reference to the accompanying drawings, which are now briefly described.

[0018] **FIG. 1A, 1B, 3, 4A and 5** illustrate a series of coronal views of an upper airway, each having a system for treating sleep-related breathing disorders in accordance with one embodiment of the invention.

[0019] **FIG. 2** illustrates a sagittal view of the upper airway having a system for treating sleep-related breathing disorders in accordance with one embodiment of the invention.

[0020] While the invention is described herein by way of example for several embodiments and illustrative drawings, those skilled in the art will recognize that the invention is not limited to the embodiments or drawings described. It should be understood, that the drawings and detailed description thereto are not intended to limit the invention to the particular form disclosed, but on the contrary, the intention is to cover all modifications, equivalents and alternatives falling within the spirit and scope of the present invention as defined by the appended claims. The headings used herein are for organizational purposes only and are not meant to be used to limit the scope of the description or the claims. As used throughout this application, the word "may" is used in a permissive sense (i.e., meaning having the potential to), rather than the mandatory sense (i.e., meaning must). Similarly, the words "include", "including", and "includes" mean including, but not limited to.

DETAILED DESCRIPTION OF THE INVENTION

[0021] While preferred embodiments of the present invention have been shown and described herein, it will be obvious to those skilled in the art that such embodiments are provided by way of example only. Numerous variations, changes, and substitutions will now occur to those skilled in the art without departing from the invention. It should be

understood that various alternatives to the embodiments of the invention described herein may be employed in practicing the invention. It is intended that the following claims define the scope of the invention and that methods and structures within the scope of these claims and their equivalents be covered thereby.

DETAILED DESCRIPTION

[0022] **FIG. 1A** illustrates a coronal view of an upper airway **100** having a system for treating sleep apnea (and other sleep-related breathing disorders, e.g., snoring) in accordance with one embodiment of the invention. The upper airway **100** is generally defined by the anterior pharyngeal wall **110**, two lateral pharyngeal walls **120, 130** and the posterior pharyngeal wall **140**. The lateral pharyngeal walls **120, 130** generally include lateral pharyngeal tissue extending superiorly to the velopharynx and inferiorly to the epiglottis. The posterior pharyngeal wall **140** generally includes posterior pharyngeal tissue extending superiorly to the velopharynx and inferiorly to the epiglottis. The anterior pharyngeal wall **110** generally includes a base portion of the tongue **150**, the soft palate **210** and the uvula **220** (shown in **FIG. 2**). Magnetically susceptible material **115** is attached to the anterior pharyngeal wall **110**, magnetically susceptible material **125** is attached to the lateral pharyngeal wall **120**, and magnetically susceptible material **135** is attached to the lateral pharyngeal wall **130**. In one embodiment, magnetically susceptible materials **115, 125, 135** are attached to the respective pharyngeal walls by surgical sutures or bonding material, such as surgical glue. Other means for attaching the magnetically susceptible materials to the pharyngeal walls are also contemplated by embodiments of the invention described herein. In another embodiment, the magnetically susceptible materials **115, 125, 135** may be implanted inside, or embedded beneath the surface of, the respective pharyngeal walls, as shown in **FIG. 1B**. In yet another embodiment, the magnetically susceptible materials **115, 125, 135** may be coated on the surfaces of the respective pharyngeal walls.

[0023] The magnetically susceptible materials **115, 125, 135** may be materials, which are not magnets, but are susceptible to magnetic fields, such as ferromagnetic materials. As such, magnetically susceptible materials **115, 125, 135** would not interact with each other in the absence of a magnetic field, such as, during daytime, as opposed to permanent magnets that would potentially interact with each other at all times, which may be inappropriate or even deleterious (e.g., during speaking or swallowing) to a person's health. Magnetically susceptible materials **115, 125, 135** may be in the form of plates, discs, spheres, bars, multiple small pieces, mesh and the like. In an alternate embodiment, the magnetically susceptible materials **115, 125, 135** may be replaced with magnets, such as permanent magnets with magnetic fields of fixed strength or variable magnets (e.g., electromagnets) with magnetic fields of variable strength (including zero if not activated).

[0024] Magnet **160** is positioned outside the body and lateral to magnetically susceptible material **125**, while magnet **170** is positioned outside the body and lateral to magnetically susceptible material **135**, and magnet **180** is positioned outside the body and anterior to magnetically susceptible material **115**. Magnets **160, 170, 180** may be attached or placed adjacent to the outer skin **151** of a patient with means, such as a neckband or a chin strap. In one

embodiment, magnets **160**, **170**, **180** may be implanted beneath the outer skin surface, such as, beneath the front skin **211** of the cheek **266** for magnet **160**, as shown in **FIG. 2**.

[0025] Magnet **160** is configured to attract magnetically susceptible material **125** toward magnet **160** so that movement of the lateral pharyngeal wall **120** toward closure of the upper airway **100** may be opposed. Magnet **170** is configured to attract magnetically susceptible material **135** toward magnet **170** so that movement of the lateral pharyngeal wall **130** toward closure of the upper airway **100** may be opposed. Magnet **180** is configured to attract magnetically susceptible material **115** toward magnet **180** so that movement of the anterior pharyngeal wall **110** toward closure of the upper airway **100** may be opposed. In this manner, the cross sectional dimensions (e.g., the length or width) of the upper airway **100** may be increased or prevented from decreasing, thereby allowing patency of the upper airway **100** to be maintained.

[0026] Force fields between magnet **160** and magnetically susceptible material **125** and between magnet **170** and magnetically susceptible material **135** act to keep the soft tissue of the lateral pharyngeal walls **120**, **130** from collapsing. Force fields between magnet **180** and magnetically susceptible material **115** act to keep the soft tissue of the anterior pharyngeal wall **110** from collapsing toward the posterior pharyngeal wall **140**.

[0027] **FIG. 3** illustrates a coronal view of an upper airway **300** having a system **350** for treating sleep apnea (and other sleep-related breathing disorders, e.g., snoring) in accordance with another embodiment of the invention. The system **350** includes magnet **315** attached to an anterior pharyngeal wall **310**, magnet **325** attached to lateral pharyngeal wall **320**, magnet **335** attached to lateral pharyngeal wall **330**, and magnet **345** attached to posterior pharyngeal wall **340**. In one embodiment, magnets **315**, **325**, **335**, **345** are attached to the respective pharyngeal walls by surgical sutures or bonding material, such as surgical glue. Other means for attaching the magnets to the pharyngeal walls are also contemplated by embodiments of the invention described herein. In another embodiment, magnets **315**, **325**, **335**, **345** may be implanted inside (e.g., embedded beneath the surface of) the respective pharyngeal walls. In yet another embodiment, magnets **315**, **325**, **335**, **345** may be coated on surfaces of the respective pharyngeal walls.

[0028] Magnets **315**, **325**, **335**, **345** may be permanent magnets with magnetic fields of fixed strength or variable magnets, such as electromagnets, with magnetic fields of variable strength (including zero if not activated).

[0029] Magnets **315**, **325**, **335**, **345** are oriented such that the same magnetic poles of the magnets **315**, **325**, **335**, **345** face each other, e.g., north poles facing other north poles. In operation, magnets **315**, **325**, **335**, **345** are configured to repel each other, thereby opposing closure of the upper airway **300** without the use of external magnets.

[0030] **FIG. 4A** illustrates a coronal view of an upper airway **400** having a system **450** for treating sleep apnea (and other sleep-related breathing disorders, e.g., snoring) in accordance with yet another embodiment of the invention. The system **450** includes magnet **425** attached to lateral pharyngeal wall **420** and magnet **435** attached to lateral

pharyngeal wall **430**. In one embodiment shown in **FIG. 4B**, magnets **425**, **435** are attached to the respective lateral pharyngeal walls by surgical sutures or bonding material, such as surgical glue **436**. Other means for attaching the magnets to the lateral pharyngeal walls are also contemplated by embodiments of the invention described herein. In another embodiment, magnets **425**, **435** may be implanted inside (e.g., embedded beneath the surface of) the respective lateral pharyngeal walls. In yet another embodiment, magnets **425**, **435** may be coated on surfaces of the respective lateral pharyngeal walls.

[0031] Magnets **425**, **435** may be permanent magnets with magnetic fields of fixed strength or variable magnets, such as electromagnets, with magnetic fields of variable strength (including zero if not activated). Magnets **425**, **435** are oriented such that the same magnetic poles of the magnets **425**, **435** face each other, e.g., north pole facing other north pole. In operation, magnets **425**, **435** are configured to repel each other, thereby opposing closure of the upper airway **400** without the use of external magnets.

[0032] **FIG. 5** illustrates a system **550** for treating sleep apnea (and other sleep-related breathing disorders, e.g., snoring) disposed inside an upper airway **500** in accordance with still another embodiment of the invention. The system **550** includes magnet **525** attached to lateral pharyngeal wall **520** and magnet **535** attached to lateral pharyngeal wall **530**. In one embodiment, magnets **525**, **535** may be attached to the lateral pharyngeal walls **530**, **535** by surgical sutures or bonding material, such as surgical glue. Other means for attaching the magnets to the pharyngeal walls are also contemplated by embodiments of the invention described herein. In another embodiment, magnets **525**, **535** may be implanted inside the lateral pharyngeal walls **530**, **535**. In yet another embodiment, magnets **525**, **535** may be coated on surfaces of the lateral pharyngeal walls **530**, **535**. Magnets **525**, **535** may be permanent magnets with magnetic fields of fixed strength or variable magnets, such as electromagnets, with magnetic fields of variable strength (including zero if not activated).

[0033] The system **550** further includes magnets **560** and **570** disposed inside the upper airway **500**. Magnet **560** is disposed across from magnet **525**, while magnet **570** is disposed across from magnet **535**. The magnetic poles of magnets **560**, **570** are oriented such that magnets **560**, **570** repel magnets **525**, **535**, respectively, thereby opposing closure of the upper airway **500** without the use of external magnets. Magnets **560**, **570** may be attached to or held in place by a removable apparatus **580**, such as a mouthpiece.

[0034] Each magnet or magnetically susceptible material described herein may comprise more than one magnet or magnetically susceptible material. Although embodiments of the invention have been described with reference to two or four magnetically susceptible materials or magnets, embodiments of the invention also contemplate other combinations or numbers of magnets and magnetically susceptible materials. Although embodiments of the invention have been described with reference to treating sleep-related breathing disorders, such as sleep apnea or snoring, embodiments of the invention also contemplate other applications where passageway or airway patency is required. For example, the magnets or magnetically susceptible materials may be inserted or attached through a body aperture, such as the vagina, the rectum, the urinary passage and the like.

[0035] While the foregoing is directed to embodiments of the present invention, other and further embodiments of the invention may be devised without departing from the basic scope thereof, and the scope thereof is determined by the claims that follow.

What is claimed is:

1. A system for treating sleep-related breathing disorders, comprising: a first magnet attached to a left lateral pharyngeal wall; and a second magnet attached to a right lateral pharyngeal wall, wherein the second magnet is positioned opposite the first magnet across an upper airway, and wherein the first and second magnets are positioned below the velopharynx and above the epiglottis.

2. The system of claim 1, wherein the first and second magnets are implanted inside the lateral pharyngeal walls.

3. The system of claim 1, wherein the first magnet and the second magnet are attached to the left and right lateral pharyngeal walls by one of surgical sutures, a bonding material and coating.

4. The system of claim 1, wherein the first and second magnets are one of permanent and variable magnets.

5. A method for treating sleep-related breathing disorders, comprising: attaching a first magnet to a left lateral pharyngeal wall; and attaching a second magnet to a right lateral pharyngeal wall opposite the first magnet across an upper airway.

* * * * *