

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(10) International Publication Number
WO 2012/102620 A8

(43) International Publication Date
2 August 2012 (02.08.2012)

- (51) International Patent Classification:
E21B 21/10 (2006.01) F16K 15/03 (2006.01)
- (21) International Application Number:
PCT/NO2012/000009
- (22) International Filing Date:
25 January 2012 (25.01.2012)
- (25) Filing Language: Norwegian
- (26) Publication Language: English
- (30) Priority Data:
20110108 25 January 2011 (25.01.2011) NO
- (71) Applicant (for all designated States except US): **TS INNOVATION AS** [NO/NO]; Fabrikkeveien 13, N-4323 Sandnes (NO).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **SOLTVEDT, Terje Morten** [NO/NO]; Veidemannsvei 12A, N-4328 Sandnes (NO).
- (74) Agent: **OSLO PATENTKONTOR AS**; P.O. Box 7007M, N-0306 Oslo (NO).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))

[Continued on next page]

(54) Title: CHECK VALVE




Fig. 3

(57) Abstract: The present invention provides a check valve comprising a valve housing (1,2), a substantially circular flapper (3), a valve seat (16) for the flapper (3), an expandable chamber (11) in fluid contact with a connecting port (8) for hydraulics fluid, and a piston (4) having a first and a second end, the flapper comprises a first (19) and a second (18) connection point and is pivotably connected at the first connection point (19), said flapper is capable of pivoting between a closed position in close contact with the valve seat (16) and an open position which allows fluid to flow through the valve, the piston (4) is in contact with the expandable chamber (11) and a pre-stressed compressible device (15), said piston (4) pivotably connected at the first end to the flapper (3) via the second connection point (18), wherein the compressible device (15) can move the piston (4) in a direction towards the valve seat (16), and that hydraulics fluid can move the piston (4) in a direction away from the valve seat when sufficient hydraulics fluid is supplied through the connection port (8) to expand the chamber (11), and that the second connection point (18) is situated closer to the center of the circular part of the flapper than the first connection point (19), such that the flapper (3) comes into close contact with the valve seat (16) when the piston (4) is moved in a direction towards said valve seat and the flapper will pivot around the first connection point (19) in a direction towards the piston (4) when the piston is moved in a direction away from the valve seat (16).

WO 2012/102620 A8



Published:

— *with international search report (Art. 21(3))*

(48) Date of publication of this corrected version:

31 January 2013

(88) Date of publication of the international search report:

13 December 2012

(15) Information about Correction:

see Notice of 31 January 2013