



(19) **United States**  
(12) **Patent Application Publication**  
**Wen et al.**

(10) **Pub. No.: US 2012/0303613 A1**  
(43) **Pub. Date: Nov. 29, 2012**

(54) **AUTOMATIC UPDATE OF SEARCHES**

(60) Provisional application No. 60/179,645, filed on Feb. 2, 2000.

(75) Inventors: **Wen Wen**, Cupertino, CA (US);  
**Patrica Ng**, San Jose, CA (US)

**Publication Classification**

(73) Assignee: **eBay Inc.**, San Jose, CA (US)

(51) **Int. Cl.**  
**G06F 17/30** (2006.01)

(21) Appl. No.: **13/572,493**

(52) **U.S. Cl.** ..... **707/722; 707/E17.014**


(22) Filed: **Aug. 10, 2012**

(57) **ABSTRACT**

**Related U.S. Application Data**

(63) Continuation of application No. 13/284,717, filed on Oct. 28, 2011, now Pat. No. 8,244,709, which is a continuation of application No. 12/751,679, filed on Mar. 31, 2010, now Pat. No. 8,051,064, which is a continuation of application No. 09/539,167, filed on Mar. 29, 2000, now Pat. No. 7,720,833.

A method and system for automatically updating searches are described. In one embodiment, a first search result may be compared with a second search result to automatically identify at least one data item within the first search result that is changed relative to the second search result. The at least one data item may comprise a transaction term. A notification of the at least one data item may be transmitted to a user device.






FIG. 1




FIG. 2





FIG. 3A



*FIG. 3B*




FIG. 4





FIG. 4B



**FIG. 5**

600

The screenshot shows the eBay website interface. At the top left is the eBay logo. To its right are navigation links: home, my eBay, and site map. Below these are buttons for Browse, Sell, Services, Search, Help, and Community. Underneath are buttons for find items, find members, and personal shopper. A search bar is present with a search button and a tips link. Below the search bar is a checkbox labeled 'Search title and descriptions'. The main heading is 'personal SHOPPER Login'. Below this is a paragraph explaining the Personal Shopper feature, followed by a bulleted list of benefits. A paragraph then asks for a User ID and password, with links for registration. Below are input fields for 'Your User ID' and 'Your Password'. A checkbox labeled 'Remember me' is also present, with a paragraph explaining cookies. A 'Submit' button is at the bottom. At the very bottom are links for Announcements, Register, eBay Store, SafeHarbor, Feedback Forum, and About eBay. Callouts 600 through 610 point to various elements: 600 to the top right, 602 to the User ID field, 604 to the Password field, 606 to the search bar, 608 to the search checkbox, and 610 to the Remember me checkbox.

home | my eBay | site map

Browse | Sell | Services | Search | Help | Community

find items | find members | personal shopper

606

608

600

602

604

610

personal SHOPPER Login

Use Personal Shopper to help you with your buying! With Personal Shopper, you can

- Save and run your favorite searches (up to 3 searches).
- Get email notification when new items appear on eBay that match what you're looking for.

Please submit your User ID and password to access Personal Shopper. If you do not have a user ID or password, please follow this link to [become a registered user](#).

Your User ID:

Your Password:

Remember me

By choosing this option, you'll get a temporary "cookie" that enables you to skip this step when you use other Personal Shopper functions during this browser session. When you turn your browser off, the cookie will disappear. For more information about cookies, click [here](#).

Submit

Announcements | Register | eBay Store | SafeHarbor | Feedback Forum | About eBay

FIG. 6

700

The screenshot shows the eBay website interface. At the top left is the eBay logo. To its right are navigation links: home, my eBay, and site map. Below these are buttons for Browse, Sell, Services, Search, Help, and Community. Further down are buttons for find items, find members, and personal shopper. A search bar is present with a search button and a tips link. Below the search bar is a checkbox labeled 'Search title and descriptions'. A table titled 'personal SHOPPER Existing Searches' lists three searches: 'total gym', 'subaru', and 'BMW M3', each with a status and a set of actions (Search, Modify, Delete). At the bottom are links for Announcements, Register, eBay Store, SafeHarbor, Feedback Forum, and About eBay.

home | my eBay | site map

Browse | Sell | Services | Search | Help | Community

find items | find members | personal shopper

702

704

708

706

*personal*  
**SHOPPER Existing Searches**

Searches	Status	Actions
total gym	Active (ending on October 08, 1999)	<a href="#">Search</a> <a href="#">Modify</a> <a href="#">Delete</a>
subaru	Active (ending on October 08, 1999)	<a href="#">Search</a> <a href="#">Modify</a> <a href="#">Delete</a>
BMW M3	Active (ending on October 08, 1999)	<a href="#">Search</a> <a href="#">Modify</a> <a href="#">Delete</a>

[Announcements](#) | [Register](#) | [eBay Store](#) | [SafeHarbor](#) | [Feedback Forum](#) | [About eBay](#)

FIG. 7

800

home | my eBay | site map

**ebay** Browse Sell Services Search Help Community

find items find members personal shopper

▷ Shop with pictures in the Galley.  
 ▷ Cruise around the NEW Auto category and Showroom!  
 ▷ Apply now! Get your eBay Platinum Visa card today!

Search tips  
 Search title and descriptions

---

*personal* SHOPPER Modify an Existing Search

Search	<input type="text" value="BMW M3"/> Type in what are you looking for (e.g. teddy bear). Click here for <a href="#">search tips</a>
	<input checked="" type="radio"/> Search Item Title only <input type="radio"/> Search Item Title and Description
Price Range	Between \$ <input type="text" value="7000"/> and \$ <input type="text"/> (optional)
Email Frequency	<input type="text" value="Daily"/> ▾ How often would you like to receive your Personal Shopper email?
Email Duration	<input type="text" value="30 days"/> ▾ How long would you like to receive your Personal Shopper email?

your Personal Shopper search.  
 your Personal Shopper search.

---

[Announcements](#) | [Register](#) | [eBay Store](#) | [SafeHarbor](#) | [Feedback Forum](#) | [About eBay](#)

FIG. 8

900

home | my eBay | site map

**ebay** Browse Sell Services Search Help Community  
 find items find members personal shopper

*personal*  
**SHOPPER Preview**

**Search Criteria**

902 { Search BMW M3  
 Search Scope Item Title Only  
 Price Range Over \$7000.00  
 Email Frequency Daily  
 Email Duration 30 days

Please review the search results below. If you need to modify your search, please go back to the previous page by clicking on BACK. If you decide to keep it, you can click on the Save button below.

904 {

**Search results based on the above criteria**

4 items found in current listings (only 4 of them displayed)


906 {

Item#	Item	Price	Bids	Start Time
163088709	1997 BMW M3 (361 HP)	\$20000.00	0	09/11 08:20
162887520	For Sale: 97 BMW M3 / Silver	\$31000.00	0	09/10 16:58
158455184	HOT! 97 BMW M3 COUPE LEGAL NOTICE NO RESERVE PIC	\$26200.00	50	09/05 13:41
157686381	95 BMW 325i Convertible Low miles Black CD PIC	\$22000.00	19	09/03 20:28

Announcements | Register | eBay Store | SafeHarbor | Feedback Forum | About eBay

FIG. 9

1000



The screenshot shows the eBay website interface. At the top right, there are links for [home](#), [my eBay](#), and [site map](#). Below these are navigation buttons: [Browse](#), [Sell](#), [Services](#), [Search](#), [Help](#), and [Community](#). Underneath the search button are sub-links: [find items](#), [find members](#), and [personal shopper](#). On the left is the eBay logo. Below the navigation is a list of promotional items: 

- ▷ Shop with pictures in the Galley.
- ▷ Cruise around the NEW Auto category and Showroom!
- ▷ Apply now! Get your eBay Platinum Visa card today!

 To the right of these items is a search input field, a [Search](#) button, and a [tips](#) link. Below the search field is a checkbox labeled "Search title and descriptions". A horizontal line separates this section from the main content. The main content is titled "personal SHOPPER Search Modified". Below the title is a paragraph: "Your search has been saved. You will be notified by email when there are new auctions of items you are looking for. You can also access, modify, and delete your searches anytime in the Personal Shopper area located in Buyer Services (accessible from the Site Map)." Below the paragraph is the text "Thanks you for using Personal Shopper!". At the bottom of the main content area are two buttons: "Add a New Search" (labeled 1002) and "View Existing Searches" (labeled 1004). A final horizontal line is at the bottom of the page, with links for [Announcements](#), [Register](#), [eBay Store](#), [SafeHarbor](#), [Feedback Forum](#), and [About eBay](#).

FIG. 10

1100

home | my eBay | site map

Browse | Sell | Services | Search | Help | Community

find items | find members | personal shopper

▷ Shop with pictures in the Galley.  
▷ Cruise around the NEW Auto category and Showroom!  
▷ Apply now! Get your eBay Platinum Visa card today!

Search tips  
 Search title and descriptions

---

*personal*  
**SHOPPER Delete Search**

Search	BMW M3
Search Scope	Item Title Only
Price Range	Over \$7000
Email Frequency	Daily
Email Duration	30 days

1102 {

1004

Please click  to confirm this request. Thank you!

If you do not want to delete this Search, you can go back to the previous page by clicking on BACK.

---

[Announcements](#) | [Register](#) | [eBay Store](#) | [SafeHarbor](#) | [Feedback Forum](#) | [About eBay](#)

FIG. 11

1200

The screenshot displays the eBay website interface. At the top left is the eBay logo. To its right are navigation links: home, my eBay, and site map. Below these are buttons for Browse, Sell, Services, Search, Help, and Community. Further down are links for find items, find members, and personal shopper. A search bar is present with a Search button and a tips link. Below the search bar are three promotional links: Shop with pictures in the Galley, Cruise around the NEW Auto category and Showroom!, and Apply now! Get your eBay Platinum Visa card today!. A checkbox option for Search title and descriptions is also visible. A horizontal line separates the top navigation from the main content area. The main content area features the heading 'personal SHOPPER Search Recorded'. Below this heading is a paragraph of text: 'Your search has been saved. You will be notified by email when there are new auctions of items you are looking for. You can also access, modify, and delete your searches anytime in the Personal Shopper area located in Buyer Services (accessible from the Site Map)'. Below the text is a thank you message: 'Thanks you for using Personal Shopper!'. At the bottom of the main content area are two buttons: 'Add a New Search' (labeled 1202) and 'View Existing Searches' (labeled 1204). A final horizontal line is at the bottom of the page, with a row of links: Announcements, Register, eBay Store, SafeHarbor, Feedback Forum, and About eBay.

FIG. 12

[home](#) | [my eBay](#) | [site map](#)



Browse
Sell
Services
Search
Help
Community

find items
find members
personal shopper

54 items found for the search "BMW". Showing items 1 to 50.

BMW
Go

Email me new items with [Personal Shopper](#)

e.g. "brown bear" -teddy more tips

Price Range: Between \$ 7000 And \$

Sort by: Starting Date
○ ascending
● descending
 Search Descriptions
 Search Completed Items

Search Results

Current Auctions

14:50:14 PDT

Item#	Item	Price	Bids	Start Time
164106983	NEW! 1995 52Si BMW Mint Condition	\$19500.00	0	09/13 09:49
164093955	NEW! 1999 Plymouth Prowler new also: Mercedes BMW PIC	\$50000.00	0	09/13 09:09
164062815	NEW! 1994 BMW 318is, 2dr, 5sp. 77,000 actual miles PIC	\$12500.00	0	09/13 07:10
163744868	NEW! 1996 BMW 328i Convertible / 49k Miles! LOOK!! PIC	\$18350.00	25	09/12 16:14
163725551	NEW! 2000 BMW Z-3 2.8 Roadster	\$39000.00	0	09/12 15:26
163636725	1994 BMW 530i Automatic with 82k miles! LOOK! PIC	\$11001.00	15	09/12 12:42
163425635	1995 BMW 740 iL-Immaculate PIC	\$22100.00	14	09/11 20:52
163201847	HOT! 97 bmw 740iL FACTORY WARRANTEE NO RESERVE PIC	\$38100.00	41	09/11 13:41
163176945	BMW 1998 528IA PIC	\$25100.00	11	09/11 12:40
163088709	1997 BMW M3 (361HP)	\$20000.00	0	09/11 08:20
162948344	BMW 750iL RARE AND BEUTIFUL...LOW RESERVE PIC	\$9600.00	23	09/10 19:00
162887520	For Sale: 97 BMW M3 / Silver	\$31000.00	0	09/10 16:58
162843619	bmw Z3 1997 2.8 manual	\$26900.00	0	09/10 14:53
162831561	BMW 740i 1995 with 53k miles, low reserve PIC	\$27600.00	2	09/10 14:13
162822176	'88 Red BMW 325	\$7000.00	0	09/10 13:42
162648764	97 BMW R1100RT sport-touring dream machine PIC	\$10700.00	0	09/09 23:30
162600200	99 BMW 323is 7K Miles, flawless Cosmos Black	\$22600.00	26	09/09 22:59
162586604	1993 BMW K1100LT Motorcycle Only 5,800 Miles! PIC	\$7450.00	10	09/09 22:52
162503583	BMW 850 1991 850i 8 Series CalypsoRed PIC	\$27850.00	0	09/09 22:10
162469631	1993 BMW 418 IS AS NICE AS THEY GET!!!!!!	\$7600.00	6	09/09 21:55
162371449	1995 BMW 318ti Red 41K miles	\$10000.00	1	09/09 21:16
162359665	BMW 635CSi, European Specs, 1985 PIC	\$8450.00	0	09/09 21:11
1623298	70 '96 BMW K1100RS-GORGEOUS! NO RESERVE! PIC	\$12000.00	0	09/09 21:00
162185766	1996 BMW Z3 1.9 L, Black/Tan, stick	\$18000.00	0	09/09 20:05
162152513	CLASSIC 1977 BMW 320i - RESTORED - MINT PIC	\$17000.00	0	09/09 19:56
162131858	1993 BMW 325is	\$12500.00	0	09/09 19:48
161726033	BMW 740iL Dark Blue 1995 375000 miles PIC	\$38500.00	0	09/09 17:20
161412937	1994 BMW 325iC CONVERTABLE PIC	\$15000.00	1	09/09 14:43

FIG. 13A

161384092	1996 BMW RT1100 Motorcycle	\$8200.00	17	09/09 14:26
161336652	1995 BMW 740i Luxury Sedan in MIAMI PIC	\$19600.00	13	09/09 14:01
161290989	BMW 325i (1993)	\$13000.00	0	09/09 13:37
161192120	HOT! BMW z3 M COUPE, fast sports car, w/o kidney PIC	\$27100.00	34	09/09 12:44
160735989	*1996 BMW 318ia - Low Res. - Great Pix *	\$15600.00	10	09/09 07:38
160663331	BMW 318 ti 96	\$19500.00	0	09/09 06:28
160546428	BMW Z3 AC-Schnitzer 2.8L Roadster In Black PIC	\$26099.00	7	09/09 02:40
160521889	1997 BMW 540i 6spd 37Kkm Black on Black MINT! PIC	\$30000.00	2	09/09 01:34
160469398	1989 BMW 325i	\$9500.00	0	09/08 22:39
160284243	1997 BMW Z3 sliver/Black 26k mi. *mint*no/res PIC	\$23000.00	0	09/08 17:43
160 271178	BMW 850i COUP V12/rare 6 SPEED WHITE/GRAY Az PIC	\$24000.00	0	09/08 17:25
160200738	1997 BMW 540ia Performance Sedan In MIAMI PIC	\$30100.00	10	09/08 15:02
160172410	1997 BMW 540i SIX SPEED--MINT!!!! PIC	\$34000.00	1	09/08 14:05
160055838	1993 green BMW 525i Wagon sports car auto PIC	\$11100.00	18	09/08 08:57
159992224	1991 BMW M5 Premium Supercar NO RESERVE PIC	\$18499.00	0	09/07 23:19
159816472	1996 BMW 327is Sports coupe	\$21500.00	0	09/07 18:38
159691559	1998 BMW Z3, green/tan, wholesale reserve! PIC	\$21050.00	6	09/07 15:44
159664464	1973 BMW 3.0 CS - Classic	\$9850.00	0	09/07 14:52
159624529	91 green/tan BMW Convertible	\$9500.00	0	09/07 13:26
159605338	95 BMW 740i - Stunning - Low Reserve	\$25100.00	9	09/07 12:46
159573352	1992 BMW 525i PIC	\$7500.00	2	09/07 11:35
159547879	bmw 735i new condition 1990	\$11500.00	0	09/07 10:39

Items 1 to 50 matching the query "BMW".  
 Note: Bid counts and amounts may be slightly out of date.  
 Click on the specific item(s) you are interested in for up-to-date information.

[go to TOP of page](#)  
 Page 1   

FIG. 13B

**AUTOMATIC UPDATE OF SEARCHES**

**CROSS-REFERENCES TO RELATED APPLICATIONS**

[0001] The present application is a continuation of U.S. patent application Ser. No. 13/284,717 filed Oct. 28, 2011, now issued as U.S. Pat. No. 8,244,709, which is a continuation of U.S. patent application Ser. No. 12/751,679 filed Mar. 31, 2010, now issued as U.S. Pat. No. 8,051,064, which is a continuation of U.S. application Ser. No. 09/539,167, filed Mar. 29, 2000, now issued as U.S. Pat. No. 7,720,833, and claims the benefit of U.S. Provisional Application Ser. No. 60/179,645 filed Feb. 2, 2000, all of which applications are incorporated herein by reference in their entireties.

**TECHNICAL FIELD**

[0002] The present invention relates to the retrieval of information over a network and more particularly to a change detection and notification system.

**BACKGROUND**

[0003] As networks and computers have been able to deliver information faster, users have begun to expect instantaneous information and information available from anywhere in the world. The vast amount of information available has created an overload of information for the user.

[0004] Internet search tools and search engines allow users to find information by searching for keywords throughout an index of millions of documents posted on websites. However, a problem with the search engines is the inability to receive updated information on specific pages. A user may frequently access the information on web pages to see if changes have occurred, but this is time consuming. Accessing information is tedious, particularly when information contained in a large database and large searches must be conducted.

[0005] Software tools have been developed to automate the task of detecting updates to information on web pages and within databases. These tools allow users to specify keywords which are periodically searched for in a news database. Some of these tools send news articles containing the specified keywords to the user by electronic mail (e-mail).

[0006] These automated software tools are sometimes known as “netbots”, a network robot which automatically performs some task for a user. Netbots allow the users to manage the information within databases and reduce the amount of information that the user must read. Filtering of the information is critical to making good use of the overwhelming amount of information available to the user.

[0007] Change detection tools allow users to register a document or web page on the Internet and be notified when any change to that document occurs. The user registers a document by specifying the URL of the document and providing the user’s e-mail address. The change detection tool stores a local copy of the document together with the user’s e-mail address. Periodically (for example daily or weekly), the change detection tool access the source document specified by the URL and compares the retrieved source document to the local saved copy of the document. If a difference between the two copies is detected, a message is sent to the user’s e-mail address notifying the user of the change in the document. These document change tools may store an actual copy of the entire document on the tools website for comparison. However, such tools are inefficient for retrieving updated

information within a database, for example, an auction site. Because of the large amount of data within these sites, a user may be notified too often or with too much information for the updates to be useful. Often the user is notified of many insignificant changes and frequent e-mail notices of minor irrelevant changes become irritating to the user. In addition, such URL reminders notify the user only that a change has taken place and do not highlight the changes or indicate the changes to the user. Thus, the user must re-read the entire document to determine what has changed.

**BRIEF DESCRIPTION OF HE DRAWINGS**

[0008] Features and advantages will be apparent to one skilled in the art in light of the following detailed description in which:

[0009] FIG. 1 is an illustration of one embodiment for a distributed auction site, search updating system;

[0010] FIG. 2 is a block diagram of one embodiment of an architecture of a computer system;

[0011] FIG. 3a is a block diagram of one embodiment for a random access memory, such as that shown in FIG. 2;

[0012] FIG. 3b is a block diagram of one embodiment of search criteria used in the system of FIG. 1;

[0013] FIG. 4 is a block diagram of one embodiment for an auction site, search updating system;

[0014] FIG. 4b is a block diagram of one embodiment of search results;

[0015] FIG. 5 is a flow diagram of one embodiment for automatically updating auction site searches;

[0016] FIG. 5 is a flow diagram of one embodiment for automatically updating auction site searches;

[0017] FIG. 6 illustrates an exemplary personal shopper user log-in window;

[0018] FIG. 7 illustrates an exemplary saved search results window;

[0019] FIG. 8 illustrates an exemplary existing search and modification window;

[0020] FIG. 9 illustrates an exemplary search criteria preview and save window;

[0021] FIG. 1A illustrates an exemplary search modified verification window;

[0022] FIG. 11 illustrates an exemplary window existing search deletion window;

[0023] FIG. 12 illustrates art exemplary new search recorded verification window; and

[0024] FIG. 13 illustrates an exemplary search results window.

**DETAILED DESCRIPTION**

[0025] A method, apparatus, and system for automatically updating searches are described. In one embodiment, a first search result may be compared with a second search result to automatically identify at least one data item within the first search result that is changed relative to the second search result. The at least one data item may comprise a transaction term. A notification of the at least one data item may be transmitted to a user device.

[0026] Reference in the specification to “one embodiment” or “an embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiment is included in at least one embodiment of the invention. The appearances of the phrase “in one embodiment” in various places in the specification are not necessarily all referring

to the same embodiment. Although the search update system is described in terms of an auction site, the system and method may be used to automatically update searches of any database.

[0027] Some portions of the detailed description that follows are presented in terms of algorithms and symbolic representations of operations on data bits within a computer memory in the form of a computer program. Such a computer program may be stored in a computer readable storage medium, such as, but is not limited to, any type of disk including floppy disks, optical disks, CD-ROMs, and magnetic-optical disks, read-only memories (ROMs), random access memories (RAMs), EPROMs, EEPROMs, magnetic or optical cards, or any type of media suitable for storing electronic instructions, and each coupled to a computer system bus.

[0028] FIG. 1 is a diagram of one embodiment for a distributed auction site, search updating system 100. Referring to FIG. 1, server 102 is coupled to mass storage device 104. Server 102 and mass storage device 104 are coupled via wide area network (WAN) 112 to a variety of clients 106 and 108. Wide area network 112 may be coupled to any of a variety of clients 106 and 108. In one embodiment, mass storage device 104 contains an auction item database, a modified or new item database, a search criteria database, and a search results database. In an alternate embodiment, each of the databases may be contained in a separate mass storage devices 104. A user accesses a server through client 106, 108 via wide area network 112 in order to enter items for sale in the auction item database, modify items for sale, and enter search criteria for searching for items within the auction item database. After the user enters all the information into the system 100, server 102 uses the search criteria to search for items within the auction item database. The search results are stored in the search results database and the user is notified that the search is complete. In one embodiment, the user is notified by an e-mail sent from server 102 via wide area network 112 to client 106, 108.

[0029] FIG. 2 is a block diagram of one embodiment for an architecture for a computer system 200. Referring to FIG. 2, CPU 202 is coupled via bus 215 to a variety of memory structures and input/output 210. The memory structures may include, for example, read only memory (ROM) 204, random access memory (RAM) 206, and/or non-volatile memory 208. In one embodiment, CPU 202 is also coupled via bus 215 to network interface 212. Network interface 212 is used to communicate between computer system 200 and server 102 and a variety of other computer terminals 108. Network interface 212 is coupled to the wide area network 112 by any of a variety of means such as, for example, a telephone connection via modem, a DSL line, or the like. The architecture shown in FIG. 2 may be utilized for either client 106, 108, server 102, or both.

[0030] FIG. 3a is a block diagram of one embodiment for random access memory (RAM) 206. Referring to FIG. 3a, RAM 206 contains auction item application 302, search criteria application 304, search engine 312, and change-detection manager 310. Change-detection manager 310 includes update responder 306 and update detector 308. Auction item application 302 is used to add or modify items to the item database. Auction item application 302 interacts with the user via a graphical user interface (GUI) to set up items for sale. Search criteria application 304 is used to add, modify and delete search criteria for searching the item database. Search

criteria application 304 interacts with the user via a GUI to set up criteria for searching the item database. Search engine 312 searches the item database using the search criteria entered through search criteria application 304. Update responder 306 handles communication between server 102 and the search engine software. Update detector 308 is responsible for performing the automatic update of the searches. In one embodiment, change-detection manager 310 is the NetMind Change-Detection tool provided by NetMind Services, Inc of Campbell, Calif.

[0031] FIG. 3b is a block diagram for one embodiment of search criteria 320 used in system 100. Referring to FIG. 3b, search criteria 320 may include a unique search ID 322, a user identification 324, user e-mail address 326, category indicator 328, search string 330, search frequency 332, minimum bidding price 334, maximum bidding price 336, search includes description 338, order of the search results 340, search starting date 342, and search ending date 344. The entries in search criteria 320 are entered through a GUI.

[0032] Search ID 322 is a unique identifier for the search criteria 320. In one embodiment, search ID 322 is automatically generated by system 100 when the search is saved. User ID 324 is a unique identifier for the user and is entered by the user when the user signs-up for the notification service. User e-mail address 326 is used to notify the user of the results of the updated search results. Category search 328 indicates the auction site category for the search. In one embodiment, the user may search items for sale based upon the item category (for example, autos, boats, or the like). Search string 320 contains the search data entered by the user for the search (for example, "BMW 3225i"). Search frequency 332 indicates how often a search update is performed. For example, search frequency 332 may indicate a daily, weekly, or monthly update. Minimum bidding price 334 contains the lowest bid price entered by the user for the item and maximum bidding price 336 contains the highest bid price entered by the user. Search includes description 338 is a tag that indicates whether the search is to be performed on the description of the item in addition to the title of the item. Order of search results 340 indicates whether the search results are displayed newest first or oldest first. Search starting date 342 indicates the date from which the search updates are performed. In one embodiment, search starting date 342 is automatically inserted by the system when the user saves the search information. Search ending date 344 indicates the date at which the search updates are to be concluded.

[0033] FIG. 4 is a block diagram of one embodiment of an auction site, search updating system 400. Referring to FIG. 4, items processor 405 accesses item database 410 to add items to item database 410. Items are entered by a user through a GUI. Items processor 405 extracts new or modified items from item database 410 and places the extracted items in modified or new items database 415. The extraction of modified or new items is performed on a regular basis. For example, the extraction may be run on an hourly or nightly basis.

[0034] Search criteria input processor 425 downloads search criteria 320 into search criteria database 420. Search criteria 320 is input into the system 400 by the user through a GUI. In one embodiment, the user is queried at the time a search is initially entered into the system whether the user wishes to save the search for future updates. If the user does not wish to save the search, the search is performed on the item database 410 and the results displayed to the user. How-

ever, if the user wishes to save the search, search criteria input processor 425 performs an initial search against auction item database 410 and displays the search results on the user's terminal, in addition, search criteria input processor 425 saves search criteria 320 entered by the user in search criteria database 420.

[0035] Update notification engine 430 uses search criteria 320 from search criteria database 420 to search the modified or new items database 415 to create search results. The search results are stored in search result database 440. Update notification engine 430 compares search results on a periodic basis. The periodic basis is determined by search frequency 332. Thus, search criteria 320 may indicate that the search is performed and the comparison made on an hourly, nightly, or weekly basis. Update notification engine 430 runs the current search and compares the search results for the current search with search results from a prior run stored in search results database 440.

[0036] Update notification engine 430 retrieves search criteria 320 from search criteria database 420. Search criteria 320 is used to search the modified or new items database 415 and the results are transferred to update manager 310. Update detector 308 parses the new search results. In one embodiment, the search results are sorted in date order with the latest date first. Update detector 308 retrieves the previously stored search results from search result database 440 to make the comparison. In one embodiment, each auction item extracted from new or modified items database 415 is tagged with a beginning and ending tag. During the parsing, each result is divided into sections based upon the tags and the new search results are parsed and divided depending on the tags. In one embodiment, each tag section is then processed by a CRC generator to checksum each section. After all sections of the search results have been checksummed, the archived checksummed sections in search result database 440 for the corresponding search are compared to the current checksummed sections. If a match is found, then a section has not changed. However, if no match is found, then that particular auction item has changed. The changed items are saved in mail notification 435. After all comparisons have been made, the newest checksummed search results are saved in search result database 440 replacing the previous search results for the particular search.

[0037] FIG. 4b is a block diagram of one embodiment of the search results 450. Each search result 450 contains a search ID 452 and a number of search result entries 454. Each search result entry 454 contains an item tag 456, checksum entry 458, and change tag 460. Search ID 452 corresponds to search ID 332. Item tags 456 are unique identification tags to each individual auction item contained within database 410. Checksums 458 are the checksum values generated by update detector 308 and change tags 460 are temporary data areas used by update detector 308 to determine if a change has occurred. In one embodiment, the change codes are initialized to 11 before processing. Any entries 454 whose change code remains 11 at the end of processing are new sections or changed sections. Change tags 460 keep track of type of change found. A change code is written into the change tags 460 for each entry 454 when a match is found or not found. In one embodiment, when a match is found, change tag 460 is set to 00 indicating that no change occurred in this section. After archived sections in search result 450 have been compared, if all change tags 460 are 00, then no new sections or changes

were found. However, entries 454 with change tags 460 other than 00 indicate that a change has occurred.

[0038] The results of the comparison are sent to the user via e-mail notification 435. In one embodiment, the notification is by an e-mail message sent from server 102 to client 106, 108. In alternate embodiments, any applicable notification system may be utilized such as, for example, notification by web page, by facsimile, or by pager. In one embodiment, the e-mail message contains the changed auction items retrieved from auction item database 410 or new and modified item database 415. In one embodiment, an e-mail notification is sent for each item that has been found to have changed. In an alternate embodiment, a single e-mail notification 435 will be sent out for each search criteria. E-mail may include not only the item found to have been new or changed, but also the unique search ID 322, user ID 324, the category based on the category searched 328, the search from search string 330, the frequency 332, minimum or maximum bidding prices 334, 336, whether the search included the description 338, the starting date 342, and ending date 344. In alternate embodiments, additional information may be also sent in the e-mail notification 435.

[0039] In one embodiment, update notification engine 430 retrieves searches from modified or new items database 415 on a daily basis. Update notification engine 430 executes the searches for each user for each search. In one embodiment, a user may save up to three searches at any one time, in alternate embodiments, any number of searches may be saved. A search may be active or inactive depending on search criteria 320. Whether a search is active for a particular execution is dependent upon the duration of a search and frequency 332 entered by the user. If update notification engine 430 finds a match for the search and the comparison shows that a change has occurred from a prior search, the results are sent to the user. In one embodiment, each search result is sent in a separate e-mail notification 435. If a search is not found or there has been no update since the prior search, update notification engine 430 sends notification message 435 to the user indicating that no match was found. In one embodiment, an e-mail notification 435 is sent only after a specific period of time to indicate that no matches have been found. For example, in one embodiment, if update notification engine 430 does not find an updated match for a week, a "still looking" message is sent to the user.

[0040] Update notification engine 430 also sends a notification 435 to the user that a search will expire. In one embodiment, the update notification engine 430 sends the expiration notice to the user 24 hours prior to the expiration of the search.

[0041] FIG. 5 is a flow diagram of one embodiment for automatically updating auction site 100 searches. Initially at processing block 505, new and modified items for sale are extracted from item database 410 and placed into modified or new items database 415. In one embodiment, the extraction is performed on a periodic basis, for example, hourly or nightly. In addition, search criteria 320 are extracted from search criteria database 420. In one embodiment, search criteria 320 are extracted for each user and each user may have up to three search criteria.

[0042] At processing block 510, modified or new items database 415 is searched using the extracted search criteria 320 from search criteria database 420. Search results are saved in search results database 440. Any known searching method may be used to search the database.

[0043] At processing block 515, the search results for the new search are compared to the search results from a previous search. If any items have changed or are new, the particular items are tagged. Update notification engine 430 uses search criteria 320 from search criteria database 420 to search the modified or new items database 415 to create search results. The search results are stored in search result database 440. Update notification engine 430 compares search results on a periodic basis. The periodic basis is determined by search frequency 332. Thus, search criteria 320 may indicate that the search is performed and the comparison made on an hourly, nightly, or weekly basis. Update notification engine 430 runs the current search and compares the search results for the current search with search results from a prior run stored in search results database 440.

[0044] At processing block 520, the results of a comparison are sent to the user by e-mail notification. The results of the comparison are sent to the user via e-mail notification 435. In one embodiment, the notification is by an e-mail message sent from server 102 to client 106, 108. In alternate embodiments, any applicable notification system may be utilized. In one embodiment, the e-mail message contains the changed auction items retrieved from auction item database 410 or new and modified item database 415. In one embodiment, an e-mail notification is sent for each item that has been found to have changed. In an alternate embodiment, a single e-mail notification 435 will be sent out for each search criteria. E-mail may include not only the item found to have been new or changed, but also the unique search ID 322, user ID 324, the category based on the category searched 328, the search from search string 330, the frequency 332, minimum or maximum bidding prices 334, 336, whether the search included the description 338, the starting date 342, and ending date 344. In alternate embodiments, additional information may be also sent in the e-mail notification 435. In alternate embodiments, any appropriate notification method may be used.

[0045] FIG. 6 illustrates an exemplary personal shopper user log-in window 600. Referring to FIG. 6, log-in window 600 includes user ID input area 602, password input area 604, and a remember me check box 610. In one embodiment, when a user signs onto the auction site and enters the search area, the user is presented with the user log-in screen 600. In an alternate embodiment, log-in window 600 may be displayed when a user enters a search string in any window in system 100. The user has the option of performing a one time search by entering a search criteria or search string in search string input area 606 and by checking the search titles and description check box 608. In one embodiment, the user may also create a personal shopper log-in by entering or creating a user ID and password in the appropriate areas 602, 604. The user may only save search criteria by creating a personal shopper log-in account.

[0046] FIG. 7 illustrates an exemplary saved search results window 700. Saved search results window 700 includes search string input area 702, search titles and description checkbox 704, and saved searches 706. In one embodiment, a user is allowed to save up to three searches at any given time. In an alternate embodiment, the user may save any number of searches. Saved search results 706 include the name of the search and the search status (that is, whether the search is active and date at which it will end). In addition, saved searches 706 include save search actions 708 that the user

may perform on the saved searches 706. For example, the user may search using the saved search, modify the saved search or delete the saved search.

[0047] FIG. 8 illustrates an exemplary existing search and modification window 800. Referring to FIG. 8, window 800 includes search modification dialog box 802. Search modification dialog box 802 includes search string input area 804, search item title or search item title and description check boxes 806, minimum price range input area 808, maximum price input area 810, notification frequency input area 812, and e-mail notification duration input area 814. In addition, window 800 includes a preview button 816 for previewing the search and an undo button 818 for undoing the input into dialog box 802. Dialog box 802 may be used for modification of existing searches or for the input of new searches. Information entered into dialog box 802 is saved in search criteria 320.

[0048] FIG. 9 illustrates an exemplary search criteria preview and save window 900. Referring to FIG. 9, search criteria 320 entered by the user within dialog box 802 is displayed in search criteria area 902. Window 900 also includes save button 904 for saving the search results into search criteria 320 and search results received from a search of database 415 in search results area 906. In one embodiment, the search results shown in search results area 906 show the first four items of items found in database 410. In an alternate embodiment, any number of search results may be shown in area 906.

[0049] Once the user saves the search by pressing save button 904, the information entered in dialog box 802 is saved in search criteria 320. The unique search ID 322 is generated for the search and the user identification (entered through user log-in window 600) is saved in user ID 324. User identification may be a combination of the user name and user password entered in log-in window of FIG. 6. Information entered in input area 804 is saved in search string 330. If a category had been chosen for the search, the category name will be placed in category search 328, the price range is placed in the minimum bidding and maximum bidding price 334 and 336, the frequency is entered into search frequency 332, an indication whether the search includes a description from 806 is placed into 338, and the starting date 342 and ending date 344 is generated from the e-mail duration. In one embodiment, starting date 342 is the date the search is entered or modified and ending date 344 is generated based upon the duration and starting date 342.

[0050] FIG. 10 illustrates an exemplary search modified verification window 1000. Referring to FIG. 10, window 1000 includes an add a new search button 1002 and a view existing searches button 1004. After save button 904 has been entered, window 1000 is presented to the user for verification of the save operation to either save another search or modify a saved search.

[0051] FIG. 11 illustrates an exemplary window existing search deletion window 1100. Referring to FIG. 11, a user may indicate that a search is to be deleted by entering the delete button in existing search actions area 708. After the user clicks or enters the delete action, window 1100 is displayed. Window 1100 includes the search to be deleted at 1102 and a delete button 1104. A user may delete the displayed search by clicking on the delete button 1104.

[0052] FIG. 12 illustrates an exemplary new search recorded verification window 1200. Referring to FIG. 12, verification window 1200 includes an add a new search button

1202 and a view existing search button 1204. Verification window 1200 may be displayed after the user has entered anew search in search dialog blocks 802 or through the search string input area 702 of any of the display screens of system 100.

[0053] FIG. 13 illustrates an exemplary search results window 1300. Referring to FIG. 13, search results window 1300 is displayed whenever the user searches on an existing search or enters a search string in a search string input area 702. Window 1300 includes search string input area 1304, e-mail notification and update access area 1306, and other search criteria information 1308. In addition, window 1300 includes search results area 1310. Items found based upon the search are displayed in search result area 1310. In one embodiment, the items are displayed beginning with the newest item through the oldest item found. The newest item is based upon the date the item was entered into the auction site or the date that the item was last updated. By clicking on e-mail notification access area 1306, the user may enter the input of saving searches. If the user has previously signed on, the clicking on 1306 will take the user to the search modification or input window 800 or if the user has not signed on, log-in window 600 will be displayed. By clicking on the e-mail notification access 1306, the search results displayed in search result area 1310 are saved in search results database 440. Each item in the search result area 1310 is tagged and a checksum (by the method as described above) is created for the item. The item number and checksum are saved in database 450.

[0054] The specific arrangements and methods herein are merely illustrative of the principles of this invention. Numerous modifications in form and detail may be made by those skilled in the art without departing from the true spirit and scope of the invention.

What is claimed is:

- 1. A method comprising:
  - comparing, using one or more processors, a first search result with a second search result to automatically identify at least one data item within the first search result that is changed relative to the second search result, the at least one data item being a transaction term; and
  - transmitting a notification of the at least one data item to a user device.
- 2. The method of claim 1, wherein the at least one data item comprises a price change or a transaction period change for an item.
- 3. The method of claim 1, further comprising:
  - identifying a first set of data items satisfying a first set of search criteria as the first search result, and identifying a second set of data items satisfying a second set of search criteria as the second search result.
- 4. The method of claim 3, wherein the first and second sets of search criteria are identical to each other.
- 5. The method of claim 3, wherein the first and second sets of search criteria are at least in part different from each other.
- 6. The method of claim 3, wherein each of the first and second sets of search criteria is selected from a group consisting of a search identification, a user identification, a user e-mail address, a category indicator, a search frequency, a minimum price, a maximum price, a description, an order of search result, a search starting date, and a search ending date.
- 7. The method of claim 1, wherein the transmitting comprises:

- adding, to the notification, a link to a network-based transaction platform that provides the transaction term.
- 8. The method of claim 1, wherein the transmitting comprises:
  - highlighting the transaction term as compared to other unchanged transaction terms.
- 9. The method of claim 1, wherein the transmitting comprises:
  - extracting the at least one data item from the first search result to include in the notification; and
  - refraining from transmitting, to the user device, other data items in the first search result that are not changed relative to the second search result.
- 10. The method of claim 1, wherein the transmitting comprises:
  - transmitting the notification in the form of at least one of an email notification, an instant message notification, a web page notification, a facsimile notification, or a pager notification
- 11. An apparatus comprising:
  - one or more processors to execute a search result management module, the search result management module configured to:
    - compare a first search result with a second search result to automatically identify at least one data item within the first search result that is changed relative to the second search result, the at least one data item being a transaction term; and
    - transmit a notification of the at least one data item to a user device.
- 12. The apparatus of claim 11, wherein the search result management module is configured to:
  - identify the first search result based on a first search query, and the second search result based on a second search query.
- 13. The apparatus of claim 12, wherein the first and second search queries are received from a same user.
- 14. The apparatus of claim 12, wherein the first and second search queries are received from different users.
- 15. The apparatus of claim 12, wherein at least one of the first and second search queries is automatically triggered based on a specified condition being met.
- 16. The apparatus of claim 15, wherein the specified condition comprises an elapse of a certain period of time.
- 17. The apparatus of claim 12, wherein the first and second search queries are received at different times.
- 18. The apparatus of claim 12, wherein the first and second search queries are received substantially concurrently.
- 19. The apparatus of claim 12, wherein the at least one data item comprises a price change or a transaction period change for an item.
- 20. A non-transitory machine-readable storage device storing instructions that, when executed by one or more processors, cause the one or more processors to perform operations comprising:
  - comparing a first search result with a second search result to automatically identify at least one data item within the first search result that is changed relative to the second search result, the at least one data item being a transaction term; and
  - transmitting a notification of the at least one data item to a user device.

\* \* \* \* \*