

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
30 June 2005 (30.06.2005)

PCT

(10) International Publication Number
WO 2005/060282 A1

(51) International Patent Classification⁷: **H04Q 7/22**,
H04M 3/42, 3/493

(21) International Application Number:
PCT/PL2004/000015

(22) International Filing Date: 29 February 2004 (29.02.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
P.364119 17 December 2003 (17.12.2003) PL

(71) Applicant and

(72) Inventor: **KULAKOWSKI, Henryk** [PL/PL]; ul. Ponia-
towskiego 94/22, PL-37-450 Stalowa Wola (PL).

(74) Agent: **MARCINSKA, Aleksandra**; Kancelaria Paten-
towa Aleksandra Marcinska, ul. M. Dabrowskiej 9/57,
PL-01-903 Warsaw (PL).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Euro-
pean (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,
GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- with amended claims and statement

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.



WO 2005/060282 A1

(54) Title: METHOD OF EFFECTING ACCESS TO SERVICES IN A TELECOMMUNICATION NETWORK

(57) Abstract: A method of effecting access to services in a telecommunication network is the fact that the service can be accessed from the user's terminal identically with the use of two complementary interfaces: a voice and a text terminal with the use of USSD commands, where the service is effected when the user initiates a connection with the service access number, which in the case of a voice interface is treated as a telecommunication number of the chosen service, and in the case of a text interface it is treated as a USSD command, consisting of the same digit sequences, and differing only in the characters "*" and "#", included therein, whereas the differences are responsible for choosing a channel by the telecommunication network, and what comes with it, also for choosing of an interface, through which the user's connection with the service would be effected, and the decision on how this connection is to be handled preferably is made by the service, basing on information related to the incoming connection, received either directly from the telecommunication network or indirectly from the telecommunication operator.

5

**Method of effecting access to services in a
telecommunication network**

10

FIELD OF THE INVENTION

This invention relates to a method of effecting access to services in a telecommunication network.

15

BACKGROUND OF THE INVENTION

A number of solutions are known which make it possible to effect interactive services in telecommunication networks. The most popular ones are voice services based on IVR systems. The user calls the specified telephone number of the given voice service, where he uses the service with his telephone keyboard, operating under DTMF tone dialing. Examples of such systems can be found in WO0145086 or US2001028705.

Strings of DTMF characters, dialed during the session of the telephone connection, can be also sent automatically,

25

2

without waiting for subsequent messages from the IVR system. A string of such characters is given directly after the telephone number of the service, finished with a pause character, after which then a
5 sequence of DTMF characters is given. In practice, such a solution causes the telephone set to dial the service number first, then to wait for the answer signal, and after that to send the given DTMF sequence.

10 Very popular are all kinds of services for mobile phones with the use of SMS text messages. Here, the user sends any text of specified length under the specified service number. An example for that can be the parking system described in WO9719568. In case of a greater interaction of
15 the user with the service, a greater number of SMS messages are exchanged. An example for that can be the electronic auction system described in WO0022906.

Services based on WAP make it possible to provide the user
20 not only with texts, but also with graphic elements or sounds. They also make it possible to fully interact with the user, however, the communication interface on the user's side is always a text interface. An example for that can be the system for ordering goods and services,
25 described in WO03003143.

3

A less popular method of effecting interactive services is application of a USSD channel, which allows for simple effecting of interaction with the user, but also offers only a text interface.

5

A characteristic feature of the above mentioned solutions is the fact that the service is provided within one technology or one communication channel, and effecting of the service in a different channel requires the user to use
10 the service in a different way.

The USSD (Unstructured Supplementary Service Data) is a method of exchanging information between a mobile telephone and a telecommunication operator, described in standards
15 ETSI GSM 2.30, GSM 4.90, GSM 2.90, and used mainly for configuration of services and parameters in a GSM network.

The aim of this invention is a method of effecting access to services in telecommunication networks, making it
20 possible for the user to gain simple access to such services directly from the telephone keyboard, and at the same time making it possible to choose the interface type and to have the option of choosing the way in which the connection is to be handled by the service operator.

25

SUMMARY OF THE INVENTION

This aim has been accomplished in the method of effecting access to services in a telecommunication network, according to the invention which has this characteristic feature that the service can be accessed from the user's terminal identically and simultaneously with the use of two complementary interfaces: a voice and a text terminal with the use of USSD commands, where the service is effected when the user initiates a connection with the service access number, which in the case of a voice interface is treated as a telecommunication number of the chosen service, and in the case of a text interface it is treated as a USSD command, consisting of the same digit sequences, and differing only in the characters „*” and „#”, included therein, whereas the differences are responsible for choosing a channel by the telecommunication network, and what comes with it, also for choosing of an interface, through which the user's connection with the service would be effected; and the decision on how this connection is to be handled preferentially is made by the service, basing on information related to the incoming connection, received either directly from the telecommunication network or indirectly from the telecommunication operator.

5

Preferably, the access number contains additional parameters separated with a character "*" or "#"; these parameters are given by the user either preferably during the initiation of a telecommunication connection, or
5 alternatively already during the connection session, whereas the parameters given during the connection session are preferably alphanumerical data.

Preferably, the text interface can be any other interface,
10 including an interface for SMS text messages, where numbering identical as in a voice interface is used for the access to the service.

Preferably, the term of access to the service includes also
15 access or connection to another user. The term of a connection includes also a set or a sequence of voice or text messages exchanged between the user and the service without the need to establish a physical connection.

20 The method according to the invention is also characterized in that the access to the service and the subsequent connection take place in two different interfaces, available within the service.

6

A tremendous advantage of this invention lies in the fact that the choice of the interface for communication with the user is effected already when setting up a connection with a simple combination of the characters "*" or "#" in the service access number, dialed on the phone, 5 whereas parts of the data integrated with the access number can be transmitted to the service already at the stage of the connection being initiated. The remaining part of information is exchanged between the user and the service 10 during the connection session, whereas the basic difference lies not in the content of the information being transmitted, but in the method of their transmission to the user: through voice or text. The invention has an additional advantage as well: it makes it possible for the 15 service operator to preliminary handle the incoming connection, basing on the service number and the therewith integrated information, received either from the telecommunication network, or from the telecommunication operator. Depending on the outcome of this operation, the 20 service operator shall make a decision on the appropriate handling of the connection, e.g. it can be accepted or denied. If the service cannot offer an appropriate service to the user - the connection is not accepted, so that the user does not bear any costs.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

A user who wants to use the service, dials on the telephone keyboard the access number of the service operator, which, apart from digits, consists among others of the characters
5 "*" and "#". The service is available via two different interfaces: voice and text mode, effected with the use of USSD. In both cases, the access number is identical and differs only in the occurrence of the characters "*" and "#" in the sequence dialed on the user's terminal. In case
10 of a USSD sequence, it is precisely defined by specific standards. In case of a voice connection, it has to contain a different valid combination of the mentioned characters. Depending on the occurrence of sequences of characters "*" and "#" in the access number chosen by the user, the
15 initiated connection is identified by the telecommunication network as a USSD connection or a voice connection, which reaches the service operator through an appropriate channel. In both cases, a connection with the user is established, during which interactive data exchange takes
20 place. In case of a USSD connection, the user's terminal displays a text, and the user has the option of sending the text to the service operator as well. In case of a voice connection, it is handled e.g. by an IVR system, where the user receives voice messages instead of texts, and the
25 user's own information can be sent with the telephone

keyboard in the DTMF tone system or dictated to a speech recognition system.

Information transmitted to the service operator by the user is provided both during the connection session and preferably during its initiation, by dialing on the telephone keyboard - together with the access number - of a sequence of digits, preferably separated by valid characters "*" or "#".

After the telecommunication connection has been initiated by the user, it is directed to the service operator, where, on the basis of data coming directly from the telecommunication network or indirectly from the telecommunication operator, the service operator shall decide whether and with which method this connection is to be handled. Each connection can be for example handled individually, depending on the identification of the number of the person initiating the connection.

Example 1

The service provides downloading of melodies for a GSM phone. The service is available under the access number "*145" for a voice interface. When dialing this number, the user connects to an IVR system, which asks the user by the voice method to enter the six-digit melody_code and the two-digit telephone_code, characterising the melody type

9

handled by this telephone. After all the data have been entered, the connection is disconnected, and the user receives the ordered melody to his telephone. The user can begin from dialing the sequence

5 "*145*melody_code*telephone_code" on the telephone keyboard, where, after the setting up of the connection, the IVR system processes the received data and sends the ordered melody to the user - even without the need to set up a voice connection.

10 In case of a text interface, connection to the service office is initiated in an identical way, whereas the dialed number is finished with the character "#": „*145#“. Such a connection is directed by the telecommunication reception to the USSD server, where it is passed on to the service

15 operator. The service can be used also here by sending the necessary parameters together with the access number. In such a case, the sequence

„*145*melody_code*telephone_code#" should be dialed from the telephone keyboard.

20

Example 2

Listening to a radio station, the user has the possibility to order via phone the presently broadcasted song as a melody for the phone. This service is available under the

25 number "*145"; having connected with this number, the user

10

has to enter a two-digit telephone code, characterising the phone manufacturer, which in his case is "01". In case of a connection with the service via a text interface (USSD), the user dials the sequence "*145*01#", and in case of a voice connection - the sequence "*145*01*". The connection is directed by the telecommunication network to the service operator, who analyses the access number, for which the connection had been initiated, and whether this number includes the telephone code. If the song broadcasted by the radio station is not available or is available in formats that are not compatible with the user's telephone, then the connection is not accepted or the user receives an appropriate message on the unavailability of this song. As the sequence dialed by the user when initiating a connection is always fixed, he can write it down, e.g. in his phone book.

Example 3

Listening to a radio station, the user connects to the service under the number "*145*" for a voice service or "*145#" for a text service. Having established a connection with the service, the user can: 1. order the broadcasted song in the form of an MP3 file, 2. order the album of the broadcasted singer, 3. order a melody for the phone or 4.

vote for a song in music charts. The user selects the appropriate option. In case of a text channel, the user enters a digit from 1 do 4 from his keyboard. In case of a voice connection, the user speaks out the appropriate digit, which is accordingly interpreted by the speech recognition system.

APPLICATIONS IN INDUSTRY

Implementation of the proposed invention allows for effecting of a new type of added services in telecommunication networks. The proposed invention makes using of the invention much simpler for the users than in the case of e.g. services based on SMS. The possibility to effect services on two complementary interfaces - in voice and text mode - gives much greater possibilities to provide services and has more advantages as seen by the users. The possibility to communicate with two channels is of great importance, especially in the case of mobile phones, where the user is not always able to use the text interface (e.g. when driving a car), or the voice interface (during a meeting). The invention makes it also possible to find new application areas for IVR and USSD systems. It also gives the possibility to effect interactive services, which are limited by interfaces and solutions used so far.

Claims:

1. A method of effecting access to services in a telecommunication network, characterized in that the service can be accessed from the user's terminal identically and simultaneously with the use of two complementary interfaces: a voice and a text terminal with the use of USSD commands, where the service is effected when the user initiates a connection with the service access number, which in the case of a voice interface is treated as a telecommunication number of the chosen service, and in the case of a text interface it is treated as a USSD command, consisting of the same digit sequences, and differing only in the characters „*" and „#", included therein, whereas the differences are responsible for choosing a channel by the telecommunication network, and what comes with it, also for choosing of an interface, through which the user's connection with the service would be effected, and the decision on how this connection is to be handled preferably is made by the service, basing on information related to the incoming connection, received either directly from the telecommunication network or indirectly from the telecommunication operator.

2. A method according to claim 1, characterized in that the access number contains additional parameters

separated with a character "*" or "#", and these parameters are given by the user either preferably during the initiation of a telecommunication connection, or alternatively already during the connection session, 5 whereas the parameters given during the connection session are preferably alphanumeric data.

3. A method according to claim 1, characterized in that the text interface can be any other interface, including an interface for SMS text messages, where 10 numbering identical as in a voice interface is used for the access to the service.

4. A method according to claim 1, characterized in that the term of access to the service includes also access or connection to another user.

15 5. A method according to claim 1, characterized in that the term of a connection includes also a set or a sequence of voice or text messages exchanged between the user and the service without the need to establish a physical connection.

20 6. A method according to claim 1, characterized in that the access to the service and the subsequent connection take place in two different interfaces, available within the service.

AMENDED CLAIMS

received by the International Bureau on 17 April 2005
original claims 1-6, replaced by claims 1-6

1. A method of effecting a connection from user's
phone terminal to a service in a telecommunications network
5 with the use of an SS7 signalling channel and a voice
channel, characterized in that the service can be accessed
identically and simultaneously with the use of one of two
complementary interfaces: a voice interface, using DTMF,
and a text interface, using USSD commands, where the
10 service is called by a connection, initialized by the user,
to the service access number in the telecommunications
network, which in the case of the voice interface is
treated as a phone number, while in the case of the text
interface it is treated as a USSD command, consisting of
15 the same digit sequences and differing only in the
characters „*” and „#”, included therein, whereas these
differences are interpreted by the phone set to select
proper telecommunications channel: the SS7 signalling for
the text interface or the voice channel through which the
20 user's connection with the service will be effected, and
the decision on how this connection is to be handled is
made by the service, basing on information related to the
incoming connection, received either directly from the
telecommunications network or indirectly from the
25 telecommunications operator.

2. A method according to claim 1, characterized in that the access number contains additional parameters separated with a character "*" or "#", and these parameters are given by the user either during the initiation of a telecommunication connection, or alternatively already during this connection, and the parameters given during the connection are preferably alphanumerical data.

3. A method according to claim 1, characterized in that the text interface is an SMS message, and the numbering used to access the service is identical to the numbering used for the voice interface.

4. A method according to claim 1, characterized in that the term connection to a service means also a connection to another user.

5. A method according to claim 1, characterized in that the term connection means also a set or a sequence of voice or text messages exchanged between the user and the service without the need to establish a physical connection.

6. A method according to claim 1, characterized in that the connection with the service is switched from one interface to another during the connection.

Statement under article 19 (1)

In claim 1 the scope of the invention is specified more detailed, changing a method of effecting "an access to a services" to a method of effecting "a connection from user's phone terminal", this reflecting the technical nature of the invention to a higher degree. Also, the state of the art is moved before the characterizing portion, which refers both to a voice channel as well as to an SS7 signaling channel. In the characterizing portion it is pointed out that a service can be accessed with the use of one of two channels rather than the use of two channels simultaneously. Of course, both channels may be used, but one only can be used at the same time. In the final portion of the claim the description of the realization of the service is modified, thus having more technical character.

In claims 1 and 2 the word "preferably" is omitted, this modification in no way changing the character of the claims.

In claim 3 terminology is modified, this modification not affecting the scope of the claim.

In claims 4 - 6 stylistics is modified to a certain extent, this modification not affecting the scope of the claims.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/PL2004/000015

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04Q7/22 H04M3/42 H04M3/493

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 H04Q H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2003/144016 A1 (FINE ERAN ET AL) 31 July 2003 (2003-07-31) paragraph '0073! - paragraph '0077! paragraph '0050! - paragraph '0064! paragraph '0035! - paragraph '0040! paragraph '0019! - paragraph '0022! paragraph '0013! - paragraph '0013! paragraph '0003! - paragraph '0005! -----	1-6
X	US 5 943 611 A (MOELNE ANDERS LENNART) 24 August 1999 (1999-08-24) column 9, line 43 - column 10, line 62 column 6, line 4 - line 31 column 5, line 33 - line 46 column 1, line 37 - line 47 -----	1-6
A	US 2002/123359 A1 (GHE EUGENE ET AL) 5 September 2002 (2002-09-05) ----- -/--	1-6

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

° Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

24 August 2004

Date of mailing of the international search report

03/09/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Domínguez, I

INTERNATIONAL SEARCH REPORT

International Application No
PCT/PL2004/000015

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 199 42 607 A (SIEMENS AG) 8 March 2001 (2001-03-08) column 4, line 63 - column 5, line 50 column 3, line 48 - column 4, line 16 -----	1-6

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/PL2004/000015

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2003144016	A1	31-07-2003	
		AU 6629501 A	02-01-2002
		EP 1295492 A1	26-03-2003
		AU 6994001 A	02-01-2002
		WO 0199445 A1	27-12-2001
		WO 0198867 A2	27-12-2001
		US 2002022485 A1	21-02-2002
		US 2002099799 A1	25-07-2002

US 5943611	A	24-08-1999	
		US 5689547 A	18-11-1997
		AU 707694 B2	15-07-1999
		AU 7523996 A	22-05-1997
		BR 9611404 A	05-01-1999
		CA 2233688 A1	09-05-1997
		CN 1200862 A , B	02-12-1998
		DE 69632162 D1	19-05-2004
		EE 9800138 A	15-10-1998
		EP 0858712 A1	19-08-1998
		HK 1017798 A1	29-08-2003
		JP 2000511007 T	22-08-2000
		NO 981980 A	30-06-1998
		PL 326556 A1	28-09-1998
		RU 2153239 C2	20-07-2000
		TR 9800772 T2	21-08-1998
		WO 9716935 A1	09-05-1997

US 2002123359	A1	05-09-2002	
		US 2002116450 A1	22-08-2002

DE 19942607	A	08-03-2001	
		DE 19942607 A1	08-03-2001
		WO 0117280 A2	08-03-2001
